

Available online at www.sciencedirect.com



Procedia Computer Science 60 (2015) 391 - 402



19th International Conference on Knowledge Based and Intelligent Information and Engineering Systems

Cognitive Aspects of Object Recognition – Recognition of Objects by Texture

Petra Perner*

*Institute of Computer Vision and applied Computer Sciences, IBaI PF 30 1 14, 04251 Leipzig, Germany

Abstract

To study human image cognition is more than ever an important topic since the number of vision-based materials has been increased over the years. Texture seems to be a powerful tool to describe the appearances of objects. Therefore, very flexible and powerful texture descriptors are of importance that allow to recognize the texture and to understand what makes up the texture. The most used texture descriptor is the well-known texture descriptor based on the co-occurrence matrix. We propose a texture descriptor based on random sets. This descriptor gives us more freedom in describing different textures. In this paper, we compare the two texture descriptors based on a medical data set. We review the theory of the two texture descriptors and describe the procedure for the comparison of the two methods. Polyp images are used that are derived from colon examination. Decision tree induction is used to learn a classifier model. Cross-validation is used to calculate the error rate. The comparison of the two texture descriptors is based on the error rate, the properties of the two best classification models, the runtime for the feature calculation, the selected features, and the semantic meaning of the texture descriptors. The medical data set was chosen since texture seems to play an important role in describing medical objects.

© 2015 The Authors. Published by Elsevier B.V. This is an open access article under the CC BY-NC-ND license (http://creativecommons.org/licenses/by-nc-nd/4.0/).

Peer-review under responsibility of KES International

Keywords: image cognition; object classification; texture description; random sets; co-occurence matrix, comparison of statistical texture

1. Introduction

To study human image cognition is more than ever an important topic since the number of vision-based materials has been increased over the years. Texture seems to be a powerful tool to describe the appearances of objects.

* Corresponding author. Tel.: +49 341 8612273; fax:+49 341 8612275. *E-mail address:* pperner@ibai-institut.de Therefore, very flexible and powerful texture descriptors are of importance that allow to recognize the texture and to understand what makes up the texture. Texture becomes an important role to describe the appearance of different biological objects in images. Patterns on cells in cell images, on fungi images or polyp images can be described by texture.

Different texture descriptors have been developed over the past¹. The most used texture descriptor is the wellknown texture descriptor based on the co-occurrence matrix². Although it works well on different applications we prefer to use our texture descriptor that is based on random sets³ since this descriptor gives us more freedom in describing different textures.

In this paper we compare the two texture descriptors based on a medical data set. Related work on texture description is given Section 2. The theory of the texture descriptors based on Random Sets is reviewed in Section 3. The procedure for the comparison of the two methods is described in Section 4. The used data set of polyp images is derived from colon examination. We calculated the texture features based on the two methods for each image of the data set and learn a decision tree classifier. Cross-validation is used to calculate the error rate. Then we compare the properties of the two best decision trees, the runtime for the feature calculation, the selected features, and the semantic meaning of the texture descriptors. The results are presented in Section 5 and discussed in Section 6. Conclusions are presented in Section 7.

2. Related Work

Texture description methods are mainly classified into structural, statistical, model-based, and transform-based approaches⁴⁻⁶. Structural methods use texture elements to describe textures. It is good for image synthesis applications. Statistical methods use gray-level relationship between neighboring pixels to describe to local texture property in first-order, second-order, or higher-order statistics. The methods are good for invariant texture analysis and classification. Model-based methods model images as different probability or linear combination models⁶ and use model parameters to describe their texture features, such as autoregressive models, fractal models⁷, Gaussian-mixture models (GMM)⁸, hidden Markov models (HMM)^{9,10}, Markov random fields (MRF)¹¹ and so on. The transform methods transfer images into a frequency domain to describe textures. The methods usually use Fourier, Gabor, or wavelet transform. An overview about older methods such autocorrelation and other is given in van Gool et. al¹² and Haralick¹³.

Often the texture descriptors are compared on standard texture data sets but recently appeared work of texture description for real world problems such as description of objects in medical images, microscopic images for different purposes such as e.g. in system biology and for environmental applications, food inspection and so on. Texture became a valuable information about images. Researcher try to develop many new texture descriptor that take into account the variances of the texture, the spectral influences and so on. At lot of different methods exist and it is not easy to do a categorization of all these methods. We want to describe in brief the recent developments. Often that are variants of the above-described categories that have been evaluated on standard data sets. However nowadays, more work on real world applications appear.

Din-Chang Tseng et. al¹⁴ developed a multiscale texture segmentation approach based on contextual hidden Markov tree (CHMT) model and boundary refinement. A hidden Markov tree (HMT) model is a probabilistic model for capturing persistence properties of wavelet coefficients without considering clustering properties. They have proposed the CHMT model to enhance the clustering properties by adding extended coefficients associated with wavelet coefficients in every scale.

Wesley Nunes Goncalves et. al¹⁵ developed a method that is able to capture the details richness of the image surface. They estimated the fractal dimension by the Bouligand- Minkowski method due to its precision in quantifying structural properties of images. They validated their method on two standard texture datasets and the experimental results reveal that the methods is good enough to describe different data sets.

R. Mukundan¹⁶ us orthogonal moment functions based on Tchebichef polynomials. They claim that the method is good because of their superior feature representation capabilities. They construct feature vectors from orthonormal Tchebichef moments evaluated on 5x5 neighborhoods of pixels, and encoding the texture information as a Lehmer code that represents the relative strengths of the evaluated moments. The features will be referred to as Local Tchebichef Moments (LTMs). The encoding scheme provides a byte value for each pixel, and generates a gray-level

LTM-image of the input image. The histogram of the LTM-image is then used as the texture descriptor for classification.

Yuhui Quan et. al¹⁷ developed a statistical approach to static texture description, which combines a local pattern coding strategy with a robust global descriptor to achieve highly discriminative power, invariance to photometric transformation and strong robustness against geometric changes. They called their method pattern fractal spectrum that characterizes the self-similar behavior of the local pattern distributions by calculating fractal dimension on each type of pattern. Compared with other fractal-based approaches, the proposed descriptor is compact, highly distinctive and computationally efficient. The evaluation was done on a standard benchmark set.

Aujol et. al^{18} explored in their paper various aspects of the image decomposition problem using modern variational techniques. They aim at splitting an original image f into two components u and v, where u holds the geometrical information and v holds the textural information. The modeling uses the total-variation energy for extracting the structural part and one of four of the following norms for the textural part: L2, G, L1 and a new tunable norm, suggested there for the first time, based on Gabor functions. They design tools for the TV -Gabor model.

Champion et. al¹⁹ do texture modelling on a real world application for forest stand age from SAR images. The texture descriptors are calculated from statistics generated by the gray-level co-occurrence matrix for varying distance d, and orientation α , values used to calculate the matrix. It is found that texture descriptors contrast; inverse difference moment, homogeneity, and correlation are strongly influenced by the parameters (d, α) related to forest stand structure (forest rows, stand density) and image resolution. In contrast, the calculated energy and entropy from the co-occurrence matrix are observed to be highly correlated to stand age and displayed a stable performance whatever the distance and orientation parameters (d, α), thus rendering them a good contender.

Dharmagunawardhana et. al²⁰ proposed a novel robust texture descriptor based on Gaussian Markov random fields (GMRFs). A spatially localized parameter estimation technique using local linear regression is performed and the distributions of local parameter estimates are constructed to formulate the texture features. The inconsistencies arising in localized parameter estimation are addressed by applying generalized inverse, regularization and an estimation window size selection criterion. The texture descriptors are named as local parameter histograms (LPHs) and are used in texture segmentation with the k-means clustering algorithm. The segmentation results on general texture datasets demonstrate that LPH descriptors significantly improve the performance of classical GMRF features and achieve better results compared to the state-of-the-art texture descriptors based on local feature distributions.

Madzin et. al²¹ deal with medical application, where the usage of multiple medical images generated by computer tomography such as x-ray, Magnetic Resonance Imaging (MRI) and CT-scan images is a standard tool of medical procedure for physicians. The major problems in analyzing various modality of medical image are the inconsistent orientation and position of the body-parts of interest. In this research, local descriptor of texture, shape and color are used to extract features from multi-modality medical image in patches and interest point's descriptor.

Palanivel et. al²² use a Markov process with Bayesian Approach to analyze textures in the image and that are identified and distinguished from untextured regions with edges. The parameters of the model are estimated based on the Bayesian approach. They use two types of classification namely supervised and unsupervised classification.

Massich et. al²³ use Self-Invariant Feature Transform (SIFT), both as low-level and high-level descriptors, applied to differentiate the tissues present in breast US images. For the low-level texture descriptors case, SIFT descriptors are extracted from a regular grid. The high-level texture descriptor is built as a Bag-of-Features (BoF) of SIFT descriptors. Experimental results are provided showing the validity of the proposed approach for describing the tissues in breast US images.

Song et. al²⁴ presented a noise-robust descriptor by exploring a set of local contrast patterns (LCPs) via global measures for texture classification. To handle image noise, the directed and undirected difference masks are designed to calculate three types of local intensity contrasts: directed, undirected, and maximum difference responses. To describe pixel-wise features, these responses are separately quantized and encoded into specific patterns based on different global measures. These resulting patterns (i.e., LCPs) are jointly encoded to form our final texture representation. The evaluation has been done on two standard data sets and showed superior performance compared too many state-of-the-art methods.

Zhang and Pham²⁵ and Pham²⁶ tried to recognize the Subcellular Location Features (SLF) by three well-known texture feature descriptions., which are the local binary patterns (LBP), Gabor filtering and Gray Level Co-occurrence Matrix (GLCM), to recognize the cell phenotype images. Using the public benchmark 2D HeLa cell images, a high

classification accuracy 96% is obtained with rejection rate 21% from the proposed system by taking advantages of the complementary strengths of feature construction and majority-voting based classifiers' decision fusions.

Marcos et. al²⁷ use Gray-Level Co-occurrence Matrices (GLCM), Log-Gabor Filters (LGF), Local Binary Patterns (LBP) and Discrete Tchebichef Moments (DTM) for pollen identification in microscopic images. Fisher's discriminant analysis and k-nearest neighbor were subsequently applied to perform dimensionality reduction and multivariate classification, respectively. They found that the combination of all the texture features resulted in the highest performance, yielding an accuracy of 94.83%.

Olveres et. al²⁸ use texture image segmentation for medical images. The noise inherent to images and the lack of contrast information between adjacent regions hamper the performance of the algorithms. The characterization of regions as statistical parametric models to handle level set evolution have been proposed. In this paper, they study the influence of texture on a level-set-based segmentation and propose the use of Hermite features that are incorporated into the level set model to improve organ segmentation that may be useful for quantifying left ventricular blood vessel. The proposal was also compared against other texture descriptors such as local binary patterns, Image derivatives, and Hounsfield low attenuation values.

Cai et. al²⁹ propose a novel phase-based texture descriptor for efficient and robust classifiers to discriminate benign and malignant tumors in breast cancer images. The phased congruency-based binary pattern (PCBP) is an oriented local texture descriptor that combines the phase congruency (PC) approach with the local binary pattern (LBP). The proposed PCBP texture descriptor achieves the highest values (i.e. 0.894) and the least variations in respect of the AUC index, regardless of the gray-scale variations.

Cheng et. al³⁰ propose a texture method based on the co-occurrence matrix to detect colorectal polyps in colonoscopy images. They used support vector machines for classification and achieve a sensitivity of 86,2%.

We have developed our own texture descriptor based on statistics that model the texture by a Poisson process after the image has been processed by a morphological operation. The remaining areas in the images can be described by first-order and second-order statistics as well as higher-order statistics if the number of remaining areas are large enough. The texture descriptor can be easily and fast computed and can handle different medical textures very well^{31,} ³². These medical textures are often not easy to describe as it is in case of the Brodatz texture data set¹. Our method has also explanation capability. A human can understand the differences in the texture by looking up the remaining images. If necessary, a symbolic description of the different textures can be found. Our texture descriptor has still some other properties that are of interest but here in this paper, we want to compare our texture descriptor to the cooccurrence matrix since it is from the category of statistic texture descriptors. The co-occurrence matrix is still the most used texture descriptor and we want to explore the differences between our texture descriptors and the cooccurrence matrix.

3. Texture Descriptor based on Random Sets

Boolean sets were invented by Matheron³¹. An in-depth description of the theory can be found in Stoyan et al³². The Boolean model allows to model and simulate a huge variety of textures e.g. for crystals, leaves, etc. The texture model X is obtained by taking various realizations of compact random sets, implanting them in Poisson points in \mathbb{R}^n , and taking the supremum. The functional moment Q(B) of X, after Booleanization, is calculated as:

$$P(B \subset X^{c}) = Q(B) = \exp(-\theta \overline{Mes}(X' \oplus B)) \qquad \forall B \in \kappa$$
⁽¹⁾

where κ is the set of the compact random set of \mathbb{R}^n , θ the density of the process and $Mes(X \oplus X)$ is an average measure that characterizes the geometric properties of the remaining set of objects after dilation. Relation (25) is the fundamental formula of the model. It completely characterizes the texture model. Q(B) does not depend on the location of B, i.e., it is stationary. One can also provide that it is ergodic so that we can peak the measure for a specific portion of the space without referring to the particular portion of the space.

Formula 1 show us that the texture model depends on two parameters:

• the density θ of the process and

• a measure $Mes(X \oplus B)$ that characterizes the objects. In the one-dimensional space it is the average length of

the lines and in the two-dimensional space $Mes(X \oplus B)$ is the average measure of the area and the perimeter of the objects under the assumption of convex shapes.

We consider the two-dimensional case and develop a proper texture descriptor.

Suppose now that we have a texture image with 8bit gray levels. Then we can consider the texture image as the superposition of various Boolean models, each of them having a different gray level value on the scale from 0 to 255 for the objects within the bit plane.

To reduce the dimensionality of the resulting feature vector, the gray levels ranging from 0 to 255 are now quantized into S intervals t. Each image f(x,y) is classified according to the gray level into t classes, with t={0,1,2,..,S}. For each class a binary image is calculated containing the value "1" for pixels with a gray level value falling into the gray level interval of class t and value "0" for all other pixels. The resulting bit plane f(x,y,t) can now be considered as a realization of the Boolean model. The quantization of the gray level into S intervals was done at equal distances. In the following, we call the image f(x,y,t) a class image. Object labeling is done in the class images with the contour following method. Afterwards, features from the bitplane and from these objects are calculated.

The list of features and their calculation are shown in Table 1. The first one is the density of the class image t which is the number of pixels in the class image, labeled by "1", divided by the area of the image. If all pixels of an image are labeled by "1", then the density is one. If no pixel in an image is labeled, then the density is zero.

Description	Name	Туре	Formula		
Area in class image <i>t</i>	Area_t	num	$Area_{t} = \begin{cases} Area_{t} = Area_{t} + 1 \text{ if } f(x, y, t) = 1\\ Area_{t} = Area_{t} \text{ if } f(x, y, t) = 0 \end{cases}$		
Density in class image <i>t</i>	Dens_t	num	$Dens_{t} = \begin{cases} Dens_{t} = Dens_{t} + \frac{1}{A} & \text{if } f(x, y, t) = \\ Dens_{t} = Dens_{t} & \text{if } f(x, y, t) = \end{cases}$ with $A = \sum_{t=1}^{S} Area_{t}$		
Number of objects	Count_t	num	n(t)		
Mean area of objects in class image t	AreaMean_t	num	$\overline{A(t)} = \frac{1}{n(t)} \sum_{i=1}^{n(t)} A_i(t)$		
Standard deviation of the area of the objects in class image <i>t</i>	AreaStdDev_t	num	$S(t) = \sqrt{\frac{1}{n(t)} \sum_{i=1}^{n(t)} (A_i(t) - \overline{A(t)})^2}$		
The contour length of a single object is $u = l + \sqrt{2} \cdot m$ with <i>l</i> being the number of contour pixels having odd chain coding numbers and <i>m</i> being the number of contour pixels having even chain coding numbers.					
Mean contour length of objects in class image t	ContMean_t	num	$\overline{u}(t) = \frac{1}{n(t)} \sum_{i=1}^{n(t)} u_i(t)$		
Standard deviation of the contour length of objects in class image t	ContStdDev_t	num	$S(t) = \sqrt{\frac{1}{n(t)} \sum_{i=1}^{n(t)} (u_i(t) - \overline{u(t)})^2}$		

Table 1. Texture Features based on Random Set

From the objects in the class image t, the area, a simple shape factor, and the length of the contour are calculated. According to the model, not a single feature of each object is taken for classification, but the mean and the variance of each feature are calculated over all the objects in the class image t. We also calculate the frequency of the object size in each class image t.

Depending on the number of slices S we get a feature set of 42(S=6), 84(S=12), 112(S=16).

4. Material and Application

We studied the performance of the two texture descriptors based on a data set of 344 images. These images come from an endoscopic video system used for colon examination³⁰. The data set contains 283 normal tissue images and 61 polyp images (see Figure 1) in the form of sub-images of a size 33x33 that are derived from 37 original colonoscopic images. The polyps in the 37 original colonoscopy images were identified and selected by a "well-trained" medical expert. A polyp is split into as many as possible sub-images.

The 283 normal images consist of dark regions, reflections etc. of the 37 original colonoscopy images.

This presents a two class problem; one must decide if the image shows a polyp or not. The texture descriptions were calculated from these images. The resulting data set was used to train a decision tree based on the C4.5 algorithm³⁵. Cross-validation was used to estimate the error rate.



Fig. 1. Some Exemplary Images

5. Results

For the texture descriptor based on random sets the choice of S is important. On the one hand, we need a sufficiently large S to separate the classes. On the other hand, with increasing S also the number of features increases and we run into the curse-of-dimensionality problem.

Figure 2 shows the class images for some polyp images and some normal tissue images for S=6. Figure 3 shows the class images for some polyp images and some tissue images for S=12. Figure 3 shows that most pixels of normal tissue images are located in only a few lower 1-3 class images. In contrast to this, in the polyp images the pixels are distributed more across the class images.

For our tests we used S=6, S=12 and S=16. We have not yet developed a good procedure to estimate the number of S. The determination of the right number of S is still heuristic but in most of our applications S=12 turned out to be a good choice³.

In the first test we used 30 polyp images and 30 normal tissue images as a data base. The results are shown in Figure 5. In the second tests we used all 344 images as a data base. The results are shown in Figure 6.

In both tests the texture descriptor based on random sets with S=12 is the best texture descriptor. The test shows that the choice of S=6 is too small and the choice of S=16 is already too large. This observation might already demonstrate the effect of the curse of dimensionality.

The texture descriptor based on random sets for S=12 has an error rate of 1.67% for the data set with 60 images (see Figure 5) with equally distributed number of polyps and normal tissue. Compared to this, the texture descriptor COO-1 has an error rate of 3.33% and COO-2 has an error rate of 10%.

396

S	Polyp	Polyp	Polyp	Normal tissue	Normal tissue	Normal tissue
Original image	-					T
1			N			
2			No	-		
3	-		C,			
4			Q	ল েন্		
5	~			N ⁻¹		
6				<u>ب</u>		

Fig. 2. The images f(x,y,t) with S=6

S	Polyp1	Polyp6	Polyp20	Normal tissue	Normal tissue	Normal tissue
Original	+		9	1		-F
1			·			
2			·			
3						
4			<u></u>			
5	-		Ĩ.		-	
6						
7	ġ,		Ś	<u>ي</u>		
8		S	C,	4 ⁻		
9		میر				
10		×		87		
11		-ليب		L ¹		
12		8		,		

Fig. 3. The images f(x,y,t) with S=12

The texture descriptor based on random sets for S=12 has an error rate of 9.88% for the data set with 334 images (see Figure 6) with 283 normal tissues and 61 polyps. Compared to this, the texture descriptor COO-1 has an error rate of 13.37% and COO-2 has an error rate of 18.89%.



Fig. 4. Decision Tree for COO Feature Descriptor





Fig. 7. Decision Tree for Texture Features based on Random Sets

Table	2.	Run	Time

Runtime	COO-1	COO-2	Texture Descriptor based on Random Sets
	91.03s	83.22s	13.75s

The resulting decision trees are shown in Figure 4 for COO feature descriptor and in Figure 7 for the texture features based on random sets.

The comparison of the two trees shows that the feature selection method during decision tree induction selects only 12 features from 26 features for COO texture descriptor and 22 features from 84 features for the texture descriptor based on random sets (see Table 1). The tree expands more in depth for the COO feature descriptor than for the texture descriptor based on random sets. The runtime of the program for the calculation of COO texture descriptor is 7-times longer than for the texture descriptor based on random sets (see Table 2).

The runtime of the program for the calculation of COO-2 texture descriptor is not as long but the error rate is much higher than that for COO-1.

6. Discussion

In this application the texture descriptor based on random sets outperformed the COO texture descriptor. The accuracy is 3.49 % higher than that of COO texture descriptor in case of COO-1 and 9.01% higher in case of COO-2.

Decision trees are sensitive to unbalanced class distribution. Therefore, the error rate in the second experiment rises since the ratio of the two classes is 1/5 in the data set. Nonetheless, the tendency of the error rate of the three descriptors is the same.

A further advantage of the texture descriptor based on random sets over COO texture descriptor is the reduced time required for computing the features. In addition, we can understand the semantics behind the numerical texture description. The texture features based on random sets have a semantic meaning and give an expert an understanding about texture (see Table 1).

The choice of the number of slices S emerges to S=12 in all the applications we have done. The number S=12 provides a feature set of 84 features. It might be that this is a compromise between a rich description of texture and the large feature set problem (curse-dimensionality).

The decision tree induction method performs feature selection during the tree building process. Therefore, the method can also be seen as a feature selector. The number of features selected for COO texture descriptor is always lower than the number selected for the texture descriptor based on random sets. The texture descriptor based on random sets may provide a more richer description of texture. Features from almost all slices are included in the decision.

7. Conclusion

To study human image cognition is more than ever an important topic since the number of vision-based materials has been increased over the years. We have studied the human image cognition based on texture for medical images. Texture seems to be a powerful tool to describe the appearances of objects. Therefore, very flexible and powerful texture descriptors are of importance that allow to recognize the texture and to understand what makes up the texture. We give in our paper the methodology how to study the human image cognition by automatically calculating texture descriptors from a set of images, using decision tree induction in order to learn the classifier, and recognizing the performance of the texture-based object recognition by performance measures such as accuracy, run-time, explanation capability.

Many texture descriptors are known from the literature¹. The most used texture descriptor is the texture descriptor based on the co-occurrence matrix. We proposed a texture descriptor based on random sets³ and in this paper compared

both texture descriptors based on polyp images that were derived from colon examination. We learnt a classifier model based on decision trees. Then we compared both texture descriptors.

We have found that the texture descriptor based on random sets outperform COO texture descriptor based on the error rate, tree properties and the runtime. COO texture descriptor uses fewer features from the set of calculated texture features than the texture descriptor based on random sets. However, this might only demonstrate that COO texture descriptor has limited descriptor power since the error rate is much higher than that for the texture descriptor based on random sets.

In addition, the texture descriptor based on random sets has semantic meanings. An expert can understand the properties of a texture when looking into the slices produced during the calculation of the texture features. The medical texture object are often not large objects. That limits the statistics we can use. Higher-order statistics make no sense since the number of objects gets less. Further work will study the behavior of our texture descriptor when the objects are large.

Acknowledgment

This work has been sponsored under the grant title "Study of the Cognitive Aspects of Human Vision" CogVision under the grant number IS 2012-4.

References

- 1. Rao A. R.: A Taxonomy for Texture Description and Identification, Springer Verlag, Berlin (1990)
- Haralick, R.H., Shanmugam, K., Dingstein, I.: Textural Features for Image Classification. IEEE Transactions on Systems, Man and Cybernetics 3(6), 610-621 (1973)
- Perner P., Perner H., Müller B.: Mining Knowledge for Hep-2 Cell Image Classification, Journal Artificial Intelligence in Medicine (26), 161-173 (2002)
- 4. M. H. Bharati, J. J. Liu, and J. F. MacGregor, "Image texture analysis: methods and comparisons," Chemometrics and Intelligent Laboratory Systems, vol. 72, pp. 57-71, June 2004.
- G. Castellano, L. Bonilha, L. M. Li, and F. Cendes, "Texture analysis of medical images," Clinical Radiology, vol. 59, no. 2, pp. 1061-1069, Dec. 2004.
- 6. J. G. Zhang and T. N. Tan, "Brief review of invariant texture analysis methods," Pattern Recognition, vol. 35, pp. 735-747, Mar. 2002.
- L. M. Kaplan, "Extended fractal analysis for texture classification and segmentation," IEEE Trans. Image Processing, vol. 8, no. 11, pp. 1572-1585, Nov. 1999.
- T. M. Nguyen and Q. M. J. Wu, "Gaussian-mixture-model-based spatial neighborhood relationships for pixel labeling problem," IEEE Trans. Systems, Man, and Cybernetics Part B-Cybernetics, vol. 42, no. 1, pp. 193-202, Feb. 2012.
- J.-L. Chen and A. Kundu, "Automatic unsupervised texture segmentation using hidden Markov model," in Proc. IEEE Int. Conf. Acoustics, Speech and Signal Processing, Minneapolis, Minnesota, Apr. 27-30, 1993, pp. 21-24.
- 10. J. Li, A. Najmi, and R. M. Gray, "Image classification by a two-dimensional hidden Markov model," IEEE Trans. Signal Processing, vol. 48, no. 2, pp. 517-533, Feb. 2000.
- S. Krishnamachari and R. Chellappa, "Multiresolution Gauss-Markov random field models for texture segmentation," IEEE Trans. Image Processing, vol. 6, no. 2, pp. 251-267, Feb. 1997.
- 12. R. Haralick, Statistical and Structural Approaches to Texture, IEPEREO, C EETDHINEG S OF VOL. 67, NO. 5, MAY 1979, p. 786-804
- Luc van Gool, P. Deweale, A Oosterlink, Survey Texture Analysis Anno 1983, Computer Vision, Graphics, and Image Processing, 29, p. 336-357, 1985
- Din-Chang Tseng, Member, IACSIT and Ruei-Lung Chen, Multiscale Texture Segmentation Using Contextual Hidden Markov Tree Models, International Journal of Machine Learning and Computing, Vol. 5, No. 3, June 2015, p. 198-205
- Wesley Nunes Gon_calves, Bruno Brandoli Machado, and Odemir Martinez Bruno, Texture descriptor combining fractal dimension and artificial crawlers, Physica A: Statistical Mechanics and its Applications, Volume 395, 1 February 2014, Pages 358–370
- 16. R. Mukundan, Local Tchebichef Moments for Texture Analysis, In: G.A. Papakostas, Moments and Moment Invariants Theory and Applications, GCSR Vol. 1, Science Gate Publishing 2014, p. 127-142
- 17. Yuhui Quan , Yong Xu, , Yuping Sun, A distinct and compact texture descriptor, Image and Vision Computing, Volume 32, Issue 4, April 2014, Pages 250–259
- J.-F. Aujol, G. Gilboa, T. Chan, St. Osher, Structure-Texture Image Decomposition Modeling, Algorithms, and Parameter Selection, International Journal of Computer Vision, April 2006, Volume 67, Issue 1, pp 111-136
- I. Champion, Chr. Germain, J. P. Da Costa, A. Alborini, and P. Dubois-Fernandez, Retrieval of Forest Stand Age From SAR Image, Texture for Varying Distance and Orientation Values of the Gray Level Co-Occurrence Matrix, IEEE GEOSCIENCE AND REMOTE SENSING LETTERS, VOL. 11, NO. 1, JANUARY 2014, p. 5-9
- Ch. Dharmagunawardhana, S. Mahmoodia, M. Bennettb, M. Niranjana, Gaussian Markov random field based improved texture descriptor for image segmentation, Image and Vision Computing, Volume 32, Issue 11, November 2014, Pages 884–895
- H. Madzin, R. Zainuddin, and Nur-Sabirin Mohamed, Analysis of Visual Features in Local Descriptor for Multi-Modality Medical Image The International Arab Journal of Information Technology, Vol. 11, No. 5, September 2014, p. 468-475

- 22. N.Palanivel, P.Keerthika, K.Yazhini, P.Thamizhini, Texture Analysis using Markov process with Bayesian Approach, International Journal of Advanced Research in Computer and Communication Engineering, Vol. 4, Issue 4, April 2015, p. 101-104
- 23. J. Massich, F. Meriaudeau, M. Sent'is, S. Ganau, E. P'erez, D. Puig, R. Mart'i, A. Oliver, and J. Mart'i, SIFT Texture Description for Understanding Breast Ultrasound Images In: H. Fujita, T. Hara, and C. Muramatsu (Eds.): IWDM 2014, LNCS 8539, pp. 681–688, 2014, Springer International Publishing Switzerland 2014
- 24. Tiecheng Song, Hongliang Li, Senior Member, IEEE, Fanman Meng, Qingbo Wu, Bing Luo, Bing Zeng, Noise-Robust Texture Description Using Local Contrast Patterns via Global Measures, Signal Processing Letters, IE Volume:21 Issue:1, p. 93 - 96
- 25. B. Zhang, Tuan D. Pham, Multiple Features Based Two-stage Hybrid Classifier Ensembles for Subcellular Phenotype Images Classification, International Journal of Biometrics and Bioinformatics, (IJBB), Volume (4): Issue (5) 176-193, 2010
- 26. Tuan D. Pham, Automated identification of mitochondrial regions in complex intracellular space by texture analysis, Proc. SPIE 9069, Fifth International Conference on Graphic and Image Processing (ICGIP 2013), 90690G (January 10, 2014); doi:10.1117/12.2050102
- 27. J. V. Marcos,, R. Nava, G. Cristobal, R. Redondo, B. Escalante-Ramrez, G. Bueno, O. Deniz, A. Gonzalez-Porto, C. Pardo, F. Chung, T. Rodriguez, Automated pollen identification using microscopic imaging and texture analysis, Micron, Volume 68, January 2015, Pages 36–46
- 28. J. Olveres, R. Nava, E. Moya-Albor, B. Escalante-Ramirez, J. Brieva, G. Cristobal and E. Vallejo, Texture descriptor approaches to level set segmentation in medical images, Optics, Photonics, and Digital Technologies for Multimedia Applications III, edited by Peter Schelkens, Touradj Ebrahimi, Gabriel Cristóbal, Frédéric Truchetet, Pasi Saarikko, Proc. of SPIE Vol. 9138, p. 1-12
- 29. L. Cai, X. Wang, Y. Wang, Y. Guo, J. Yu and Y. Wang, Robust phase-based texture descriptor for classification of breast ultrasound images, BioMedical Engineering OnLine (2015) 14:26, p. 1-21
- 30. Da-Chuan Cheng, Wen-Chien Ting, Yung-Fu Chen, Qin Pu, Xiaoyi Jiang, Colorectal Polyps Detection Using Texture Features and Support Vector Machine, In: P. Perner, Advances in Mass Data Analysis of Images and Signals in Medicine, Biotechnology, Chemistry and Food Industry Lecture Notes in Computer Science Volume 5108, 2008, pp 62-72
- 31. P. Perner, Classification of HEp-2 Cells Using Fluorescent Image Analysis and Data Mining, In: J. Crespo, V. Maojo, F. Martin (Eds.), Medical Data Analysis, Springer Verlag, LNAI 2199, pp. 219-225
- P. Perner, H. Perner, B. Müller, Mining Knowledge for Hep-2 Cell Image Classification, Journal Artificial Intelligence in Medicine, 26 (2002), pp. 161-173
- 33. Matheron, G.: Random Sets and Integral Geometry. J. Wiley&Sons, New York, London (1975)
- 34. Stoyan, D., Kendall, W.S., Mecke, J.: Stochastic Geometry and Its Applications. Akademie Verlag (1987)
- 35. Data Mining Tool Decision Master, ibai-solutions www.ibai-solutions.de