

Predicting molecular phenotypes from histopathology images: a transcriptome-wide expression-morphology analysis in breast cancer

Yinxi Wang^{1,§}, Kimmo Kartasalo^{1,2,§}, Masi Valkonen², Christer Larsson³, Pekka Ruusuvaori^{2,4,‡}, Johan Hartman^{5,6,‡}, Mattias Rantalainen^{1,‡*}

§ These authors contributed equally to the study

‡ These authors contributed equally to the study

* Corresponding author

Affiliations:

¹ Department of Medical Epidemiology and Biostatistics, Karolinska Institutet, Stockholm, Sweden

² Faculty of Medicine and Health Technology, Tampere University, Tampere, Finland

³ Division of Translational Cancer Research, Department of Laboratory Medicine, Lund University, Lund, Sweden

⁴ Institute of Biomedicine, University of Turku, Turku, Finland

⁵ Department of Oncology-Pathology, Karolinska Institutet, Stockholm, Sweden

⁶ Department of Clinical Pathology and Cytology, Karolinska University Laboratory, Stockholm, Sweden

Abstract

Molecular phenotyping is central in cancer precision medicine, but remains costly and standard methods only provide a tumour average profile. Microscopic morphological patterns observable in histopathology sections from tumours are determined by the underlying molecular phenotype and associated with clinical factors. The relationship between morphology and molecular phenotype has a potential to be exploited for prediction of the molecular phenotype from the morphology visible in histopathology images.

We report the first transcriptome-wide Expression-MORphology (EMO) analysis in breast cancer, where gene-specific models were optimised and validated for prediction of mRNA expression both as a tumour average and in spatially resolved manner. Individual deep convolutional neural networks (CNNs) were optimised to predict the expression of 17,695 genes from hematoxylin and eosin (HE) stained whole slide images (WSIs). Predictions for 9,334 (52.75%) genes were significantly associated with RNA-sequencing estimates (FDR adjusted p-value < 0.05). 1,011 of the genes were brought forward for validation, with 876 (87%) and 908 (90%) successfully replicated in internal and external test data, respectively. Predicted spatial intra-tumour variabilities in expression were validated in 76 genes, out of which 59 (77.6%) had a significant association (FDR adjusted p-value < 0.05) with spatial transcriptomics estimates. These results suggest that the proposed methodology can be applied to predict both tumour average gene expression and intra-tumour spatial expression directly from morphology, thus providing a scalable approach to characterise intra-tumour heterogeneity.

Introduction

Microscopic morphological patterns observable in stained tumour tissue are routinely characterised by pathologists to classify and diagnose cancers. General morphology is assessed using HE staining, while immunohistochemistry enables semi-quantitative assessment of specific markers. However, cancer is a genetic disease where somatic alterations and their interactions with other phenotypic factors and the tumour microenvironment give rise to a complex and dynamic molecular phenotype. Profiling of e.g. somatic DNA alterations, RNA expression or protein abundances provide a comprehensive characterisation of tumours. In breast cancer, the molecular phenotype defined by the mRNA expression profile contains prognostic information¹⁻⁴ and also defines the intrinsic molecular subtypes⁵. Compared with routine pathology, molecular profiling represents a more comprehensive characterisation of the individual tumour⁶, providing information relevant for precision medicine⁷, and information that can contribute to the discovery of novel therapeutic targets and diagnostic markers.

Intra-tumour heterogeneity is a key contributing factor to emerging treatment resistance, or reduced efficacy of treatment, which is caused by either subclonality or as a consequence of plasticity in the dynamic molecular phenotype of a tumour^{8,9}. Tumour evolution and subclonality can be inferred from genetic data. However, the more comprehensive phenotype defined by the mRNA expression profile, and other dynamic molecular phenotypes, is generally acquired from a bulk average mRNA pool where intra-tumour variability is lost. Single-cell RNA-sequencing^{10,11} enables profiling of thousands of individual cells, providing unique information to characterise intra-tumour heterogeneity¹². Although techniques for single-cell sequencing now are mainstream, it remains challenging on primary human samples as fresh samples typically are required. Spatial transcriptomic profiling^{13,14} is another emerging technology enabling characterisation of intra-tumour heterogeneity, but it is still technically demanding, expensive, and offers low resolution both spatially and in terms of the number of genes that can be detected.

Computational pathology, driven by deep learning based artificial intelligence applied on digital WSIs, has recently emerged and demonstrated human pathologist level performance in cancer detection and classification^{15,16}. Deep CNNs have also been applied for prediction of molecular phenotypes from routine formalin-fixed paraffin-embedded (FFPE) HE stained sections¹⁶⁻²⁰. More importantly, this approach also enables inference of spatial heterogeneity. To date, three studies with the objective of predicting gene expression phenotypes from histopathology images have been reported¹⁸⁻²⁰. However, these studies have substantial limitations in either: (a) the number of genes analysed (250 genes) and sample size (23 patients)¹⁸; (b) extensive use of transfer-learning, i.e. a single-global CNN model for prediction of all phenotypes rather than optimisation of gene specific models^{19,20}; (c) the use of a pan-cancer approach^{19,20}, where a single model is used across a range of cancer diseases, which by design will lead to models optimised to capture morphologies shared across the majority of diseases included; (d) lack of independent external validation cohorts^{19,20}, or validation in very small data sets¹⁸ (two tumours); or (e) lack of validation¹⁸ by orthogonal experimental techniques and spatial expression predictions^{19,20}.

Here we report the first EMO analysis in breast cancer using large-scale deep learning directly from routine HE WSIs. The study is comprehensive in that individual models were optimised for each gene across the mRNA transcriptome. The results were validated in a fully independent external patient cohort at the gene level. Furthermore, we demonstrate that our

CNN models enable prediction of spatial expression patterns, which were validated in independent tumours using spatial transcriptomic (ST) profiling.

Results

We performed a transcriptome-wide EMO analysis, where individual deep CNN models were optimised separately for each mRNA transcript. RNA-sequencing was used to quantify the expression of 20,477 individual genes (see Supplementary Methods for details). In total, 991 patients (7.28 million HE tiles) from two studies (TCGA breast cancer⁶ and Clinseq-breast²¹), each with one WSI, were included and split into training (N=697, 70.3%), validation (N=122, 12.3%) and internal test sets (N=172, 17.4%) prior to model optimisation and validation. The pre-processing of WSIs included segmentation of tissue and invasive cancer, tiling of WSIs into tiles of 598×598 pixels (271 μm×271 μm), quality control for image sharpness, and colour normalisation to adjust for variations in stains and scanners (see Supplementary Methods). In the training set, 17,695 genes remained after excluding transcripts with low variance (see Supplementary Methods). For each of the transcripts, a deep CNN model (InceptionV3²²) was optimised to predict normalised gene expression using image tiles as predictors. The models were trained in parallel on a high-performance compute cluster (CSC, Kajaani, Finland), with the transcriptome-wide analysis requiring approximately 300,000 GPU hours.

The tile level predictions of each slide were averaged to obtain slide level predicted expression (EMO-average), which was compared with gene expression measured by RNA-seq. The optimised models were subsequently applied and evaluated in validation and test sets (Figure 1a). In the validation set, out of 17,695 genes, the predicted expression of 9,334 (52.75%) genes was significantly correlated with expression levels measured by RNA-seq (Spearman correlation, FDR adjusted p-value < 0.05; Figure 1c-d). We also assessed the proportion of variance predicted: 1,026 (5.80%) genes showed a coefficient of determination (R^2_{pred}) higher than 0.2, and 196 (1.11%) and 26 (0.15%) genes had R^2_{pred} higher than 0.3 and 0.4, respectively (Figure 1b). Taken together, these results indicate that morphological patterns in histopathology images can be learned by deep CNN models and exploited to predict gene expression for a substantial proportion of genes across the transcriptome.

To assess the generalisability of the approach, 1,011 genes with $R^2_{\text{pred}} > 0.2$ and FDR adjusted p-value < 0.001 in the validation set (Supplementary Table 3) were brought forward for validation in the internal (N=172) and external test sets (ABiM study²³, N=350). 876 (86.6%) genes had a significant association between predicted (EMO-average) and observed (RNA-seq) expression (Bonferroni adjusted p-value < 0.05, Spearman correlation, Figure 2b). 479 of these genes had an $R^2_{\text{pred}} > 0.2$ (Figure 2a) in the internal test set. 908 (91.3%) genes were successfully validated in the external test set (Bonferroni adjusted p-value (Spearman correlation) < 0.05, Figure 2c). The estimated correlation coefficients (Spearman's ρ) between EMO-average prediction and RNA-seq across the 1,011 genes had a high concordance between the validation, internal and external test sets (Supplementary Figure 1a-c), indicating similar levels of prediction performance across datasets. Concordance between EMO-average predicted and RNA-seq estimated gene expression for the 25 genes with the best prediction performances in the internal test set, ranked by p-value (Spearman correlation), are visualised in Figure 2d, with the corresponding results in the external test set in Figure 2e. To determine if genes involved in particular molecular mechanisms or processes were enriched in the set of transcripts that could be predicted from histopathology images, we conducted a gene set enrichment analysis (GSEA²⁴) across all 17,695 genes²⁵. 16 pathways (Figure 1e, Supplementary Table S2) were significantly enriched; a majority of these have previously been found to be associated with

breast cancer. The functional classes of the gene sets included angiogenesis, cell proliferation, cell cycle, apoptosis, signal transduction, metabolism and immune system (see Supplementary Results and Table S2).

Finally, we validated EMO predictions of intra-tumour expression variability (EMO-spatial) by performing ST analysis. Expressions of 76 genes (Supplementary Table 4) across 12 regions of interest (ROIs) in 22 tumours (FFPE sections from independent sets of tumours, 264 ROIs in total) were measured using the Nanostring GeoMX DSP platform (Figure 3a) and compared with EMO-spatial predictions. To ascertain if intra-tumour heterogeneity in expression could be predicted, we assessed the association between EMO-spatial predictions and ST measurements, using linear mixed-effects models fitted for each gene across all ROIs and slides, with the ST expression as response, EMO-spatial prediction as a fixed effect and the slide ID included as random effect to account for slide level systematic variability. Spatial predictions of 59 genes (79%) were significantly associated with ST estimated expression levels (FDR adjusted p-value <0.05, likelihood ratio test, Figure 3b-c; see also Supplementary Figure 1d for gene-level within-slide estimates of Spearman correlations between EMO-spatial and ST expression; Supplementary Figure 2 and 3 for examples of prediction results across the 22 WSIs). Among the ten genes with the most significant association between ST estimates and EMO-spatial predictions, three genes could be found in the T cell receptor pathway (CD3E, CD8A and CD27) and three genes in the cytokine and chemokine signaling pathway (CXCL9, CXCL10 and CMKLR1), other genes were found in the total immune (PTPRC), B cells (MS4A1), proliferation (MKI67) and cytotoxicity (NKG7) pathways. Taken together, these results indicate that EMO spatial prediction offers a methodology that can enable exploration of intra-tumour gene expression heterogeneity based on routine HE stained sections.

Discussion

We have performed the first reported transcriptome-wide expression - morphology study in breast cancer based on individually optimised gene-level models. Tumour-level prediction results were validated in a completely independent external cohort, and spatial expression predictions were validated in independent tumours by ST profiling. 17,695 gene-specific CNN models were optimised for prediction of gene expression, out of these 9,334 had a significant association between EMO-average prediction and RNA-seq estimates. Out of 1,011 genes brought forward for final validation, prediction performance could be confirmed for 86.6% and 91.3% in the internal and external test data, respectively. We also demonstrated that our approach predicted spatial variability in gene expression with significant association with ST profiling in 59 out of 76 genes validated using this technique, suggesting that deep CNN models enable characterisation of intra-tumour heterogeneity in RNA expression.

By developing models for a single cancer disease (breast cancer) and by optimising individual deep CNN models for each gene, we avoid several strong assumptions made in previously reported studies¹⁸⁻²⁰ that are unlikely to hold. Pan-cancer models assume shared morphologies across cancer diseases, which provides a fundamental limitation given the broad range of morphological characteristics observable in different cancer types. Strong reliance on transfer learning across genes represents another fundamental limitation that is likely to constrain the ability to develop models that are effective for modelling more specific relationships between morphology and gene expression.

This study is limited with respect to the size of the training dataset, and it is expected that with more training data, the prediction performance could improve further. Spatially resolved data

for model optimisation also has the potential to improve model performance in the future. One previously reported study has applied that approach, however, their training dataset was limited to only 23 tumours and 250 genes¹⁸. In our study, the ST validation was limited to a panel of 76 genes, which was dictated by the availability of FFPE compatible ST profiling gene panel at the time of the study.

Prediction of gene expression from routine HE WSIs has the potential to impact both clinical diagnostics as well as cancer research. Prediction of molecular phenotypes can enable cost-effective precision medicine, either by direct predictions of key markers, or as a way to prioritise which patients are likely to benefit from comprehensive but costly molecular profiling. In the research domain, cost-effective predictions of expression will enable large-scale epidemiological studies that include gene expression phenotypes as exposures. Spatial prediction of gene expression provides a complement to single-cell sequencing and ST profiling for studies of intra-tumour heterogeneity and tumour microenvironment, and enables studies at a substantially larger scale compared to what is possible by direct molecular profiling. The results from this study are promising and we expect that our approach will also work well for application in other cancer diseases, and for prediction of other types of molecular phenotypes, such as somatic mutations, copy number alterations, epigenetic factors, metabolite or protein abundances.

Our findings suggest that deep learning-based image analysis for prediction of the tumour average expression of a substantial number of transcripts is possible and feasible. However, more importantly, we demonstrated and experimentally validated that spatial gene expression predictions can be used to characterise intra-tumour heterogeneity.

Acknowledgements

The authors would like to acknowledge patients, clinicians, and hospital staff participating in the SCAN-B study, the staff at the central SCAN-B laboratory at Division of Oncology, Lund University, the Swedish national breast cancer quality registry (NKBC), Regional Cancer Center South, and the South Swedish Breast Cancer Group (SSBCG). We would also like to thank Dr. Johan Vallon-Christersson (Lund University) for helping in preparing these data. This project was supported by funding from the Swedish Research Council, Swedish Cancer Society, Karolinska Institutet (Cancer Research KI; StratCan), ERA PerMed (ERAPERMED2019-224 - ABCAP), MedTechLabs, Swedish e-science Research Centre (SeRC) - eCPC, Stockholm Region, Stockholm Cancer Society and Swedish Breast Cancer Association, Academy of Finland (313921, 326463, 314558 & 326364), CSC – IT Center for Science (Finland) (Grand Challenge pilot project AI-EMO, 2001568).

Figures




Figure 1. Study design and summary statistics for transcriptome-wide predictions. **a**, Overview of the EMO process. In the training phase, training WSIs (N=697) were split into image tiles. The tiles (predictors) together with expression levels (response) across the protein coding transcriptome were used to optimise individual deep CNN models (Inception V3) for each gene. All optimised models were then applied to predict expression in WSIs in the validation set (N=122), association analysis between true gene expression value and predicted value was

performed, and candidate models were selected for further validation. The validation was performed on the internal (N=172) and external (N=350) test sets. **b**, Histogram describing the empirical distribution of predicted R^2 in validation set (458 genes with a predicted $R^2 < -0.1$ were excluded from the figure for clarity). **c**, Histogram of the empirical distribution of Spearman's ρ between EMO predictions and RNA-seq in the validation set. **d**, Histogram of the p-values related to panel c. **e**. Pathway analysis of EMO predictions by GSEA in the Reactome database, revealing 16 significant pathways.




Figure 2. Summary of model performance on test sets. **a**, Distribution of R^2_{pred} in the internal test set ($N_{\text{genes}}=1,011$; one gene with a predicted $R^2 < -0.1$ was excluded from the figure for clarity). **b**, Distribution of Spearman's ρ in the internal test set. **c**, Distribution of Spearman's ρ in the external test set ($N_{\text{genes}}=995$). **d**, Scatter plot of EMO predicted and RNA-seq estimated gene expression values for the 25 top performing genes in the internal test set. **e**, Scatter plot of EMO predicted and RNA-seq estimated gene expression values for the same 25 genes in the external test set.




Figure 3. ST validation of spatial expression predictions. **a**, Overview of the ST profiling process: For each WSI (top-left), trained models for the genes in the ST gene panel were used to predict spatial (tile-level) expression, visualised as heatmaps. 12 ROI (yellow squares) were subsequently manually selected to obtain a representative set of regions including low, medium and high predicted expression across a range of genes (top-right). The ROI from each slide were then manually registered against fluorescently labeled slides from consecutive FFPE sections (lower-left). ST profiling of the ROIs was performed and subsequently used to validate spatial EMO prediction results (lower-right). **b**, Bar plot for the ranked $-\log_{10}(\text{FDR adjusted p-value})$ for genes from each linear mixed effects model. Light blue indicates FDR adjusted p-value < 0.05 . **c**, Corresponding fixed effect coefficients and 95% CI related to the EMO prediction for each gene (linear mixed effects model).

References

1. Sparano, J. A. *et al.* Prospective Validation of a 21-Gene Expression Assay in Breast Cancer. *N. Engl. J. Med.* **373**, 2005–2014 (2015).
2. Wallden, B. *et al.* Development and verification of the PAM50-based Prosigna breast cancer gene signature assay. *BMC Med. Genomics* **8**, 54 (2015).
3. Veer, L. J. van 't *et al.* Gene expression profiling predicts clinical outcome of breast cancer. *Nature* vol. 415 530–536 (2002).
4. Vijver, M. J. van de *et al.* A Gene-Expression Signature as a Predictor of Survival in Breast Cancer. *New England Journal of Medicine* vol. 347 1999–2009 (2002).
5. Sorlie, T. *et al.* Repeated observation of breast tumor subtypes in independent gene expression data sets. *Proc. Natl. Acad. Sci. U. S. A.* **100**, 8418–8423 (2003).
6. Cancer Genome Atlas Network. Comprehensive molecular portraits of human breast tumours. *Nature* **490**, 61–70 (2012).
7. Collins, F. S. & Varmus, H. A New Initiative on Precision Medicine. *New England Journal of Medicine* vol. 372 793–795 (2015).
8. Caiado, F., Silva-Santos, B. & Norell, H. Intra-tumour heterogeneity - going beyond genetics. *FEBS J.* **283**, 2245–2258 (2016).
9. Dagogo-Jack, I. & Shaw, A. T. Tumour heterogeneity and resistance to cancer therapies. *Nature Reviews Clinical Oncology* vol. 15 81–94 (2018).
10. Tang, F. *et al.* mRNA-Seq whole-transcriptome analysis of a single cell. *Nat. Methods* **6**, 377–382 (2009).
11. Shapiro, E., Biezuner, T. & Linnarsson, S. Single-cell sequencing-based technologies will revolutionize whole-organism science. *Nat. Rev. Genet.* **14**, 618–630 (2013).
12. Rantalainen, M. Application of single-cell sequencing in human cancer. *Briefings in Functional Genomics* vol. 17 273–282 (2018).
13. Merritt, C. R. *et al.* Multiplex digital spatial profiling of proteins and RNA in fixed tissue. *Nat. Biotechnol.* **38**, 586–599 (2020).

14. Ståhl, P. L. *et al.* Visualization and analysis of gene expression in tissue sections by spatial transcriptomics. *Science* **353**, 78–82 (2016).
15. Ström, P. *et al.* Artificial intelligence for diagnosis and grading of prostate cancer in biopsies: a population-based, diagnostic study. *Lancet Oncol.* **21**, 222–232 (2020).
16. Coudray, N. *et al.* Classification and mutation prediction from non–small cell lung cancer histopathology images using deep learning. *Nature Medicine* vol. 24 1559–1567 (2018).
17. Schaumberg, A. J., Rubin, M. A. & Fuchs, T. J. H&E-stained Whole Slide Image Deep Learning Predicts SPOP Mutation State in Prostate Cancer. doi:10.1101/064279.
18. He, B. *et al.* Integrating spatial gene expression and breast tumour morphology via deep learning. *Nat Biomed Eng* **4**, 827–834 (2020).
19. Fu, Y. *et al.* Pan-cancer computational histopathology reveals mutations, tumor composition and prognosis. doi:10.1101/813543.
20. Schmauch, B. *et al.* A deep learning model to predict RNA-Seq expression of tumours from whole slide images. *Nat. Commun.* **11**, 3877 (2020).
21. Wang, M. *et al.* Determining breast cancer histological grade from RNA-sequencing data. *Breast Cancer Res.* **18**, 48 (2016).
22. Szegedy, C., Vanhoucke, V., Ioffe, S., Shlens, J. & Wojna, Z. Rethinking the Inception Architecture for Computer Vision. *2016 IEEE Conference on Computer Vision and Pattern Recognition (CVPR)* (2016) doi:10.1109/cvpr.2016.308.
23. Brueffer, C. *et al.* Clinical Value of RNA Sequencing–Based Classifiers for Prediction of the Five Conventional Breast Cancer Biomarkers: A Report From the Population-Based Multicenter Sweden Cancerome Analysis Network—Breast Initiative. *JCO Precision Oncology* 1–18 (2018) doi:10.1200/po.17.00135.
24. Subramanian, A. *et al.* Gene set enrichment analysis: a knowledge-based approach for interpreting genome-wide expression profiles. *Proc. Natl. Acad. Sci. U. S. A.* **102**, 15545–15550 (2005).
25. Simillion, C., Liechti, R., Lischer, H. E. L., Ioannidis, V. & Bruggmann, R. Avoiding the pitfalls of gene set enrichment analysis with SetRank. *BMC Bioinformatics* **18**, 151 (2017).

Supplementary Online Methods and Results

1. Data collection

The study consists of female breast cancer patients from three data sources: Clinseq-BC (N=270), The Cancer Genome Atlas (TCGA-BC) (N=721), and ABiM (N=350) as an external validation cohort. For Clinseq-BC and ABiM, hematoxylin and eosin (HE)-stained formalin-fixed paraffin-embedded (FFPE) histopathology slides were scanned in-house with a Hamamatsu Nanozoomer XR (Hamamatsu Photonics, Hamamatsu, Japan) at 40X magnification (0.226 $\mu\text{m}/\text{pixel}$). Whole slide images (WSIs) from TCGA-BC were downloaded from <https://portal.gdc.cancer.gov/>. WSIs in TCGA-BC that were scanned at 20X were excluded to ensure image quality. One WSI image was included from each individual. All included patients have corresponding RNA-seq data available for analysis.

Images from Clinseq-BC and TCGA-BC were randomly split into training (N=558, 56.3%; 4.08 million HE tiles), tuning (N=139, 14.0%; 0.97 million HE tiles), validation (N=122, 12.3%; 0.90 million HE tiles) and test sets (N=172, 17.4%; 1.33 million HE tiles). The internal and external test sets remained untouched during the model development and training phase and were used only once for final evaluation of model performance at the end of the project.

2. Data pre-processing

2.1. Tissue segmentation

Tissue was segmented based on downsampled images that were extracted from the resolution pyramids within the WSI using OpenSlide¹. After HSV transformation of the image, Otsu's thresholding² was applied to the saturation component, and a fixed threshold of 0.75 was applied to the hue component to generate two binary masks. The logical intersection of these masks was then computed. The resulting mask was post-processed by applying binary morphological closing followed by opening to fill holes and to remove small debris and noise. A disk-shaped structuring element with a radius of 10 pixels was used.

2.2. Tumour annotation

The invasive cancer regions in the Clinseq-BC slides were collaboratively annotated by two pathologists using QuPath³. The resulting coordinates representing the contours of the invasive regions were converted into annotation polygons to generate tumour annotation masks. To produce a final label mask for each WSI, we computed the logical intersection of the tissue mask and the tumour annotation mask. The regions forming the intersection were labeled as 'invasive cancer', whereas all other tissue regions were labeled as 'non-cancerous'.

2.3. Tiling

The WSIs were split into small image tiles extracted from the regions representing invasive cancer. For images scanned in-house on the Hamamatsu device, we initially extracted tiles of $1,196 \times 1,196$ pixels ($271 \times 271 \mu\text{m}$) at full resolution. We then downsampled the tiles by a factor of two using Lanczos interpolation, resulting in dimensions of 598×598 pixels. For WSIs scanned on other devices, we adapted the initial tile size and downsampling factor in

accordance with the scanner pixel size to obtain 598×598 pixel tiles representing the same physical dimensions as in the case of the Hamamatsu images. This resampling ensures there is no scanner-dependent bias in the apparent size of histological structures in the images. We performed the tiling with 50% overlap (that is, a stride of $135.5 \mu\text{m}$) between neighboring tiles. Only tiles containing over 50% tissue pixels based on the masks were retained for further analysis. The tiles were stored as JPEG (quality 80).

2.4. Quality control

To ensure data quality, blurred tiles were excluded from analysis. To this end, Laplacian filtering was applied to the tiles to enhance edges and local variation, which are considered indicative of an in-focus image⁴. Tiles exhibiting variance lower than 500, calculated over all pixels after the filtering, were considered blurry. We used the implementation in the ‘OpenCV’ package with kernel size 1. At this stage, tiles containing large areas of adipose tissue were also removed as they exhibit low variance.

2.5. Colour normalisation

In order to reduce the colour variations due to differences in the histological sample preparation and scanning between different laboratories and batches of samples, we adopted the normalisation approach proposed by Macenko et al.⁵ The same colour transformations were applied to all tiles from a WSI, that is, normalisation was performed on the slide-level. To achieve more stable stain vector estimates, we first corrected the luminosity of each WSI. We randomly sampled 100 tiles from each WSI and concatenated them to form a single image, followed by transformation from RGB to LAB colour space. To obtain a reference value, we computed the 95th percentile of the luminosity values of the image ($I_{\text{ref}95}$). We then processed all tiles in the WSI according to the following steps: (1) RGB to LAB transformation; (2) Luminosity values of pixels exceeding $I_{\text{ref}95}$ were set to 255 (white); (3) Luminosity values of all other pixels were linearly rescaled to a range from 0 to 255; (4) LAB to RGB transformation. The process was repeated for all WSIs.

When performing the actual colour normalisation, we applied stain deconvolution in optical density(OD) space to estimate the stain matrix, which represents the absorbance of the H and E stains in the RGB colour channels, and the pixel-wise saturation coefficients for each stain^{5,6}. The saturation values represent the amount of H or E stain at each pixel, but are also affected by systematic differences in sample preparation and imaging. To estimate a reference, we randomly sampled 3000 luminosity-corrected tiles across all datasets and again concatenated them into a single image. From this image, that represents the average appearance of all the data, we then computed the HE stain matrix, and the 99th percentile of the saturation coefficients to obtain pseudo-maximum values for each stain ($S_{\text{ref}99}$).

After estimating the global reference values, we processed all the images by randomly sampling 100 luminosity-corrected tiles from each WSI, followed by computing the slide-specific stain matrices based on these tiles. Finally, to apply the normalisation procedure to all tiles from a WSI, we first extracted the pixel-wise saturation coefficients for a tile, based on the slide level stain matrix and the tile’s pixel values in OD space. For improved robustness, we then excluded the top 1st percentile of saturation values for each stain and linearly rescaled the remaining values as described by Macenko et al.⁵ such that the maximum value matches $S_{\text{ref}99}$. We then applied the global reference stain matrix on the corrected saturation values to obtain normalised pixel values in OD space. The values were then mapped back to RGB colour space for final use. The process was repeated for all tiles in each WSI of the datasets.

2.6. RNA-seq data preparation

We collected transcriptome-wide RNA-seq data representing mRNA expression for a total of 20,477 genes in the reference genome. RNA sequencing, pre-processing and normalisation was performed as described previously^{7,8}. In total, 19,112 genes had non-zero gene expression variance. In addition, we hypothesised that genes with close to zero variance are less informative for expression-morphology analysis and the potential for extracting relevant morphological features gradually decreases with diminishing gene expression variance. The benefit of getting meaningful results is further limited after considering the computational cost of training each model. Hence, we chose to only include genes with a variance larger than 0.01 in further analysis, which resulted in 17,695 genes as the final training targets.

As Clinseq-BC and TCGA-BC were merged together, to reduce batch effects associated with the RNA sequencing, the RNA-seq data from Clinseq-BC were normalised to have median value equal to TCGA-BC. In brief, we first calculate the median expression level of each gene for both TCGA-BC and Clinseq-BC data sources. Only data from the training and validation sets were included in this step. Next, the differences between median values of these two data sources were calculated. Finally, the Clinseq-BC expression values were normalised by gene-wise addition of the offsets computed in the previous step. TCGA-BC data remained unchanged.

During the testing phase, RNA-seq data in the test sets from Clinseq-BC, TCGA-BC and ABiM cohorts were all median normalised using the same procedure with TCGA-BC (training and validation data) as a reference.

3. Detection of invasive tumour regions

3.1. Data

Only invasive tumour regions were used for training and testing the expression-morphology models (see Section 4). On the Clinseq-BC dataset, the regions were manually annotated by pathologists, as described in Section 2.2. We used the annotations to train a cancer detection model, which we applied on the other datasets to obtain masks indicative of predicted tumour regions also for the non-annotated slides. The WSIs were tiled as described in Section 2.3. and the pathologists' annotations were used to infer tile-level labels of malignant and benign tissue for model training and evaluation.

For the purpose of developing the cancer detection model, we randomly sampled 20% (n=49) of the Clinseq-BC slides for testing and divided the remaining WSIs into training (n=154) and validation (n=39) sets. The validation set was used to select the tile size parameter, and the testing set was used for a final evaluation of cancer detection performance. Out of the approximately 2.3 million tiles in the training data, we used 80% for model training and 20% for evaluation to allow parameter tuning and model development.

3.2. Training

We applied transfer learning to speed up model convergence by training an Inception V3⁹ deep convolutional neural network (CNN) initialised with weights pre-trained on ImageNet¹⁰. We used the ADAM¹¹ optimizer with the binary cross entropy loss function and the following parameters: learning rate = 1×10^{-4} , $\beta_1 = 0.9$, $\beta_2 = 0.999$, $\epsilon = \text{None}$ and decay = 0. Random 90° degree rotations and flips of the tiles were applied as data augmentation. We used a

minibatch of 48 tiles, sampling an equal number of malignant and benign tiles into each batch. The training was run for 50 steps per epoch. We used early stopping with a minimum change in loss of 0.003 and a patience of 10 epochs and continued training until the early stopping criteria were met or a maximum number of 2,500 steps had been taken.

3.3. Prediction

The trained cancer detection CNN was applied to predict the probability of cancer for each tile in the validation set and model performance was evaluated using Receiver Operating Characteristics (ROC) analysis. The CNN achieved an Area Under the Curve (AUC) value of 0.973. The performance of the final model was evaluated on the held-out test set, resulting in an AUC of 0.956.

Based on the validation set ROC curve, a suitable cut-off threshold was selected in order to obtain binary classification results for the tiles. The trained CNN was then used to produce predicted probabilities of cancer for all tissue tiles from the non-annotated datasets. The output probabilities were thresholded using the cut-off value to obtain a binary mask representing predicted tumour regions. The mask was post-processed by filling holes and removing objects consisting of less than 405 pixels, representing debris and noise. As a result, tumour label masks similar to those available for the manually annotated Clinseq-BC dataset were obtained for the TCGA-BC and ABiM datasets.

4. Expression-morphology analysis

4.1. Model optimisation

For each gene, we optimised one CNN model with image tiles as predictors and the sample-level gene expression level obtained from RNA-seq as a response variable. We used Inception V3⁹ architecture, modified by switching the last layer to one neuron with a linear activation to build a regression model. Tiles from the training and tuning set were used to optimise the model. We employed the Adam¹¹ optimizer with the mean squared error loss function and default parameters as follows: learning rate = 1×10^{-6} , $\beta_1 = 0.9$, $\beta_2 = 0.999$, $\epsilon = \text{None}$ and decay = 0. Random 90° degree rotations and flips of the tiles were applied as data augmentation.

We used a minibatch of 32 image tiles per step and ran the optimisation for 150 steps per epoch. We sampled 313 mini-batches from the tuning set to assess the validation loss on each epoch, and used early stopping with a minimum change in loss of 0.003 and a patience of 80 epochs, continuing optimisation until the early stopping criterion was met or a maximum number of 500 epochs (75 000 steps) had been completed. From each optimisation run, we stored the models from the 10 epochs resulting in the best performance on the tuning tiles and 10 models from randomly selected epochs. Depending on when the early stopping criterion was met, the optimisation runs took approximately 12-70 hours on a single GPU.

4.2. Model validation

For each gene, the model with the lowest loss recorded on the tuning set was applied on the combined Clinseq-BC and TCGA-BC validation set. We took the mean of all tile-level predictions across one slide to obtain a patient-level prediction. To evaluate model performance, we calculated the Spearman correlation between the predicted patient-level gene expression values and those measured using RNA-seq across the validation set. The associated p-values

were adjusted for multiple testing using the Benjamini-Hochberg approach¹². In an attempt to measure the proportion of variance that could be predicted using the CNN models, R^2 score was also calculated.

4.3. Model selection for testing

To further validate the generalisability of the CNNs, we selected a subset of promising genes (i.e. models) with predicted R^2_{pred} higher than 0.2 and adjusted p-value lower than 0.001 according to the performance on the validation set. In total, 1,011 genes were brought forward for model testing on the internal test set. Out of these, 995 genes could be matched in the ABiM study, and were included in the evaluation on the external test data. As the variance is dataset dependent and the values of RNA-seq data can vary due to differences in protocols and profiling platforms, the R^2_{pred} score was not calculated in the external ABiM test set.

The tile-level predictions were post-processed as described in Section 4.2. except that we applied Bonferroni correction for multiple testing, which is more conservative compared to the Benjamini-Hochberg method applied for the initial discovery analysis.

4.4. Gene set enrichment analysis

With the aim of understanding if genes associated with particular molecular mechanisms were enriched among the genes that were predicted well, we conducted a pathway analysis to identify enriched pathways based on the results on the validation set. To do this, instead of arbitrarily selecting a cutoff threshold for assigning significance among all available genes, and performing analysis based on the subset of genes, we considered a rank based algorithm¹³ to avoid potential bias in such selection.

In brief, the 17,695 genes ranked by adjusted p-value from the Spearman analysis were used as input. We followed the procedures described in¹³ and conducted the analysis with the ‘SetRank’ R package and Reactome¹⁴ was selected as the database for pathway annotations.

5. Spatial transcriptomic analysis

From an additional independent collection of 168 tumours with both FFPE blocks and WSIs available, 24 tumours were selected for spatial transcriptomic (ST) profiling using the oncology and immune oriented gene panel for the GeoMx DSP platform (GeoMx Immune Pathways Panel, NanoString Technologies, Seattle, WA). The 24 slides were selected to have predicted (by the CNN models) spatially varying expression levels, assessed by visual inspection, across a number of genes (BCL2, CD4, GZMB, HIF1A, HLA-DQA1, ITGB2 and VEGFA). These genes represent a diverse set from the panel in that they belong to different pathways and were also among the best performing genes ($R^2 > 0.15$, adjusted p-value < 0.0001) in the validation set (EMO-average). Regions of interest (ROI) ($600\mu\text{m} \times 600\mu\text{m}$) were manually selected from the HE stained WSIs based on EMO-spatial predictions, to cover a range of predicted gene expression values across a variety of genes. For each tumour, two consecutive sections were produced. The first section was stained with HE and used to generate a routine WSI (used for prediction of expression level in the EMO-spatial workflow). The second section was used for ST profiling in a standard workflow for the GeoMX DSP platform. This slide was stained with four fluorescent stains targeting PanCK, SMA, CD45 and DNA to outline general morphological structures (HE stains was not an option on the platform. Manual registration of the selected ROIs the first section, which was used to produce the HE-stained slide and

associated EMO-spatial predictions, and the corresponding locations on the second consecutive section, used for ST profiling. Two slides were damaged during fluorescent staining and discarded, resulting in 22 slides remaining for ST analysis. Finally, gene expression values within each ROI were quantified by the GeoMx DSP platform by counting the unique indexing oligos assigned to each target with the NanoString nCounter® instrument. Gene expression values were normalised by dividing each value with the average expression levels across 6 negative controls, to account for any non-specific binding, and subsequently \log_2 -transformed before further analysis.

To estimate the EMO-spatial predictions, we calculated the mean of tile-level predictions within each ROI per gene. The gene panel consists of 84 RNA probes (See Supplementary Table 4 for full list of genes), out of which 6 served as negative controls, and 2 (CCL5 and PECAM1) had a variance of gene expression lower than 0.001 and were therefore excluded prior to any further analyses. Furthermore, the probe named ‘multi-krt’ include probes against a group of genes: KRT18, KRT6B, KRT6C, KRT6A, KRT19, KRT17, KRT7, KRT10 and KRT14; and the probe named ‘pan-Melanocyte’ contains probes against SOX10, PMEL and S100B. The predicted gene expression values for these two targets were calculated by summing the predictions for the respective sets of genes.

We then measured the performance of the CNN models by first comparing the predictions with ST-measured gene expression using a linear mixed effect model (LME) with results displayed with a bar plot and a line plot (Figure 3. b-c). The model was fitted (maximum likelihood) with the log transformed ST estimated expression as response, the EMO-spatial prediction as a fixed effect and slide id as a random effect (accounting for variability between slides). A likelihood ratio test was applied to test the significance of the fixed effect parameter. P-values were adjusted for multiple testing using the Benjamini-Hochberg method, and $FDR < 0.05$ was considered significant. Furthermore, for each slide and gene, Spearman’s ρ was also calculated, between EMO-spatial predictions and ST expression estimates, across 12 ROIs per tumour. The empirical distribution of Spearman’s ρ estimates across the 22 individuals, and for each gene, was summarised as boxplots (Supplementary Figure 1d).

6. Software and hardware

All image preprocessing steps were conducted with Python (v. 3.6) packages, including scikit-image (v. 1.14.2), OpenCV (v. 3.4.1), OpenSlide (v.3.4.1 and API v. 1.1.1). Training of CNN models was carried out using Keras (v. 2.2.4) with Tensorflow¹⁵ backend (v. 1.12). Colour normalisation was performed using Python, adapted from StainTools (<https://github.com/Peter554/StainTools>) and ‘Staining Unmixing and Normalisation in Python’ (https://github.com/schaugf/HEnorm_python). Spearman correlation was calculated using the SciPy package (v. 1.2.0) in Python, R^2 was calculated with Python package scikit-learn (v. 0.20.2). Statistical testing, multiple testing correction fitting were performed with the statsmodels Python package (v. 0.9.0). LME model was fitted using R (3.6.3) with R package ‘lme4’ and ‘lmerTest’. Model training and predictions were run on the GPU partition of the Puhti compute cluster (CSC IT Center for Science, Kajaani, Finland), consisting of 80 compute nodes. Each node is equipped with two 20-core Xeon Gold 6230 CPUs (Intel, Santa Clara, CA, USA), 384 GB of memory, four Tesla V100 32 GB GPU accelerators (Nvidia, Santa Clara, CA, USA) and 3.6 TB of local NVME storage. The GPUs were running Nvidia driver version 440.33.01.

Since models for different genes are fully independent of each other, transcriptome-wide training and prediction represent ‘an embarrassingly parallel problem’. We therefore ran each

model as a separate computation job on a single V100 GPU, and automated job submission through the SLURM scheduler system, resulting in 50-300 models being trained in parallel at any given time over a period of several months. At the beginning of each computation run, the input image tiles were copied from the central file system to the local NVME disk to avoid I/O bottlenecks due to the large number of parallel runs relying on the same data. In parallel with the GPU computation, minibatches were prepared using multi-threading on 4 CPU cores to maintain an in-memory data buffer equal in size to two minibatches.

7. Supplementary Results

7.1. Gene set enrichment analysis

To determine if genes involved in particular molecular mechanisms or processes were enriched in the set of transcripts that could be predicted from histopathology images, we conducted a gene set enrichment analysis (GSEA¹⁶) across all 17,695 genes¹³. 16 pathways (Table S2) were significantly enriched in the GSEA¹⁶ analysis. ‘Sema4D induced cell migration and growth-cone collapse’ had the strongest association. Sema4D has previously been reported to be overexpressed in breast cancer¹⁷. Sema4D, together with the small GTPase Rho gene family (i.e. RhoA, RhoB, RhoC), which are encoded by genes that belong to the same pathway and were well-predicted by the CNN model, are associated with tumour angiogenesis¹⁸. Ranking second was ‘Signaling by Retinoic Acid’. Retinoic acid (RA) has been reported as being associated with down-regulating genes that relate to breast cancer cell proliferation and up-regulating pro-apoptotic genes which induces cell death¹⁹. These events are also associated with morphological changes. In addition, four pathways relating to cell cycle were also identified, including, ‘Cyclin A/B1 associated events during G2/M transition’. Genes well predicted and belonging to this pathway (CCNA2, CCNB1) encode Cyclin A2 and B1 respectively. These proteins have been reported to be associated with breast cancer histological grade²⁰ and prognosis^{21,22}. Another well predicted gene, CDK1, is a member of the enriched pathway ‘G2/M DNA replication checkpoint’, and the protein it encodes is associated with prognosis in breast cancer patients²³. Moreover, in the pathway relating to ‘Loss of Nlp from mitotic centrosomes’, Nlp (ninein-like protein) has been recently recognised as an oncogenic protein, whose centrosomal localisation and stability could be disturbed in case of BRCA1 mutations, and eventually lead to abnormal mitotic progression as well as tumorigenesis^{24,25}. The remaining significant pathways are involved in biological processes such as ‘signal transduction’, ‘metabolism of proteins’, ‘cell cycle’ and ‘immune system’.

Supplementary Tables

Table S1. Clinicopathological characteristics of patients per cohort.

	Clinseq-BC	TCGA-BC	ABiM
N	270	721	350
Age	59.54 ± 11.42	57.57 ± 12.95	62.63 ± 13.96
Histological grade			
NHG 1 (%)	38 (14.07)	67 (9.29)	42 (12.00)
NHG 2 (%)	108 (40.00)	264 (36.62)	151 (43.14)
NHG 3 (%)	110 (40.74)	228 (31.62)	157 (44.86)
NA	14 (5.19)	162 (22.47)	0
Tumour size			
≥20 mm (%)	127 (47.04)	495 (68.65)	160 (45.71)
<20 mm (%)	105 (38.89)	206 (28.57)	177 (50.57)
NA	38 (14.07)	20 (2.77)	13 (3.71)
Lymph node			
Positive (%)	33 (12.22)	355 (49.24)	124 (35.43)
Negative (%)	199 (73.70)	346 (47.99)	213 (60.86)
NA	38 (14.07)	20 (2.77)	13 (3.71)
Distant metastasis			
Positive (%)	1 (0.37)	9 (1.25)	1 (0.29)
Negative (%)	253 (93.70)	605 (83.91)	300 (85.71)
NA	16 (5.93)	107 (14.84)	49 (14.00)
ER status ^a			
Positive (%)	228 (84.44)	507 (70.32)	293 (83.71)
Negative (%)	41 (15.19)	161 (22.33)	57 (16.29)
NA	1 (0.37)	53 (7.35)	0
PR status ^a			
Positive (%)	176 (65.19)	440 (61.03)	265 (75.71)
Negative (%)	92 (34.07)	225 (31.21)	85 (24.29)
NA	2 (0.74)	56 (7.77)	0
HER2 status			
Positive (%)	41 (15.19)	80 (11.10)	69 (19.71)
Negative (%)	221 (81.85)	461 (63.94)	281 (80.29)
NA	8 (2.96)	180 (24.97)	0
KI67 status ^b			
High (%)	132 (48.89)	-	207 (59.14)
Low (%)	98 (36.30)	-	143 (40.86)
NA	40 (14.81)	-	0

NHG Nottingham histological grade, NA not applicable, ER estrogen receptor, PR progesterone receptor,
a Positive if ≥ 10% positive stained cells. b High if ≥ 20% positive stained cells within hotspot regions.

Table S2. Summarization of enriched pathways.

Name	Description	Main	Size	Adjusted P-value
R-HSA-416572	Sema4D induced cell migration and growth-cone collapse	developmental biology	24	0.0012
R-HSA-5362517	Signaling by Retinoic Acid	Signal transduction	42	0.0025
R-HSA-373080	Class B/2 (Secretin family receptors)	Signal transduction	84	0.0205
R-HSA-389960	Formation of tubulin folding intermediates by CCT/TriC	metabolism of proteins	25	0.0213
R-HSA-389957	Prefoldin mediated transfer of substrate to CCT/TriC	metabolism of proteins	28	0.0213
R-HSA-380259	Loss of Nlp from mitotic centrosomes	cell cycle	69	0.0213
R-HSA-2168880	Scavenging of heme from plasma	vesicle-mediated transport	13	0.0235
R-HSA-69273	Cyclin A/B1 associated events during G2/M transition	cell cycle	22	0.0368
R-HSA-156711	Polo-like kinase mediated events	cell cycle	16	0.0368
R-HSA-157881	Cyclin B2 mediated events	cell cycle	5	0.0368
R-HSA-69478	G2/M DNA replication checkpoint	cell cycle	5	0.0368
R-HSA-202427	Phosphorylation of CD3 and TCR zeta chains	Signal transduction	19	0.0376
R-HSA-202430	Translocation of ZAP-70 to Immunological synapse	immune system	16	0.0376
R-HSA-202433	Generation of second messenger molecules	immune system	30	0.0376
R-HSA-389948	PD-1 signaling	immune system	20	0.0376
R-HSA-75896	Plasmalogen biosynthesis	metabolism	2	0.0421

Table S3. Prediction performance for the 1011 genes on validation and test sets.

Ensembl_gene_id	Hgnc symbol	Coef (valid)	Rsq (valid)	P-val (valid)	adj.pval (valid)	Coef (internal)	adj.pval (internal)	Coef (external)	adj.pval (external)
ENSG00000091831	ESR1	4.62E-01	3.10E-01	8.70E-08	1.25E-06	4.78E-01	3.23E-08	3.93E-01	2.06E-11
ENSG00000175356	SCUBE2	5.47E-01	3.08E-01	6.82E-11	3.20E-09	4.17E-01	1.31E-05	3.92E-01	2.64E-11
ENSG00000082175	PGR	5.73E-01	3.26E-01	5.43E-12	4.05E-10	4.92E-01	7.33E-09	3.90E-01	3.95E-11
ENSG00000148513	ANKRD30A	5.74E-01	3.41E-01	4.87E-12	3.68E-10	3.90E-01	1.28E-04	3.31E-01	2.27E-07
ENSG00000173467	AGR3	5.86E-01	4.00E-01	1.35E-12	1.28E-10	5.04E-01	1.92E-09	3.81E-01	1.47E-10
ENSG00000171428	NAT1	5.54E-01	2.64E-01	3.60E-11	1.87E-09	4.75E-01	4.74E-08	3.64E-01	1.94E-09
ENSG00000158258	CLSTN2	4.93E-01	2.54E-01	8.14E-09	1.74E-07	4.58E-01	2.76E-07	4.13E-01	8.13E-13
ENSG00000074410	CA12	4.43E-01	2.99E-01	3.17E-07	3.77E-06	5.31E-01	7.01E-11	3.07E-01	4.62E-06
ENSG00000129514	FOXA1	4.95E-01	3.29E-01	6.92E-09	1.52E-07	4.85E-01	1.64E-08	3.37E-01	9.58E-08
ENSG00000144218	AFF3	4.74E-01	2.90E-01	3.38E-08	5.69E-07	3.85E-01	1.80E-04	2.64E-01	5.58E-04
ENSG00000186868	MAPT	4.63E-01	2.43E-01	8.00E-08	1.17E-06	4.38E-01	1.90E-06	3.93E-01	2.18E-11
ENSG00000138755	CXCL9	5.82E-01	2.80E-01	2.10E-12	1.85E-10	5.13E-01	6.04E-10	4.65E-01	3.52E-17
ENSG00000204385	SLC44A4	4.61E-01	3.12E-01	8.97E-08	1.28E-06	4.41E-01	1.43E-06	2.53E-01	1.65E-03
ENSG00000115648	MLPH	5.23E-01	3.43E-01	6.47E-10	2.11E-08	4.77E-01	3.83E-08	3.19E-01	1.05E-06
ENSG00000178568	ERBB4	4.30E-01	2.24E-01	7.86E-07	8.06E-06	3.27E-01	1.17E-02	3.86E-01	7.43E-11
ENSG00000169083	AR	4.53E-01	2.55E-01	1.56E-07	2.05E-06	2.62E-01	5.32E-01	3.07E-01	4.52E-06
ENSG00000107485	GATA3	4.83E-01	3.39E-01	1.73E-08	3.28E-07	5.61E-01	1.18E-12	3.85E-01	8.08E-11
ENSG00000138615	CILP	4.73E-01	2.23E-01	3.88E-08	6.39E-07	4.08E-01	2.79E-05	4.20E-01	2.09E-13
ENSG00000112936	C7	4.94E-01	2.16E-01	7.51E-09	1.63E-07	5.54E-01	3.07E-12	3.61E-01	3.06E-09
ENSG00000152049	KCNE4	5.20E-01	2.18E-01	8.06E-10	2.56E-08	5.20E-01	2.79E-10	3.78E-01	2.65E-10
ENSG00000109436	TBC1D9	5.95E-01	4.27E-01	5.06E-13	5.70E-11	4.97E-01	4.28E-09	4.43E-01	2.99E-15
ENSG00000113296	THBS4	5.68E-01	3.11E-01	8.80E-12	6.08E-10	4.73E-01	6.00E-08	4.35E-01	1.28E-14
ENSG00000106819	ASPN	5.54E-01	2.80E-01	3.52E-11	1.84E-09	6.06E-01	1.35E-15	5.12E-01	9.70E-22
ENSG00000049540	ELN	5.68E-01	2.95E-01	8.82E-12	6.08E-10	5.09E-01	9.63E-10	4.32E-01	2.62E-14
ENSG00000074527	NTN4	5.55E-01	2.38E-01	3.35E-11	1.78E-09	5.21E-01	2.32E-10	3.32E-01	1.97E-07
ENSG00000157303	SUSD3	4.91E-01	2.44E-01	9.43E-09	1.97E-07	5.05E-01	1.72E-09	4.01E-01	5.44E-12
ENSG00000108176	DNAJC12	5.83E-01	2.42E-01	1.89E-12	1.70E-10	4.08E-01	2.71E-05	5.12E-01	9.63E-22
ENSG00000123500	COL10A1	5.24E-01	2.41E-01	5.70E-10	1.89E-08	5.93E-01	1.11E-14	5.19E-01	1.62E-22
ENSG00000187720	THSD4	6.17E-01	3.70E-01	3.73E-14	6.88E-12	4.72E-01	6.23E-08	3.85E-01	8.17E-11
ENSG00000166535	A2ML1	4.60E-01	2.48E-01	1.00E-07	1.40E-06	4.39E-01	1.65E-06	3.27E-01	3.76E-07
ENSG00000187955	COL14A1	6.01E-01	3.23E-01	2.49E-13	3.27E-11	6.06E-01	1.23E-15	4.83E-01	7.89E-19
ENSG00000169245	CXCL10	6.48E-01	3.19E-01	7.11E-16	2.86E-13	4.06E-01	3.24E-05	5.67E-01	3.75E-28
ENSG00000090382	LYZ	6.23E-01	2.59E-01	1.77E-14	3.87E-12	3.49E-01	2.75E-03	2.54E-01	1.45E-03
ENSG00000168350	DEGS2	5.69E-01	3.19E-01	7.96E-12	5.59E-10	5.05E-01	1.60E-09	4.79E-01	1.86E-18
ENSG00000167244	IGF2	6.37E-01	3.27E-01	3.10E-15	1.06E-12	5.59E-01	1.71E-12	5.85E-01	1.78E-30
ENSG00000163491	NEK10	5.89E-01	2.48E-01	9.26E-13	9.15E-11	4.53E-01	4.63E-07	3.99E-01	8.78E-12
ENSG00000106809	OGN	6.08E-01	3.17E-01	1.10E-13	1.76E-11	6.03E-01	2.16E-15	4.93E-01	7.36E-20
ENSG00000176887	SOX11	3.55E-01	2.21E-01	5.93E-05	3.11E-04	3.06E-01	4.64E-02	3.77E-01	2.73E-10
ENSG00000170500	LONRF2	5.56E-01	3.16E-01	2.87E-11	1.57E-09	4.37E-01	2.09E-06	4.02E-01	4.99E-12
ENSG00000115255	REEP6	4.96E-01	2.23E-01	6.24E-09	1.40E-07	4.09E-01	2.62E-05	2.88E-01	4.02E-05
ENSG00000150667	FSIP1	4.59E-01	2.02E-01	1.04E-07	1.45E-06	2.57E-01	6.61E-01	2.91E-01	3.08E-05
ENSG00000145423	SFRP2	5.01E-01	2.09E-01	4.11E-09	9.93E-08	6.29E-01	2.37E-17	3.72E-01	6.44E-10
ENSG00000103257	SLC7A5	6.28E-01	3.60E-01	9.95E-15	2.48E-12	4.07E-01	3.03E-05	4.32E-01	2.43E-14
ENSG00000039068	CDH1	4.55E-01	2.27E-01	1.44E-07	1.91E-06	4.39E-01	1.74E-06	3.25E-01	4.48E-07
ENSG00000101057	MYBL2	6.28E-01	3.39E-01	9.82E-15	2.48E-12	6.13E-01	3.83E-16	5.50E-01	4.39E-26
ENSG00000183044	ABAT	5.44E-01	3.08E-01	9.05E-11	4.04E-09	5.11E-01	8.05E-10	2.19E-01	3.60E-02
ENSG00000183779	ZNF703	3.46E-01	2.14E-01	9.29E-05	4.56E-04	3.37E-01	6.21E-03	3.06E-01	5.00E-06
ENSG00000186910	SERPINA11	5.95E-01	2.48E-01	4.78E-13	5.45E-11	4.29E-01	4.47E-06	3.13E-01	2.16E-06
ENSG00000050628	PTGER3	5.15E-01	2.30E-01	1.26E-09	3.69E-08	4.76E-01	3.99E-08	4.26E-01	6.74E-14
ENSG00000168542	COL3A1	5.18E-01	2.16E-01	1.02E-09	3.08E-08	5.60E-01	1.32E-12	3.38E-01	7.89E-08
ENSG00000133110	POSTN	4.90E-01	2.25E-01	1.01E-08	2.08E-07	5.73E-01	2.11E-13	3.39E-01	7.44E-08
ENSG00000135069	PSAT1	5.16E-01	3.63E-01	1.23E-09	3.62E-08	5.64E-01	7.92E-13	3.92E-01	2.48E-11
ENSG00000164692	COL1A2	5.15E-01	2.21E-01	1.25E-09	3.67E-08	5.79E-01	8.71E-14	3.98E-01	1.00E-11
ENSG00000100219	XBP1	3.87E-01	2.37E-01	1.04E-05	6.99E-05	5.33E-01	5.21E-11	2.52E-01	1.82E-03
ENSG00000154451	GBP5	6.53E-01	3.27E-01	3.39E-16	1.76E-13	4.68E-01	9.70E-08	5.32E-01	5.11E-24
ENSG00000131203	IDO1	6.28E-01	3.55E-01	1.02E-14	2.50E-12	4.56E-01	3.27E-07	5.41E-01	5.08E-25
ENSG00000134533	RERG	4.69E-01	2.24E-01	4.95E-08	7.84E-07	3.73E-01	4.78E-04	2.93E-01	2.45E-05
ENSG00000166482	MFAP4	6.02E-01	3.03E-01	2.17E-13	3.00E-11	5.93E-01	1.08E-14	5.09E-01	1.77E-21
ENSG00000011465	DCN	5.04E-01	2.24E-01	3.24E-09	8.02E-08	5.94E-01	9.36E-15	3.98E-01	9.52E-12
ENSG00000071967	CYBRD1	6.52E-01	3.50E-01	4.22E-16	2.02E-13	5.40E-01	2.14E-11	5.77E-01	1.67E-29
ENSG00000163879	DNALI1	4.49E-01	2.31E-01	2.21E-07	2.77E-06	3.97E-01	7.10E-05	3.99E-01	8.63E-12
ENSG00000092068	SLC7A8	5.08E-01	3.53E-01	2.39E-09	6.24E-08	4.91E-01	8.03E-09	3.70E-01	8.00E-10
ENSG00000154864	PIEZO2	5.27E-01	2.35E-01	4.34E-10	1.53E-08	3.28E-01	1.12E-02	2.88E-01	4.31E-05
ENSG00000054598	FOXC1	3.70E-01	2.62E-01	2.71E-05	1.58E-04	4.75E-01	4.79E-08	3.66E-01	1.49E-09
ENSG00000164125	FAM198B	5.55E-01	2.64E-01	3.26E-11	1.74E-09	4.91E-01	7.93E-09	3.49E-01	1.94E-08
ENSG00000170743	SYT9	5.34E-01	2.01E-01	2.42E-10	9.32E-09	3.23E-01	1.57E-02	3.47E-01	2.34E-08
ENSG00000169248	CXCL11	5.61E-01	2.59E-01	1.74E-11	1.04E-09	4.11E-01	2.10E-05	5.09E-01	1.99E-21
ENSG00000198944	SOWAHA	5.11E-01	2.17E-01	1.77E-09	4.85E-08	3.33E-01	7.90E-03	3.90E-01	3.93E-11
ENSG00000134352	IL6ST	6.42E-01	4.10E-01	1.54E-15	5.58E-13	5.31E-01	7.18E-11	3.88E-01	4.70E-11

Table S3. Prediction performance for the 1011 genes on validation and test sets.

Ensembl_gene_id	Hgnc symbol	Coef (valid)	Rsq (valid)	P-val (valid)	adj.pval (valid)	Coef (internal)	adj.pval (internal)	Coef (external)	adj.pval (external)
ENSG00000111716	LDHB	4.73E-01	2.62E-01	3.69E-08	6.12E-07	3.81E-01	2.47E-04	2.32E-01	1.12E-02
ENSG00000173894	CBX2	6.36E-01	3.73E-01	3.56E-15	1.13E-12	5.72E-01	2.64E-13	5.17E-01	2.84E-22
ENSG00000196932	TMEM26	5.08E-01	2.43E-01	2.28E-09	6.01E-08	4.03E-01	4.30E-05	3.96E-01	1.31E-11
ENSG00000154027	AK5	4.78E-01	2.08E-01	2.56E-08	4.56E-07	3.33E-01	8.18E-03	3.28E-01	3.03E-07
ENSG00000186340	THBS2	5.20E-01	2.12E-01	8.53E-10	2.67E-08	5.83E-01	5.24E-14	3.37E-01	9.60E-08
ENSG00000196177	ACADSB	4.63E-01	2.30E-01	8.17E-08	1.19E-06	4.03E-01	4.26E-05	3.61E-01	3.42E-09
ENSG00000171791	BCL2	6.03E-01	4.14E-01	1.93E-13	2.75E-11	4.55E-01	3.55E-07	4.19E-01	2.44E-13
ENSG00000164220	F2RL2	5.64E-01	2.78E-01	1.30E-11	8.28E-10	5.17E-01	3.96E-10	4.87E-01	2.92E-19
ENSG00000114805	PLCH1	5.42E-01	2.53E-01	1.19E-10	5.10E-09	3.79E-01	2.91E-04	4.24E-01	1.05E-13
ENSG00000107159	CA9	5.26E-01	3.18E-01	4.78E-10	1.65E-08	2.51E-01	8.95E-01	2.90E-01	3.36E-05
ENSG00000139865	TTC6	5.15E-01	3.06E-01	1.26E-09	3.68E-08	4.45E-01	1.01E-06		
ENSG00000127084	FGD3	5.30E-01	2.69E-01	3.44E-10	1.25E-08	4.52E-01	5.00E-07	3.20E-01	8.93E-07
ENSG00000187244	BCAM	5.42E-01	2.95E-01	1.09E-10	4.73E-09	4.88E-01	1.13E-08	4.36E-01	1.13E-14
ENSG00000117228	GBP1	6.48E-01	3.28E-01	7.01E-16	2.86E-13	4.07E-01	3.11E-05	5.09E-01	1.85E-21
ENSG00000091986	CCDC80	5.03E-01	2.13E-01	3.51E-09	8.63E-08	5.33E-01	5.48E-11	4.48E-01	1.17E-15
ENSG0000017427	IGF1	4.66E-01	2.08E-01	6.45E-08	9.75E-07	5.17E-01	3.76E-10	3.95E-01	1.66E-11
ENSG00000159388	BTG2	5.95E-01	3.61E-01	4.71E-13	5.42E-11	5.00E-01	2.78E-09	4.68E-01	2.04E-17
ENSG00000175287	PHYHD1	5.16E-01	2.61E-01	1.16E-09	3.44E-08	4.11E-01	2.22E-05	3.92E-01	2.64E-11
ENSG00000112562	SMOC2	4.38E-01	2.10E-01	4.41E-07	4.94E-06	4.58E-01	2.81E-07	4.86E-01	3.59E-19
ENSG00000090539	CHRD	5.54E-01	2.45E-01	3.53E-11	1.84E-09	4.87E-01	1.26E-08	3.90E-01	3.58E-11
ENSG00000163362	Clorf106	5.53E-01	2.65E-01	4.14E-11	2.12E-09	4.79E-01	3.00E-08	4.89E-01	1.92E-19
ENSG00000120262	CCDC170	5.09E-01	2.42E-01	2.14E-09	5.67E-08	4.83E-01	2.02E-08	4.20E-01	2.36E-13
ENSG00000165816	VWA2	5.75E-01	2.98E-01	4.27E-12	3.31E-10	3.66E-01	7.92E-04	3.87E-01	6.27E-11
ENSG00000109452	INPP4B	5.26E-01	2.84E-01	4.86E-10	1.67E-08	3.80E-01	2.75E-04	3.34E-01	1.40E-07
ENSG00000188153	COL4A5	5.52E-01	2.36E-01	4.31E-11	2.19E-09	2.97E-01	7.82E-02	2.34E-01	9.83E-03
ENSG00000148488	ST8SIA6	5.40E-01	2.78E-01	1.40E-10	5.85E-09	4.28E-01	4.71E-06	2.13E-01	5.75E-02
ENSG00000087245	MMP2	5.15E-01	2.31E-01	1.30E-09	3.78E-08	6.10E-01	6.50E-16	3.96E-01	1.43E-11
ENSG00000075275	CELSR1	5.31E-01	3.13E-01	3.09E-10	1.15E-08	4.45E-01	9.54E-07	2.80E-01	1.04E-04
ENSG00000254726	MEX3A	3.76E-01	2.03E-01	1.95E-05	1.20E-04	3.99E-01	5.89E-05	3.33E-01	1.56E-07
ENSG00000213886	UBD	4.87E-01	2.85E-01	1.26E-08	2.50E-07	4.36E-01	2.30E-06	3.46E-01	2.79E-08
ENSG00000163359	COL6A3	5.37E-01	2.28E-01	1.73E-10	7.04E-09	5.80E-01	7.80E-14	3.58E-01	5.19E-09
ENSG00000134028	ADAMDECI	6.00E-01	3.35E-01	2.67E-13	3.45E-11	4.13E-01	1.88E-05	4.41E-01	4.54E-15
ENSG00000132031	MATN3	5.60E-01	2.85E-01	1.98E-11	1.16E-09	4.62E-01	1.77E-07	4.55E-01	2.79E-16
ENSG00000196405	EVL	4.92E-01	2.24E-01	8.60E-09	1.81E-07	4.49E-01	6.53E-07	2.96E-01	1.63E-05
ENSG00000143412	ANXA9	4.35E-01	2.27E-01	5.37E-07	5.80E-06	4.58E-01	2.66E-07	2.58E-01	1.03E-03
ENSG00000196569	LAMA2	6.05E-01	3.17E-01	1.49E-13	2.26E-11	5.35E-01	4.18E-11	4.70E-01	1.32E-17
ENSG00000148773	MKI67	5.95E-01	2.97E-01	4.91E-13	5.57E-11	5.64E-01	7.94E-13	4.31E-01	2.89E-14
ENSG00000039139	DNAH5	4.37E-01	2.12E-01	4.80E-07	5.30E-06	4.30E-01	3.93E-06	2.12E-01	6.38E-02
ENSG00000121753	BAI2	4.11E-01	2.20E-01	2.51E-06	2.16E-05	3.85E-01	1.90E-04	3.09E-01	3.61E-06
ENSG00000141338	ABCA8	4.78E-01	2.18E-01	2.65E-08	4.68E-07	4.79E-01	3.07E-08	4.60E-01	9.07E-17
ENSG00000067057	PFKP	5.39E-01	2.44E-01	1.53E-10	6.32E-09	4.52E-01	4.91E-07	3.40E-01	6.77E-08
ENSG00000175063	UBE2C	6.04E-01	3.35E-01	1.84E-13	2.68E-11	5.93E-01	1.02E-14	4.52E-01	5.46E-16
ENSG00000089685	BIRC5	6.58E-01	3.32E-01	1.87E-16	1.12E-13	6.53E-01	2.71E-19	4.64E-01	4.62E-17
ENSG00000162654	GBP4	5.88E-01	2.31E-01	1.09E-12	1.06E-10	3.64E-01	9.20E-04	4.68E-01	2.06E-17
ENSG00000100234	TIMP3	4.80E-01	2.14E-01	2.25E-08	4.15E-07	3.78E-01	3.19E-04	3.12E-01	2.55E-06
ENSG00000178935	ZNF552	4.12E-01	2.66E-01	2.44E-06	2.11E-05	4.33E-01	3.07E-06	3.43E-01	4.24E-08
ENSG00000152953	STK32B	5.81E-01	2.49E-01	2.21E-12	1.93E-10	4.56E-01	3.43E-07	4.55E-01	2.87E-16
ENSG00000174348	PODN	6.66E-01	3.70E-01	5.71E-17	4.59E-14	6.25E-01	5.13E-17	4.95E-01	5.14E-20
ENSG00000173210	ABLIM3	4.49E-01	2.16E-01	2.10E-07	2.65E-06	3.51E-01	2.34E-03	3.95E-01	1.49E-11
ENSG00000120332	TNN	5.33E-01	2.45E-01	2.51E-10	9.60E-09	3.90E-01	1.23E-04	4.72E-01	8.57E-18
ENSG00000185133	INPP5J	4.28E-01	2.15E-01	8.75E-07	8.78E-06	4.26E-01	5.68E-06	2.78E-01	1.26E-04
ENSG00000107742	SPOCK2	5.41E-01	2.12E-01	1.19E-10	5.10E-09	4.71E-01	6.93E-08	4.10E-01	1.26E-12
ENSG00000164626	KCNK5	4.73E-01	2.05E-01	3.73E-08	6.16E-07	1.91E-01	1.00E+00	2.54E-01	1.51E-03
ENSG00000078081	LAMP3	6.10E-01	3.02E-01	9.11E-14	1.48E-11	5.06E-01	1.37E-09	4.44E-01	2.24E-15
ENSG00000088325	TPX2	6.05E-01	3.25E-01	1.61E-13	2.39E-11	6.09E-01	8.19E-16	5.72E-01	9.08E-29
ENSG00000152377	SPOCK1	5.10E-01	2.38E-01	2.05E-09	5.45E-08	4.97E-01	4.05E-09	4.97E-01	2.77E-20
ENSG00000131781	FMO5	4.91E-01	2.12E-01	9.53E-09	1.98E-07	3.43E-01	4.22E-03	3.38E-01	8.14E-08
ENSG00000143341	HMCN1	5.00E-01	2.38E-01	4.41E-09	1.04E-07	5.65E-01	6.86E-13	4.36E-01	1.10E-14
ENSG00000112414	GPR126	5.24E-01	2.36E-01	5.81E-10	1.92E-08	4.51E-01	5.65E-07	5.10E-01	1.60E-21
ENSG00000171848	RRM2	5.93E-01	2.97E-01	6.30E-13	6.88E-11	5.70E-01	3.31E-13	5.94E-01	1.05E-31
ENSG00000081237	PTPRC	5.22E-01	2.05E-01	7.27E-10	2.34E-08	3.92E-01	1.10E-04	3.55E-01	7.69E-09
ENSG00000162543	UBXN10	4.90E-01	2.02E-01	1.00E-08	2.06E-07	4.95E-01	5.06E-09	4.13E-01	6.96E-13
ENSG00000019169	MARCO	5.34E-01	3.48E-01	2.33E-10	9.08E-09	4.13E-01	1.84E-05	2.52E-01	1.79E-03
ENSG00000119866	BCL11A	4.02E-01	2.41E-01	4.49E-06	3.48E-05	5.16E-01	4.53E-10	2.98E-01	1.31E-05
ENSG00000122861	PLAU	5.81E-01	2.01E-01	2.35E-12	2.02E-10	4.12E-01	2.03E-05	4.02E-01	5.35E-12
ENSG00000169047	IRS1	5.01E-01	2.40E-01	4.18E-09	1.00E-07	2.96E-01	7.96E-02	2.63E-01	6.19E-04
ENSG00000157388	CACNA1D	5.62E-01	2.96E-01	1.57E-11	9.51E-10	5.35E-01	4.16E-11	4.12E-01	8.35E-13
ENSG00000011426	ANLN	5.58E-01	2.82E-01	2.50E-11	1.40E-09	4.60E-01	2.15E-07	5.32E-01	6.40E-24
ENSG00000111206	FOXO1	6.51E-01	4.32E-01	4.55E-16	2.06E-13	6.10E-01	6.32E-16	5.79E-01	9.64E-30

Table S3. Prediction performance for the 1011 genes on validation and test sets.

Ensembl_gene_id	Hgnc symbol	Coef (valid)	Rsq (valid)	P-val (valid)	adj.pval (valid)	Coef (internal)	adj.pval (internal)	Coef (external)	adj.pval (external)
ENSG00000117399	CDC20	6.36E-01	3.96E-01	3.68E-15	1.14E-12	6.38E-01	5.04E-18	4.61E-01	8.08E-17
ENSG00000163072	NOSTRIN	5.95E-01	2.77E-01	5.15E-13	5.73E-11	5.17E-01	3.73E-10	4.46E-01	1.62E-15
ENSG00000131831	RA12	5.67E-01	3.30E-01	1.00E-11	6.70E-10	4.24E-01	6.71E-06	5.37E-01	1.54E-24
ENSG00000007402	CACNA2D2	4.91E-01	2.73E-01	9.12E-09	1.91E-07	5.25E-01	1.52E-10	4.51E-01	6.30E-16
ENSG00000148154	UGCG	5.74E-01	2.79E-01	4.76E-12	3.61E-10	4.61E-01	1.92E-07	3.69E-01	9.69E-10
ENSG00000026751	SLAMF7	5.52E-01	2.43E-01	4.48E-11	2.25E-09	4.69E-01	9.19E-08	4.18E-01	2.83E-13
ENSG00000165124	SVEP1	5.50E-01	2.62E-01	5.55E-11	2.68E-09	4.77E-01	3.58E-08	3.43E-01	4.01E-08
ENSG00000166033	HTRA1	5.18E-01	2.82E-01	1.03E-09	3.10E-08	5.99E-01	3.81E-15	4.90E-01	1.72E-19
ENSG00000147168	IL2RG	5.99E-01	2.55E-01	3.28E-13	4.06E-11	4.56E-01	3.28E-07	3.68E-01	1.10E-09
ENSG00000168394	TAP1	6.21E-01	3.45E-01	2.20E-14	4.42E-12	3.31E-01	9.18E-03	4.33E-01	1.91E-14
ENSG00000100167	SEPT3	4.73E-01	2.57E-01	3.66E-08	6.10E-07	4.77E-01	3.61E-08	3.11E-01	2.75E-06
ENSG00000127083	OMD	5.00E-01	2.41E-01	4.38E-09	1.04E-07	5.77E-01	1.19E-13	4.43E-01	2.98E-15
ENSG00000066279	ASPM	5.15E-01	2.76E-01	1.30E-09	3.78E-08	5.40E-01	2.09E-11	5.16E-01	3.56E-22
ENSG00000029993	HMGB3	5.45E-01	2.61E-01	8.53E-11	3.86E-09	3.85E-01	1.82E-04	2.85E-01	6.03E-05
ENSG00000094804	CDC6	5.99E-01	2.34E-01	2.99E-13	3.79E-11	5.37E-01	2.97E-11	4.74E-01	4.93E-18
ENSG00000140511	HAPLN3	5.21E-01	2.20E-01	7.58E-10	2.43E-08	5.65E-01	7.38E-13	3.74E-01	4.79E-10
ENSG00000144354	CDCA7	6.46E-01	3.56E-01	9.62E-16	3.62E-13	5.04E-01	1.94E-09	3.87E-01	5.60E-11
ENSG00000152583	SPARCL1	6.18E-01	2.72E-01	3.57E-14	6.64E-12	5.77E-01	1.25E-13	5.54E-01	1.68E-26
ENSG00000197892	KIF13B	6.04E-01	2.79E-01	1.71E-13	2.51E-11	4.75E-01	4.63E-08	4.15E-01	5.56E-13
ENSG00000169604	ANTXR1	5.07E-01	2.13E-01	2.56E-09	6.61E-08	5.16E-01	4.40E-10	3.78E-01	2.46E-10
ENSG00000140937	CDH11	4.66E-01	2.03E-01	6.51E-08	9.82E-07	5.75E-01	1.72E-13	3.86E-01	6.83E-11
ENSG00000116824	CD2	5.65E-01	2.55E-01	1.27E-11	8.14E-10	4.71E-01	7.27E-08	3.86E-01	6.80E-11
ENSG00000102316	MAGED2	4.77E-01	2.12E-01	2.77E-08	4.81E-07	4.01E-01	4.97E-05	2.59E-01	8.57E-04
ENSG00000182175	RGMA	3.56E-01	2.06E-01	5.65E-05	2.98E-04	4.57E-01	3.09E-07	3.53E-01	1.05E-08
ENSG00000128606	LRRC17	6.53E-01	3.78E-01	3.58E-16	1.76E-13	6.04E-01	1.70E-15	5.26E-01	2.61E-23
ENSG00000168329	CX3CR1	6.90E-01	3.61E-01	1.41E-18	3.12E-15	4.64E-01	1.40E-07	4.75E-01	4.39E-18
ENSG00000113140	SPARC	5.04E-01	2.21E-01	3.26E-09	8.06E-08	5.64E-01	7.98E-13	4.08E-01	1.65E-12
ENSG00000106537	TSPAN13	4.73E-01	2.17E-01	3.87E-08	6.39E-07	3.86E-01	1.68E-04	4.14E-01	6.34E-13
ENSG00000162576	MXRA8	4.67E-01	2.28E-01	5.87E-08	9.02E-07	4.34E-01	2.88E-06	4.39E-01	6.27E-15
ENSG00000198851	CD3E	5.28E-01	2.19E-01	4.05E-10	1.44E-08	4.56E-01	3.21E-07	3.84E-01	9.78E-11
ENSG00000177575	CD163	4.94E-01	2.18E-01	7.28E-09	1.59E-07	1.54E-01	1.00E+00	2.12E-01	6.27E-02
ENSG00000204642	HLA-F	4.99E-01	2.60E-01	4.87E-09	1.13E-07	3.03E-01	5.36E-02	3.17E-01	1.29E-06
ENSG00000143452	HORMAD1	3.41E-01	2.57E-01	1.23E-04	5.77E-04	3.13E-01	2.98E-02	1.92E-01	3.06E-01
ENSG00000115415	STAT1	5.84E-01	3.02E-01	1.74E-12	1.59E-10	2.87E-01	1.38E-01	4.30E-01	3.18E-14
ENSG00000141753	IGFBP4	4.67E-01	2.35E-01	5.81E-08	8.97E-07	4.33E-01	3.00E-06	4.17E-01	3.91E-13
ENSG00000172986	GXYLT2	5.76E-01	2.69E-01	3.93E-12	3.09E-10	5.72E-01	2.62E-13	4.01E-01	5.50E-12
ENSG00000091490	SEL1L3	5.03E-01	2.16E-01	3.53E-09	8.65E-08	4.89E-01	9.62E-09	3.62E-01	2.79E-09
ENSG00000148468	FAM171A1	3.40E-01	2.18E-01	1.29E-04	6.04E-04	4.38E-01	1.84E-06	3.34E-01	1.47E-07
ENSG00000101447	FAM83D	6.09E-01	3.49E-01	9.90E-14	1.59E-11	5.66E-01	6.34E-13	4.69E-01	1.47E-17
ENSG00000076382	SPAG5	5.05E-01	2.26E-01	3.12E-09	7.81E-08	5.35E-01	4.31E-11	4.79E-01	1.85E-18
ENSG00000234745	HLA-B	5.42E-01	2.39E-01	1.12E-10	4.85E-09	2.10E-01	1.00E+00	3.39E-01	7.13E-08
ENSG00000145555	MYO10	4.62E-01	2.07E-01	8.29E-08	1.20E-06	3.21E-01	1.77E-02	2.43E-01	4.26E-03
ENSG00000131471	AOC3	5.18E-01	2.19E-01	1.02E-09	3.09E-08	4.75E-01	4.63E-08	3.66E-01	1.44E-09
ENSG00000183160	TMEM119	4.53E-01	2.03E-01	1.62E-07	2.12E-06	4.88E-01	1.16E-08	4.09E-01	1.47E-12
ENSG00000026559	KCNQ1	4.19E-01	2.37E-01	1.58E-06	1.46E-05	3.37E-01	6.19E-03	2.92E-01	2.51E-05
ENSG00000131016	AKAP12	5.08E-01	2.39E-01	2.35E-09	6.14E-08	5.02E-01	2.31E-09	5.89E-01	4.56E-31
ENSG00000160161	CILP2	4.76E-01	2.13E-01	3.09E-08	5.27E-07	5.08E-01	1.16E-09	3.82E-01	1.29E-10
ENSG00000134830	C5AR2	4.35E-01	2.13E-01	5.48E-07	5.91E-06	4.46E-01	8.76E-07	3.56E-01	6.69E-09
ENSG00000156103	MMP16	4.99E-01	2.15E-01	4.94E-09	1.15E-07	3.66E-01	8.28E-04	3.57E-01	5.56E-09
ENSG00000142945	KIF2C	6.60E-01	4.24E-01	1.36E-16	9.40E-14	6.42E-01	2.24E-18	5.11E-01	1.04E-21
ENSG00000130005	GAMT	4.64E-01	2.16E-01	7.41E-08	1.10E-06	4.06E-01	3.36E-05	2.75E-01	1.73E-04
ENSG00000119681	LTBP2	5.10E-01	2.45E-01	1.97E-09	5.28E-08	4.77E-01	3.85E-08	4.70E-01	1.30E-17
ENSG00000165304	MELK	6.20E-01	3.60E-01	2.63E-14	5.12E-12	5.82E-01	5.81E-14	4.31E-01	2.98E-14
ENSG00000177409	SAMD9L	4.86E-01	2.08E-01	1.35E-08	2.64E-07	1.51E-01	1.00E+00	2.05E-01	1.15E-01
ENSG00000068489	PRR11	6.36E-01	3.06E-01	3.43E-15	1.12E-12	6.28E-01	2.92E-17	5.49E-01	6.83E-26
ENSG00000125869	LAMP5	6.00E-01	3.18E-01	2.70E-13	3.45E-11	4.89E-01	1.02E-08	5.58E-01	4.31E-27
ENSG00000136546	SCN7A	6.75E-01	4.09E-01	1.42E-17	1.71E-14	4.68E-01	9.24E-08	4.82E-01	8.70E-19
ENSG00000182481	KPNA2	5.45E-01	2.37E-01	8.37E-11	3.82E-09	6.19E-01	1.53E-16	5.63E-01	1.25E-27
ENSG00000117215	PLA2G2D	5.39E-01	2.52E-01	1.55E-10	6.38E-09	4.24E-01	7.17E-06	3.25E-01	4.59E-07
ENSG00000187474	FPR3	6.02E-01	2.66E-01	2.28E-13	3.10E-11	3.68E-01	7.14E-04	4.65E-01	3.43E-17
ENSG00000081985	IL12RB2	6.26E-01	3.12E-01	1.21E-14	2.81E-12	4.96E-01	4.78E-09	3.45E-01	3.18E-08
ENSG00000128510	CPA4	4.57E-01	2.40E-01	1.23E-07	1.68E-06	3.51E-01	2.33E-03	3.12E-01	2.30E-06
ENSG00000170312	CDK1	6.26E-01	3.45E-01	1.19E-14	2.81E-12	5.64E-01	8.49E-13	5.18E-01	1.84E-22
ENSG00000119699	TGFB3	5.96E-01	3.38E-01	4.32E-13	5.03E-11	4.95E-01	5.27E-09	3.98E-01	9.71E-12
ENSG00000109861	CTSC	6.50E-01	3.21E-01	5.59E-16	2.47E-13	3.91E-01	1.11E-04	3.69E-01	1.04E-09
ENSG00000146072	TNFRSF21	4.97E-01	2.65E-01	5.59E-09	1.28E-07	2.50E-01	9.58E-01	3.42E-01	4.92E-08
ENSG00000166851	PLK1	6.34E-01	3.64E-01	4.42E-15	1.30E-12	6.15E-01	3.09E-16	5.32E-01	6.33E-24
ENSG00000065328	MCM10	7.07E-01	4.49E-01	8.27E-20	2.93E-16	6.27E-01	3.29E-17	6.13E-01	1.70E-34
ENSG00000116678	LEPR	4.76E-01	2.03E-01	3.07E-08	5.26E-07	3.34E-01	7.86E-03	4.30E-01	3.78E-14

Table S3. Prediction performance for the 1011 genes on validation and test sets.

Ensembl_gene_id	Hgnc symbol	Coef (valid)	Rsq (valid)	P-val (valid)	adj.pval (valid)	Coef (internal)	adj.pval (internal)	Coef (external)	adj.pval (external)
ENSG00000169851	PCDH7	5.05E-01	2.50E-01	3.01E-09	7.61E-08	5.26E-01	1.31E-10	3.42E-01	4.72E-08
ENSG00000153563	CD8A	5.18E-01	2.19E-01	1.00E-09	3.03E-08	4.91E-01	8.19E-09	3.65E-01	1.69E-09
ENSG00000240065	PSMB9	5.60E-01	2.63E-01	2.09E-11	1.20E-09	2.69E-01	3.63E-01	3.18E-01	1.22E-06
ENSG00000138180	CEP55	6.72E-01	4.40E-01	2.23E-17	2.32E-14	5.89E-01	1.90E-14	5.70E-01	1.47E-28
ENSG00000163683	SMIM14	5.26E-01	3.19E-01	4.88E-10	1.67E-08	3.51E-01	2.45E-03	1.88E-01	4.16E-01
ENSG00000168497	SDPR	5.24E-01	2.59E-01	5.72E-10	1.89E-08	5.32E-01	5.86E-11	3.97E-01	1.24E-11
ENSG00000163131	CTSS	5.49E-01	2.46E-01	6.04E-11	2.88E-09	3.15E-01	2.59E-02	3.10E-01	2.94E-06
ENSG00000127663	KDM4B	4.86E-01	2.24E-01	1.39E-08	2.72E-07	4.09E-01	2.51E-05	3.90E-01	3.82E-11
ENSG00000160255	ITGB2	4.79E-01	2.06E-01	2.38E-08	4.30E-07	2.46E-01	1.00E+00	2.54E-01	1.49E-03
ENSG00000004468	CD38	6.04E-01	3.17E-01	1.86E-13	2.68E-11	5.29E-01	9.20E-11	5.32E-01	5.99E-24
ENSG00000095637	SORBS1	5.92E-01	2.57E-01	6.68E-13	7.21E-11	4.14E-01	1.69E-05	4.00E-01	6.69E-12
ENSG00000181847	TIGIT	5.76E-01	2.47E-01	3.83E-12	3.06E-10	4.99E-01	3.13E-09	3.99E-01	7.83E-12
ENSG00000123384	LRP1	5.11E-01	2.40E-01	1.80E-09	4.90E-08	4.83E-01	1.87E-08	4.48E-01	1.11E-15
ENSG00000090889	KIF4A	6.64E-01	3.46E-01	7.80E-17	5.75E-14	6.01E-01	3.03E-15	5.12E-01	9.16E-22
ENSG00000179954	SSC5D	4.75E-01	2.30E-01	3.34E-08	5.63E-07	4.25E-01	6.25E-06	3.98E-01	9.90E-12
ENSG00000198901	PRC1	5.96E-01	3.00E-01	4.47E-13	5.17E-11	5.11E-01	7.72E-10	4.59E-01	1.34E-16
ENSG00000189057	FAM111B	5.03E-01	2.19E-01	3.66E-09	8.93E-08	4.34E-01	2.74E-06	3.47E-01	2.46E-08
ENSG00000187486	KCNJ11	4.34E-01	2.05E-01	5.74E-07	6.13E-06	4.65E-01	1.35E-07	3.02E-01	8.49E-06
ENSG00000024526	DEPDC1	6.12E-01	3.72E-01	6.97E-14	1.14E-11	5.01E-01	2.52E-09	5.24E-01	3.95E-23
ENSG00000050165	DKK1	4.72E-01	2.06E-01	4.03E-08	6.60E-07	4.63E-01	1.61E-07	4.23E-01	1.33E-13
ENSG00000105173	CCNE1	6.50E-01	3.03E-01	5.83E-16	2.52E-13	5.69E-01	3.77E-13	4.95E-01	4.54E-20
ENSG00000237649	KIFC1	5.31E-01	2.80E-01	3.24E-10	1.19E-08	5.66E-01	6.14E-13	4.36E-01	1.09E-14
ENSG00000143228	NUF2	5.69E-01	3.15E-01	8.08E-12	5.63E-10	5.34E-01	4.87E-11	5.31E-01	7.40E-24
ENSG00000143297	FCRL5	5.23E-01	2.24E-01	6.58E-10	2.14E-08	4.76E-01	4.01E-08	4.00E-01	7.43E-12
ENSG00000169679	BUB1	6.15E-01	3.92E-01	4.57E-14	8.26E-12	5.89E-01	1.93E-14	5.83E-01	2.64E-30
ENSG00000029153	ARNTL2	4.22E-01	2.30E-01	1.32E-06	1.25E-05	3.70E-01	5.78E-04	3.69E-01	3.67E-06
ENSG00000112984	KIF20A	5.63E-01	2.67E-01	1.48E-11	9.07E-10	5.40E-01	2.18E-11	4.60E-01	1.01E-16
ENSG00000170624	SGCD	6.40E-01	3.25E-01	2.07E-15	7.17E-13	5.39E-01	2.32E-11	4.32E-01	2.19E-14
ENSG00000118193	KIF14	5.67E-01	3.28E-01	1.00E-11	6.70E-10	4.66E-01	1.16E-07	5.40E-01	7.07E-25
ENSG00000131386	GALNT15	5.25E-01	2.56E-01	5.37E-10	1.81E-08	5.20E-01	2.76E-10		
ENSG00000087586	AURKA	6.76E-01	4.09E-01	1.29E-17	1.71E-14	6.60E-01	6.50E-20	5.68E-01	3.14E-28
ENSG00000183943	PRKX	5.45E-01	3.02E-01	8.36E-11	3.82E-09	4.95E-01	4.88E-09	3.41E-01	5.31E-08
ENSG00000164687	FABP5	3.29E-01	2.21E-01	2.14E-04	9.20E-04	3.55E-01	1.83E-03	1.82E-01	6.26E-01
ENSG00000117091	CD48	5.40E-01	2.07E-01	1.37E-10	5.80E-09	4.13E-01	1.88E-05	2.38E-01	6.71E-03
ENSG00000236699	ARHGGEF38	4.79E-01	2.47E-01	2.30E-08	4.21E-07	4.65E-01	1.33E-07	2.22E-01	2.71E-02
ENSG00000103569	AQP9	6.00E-01	2.78E-01	2.67E-13	3.45E-11	3.38E-01	5.71E-03	4.81E-01	1.24E-18
ENSG00000117650	NEK2	4.77E-01	2.01E-01	2.72E-08	4.77E-07	3.82E-01	2.30E-04	4.19E-01	2.51E-13
ENSG00000184985	SORCS2	6.02E-01	2.81E-01	2.36E-13	3.18E-11	5.31E-01	6.49E-11	5.74E-01	5.27E-29
ENSG00000102362	SYTL4	4.50E-01	2.03E-01	1.94E-07	2.48E-06	4.02E-01	4.57E-05	2.52E-01	1.84E-03
ENSG00000155886	SLC24A2	6.75E-01	3.65E-01	1.45E-17	1.71E-14	5.80E-01	7.26E-14	5.40E-01	6.65E-25
ENSG00000182866	LCK	5.58E-01	2.46E-01	2.51E-11	1.40E-09	5.46E-01	9.63E-12	3.84E-01	9.48E-11
ENSG00000170959	DCDC1	5.76E-01	2.07E-01	3.84E-12	3.06E-10	4.53E-01	4.37E-07	3.72E-01	6.60E-10
ENSG00000143401	ANP32E	4.33E-01	2.20E-01	6.37E-07	6.71E-06	4.23E-01	7.21E-06	2.86E-01	5.01E-05
ENSG00000157456	CCNB2	6.53E-01	4.04E-01	3.47E-16	1.76E-13	6.22E-01	9.13E-17	5.19E-01	1.50E-22
ENSG00000159674	SPON2	5.09E-01	2.06E-01	2.23E-09	5.90E-08	3.66E-01	7.73E-04	3.27E-01	3.80E-07
ENSG00000164574	GALNT10	5.53E-01	2.95E-01	4.17E-11	2.13E-09	4.66E-01	1.22E-07	2.99E-01	1.20E-05
ENSG00000146670	CDC45	6.46E-01	3.40E-01	9.12E-16	3.59E-13	6.18E-01	1.66E-16	4.20E-01	2.10E-13
ENSG00000013297	CLDN11	5.60E-01	2.50E-01	2.01E-11	1.17E-09	4.16E-01	1.35E-05	5.03E-01	7.50E-21
ENSG00000101439	CST3	4.27E-01	2.23E-01	9.41E-07	9.37E-06	4.49E-01	6.44E-07	3.55E-01	7.59E-09
ENSG00000137804	NUSAP1	5.76E-01	3.03E-01	3.86E-12	3.07E-10	5.66E-01	6.10E-13	4.91E-01	1.13E-19
ENSG00000115956	PLEK	5.52E-01	2.31E-01	4.49E-11	2.25E-09	3.08E-01	3.88E-02	3.28E-01	3.30E-07
ENSG00000007237	GAS7	5.18E-01	2.42E-01	9.78E-10	2.97E-08	5.46E-01	1.00E-11	4.16E-01	4.29E-13
ENSG00000111344	RASAL1	3.95E-01	2.11E-01	6.65E-06	4.82E-05	3.14E-01	2.78E-02	3.39E-01	7.16E-08
ENSG00000071539	TRIP13	7.03E-01	4.07E-01	1.70E-19	5.03E-16	5.83E-01	5.09E-14	5.09E-01	1.99E-21
ENSG00000174371	EXO1	5.50E-01	2.68E-01	5.23E-11	2.56E-09	5.03E-01	1.95E-09	5.28E-01	1.65E-23
ENSG00000010319	SEMA3G	5.04E-01	2.26E-01	3.14E-09	7.85E-08	5.46E-01	9.58E-12	4.99E-01	1.83E-20
ENSG00000129946	SHC2	5.14E-01	2.20E-01	1.41E-09	4.03E-08	4.14E-01	1.60E-05	2.36E-01	8.43E-03
ENSG00000168675	LDLRAD4	5.13E-01	2.30E-01	1.56E-09	4.38E-08	3.56E-01	1.61E-03	3.00E-01	9.85E-06
ENSG00000140853	NLRCS	6.01E-01	2.84E-01	2.49E-13	3.27E-11	2.86E-01	1.45E-01	4.20E-01	2.25E-13
ENSG00000106780	MEGF9	4.56E-01	2.26E-01	1.34E-07	1.80E-06	4.04E-01	4.07E-05	2.60E-01	8.52E-04
ENSG00000005469	CROT	4.81E-01	2.01E-01	2.07E-08	3.87E-07	4.36E-01	2.18E-06	3.43E-01	4.09E-08
ENSG00000099864	PALM	5.68E-01	2.84E-01	9.13E-12	6.24E-10	4.14E-01	1.69E-05	3.74E-01	4.39E-10
ENSG00000112742	TTK	6.23E-01	3.69E-01	1.89E-14	3.93E-12	5.74E-01	1.83E-13	5.69E-01	2.00E-28
ENSG00000126787	DLGAP5	6.23E-01	3.99E-01	1.87E-14	3.93E-12	6.07E-01	1.09E-15	5.42E-01	3.67E-25
ENSG00000138778	CENPE	6.44E-01	3.66E-01	1.17E-15	4.32E-13	5.79E-01	9.27E-14	4.22E-01	1.60E-13
ENSG00000146070	PLA2G7	7.13E-01	3.61E-01	3.28E-20	1.46E-16	4.38E-01	1.96E-06	3.87E-01	6.05E-11
ENSG00000163431	LMOD1	5.25E-01	2.18E-01	5.42E-10	1.82E-08	4.73E-01	5.68E-08	4.22E-01	1.61E-13
ENSG00000153283	CD96	5.35E-01	2.36E-01	2.20E-10	8.68E-09	5.19E-01	2.94E-10	4.29E-01	4.37E-14
ENSG00000158714	SLAMF8	6.24E-01	3.18E-01	1.69E-14	3.74E-12	4.52E-01	4.88E-07	4.29E-01	3.89E-14

Table S3. Prediction performance for the 1011 genes on validation and test sets.

Ensembl_gene_id	Hgnc symbol	Coef (valid)	Rsq (valid)	P-val (valid)	adj.pval (valid)	Coef (internal)	adj.pval (internal)	Coef (external)	adj.pval (external)
ENSG00000020633	RUNX3	5.23E-01	2.48E-01	6.16E-10	2.02E-08	4.75E-01	4.54E-08	3.51E-01	1.45E-08
ENSG00000144749	LRIG1	4.42E-01	2.88E-01	3.35E-07	3.96E-06	5.21E-01	2.33E-10	3.97E-01	1.09E-11
ENSG00000174099	MSRB3	5.31E-01	2.56E-01	3.23E-10	1.19E-08	5.94E-01	8.41E-15	4.81E-01	1.14E-18
ENSG00000101463	SYNDIG1	5.33E-01	2.16E-01	2.58E-10	9.79E-09	5.31E-01	6.44E-11	5.15E-01	4.19E-22
ENSG00000104951	IL4I1	5.78E-01	3.24E-01	3.06E-12	2.58E-10	3.80E-01	2.83E-04	4.17E-01	3.63E-13
ENSG00000100453	GZMB	6.22E-01	3.83E-01	1.95E-14	3.99E-12	5.09E-01	1.08E-09	4.49E-01	9.92E-16
ENSG00000143119	CD53	5.37E-01	2.26E-01	1.82E-10	7.32E-09	3.23E-01	1.52E-02	3.28E-01	3.39E-07
ENSG00000101224	CDC25B	6.06E-01	3.16E-01	1.37E-13	2.11E-11	5.33E-01	5.44E-11	3.78E-01	2.50E-10
ENSG00000171451	DSEL	4.89E-01	2.02E-01	1.13E-08	2.28E-07	3.81E-01	2.48E-04	3.64E-01	2.00E-09
ENSG00000145386	CCNA2	5.73E-01	3.44E-01	5.19E-12	3.89E-10	5.80E-01	8.14E-14	5.32E-01	5.45E-24
ENSG00000164611	PTTG1	5.98E-01	3.46E-01	3.36E-13	4.10E-11	5.30E-01	7.74E-11	3.85E-01	7.71E-11
ENSG00000137309	HMGA1	5.30E-01	2.84E-01	3.33E-10	1.22E-08	4.99E-01	3.19E-09	3.42E-01	4.73E-08
ENSG00000073910	FRY	5.10E-01	2.62E-01	1.96E-09	5.24E-08	5.29E-01	8.73E-11	3.98E-01	9.83E-12
ENSG00000113721	PDGFRB	4.80E-01	2.40E-01	2.27E-08	4.16E-07	5.18E-01	3.53E-10	4.21E-01	1.70E-13
ENSG00000134057	CCNB1	5.29E-01	2.67E-01	3.83E-10	1.37E-08	5.08E-01	1.17E-09	4.09E-01	1.57E-12
ENSG00000129038	LOXL1	5.10E-01	2.35E-01	1.98E-09	5.28E-08	5.18E-01	3.52E-10	4.66E-01	3.08E-17
ENSG00000164056	SPRY1	4.77E-01	2.26E-01	2.86E-08	4.95E-07	5.20E-01	2.61E-10	3.34E-01	1.36E-07
ENSG00000149582	TMEM25	4.29E-01	2.07E-01	8.02E-07	8.18E-06	5.17E-01	4.02E-10	3.58E-01	4.98E-09
ENSG00000178999	AURKB	6.52E-01	4.57E-01	4.36E-16	2.03E-13	6.12E-01	5.05E-16	4.72E-01	8.06E-18
ENSG00000169515	CDC8	6.12E-01	2.67E-01	6.88E-14	1.14E-11	4.27E-01	5.26E-06	4.17E-01	3.41E-13
ENSG00000080986	NDC80	6.05E-01	3.32E-01	1.56E-13	2.33E-11	6.42E-01	2.39E-18	4.86E-01	3.67E-19
ENSG00000184661	CDCA2	5.78E-01	3.18E-01	3.15E-12	2.63E-10	5.21E-01	2.28E-10	3.46E-01	2.79E-08
ENSG00000170962	PDGFD	4.96E-01	2.08E-01	6.07E-09	1.37E-07	4.30E-01	3.99E-06	4.11E-01	9.86E-13
ENSG00000156970	BUB1B	6.33E-01	3.52E-01	5.06E-15	1.47E-12	5.59E-01	1.58E-12	5.03E-01	7.59E-21
ENSG00000124942	AHNAK	5.60E-01	3.51E-01	2.04E-11	1.18E-09	3.23E-01	1.60E-02	3.72E-01	6.15E-10
ENSG00000134690	CDCA8	6.35E-01	3.55E-01	4.18E-15	1.28E-12	6.32E-01	1.59E-17	5.31E-01	7.07E-24
ENSG00000108700	CCL8	5.20E-01	2.16E-01	8.60E-10	2.68E-08	2.30E-01	1.00E+00	3.86E-01	6.62E-11
ENSG00000105374	NKG7	5.70E-01	2.33E-01	7.21E-12	5.12E-10	4.81E-01	2.45E-08	3.94E-01	1.77E-11
ENSG00000138160	KIF11	5.55E-01	3.22E-01	3.22E-11	1.72E-09	5.41E-01	1.78E-11	4.69E-01	1.41E-17
ENSG00000109805	NCAPG	6.31E-01	3.53E-01	6.79E-15	1.79E-12	6.32E-01	1.46E-17	5.81E-01	4.91E-30
ENSG00000101412	E2F1	5.92E-01	3.01E-01	6.85E-13	7.33E-11	5.06E-01	1.37E-09	3.59E-01	4.53E-09
ENSG00000091656	ZFXH4	5.35E-01	2.95E-01	2.28E-10	8.90E-09	4.35E-01	2.60E-06	4.54E-01	3.61E-16
ENSG00000140379	BCL2A1	5.87E-01	2.75E-01	1.13E-12	1.09E-10	3.67E-01	7.28E-04	4.74E-01	5.20E-18
ENSG00000157193	LRP8	5.91E-01	2.88E-01	7.86E-13	8.14E-11	5.99E-01	4.19E-15	5.60E-01	2.47E-27
ENSG00000160791	CCR5	5.75E-01	2.36E-01	4.24E-12	3.30E-10	3.29E-01	1.08E-02	4.33E-01	2.09E-14
ENSG00000123485	HJURP	5.82E-01	3.64E-01	1.97E-12	1.75E-10	5.97E-01	5.52E-15	4.59E-01	1.34E-16
ENSG00000107551	RASSF4	5.78E-01	2.74E-01	3.15E-12	2.63E-10	3.37E-01	6.04E-03	4.43E-01	2.92E-15
ENSG00000172216	CEBPB	4.84E-01	2.15E-01	1.66E-08	3.16E-07	3.69E-01	6.28E-04	2.40E-01	5.60E-03
ENSG00000162739	SLAMF6	5.47E-01	2.28E-01	7.21E-11	3.36E-09	4.77E-01	3.93E-08	3.70E-01	8.71E-10
ENSG00000137807	KIF23	6.31E-01	3.31E-01	6.65E-15	1.78E-12	5.00E-01	2.83E-09	5.03E-01	6.94E-21
ENSG00000242574	HLA-DMB	5.28E-01	2.02E-01	4.17E-10	1.47E-08	2.61E-01	5.43E-01	2.21E-01	3.12E-02
ENSG00000204267	TAP2	6.42E-01	3.86E-01	1.64E-15	5.81E-13	3.86E-01	1.75E-04	5.00E-01	1.52E-20
ENSG00000069482	GAL	3.34E-01	2.76E-01	1.68E-04	7.52E-04	4.08E-01	2.77E-05	3.39E-01	6.95E-08
ENSG00000128591	FLNC	5.66E-01	2.22E-01	1.05E-11	6.95E-10	5.21E-01	2.25E-10	4.52E-01	4.66E-16
ENSG00000113368	LMNB1	4.94E-01	2.72E-01	7.62E-09	1.65E-07	6.01E-01	3.12E-15	3.48E-01	2.21E-08
ENSG00000166710	B2M	5.15E-01	2.24E-01	1.29E-09	3.77E-08	6.70E-02	1.00E+00	3.39E-01	7.56E-08
ENSG00000102096	PIM2	5.35E-01	2.14E-01	2.17E-10	8.58E-09	4.23E-01	7.28E-06	3.73E-01	4.96E-10
ENSG00000167286	CD3D	5.16E-01	2.14E-01	1.15E-09	3.43E-08	4.90E-01	8.77E-09	3.55E-01	7.29E-09
ENSG00000104738	MCM4	4.72E-01	2.38E-01	4.08E-08	6.65E-07	4.86E-01	1.34E-08	2.62E-01	6.47E-04
ENSG00000186818	LILRB4	4.87E-01	2.03E-01	1.25E-08	2.49E-07	2.87E-01	1.39E-01	4.09E-01	1.61E-12
ENSG00000011422	PLAUR	4.41E-01	2.08E-01	3.66E-07	4.23E-06	3.46E-01	3.44E-03	4.15E-01	5.11E-13
ENSG00000140105	WARS	6.46E-01	3.52E-01	9.40E-16	3.62E-13	4.54E-01	4.15E-07	4.41E-01	4.65E-15
ENSG00000160213	CSTB	5.38E-01	2.82E-01	1.67E-10	6.81E-09	2.97E-01	7.61E-02	1.96E-01	2.31E-01
ENSG00000196159	FAT4	4.78E-01	2.17E-01	2.57E-08	4.57E-07	3.82E-01	2.36E-04	4.67E-01	2.37E-17
ENSG00000165424	ZCCHC24	6.79E-01	3.61E-01	7.70E-18	1.36E-14	6.05E-01	1.57E-15	6.36E-01	4.48E-38
ENSG00000077152	UBE2T	5.01E-01	2.60E-01	4.31E-09	1.03E-07	5.07E-01	1.24E-09	5.01E-01	1.11E-20
ENSG00000135476	ESPL1	5.01E-01	2.29E-01	4.16E-09	1.00E-07	5.51E-01	4.61E-12	4.63E-01	5.63E-17
ENSG00000173068	BNC2	5.86E-01	2.92E-01	1.26E-12	1.21E-10	5.82E-01	5.65E-14	4.37E-01	9.07E-15
ENSG00000120820	GLT8D2	4.90E-01	2.26E-01	1.03E-08	2.10E-07	5.67E-01	5.32E-13	3.63E-01	2.57E-09
ENSG00000105639	JAK3	5.29E-01	2.09E-01	3.66E-10	1.32E-08	4.72E-01	6.64E-08	3.60E-01	3.62E-09
ENSG00000198826	ARHGAP11A	6.06E-01	3.41E-01	1.33E-13	2.07E-11	5.63E-01	9.84E-13	4.77E-01	2.88E-18
ENSG00000172243	CLEC7A	4.79E-01	2.23E-01	2.39E-08	4.33E-07	3.50E-01	2.63E-03	2.99E-01	1.21E-05
ENSG00000198759	EGFL6	5.71E-01	2.32E-01	6.31E-12	4.60E-10	3.09E-01	3.66E-02	3.55E-01	7.68E-09
ENSG00000111640	GAPDH	4.96E-01	2.58E-01	6.31E-09	1.41E-07	2.33E-01	1.00E+00	3.96E-01	1.34E-11
ENSG00000167771	RCOR2	4.60E-01	2.35E-01	9.87E-08	1.39E-06	3.25E-01	1.35E-02	2.74E-01	1.96E-04
ENSG00000187240	DYNC2H1	5.15E-01	2.41E-01	1.32E-09	3.83E-08	4.37E-01	2.08E-06	3.71E-01	7.08E-10
ENSG00000137507	LRRC32	5.90E-01	3.15E-01	8.15E-13	8.34E-11	6.02E-01	2.33E-15	4.37E-01	9.05E-15
ENSG00000203760	CENPW	5.28E-01	2.23E-01	4.25E-10	1.50E-08	5.16E-01	4.25E-10	3.61E-01	3.31E-09
ENSG00000151790	TDO2	5.98E-01	2.96E-01	3.45E-13	4.13E-11	3.43E-01	4.17E-03	4.93E-01	7.14E-20

Table S3. Prediction performance for the 1011 genes on validation and test sets.

Ensembl_gene_id	Hgnc symbol	Coef (valid)	Rsq (valid)	P-val (valid)	adj.pval (valid)	Coef (internal)	adj.pval (internal)	Coef (external)	adj.pval (external)
ENSG00000163637	PRICKLE2	4.64E-01	2.58E-01	7.53E-08	1.11E-06	5.60E-01	1.43E-12	4.11E-01	1.01E-12
ENSG00000135451	TROAP	5.54E-01	2.90E-01	3.75E-11	1.94E-09	6.12E-01	4.82E-16	4.89E-01	2.07E-19
ENSG00000241644	INMT	4.80E-01	2.15E-01	2.17E-08	4.02E-07	5.14E-01	5.32E-10	3.85E-01	8.71E-11
ENSG00000174804	FZD4	4.86E-01	2.03E-01	1.41E-08	2.75E-07	3.14E-01	2.75E-02	3.51E-01	1.45E-08
ENSG00000111665	CDCA3	6.08E-01	4.15E-01	1.12E-13	1.78E-11	5.70E-01	3.18E-13	4.79E-01	1.96E-18
ENSG00000163697	APBB2	5.57E-01	2.97E-01	2.69E-11	1.48E-09	4.16E-01	1.42E-05	3.30E-01	2.58E-07
ENSG00000154330	PGM5	6.28E-01	3.17E-01	9.95E-15	2.48E-12	5.21E-01	2.49E-10	4.86E-01	3.82E-19
ENSG00000122952	ZWINT	4.74E-01	2.10E-01	3.59E-08	6.01E-07	5.22E-01	2.16E-10	3.58E-01	4.80E-09
ENSG00000172037	LAMB2	5.05E-01	3.16E-01	3.01E-09	7.61E-08	4.95E-01	4.94E-09	4.49E-01	9.79E-16
ENSG00000121152	NCAPH	6.59E-01	4.04E-01	1.49E-16	9.74E-14	6.18E-01	1.69E-16	6.10E-01	4.44E-34
ENSG00000166278	C2	5.68E-01	2.17E-01	9.33E-12	6.33E-10	1.88E-01	1.00E+00	3.44E-01	3.68E-08
ENSG00000178467	P4HTM	5.15E-01	2.04E-01	1.31E-09	3.81E-08	4.74E-01	5.33E-08	3.95E-01	1.68E-11
ENSG00000164109	MAD2L1	6.17E-01	3.43E-01	3.82E-14	6.96E-12	5.36E-01	3.37E-11	4.89E-01	1.73E-19
ENSG00000104213	PDGFRL	5.40E-01	2.61E-01	1.39E-10	5.85E-09	5.41E-01	1.86E-11	4.49E-01	9.23E-16
ENSG00000184113	CLDN5	5.54E-01	2.62E-01	3.46E-11	1.82E-09	4.78E-01	3.42E-08	4.64E-01	4.08E-17
ENSG00000175305	CCNE2	4.97E-01	2.53E-01	5.76E-09	1.31E-07	4.49E-01	6.40E-07	4.64E-01	4.45E-17
ENSG00000125347	IRF1	5.57E-01	2.38E-01	2.59E-11	1.44E-09	3.19E-01	2.07E-02	2.77E-01	1.34E-04
ENSG00000115523	GNLY	6.26E-01	2.87E-01	1.28E-14	2.95E-12	3.90E-01	1.29E-04	3.49E-01	1.76E-08
ENSG00000024422	EHD2	3.97E-01	2.25E-01	6.14E-06	4.49E-05	5.16E-01	4.34E-10	4.37E-01	9.60E-15
ENSG00000168268	NT5DC2	4.16E-01	2.16E-01	1.85E-06	1.66E-05	3.37E-01	6.20E-03	1.98E-01	1.86E-01
ENSG00000072571	HMMR	5.42E-01	2.65E-01	1.10E-10	4.76E-09	4.94E-01	6.01E-09	4.69E-01	1.51E-17
ENSG00000073111	MCM2	5.15E-01	2.15E-01	1.33E-09	3.85E-08	5.23E-01	1.91E-10	2.39E-01	6.35E-03
ENSG00000167513	CDT1	6.00E-01	2.83E-01	2.71E-13	3.45E-11	5.63E-01	8.58E-13	3.11E-01	2.79E-06
ENSG00000180644	PRF1	6.20E-01	2.89E-01	2.55E-14	5.02E-12	5.06E-01	1.52E-09	4.39E-01	6.29E-15
ENSG00000120254	MTHFD1L	5.01E-01	3.10E-01	4.13E-09	9.97E-08	4.54E-01	4.05E-07	3.40E-01	6.51E-08
ENSG00000074800	ENO1	5.67E-01	3.05E-01	9.56E-12	6.46E-10	4.50E-01	5.93E-07	4.07E-01	2.01E-12
ENSG00000093009	CDC45	6.76E-01	4.18E-01	1.25E-17	1.71E-14	6.31E-01	1.77E-17	5.64E-01	9.90E-28
ENSG00000171241	SHCBP1	7.13E-01	4.40E-01	3.30E-20	1.46E-16	5.10E-01	8.96E-10	4.40E-01	5.00E-15
ENSG00000144642	RBMS3	6.24E-01	3.26E-01	1.60E-14	3.58E-12	5.40E-01	2.08E-11	4.57E-01	1.65E-16
ENSG00000139734	DIAPH3	5.59E-01	2.51E-01	2.17E-11	1.23E-09	4.36E-01	2.22E-06	4.57E-01	1.72E-16
ENSG00000112981	NME5	4.85E-01	2.05E-01	1.52E-08	2.94E-07	3.62E-01	1.08E-03	3.49E-01	1.75E-08
ENSG00000161800	RACGAP1	5.18E-01	2.42E-01	9.79E-10	2.97E-08	5.11E-01	8.05E-10	5.17E-01	2.48E-22
ENSG00000123975	CKS2	4.42E-01	2.13E-01	3.49E-07	4.08E-06	3.52E-01	2.25E-03	2.89E-01	3.48E-05
ENSG00000143409	FAM63A	4.79E-01	2.03E-01	2.31E-08	4.21E-07	4.59E-01	2.35E-07	2.67E-01	3.82E-04
ENSG00000072818	ACAP1	5.01E-01	2.12E-01	4.28E-09	1.02E-07	4.18E-01	1.18E-05	2.80E-01	1.03E-04
ENSG00000169607	CKAP2L	5.77E-01	3.11E-01	3.62E-12	2.94E-10	5.59E-01	1.70E-12	5.77E-01	1.72E-29
ENSG00000137812	CASC5	5.43E-01	3.01E-01	1.04E-10	4.51E-09	4.71E-01	7.29E-08	4.84E-01	5.38E-19
ENSG00000034053	APBA2	5.45E-01	3.01E-01	8.62E-11	3.88E-09	4.01E-01	4.98E-05	3.29E-01	2.88E-07
ENSG00000176890	TYMS	5.41E-01	2.26E-01	1.25E-10	5.32E-09	4.46E-01	8.55E-07	2.58E-01	9.85E-04
ENSG00000115085	ZAP70	5.11E-01	2.02E-01	1.79E-09	4.88E-08	4.44E-01	1.12E-06	3.43E-01	4.38E-08
ENSG00000157827	FMNL2	5.41E-01	2.54E-01	1.20E-10	5.11E-09	4.65E-01	1.39E-07	3.49E-01	1.73E-08
ENSG00000186185	KIF18B	5.54E-01	2.41E-01	3.72E-11	1.93E-09	5.59E-01	1.64E-12	4.48E-01	1.11E-15
ENSG00000090006	LTBP4	5.06E-01	2.12E-01	2.71E-09	6.95E-08	4.83E-01	1.89E-08	4.98E-01	2.43E-20
ENSG00000108106	UBE2S	5.59E-01	2.34E-01	2.23E-11	1.26E-09	5.49E-01	6.09E-12	3.60E-01	3.79E-09
ENSG00000183722	LHFP	5.16E-01	2.46E-01	1.22E-09	3.59E-08	5.26E-01	1.24E-10	4.61E-01	8.02E-17
ENSG00000143851	PTPN7	5.55E-01	2.30E-01	3.28E-11	1.75E-09	3.71E-01	5.43E-04	3.77E-01	2.84E-10
ENSG00000112874	NUDT12	5.63E-01	2.57E-01	1.44E-11	8.90E-10	4.54E-01	4.06E-07	4.43E-01	3.16E-15
ENSG00000117480	FAAH	4.85E-01	2.04E-01	1.54E-08	2.97E-07	3.47E-01	3.13E-03	2.11E-01	6.91E-02
ENSG00000115163	CENPA	6.54E-01	4.10E-01	2.95E-16	1.63E-13	6.16E-01	2.39E-16	5.06E-01	3.32E-21
ENSG00000154262	ABCA6	4.78E-01	2.19E-01	2.59E-08	4.60E-07	3.87E-01	1.55E-04	4.15E-01	5.69E-13
ENSG00000160654	CD3G	4.96E-01	2.05E-01	6.37E-09	1.42E-07	4.72E-01	6.55E-08	4.02E-01	5.30E-12
ENSG00000138764	CCNG2	4.60E-01	2.01E-01	9.48E-08	1.35E-06	3.20E-01	1.85E-02	1.70E-01	1.00E+00
ENSG00000092853	CLSPN	5.44E-01	2.38E-01	9.68E-11	4.25E-09	4.95E-01	5.45E-09	4.82E-01	9.29E-19
ENSG00000254087	LYN	4.81E-01	2.14E-01	2.05E-08	3.83E-07	3.99E-01	6.10E-05	3.55E-01	7.36E-09
ENSG00000132819	RBM38	5.52E-01	2.78E-01	4.58E-11	2.28E-09	5.51E-01	4.84E-12	3.89E-01	4.41E-11
ENSG00000101003	GINS1	5.60E-01	3.11E-01	1.94E-11	1.14E-09	4.85E-01	1.57E-08	4.87E-01	3.34E-19
ENSG00000075218	GTSE1	6.13E-01	3.37E-01	6.19E-14	1.07E-11	5.98E-01	4.81E-15	4.32E-01	2.27E-14
ENSG00000165617	DACT1	5.30E-01	2.11E-01	3.39E-10	1.24E-08	5.68E-01	4.24E-13	4.29E-01	3.96E-14
ENSG00000133466	CIQTNF6	5.39E-01	2.57E-01	1.48E-10	6.15E-09	4.89E-01	9.88E-09	3.81E-01	1.46E-10
ENSG00000166428	PLD4	5.66E-01	2.24E-01	1.06E-11	6.95E-10	3.95E-01	8.42E-05	4.09E-01	1.53E-12
ENSG00000163808	KIF15	5.62E-01	3.08E-01	1.62E-11	9.74E-10	5.47E-01	8.24E-12	4.25E-01	8.47E-14
ENSG00000163823	CCR1	5.38E-01	2.14E-01	1.59E-10	6.52E-09	2.71E-01	3.32E-01	4.24E-01	1.01E-13
ENSG00000109501	WFS1	3.80E-01	2.00E-01	1.56E-05	1.00E-04	4.65E-01	1.34E-07	3.34E-01	1.42E-07
ENSG00000103522	IL21R	4.87E-01	2.11E-01	1.32E-08	2.60E-07	3.97E-01	6.91E-05	3.02E-01	7.89E-06
ENSG00000073464	CLCN4	4.23E-01	2.38E-01	1.18E-06	1.14E-05	4.64E-01	1.54E-07	3.47E-01	2.43E-08
ENSG00000148516	ZEB1	5.71E-01	2.47E-01	6.50E-12	4.69E-10	5.51E-01	4.88E-12	4.78E-01	2.43E-18
ENSG00000139626	ITGB7	4.84E-01	2.45E-01	1.62E-08	3.09E-07	3.15E-01	2.62E-02	3.79E-01	2.18E-10
ENSG00000106462	EZH2	5.50E-01	2.96E-01	5.52E-11	2.67E-09	5.28E-01	1.01E-10	4.85E-01	4.86E-19
ENSG00000123473	STIL	6.27E-01	3.65E-01	1.08E-14	2.61E-12	5.78E-01	9.84E-14	6.06E-01	2.01E-33

Table S3. Prediction performance for the 1011 genes on validation and test sets.

Ensembl_gene_id	Hgnc symbol	Coef (valid)	Rsq (valid)	P-val (valid)	adj.pval (valid)	Coef (internal)	adj.pval (internal)	Coef (external)	adj.pval (external)
ENSG00000135912	TLL4	5.22E-01	3.03E-01	7.22E-10	2.33E-08	4.96E-01	4.64E-09	3.80E-01	1.78E-10
ENSG00000127329	PTPRB	4.52E-01	2.02E-01	1.73E-07	2.26E-06	4.56E-01	3.28E-07	3.99E-01	8.29E-12
ENSG00000013810	TACC3	4.91E-01	2.02E-01	9.47E-09	1.98E-07	5.46E-01	9.08E-12	2.68E-01	3.54E-04
ENSG00000154839	SKA1	6.70E-01	4.61E-01	3.09E-17	2.86E-14	6.46E-01	1.18E-18	4.93E-01	8.42E-20
ENSG00000091651	ORC6	7.23E-01	4.91E-01	5.52E-21	4.88E-17	5.97E-01	5.71E-15	5.72E-01	9.63E-29
ENSG00000165633	VSTM4	5.74E-01	2.49E-01	4.55E-12	3.47E-10	4.57E-01	3.04E-07	4.82E-01	9.58E-19
ENSG00000186517	ARHGAP30	5.19E-01	2.15E-01	8.73E-10	2.70E-08	2.73E-01	2.89E-01	2.87E-01	4.57E-05
ENSG00000124256	ZBP1	5.67E-01	2.46E-01	9.76E-12	6.56E-10	2.64E-01	4.72E-01	3.08E-01	3.93E-06
ENSG00000166508	MCM7	5.56E-01	2.57E-01	3.04E-11	1.64E-09	5.00E-01	2.96E-09	2.88E-01	4.01E-05
ENSG00000105011	ASF1B	5.19E-01	2.43E-01	8.95E-10	2.75E-08	5.12E-01	7.54E-10	2.82E-01	7.96E-05
ENSG00000170011	MYRIP	4.95E-01	2.09E-01	6.98E-09	1.53E-07	2.96E-01	7.93E-02	3.68E-01	1.11E-09
ENSG00000130045	NXNL2	5.39E-01	2.43E-01	1.48E-10	6.15E-09	5.02E-01	2.22E-09	4.21E-01	1.83E-13
ENSG00000154127	UBASH3B	5.11E-01	2.17E-01	1.82E-09	4.95E-08	4.01E-01	4.91E-05	2.82E-01	8.42E-05
ENSG00000167208	SNX20	5.88E-01	2.02E-01	1.10E-12	1.07E-10	4.27E-01	5.11E-06	3.32E-01	1.96E-07
ENSG00000143815	LBR	5.05E-01	2.67E-01	3.06E-09	7.72E-08	5.43E-01	1.40E-11	3.01E-01	8.84E-06
ENSG00000149554	CHEK1	6.37E-01	3.80E-01	3.18E-15	1.06E-12	5.32E-01	5.82E-11	2.97E-01	1.52E-05
ENSG00000123505	AMD1	5.61E-01	2.48E-01	1.77E-11	1.05E-09	4.69E-01	9.18E-08	4.30E-01	3.53E-14
ENSG00000173269	MMRN2	5.11E-01	2.19E-01	1.87E-09	5.05E-08	5.06E-01	1.53E-09	4.33E-01	2.08E-14
ENSG00000007968	E2F2	6.28E-01	3.61E-01	9.94E-15	2.48E-12	6.16E-01	2.29E-16	4.44E-01	2.65E-15
ENSG00000008277	ADAM22	5.66E-01	2.14E-01	1.12E-11	7.26E-10	2.42E-01	1.00E+00	2.82E-01	8.42E-05
ENSG00000269113	TRABD2B	5.33E-01	2.36E-01	2.57E-10	9.79E-09	4.73E-01	6.01E-08		
ENSG00000101347	SAMHD1	5.10E-01	2.41E-01	1.95E-09	5.24E-08	1.42E-01	1.00E+00	3.77E-01	3.07E-10
ENSG00000051341	POLQ	6.75E-01	3.99E-01	1.42E-17	1.71E-14	5.51E-01	4.59E-12	5.17E-01	2.30E-22
ENSG00000172543	CTSW	5.64E-01	2.33E-01	1.27E-11	8.14E-10	4.03E-01	4.18E-05	3.35E-01	1.23E-07
ENSG00000171793	CTPS1	6.22E-01	3.14E-01	1.96E-14	3.99E-12	4.41E-01	1.42E-06	4.78E-01	2.29E-18
ENSG00000188820	FAM26F	5.64E-01	2.25E-01	1.40E-11	8.73E-10	3.88E-01	1.47E-04	3.31E-01	2.06E-07
ENSG00000065978	YBX1	6.12E-01	3.73E-01	6.92E-14	1.14E-11	5.19E-01	2.89E-10	2.46E-01	3.12E-03
ENSG00000140534	TICRR	6.59E-01	3.92E-01	1.62E-16	1.02E-13	4.89E-01	1.03E-08	4.70E-01	1.12E-17
ENSG00000046889	PREX2	5.66E-01	2.95E-01	1.05E-11	6.95E-10	4.20E-01	9.84E-06	3.69E-01	1.00E-09
ENSG00000099622	CIRBP	5.70E-01	3.16E-01	7.55E-12	5.34E-10	4.71E-01	7.23E-08	5.23E-01	5.25E-23
ENSG00000043462	LCP2	5.60E-01	2.09E-01	2.09E-11	1.20E-09	2.89E-01	1.23E-01	3.84E-01	1.02E-10
ENSG00000187535	IFT140	4.68E-01	2.16E-01	5.55E-08	8.63E-07	3.64E-01	9.38E-04	2.72E-01	2.28E-04
ENSG00000116194	ANGPTL1	4.83E-01	2.04E-01	1.76E-08	3.34E-07	4.87E-01	1.27E-08	4.51E-01	6.45E-16
ENSG00000077063	CTTNBP2	5.20E-01	2.06E-01	8.47E-10	2.66E-08	2.98E-01	7.46E-02	3.45E-01	3.16E-08
ENSG00000152256	PDK1	5.16E-01	2.56E-01	1.22E-09	3.59E-08	4.62E-01	1.75E-07	4.11E-01	1.15E-12
ENSG00000145604	SKP2	5.68E-01	3.29E-01	9.17E-12	6.24E-10	5.11E-01	8.43E-10	4.45E-01	2.19E-15
ENSG00000010030	ETV7	5.90E-01	2.73E-01	8.97E-13	8.92E-11	3.12E-01	3.08E-02	3.61E-01	3.13E-09
ENSG00000130653	PNPLA7	5.38E-01	2.23E-01	1.64E-10	6.69E-09	3.41E-01	4.70E-03	3.40E-01	6.61E-08
ENSG00000089692	LAG3	5.91E-01	2.78E-01	7.46E-13	7.76E-11	4.57E-01	2.95E-07	4.40E-01	5.05E-15
ENSG00000163145	C1QTNF7	5.98E-01	3.55E-01	3.33E-13	4.10E-11	5.67E-01	4.97E-13	5.86E-01	1.04E-30
ENSG00000149451	ADAM33	6.60E-01	3.47E-01	1.38E-16	9.40E-14	6.23E-01	7.42E-17	5.20E-01	1.17E-22
ENSG00000137310	TCF19	4.90E-01	2.68E-01	9.78E-09	2.02E-07	5.56E-01	2.59E-12	3.72E-01	5.79E-10
ENSG00000158869	FCER1G	5.24E-01	2.05E-01	5.77E-10	1.91E-08	2.64E-01	4.76E-01	3.23E-01	5.71E-07
ENSG00000177098	SCN4B	5.29E-01	2.44E-01	3.64E-10	1.32E-08	5.10E-01	9.50E-10	5.93E-01	1.19E-31
ENSG00000196872	KIAA1211L	4.79E-01	2.10E-01	2.41E-08	4.35E-07	4.61E-01	1.97E-07	3.77E-01	2.89E-10
ENSG00000186810	CXCR3	4.92E-01	2.14E-01	8.37E-09	1.78E-07	4.81E-01	2.33E-08	3.69E-01	9.97E-10
ENSG00000164045	CDC25A	6.13E-01	4.00E-01	6.50E-14	1.11E-11	6.09E-01	7.70E-16	5.42E-01	4.09E-25
ENSG00000111247	RAD51AP1	5.92E-01	3.74E-01	6.54E-13	7.10E-11	5.27E-01	1.12E-10	4.96E-01	4.24E-20
ENSG00000172215	CXCR6	5.50E-01	2.39E-01	5.22E-11	2.56E-09	4.55E-01	3.82E-07	3.76E-01	3.63E-10
ENSG00000165480	SKA3	5.98E-01	3.45E-01	3.40E-13	4.12E-11	5.41E-01	1.90E-11	5.24E-01	4.16E-23
ENSG00000135047	CTSL	5.42E-01	2.24E-01	1.15E-10	4.96E-09	2.83E-01	1.73E-01	4.80E-01	1.35E-18
ENSG00000198805	PNP	5.07E-01	2.29E-01	2.63E-09	6.75E-08	4.72E-01	6.06E-08	4.18E-01	3.38E-13
ENSG00000129173	E2F8	5.61E-01	2.94E-01	1.76E-11	1.04E-09	5.27E-01	1.06E-10	5.57E-01	6.60E-27
ENSG00000100307	CBX7	5.20E-01	2.45E-01	8.26E-10	2.62E-08	3.98E-01	6.51E-05	5.53E-01	1.77E-26
ENSG00000102935	ZNF423	5.95E-01	2.33E-01	5.14E-13	5.73E-11	5.01E-01	2.53E-09	5.65E-01	6.10E-28
ENSG00000006652	IFRD1	4.31E-01	2.50E-01	7.44E-07	7.68E-06	2.95E-01	8.64E-02	3.27E-01	3.73E-07
ENSG00000113810	SMC4	4.92E-01	2.21E-01	8.51E-09	1.80E-07	3.69E-01	6.59E-04	2.76E-01	1.51E-04
ENSG00000111077	TENC1	6.20E-01	3.86E-01	2.50E-14	4.97E-12	5.84E-01	4.21E-14	5.12E-01	7.80E-22
ENSG00000116701	NCF2	5.47E-01	2.35E-01	7.01E-11	3.28E-09	2.84E-01	1.64E-01	3.24E-01	5.41E-07
ENSG00000185532	PRKG1	3.91E-01	2.01E-01	8.59E-06	5.97E-05	4.01E-01	5.21E-05	2.17E-01	4.14E-02
ENSG00000134460	IL2RA	6.23E-01	2.39E-01	1.84E-14	3.92E-12	5.23E-01	1.83E-10	3.89E-01	4.62E-11
ENSG00000167779	IGFBP6	4.37E-01	2.12E-01	4.86E-07	5.35E-06	4.49E-01	6.82E-07	4.09E-01	1.54E-12
ENSG00000079337	RAPGEF3	4.67E-01	2.40E-01	6.04E-08	9.24E-07	4.93E-01	6.75E-09	4.20E-01	2.26E-13
ENSG00000050405	LIMA1	4.28E-01	2.27E-01	8.64E-07	8.69E-06	4.38E-01	1.91E-06	2.33E-01	1.02E-02
ENSG00000164924	YWHAZ	4.73E-01	2.28E-01	3.68E-08	6.11E-07	5.01E-01	2.62E-09	4.04E-01	3.48E-12
ENSG00000114698	PLSCR4	5.27E-01	2.39E-01	4.67E-10	1.62E-08	4.89E-01	1.01E-08	5.12E-01	8.29E-22
ENSG00000173762	CD7	5.41E-01	2.13E-01	1.24E-10	5.28E-09	5.06E-01	1.51E-09	4.45E-01	2.16E-15
ENSG00000154721	JAM2	5.43E-01	2.22E-01	9.99E-11	4.36E-09	5.32E-01	6.31E-11	4.20E-01	2.06E-13
ENSG00000054392	HHAT	4.39E-01	2.42E-01	4.30E-07	4.83E-06	3.80E-01	2.65E-04	3.16E-01	1.46E-06

Table S3. Prediction performance for the 1011 genes on validation and test sets.

Ensembl_gene_id	Hgnc symbol	Coef (valid)	Rsq (valid)	P-val (valid)	adj.pval (valid)	Coef (internal)	adj.pval (internal)	Coef (external)	adj.pval (external)
ENSG00000197375	SLC22A5	4.46E-01	2.07E-01	2.54E-07	3.10E-06	3.74E-01	4.23E-04	3.90E-01	3.68E-11
ENSG00000158164	TMSB15A	3.38E-01	2.08E-01	1.42E-04	6.55E-04	3.63E-01	9.96E-04	1.38E-01	1.00E+00
ENSG00000205268	PDE7A	5.34E-01	3.11E-01	2.44E-10	9.35E-09	4.73E-01	5.95E-08	3.28E-01	2.99E-07
ENSG00000167613	LAIR1	5.63E-01	2.17E-01	1.44E-11	8.90E-10	2.32E-01	1.00E+00	2.68E-01	3.40E-04
ENSG00000173207	CKS1B	4.85E-01	2.58E-01	1.50E-08	2.89E-07	4.38E-01	1.89E-06	3.68E-01	1.20E-09
ENSG00000105792	CFAP69	5.99E-01	2.32E-01	3.25E-13	4.04E-11	4.64E-01	1.48E-07	3.21E-01	8.23E-07
ENSG00000121621	KIF18A	5.75E-01	3.07E-01	4.33E-12	3.34E-10	5.02E-01	2.19E-09	6.24E-01	3.47E-36
ENSG00000138613	APH1B	5.65E-01	2.58E-01	1.23E-11	7.93E-10	5.38E-01	2.70E-11	3.89E-01	4.11E-11
ENSG00000187398	LUZP2	5.44E-01	2.32E-01	9.61E-11	4.23E-09	2.90E-01	1.18E-01	3.62E-01	2.76E-09
ENSG00000056558	TRAF1	5.52E-01	2.19E-01	4.34E-11	2.20E-09	3.86E-01	1.73E-04	3.42E-01	5.17E-08
ENSG00000100526	CDKN3	5.13E-01	2.29E-01	1.51E-09	4.28E-08	4.55E-01	3.62E-07	3.57E-01	5.43E-09
ENSG00000133121	STARD13	5.71E-01	2.28E-01	6.55E-12	4.71E-10	4.29E-01	4.22E-06	4.16E-01	4.23E-13
ENSG00000010292	NCAPD2	5.31E-01	3.55E-01	3.21E-10	1.18E-08	5.29E-01	9.18E-11	3.65E-01	1.93E-09
ENSG00000163507	KIAA1524	5.90E-01	3.08E-01	8.31E-13	8.40E-11	5.23E-01	1.83E-10	4.53E-01	3.84E-16
ENSG00000163600	ICOS	5.94E-01	2.68E-01	5.31E-13	5.87E-11	4.62E-01	1.76E-07	4.26E-01	6.96E-14
ENSG00000241106	HLA-DOB	4.99E-01	2.01E-01	4.86E-09	1.13E-07	4.77E-01	3.68E-08	3.75E-01	3.66E-10
ENSG00000160883	HK3	6.31E-01	3.09E-01	6.54E-15	1.78E-12	3.02E-01	5.86E-02	4.42E-01	3.68E-15
ENSG00000097046	CDC7	4.55E-01	2.31E-01	1.36E-07	1.83E-06	4.48E-01	7.15E-07	3.84E-01	1.02E-10
ENSG00000136982	DSCC1	5.92E-01	3.92E-01	7.29E-13	7.68E-11	5.76E-01	1.43E-13	5.33E-01	4.74E-24
ENSG00000143256	PFND2	4.45E-01	2.06E-01	2.83E-07	3.42E-06	1.85E-01	1.00E+00	1.61E-01	1.00E+00
ENSG00000111328	CDK2AP1	3.76E-01	2.63E-01	2.02E-05	1.23E-04	3.19E-01	2.01E-02	2.94E-01	2.15E-05
ENSG00000066855	MTFR1	4.68E-01	2.23E-01	5.27E-08	8.26E-07	4.78E-01	3.44E-08	4.01E-01	6.05E-12
ENSG00000065911	MTHFD2	4.85E-01	2.11E-01	1.48E-08	2.86E-07	4.05E-01	3.72E-05	4.07E-01	2.04E-12
ENSG00000129195	FAM64A	6.18E-01	3.81E-01	3.53E-14	6.64E-12	5.40E-01	2.08E-11	4.51E-01	6.54E-16
ENSG00000104814	MAP4K1	5.26E-01	2.10E-01	4.95E-10	1.69E-08	4.04E-01	3.77E-05	3.06E-01	5.13E-06
ENSG000000088305	DNMT3B	5.07E-01	2.58E-01	2.55E-09	6.57E-08	4.78E-01	3.29E-08	3.60E-01	3.59E-09
ENSG00000100139	MICALL1	4.52E-01	2.09E-01	1.73E-07	2.26E-06	3.28E-01	1.13E-02	3.54E-01	8.41E-09
ENSG00000079263	SP140	5.73E-01	2.21E-01	5.11E-12	3.85E-10	3.83E-01	2.21E-04	3.71E-01	7.18E-10
ENSG00000020181	GPR124	5.14E-01	2.50E-01	1.40E-09	4.01E-08	4.41E-01	1.46E-06	5.00E-01	1.46E-20
ENSG00000110934	BIN2	5.75E-01	2.13E-01	4.52E-12	3.47E-10	3.69E-01	6.32E-04	3.36E-01	1.05E-07
ENSG00000073008	PVR	4.70E-01	2.36E-01	4.86E-08	7.73E-07	3.08E-01	3.91E-02	2.35E-01	9.06E-03
ENSG00000167553	TUBA1C	4.93E-01	2.15E-01	7.86E-09	1.70E-07	5.14E-01	5.92E-10	4.18E-01	2.99E-13
ENSG00000187741	FANCA	6.58E-01	4.37E-01	1.90E-16	1.12E-13	5.08E-01	1.18E-09	4.01E-01	5.71E-12
ENSG00000164983	TMEM65	4.78E-01	2.60E-01	2.54E-08	4.55E-07	3.50E-01	2.56E-03	3.43E-01	3.97E-08
ENSG00000099139	PCSK5	5.45E-01	2.58E-01	8.55E-11	3.86E-09	5.18E-01	3.33E-10	4.18E-01	3.06E-13
ENSG000000085840	ORC1	6.70E-01	3.95E-01	3.23E-17	2.86E-14	6.17E-01	2.06E-16	4.75E-01	4.18E-18
ENSG00000123136	DDX39A	5.61E-01	2.54E-01	1.72E-11	1.03E-09	5.10E-01	9.57E-10	2.55E-01	1.27E-03
ENSG00000124795	DEK	4.95E-01	2.29E-01	6.87E-09	1.51E-07	3.59E-01	1.34E-03	1.62E-01	1.00E+00
ENSG00000129810	SGOL1	6.13E-01	3.31E-01	5.99E-14	1.06E-11	5.95E-01	7.72E-15	5.49E-01	5.86E-26
ENSG00000155465	SLC7A7	5.35E-01	2.12E-01	2.26E-10	8.86E-09	2.87E-01	1.38E-01	3.53E-01	1.04E-08
ENSG00000140525	FANCI	5.31E-01	2.13E-01	3.15E-10	1.17E-08	4.37E-01	1.98E-06	4.92E-01	1.06E-19
ENSG00000154263	ABCA10	5.37E-01	2.40E-01	1.80E-10	7.25E-09	3.80E-01	2.77E-04	3.33E-01	1.67E-07
ENSG00000164934	DCAF13	4.86E-01	2.33E-01	1.44E-08	2.79E-07	4.91E-01	7.86E-09	3.56E-01	6.69E-09
ENSG00000123131	PRDX4	5.45E-01	2.39E-01	8.27E-11	3.79E-09	3.82E-01	2.38E-04	3.25E-01	4.98E-07
ENSG00000138670	RASGEF1B	5.00E-01	2.09E-01	4.63E-09	1.09E-07	3.68E-01	7.12E-04	3.86E-01	6.65E-11
ENSG00000166086	JAM3	5.44E-01	2.73E-01	9.09E-11	4.04E-09	5.38E-01	2.70E-11	4.35E-01	1.29E-14
ENSG00000117090	SLAMF1	5.63E-01	2.32E-01	1.54E-11	9.38E-10	4.60E-01	2.16E-07	3.54E-01	9.34E-09
ENSG00000147443	DOK2	5.71E-01	2.09E-01	6.35E-12	4.61E-10	3.65E-01	8.40E-04	2.42E-01	4.86E-03
ENSG00000139330	KERA	6.94E-01	3.92E-01	8.45E-19	2.13E-15	5.26E-01	1.21E-10	4.67E-01	2.28E-17
ENSG00000102144	PGK1	5.65E-01	2.80E-01	1.17E-11	7.60E-10	4.72E-01	6.26E-08	4.14E-01	5.88E-13
ENSG00000105220	GPI	4.83E-01	2.41E-01	1.77E-08	3.35E-07	3.42E-01	4.38E-03	2.83E-01	7.37E-05
ENSG00000197299	BLM	6.71E-01	4.25E-01	2.83E-17	2.78E-14	5.72E-01	2.45E-13	5.32E-01	6.19E-24
ENSG00000143882	ATP6V1C2	4.09E-01	2.71E-01	2.95E-06	2.46E-05	4.64E-01	1.44E-07	3.55E-01	7.80E-09
ENSG00000168496	FEN1	5.64E-01	2.67E-01	1.37E-11	8.68E-10	5.29E-01	8.51E-11	2.93E-01	2.22E-05
ENSG00000166002	SMCO4	4.57E-01	2.46E-01	1.19E-07	1.64E-06	4.40E-01	1.57E-06	3.16E-01	1.40E-06
ENSG00000163694	RBM47	4.67E-01	2.39E-01	5.94E-08	9.11E-07	2.55E-01	7.39E-01	2.63E-01	5.69E-04
ENSG00000145194	ECE2	5.57E-01	3.14E-01	2.65E-11	1.46E-09	4.56E-01	3.15E-07	4.06E-01	2.58E-12
ENSG00000165323	FAT3	5.66E-01	2.68E-01	1.05E-11	6.95E-10	4.71E-01	7.26E-08	5.45E-01	1.98E-25
ENSG00000117013	KCNQ4	4.43E-01	2.54E-01	3.17E-07	3.77E-06	2.85E-01	1.55E-01	1.68E-01	1.00E+00
ENSG00000164032	H2AFZ	4.50E-01	2.01E-01	1.94E-07	2.48E-06	4.83E-01	1.98E-08	3.46E-01	2.79E-08
ENSG00000182636	NDN	4.87E-01	2.16E-01	1.25E-08	2.49E-07	5.43E-01	1.50E-11	3.15E-01	1.61E-06
ENSG00000163599	CTLA4	5.84E-01	2.69E-01	1.58E-12	1.45E-10	4.72E-01	6.16E-08	3.61E-01	3.16E-09
ENSG00000165490	DDIAS	5.26E-01	2.81E-01	4.71E-10	1.63E-08	3.88E-01	1.48E-04	2.92E-01	2.71E-05
ENSG00000114861	FOXP1	5.30E-01	2.17E-01	3.52E-10	1.27E-08	3.03E-01	5.49E-02	3.38E-01	7.99E-08
ENSG00000148357	HMCN2	5.27E-01	2.34E-01	4.53E-10	1.58E-08	3.94E-01	8.78E-05		
ENSG00000150764	DIXDC1	4.98E-01	2.32E-01	5.54E-09	1.27E-07	4.27E-01	5.29E-06	4.47E-01	1.37E-15
ENSG00000167749	KLK4	5.82E-01	2.63E-01	2.11E-12	1.85E-10	4.67E-01	1.05E-07	4.57E-01	1.71E-16
ENSG00000166451	CENPN	7.37E-01	4.96E-01	3.78E-22	6.68E-18	5.59E-01	1.62E-12	4.81E-01	1.23E-18
ENSG00000155957	TMBIM4	5.10E-01	2.31E-01	1.98E-09	5.28E-08	3.84E-01	2.08E-04	3.47E-01	2.38E-08

Table S3. Prediction performance for the 1011 genes on validation and test sets.

Ensembl_gene_id	Hgnc symbol	Coef (valid)	Rsq (valid)	P-val (valid)	adj.pval (valid)	Coef (internal)	adj.pval (internal)	Coef (external)	adj.pval (external)
ENSG00000176619	LMNB2	5.49E-01	2.38E-01	5.85E-11	2.80E-09	4.18E-01	1.14E-05	2.16E-01	4.76E-02
ENSG00000150753	CCT5	5.80E-01	2.48E-01	2.66E-12	2.26E-10	4.56E-01	3.20E-07	4.57E-01	1.97E-16
ENSG00000189129	PLAC9	5.38E-01	2.36E-01	1.60E-10	6.57E-09	4.82E-01	2.09E-08	4.44E-01	2.26E-15
ENSG00000079102	RUNX1T1	5.72E-01	3.27E-01	5.61E-12	4.15E-10	5.61E-01	1.23E-12	4.43E-01	3.09E-15
ENSG00000144554	FANCD2	4.70E-01	2.07E-01	4.69E-08	7.49E-07	4.56E-01	3.13E-07	5.02E-01	9.97E-21
ENSG00000156471	PTDSS1	5.22E-01	2.41E-01	6.76E-10	2.19E-08	4.70E-01	7.67E-08	3.42E-01	4.72E-08
ENSG00000035499	DEPDC1B	5.77E-01	3.10E-01	3.36E-12	2.75E-10	5.10E-01	9.17E-10	4.17E-01	3.54E-13
ENSG00000181374	CCL13	5.08E-01	2.16E-01	2.26E-09	5.95E-08	3.89E-01	1.34E-04	2.46E-01	3.06E-03
ENSG00000129625	REEP5	4.45E-01	2.33E-01	2.75E-07	3.34E-06	3.46E-01	3.26E-03	3.19E-01	9.49E-07
ENSG00000123908	AGO2	5.28E-01	2.77E-01	4.17E-10	1.47E-08	4.67E-01	1.07E-07	4.68E-01	1.94E-17
ENSG00000137547	MRPL15	4.90E-01	2.04E-01	9.99E-09	2.06E-07	3.52E-01	2.22E-03	2.00E-01	1.63E-01
ENSG00000111669	TPI1	5.90E-01	3.25E-01	8.72E-13	8.72E-11	3.62E-01	1.05E-03	3.54E-01	8.48E-09
ENSG00000181192	DHTKD1	4.39E-01	2.49E-01	4.28E-07	4.82E-06	4.70E-01	8.06E-08	3.05E-01	5.54E-06
ENSG00000182836	PLCXD3	5.36E-01	2.40E-01	1.94E-10	7.76E-09	5.40E-01	2.07E-11	4.28E-01	5.11E-14
ENSG00000198863	RUNDC1	4.62E-01	2.22E-01	8.36E-08	1.21E-06	3.94E-01	8.66E-05	4.57E-01	1.73E-16
ENSG00000118997	DNAH7	5.18E-01	2.69E-01	9.56E-10	2.92E-08	4.76E-01	4.34E-08	2.16E-01	4.68E-02
ENSG00000136108	CKAP2	4.64E-01	2.08E-01	7.54E-08	1.11E-06	3.54E-01	1.97E-03	4.32E-01	2.55E-14
ENSG00000176435	CLEC14A	5.24E-01	2.36E-01	5.96E-10	1.97E-08	5.03E-01	2.10E-09	4.48E-01	1.20E-15
ENSG00000076003	MCM6	5.80E-01	3.21E-01	2.55E-12	2.19E-10	4.79E-01	3.19E-08	3.58E-01	5.35E-09
ENSG00000119787	ATL2	3.39E-01	2.11E-01	1.35E-04	6.24E-04	3.17E-01	2.23E-02	3.48E-01	1.98E-08
ENSG00000135838	NPL	5.90E-01	2.22E-01	8.43E-13	8.48E-11	2.52E-01	8.64E-01	2.66E-01	4.26E-04
ENSG00000126264	HCST	5.32E-01	2.15E-01	2.96E-10	1.10E-08	3.98E-01	6.49E-05	2.34E-01	1.01E-02
ENSG00000019991	HGF	5.50E-01	2.59E-01	5.41E-11	2.63E-09	5.34E-01	4.76E-11	2.87E-01	4.47E-05
ENSG00000132646	PCNA	4.76E-01	2.26E-01	3.07E-08	5.26E-07	4.62E-01	1.81E-07	3.94E-01	1.91E-11
ENSG00000096063	SRPK1	6.01E-01	3.56E-01	2.45E-13	3.27E-11	4.54E-01	3.90E-07	5.35E-01	2.55E-24
ENSG00000051180	RAD51	6.55E-01	3.75E-01	2.79E-16	1.59E-13	5.62E-01	1.10E-12	4.38E-01	8.35E-15
ENSG00000167925	GHDC	4.75E-01	2.45E-01	3.26E-08	5.53E-07	3.30E-01	1.02E-02	3.66E-01	1.54E-09
ENSG00000223547	ZNF844	4.82E-01	2.34E-01	1.88E-08	3.54E-07	3.19E-01	2.04E-02	1.61E-01	1.00E+00
ENSG00000186871	ERCC6L	6.31E-01	3.29E-01	6.64E-15	1.78E-12	5.76E-01	1.34E-13	4.37E-01	1.02E-14
ENSG00000163568	AIM2	6.19E-01	3.28E-01	2.82E-14	5.41E-12	4.69E-01	8.92E-08	4.43E-01	3.04E-15
ENSG00000144152	FBLN7	5.36E-01	2.45E-01	1.92E-10	7.72E-09	3.15E-01	2.63E-02	5.18E-01	2.02E-22
ENSG00000109576	AADAT	4.00E-01	2.22E-01	5.08E-06	3.84E-05	3.25E-01	1.37E-02	2.90E-01	3.14E-05
ENSG00000142731	PLK4	5.68E-01	2.72E-01	8.95E-12	6.14E-10	4.74E-01	4.98E-08	4.83E-01	7.97E-19
ENSG00000112242	E2F3	4.80E-01	2.82E-01	2.22E-08	4.10E-07	4.65E-01	1.35E-07	4.35E-01	1.25E-14
ENSG00000120217	CD274	4.99E-01	2.11E-01	4.82E-09	1.13E-07	2.77E-01	2.32E-01	4.20E-01	2.14E-13
ENSG00000132437	DDC	4.59E-01	2.14E-01	1.09E-07	1.51E-06	3.47E-01	3.23E-03	2.34E-01	9.36E-03
ENSG00000121297	TSHZ3	5.38E-01	2.30E-01	1.65E-10	6.75E-09	5.23E-01	1.79E-10	3.39E-01	7.41E-08
ENSG00000101916	TLR8	5.90E-01	2.30E-01	8.26E-13	8.40E-11	4.00E-01	5.41E-05	2.81E-01	9.00E-05
ENSG00000143179	UCK2	4.07E-01	2.11E-01	3.34E-06	2.73E-05	3.03E-01	5.36E-02	3.34E-01	1.45E-07
ENSG00000161888	SPC24	4.98E-01	2.19E-01	5.45E-09	1.25E-07	4.88E-01	1.07E-08	4.08E-01	1.67E-12
ENSG00000102384	CENPI	6.49E-01	3.89E-01	6.18E-16	2.60E-13	5.22E-01	2.02E-10	5.54E-01	1.68E-26
ENSG00000169946	ZFPM2	5.27E-01	2.24E-01	4.46E-10	1.56E-08	4.99E-01	3.22E-09	4.02E-01	4.76E-12
ENSG00000198932	GPRASP1	5.29E-01	2.41E-01	3.93E-10	1.40E-08	3.90E-01	1.23E-04	4.92E-01	1.08E-19
ENSG00000090861	AARS	5.25E-01	2.09E-01	5.41E-10	1.82E-08	4.52E-01	4.88E-07	2.85E-01	5.45E-05
ENSG00000188803	SHISA6	4.99E-01	2.18E-01	4.73E-09	1.11E-07	4.06E-01	3.25E-05	3.44E-01	3.92E-08
ENSG00000085999	RAD54L	5.65E-01	3.35E-01	1.18E-11	7.63E-10	5.44E-01	1.24E-11	4.94E-01	5.99E-20
ENSG00000170871	KIAA0232	4.61E-01	2.67E-01	9.25E-08	1.32E-06	3.75E-01	4.13E-04	2.06E-01	1.05E-01
ENSG00000196584	XRCC2	5.16E-01	2.79E-01	1.18E-09	3.50E-08	4.85E-01	1.61E-08	4.09E-01	1.60E-12
ENSG00000027869	SH2D2A	5.64E-01	2.60E-01	1.38E-11	8.68E-10	5.22E-01	2.22E-10	3.84E-01	9.11E-11
ENSG00000111641	NOP2	4.77E-01	3.53E-01	2.75E-08	4.79E-07	3.95E-01	8.51E-05	3.88E-01	5.21E-11
ENSG00000120526	NUDCD1	5.07E-01	2.39E-01	2.64E-09	6.78E-08	5.07E-01	1.36E-09	4.33E-01	2.12E-14
ENSG00000222014	RAB6C	4.93E-01	2.17E-01	7.81E-09	1.69E-07	4.20E-01	9.44E-06	3.79E-01	2.18E-10
ENSG00000082212	ME2	5.47E-01	2.86E-01	7.04E-11	3.29E-09	4.62E-01	1.88E-07	4.86E-01	4.17E-19
ENSG00000143870	PDIA6	6.27E-01	4.00E-01	1.17E-14	2.79E-12	5.37E-01	3.14E-11	4.96E-01	3.62E-20
ENSG00000197256	KANK2	5.85E-01	3.14E-01	1.42E-12	1.33E-10	5.05E-01	1.55E-09	5.80E-01	7.51E-30
ENSG00000180198	RCC1	5.13E-01	2.38E-01	1.54E-09	4.35E-08	4.60E-01	2.14E-07	2.64E-01	5.35E-04
ENSG00000183527	PSMG1	6.04E-01	3.16E-01	1.75E-13	2.56E-11	5.01E-01	2.45E-09	3.41E-01	5.56E-08
ENSG00000140368	PSTPIP1	4.97E-01	2.03E-01	5.71E-09	1.30E-07	3.52E-01	2.15E-03	2.64E-01	5.22E-04
ENSG00000197472	ZNF695	4.61E-01	2.56E-01	9.28E-08	1.32E-06	3.83E-01	2.18E-04	4.32E-01	2.50E-14
ENSG00000101082	SLA2	5.54E-01	2.45E-01	3.46E-11	1.82E-09	4.94E-01	5.52E-09	3.01E-01	9.10E-06
ENSG00000124207	CSE1L	4.81E-01	2.21E-01	2.09E-08	3.89E-07	4.99E-01	3.31E-09	4.47E-01	1.29E-15
ENSG00000065675	PRKCQ	5.51E-01	2.11E-01	4.78E-11	2.37E-09	4.96E-01	4.84E-09	4.75E-01	3.84E-18
ENSG00000071051	NCK2	3.67E-01	2.10E-01	3.22E-05	1.84E-04	3.13E-01	2.97E-02	2.96E-01	1.61E-05
ENSG00000157554	ERG	5.29E-01	2.36E-01	3.80E-10	1.36E-08	4.96E-01	4.43E-09	4.06E-01	2.72E-12
ENSG00000120802	TMPO	4.70E-01	2.44E-01	4.72E-08	7.53E-07	5.23E-01	1.81E-10	3.97E-01	1.11E-11
ENSG00000138346	DNA2	4.60E-01	2.77E-01	1.01E-07	1.42E-06	5.18E-01	3.37E-10	4.49E-01	8.27E-16
ENSG00000171631	P2RY6	5.71E-01	2.76E-01	6.22E-12	4.55E-10	3.62E-01	1.08E-03	5.22E-01	8.28E-23
ENSG00000101182	PSMA7	4.98E-01	2.41E-01	5.31E-09	1.23E-07	4.94E-01	5.60E-09	2.97E-01	1.49E-05
ENSG00000068724	TTC7A	4.89E-01	2.04E-01	1.10E-08	2.22E-07	3.75E-01	3.98E-04	3.33E-01	1.56E-07

Table S3. Prediction performance for the 1011 genes on validation and test sets.

Ensembl_gene_id	Hgnc symbol	Coef (valid)	Rsq (valid)	P-val (valid)	adj.pval (valid)	Coef (internal)	adj.pval (internal)	Coef (external)	adj.pval (external)
ENSG00000179218	CALR	4.30E-01	2.58E-01	7.72E-07	7.93E-06	4.26E-01	5.77E-06	3.14E-01	1.84E-06
ENSG00000163918	RFC4	5.12E-01	3.29E-01	1.73E-09	4.76E-08	4.12E-01	2.02E-05	3.61E-01	3.21E-09
ENSG00000132780	NASP	5.34E-01	3.10E-01	2.31E-10	9.02E-09	4.66E-01	1.25E-07	2.51E-01	1.94E-03
ENSG00000089012	SIRPG	5.55E-01	2.35E-01	3.33E-11	1.77E-09	4.66E-01	1.19E-07	3.94E-01	1.83E-11
ENSG00000167984	NLRC3	4.67E-01	2.02E-01	5.98E-08	9.15E-07	3.49E-01	2.68E-03	3.23E-01	5.89E-07
ENSG00000144229	THSD7B	5.49E-01	2.32E-01	6.04E-11	2.88E-09	4.94E-01	5.75E-09	5.43E-01	3.15E-25
ENSG00000183696	UPP1	4.20E-01	2.29E-01	1.51E-06	1.41E-05	3.60E-01	1.28E-03	3.11E-01	2.73E-06
ENSG00000114670	NEK11	4.35E-01	2.47E-01	5.56E-07	5.98E-06	2.85E-01	1.49E-01	4.29E-01	4.14E-14
ENSG00000100162	CENPM	5.02E-01	2.20E-01	3.72E-09	9.07E-08	5.20E-01	2.72E-10	3.14E-01	1.78E-06
ENSG00000138190	EXOC6	5.35E-01	2.19E-01	2.09E-10	8.30E-09	4.05E-01	3.76E-05	2.40E-01	5.59E-03
ENSG00000139971	C14orf37	5.72E-01	2.61E-01	6.14E-12	4.51E-10	5.14E-01	5.78E-10	4.07E-01	2.02E-12
ENSG00000143321	HDGF	4.22E-01	2.09E-01	1.28E-06	1.22E-05	2.52E-01	8.67E-01	2.13E-01	5.70E-02
ENSG00000112118	MCM3	4.34E-01	2.46E-01	6.07E-07	6.44E-06	4.29E-01	4.38E-06	3.40E-01	6.24E-08
ENSG00000178409	BEND3	4.50E-01	2.34E-01	2.03E-07	2.57E-06	3.52E-01	2.25E-03	3.37E-01	1.01E-07
ENSG00000132122	SPATA6	5.23E-01	2.15E-01	6.27E-10	2.06E-08	3.65E-01	8.71E-04	3.37E-01	9.39E-08
ENSG00000169744	LDB2	4.71E-01	2.12E-01	4.26E-08	6.90E-07	4.98E-01	3.80E-09	4.13E-01	7.39E-13
ENSG00000078070	MCCC1	4.90E-01	2.91E-01	1.03E-08	2.10E-07	4.54E-01	4.07E-07	2.01E-01	1.51E-01
ENSG00000154582	TCEB1	4.96E-01	2.02E-01	6.42E-09	1.43E-07	3.45E-01	3.67E-03	3.09E-01	3.71E-06
ENSG00000164430	MB21D1	4.68E-01	2.45E-01	5.36E-08	8.37E-07	3.18E-01	2.19E-02	3.43E-01	4.38E-08
ENSG0000019144	PHLDB1	4.96E-01	2.51E-01	6.40E-09	1.43E-07	4.78E-01	3.43E-08	5.08E-01	2.43E-21
ENSG00000114554	PLXNA1	5.17E-01	2.13E-01	1.12E-09	3.36E-08	2.13E-01	1.00E+00	1.12E-01	1.00E+00
ENSG00000149050	ZNF214	5.06E-01	2.35E-01	2.73E-09	6.96E-08	4.26E-01	5.78E-06	4.14E-01	6.27E-13
ENSG00000174132	FAM174A	4.27E-01	2.10E-01	9.38E-07	9.34E-06	4.85E-01	1.57E-08	4.67E-01	2.42E-17
ENSG00000128944	KNSTRN	6.02E-01	3.56E-01	2.14E-13	2.99E-11	5.70E-01	3.59E-13	4.08E-01	1.86E-12
ENSG00000132622	HSPA12B	6.05E-01	3.03E-01	1.49E-13	2.26E-11	4.96E-01	4.64E-09	6.06E-01	1.67E-33
ENSG00000131042	LILRB2	5.27E-01	2.35E-01	4.38E-10	1.54E-08	2.85E-01	1.51E-01	4.19E-01	2.38E-13
ENSG00000117625	RCOR3	4.50E-01	2.09E-01	1.95E-07	2.48E-06	3.55E-01	1.84E-03	1.80E-01	6.91E-01
ENSG00000197646	PDCD1LG2	4.98E-01	2.24E-01	5.52E-09	1.26E-07	4.20E-01	9.61E-06	4.09E-01	1.61E-12
ENSG00000163820	FYCO1	4.50E-01	2.34E-01	1.99E-07	2.53E-06	3.93E-01	9.93E-05	1.60E-01	1.00E+00
ENSG00000100154	TTC28	5.59E-01	3.29E-01	2.11E-11	1.20E-09	4.49E-01	6.36E-07	4.63E-01	5.43E-17
ENSG00000104356	POPI	4.57E-01	2.61E-01	1.21E-07	1.66E-06	5.18E-01	3.35E-10	3.89E-01	4.25E-11
ENSG00000107937	GTPBP4	5.77E-01	3.64E-01	3.47E-12	2.83E-10	5.09E-01	1.08E-09	4.52E-01	5.34E-16
ENSG00000102898	NUTF2	4.14E-01	2.05E-01	2.10E-06	1.86E-05	3.66E-01	7.82E-04	3.18E-01	1.14E-06
ENSG00000196782	MAML3	4.24E-01	2.25E-01	1.12E-06	1.08E-05	2.95E-01	8.65E-02	3.13E-01	2.07E-06
ENSG00000153898	MCOLN2	4.55E-01	2.06E-01	1.40E-07	1.88E-06	3.26E-01	1.32E-02	4.36E-01	1.17E-14
ENSG00000172167	MTBP	5.35E-01	2.96E-01	2.24E-10	8.80E-09	4.00E-01	5.66E-05	4.08E-01	1.86E-12
ENSG00000143621	ILF2	3.96E-01	2.10E-01	6.39E-06	4.66E-05	3.76E-01	3.69E-04	3.73E-01	5.51E-10
ENSG00000112419	PHACTR2	5.35E-01	2.07E-01	2.27E-10	8.90E-09	1.47E-01	1.00E+00	1.36E-01	1.00E+00
ENSG00000149380	P4HA3	4.88E-01	2.21E-01	1.22E-08	2.44E-07	5.24E-01	1.72E-10	4.71E-01	1.05E-17
ENSG00000130204	TOMM40	4.26E-01	2.04E-01	9.90E-07	9.78E-06	3.17E-01	2.32E-02	1.10E-01	1.00E+00
ENSG00000138182	KIF20B	4.47E-01	2.19E-01	2.45E-07	3.00E-06	4.72E-01	6.47E-08	3.00E-01	1.04E-05
ENSG00000172935	MRGPRF	5.24E-01	2.06E-01	5.68E-10	1.89E-08	5.64E-01	8.06E-13	3.24E-01	5.07E-07
ENSG00000115596	WNT6	3.89E-01	2.21E-01	9.34E-06	6.40E-05	4.19E-01	1.12E-05	2.82E-01	7.86E-05
ENSG00000156469	MTERF3	5.14E-01	2.24E-01	1.42E-09	4.05E-08	5.01E-01	2.68E-09	3.79E-01	1.99E-10
ENSG00000182199	SHMT2	5.04E-01	2.54E-01	3.22E-09	8.00E-08	4.60E-01	2.19E-07	3.27E-01	3.50E-07
ENSG00000121671	CRY2	5.78E-01	3.17E-01	3.27E-12	2.70E-10	5.46E-01	1.00E-11	5.61E-01	2.24E-27
ENSG00000176083	ZNF683	5.20E-01	2.06E-01	8.33E-10	2.63E-08	4.34E-01	2.79E-06	3.89E-01	4.10E-11
ENSG00000149503	INCENP	5.86E-01	2.72E-01	1.32E-12	1.26E-10	4.47E-01	8.02E-07	3.00E-01	1.08E-05
ENSG00000164941	INTS8	4.91E-01	2.44E-01	9.55E-09	1.98E-07	5.33E-01	5.21E-11	4.01E-01	5.52E-12
ENSG00000149231	CCDC82	3.93E-01	2.33E-01	7.68E-06	5.45E-05	4.19E-01	1.08E-05	2.26E-01	2.03E-02
ENSG00000144741	SLC25A26	3.89E-01	2.05E-01	9.63E-06	6.57E-05	4.95E-01	5.29E-09	2.25E-01	2.21E-02
ENSG00000124571	XPO5	5.33E-01	2.91E-01	2.71E-10	1.02E-08	4.62E-01	1.89E-07	4.55E-01	2.48E-16
ENSG00000189091	SF3B3	4.39E-01	2.48E-01	4.24E-07	4.79E-06	5.34E-01	4.86E-11	2.94E-01	2.00E-05
ENSG00000112029	FBXO5	5.11E-01	2.45E-01	1.75E-09	4.79E-08	5.58E-01	1.83E-12	4.30E-01	3.27E-14
ENSG00000165801	ARHGEF40	5.68E-01	2.84E-01	8.83E-12	6.08E-10	4.45E-01	9.59E-07	5.46E-01	1.40E-25
ENSG00000143924	EML4	6.03E-01	3.34E-01	2.07E-13	2.91E-11	5.64E-01	7.86E-13	4.27E-01	6.05E-14
ENSG00000181513	ACBD4	5.24E-01	2.38E-01	5.72E-10	1.89E-08	3.95E-01	8.27E-05	3.88E-01	4.72E-11
ENSG00000106105	GARS	5.57E-01	3.03E-01	2.66E-11	1.46E-09	4.20E-01	9.62E-06	3.07E-01	4.43E-06
ENSG00000155561	NUP205	4.36E-01	2.26E-01	5.10E-07	5.56E-06	4.80E-01	2.76E-08	4.05E-01	3.12E-12
ENSG00000184575	XPOT	5.18E-01	2.06E-01	9.53E-10	2.92E-08	4.63E-01	1.66E-07	4.52E-01	5.52E-16
ENSG00000169814	BTD	4.66E-01	2.17E-01	6.47E-08	9.76E-07	3.12E-01	3.06E-02	4.01E-01	6.00E-12
ENSG00000174292	TNK1	5.57E-01	2.16E-01	2.82E-11	1.55E-09	2.94E-01	8.97E-02	2.41E-01	4.98E-03
ENSG00000148429	USP6NL	3.98E-01	2.64E-01	5.53E-06	4.13E-05	3.88E-01	1.45E-04	2.19E-01	3.45E-02
ENSG00000103005	USB1	5.20E-01	3.00E-01	8.36E-10	2.63E-08	4.15E-01	1.57E-05	3.49E-01	1.93E-08
ENSG00000165533	TTC8	4.84E-01	2.36E-01	1.63E-08	3.12E-07	5.07E-01	1.24E-09	2.52E-01	1.80E-03
ENSG00000163872	YEATS2	5.21E-01	2.84E-01	7.53E-10	2.42E-08	4.09E-01	2.62E-05	2.98E-01	1.26E-05
ENSG00000120539	MASTL	5.80E-01	3.21E-01	2.61E-12	2.23E-10	3.74E-01	4.23E-04	5.28E-01	1.56E-23
ENSG00000110880	CORO1C	5.44E-01	2.19E-01	9.15E-11	4.06E-09	4.16E-01	1.34E-05	3.38E-01	8.76E-08
ENSG00000166523	CLEC4E	5.78E-01	3.08E-01	3.20E-12	2.65E-10	3.63E-01	9.71E-04	2.73E-01	2.21E-04

Table S3. Prediction performance for the 1011 genes on validation and test sets.

Ensembl_gene_id	Hgnc symbol	Coef (valid)	Rsq (valid)	P-val (valid)	adj.pval (valid)	Coef (internal)	adj.pval (internal)	Coef (external)	adj.pval (external)
ENSG00000088543	C3orf18	5.32E-01	2.68E-01	2.83E-10	1.06E-08	4.92E-01	7.08E-09	4.64E-01	3.95E-17
ENSG00000152455	SUV39H2	5.73E-01	3.72E-01	5.58E-12	4.15E-10	5.37E-01	3.33E-11	4.84E-01	6.23E-19
ENSG00000102900	NUP93	6.36E-01	4.18E-01	3.47E-15	1.12E-12	4.99E-01	3.38E-09	3.82E-01	1.23E-10
ENSG00000113407	TARS	5.39E-01	2.45E-01	1.52E-10	6.27E-09	3.70E-01	6.07E-04	3.77E-01	2.78E-10
ENSG00000168411	RFWD3	5.52E-01	3.25E-01	4.59E-11	2.28E-09	5.33E-01	5.12E-11	4.46E-01	1.69E-15
ENSG00000146410	MTFR2	6.33E-01	3.99E-01	5.26E-15	1.50E-12	6.00E-01	3.57E-15	5.76E-01	2.88E-29
ENSG00000217128	FNIP1	4.61E-01	2.21E-01	9.17E-08	1.31E-06	2.67E-01	3.95E-01	3.04E-01	6.56E-06
ENSG00000099901	RANBP1	5.15E-01	2.06E-01	1.25E-09	3.67E-08	4.91E-01	7.87E-09	2.96E-01	1.68E-05
ENSG00000120438	TCPI1	4.56E-01	2.34E-01	1.29E-07	1.75E-06	4.93E-01	6.55E-09	3.37E-01	1.02E-07
ENSG00000157796	WDR19	5.52E-01	2.93E-01	4.56E-11	2.28E-09	3.62E-01	1.10E-03	3.72E-01	5.99E-10
ENSG00000220205	VAMP2	4.97E-01	2.07E-01	5.75E-09	1.31E-07	4.07E-01	3.06E-05	3.94E-01	1.76E-11
ENSG00000177494	ZBED2	5.70E-01	2.55E-01	7.13E-12	5.09E-10	4.18E-01	1.20E-05	3.99E-01	8.05E-12
ENSG00000128655	PDE11A	4.65E-01	2.01E-01	6.78E-08	1.01E-06	3.30E-01	9.99E-03	1.71E-01	1.00E+00
ENSG00000155100	OTUD6B	4.63E-01	2.01E-01	7.80E-08	1.14E-06	2.67E-01	3.97E-01	2.99E-01	1.13E-05
ENSG00000196503	ARL9	4.66E-01	2.63E-01	6.38E-08	9.67E-07	3.79E-01	3.01E-04	2.05E-01	1.09E-01
ENSG00000111203	ITFG2	3.44E-01	3.31E-01	1.05E-04	5.06E-04	3.81E-01	2.48E-04	1.85E-02	1.00E+00
ENSG00000137571	SLCO5A1	5.13E-01	2.06E-01	1.48E-09	4.21E-08	4.93E-01	6.18E-09	4.02E-01	4.67E-12
ENSG00000130826	DKC1	5.58E-01	2.82E-01	2.50E-11	1.40E-09	5.66E-01	5.77E-13	4.55E-01	2.87E-16
ENSG00000151465	CDC123	5.46E-01	3.90E-01	8.15E-11	3.77E-09	4.47E-01	8.07E-07	3.16E-01	1.44E-06
ENSG00000214160	ALG3	5.92E-01	2.83E-01	7.22E-13	7.65E-11	4.10E-01	2.44E-05	2.78E-01	1.25E-04
ENSG00000064102	ASUN	4.05E-01	2.74E-01	3.74E-06	3.00E-05	3.96E-01	7.81E-05	2.44E-01	3.69E-03
ENSG00000156787	TBC1D31	5.48E-01	2.87E-01	6.62E-11	3.12E-09	4.58E-01	2.80E-07	4.56E-01	2.37E-16
ENSG00000109674	NEIL3	5.12E-01	2.65E-01	1.67E-09	4.63E-08	5.51E-01	4.70E-12	4.49E-01	8.67E-16
ENSG00000116885	OSCP1	5.26E-01	2.62E-01	4.83E-10	1.66E-08	2.69E-01	3.55E-01	4.16E-01	4.10E-13
ENSG00000096996	IL12RB1	5.51E-01	2.41E-01	5.05E-11	2.49E-09	3.74E-01	4.54E-04	2.66E-01	4.61E-04
ENSG00000204397	CARD16	5.50E-01	2.20E-01	5.34E-11	2.60E-09	3.07E-01	4.22E-02	2.00E-01	1.65E-01
ENSG00000185880	TRIM69	5.45E-01	2.62E-01	8.25E-11	3.79E-09	2.26E-01	1.00E+00	2.64E-01	5.52E-04
ENSG00000159110	IFNAR2	4.90E-01	2.20E-01	1.03E-08	2.11E-07	4.36E-01	2.28E-06	3.84E-01	1.02E-10
ENSG00000112079	STK38	5.04E-01	2.19E-01	3.28E-09	8.09E-08	3.47E-01	3.04E-03	3.88E-01	5.22E-11
ENSG00000108688	CCL7	5.07E-01	2.04E-01	2.61E-09	6.72E-08	2.55E-01	7.55E-01	3.42E-01	4.65E-08
ENSG00000076685	NT5C2	4.32E-01	2.01E-01	6.56E-07	6.88E-06	3.32E-01	8.71E-03	4.40E-01	4.91E-15
ENSG00000143977	SNRPG	4.52E-01	2.40E-01	1.74E-07	2.26E-06	3.11E-01	3.43E-02	2.59E-01	8.81E-04
ENSG00000197380	DACT3	5.88E-01	2.71E-01	1.07E-12	1.05E-10	6.13E-01	4.24E-16	4.34E-01	1.78E-14
ENSG00000188389	PDCD1	5.26E-01	2.71E-01	4.73E-10	1.64E-08	3.73E-01	4.66E-04	3.38E-01	8.51E-08
ENSG00000139722	VPS37B	4.63E-01	2.05E-01	7.96E-08	1.16E-06	3.27E-01	1.20E-02	2.14E-01	5.58E-02
ENSG00000165609	NUDT5	4.48E-01	2.76E-01	2.25E-07	2.80E-06	3.81E-01	2.62E-04	3.05E-01	5.60E-06
ENSG00000130309	COLGALT1	4.47E-01	2.18E-01	2.43E-07	2.99E-06	3.57E-01	1.50E-03	3.12E-01	2.42E-06
ENSG00000103035	PSMD7	5.99E-01	2.87E-01	3.19E-13	4.01E-11	4.56E-01	3.13E-07	4.32E-01	2.37E-14
ENSG00000121211	MND1	5.98E-01	3.50E-01	3.45E-13	4.13E-11	5.06E-01	1.38E-09	3.54E-01	9.52E-09
ENSG00000145743	FBXL17	4.41E-01	2.15E-01	3.79E-07	4.36E-06	3.31E-01	9.04E-03	3.01E-01	9.32E-06
ENSG00000168404	MLKL	5.01E-01	2.42E-01	4.19E-09	1.00E-07	3.08E-01	4.02E-02	3.74E-01	4.36E-10
ENSG00000105227	PRX	4.61E-01	2.05E-01	8.97E-08	1.28E-06	3.31E-01	9.30E-03	5.14E-01	5.90E-22
ENSG00000103121	CMC2	6.53E-01	4.11E-01	3.56E-16	1.76E-13	5.16E-01	4.36E-10	3.82E-01	1.37E-10
ENSG00000166275	C10orf32	6.18E-01	2.08E-01	3.50E-14	6.64E-12	4.86E-01	1.39E-08	5.20E-01	1.36E-22
ENSG00000197324	LRP10	4.27E-01	2.29E-01	9.38E-07	9.34E-06	3.70E-01	5.95E-04	2.61E-01	7.04E-04
ENSG00000109686	SH3D19	5.08E-01	2.06E-01	2.43E-09	6.30E-08	2.30E-01	1.00E+00	3.99E-01	8.48E-12
ENSG00000165629	ATP5C1	5.25E-01	3.12E-01	5.33E-10	1.80E-08	3.80E-01	2.67E-04	4.29E-01	4.53E-14
ENSG00000134539	KLRD1	5.82E-01	2.03E-01	2.06E-12	1.83E-10	4.42E-01	1.34E-06	3.92E-01	2.58E-11
ENSG00000049249	TNFRSF9	5.58E-01	2.46E-01	2.36E-11	1.33E-09	4.85E-01	1.57E-08	3.96E-01	1.32E-11
ENSG00000101084	C20orf24	6.13E-01	2.62E-01	5.86E-14	1.05E-11	4.67E-01	1.04E-07	2.94E-01	2.15E-05
ENSG00000119403	PHF19	4.25E-01	2.56E-01	1.05E-06	1.03E-05	3.28E-01	1.16E-02	2.45E-01	3.61E-03
ENSG00000264324		3.33E-01	2.16E-01	1.77E-04	7.82E-04	4.13E-01	1.83E-05		
ENSG00000140451	PIF1	6.65E-01	3.80E-01	6.73E-17	5.18E-14	5.66E-01	6.05E-13	4.12E-01	8.76E-13
ENSG00000119686	FLVCR2	5.75E-01	2.57E-01	4.54E-12	3.47E-10	3.68E-01	6.71E-04	3.78E-01	2.38E-10
ENSG00000118729	CASQ2	5.89E-01	2.68E-01	1.01E-12	9.95E-11	5.09E-01	1.04E-09	5.16E-01	3.45E-22
ENSG00000189157	FAM47E	5.83E-01	3.09E-01	1.80E-12	1.63E-10	4.83E-01	1.88E-08	2.94E-01	2.04E-05
ENSG00000006634	DBF4	5.48E-01	2.88E-01	6.60E-11	3.12E-09	5.25E-01	1.44E-10	5.08E-01	2.59E-21
ENSG00000054803	CBLN4	4.64E-01	2.42E-01	7.28E-08	1.08E-06	4.57E-01	2.85E-07	4.19E-01	2.71E-13
ENSG00000112214	FHL5	5.08E-01	2.08E-01	2.30E-09	6.04E-08	4.41E-01	1.43E-06	3.93E-01	2.30E-11
ENSG00000131876	SNRPA1	5.37E-01	3.11E-01	1.79E-10	7.23E-09	3.25E-01	1.34E-02	4.31E-01	3.09E-14
ENSG00000178295	GEN1	6.07E-01	3.47E-01	1.19E-13	1.87E-11	5.09E-01	1.02E-09	4.92E-01	1.05E-19
ENSG00000157680	DGKI	5.11E-01	2.02E-01	1.83E-09	4.97E-08	4.93E-01	6.52E-09	4.14E-01	6.58E-13
ENSG00000135914	HTR2B	5.12E-01	2.72E-01	1.67E-09	4.63E-08	4.46E-01	8.49E-07	2.75E-01	1.76E-04
ENSG00000141012	GALNS	4.60E-01	2.09E-01	9.80E-08	1.39E-06	2.52E-01	8.43E-01	2.72E-01	2.37E-04
ENSG00000125454	SLC25A19	5.44E-01	2.43E-01	9.31E-11	4.11E-09	4.75E-01	4.72E-08	4.09E-01	1.51E-12
ENSG00000196839	ADA	5.34E-01	2.17E-01	2.40E-10	9.27E-09	3.28E-01	1.15E-02	3.36E-01	1.13E-07
ENSG00000173258	ZNF483	6.24E-01	2.78E-01	1.54E-14	3.49E-12	2.27E-01	1.00E+00	2.50E-01	2.27E-03
ENSG00000049768	FOXP3	4.98E-01	2.04E-01	5.17E-09	1.20E-07	4.02E-01	4.84E-05	3.84E-01	1.01E-10
ENSG00000205045	SLFN12L	5.44E-01	2.13E-01	9.04E-11	4.04E-09	4.02E-01	4.85E-05	4.07E-01	1.96E-12

Table S3. Prediction performance for the 1011 genes on validation and test sets.

Ensembl_gene_id	Hgnc symbol	Coef (valid)	Rsq (valid)	P-val (valid)	adj.pval (valid)	Coef (internal)	adj.pval (internal)	Coef (external)	adj.pval (external)
ENSG00000185480	PARBPB	5.69E-01	3.18E-01	7.65E-12	5.39E-10	4.90E-01	9.35E-09	4.80E-01	1.40E-18
ENSG00000206052	DOK6	5.44E-01	2.02E-01	9.30E-11	4.11E-09	4.32E-01	3.22E-06	3.18E-01	1.09E-06
ENSG00000142599	RERE	5.91E-01	2.51E-01	7.33E-13	7.68E-11	1.65E-01	1.00E+00	2.51E-01	1.90E-03
ENSG00000221818	EBF2	4.88E-01	2.30E-01	1.22E-08	2.44E-07	3.71E-01	5.61E-04	3.41E-01	5.75E-08
ENSG00000186496	ZNF396	5.96E-01	2.88E-01	4.31E-13	5.03E-11	4.42E-01	1.35E-06	5.01E-01	1.29E-20
ENSG00000180660	MAB21L1	5.33E-01	3.22E-01	2.66E-10	1.00E-08	4.50E-01	5.85E-07	4.51E-01	5.94E-16
ENSG00000086475	SEPHS1	3.86E-01	2.18E-01	1.12E-05	7.50E-05	4.17E-01	1.25E-05	2.92E-01	2.54E-05
ENSG00000119772	DNMT3A	5.52E-01	2.66E-01	4.49E-11	2.25E-09	4.13E-01	1.84E-05	3.12E-01	2.51E-06
ENSG00000185338	SOC1	5.48E-01	2.54E-01	6.17E-11	2.93E-09	3.55E-01	1.74E-03	2.80E-01	9.99E-05
ENSG00000163655	GMPS	4.25E-01	2.06E-01	1.08E-06	1.05E-05	4.46E-01	8.53E-07	3.40E-01	6.72E-08
ENSG00000165695	AK8	4.02E-01	2.13E-01	4.45E-06	3.46E-05	4.58E-01	2.57E-07	3.30E-01	2.34E-07
ENSG0000012822	CALCOCO1	4.29E-01	2.85E-01	8.09E-07	8.24E-06	4.91E-01	8.18E-09	5.73E-01	5.79E-29
ENSG00000140463	BBS4	4.87E-01	2.07E-01	1.26E-08	2.50E-07	4.07E-01	3.15E-05	3.16E-01	1.56E-06
ENSG00000035141	FAM136A	5.10E-01	3.18E-01	2.03E-09	5.41E-08	4.51E-01	5.45E-07	5.03E-01	7.03E-21
ENSG00000167522	ANKRD11	4.83E-01	2.00E-01	1.80E-08	3.41E-07	2.35E-01	1.00E+00	9.37E-02	1.00E+00
ENSG00000090520	DNAJB11	5.98E-01	3.54E-01	3.61E-13	4.26E-11	3.79E-01	2.88E-04	3.46E-01	2.61E-08
ENSG00000004864	SLC25A13	5.35E-01	2.75E-01	2.08E-10	8.28E-09	3.87E-01	1.63E-04	3.96E-01	1.32E-11
ENSG00000174282	ZBTB4	5.63E-01	3.15E-01	1.46E-11	9.00E-10	4.09E-01	2.48E-05	4.67E-01	2.50E-17
ENSG00000134684	YARS	4.77E-01	2.08E-01	2.76E-08	4.81E-07	4.60E-01	2.15E-07	2.93E-01	2.28E-05
ENSG00000177602	GS2	6.83E-01	3.22E-01	4.71E-18	9.26E-15	5.77E-01	1.13E-13	5.64E-01	9.01E-28
ENSG00000149136	SSRP1	5.05E-01	2.30E-01	3.07E-09	7.72E-08	4.15E-01	1.48E-05	1.23E-01	1.00E+00
ENSG00000187951	ARHGAP11B	5.13E-01	2.76E-01	1.58E-09	4.41E-08	4.81E-01	2.50E-08	3.21E-01	8.31E-07
ENSG00000065427	KARS	4.81E-01	2.62E-01	2.05E-08	3.83E-07	4.40E-01	1.55E-06	2.82E-01	8.37E-05
ENSG00000126067	PSMB2	5.92E-01	3.03E-01	6.87E-13	7.33E-11	4.78E-01	3.26E-08	3.70E-01	7.92E-10
ENSG00000111639	MRPL51	4.50E-01	2.25E-01	2.02E-07	2.56E-06	1.76E-01	1.00E+00	8.39E-02	1.00E+00
ENSG00000141076	CIRH1A	4.77E-01	2.83E-01	2.75E-08	4.79E-07	4.68E-01	9.24E-08	3.80E-01	1.69E-10
ENSG00000166598	HSP90B1	4.98E-01	2.07E-01	5.38E-09	1.24E-07	4.25E-01	6.01E-06	3.05E-01	5.58E-06
ENSG00000166272	WPIL	6.67E-01	3.73E-01	5.06E-17	4.26E-14	5.21E-01	2.38E-10	5.62E-01	1.56E-27
ENSG00000131828	PDHA1	5.63E-01	2.12E-01	1.50E-11	9.17E-10	4.17E-01	1.28E-05	1.52E-01	1.00E+00
ENSG00000146731	CCT6A	4.54E-01	2.21E-01	1.54E-07	2.04E-06	4.24E-01	7.18E-06	4.14E-01	5.84E-13
ENSG00000116221	MRPL37	4.63E-01	2.23E-01	7.78E-08	1.14E-06	4.21E-01	9.00E-06	8.72E-02	1.00E+00
ENSG00000111196	MAGOHB	4.13E-01	2.17E-01	2.22E-06	1.95E-05	2.11E-01	1.00E+00	3.59E-01	4.07E-09
ENSG00000166246	C16orf71	4.51E-01	2.14E-01	1.86E-07	2.40E-06	4.28E-01	4.74E-06	2.98E-01	1.33E-05
ENSG00000186310	NAP1L3	4.57E-01	2.04E-01	1.20E-07	1.65E-06	4.87E-01	1.21E-08	3.79E-01	2.27E-10
ENSG00000139180	NDUFA9	3.49E-01	2.18E-01	7.97E-05	4.00E-04	2.92E-01	1.05E-01	3.51E-01	1.44E-08
ENSG00000153879	CEBPG	4.76E-01	2.33E-01	2.91E-08	5.02E-07	4.00E-01	5.61E-05	3.89E-01	4.41E-11
ENSG00000117305	HMGCL	4.29E-01	2.01E-01	8.11E-07	8.26E-06	3.03E-01	5.29E-02	3.89E-01	4.40E-11
ENSG00000166965	RCCD1	4.87E-01	2.03E-01	1.30E-08	2.56E-07	3.83E-01	2.19E-04	2.15E-01	4.78E-02
ENSG00000166889	PATL1	4.90E-01	2.75E-01	1.04E-08	2.12E-07	4.19E-01	1.06E-05	2.55E-01	1.32E-03
ENSG00000168038	ULK4	4.79E-01	2.10E-01	2.41E-08	4.34E-07	3.18E-01	2.09E-02	2.52E-01	1.85E-03
ENSG00000149575	SCN2B	6.02E-01	2.39E-01	2.26E-13	3.10E-11	5.46E-01	9.63E-12	5.85E-01	1.41E-30
ENSG00000138035	PNPT1	4.87E-01	2.53E-01	1.29E-08	2.54E-07	3.96E-01	7.71E-05	4.16E-01	4.61E-13
ENSG00000115091	ACTR3	5.50E-01	2.38E-01	5.52E-11	2.67E-09	3.95E-01	7.97E-05	4.38E-01	7.45E-15
ENSG00000179934	CCR8	5.66E-01	2.53E-01	1.08E-11	7.06E-10	3.51E-01	2.31E-03	3.07E-01	4.44E-06
ENSG00000132964	CDK8	5.45E-01	2.68E-01	8.87E-11	3.98E-09	3.95E-01	8.49E-05	4.81E-01	1.16E-18
ENSG00000125977	EIF2S2	6.23E-01	3.38E-01	1.84E-14	3.92E-12	4.25E-01	6.48E-06	3.25E-01	4.52E-07
ENSG00000159593	NAE1	5.62E-01	3.32E-01	1.59E-11	9.61E-10	4.37E-01	2.02E-06	3.55E-01	7.77E-09
ENSG00000188177	ZC3H6	5.40E-01	2.01E-01	1.38E-10	5.83E-09	3.44E-01	3.78E-03	3.01E-01	9.27E-06
ENSG00000165118	C9orf64	4.56E-01	2.44E-01	1.32E-07	1.78E-06	4.13E-01	1.85E-05	4.35E-01	1.48E-14
ENSG00000183765	CHEK2	5.18E-01	2.12E-01	9.59E-10	2.93E-08	3.84E-01	2.06E-04	3.94E-01	1.87E-11
ENSG00000255833	TIFAB	5.62E-01	2.20E-01	1.65E-11	9.89E-10	4.43E-01	1.16E-06	3.04E-01	6.30E-06
ENSG00000197753	LHFPL5	4.16E-01	2.39E-01	1.85E-06	1.67E-05	3.37E-01	6.13E-03	1.05E-01	1.00E+00
ENSG00000132603	NIP7	4.72E-01	2.65E-01	4.03E-08	6.60E-07	4.80E-01	2.64E-08	3.49E-01	1.91E-08
ENSG00000145979	TBC1D7	4.34E-01	2.09E-01	5.99E-07	6.37E-06	3.62E-01	1.10E-03	3.69E-01	1.03E-09
ENSG00000100416	TRMU	4.74E-01	2.17E-01	3.60E-08	6.01E-07	4.16E-01	1.45E-05	1.59E-01	1.00E+00
ENSG00000115241	PPM1G	5.31E-01	2.46E-01	3.17E-10	1.17E-08	5.03E-01	2.06E-09	2.52E-01	1.82E-03
ENSG00000028528	SNX1	4.09E-01	2.07E-01	2.95E-06	2.46E-05	3.92E-01	1.03E-04	2.02E-01	1.39E-01
ENSG00000113391	FAM172A	5.81E-01	2.34E-01	2.34E-12	2.02E-10	3.03E-01	5.37E-02	3.60E-01	3.77E-09
ENSG00000138092	CENPO	5.27E-01	2.43E-01	4.37E-10	1.53E-08	4.82E-01	2.26E-08	5.07E-01	2.80E-21
ENSG00000137727	ARHGAP20	5.26E-01	2.61E-01	4.83E-10	1.66E-08	4.68E-01	1.01E-07	4.33E-01	1.84E-14
ENSG00000065600	TMEM206	4.13E-01	2.07E-01	2.34E-06	2.04E-05	3.75E-01	3.91E-04	4.41E-01	4.67E-15
ENSG00000159055	MIS18A	4.86E-01	2.26E-01	1.35E-08	2.64E-07	4.39E-01	1.64E-06	1.59E-01	1.00E+00
ENSG00000159131	GART	4.60E-01	2.14E-01	9.80E-08	1.39E-06	5.47E-01	7.96E-12	3.11E-01	2.72E-06
ENSG00000006283	CACNA1G	5.85E-01	2.75E-01	1.49E-12	1.38E-10	4.59E-01	2.39E-07	4.32E-01	2.19E-14
ENSG00000111087	GLI1	5.58E-01	2.42E-01	2.39E-11	1.34E-09	5.12E-01	6.96E-10	4.73E-01	6.80E-18
ENSG00000000419	DPM1	5.75E-01	2.40E-01	4.15E-12	3.25E-10	4.17E-01	1.34E-05	2.98E-01	1.33E-05
ENSG00000023734	STRAP	4.31E-01	2.14E-01	7.17E-07	7.42E-06	2.09E-01	1.00E+00	1.90E-01	3.56E-01
ENSG00000104147	OIP5	6.12E-01	3.32E-01	6.95E-14	1.14E-11	5.73E-01	2.21E-13	3.91E-01	2.99E-11
ENSG00000124508	BTN2A2	5.25E-01	2.26E-01	5.17E-10	1.75E-08	2.58E-01	6.42E-01	2.77E-01	1.33E-04

Table S3. Prediction performance for the 1011 genes on validation and test sets.

Ensembl_gene_id	Hgnc symbol	Coef (valid)	Rsq (valid)	P-val (valid)	adj.pval (valid)	Coef (internal)	adj.pval (internal)	Coef (external)	adj.pval (external)
ENSG00000155393	HEATR3	6.32E-01	2.92E-01	5.91E-15	1.66E-12	4.17E-01	1.26E-05	4.63E-01	5.02E-17
ENSG00000198055	GRK6	4.51E-01	2.08E-01	1.81E-07	2.34E-06	3.39E-01	5.42E-03	2.17E-01	4.28E-02
ENSG00000156261	CCT8	4.93E-01	2.12E-01	8.22E-09	1.76E-07	4.34E-01	2.76E-06	3.39E-01	7.46E-08
ENSG00000185261	KIAA0825	5.77E-01	2.89E-01	3.68E-12	2.96E-10	3.52E-01	2.16E-03	2.97E-01	1.54E-05
ENSG00000106615	RHEB	4.45E-01	2.06E-01	2.83E-07	3.42E-06	2.43E-01	1.00E+00	3.04E-01	6.40E-06
ENSG00000055044	NOP58	4.35E-01	3.02E-01	5.59E-07	6.00E-06	3.79E-01	3.08E-04	2.71E-01	2.68E-04
ENSG00000120647	CCDC77	4.07E-01	2.97E-01	3.28E-06	2.69E-05	3.84E-01	1.98E-04	2.58E-01	1.01E-03
ENSG00000041357	PSMA4	4.72E-01	2.18E-01	4.06E-08	6.64E-07	2.68E-01	3.81E-01	2.45E-01	3.43E-03
ENSG00000160208	RRP1B	4.88E-01	2.38E-01	1.18E-08	2.36E-07	5.61E-01	1.17E-12	2.07E-01	9.83E-02
ENSG00000131015	ULBP2	4.66E-01	2.61E-01	6.35E-08	9.64E-07	3.75E-01	3.98E-04	4.08E-01	1.66E-12
ENSG00000151461	UPF2	4.72E-01	2.70E-01	4.15E-08	6.74E-07	4.00E-01	5.45E-05	1.83E-01	5.90E-01
ENSG00000177807	KCNJ10	5.77E-01	3.22E-01	3.34E-12	2.75E-10	4.54E-01	3.91E-07	3.72E-01	5.98E-10
ENSG00000197044	ZNF441	5.22E-01	2.81E-01	7.10E-10	2.30E-08	3.57E-01	1.57E-03	2.55E-01	1.38E-03
ENSG00000134453	RBM17	5.53E-01	3.39E-01	4.09E-11	2.10E-09	2.88E-01	1.32E-01	2.31E-01	1.23E-02
ENSG00000115233	PSMD14	5.07E-01	2.34E-01	2.49E-09	6.43E-08	4.62E-01	1.86E-07	4.82E-01	8.55E-19
ENSG00000174442	ZWILCH	5.27E-01	2.00E-01	4.41E-10	1.54E-08	2.89E-01	1.22E-01	3.95E-01	1.51E-11
ENSG00000142864	SERBP1	3.78E-01	2.53E-01	1.75E-05	1.10E-04	3.99E-01	5.97E-05	1.79E-01	7.45E-01
ENSG00000135931	ARMC9	4.10E-01	2.26E-01	2.79E-06	2.34E-05	4.27E-01	5.04E-06	2.97E-01	1.53E-05
ENSG00000187522	HSPA14	5.25E-01	3.22E-01	5.33E-10	1.80E-08	4.93E-01	6.39E-09	3.41E-01	5.81E-08
ENSG00000197275	RAD54B	5.01E-01	2.22E-01	4.33E-09	1.03E-07	5.47E-01	8.53E-12	3.63E-01	2.60E-09
ENSG00000171792	RHNO1	4.27E-01	2.12E-01	9.54E-07	9.49E-06	3.28E-01	1.15E-02	1.99E-01	1.73E-01
ENSG00000183150	GPR19	4.91E-01	2.09E-01	9.45E-09	1.97E-07	3.46E-01	3.34E-03	3.02E-01	8.51E-06
ENSG00000182700	IGIP	5.40E-01	2.91E-01	1.43E-10	5.99E-09	4.41E-01	1.45E-06	3.39E-01	6.97E-08
ENSG00000124787	RPP40	4.70E-01	2.07E-01	4.81E-08	7.65E-07	3.67E-01	7.41E-04	2.82E-01	7.69E-05
ENSG00000073861	TBX21	5.21E-01	2.30E-01	7.85E-10	2.51E-08	4.15E-01	1.48E-05	4.11E-01	1.10E-12
ENSG00000162676	GFI1	5.48E-01	2.08E-01	6.26E-11	2.97E-09	4.65E-01	1.31E-07	4.24E-01	1.07E-13
ENSG00000181722	ZBTB20	4.97E-01	3.02E-01	5.73E-09	1.30E-07	2.98E-01	7.27E-02	4.64E-01	4.08E-17
ENSG00000186952	TMEM232	5.17E-01	2.24E-01	1.09E-09	3.28E-08	2.52E-01	8.51E-01	2.21E-01	3.11E-02
ENSG00000050730	TNIP3	5.60E-01	2.18E-01	2.02E-11	1.17E-09	4.96E-01	4.82E-09	4.25E-01	9.15E-14
ENSG00000048991	R3HDM1	4.61E-01	2.37E-01	9.08E-08	1.30E-06	3.30E-01	9.88E-03	4.23E-01	1.16E-13
ENSG00000005302	MSL3	4.78E-01	2.25E-01	2.55E-08	4.56E-07	5.42E-01	1.64E-11	4.52E-01	4.70E-16
ENSG00000163029	SMC6	4.86E-01	2.65E-01	1.43E-08	2.78E-07	3.92E-01	1.05E-04	2.11E-01	6.92E-02
ENSG00000005194	CIAPIN1	5.60E-01	2.87E-01	2.06E-11	1.19E-09	3.49E-01	2.76E-03	3.65E-01	1.88E-09
ENSG00000148459	PDSS1	5.98E-01	4.35E-01	3.54E-13	4.20E-11	5.17E-01	3.83E-10	4.84E-01	5.75E-19
ENSG00000170275	CRTAP	5.45E-01	2.59E-01	8.52E-11	3.86E-09	3.14E-01	2.69E-02	2.74E-01	1.86E-04
ENSG00000127423	AUNIP	4.79E-01	2.06E-01	2.35E-08	4.26E-07	4.33E-01	3.08E-06	3.93E-01	2.11E-11
ENSG00000040275	SPDL1	5.55E-01	2.44E-01	3.13E-11	1.68E-09	5.05E-01	1.65E-09	3.66E-01	1.64E-09
ENSG00000164331	ANKRA2	4.41E-01	2.13E-01	3.65E-07	4.22E-06	4.90E-01	9.30E-09	3.69E-01	1.02E-09
ENSG00000166164	BRD7	4.99E-01	2.23E-01	5.09E-09	1.18E-07	3.51E-01	2.42E-03	2.12E-01	6.14E-02
ENSG00000109618	SEPSECS	5.11E-01	2.25E-01	1.84E-09	4.99E-08	2.17E-01	1.00E+00	2.17E-01	4.29E-02
ENSG00000163811	WDR43	4.03E-01	2.31E-01	4.06E-06	3.21E-05	3.30E-01	9.70E-03	3.14E-01	1.96E-06
ENSG00000103647	CORO2B	5.23E-01	2.24E-01	6.58E-10	2.14E-08	5.00E-01	2.97E-09	4.12E-01	8.83E-13
ENSG00000135045	C9orf40	4.09E-01	2.04E-01	2.97E-06	2.47E-05	3.27E-01	1.21E-02	2.08E-01	9.10E-02
ENSG00000100749	VRK1	4.41E-01	2.62E-01	3.74E-07	4.31E-06	5.29E-01	8.97E-11	3.05E-01	5.80E-06
ENSG00000155330	C16orf87	4.80E-01	2.26E-01	2.26E-08	4.15E-07	3.73E-01	4.55E-04	4.11E-01	1.13E-12
ENSG00000136122	BORA	4.92E-01	2.90E-01	8.56E-09	1.81E-07	3.92E-01	1.06E-04	5.01E-01	1.25E-20
ENSG00000181938	GINS3	4.98E-01	2.65E-01	5.45E-09	1.25E-07	4.26E-01	5.99E-06	3.26E-01	3.96E-07
ENSG00000105821	DNAJC2	4.54E-01	2.39E-01	1.47E-07	1.95E-06	2.50E-01	9.60E-01	1.81E-01	6.88E-01
ENSG00000189376	C8orf76	5.20E-01	2.15E-01	8.56E-10	2.67E-08	3.84E-01	2.07E-04	4.51E-01	5.56E-16
ENSG00000159147	DONSON	4.56E-01	2.68E-01	1.30E-07	1.75E-06	3.65E-01	8.84E-04	2.59E-01	8.90E-04
ENSG00000145220	LYAR	5.50E-01	2.68E-01	5.13E-11	2.52E-09	4.50E-01	5.76E-07	2.32E-01	1.13E-02
ENSG00000158092	NCK1	4.01E-01	2.17E-01	4.84E-06	3.70E-05	3.44E-01	3.76E-03	2.46E-01	3.22E-03
ENSG00000119812	FAM98A	5.14E-01	2.53E-01	1.44E-09	4.11E-08	4.12E-01	2.06E-05	3.44E-01	3.89E-08
ENSG00000183598	HIST2H3D	3.60E-01	2.85E-01	4.73E-05	2.57E-04	-1.43E-03	1.00E+00	3.79E-02	1.00E+00
ENSG00000136114	THSD1	5.44E-01	2.15E-01	9.09E-11	4.04E-09	4.71E-01	7.39E-08	3.85E-01	8.66E-11
ENSG00000152154	TMEM178A	4.96E-01	2.28E-01	6.08E-09	1.37E-07	3.44E-01	3.77E-03	3.97E-01	1.22E-11
ENSG00000114354	TFG	5.43E-01	2.45E-01	1.07E-10	4.65E-09	2.71E-01	3.20E-01	2.98E-01	1.26E-05
ENSG00000144395	CCDC150	5.84E-01	2.42E-01	1.67E-12	1.53E-10	4.80E-01	2.59E-08	3.28E-01	3.28E-07
ENSG00000100629	CEP128	4.07E-01	2.03E-01	3.21E-06	2.64E-05	4.73E-01	5.67E-08	3.00E-01	9.99E-06
ENSG00000115042	FAHD2A	5.10E-01	2.98E-01	1.90E-09	5.10E-08	3.08E-01	3.97E-02	1.31E-01	1.00E+00
ENSG00000152457	DCLRE1C	4.33E-01	2.89E-01	6.51E-07	6.84E-06	4.90E-01	9.19E-09	3.73E-01	5.10E-10
ENSG00000112130	RNF8	5.00E-01	2.03E-01	4.66E-09	1.09E-07	3.98E-01	6.44E-05	1.66E-01	1.00E+00
ENSG00000258818	RNASE4	5.23E-01	2.10E-01	6.48E-10	2.11E-08	4.16E-01	1.37E-05	2.89E-01	3.82E-05
ENSG00000226979	LTA	5.04E-01	2.11E-01	3.18E-09	7.94E-08	4.11E-01	2.09E-05	3.54E-01	8.71E-09
ENSG00000216490	IFI30	6.01E-01	2.77E-01	2.46E-13	3.27E-11	2.66E-01	4.32E-01	3.38E-01	8.14E-08
ENSG00000205250	E2F4	4.47E-01	2.14E-01	2.45E-07	3.00E-06	3.52E-01	2.28E-03	2.04E-01	1.21E-01
ENSG00000166986	MARS	5.91E-01	2.25E-01	8.11E-13	8.34E-11	4.72E-01	6.39E-08	4.25E-01	8.00E-14
ENSG00000182771	GRID1	4.41E-01	2.12E-01	3.69E-07	4.26E-06	4.00E-01	5.37E-05	3.83E-01	1.16E-10
ENSG00000144029	MRPS5	4.70E-01	2.64E-01	4.63E-08	7.41E-07	3.64E-01	9.48E-04	2.83E-01	7.29E-05

Table S3. Prediction performance for the 1011 genes on validation and test sets.

Ensembl_gene_id	Hgnc symbol	Coef (valid)	Rsq (valid)	P-val (valid)	adj.pval (valid)	Coef (internal)	adj.pval (internal)	Coef (external)	adj.pval (external)
ENSG00000131148	EMC8	4.74E-01	2.56E-01	3.40E-08	5.72E-07	3.81E-01	2.61E-04	2.79E-01	1.06E-04
ENSG00000154767	XPC	3.42E-01	2.18E-01	1.15E-04	5.47E-04	3.86E-01	1.78E-04	3.08E-01	3.76E-06
ENSG00000124541	RRP36	4.82E-01	2.28E-01	1.85E-08	3.50E-07	3.71E-01	5.53E-04	3.46E-01	2.96E-08
ENSG00000171817	ZNF540	5.20E-01	2.13E-01	8.47E-10	2.66E-08	3.79E-01	2.87E-04	3.26E-01	4.01E-07
ENSG00000176407	KCMF1	5.04E-01	3.69E-01	3.23E-09	8.00E-08	3.87E-01	1.64E-04	3.77E-01	2.93E-10
ENSG00000070761	CFAP20	4.74E-01	2.51E-01	3.53E-08	5.93E-07	3.56E-01	1.61E-03	4.21E-01	1.71E-13
ENSG00000115761	NOL10	4.52E-01	2.67E-01	1.68E-07	2.20E-06	4.20E-01	9.64E-06	2.97E-01	1.50E-05
ENSG00000229474	PATL2	4.94E-01	2.22E-01	7.64E-09	1.65E-07	2.37E-01	1.00E+00	3.49E-01	1.79E-08
ENSG00000078246	TULP3	3.36E-01	2.19E-01	1.51E-04	6.89E-04	9.89E-02	1.00E+00	3.74E-03	1.00E+00
ENSG00000160801	PTH1R	5.08E-01	2.30E-01	2.42E-09	6.30E-08	5.20E-01	2.59E-10	4.88E-01	2.27E-19
ENSG00000142065	ZFP14	5.61E-01	2.44E-01	1.86E-11	1.10E-09	3.52E-01	2.16E-03	2.32E-01	1.18E-02
ENSG00000215784	FAM72D	4.71E-01	2.47E-01	4.28E-08	6.93E-07	3.26E-01	1.30E-02	4.21E-01	1.73E-13
ENSG00000181418	DDN	5.31E-01	2.87E-01	3.02E-10	1.12E-08	3.99E-01	6.03E-05	2.90E-01	3.23E-05
ENSG00000141052	MYOCD	5.20E-01	2.12E-01	8.65E-10	2.69E-08	4.46E-01	9.14E-07	3.40E-01	6.56E-08
ENSG00000197776	KLHDC1	6.75E-01	3.40E-01	1.55E-17	1.72E-14	4.34E-01	2.84E-06	5.03E-01	8.49E-21
ENSG00000196550	FAM72A	5.56E-01	3.34E-01	2.92E-11	1.58E-09	5.17E-01	3.96E-10	4.63E-01	5.43E-17
ENSG00000173237	C11orf86	3.91E-01	2.52E-01	8.23E-06	5.76E-05	2.73E-01	2.99E-01	2.58E-01	9.76E-04
ENSG00000171049	FPR2	6.13E-01	2.47E-01	6.03E-14	1.06E-11	3.84E-01	2.05E-04	4.02E-01	5.07E-12
ENSG00000153574	RPIA	4.06E-01	2.82E-01	3.53E-06	2.85E-05	3.88E-01	1.47E-04	2.56E-01	1.18E-03
ENSG00000152464	RPP38	3.96E-01	2.05E-01	6.40E-06	4.66E-05	2.53E-01	8.38E-01	2.91E-01	2.89E-05
ENSG00000171865	RNASEH1	4.69E-01	2.04E-01	5.18E-08	8.16E-07	5.08E-01	1.15E-09	2.90E-01	3.35E-05
ENSG00000143942	CHAC2	4.54E-01	2.41E-01	1.55E-07	2.04E-06	3.89E-01	1.38E-04	1.93E-01	2.84E-01
ENSG00000168490	PHYHIP	5.35E-01	2.28E-01	2.12E-10	8.38E-09	3.21E-01	1.73E-02	4.50E-01	8.15E-16
ENSG00000169857	AVEN	3.80E-01	2.03E-01	1.57E-05	1.00E-04	2.96E-01	8.15E-02	1.76E-01	9.15E-01
ENSG00000181544	FANCB	5.49E-01	2.68E-01	5.80E-11	2.79E-09	5.23E-01	1.77E-10	3.76E-01	3.20E-10
ENSG00000103995	CEP152	4.70E-01	2.71E-01	4.65E-08	7.43E-07	3.91E-01	1.19E-04	3.16E-01	1.48E-06
ENSG00000107951	MTPAP	3.62E-01	2.09E-01	4.13E-05	2.29E-04	2.83E-01	1.67E-01	2.17E-01	4.39E-02
ENSG00000165733	BMS1	4.63E-01	2.13E-01	7.65E-08	1.12E-06	4.25E-01	6.38E-06	2.33E-01	1.02E-02
ENSG00000126895	AVPR2	4.57E-01	2.17E-01	1.22E-07	1.68E-06	4.58E-01	2.70E-07	3.14E-01	1.92E-06
ENSG00000148572	NRBF2	4.23E-01	2.09E-01	1.21E-06	1.16E-05	4.10E-01	2.46E-05	3.60E-01	3.77E-09
ENSG00000138395	CDK15	5.22E-01	2.34E-01	6.91E-10	2.24E-08	4.78E-01	3.23E-08	2.48E-01	2.56E-03
ENSG00000168872	DDX19A	4.58E-01	2.16E-01	1.11E-07	1.54E-06	3.95E-01	8.59E-05	1.86E-01	4.61E-01
ENSG00000198522	GPN1	4.45E-01	2.10E-01	2.77E-07	3.36E-06	2.79E-01	2.13E-01	2.44E-01	3.99E-03
ENSG00000087274	ADD1	4.93E-01	2.68E-01	7.88E-09	1.70E-07	2.57E-01	6.60E-01	3.53E-01	1.05E-08
ENSG00000143184	XCL1	5.03E-01	2.47E-01	3.63E-09	8.88E-08	3.76E-01	3.85E-04	3.13E-01	2.01E-06
ENSG00000188610	FAM72B	6.34E-01	3.99E-01	4.39E-15	1.30E-12	5.57E-01	2.26E-12	4.47E-01	1.31E-15
ENSG00000111537	IFNG	5.03E-01	2.41E-01	3.58E-09	8.77E-08	4.92E-01	6.97E-09	4.03E-01	3.94E-12
ENSG00000138073	PREB	5.16E-01	2.08E-01	1.20E-09	3.55E-08	3.27E-01	1.23E-02	3.42E-01	4.65E-08
ENSG00000011021	CLCN6	5.80E-01	2.68E-01	2.67E-12	2.26E-10	2.43E-01	1.00E+00	2.99E-01	1.19E-05
ENSG00000144231	POLR2D	5.39E-01	2.68E-01	1.51E-10	6.25E-09	4.67E-01	1.07E-07	5.18E-01	1.91E-22
ENSG00000196275	GTF2IRD2	5.85E-01	2.52E-01	1.54E-12	1.43E-10	4.11E-01	2.24E-05	1.03E-01	1.00E+00
ENSG00000198939	ZFP2	4.78E-01	2.17E-01	2.68E-08	4.72E-07	3.01E-01	5.99E-02	3.21E-01	7.89E-07
ENSG00000115607	IL18RAP	5.93E-01	2.14E-01	6.02E-13	6.61E-11	3.82E-01	2.40E-04	3.44E-01	3.74E-08
ENSG00000055130	CUL1	4.32E-01	2.05E-01	6.69E-07	7.00E-06	1.63E-01	1.00E+00	2.09E-01	7.92E-02
ENSG00000126953	TIMM8A	4.77E-01	2.11E-01	2.75E-08	4.79E-07	4.31E-01	3.58E-06	3.54E-01	9.03E-09
ENSG00000168883	USP39	5.28E-01	3.23E-01	4.07E-10	1.44E-08	3.48E-01	2.89E-03	4.17E-01	3.72E-13
ENSG00000165861	ZFYVE1	5.02E-01	2.66E-01	3.82E-09	9.28E-08	3.65E-01	8.93E-04	2.34E-01	1.00E-02
ENSG00000167178	ISLR2	5.83E-01	2.77E-01	1.93E-12	1.72E-10	5.18E-01	3.54E-10	4.14E-01	5.87E-13
ENSG00000144580	RQCD1	3.97E-01	2.31E-01	5.89E-06	4.36E-05	4.28E-01	4.80E-06	3.25E-01	4.56E-07
ENSG00000144130	NTSDC4	5.11E-01	2.61E-01	1.87E-09	5.05E-08	5.40E-01	2.03E-11		
ENSG00000132837	DMGDH	5.02E-01	2.29E-01	3.94E-09	9.56E-08	2.38E-01	1.00E+00	2.82E-01	8.09E-05
ENSG00000135298	BAI3	5.25E-01	3.26E-01	5.34E-10	1.80E-08	3.79E-01	2.88E-04	2.94E-01	2.15E-05
ENSG00000120328	PCDHB12	5.71E-01	2.43E-01	6.75E-12	4.84E-10	4.43E-01	1.19E-06	2.94E-01	2.14E-05
ENSG00000150628	SPATA4	4.89E-01	2.12E-01	1.06E-08	2.16E-07	3.58E-01	1.49E-03	4.17E-01	3.73E-13
ENSG00000183395	PMCH	4.73E-01	2.66E-01	3.66E-08	6.10E-07	4.93E-01	6.16E-09	3.17E-01	1.36E-06
ENSG00000132300	PTCD3	4.12E-01	2.11E-01	2.38E-06	2.07E-05	3.01E-01	5.93E-02	2.71E-01	2.70E-04
ENSG00000180061	TMEM150B	5.03E-01	2.08E-01	3.58E-09	8.77E-08	2.47E-01	1.00E+00	4.40E-01	5.04E-15
ENSG00000266964	FXYP1	4.47E-01	2.07E-01	2.39E-07	2.95E-06	4.53E-01	4.47E-07	3.53E-01	1.04E-08
ENSG00000042317	SPATA7	4.93E-01	2.40E-01	8.17E-09	1.75E-07	3.19E-01	1.97E-02	3.30E-01	2.44E-07
ENSG00000131019	ULBP3	4.79E-01	2.32E-01	2.31E-08	4.21E-07	4.53E-01	4.51E-07	3.76E-01	3.34E-10
ENSG00000269067	ZNF728	5.03E-01	2.24E-01	3.64E-09	8.89E-08	4.10E-01	2.42E-05		
ENSG00000166527	CLEC4D	5.18E-01	2.03E-01	9.62E-10	2.93E-08	2.61E-01	5.39E-01	2.69E-01	3.19E-04
ENSG00000109680	TBC1D19	4.71E-01	2.27E-01	4.51E-08	7.24E-07	3.10E-01	3.63E-02	2.23E-01	2.46E-02
ENSG00000197054	ZNF763	5.33E-01	2.16E-01	2.61E-10	9.88E-09	3.60E-01	1.21E-03	2.26E-01	1.99E-02
ENSG00000117598		5.77E-01	2.36E-01	3.67E-12	2.96E-10	4.34E-01	2.82E-06		
ENSG00000198785	GRIN3A	4.56E-01	2.45E-01	1.28E-07	1.74E-06	2.37E-01	1.00E+00	3.51E-01	1.38E-08
ENSG00000205846	CLEC6A	4.38E-01	2.60E-01	4.67E-07	5.18E-06	3.91E-01	1.12E-04	3.43E-01	4.26E-08
ENSG00000151687	ANKAR	4.34E-01	2.04E-01	5.75E-07	6.14E-06	3.01E-01	6.15E-02	1.71E-01	1.00E+00
ENSG00000183775	KCTD16	3.80E-01	2.14E-01	1.55E-05	9.97E-05	2.99E-01	6.73E-02	1.51E-01	1.00E+00

Table S3. Prediction performance for the 1011 genes on validation and test sets.

Ensembl_gene_id	Hgnc symbol	Coef (valid)	Rsq (valid)	P-val (valid)	adj.pval (valid)	Coef (internal)	adj.pval (internal)	Coef (external)	adj.pval (external)
ENSG00000260456	C16orf95	3.90E-01	2.09E-01	8.99E-06	6.21E-05	2.34E-01	1.00E+00	1.49E-02	1.00E+00
ENSG00000261594	TPBGL	3.48E-01	2.15E-01	8.69E-05	4.31E-04	1.46E-01	1.00E+00		
ENSG00000186105	LRRRC70	5.30E-01	2.13E-01	3.49E-10	1.26E-08	4.16E-01	1.41E-05	2.93E-01	2.44E-05
ENSG00000160808	MYL3	5.59E-01	2.58E-01	2.27E-11	1.28E-09	5.56E-01	2.55E-12	4.96E-01	4.35E-20
ENSG00000070729	CNGB1	5.05E-01	2.75E-01	3.07E-09	7.72E-08	3.53E-01	2.08E-03	2.43E-01	4.40E-03
ENSG00000180772	AGTR2	3.47E-01	2.39E-01	9.10E-05	4.48E-04	1.85E-01	1.00E+00	2.69E-01	3.26E-04
ENSG00000206559	ZCWPW2	5.13E-01	2.31E-01	1.59E-09	4.43E-08	2.74E-01	2.79E-01	2.63E-01	6.27E-04
ENSG00000189430	NCR1	5.83E-01	2.10E-01	1.84E-12	1.66E-10	3.51E-01	2.35E-03	3.00E-01	1.00E-05
ENSG00000137757	CASP5	5.47E-01	2.75E-01	7.43E-11	3.45E-09	4.29E-01	4.36E-06	3.83E-01	1.18E-10
ENSG00000187758	ADH1A	4.10E-01	2.25E-01	2.74E-06	2.32E-05	1.96E-01	1.00E+00	3.33E-01	1.70E-07
ENSG00000141371	C17orf64	4.40E-01	2.45E-01	4.05E-07	4.60E-06	1.09E-01	1.00E+00	1.02E-01	1.00E+00
ENSG00000131142	CCL25	6.13E-01	2.84E-01	6.33E-14	1.09E-11	2.32E-01	1.00E+00	1.68E-01	1.00E+00
ENSG00000158578	ALAS2	3.89E-01	2.15E-01	9.77E-06	6.64E-05	5.08E-02	1.00E+00	6.12E-02	1.00E+00
ENSG00000048545	GUCA1A	4.72E-01	2.29E-01	4.04E-08	6.61E-07	1.86E-01	1.00E+00	2.42E-01	4.47E-03
ENSG00000138684	IL21	5.54E-01	3.35E-01	3.78E-11	1.95E-09	4.12E-01	1.92E-05	3.31E-01	2.12E-07
ENSG00000140481	CCDC33	5.15E-01	2.20E-01	1.29E-09	3.77E-08	8.70E-02	1.00E+00	2.41E-02	1.00E+00
ENSG00000102794	IRG1	5.66E-01	2.46E-01	1.10E-11	7.19E-10	3.98E-01	6.65E-05	1.29E-01	1.00E+00
ENSG00000178997	EXD1	5.63E-01	2.70E-01	1.43E-11	8.90E-10	1.39E-01	1.00E+00	1.03E-01	1.00E+00
ENSG00000175065	DSG4	4.52E-01	2.69E-01	1.76E-07	2.28E-06	-3.86E-02	1.00E+00	2.67E-02	1.00E+00
ENSG00000166856	GPR182	4.61E-01	2.66E-01	8.83E-08	1.27E-06	1.17E-01	1.00E+00	1.81E-01	6.57E-01
ENSG00000205929	C21orf62	4.17E-01	2.13E-01	1.73E-06	1.57E-05	1.40E-01	1.00E+00	-5.18E-02	1.00E+00
ENSG00000179774	ATOH7	4.81E-01	2.01E-01	2.13E-08	3.94E-07	2.84E-01	1.66E-01	2.09E-01	8.10E-02
ENSG00000251692	PTX4	4.09E-01	2.32E-01	2.90E-06	2.42E-05	1.89E-01	1.00E+00	-7.29E-03	1.00E+00
ENSG00000266733	TBC1D29	5.46E-01	3.21E-01	8.17E-11	3.78E-09	-6.44E-02	1.00E+00	-6.39E-03	1.00E+00
ENSG00000267368	UPK3BL	3.45E-01	2.07E-01	9.80E-05	4.78E-04	2.07E-01	1.00E+00	5.75E-02	1.00E+00
ENSG00000164400	CSF2	4.73E-01	2.03E-01	3.63E-08	6.06E-07	2.18E-01	1.00E+00	1.93E-01	2.72E-01
ENSG00000231274	SBK3	3.97E-01	2.01E-01	5.88E-06	4.35E-05	2.17E-01	1.00E+00	1.22E-01	1.00E+00
ENSG00000177669	MBOAT4	3.69E-01	2.15E-01	2.91E-05	1.68E-04	3.50E-02	1.00E+00	-7.17E-02	1.00E+00
ENSG00000234469		3.90E-01	2.36E-01	8.87E-06	6.13E-05	2.59E-02	1.00E+00		
ENSG00000117400	MPL	4.57E-01	2.14E-01	1.21E-07	1.66E-06	1.08E-01	1.00E+00	8.36E-02	1.00E+00
ENSG00000221986	MYBPHL	3.42E-01	2.29E-01	1.14E-04	5.44E-04	2.03E-01	1.00E+00	-1.41E-04	1.00E+00
ENSG00000181625	SLX1B	4.02E-01	2.66E-01	4.44E-06	3.46E-05	2.21E-02	1.00E+00	-1.95E-01	2.38E-01
ENSG00000204071	TCEAL6	3.97E-01	2.10E-01	6.00E-06	4.42E-05	2.27E-01	1.00E+00	1.58E-01	1.00E+00
ENSG00000141437	SLC25A52	3.60E-01	2.42E-01	4.60E-05	2.51E-04	2.26E-01	1.00E+00		
ENSG00000064489	MEF2BNB-ME1	3.79E-01	2.10E-01	1.72E-05	1.09E-04	2.46E-01	1.00E+00	-1.62E-02	1.00E+00
ENSG00000161973	CCDC42	3.96E-01	2.47E-01	6.42E-06	4.67E-05	1.66E-01	1.00E+00	8.63E-02	1.00E+00
ENSG00000157211	CDCP2	3.92E-01	2.52E-01	7.78E-06	5.51E-05	2.32E-01	1.00E+00	-3.18E-02	1.00E+00
ENSG00000260272		3.60E-01	2.37E-01	4.69E-05	2.55E-04	2.51E-01	9.21E-01		
ENSG00000272896		4.12E-01	2.05E-01	2.46E-06	2.12E-05	1.10E-01	1.00E+00		
ENSG00000236334	PPIAL4G	3.69E-01	2.12E-01	2.92E-05	1.68E-04	1.43E-01	1.00E+00	8.92E-02	1.00E+00
ENSG00000255292		3.65E-01	3.05E-01	3.53E-05	1.99E-04	3.08E-01	4.03E-02		
ENSG00000258644	SYNJ2BP-COX	3.86E-01	2.12E-01	1.12E-05	7.48E-05	1.55E-01	1.00E+00	2.02E-02	1.00E+00
ENSG00000214866	DCDC2C	3.77E-01	2.02E-01	1.91E-05	1.18E-04	2.08E-01	1.00E+00		
ENSG00000189152	GRAPL	3.46E-01	2.16E-01	9.63E-05	4.70E-04	2.94E-01	9.34E-02	-4.95E-02	1.00E+00
ENSG00000255641		5.20E-01	2.19E-01	8.53E-10	2.67E-08	1.90E-01	1.00E+00		

Table S4. ST gene panel.

Probe Name	Probe Name	Probe Name	Probe Name
AKT1	CMKLR1	IFNG	POLR2A
ARG1	CSF1R	IFNGR1	PSMB10
B2M	CTLA4	IL12B	PTEN
BATF3	CTNNB1	IL15	PTPRC
BCL2	CXCL10	IL6	RAB7A
C10orf54	CXCL9	ITGAM	SDHA
CCL5	CXCR6	ITGAV	STAT1
CCND1	DKK2	ITGAX	STAT2
CD27	EPCAM	ITGB2	STAT3
CD274	FAS	ITGB8	TBX21
CD276	FOXP3	LAG3	TIGIT
CD3E	GZMB	LY6E	TNF
CD4	HAVCR2	MKI67	TNFRSF9
CD40	HIF1A	MS4A1	UBB
CD40LG	HLA-DQ1	multi-KRT	VEGFA
CD44	HLA-DRB1	NKG7	NegPrb1
CD47	HLA-E	OAZ1	NegPrb2
CD68	ICAM1	pan-melanocyte	NegPrb3
CD74	ICOSLG	PDCD1	NegPrb4
CD86	IDO1	PDCD1LG2	NegPrb5
CD8A	IFNAR1	PECAM1	NegPrb6

Supplementary Figures




Figure S1 a, Concordance of Spearman correlation coefficients, describing the relationship between RNA-seq expression and predicted expression for each gene, in the validation and internal test set. **b**, Concordance of Spearman correlation coefficients between validation and external test set. **c**, Concordance of Spearman correlation coefficients between internal and external test sets. **d**, Distribution of Spearman correlation coefficients, derived from within-slide correlations (across ROIs) for each slide and each gene, between the EMO-spatial predictions and ST expression profiling estimates.




Figure S2. Prediction results across 22 WSIs for top performing genes (PTPRC,MS4A1,CD3E,CXCL9). For each gene, the first and third line shows prediction heatmaps per WSI, and the scatter plots in the second and fourth line shows corresponding measured EMO-spatial predictions and ST measurements, each dot represents a value within one ROI.




Figure S3. Prediction results across 22 WSIs for the next 4 top performing genes (MKI67,NKG7,CD8A,CXCL10). For each gene, the first and third line shows prediction heatmaps per WSI, and the scatter plots in the second and fourth line shows corresponding measured EMO-spatial predictions and ST measurements, each dot represents a value within one ROI.

References

1. Goode, A., Gilbert, B., Harkes, J., Jukic, D. & Satyanarayanan, M. OpenSlide: A vendor-neutral software foundation for digital pathology. *J. Pathol. Inform.* **4**, 27 (2013).
2. Otsu, N. A Threshold Selection Method from Gray-Level Histograms. *IEEE Transactions on Systems, Man, and Cybernetics* vol. 9 62–66 (1979).
3. Bankhead, P. *et al.* QuPath: Open source software for digital pathology image analysis. *Sci. Rep.* **7**, 16878 (2017).
4. Pech-Pacheco, J. L., Cristobal, G., Chamorro-Martinez, J. & Fernandez-Valdivia, J. Diatom autofocusing in brightfield microscopy: a comparative study. *Proceedings 15th International Conference on Pattern Recognition. ICPR-2000* doi:10.1109/icpr.2000.903548.
5. Macenko, M. *et al.* A method for normalizing histology slides for quantitative analysis. *2009 IEEE International Symposium on Biomedical Imaging: From Nano to Macro* (2009) doi:10.1109/isbi.2009.5193250.
6. Ruifrok, A. C. & Johnston, D. A. Quantification of histochemical staining by color deconvolution. *Anal. Quant. Cytol. Histol.* **23**, 291–299 (2001).
7. Wang, M. *et al.* Determining breast cancer histological grade from RNA-sequencing data. *Breast Cancer Res.* **18**, 48 (2016).
8. Brueffer, C. *et al.* Clinical Value of RNA Sequencing–Based Classifiers for Prediction of the Five Conventional Breast Cancer Biomarkers: A Report From the Population-Based Multicenter Sweden Cancerome Analysis Network—Breast Initiative. *JCO Precision Oncology* 1–18 (2018) doi:10.1200/po.17.00135.
9. Szegedy, C., Vanhoucke, V., Ioffe, S., Shlens, J. & Wojna, Z. Rethinking the Inception Architecture for Computer Vision. *arXiv [cs.CV]* (2015).
10. Russakovsky, O. *et al.* ImageNet Large Scale Visual Recognition Challenge. *International Journal of Computer Vision* vol. 115 211–252 (2015).
11. Kingma, D. P. & Ba, J. Adam: A Method for Stochastic Optimization. *arXiv [cs.LG]* (2014).

12. Benjamini, Y. & Hochberg, Y. Controlling the False Discovery Rate: A Practical and Powerful Approach to Multiple Testing. *Journal of the Royal Statistical Society: Series B (Methodological)* vol. 57 289–300 (1995).
13. Simillion, C., Liechti, R., Lischer, H. E. L., Ioannidis, V. & Bruggmann, R. Avoiding the pitfalls of gene set enrichment analysis with SetRank. *BMC Bioinformatics* **18**, 151 (2017).
14. Jassal, B. *et al.* The reactome pathway knowledgebase. *Nucleic Acids Res.* **48**, D498–D503 (2020).
15. Martín Abadi *et al.* TensorFlow: Large-Scale Machine Learning on Heterogeneous Systems. (2015).
16. Subramanian, A. *et al.* Gene set enrichment analysis: a knowledge-based approach for interpreting genome-wide expression profiles. *Proc. Natl. Acad. Sci. U. S. A.* **102**, 15545–15550 (2005).
17. Ch'ng, E. S. & Kumanogoh, A. Roles of Sema4D and Plexin-B1 in tumor progression. *Mol. Cancer* **9**, 251 (2010).
18. Jiang, H. *et al.* The role of semaphorin 4D in tumor development and angiogenesis in human breast cancer. *Onco. Targets. Ther.* **9**, 5737–5750 (2016).
19. Hua, S., Kittler, R. & White, K. P. Genomic antagonism between retinoic acid and estrogen signaling in breast cancer. *Cell* **137**, 1259–1271 (2009).
20. Boström, P. *et al.* Analysis of cyclins A, B1, D1 and E in breast cancer in relation to tumour grade and other prognostic factors. *BMC Research Notes* vol. 2 140 (2009).
21. Poikonen, P. *et al.* Cyclin A as a marker for prognosis and chemotherapy response in advanced breast cancer. *Br. J. Cancer* **93**, 515–519 (2005).
22. Agarwal, R. *et al.* Integrative analysis of cyclin protein levels identifies cyclin b1 as a classifier and predictor of outcomes in breast cancer. *Clin. Cancer Res.* **15**, 3654–3662 (2009).
23. Kim, S. J. *et al.* Recurrence risk score based on the specific activity of CDK1 and CDK2 predicts response to neoadjuvant paclitaxel followed by 5-fluorouracil, epirubicin and cyclophosphamide in breast cancers. *Ann. Oncol.* **23**, 891–897 (2012).
24. Jin, S. *et al.* BRCA1 interaction of centrosomal protein Nlp is required for successful mitotic progression. *J. Biol. Chem.* **284**, 22970–22977 (2009).
25. Shao, S. *et al.* Centrosomal Nlp is an oncogenic protein that is gene-amplified in human tumors and causes spontaneous tumorigenesis in transgenic mice. *J. Clin. Invest.* **120**, 498–507 (2010).