

Data security; cf. Cryptography**Decision feedback equalizers**

HDTV terrestrial transm., block seq. least sq. DFE equalization algm.
Chun-Ming Zhao, +, T-BC Sep 98 278-285

Demodulation

COFDM hierarchical TV transm., multi-resoln. 64-DAPSK. *Engels, V., +, T-BC Mar 98 139-149*

Differential phase shift keying

16DAPSK-OFDM modulation for digital transm. of high bit rate sigs.
Moriyama, S., +, T-BC Mar 98 115-122

COFDM hierarchical TV transm., multi-resoln. 64-DAPSK. *Engels, V., +, T-BC Mar 98 139-149*

Digital audio broadcasting

bit error perform. for video over DAB syst. *Sostawa, B., +, T-BC Dec 98 445-448*

COFDM for DAB, perform. eval., HPA nonlin. effects. *Le, M.T., +, T-BC Jun 98 165-171*

in-band adjacent-channel syst. in freq.-selective fading. *Chrysochoos, M., +, T-BC Jun 98 243-249*

OFDM, digital in-band-on-channel AM/FM radio, PAC encoder. *Cupo, R.L., +, T-BC Mar 98 22-27*

Digital circuits; cf. Digital filters**Digital communication**

VBR MPEG-2 video over ATM networks, cell discarding mechanisms.
Cuenca, P., +, T-BC Jun 98 206-215

Digital communication; cf. Digital audio broadcasting; Digital TV**Digital filters**

OFDM terrestrial digital TV broadcasting, channel estim. *Chini, A., +, T-BC Mar 98 2-11*

Digital magnetic recording

video services broadcasting, cost-effective storage server. *Shiao-Li Tsao, +, T-BC Sep 98 300-308*

Digital modulation; cf. Amplitude shift keying**Digital recording; cf. Digital magnetic recording****Digital signal processors**

mobile video sig. reception, adaptive equalization of multipath interf.
Zhichun Lei, +, T-BC Jun 98 172-181

Digital TV

16DAPSK-OFDM modulation for digital transm. of high bit rate sigs.
Moriyama, S., +, T-BC Mar 98 115-122

broadcasting using OFDM modulation, hardware nonlin. *Chini, A., +, T-BC Mar 98 12-21*

CATV coaxial networks, upstream high speed digital commun. *Brendle, P., +, T-BC Sep 98 353-362*

COFDM hierarchical TV transm., multi-resoln. 64-DAPSK. *Engels, V., +, T-BC Mar 98 139-149*

DBS digital syst., transmitter station monitor/alarm/control implement.
Tae Kyoon Kim, +, T-BC Mar 98 94-99

DBS MPEG-2 spatial scalable video codec. *Yuh-Feng Hsu, +, T-BC Jun 98 233-242*

DVB-T digital TV broadcasting, param. optim./simulated perform.
Armada, A.G., +, T-BC Mar 98 131-138

DVB-T sigs., mobile broadcasting. *O'Leary, S., +, T-BC Sep 98 346-352*

FCC DTV spectral emission mask, adjacent channels degrad., antenna pattern differences. *Eilers, C., +, T-BC Mar 98 28-39*

HDTV digital broadcasting, syst. inform./service data transm. *Hyun-Ho Jeon, +, T-BC Mar 98 87-93*

Ka-band satellite TV broadcasting, MPEG-2 coding/transport stream error concealment. *Yuh-Feng Hsu, +, T-BC Mar 98 77-86*

Koreasat, DBS digital syst. design/implement. for TV/data broadcasting.
Sohn, W., +, T-BC Sep 98 316-323

MPEG2 distributed single freq. network, field trials. *O'Leary, S., T-BC Jun 98 194-205*

MPEG-2 video programs, joint coding for digital broadcasting services.

Sung-Hoon Hong, +, T-BC Jun 98 153-164

OFDM perform. in amp. nonlin. *Merchan, S., +, T-BC Mar 98 106-114*

OFDM terrestrial digital TV broadcasting, channel estim. *Chini, A., +, T-BC Mar 98 2-11*

perform. anal. of Viterbi decoder using channel state inform. in COFDM syst. *Lee, W., +, T-BC Dec 98 488-496*

quality of MPEG2 sig. on simulated digital terrestrial TV. *Baina, J., +, T-BC Dec 98 381-391*

Tribune/WGN DTV field test. *McKinnon, M., +, T-BC Sep 98 261-273*

video services broadcasting, cost-effective storage server. *Shiao-Li Tsao, +, T-BC Sep 98 300-308*

VOD service, adaptive fast data broadcasting scheme. *Li-Shen Juhn, +, T-BC Jun 98 182-185*

Dipole arrays

HF curtain arrays over perfect earth, intrinsic. *Hansen, R.C., T-BC Sep 98 309-315*

Direct broadcast satellite; cf. Satellite broadcasting**Directive antennas**

NEC/MININEC for antenna array elements modeling. *Smith, J.L., T-BC Jun 98 186-193*

Discrete cosine transforms

MPEG-2 video programs, joint coding for digital broadcasting services.
Sung-Hoon Hong, +, T-BC Jun 98 153-164

Discrete Fourier transforms

digital TV broadcasting using OFDM modulation, hardware nonlin. *Chini, A., +, T-BC Mar 98 12-21*

Distortion

COFDM for DAB, perform. eval., HPA nonlin. effects. *Le, M.T., +, T-BC Jun 98 165-171*

Distortion; cf. Intermodulation distortion; Rate distortion theory**Distributed amplifiers; cf. Traveling wave amplifiers****Diversity methods**

mobile video sig. reception, adaptive equalization of multipath interf.
Zhichun Lei, +, T-BC Jun 98 172-181

E**Economics; cf. Costs****Electric variables measurement; cf. Power measurement****Electromagnetic interference; cf. Electromagnetic radiative interference****Electromagnetic measurements**

meas. of RF radiation near MW and SW radio broadcast stations.
Al-Ruwais, A.S., T-BC Dec 98 470-477

Electromagnetic propagation in absorbing media

11.6 GHz commun./broadcasting satellite systs., rain atten., diurnal distrib.
Matricciani, E., T-BC Jun 98 250-258

Electromagnetic radiation; cf. Antenna radiation patterns**Electromagnetic radiative interference**

meas. of RF radiation near MW and SW radio broadcast stations.
Al-Ruwais, A.S., T-BC Dec 98 470-477

Electromagnetic radiative interference; cf. Cochannel interference; Interchannel interference; TV interference**Electromagnetic reflection**

multipath channel characts. using spectral anal. of sig. power dens.
Zeilinger, S., +, T-BC Dec 98 527-539

Encoding

CDMA direct-detect, fiber-optic sync. networks, real-time multimedia broadcasting. *Maw-Yang Liu, +, T-BC Sep 98 371-380*

Encoding; cf. Audio coding; Modulation coding; Transform coding**Equalizers**

DAB in-band adjacent-channel syst. in freq.-selective fading.
Chrysochoos, M., +, T-BC Jun 98 243-249

Equalizers; cf. Adaptive equalizers; Decision feedback equalizers**Error analysis**

bit error perform. for video over DAB syst. *Sostawa, B., +, T-BC Dec 98 445-448*

COFDM for DAB, perform. eval., HPA nonlin. effects. *Le, M.T., +, T-BC Jun 98 165-171*

DAB in-band adjacent-channel syst. in freq.-selective fading.
Chrysochoos, M., +, T-BC Jun 98 243-249

DVB-T digital TV broadcasting, param. optim./simulated perform.
Armada, A.G., +, T-BC Mar 98 131-138

HDTV terrestrial transm., block seq. least sq. DFE equalization algm.
Chun-Ming Zhao, +, T-BC Sep 98 278-285

OFDM perform. in amp. nonlin. *Merchan, S., +, T-BC Mar 98 106-114*

Error correction

DBS MPEG-2 spatial scalable video codec. *Yuh-Feng Hsu, +, T-BC Jun 98 233-242*

Estimation

OFDM terrestrial digital TV broadcasting, channel estim. *Chini, A., +, T-BC Mar 98 2-11*

Estimation; cf. Least squares methods**F****Fading channels**

16DAPSK-OFDM modulation for digital transm. of high bit rate sigs.
Moriyama, S., +, T-BC Mar 98 115-122

DAB in-band adjacent-channel syst. in freq.-selective fading.
Chrysochoos, M., +, T-BC Jun 98 243-249

digital TV broadcasting using OFDM modulation, hardware nonlin. *Chini, A., +, T-BC Mar 98 12-21*

mobile video sig. reception, adaptive equalization of multipath interf.
Zhichun Lei, +, T-BC Jun 98 172-181

Fault diagnosis; cf. Communication system fault diagnosis

Filters; cf. Digital filters; Equalizers; Optical filters

Fourier series

AM sigs., carrier wave freq. multiplication. *Trzaska, H.*, *T-BC Sep 98* 294-299

Fourier transforms

multipath channel characts. using spectral anal. of sig. power dens. *Zeilinger, S.*, +, *T-BC Dec 98* 527-539

Fourier transforms; cf.

Discrete Fourier transforms

Frequency conversion

AM sigs., carrier wave freq. multiplication. *Trzaska, H.*, *T-BC Sep 98* 294-299

Frequency division multiplexing

16DAPSK-OFDM modulation for digital transm. of high bit rate sigs. *Moriyama, S.*, +, *T-BC Mar 98* 115-122

COFDM for DAB, perform. eval., HPA nonlin. effects. *Le, M.T.*, +, *T-BC Jun 98* 165-171

COFDM hierarchical TV transm., multi-resoln. 64-DAPSK. *Engels, V.*, +, *T-BC Mar 98* 139-149

digital TV broadcasting using OFDM modulation, hardware nonlin. *Chini, A.*, +, *T-BC Mar 98* 12-21

MPEG2 distributed single freq. network, field trials. *O'Leary, S.*, *T-BC Jun 98* 194-205

OFDM, digital in-band-on-channel AM/FM radio, PAC encoder. *Cupo, R.L.*, +, *T-BC Mar 98* 22-27

OFDM perform. in amp. nonlin. *Merchan, S.*, +, *T-BC Mar 98* 106-114

OFDM terrestrial digital TV broadcasting, channel estim. *Chini, A.*, +, *T-BC Mar 98* 2-11

perform. anal. of Viterbi decoder using channel state inform. in COFDM syst. *Lee, W.*, +, *T-BC Dec 98* 488-496

Frequency modulation

HFC upstream channel, impulse noise ident. *Kuo-Hui Li*, +, *T-BC Sep 98* 324-329

OFDM, digital in-band-on-channel AM/FM radio, PAC encoder. *Cupo, R.L.*, +, *T-BC Mar 98* 22-27

G

Gaussian channels

COFDM for DAB, perform. eval., HPA nonlin. effects. *Le, M.T.*, +, *T-BC Jun 98* 165-171

Gaussian noise

OFDM perform. in amp. nonlin. *Merchan, S.*, +, *T-BC Mar 98* 106-114

Geometrical optics; cf.

Ray tracing

H

Hard disks

digital video services broadcasting, cost-effective storage server. *Shiao-Li Tsao*, +, *T-BC Sep 98* 300-308

HDTV

16DAPSK-OFDM modulation for digital transm. of high bit rate sigs. *Moriyama, S.*, +, *T-BC Mar 98* 115-122

digital broadcasting, syst. inform./service data transm. *Hyun-Ho Jeon*, +, *T-BC Mar 98* 87-93

Ka-band satellite TV broadcasting, MPEG-2 coding/transport stream error concealment. *Yuh-Feng Hsu*, +, *T-BC Mar 98* 77-86

terrestrial transm., block seq. least sq. DFE equalization algm. *Chun-Ming Zhao*, +, *T-BC Sep 98* 278-285

HF radio communication

meas. of RF radiation near MW and SW radio broadcast stations. *Al-Ruwais, A.S.*, *T-BC Dec 98* 470-477

HF radio propagation

broadcast transmitter, coverage area calcs. *Tanyer, S.G.*, +, *T-BC Jun 98* 226-232

Hierarchical systems

hierarchical HFC network with QoS guaranteed traffic policy. *Huang, N.-F.*, +, *T-BC Dec 98* 517-526

optimal video placement for hierarchical video-on-demand systs. *Hwang, R.-H.*, +, *T-BC Dec 98* 392-401

I

Image analysis; cf.

Image color analysis

Image coding; cf.

Video coding

Image color analysis

TV cameras for UV/near-IR/vis. *Takiguchi, Y.*, +, *T-BC Mar 98* 123-130

Image communication

VBR MPEG-2 video over ATM networks, cell discarding mechanisms. *Cuenca, P.*, +, *T-BC Jun 98* 206-215

+ Check author entry for coauthors

Image processing; cf.

Video signal processing

Imaging; cf.

Infrared imaging

Information rates

increasing channel capacity and range on urban opt. analog AM-VSB

CATV systs. *Podcameni, A.*, +, *T-BC Dec 98* 436-444

Information theory; cf.

Encoding

Infrared detectors

color TV cameras for UV/near-IR/vis. *Takiguchi, Y.*, +, *T-BC Mar 98*

123-130

Infrared imaging

color TV cameras for UV/near-IR/vis. *Takiguchi, Y.*, +, *T-BC Mar 98*

123-130

Integrated circuits; cf.

Application specific integrated circuits

Interactive TV

CATV coaxial networks, upstream high speed digital commun. *Brendle, P.*, +, *T-BC Sep 98* 353-362

data broadcasting/receiving scheme for popular video service. *Li-Shen Juhn*, +, *T-BC Mar 98* 100-105

digital video services broadcasting, cost-effective storage server. *Shiao-Li Tsao*, +, *T-BC Sep 98* 300-308

optimal real-time admission control algms. for video-on-demand service. *Lin, F.Y.-S.*, *T-BC Dec 98* 402-408

optimal video placement for hierarchical video-on-demand systs. *Hwang, R.-H.*, +, *T-BC Dec 98* 392-401

VOD service, adaptive fast data broadcasting scheme. *Li-Shen Juhn*, +, *T-BC Jun 98* 182-185

Interchannel interference

DAB in-band adjacent-channel syst. in freq.-selective fading. *Chrysoschoha, M.*, +, *T-BC Jun 98* 243-249

digital TV broadcasting using OFDM modulation, hardware nonlin. *Chini, A.*, +, *T-BC Mar 98* 12-21

FCC DTV spectral emission mask, adjacent channels degrad., antenna pattern differences. *Eilers, C.*, +, *T-BC Mar 98* 28-39

Interference suppression

mobile video sig. reception, adaptive equalization of multipath interf. *Zhichun Lei*, +, *T-BC Jun 98* 172-181

OFDM terrestrial digital TV broadcasting, channel estim. *Chini, A.*, +, *T-BC Mar 98* 2-11

Intermodulation distortion

CATV coaxial cable amps., IMD. *Germanov, V.*, *T-BC Sep 98* 363-370

Inverse problems

digital TV broadcasting using OFDM modulation, hardware nonlin. *Chini, A.*, +, *T-BC Mar 98* 12-21

L

Land mobile radio

clutter losses/environ. noise charact. *Rubinstein, T.N.*, *T-BC Sep 98* 286-293

COFDM for DAB, perform. eval., HPA nonlin. effects. *Le, M.T.*, +, *T-BC Jun 98* 165-171

S-band LMS propag. channel for different environ./shadowing/elevation angles. *Perez-Fontan, F.*, +, *T-BC Mar 98* 40-76

Least squares methods

HDTV terrestrial transm., block seq. least sq. DFE equalization algm. *Chun-Ming Zhao*, +, *T-BC Sep 98* 278-285

Linear approximation

COFDM for DAB, perform. eval., HPA nonlin. effects. *Le, M.T.*, +, *T-BC Jun 98* 165-171

Linear programming

effect of local min. on adjustment of complex directional arrays. *Smith, J.L.*, *T-BC Dec 98* 507-516

Liquid crystal devices

video camera syst. using liquid-crystal polarizing filter to reduce reflected light. *Fujikake, H.*, +, *T-BC Dec 98* 419-426

Log normal distributions

S-band LMS propag. channel for different environ./shadowing/elevation angles. *Perez-Fontan, F.*, +, *T-BC Mar 98* 40-76

Loss measurement

land use land cover categories, clutter losses/environ. noise charact. *Rubinstein, T.N.*, *T-BC Sep 98* 286-293

M

Magnetic memories; cf.

Hard disks

Magnetic recording; cf.

Digital magnetic recording

Markov processes

S-band LMS propag. channel for different environ./shadowing/elevation angles. *Perez-Fontan, F.*, +, *T-BC Mar 98* 40-76

† Check author entry for subsequent corrections/comments

Mathematical programming; cf. Linear programming
Mathematics; cf. Optimization methods
Matrix decomposition; cf. Singular value decomposition
Maximum likelihood decoding; cf. Viterbi decoding
Maximum likelihood detection
 CDMA direct-detect. fiber-optic sync. networks, real-time multimedia broadcasting. *Maw-Yang Liu, +, T-BC Sep 98* 371-380
Measurement; cf. Electromagnetic measurements; Loss measurement; Noise measurement
Memories; cf. Buffer memories
Meteorology; cf. Rain
Microprocessors; cf. Digital signal processors
Microwave communication
 MPEG2 distributed single freq. network, field trials. *O'Leary, S., T-BC Jun 98* 194-205
Microwave communication; cf. Microwave radio communication
Microwave propagation
 11.6 GHz commun./broadcasting satellite systs., rain atten., diurnal distrib. *Matricciani, E., T-BC Jun 98* 250-258
 DBS MPEG-2 spatial scalable video codec. *Yuh-Feng Hsu, +, T-BC Jun 98* 233-242
 S-band LMS propag. channel for different environ./shadowing/elevation angles. *Perez-Fontan, F., +, T-BC Mar 98* 40-76
Microwave radio communication
 meas. of RF radiation near MW and SW radio broadcast stations. *Al-Ruwais, A.S., T-BC Dec 98* 470-477
Mobile communication
 DVB-T sigs., mobile broadcasting. *O'Leary, S., +, T-BC Sep 98* 346-352
 video sig. reception, adaptive equalization of multipath interf. *Zhichun Lei, +, T-BC Jun 98* 172-181
Mobile communication; cf. Land mobile radio; Satellite mobile communication
Modems
 16DAPSK-OFDM modulation for digital transm. of high bit rate sigs. *Moriyama, S., +, T-BC Mar 98* 115-122
Modulation
 enhancing satellite broadcasting services using multiresolution modulations. *Reali, G., +, T-BC Dec 98* 497-506
Modulation; cf. Amplitude modulation; Frequency modulation; Modulation coding; Optical modulation; Phase shift keying
Modulation coding
 COFDM for DAB, perform. eval., HPA nonlin. effects. *Le, M.T., +, T-BC Jun 98* 165-171
 digital TV broadcasting using OFDM modulation, hardware nonlin. *Chini, A., +, T-BC Mar 98* 12-21
 MPEG2 distributed single freq. network, field trials. *O'Leary, S., T-BC Jun 98* 194-205
Multiaccess communication
 allocation and scheduling algms. for IEEE 802.14 and MCNS in hybrid fiber coaxial networks. *Lin, Y.-D., +, T-BC Dec 98* 427-435
Multiaccess communication; cf. Code division multiaccess; Subscriber loops
Multilevel systems; cf. Hierarchical systems
Multimedia communication
 CATV coaxial networks, upstream high speed digital commun. *Brendle, P., +, T-BC Sep 98* 353-362
 CDMA direct-detect. fiber-optic sync. networks, real-time multimedia broadcasting. *Maw-Yang Liu, +, T-BC Sep 98* 371-380
Multipath channels
 16DAPSK-OFDM modulation for digital transm. of high bit rate sigs. *Moriyama, S., +, T-BC Mar 98* 115-122
 digital TV broadcasting using OFDM modulation, hardware nonlin. *Chini, A., +, T-BC Mar 98* 12-21
 HDTV terrestrial transm., block seq. least sq. DFE equalization algm. *Chun-Ming Zhao, +, T-BC Sep 98* 278-285
 mobile video sig. reception, adaptive equalization of multipath interf. *Zhichun Lei, +, T-BC Jun 98* 172-181
 multipath channel characts. using spectral anal. of sig. power dens. *Zeilinger, S., +, T-BC Dec 98* 527-539
 OFDM perform. in amp. nonlin. *Merchan, S., +, T-BC Mar 98* 106-114
 OFDM terrestrial digital TV broadcasting, channel estim. *Chini, A., +, T-BC Mar 98* 2-11
 S-band LMS propag. channel for different environ./shadowing/elevation angles. *Perez-Fontan, F., +, T-BC Mar 98* 40-76
Multipath channels; cf. Rayleigh channels; Rician channels
Multiplexing
 CATV MPEG-2 multiplexers, timestamp-sensitive scheduling. *Ying-Dar Lin, +, T-BC Sep 98* 336-345

Multiplexing; cf. Frequency division multiplexing; Subcarrier multiplexing

N

Network servers
 digital video services broadcasting, cost-effective storage server. *Shiao-Li Tsao, +, T-BC Sep 98* 300-308
 VOD service, adaptive fast data broadcasting scheme. *Li-Shen Juhn, +, T-BC Jun 98* 182-185
Noise
 FCC DTV spectral emission mask, adjacent channels degrad., antenna pattern differences. *Eilers, C., +, T-BC Mar 98* 28-39
Noise; cf. Gaussian noise; Semiconductor device noise; Shot noise
Noise measurement
 land use land cover categories, clutter losses/environ. noise charact. *Rubinstein, T.N., T-BC Sep 98* 286-293
Nonlinear distortion; cf. Intermodulation distortion
Numerical analysis; cf. Convergence of numerical methods
Numerical stability
 HDTV terrestrial transm., block seq. least sq. DFE equalization algm. *Chun-Ming Zhao, +, T-BC Sep 98* 278-285

O

Object oriented methods
 DBS digital syst., transmitter station monitor/alarm/control implement. *Tae Kyoon Kim, +, T-BC Mar 98* 94-99
Optical communication; cf. Optical fiber communication
Optical communication equipment; cf. Optical receivers
Optical fiber communication
 allocation and scheduling algms. for IEEE 802.14 and MCNS in hybrid fiber coaxial networks. *Lin, Y.-D., +, T-BC Dec 98* 427-435
 CATV receivers, IMD. *Germanov, V., T-BC Sep 98* 363-370
 CDMA direct-detect. fiber-optic sync. networks, real-time multimedia broadcasting. *Maw-Yang Liu, +, T-BC Sep 98* 371-380
 hierarchical HFC network with QoS guaranteed traffic policy. *Huang, N.-F., +, T-BC Dec 98* 517-526
 hybrid fiber-coaxial networks, upstream channel redundant bandwidth. *Suming Ju, +, T-BC Jun 98* 216-225
 increasing channel capacity and range on urban opt. analog AM-VSB CATV systs. *Podcameni, A., +, T-BC Dec 98* 436-444
Optical fiber communication; cf. Optical subscriber loops
Optical filters
 color TV cameras for UV/near-IR/vis. *Takiguchi, Y., +, T-BC Mar 98* 123-130
 video camera syst. using liquid-crystal polarizing filter to reduce reflected light. *Fujikake, H., +, T-BC Dec 98* 419-426
Optical modulation
 COFDM hierarchical TV transm., multi-resoln. 64-DAPSK. *Engels, V., +, T-BC Mar 98* 139-149
Optical polarization
 video camera syst. using liquid-crystal polarizing filter to reduce reflected light. *Fujikake, H., +, T-BC Dec 98* 419-426
Optical receivers
 CATV receivers, IMD. *Germanov, V., T-BC Sep 98* 363-370
 CDMA direct-detect. fiber-optic sync. networks, real-time multimedia broadcasting. *Maw-Yang Liu, +, T-BC Sep 98* 371-380
Optical signal detection
 CDMA direct-detect. fiber-optic sync. networks, real-time multimedia broadcasting. *Maw-Yang Liu, +, T-BC Sep 98* 371-380
Optical signal processing; cf. Optical filters
Optical subscriber loops
 hybrid fiber-coax networks, upstream bandwidth dyn. assignment. *Suming Ju, +, T-BC Sep 98* 330-335
Optimization methods
 DVB-T digital TV broadcasting, param. optim./simulated perform. *Armada, A.G., +, T-BC Mar 98* 131-138
 optimal video placement for hierarchical video-on-demand systs. *Hwang, R.-H., +, T-BC Dec 98* 392-401
Optimization methods; cf. Least squares methods; Linear programming

P

Packet switching; cf. Asynchronous transfer mode
Phase shift keying; cf. Differential phase shift keying; Quadrature phase shift keying
Photodiodes; cf. Avalanche photodiodes
Polarization
 11.6 GHz commun./broadcasting satellite systs., rain atten., diurnal distrib. *Matricciani, E., T-BC Jun 98* 250-258

- HF curtain arrays over perfect earth, intrinsic. *Hansen, R.C.*, *T-BC Sep 98* 309-315
- Polarization; cf.** Optical polarization
- Power amplifiers**
- class-F power amps. with reduced conduction angles. *Raab, F.H.*, *T-BC Dec 98* 455-459
 - COFDM for DAB, perform. eval., HPA nonlin. effects. *Le, M.T.*, +, *T-BC Jun 98* 165-171
 - general balance power anal. of HFHPTA with (M,N)-composite sigs. *Kostic, S.*, +, *T-BC Dec 98* 547-552
- Power measurement**
- multipath channel characts. using spectral anal. of sig. power dens. *Zeilinger, S.*, +, *T-BC Dec 98* 527-539
- Probability; cf.** Log normal distributions
- Protocols**
- VSAT secure satellite commun., key distrib. *Jeong-Hyun Park*, +, *T-BC Sep 98* 274-277
- Q**
- Quadrature amplitude modulation**
- COFDM hierarchical TV transm., multi-resoln. 64-DAPSK. *Engels, V.*, +, *T-BC Mar 98* 139-149
 - digital TV broadcasting using OFDM modulation, hardware nonlin. *Chini, A.*, +, *T-BC Mar 98* 12-21
 - OFDM perform. in amp. nonlin. *Merchan, S.*, +, *T-BC Mar 98* 106-114
 - OFDM terrestrial digital TV broadcasting, channel estim. *Chini, A.*, +, *T-BC Mar 98* 2-11
- Quadrature phase shift keying**
- DAB in-band adjacent-channel syst. in freq.-selective fading. *Chryschooos, M.*, +, *T-BC Jun 98* 243-249
 - DVB-T sigs., mobile broadcasting. *O'Leary, S.*, +, *T-BC Sep 98* 346-352
 - OFDM perform. in amp. nonlin. *Merchan, S.*, +, *T-BC Mar 98* 106-114
- Quantization**
- MPEG-2 video programs, joint coding for digital broadcasting services. *Sung-Hoon Hong*, +, *T-BC Jun 98* 153-164
- R**
- Radiation detectors; cf.** Infrared detectors
- Radio broadcasting**
- HF radio broadcast transmitter, coverage area calcs. *Tanyer, S.G.*, +, *T-BC Jun 98* 226-232
 - meas. of RF radiation near MW and SW radio broadcast stations. *Al-Ruwais, A.S.*, *T-BC Dec 98* 470-477
 - num. calc. and stat. anal. of MW field intens. on synchronized emitters. *Wang, Z.*, +, *T-BC Dec 98* 409-418
 - PFD trigger threshold for co-ordination of BSS(S) and point-to-multipoint terrestrial systs. *Kerans, A.J.*, +, *T-BC Dec 98* 449-454
- Radio communication; cf.** HF radio communication; Land mobile radio; Microwave radio communication; Radio broadcasting; Satellite communication
- Radio communication equipment; cf.** Radio transmitters
- Radio propagation; cf.** HF radio propagation; UHF radio propagation; VHF radio propagation
- Radio spectrum management**
- FCC DTV spectral emission mask, adjacent channels degrad., antenna pattern differences. *Eilers, C.*, +, *T-BC Mar 98* 28-39
- Radio transmitters**
- HF radio broadcast transmitter, coverage area calcs. *Tanyer, S.G.*, +, *T-BC Jun 98* 226-232
- Rain**
- 11.6 GHz commun./broadcasting satellite systs., rain atten., diurnal distrib. *Matricciani, E.*, *T-BC Jun 98* 250-258
- Random noise; cf.** Gaussian noise
- Rate distortion theory**
- MPEG-2 video programs, joint coding for digital broadcasting services. *Sung-Hoon Hong*, +, *T-BC Jun 98* 153-164
- Rayleigh channels**
- DAB in-band adjacent-channel syst. in freq.-selective fading. *Chryschooos, M.*, +, *T-BC Jun 98* 243-249
- Ray tracing**
- HF radio broadcast transmitter, coverage area calcs. *Tanyer, S.G.*, +, *T-BC Jun 98* 226-232
- Real time systems**
- CDMA direct-detect. fiber-optic sync. networks, real-time multimedia broadcasting. *Maw-Yang Liu*, +, *T-BC Sep 98* 371-380
- Receivers; cf.** Optical receivers; TV receivers
- Receiving antennas**
- RLSA antenna optimum design for DBS reception. *Kechagias, K.*, +, *T-BC Dec 98* 460-469
- Redundancy**
- hybrid fiber coaxial networks, upstream channel redundant bandwidth. *Suming Ju*, +, *T-BC Jun 98* 216-225
- Reflection; cf.** Electromagnetic reflection
- Resource management**
- allocation and scheduling algrms. for IEEE 802.14 and MCNS in hybrid fiber coaxial networks. *Lin, Y.-D.*, +, *T-BC Dec 98* 427-435
- Rician channels**
- DAB in-band adjacent-channel syst. in freq.-selective fading. *Chryschooos, M.*, +, *T-BC Jun 98* 243-249
- S**
- Satellite broadcasting**
- 11.6 GHz commun./broadcasting satellite systs., rain atten., diurnal distrib. *Matricciani, E.*, *T-BC Jun 98* 250-258
 - digital syst., transmitter station monitor/alarm/control implement. *Tae Kyoon Kim*, +, *T-BC Mar 98* 94-99
 - enhancing satellite broadcasting services using multiresolution modulations. *Reali, G.*, +, *T-BC Dec 98* 497-506
 - Ka-band satellite TV broadcasting, MPEG-2 coding/transport stream error concealment. *Yuh-Feng Hsu*, +, *T-BC Mar 98* 77-86
 - Koreasat, DBS digital syst. design/implement. for TV/data broadcasting. *Sohn, W.*, +, *T-BC Sep 98* 316-323
 - MPEG-2 spatial scalable video codec. *Yuh-Feng Hsu*, +, *T-BC Jun 98* 233-242
 - MPEG-2 video programs, joint coding for digital broadcasting services. *Sung-Hoon Hong*, +, *T-BC Jun 98* 153-164
 - PFD trigger threshold for co-ordination of BSS(S) and point-to-multipoint terrestrial systs. *Kerans, A.J.*, +, *T-BC Dec 98* 449-454
 - RLSA antenna optimum design for DBS reception. *Kechagias, K.*, +, *T-BC Dec 98* 460-469
- Satellite communication**
- VSAT secure satellite commun., key distrib. *Jeong-Hyun Park*, +, *T-BC Sep 98* 274-277
- Satellite mobile communication**
- S-band LMS propag. channel for different environ./shadowing/elevation angles. *Perez-Fontan, F.*, +, *T-BC Mar 98* 40-76
- Scheduling**
- allocation and scheduling algrms. for IEEE 802.14 and MCNS in hybrid fiber coaxial networks. *Lin, Y.-D.*, +, *T-BC Dec 98* 427-435
 - CATV MPEG-2 multiplexers, timestamp-sensitive scheduling. *Ying-Dar Lin*, +, *T-BC Sep 98* 336-345
- Security; cf.** Alarm systems; Data security
- Semiconductor device noise**
- CDMA direct-detect. fiber-optic sync. networks, real-time multimedia broadcasting. *Maw-Yang Liu*, +, *T-BC Sep 98* 371-380
- Sequences**
- CDMA direct-detect. fiber-optic sync. networks, real-time multimedia broadcasting. *Maw-Yang Liu*, +, *T-BC Sep 98* 371-380
- Sequential decoding; cf.** Viterbi decoding
- Series (mathematics); cf.** Fourier series
- Shot noise**
- HFC upstream channel, impulse noise ident. *Kuo-Hui Li*, +, *T-BC Sep 98* 324-329
- Signal analysis; cf.** Spectral analysis
- Signal detection; cf.** Maximum likelihood detection; Optical signal detection
- Signal processing; cf.** Signal sampling; Video signal processing
- Signals**
- OFDM, digital in-band-on-channel AM/FM radio, PAC encoder. *Cupo, R.L.*, +, *T-BC Mar 98* 22-27
- Signal sampling**
- HFC upstream channel, impulse noise ident. *Kuo-Hui Li*, +, *T-BC Sep 98* 324-329
- Simulation**
- quality of MPEG2 sig. on simulated digital terrestrial TV. *Baina, J.*, +, *T-BC Dec 98* 381-391
- Singular value decomposition**
- HFC upstream channel, impulse noise ident. *Kuo-Hui Li*, +, *T-BC Sep 98* 324-329
- Slot arrays**
- RLSA antenna optimum design for DBS reception. *Kechagias, K.*, +, *T-BC Dec 98* 460-469
- Software; cf.** Communication system software
- Spectral analysis**
- AM sigs., carrier wave freq. multiplication. *Trzaska, H.*, *T-BC Sep 98* 294-299
 - FCC DTV spectral emission mask, adjacent channels degrad., antenna pattern differences. *Eilers, C.*, +, *T-BC Mar 98* 28-39
 - multipath channel characts. using spectral anal. of sig. power dens. *Zeilinger, S.*, +, *T-BC Dec 98* 527-539

- Stability; cf.** Numerical stability
Standards; cf. Communication standards
Statistics
- 11.6 GHz commun./broadcasting satellite systs., rain atten., diurnal distrib.
Matricciani, E., T-BC Jun 98 250-258
 - num. calc. and stat. anal. of MW field intens. on synchronized emitters.
Wang, Z., +, T-BC Dec 98 409-418
- Stochastic processes; cf.** Markov processes; Time series
- Subcarrier multiplexing**
- increasing channel capacity and range on urban opt. analog AM-VSB
 CATV systs. *Podcameni, A., +, T-BC Dec 98* 436-444
- Subscriber loops**
- CATV coaxial networks, upstream high speed digital commun. *Brendle, P., +, T-BC Sep 98* 353-362
 - HFC upstream channel, impulse noise ident. *Kuo-Hui Li, +, T-BC Sep 98* 324-329
- Subscriber loops; cf.** Optical subscriber loops
- Synchronization**
- MPEG2 distributed single freq. network, field trials. *O'Leary, S., T-BC Jun 98* 194-205
- T**
- Time series**
- 11.6 GHz commun./broadcasting satellite systs., rain atten., diurnal distrib.
Matricciani, E., T-BC Jun 98 250-258
- Time-varying channels**
- HDTV terrestrial transm., block seq. least sq. DFE equalization algm.
Chun-Ming Zhao, +, T-BC Sep 98 278-285
- Traffic control (communication)**
- hybrid fiber-coax networks, upstream bandwidth dyn. assignment. *Suming Ju, +, T-BC Sep 98* 330-335
 - optimal real-time admission control algms. for video-on-demand service.
Lin, F.Y.-S., T-BC Dec 98 402-408
 - VOD service, adaptive fast data broadcasting scheme. *Li-Shen Juhn, +, T-BC Jun 98* 182-185
- Transform coding**
- MPEG-2 video programs, joint coding for digital broadcasting services.
Sung-Hoon Hong, +, T-BC Jun 98 153-164
- Transforms; cf.** Discrete cosine transforms; Discrete Fourier transforms; Fourier transforms
- Transmission lines; cf.** Coaxial transmission lines
- Transmitters; cf.** Radio transmitters; TV transmitters
- Traveling wave amplifiers**
- COFDM for DAB, perform. eval., HPA nonlin. effects. *Le, M.T., +, T-BC Jun 98* 165-171
- TV; cf.** Cable TV; Digital TV; Interactive TV
- TV broadcasting**
- 11.6 GHz commun./broadcasting satellite systs., rain atten., diurnal distrib.
Matricciani, E., T-BC Jun 98 250-258
 - 16DPSK-OFDM modulation for digital transm. of high bit rate sigs.
Moriyama, S., +, T-BC Mar 98 115-122
 - bit error perform. for video over DAB syst. *Sostawa, B., +, T-BC Dec 98* 445-448
 - data broadcasting/receiving scheme for popular video service. *Li-Shen Juhn, +, T-BC Mar 98* 100-105
 - DBS digital syst., transmitter station monitor/alarm/control implement.
Tae Kyoon Kim, +, T-BC Mar 98 94-99
 - DBS MPEG-2 spatial scalable video codec. *Yuh-Feng Hsu, +, T-BC Jun 98* 233-242
 - digital/analog cochannel protection ratio field meas. *O'Leary, S., T-BC Dec 98* 540-546
 - digital TV broadcasting using OFDM modulation, hardware nonlin. *Chini, A., +, T-BC Mar 98* 12-21
 - digital video services broadcasting, cost-effective storage server. *Shiao-Li Tsao, +, T-BC Sep 98* 300-308
 - DVB-T digital TV broadcasting, param. optim./simulated perform.
Armada, A.G., +, T-BC Mar 98 131-138
 - DVB-T sigs., mobile broadcasting. *O'Leary, S., +, T-BC Sep 98* 346-352
 - HDTV digital broadcasting, syst. inform./service data transm. *Hyun-Ho Jeon, +, T-BC Mar 98* 87-93
 - HDTV terrestrial transm., block seq. least sq. DFE equalization algm.
Chun-Ming Zhao, +, T-BC Sep 98 278-285
 - Ka-band satellite TV broadcasting, MPEG-2 coding/transport stream error concealment. *Yuh-Feng Hsu, +, T-BC Mar 98* 77-86
 - Koreasat, DBS digital syst. design/implement. for TV/data broadcasting.
Sohn, W., +, T-BC Sep 98 316-323
 - MPEG2 distributed single freq. network, field trials. *O'Leary, S., T-BC Jun 98* 194-205
 - MPEG-2 video programs, joint coding for digital broadcasting services.
Sung-Hoon Hong, +, T-BC Jun 98 153-164
- U**
- UHF radio propagation**
- land use land cover categories, clutter losses/environ. noise charact.
Rubinstein, T.N., T-BC Sep 98 286-293
 - S-band LMS propag. channel for different environ./shadowing/elevation angles. *Perez-Fontan, F., +, T-BC Mar 98* 40-76
- Ultraviolet detectors**
- color TV cameras for UV/near-IR/vis. *Takiguchi, Y., +, T-BC Mar 98* 123-130
- Urban areas**
- increasing channel capacity and range on urban opt. analog AM-VSB
 CATV systs. *Podcameni, A., +, T-BC Dec 98* 436-444
- V**
- VHF radio propagation**
- land use land cover categories, clutter losses/environ. noise charact.
Rubinstein, T.N., T-BC Sep 98 286-293
- Video cameras**
- video camera syst. using liquid-crystal polarizing filter to reduce reflected light. *Fujikake, H., +, T-BC Dec 98* 419-426
- Video codecs**
- DVB-T digital TV broadcasting, param. optim./simulated perform.
Armada, A.G., +, T-BC Mar 98 131-138
 - HDTV digital broadcasting, syst. inform./service data transm. *Hyun-Ho Jeon, +, T-BC Mar 98* 87-93
 - Ka-band satellite TV broadcasting, MPEG-2 coding/transport stream error concealment. *Yuh-Feng Hsu, +, T-BC Mar 98* 77-86
- Video coding**
- DVB-T digital TV broadcasting, param. optim./simulated perform.
Armada, A.G., +, T-BC Mar 98 131-138
 - HDTV digital broadcasting, syst. inform./service data transm. *Hyun-Ho Jeon, +, T-BC Mar 98* 87-93
 - Ka-band satellite TV broadcasting, MPEG-2 coding/transport stream error concealment. *Yuh-Feng Hsu, +, T-BC Mar 98* 77-86
 - MPEG2 distributed single freq. network, field trials. *O'Leary, S., T-BC Jun 98* 194-205
 - MPEG-2 video programs, joint coding for digital broadcasting services.
Sung-Hoon Hong, +, T-BC Jun 98 153-164

- VBR MPEG-2 video over ATM networks, cell discarding mechanisms.
Cuenca, P., +, T-BC Jun 98 206-215
- Video equipment**
CATV coaxial cable amps., IMD. *Germanov, V., T-BC Sep 98* 363-370
digital video services broadcasting, cost-effective storage server. *Shiao-Li Tsao, +, T-BC Sep 98* 300-308
- Video equipment; cf.** Video cameras; Video codecs
- Video on demand; cf.** Interactive TV
- Video signal processing**
AM sigs., carrier wave freq. multiplication. *Trzaska, H., T-BC Sep 98* 294-299
data broadcasting/receiving scheme for popular video service. *Li-Shen Juhn, +, T-BC Mar 98* 100-105
mobile video sig. reception, adaptive equalization of multipath interf. *Zhichun Lei, +, T-BC Jun 98* 172-181
- Video signal processing; cf.** Video coding
- Visualization**
num. calc. and stat. anal. of MW field intens. on synchronized emitters.
Wang, Z., +, T-BC Dec 98 409-418
- Visual system**
insect color vision, IR-UV TV cameras. *Takiguchi, Y., +, T-BC Mar 98* 123-130
- Viterbi decoding**
DVB-T digital TV broadcasting, param. optim./simulated perform.
Armada, A.G., +, T-BC Mar 98 131-138
perform. anal. of Viterbi decoder using channel state inform. in COFDM syst. *Lee, W., +, T-BC Dec 98* 488-496

W

- Wire communication; cf.** Cable TV