IEEE

SYSTEMS JOURNAL

A PUBLICATION OF THE IEEE SYSTEMS COUNCIL

JUNE 2020 VOLUME 14 NUMBER 2 ISJEB2 (ISSN 1932-8184)

EDITORIAL

Editorial . . . . . *A. G. Aghdam* 1537

REGULAR PAPERS

System Definition, System Worldviews, and Systemness Characteristics . . . . . *D. Dori, H. Sillitto, R. M. Griego, D. McKinney, E. P. Arnold, P. Godfrey, J. Martin, S. Jackson, and D. Krob* 1538

Global Fault-Tolerant Sampled-Data Control for Large-Scale Switched Time-Delay Nonlinear Systems . . . . . *W. He, C. K. Ahn, and Z. Xiang* 1549

Experiential Systems Engineering Education Concept Using Stratospheric Balloon Missions . . . . . *A. Golkar* 1558

Model-Based Design of Complex Aeronautical Systems Through Digital Twin and Thread Concepts . . . . . *G. Bachelor, E. Brusa, D. Ferretto, and A. Mitschke* 1568

Weight Induced Norm Approach to Group Decision Making for Multiobjective Optimization Problems in Systems Engineering . . . . . *W.-Y. Chiu, S. H. Manoharan, and T.-Y. Huang* 1580

Heterogeneous System-on-Chip-Based Lattice-Boltzmann Visual Simulation System . . . . . *X. Zhai, M. Chen, S. S. Esfahani, A. Amira, F. Bensaali, J. Abinahed, S. Dakua, R. A. Richardson, and P. V. Coveney* 1592

Sampled-Data Decentralized Output Feedback Control for a Class of Switched Large-Scale Stochastic Nonlinear Systems . . . . . *S. Li and Z. Xiang* 1602

A Novel Effectiveness Evaluation Method Based on Simultaneous Probabilistic Finite-State Machines . . . . . *Y. Nan, G. Yi, C. Wang, and Z. Tu* 1611

Simultaneous Benefit Maximization of Conflicting Opinions: Modeling and Analysis . . . . . *L.-X. Yang, P. Li, X. Yang, Y. Xiang, and Y. Y. Tang* 1623

VTracer: When Online Vehicle Trajectory Compression Meets Mobile Edge Computing . . . . . *C. Chen, Y. Ding, Z. Wang, J. Zhao, B. Guo, and D. Zhang* 1635

An MDE-Based Tool for Early Analysis of UML2.0/PSM Atomic and Composite Components . . . . . *T. S. Rouis, M. T. Bhiri, L. Sliman, and M. Kmimech* 1647

Toward Greater Intelligence in Route Planning: A Graph-Aware Deep Learning Approach . . . . . *Z. Zhuang, J. Wang, Q. Qi, H. Sun, and J. Liao* 1658

Proactive Forwarding of High Data Rate in Smart Virtualization Networks for High-Speed Trains . . . . . *F. A. Yaseen and H. S. Al-Raweshidy* 1670

Distributed Elections Using Site-Push Majority Winner Monitoring . . . . . *K. Chaturvedi and S. Rao* 1682

Information-Based Hierarchical Planning for a Mobile Sensing Network in Environmental Mapping . . . . . *T. Li, K. Tong, M. Xia, B. Li, and C. W. de Silva* 1692

PFCBAS: Pairing Free and Provable Certificate-Based Aggregate Signature Scheme for the e-Healthcare Monitoring System . . . . . *G. K. Verma, B. B. Singh, N. Kumar, O. Kaiwartya, and M. S. Obaidat* 1704

Edge Computing-Based Mobile Health System: Network Architecture and Resource Allocation . . . . . *D. Lin and Y. Tang* 1716

(Contents Continued on Page 1532)

IEEE

(Contents Continued from page 1531)

Efficient Ranked Multi-Keyword Retrieval With Privacy Protection for Multiple Data Owners in Cloud Computing ... *J. Sun, S. Hu, X. Nie, and J. Walker* 1728
Venue2Vec: An Efficient Embedding Model for Fine-Grained User Location Prediction in Geo-Social Networks ... *S. Xu, J. Cao, P. Legg, B. Liu, and S. Li* 1740
Reliability Evaluation and Reliability-Based Optimal Design for Wireless Sensor Networks ... *S. Xiang and J. Yang* 1752
Bayesian-Inference-Based Sliding Window Trust Model Against Probabilistic SSDF Attack in Cognitive Radio Networks ... *Y. Fu and Z. He* 1764
Resist Interest Flooding Attacks via Entropy–SVM and Jensen–Shannon Divergence in Information-Centric Networking ... *T. Zhi, Y. Liu, J. Wang, and H. Zhang* 1776
Remote Data Checking With a Designated Verifier in Cloud Storage ... *H. Yan, J. Li, and Y. Zhang* 1788
Online Planning for Multiagent Situational Information Gathering in the Markov Environment ... *X. Zhou, W. Wang, T. Wang, M. Li, and F. Zhong* 1798
Moving Target Defense Mechanism for Side-Channel Attacks ... *S. Vuppala, A. E.-D. Mady, and A. Kuenzi* 1810
White-Box Implementation of Shamir's Identity-Based Signature Scheme ... *Q. Feng, D. He, H. Wang, N. Kumar, and K.-K.R. Choo* 1820
A Novel Control-Performance-Oriented Data-Driven Fault Classification Approach ... *T. Liu, H. Luo, O. Kaynak, and S. Yin* 1830
Fuzzy-Based 3-D Stream Traffic Lightweighting Over Mobile P2P Network ... *C. Zhang, H.-H. Cho, C.-Y. Chen, T. K. Shih, and H.-C. Chao* 1840
MQry: Elastic Validity Region for Querying Mobile Point-of-Interests in Infrastructure-Less Networks ... *B. Jung, S. Lim, J. Chae, C. Pu, and M. Min* 1852
Analyzing NDN NACK on Interest Flooding Attack via SIS Epidemic Model ... *K. Wang, D. Guo, and W. Quan* 1862
Opinion Maximization Through Unknown Influence Power in Social Networks Under Weighted Voter Model ... *Q. He, X. Wang, B. Yi, F. Mao, Y. Cai, and M. Huang* 1874
Detection of False Data Injection Attacks in Smart Grids Based on Graph Signal Processing ... *E. Drayer and T. Routtenberg* 1886
Cybersecurity Vulnerability Mitigation Framework Through Empirical Paradigm (CyFEr): Prioritized Gap Analysis ... *S. N. G. Gourisetti, M. Mylrea, and H. Patangia* 1897
Secure Communications Over Cell-Free Massive MIMO Networks With Hardware Impairments ... *X. Zhang, D. Guo, K. An, and B. Zhang* 1909
Secure Distribution of Protected Content in Information-Centric Networking ... *M. Bilal and S. Pack* 1921
DAISY: A Detection and Mitigation System Against Denial-of-Service Attacks in Software-Defined Networks ... *M. Imran, M. H. Durad, F. A. Khan, and H. Abbas* 1933
Priority-Based Protection Against the Malicious Data Injection Attacks on State Estimation ... *K. Khanna, B. K. Panigrahi, and A. Joshi* 1945
A Multistage Deep Residual Network for Biomedical Cyber-Physical Systems ... *A. Pandey, R. Sequeria, P. Kumar, and S. Kumar* 1953
A Novel Privacy-Preserving Authentication Scheme for V2G Networks ... *Y. Su, G. Shen, and M. Zhang* 1963
Insider Attack Protection: Lightweight Password-Based Authentication Techniques Using ECC ... *S. Rajamanickam, S. Vollala, R. Amin, and N. Ramasubramanian* 1972
Autonomic Intrusion Detection and Response Using Big Data ... *K. Vieira, F. L. Koch, J. B. M. Sobral, C. B. Westphall, and J. L. de S. Leão* 1984
Practical Privacy-Preserving Frequent Itemset Mining on Supermarket Transactions ... *C. Ma, B. Wang, K. Jooste, Z. Zhang, and Y. Ping* 1992
Energy-Efficient IoT-Fog-Cloud Architectural Paradigm for Real-Time Wildfire Prediction and Forecasting ... *H. Kaur and S. K. Sood* 2003
Cyber-Attack Resilient Design of Wide-Area PSS Considering Practical Communication Constraints ... *T. Prakash, V. P. Singh, and S. R. Mohanty* 2012
Detection and Mitigation of Cyber-Attacks on AGC Systems of Low Inertia Power Grid ... *S. D. Roy and S. Debbarma* 2023
A Secure End-to-End Verifiable Internet-Voting System Using Identity-Based Blind Signature ... *M. Kumar, S. Chand, and C. P. Katti* 2032

(Contents Continued on Page 1533)

(Contents Continued from page 1532)

ChainSDI: A Software-Defined Infrastructure for Regulation-Compliant Home-Based Healthcare Services Secured by Blockchains . . . . . *P. Li, C. Xu, H. Jin, C. Hu, Y. Luo, Y. Cao, J. Mathew, and Y. Ma* 2042
Cyber-Attacks in a Looped Energy-Water Nexus: An Inoculated Sub-Observer-Based Approach . . . . . *H. M. Khalid, S. M. Muyeen, and J. C.-H. Peng* 2054
An Elliptic Curve-Based Scalable Data Aggregation Scheme for Smart Grid . . . . . *Y. Chen, J.-F. Martínez-Ortega, P. Castillejo, and L. López* 2066
Consensus and Clustering of Expressed and Private Opinions in Dynamical Networks Against Attacks . . . . . *Y. Shang* 2078
Distributed Learning and Coordination in Cognitive Infrastructureless Networks of Unknown Size . . . . . *R. Kumar, S. J. Darak, M. K. Hanawal, and A. Yadav* 2085
Energy-Efficient Resource Allocation for Dynamic Priority-Based Vehicular Mobile-Health Communications . . . . . *B. Fan, Z. He, H. Tian, D. Kong, and Y. Chen* 2097
Sum-Throughput Maximization of Secondary Users in an In-Band Full-Duplex Cognitive Wireless Powered Communication Network . . . . . *R. Jafari, M. Mahdavi, and M. S. Fazel* 2109
Artificial Noisy MIMO Systems Under Correlated Scattering Rayleigh Fading—A Physical Layer Security Approach . . . . . *Y. Liu, H.-H. Chen, L. Wang, and W. Meng* 2121
Time-Dependent Bit Error Rate Analysis for Smart Utility Networks in the Presence of WLAN Interferers . . . . . *A. Gouissem, R. Hamila, N. Al-Dhahir, L. Ben-Brahim, and A. Gastli* 2133
Association, Blockage, and Handoffs in IEEE 802.11ad-Based 60-GHz Picocells—A Closer Look . . . . . *K. C. Joshi, R. Hersyandika, and R. V. Prasad* 2144
An Efficient Elliptic Curve Cryptography-Based Without Pairing KPABE for Internet of Things . . . . . *K. Sowjanya, M. Dasgupta, S. Ray, and M. S. Obaidat* 2154
Orthogonal Chirp Division Multiplexing for Baseband Data Communication Systems . . . . . *L. de M. B. A. Dib, G. R. Colen, M. de L. Filomeno, and M. V. Ribeiro* 2164
QoS-Aware Cross-Layer Optimization of Hybrid DSL-LTE Access Networks . . . . . *T. C. Chuah and Y. L. Lee* 2175
Spectrum Optimization for Satellite Communication Systems With Heterogeneous User Preferences . . . . . *F. Li, K.-Y. Lam, M. Jia, K. Zhao, X. Li, and L. Wang* 2187
Security–Reliability Tradeoff for Untrusted and Selfish Relay-Assisted D2D Communications in Heterogeneous Cellular Networks for IoT . . . . . *C. Zhang, J. Ge, F. Gong, F. Jia, and N. Guo* 2192
Study on Base Station Topology in National Cellular Networks: Take Advantage of Alpha Shapes, Betti Numbers, and Euler Characteristics . . . . . *Y. Chen, R. Li, Z. Zhao, and H. Zhang* 2202
Chaos-Based Anytime-Reliable Coded Communications . . . . . *A. Tarable and F. J. Escribano* 2214
Spectrum-Occupancy Aware Cooperative Spectrum Sensing Using Adaptive Detection . . . . . *M. A. Al-Jarrah, A. Al-Dweik, S. S. Ikki, and E. Alsusa* 2225
Performance Analysis of Precoded Wireless OFDM With Carrier Frequency Offset . . . . . *F. Kalbat, A. Al-Dweik, B. Sharif, and G. K. Karagiannidis* 2237
Optimizing Design Parameters for Relay-Aided Massive MIMO Systems . . . . . *M. G. El-Mashed* 2249
Delay-Optimal Cooperation Policy in a Slotted Aloha Full-Duplex Wireless Network: Static Approach . . . . . *K. Vaezi and F. Ashtiani* 2257
Outage and ASE Analyses for Power Controlled D2D Communication . . . . . *P. Pawar, A. Trivedi, and M. K. Mishra* 2269
EHLinQ: Distributed Scheduler for D2D Communication With RF Energy Harvesting . . . . . *H.-S. Lee and J.-W. Lee* 2281
Cooperative Communication and Energy-Harvesting-Enabled Energy-Efficient Design of MI-Based Clustered Nonconventional WSNs . . . . . *A. L. Prasanna, V. Kumar, and S. B. Dhok* 2293
Partial-Fixed Interference Alignment in Multiuser Interference Channel . . . . . *X. Chen, F.-K. Gong, and H. Ding* 2303
Near-Optimal Detection of Monobit Digitized UWB Signals in the Presence of Noise and Strong Intersymbol Interference . . . . . *H. Khani and H. Nie* 2311
An Online Bearing Fault Diagnosis Technique via Improved Demodulation Spectrum Analysis Under Variable Speed Conditions . . . . . *D. Liu, W. Cheng, and W. Wen* 2323
A Software-Defined Management System for IP-Enabled WSNs . . . . . *F. F. Jurado-Lasso, K. Clarke, and A. Nirmalathas* 2335
SDNMM—A Generic SDN-Based Modular Management System for Wireless Sensor Networks . . . . . *M. Ndiaye, A. M. Abu-Mahfouz, and G. P. Hancke* 2347
A Priority-Based Multiobjective Design for Routing, Spectrum, and Network Coding Assignment Problem in Network-Coding-Enabled Elastic Optical Networks . . . . . *D. T. Hai, L. H. Chau, and N. T. Hung* 2358

(Contents Continued on Page 1534)

(Contents Continued from page 1533)

Physical-Layer Security for Frequency Diverse Array Communication System Over Nakagami-*m* Fading Channels . . . . *S. Ji and W.-Q. Wang* 2370
Energy-Efficient Adaptive Sectorization for 5G Green Wireless Communication Systems . . . . . *P. Jain and A. Gupta* 2382
Joint Nullspace Projection-Based Interference Mitigation for Full-Duplex Relay-Assisted Multicell Networks . . . . . *M. M. Fadoul and C. Y. Leow* 2392
A Contract Theory Approach-Based Scheme to Encourage Secondary Users for Cooperative Sensing in Cognitive Radio Networks . . . . . *N. Gupta, S. K. Dhurandher, and A. Sehgal* 2400
Online Power Management for Latency-Sensitive Bluetooth Low-Energy Beacons . . . . . *D.-C. Chen, Y.-L. Zheng, Y.-S. Chen, and K.-X. Lee* 2411
Effect of Doppler Shift on the Performance of Multicell Full-Duplex Massive MIMO Networks . . . . . *J. Dai, M. Zhang, J. Wang, J. Shi, R. Song, and C. Cheng* 2421
Throughput Maximization for Cognitive Radio With Wirelessly Powered Primary Users . . . . . *M. Sun, M. Jin, Q. Guo, and Y. Li* 2432
Uplink Low-Power Scheduling for Delay-Bounded Industrial Wireless Networks Based on Imperfect Power-Domain NOMA . . . . . *C. Xu, M. Wu, Y. Xu, and Y. Fang* 2443
Multiuser Variable Rate GO-OFDMA Architecture and Its FPGA Prototype . . . . . *R. Palisetty and K. C. Ray* 2455
Integrated Communication and Localization System With OFDM-Chirp Waveform . . . . . *W. Jia, W.-Q. Wang, Y. Hou, and S. Zhang* 2464
Relay-Aided Outdoor-to-Indoor Communication in Millimeter-Wave Cellular Networks . . . . . *K. Ntontin and C. Verikoukis* 2473
Decentralized Learning for Opportunistic Spectrum Access: Multiuser Restless Multiarmed Bandit Formulation . . . . . *H. Agrawal and K. Asawa* 2485
Performance of Wireless Powered DF Relay System Under Nakagami-m Fading: Relay Assists Energy-Constrained Source . . . . . *P. Kumar and K. Dhaka* 2497
A Robust Synchronization-Based Chaotic Secure Communication Scheme With Double-Layered and Multiple Hybrid Networks . . . . . *L. Zhou, F. Tan, and F. Yu* 2508
Outage Probability in the Uplink of Multitier Millimeter Wave Cellular Networks . . . . . *O. Onireti, L. Zhang, A. Imran, and M. A. Imran* 2520
Cost-Benefit Tradeoff of Byzantine Attack in Cooperative Spectrum Sensing . . . . . *J. Wu, Y. Yu, H. Zhu, T. Song, and J. Hu* 2532
Expanded Multiband Super-Nyquist CAP Modulation for Highly Bandlimited Organic Visible Light Communications . . . . . *P. Chvojka, P. A. Haigh, A. Minotto, A. Burton, P. Murto, Z. Genene, W. Mammo, M. R. Andersson, E. Wang, Z. Ghassemlooy, F. Cacialli, I. Darwazeh, and S. Zvanovec* 2544
Probabilistic Stability of Traffic Load Balancing on Wireless Complex Networks . . . . . *G. Moutsinas and W. Guo* 2551
Robust Power Control for Clustering-Based Vehicle-to-Vehicle Communication . . . . . *Z. Liu, Y.-ai Xie, Y. Yuan, K. Ma, K. Y. Chan, and X. Guan* 2557
Joint Subarray Selection and Power Allocation for Cognitive Target Tracking in Large-Scale MIMO Radar Networks . . . . . *H. Zhang, W. Liu, J. Xie, Z. Zhang, and W. Lu* 2569
Near-Optimal Multicast Tree Construction in Leaf-Spine Data Center Networks . . . . . *S. Luo, H. Xing, and K. Li* 2581
Energy-Efficient Design of MI Communication-Based 3-D Non-Conventional WSNs . . . . . *S. Yadav, V. Kumar, S. B. Dhok, and D. N. K. Jayakody* 2585
Resource Allocation in Wireless Networks With Deep Reinforcement Learning: A Circumstance-Independent Approach . . . . . *H.-S. Lee, J.-Y. Kim, and J.-W. Lee* 2589
Intrusion-Detector-Dependent Frequency Regulation for Microgrids Under Denial-of-Service Attacks . . . . . *S. Liu, P. Siano, and X. Wang* 2593
Joint Beamforming and Relay Selection in AF Two-Way Relay Networks With Energy Transfer . . . . . *M. Tian, W. Sun, L. Huang, S. Zhao, and Q. Li* 2597
A Review on Design and Implementation of Software-Defined WLANs . . . . . *K. I. Qureshi, L. Wang, L. Sun, C. Zhu, and L. Shu* 2601
Application of Bang–Bang Controller to Emulate Primary Frequency Response in DFIGs . . . . . *M. Toulabi, A. Ashouri-Zadeh, H. Kazari, and A. M. Ranjbar* 2615
Optimal Planning and Operational Strategy of a Residential Microgrid With Demand Side Management . . . . . *L. Bhamidi and S. Sivasubramani* 2624

(Contents Continued on Page 1535)

(Contents Continued from page 1534)

Transmission–Distribution Cosimulation: Analytical Methods for Iterative Coupling . . . . . *G. Krishnamoorthy and A. Dubey* 2633
Electrical Power System Resilience Assessment: A Comprehensive Approach . . . . . *H. Sabouhi, A. Doroudi, M. Fotuhi-Firuzabad, and M. Bashiri* 2643
Simplified Modeling and HIL Validation of Solar PVs and Storage-Based Islanded Microgrid With Generation Uncertainties . . . . . *S. Sen and V. Kumar* 2653
Determining Impact of Lightning Strike Location on Failures in Transmission Network Elements Using Fuzzy Decision-Making . . . . . *I. Petrović, S. Nikolovski, H. R. Baghaee, and H. Glavaš* 2665
A Novel SCL Configuration Method for Modeling Microgrids With IEC 61850 . . . . . *Mohd. A. Aftab, S. M. S. Hussain, I. Ali, and T. S. Ustun* 2676
Optimal CHP Planning in Integrated Energy Systems Considering Network Charges . . . . . *H. Wang, C. Gu, X. Zhang, and F. Li* 2684
Robust Optimization-Based Energy Storage Operation for System Congestion Management . . . . . *X. Yan, C. Gu, X. Zhang, and F. Li* 2694
Probabilistic Model for Microgrids Optimal Energy Management Considering AC Network Constraints . . . . . *M. Javidsharifi, T. Niknam, J. Aghaei, M. Shafie-khah, and J. P. S. Catalão* 2703
Equilibrium Analysis of Electricity Market With Demand Response Exchange to Counterbalance Bid Deviations of Renewable Generators . . . . . *X. Wang, K. Zhang, S. Zhang, and L. Wu* 2713
Fault Detection, Classification, and Location by Static Switch in Microgrids Using Wavelet Transform and Taguchi-Based Artificial Neural Network . . . . . *Y.-Y. Hong and M. T. A. M. Cabatac* 2725
Spectral Graph Analysis of the Geometry of Power Flows in Transmission Networks . . . . . *N. Retiére, D. T. Ha, and J.-G. Caputo* 2736
System Design and Realization of a Solar-Powered Electric Vehicle Charging Station . . . . . *S. M. Shariff, M. S. Alam, F. Ahmad, Y. Rafat, M. S. J. Asghar, and S. Khan* 2748
Multiobjective Multiscenario Under-Frequency Load Shedding in a Standalone Power System . . . . . *Y.-Y. Hong and M.-T. Nguyen* 2759
Improvement in Recloser–Fuse Coordination Technique Based on Modification Factor . . . . . *Y. M. Makwana, B. R. Bhalja, and R. Gokaraju* 2770
A Smart Optimization of Fault Diagnosis in Electrical Grid Using Distributed Software-Defined IoT System . . . . . *A. K. Al Mhdawi and H. S. Al-Raweshidy* 2780
Importance Sampling Using Multilabel Radial Basis Classification for Composite Power System Reliability Evaluation . . . . . *D. Urgun, C. Singh, and V. Vittal* 2791
Covariance Analysis of LAV Robust Dynamic State Estimation in Power Systems . . . . . *L. Sun, T. Chen, W. K. Ho, K. V. Ling, and J. M. Maciejowski* 2801
Robust Voltage Control in Inverter-Interfaced Microgrids Under Plug-and-Play Functionalities . . . . . *A. Zarei, Y. Mousavi, R. Mosalanezhad, and M. H. Atazadegan* 2813
Improving Microgrid Low-Voltage Ride-Through Capacity Using Neural Control . . . . . *L. Djilali, E. N. Sanchez, F. Ornelas-Tellez, A. Avalos, and M. Belkheiri* 2825
Risk and Resilience Assessment With Component Criticality Ranking of Electric Power Systems Subject to Earthquakes . . . . . *S. Espinoza, A. Poulos, H. Rudnick, J. C. de la Llera, M. Panteli, and P. Mancarella* 2837
A Cyber-Physical Cooperative Hierarchical Control Strategy for Islanded Microgrid Facing With Random Communication Failure . . . . . *B. Zhang, C. Dou, D. Yue, Z. Zhang, and T. Zhang* 2849
Reliability Evaluation in Microgrids With Non-Exponential Failure Rates of Power Units . . . . . *S. Peyghami, M. Fotuhi-Firuzabad, and F. Blaabjerg* 2861
A Two-Stage Mathematical Programming Approach for the Solution of Combined Heat and Power Economic Dispatch . . . . . *M. Moradi-Dalvand, M. Nazari-Heris, B. Mohammadi-ivatloo, S. Galavani, and A. Rabiee* 2873
Deployment of Drone-Based Small Cells for Public Safety Communication System . . . . . *K. Ali, H. X. Nguyen, Q.-T. Vien, P. Shah, and M. Raza* 2882
Local Controllability, Trajectory Planning, and Stabilization of a Two-Agent Underactuated Microrobotic System . . . . . *M. Fruchard, L. Sadelli, and A. Ferreira* 2892
Globally Stable Formation Control of Nonholonomic Multiagent Systems With Bearing-Only Measurement . . . . . *X. Luo, X. Li, X. Li, J. Yan, and X. Guan* 2901

(Contents Continued on Page 1536)

(Contents Continued from page 1535)

Optimal Connected Cruise Control With Arbitrary Communication Delays . . . . . *Z. Wang, Y. Gao, C. Fang, L. Liu, S. Guo, and P. Li* 2913
System Architecture for Real-Time Surface Inspection Using Multiple UAVs . . . . . *V. T. Hoang, M. D. Phung, T. H. Dinh, and Q. P. Ha* 2925
Visual Perception for Multiple Human–Robot Interaction From Motion Behavior . . . . . *E. Benli, Y. Motai, and J. Rogers* 2937
Joint Position, Decoding Order, and Power Allocation Optimization in UAV-Based NOMA Downlink Communications . . . . . *D. Hu, Q. Zhang, Q. Li, and J. Qin* 2949
FPGA-Based Design Optimization in Autonomous Robot Systems for Inspection of Civil Infrastructure . . . . . *R. G. Lins and S. N. Givigi* 2961
A Robust Visual Person-Following Approach for Mobile Robots in Disturbing Environments . . . . . *L. Pang, Z. Cao, J. Yu, P. Guan, X. Chen, and W. Zhang* 2965
Mobile Target Tracking Mechanisms Using Unmanned Aerial Vehicle: Investigations and Future Directions . . . . . *A. I. Hentati and L. C. Fourati* 2969
Resolution Limit of Positioning Error for Range-Free Localization Schemes . . . . . *L. Gui, B. He, F. Xiao, and F. Shu* 2980
FreeTrack: Device-Free Human Tracking With Deep Neural Networks and Particle Filtering . . . . . *R. Zhou, M. Tang, Z. Gong, and M. Hao* 2990
WiFi Fingerprinting Indoor Localization Using Local Feature-Based Deep LSTM . . . . . *Z. Chen, H. Zou, J. F. Yang, H. Jiang, and L. Xie* 3001
Nanomachine Localization in a Diffusive Molecular Communication System . . . . . *S. Kumar* 3011
An Intelligent Elevator Development and Management System . . . . . *L.-D. Van, Y.-B. Lin, T.-H. Wu, and Y.-C. Lin* 3015
Research on Cooperative Trajectory Planning and Tracking Problem for Multiple Carrier Aircraft on the Deck . . . . . *J. Liu, W. Han, X. Wang, and J. Li* 3027
Optimized Fuzzy Logic-Based Fire Monitoring in Underground Coal Mines: Binary Particle Swarm Optimization Approach . . . . . *L. Muduli, D. P. Mishra, and P. K. Jana* 3039
Improved Bacterial Foraging Algorithm for Cell Formation and Product Scheduling Considering Learning and Forgetting Factors in Cellular Manufacturing Systems . . . . . *J. Wang, C. Liu, and M. C. Zhou* 3047
Microscale Particulate Matter Monitoring With Reliable Event Transport in Urban Environments . . . . . *T. Yang, H. Roh, J. Han, S. Park, and S.-H. Kim* 3057
Cooperative Sensing Scheme for Acquisition of Rotational Synchronization of Radar . . . . . *J. Lee, H. Baek, and J. Lim* 3061