

2020 Index

IEEE Transactions on Circuits and Systems I: Regular Papers

Vol. 67

This index covers all technical items—papers, correspondence, reviews, etc.—that appeared in this periodical during 2020, and items from previous years that were commented upon or corrected in 2020. Departments and other items may also be covered if they have been judged to have archival value.

The Author Index contains the primary entry for each item, listed under the first author's name. The primary entry includes the coauthors' names, the title of the paper or other item, and its location, specified by the publication abbreviation, year, month, and inclusive pagination. The Subject Index contains entries describing the item under all appropriate subject headings, plus the first author's name, the publication abbreviation, month, and year, and inclusive pages. Note that the item title is found only under the primary entry in the Author Index.

AUTHOR INDEX

A

- Abdolrazzahi, M.**, and Daneshmand, M., Exploiting Sensitivity Enhancement in Micro-wave Planar Sensors Using Intermodulation Products With Phase Noise Analysis; *TCSI Dec. 2020 4382-4395*
- Abolfathi, H.**, see Jokar, E., *TCSI Dec. 2020 4932-4945*
- Abufalgha, M.A.**, see Al-Daloo, M., *TCSI Oct. 2020 3309-3319*
- Ackie, A.**, see Koziel, B., *TCSI Dec. 2020 4842-4854*
- Addabbo, T.**, Fort, A., Moretti, R., Mugnaini, M., Takaloo, H., and Vignoli, V., A New Class of Digital Circuits for the Design of Entropy Sources in Programmable Logic; *TCSI July 2020 2419-2430*
- Aeron, S.**, see Somappa, L., *TCSI Dec. 2020 4556-4565*
- Afanasyev, P.**, see Ramabadran, P., *TCSI Feb. 2020 526-539*
- Afzali-Kusha, A.**, see Samimi, N., *TCSI Feb. 2020 658-671*
- Afzali-Kusha, A.**, see Haghi, P., *TCSI Sept. 2020 3056-3069*
- Agarwal, R.K.**, see Xing, W., *TCSI Dec. 2020 5233-5245*
- Agostini, L.**, see Sanchez, G., *TCSI Feb. 2020 415-427*
- Agostini, L.**, see Saldanha, M., *TCSI May 2020 1704-1714*
- Agostini, L.V.**, see Correa, M.M., *TCSI May 2020 1481-1494*
- Agrawal, A.**, see Ali, M., *TCSI Aug. 2020 2521-2531*
- Agrawal, A.**, see Jaiswal, A., *TCSI Dec. 2020 4651-4659*
- Aguirre, L.A.**, see Hafiz, F., *TCSI June 2020 2016-2028*
- Ahmadi, A.**, see Jokar, E., *TCSI Dec. 2020 4932-4945*
- Ahmadi-Farsani, J.**, Zuniga-Gonzalez, V., Serrano-Gotarredona, T., Linares-Barranco, B., and de la Rosa, J.M., Enhanced Linearity in FD-SOI CMOS Body-Input Analog Circuits – Application to Voltage-Controlled Ring Oscillators and Frequency-Based $\Sigma\Delta$ ADCs; *TCSI Oct. 2020 3297-3308*
- Ahn, C.K.**, see Kim, S., *TCSI Oct. 2020 3533-3540*
- Ai, J.**, see Luo, Q., *TCSI March 2020 939-950*
- Aketi, S.A.**, Gupta, S., Cheng, H., Mekie, J., and Beerel, P.A., SERAD: Soft Error Resilient Asynchronous Design Using a Bundled Data Protocol; *TCSI May 2020 1667-1677*
- Akkad, G.**, Mansour, A., ElHassan, B.A., Inaty, E., Ayoubi, R., and Srar, J.A., A Pipelined Reduced Complexity Two-Stages Parallel LMS Structure for Adaptive Beamforming; *TCSI Dec. 2020 5079-5091*
- Al-Daloo, M.**, Abufalgha, M.A., Yakovlev, A., and Halak, B., Bootstrapped Driver and the Single-Event-Upset Effect; *TCSI Oct. 2020 3309-3319*
- Al-Numay, M.S.**, see Aroudi, A.E., *TCSI Dec. 2020 5574-5585*
- Al-Numay, M.S.**, see El Aroudi, A., *TCSI May 2020 1729-1739*
- Ali, M.**, see Trigui, A., *TCSI Nov. 2020 3978-3990*
- Ali, M.**, Jaiswal, A., Kodge, S., Agrawal, A., Chakraborty, I., and Roy, K., IMAC: In-Memory Multi-Bit Multiplication and Accumulation in 6T SRAM Array; *TCSI Aug. 2020 2521-2531*
- Ali, M.F.**, Jaiswal, A., and Roy, K., In-Memory Low-Cost Bit-Serial Addition Using Commodity DRAM Technology; *TCSI Jan. 2020 155-165*
- Ali, M.F.**, see Jaiswal, A., *TCSI Dec. 2020 4651-4659*
- Alimohammad, A.**, see Valencia, D., *TCSI Dec. 2020 5200-5210*
- Alioto, M.**, see Teo, J.H., *TCSI April 2020 1378-1388*
- Alizadeh, A.**, Hassanzadehyamchi, S., Medi, A., and Kiaei, S., An X-Band Class-J Power Amplifier With Active Load Modulation to Boost Drain Efficiency; *TCSI Oct. 2020 3364-3377*
- Alizadeh, M.N.**, see Park, C., *TCSI Nov. 2020 3618-3629*
- Almoneer, M.**, Mitran, P., and Boumaiza, S., IQ Imbalance Compensation in Wideband Millimeter-Wave Transmitters Using a Single Undersampling ADC; *TCSI Aug. 2020 2730-2738*
- Ammari, A.C.**, see Trigui, A., *TCSI Nov. 2020 3978-3990*
- Amrouch, H.**, see Kim, H., *TCSI April 2020 1319-1332*
- Amrouch, H.**, Pahwa, G., Gaidhane, A.D., Dabhi, C.K., Klemme, F., Prakash, O., and Chauhan, Y.S., Impact of Variability on Processor Performance in Negative Capacitance FinFET Technology; *TCSI Sept. 2020 3127-3137*
- Amrouch, H.**, see Tasoulas, Z., *TCSI Dec. 2020 4670-4683*
- An, F.**, see Xu, C., *TCSI Nov. 2020 3954-3964*
- Anagnostopoulos, I.**, see Tasoulas, Z., *TCSI Feb. 2020 428-440*
- Anagnostopoulos, I.**, see Tasoulas, Z., *TCSI Dec. 2020 4670-4683*
- Andersson, R.**, and Garrido, M., Using Rotator Transformations to Simplify FFT Hardware Architectures; *TCSI Dec. 2020 4784-4793*
- Angeli, N.**, and Hofmann, K., Low-Power All-Digital Multiphase DLL Design Using a Scalable Phase-to-Digital Converter; *TCSI April 2020 1158-1168*
- Aniruddhan, S.**, see Kadam, M., *TCSI Dec. 2020 4641-4650*
- Annema, A.**, see Ponte, J., *TCSI Feb. 2020 369-377*
- Antonini, G.**, see Belforte, P., *TCSI Jan. 2020 235-248*
- Antunes, F.L.M.**, see Miranda, P.H.A., *TCSI Dec. 2020 5675-5686*
- Apsel, A.**, see Tapen, T., *TCSI Jan. 2020 271-283*
- Ardila, J.**, Morales, H., and Roa, E., On the Cross-Correlation Based Loop Gain Adaptation for Bang-Bang CDRs; *TCSI April 2020 1169-1180*
- Arigong, B.**, see Ren, H., *TCSI Dec. 2020 5031-5039*
- Aroudi, A.E.**, Mandal, K., Al-Numay, M.S., Giaouris, D., and Banerjee, S., Piecewise Quadratic Slope Compensation Technique for DC-DC Switching Converters; *TCSI Dec. 2020 5574-5585*
- Asami, K.**, see Byambadorj, Z., *TCSI Jan. 2020 298-308*
- Asami, K.**, see Byambadorj, Z., *TCSI Dec. 2020 5561-5573*
- Ascoli, A.**, Messaris, I., Tetzlaff, R., and Chua, L.O., Theoretical Foundations of Memristor Cellular Nonlinear Networks: Stability Analysis With Dynamic Memristors; *TCSI April 2020 1389-1401*
- Ascoli, A.**, see Tetzlaff, R., *TCSI Feb. 2020 502-515*
- Ascoli, A.**, Tetzlaff, R., Kang, S., and Chua, L.O., Theoretical Foundations of Memristor Cellular Nonlinear Networks: A DRM₂-Based Method to Design Memcomputers With Dynamic Memristors; *TCSI Aug. 2020 2753-2766*
- Asgari, V.**, and Belostotski, L., Wideband 28-nm CMOS Variable-Gain Amplifier; *TCSI Jan. 2020 37-47*
- Assawinchaichote, W.**, see Wen, Y., *TCSI Dec. 2020 5347-5357*
- Atarodi, S.M.**, see Karami, P., *TCSI Dec. 2020 4494-4506*
- Avallone, L.**, Kennedy, M.P., Karman, S., Samori, C., and Levantino, S., Jitter Minimization in Digital PLLs with Mid-Rise TDCs; *TCSI March 2020 743-752*
- Avitabile, G.**, see Piccinni, G., *TCSI Oct. 2020 3320-3330*
- Ay, S.U.**, see Elmezayen, M.R., *TCSI Dec. 2020 4484-4493*
- Ayoubi, R.**, see Akkad, G., *TCSI Dec. 2020 5079-5091*
- Azarderakhsh, R.**, see Seo, H., *TCSI Aug. 2020 2659-2671*
- Azarderakhsh, R.**, see Koziel, B., *TCSI Dec. 2020 4842-4854*
- Aziz, A.**, see Kundi, D., *TCSI Dec. 2020 4869-4882*

B

Babaie, M., see Urso, A., *TCSI Nov. 2020 3764-3777*

- Babaie, M.**, see van Dijk, J.P.G., *TCSI Dec. 2020 5380-5393*
- Babaie, M.**, see Urso, A., *TCSI Dec. 2020 4233-4246*
- Bachmann, C.**, see Ding, M., *TCSI July 2020 2263-2273*
- Badr, A.O.**, Lou, E., Tsui, Y.Y., and Moussa, W.A., A High Efficiency AC/DC NVC-PSSHI Electrical Interface for Vibration-Based Energy Harvesters; *TCSI Jan. 2020 346-355*
- Bae, H.**, see Jeon, S., *TCSI Aug. 2020 2825-2835*
- Bae, H.**, see Yoon, J., *TCSI Aug. 2020 2647-2658*
- Bagheri, M.**, Schembari, F., Pourmousavian, N., Zare-Hoseini, H., Hasko, D., and Staszewski, R.B., A Mismatch Calibration Technique for SAR ADCs Based on Deterministic Self-Calibration and Stochastic Quantization; *TCSI Sept. 2020 2883-2896*
- Baghini, M.S.**, see Somappa, L., *TCSI Feb. 2020 590-599*
- Baghini, M.S.**, see Sankar, S., *TCSI Dec. 2020 4281-4294*
- Baghini, M.S.**, see Somappa, L., *TCSI Dec. 2020 4556-4565*
- Baharmast, A.**, Kurtti, S., and Kostamovaara, J., A Wide Dynamic Range Laser Radar Receiver Based on Input Pulse-Shaping Techniques; *TCSI Aug. 2020 2566-2577*
- Bai, C.**, Ren, H., and Kolumban, G., Double-Sub-Stream M-ary Differential Chaos Shift Keying Wireless Communication System Using Chaotic Shape-Forming Filter; *TCSI Oct. 2020 3574-3587*
- Bai, Y.**, see Wang, J., *TCSI Dec. 2020 4247-4258*
- Baichuan, C.**, see Jahan, N., *TCSI April 2020 1115-1125*
- Bairamkulov, R.**, and Friedman, E.G., Effective Resistance of Finite Two-Dimensional Grids Based on Infinity Mirror Technique; *TCSI Sept. 2020 3224-3233*
- Balatsoukas-Stimming, A.**, see Tetu, J., *TCSI April 2020 1194-1206*
- Baltus, P.**, see Duipmans, L., *TCSI Aug. 2020 2767-2779*
- Bampi, S.**, see Ramos, F.L.L., *TCSI Feb. 2020 475-488*
- Banaekashani, A.**, see Karami, P., *TCSI Dec. 2020 4494-4506*
- Banerjee, A.**, Ding, L., and Hezar, R., A High Efficiency Multi-Mode Outphasing RF Power Amplifier With 31.6 dBm Peak Output Power in 45nm CMOS; *TCSI March 2020 815-828*
- Banerjee, S.**, see Aroudi, A.E., *TCSI Dec. 2020 5574-5585*
- Barakat, A.**, see Jahan, N., *TCSI April 2020 1115-1125*
- Bargfrede, J.**, see Kasturi Rangan, J., *TCSI Feb. 2020 401-414*
- Barragan, M.J.**, see Sharma, E., *TCSI Feb. 2020 378-388*
- Barton, T.W.**, see Donahue, D.T., *TCSI Dec. 2020 5113-5124*
- Basaligheh, A.**, Saffari, P., Filanovsky, I.M., and Moez, K., A 65–81 GHz CMOS Dual-Mode VCO Using High Quality Factor Transformer-Based Inductors; *TCSI Dec. 2020 4533-4543*
- Bass, O.**, and Shor, J., A Miniaturized 0.003 mm² PNP-Based Thermal Sensor for Dense CPU Thermal Monitoring; *TCSI Sept. 2020 2984-2992*
- Basu, A.**, see Bose, S.K., *TCSI March 2020 913-926*
- Batarseh, I.**, see Chen, X., *TCSI Dec. 2020 5611-5623*
- Baudrenghien, P.**, see Galindo Guarch, F.J., *TCSI May 2020 1653-1666*
- Bayat-Sarmadi, S.**, see Farzam, M., *TCSI Dec. 2020 4895-4903*
- Bayoumi, M.**, see Khalil, K., *TCSI Nov. 2020 3880-3892*
- Beerel, P.A.**, see Aketi, S.A., *TCSI May 2020 1667-1677*
- Behmanesh, B.**, see Karami, P., *TCSI Dec. 2020 4494-4506*
- Belforte, P.**, Spina, D., Lombardi, L., Antonini, G., and Dhaene, T., Automated Framework for Time-Domain Piecewise-Linear Fitting Method Based on Digital Wave Processing of S-Parameters; *TCSI Jan. 2020 235-248*
- Belhaouari, S.B.**, see Wang, B., *TCSI Nov. 2020 3670-3680*
- Bellizia, D.**, Bongiovanni, S., Olivieri, M., and Scotti, G., SC-DDPL: A Novel Standard-Cell Based Approach for Counteracting Power Analysis Attacks in the Presence of Unbalanced Routing; *TCSI July 2020 2317-2330*
- Bellizia, D.**, see Levi, I., *TCSI Dec. 2020 4904-4917*
- Belostotski, L.**, see Asgari, V., *TCSI Jan. 2020 37-47*
- Benedetto, L.D.**, see De Vita, A., *TCSI Nov. 2020 3893-3904*
- Bengel, C.**, Siemon, A., Coppers, F., Hoffmann-Eifert, S., Hardtdegen, A., von Witzleben, M., Hellmich, L., Waser, R., and Menzel, S., Variability-Aware Modeling of Filamentary Oxide-Based Bipolar Resistive Switching Cells Using SPICE Level Compact Models; *TCSI Dec. 2020 4618-4630*
- Benini, L.**, see Mauro, A.D., *TCSI Nov. 2020 3905-3918*
- Benjlali, W.**, Guicquero, W., Jacques, L., and Sicard, G., Hardware-Compliant Compressive Image Sensor Architecture Based on Random Modulations and Permutations for Embedded Inference; *TCSI April 2020 1218-1231*
- Bermak, A.**, see Wang, B., *TCSI Nov. 2020 3670-3680*
- Bermak, A.**, see Shu, Z., *TCSI Oct. 2020 3378-3388*
- Best, S.**, see Luo, Y., *TCSI Dec. 2020 4970-4983*
- Bhasin, S.**, see Hu, J., *TCSI July 2020 2305-2316*
- Bi, T.**, see Liu, H., *TCSI Dec. 2020 5018-5030*
- Bi, X.**, and Tang, W.K.S., Flow Distribution for Electric Vehicles Under Nodal-Centrality-Based Resource Allocation; *TCSI April 2020 1309-1318*
- Bi, X.**, Li, J., Gu, Z., Tang, B., Sheng, C., Yang, Y., and Xu, Q., High Sensitivity and Dynamic-Range 25 Gbaud Silicon Receiver Chipset With Current-Controlled DC Adjustment Path and Cube-Shape Ge-on-Si PD; *TCSI Nov. 2020 3991-4001*
- Biela, J.**, see Fuchs, S., *TCSI March 2020 1045-1057*
- Bien, F.**, see Heo, S., *TCSI Jan. 2020 74-85*
- Biereigel, S.**, Kulis, S., Leitao, P., Francisco, R., Moreira, P., Leroux, P., and Prinzie, J., A Low Noise Fault Tolerant Radiation Hardened 2.56 Gbps Clock-Data Recovery Circuit With High Speed Feed Forward Correction in 65 nm CMOS; *TCSI May 2020 1438-1446*
- Bingham, N.**, and Manohar, R., A Systematic Approach for Arbitration Expressions; *TCSI Dec. 2020 4960-4969*
- Bizzarri, F.**, see Lodi, M., *TCSI April 2020 1255-1263*
- Blakiewicz, G.**, Klosowski, M., Jendernalik, W., Jakusz, J., and Szczepanski, S., Low-Power Receivers for Wireless Capacitive Coupling Transmission in 3-D-Integrated Massively Parallel CMOS Imager; *TCSI Aug. 2020 2556-2565*
- Blokhina, E.**, Guest Editorial Special Section on the IEEE International Symposium on Circuits and Systems 2019; *TCSI April 2020 1081*
- Blokhina, E.**, Guest Editorial Selected Papers From the IEEE Asia Pacific Conference of Circuits and Systems 2018 and the IEEE International Conference on Electronics, Circuits and Systems 2018; *TCSI Feb. 2020 357*
- Blokhina, E.**, see Sokolov, A., *TCSI Feb. 2020 565-577*
- Blokhina, E.**, Guest Editorial Special Issue on the International Symposium on Integrated Circuits and Systems—ISICAS 2020; *TCSI Nov. 2020 3617*
- Blokhina, E.**, Guest Editorial Special Issue on the IEEE LASCAS 2019 and the IEEE NEWCAS 2019; *TCSI May 2020 1425*
- Blumenstein, J.**, see Harvanek, M., *TCSI Dec. 2020 5417-5428*
- Boche, H.**, and Pohl, V., Turing Meets Circuit Theory: Not Every Continuous-Time LTI System Can be Simulated on a Digital Computer; *TCSI Dec. 2020 5051-5064*
- Bol, D.**, see Levi, I., *TCSI Dec. 2020 4904-4917*
- Bonetti, A.**, see Giterman, R., *TCSI April 2020 1207-1217*
- Bongiovanni, S.**, see Bellizia, D., *TCSI July 2020 2317-2330*
- Boon, C.C.**, see Yi, X., *TCSI Feb. 2020 686-698*
- Boon, C.C.**, see Kong, L., *TCSI Dec. 2020 4187-4198*
- Bose, S.**, De, A., and Chakrabarti, I., Framework for Automated Earthquake Event Detection Based on Denoising by Adaptive Filter; *TCSI Sept. 2020 3070-3083*
- Bose, S.K.**, Kar, B., Roy, M., Gopalakrishnan, P.K., Zhang, L., Patil, A., and Basu, A., ADEPOS: A Novel Approximate Computing Framework for Anomaly Detection Systems and its Implementation in 65-nm CMOS; *TCSI March 2020 913-926*
- Boukhayma, A.**, see Capocchia, R., *TCSI March 2020 774-784*
- Boumaiza, S.**, see Almoener, M., *TCSI Aug. 2020 2730-2738*
- Bourdel, S.**, see Sharma, E., *TCSI Feb. 2020 378-388*
- Boynton, Z.**, see Tapen, T., *TCSI Jan. 2020 271-283*
- Bradde, T.**, Grivet-Talocia, S., Calafiore, G.C., Proskurnikov, A.V., Mahmood, Z., and Daniel, L., Bounded Input Dissipativity of Linearized Circuit Models; *TCSI June 2020 2064-2077*
- Brambilla, A.**, see Lodi, M., *TCSI April 2020 1255-1263*
- Bravo, E.V.**, see Giterman, R., *TCSI April 2020 1207-1217*
- Brea, V.M.**, see Cabello, D., *TCSI April 2020 1103-1114*
- Brendler, L.H.**, Zimpeck, A.L., Meinhardt, C., and Reis, R., Multi-Level Design Influences on Robustness Evaluation of 7nm FinFET Technology; *TCSI Feb. 2020 553-564*

- Broyde, F.**, and Clavelier, E., Two Reciprocal Power Theorems for Passive Linear Time-Invariant Multiports; *TCSI Jan. 2020* 86-97
- Broyde, F.**, and Clavelier, E., Corrections to “Two Reciprocal Power Theorems for Passive Linear Time-Invariant Multiports” *TCSI July 2020* 2516-2517
- Bruni, G.**, and Johansson, H.T., DPCT—An FPGA-Based Trace Compression; *TCSI Jan. 2020* 189-197
- Bui, D.**, see Mostafa, T.M., *TCSI Aug. 2020* 2836-2848
- Bund, J.**, Fugger, M., Lenzen, C., and Medina, M., Synchronizer-Free Digital Link Controller; *TCSI Oct. 2020* 3562-3573
- Burbano-L., D.A.**, Yaghouti, S., Petrarca, C., de Magistris, M., and di Bernardo, M., Synchronization in Multiplex Networks of Chua’s Circuits: Theory and Experiments; *TCSI March 2020* 927-938
- Burg, A.**, see Giterman, R., *TCSI April 2020* 1207-1217
- Burm, J.**, see Huang, Q., *TCSI Nov. 2020* 4029-4040
- Buss, M.**, see Du, Y., *TCSI Oct. 2020* 3521-3532
- Byambadorj, Z.**, Asami, K., Yamaguchi, T.J., Higo, A., Fujita, M., and Iizuka, T., Theoretical Analysis of Noise Figure for Modulated Wideband Converter; *TCSI Jan. 2020* 298-308
- Byambadorj, Z.**, Asami, K., Yamaguchi, T.J., Higo, A., Fujita, M., and Iizuka, T., A Calibration Technique for Simultaneous Estimation of Actual Sensing Matrix Coefficients on Modulated Wideband Converters; *TCSI Dec. 2020* 5561-5573
- Byeon, C.W.**, see Jang, T.H., *TCSI March 2020* 785-796

C

- Cabello, D.**, Ferro, E., Pereira-Rial, O., Martinez-Vazquez, B., Brea, V.M., Carrillo, J.M., and Lopez, P., On-Chip Solar Energy Harvester and PMU With Cold Start-Up and Regulated Output Voltage for Biomedical Applications; *TCSI April 2020* 1103-1114
- Caceres, E.**, see Kareppagoudr, M., *TCSI Oct. 2020* 3251-3261
- Cai, H.**, see Liu, B., *TCSI Dec. 2020* 4733-4746
- Cai, H.**, see Zhou, Y., *TCSI May 2020* 1602-1614
- Cai, L.**, see Li, S., *TCSI Dec. 2020* 4566-4579
- Cai, M.**, see Radakovits, D., *TCSI May 2020* 1495-1506
- Calafiore, G.C.**, see Bradde, T., *TCSI June 2020* 2064-2077
- Cali, J.D.**, see Turner, S.E., *TCSI June 2020* 1815-1823
- Canegallo, R.**, see Renzini, F., *TCSI Feb. 2020* 489-501
- Canegallo, R.**, see Elgani, A.M., *TCSI Aug. 2020* 2612-2624
- Cao, J.**, see Jiang, B., *TCSI Jan. 2020* 249-258
- Cao, J.**, see Chen, B., *TCSI Aug. 2020* 2780-2790
- Cao, J.**, see Wang, J., *TCSI Dec. 2020* 5281-5289
- Cao, Y.**, see Zhao, Q., *TCSI Nov. 2020* 3866-3879
- Cao, Z.**, see Ning, B., *TCSI Dec. 2020* 5223-5232
- Capoccia, R.**, Boukhayma, A., and Enz, C., Experimental Verification of the Impact of Analog CMS on CIS Readout Noise; *TCSI March 2020* 774-784
- Carreira, L.B.**, Danielson, P., Rahimi, A.A., Luppe, M., and Gupta, S., Low-Latency Reconfigurable Entropy Digital True Random Number Generator With Bias Detection and Correction; *TCSI May 2020* 1562-1575
- Carrillo, J.M.**, see Cabello, D., *TCSI April 2020* 1103-1114
- Carusone, A.C.**, see Yang, M., *TCSI Jan. 2020* 284-297
- Cataldo, R.**, see Sanchez, G., *TCSI Feb. 2020* 415-427
- Cembrano, G.**, see Wang, Y., *TCSI Dec. 2020* 5316-5325
- Ceylan, O.**, see Kouhalvandi, L., *TCSI Dec. 2020* 4420-4433
- Chadli, M.**, see Xie, X., *TCSI May 2020* 1775-1785
- Chae, J.**, Jeong, Y., and Kim, S., Data-Dependent Selection of Amplitude and Phase Equalization in a Quarter-Rate Transmitter for Memory Interfaces; *TCSI Sept. 2020* 2972-2983
- Chae, Y.**, see Tan, Z., *TCSI Dec. 2020* 4161-4173
- Chaffey, G.P.**, see Xiang, X., *TCSI Dec. 2020* 5586-5599
- Chakrabarti, I.**, see Bose, S., *TCSI Sept. 2020* 3070-3083
- Chakrabarti, S.**, see Vadali, S.R.K., *TCSI June 2020* 1962-1975
- Chakraborty, I.**, see Ali, M., *TCSI Aug. 2020* 2521-2531
- Chakraborty, M.**, see Gogineni, V.C., *TCSI March 2020* 903-912
- Chan, C.**, see Yang, X., *TCSI Nov. 2020* 3753-3763
- Chan, C.**, see Liu, J., *TCSI Nov. 2020* 3853-3865
- Chan, S.C.**, see Tan, H.J., *TCSI Jan. 2020* 198-211
- Chan, W.S.**, see Zhou, X.Y., *TCSI June 2020* 2029-2041
- Chan, W.S.**, see Zhou, L., *TCSI July 2020* 2239-2249
- Chandrarathna, S.C.**, and Lee, J., A 580 nW Dual-Input Energy Harvester IC Using Multi-Task MPPT and a Current Boost Converter for Heterogeneous Source Combining; *TCSI Dec. 2020* 5650-5663
- Chang, D.**, Nam, B., and Ryu, S., Compact Mixed-Signal Convolutional Neural Network Using a Single Modular Neuron; *TCSI Dec. 2020* 5189-5199
- Chang, H.**, see Wen, Y., *TCSI Dec. 2020* 5347-5357
- Chang, J.S.**, see Qu, Y., *TCSI Nov. 2020* 4099-4109
- Chang, K.**, and Chang, T., VWA: Hardware Efficient Vectorwise Accelerator for Convolutional Neural Network; *TCSI Jan. 2020* 145-154
- Chang, T.**, see Chang, K., *TCSI Jan. 2020* 145-154
- Charbon, E.**, see van Dijk, J.P.G., *TCSI Dec. 2020* 5380-5393
- Chauhan, Y.S.**, see Amrouch, H., *TCSI Sept. 2020* 3127-3137
- Chaurasiya, R.B.**, and Shrestha, R., Fast Sensing-Time and Hardware-Efficient Eigenvalue-Based Blind Spectrum Sensors for Cognitive Radio Network; *TCSI April 2020* 1296-1308
- Che, W.**, see Zeng, W., *TCSI Nov. 2020* 4085-4098
- Che, W.**, see Yang, Y., *TCSI May 2020* 1516-1526
- Chen, B.**, Cao, J., Luo, Y., and Rutkowski, L., Asymptotic Output Tracking of Probabilistic Boolean Control Networks; *TCSI Aug. 2020* 2780-2790
- Chen, C.**, see Wu, C., *TCSI June 2020* 2152
- Chen, C.**, see Tan, Z., *TCSI Dec. 2020* 4161-4173
- Chen, D.**, see Liu, N., *TCSI July 2020* 2157-2168
- Chen, D.**, see Park, C., *TCSI Nov. 2020* 3618-3629
- Chen, D.**, see Liu, N., *TCSI Oct. 2020* 3422-3432
- Chen, F.**, see Lu, Y., *TCSI Aug. 2020* 2859-2871
- Chen, F.**, see Shi, Q., *TCSI Dec. 2020* 5125-5138
- Chen, G.**, see Lou, Y., *TCSI Sept. 2020* 3163-3174
- Chen, G.**, see Liang, Y., *TCSI Dec. 2020* 5139-5152
- Chen, G.**, see Miao, M., *TCSI Dec. 2020* 5443-5453
- Chen, G.**, see Wu, J., *TCSI Dec. 2020* 5211-5222
- Chen, J.**, see Jafari-Nodoushan, M., *TCSI Dec. 2020* 4829-4841
- Chen, J.**, see Lin, Z., *TCSI Dec. 2020* 4918-4931
- Chen, K.**, Liu, W., Han, J., and Lombardi, F., Profile-Based Output Error Compensation for Approximate Arithmetic Circuits; *TCSI Dec. 2020* 4707-4718
- Chen, L.**, see Tsai, P., *TCSI April 2020* 1245-1254
- Chen, L.**, see Xu, C., *TCSI Nov. 2020* 3954-3964
- Chen, L.**, see Wang, J., *TCSI Dec. 2020* 4247-4258
- Chen, L.**, see Liu, X., *TCSI Dec. 2020* 4994-5006
- Chen, P.**, see Lee, H., *TCSI March 2020* 1069-1078
- Chen, P.**, see Chung, M., *TCSI Nov. 2020* 4110-4121
- Chen, P.**, see Cheng, H., *TCSI Nov. 2020* 4132-4141
- Chen, P.**, see Cheng, H., *TCSI Nov. 2020* 4132-4141
- Chen, P.**, see Sankar, S., *TCSI Dec. 2020* 4281-4294
- Chen, P.**, see Lin, Z., *TCSI Dec. 2020* 4918-4931
- Chen, Q.**, see Wang, H., *TCSI Feb. 2020* 451-463
- Chen, S.**, see Zhou, X.Y., *TCSI June 2020* 2029-2041
- Chen, T.**, see Park, C., *TCSI Nov. 2020* 3618-3629
- Chen, W.**, see Meng, X., *TCSI June 2020* 1835-1845
- Chen, W.**, Lu, W., Iu, H.H., and Fernando, T., Compensation Network Optimal Design Based on Evolutionary Algorithm for Inductive Power Transfer System; *TCSI Dec. 2020* 5664-5674
- Chen, W.**, see Liu, X., *TCSI Dec. 2020* 4994-5006
- Chen, W.**, see Zhang, G., *TCSI Dec. 2020* 4580-4592
- Chen, W.**, Huang, M., Ye, W., and Lou, X., Cascaded Form Sparse FIR Filter Design; *TCSI May 2020* 1692-1703
- Chen, X.**, Pise, A.A., and Batarseh, I., Magnetics-Based Efficiency Optimization for Low Power Cascaded-Buck-Boost Converter; *TCSI Dec. 2020* 5611-5623
- Chen, Y.**, see Urso, A., *TCSI Nov. 2020* 3764-3777
- Chen, Y.**, and Tang, K., A Fully Integrated High-Power-Supply-Rejection Linear Regulator With an Output-Supplied Voltage Reference; *TCSI Nov. 2020* 3828-3838
- Chen, Y.**, see Huang, Y., *TCSI Nov. 2020* 3704-3717
- Chen, Y.**, see Jiao, Z., *TCSI Nov. 2020* 3728-3739

- Chen, Y.**, Jiao, Z., Guan, W., Sun, Q., Wang, X., Zhang, R., and Zhang, H., A $+0.66/-0.73$ °C Inaccuracy, $1.99\text{-}\mu\text{W}$ Time-Domain CMOS Temperature Sensor With Second-Order $\Delta\Sigma$ Modulator and On-Chip Reference Clock; *TCSI Nov. 2020* 3815-3827
- Chen, Y.**, see Yan, A., *TCSI Dec. 2020* 4684-4695
- Chen, Y.**, see Zhang, Q., *TCSI Dec. 2020* 5429-5442
- Chen, Y.**, see Urso, A., *TCSI Dec. 2020* 4233-4246
- Chen, Z.**, Lin, J., Liu, S., and Li, W., Deep Neural Network Acceleration Based on Low-Rank Approximated Channel Pruning; *TCSI April 2020* 1232-1244
- Chen, Z.**, see Chen, Z., *TCSI April 2020* 1232-1244
- Chen, Z.**, see Wu, J., *TCSI Jan. 2020* 60-73
- Chen, Z.**, see Zhang, L., *TCSI Jan. 2020* 309-321
- Chen, Z.**, Zhu, H., Ren, E., Liu, Z., Jia, K., Luo, L., Zhang, X., Wei, Q., Qiao, F., Liu, X., and Yang, H., Processing Near Sensor Architecture in Mixed-Signal Domain With CMOS Image Sensor of Convolutional-Kernel-Readout Method; *TCSI Feb. 2020* 389-400
- Chen, Z.**, see Yan, A., *TCSI March 2020* 879-890
- Chen, Z.**, see Meng, X., *TCSI June 2020* 1835-1845
- Chen, Z.**, Xia, Q., Dong, L., Fan, S., Han, K., Guo, Z., Xue, Z., and Geng, L., An Open Loop Digitally Controlled Hybrid Supply Modulator Achieving High Efficiency for Envelope Tracking With Baseband up to 200-MHz; *TCSI Nov. 2020* 4142-4153
- Chen, Z.H.**, see Yang, J., *TCSI Dec. 2020* 5550-5560
- Cheng, C.**, and Parhi, K.K., Fast 2D Convolution Algorithms for Convolutional Neural Networks; *TCSI May 2020* 1678-1691
- Cheng, H.**, Tsai, W., Chen, P., and Chen, P., Fully-Integrated Reconfigurable Charge Pump With Two-Dimensional Frequency Modulation for Self-Powered Internet-of-Things Applications; *TCSI Nov. 2020* 4132-4141
- Cheng, H.**, see Aketi, S.A., *TCSI May 2020* 1667-1677
- Cheng, L.**, Ge, X., Hu, L., Yao, Y., Ki, W., and Tsui, C., A 40.68-MHz Active Rectifier With Hybrid Adaptive On/Off Delay-Compensation Scheme for Biomedical Implantable Devices; *TCSI Feb. 2020* 516-525
- Cheng, P.**, Wang, J., He, S., Luan, X., and Liu, F., Observer-Based Asynchronous Fault Detection for Conic-Type Nonlinear Jumping Systems and its Application to Separately Excited DC Motor; *TCSI March 2020* 951-962
- Cheng, S.**, see Teo, J.H., *TCSI April 2020* 1378-1388
- Cheng, X.**, Shao, W., Xu, L., Zhang, Y., Xie, G., and Zhang, Z., A High Resolution DPWM Based on Synchronous Phase-Shifted Circuit and Delay Line; *TCSI Aug. 2020* 2685-2692
- Cheng, X.**, see Xin, G., *TCSI Aug. 2020* 2672-2684
- Cheng, Y.**, see Wu, B., *TCSI Jan. 2020* 108-120
- Cheng, Z.**, see Hu, S., *TCSI Feb. 2020* 699-710
- Cheng, Z.**, see Zhang, Z., *TCSI Dec. 2020* 4270-4280
- Cheung, R.C.C.**, see Hu, J., *TCSI July 2020* 2305-2316
- Chi, B.**, see Wu, J., *TCSI Jan. 2020* 60-73
- Chi, B.**, see Meng, X., *TCSI June 2020* 1835-1845
- Chi, T.**, see Lin, Y., *TCSI Dec. 2020* 4984-4993
- Chi-Wa, U.**, Zeng, W.-L., Law, M.-K., Lam, C.-S., and Martins, R.P., A 0.5-V Supply, 36 nW Bandgap Reference With 42 ppm/°C Average Temperature Coefficient Within -40 °C to 120 °C; *TCSI Nov. 2020* 3656-3669
- Chiang, S.W.**, see Qu, Y., *TCSI Nov. 2020* 4099-4109
- Chiang, S.W.**, see Gammoh, K., *TCSI Dec. 2020* 4348-4359
- Chiao, C.**, see Wu, C., *TCSI Oct. 2020* 3273-3283
- Chierchie, F.**, Gonzalez, G.J., Morales, J.I., Paolini, E.E., Cousseau, J., and Mandolesi, P.S., Baseband Model for Uniformly Sampled RF-PWM; *TCSI Aug. 2020* 2816-2824
- Chio, U.**, see Li, J., *TCSI Nov. 2020* 4063-4074
- Chithra**, and Krishnapura, N., A Flexible 18-Channel Multi-Hit Time-to-Digital Converter for Trigger-Based Data Acquisition Systems; *TCSI June 2020* 1892-1901
- Chiu, K.**, Shen, P., Lin, B., Hsiao, W., Jou, S.J., and Huang, C., Design of Downlink Synchronization for Millimeter Wave Cellular System Based on Multipath Division Multiple Access; *TCSI Sept. 2020* 3211-3223
- Chiueh, H.**, see Lin, Y., *TCSI Dec. 2020* 4984-4993
- Cho, J.**, and Jeong, M., A Low-Voltage-Driven High-Voltage SRAM Pixel Circuit for Power Reduction in a Digital Micro-Display Panel; *TCSI May 2020* 1640-1652
- Cho, K.**, Park, J., Oh, T.W., and Jung, S., One-Sided Schmitt-Trigger-Based 9T SRAM Cell for Near-Threshold Operation; *TCSI May 2020* 1551-1561
- Choe, J.**, see Moon, S., *TCSI June 2020* 2103-2113
- Choi, E.**, see Heo, S., *TCSI Jan. 2020* 74-85
- Choi, J.**, Kong, B.Y., and Park, I., Retrain-Less Weight Quantization for Multiplier-Less Convolutional Neural Networks; *TCSI March 2020* 972-982
- Choi, K.**, see Kim, H., *TCSI April 2020* 1319-1332
- Choi, S.**, see Lee, K.J., *TCSI Dec. 2020* 4719-4732
- Choi, S.**, see Im, D., *TCSI Oct. 2020* 3471-3483
- Chu, F.**, see Wu, C., *TCSI Oct. 2020* 3273-3283
- Chu, T.**, see Peng, C., *TCSI Sept. 2020* 2948-2959
- Chua, L.O.**, see Ascoli, A., *TCSI April 2020* 1389-1401
- Chua, L.O.**, see Tetzlaff, R., *TCSI Feb. 2020* 502-515
- Chua, L.O.**, see Ascoli, A., *TCSI Aug. 2020* 2753-2766
- Chung, M.**, Hirose, T., Ono, T., and Chen, P., A $115\times$ Conversion-Ratio Thermoelectric Energy-Harvesting Battery Charger for the Internet of Things; *TCSI Nov. 2020* 4110-4121
- Chung, Y.**, Zeng, Q., and Lin, Y., A 12-bit SAR ADC With a DAC-Configurable Window Switching Scheme; *TCSI Feb. 2020* 358-368
- Ciarpi, G.**, Magazzu, G., Palla, F., and Saponara, S., Design, Implementation, and Experimental Verification of 5 Gbps, 800 Mrad TID and SEU-Tolerant Optical Modulators Drivers; *TCSI March 2020* 829-838
- Ciocoveanu, R.**, Weigel, R., Hagelauer, A., and Issakov, V., Design of a 60 GHz 32% PAE Class-AB PA with 2nd Harmonic Control in 45-nm PD-SOI CMOS; *TCSI Aug. 2020* 2635-2646
- Clavelier, E.**, see Broyde, F., *TCSI Jan. 2020* 86-97
- Clavelier, E.**, see Broyde, F., *TCSI July 2020* 2516-2517
- Coelho, R.F.**, see Schmitz, L., *TCSI June 2020* 2140-2151
- Cohen, E.**, see Zolkov, E., *TCSI July 2020* 2250-2262
- Conrad, J.**, Vogelmann, P., Mokhtar, M.A., and Ortman, M., Design Approach for Ring Amplifiers; *TCSI Oct. 2020* 3444-3457
- Conti, F.**, see Mauro, A.D., *TCSI Nov. 2020* 3905-3918
- Correa, G.R.**, see Correa, M.M., *TCSI May 2020* 1481-1494
- Correa, M.M.**, Waskow, B.H., Goebel, J.W., Palomino, D.M., Correa, G.R., and Agostini, L.V., A High-Throughput Hardware Architecture for AV1 Non-Directional Intra Modes; *TCSI May 2020* 1481-1494
- Costanzo, L.**, Lo Schiavo, A., and Vitelli, M., Active Interface for Piezoelectric Harvesters Based on Multi-Variable Maximum Power Point Tracking; *TCSI July 2020* 2503-2515
- Cotofana, S.**, see Wang, J., *TCSI Dec. 2020* 4247-4258
- Cousseau, J.**, see Chierchie, F., *TCSI Aug. 2020* 2816-2824
- Coviello, G.**, see Piccinni, G., *TCSI Oct. 2020* 3320-3330
- Crepaldi, M.**, see Guzman, D.A.F., *TCSI Dec. 2020* 5065-5078
- Cui, G.**, see Min, H., *TCSI May 2020* 1752-1761
- Cui, J.**, see Yan, A., *TCSI March 2020* 879-890
- Cui, J.**, see Yan, A., *TCSI Dec. 2020* 4684-4695
- Cuppers, F.**, see Bengel, C., *TCSI Dec. 2020* 4618-4630

D

- Dabhi, C.K.**, see Amrouh, H., *TCSI Sept. 2020* 3127-3137
- Dai, P.**, see Wu, B., *TCSI Jan. 2020* 108-120
- Dandapat, A.**, see Venkata Mahendra, T., *TCSI July 2020* 2345-2357
- Danesh, M.**, see Jayaraj, A., *TCSI April 2020* 1149-1157
- Daneshmand, M.**, see Abdolrazzagh, M., *TCSI Dec. 2020* 4382-4395
- Daniel, L.**, see Bradde, T., *TCSI June 2020* 2064-2077
- Daniel, P.**, see Carreira, L.B., *TCSI May 2020* 1562-1575
- Darwazeh, I.**, see Odedeyi, T., *TCSI Nov. 2020* 3804-3814
- Das, S.**, see Gopal, S., *TCSI Nov. 2020* 3919-3932
- David, J.**, see Trigui, A., *TCSI Nov. 2020* 3978-3990
- De, A.**, see Bose, S., *TCSI Sept. 2020* 3070-3083
- De, P.**, Parampalli, U., and Mandal, C., Secure Path Balanced BDD-Based Pre-Charge Logic for Masking; *TCSI Dec. 2020* 4747-4760
- De Caro, D.**, see Napoli, E., *TCSI Jan. 2020* 121-134
- De Caro, D.**, Di Meo, G., Napoli, E., Petra, N., and Strollo, A.G.M., A 1.45 GHz All-Digital Spread Spectrum Clock Generator in 65nm CMOS for Synchronization-Free SoC Applications; *TCSI Nov. 2020* 3839-3852

- De Caro, D.**, see Strollo, A.G.M., *TCSI Sept. 2020 3021-3034*
- de Falco, P.E.**, see Donahue, D.T., *TCSI Dec. 2020 5113-5124*
- de la Rosa, J.M.**, see Ahmadi-Farsani, J., *TCSI Oct. 2020 3297-3308*
- de Magistris, M.**, see Burbano-L., D.A., *TCSI March 2020 927-938*
- De Vita, A.**, Russo, A., Pau, D., Benedetto, L.D., Rubino, A., and Licciardo, G.D., A Partially Binarized Hybrid Neural Network System for Low-Power and Resource Constrained Human Activity Recognition; *TCSI Nov. 2020 3893-3904*
- Debillie, B.**, see Tang, X., *TCSI May 2020 1447-1458*
- Dehghani, R.**, see Rezaei-Hosseinabadi, N., *TCSI June 2020 1857-1866*
- Delaroche, T.**, see Radakovits, D., *TCSI May 2020 1495-1506*
- Delgado-Frias, J.**, see Silva-Martinez, J., *TCSI Oct. 2020 3249-3250*
- Delgado-Restituto, M.**, see Valtierra, J.L., *TCSI May 2020 1426-1437*
- Demarchi, D.**, see Guzman, D.A.F., *TCSI Dec. 2020 5065-5078*
- Deng, W.**, see Wu, J., *TCSI Jan. 2020 60-73*
- Deng, W.**, see Zhao, H., *TCSI March 2020 983-994*
- Desai, A.**, see Radfar, M., *TCSI Jan. 2020 336-345*
- Dhaene, T.**, see Belforte, P., *TCSI Jan. 2020 235-248*
- di Bernardo, M.**, see Burbano-L., D.A., *TCSI March 2020 927-938*
- Di Capua, G.**, see Stoyka, K., *TCSI Dec. 2020 5636-5649*
- Di Meo, G.**, see De Caro, D., *TCSI Nov. 2020 3839-3852*
- Dijkhuis, J.F.**, see Urso, A., *TCSI Nov. 2020 3764-3777*
- Dijkhuis, J.F.**, see Urso, A., *TCSI Dec. 2020 4233-4246*
- Ding, L.**, see Banerjee, A., *TCSI March 2020 815-828*
- Ding, M.**, Zhou, Z., Traferro, S., Liu, Y., Bachmann, C., and Sebastiano, F., A 33-ppm/°C 240-nW 40-nm CMOS Wakeup Timer Based on a Bang-Bang Digital-Intensive Frequency-Locked-Loop for IoT Applications; *TCSI July 2020 2263-2273*
- Ding, R.**, see Zeng, W., *TCSI Nov. 2020 4085-4098*
- Ding, S.**, see Liu, L., *TCSI July 2020 2409-2418*
- Ding, S.X.**, see Zhao, D., *TCSI June 2020 2053-2063*
- Ding, T.**, Ge, M., Liu, Z., Wang, Y., and Karimi, H.R., Discrete-Communication-Based Bipartite Tracking of Networked Robotic Systems via Hierarchical Hybrid Control; *TCSI April 2020 1402-1412*
- Diniz, P.S.R.**, see Yazdanpanah, H., *TCSI July 2020 2358-2371*
- Donahue, D.T.**, de Falco, P.E., and Barton, T.W., Power Amplifier With Load Impedance Sensing Incorporated Into the Output Matching Network; *TCSI Dec. 2020 5113-5124*
- Dong, L.**, see Chen, Z., *TCSI Nov. 2020 4142-4153*
- Dong, L.**, see Lin, Z., *TCSI Dec. 2020 4918-4931*
- Dong, Y.**, see Liang, Y., *TCSI Dec. 2020 5139-5152*
- Dooley, J.**, see Ramabadran, P., *TCSI Feb. 2020 526-539*
- Dou, C.**, see Hu, S., *TCSI Feb. 2020 699-710*
- Du, Y.**, Liu, F., Qiu, J., and Buss, M., A Semi-Supervised Learning Approach for Identification of Piecewise Affine Systems; *TCSI Oct. 2020 3521-3532*
- Duan, Z.**, see Xu, T., *TCSI June 2020 2078-2090*
- Duan, Z.**, see Xu, T., *TCSI Oct. 2020 3541-3552*
- Duipmans, L.**, Milosevic, D., van der Wel, A., and Baltus, P., Distortion Contribution Analysis for Identifying EM Immunity Failures; *TCSI Aug. 2020 2767-2779*
- Dutta, A.**, see Nagaveni, S., *TCSI Nov. 2020 4053-4062*

E

- Ed Matthews, W.**, see Hunter, B.L., *TCSI July 2020 2492-2502*
- Edfors, O.**, see Mahdavi, M., *TCSI June 2020 1948-1961*
- Edussooriya, C.U.S.**, see Premaratne, S.U., *TCSI Aug. 2020 2693-2706*
- Ejlali, A.**, see Jafari-Nodoushan, M., *TCSI Dec. 2020 4829-4841*
- Ekhteraei, M.**, Hayati, M., and Shama, F., High-Efficiency Low Voltage Inverse Class-F Power Amplifier Design Based on Harmonic Control Network Analysis; *TCSI March 2020 806-814*
- El Aroudi, A.**, Martinez-Trevino, B.A., Vidal-Idiarte, E., and Martinez-Salamero, L., Analysis of Start-Up Response in a Digitally Controlled Boost Converter With Constant Power Load and Mitigation of Inrush Current Problems; *TCSI April 2020 1276-1285*

- El Aroudi, A.**, Huang, J., Al-Numay, M.S., and Li, Z., On the Coexistence of Multiple Limit Cycles in H-Bridge Wireless Power Transfer Systems With Zero Current Switching Control; *TCSI May 2020 1729-1739*
- Eldash, O.**, see Khalil, K., *TCSI Nov. 2020 3880-3892*
- Elgani, A.M.**, Renzini, F., Perilli, L., Franchi Scarselli, E., Gnudi, A., Canegallo, R., and Ricotti, G., A Clockless Temperature-Compensated Nanowatt Analog Front-End for Wake-Up Radios Based on a Band-Pass Envelope Detector; *TCSI Aug. 2020 2612-2624*
- ElHassan, B.A.**, see Akkad, G., *TCSI Dec. 2020 5079-5091*
- Elhebeary, M.**, and Yang, C.K., A Class-D FVF LDO With Multi-Level PWM Gate Control, 280-ns Settling Time, and No Overshoot/Undershoot; *TCSI Dec. 2020 5600-5610*
- Elhebeary, M.**, and Yang, C.K., A 92%-Efficiency Battery Powered Hybrid DC-DC Converter for IoT Applications; *TCSI Oct. 2020 3342-3351*
- Elmezayen, M.R.**, Wu, B., and Ay, S.U., Single-Slope Look-Ahead Ramp ADC for CMOS Image Sensors; *TCSI Dec. 2020 4484-4493*
- Elmi, M.**, see Hafshejani, E.H., *TCSI Dec. 2020 4334-4347*
- Enz, C.**, see Capocchia, R., *TCSI March 2020 774-784*
- Ercan, F.**, Tonnellier, T., and Gross, W.J., Energy-Efficient Hardware Architectures for Fast Polar Decoders; *TCSI Jan. 2020 322-335*
- Erol, O.E.**, and Ozev, S., A Reconfigurable 0.1–10 MHz DT Passive Dynamic Zoom ADC for Cellular Receivers; *TCSI July 2020 2216-2228*
- Esmailian, A.**, Schembari, F., and Staszewski, R.B., A 0.36-V 5-MS/s Time-Mode Flash ADC With Dickson-Charge-Pump-Based Comparators in 28-nm CMOS; *TCSI June 2020 1789-1802*
- Estrada-Lopez, J.J.**, see Riad, J., *TCSI July 2020 2180-2192*
- Etienne-Cummings, R.**, see Zhang, J., *TCSI June 2020 1803-1814*

F

- Fan, H.**, Li, J., and Maloberti, F., Order Statistics and Optimal Selection of Unit Elements in DACs to Enhance the Static Linearity; *TCSI July 2020 2193-2203*
- Fan, S.**, see Chen, Z., *TCSI Nov. 2020 4142-4153*
- Fang, X.**, see Luo, Q., *TCSI March 2020 939-950*
- Fang, Z.**, see Zhong, L., *TCSI Aug. 2020 2578-2587*
- Fard, S.F.**, see Valencia, D., *TCSI Dec. 2020 5200-5210*
- Farrell, R.**, see Ramabadran, P., *TCSI Feb. 2020 526-539*
- Farzam, M.**, Bayat-Sarmadi, S., and Mosanaei-Boorani, H., Implementation of Supersingular Isogeny-Based Diffie-Hellman and Key Encapsulation Using an Efficient Scheduling; *TCSI Dec. 2020 4895-4903*
- Faseth, T.**, see Schmickl, S., *TCSI May 2020 1459-1468*
- Feketa, P.**, see Ochs, K., *TCSI Dec. 2020 4521-4532*
- Femia, N.**, see Stoyka, K., *TCSI Dec. 2020 5636-5649*
- Feng, G.**, see Yi, X., *TCSI Feb. 2020 686-698*
- Feng, M.**, see Shi, Q., *TCSI Dec. 2020 5125-5138*
- Feng, W.**, see Zhou, X.Y., *TCSI June 2020 2029-2041*
- Feng, Z.**, see Liu, X., *TCSI Dec. 2020 4994-5006*
- Fernandes, R.**, see Sanchez, G., *TCSI Feb. 2020 415-427*
- Fernando, T.**, see Chen, W., *TCSI Dec. 2020 5664-5674*
- Ferrari, P.**, see Sharma, E., *TCSI Feb. 2020 378-388*
- Ferro, E.**, see Cabello, D., *TCSI April 2020 1103-1114*
- Fettweis, G.**, see Hasler, M., *TCSI Feb. 2020 441-450*
- Filanovsky, I.M.**, see Basaligheh, A., *TCSI Dec. 2020 4533-4543*
- Fiorelli, R.**, see Valtierra, J.L., *TCSI May 2020 1426-1437*
- Floyd, B.A.**, see Yeh, Y., *TCSI Dec. 2020 5496-5509*
- Fort, A.**, see Addabbo, T., *TCSI July 2020 2419-2430*
- Fotowat-Ahmady, A.**, see Hafshejani, E.H., *TCSI Dec. 2020 4334-4347*
- Franchi Scarselli, E.**, see Elgani, A.M., *TCSI Aug. 2020 2612-2624*
- Francisco, R.**, see Biereigel, S., *TCSI May 2020 1438-1446*
- Franquelo, L.G.**, see Yin, Y., *TCSI Dec. 2020 5257-5267*
- Friedman, E.G.**, see Bairamkulov, R., *TCSI Sept. 2020 3224-3233*
- Fu, D.**, see Shu, Z., *TCSI Oct. 2020 3378-3388*
- Fu, J.**, see Lv, Y., *TCSI March 2020 995-1007*
- Fuchs, S.**, Pritz, M., Tsolaridis, G., Jehle, A., and Biela, J., Single Plastic Optical Fiber, Multiple Channel Data Link for Sensing Applications With PCB Implemented Transmitter and Receiver; *TCSI March 2020 1045-1057*

Fugger, M., see Bund, J., *TCSI Oct. 2020 3562-3573*
Fujita, M., see Byambadorj, Z., *TCSI Jan. 2020 298-308*
Fujita, M., see Byambadorj, Z., *TCSI Dec. 2020 5561-5573*
Funke, C., see Kasturi Rangan, J., *TCSI Feb. 2020 401-414*

G

Gaidhane, A.D., see Amrouch, H., *TCSI Sept. 2020 3127-3137*
Galias, Z., Simulations of Memristors Using the Poincaré Map Approach; *TCSI March 2020 963-971*
Galindo Guarch, F.J., Baudrenghien, P., and Moreno Arostegui, J.M., An Architecture for Real-Time Arbitrary and Variable Sampling Rate Conversion With Application to the Processing of Harmonic Signals; *TCSI May 2020 1653-1666*
Gallyas-Sanhueza, A., see Mirfarshbafan, S.H., *TCSI Dec. 2020 5482-5495*
Galton, I., see Kong, D., *TCSI Sept. 2020 3084-3098*
Galup-Montoro, C., see Siniscalchi, M., *TCSI June 2020 1846-1856*
Gammoh, K., Peterson, C.K., Penry, D.A., and Chiang, S.W., Linearity Theory of Stochastic Phase-Interpolation Time-to-Digital Converter; *TCSI Dec. 2020 4348-4359*
Gao, H., see Sun, Y., *TCSI Dec. 2020 5405-5416*
Gao, S., and Moez, K., A 2.12-V V_{pp} 11.67-pJ/pulse Fully Integrated UWB Pulse Generator in 65-nm CMOS Technology; *TCSI March 2020 1058-1068*
Gao, S., and Moez, K., A High-Voltage UWB Pulse Generator Using Passive Amplification in 65-nm CMOS; *TCSI Dec. 2020 5530-5539*
Gao, Y., see Sun, H., *TCSI Jan. 2020 177-188*
Garrido, M., and Pirsch, P., Continuous-Flow Matrix Transposition Using Memories; *TCSI Sept. 2020 3035-3046*
Garrido, M., see Andersson, R., *TCSI Dec. 2020 4784-4793*
Ge, M., see Ding, T., *TCSI April 2020 1402-1412*
Ge, W., see Liu, B., *TCSI Dec. 2020 4733-4746*
Ge, X., see Cheng, L., *TCSI Feb. 2020 516-525*
Geiger, R.L., see Park, C., *TCSI Nov. 2020 3618-3629*
Geng, L., see Chen, Z., *TCSI Nov. 2020 4142-4153*
Geng, L., see Yang, C., *TCSI Sept. 2020 3007-3020*
George, N.V., see Ray, D., *TCSI Jan. 2020 212-224*
Gerstlauer, A., see Kim, H., *TCSI April 2020 1319-1332*
Ghahremani, A., see Ponte, J., *TCSI Feb. 2020 369-377*
Ghannouchi, F.M., see Kumar, N., *TCSI July 2020 2455-2466*
Ghannouchi, F.M., see Liu, X., *TCSI Dec. 2020 4994-5006*
Ghavami, B., see Jafari, A., *TCSI Dec. 2020 4761-4773*
Ghods, R., see Mirfarshbafan, S.H., *TCSI Dec. 2020 5482-5495*
Gi, H., Park, J., Yoon, Y., Jung, S., Kim, S.J., and Lee, Y., A Soft-Charging-Based SC DC-DC Boost Converter With Conversion-Ratio-Insensitive High Efficiency for Energy Harvesting in Miniature Sensor Systems; *TCSI Oct. 2020 3601-3612*
Giannakopoulos, S., see Odedeyi, T., *TCSI Nov. 2020 3804-3814*
Giaouris, D., see Aroudi, A.E., *TCSI Dec. 2020 5574-5585*
Giard, P., see Tetu, J., *TCSI April 2020 1194-1206*
Gielen, G.G.E., see Liu, H., *TCSI Dec. 2020 4259-4269*
Ginste, D.V., see Manfredi, P., *TCSI Sept. 2020 2993-3006*
Girard, P., see Yan, A., *TCSI March 2020 879-890*
Girard, P., see Yan, A., *TCSI Dec. 2020 4684-4695*
Giterman, R., Bonetti, A., Bravo, E.V., Noy, T., Teman, A., and Burg, A., Current-Based Data-Retention-Time Characterization of Gain-Cell Embedded DRAMs Across the Design and Variations Space; *TCSI April 2020 1207-1217*
Gnudi, A., see Elgani, A.M., *TCSI Aug. 2020 2612-2624*
Goebel, J.W., see Correa, M.M., *TCSI May 2020 1481-1494*
Goel, M., see Sankar, S., *TCSI Dec. 2020 4281-4294*
Gogineni, V.C., and Chakraborty, M., Improving the Performance of Multitask Diffusion APA via Controlled Inter-Cluster Cooperation; *TCSI March 2020 903-912*
Gong, Y., see Liu, B., *TCSI Dec. 2020 4733-4746*
Gonzalez, G.J., see Chierchie, F., *TCSI Aug. 2020 2816-2824*

Gopal, S., Das, S., Pande, P.P., and Heo, D., A Hybrid 3D Interconnect With 2x Bandwidth Density Employing Orthogonal Simultaneous Bidirectional Signaling for 3D NoC; *TCSI Nov. 2020 3919-3932*
Gopalakrishnan, P.K., see Bose, S.K., *TCSI March 2020 913-926*
Gotthans, T., see Kral, J., *TCSI June 2020 1976-1988*
Gotthans, T., see Harvanek, M., *TCSI Dec. 2020 5417-5428*
Graeb, H., see Kasturi Rangan, J., *TCSI Feb. 2020 401-414*
Grajdeanu, A., see Raducan, C., *TCSI Nov. 2020 3740-3752*
Green, T.C., see Li, Y., *TCSI July 2020 2481-2491*
Green, T.C., see Xiang, X., *TCSI Dec. 2020 5586-5599*
Gregori, S., see Liu, J., *TCSI Dec. 2020 4593-4606*
Grivet-Talocia, S., see Manfredi, P., *TCSI Jan. 2020 225-234*
Grivet-Talocia, S., see Bradde, T., *TCSI June 2020 2064-2077*
Gross, W.J., see Ercan, F., *TCSI Jan. 2020 322-335*
Gross, W.J., see Zhong, Z., *TCSI June 2020 2091-2102*
Gross, W.J., see Onizawa, N., *TCSI May 2020 1541-1550*
Gu, H., Liu, K., and Lu, J., Adaptive PI Control for Synchronization of Complex Networks With Stochastic Coupling and Nonlinear Dynamics; *TCSI Dec. 2020 5268-5280*
Gu, J., see Min, H., *TCSI May 2020 1752-1761*
Gu, P., Zhao, D., and You, X., A DC-50 GHz CMOS Switched-Type Attenuator With Capacitive Compensation Technique; *TCSI Oct. 2020 3389-3399*
Gu, Y., see Li, Y., *TCSI July 2020 2481-2491*
Gu, Y., see Xiang, X., *TCSI Dec. 2020 5586-5599*
Gu, Y., see Ren, H., *TCSI Dec. 2020 5031-5039*
Gu, Z., see Bi, X., *TCSI Nov. 2020 3991-4001*
Guan, W., see Chen, Y., *TCSI Nov. 2020 3815-3827*
Guicquero, W., see Benjilali, W., *TCSI April 2020 1218-1231*
Gul, S., Siddiqui, M.F., Rehman, N.U., FPGA-Based Design for Online Computation of Multivariate Empirical Mode Decomposition; *TCSI Dec. 2020 5040-5050*
Guo, H., see Huang, Y., *TCSI Nov. 2020 3704-3717*
Guo, J., Liu, S., Zhu, L., and Lombardi, F., Design and Evaluation of Low-Complexity Radiation Hardened CMOS Latch for Double-Node Upset Tolerance; *TCSI June 2020 1925-1935*
Guo, Y., Jin, J., Liu, X., and Zhou, J., An Inverter-Based Continuous Time Sigma Delta ADC With Latency-Free DAC Calibration; *TCSI Nov. 2020 3630-3642*
Guo, Y.J., see Zhang, H., *TCSI July 2020 2372-2382*
Guo, Y.J., see Zhang, Z., *TCSI Dec. 2020 4270-4280*
Guo, Y.L., Wu, Q.H., Wang, L., and Tang, G.F., Stability Enhancement of One-Cycle Controlled Buck-Boost Converters With a Composite Function Embedded; *TCSI Oct. 2020 3512-3520*
Guo, Z., see Chen, Z., *TCSI Nov. 2020 4142-4153*
Gupta, S., see Lin, C., *TCSI Nov. 2020 3643-3655*
Gupta, S., see Carreira, L.B., *TCSI May 2020 1562-1575*
Gupta, S., see Aketi, S.A., *TCSI May 2020 1667-1677*
Guzman, D.A.F., Ros, P.M., Demarchi, D., and Crepaldi, M., A Low-Complexity 6DOF Magnetic Tracking System Based on Pre-Computed Data Sets for Wearable Applications; *TCSI Dec. 2020 5065-5078*

H

Ha, D.S., see Turner, N., *TCSI Dec. 2020 5153-5161*
Ha, Y., see Sun, H., *TCSI Jan. 2020 177-188*
Haapala, T., Liscidini, A., and Halonen, K.A.I., Temperature Compensation of Crystal References in NB-IoT Modems; *TCSI July 2020 2467-2480*
Haapala, T., see Pulkkinen, M., *TCSI Dec. 2020 5468-5481*
Hached, S., see Trigui, A., *TCSI Nov. 2020 3978-3990*
Hafiz, F., Swain, A., Mendes, E.M.A.M., and Aguirre, L.A., MultiObjective Evolutionary Approach to Grey-Box Identification of Buck Converter; *TCSI June 2020 2016-2028*
Hafshejani, E.H., Elmi, M., TaheriNejad, N., Fotowat-Ahmady, A., and Mirabasi, S., A Low-Power Signal-Dependent Sampling Technique: Analysis, Implementation, and Applications; *TCSI Dec. 2020 4334-4347*
Hagelauer, A., see Ciocoveanu, R., *TCSI Aug. 2020 2635-2646*
Haghi, P., Kamal, M., Afzali-Kusha, A., and Pedram, M., O⁴-DNN: A Hybrid DSP-LUT-Based Processing Unit With Operation Packing and Out-of-Order

- Execution for Efficient Realization of Convolutional Neural Networks on FPGA Devices; *TCSI Sept. 2020 3056-3069*
- Halak, B.**, see Al-Daloo, M., *TCSI Oct. 2020 3309-3319*
- Halonen, K.**, see Pulkkinen, M., *TCSI Dec. 2020 5468-5481*
- Halonen, K.**, see Olabode, O., *TCSI Oct. 2020 3284-3296*
- Halonen, K.A.I.**, see Haapala, T., *TCSI July 2020 2467-2480*
- Hammler, N.**, and Murmann, B., Distortion Analysis of RC Integrators With Wideband Input Signals; *TCSI Jan. 2020 12-22*
- Han, D.**, see Wang, H., *TCSI Feb. 2020 451-463*
- Han, D.**, see Lee, J., *TCSI Oct. 2020 3458-3470*
- Han, D.**, see Im, D., *TCSI Oct. 2020 3471-3483*
- Han, H.**, see Liu, S., *TCSI Aug. 2020 2602-2611*
- Han, J.**, see Yan, H., *TCSI March 2020 1035-1044*
- Han, J.**, and Kwon, K., I/Q Balance-Enhanced Wideband Receiver Front-End for 2G/3G/4G/5G NR Cellular Applications; *TCSI June 2020 1881-1891*
- Han, J.**, see Xin, G., *TCSI Aug. 2020 2672-2684*
- Han, J.**, see Chen, K., *TCSI Dec. 2020 4707-4718*
- Han, K.**, see Chen, Z., *TCSI Nov. 2020 4142-4153*
- Han, M.**, see Zhou, Y., *TCSI May 2020 1602-1614*
- Han, S.**, see Jung, H., *TCSI Oct. 2020 3410-3421*
- Han, Z.**, Tang, W.K.S., and Jia, Q., Event-Triggered Synchronization for Non-linear Multi-Agent Systems With Sampled Data; *TCSI Oct. 2020 3553-3561*
- Hanyu, T.**, see Onizawa, N., *TCSI May 2020 1541-1550*
- Hao, Y.**, see Xu, T., *TCSI June 2020 2078-2090*
- Hardtdegen, A.**, see Bengel, C., *TCSI Dec. 2020 4618-4630*
- Harjani, R.**, see Jamali-Zavareh, S., *TCSI Jan. 2020 1-11*
- Haruta, M.**, see Rustami, E., *TCSI April 2020 1082-1091*
- Harvanek, M.**, see Kral, J., *TCSI June 2020 1976-1988*
- Harvanek, M.**, Marsalek, R., Kral, J., Gotthans, T., Blumenstein, J., Pospisil, M., and Rupp, M., Adjacent Channel Interference Cancellation in FDM Transmissions; *TCSI Dec. 2020 5417-5428*
- Hasko, D.**, see Bagheri, M., *TCSI Sept. 2020 2883-2896*
- Hasler, M.**, Wittig, R., Matus, E., and Fettweis, G., Slicing FIFOs for On-Chip Memory Bandwidth Exhaustion; *TCSI Feb. 2020 441-450*
- Hassanzadehyamchi, S.**, see Alizadeh, A., *TCSI Oct. 2020 3364-3377*
- Hattori, R.**, see Mostafa, T.M., *TCSI Aug. 2020 2836-2848*
- Hayati, M.**, see Ekhteraei, M., *TCSI March 2020 806-814*
- He, G.**, see Tu, J., *TCSI Nov. 2020 4015-4028*
- He, S.**, see Cheng, P., *TCSI March 2020 951-962*
- He, W.**, see Sun, Y., *TCSI July 2020 2431-2441*
- He, Y.**, see Zhang, Z., *TCSI Sept. 2020 3047-3055*
- He, Y.**, Yi, X., Zhang, Z., Ma, B., and Li, Q., A Probabilistic Prediction-Based Fixed-Width Booth Multiplier for Approximate Computing; *TCSI Dec. 2020 4794-4803*
- Hella, M.M.**, see Hsu, Y., *TCSI Jan. 2020 48-59*
- Hella, M.M.**, see Liu, Z., *TCSI Oct. 2020 3352-3363*
- Hellmich, L.**, see Bengel, C., *TCSI Dec. 2020 4618-4630*
- Henkel, J.**, see Kim, H., *TCSI April 2020 1319-1332*
- Henkel, J.**, see Tasoulas, Z., *TCSI Dec. 2020 4670-4683*
- Heo, D.**, see Nguyen, B., *TCSI Feb. 2020 622-633*
- Heo, D.**, see Gopal, S., *TCSI Nov. 2020 3919-3932*
- Heo, D.**, see Hong, W., *TCSI Sept. 2020 3234-3247*
- Heo, S.**, Park, K., Choi, E., and Bien, F., Differential Coded Multiple Signaling Method With Fully Differential Receiver for Mutual Capacitive Fingerprint TSP; *TCSI Jan. 2020 74-85*
- Hezar, R.**, see Banerjee, A., *TCSI March 2020 815-828*
- Higo, A.**, see Byambadorj, Z., *TCSI Jan. 2020 298-308*
- Higo, A.**, see Byambadorj, Z., *TCSI Dec. 2020 5561-5573*
- Hirose, T.**, see Chung, M., *TCSI Nov. 2020 4110-4121*
- Ho, D.**, see Zhou, X.Y., *TCSI June 2020 2029-2041*
- Ho, D.**, see Zhou, L., *TCSI July 2020 2239-2249*
- Ho, H.W.**, see Lau, W.W.Y., *TCSI Dec. 2020 4322-4333*
- Hoffmann-Eifert, S.**, see Bengel, C., *TCSI Dec. 2020 4618-4630*
- Hofmann, K.**, see Angeli, N., *TCSI April 2020 1158-1168*
- Hong, H.**, and Yang, C., Interleaved Write Scheme for Improving Sequential Write Throughput of Multi-Chip MLC NAND Flash Memory Systems; *TCSI Dec. 2020 4946-4959*
- Hong, W.**, see Nguyen, B., *TCSI Feb. 2020 622-633*
- Hong, W.**, Zhou, Z., Nguyen, B., Tang, N., Kim, J., Pande, P.P., and Heo, D., Analysis and Design Method of Multiple-Output Switched-Capacitor Voltage Regulators With a Reduced Number of Power Electronic Components; *TCSI Sept. 2020 3234-3247*
- Hong, W.**, and Lee, M., A 7.4-MHz Tri-Mode DC-DC Buck Converter With Load Current Prediction Scheme and Seamless Mode Transition for IoT Applications; *TCSI Dec. 2020 4544-4555*
- Horta, N.**, see Martins, R., *TCSI Nov. 2020 3965-3977*
- Hou, Z.J.**, see Yang, Y., *TCSI May 2020 1516-1526*
- Hsiao, W.**, see Chiu, K., *TCSI Sept. 2020 3211-3223*
- Hsu, Y.**, Liu, Z., and Hella, M.M., A -68 dB THD, 0.6 mm² Active Area Bio-signal Acquisition System With a 40-320 Hz Duty-Cycle Controlled Filter; *TCSI Jan. 2020 48-59*
- Hsu, Y.**, see Lu, C., *TCSI Dec. 2020 4774-4783*
- Hsu, Y.**, see Liu, Z., *TCSI Oct. 2020 3352-3363*
- Hu, A.**, Liu, D., Zhang, K., Liu, L., and Zou, X., A 0.045- to 2.5-GHz Frequency Synthesizer With TDC-Based AFC and Phase Switching Multi-Modulus Divider; *TCSI Dec. 2020 4470-4483*
- Hu, A.P.**, see Mostafa, T.M., *TCSI Aug. 2020 2836-2848*
- Hu, H.**, see Lin, C., *TCSI Nov. 2020 3643-3655*
- Hu, J.**, Liu, Y., Cheung, R.C.C., Bhasin, S., Ling, S., and Wang, H., Compact Code-Based Signature for Reconfigurable Devices With Side Channel Resilience; *TCSI July 2020 2305-2316*
- Hu, L.**, see Cheng, L., *TCSI Feb. 2020 516-525*
- Hu, S.**, Yuan, P., Yue, D., Dou, C., Cheng, Z., and Zhang, Y., Attack-Resilient Event-Triggered Controller Design of DC Microgrids Under DoS Attacks; *TCSI Feb. 2020 699-710*
- Hu, X.**, see Xu, C., *TCSI Nov. 2020 3954-3964*
- Hu, X.S.**, see Wu, B., *TCSI Jan. 2020 108-120*
- Hu, X.S.**, see Wu, B., *TCSI Dec. 2020 4660-4669*
- Hu, Y.**, see Xu, Y., *TCSI Feb. 2020 600-610*
- Hu, Y.**, see Yan, A., *TCSI Dec. 2020 4684-4695*
- Huang, C.**, see Chiu, K., *TCSI Sept. 2020 3211-3223*
- Huang, J.**, see El Aroudi, A., *TCSI May 2020 1729-1739*
- Huang, K.**, see Zhang, S., *TCSI June 2020 1867-1880*
- Huang, L.**, see Song, J., *TCSI Dec. 2020 5290-5301*
- Huang, M.**, see Chen, W., *TCSI May 2020 1692-1703*
- Huang, Q.**, Zhan, C., and Burm, J., A 4-MHz Digitally Controlled Voltage-Mode Buck Converter With Embedded Transient Improvement Using Delay Line Control Techniques; *TCSI Nov. 2020 4029-4040*
- Huang, S.**, see Shu, Z., *TCSI Oct. 2020 3378-3388*
- Huang, T.**, see Lv, Y., *TCSI March 2020 995-1007*
- Huang, T.**, see Wen, G., *TCSI Sept. 2020 3152-3162*
- Huang, X.**, see Zhang, H., *TCSI July 2020 2372-2382*
- Huang, Y.**, Chen, Y., Guo, H., Mak, P., and Martins, R.P., A 3.3-mW 25.2-to-29.4-GHz Current-Reuse VCO Using a Single-Turn Multi-Tap Inductor and Differential-Only Switched-Capacitor Arrays With a 187.6-dBc/Hz FOM; *TCSI Nov. 2020 3704-3717*
- Huang, Z.**, see Yan, A., *TCSI March 2020 879-890*
- Huang, Z.**, see Tan, H., *TCSI Sept. 2020 3187-3198*
- Huang, Z.**, see Wang, J., *TCSI Dec. 2020 5281-5289*
- Huemer, M.**, see Preissl, C., *TCSI Aug. 2020 2719-2729*
- Huiskamp, M.**, see Ponte, J., *TCSI Feb. 2020 369-377*
- Hung, N.H.**, see Nguyen, D.T., *TCSI May 2020 1588-1601*
- Hunter, B.L.**, and Ed Matthews, W., A 100-V Battery Charger Voltage Extender IC With 97% Efficiency at 4-A and $\pm 0.5\%$ Voltage Accuracy; *TCSI July 2020 2492-2502*
- Huong, D.C.**, Huynh, V.T., and Trinh, H., Interval Functional Observers Design for Time-Delay Systems Under Stealthy Attacks; *TCSI Dec. 2020 5101-5112*
- Hurst, P.J.**, see Yu, Y., *TCSI Aug. 2020 2588-2601*
- Huynh, V.T.**, see Huong, D.C., *TCSI Dec. 2020 5101-5112*

I

Ibrahim, M.A.A., and Onabajo, M., A Low-Power BFSK Transmitter Architecture for Biomedical Applications; *TCSI May 2020 1527-1540*

Iizuka, T., see Byambadorj, Z., *TCSI Jan. 2020 298-308*
Iizuka, T., see Byambadorj, Z., *TCSI Dec. 2020 5561-5573*
Ilchenko, M., see Zakharov, A., *TCSI Jan. 2020 98-107*
Ilchenko, M., see Zakharov, A., *TCSI July 2020 2204-2215*
Im, D., Han, D., Choi, S., Kang, S., and Yoo, H., DT-CNN: An Energy-Efficient Dilated and Transposed Convolutional Neural Network Processor for Region of Interest Based Image Segmentation; *TCSI Oct. 2020 3471-3483*
Inaty, E., see Akkad, G., *TCSI Dec. 2020 5079-5091*
Issakov, V., see Ciocoveanu, R., *TCSI Aug. 2020 2635-2646*
Iu, H.H., see Chen, W., *TCSI Dec. 2020 5664-5674*
Iu, H.H., see Liang, Y., *TCSI Dec. 2020 5139-5152*

J

Jaberipur, G., and Nadimi, B., Balanced $(3+2\log n)\Delta G$ Adders for Moduli Set $\{2^{n+1}, 2^{n+2^{n-1}-1}, 2^{n+1}-1\}$; *TCSI April 2020 1368-1377*
Jacques, L., see Benjilali, W., *TCSI April 2020 1218-1231*
Jafari, A., Raji, M., and Ghavami, B., Timing Reliability Improvement of Master-Slave Flip-Flops in the Presence of Aging Effects; *TCSI Dec. 2020 4761-4773*
Jafari-Nodoushan, M., Safaei, B., Ejlali, A., and Chen, J., Leakage-Aware Battery Lifetime Analysis Using the Calculus of Variations; *TCSI Dec. 2020 4829-4841*
Jahan, N., Baichuan, C., Barakat, A., and Pokharel, R.K., Utilization of Multi-Resonant Defected Ground Structure Resonators in the Oscillator Feedback for Phase Noise Reduction of K-Band VCOs in 0.18- μm CMOS Technology; *TCSI April 2020 1115-1125*
Jaiswal, A., see Ali, M.F., *TCSI Jan. 2020 155-165*
Jaiswal, A., see Ali, M., *TCSI Aug. 2020 2521-2531*
Jaiswal, A., Agrawal, A., Ali, M.F., Sharmin, S., and Roy, K., *i*-SRAM: Interleaved Wordlines for Vector Boolean Operations Using SRAMs; *TCSI Dec. 2020 4651-4659*
Jakusz, J., see Blakiewicz, G., *TCSI Aug. 2020 2556-2565*
Jalali, A., see Seo, H., *TCSI Aug. 2020 2659-2671*
Jamali-Zavareh, S., and Harjani, R., Jitter Suppression Techniques for High-Speed Sample-and-Hold Circuits; *TCSI Jan. 2020 1-11*
Jang, T.H., Jung, K.P., Kang, J., Byeon, C.W., and Park, C.S., 120-GHz 8-Stage Broadband Amplifier With Quantitative Stagger Tuning Technique; *TCSI March 2020 785-796*
Jannesari, A., see Mesgari, B., *TCSI Dec. 2020 4507-4520*
Jayaraj, A., Danesh, M., Tannirkulam Chandrasekaran, S., and Sanyal, A., 76-dB DR, 48 fJ/Step Second-Order VCO-Based Current-to-Digital Converter; *TCSI April 2020 1149-1157*
Jehle, A., see Fuchs, S., *TCSI March 2020 1045-1057*
Jendernalik, W., see Blakiewicz, G., *TCSI Aug. 2020 2556-2565*
Jeon, S., Kwon, W., Yoon, J., Yoon, T., Kwon, K., Yang, J., and Bae, H., A Framed-Pulsewidth Modulation Transceiver for High-Speed Broadband Communication Links; *TCSI Aug. 2020 2825-2835*
Jeong, M., see Cho, J., *TCSI May 2020 1640-1652*
Jeong, Y., see Chae, J., *TCSI Sept. 2020 2972-2983*
Jia, H., see Tang, Y., *TCSI May 2020 1576-1587*
Jia, K., see Chen, Z., *TCSI Feb. 2020 389-400*
Jia, Q., see Han, Z., *TCSI Oct. 2020 3553-3561*
Jiang, B., Lu, J., Liu, Y., and Cao, J., Periodic Event-Triggered Adaptive Control for Attitude Stabilization Under Input Saturation; *TCSI Jan. 2020 249-258*
Jiang, H., see Liu, Z., *TCSI Dec. 2020 4370-4381*
Jiang, H., see Shen, Z., *TCSI Dec. 2020 4445-4456*
Jiang, J., see Tu, J., *TCSI Nov. 2020 4015-4028*
Jiang, Z., see Wang, H., *TCSI Feb. 2020 451-463*
Jiao, H., see Sun, Y., *TCSI July 2020 2431-2441*
Jiao, T., Zheng, W.X., and Xu, S., Unified Stability Criteria of Random Nonlinear Time-Varying Impulsive Switched Systems; *TCSI Sept. 2020 3099-3112*
Jiao, Z., Chen, Y., Su, X., Sun, Q., Wang, X., Zhang, R., and Zhang, H., A Configurable Noise-Shaping Band-Pass SAR ADC With Two-Stage Clock-Controlled Amplifier; *TCSI Nov. 2020 3728-3739*
Jiao, Z., see Chen, Y., *TCSI Nov. 2020 3815-3827*
Jin, J., see Tan, X., *TCSI Feb. 2020 540-552*

Jin, J., see Guo, Y., *TCSI Nov. 2020 3630-3642*
Jing, S., see Yu, A., *TCSI June 2020 2128-2139*
Johansson, H.T., see Bruni, G., *TCSI Jan. 2020 189-197*
Jokar, E., Klidbary, S.H., Abolfathi, H., Shouraki, S.B., Zand, R., and Ahmadi, A., Hardware-Algorithm Co-Design of a Compressed Fuzzy Active Learning Method; *TCSI Dec. 2020 4932-4945*
Jou, S.J., see Chiu, K., *TCSI Sept. 2020 3211-3223*
Jung, H., Utomo, D.R., Han, S., Kim, J., and Lee, S., An 80 MHz Bandwidth and 26.8 dBm OOB IIP3 Transimpedance Amplifier With Improved Nested Feedforward Compensation and Multi-Order Filtering; *TCSI Oct. 2020 3410-3421*
Jung, K.P., see Jang, T.H., *TCSI March 2020 785-796*
Jung, S., see Park, J., *TCSI June 2020 1936-1947*
Jung, S., see Cho, K., *TCSI May 2020 1551-1561*
Jung, S., see Gi, H., *TCSI Oct. 2020 3601-3612*

K

Kadam, M., Kumar, A., and Aniruddhan, S., A 28GHz Reflective-Type Transmission-Line-Based Phase Shifter; *TCSI Dec. 2020 4641-4650*
Kaddi, P., see Nagaveni, S., *TCSI Nov. 2020 4053-4062*
Kalani, S., and Kinget, P.R., Zero-Crossing-Time-Difference Model for Stability Analysis of VCO-Based OTAs; *TCSI March 2020 839-851*
Kalantari, M., see Meng, X., *TCSI June 2020 1835-1845*
Kamal, M., see Samimi, N., *TCSI Feb. 2020 658-671*
Kamal, M., see Haghi, P., *TCSI Sept. 2020 3056-3069*
Kang, J., see Jang, T.H., *TCSI March 2020 785-796*
Kang, K., see Zhao, C., *TCSI Oct. 2020 3400-3409*
Kang, M., Kim, Y., Patil, A.D., and Shanbhag, N.R., Deep In-Memory Architectures for Machine Learning—Accuracy Versus Efficiency Trade-Offs; *TCSI May 2020 1627-1639*
Kang, S., see Kim, S., *TCSI April 2020 1181-1193*
Kang, S., see Ascoli, A., *TCSI Aug. 2020 2753-2766*
Kang, S., see Kim, S., *TCSI Sept. 2020 3138-3151*
Kang, S., see Lee, J., *TCSI Oct. 2020 3458-3470*
Kang, S., see Im, D., *TCSI Oct. 2020 3471-3483*
Kapoor, G., see Tannirkulam Chandrasekaran, S., *TCSI Oct. 2020 3262-3272*
Kar, B., see Bose, S.K., *TCSI March 2020 913-926*
Karami, M.A., and Moez, K., An Ultra-Low-Power Low-Voltage WuTx With Built-In Analog Sensing for Self-Powered WSN; *TCSI July 2020 2274-2287*
Karami, P., Banaeikashani, A., Behmanesh, B., and Atarodi, S.M., An N-Path Filter Design Methodology With Harmonic Rejection, Power Reduction, Foldback Elimination, and Spectrum Shaping; *TCSI Dec. 2020 4494-4506*
Kareppagoudr, M., Shakya, J., Caceres, E., Kuo, Y., and Temes, G.C., Slew-ing Mitigation Technique for Switched Capacitor Circuits; *TCSI Oct. 2020 3251-3261*
Karimi, H.R., see Ding, T., *TCSI April 2020 1402-1412*
Karimi, H.R., see Song, J., *TCSI Dec. 2020 5290-5301*
Karman, S., see Avallone, L., *TCSI March 2020 743-752*
Karsilayan, A.I., see Shao, J., *TCSI Nov. 2020 3790-3803*
Karsilayan, A.I., see Park, C., *TCSI Nov. 2020 3618-3629*
Kashani, M.H., see Yaghoobi, M., *TCSI Nov. 2020 4002-4014*
Kasturi Rangan, J., Pour Aryan, N., Bargfrede, J., Wang, L., Funke, C., and Graeb, H., Synthesis of DDRO Timing Monitors by Delay-Tracking and Static Timing Analysis; *TCSI Feb. 2020 401-414*
Kawamoto, T., see Norimatsu, T., *TCSI Oct. 2020 3433-3443*
Ke, H., see Zhang, Z., *TCSI Dec. 2020 4270-4280*
Keida, A., see Yabe, Y., *TCSI May 2020 1762-1774*
Kennedy, M.P., see Sokolov, A., *TCSI Feb. 2020 565-577*
Kennedy, M.P., see Mai, D., *TCSI March 2020 729-742*
Kennedy, M.P., see Avallone, L., *TCSI March 2020 743-752*
Ker, M., see Lin, S., *TCSI Nov. 2020 4122-4131*
Keren, O., see Shifman, Y., *TCSI Dec. 2020 4855-4868*
Kermani, M.M., see Koziel, B., *TCSI Dec. 2020 4842-4854*
Khajehoddin, S.A., see Rezaei-Hosseinabadi, N., *TCSI June 2020 1857-1866*
Khalaf, K., see Tang, X., *TCSI May 2020 1447-1458*
Khalid, A., see Kundi, D., *TCSI Dec. 2020 4869-4882*

- Khalil, K.**, Eldash, O., Kumar, A., and Bayoumi, M., Machine Learning-Based Approach for Hardware Faults Prediction; *TCSI Nov. 2020 3880-3892*
- Khandekar, A.**, see Nagaveni, S., *TCSI Nov. 2020 4053-4062*
- Khatib, R.E.**, see Koziel, B., *TCSI Dec. 2020 4842-4854*
- Khoshooei, A.**, see Khoshsaadat, A., *TCSI Aug. 2020 2849-2858*
- Khoshsaadat, A.**, Khoshooei, A., and Mohammadi, M., Analysis and Design of a New Current-Source Output Load Resonant Converter With High Capability in Line and Load Regulation; *TCSI Aug. 2020 2849-2858*
- Ki, W.**, see Cheng, L., *TCSI Feb. 2020 516-525*
- Ki, W.**, see Ma, X., *TCSI Nov. 2020 4041-4052*
- Kiaei, S.**, see Alizadeh, A., *TCSI Oct. 2020 3364-3377*
- Kim, B.**, see Lee, S., *TCSI June 2020 2114-2127*
- Kim, H.**, Kim, J., Amrouch, H., Henkel, J., Gerstlauer, A., Choi, K., and Park, H., Aging Compensation With Dynamic Computation Approximation; *TCSI April 2020 1319-1332*
- Kim, H.**, see Nguyen, D.T., *TCSI May 2020 1588-1601*
- Kim, J.**, see Kim, H., *TCSI April 2020 1319-1332*
- Kim, J.**, see Hong, W., *TCSI Sept. 2020 3234-3247*
- Kim, J.**, see Jung, H., *TCSI Oct. 2020 3410-3421*
- Kim, K.R.**, see Kim, S., *TCSI Sept. 2020 3138-3151*
- Kim, S.**, Lee, J., Kang, S., Lee, J., and Yoo, H., A Power-Efficient CNN Accelerator With Similar Feature Skipping for Face Recognition in Mobile Devices; *TCSI April 2020 1181-1193*
- Kim, S.**, see Chae, J., *TCSI Sept. 2020 2972-2983*
- Kim, S.**, Lee, S., Park, S., Kim, K.R., and Kang, S., A Logic Synthesis Methodology for Low-Power Ternary Logic Circuits; *TCSI Sept. 2020 3138-3151*
- Kim, S.**, and Kwon, K., Broadband Balun-LNA Employing Local Feedback g_m -Boosting Technique and Balanced Loads for Low-Power Low-Voltage Applications; *TCSI Dec. 2020 4631-4640*
- Kim, S.**, and Ahn, C.K., Position Regulator With Variable Cut-Off Frequency Mechanism for Hybrid-Type Stepper Motors; *TCSI Oct. 2020 3533-3540*
- Kim, S.J.**, see Gi, H., *TCSI Oct. 2020 3601-3612*
- Kim, S.Y.**, see Park, K., *TCSI Nov. 2020 3718-3727*
- Kim, Y.**, see Kang, M., *TCSI May 2020 1627-1639*
- Kinget, P.R.**, see Kalani, S., *TCSI March 2020 839-851*
- Klemme, F.**, see Amrouch, H., *TCSI Sept. 2020 3127-3137*
- Klidbary, S.H.**, see Jokar, E., *TCSI Dec. 2020 4932-4945*
- Klosowski, M.**, see Blakiewicz, G., *TCSI Aug. 2020 2556-2565*
- Ko, J.**, see Lee, S., *TCSI June 2020 2114-2127*
- Ko, S.H.**, A -24 dB in-Band Noise-Immunity Mutual Capacitance Readout System for Variable Refresh Rate of Active-Matrix OLED Display; *TCSI April 2020 1126-1135*
- Kocarev, L.**, see Zhang, W., *TCSI Jan. 2020 259-270*
- Kodge, S.**, see Ali, M., *TCSI Aug. 2020 2521-2531*
- Kogo, K.**, see Norimatsu, T., *TCSI Oct. 2020 3433-3443*
- Kohmu, N.**, see Norimatsu, T., *TCSI Oct. 2020 3433-3443*
- Kolumban, G.**, see Bai, C., *TCSI Oct. 2020 3574-3587*
- Komori, T.**, see Norimatsu, T., *TCSI Oct. 2020 3433-3443*
- Kong, B.Y.**, Lee, J., and Park, I., A Low-Latency Multi-Touch Detector Based on Concurrent Processing of Redesigned Overlap Split and Connected Component Analysis; *TCSI Jan. 2020 166-176*
- Kong, B.Y.**, see Choi, J., *TCSI March 2020 972-982*
- Kong, D.**, and Galton, I., MSE Analysis of a Multi-Loop LMS Pseudo-Random Noise Canceler for Mixed-Signal Circuit Calibration; *TCSI Sept. 2020 3084-3098*
- Kong, L.**, Liu, H., Zhu, X., Boon, C.C., Li, C., Liu, Z., and Yeo, K.S., Design of a Wideband Variable-Gain Amplifier With Self-Compensated Transistor for Accurate dB-Linear Characteristic in 65 nm CMOS Technology; *TCSI Dec. 2020 4187-4198*
- Kong, M.**, see Zhuang, Z., *TCSI Dec. 2020 4360-4369*
- Koo, M.**, Srinivasan, G., Shim, Y., and Roy, K., sBSNN: Stochastic-Bits Enabled Binary Spiking Neural Network With On-Chip Learning for Energy Efficient Neuromorphic Computing at the Edge; *TCSI Aug. 2020 2546-2555*
- Kostamovaara, J.**, see Baharmast, A., *TCSI Aug. 2020 2566-2577*
- Kosunen, M.**, see Spoo, K., *TCSI Dec. 2020 4457-4469*
- Kosunen, M.**, see Olabode, O., *TCSI Oct. 2020 3284-3296*
- Kouhalvandi, L.**, Ceylan, O., and Ozoguz, S., Automated Deep Neural Learning-Based Optimization for High Performance High Power Amplifier Designs; *TCSI Dec. 2020 4420-4433*
- Koziel, B.**, Ackie, A., Khatib, R.E., Azarderakhsh, R., and Kermani, M.M., SIKE'd Up: Fast Hardware Architectures for Supersingular Isogeny Key Encapsulation; *TCSI Dec. 2020 4842-4854*
- Kral, J.**, Gotthans, T., Marsalek, R., Harvanek, M., and Rupp, M., On Feedback Sample Selection Methods Allowing Lightweight Digital Predistorter Adaptation; *TCSI June 2020 1976-1988*
- Kral, J.**, see Harvanek, M., *TCSI Dec. 2020 5417-5428*
- Krishnapura, N.**, see Chithra, ., *TCSI June 2020 1892-1901*
- Krishnapura, N.**, see Kumar, R.S.A., *TCSI Nov. 2020 3693-3703*
- Krotnev, P.**, see Yang, M., *TCSI Jan. 2020 284-297*
- Krstic, M.**, see Kuentzer, F.A., *TCSI Dec. 2020 4883-4894*
- Kuan, Y.**, see Qu, Y., *TCSI Nov. 2020 4099-4109*
- Kuentzer, F.A.**, and Krstic, M., Soft Error Detection and Correction Architecture for Asynchronous Bundled Data Designs; *TCSI Dec. 2020 4883-4894*
- Kulis, S.**, see Biereigel, S., *TCSI May 2020 1438-1446*
- Kumar, A.**, see Khalil, K., *TCSI Nov. 2020 3880-3892*
- Kumar, A.**, see Kadam, M., *TCSI Dec. 2020 4641-4650*
- Kumar, N.**, Rawat, K., and Ghannouchi, F.M., Reconfigurable Digital Delta-Sigma Modulation Transmitter Architecture for Concurrent Multi-Band Transmission; *TCSI July 2020 2455-2466*
- Kumar, N.**, Singh, B., Wang, J., and Panigrahi, B.K., A Framework of L-HC and AM-MKF for Accurate Harmonic Supportive Control Schemes; *TCSI Dec. 2020 5246-5256*
- Kumar, R.S.A.**, and Krishnapura, N., Multi-Channel Analog-to-Digital Conversion Techniques Using a Continuous-Time Delta-Sigma Modulator Without Reset; *TCSI Nov. 2020 3693-3703*
- Kundi, D.**, Khalid, A., Aziz, A., Wang, C., O'Neill, M., and Liu, W., Resource-Shared Crypto-Coprocessor of AES Enc/Dec With SHA-3; *TCSI Dec. 2020 4869-4882*
- Kuo, Y.**, see Kareppagoudr, M., *TCSI Oct. 2020 3251-3261*
- Kursun, V.**, see Sun, Y., *TCSI July 2020 2431-2441*
- Kurtti, S.**, see Baharmast, A., *TCSI Aug. 2020 2566-2577*
- Kwon, K.**, see Han, J., *TCSI June 2020 1881-1891*
- Kwon, K.**, see Jeon, S., *TCSI Aug. 2020 2825-2835*
- Kwon, K.**, see Yoon, J., *TCSI Aug. 2020 2647-2658*
- Kwon, K.**, see Kim, S., *TCSI Dec. 2020 4631-4640*
- Kwon, W.**, see Jeon, S., *TCSI Aug. 2020 2825-2835*

L

- Lai, X.**, see Zhong, L., *TCSI Aug. 2020 2578-2587*
- Lam, C.**, see Li, J., *TCSI Nov. 2020 4063-4074*
- Lam, C.**, see Zeng, W., *TCSI Nov. 2020 4085-4098*
- Lam, C.**, see Wang, H., *TCSI Dec. 2020 4174-4186*
- Lam, C.-S.**, see Chi-Wa, U., *TCSI Nov. 2020 3656-3669*
- Lam, H.K.**, see Zhao, D., *TCSI June 2020 2053-2063*
- Lao, Y.**, see Liu, H., *TCSI Dec. 2020 5018-5030*
- Lau, W.W.Y.**, Ho, H.W., and Siek, L., Deep Neural Network (DNN) Optimized Design of 2.45 GHz CMOS Rectifier With 73.6% Peak Efficiency for RF Energy Harvesting; *TCSI Dec. 2020 4322-4333*
- Laurila, T.**, see Olabode, O., *TCSI Oct. 2020 3284-3296*
- Law, M.**, see Wang, B., *TCSI Nov. 2020 3670-3680*
- Law, M.**, see Zhao, Q., *TCSI Nov. 2020 3866-3879*
- Law, M.-K.**, see Chi-Wa, U., *TCSI Nov. 2020 3656-3669*
- Lee, C.**, see Tsai, P., *TCSI April 2020 1245-1254*
- Lee, H.**, Liu, C., Takamiya, M., and Chen, P., Single-Inductor Dual-Input Dual-Output Battery-PV Hybrid System With 2-D Adaptive On-Time Control for Internet of Things; *TCSI March 2020 1069-1078*
- Lee, H.**, see Nguyen, D.T., *TCSI May 2020 1588-1601*
- Lee, J.**, see Kim, S., *TCSI April 2020 1181-1193*
- Lee, J.**, see Kim, S., *TCSI April 2020 1181-1193*
- Lee, J.**, see Kong, B.Y., *TCSI Jan. 2020 166-176*
- Lee, J.**, see Chandrarathna, S.C., *TCSI Dec. 2020 5650-5663*
- Lee, J.**, see Lee, K.J., *TCSI Dec. 2020 4719-4732*

- Lee, J., Kang, S., Shin, D., Han, D., and Yoo, H., The Hardware and Algorithm Co-Design for Energy-Efficient DNN Processor on Edge/Mobile Devices; *TCSI Oct. 2020 3458-3470*
- Lee, J., *see* Lee, J., *TCSI Oct. 2020 3458-3470*
- Lee, K.J., Lee, J., Choi, S., and Yoo, H., The Development of Silicon for AI: Different Design Approaches; *TCSI Dec. 2020 4719-4732*
- Lee, M., *see* Hong, W., *TCSI Dec. 2020 4544-4555*
- Lee, S., *see* Tsai, P., *TCSI April 2020 1245-1254*
- Lee, S., Seo, J., Lim, K., Ko, J., Sim, J., Park, H., and Kim, B., A 7.8 Gb/s/pin, 1.96 pJ/b Transceiver With Phase-Difference-Modulation Signaling for Highly Reflective Interconnects; *TCSI June 2020 2114-2127*
- Lee, S., *see* Kim, S., *TCSI Sept. 2020 3138-3151*
- Lee, S., *see* Jung, H., *TCSI Oct. 2020 3410-3421*
- Lee, Y., *see* Moon, S., *TCSI June 2020 2103-2113*
- Lee, Y., *see* Lin, Y., *TCSI Dec. 2020 4984-4993*
- Lee, Y., *see* Gi, H., *TCSI Oct. 2020 3601-3612*
- Leeser, M., *see* Ramabadran, P., *TCSI Feb. 2020 526-539*
- Leitao, P., *see* Biereigel, S., *TCSI May 2020 1438-1446*
- Lenzen, C., *see* Bund, J., *TCSI Oct. 2020 3562-3573*
- Leon, J.L., *see* Yin, Y., *TCSI Dec. 2020 5257-5267*
- Leroux, P., *see* Biereigel, S., *TCSI May 2020 1438-1446*
- Leuenerberger, S., *see* Xu, Y., *TCSI Feb. 2020 600-610*
- Levantino, S., *see* Avallone, L., *TCSI March 2020 743-752*
- Levi, I., Bellizia, D., Bol, D., and Standaert, F., Ask Less, Get More: Side-Channel Signal Hiding, Revisited; *TCSI Dec. 2020 4904-4917*
- Levy, B.C., *see* Yu, Y., *TCSI Aug. 2020 2588-2601*
- Lewis, S.H., *see* Yu, Y., *TCSI Aug. 2020 2588-2601*
- Li, C., *see* Kong, L., *TCSI Dec. 2020 4187-4198*
- Li, C., *see* Li, S., *TCSI Dec. 2020 4566-4579*
- Li, D., *see* Yao, A., *TCSI April 2020 1264-1275*
- Li, D., *see* Wang, X., *TCSI Dec. 2020 4309-4321*
- Li, H., *see* Zhang, Z., *TCSI Dec. 2020 4270-4280*
- Li, H., *see* Liu, Z., *TCSI Dec. 2020 4370-4381*
- Li, H., *see* Shen, Z., *TCSI Dec. 2020 4445-4456*
- Li, H., and Li, X., Distributed Model Predictive Consensus of Heterogeneous Time-Varying Multi-Agent Systems: With and Without Self-Triggered Mechanism; *TCSI Dec. 2020 5358-5368*
- Li, J., *see* Luo, J., *TCSI April 2020 1136-1148*
- Li, J., *see* Fan, H., *TCSI July 2020 2193-2203*
- Li, J., Sin, S., Chio, U., Wu, Y., Lam, C., and Martins, R.P., Digital Battery Management Unit With Built-In Resistance Compensation, Modulated Frequency Detection and Multi-Mode Protection for Fast, Efficient and Safe Charging; *TCSI Nov. 2020 4063-4074*
- Li, J., *see* Bi, X., *TCSI Nov. 2020 3991-4001*
- Li, J., *see* Zhang, Z., *TCSI Sept. 2020 2923-2933*
- Li, J., *see* Nie, K., *TCSI Sept. 2020 2873-2882*
- Li, J., *see* Zhang, Q., *TCSI Dec. 2020 4396-4408*
- Li, L., *see* Xing, W., *TCSI Dec. 2020 5233-5245*
- Li, M., *see* Tan, X., *TCSI Feb. 2020 540-552*
- Li, M., Pang, J., Li, Y., and Zhu, A., Bandwidth Enhancement of Doherty Power Amplifier Using Modified Load Modulation Network; *TCSI June 2020 1824-1834*
- Li, P., *see* Ren, H., *TCSI Dec. 2020 5031-5039*
- Li, Q., *see* Ma, X., *TCSI Nov. 2020 4041-4052*
- Li, Q., *see* He, Y., *TCSI Dec. 2020 4794-4803*
- Li, R., and Wu, H., Iterative Approach With Optimization-Based Execution Scheme for Parameter Identification of Distributed Parameter Systems and its Application in Secure Communication; *TCSI Sept. 2020 3113-3126*
- Li, S., *see* Xing, Y., *TCSI March 2020 866-878*
- Li, S., *see* Zhang, J., *TCSI Dec. 2020 5336-5346*
- Li, S., Li, C., Cai, L., Xiao, Y., Luo, Z., Yan, D., Xu, S., and Wang, H., A -20 dBm Passive UHF RFID Tag IC With MTP NVM in 0.13- μ m Standard CMOS Process; *TCSI Dec. 2020 4566-4579*
- Li, S., *see* Zhang, Q., *TCSI Dec. 2020 5429-5442*
- Li, W., *see* Chen, Z., *TCSI April 2020 1232-1244*
- Li, W., *see* Wang, H., *TCSI Feb. 2020 451-463*
- Li, X., *see* Wang, H., *TCSI Feb. 2020 451-463*
- Li, X., *see* Liu, M., *TCSI March 2020 753-764*
- Li, X., *see* Lu, D., *TCSI Aug. 2020 2803-2815*
- Li, X., *see* Wu, J., *TCSI Dec. 2020 5211-5222*
- Li, X., *see* Li, H., *TCSI Dec. 2020 5358-5368*
- Li, X., *see* Shi, Q., *TCSI Dec. 2020 5125-5138*
- Li, Y., Sharma, S., Zhang, Y., Ma, X., and Qi, C., On the Complexity of Hybrid n -Term Karatsuba Multiplier for Trinomials; *TCSI March 2020 852-865*
- Li, Y., *see* Li, M., *TCSI June 2020 1824-1834*
- Li, Y., *see* Zhao, D., *TCSI June 2020 2053-2063*
- Li, Y., Gu, Y., and Green, T.C., Interpreting Frame Transformations in AC Systems as Diagonalization of Harmonic Transfer Functions; *TCSI July 2020 2481-2491*
- Li, Y., *see* Liu, B., *TCSI Dec. 2020 4733-4746*
- Li, Y.C., *see* Zhang, H., *TCSI Aug. 2020 2625-2634*
- Li, Z., and Long, L., Global Stabilization of Switched Feedforward Nonlinear Time-Delay Systems Under Asynchronous Switching; *TCSI Feb. 2020 711-724*
- Li, Z., *see* Wang, Y., *TCSI Sept. 2020 2960-2971*
- Li, Z., *see* Ma, Y., *TCSI Sept. 2020 3175-3186*
- Li, Z., *see* El Aroudi, A., *TCSI May 2020 1729-1739*
- Li, Z., *see* Liu, H., *TCSI May 2020 1740-1751*
- Li, Z., *see* Shu, Z., *TCSI Oct. 2020 3378-3388*
- Lian, C., *see* Wang, J., *TCSI Dec. 2020 4247-4258*
- Liang, Y., Wang, G., Chen, G., Dong, Y., Yu, D., and Iu, H.H., S-Type Locally Active Memristor-Based Periodic and Chaotic Oscillators; *TCSI Dec. 2020 5139-5152*
- Liang, Z., *see* Yi, X., *TCSI Feb. 2020 686-698*
- Liao, H., *see* Liu, Z., *TCSI Dec. 2020 4370-4381*
- Liao, H., *see* Shen, Z., *TCSI Dec. 2020 4445-4456*
- Liao, J., *see* Wu, C., *TCSI Oct. 2020 3273-3283*
- Liao, X., *see* Zhong, L., *TCSI Aug. 2020 2578-2587*
- Liboiron-Ladouceur, O., *see* Taherzadeh-Sani, M., *TCSI July 2020 2288-2296*
- Licciardo, G.D., *see* De Vita, A., *TCSI Nov. 2020 3893-3904*
- Life, E.S., *see* Osman, H., *TCSI Dec. 2020 4295-4308*
- Lim, C., *see* Xu, J., *TCSI June 2020 2042-2052*
- Lim, K., *see* Lee, S., *TCSI June 2020 2114-2127*
- Lima, M.V.S., *see* Yazdanpanah, H., *TCSI July 2020 2358-2371*
- Lin, B., *see* Chiu, K., *TCSI Sept. 2020 3211-3223*
- Lin, C., *see* Lin, Y., *TCSI Feb. 2020 634-646*
- Lin, C., Hu, H., and Gupta, S., Spur Minimization Techniques for Ultra-Low-Power Injection-Locked Transmitters; *TCSI Nov. 2020 3643-3655*
- Lin, F., *see* Xi, N., *TCSI April 2020 1358-1367*
- Lin, F., *see* Tan, X., *TCSI Dec. 2020 5510-5519*
- Lin, H., *see* Xie, M., *TCSI Sept. 2020 3199-3210*
- Lin, J., *see* Chen, Z., *TCSI April 2020 1232-1244*
- Lin, J., *see* Liu, H., *TCSI Dec. 2020 5018-5030*
- Lin, J., *see* Liu, W., *TCSI Oct. 2020 3484-3497*
- Lin, J.Q., *see* Tan, H.J., *TCSI Jan. 2020 198-211*
- Lin, K., *see* Wang, J., *TCSI Dec. 2020 4247-4258*
- Lin, S., and Ker, M., Design of Stage-Selective Negative Voltage Generator to Improve On-Chip Power Conversion Efficiency for Neuron Stimulation; *TCSI Nov. 2020 4122-4131*
- Lin, X., *see* Meng, X., *TCSI June 2020 1835-1845*
- Lin, X., *see* Yin, Y., *TCSI Dec. 2020 5257-5267*
- Lin, Y., and Lin, C., Miniature Dual-Band Quadrature Coupler With Arbitrary Power Division Ratios Over the Two Bands; *TCSI Feb. 2020 634-646*
- Lin, Y., *see* Chung, Y., *TCSI Feb. 2020 358-368*
- Lin, Y., Lee, Y., Liu, H., Chiueh, H., Chi, T., and Yang, C., A 1.5 mW Programmable Acoustic Signal Processor for Hearing Assistive Devices With Speech Intelligibility Enhancement; *TCSI Dec. 2020 4984-4993*
- Lin, Z., Chen, P., Ye, L., Yan, X., Dong, L., Zhang, S., Yang, Z., Peng, C., Wu, X., and Chen, J., Challenges and Solutions of the TFET Circuit Design; *TCSI Dec. 2020 4918-4931*
- Linares-Barranco, B., *see* Ahmadi-Farsani, J., *TCSI Oct. 2020 3297-3308*
- Linaro, D., *see* Lodi, M., *TCSI April 2020 1255-1263*
- Ling, S., *see* Hu, J., *TCSI July 2020 2305-2316*
- Ling, Y., *see* Yan, A., *TCSI March 2020 879-890*

- Lisboa de Souza, A.A.**, see Sharma, E., *TCSI Feb. 2020 378-388*
- Liscidini, A.**, see Haapala, T., *TCSI July 2020 2467-2480*
- Liu, B.**, Cai, H., Wang, Z., Sun, Y., Shen, Z., Zhu, W., Li, Y., Gong, Y., Ge, W., Yang, J., and Shi, L., A 22nm, 10.8 μ W/15.1 μ W Dual Computing Modes High Power-Performance-Area Efficiency Domained Background Noise Aware Keyword- Spotting Processor; *TCSI Dec. 2020 4733-4746*
- Liu, B.**, see Zhou, Y., *TCSI May 2020 1602-1614*
- Liu, C.**, see Lee, H., *TCSI March 2020 1069-1078*
- Liu, D.**, see Wu, B., *TCSI Jan. 2020 108-120*
- Liu, D.**, see Hu, A., *TCSI Dec. 2020 4470-4483*
- Liu, D.**, and Ye, D., Pinning-Observer-Based Secure Synchronization Control for Complex Dynamical Networks Subject to DoS Attacks; *TCSI Dec. 2020 5394-5404*
- Liu, D.**, see Wu, B., *TCSI Dec. 2020 4660-4669*
- Liu, F.**, see Cheng, P., *TCSI March 2020 951-962*
- Liu, F.**, see Du, Y., *TCSI Oct. 2020 3521-3532*
- Liu, H.**, see Liu, M., *TCSI March 2020 753-764*
- Liu, H.**, see Kong, L., *TCSI Dec. 2020 4187-4198*
- Liu, H.**, Lin, J., Xu, S., Bi, T., and Lao, Y., A Resampling Method Based on Filter Designed by Window Function Considering Frequency Aliasing; *TCSI Dec. 2020 5018-5030*
- Liu, H.**, Rombouts, P., and Gielen, G.G.E., Efficient Offline Outer/Inner DAC Mismatch Calibration in Wideband $\Delta\Sigma$ ADCs; *TCSI Dec. 2020 4259-4269*
- Liu, H.**, see Lin, Y., *TCSI Dec. 2020 4984-4993*
- Liu, H.**, Xu, J., Li, Z., Wang, X., Lu, J., and Zeng, Z., Optimizing Synchronizability of Multilayer Networks Based on the Graph Comparison Method; *TCSI May 2020 1740-1751*
- Liu, H.**, see Zhao, C., *TCSI Oct. 2020 3400-3409*
- Liu, J.**, Yang, M., Xie, X., Peng, C., and Yan, H., Finite-Time H_∞ Filtering for State-Dependent Uncertain Systems With Event-Triggered Mechanism and Multiple Attacks; *TCSI March 2020 1021-1034*
- Liu, J.**, Zhu, Y., Chan, C., and Martins, R.P., A 0.04% BER Strong PUF With Cell-Bias-Based CRPs Filtering and Background Offset Calibration; *TCSI Nov. 2020 3853-3865*
- Liu, J.**, see Yin, Y., *TCSI Dec. 2020 5257-5267*
- Liu, J.**, and Gregori, S., Switched-Capacitor Boost-Buck Ladder Converters With Extended Voltage Range in Standard CMOS; *TCSI Dec. 2020 4593-4606*
- Liu, J.**, see Liu, Z., *TCSI Dec. 2020 4370-4381*
- Liu, J.**, see Ning, D., *TCSI Dec. 2020 5162-5174*
- Liu, J.**, see Shen, Z., *TCSI Dec. 2020 4445-4456*
- Liu, K.**, see Gu, H., *TCSI Dec. 2020 5268-5280*
- Liu, L.**, see Mahdavi, M., *TCSI June 2020 1948-1961*
- Liu, L.**, Zheng, W.X., and Ding, S., An Adaptive SOSM Controller Design by Using a Sliding-Mode-Based Filter and its Application to Buck Converter; *TCSI July 2020 2409-2418*
- Liu, L.**, see Hu, A., *TCSI Dec. 2020 4470-4483*
- Liu, M.**, Liu, H., Li, X., and Zhu, Z., A 60-m Range 6.16-mW Laser-Power Linear-Mode LiDAR System With Multiplex ADC/TDC in 65-nm CMOS; *TCSI March 2020 753-764*
- Liu, M.**, see Wang, X., *TCSI Dec. 2020 4309-4321*
- Liu, M.**, see Zheng, H., *TCSI Dec. 2020 4409-4419*
- Liu, M.**, see Zhou, Y., *TCSI May 2020 1602-1614*
- Liu, N.**, Todsén, J., and Chen, D., An 8-bit Low-Cost String DAC With Gradient Errors Suppression to Achieve 16-bit Linearity; *TCSI July 2020 2157-2168*
- Liu, N.**, and Chen, D., A Transient-Enhanced Output-Capacitorless LDO With Fast Local Loop and Overshoot Detection; *TCSI Oct. 2020 3422-3432*
- Liu, Q.**, see Xu, S., *TCSI Oct. 2020 3588-3600*
- Liu, R.**, see Peng, X., *TCSI April 2020 1333-1343*
- Liu, S.**, see Chen, Z., *TCSI April 2020 1232-1244*
- Liu, S.**, see Zhao, D., *TCSI June 2020 2053-2063*
- Liu, S.**, see Guo, J., *TCSI June 2020 1925-1935*
- Liu, S.**, see Su, G., *TCSI July 2020 2169-2179*
- Liu, S.**, Han, H., Shen, Y., and Zhu, Z., A 12-Bit 100-MS/s Pipelined-SAR ADC With PVT-Insensitive and Gain-Folding Dynamic Amplifier; *TCSI Aug. 2020 2602-2611*
- Liu, S.**, see Zhang, G., *TCSI Dec. 2020 4580-4592*
- Liu, S.**, Reviriego, P., and Lombardi, F., Codes for Limited Magnitude Error Correction in Multilevel Cell Memories; *TCSI May 2020 1615-1626*
- Liu, T.**, see Lu, C., *TCSI Dec. 2020 4774-4783*
- Liu, W.**, see Kundi, D., *TCSI Dec. 2020 4869-4882*
- Liu, W.**, see Chen, K., *TCSI Dec. 2020 4707-4718*
- Liu, W.**, Lin, J., and Wang, Z., A Precision-Scalable Energy-Efficient Convolutional Neural Network Accelerator; *TCSI Oct. 2020 3484-3497*
- Liu, X.**, see Chen, Z., *TCSI Feb. 2020 389-400*
- Liu, X.**, see Guo, Y., *TCSI Nov. 2020 3630-3642*
- Liu, X.**, see Liu, Z., *TCSI Sept. 2020 2909-2922*
- Liu, X.**, Chen, W., Chen, L., Ghannouchi, F.M., and Feng, Z., Power Scalable Beam-Oriented Digital Predistortion for Compact Hybrid Massive MIMO Transmitters; *TCSI Dec. 2020 4994-5006*
- Liu, Y.**, see Luo, J., *TCSI April 2020 1136-1148*
- Liu, Y.**, see Wu, J., *TCSI Jan. 2020 60-73*
- Liu, Y.**, see Jiang, B., *TCSI Jan. 2020 249-258*
- Liu, Y.**, see Ding, M., *TCSI July 2020 2263-2273*
- Liu, Y.**, see Hu, J., *TCSI July 2020 2305-2316*
- Liu, Y.**, see Urso, A., *TCSI Nov. 2020 3764-3777*
- Liu, Y.**, see Zhao, Y., *TCSI Dec. 2020 5326-5335*
- Liu, Y.**, see Urso, A., *TCSI Dec. 2020 4233-4246*
- Liu, Z.**, see Luo, J., *TCSI April 2020 1136-1148*
- Liu, Z.**, see Ding, T., *TCSI April 2020 1402-1412*
- Liu, Z.**, see Hsu, Y., *TCSI Jan. 2020 48-59*
- Liu, Z.**, see Chen, Z., *TCSI Feb. 2020 389-400*
- Liu, Z.**, see Zheng, Z., *TCSI July 2020 2383-2396*
- Liu, Z.**, Ren, E., Qiao, F., Wei, Q., Liu, X., Luo, L., Zhao, H., and Yang, H., NS-CIM: A Current-Mode Computation-in-Memory Architecture Enabling Near-Sensor Processing for Intelligent IoT Vision Nodes; *TCSI Sept. 2020 2909-2922*
- Liu, Z.**, see Kong, L., *TCSI Dec. 2020 4187-4198*
- Liu, Z.**, Tan, Y., Li, H., Jiang, H., Liu, J., and Liao, H., A 0.5-V 3.69-nW Complementary Source-Follower-C Based Low-Pass Filter for Wearable Biomedical Applications; *TCSI Dec. 2020 4370-4381*
- Liu, Z.**, Hsu, Y., and Hella, M.M., A Thermal/RF Hybrid Energy Harvesting System With Rectifying-Combination and Improved Fractional-OCV MPPT Method; *TCSI Oct. 2020 3352-3363*
- Liyanage, N.**, see Premaratne, S.U., *TCSI Aug. 2020 2693-2706*
- Lo Schiavo, A.**, see Costanzo, L., *TCSI July 2020 2503-2515*
- Lodi, M.**, Bizzarri, F., Linaro, D., Oliveri, A., Brambilla, A., and Storace, M., A Nonlinear Behavioral Ferrite-Core Inductance Model Able to Reproduce Thermal Transients in Switch-Mode Power Supplies; *TCSI April 2020 1255-1263*
- Lokin, C.E.**, van der Zee, R.A.R., Schinkel, D., and Nauta, B., EMI Reduction in Class-D Amplifiers by Actively Reducing PWM Ripple; *TCSI March 2020 765-773*
- Lombardi, F.**, see Guo, J., *TCSI June 2020 1925-1935*
- Lombardi, F.**, see Chen, K., *TCSI Dec. 2020 4707-4718*
- Lombardi, F.**, see Liu, S., *TCSI May 2020 1615-1626*
- Lombardi, L.**, see Belforte, P., *TCSI Jan. 2020 235-248*
- Long, L.**, see Li, Z., *TCSI Feb. 2020 711-724*
- Lopez, P.**, see Cabello, D., *TCSI April 2020 1103-1114*
- Lou, E.**, see Badr, A.O., *TCSI Jan. 2020 346-355*
- Lou, M.**, see Tu, J., *TCSI Nov. 2020 4015-4028*
- Lou, X.**, see Chen, W., *TCSI May 2020 1692-1703*
- Lou, Y.**, Wang, L., Tsang, K., and Chen, G., Towards Optimal Robustness of Network Controllability: An Empirical Necessary Condition; *TCSI Sept. 2020 3163-3174*
- Lourenco, N.**, see Martins, R., *TCSI Nov. 2020 3965-3977*
- Lu, C.**, Hsu, Y., Wu, B., and Liu, T., A 270-mV 6T SRAM Using Row-Based Dual-Phase V_{DD} Control in 28-nm CMOS; *TCSI Dec. 2020 4774-4783*
- Lu, D.**, and Li, X., Reduced-Order Observer Based-Fault Estimation for Markovian Jump Systems With Time-Varying Generally Uncertain Transition Rates; *TCSI Aug. 2020 2803-2815*
- Lu, J.**, see Jiang, B., *TCSI Jan. 2020 249-258*
- Lu, J.**, see Zhang, X., *TCSI July 2020 2397-2408*
- Lu, J.**, see Wen, G., *TCSI Sept. 2020 3152-3162*

- Lu, J.**, see Ning, D., *TCSI Dec. 2020 5162-5174*
Lu, J., see Gu, H., *TCSI Dec. 2020 5268-5280*
Lu, J., see Liu, H., *TCSI May 2020 1740-1751*
Lu, M., see Shang, X., *TCSI Nov. 2020 3933-3943*
Lu, P., see Wu, Y., *TCSI Aug. 2020 2532-2545*
Lu, S., see Xu, S., *TCSI Oct. 2020 3588-3600*
Lu, W., see Chen, W., *TCSI Dec. 2020 5664-5674*
Lu, W.D., see Wang, X., *TCSI Dec. 2020 4224-4232*
Lu, Y., see Ma, X., *TCSI Nov. 2020 4041-4052*
Lu, Y., Yang, F., Chen, F., and Mok, P.K.T., A Distributed Power Delivery Grid Based on Analog-Assisted Digital LDOs With Cooperative Regulation and IR-Drop Reduction; *TCSI Aug. 2020 2859-2871*
Luan, X., see Cheng, P., *TCSI March 2020 951-962*
Luo, H., see Wang, Y., *TCSI Feb. 2020 611-621*
Luo, J., Liu, Y., Li, J., Ning, N., Wu, K., Liu, Z., and Yu, Q., A Low Voltage and Low Power 10-bit Non-Binary 2b/Cycle Time and Voltage Based SAR ADC; *TCSI April 2020 1136-1148*
Luo, L., see Chen, Z., *TCSI Feb. 2020 389-400*
Luo, L., see Liu, Z., *TCSI Sept. 2020 2909-2922*
Luo, P., see Wang, Y., *TCSI Sept. 2020 2960-2971*
Luo, Q., Fang, X., Sun, Y., Ai, J., and Yang, C., Self-Learning Hot Data Prediction: Where Echo State Network Meets NAND Flash Memories; *TCSI March 2020 939-950*
Luo, Y., see Sun, H., *TCSI Jan. 2020 177-188*
Luo, Y., see Chen, B., *TCSI Aug. 2020 2780-2790*
Luo, Y., Wang, W., Best, S., Wang, Y., and Xu, X., A High-Performance and Secure TRNG Based on Chaotic Cellular Automata Topology; *TCSI Dec. 2020 4970-4983*
Luo, Z., see Li, S., *TCSI Dec. 2020 4566-4579*
Luppe, M., see Carreira, L.B., *TCSI May 2020 1562-1575*
Lv, G., see Xu, T., *TCSI Oct. 2020 3541-3552*
Lv, Y., Fu, J., Wen, G., Huang, T., and Yu, X., Distributed Adaptive Observer-Based Control for Output Consensus of Heterogeneous MASs With Input Saturation Constraint; *TCSI March 2020 995-1007*

M

- Ma, B.**, see He, Y., *TCSI Dec. 2020 4794-4803*
Ma, D., see Zhao, Y., *TCSI Dec. 2020 5326-5335*
Ma, J., see Xie, M., *TCSI Sept. 2020 3199-3210*
Ma, J., see Nie, K., *TCSI Sept. 2020 2873-2882*
Ma, R., see Wang, X., *TCSI Dec. 2020 4309-4321*
Ma, R., see Zheng, H., *TCSI Dec. 2020 4409-4419*
Ma, X., see Li, Y., *TCSI March 2020 852-865*
Ma, X., Lu, Y., Li, Q., Ki, W., and Martins, R.P., An NMOS Digital LDO With NAND-Based Analog-Assisted Loop in 28-nm CMOS; *TCSI Nov. 2020 4041-4052*
Ma, Y., Li, Z., and Zhao, J., ∞ Control for Switched Systems Based on Dynamic Event-Triggered Strategy and Quantization Under State-Dependent Switching; *TCSI Sept. 2020 3175-3186*
Madanayake, A., see Wang, Y., *TCSI Sept. 2020 2934-2947*
Magazzu, G., see Ciarpri, G., *TCSI March 2020 829-838*
Magnan, P., see Panglosse, A., *TCSI May 2020 1507-1515*
Mahdavi, H., and Timarchi, S., Improving Architectures of Binary Signed-Digit CORDIC With Generic/Specific Initial Angles; *TCSI July 2020 2297-2304*
Mahdavi, M., Edfors, O., Owall, V., and Liu, L., Angular-Domain Massive MIMO Detection: Algorithm, Implementation, and Design Tradeoffs; *TCSI June 2020 1948-1961*
Mahdiani, H.R., see Shahshahani, S.M.R., *TCSI June 2020 1912-1924*
Mahmood, Z., see Bradde, T., *TCSI June 2020 2064-2077*
Mai, D., and Kennedy, M.P., Analysis of Wandering Spur Patterns in a Fractional-N Frequency Synthesizer With a MASH-Based Divider Controller; *TCSI March 2020 729-742*
Mak, P., see Huang, Y., *TCSI Nov. 2020 3704-3717*
Mak, P.I., see Martins, R., *TCSI Nov. 2020 3965-3977*
Mallick, D., see Sokolov, A., *TCSI Feb. 2020 565-577*
Maloberti, F., see Fan, H., *TCSI July 2020 2193-2203*

- Maloberti, F.**, see Wang, H., *TCSI Dec. 2020 4174-4186*
Malone, D., see Ramabadran, P., *TCSI Feb. 2020 526-539*
Mandal, C., see De, P., *TCSI Dec. 2020 4747-4760*
Mandal, K., see Aroudi, A.E., *TCSI Dec. 2020 5574-5585*
Mandal, S., see Zhao, H., *TCSI April 2020 1344-1357*
Mandal, S., see Wang, Y., *TCSI Sept. 2020 2934-2947*
Mandolesi, P.S., see Chierchie, F., *TCSI Aug. 2020 2816-2824*
Manfredi, P., and Grivet-Talocia, S., Rational Polynomial Chaos Expansions for the Stochastic Macromodeling of Network Responses; *TCSI Jan. 2020 225-234*
Manfredi, P., Trincherio, R., and Ginste, D.V., A Perturbative Stochastic Galerkin Method for the Uncertainty Quantification of Linear Circuits; *TCSI Sept. 2020 2993-3006*
Mangraviti, G., see Zong, Z., *TCSI May 2020 1469-1480*
Manivannan, S., and Pavan, S., Improved Continuous-Time Delta-Sigma Modulators With Embedded Active Filtering; *TCSI Nov. 2020 3778-3789*
Manohar, R., see Bingham, N., *TCSI Dec. 2020 4960-4969*
Mansour, A., see Akkad, G., *TCSI Dec. 2020 5079-5091*
Mao, Z., see Sun, Y., *TCSI July 2020 2431-2441*
Marcelot, O., see Panglosse, A., *TCSI May 2020 1507-1515*
Marcon, C., see Sanchez, G., *TCSI Feb. 2020 415-427*
Marcon, C., see Saldanha, M., *TCSI May 2020 1704-1714*
Margalef-Rovira, M., see Sharma, E., *TCSI Feb. 2020 378-388*
Markovic, M.M., see Petrovic, V.L., *TCSI Dec. 2020 5454-5467*
Marquez, A., see Yin, Y., *TCSI Dec. 2020 5257-5267*
Marsalek, R., see Kral, J., *TCSI June 2020 1976-1988*
Marsalek, R., see Harvanek, M., *TCSI Dec. 2020 5417-5428*
Martin-Gonthier, P., see Panglosse, A., *TCSI May 2020 1507-1515*
Martinez-Salamero, L., see El Aroudi, A., *TCSI April 2020 1276-1285*
Martinez-Trevino, B.A., see El Aroudi, A., *TCSI April 2020 1276-1285*
Martinez-Vazquez, B., see Cabello, D., *TCSI April 2020 1103-1114*
Martins, D.C., see Schmitz, L., *TCSI June 2020 2140-2151*
Martins, R., Lourenco, N., Horta, N., Zhong, S., Yin, J., Mak, P.I., and Martins, R.P., Design of a 4.2-to-5.1 GHz Ultralow-Power Complementary Class-B/C Hybrid-Mode VCO in 65-nm CMOS Fully Supported by EDA Tools; *TCSI Nov. 2020 3965-3977*
Martins, R.P., see Li, J., *TCSI Nov. 2020 4063-4074*
Martins, R.P., see Chi-Wa, U., *TCSI Nov. 2020 3656-3669*
Martins, R.P., see Martins, R., *TCSI Nov. 2020 3965-3977*
Martins, R.P., see Yang, X., *TCSI Nov. 2020 3753-3763*
Martins, R.P., see Ma, X., *TCSI Nov. 2020 4041-4052*
Martins, R.P., see Huang, Y., *TCSI Nov. 2020 3704-3717*
Martins, R.P., see Liu, J., *TCSI Nov. 2020 3853-3865*
Martins, R.P., see Zeng, W., *TCSI Nov. 2020 4085-4098*
Martins, R.P., see Wang, H., *TCSI Dec. 2020 4174-4186*
Matus, E., see Hasler, M., *TCSI Feb. 2020 441-450*
Mauro, A.D., Conti, F., Schiavone, P.D., Rossi, D., and Benini, L., Always-On 674 μ W@4GOP/s Error Resilient Binary Neural Networks With Aggressive SRAM Voltage Scaling on a 22-nm IoT End-Node; *TCSI Nov. 2020 3905-3918*
Mayer, T., see Preissl, C., *TCSI Aug. 2020 2719-2729*
Mazenc, F., see Yang, X., *TCSI Dec. 2020 5175-5188*
McCarthy, D., see Ramabadran, P., *TCSI Feb. 2020 526-539*
Mcfarlane, N., see Shawkat, M.S.A., *TCSI Dec. 2020 4818-4828*
Medi, A., see Alizadeh, A., *TCSI Oct. 2020 3364-3377*
Medina, M., see Bund, J., *TCSI Oct. 2020 3562-3573*
Medra, A., see Tang, X., *TCSI May 2020 1447-1458*
Meher, P.K., see Ray, D., *TCSI Jan. 2020 212-224*
Meinhardt, C., see Brendler, L.H., *TCSI Feb. 2020 553-564*
Mekie, J., see Aketi, S.A., *TCSI May 2020 1667-1677*
Menard, M., see Taherzadeh-Sani, M., *TCSI July 2020 2288-2296*
Mendes, E.M.A.M., see Hafiz, F., *TCSI June 2020 2016-2028*
Mendis, G.J., see Wang, Y., *TCSI Sept. 2020 2934-2947*
Meng, F., see Yi, X., *TCSI Feb. 2020 686-698*
Meng, X., Kalantari, M., Chi, B., Chen, W., Chen, Z., Lin, X., and Yue, C.P., A 28-GHz 16-Gb/s High Efficiency 16-QAM Transmitter in 65-nm CMOS; *TCSI June 2020 1835-1845*

- Menon, A.G.**, see Somappa, L., *TCSI Dec. 2020 4556-4565*
- Menzel, S.**, see Bengel, C., *TCSI Dec. 2020 4618-4630*
- Meo, G.D.**, see Strollo, A.G.M., *TCSI Sept. 2020 3021-3034*
- Mesgari, B.**, Saeedi, S., and Jannesari, A., Cell Weighting and Gate Inductive Peaking Techniques for Wideband Noise Suppression in Distributed Amplifiers; *TCSI Dec. 2020 4507-4520*
- Messarís, I.**, see Ascoli, A., *TCSI April 2020 1389-1401*
- Messarís, I.**, see Tetzlaff, R., *TCSI Feb. 2020 502-515*
- Meurer, T.**, see Ochs, K., *TCSI Dec. 2020 4521-4532*
- Meyer, B.H.**, see Onizawa, N., *TCSI May 2020 1541-1550*
- Mezeni, D.M.E.**, see Petrovic, V.L., *TCSI Dec. 2020 5454-5467*
- Mghabghab, S.R.**, and Nanzer, J.A., High Accuracy Adaptive Microwave Ranging Using SNR-Based Perception for Coherent Distributed Antenna Arrays; *TCSI Dec. 2020 5540-5549*
- Miao, M.**, Wang, L., Chen, G., and Xu, W., Design and Analysis of Replica Piecewise M-Ary DCSK Scheme for Power Line Communications With Asynchronous Impulsive Noise; *TCSI Dec. 2020 5443-5453*
- Miao, Z.**, see Tan, H., *TCSI Sept. 2020 3187-3198*
- Michaelis, D.**, see Ochs, K., *TCSI April 2020 1092-1102*
- Michaelis, D.**, see Ochs, K., *TCSI Dec. 2020 4521-4532*
- Miller, A.**, see Shifman, Y., *TCSI Dec. 2020 4855-4868*
- Milosevic, D.**, see Duipmans, L., *TCSI Aug. 2020 2767-2779*
- Min, H.**, Xu, S., Gu, J., and Cui, G., Adaptive Finite-Time Control for High-Order Nonlinear Systems With Multiple Uncertainties and its Application; *TCSI May 2020 1752-1761*
- Mirabbasi, S.**, see Yaghoobi, M., *TCSI Nov. 2020 4002-4014*
- Mirabbasi, S.**, see Hafshejani, E.H., *TCSI Dec. 2020 4334-4347*
- Mirabbasi, S.**, see Radakovits, D., *TCSI May 2020 1495-1506*
- Miranda, P.H.A.**, Sa, E.M., Rodrigues, F.W.G., and Antunes, F.L.M., Single-Stage Three-Phase AC-DC Resonant Switched Capacitor LED Driver Without Electrolytic Capacitor and Reduced Number of Controlled Switches; *TCSI Dec. 2020 5675-5686*
- Mirfarshbafan, S.H.**, Gallyas-Sanhueza, A., Ghods, R., and Studer, C., Beam-space Channel Estimation for Massive MIMO mmWave Systems: Algorithm and VLSI Design; *TCSI Dec. 2020 5482-5495*
- Mishra, S.**, see Venkata Mahendra, T., *TCSI July 2020 2345-2357*
- Mitra, P.**, see Almoneer, M., *TCSI Aug. 2020 2730-2738*
- Moez, K.**, see Gao, S., *TCSI March 2020 1058-1068*
- Moez, K.**, see Rezaei-Hosseiniabadi, N., *TCSI June 2020 1857-1866*
- Moez, K.**, see Karami, M.A., *TCSI July 2020 2274-2287*
- Moez, K.**, see Basaligheh, A., *TCSI Dec. 2020 4533-4543*
- Moez, K.**, see Gao, S., *TCSI Dec. 2020 5530-5539*
- Mohammadi, M.**, see Khoshasadat, A., *TCSI Aug. 2020 2849-2858*
- Mok, P.K.T.**, see Lu, Y., *TCSI Aug. 2020 2859-2871*
- Mokhtar, M.A.**, see Conrad, J., *TCSI Oct. 2020 3444-3457*
- Molnar, A.**, see Tapen, T., *TCSI Jan. 2020 271-283*
- Moon, S.**, Choe, J., and Lee, Y., Low-Latency Unfolded-KES Architecture for Emerging Storage Class Memories; *TCSI June 2020 2103-2113*
- Moon, U.**, see Xu, Y., *TCSI Feb. 2020 600-610*
- Morales, H.**, see Ardila, J., *TCSI April 2020 1169-1180*
- Morales, J.I.**, see Chierchie, F., *TCSI Aug. 2020 2816-2824*
- Moreira, P.**, see Biereigel, S., *TCSI May 2020 1438-1446*
- Moreno Arostegui, J.M.**, see Galindo Guarch, F.J., *TCSI May 2020 1653-1666*
- Moretti, R.**, see Addabbo, T., *TCSI July 2020 2419-2430*
- Mori, F.**, see Yabe, Y., *TCSI May 2020 1762-1774*
- Mosanaei-Boorani, H.**, see Farzam, M., *TCSI Dec. 2020 4895-4903*
- Mostafa, T.M.**, Bui, D., Muharam, A., Hu, A.P., and Hattori, R., Load Effect Analysis and Maximum Power Transfer Tracking of CPT System; *TCSI Aug. 2020 2836-2848*
- Mou, J.**, see Zhang, H., *TCSI Aug. 2020 2625-2634*
- Moussa, W.A.**, see Badr, A.O., *TCSI Jan. 2020 346-355*
- Mu, C.**, see Ren, L., *TCSI Aug. 2020 2791-2802*
- Mucci, C.**, see Renzini, F., *TCSI Feb. 2020 489-501*
- Mugnaini, M.**, see Addabbo, T., *TCSI July 2020 2419-2430*
- Muharam, A.**, see Mostafa, T.M., *TCSI Aug. 2020 2836-2848*
- Mula, S.**, see Vadali, S.R.K., *TCSI June 2020 1962-1975*
- Murmann, B.**, see Hammler, N., *TCSI Jan. 2020 12-22*
- N**
- Nabki, F.**, see Taherzadeh-Sani, M., *TCSI July 2020 2288-2296*
- Nadimi, B.**, see Jaberipur, G., *TCSI April 2020 1368-1377*
- Nagaveni, S.**, Kaddi, P., Khandekar, A., and Dutta, A., Resistance Compression Dual-Band Differential CMOS RF Energy Harvester Under Modulated Signal Excitation; *TCSI Nov. 2020 4053-4062*
- Naguib, A.**, see Yuan, C., *TCSI April 2020 1413-1422*
- Nakagawa, M.**, see Yabe, Y., *TCSI May 2020 1762-1774*
- Nakamura, Y.**, see Oshima, T., *TCSI Jan. 2020 23-36*
- Nakhlestani, A.**, see Radfar, M., *TCSI Jan. 2020 336-345*
- Nallathambi, G.**, and Principe, J.C., Theory and Algorithms for Pulse Signal Processing; *TCSI Aug. 2020 2707-2718*
- Nam, B.**, see Chang, D., *TCSI Dec. 2020 5189-5199*
- Nanzer, J.A.**, see Mghabghab, S.R., *TCSI Dec. 2020 5540-5549*
- Napoli, E.**, De Caro, D., Petra, N., and Strollo, A.G.M., A Binary Line Buffer Circuit Featuring Lossy Data Compression at Fixed Maximum Data Rate; *TCSI Jan. 2020 121-134*
- Napoli, E.**, see De Caro, D., *TCSI Nov. 2020 3839-3852*
- Napoli, E.**, see Strollo, A.G.M., *TCSI Sept. 2020 3021-3034*
- Nauta, B.**, see Ponte, J., *TCSI Feb. 2020 369-377*
- Nauta, B.**, see Lokin, C.E., *TCSI March 2020 765-773*
- Neag, M.**, see Raducan, C., *TCSI Nov. 2020 3740-3752*
- Negoita, A.**, see Raducan, C., *TCSI Nov. 2020 3740-3752*
- Newman, J.P.**, see Zhang, J., *TCSI June 2020 1803-1814*
- Nezami, M.S.**, see Taherzadeh-Sani, M., *TCSI July 2020 2288-2296*
- Nguyen, B.**, Tang, N., Hong, W., Zhou, Z., and Heo, D., Clock-Voltage Co-Regulator With Adaptive Power Budget Tracking for Robust Near-Threshold-Voltage Sequential Logic Circuits; *TCSI Feb. 2020 622-633*
- Nguyen, B.**, see Hong, W., *TCSI Sept. 2020 3234-3247*
- Nguyen, D.T.**, Hung, N.H., Kim, H., and Lee, H., An Approximate Memory Architecture for Energy Saving in Deep Learning Applications; *TCSI May 2020 1588-1601*
- Nguyen, J.**, see Tang, X., *TCSI May 2020 1447-1458*
- Ni, T.**, see Yan, A., *TCSI Dec. 2020 4684-4695*
- Nie, K.**, Zha, W., Shi, X., Li, J., Xu, J., and Ma, J., A Single Slope ADC With Row-Wise Noise Reduction Technique for CMOS Image Sensor; *TCSI Sept. 2020 2873-2882*
- Nikandish, G.R.**, Staszewski, R.B., and Zhu, A., Broadband Fully Integrated GaN Power Amplifier With Minimum-Inductance BPF Matching and Two-Transistor AM-PM Compensation; *TCSI Dec. 2020 4211-4223*
- Ning, B.**, Yu, X., Wen, G., and Cao, Z., Finite-Time Bipartite Tracking Control for Double-Integrator Networked Systems With Cooperative and Antagonistic Interactions; *TCSI Dec. 2020 5223-5232*
- Ning, D.**, Wu, X., Liu, J., and Lu, J., Leader-Following Pinning Synchronization of Multiagent Systems With Impulsive Interlayer Coupling; *TCSI Dec. 2020 5162-5174*
- Ning, N.**, see Luo, J., *TCSI April 2020 1136-1148*
- Ning, N.**, see Zhang, Z., *TCSI Sept. 2020 2923-2933*
- Ning, N.**, see Zhang, Q., *TCSI Dec. 2020 4396-4408*
- Niu, H.**, and Yuan, J., An Efficient Spur-Aliasing-Free Spectral Calibration Technique in Time-Interleaved ADCs; *TCSI July 2020 2229-2238*
- Niu, H.**, and Yuan, J., A Spectral-Correlation-Based Blind Calibration Method for Time-Interleaved ADCs; *TCSI Dec. 2020 5007-5017*
- Niu, Y.**, see Xu, J., *TCSI June 2020 2042-2052*
- Niu, Y.**, see Song, J., *TCSI Dec. 2020 5290-5301*
- Noda, T.**, see Rustami, E., *TCSI April 2020 1082-1091*
- Noda, T.**, see Wu, C., *TCSI Oct. 2020 3273-3283*
- Noh, K.**, see Park, C., *TCSI Nov. 2020 3618-3629*
- Norimatsu, T.**, Kogo, K., Komori, T., Kohmu, N., Yuki, F., and Kawamoto, T., A 100-Gbps 4-Lane Transceiver for 47-dB Loss Copper Cable in 28-nm CMOS; *TCSI Oct. 2020 3433-3443*
- Noy, T.**, see Giterman, R., *TCSI April 2020 1207-1217*
- Noy, T.**, and Teman, A., Design of a Refresh-Controller for GC-eDRAM Based FIFOs; *TCSI Dec. 2020 4804-4817*

O

- O'Brien, B.**, see Ramabadran, P., *TCSI Feb. 2020 526-539*
- O'Neill, M.**, see Kundi, D., *TCSI Dec. 2020 4869-4882*
- Ochs, K.**, Michaelis, D., and Solan, E., Towards Wave Digital Memcomputing With Physical Memristor Models; *TCSI April 2020 1092-1102*
- Ochs, K.**, Michaelis, D., Solan, E., Feketa, P., Schaum, A., and Meurer, T., Synthesis, Design, and Synchronization Analysis of Coupled Linear Electrical Networks; *TCSI Dec. 2020 4521-4532*
- Odedeyi, T.**, Giannakopoulos, S., Zirath, H., and Darwazeh, I., InP DHBT Single-Stage and Multiplicative Distributed Amplifiers for Ultra-Wideband Amplification; *TCSI Nov. 2020 3804-3814*
- Oh, T.W.**, see Cho, K., *TCSI May 2020 1551-1561*
- Ohta, J.**, see Rustami, E., *TCSI April 2020 1082-1091*
- Ohta, J.**, see Wu, C., *TCSI Oct. 2020 3273-3283*
- Ohta, Y.**, see Rustami, E., *TCSI April 2020 1082-1091*
- Olabode, O.**, Kosunen, M., Unnikrishnan, V., Palomaki, T., Laurila, T., Halonen, K., and Ryyanen, J., Time-Based Sensor Interface for Dopamine Detection; *TCSI Oct. 2020 3284-3296*
- Oliveri, A.**, see Lodi, M., *TCSI April 2020 1255-1263*
- Olivieri, M.**, see Bellizia, D., *TCSI July 2020 2317-2330*
- Onabajo, M.**, see Ibrahim, M.A.A., *TCSI May 2020 1527-1540*
- Onizawa, N.**, Smithson, S.C., Meyer, B.H., Gross, W.J., and Hanyu, T., In-Hardware Training Chip Based on CMOS Invertible Logic for Machine Learning; *TCSI May 2020 1541-1550*
- Ono, T.**, see Chung, M., *TCSI Nov. 2020 4110-4121*
- Orshansky, M.**, see Zhuang, H., *TCSI Jan. 2020 135-144*
- Ortmanns, M.**, see Vogelmann, P., *TCSI Nov. 2020 3681-3692*
- Ortmanns, M.**, see Conrad, J., *TCSI Oct. 2020 3444-3457*
- Oshima, T.**, Takahashi, M., Nakamura, Y., and Yamawaki, T., Inherently Accurate Attenuation-Based Digital Calibration of ADC; *TCSI Jan. 2020 23-36*
- Osman, H.**, and Life, E.S., A PVT-Resilient, Highly-Linear Fifth-Order Ring-Oscillator-Based Filter; *TCSI Dec. 2020 4295-4308*
- Owall, V.**, see Mahdavi, M., *TCSI June 2020 1948-1961*
- Ozev, S.**, see Erol, O.E., *TCSI July 2020 2216-2228*
- Ozoguz, S.**, see Kouhalvandi, L., *TCSI Dec. 2020 4420-4433*
- Ozturk, E.**, Design and Implementation of a Low-Latency Modular Multiplication Algorithm; *TCSI June 2020 1902-1911*

P

- Padilla-Cantoya, I.**, see Riad, J., *TCSI July 2020 2180-2192*
- Pahwa, G.**, see Amrouch, H., *TCSI Sept. 2020 3127-3137*
- Palisetty, R.**, see Panda, A.K., *TCSI Nov. 2020 3944-3953*
- Palla, F.**, see Ciarpi, G., *TCSI March 2020 829-838*
- Palmisano, G.**, see Parisi, A., *TCSI Dec. 2020 4434-4444*
- Palomaki, T.**, see Olabode, O., *TCSI Oct. 2020 3284-3296*
- Palomino, D.M.**, see Correa, M.M., *TCSI May 2020 1481-1494*
- Palumbo, G.**, and Scotti, G., A Multi-Folded MCML for Ultra-Low-Voltage High-Performance in Deeply Scaled CMOS; *TCSI Dec. 2020 4696-4706*
- Pan, H.**, see Sun, H., *TCSI Jan. 2020 177-188*
- Panda, A.K.**, Palisetty, R., and Ray, K.C., High-Speed Area-Efficient VLSI Architecture of Three-Operand Binary Adder; *TCSI Nov. 2020 3944-3953*
- Pande, P.P.**, see Gopal, S., *TCSI Nov. 2020 3919-3932*
- Pande, P.P.**, see Hong, W., *TCSI Sept. 2020 3234-3247*
- Pang, J.**, see Li, M., *TCSI June 2020 1824-1834*
- Pang, J.**, see Zhou, X.Y., *TCSI June 2020 2029-2041*
- Pangloss, A.**, Martin-Gonthier, P., Marcelot, O., Virmondois, C., Saint-Pe, O., and Magnan, P., Dark Count Rate Modeling in Single-Photon Avalanche Diodes; *TCSI May 2020 1507-1515*
- Panigrahi, B.K.**, see Kumar, N., *TCSI Dec. 2020 5246-5256*
- Paolini, E.E.**, see Chierchie, F., *TCSI Aug. 2020 2816-2824*
- Parampalli, U.**, see De, P., *TCSI Dec. 2020 4747-4760*
- Parhi, K.K.**, see Zhang, Q., *TCSI Dec. 2020 5429-5442*
- Parhi, K.K.**, see Cheng, C., *TCSI May 2020 1678-1691*
- Parisi, A.**, Ragonese, E., Spina, N., and Palmisano, G., Galvanically Isolated DC-DC Converter Using a Single Isolation Transformer for Multi-Channel Communication; *TCSI Dec. 2020 4434-4444*
- Park, C.**, Chen, T., Noh, K., Zhou, D., Prakash, S., Alizadeh, M.N., Karsilayan, A.I., Chen, D., Geiger, R.L., and Silva-Martinez, J., A 12-Bit 125-MS/s 2.5-Bit/Cycle SAR-Based Pipeline ADC Employing a Self-Biased Gain Boosting Amplifier; *TCSI Nov. 2020 3618-3629*
- Park, C.S.**, see Jang, T.H., *TCSI March 2020 785-796*
- Park, H.**, see Kim, H., *TCSI April 2020 1319-1332*
- Park, H.**, see Lee, S., *TCSI June 2020 2114-2127*
- Park, I.**, see Kong, B.Y., *TCSI Jan. 2020 166-176*
- Park, I.**, see Choi, J., *TCSI March 2020 972-982*
- Park, J.**, and Jung, S., Presynaptic Spike-Driven Spike Timing-Dependent Plasticity With Address Event Representation for Large-Scale Neuromorphic Systems; *TCSI June 2020 1936-1947*
- Park, J.**, see Cho, K., *TCSI May 2020 1551-1561*
- Park, J.**, see Gi, H., *TCSI Oct. 2020 3601-3612*
- Park, J.H.**, see Xie, X., *TCSI May 2020 1775-1785*
- Park, K.**, see Heo, S., *TCSI Jan. 2020 74-85*
- Park, K.**, Yeom, S., and Kim, S.Y., Ultra-Low Power CMOS Image Sensor With Two-Step Logical Shift Algorithm-Based Correlated Double Sampling Scheme; *TCSI Nov. 2020 3718-3727*
- Park, S.**, see Kim, S., *TCSI Sept. 2020 3138-3151*
- Pastuszak, G.**, Generative Multi-Symbol Architecture of the Binary Arithmetic Coder for UHD TV Video Encoders; *TCSI March 2020 891-902*
- Patil, A.**, see Bose, S.K., *TCSI March 2020 913-926*
- Patil, A.D.**, see Kang, M., *TCSI May 2020 1627-1639*
- Patra, B.**, see van Dijk, J.P.G., *TCSI Dec. 2020 5380-5393*
- Pau, D.**, see De Vita, A., *TCSI Nov. 2020 3893-3904*
- Pavan, S.**, see Manivannan, S., *TCSI Nov. 2020 3778-3789*
- Pedram, M.**, see Samimi, N., *TCSI Feb. 2020 658-671*
- Pedram, M.**, see Haghi, P., *TCSI Sept. 2020 3056-3069*
- Pellerano, S.**, see van Dijk, J.P.G., *TCSI Dec. 2020 5380-5393*
- Peng, C.**, see Liu, J., *TCSI March 2020 1021-1034*
- Peng, C.**, and Chu, T., A 10.7b 300MS/s Two-Step Digital-Slope ADC in 65nm CMOS; *TCSI Sept. 2020 2948-2959*
- Peng, C.**, see Tian, E., *TCSI Dec. 2020 5369-5379*
- Peng, C.**, see Lin, Z., *TCSI Dec. 2020 4918-4931*
- Peng, D.**, see Wang, Y., *TCSI Sept. 2020 2960-2971*
- Peng, X.**, Liu, R., and Yu, S., Optimizing Weight Mapping and Data Flow for Convolutional Neural Networks on Processing-in-Memory Architectures; *TCSI April 2020 1333-1343*
- Peng, Z.**, see Xu, C., *TCSI Nov. 2020 3954-3964*
- Penry, D.A.**, see Gammoh, K., *TCSI Dec. 2020 4348-4359*
- Pereira-Rial, O.**, see Cabello, D., *TCSI April 2020 1103-1114*
- Perilli, L.**, see Elgani, A.M., *TCSI Aug. 2020 2612-2624*
- Peterson, C.K.**, see Gammoh, K., *TCSI Dec. 2020 4348-4359*
- Petra, N.**, see Napoli, E., *TCSI Jan. 2020 121-134*
- Petra, N.**, see De Caro, D., *TCSI Nov. 2020 3839-3852*
- Petra, N.**, see Strollo, A.G.M., *TCSI Sept. 2020 3021-3034*
- Petrarca, C.**, see Burbano-L., D.A., *TCSI March 2020 927-938*
- Petrovic, V.L.**, Markovic, M.M., Mezeni, D.M.E., Saranovac, L.V., and Radosevic, A., Flexible High Throughput QC-LDPC Decoder With Perfect Pipeline Conflicts Resolution and Efficient Hardware Utilization; *TCSI Dec. 2020 5454-5467*
- Piccinni, G.**, Avitabile, G., Coviello, G., and Talarico, C., Real-Time Distance Evaluation System for Wireless Localization; *TCSI Oct. 2020 3320-3330*
- Pierrou, G.**, and Wang, X., Analytical Study of the Impacts of Stochastic Load Fluctuation on the Dynamic Voltage Stability Margin Using Bifurcation Theory; *TCSI April 2020 1286-1295*
- Pirsch, P.**, see Garrido, M., *TCSI Sept. 2020 3035-3046*
- Pise, A.A.**, see Chen, X., *TCSI Dec. 2020 5611-5623*
- Pistono, E.**, see Sharma, E., *TCSI Feb. 2020 378-388*
- Plesa, C.**, see Raducan, C., *TCSI Nov. 2020 3740-3752*
- Pohl, V.**, see Boche, H., *TCSI Dec. 2020 5051-5064*
- Pokharel, R.K.**, see Jahan, N., *TCSI April 2020 1115-1125*

Ponte, J., Ghahremani, A., Huiskamp, M., Annema, A., and Nauta, B., Theory and Implementation of a Load-Mismatch Protective Class-E PA System; *TCSI Feb. 2020* 369-377

Porto, M., see Ramos, F.L.L., *TCSI Feb. 2020* 475-488

Pospisil, M., see Harvanek, M., *TCSI Dec. 2020* 5417-5428

Pour, F.L., see Turner, N., *TCSI Dec. 2020* 5153-5161

Pour Aryan, N., see Kasturi Rangan, J., *TCSI Feb. 2020* 401-414

Pourmousavian, N., see Bagheri, M., *TCSI Sept. 2020* 2883-2896

Prakash, O., see Amrouch, H., *TCSI Sept. 2020* 3127-3137

Prakash, S., see Park, C., *TCSI Nov. 2020* 3618-3629

Preissl, C., Preyler, P., Mayer, T., Springer, A., and Huemer, M., Analysis of Spectral Degradation and Error Compensation in 5G NR Digital Polar Transmitters; *TCSI Aug. 2020* 2719-2729

Premaratne, S.U., Liyanage, N., Edussooriya, C.U.S., and Wijenayake, C., Real-Time Light Field Denoising Using a Novel Linear 4-D Hyperfan Filter; *TCSI Aug. 2020* 2693-2706

Pretl, H., see Schmickl, S., *TCSI May 2020* 1459-1468

Preyler, P., see Preissl, C., *TCSI Aug. 2020* 2719-2729

Principe, J.C., see Nallathambi, G., *TCSI Aug. 2020* 2707-2718

Prinzie, J., see Biereigel, S., *TCSI May 2020* 1438-1446

Pritz, M., see Fuchs, S., *TCSI March 2020* 1045-1057

Proskurnikov, A.V., see Bradde, T., *TCSI June 2020* 2064-2077

Puig, V., see Wang, Y., *TCSI Dec. 2020* 5316-5325

Pulkkinen, M., Haapala, T., Salomaa, J., and Halonen, K., Low-Power Wireless Transceiver With 67-nW Differential Pulse-Position Modulation Transmitter; *TCSI Dec. 2020* 5468-5481

Q

Qi, C., see Li, Y., *TCSI March 2020* 852-865

Qi, N., see Wu, J., *TCSI Jan. 2020* 60-73

Qian, Q., see Xu, S., *TCSI Oct. 2020* 3588-3600

Qiao, F., see Chen, Z., *TCSI Feb. 2020* 389-400

Qiao, F., see Liu, Z., *TCSI Sept. 2020* 2909-2922

Qiu, J., see Du, Y., *TCSI Oct. 2020* 3521-3532

Qiu, L., see Qu, Y., *TCSI Nov. 2020* 4099-4109

Qu, Y., Shu, W., Qiu, L., Kuan, Y., Chiang, S.W., and Chang, J.S., A Low-Profile High-Efficiency Fast Battery Charger With Unifiable Constant-Current and Constant-Voltage Regulation; *TCSI Nov. 2020* 4099-4109

R

Radakovits, D., TaheriNejad, N., Cai, M., Delaroche, T., and Mirabbasi, S., A Memristive Multiplier Using Semi-Serial IMPLY-Based Adder; *TCSI May 2020* 1495-1506

Radfar, M., Nakhlestani, A., Viet, H.L., and Desai, A., Battery Management Technique to Reduce Standby Energy Consumption in Ultra-Low Power IoT and Sensory Applications; *TCSI Jan. 2020* 336-345

Radi, B., see Taherzadeh-Sani, M., *TCSI July 2020* 2288-2296

Radosevic, A., see Petrovic, V.L., *TCSI Dec. 2020* 5454-5467

Raducan, C., Grajdeanu, A., Plesa, C., Neag, M., Negoita, A., and Topa, M.D., LDO With Improved Common Gate Class-AB OTA Handles any Load Capacitors and Provides Fast Response to Load Transients; *TCSI Nov. 2020* 3740-3752

Ragonese, E., see Parisi, A., *TCSI Dec. 2020* 4434-4444

Rahimi, A.A., see Carreira, L.B., *TCSI May 2020* 1562-1575

Raji, M., see Jafari, A., *TCSI Dec. 2020* 4761-4773

Ramabadran, P., Afanasyev, P., Malone, D., Leeser, M., McCarthy, D., O'Brien, B., Farrell, R., and Dooley, J., A Novel Physical Layer Authentication With PAPR Reduction Based on Channel and Hardware Frequency Responses; *TCSI Feb. 2020* 526-539

Ramos, F.L.L., Saggiorato, A.V.P., Zatt, B., Porto, M., and Bampi, S., Residual Syntax Elements Analysis and Design Targeting High-Throughput HEVC CABAC; *TCSI Feb. 2020* 475-488

Rao, V.R., see Sankar, S., *TCSI Dec. 2020* 4281-4294

Rao, W., see Zhang, L., *TCSI Jan. 2020* 309-321

Ratray, J., see Zhang, J., *TCSI June 2020* 1803-1814

Rawat, K., see Kumar, N., *TCSI July 2020* 2455-2466

Ray, D., George, N.V., and Meher, P.K., An Analytical Framework and Approximation Strategy for Efficient Implementation of Distributed Arithmetic-Based Inner-Product Architectures; *TCSI Jan. 2020* 212-224

Ray, K.C., see Panda, A.K., *TCSI Nov. 2020* 3944-3953

Ray, P., see Vadali, S.R.K., *TCSI June 2020* 1962-1975

Rehman, N.u., see Gul, S., *TCSI Dec. 2020* 5040-5050

Reis, R., see Brendler, L.H., *TCSI Feb. 2020* 553-564

Ren, E., see Chen, Z., *TCSI Feb. 2020* 389-400

Ren, E., see Liu, Z., *TCSI Sept. 2020* 2909-2922

Ren, H., Li, P., Gu, Y., and Arigong, B., Phase Shifter-Relaxed and Control-Relaxed Continuous Steering Multiple Beamforming 4×4 Butler Matrix Phased Array; *TCSI Dec. 2020* 5031-5039

Ren, H., see Bai, C., *TCSI Oct. 2020* 3574-3587

Ren, L., Zhang, G., and Mu, C., Data-Based H_∞ Control for the Constrained-Input Nonlinear Systems and its Applications in Chaotic Circuit Systems; *TCSI Aug. 2020* 2791-2802

Ren, P., see Wang, H., *TCSI Feb. 2020* 451-463

Ren, Y., see Zeng, W., *TCSI Nov. 2020* 4085-4098

Renteria-Mejia, C.P., and Velasco-Medina, J., Lattice-Based Cryptoprocessor for CCA-Secure Identity-Based Encryption; *TCSI July 2020* 2331-2344

Renzini, F., Mucci, C., Rossi, D., Scarselli, E.F., and Canegallo, R., A Fully Programmable eFPGA-Augmented SoC for Smart Power Applications; *TCSI Feb. 2020* 489-501

Renzini, F., see Elgani, A.M., *TCSI Aug. 2020* 2612-2624

Reviriego, P., see Liu, S., *TCSI May 2020* 1615-1626

Rezaei-Hosseinabadi, N., Dehghani, R., Khajehoddin, S.A., and Moez, K., A Wideband Frequency Divider With Programmable Odd/Even Division Factors and Quadrature/Symmetrical Outputs; *TCSI June 2020* 1857-1866

Riad, J., Estrada-Lopez, J.J., Padilla-Cantoya, I., and Sanchez-Sinencio, E., Power-Scaling Output-Compensated Three-Stage OTAs for Wide Load Range Applications; *TCSI July 2020* 2180-2192

Riaza, R., Homogeneous Models of Nonlinear Circuits; *TCSI June 2020* 2002-2015

Ricotti, G., see Elgani, A.M., *TCSI Aug. 2020* 2612-2624

Roa, E., see Ardila, J., *TCSI April 2020* 1169-1180

Rodenbeck, C.T., see Shao, J., *TCSI Nov. 2020* 3790-3803

Rodrigues, F.W.G., see Miranda, P.H.A., *TCSI Dec. 2020* 5675-5686

Rodriguez-Vazquez, A., see Valtierra, J.L., *TCSI May 2020* 1426-1437

Romberg, J., see Xu, S., *TCSI Dec. 2020* 5302-5315

Rombouts, P., see Liu, H., *TCSI Dec. 2020* 4259-4269

Ros, P.M., see Guzman, D.A.F., *TCSI Dec. 2020* 5065-5078

Rosenbaum, E., see Xiu, Y., *TCSI Dec. 2020* 4199-4210

Rossi, D., see Renzini, F., *TCSI Feb. 2020* 489-501

Rossi, D., see Mauro, A.D., *TCSI Nov. 2020* 3905-3918

Rotondo, D., see Wang, Y., *TCSI Dec. 2020* 5316-5325

Roy, K., see Ali, M.F., *TCSI Jan. 2020* 155-165

Roy, K., see Ali, M., *TCSI Aug. 2020* 2521-2531

Roy, K., see Koo, M., *TCSI Aug. 2020* 2546-2555

Roy, K., see Jaiswal, A., *TCSI Dec. 2020* 4651-4659

Roy, M., see Bose, S.K., *TCSI March 2020* 913-926

Roy, S., see Sokolov, A., *TCSI Feb. 2020* 565-577

Rubino, A., see De Vita, A., *TCSI Nov. 2020* 3893-3904

Rupp, M., see Kral, J., *TCSI June 2020* 1976-1988

Rupp, M., see Harvanek, M., *TCSI Dec. 2020* 5417-5428

Russo, A., see De Vita, A., *TCSI Nov. 2020* 3893-3904

Rustami, E., Sasagawa, K., Sugie, K., Ohta, Y., Haruta, M., Noda, T., Tokuda, T., and Ohta, J., Needle-Type Imager Sensor With Band-Pass Composite Emission Filter and Parallel Fiber-Coupled Laser Excitation; *TCSI April 2020* 1082-1091

Rutkowski, L., see Chen, B., *TCSI Aug. 2020* 2780-2790

Ryu, S., see Chang, D., *TCSI Dec. 2020* 5189-5199

Ryynanen, J., see Spoo, K., *TCSI Dec. 2020* 4457-4469

Ryynanen, J., see Olabode, O., *TCSI Oct. 2020* 3284-3296

S

- Sa, E.M.**, see Miranda, P.H.A., *TCSI Dec. 2020 5675-5686*
- Saadi, A.A.**, see Sharma, E., *TCSI Feb. 2020 378-388*
- Saeedi, S.**, see Mesgari, B., *TCSI Dec. 2020 4507-4520*
- Safaei, B.**, see Jafari-Nodoushan, M., *TCSI Dec. 2020 4829-4841*
- Saffari, P.**, see Basaligheh, A., *TCSI Dec. 2020 4533-4543*
- Saggiolato, A.V.P.**, see Ramos, F.L.L., *TCSI Feb. 2020 475-488*
- Saint-Pe, O.**, see Panglosse, A., *TCSI May 2020 1507-1515*
- Saldanha, M.**, see Sanchez, G., *TCSI Feb. 2020 415-427*
- Saldanha, M.**, Sanchez, G., Marcon, C., and Agostini, L., Tile Adaptation for Workload Balancing of 3D-HEVC Encoder in Homogeneous Multicore Systems; *TCSI May 2020 1704-1714*
- Salomaa, J.**, see Pulkkinen, M., *TCSI Dec. 2020 5468-5481*
- Samimi, N.**, Kamal, M., Afzali-Kusha, A., and Pedram, M., Res-DNN: A Residue Number System-Based DNN Accelerator Unit; *TCSI Feb. 2020 658-671*
- Samori, C.**, see Avallone, L., *TCSI March 2020 743-752*
- Sanal, P.**, see Seo, H., *TCSI Aug. 2020 2659-2671*
- Sanchez, G.**, Saldanha, M., Fernandes, R., Cataldo, R., Agostini, L., and Marcon, C., 3D-HEVC Bipartition Modes Encoder and Decoder Design Targeting High-Resolution Videos; *TCSI Feb. 2020 415-427*
- Sanchez, G.**, see Saldanha, M., *TCSI May 2020 1704-1714*
- Sanchez-Sinencio, E.**, see Riad, J., *TCSI July 2020 2180-2192*
- Sankar, S.**, Goel, M., Chen, P., Rao, V.R., and Baghini, M.S., Switched-Capacitor-Assisted Power Gating for Ultra-Low Standby Power in CMOS Digital ICs; *TCSI Dec. 2020 4281-4294*
- Sanyal, A.**, see Jayaraj, A., *TCSI April 2020 1149-1157*
- Sanyal, A.**, see Tannirkulam Chandrasekaran, S., *TCSI Oct. 2020 3262-3272*
- Saponara, S.**, see Ciampi, G., *TCSI March 2020 829-838*
- Saranovac, L.V.**, see Petrovic, V.L., *TCSI Dec. 2020 5454-5467*
- Sasagawa, K.**, see Rustami, E., *TCSI April 2020 1082-1091*
- Savaria, Y.**, see Trigui, A., *TCSI Nov. 2020 3978-3990*
- Sawan, M.**, see Trigui, A., *TCSI Nov. 2020 3978-3990*
- Saxena, V.**, see Shawon, M.J., *TCSI Oct. 2020 3331-3341*
- Scarselli, E.F.**, see Renzini, F., *TCSI Feb. 2020 489-501*
- Schaum, A.**, see Ochs, K., *TCSI Dec. 2020 4521-4532*
- Schembari, F.**, see Wang, H., *TCSI Feb. 2020 578-589*
- Schembari, F.**, see Esmailian, A., *TCSI June 2020 1789-1802*
- Schembari, F.**, see Bagheri, M., *TCSI Sept. 2020 2883-2896*
- Schiavone, P.D.**, see Mauro, A.D., *TCSI Nov. 2020 3905-3918*
- Schinkel, D.**, see Lokin, C.E., *TCSI March 2020 765-773*
- Schmickl, S.**, Faseth, T., and Pretl, H., An RF-Energy Harvester and IR-UWB Transmitter for Ultra-Low-Power Battery-Less Biosensors; *TCSI May 2020 1459-1468*
- Schmitz, L.**, Martins, D.C., and Coelho, R.F., Comprehensive Conception of High Step-Up DC-DC Converters With Coupled Inductor and Voltage Multipliers Techniques; *TCSI June 2020 2140-2151*
- Scotti, G.**, see Bellizia, D., *TCSI July 2020 2317-2330*
- Scotti, G.**, see Palumbo, G., *TCSI Dec. 2020 4696-4706*
- Sebastiano, F.**, see Ding, M., *TCSI July 2020 2263-2273*
- Sebastiano, F.**, see van Dijk, J.P.G., *TCSI Dec. 2020 5380-5393*
- Sekiya, H.**, see Yabe, Y., *TCSI May 2020 1762-1774*
- Seo, H.**, Sanal, P., Jalali, A., and Azarderakhsh, R., Optimized Implementation of SIKE Round 2 on 64-bit ARM Cortex-A Processors; *TCSI Aug. 2020 2659-2671*
- Seo, J.**, see Lee, S., *TCSI June 2020 2114-2127*
- Serdijn, W.A.**, see Urso, A., *TCSI Nov. 2020 3764-3777*
- Serdijn, W.A.**, see Urso, A., *TCSI Dec. 2020 4233-4246*
- Serna, J.A.d.I.O.**, Dynamic Harmonic Analysis With FIR Filters Designed With O-Splines; *TCSI Dec. 2020 5092-5100*
- Serrano-Gotarredona, T.**, see Ahmadi-Farsani, J., *TCSI Oct. 2020 3297-3308*
- Seshia, A.A.**, see Somappa, L., *TCSI Dec. 2020 4556-4565*
- Shah, S.S.**, see Xu, S., *TCSI Oct. 2020 3588-3600*
- Shahramian, S.**, see Yang, M., *TCSI Jan. 2020 284-297*
- Shahshahani, S.M.R.**, and Mahdiani, H.R., A High-Performance Scalable Shared-Memory SVD Processor Architecture Based on Jacobi Algorithm and Batcher's Sorting Network; *TCSI June 2020 1912-1924*
- Shakiba, H.**, see Yang, M., *TCSI Jan. 2020 284-297*
- Shakya, J.**, see Kareppagoudr, M., *TCSI Oct. 2020 3251-3261*
- Shama, F.**, see Ekhteraei, M., *TCSI March 2020 806-814*
- Shan, W.**, see Shang, X., *TCSI Nov. 2020 3933-3943*
- Shanbhag, N.R.**, see Kang, M., *TCSI May 2020 1627-1639*
- Shang, X.**, Lu, M., Wu, C., Xiang, Y., Xu, J., and Shan, W., A Wide-Voltage-Range Transition-Detector With In-Situ Timing-Error Detection and Correction Based on Pulsed-Latch Design in 28 nm CMOS; *TCSI Nov. 2020 3933-3943*
- Shao, J.**, Karsilayan, A.I., Rodenbeck, C.T., and Silva-Martinez, J., An Efficient Sinusoid-Like Pseudo Random Sequence Modulator/Demodulator System With Reduced Adjacent Channel Leakage and High Rejection to Random and Systematic Interference; *TCSI Nov. 2020 3790-3803*
- Shao, W.**, see Cheng, X., *TCSI Aug. 2020 2685-2692*
- Sharma, E.**, Saadi, A.A., Margalef-Rovira, M., Pistono, E., Barragan, M.J., Lisboa de Souza, A.A., Ferrari, P., and Bourdel, S., Design of a 77-GHz LC-VCO With a Slow-Wave Coplanar Stripline-Based Inductor; *TCSI Feb. 2020 378-388*
- Sharma, S.**, see Li, Y., *TCSI March 2020 852-865*
- Sharma, T.**, see Zhou, L., *TCSI July 2020 2239-2249*
- Sharmin, S.**, see Jaiswal, A., *TCSI Dec. 2020 4651-4659*
- Shawkat, M.S.A.**, and Mcfarlane, N., A Digital CMOS Silicon Photomultiplier Using Perimeter Gated Single Photon Avalanche Diodes With Asynchronous AER Readout; *TCSI Dec. 2020 4818-4828*
- Shawon, M.J.**, and Saxena, V., Rapid Simulation of Photonic Integrated Circuits Using Verilog-A Compact Models; *TCSI Oct. 2020 3331-3341*
- Shekhar, S.**, see Yuan, C., *TCSI April 2020 1413-1422*
- Shen, H.**, see Zhang, S., *TCSI June 2020 1867-1880*
- Shen, H.**, see Wang, J., *TCSI Dec. 2020 5281-5289*
- Shen, P.**, see Chiu, K., *TCSI Sept. 2020 3211-3223*
- Shen, Q.**, see Sun, H., *TCSI Jan. 2020 177-188*
- Shen, Y.**, see Yin, L., *TCSI March 2020 1008-1020*
- Shen, Y.**, see Liu, S., *TCSI Aug. 2020 2602-2611*
- Shen, Z.**, see Liu, B., *TCSI Dec. 2020 4733-4746*
- Shen, Z.**, Jiang, H., Li, H., Zhang, Z., Yang, F., Liu, J., and Liao, H., A 12-GHz Calibration-Free All-Digital PLL for FMCW Signal Generation With 78 MHz/ μ s Chirp Slope and High Chirp Linearity; *TCSI Dec. 2020 4445-4456*
- Sheng, C.**, see Bi, X., *TCSI Nov. 2020 3991-4001*
- Shi, L.**, see Liu, B., *TCSI Dec. 2020 4733-4746*
- Shi, P.**, see Xu, J., *TCSI June 2020 2042-2052*
- Shi, P.**, see Wang, Y., *TCSI Sept. 2020 2897-2908*
- Shi, P.**, see Xing, W., *TCSI Dec. 2020 5233-5245*
- Shi, Q.**, Feng, M., Li, X., Wang, S., and Chen, F., A Secure Distributed Information Sharing Algorithm Based on Attack Detection in Multi-Task Networks; *TCSI Dec. 2020 5125-5138*
- Shi, R.**, see Xu, S., *TCSI Oct. 2020 3588-3600*
- Shi, X.**, see Nie, K., *TCSI Sept. 2020 2873-2882*
- Shi, Y.**, see Sun, H., *TCSI Jan. 2020 177-188*
- Shi, Y.**, see Zhou, Z., *TCSI Nov. 2020 4075-4084*
- Shifman, Y.**, Miller, A., Keren, O., Weizman, Y., and Shor, J., An SRAM-Based PUF With a Capacitive Digital Preselection for a $1E-9$ Key Error Probability; *TCSI Dec. 2020 4855-4868*
- Shim, Y.**, see Koo, M., *TCSI Aug. 2020 2546-2555*
- Shin, D.**, see Lee, J., *TCSI Oct. 2020 3458-3470*
- Shiue, M.**, see Wu, C., *TCSI June 2020 2152*
- Shor, J.**, see Bass, O., *TCSI Sept. 2020 2984-2992*
- Shor, J.**, see Shifman, Y., *TCSI Dec. 2020 4855-4868*
- Shouraki, S.B.**, see Jokar, E., *TCSI Dec. 2020 4932-4945*
- Shrestha, R.**, see Chaurasiya, R.B., *TCSI April 2020 1296-1308*
- Shu, D.**, see Tu, J., *TCSI Nov. 2020 4015-4028*
- Shu, W.**, see Qu, Y., *TCSI Nov. 2020 4099-4109*
- Shu, Z.**, Huang, S., Li, Z., Yin, P., Zang, J., Fu, D., Tang, F., and Bermak, A., A 5-13.5 Gb/s Multistandard Receiver With High Jitter Tolerance Digital CDR in 40-nm CMOS Process; *TCSI Oct. 2020 3378-3388*
- Sicard, G.**, see Benjilali, W., *TCSI April 2020 1218-1231*
- Siddiqui, M.F.**, see Gul, S., *TCSI Dec. 2020 5040-5050*
- Siek, L.**, see Lau, W.W.Y., *TCSI Dec. 2020 4322-4333*

- Siemon, A.**, see Bengel, C., *TCSI Dec. 2020 4618-4630*
- Silva-Martinez, J.**, see Shao, J., *TCSI Nov. 2020 3790-3803*
- Silva-Martinez, J.**, see Park, C., *TCSI Nov. 2020 3618-3629*
- Silva-Martinez, J.**, and Delgado-Frias, J., MWSCAS Guest Editorial Special Issue Based on the 62nd International Midwest Symposium on Circuits and Systems; *TCSI Oct. 2020 3249-3250*
- Silveira, F.**, see Siniscalchi, M., *TCSI June 2020 1846-1856*
- Sim, J.**, see Lee, S., *TCSI June 2020 2114-2127*
- Sin, S.**, see Li, J., *TCSI Nov. 2020 4063-4074*
- Sin, S.**, see Zeng, W., *TCSI Nov. 2020 4085-4098*
- Sin, S.**, see Wang, H., *TCSI Dec. 2020 4174-4186*
- Singh, A.K.**, Exponentially Fitted Cubature Kalman Filter With Application to Oscillatory Dynamical Systems; *TCSI Aug. 2020 2739-2752*
- Singh, B.**, see Kumar, N., *TCSI Dec. 2020 5246-5256*
- Siniscalchi, M.**, Silveira, F., and Galup-Montoro, C., Ultra-Low-Voltage CMOS Crystal Oscillators; *TCSI June 2020 1846-1856*
- Smithson, S.C.**, see Onizawa, N., *TCSI May 2020 1541-1550*
- Sobaszek, M.**, Self-Tuned Class-D Audio Amplifier With Post-Filter Digital Feedback Implemented on Digital Signal Controller; *TCSI March 2020 797-805*
- Sokolov, A.**, Mallick, D., Roy, S., Kennedy, M.P., and Blokhina, E., Modelling and Verification of Nonlinear Electromechanical Coupling in Micro-Scale Kinetic Electromagnetic Energy Harvesters; *TCSI Feb. 2020 565-577*
- Solan, E.**, see Ochs, K., *TCSI April 2020 1092-1102*
- Solan, E.**, see Ochs, K., *TCSI Dec. 2020 4521-4532*
- Somappa, L.**, and Baghini, M.S., A Compact Fully Passive Loop Filter-Based Continuous Time $\Sigma\Delta$ Modulator for Multi-Channel Biomedical Applications; *TCSI Feb. 2020 590-599*
- Somappa, L.**, Aeron, S., Menon, A.G., Sonkusale, S., Seshia, A.A., and Baghini, M.S., On Quantized Analog Compressive Sensing Methods for Efficient Resonator Frequency Estimation; *TCSI Dec. 2020 4556-4565*
- Song, J.**, see Yan, A., *TCSI March 2020 879-890*
- Song, J.**, Huang, L., Karimi, H.R., Niu, Y., and Zhou, J., ADP-Based Security Decentralized Sliding Mode Control for Partially Unknown Large-Scale Systems Under Injection Attacks; *TCSI Dec. 2020 5290-5301*
- Song, Y.**, see Zhao, H., *TCSI March 2020 983-994*
- Sonkusale, S.**, see Somappa, L., *TCSI Dec. 2020 4556-4565*
- Spina, D.**, see Belforte, P., *TCSI Jan. 2020 235-248*
- Spina, N.**, see Parisi, A., *TCSI Dec. 2020 4434-4444*
- Spoof, K.**, Unnikrishnan, V., Zahra, M., Stadius, K., Kosunen, M., and Ryyanen, J., True-Time-Delay Beamforming Receiver With RF Re-Sampling; *TCSI Dec. 2020 4457-4469*
- Springer, A.**, see Preissl, C., *TCSI Aug. 2020 2719-2729*
- Srar, J.A.**, see Akkad, G., *TCSI Dec. 2020 5079-5091*
- Srinivasan, G.**, see Koo, M., *TCSI Aug. 2020 2546-2555*
- Stadius, K.**, see Spoof, K., *TCSI Dec. 2020 4457-4469*
- Standaert, F.**, see Levi, I., *TCSI Dec. 2020 4904-4917*
- Stanzione, S.**, see Urso, A., *TCSI Nov. 2020 3764-3777*
- Staszewski, R.B.**, see Wang, H., *TCSI Feb. 2020 578-589*
- Staszewski, R.B.**, see Esmailian, A., *TCSI June 2020 1789-1802*
- Staszewski, R.B.**, see Urso, A., *TCSI Nov. 2020 3764-3777*
- Staszewski, R.B.**, see Wu, Y., *TCSI Aug. 2020 2532-2545*
- Staszewski, R.B.**, see Bagheri, M., *TCSI Sept. 2020 2883-2896*
- Staszewski, R.B.**, see Nikandish, G.R., *TCSI Dec. 2020 4211-4223*
- Storage, M.**, see Lodi, M., *TCSI April 2020 1255-1263*
- Stoyka, K.**, Femia, N., and Di Capua, G., Power Inductors Behavioral Modeling Revisited; *TCSI Dec. 2020 5636-5649*
- Strollo, A.G.M.**, see Napoli, E., *TCSI Jan. 2020 121-134*
- Strollo, A.G.M.**, see De Caro, D., *TCSI Nov. 2020 3839-3852*
- Strollo, A.G.M.**, Napoli, E., De Caro, D., Petra, N., and Meo, G.D., Comparison and Extension of Approximate 4-2 Compressors for Low-Power Approximate Multipliers; *TCSI Sept. 2020 3021-3034*
- Studer, C.**, see Mirfarshbafan, S.H., *TCSI Dec. 2020 5482-5495*
- Su, G.**, and Liu, S., A 1.22 mW 2.4 GHz PLL Using a Single-Ring-Oscillator-Based Integrator With Background Frequency Calibration; *TCSI July 2020 2169-2179*
- Su, X.**, see Jiao, Z., *TCSI Nov. 2020 3728-3739*
- Su, X.**, see Wen, Y., *TCSI Dec. 2020 5347-5357*
- Sugie, K.**, see Rustami, E., *TCSI April 2020 1082-1091*
- Sun, H.**, Luo, Y., Ha, Y., Shi, Y., Gao, Y., Shen, Q., and Pan, H., A Universal Method of Linear Approximation With Controllable Error for the Efficient Implementation of Transcendental Functions; *TCSI Jan. 2020 177-188*
- Sun, H.**, see Wang, H., *TCSI Feb. 2020 451-463*
- Sun, J.**, see Tan, X., *TCSI Dec. 2020 5510-5519*
- Sun, K.**, see Tan, X., *TCSI Feb. 2020 540-552*
- Sun, N.**, see Zhuang, H., *TCSI Jan. 2020 135-144*
- Sun, P.**, see Yao, A., *TCSI April 2020 1264-1275*
- Sun, Q.**, see Wang, Y., *TCSI Feb. 2020 611-621*
- Sun, Q.**, see Jiao, Z., *TCSI Nov. 2020 3728-3739*
- Sun, Q.**, see Chen, Y., *TCSI Nov. 2020 3815-3827*
- Sun, W.**, see Xu, S., *TCSI Oct. 2020 3588-3600*
- Sun, X.**, see Tan, H.J., *TCSI Jan. 2020 198-211*
- Sun, Y.**, see Zhu, H., *TCSI Feb. 2020 647-657*
- Sun, Y.**, see Luo, Q., *TCSI March 2020 939-950*
- Sun, Y.**, He, W., Mao, Z., Jiao, H., and Kursun, V., Monolithic 3D Carbon Nanotube Memory for Enhanced Yield and Integration Density; *TCSI July 2020 2431-2441*
- Sun, Y.**, Yu, J., Yu, X., and Gao, H., Decentralized Adaptive Event-Triggered Control for a Class of Uncertain Systems With Deception Attacks and Its Application to Electronic Circuits; *TCSI Dec. 2020 5405-5416*
- Sun, Y.**, see Liu, B., *TCSI Dec. 2020 4733-4746*
- Sun, Z.**, see Xu, T., *TCSI Oct. 2020 3541-3552*
- Swain, A.**, see Hafiz, F., *TCSI June 2020 2016-2028*
- Szczepanski, S.**, see Blakiewicz, G., *TCSI Aug. 2020 2556-2565*

T

- TaheriNejad, N.**, see Hafshejani, E.H., *TCSI Dec. 2020 4334-4347*
- TaheriNejad, N.**, see Radakovits, D., *TCSI May 2020 1495-1506*
- Taherzadeh-Sani, M.**, Radi, B., Nezami, M.S., Menard, M., Liboiron-Ladouceur, O., and Nabki, F., A 17 Gbps 156 fJ/bit Two-Channel Optical Receiver With Optical-Input Split and Delay in 65 nm CMOS; *TCSI July 2020 2288-2296*
- Takahashi, M.**, see Oshima, T., *TCSI Jan. 2020 23-36*
- Takaloo, H.**, see Addabbo, T., *TCSI July 2020 2419-2430*
- Takamiya, M.**, see Lee, H., *TCSI March 2020 1069-1078*
- Takeda, K.**, and Torikai, H., A Novel Asynchronous CA Neuron Model: Design of Neuron-Like Nonlinear Responses Based on Novel Bifurcation Theory of Asynchronous Sequential Logic Circuit; *TCSI June 2020 1989-2001*
- Talarico, C.**, see Piccinni, G., *TCSI Oct. 2020 3320-3330*
- Tan, H.**, Miao, Z., Wang, Y., Wu, M., and Huang, Z., Data-Driven Distributed Coordinated Control for Cloud-Based Model-Free Multiagent Systems With Communication Constraints; *TCSI Sept. 2020 3187-3198*
- Tan, H.J.**, Chan, S.C., Lin, J.Q., and Sun, X., A New Variable Forgetting Factor-Based Bias-Compensated RLS Algorithm for Identification of FIR Systems With Input Noise and Its Hardware Implementation; *TCSI Jan. 2020 198-211*
- Tan, X.**, Jin, J., Sun, K., Xu, Y., Li, M., Zhang, Y., Zhang, Z., You, X., and Zhang, C., Enhanced Linear Iterative Detector for Massive Multiuser MIMO Uplink; *TCSI Feb. 2020 540-552*
- Tan, X.**, see Yu, A., *TCSI June 2020 2128-2139*
- Tan, X.**, Sun, J., and Lin, F., Design of a Simultaneous Frequency- and Power-Dividing Ratio-Reconfigurable Quadrature Coupler With Simple Tuning Approach; *TCSI Dec. 2020 5510-5519*
- Tan, Y.**, see Liu, Z., *TCSI Dec. 2020 4370-4381*
- Tan, Z.**, Chen, C., Chae, Y., and Temes, G.C., Incremental Delta-Sigma ADCs: A Tutorial Review; *TCSI Dec. 2020 4161-4173*
- Tanaka, H.**, see Yabe, Y., *TCSI May 2020 1762-1774*
- Tang, B.**, see Bi, X., *TCSI Nov. 2020 3991-4001*
- Tang, F.**, see Shu, Z., *TCSI Oct. 2020 3378-3388*
- Tang, G.F.**, see Guo, Y.L., *TCSI Oct. 2020 3512-3520*
- Tang, K.**, see Chen, Y., *TCSI Nov. 2020 3828-3838*
- Tang, L.**, see Zhang, X., *TCSI July 2020 2397-2408*
- Tang, L.**, see Wu, C., *TCSI Dec. 2020 5624-5635*

- Tang, N.**, see Nguyen, B., *TCSI Feb. 2020 622-633*
- Tang, N.**, see Hong, W., *TCSI Sept. 2020 3234-3247*
- Tang, W.K.S.**, see Bi, X., *TCSI April 2020 1309-1318*
- Tang, W.K.S.**, see Han, Z., *TCSI Oct. 2020 3553-3561*
- Tang, X.**, Nguyen, J., Medra, A., Khalaf, K., Visweswaran, A., Debaille, B., and Wambacq, P., Design of D-Band Transformer-Based Gain-Boosting Class-AB Power Amplifiers in Silicon Technologies; *TCSI May 2020 1447-1458*
- Tang, Y.**, see Zhang, W., *TCSI Jan. 2020 259-270*
- Tang, Y.**, Jia, H., and Verma, N., Reducing Energy of Approximate Feature Extraction in Heterogeneous Architectures for Sensor Inference via Energy-Aware Genetic Programming; *TCSI May 2020 1576-1587*
- Tannirkulam Chandrasekaran, S.**, see Jayaraj, A., *TCSI April 2020 1149-1157*
- Tannirkulam Chandrasekaran, S.**, Kapoor, G., and Sanyal, A., 8fJ/Step Bandpass ADC With Digitally Assisted NTF Re-Configuration; *TCSI Oct. 2020 3262-3272*
- Tapen, T.**, Yuksel, H., Boynton, Z., Apsel, A., and Molnar, A., An Integrated, Software-Defined FDD Transceiver: Distributed Duplexing Theory and Operation; *TCSI Jan. 2020 271-283*
- Tasoulas, Z.**, and Anagnostopoulos, I., Kernel-Based Resource Allocation for Improving GPU Throughput While Minimizing the Activity Divergence of SMs; *TCSI Feb. 2020 428-440*
- Tasoulas, Z.**, Zervakis, G., Anagnostopoulos, I., Amrouch, H., and Henkel, J., Weight-Oriented Approximation for Energy-Efficient Neural Network Inference Accelerators; *TCSI Dec. 2020 4670-4683*
- Teman, A.**, see Giterman, R., *TCSI April 2020 1207-1217*
- Teman, A.**, see Noy, T., *TCSI Dec. 2020 4804-4817*
- Temes, G.C.**, see Xu, Y., *TCSI Feb. 2020 600-610*
- Temes, G.C.**, see Tan, Z., *TCSI Dec. 2020 4161-4173*
- Temes, G.C.**, see Kareppagoudr, M., *TCSI Oct. 2020 3251-3261*
- Teo, J.H.**, Cheng, S., and Alioto, M., Low-Energy Voice Activity Detection via Energy-Quality Scaling From Data Conversion to Machine Learning; *TCSI April 2020 1378-1388*
- Tetu, J.**, Trudeau, L., Van Beirendonck, M., Balatsoukas-Stimming, A., and Giard, P., A Standalone FPGA-Based Miner for Lyra2REv2 Cryptocurrencies; *TCSI April 2020 1194-1206*
- Tetzlaff, R.**, see Ascoli, A., *TCSI April 2020 1389-1401*
- Tetzlaff, R.**, Ascoli, A., Messaris, I., and Chua, L.O., Theoretical Foundations of Memristor Cellular Nonlinear Networks: Memcomputing With Bistable-Like Memristors; *TCSI Feb. 2020 502-515*
- Tetzlaff, R.**, see Ascoli, A., *TCSI Aug. 2020 2753-2766*
- Thakur, C.S.**, see Zhang, J., *TCSI June 2020 1803-1814*
- Tian, E.**, Wang, X., and Peng, C., Probabilistic-Constrained Distributed Filtering for a Class of Nonlinear Stochastic Systems Subject to Periodic DoS Attacks; *TCSI Dec. 2020 5369-5379*
- Timarchi, S.**, see Mahdavi, H., *TCSI July 2020 2297-2304*
- Todsén, J.**, see Liu, N., *TCSI July 2020 2157-2168*
- Tokuda, T.**, see Rustami, E., *TCSI April 2020 1082-1091*
- Tonnellier, T.**, see Ercan, F., *TCSI Jan. 2020 322-335*
- Topa, M.D.**, see Raducan, C., *TCSI Nov. 2020 3740-3752*
- Torikai, H.**, see Takeda, K., *TCSI June 2020 1989-2001*
- Traferro, S.**, see Ding, M., *TCSI July 2020 2263-2273*
- Trigui, A.**, Ali, M., Hached, S., David, J., Ammari, A.C., Savaria, Y., and Sawan, M., Generic Wireless Power Transfer and Data Communication System Based on a Novel Modulation Technique; *TCSI Nov. 2020 3978-3990*
- Trincherò, R.**, see Manfredi, P., *TCSI Sept. 2020 2993-3006*
- Trinh, H.**, see Wang, Y., *TCSI Sept. 2020 2897-2908*
- Trinh, H.**, see Huong, D.C., *TCSI Dec. 2020 5101-5112*
- Trudeau, L.**, see Tetu, J., *TCSI April 2020 1194-1206*
- Tsai, P.**, Yang, T., Lee, C., Chen, L., and Lee, S., Tunable Block Floating-Point Quantizer With Fractional Exponent for Compressing Non-Uniformly Distributed Signals; *TCSI April 2020 1245-1254*
- Tsai, W.**, see Cheng, H., *TCSI Nov. 2020 4132-4141*
- Tsai, Y.**, see Wu, C., *TCSI Oct. 2020 3273-3283*
- Tsang, K.**, see Lou, Y., *TCSI Sept. 2020 3163-3174*
- Tse, C.K.**, see Wang, W., *TCSI May 2020 1715-1728*
- Tseng, C.**, see Wu, C., *TCSI Oct. 2020 3273-3283*
- Tsolaridis, G.**, see Fuchs, S., *TCSI March 2020 1045-1057*
- Tsui, C.**, see Cheng, L., *TCSI Feb. 2020 516-525*
- Tsui, Y.Y.**, see Badr, A.O., *TCSI Jan. 2020 346-355*
- Tu, J.**, Lou, M., Jiang, J., Shu, D., and He, G., An Efficient Massive MIMO Detector Based on Second-Order Richardson Iteration: From Algorithm to Flexible Architecture; *TCSI Nov. 2020 4015-4028*
- Turner, N.**, Pour, F.L., and Ha, D.S., Design of a High Temperature 2.37 GHz Voltage-Controlled Oscillator With GaN-on-SiC HEMTs; *TCSI Dec. 2020 5153-5161*
- Turner, S.E.**, and Cali, J.D., Phase Coherent Frequency Hopping in Direct Digital Synthesizers and Phase Locked Loops; *TCSI June 2020 1815-1823*
- U**
- Unnikrishnan, V.**, see Spooft, K., *TCSI Dec. 2020 4457-4469*
- Unnikrishnan, V.**, see Olabode, O., *TCSI Oct. 2020 3284-3296*
- Urso, A.**, Chen, Y., Staszewski, R.B., Dijkhuis, J.F., Stanzione, S., Liu, Y., Serdijn, W.A., and Babaie, M., A Switched-Capacitor DC-DC Converter Powering an LC Oscillator to Achieve 85% System Peak Power Efficiency and -65dBc Spurious Tones; *TCSI Nov. 2020 3764-3777*
- Urso, A.**, Chen, Y., Dijkhuis, J.F., Liu, Y., Babaie, M., and Serdijn, W.A., Analysis and Design of Power Supply Circuits for RF Oscillators; *TCSI Dec. 2020 4233-4246*
- Utomo, D.R.**, see Jung, H., *TCSI Oct. 2020 3410-3421*
- Utsunomiya, K.**, see Yabe, Y., *TCSI May 2020 1762-1774*
- V**
- Vadali, S.R.K.**, Mula, S., Ray, P., and Chakrabarti, S., Area Efficient VLSI Architectures for Weak Signal Detection in Additive Generalized Cauchy Noise; *TCSI June 2020 1962-1975*
- Valencia, D.**, Fard, S.F., and Alimohammad, A., An Artificial Neural Network Processor With a Custom Instruction Set Architecture for Embedded Applications; *TCSI Dec. 2020 5200-5210*
- Valtierra, J.L.**, Delgado-Restituto, M., Fiorelli, R., and Rodriguez-Vazquez, A., A Sub- μ W Reconfigurable Front-End for Invasive Neural Recording That Exploits the Spectral Characteristics of the Wideband Neural Signal; *TCSI May 2020 1426-1437*
- Van Beirendonck, M.**, see Tetu, J., *TCSI April 2020 1194-1206*
- van der Wel, A.**, see Duipmans, L., *TCSI Aug. 2020 2767-2779*
- van der Zee, R.A.R.**, see Lokin, C.E., *TCSI March 2020 765-773*
- van Dijk, J.P.G.**, Patra, B., Pellerano, S., Charbon, E., Sebastiano, F., and Babaie, M., Designing a DDS-Based SoC for High-Fidelity Multi-Qubit Control; *TCSI Dec. 2020 5380-5393*
- Vazquez, S.**, see Yin, Y., *TCSI Dec. 2020 5257-5267*
- Velasco-Medina, J.**, see Renteria-Mejia, C.P., *TCSI July 2020 2331-2344*
- Venkata Mahendra, T.**, Wasmir Hussain, S., Mishra, S., and Dandapat, A., Energy-Efficient Precharge-Free Ternary Content Addressable Memory (TCAM) for High Search Rate Applications; *TCSI July 2020 2345-2357*
- Venkatachala, P.K.**, see Xu, Y., *TCSI Feb. 2020 600-610*
- Verma, N.**, see Tang, Y., *TCSI May 2020 1576-1587*
- Vidal-Idiarte, E.**, see El Aroudi, A., *TCSI April 2020 1276-1285*
- Viet, H.L.**, see Radfar, M., *TCSI Jan. 2020 336-345*
- Vignoli, V.**, see Addabbo, T., *TCSI July 2020 2419-2430*
- Virmontois, C.**, see Panglosse, A., *TCSI May 2020 1507-1515*
- Visweswaran, A.**, see Tang, X., *TCSI May 2020 1447-1458*
- Vitelli, M.**, see Costanzo, L., *TCSI July 2020 2503-2515*
- Vogelmann, P.**, Wagner, J., and Ortmanns, M., A 14b, Twofold Time-Interleaved Incremental $\Delta\Sigma$ ADC Using Hardware Sharing; *TCSI Nov. 2020 3681-3692*
- Vogelmann, P.**, see Conrad, J., *TCSI Oct. 2020 3444-3457*
- von Witzleben, M.**, see Bengel, C., *TCSI Dec. 2020 4618-4630*
- W**
- Wagner, J.**, see Vogelmann, P., *TCSI Nov. 2020 3681-3692*
- Wambacq, P.**, see Tang, X., *TCSI May 2020 1447-1458*
- Wambacq, P.**, see Zong, Z., *TCSI May 2020 1469-1480*

- Wang, A., see Zhou, Z., *TCSI Nov. 2020 4075-4084*
- Wang, B., Law, M., Belhaouari, S.B., and Bermak, A., Near-Optimal Decoding of Incremental Delta-Sigma ADC Output; *TCSI Nov. 2020 3670-3680*
- Wang, C., see Wu, B., *TCSI Jan. 2020 108-120*
- Wang, C., Zhang, D., Zeng, L., and Zhao, W., Design of Magnetic Non-Volatile TCAM With Priority-Decision in Memory Technology for High Speed, Low Power, and High Reliability; *TCSI Feb. 2020 464-474*
- Wang, C., see Wu, B., *TCSI Dec. 2020 4660-4669*
- Wang, C., see Kundi, D., *TCSI Dec. 2020 4869-4882*
- Wang, F., see Xu, S., *TCSI Dec. 2020 5302-5315*
- Wang, G., see Liang, Y., *TCSI Dec. 2020 5139-5152*
- Wang, G., see Wang, J., *TCSI Dec. 2020 4247-4258*
- Wang, G., see Zhao, J., *TCSI Oct. 2020 3498-3511*
- Wang, H., Schembari, F., and Staszewski, R.B., Passive SC $\Sigma\Delta$ Modulator Based on Pipelined Charge-Sharing Rotation in 28-nm CMOS; *TCSI Feb. 2020 578-589*
- Wang, H., Zhao, Z., and Zhao, L., Matrix Decomposition Based Low-Complexity FIR Filter: Further Results; *TCSI Feb. 2020 672-685*
- Wang, H., Zhang, X., Wang, T., Li, W., Chen, Q., Ren, P., Wu, X., Sun, H., Jiang, Z., Li, X., Han, D., Yu, S., Yin, S., Wei, S., and Zheng, N., A $4K \times 2K@60$ fps Multifunctional Video Display Processor for High Perceptual Image Quality; *TCSI Feb. 2020 451-463*
- Wang, H., see Hu, J., *TCSI July 2020 2305-2316*
- Wang, H., see Xu, S., *TCSI Dec. 2020 5302-5315*
- Wang, H., see Li, S., *TCSI Dec. 2020 4566-4579*
- Wang, H., Sin, S., Lam, C., Maloberti, F., and Martins, R.P., LDO-Free Power Management System: A 10-bit Pipelined ADC Directly Powered by Inductor-Based Boost Converter With Ripple Calibration; *TCSI Dec. 2020 4174-4186*
- Wang, J., see Cheng, P., *TCSI March 2020 951-962*
- Wang, J., see Zhou, Z., *TCSI Nov. 2020 4075-4084*
- Wang, J., Huang, Z., Wu, Z., Cao, J., and Shen, H., Extended Dissipative Control for Singularly Perturbed PDT Switched Systems and its Application; *TCSI Dec. 2020 5281-5289*
- Wang, J., Lian, C., Bai, Y., Wang, G., Zhang, Z., Zheng, Z., Chen, L., Lin, K., Zhang, K., Zhang, Y., Wu, X., Cotofana, S., and Zhang, Y., A Self-Matching Complementary-Reference Sensing Scheme for High-Speed and Reliable Toggle Spin Torque MRAM; *TCSI Dec. 2020 4247-4258*
- Wang, J., see Kumar, N., *TCSI Dec. 2020 5246-5256*
- Wang, K., and Zhang, H., A 22-to-47 GHz 2-Stage LNA With 22.2 dB Peak Gain by Using Coupled L-Type Interstage Matching Inductors; *TCSI Dec. 2020 4607-4617*
- Wang, L., see Kasturi Rangan, J., *TCSI Feb. 2020 401-414*
- Wang, L., see Xi, J., *TCSI July 2020 2442-2454*
- Wang, L., see Lou, Y., *TCSI Sept. 2020 3163-3174*
- Wang, L., see Miao, M., *TCSI Dec. 2020 5443-5453*
- Wang, L., see Guo, Y.L., *TCSI Oct. 2020 3512-3520*
- Wang, P., see Wen, G., *TCSI Sept. 2020 3152-3162*
- Wang, S., see Wu, J., *TCSI Jan. 2020 60-73*
- Wang, S., see Wu, C., *TCSI Dec. 2020 5624-5635*
- Wang, S., see Shi, Q., *TCSI Dec. 2020 5125-5138*
- Wang, S., see Wang, W., *TCSI May 2020 1715-1728*
- Wang, T., see Wang, H., *TCSI Feb. 2020 451-463*
- Wang, W., see Zhuang, Z., *TCSI Dec. 2020 4360-4369*
- Wang, W., see Luo, Y., *TCSI Dec. 2020 4970-4983*
- Wang, W., Tse, C.K., and Wang, S., Dynamic State Estimation of Power Systems by p -Norm Nonlinear Kalman Filter; *TCSI May 2020 1715-1728*
- Wang, X., see Pierrou, G., *TCSI April 2020 1286-1295*
- Wang, X., see Wang, Y., *TCSI Feb. 2020 611-621*
- Wang, X., see Zhang, J., *TCSI June 2020 1803-1814*
- Wang, X., see Jiao, Z., *TCSI Nov. 2020 3728-3739*
- Wang, X., see Chen, Y., *TCSI Nov. 2020 3815-3827*
- Wang, X., see Yang, C., *TCSI Sept. 2020 3007-3020*
- Wang, X., see Zhang, Z., *TCSI Sept. 2020 2923-2933*
- Wang, X., see Tian, E., *TCSI Dec. 2020 5369-5379*
- Wang, X., Zidan, M.A., and Lu, W.D., A Crossbar-Based In-Memory Computing Architecture; *TCSI Dec. 2020 4224-4232*
- Wang, X., Ma, R., Li, D., Zheng, H., Liu, M., and Zhu, Z., A Low Walk Error Analog Front-End Circuit With Intensity Compensation for Direct ToF LiDAR; *TCSI Dec. 2020 4309-4321*
- Wang, X., see Zheng, H., *TCSI Dec. 2020 4409-4419*
- Wang, X., see Liu, H., *TCSI May 2020 1740-1751*
- Wang, Y., see Ding, T., *TCSI April 2020 1402-1412*
- Wang, Y., see Wu, B., *TCSI Jan. 2020 108-120*
- Wang, Y., Sun, Q., Luo, H., Wang, X., Zhang, R., and Zhang, H., A 48 pW, 0.34 V, 0.019%/V Line Sensitivity Self-Biased Subthreshold Voltage Reference With DIBL Effect Compensation; *TCSI Feb. 2020 611-621*
- Wang, Y., see Yan, H., *TCSI March 2020 1035-1044*
- Wang, Y., see Zhou, Z., *TCSI Nov. 2020 4075-4084*
- Wang, Y., see Zhong, L., *TCSI Aug. 2020 2578-2587*
- Wang, Y., see Yang, C., *TCSI Sept. 2020 3007-3020*
- Wang, Y., Mendis, G.J., Wei-Kocsis, J., Madanayake, A., and Mandal, S., A 1.0-8.3 GHz Cochlea-Based Real-Time Spectrum Analyzer With Δ - Σ -Modulated Digital Outputs; *TCSI Sept. 2020 2934-2947*
- Wang, Y., Luo, P., Zeng, X., Peng, D., Li, Z., and Zhang, B., A Neural Network Assistance AMPPT Solar Energy Harvesting System With 89.39% Efficiency and 0.01-0.5% Tracking Errors; *TCSI Sept. 2020 2960-2971*
- Wang, Y., see Tan, H., *TCSI Sept. 2020 3187-3198*
- Wang, Y., Zhang, Q., Yu, S.S., Zhao, X., Trinh, H., and Shi, P., A Robust Local Positive Feedback Based Performance Enhancement Strategy for Non-Recycling Folded Cascode OTA; *TCSI Sept. 2020 2897-2908*
- Wang, Y., Rotondo, D., Puig, V., and Cembrano, G., Fault-Tolerant Control Based on Virtual Actuator and Sensor for Discrete-Time Descriptor Systems; *TCSI Dec. 2020 5316-5325*
- Wang, Y., see Wu, B., *TCSI Dec. 2020 4660-4669*
- Wang, Y., see Luo, Y., *TCSI Dec. 2020 4970-4983*
- Wang, Z., see Wu, B., *TCSI Jan. 2020 108-120*
- Wang, Z., see Zhou, Z., *TCSI Nov. 2020 4075-4084*
- Wang, Z., see Wu, B., *TCSI Dec. 2020 4660-4669*
- Wang, Z., see Liu, B., *TCSI Dec. 2020 4733-4746*
- Wang, Z., see Liu, W., *TCSI Oct. 2020 3484-3497*
- Waser, R., see Bengel, C., *TCSI Dec. 2020 4618-4630*
- Waskow, B.H., see Correa, M.M., *TCSI May 2020 1481-1494*
- Wasmir Hussain, S., see Venkata Mahendra, T., *TCSI July 2020 2345-2357*
- Wei, Q., see Chen, Z., *TCSI Feb. 2020 389-400*
- Wei, Q., see Liu, Z., *TCSI Sept. 2020 2909-2922*
- Wei, S., see Wang, H., *TCSI Feb. 2020 451-463*
- Wei-Kocsis, J., see Wang, Y., *TCSI Sept. 2020 2934-2947*
- Weigel, R., see Ciocoveanu, R., *TCSI Aug. 2020 2635-2646*
- Weiss, R., see Zolkov, E., *TCSI July 2020 2250-2262*
- Weizman, Y., see Shifman, Y., *TCSI Dec. 2020 4855-4868*
- Wen, G., see Lv, Y., *TCSI March 2020 995-1007*
- Wen, G., Wang, P., Huang, T., Lu, J., and Zhang, F., Distributed Consensus of Layered Multi-Agent Systems Subject to Attacks on Edges; *TCSI Sept. 2020 3152-3162*
- Wen, G., see Ning, B., *TCSI Dec. 2020 5223-5232*
- Wen, X., see Yan, A., *TCSI March 2020 879-890*
- Wen, X., see Yan, A., *TCSI Dec. 2020 4684-4695*
- Wen, Y., Chang, H., Su, X., and Assawinchaichote, W., Event-Triggered Fuzzy Control of Repeated Scalar Nonlinear Systems and its Application to Chua's Circuit System; *TCSI Dec. 2020 5347-5357*
- Wijenayake, C., see Premaratne, S.U., *TCSI Aug. 2020 2693-2706*
- Wilson, M.A., see Zhang, J., *TCSI June 2020 1803-1814*
- Wittig, R., see Hasler, M., *TCSI Feb. 2020 441-450*
- Wong, H., see Yang, M., *TCSI Jan. 2020 284-297*
- Wu, B., Dai, P., Wang, Z., Wang, C., Wang, Y., Yang, J., Cheng, Y., Liu, D., Zhang, Y., Zhao, W., and Hu, X.S., Bulkyflip: A NAND-SPIN-Based Last-Level Cache With Bandwidth-Oriented Write Management Policy; *TCSI Jan. 2020 108-120*
- Wu, B., Wang, C., Wang, Z., Wang, Y., Zhang, D., Liu, D., Zhang, Y., and Hu, X.S., Field-Free 3T2SOT MRAM for Non-Volatile Cache Memories; *TCSI Dec. 2020 4660-4669*
- Wu, B., see Elmezayen, M.R., *TCSI Dec. 2020 4484-4493*
- Wu, B., see Lu, C., *TCSI Dec. 2020 4774-4783*

- Wu, C.**, Chen, C., and Shiue, M., Corrections to “A Design of Input-Decimation Technique for Recursive DFT/IDFT Algorithm” *TCSI June 2020 2152*
- Wu, C.**, see Shang, X., *TCSI Nov. 2020 3933-3943*
- Wu, C.**, Wang, S., and Tang, L., CMOS High-Efficiency Wireless Battery Charging System With Global Power Control Through Backward Data Telemetry for Implantable Medical Devices; *TCSI Dec. 2020 5624-5635*
- Wu, C.**, Tseng, C., Liao, J., Chiao, C., Chu, F., Tsai, Y., Ohta, J., and Noda, T., CMOS 256-Pixel/480-Pixel Photovoltaic-Powered Subretinal Prosthetic Chips With Wide Image Dynamic Range and Bi/Four-Directional Sharing Electrodes and Their *Ex Vivo* Experimental Validations With Mice; *TCSI Oct. 2020 3273-3283*
- Wu, H.**, see Xie, M., *TCSI Sept. 2020 3199-3210*
- Wu, H.**, see Li, R., *TCSI Sept. 2020 3113-3126*
- Wu, J.**, Deng, W., Chen, Z., Zheng, W., Liu, Y., Wang, S., Qi, N., and Chi, B., A 77-GHz Mixed-Mode FMCW Generator Based on a Vernier TDC With Dual Rising-Edge Fractional-Phase Detector; *TCSI Jan. 2020 60-73*
- Wu, J.**, Li, X., and Chen, G., Controllability of Deep-Coupling Dynamical Networks; *TCSI Dec. 2020 5211-5222*
- Wu, K.**, see Luo, J., *TCSI April 2020 1136-1148*
- Wu, K.**, see Zhang, Q., *TCSI Dec. 2020 4396-4408*
- Wu, L.**, see Yin, Y., *TCSI Dec. 2020 5257-5267*
- Wu, M.**, see Tan, H., *TCSI Sept. 2020 3187-3198*
- Wu, Q.H.**, see Guo, Y.L., *TCSI Oct. 2020 3512-3520*
- Wu, X.**, see Wang, H., *TCSI Feb. 2020 451-463*
- Wu, X.**, see Wang, J., *TCSI Dec. 2020 4247-4258*
- Wu, X.**, see Lin, Z., *TCSI Dec. 2020 4918-4931*
- Wu, X.**, see Ning, D., *TCSI Dec. 2020 5162-5174*
- Wu, Y.**, see Li, J., *TCSI Nov. 2020 4063-4074*
- Wu, Y.**, Lu, P., and Staszewski, R.B., A Time-Domain 147fs_{rms} 2.5-MHz Bandwidth Two-Step Flash-MASH 1-1-1 Time-to-Digital Converter With Third-Order Noise-Shaping and Mismatch Correction; *TCSI Aug. 2020 2532-2545*
- Wu, Y.**, see Zhuang, Z., *TCSI Dec. 2020 4360-4369*
- Wu, Y.**, see Zhao, C., *TCSI Oct. 2020 3400-3409*
- Wu, Z.**, see Zhang, W., *TCSI Jan. 2020 259-270*
- Wu, Z.**, see Zhang, L., *TCSI Jan. 2020 309-321*
- Wu, Z.**, see Yu, A., *TCSI June 2020 2128-2139*
- Wu, Z.**, see Wang, J., *TCSI Dec. 2020 5281-5289*
- X**
- Xi, J.**, Wang, L., Zheng, J., and Yang, X., Energy-Constraint Formation for Multiagent Systems With Switching Interaction Topologies; *TCSI July 2020 2442-2454*
- Xi, N.**, Lin, F., and Ye, T., A Low-Spur and Intrinsically Aligned IL-PLL With Self-Feedback Injection Locked RO and Pseudo-Random Injection Locked Technique; *TCSI April 2020 1358-1367*
- Xi, X.**, see Zhuang, H., *TCSI Jan. 2020 135-144*
- Xia, Q.**, see Chen, Z., *TCSI Nov. 2020 4142-4153*
- Xiang, X.**, Zhang, X., Gu, Y., Chaffey, G.P., and Green, T.C., Analysis and Investigation of Internal AC Frequency to Minimize AC Current Magnitude and Reactive Power Circulation in Chain-Link Modular Multilevel Direct DC–DC Converters; *TCSI Dec. 2020 5586-5599*
- Xiang, Y.**, see Shang, X., *TCSI Nov. 2020 3933-3943*
- Xiang, Z.**, see Zhang, J., *TCSI Dec. 2020 5336-5346*
- Xiao, Y.**, see Li, S., *TCSI Dec. 2020 4566-4579*
- Xie, G.**, see Cheng, X., *TCSI Aug. 2020 2685-2692*
- Xie, L.**, see Zhou, Y., *TCSI May 2020 1602-1614*
- Xie, M.**, Yu, S., Lin, H., Ma, J., and Wu, H., Improved Sliding Mode Control With Time Delay Estimation for Motion Tracking of Cell Puncture Mechanism; *TCSI Sept. 2020 3199-3210*
- Xie, X.**, see Liu, J., *TCSI March 2020 1021-1034*
- Xie, X.**, Yue, D., Park, J.H., and Chadli, M., Relaxed Multi-Instant Fuzzy State Estimation Design of Discrete-Time Nonlinear Systems and its Application: A Deep Division Approach; *TCSI May 2020 1775-1785*
- Xie, Z.**, and Zhang, X., Reduced-Complexity Key Equation Solvers for Generalized Integrated Interleaved BCH Decoders; *TCSI Dec. 2020 5520-5529*
- Xin, G.**, Han, J., Yin, T., Zhou, Y., Yang, J., Cheng, X., and Zeng, X., VPQC: A Domain-Specific Vector Processor for Post-Quantum Cryptography Based on RISC-V Architecture; *TCSI Aug. 2020 2672-2684*
- Xing, W.**, Shi, P., Agarwal, R.K., and Li, L., Robust H_∞ Pinning Synchronization for Complex Networks With Event-Triggered Communication Scheme; *TCSI Dec. 2020 5233-5245*
- Xing, Y.**, and Li, S., An Efficient Implementation of the NewHope Key Exchange on FPGAs; *TCSI March 2020 866-878*
- Xiu, Y.**, and Rosenbaum, E., Analysis and Design of Integrated Voltage Regulators for Supply Noise Rejection During System-Level ESD; *TCSI Dec. 2020 4199-4210*
- Xu, C.**, Peng, Z., Hu, X., Zhang, W., Chen, L., and An, F., FPGA-Based Low-Visibility Enhancement Accelerator for Video Sequence by Adaptive Histogram Equalization With Dynamic Clip-Threshold; *TCSI Nov. 2020 3954-3964*
- Xu, D.**, see Zhong, L., *TCSI Aug. 2020 2578-2587*
- Xu, J.**, Niu, Y., Lim, C., and Shi, P., Memory Output-Feedback Integral Sliding Mode Control for Furuta Pendulum Systems; *TCSI June 2020 2042-2052*
- Xu, J.**, see Shang, X., *TCSI Nov. 2020 3933-3943*
- Xu, J.**, see Nie, K., *TCSI Sept. 2020 2873-2882*
- Xu, J.**, see Liu, H., *TCSI May 2020 1740-1751*
- Xu, L.**, see Cheng, X., *TCSI Aug. 2020 2685-2692*
- Xu, Q.**, see Bi, X., *TCSI Nov. 2020 3991-4001*
- Xu, S.**, see Jiao, T., *TCSI Sept. 2020 3099-3112*
- Xu, S.**, Wang, F., Wang, H., and Romberg, J., In-Field Performance Optimization for mm-Wave Mixed-Signal Doherty Power Amplifiers: A Bandit Approach; *TCSI Dec. 2020 5302-5315*
- Xu, S.**, see Liu, H., *TCSI Dec. 2020 5018-5030*
- Xu, S.**, see Li, S., *TCSI Dec. 2020 4566-4579*
- Xu, S.**, see Zhou, Y., *TCSI May 2020 1602-1614*
- Xu, S.**, see Min, H., *TCSI May 2020 1752-1761*
- Xu, S.**, Qian, Q., Shi, R., Shah, S.S., Liu, Q., Lu, S., and Sun, W., Sampled-Data Modeling for PCM and ZVS Controlled Critical Conduction Mode (CrCM) Active Clamp Flyback (ACF) Converter at Variable Switching Frequency; *TCSI Oct. 2020 3588-3600*
- Xu, T.**, Hao, Y., and Duan, Z., Fully Distributed Containment Control for Multiple Euler-Lagrange Systems Over Directed Graphs: An Event-Triggered Approach; *TCSI June 2020 2078-2090*
- Xu, T.**, Lv, G., Duan, Z., Sun, Z., and Yu, J., Distributed Fixed-Time Triggering-Based Containment Control for Networked Nonlinear Agents Under Directed Graphs; *TCSI Oct. 2020 3541-3552*
- Xu, W.**, see Miao, M., *TCSI Dec. 2020 5443-5453*
- Xu, X.**, see Luo, Y., *TCSI Dec. 2020 4970-4983*
- Xu, Y.**, Venkatachala, P.K., Hu, Y., Leuenerger, S., Temes, G.C., and Moon, U., A Charge-Domain Switched- G_m -C Band-Pass Filter Using Interleaved Semi-Passive Charge-Sharing Technique; *TCSI Feb. 2020 600-610*
- Xu, Y.**, see Tan, X., *TCSI Feb. 2020 540-552*
- Xue, Q.**, see Yang, Y., *TCSI May 2020 1516-1526*
- Xue, Z.**, see Chen, Z., *TCSI Nov. 2020 4142-4153*
- Y**
- Yabe, Y.**, Tanaka, H., Sekiya, H., Nakagawa, M., Mori, F., Utsunomiya, K., and Keida, A., Locking Range Maximization in Injection-Locked Class-E Oscillator—A Case Study for Optimizing Synchronizability; *TCSI May 2020 1762-1774*
- Yaghoobi, M.**, Kashani, M.H., Yavari, M., and Mirabbasi, S., A 56-to-66 GHz CMOS Low-Power Phased-Array Receiver Front-End With Hybrid Phase Shifting Scheme; *TCSI Nov. 2020 4002-4014*
- Yaghouti, S.**, see Burbano-L., D.A., *TCSI March 2020 927-938*
- Yakovlev, A.**, see Al-Daloo, M., *TCSI Oct. 2020 3309-3319*
- Yamaguchi, T.J.**, see Byambadorj, Z., *TCSI Jan. 2020 298-308*
- Yamaguchi, T.J.**, see Byambadorj, Z., *TCSI Dec. 2020 5561-5573*
- Yamawaki, T.**, see Oshima, T., *TCSI Jan. 2020 23-36*
- Yan, A.**, Ling, Y., Cui, J., Chen, Z., Huang, Z., Song, J., Girard, P., and Wen, X., Quadruple Cross-Coupled Dual-Interlocked-Storage-Cells-Based Multiple-Node-Upset-Tolerant Latch Designs; *TCSI March 2020 879-890*

- Yan, A.**, Chen, Y., Hu, Y., Zhou, J., Ni, T., Cui, J., Girard, P., and Wen, X., Novel Speed-and-Power-Optimized SRAM Cell Designs With Enhanced Self-Recoverability From Single- and Double-Node Upsets; *TCSI Dec. 2020* 4684-4695
- Yan, D.**, see Li, S., *TCSI Dec. 2020* 4566-4579
- Yan, H.**, Han, J., Zhang, H., Zhan, X., and Wang, Y., Adaptive Event-Triggered Predictive Control for Finite Time Microgrid; *TCSI March 2020* 1035-1044
- Yan, H.**, see Liu, J., *TCSI March 2020* 1021-1034
- Yan, X.**, see Lin, Z., *TCSI Dec. 2020* 4918-4931
- Yan, Z.**, see Yu, A., *TCSI June 2020* 2128-2139
- Yang, C.**, see Luo, Q., *TCSI March 2020* 939-950
- Yang, C.**, Wang, Y., Wang, X., and Geng, L., A Stride-Based Convolution Decomposition Method to Stretch CNN Acceleration Algorithms for Efficient and Flexible Hardware Implementation; *TCSI Sept. 2020* 3007-3020
- Yang, C.**, see Hong, H., *TCSI Dec. 2020* 4946-4959
- Yang, C.**, see Lin, Y., *TCSI Dec. 2020* 4984-4993
- Yang, C.K.**, see Elhebeary, M., *TCSI Dec. 2020* 5600-5610
- Yang, C.K.**, see Elhebeary, M., *TCSI Oct. 2020* 3342-3351
- Yang, F.**, see Lu, Y., *TCSI Aug. 2020* 2859-2871
- Yang, F.**, see Shen, Z., *TCSI Dec. 2020* 4445-4456
- Yang, H.**, see Chen, Z., *TCSI Feb. 2020* 389-400
- Yang, H.**, see Liu, Z., *TCSI Sept. 2020* 2909-2922
- Yang, J.**, see Wu, B., *TCSI Jan. 2020* 108-120
- Yang, J.**, see Jeon, S., *TCSI Aug. 2020* 2825-2835
- Yang, J.**, see Xin, G., *TCSI Aug. 2020* 2672-2684
- Yang, J.**, see Zhang, G., *TCSI Dec. 2020* 4580-4592
- Yang, J.**, Yang, S.Y., Chen, Z.H., and Zhang, X.Y., An Agile LUT-Based All-Digital Transmitter; *TCSI Dec. 2020* 5550-5560
- Yang, J.**, see Liu, B., *TCSI Dec. 2020* 4733-4746
- Yang, J.**, see Zhou, Y., *TCSI May 2020* 1602-1614
- Yang, K.**, see Yi, X., *TCSI Feb. 2020* 686-698
- Yang, M.**, Shahramian, S., Shakiba, H., Wong, H., Krotnev, P., and Carusone, A.C., Statistical BER Analysis of Wireline Links With Non-Binary Linear Block Codes Subject to DFE Error Propagation; *TCSI Jan. 2020* 284-297
- Yang, M.**, see Liu, J., *TCSI March 2020* 1021-1034
- Yang, S.**, see Yao, A., *TCSI April 2020* 1264-1275
- Yang, S.Y.**, see Yang, J., *TCSI Dec. 2020* 5550-5560
- Yang, T.**, see Tsai, P., *TCSI April 2020* 1245-1254
- Yang, X.**, see Xi, J., *TCSI July 2020* 2442-2454
- Yang, X.**, Chan, C., Zhu, Y., and Martins, R.P., A Calibration-Free Ring-Oscillator PLL With Gain Tracking Achieving 9% Jitter Variation Over PVT; *TCSI Nov. 2020* 3753-3763
- Yang, X.**, Zhou, B., and Mazenc, F., Global Stabilization of the Discrete-Time Integrators System by Bounded Controls; *TCSI Dec. 2020* 5175-5188
- Yang, Y.**, see Zhu, H., *TCSI Feb. 2020* 647-657
- Yang, Y.**, see Bi, X., *TCSI Nov. 2020* 3991-4001
- Yang, Y.**, Hou, Z.J., Zhu, X., Che, W., and Xue, Q., A Millimeter-Wave Reconfigurable On-Chip Coupler With Tunable Power-Dividing Ratios in 0.13- μm BiCMOS Technology; *TCSI May 2020* 1516-1526
- Yang, Z.**, see Lin, Z., *TCSI Dec. 2020* 4918-4931
- Yao, A.**, Sun, P., Yang, S., and Li, D., Evolution of Function-Call Network Reliability in Android Operating System; *TCSI April 2020* 1264-1275
- Yao, Y.**, see Cheng, L., *TCSI Feb. 2020* 516-525
- Yavari, M.**, see Yaghoobi, M., *TCSI Nov. 2020* 4002-4014
- Yazdanpanah, H.**, Diniz, P.S.R., and Lima, M.V.S., Feature Adaptive Filtering: Exploiting Hidden Sparsity; *TCSI July 2020* 2358-2371
- Ye, D.**, see Liu, D., *TCSI Dec. 2020* 5394-5404
- Ye, L.**, see Lin, Z., *TCSI Dec. 2020* 4918-4931
- Ye, T.**, see Xi, N., *TCSI April 2020* 1358-1367
- Ye, W.**, see Chen, W., *TCSI May 2020* 1692-1703
- Yeh, Y.**, and Floyd, B.A., Multibeam Phased-Arrays Using Dual-Vector Distributed Beamforming: Architecture Overview and 28 GHz Transceiver Prototypes; *TCSI Dec. 2020* 5496-5509
- Yeo, K.S.**, see Kong, L., *TCSI Dec. 2020* 4187-4198
- Yeom, S.**, see Park, K., *TCSI Nov. 2020* 3718-3727
- Yi, X.**, Liang, Z., Boon, C.C., Feng, G., Meng, F., and Yang, K., An Inverted Ring Oscillator Noise-Shaping Time-to-Digital Converter With In-Band Noise Reduction and Coherent Noise Cancellation; *TCSI Feb. 2020* 686-698
- Yi, X.**, see He, Y., *TCSI Dec. 2020* 4794-4803
- Yin, J.**, see Martins, R., *TCSI Nov. 2020* 3965-3977
- Yin, L.**, and Shen, Y., Robust Filtering of Discrete-Time Linear Systems With Correlated Process and Measurement Noises; *TCSI March 2020* 1008-1020
- Yin, P.**, see Shu, Z., *TCSI Oct. 2020* 3378-3388
- Yin, S.**, see Wang, H., *TCSI Feb. 2020* 451-463
- Yin, T.**, see Xin, G., *TCSI Aug. 2020* 2672-2684
- Yin, Y.**, Liu, J., Marquez, A., Lin, X., Leon, J.I., Vazquez, S., Franquelo, L.G., and Wu, L., Advanced Control Strategies for DC-DC Buck Converters With Parametric Uncertainties via Experimental Evaluation; *TCSI Dec. 2020* 5257-5267
- Yoo, H.**, see Kim, S., *TCSI April 2020* 1181-1193
- Yoo, H.**, see Lee, K.J., *TCSI Dec. 2020* 4719-4732
- Yoo, H.**, see Lee, J., *TCSI Oct. 2020* 3458-3470
- Yoo, H.**, see Im, D., *TCSI Oct. 2020* 3471-3483
- Yoon, J.**, see Jeon, S., *TCSI Aug. 2020* 2825-2835
- Yoon, J.**, Kwon, K., and Bae, H., 3.125-to-28.125 Gb/s 4.72 mW/Gb/s Multi-Standard Parallel Transceiver Supporting Channel-Independent Operation in 40-nm CMOS; *TCSI Aug. 2020* 2647-2658
- Yoon, T.**, see Jeon, S., *TCSI Aug. 2020* 2825-2835
- Yoon, Y.**, see Gi, H., *TCSI Oct. 2020* 3601-3612
- You, X.**, see Tan, X., *TCSI Feb. 2020* 540-552
- You, X.**, see Zhong, Z., *TCSI June 2020* 2091-2102
- You, X.**, see Yu, A., *TCSI June 2020* 2128-2139
- You, X.**, see Gu, P., *TCSI Oct. 2020* 3389-3399
- Yu, A.**, Jing, S., Tan, X., Wu, Z., Yan, Z., Zhang, Z., You, X., and Zhang, C., Efficient Successive Over Relaxation Detectors for Massive MIMO; *TCSI June 2020* 2128-2139
- Yu, D.**, see Liang, Y., *TCSI Dec. 2020* 5139-5152
- Yu, J.**, see Sun, Y., *TCSI Dec. 2020* 5405-5416
- Yu, J.**, see Xu, T., *TCSI Oct. 2020* 3541-3552
- Yu, Q.**, see Luo, J., *TCSI April 2020* 1136-1148
- Yu, Q.**, see Zhang, Z., *TCSI Sept. 2020* 2923-2933
- Yu, Q.**, see Zhang, Q., *TCSI Dec. 2020* 4396-4408
- Yu, S.**, see Peng, X., *TCSI April 2020* 1333-1343
- Yu, S.**, see Wang, H., *TCSI Feb. 2020* 451-463
- Yu, S.**, see Xie, M., *TCSI Sept. 2020* 3199-3210
- Yu, S.S.**, see Wang, Y., *TCSI Sept. 2020* 2897-2908
- Yu, X.**, see Lv, Y., *TCSI March 2020* 995-1007
- Yu, X.**, see Sun, Y., *TCSI Dec. 2020* 5405-5416
- Yu, X.**, see Ning, B., *TCSI Dec. 2020* 5223-5232
- Yu, Y.**, Hurst, P.J., Levy, B.C., and Lewis, S.H., A Two-Step ADC With Statistical Calibration; *TCSI Aug. 2020* 2588-2601
- Yu, Y.**, see Zhao, C., *TCSI Oct. 2020* 3400-3409
- Yuan, C.**, Naguib, A., and Shekhar, S., On the Design of Low-Power Hybrids for Full Duplex Simultaneous Bidirectional Signaling Links; *TCSI April 2020* 1413-1422
- Yuan, J.**, see Niu, H., *TCSI July 2020* 2229-2238
- Yuan, J.**, see Niu, H., *TCSI Dec. 2020* 5007-5017
- Yuan, P.**, see Hu, S., *TCSI Feb. 2020* 699-710
- Yue, C.P.**, see Meng, X., *TCSI June 2020* 1835-1845
- Yue, D.**, see Hu, S., *TCSI Feb. 2020* 699-710
- Yue, D.**, see Xie, X., *TCSI May 2020* 1775-1785
- Yuki, F.**, see Norimatsu, T., *TCSI Oct. 2020* 3433-3443
- Yuksel, H.**, see Tapen, T., *TCSI Jan. 2020* 271-283

Z

- Zahra, M.**, see Spooof, K., *TCSI Dec. 2020* 4457-4469
- Zakharov, A.**, and Ilchenko, M., Circuit Function Characterizing Tunability of Resonators; *TCSI Jan. 2020* 98-107
- Zakharov, A.**, and Ilchenko, M., Unloaded Quality Factor of Transmission Line Resonators With Capacitors; *TCSI July 2020* 2204-2215
- Zand, R.**, see Jokar, E., *TCSI Dec. 2020* 4932-4945

- Zang, J.**, see Shu, Z., *TCSI Oct. 2020 3378-3388*
- Zare-Hoseini, H.**, see Bagheri, M., *TCSI Sept. 2020 2883-2896*
- Zatt, B.**, see Ramos, F.L.L., *TCSI Feb. 2020 475-488*
- Zeng, L.**, see Wang, C., *TCSI Feb. 2020 464-474*
- Zeng, Q.**, see Chung, Y., *TCSI Feb. 2020 358-368*
- Zeng, W.**, Ren, Y., Lam, C., Sin, S., Che, W., Ding, R., and Martins, R.P., A 470-nA Quiescent Current and 92.7%/94.7% Efficiency DCT/PWM Control Buck Converter With Seamless Mode Selection for IoT Application; *TCSI Nov. 2020 4085-4098*
- Zeng, W.-L.**, see Chi-Wa, U., *TCSI Nov. 2020 3656-3669*
- Zeng, X.**, see Xin, G., *TCSI Aug. 2020 2672-2684*
- Zeng, X.**, see Wang, Y., *TCSI Sept. 2020 2960-2971*
- Zeng, X.**, see Zhang, Q., *TCSI Dec. 2020 5429-5442*
- Zeng, X.**, see Zhao, C., *TCSI Oct. 2020 3400-3409*
- Zeng, Z.**, see Liu, H., *TCSI May 2020 1740-1751*
- Zervakis, G.**, see Tasoulas, Z., *TCSI Dec. 2020 4670-4683*
- Zha, W.**, see Nie, K., *TCSI Sept. 2020 2873-2882*
- Zhan, C.**, see Huang, Q., *TCSI Nov. 2020 4029-4040*
- Zhan, R.**, see Zhang, H., *TCSI Aug. 2020 2625-2634*
- Zhan, X.**, see Yan, H., *TCSI March 2020 1035-1044*
- Zhang, B.**, see Zhou, Z., *TCSI Nov. 2020 4075-4084*
- Zhang, B.**, see Wang, Y., *TCSI Sept. 2020 2960-2971*
- Zhang, B.**, see Zhang, Z., *TCSI Sept. 2020 3047-3055*
- Zhang, C.**, see Tan, X., *TCSI Feb. 2020 540-552*
- Zhang, C.**, see Zhong, Z., *TCSI June 2020 2091-2102*
- Zhang, C.**, see Yu, A., *TCSI June 2020 2128-2139*
- Zhang, D.**, see Wang, C., *TCSI Feb. 2020 464-474*
- Zhang, D.**, see Wu, B., *TCSI Dec. 2020 4660-4669*
- Zhang, F.**, see Zhao, Q., *TCSI Nov. 2020 3866-3879*
- Zhang, F.**, see Wen, G., *TCSI Sept. 2020 3152-3162*
- Zhang, G.**, see Ren, L., *TCSI Aug. 2020 2791-2802*
- Zhang, G.**, Liu, S., Chen, W., Zhang, Z., and Yang, J., Design Method for Compact Multifunctional Reconfigurable Filtering Power Divider on a New Tunable Three-Port Multi-Mode Topology; *TCSI Dec. 2020 4580-4592*
- Zhang, H.**, see Wang, Y., *TCSI Feb. 2020 611-621*
- Zhang, H.**, see Yan, H., *TCSI March 2020 1035-1044*
- Zhang, H.**, Huang, X., Zhang, J.A., and Guo, Y.J., Dual Pulse Shaping Transmission and Equalization for High-Speed Wideband Wireless Communication Systems; *TCSI July 2020 2372-2382*
- Zhang, H.**, see Jiao, Z., *TCSI Nov. 2020 3728-3739*
- Zhang, H.**, see Chen, Y., *TCSI Nov. 2020 3815-3827*
- Zhang, H.**, Zhan, R., Li, Y.C., and Mou, J., High Efficiency Doherty Power Amplifier Using Dual-Adaptive Biases; *TCSI Aug. 2020 2625-2634*
- Zhang, H.**, see Wang, K., *TCSI Dec. 2020 4607-4617*
- Zhang, H.**, see Zhao, J., *TCSI Oct. 2020 3498-3511*
- Zhang, J.**, Newman, J.P., Wang, X., Thakur, C.S., Rattray, J., Etienne-Cummings, R., and Wilson, M.A., A Closed-Loop, All-Electronic Pixel-Wise Adaptive Imaging System for High Dynamic Range Videography; *TCSI June 2020 1803-1814*
- Zhang, J.**, Li, S., and Xiang, Z., Adaptive Fuzzy Output Feedback Event-Triggered Control for a Class of Switched Nonlinear Systems With Sensor Failures; *TCSI Dec. 2020 5336-5346*
- Zhang, J.A.**, see Zhang, H., *TCSI July 2020 2372-2382*
- Zhang, J.A.**, see Zhao, J., *TCSI Oct. 2020 3498-3511*
- Zhang, K.**, see Hu, A., *TCSI Dec. 2020 4470-4483*
- Zhang, K.**, see Wang, J., *TCSI Dec. 2020 4247-4258*
- Zhang, L.**, Chen, Z., Rao, W., and Wu, Z., Efficient and Secure Non-Coherent OFDM-Based Overlapped Chaotic Chip Position Shift Keying System: Design and Performance Analysis; *TCSI Jan. 2020 309-321*
- Zhang, L.**, see Bose, S.K., *TCSI March 2020 913-926*
- Zhang, L.**, see Zhao, C., *TCSI Oct. 2020 3400-3409*
- Zhang, Q.**, see Wang, Y., *TCSI Sept. 2020 2897-2908*
- Zhang, Q.**, Ning, N., Li, J., Yu, Q., Zhang, Z., and Wu, K., A High Area-Efficiency 14-bit SAR ADC With Hybrid Capacitor DAC for Array Sensors; *TCSI Dec. 2020 4396-4408*
- Zhang, Q.**, Chen, Y., Li, S., Zeng, X., and Parhi, K.K., A High-Performance Stochastic LDPC Decoder Architecture Designed via Correlation Analysis; *TCSI Dec. 2020 5429-5442*
- Zhang, R.**, see Wang, Y., *TCSI Feb. 2020 611-621*
- Zhang, R.**, see Jiao, Z., *TCSI Nov. 2020 3728-3739*
- Zhang, R.**, see Chen, Y., *TCSI Nov. 2020 3815-3827*
- Zhang, S.**, Huang, K., and Shen, H., A Robust 8-Bit Non-Volatile Computing-in-Memory Core for Low-Power Parallel MAC Operations; *TCSI June 2020 1867-1880*
- Zhang, S.**, see Lin, Z., *TCSI Dec. 2020 4918-4931*
- Zhang, W.**, Tang, Y., Kocarev, L., and Wu, Z., Cluster Tracking Performance Analysis of Linear Heterogeneous Multi-Agent Networks: A Complex Frequency Domain Approach; *TCSI Jan. 2020 259-270*
- Zhang, W.**, see Xu, C., *TCSI Nov. 2020 3954-3964*
- Zhang, X.**, see Wang, H., *TCSI Feb. 2020 451-463*
- Zhang, X.**, see Chen, Z., *TCSI Feb. 2020 389-400*
- Zhang, X.**, Tang, L., and Lu, J., Synchronization Analysis on Two-Layer Networks of Fractional-Order Systems: Intralayer and Interlayer Synchronization; *TCSI July 2020 2397-2408*
- Zhang, X.**, see Xiang, X., *TCSI Dec. 2020 5586-5599*
- Zhang, X.**, see Xie, Z., *TCSI Dec. 2020 5520-5529*
- Zhang, X.Y.**, see Yang, J., *TCSI Dec. 2020 5550-5560*
- Zhang, Y.**, see Wu, B., *TCSI Jan. 2020 108-120*
- Zhang, Y.**, see Hu, S., *TCSI Feb. 2020 699-710*
- Zhang, Y.**, see Tan, X., *TCSI Feb. 2020 540-552*
- Zhang, Y.**, see Li, Y., *TCSI March 2020 852-865*
- Zhang, Y.**, see Cheng, X., *TCSI Aug. 2020 2685-2692*
- Zhang, Y.**, see Wang, J., *TCSI Dec. 2020 4247-4258*
- Zhang, Y.**, see Wang, J., *TCSI Dec. 2020 4247-4258*
- Zhang, Y.**, see Wu, B., *TCSI Dec. 2020 4660-4669*
- Zhang, Z.**, see Tan, X., *TCSI Feb. 2020 540-552*
- Zhang, Z.**, see Zhong, Z., *TCSI June 2020 2091-2102*
- Zhang, Z.**, see Yu, A., *TCSI June 2020 2128-2139*
- Zhang, Z.**, see Cheng, X., *TCSI Aug. 2020 2685-2692*
- Zhang, Z.**, Yu, Q., Li, J., Wang, X., and Ning, N., A 12-Bit Dynamic Tracking Algorithm-Based SAR ADC With Real-Time QRS Detection; *TCSI Sept. 2020 2923-2933*
- Zhang, Z.**, He, Y., and Zhang, B., A Time-Efficient Automatic Circuit Approximation Method; *TCSI Sept. 2020 3047-3055*
- Zhang, Z.**, see Zhang, Q., *TCSI Dec. 2020 4396-4408*
- Zhang, Z.**, see Wang, J., *TCSI Dec. 2020 4247-4258*
- Zhang, Z.**, Cheng, Z., Li, H., Ke, H., and Guo, Y.J., A Broadband Doherty Power Amplifier With Hybrid Class-EFJ Mode; *TCSI Dec. 2020 4270-4280*
- Zhang, Z.**, see Zhang, G., *TCSI Dec. 2020 4580-4592*
- Zhang, Z.**, see He, Y., *TCSI Dec. 2020 4794-4803*
- Zhang, Z.**, see Shen, Z., *TCSI Dec. 2020 4445-4456*
- Zhao, C.**, Zeng, X., Zhang, L., Liu, H., Yu, Y., Wu, Y., and Kang, K., A 37–40-GHz Low-Phase-Imbalance CMOS Attenuator With Tail-Capacitor Compensation Technique; *TCSI Oct. 2020 3400-3409*
- Zhao, D.**, Lam, H.K., Li, Y., Ding, S.X., and Liu, S., A Novel Approach to State and Unknown Input Estimation for Takagi–Sugeno Fuzzy Models With Applications to Fault Detection; *TCSI June 2020 2053-2063*
- Zhao, D.**, see Gu, P., *TCSI Oct. 2020 3389-3399*
- Zhao, H.**, and Mandal, S., A Fast-Settling Integer- N Frequency Synthesizer Using Switched-Gain Control; *TCSI April 2020 1344-1357*
- Zhao, H.**, Zheng, J., Deng, W., and Song, Y., Semi-Supervised Broad Learning System Based on Manifold Regularization and Broad Network; *TCSI March 2020 983-994*
- Zhao, H.**, see Liu, Z., *TCSI Sept. 2020 2909-2922*
- Zhao, J.**, see Zheng, Z., *TCSI July 2020 2383-2396*
- Zhao, J.**, see Ma, Y., *TCSI Sept. 2020 3175-3186*
- Zhao, J.**, Zhang, H., Wang, G., and Zhang, J.A., Projected Kernel Least Mean p -Power Algorithm: Convergence Analyses and Modifications; *TCSI Oct. 2020 3498-3511*
- Zhao, L.**, see Wang, H., *TCSI Feb. 2020 672-685*

Zhao, Q., Zheng, W., Zhao, X., Cao, Y., Zhang, F., and Law, M., A 108 F²/Bit Fully Reconfigurable RRAM PUF Based on Truly Random Dynamic Entropy of Jitter Noise; *TCSI Nov. 2020 3866-3879*

Zhao, W., see Wu, B., *TCSI Jan. 2020 108-120*

Zhao, W., see Wang, C., *TCSI Feb. 2020 464-474*

Zhao, W., see Zhou, Y., *TCSI May 2020 1602-1614*

Zhao, X., see Zhao, Q., *TCSI Nov. 2020 3866-3879*

Zhao, X., see Wang, Y., *TCSI Sept. 2020 2897-2908*

Zhao, Y., Liu, Y., and Ma, D., Output Regulation for Switched Systems With Multiple Disturbances; *TCSI Dec. 2020 5326-5335*

Zhao, Z., see Wang, H., *TCSI Feb. 2020 672-685*

Zheng, H., see Wang, X., *TCSI Dec. 2020 4309-4321*

Zheng, H., Ma, R., Wang, X., Liu, M., and Zhu, Z., A CMOS Peak Detect and Hold Circuit With Auto-Adjust Charging Current for NS-Scale Pulse ToF Lidar Application; *TCSI Dec. 2020 4409-4419*

Zheng, J., see Zhao, H., *TCSI March 2020 983-994*

Zheng, J., see Xi, J., *TCSI July 2020 2442-2454*

Zheng, N., see Wang, H., *TCSI Feb. 2020 451-463*

Zheng, W., see Wu, J., *TCSI Jan. 2020 60-73*

Zheng, W., see Zhao, Q., *TCSI Nov. 2020 3866-3879*

Zheng, W.X., see Liu, L., *TCSI July 2020 2409-2418*

Zheng, W.X., see Jiao, T., *TCSI Sept. 2020 3099-3112*

Zheng, Y., see Zhong, L., *TCSI Aug. 2020 2578-2587*

Zheng, Z., Liu, Z., and Zhao, J., Bias-Compensated Sparsity-Aware NLMM Algorithms for Robust Adaptive Echo Cancellation; *TCSI July 2020 2383-2396*

Zheng, Z., see Wang, J., *TCSI Dec. 2020 4247-4258*

Zhong, L., Xu, D., Lai, X., Wang, Y., Liao, X., Fang, Z., and Zheng, Y., Precision Improvement of Power-Efficient Capacitive Sensor Readout Circuit Using Multi-Nested Clocks; *TCSI Aug. 2020 2578-2587*

Zhong, S., see Martins, R., *TCSI Nov. 2020 3965-3977*

Zhong, Z., Gross, W.J., Zhang, Z., You, X., and Zhang, C., Polar Compiler: Auto-Generator of Hardware Architectures for Polar Encoders; *TCSI June 2020 2091-2102*

Zhou, B., see Yang, X., *TCSI Dec. 2020 5175-5188*

Zhou, D., see Park, C., *TCSI Nov. 2020 3618-3629*

Zhou, J., see Guo, Y., *TCSI Nov. 2020 3630-3642*

Zhou, J., see Yan, A., *TCSI Dec. 2020 4684-4695*

Zhou, J., see Song, J., *TCSI Dec. 2020 5290-5301*

Zhou, L., Zhou, X.Y., Chan, W.S., Sharma, T., and Ho, D., Wideband Class-F⁻¹ Power Amplifier With Dual-/Quad-Mode Bandpass Response; *TCSI July 2020 2239-2249*

Zhou, X.Y., Chan, W.S., Chen, S., Feng, W., Pang, J., and Ho, D., Linearity Enhanced Harmonic-Modulated Impedance Inverter Doherty-Like Power Amplifier; *TCSI June 2020 2029-2041*

Zhou, X.Y., see Zhou, L., *TCSI July 2020 2239-2249*

Zhou, Y., see Xin, G., *TCSI Aug. 2020 2672-2684*

Zhou, Y., Cai, H., Xie, L., Han, M., Liu, M., Xu, S., Liu, B., Zhao, W., and Yang, J., A Self-Timed Voltage-Mode Sensing Scheme With Successive Sensing and Checking for STT-MRAM; *TCSI May 2020 1602-1614*

Zhou, Z., see Nguyen, B., *TCSI Feb. 2020 622-633*

Zhou, Z., see Ding, M., *TCSI July 2020 2263-2273*

Zhou, Z., Wang, A., Wang, Y., Wang, J., Shi, Y., Wang, Z., and Zhang, B., An Error Amplifier With a Low Power Multi-Mode Voltage Clamper for Transient Enhancement and High Reliability; *TCSI Nov. 2020 4075-4084*

Zhou, Z., see Hong, W., *TCSI Sept. 2020 3234-3247*

Zhu, A., see Li, M., *TCSI June 2020 1824-1834*

Zhu, A., see Nikandish, G.R., *TCSI Dec. 2020 4211-4223*

Zhu, H., see Chen, Z., *TCSI Feb. 2020 389-400*

Zhu, H., Zhu, X., Yang, Y., and Sun, Y., Design of Miniaturized On-Chip Bandpass Filters Using Inverting-Coupled Inductors in (Bi)-CMOS Technology; *TCSI Feb. 2020 647-657*

Zhu, L., see Guo, J., *TCSI June 2020 1925-1935*

Zhu, W., see Liu, B., *TCSI Dec. 2020 4733-4746*

Zhu, X., see Zhu, H., *TCSI Feb. 2020 647-657*

Zhu, X., see Kong, L., *TCSI Dec. 2020 4187-4198*

Zhu, X., see Yang, Y., *TCSI May 2020 1516-1526*

Zhu, Y., see Yang, X., *TCSI Nov. 2020 3753-3763*

Zhu, Y., see Liu, J., *TCSI Nov. 2020 3853-3865*

Zhu, Z., see Liu, M., *TCSI March 2020 753-764*

Zhu, Z., see Liu, S., *TCSI Aug. 2020 2602-2611*

Zhu, Z., see Wang, X., *TCSI Dec. 2020 4309-4321*

Zhu, Z., see Zheng, H., *TCSI Dec. 2020 4409-4419*

Zhuang, H., Xi, X., Sun, N., and Orshansky, M., A Strong Subthreshold Current Array PUF Resilient to Machine Learning Attacks; *TCSI Jan. 2020 135-144*

Zhuang, Z., Wu, Y., Kong, M., and Wang, W., High-Selectivity Single-Ended/Balanced DC-Block Filtering Impedance Transformer and Its Application on Power Amplifier; *TCSI Dec. 2020 4360-4369*

Zidan, M.A., see Wang, X., *TCSI Dec. 2020 4224-4232*

Zimpeck, A.L., see Brendler, L.H., *TCSI Feb. 2020 553-564*

Zirath, H., see Odedeyi, T., *TCSI Nov. 2020 3804-3814*

Zolkov, E., Weiss, R., and Cohen, E., Analysis and Design of N-Path Band-Pass Filters With Negative Base Band Resistance; *TCSI July 2020 2250-2262*

Zong, Z., Mangraviti, G., and Wambacq, P., Low 1/f³ Noise Corner LC-VCO Design Using Flicker Noise Filtering Technique in 22nm FD-SOI; *TCSI May 2020 1469-1480*

Zou, X., see Hu, A., *TCSI Dec. 2020 4470-4483*

Zuniga-Gonzalez, V., see Ahmadi-Farsani, J., *TCSI Oct. 2020 3297-3308*

SUBJECT INDEX

Numeric

1/f noise

A 33-ppm/°C 240-nW 40-nm CMOS Wakeup Timer Based on a Bang-Bang Digital-Intensive Frequency-Locked-Loop for IoT Applications. *Ding, M.*, +, *TCSI July 2020 2263-2273*

Low 1/f³ Noise Corner LC-VCO Design Using Flicker Noise Filtering Technique in 22nm FD-SOI. *Zong, Z.*, +, *TCSI May 2020 1469-1480*

5G mobile communication

A 37–40-GHz Low-Phase-Imbalance CMOS Attenuator With Tail-Capacitor Compensation Technique. *Zhao, C.*, +, *TCSI Oct. 2020 3400-3409*

A Millimeter-Wave Reconfigurable On-Chip Coupler With Tunable Power-Dividing Ratios in 0.13- μ m BiCMOS Technology. *Yang, Y.*, +, *TCSI May 2020 1516-1526*

An Open Loop Digitally Controlled Hybrid Supply Modulator Achieving High Efficiency for Envelope Tracking With Baseband up to 200-MHz. *Chen, Z.*, +, *TCSI Nov. 2020 4142-4153*

Analysis of Spectral Degradation and Error Compensation in 5G NR Digital Polar Transmitters. *Preissl, C.*, +, *TCSI Aug. 2020 2719-2729*

Energy-Efficient Hardware Architectures for Fast Polar Decoders. *Ercan, F.*, +, *TCSI Jan. 2020 322-335*

In-Field Performance Optimization for mm-Wave Mixed-Signal Doherty Power Amplifiers: A Bandit Approach. *Xu, S.*, +, *TCSI Dec. 2020 5302-5315*

III-V semiconductors

An Open Loop Digitally Controlled Hybrid Supply Modulator Achieving High Efficiency for Envelope Tracking With Baseband up to 200-MHz. *Chen, Z.*, +, *TCSI Nov. 2020 4142-4153*

An X-Band Class-J Power Amplifier With Active Load Modulation to Boost Drain Efficiency. *Alizadeh, A.*, +, *TCSI Oct. 2020 3364-3377*

Bandwidth Enhancement of Doherty Power Amplifier Using Modified Load Modulation Network. *Li, M.*, +, *TCSI June 2020 1824-1834*

InP DHBT Single-Stage and Multiplicative Distributed Amplifiers for Ultra-Wideband Amplification. *Odedeyi, T.*, +, *TCSI Nov. 2020 3804-3814*

Linearity Enhanced Harmonic-Modulated Impedance Inverter Doherty-Like Power Amplifier. *Zhou, X.Y.*, +, *TCSI June 2020 2029-2041*

Miniature Dual-Band Quadrature Coupler With Arbitrary Power Division Ratios Over the Two Bands. *Lin, Y.*, +, *TCSI Feb. 2020 634-646*

A

AC-DC power converters

A High Efficiency AC/DC NVC-PSSHI Electrical Interface for Vibration-Based Energy Harvesters. *Badr, A.O.*, +, *TCSI Jan. 2020 346-355*

A Thermal/RF Hybrid Energy Harvesting System With Rectifying-Combination and Improved Fractional-OCV MPPT Method. *Liu, Z.*, +, *TCSI Oct. 2020 3352-3363*

Active Interface for Piezoelectric Harvesters Based on Multi-Variable Maximum Power Point Tracking. *Costanzo, L.*, +, *TCSI July 2020 2503-2515*

Acceleration

Single-Slope Look-Ahead Ramp ADC for CMOS Image Sensors. *Elmezayen, M.R.*, +, *TCSI Dec. 2020 4484-4493*

Accelerometers

Active Interface for Piezoelectric Harvesters Based on Multi-Variable Maximum Power Point Tracking. *Costanzo, L.*, +, *TCSI July 2020 2503-2515*

Precision Improvement of Power-Efficient Capacitive Sensor Readout Circuit Using Multi-Nested Clocks. *Zhong, L.*, +, *TCSI Aug. 2020 2578-2587*

Acoustics

A 1.5 mW Programmable Acoustic Signal Processor for Hearing Assistive Devices With Speech Intelligibility Enhancement. *Lin, Y.*, +, *TCSI Dec. 2020 4984-4993*

Active filters

Improved Continuous-Time Delta-Sigma Modulators With Embedded Active Filtering. *Manivannan, S.*, +, *TCSI Nov. 2020 3778-3789*

Active networks

A 40.68-MHz Active Rectifier With Hybrid Adaptive On/Off Delay-Compensation Scheme for Biomedical Implantable Devices. *Cheng, L.*, +, *TCSI Feb. 2020 516-525*

A 56-to-66 GHz CMOS Low-Power Phased-Array Receiver Front-End With Hybrid Phase Shifting Scheme. *Yaghoobi, M.*, +, *TCSI Nov. 2020 4002-4014*

Actuators

ADP-Based Security Decentralized Sliding Mode Control for Partially Unknown Large-Scale Systems Under Injection Attacks. *Song, J.*, +, *TCSI Dec. 2020 5290-5301*

Fault-Tolerant Control Based on Virtual Actuator and Sensor for Discrete-Time Descriptor Systems. *Wang, Y.*, +, *TCSI Dec. 2020 5316-5325*

Reduced-Order Observer Based-Fault Estimation for Markovian Jump Systems With Time-Varying Generally Uncertain Transition Rates. *Lu, D.*, +, *TCSI Aug. 2020 2803-2815*

Adaptation models

Adaptive PI Control for Synchronization of Complex Networks With Stochastic Coupling and Nonlinear Dynamics. *Gu, H.*, +, *TCSI Dec. 2020 5268-5280*

Adaptive arrays

A Pipelined Reduced Complexity Two-Stages Parallel LMS Structure for Adaptive Beamforming. *Akkad, G.*, +, *TCSI Dec. 2020 5079-5091*

High Accuracy Adaptive Microwave Ranging Using SNR-Based Perception for Coherent Distributed Antenna Arrays. *Mghabghab, S.R.*, +, *TCSI Dec. 2020 5540-5549*

Adaptive codes

Residual Syntax Elements Analysis and Design Targeting High-Throughput HEVC CABAC. *Ramos, F.L.L.*, +, *TCSI Feb. 2020 475-488*

Adaptive control

Adaptive Finite-Time Control for High-Order Nonlinear Systems With Multiple Uncertainties and its Application. *Min, H.*, +, *TCSI May 2020 1752-1761*

Adaptive PI Control for Synchronization of Complex Networks With Stochastic Coupling and Nonlinear Dynamics. *Gu, H.*, +, *TCSI Dec. 2020 5268-5280*

Advanced Control Strategies for DC-DC Buck Converters With Parametric Uncertainties via Experimental Evaluation. *Yin, Y.*, +, *TCSI Dec. 2020 5257-5267*

An Adaptive SOSM Controller Design by Using a Sliding-Mode-Based Filter and its Application to Buck Converter. *Liu, L.*, +, *TCSI July 2020 2409-2418*

Clock-Voltage Co-Regulator With Adaptive Power Budget Tracking for Robust Near-Threshold-Voltage Sequential Logic Circuits. *Nguyen, B.*, +, *TCSI Feb. 2020 622-633*

Discrete-Communication-Based Bipartite Tracking of Networked Robotic Systems via Hierarchical Hybrid Control. *Ding, T.*, +, *TCSI April 2020 1402-1412*

Distributed Adaptive Observer-Based Control for Output Consensus of Heterogeneous MASs With Input Saturation Constraint. *Ly, Y.*, +, *TCSI March 2020 995-1007*

Fully Distributed Containment Control for Multiple Euler-Lagrange Systems Over Directed Graphs: An Event-Triggered Approach. *Xu, T.*, +, *TCSI June 2020 2078-2090*

Periodic Event-Triggered Adaptive Control for Attitude Stabilization Under Input Saturation. *Jiang, B.*, +, *TCSI Jan. 2020 249-258*

Adaptive equalizers

Multi-Channel Analog-to-Digital Conversion Techniques Using a Continuous-Time Delta-Sigma Modulator Without Reset. *Kumar, R.S.A.*, +, *TCSI Nov. 2020 3693-3703*

Adaptive filters

Feature Adaptive Filtering: Exploiting Hidden Sparsity. *Yazdanpanah, H.*, +, *TCSI July 2020 2358-2371*

Framework for Automated Earthquake Event Detection Based on Denoising by Adaptive Filter. *Bose, S.*, +, *TCSI Sept. 2020 3070-3083*

Projected Kernel Least Mean p -Power Algorithm: Convergence Analyses and Modifications. *Zhao, J.*, +, *TCSI Oct. 2020 3498-3511*

Adaptive systems

Adaptive Fuzzy Output Feedback Event-Triggered Control for a Class of Switched Nonlinear Systems With Sensor Failures. *Zhang, J.*, +, *TCSI Dec. 2020 5336-5346*

Decentralized Adaptive Event-Triggered Control for a Class of Uncertain Systems With Deception Attacks and Its Application to Electronic Circuits. *Sun, Y.*, +, *TCSI Dec. 2020 5405-5416*

High Accuracy Adaptive Microwave Ranging Using SNR-Based Perception for Coherent Distributed Antenna Arrays. *Mghabghab, S.R.*, +, *TCSI Dec. 2020 5540-5549*

Adders

A Logic Synthesis Methodology for Low-Power Ternary Logic Circuits. *Kim, S.*, +, *TCSI Sept. 2020 3138-3151*

A Memristive Multiplier Using Semi-Serial IMPLY-Based Adder. *Radakovits, D.*, +, *TCSI May 2020 1495-1506*

A Time-Domain $147f_{\text{rms } 2.5}$ -MHz Bandwidth Two-Step Flash-MASH 1-1-1 Time-to-Digital Converter With Third-Order Noise-Shaping and Mismatch Correction. *Wu, Y.*, +, *TCSI Aug. 2020 2532-2545*

A Time-Efficient Automatic Circuit Approximation Method. *Zhang, Z.*, +, *TCSI Sept. 2020 3047-3055*

Balanced $(3+2\log n)\Delta G$ Adders for Moduli Set $\{2^{n+1}, 2^{n+2n-1}, 2^{n+1}\}$. *Jaberipur, G.*, +, *TCSI April 2020 1368-1377*

High-Speed Area-Efficient VLSI Architecture of Three-Operand Binary Adder. *Panda, A.K.*, +, *TCSI Nov. 2020 3944-3953*

Profile-Based Output Error Compensation for Approximate Arithmetic Circuits. *Chen, K.*, +, *TCSI Dec. 2020 4707-4718*

Reduced-Complexity Key Equation Solvers for Generalized Integrated Interleaved BCH Decoders. *Xie, Z.*, +, *TCSI Dec. 2020 5520-5529*

Additives

Global Stabilization of the Discrete-Time Integrators System by Bounded Controls. *Yang, X.*, +, *TCSI Dec. 2020 5175-5188*

Admittance

Corrections to "Two Reciprocal Power Theorems for Passive Linear Time-Invariant Multiports". *Broyde, F.*, +, *TCSI July 2020 2516-2517*

Aging

Aging Compensation With Dynamic Computation Approximation. *Kim, H.*, +, *TCSI April 2020 1319-1332*

Timing Reliability Improvement of Master-Slave Flip-Flops in the Presence of Aging Effects. *Jafari, A.*, +, *TCSI Dec. 2020 4761-4773*

Amplifiers

A -68 dB THD, 0.6 mm² Active Area Biosignal Acquisition System With a 40-320 Hz Duty-Cycle Controlled Filter. *Hsu, Y.*, +, *TCSI Jan. 2020 48-59*

- A 12-Bit 100-MS/s Pipelined-SAR ADC With PVT-Insensitive and Gain-Folding Dynamic Amplifier. *Liu, S., +, TCSI Aug. 2020 2602-2611*
- An Error Amplifier With a Low Power Multi-Mode Voltage Clamper for Transient Enhancement and High Reliability. *Zhou, Z., +, TCSI Nov. 2020 4075-4084*
- An Inverter-Based Continuous Time Sigma Delta ADC With Latency-Free DAC Calibration. *Guo, Y., +, TCSI Nov. 2020 3630-3642*
- Experimental Verification of the Impact of Analog CMS on CIS Readout Noise. *Capoccia, R., +, TCSI March 2020 774-784*
- Amplitude modulation**
- Analysis of Spectral Degradation and Error Compensation in 5G NR Digital Polar Transmitters. *Preissl, C., +, TCSI Aug. 2020 2719-2729*
- Amplitude shift keying**
- A Clockless Temperature-Compensated Nanowatt Analog Front-End for Wake-Up Radios Based on a Band-Pass Envelope Detector. *Elgani, A.M., +, TCSI Aug. 2020 2612-2624*
- Analog-digital conversion**
- 76-dB DR, 48 fJ/Step Second-Order VCO-Based Current-to-Digital Converter. *Jayaraj, A., +, TCSI April 2020 1149-1157*
- 8fJ/Step Bandpass ADC With Digitally Assisted NTF Re-Configuration. *Tannirkulam Chandrasekaran, S., +, TCSI Oct. 2020 3262-3272*
- A -68 dB THD, 0.6 mm² Active Area Biosignal Acquisition System With a 40–320 Hz Duty-Cycle Controlled Filter. *Hsu, Y., +, TCSI Jan. 2020 48-59*
- A 0.04% BER Strong PUF With Cell-Bias-Based CRPs Filtering and Background Offset Calibration. *Liu, J., +, TCSI Nov. 2020 3853-3865*
- A 0.36-V 5-MS/s Time-Mode Flash ADC With Dickson-Charge-Pump-Based Comparators in 28-nm CMOS. *Esmailyan, A., +, TCSI June 2020 1789-1802*
- A 1.0-8.3 GHz Cochlea-Based Real-Time Spectrum Analyzer With Δ - Σ -Modulated Digital Outputs. *Wang, Y., +, TCSI Sept. 2020 2934-2947*
- A 10.7b 300MS/s Two-Step Digital-Slope ADC in 65nm CMOS. *Peng, C., +, TCSI Sept. 2020 2948-2959*
- A 12-Bit 100-MS/s Pipelined-SAR ADC With PVT-Insensitive and Gain-Folding Dynamic Amplifier. *Liu, S., +, TCSI Aug. 2020 2602-2611*
- A 12-Bit 125-MS/s 2.5-Bit/Cycle SAR-Based Pipeline ADC Employing a Self-Biased Gain Boosting Amplifier. *Park, C., +, TCSI Nov. 2020 3618-3629*
- A 12-Bit Dynamic Tracking Algorithm-Based SAR ADC With Real-Time QRS Detection. *Zhang, Z., +, TCSI Sept. 2020 2923-2933*
- A 12-bit SAR ADC With a DAC-Configurable Window Switching Scheme. *Chung, Y., +, TCSI Feb. 2020 358-368*
- A 14b, Twofold Time-Interleaved Incremental $\Delta\Sigma$ ADC Using Hardware Sharing. *Vogelmann, P., +, TCSI Nov. 2020 3681-3692*
- A Configurable Noise-Shaping Band-Pass SAR ADC With Two-Stage Clock-Controlled Amplifier. *Jiao, Z., +, TCSI Nov. 2020 3728-3739*
- A Low Voltage and Low Power 10-bit Non-Binary 2b/Cycle Time and Voltage Based SAR ADC. *Luo, J., +, TCSI April 2020 1136-1148*
- A Mismatch Calibration Technique for SAR ADCs Based on Deterministic Self-Calibration and Stochastic Quantization. *Bagheri, M., +, TCSI Sept. 2020 2883-2896*
- A Reconfigurable 0.1–10 MHz DT Passive Dynamic Zoom ADC for Cellular Receivers. *Erol, O.E., +, TCSI July 2020 2216-2228*
- A Robust 8-Bit Non-Volatile Computing-in-Memory Core for Low-Power Parallel MAC Operations. *Zhang, S., +, TCSI June 2020 1867-1880*
- A Single Slope ADC With Row-Wise Noise Reduction Technique for CMOS Image Sensor. *Nie, K., +, TCSI Sept. 2020 2873-2882*
- A Two-Step ADC With Statistical Calibration. *Yu, Y., +, TCSI Aug. 2020 2588-2601*
- An Efficient Spur-Aliasing-Free Spectral Calibration Technique in Time-Interleaved ADCs. *Niu, H., +, TCSI July 2020 2229-2238*
- An RF-Energy Harvester and IR-UWB Transmitter for Ultra-Low-Power Battery-Less Biosensors. *Schmickl, S., +, TCSI May 2020 1459-1468*
- Digital Battery Management Unit With Built-In Resistance Compensation, Modulated Frequency Detection and Multi-Mode Protection for Fast, Efficient and Safe Charging. *Li, J., +, TCSI Nov. 2020 4063-4074*
- DPTC—An FPGA-Based Trace Compression. *Bruni, G., +, TCSI Jan. 2020 189-197*
- Dual Pulse Shaping Transmission and Equalization for High-Speed Wideband Wireless Communication Systems. *Zhang, H., +, TCSI July 2020 2372-2382*
- Hardware-Compliant Compressive Image Sensor Architecture Based on Random Modulations and Permutations for Embedded Inference. *Benjilali, W., +, TCSI April 2020 1218-1231*
- I/Q Imbalance Compensation in Wideband Millimeter-Wave Transmitters Using a Single Undersampling ADC. *Almoneer, M., +, TCSI Aug. 2020 2730-2738*
- Inherently Accurate Attenuation-Based Digital Calibration of ADC. *Oshima, T., +, TCSI Jan. 2020 23-36*
- Low-Power All-Digital Multiphase DLL Design Using a Scalable Phase-to-Digital Converter. *Angeli, N., +, TCSI April 2020 1158-1168*
- MSE Analysis of a Multi-Loop LMS Pseudo-Random Noise Canceler for Mixed-Signal Circuit Calibration. *Kong, D., +, TCSI Sept. 2020 3084-3098*
- Multi-Channel Analog-to-Digital Conversion Techniques Using a Continuous-Time Delta-Sigma Modulator Without Reset. *Kumar, R.S.A., +, TCSI Nov. 2020 3693-3703*
- Passive SC $\Sigma\Delta$ Modulator Based on Pipelined Charge-Sharing Rotation in 28-nm CMOS. *Wang, H., +, TCSI Feb. 2020 578-589*
- Self-Tuned Class-D Audio Amplifier With Post-Filter Digital Feedback Implemented on Digital Signal Controller. *Sobaszek, M., TCSI March 2020 797-805*
- Single-Slope Look-Ahead Ramp ADC for CMOS Image Sensors. *Elmezayen, M.R., +, TCSI Dec. 2020 4484-4493*
- Time-Based Sensor Interface for Dopamine Detection. *Olabode, O., +, TCSI Oct. 2020 3284-3296*
- Ultra-Low Power CMOS Image Sensor With Two-Step Logical Shift Algorithm-Based Correlated Double Sampling Scheme. *Park, K., +, TCSI Nov. 2020 3718-3727*
- Analytical models**
- A Resampling Method Based on Filter Designed by Window Function Considering Frequency Aliasing. *Liu, H., +, TCSI Dec. 2020 5018-5030*
- Design and Analysis of Replica Piecewise M-Ary DCSK Scheme for Power Line Communications With Asynchronous Impulsive Noise. *Miao, M., +, TCSI Dec. 2020 5443-5453*
- Android (operating system)**
- Evolution of Function-Call Network Reliability in Android Operating System. *Yao, A., +, TCSI April 2020 1264-1275*
- Antenna arrays**
- Angular-Domain Massive MIMO Detection: Algorithm, Implementation, and Design Tradeoffs. *Mahdavi, M., +, TCSI June 2020 1948-1961*
- Beamspace Channel Estimation for Massive MIMO mmWave Systems: Algorithm and VLSI Design. *Mirfarshbafan, S.H., +, TCSI Dec. 2020 5482-5495*
- Efficient Successive Over Relaxation Detectors for Massive MIMO. *Yu, A., +, TCSI June 2020 2128-2139*
- Power Scalable Beam-Oriented Digital Predistortion for Compact Hybrid Massive MIMO Transmitters. *Liu, X., +, TCSI Dec. 2020 4994-5006*
- True-Time-Delay Beamforming Receiver With RF Re-Sampling. *Spoof, K., +, TCSI Dec. 2020 4457-4469*
- Antenna measurements**
- Beamspace Channel Estimation for Massive MIMO mmWave Systems: Algorithm and VLSI Design. *Mirfarshbafan, S.H., +, TCSI Dec. 2020 5482-5495*
- Application specific integrated circuits**
- Framework for Automated Earthquake Event Detection Based on Denoising by Adaptive Filter. *Bose, S., +, TCSI Sept. 2020 3070-3083*
- SC-DDPL: A Novel Standard-Cell Based Approach for Counteracting Power Analysis Attacks in the Presence of Unbalanced Routing. *Bellizia, D., +, TCSI July 2020 2317-2330*
- The Hardware and Algorithm Co-Design for Energy-Efficient DNN Processor on Edge/Mobile Devices. *Lee, J., +, TCSI Oct. 2020 3458-3470*
- Approximate computing**
- Weight-Oriented Approximation for Energy-Efficient Neural Network Inference Accelerators. *Tasoulas, Z., +, TCSI Dec. 2020 4670-4683*

Approximation theory

- A Time-Efficient Automatic Circuit Approximation Method. *Zhang, Z.*, +, *TCSI Sept. 2020 3047-3055*
- A Universal Method of Linear Approximation With Controllable Error for the Efficient Implementation of Transcendental Functions. *Sun, H.*, +, *TCSI Jan. 2020 177-188*
- An Analytical Framework and Approximation Strategy for Efficient Implementation of Distributed Arithmetic-Based Inner-Product Architectures. *Ray, D.*, +, *TCSI Jan. 2020 212-224*
- An Efficient Massive MIMO Detector Based on Second-Order Richardson Iteration: From Algorithm to Flexible Architecture. *Tu, J.*, +, *TCSI Nov. 2020 4015-4028*
- Cascaded Form Sparse FIR Filter Design. *Chen, W.*, +, *TCSI May 2020 1692-1703*
- Comparison and Extension of Approximate 4-2 Compressors for Low-Power Approximate Multipliers. *Strollo, A.G.M.*, +, *TCSI Sept. 2020 3021-3034*
- Deep Neural Network Acceleration Based on Low-Rank Approximated Channel Pruning. *Chen, Z.*, +, *TCSI April 2020 1232-1244*

Arithmetic codes

- Generative Multi-Symbol Architecture of the Binary Arithmetic Coder for UHD TV Video Encoders. *Pastuszak, G.*, *TCSI March 2020 891-902*
- Residual Syntax Elements Analysis and Design Targeting High-Throughput HEVC CABAC. *Ramos, F.L.L.*, +, *TCSI Feb. 2020 475-488*

Array signal processing

- A Pipelined Reduced Complexity Two-Stages Parallel LMS Structure for Adaptive Beamforming. *Akkad, G.*, +, *TCSI Dec. 2020 5079-5091*
- Corrections to "A Design of Input-Decimation Technique for Recursive DFT/IDFT Algorithm". *Wu, C.*, +, *TCSI June 2020 2152*
- High Accuracy Adaptive Microwave Ranging Using SNR-Based Perception for Coherent Distributed Antenna Arrays. *Mghabghab, S.R.*, +, *TCSI Dec. 2020 5540-5549*
- Multibeam Phased-Arrays Using Dual-Vector Distributed Beamforming: Architecture Overview and 28 GHz Transceiver Prototypes. *Yeh, Y.*, +, *TCSI Dec. 2020 5496-5509*
- Phase Shifter-Relaxed and Control-Relaxed Continuous Steering Multiple Beamforming 4×4 Butler Matrix Phased Array. *Ren, H.*, +, *TCSI Dec. 2020 5031-5039*
- Power Scalable Beam-Oriented Digital Predistortion for Compact Hybrid Massive MIMO Transmitters. *Liu, X.*, +, *TCSI Dec. 2020 4994-5006*
- True-Time-Delay Beamforming Receiver With RF Re-Sampling. *Spoof, K.*, +, *TCSI Dec. 2020 4457-4469*

Arrays

- i*-SRAM: Interleaved Wordlines for Vector Boolean Operations Using SRAMs. *Jaiswal, A.*, +, *TCSI Dec. 2020 4651-4659*
- A Crossbar-Based In-Memory Computing Architecture. *Wang, X.*, +, *TCSI Dec. 2020 4224-4232*
- Design of a Refresh-Controller for GC-eDRAM Based FIFOs. *Noy, T.*, +, *TCSI Dec. 2020 4804-4817*

Artificial neural networks

- The Development of Silicon for AI: Different Design Approaches. *Lee, K.J.*, +, *TCSI Dec. 2020 4719-4732*
- Weight-Oriented Approximation for Energy-Efficient Neural Network Inference Accelerators. *Tasoulas, Z.*, +, *TCSI Dec. 2020 4670-4683*

Asia

- Guest Editorial Selected Papers From the IEEE Asia Pacific Conference of Circuits and Systems 2018 and the IEEE International Conference on Electronics, Circuits and Systems 2018. *Blokhina, E.*, *TCSI Feb. 2020 357*

Assistive devices

- A 1.5 mW Programmable Acoustic Signal Processor for Hearing Assistive Devices With Speech Intelligibility Enhancement. *Lin, Y.*, +, *TCSI Dec. 2020 4984-4993*

Asymptotic stability

- Global Stabilization of Switched Feedforward Nonlinear Time-Delay Systems Under Asynchronous Switching. *Li, Z.*, +, *TCSI Feb. 2020 711-724*
- Unified Stability Criteria of Random Nonlinear Time-Varying Impulsive Switched Systems. *Jiao, T.*, +, *TCSI Sept. 2020 3099-3112*

Asynchronous circuits

- A Novel Asynchronous CA Neuron Model: Design of Neuron-Like Non-linear Responses Based on Novel Bifurcation Theory of Asynchronous Sequential Logic Circuit. *Takeda, K.*, +, *TCSI June 2020 1989-2001*
- SERAD: Soft Error Resilient Asynchronous Design Using a Bundled Data Protocol. *Aketi, S.A.*, +, *TCSI May 2020 1667-1677*
- Synchronizer-Free Digital Link Controller. *Bund, J.*, +, *TCSI Oct. 2020 3562-3573*

Attenuation

- Broadband Fully Integrated GaN Power Amplifier With Minimum-Inductance BPF Matching and Two-Transistor AM-PM Compensation. *Nikandish, G.R.*, +, *TCSI Dec. 2020 4211-4223*
- Compact Mixed-Signal Convolutional Neural Network Using a Single Modular Neuron. *Chang, D.*, +, *TCSI Dec. 2020 5189-5199*
- Extended Dissipative Control for Singularly Perturbed PDT Switched Systems and its Application. *Wang, J.*, +, *TCSI Dec. 2020 5281-5289*

Attenuators

- A 37–40-GHz Low-Phase-Imbalance CMOS Attenuator With Tail-Capacitor Compensation Technique. *Zhao, C.*, +, *TCSI Oct. 2020 3400-3409*
- A DC-50 GHz CMOS Switched-Type Attenuator With Capacitive Compensation Technique. *Gu, P.*, +, *TCSI Oct. 2020 3389-3399*

Attitude control

- Periodic Event-Triggered Adaptive Control for Attitude Stabilization Under Input Saturation. *Jiang, B.*, +, *TCSI Jan. 2020 249-258*

Audio-frequency amplifiers

- Self-Tuned Class-D Audio Amplifier With Post-Filter Digital Feedback Implemented on Digital Signal Controller. *Sobaszek, M.*, *TCSI March 2020 797-805*

Auditory system

- A 1.5 mW Programmable Acoustic Signal Processor for Hearing Assistive Devices With Speech Intelligibility Enhancement. *Lin, Y.*, +, *TCSI Dec. 2020 4984-4993*

Australia

- Finite-Time Bipartite Tracking Control for Double-Integrator Networked Systems With Cooperative and Antagonistic Interactions. *Ning, B.*, +, *TCSI Dec. 2020 5223-5232*

Automata

- A High-Performance and Secure TRNG Based on Chaotic Cellular Automata Topology. *Luo, Y.*, +, *TCSI Dec. 2020 4970-4983*

Avalanche photodiodes

- Dark Count Rate Modeling in Single-Photon Avalanche Diodes. *Panglosse, A.*, +, *TCSI May 2020 1507-1515*

AWGN channels

- Double-Sub-Stream M-ary Differential Chaos Shift Keying Wireless Communication System Using Chaotic Shape-Forming Filter. *Bai, C.*, +, *TCSI Oct. 2020 3574-3587*

B**Baluns**

- A 56-to-66 GHz CMOS Low-Power Phased-Array Receiver Front-End With Hybrid Phase Shifting Scheme. *Yaghoobi, M.*, +, *TCSI Nov. 2020 4002-4014*
- Broadband Balun-LNA Employing Local Feedback g_m -Boosting Technique and Balanced Loads for Low-Power Low-Voltage Applications. *Kim, S.*, +, *TCSI Dec. 2020 4631-4640*

Band-pass filters

- A Charge-Domain Switched- G_m -C Band-Pass Filter Using Interleaved Semi-Passive Charge-Sharing Technique. *Xu, Y.*, +, *TCSI Feb. 2020 600-610*
- A Configurable Noise-Shaping Band-Pass SAR ADC With Two-Stage Clock-Controlled Amplifier. *Jiao, Z.*, +, *TCSI Nov. 2020 3728-3739*
- An N-Path Filter Design Methodology With Harmonic Rejection, Power Reduction, Foldback Elimination, and Spectrum Shaping. *Karami, P.*, +, *TCSI Dec. 2020 4494-4506*
- Analysis and Design of N-Path Band-Pass Filters With Negative Base Band Resistance. *Zolkov, E.*, +, *TCSI July 2020 2250-2262*

Broadband Fully Integrated GaN Power Amplifier With Minimum-Inductance BPF Matching and Two-Transistor AM-PM Compensation. *Nikandish, G.R.*, +, *TCSI Dec. 2020 4211-4223*

Circuit Function Characterizing Tunability of Resonators. *Zakharov, A.*, +, *TCSI Jan. 2020 98-107*

Design of Miniaturized On-Chip Bandpass Filters Using Inverting-Coupled Inductors in (Bi)-CMOS Technology. *Zhu, H.*, +, *TCSI Feb. 2020 647-657*

Unloaded Quality Factor of Transmission Line Resonators With Capacitors. *Zakharov, A.*, +, *TCSI July 2020 2204-2215*

Wideband Class-F⁻¹ Power Amplifier With Dual-/Quad-Mode Bandpass Response. *Zhou, L.*, +, *TCSI July 2020 2239-2249*

Bandwidth

A 12-GHz Calibration-Free All-Digital PLL for FMCW Signal Generation With 78 MHz/ μ s Chirp Slope and High Chirp Linearity. *Shen, Z.*, +, *TCSI Dec. 2020 4445-4456*

A Broadband Doherty Power Amplifier With Hybrid Class-EFJ Mode. *Zhang, Z.*, +, *TCSI Dec. 2020 4270-4280*

A Class-D FVF LDO With Multi-Level PWM Gate Control, 280-ns Settling Time, and No Overshoot/Undershoot. *Elhebeary, M.*, +, *TCSI Dec. 2020 5600-5610*

A CMOS Peak Detect and Hold Circuit With Auto-Adjust Charging Current for NS-Scale Pulse ToF Lidar Application. *Zheng, H.*, +, *TCSI Dec. 2020 4409-4419*

A Low Walk Error Analog Front-End Circuit With Intensity Compensation for Direct ToF LiDAR. *Wang, X.*, +, *TCSI Dec. 2020 4309-4321*

A PVT-Resilient, Highly-Linear Fifth-Order Ring-Oscillator-Based Filter. *Osman, H.*, +, *TCSI Dec. 2020 4295-4308*

Broadband Fully Integrated GaN Power Amplifier With Minimum-Inductance BPF Matching and Two-Transistor AM-PM Compensation. *Nikandish, G.R.*, +, *TCSI Dec. 2020 4211-4223*

Design Method for Compact Multifunctional Reconfigurable Filtering Power Divider on a New Tunable Three-Port Multi-Mode Topology. *Zhang, G.*, +, *TCSI Dec. 2020 4580-4592*

Designing a DDS-Based SoC for High-Fidelity Multi-Qubit Control. *van Dijk, J.P.G.*, +, *TCSI Dec. 2020 5380-5393*

High Accuracy Adaptive Microwave Ranging Using SNR-Based Perception for Coherent Distributed Antenna Arrays. *Mghabghab, S.R.*, +, *TCSI Dec. 2020 5540-5549*

True-Time-Delay Beamforming Receiver With RF Re-Sampling. *Spoof, K.*, +, *TCSI Dec. 2020 4457-4469*

Baseband

A PVT-Resilient, Highly-Linear Fifth-Order Ring-Oscillator-Based Filter. *Osman, H.*, +, *TCSI Dec. 2020 4295-4308*

An N-Path Filter Design Methodology With Harmonic Rejection, Power Reduction, Foldback Elimination, and Spectrum Shaping. *Karami, P.*, +, *TCSI Dec. 2020 4494-4506*

Batteries

A 7.4-MHz Tri-Mode DC-DC Buck Converter With Load Current Prediction Scheme and Seamless Mode Transition for IoT Applications. *Hong, W.*, +, *TCSI Dec. 2020 4544-4555*

CMOS High-Efficiency Wireless Battery Charging System With Global Power Control Through Backward Data Telemetry for Implantable Medical Devices. *Wu, C.*, +, *TCSI Dec. 2020 5624-5635*

Leakage-Aware Battery Lifetime Analysis Using the Calculus of Variations. *Jafari-Nodoushan, M.*, +, *TCSI Dec. 2020 4829-4841*

Battery chargers

A 100-V Battery Charger Voltage Extender IC With 97% Efficiency at 4-A and $\pm 0.5\%$ Voltage Accuracy. *Hunter, B.L.*, +, *TCSI July 2020 2492-2502*

A 115 \times Conversion-Ratio Thermoelectric Energy-Harvesting Battery Charger for the Internet of Things. *Chung, M.*, +, *TCSI Nov. 2020 4110-4121*

A Low-Profile High-Efficiency Fast Battery Charger With Unifiable Constant-Current and Constant-Voltage Regulation. *Qu, Y.*, +, *TCSI Nov. 2020 4099-4109*

CMOS High-Efficiency Wireless Battery Charging System With Global Power Control Through Backward Data Telemetry for Implantable Medical Devices. *Wu, C.*, +, *TCSI Dec. 2020 5624-5635*

Digital Battery Management Unit With Built-In Resistance Compensation, Modulated Frequency Detection and Multi-Mode Protection for Fast, Efficient and Safe Charging. *Li, J.*, +, *TCSI Nov. 2020 4063-4074*

Battery management systems

A Soft-Charging-Based SC DC-DC Boost Converter With Conversion-Ratio-Insensitive High Efficiency for Energy Harvesting in Miniature Sensor Systems. *Gi, H.*, +, *TCSI Oct. 2020 3601-3612*

Battery Management Technique to Reduce Standby Energy Consumption in Ultra-Low Power IoT and Sensory Applications. *Radfar, M.*, +, *TCSI Jan. 2020 336-345*

Digital Battery Management Unit With Built-In Resistance Compensation, Modulated Frequency Detection and Multi-Mode Protection for Fast, Efficient and Safe Charging. *Li, J.*, +, *TCSI Nov. 2020 4063-4074*

BCH codes

Low-Latency Unfolded-KES Architecture for Emerging Storage Class Memories. *Moon, S.*, +, *TCSI June 2020 2103-2113*

BiCMOS integrated circuits

A 22-to-47 GHz 2-Stage LNA With 22.2 dB Peak Gain by Using Coupled L-Type Interstage Matching Inductors. *Wang, K.*, +, *TCSI Dec. 2020 4607-4617*

Design of D-Band Transformer-Based Gain-Boosting Class-AB Power Amplifiers in Silicon Technologies. *Tang, X.*, +, *TCSI May 2020 1447-1458*

Design of Miniaturized On-Chip Bandpass Filters Using Inverting-Coupled Inductors in (Bi)-CMOS Technology. *Zhu, H.*, +, *TCSI Feb. 2020 647-657*

Rapid Simulation of Photonic Integrated Circuits Using Verilog-A Compact Models. *Shawon, M.J.*, +, *TCSI Oct. 2020 3331-3341*

Bifurcation

A Novel Asynchronous CA Neuron Model: Design of Neuron-Like Non-linear Responses Based on Novel Bifurcation Theory of Asynchronous Sequential Logic Circuit. *Takeda, K.*, +, *TCSI June 2020 1989-2001*

Analytical Study of the Impacts of Stochastic Load Fluctuation on the Dynamic Voltage Stability Margin Using Bifurcation Theory. *Pierrou, G.*, +, *TCSI April 2020 1286-1295*

On the Coexistence of Multiple Limit Cycles in H-Bridge Wireless Power Transfer Systems With Zero Current Switching Control. *El Aroudi, A.*, +, *TCSI May 2020 1729-1739*

S-Type Locally Active Memristor-Based Periodic and Chaotic Oscillators. *Liang, Y.*, +, *TCSI Dec. 2020 5139-5152*

Stability Enhancement of One-Cycle Controlled Buck-Boost Converters With a Composite Function Embedded. *Guo, Y.L.*, +, *TCSI Oct. 2020 3512-3520*

BIMOS integrated circuits

A Clockless Temperature-Compensated Nanowatt Analog Front-End for Wake-Up Radios Based on a Band-Pass Envelope Detector. *Elgani, A.M.*, +, *TCSI Aug. 2020 2612-2624*

Binary codes

Generative Multi-Symbol Architecture of the Binary Arithmetic Coder for UHD TV Video Encoders. *Pastuszak, G.*, *TCSI March 2020 891-902*

Residual Syntax Elements Analysis and Design Targeting High-Throughput HEVC CABAC. *Ramos, F.L.L.*, +, *TCSI Feb. 2020 475-488*

Biocontrol

Improved Sliding Mode Control With Time Delay Estimation for Motion Tracking of Cell Puncture Mechanism. *Xie, M.*, +, *TCSI Sept. 2020 3199-3210*

Bioelectric potentials

A Sub- μ W Reconfigurable Front-End for Invasive Neural Recording That Exploits the Spectral Characteristics of the Wideband Neural Signal. *Valtierra, J.L.*, +, *TCSI May 2020 1426-1437*

Presynaptic Spike-Driven Spike Timing-Dependent Plasticity With Address Event Representation for Large-Scale Neuromorphic Systems. *Park, J.*, +, *TCSI June 2020 1936-1947*

Biological neural networks

An Artificial Neural Network Processor With a Custom Instruction Set Architecture for Embedded Applications. *Valencia, D.*, +, *TCSI Dec. 2020 5200-5210*

Compact Mixed-Signal Convolutional Neural Network Using a Single Modular Neuron. *Chang, D.*, +, *TCSI Dec. 2020 5189-5199*

Biomedical electrodes

CMOS 256-Pixel/480-Pixel Photovoltaic-Powered Subretinal Prosthetic Chips With Wide Image Dynamic Range and Bi/Four-Directional Sharing Electrodes and Their *Ex Vivo* Experimental Validations With Mice. *Wu, C.*, +, *TCSI Oct. 2020 3273-3283*

Biomedical electronics

A -68 dB THD, 0.6 mm² Active Area Biosignal Acquisition System With a 40–320 Hz Duty-Cycle Controlled Filter. *Hsu, Y.*, +, *TCSI Jan. 2020 48-59*

A 1.0-8.3 GHz Cochlea-Based Real-Time Spectrum Analyzer With Δ - Σ -Modulated Digital Outputs. *Wang, Y.*, +, *TCSI Sept. 2020 2934-2947*

A Low-Power BFSK Transmitter Architecture for Biomedical Applications. *Ibrahim, M.A.A.*, +, *TCSI May 2020 1527-1540*

A Sub- μ W Reconfigurable Front-End for Invasive Neural Recording That Exploits the Spectral Characteristics of the Wideband Neural Signal. *Valtierra, J.L.*, +, *TCSI May 2020 1426-1437*

CMOS 256-Pixel/480-Pixel Photovoltaic-Powered Subretinal Prosthetic Chips With Wide Image Dynamic Range and Bi/Four-Directional Sharing Electrodes and Their *Ex Vivo* Experimental Validations With Mice. *Wu, C.*, +, *TCSI Oct. 2020 3273-3283*

Design of Stage-Selective Negative Voltage Generator to Improve On-Chip Power Conversion Efficiency for Neuron Stimulation. *Lin, S.*, +, *TCSI Nov. 2020 4122-4131*

Generic Wireless Power Transfer and Data Communication System Based on a Novel Modulation Technique. *Trigui, A.*, +, *TCSI Nov. 2020 3978-3990*

On-Chip Solar Energy Harvester and PMU With Cold Start-Up and Regulated Output Voltage for Biomedical Applications. *Cabello, D.*, +, *TCSI April 2020 1103-1114*

Biomedical optical imaging

CMOS 256-Pixel/480-Pixel Photovoltaic-Powered Subretinal Prosthetic Chips With Wide Image Dynamic Range and Bi/Four-Directional Sharing Electrodes and Their *Ex Vivo* Experimental Validations With Mice. *Wu, C.*, +, *TCSI Oct. 2020 3273-3283*

Needle-Type Imager Sensor With Band-Pass Composite Emission Filter and Parallel Fiber-Coupled Laser Excitation. *Rustami, E.*, +, *TCSI April 2020 1082-1091*

Biosensors

A 0.5-V 3.69-nW Complementary Source-Follower-C Based Low-Pass Filter for Wearable Biomedical Applications. *Liu, Z.*, +, *TCSI Dec. 2020 4370-4381*

An RF-Energy Harvester and IR-UWB Transmitter for Ultra-Low-Power Battery-Less Biosensors. *Schmickl, S.*, +, *TCSI May 2020 1459-1468*

Bipolar integrated circuits

A Miniaturized 0.003 mm² PNP-Based Thermal Sensor for Dense CPU Thermal Monitoring. *Bass, O.*, +, *TCSI Sept. 2020 2984-2992*

Bipolar MIMIC

A Millimeter-Wave Reconfigurable On-Chip Coupler With Tunable Power-Dividing Ratios in 0.13- μ m BiCMOS Technology. *Yang, Y.*, +, *TCSI May 2020 1516-1526*

Bipolar MMIC

InP DHBT Single-Stage and Multiplicative Distributed Amplifiers for Ultra-Wideband Amplification. *Odedeyi, T.*, +, *TCSI Nov. 2020 3804-3814*

Bipolar transistors

A 0.5-V Supply, 36 nW Bandgap Reference With 42 ppm/ $^{\circ}$ C Average Temperature Coefficient Within -40 $^{\circ}$ C to 120 $^{\circ}$ C. *Chi-Wa, U.*, +, *TCSI Nov. 2020 3656-3669*

A Miniaturized 0.003 mm² PNP-Based Thermal Sensor for Dense CPU Thermal Monitoring. *Bass, O.*, +, *TCSI Sept. 2020 2984-2992*

Biquadratic filters

A Charge-Domain Switched- G_m -C Band-Pass Filter Using Interleaved Semi-Passive Charge-Sharing Technique. *Xu, Y.*, +, *TCSI Feb. 2020 600-610*

An 80 MHz Bandwidth and 26.8 dBm OOB IIP3 Transimpedance Amplifier With Improved Nested Feedforward Compensation and Multi-Order Filtering. *Jung, H.*, +, *TCSI Oct. 2020 3410-3421*

Bit error rate

Design and Analysis of Replica Piecewise M-Ary DCSK Scheme for Power Line Communications With Asynchronous Impulsive Noise. *Miao, M.*, +, *TCSI Dec. 2020 5443-5453*

Block codes

3D-HEVC Bipartition Modes Encoder and Decoder Design Targeting High-Resolution Videos. *Sanchez, G.*, +, *TCSI Feb. 2020 415-427*

Reduced-Complexity Key Equation Solvers for Generalized Integrated Interleaved BCH Decoders. *Xie, Z.*, +, *TCSI Dec. 2020 5520-5529*

Statistical BER Analysis of Wireline Links With Non-Binary Linear Block Codes Subject to DFE Error Propagation. *Yang, M.*, +, *TCSI Jan. 2020 284-297*

Bluetooth

On-Chip Solar Energy Harvester and PMU With Cold Start-Up and Regulated Output Voltage for Biomedical Applications. *Cabello, D.*, +, *TCSI April 2020 1103-1114*

Boolean functions

Asymptotic Output Tracking of Probabilistic Boolean Control Networks. *Chen, B.*, +, *TCSI Aug. 2020 2780-2790*

Boosting

A 270-mV 6T SRAM Using Row-Based Dual-Phase V_{DD} Control in 28-nm CMOS. *Lu, C.*, +, *TCSI Dec. 2020 4774-4783*

Bootstrap circuits

Bootstrapped Driver and the Single-Event-Upset Effect. *Al-Daloo, M.*, +, *TCSI Oct. 2020 3309-3319*

Brain modeling

Design and Analysis of Replica Piecewise M-Ary DCSK Scheme for Power Line Communications With Asynchronous Impulsive Noise. *Miao, M.*, +, *TCSI Dec. 2020 5443-5453*

Brain models

Presynaptic Spike-Driven Spike Timing-Dependent Plasticity With Address Event Representation for Large-Scale Neuromorphic Systems. *Park, J.*, +, *TCSI June 2020 1936-1947*

Bridge circuits

A High Area-Efficiency 14-bit SAR ADC With Hybrid Capacitor DAC for Array Sensors. *Zhang, Q.*, +, *TCSI Dec. 2020 4396-4408*

On the Coexistence of Multiple Limit Cycles in H-Bridge Wireless Power Transfer Systems With Zero Current Switching Control. *El Aroudi, A.*, +, *TCSI May 2020 1729-1739*

On the Design of Low-Power Hybrids for Full Duplex Simultaneous Bidirectional Signaling Links. *Yuan, C.*, +, *TCSI April 2020 1413-1422*

Single-Stage Three-Phase AC-DC Resonant Switched Capacitor LED Driver Without Electrolytic Capacitor and Reduced Number of Controlled Switches. *Miranda, P.H.A.*, +, *TCSI Dec. 2020 5675-5686*

Broadband communication

A Broadband Doherty Power Amplifier With Hybrid Class-EFJ Mode. *Zhang, Z.*, +, *TCSI Dec. 2020 4270-4280*

Broadband Balun-LNA Employing Local Feedback g_m -Boosting Technique and Balanced Loads for Low-Power Low-Voltage Applications. *Kim, S.*, +, *TCSI Dec. 2020 4631-4640*

Broadband Fully Integrated GaN Power Amplifier With Minimum-Inductance BPF Matching and Two-Transistor AM-PM Compensation. *Nikandish, G.R.*, +, *TCSI Dec. 2020 4211-4223*

Corrections to "A Design of Input-Decimation Technique for Recursive DFT/IDFT Algorithm". *Wu, C.*, +, *TCSI June 2020 2152*

Broadband networks

Dual Pulse Shaping Transmission and Equalization for High-Speed Wideband Wireless Communication Systems. *Zhang, H.*, +, *TCSI July 2020 2372-2382*

Buck converters

A 7.4-MHz Tri-Mode DC-DC Buck Converter With Load Current Prediction Scheme and Seamless Mode Transition for IoT Applications. *Hong, W.*, +, *TCSI Dec. 2020 4544-4555*

Advanced Control Strategies for DC-DC Buck Converters With Parametric Uncertainties via Experimental Evaluation. *Yin, Y.*, +, *TCSI Dec. 2020 5257-5267*

Buffer circuits

A Binary Line Buffer Circuit Featuring Lossy Data Compression at Fixed Maximum Data Rate. *Napoli, E., +, TCSI Jan. 2020 121-134*

Built-in self test

A Self-Timed Voltage-Mode Sensing Scheme With Successive Sensing and Checking for STT-MRAM. *Zhou, Y., +, TCSI May 2020 1602-1614*

Butler matrices

Phase Shifter-Relaxed and Control-Relaxed Continuous Steering Multiple Beamforming 4×4 Butler Matrix Phased Array. *Ren, H., +, TCSI Dec. 2020 5031-5039*

C**Cache storage**

Bulkyflip: A NAND-SPIN-Based Last-Level Cache With Bandwidth-Oriented Write Management Policy. *Wu, B., +, TCSI Jan. 2020 108-120*

Calibration

A 0.04% BER Strong PUF With Cell-Bias-Based CRPs Filtering and Background Offset Calibration. *Liu, J., +, TCSI Nov. 2020 3853-3865*

A 0.045- to 2.5-GHz Frequency Synthesizer With TDC-Based AFC and Phase Switching Multi-Modulus Divider. *Hu, A., +, TCSI Dec. 2020 4470-4483*

A 10.7b 300MS/s Two-Step Digital-Slope ADC in 65nm CMOS. *Peng, C., +, TCSI Sept. 2020 2948-2959*

A 12-Bit 125-MS/s 2.5-Bit/Cycle SAR-Based Pipeline ADC Employing a Self-Biased Gain Boosting Amplifier. *Park, C., +, TCSI Nov. 2020 3618-3629*

A Calibration Technique for Simultaneous Estimation of Actual Sensing Matrix Coefficients on Modulated Wideband Converters. *Byambadorj, Z., +, TCSI Dec. 2020 5561-5573*

A Mismatch Calibration Technique for SAR ADCs Based on Deterministic Self-Calibration and Stochastic Quantization. *Bagheri, M., +, TCSI Sept. 2020 2883-2896*

A Spectral-Correlation-Based Blind Calibration Method for Time-Interleaved ADCs. *Niu, H., +, TCSI Dec. 2020 5007-5017*

A Two-Step ADC With Statistical Calibration. *Yu, Y., +, TCSI Aug. 2020 2588-2601*

An 8-bit Low-Cost String DAC With Gradient Errors Suppression to Achieve 16-bit Linearity. *Liu, N., +, TCSI July 2020 2157-2168*

An Efficient Spur-Aliasing-Free Spectral Calibration Technique in Time-Interleaved ADCs. *Niu, H., +, TCSI July 2020 2229-2238*

An Inverter-Based Continuous Time Sigma Delta ADC With Latency-Free DAC Calibration. *Guo, Y., +, TCSI Nov. 2020 3630-3642*

Efficient Offline Outer/Inner DAC Mismatch Calibration in Wideband $\Delta\Sigma$ ADCs. *Liu, H., +, TCSI Dec. 2020 4259-4269*

I/Q Imbalance Compensation in Wideband Millimeter-Wave Transmitters Using a Single Undersampling ADC. *Almoneer, M., +, TCSI Aug. 2020 2730-2738*

In-Field Performance Optimization for mm-Wave Mixed-Signal Doherty Power Amplifiers: A Bandit Approach. *Xu, S., +, TCSI Dec. 2020 5302-5315*

Inherently Accurate Attenuation-Based Digital Calibration of ADC. *Oshima, T., +, TCSI Jan. 2020 23-36*

LDO-Free Power Management System: A 10-bit Pipelined ADC Directly Powered by Inductor-Based Boost Converter With Ripple Calibration. *Wang, H., +, TCSI Dec. 2020 4174-4186*

MSE Analysis of a Multi-Loop LMS Pseudo-Random Noise Canceler for Mixed-Signal Circuit Calibration. *Kong, D., +, TCSI Sept. 2020 3084-3098*

Power Amplifier With Load Impedance Sensing Incorporated Into the Output Matching Network. *Donahue, D.T., +, TCSI Dec. 2020 5113-5124*

Spur Minimization Techniques for Ultra-Low-Power Injection-Locked Transmitters. *Lin, C., +, TCSI Nov. 2020 3643-3655*

Temperature Compensation of Crystal References in NB-IoT Modems. *Haapala, T., +, TCSI July 2020 2467-2480*

Capacitance

A $115\times$ Conversion-Ratio Thermoelectric Energy-Harvesting Battery Charger for the Internet of Things. *Chung, M., +, TCSI Nov. 2020 4110-4121*

A 28GHz Reflective-Type Transmission-Line-Based Phase Shifter. *Kadam, M., +, TCSI Dec. 2020 4641-4650*

A Class-D FVF LDO With Multi-Level PWM Gate Control, 280-ns Settling Time, and No Overshoot/Undershoot. *Elhebeary, M., +, TCSI Dec. 2020 5600-5610*

Switched-Capacitor Boost-Buck Ladder Converters With Extended Voltage Range in Standard CMOS. *Liu, J., +, TCSI Dec. 2020 4593-4606*

Capacitance measurement

Low-Power Receivers for Wireless Capacitive Coupling Transmission in 3-D-Integrated Massively Parallel CMOS Imager. *Blakiewicz, G., +, TCSI Aug. 2020 2556-2565*

Precision Improvement of Power-Efficient Capacitive Sensor Readout Circuit Using Multi-Nested Clocks. *Zhong, L., +, TCSI Aug. 2020 2578-2587*

Capacitive sensors

A -24 dB in-Band Noise-Immunity Mutual Capacitance Readout System for Variable Refresh Rate of Active-Matrix OLED Display. *Ko, S.H., TCSI April 2020 1126-1135*

Differential Coded Multiple Signaling Method With Fully Differential Receiver for Mutual Capacitive Fingerprint TSP. *Heo, S., +, TCSI Jan. 2020 74-85*

Low-Power Receivers for Wireless Capacitive Coupling Transmission in 3-D-Integrated Massively Parallel CMOS Imager. *Blakiewicz, G., +, TCSI Aug. 2020 2556-2565*

Precision Improvement of Power-Efficient Capacitive Sensor Readout Circuit Using Multi-Nested Clocks. *Zhong, L., +, TCSI Aug. 2020 2578-2587*

Capacitor switching

A Low Voltage and Low Power 10-bit Non-Binary 2b/Cycle Time and Voltage Based SAR ADC. *Luo, J., +, TCSI April 2020 1136-1148*

Capacitors

120-GHz 8-Stage Broadband Amplifier With Quantitative Stagger Tuning Technique. *Jang, T.H., +, TCSI March 2020 785-796*

A 37–40-GHz Low-Phase-Imbalance CMOS Attenuator With Tail-Capacitor Compensation Technique. *Zhao, C., +, TCSI Oct. 2020 3400-3409*

A CMOS Peak Detect and Hold Circuit With Auto-Adjust Charging Current for NS-Scale Pulse ToF Lidar Application. *Zheng, H., +, TCSI Dec. 2020 4409-4419*

A High Area-Efficiency 14-bit SAR ADC With Hybrid Capacitor DAC for Array Sensors. *Zhang, Q., +, TCSI Dec. 2020 4396-4408*

Advanced Control Strategies for DC–DC Buck Converters With Parametric Uncertainties via Experimental Evaluation. *Yin, Y., +, TCSI Dec. 2020 5257-5267*

An NMOS Digital LDO With NAND-Based Analog-Assisted Loop in 28-nm CMOS. *Ma, X., +, TCSI Nov. 2020 4041-4052*

Analysis and Design of a New Current-Source Output Load Resonant Converter With High Capability in Line and Load Regulation. *Khoshsaadat, A., +, TCSI Aug. 2020 2849-2858*

Circuit Function Characterizing Tunability of Resonators. *Zakharov, A., +, TCSI Jan. 2020 98-107*

Design of a Refresh-Controller for GC-eDRAM Based FIFOs. *Noy, T., +, TCSI Dec. 2020 4804-4817*

LDO With Improved Common Gate Class-AB OTA Handles any Load Capacitors and Provides Fast Response to Load Transients. *Raducan, C., +, TCSI Nov. 2020 3740-3752*

Power-Scaling Output-Compensated Three-Stage OTAs for Wide Load Range Applications. *Riad, J., +, TCSI July 2020 2180-2192*

Single-Stage Three-Phase AC-DC Resonant Switched Capacitor LED Driver Without Electrolytic Capacitor and Reduced Number of Controlled Switches. *Miranda, P.H.A., +, TCSI Dec. 2020 5675-5686*

Switched-Capacitor Boost-Buck Ladder Converters With Extended Voltage Range in Standard CMOS. *Liu, J., +, TCSI Dec. 2020 4593-4606*

Synchronization in Multiplex Networks of Chua's Circuits: Theory and Experiments. *Burbano-L., D.A., +, TCSI March 2020 927-938*

Unloaded Quality Factor of Transmission Line Resonators With Capacitors. *Zakharov, A., +, TCSI July 2020 2204-2215*

Carbon nanotube field effect transistors

Monolithic 3D Carbon Nanotube Memory for Enhanced Yield and Integration Density. *Sun, Y., +, TCSI July 2020 2431-2441*

Carbon nanotubes

A Logic Synthesis Methodology for Low-Power Ternary Logic Circuits. Kim, S., +, *TCSI Sept. 2020 3138-3151*

Cardiology

Theory and Algorithms for Pulse Signal Processing. Nallathambi, G., +, *TCSI Aug. 2020 2707-2718*

Carry logic

A High Resolution DPWM Based on Synchronous Phase-Shifted Circuit and Delay Line. Cheng, X., +, *TCSI Aug. 2020 2685-2692*

High-Speed Area-Efficient VLSI Architecture of Three-Operand Binary Adder. Panda, A.K., +, *TCSI Nov. 2020 3944-3953*

Cellular arrays

Theoretical Foundations of Memristor Cellular Nonlinear Networks: Memcomputing With Bistable-Like Memristors. Tetzlaff, R., +, *TCSI Feb. 2020 502-515*

Cellular automata

A Novel Asynchronous CA Neuron Model: Design of Neuron-Like Nonlinear Responses Based on Novel Bifurcation Theory of Asynchronous Sequential Logic Circuit. Takeda, K., +, *TCSI June 2020 1989-2001*

Cellular neural networks

Theoretical Foundations of Memristor Cellular Nonlinear Networks: A DRM₂-Based Method to Design Memcomputers With Dynamic Memristors. Ascoli, A., +, *TCSI Aug. 2020 2753-2766*

Theoretical Foundations of Memristor Cellular Nonlinear Networks: Memcomputing With Bistable-Like Memristors. Tetzlaff, R., +, *TCSI Feb. 2020 502-515*

Theoretical Foundations of Memristor Cellular Nonlinear Networks: Stability Analysis With Dynamic Memristors. Ascoli, A., +, *TCSI April 2020 1389-1401*

Cellular radio

A Reconfigurable 0.1–10 MHz DT Passive Dynamic Zoom ADC for Cellular Receivers. Erol, O.E., +, *TCSI July 2020 2216-2228*

Analysis of Spectral Degradation and Error Compensation in 5G NR Digital Polar Transmitters. Preissl, C., +, *TCSI Aug. 2020 2719-2729*

Design of Downlink Synchronization for Millimeter Wave Cellular System Based on Multipath Division Multiple Access. Chiu, K., +, *TCSI Sept. 2020 3211-3223*

I/Q Balance-Enhanced Wideband Receiver Front-End for 2G/3G/4G/5G NR Cellular Applications. Han, J., +, *TCSI June 2020 1881-1891*

Channel coding

Polar Compiler: Auto-Generator of Hardware Architectures for Polar Encoders. Zhong, Z., +, *TCSI June 2020 2091-2102*

Channel estimation

Beamspace Channel Estimation for Massive MIMO mmWave Systems: Algorithm and VLSI Design. Mirfarshbafan, S.H., +, *TCSI Dec. 2020 5482-5495*

Efficient Successive Over Relaxation Detectors for Massive MIMO. Yu, A., +, *TCSI June 2020 2128-2139*

Chaos

A New Class of Digital Circuits for the Design of Entropy Sources in Programmable Logic. Addabbo, T., +, *TCSI July 2020 2419-2430*

A Perturbative Stochastic Galerkin Method for the Uncertainty Quantification of Linear Circuits. Manfredi, P., +, *TCSI Sept. 2020 2993-3006*

Data-Based H_∞ Control for the Constrained-Input Nonlinear Systems and its Applications in Chaotic Circuit Systems. Ren, L., +, *TCSI Aug. 2020 2791-2802*

Double-Sub-Stream M-ary Differential Chaos Shift Keying Wireless Communication System Using Chaotic Shape-Forming Filter. Bai, C., +, *TCSI Oct. 2020 3574-3587*

Rational Polynomial Chaos Expansions for the Stochastic Macromodeling of Network Responses. Manfredi, P., +, *TCSI Jan. 2020 225-234*

Self-Learning Hot Data Prediction: Where Echo State Network Meets NAND Flash Memories. Luo, Q., +, *TCSI March 2020 939-950*

Stability Enhancement of One-Cycle Controlled Buck-Boost Converters With a Composite Function Embedded. Guo, Y.L., +, *TCSI Oct. 2020 3512-3520*

Synchronization Analysis on Two-Layer Networks of Fractional-Order Systems: Intralayer and Interlayer Synchronization. Zhang, X., +, *TCSI July 2020 2397-2408*

Chaotic communication

Double-Sub-Stream M-ary Differential Chaos Shift Keying Wireless Communication System Using Chaotic Shape-Forming Filter. Bai, C., +, *TCSI Oct. 2020 3574-3587*

Efficient and Secure Non-Coherent OFDM-Based Overlapped Chaotic Chip Position Shift Keying System: Design and Performance Analysis. Zhang, L., +, *TCSI Jan. 2020 309-321*

Charge pump circuits

A 0.36-V 5-MS/s Time-Mode Flash ADC With Dickson-Charge-Pump-Based Comparators in 28-nm CMOS. Esmailiyan, A., +, *TCSI June 2020 1789-1802*

A 0.5-V Supply, 36 nW Bandgap Reference With 42 ppm/°C Average Temperature Coefficient Within -40 °C to 120 °C. Chi-Wa, U., +, *TCSI Nov. 2020 3656-3669*

A 115× Conversion-Ratio Thermoelectric Energy-Harvesting Battery Charger for the Internet of Things. Chung, M., +, *TCSI Nov. 2020 4110-4121*

A Fully Integrated High-Power-Supply-Rejection Linear Regulator With an Output-Supplied Voltage Reference. Chen, Y., +, *TCSI Nov. 2020 3828-3838*

Design of Stage-Selective Negative Voltage Generator to Improve On-Chip Power Conversion Efficiency for Neuron Stimulation. Lin, S., +, *TCSI Nov. 2020 4122-4131*

Fully-Integrated Reconfigurable Charge Pump With Two-Dimensional Frequency Modulation for Self-Powered Internet-of-Things Applications. Cheng, H., +, *TCSI Nov. 2020 4132-4141*

Charge transfer

A High Area-Efficiency 14-bit SAR ADC With Hybrid Capacitor DAC for Array Sensors. Zhang, Q., +, *TCSI Dec. 2020 4396-4408*

Chemical reactors

A Novel Approach to State and Unknown Input Estimation for Takagi–Sugeno Fuzzy Models With Applications to Fault Detection. Zhao, D., +, *TCSI June 2020 2053-2063*

Chirp modulation

A 12-GHz Calibration-Free All-Digital PLL for FMCW Signal Generation With 78 MHz/μs Chirp Slope and High Chirp Linearity. Shen, Z., +, *TCSI Dec. 2020 4445-4456*

A 77-GHz Mixed-Mode FMCW Generator Based on a Vernier TDC With Dual Rising-Edge Fractional-Phase Detector. Wu, J., +, *TCSI Jan. 2020 60-73*

Rapid Simulation of Photonic Integrated Circuits Using Verilog-A Compact Models. Shawon, M.J., +, *TCSI Oct. 2020 3331-3341*

Chua's circuit

Iterative Approach With Optimization-Based Execution Scheme for Parameter Identification of Distributed Parameter Systems and its Application in Secure Communication. Li, R., +, *TCSI Sept. 2020 3113-3126*

Synchronization in Multiplex Networks of Chua's Circuits: Theory and Experiments. Burbano-L., D.A., +, *TCSI March 2020 927-938*

Ciphers

Secure Path Balanced BDD-Based Pre-Charge Logic for Masking. De, P., +, *TCSI Dec. 2020 4747-4760*

Circuit analysis computing

A Strong Subthreshold Current Array PUF Resilient to Machine Learning Attacks. Zhuang, H., +, *TCSI Jan. 2020 135-144*

Circuit complexity

A Precision-Scalable Energy-Efficient Convolutional Neural Network Accelerator. Liu, W., +, *TCSI Oct. 2020 3484-3497*

A Time-Efficient Automatic Circuit Approximation Method. Zhang, Z., +, *TCSI Sept. 2020 3047-3055*

Energy-Efficient Hardware Architectures for Fast Polar Decoders. Ercan, F., +, *TCSI Jan. 2020 322-335*

Circuit faults

Adaptive Fuzzy Output Feedback Event-Triggered Control for a Class of Switched Nonlinear Systems With Sensor Failures. Zhang, J., +, *TCSI Dec. 2020 5336-5346*

Fault-Tolerant Control Based on Virtual Actuator and Sensor for Discrete-Time Descriptor Systems. Wang, Y., +, *TCSI Dec. 2020 5316-5325*
Soft Error Detection and Correction Architecture for Asynchronous Bundled Data Designs. Kuentzer, F.A., +, *TCSI Dec. 2020 4883-4894*

Circuit feedback

A Robust Local Positive Feedback Based Performance Enhancement Strategy for Non-Recycling Folded Cascode OTA. Wang, Y., +, *TCSI Sept. 2020 2897-2908*

A Time-Domain $147f_{s_{rms}}$ 2.5-MHz Bandwidth Two-Step Flash-MASH 1-1-1 Time-to-Digital Converter With Third-Order Noise-Shaping and Mismatch Correction. Wu, Y., +, *TCSI Aug. 2020 2532-2545*

EMI Reduction in Class-D Amplifiers by Actively Reducing PWM Ripple. Lokin, C.E., +, *TCSI March 2020 765-773*

Quadruple Cross-Coupled Dual-Interlocked-Storage-Cells-Based Multiple-Node-Upset-Tolerant Latch Designs. Yan, A., +, *TCSI March 2020 879-890*

Self-Tuned Class-D Audio Amplifier With Post-Filter Digital Feedback Implemented on Digital Signal Controller. Sobaszek, M., *TCSI March 2020 797-805*

Zero-Crossing-Time-Difference Model for Stability Analysis of VCO-Based OTAs. Kalani, S., +, *TCSI March 2020 839-851*

Circuit optimization

A DC-50 GHz CMOS Switched-Type Attenuator With Capacitive Compensation Technique. Gu, P., +, *TCSI Oct. 2020 3389-3399*

A Precision-Scalable Energy-Efficient Convolutional Neural Network Accelerator. Liu, W., +, *TCSI Oct. 2020 3484-3497*

A Standalone FPGA-Based Miner for Lyra2REv2 Cryptocurrencies. Tetu, J., +, *TCSI April 2020 1194-1206*

Design of a 4.2-to-5.1 GHz Ultralow-Power Complementary Class-B/C Hybrid-Mode VCO in 65-nm CMOS Fully Supported by EDA Tools. Martins, R., +, *TCSI Nov. 2020 3965-3977*

Locking Range Maximization in Injection-Locked Class-E Oscillator—A Case Study for Optimizing Synchronizability. Yabe, Y., +, *TCSI May 2020 1762-1774*

Self-Learning Hot Data Prediction: Where Echo State Network Meets NAND Flash Memories. Luo, Q., +, *TCSI March 2020 939-950*

Circuit reliability

A 108 F²/Bit Fully Reconfigurable RRAM PUF Based on Truly Random Dynamic Entropy of Jitter Noise. Zhao, Q., +, *TCSI Nov. 2020 3866-3879*

Circuit resonance

Circuit Function Characterizing Tunability of Resonators. Zakharov, A., +, *TCSI Jan. 2020 98-107*

Circuit simulation

A Wideband Frequency Divider With Programmable Odd/Even Division Factors and Quadrature/Symmetrical Outputs. Rezaei-Hosseinabadi, N., +, *TCSI June 2020 1857-1866*

Bounded Input Dissipativity of Linearized Circuit Models. Bradde, T., +, *TCSI June 2020 2064-2077*

Homogeneous Models of Nonlinear Circuits. Riaza, R., *TCSI June 2020 2002-2015*

Locking Range Maximization in Injection-Locked Class-E Oscillator—A Case Study for Optimizing Synchronizability. Yabe, Y., +, *TCSI May 2020 1762-1774*

Simulations of Memristors Using the Poincaré Map Approach. Galias, Z., *TCSI March 2020 963-971*

Circuit stability

A 270-mV 6T SRAM Using Row-Based Dual-Phase V_{DD} Control in 28-nm CMOS. Lu, C., +, *TCSI Dec. 2020 4774-4783*

Design Approach for Ring Amplifiers. Conrad, J., +, *TCSI Oct. 2020 3444-3457*

One-Sided Schmitt-Trigger-Based 9T SRAM Cell for Near-Threshold Operation. Cho, K., +, *TCSI May 2020 1551-1561*

Synchronizer-Free Digital Link Controller. Bund, J., +, *TCSI Oct. 2020 3562-3573*

Zero-Crossing-Time-Difference Model for Stability Analysis of VCO-Based OTAs. Kalani, S., +, *TCSI March 2020 839-851*

Circuit synthesis

Challenges and Solutions of the TFET Circuit Design. Lin, Z., +, *TCSI Dec. 2020 4918-4931*

Circuit tuning

120-GHz 8-Stage Broadband Amplifier With Quantitative Stagger Tuning Technique. Jang, T.H., +, *TCSI March 2020 785-796*

A 3.3-mW 25.2-to-29.4-GHz Current-Reuse VCO Using a Single-Turn Multi-Tap Inductor and Differential-Only Switched-Capacitor Arrays With a 187.6-dBc/Hz FOM. Huang, Y., +, *TCSI Nov. 2020 3704-3717*

Circuit Function Characterizing Tunability of Resonators. Zakharov, A., +, *TCSI Jan. 2020 98-107*

Self-Tuned Class-D Audio Amplifier With Post-Filter Digital Feedback Implemented on Digital Signal Controller. Sobaszek, M., *TCSI March 2020 797-805*

Circuits and systems

Guest Editorial Selected Papers From the IEEE Asia Pacific Conference of Circuits and Systems 2018 and the IEEE International Conference on Electronics, Circuits and Systems 2018. Blokhina, E., *TCSI Feb. 2020 357*
Guest Editorial Special Issue on the IEEE LASCAS 2019 and the IEEE NEWCAS 2019. Blokhina, E., *TCSI May 2020 1425*

Guest Editorial Special Issue on the International Symposium on Integrated Circuits and Systems—ISICAS 2020. Blokhina, E., *TCSI Nov. 2020 3617*

Guest Editorial Special Section on the IEEE International Symposium on Circuits and Systems 2019. Blokhina, E., *TCSI April 2020 1081*

MWSCAS Guest Editorial Special Issue Based on the 62nd International Midwest Symposium on Circuits and Systems. Silva-Martinez, J., +, *TCSI Oct. 2020 3249-3250*

Clock and data recovery circuits

3.125-to-28.125 Gb/s 4.72 mW/Gb/s Multi-Standard Parallel Transceiver Supporting Channel-Independent Operation in 40-nm CMOS. Yoon, J., +, *TCSI Aug. 2020 2647-2658*

A 5–13.5 Gb/s Multistandard Receiver With High Jitter Tolerance Digital CDR in 40-nm CMOS Process. Shu, Z., +, *TCSI Oct. 2020 3378-3388*

A Low Noise Fault Tolerant Radiation Hardened 2.56 Gbps Clock-Data Recovery Circuit With High Speed Feed Forward Correction in 65 nm CMOS. Biereigel, S., +, *TCSI May 2020 1438-1446*

On the Cross-Correlation Based Loop Gain Adaptation for Bang-Bang CDRs. Ardila, J., +, *TCSI April 2020 1169-1180*

Clocks

A +0.66/−0.73 °C Inaccuracy, 1.99-μW Time-Domain CMOS Temperature Sensor With Second-Order $\Delta\Sigma$ Modulator and On-Chip Reference Clock. Chen, Y., +, *TCSI Nov. 2020 3815-3827*

A −20 dBm Passive UHF RFID Tag IC With MTP NVM in 0.13-μm Standard CMOS Process. Li, S., +, *TCSI Dec. 2020 4566-4579*

A 1.45 GHz All-Digital Spread Spectrum Clock Generator in 65nm CMOS for Synchronization-Free SoC Applications. De Caro, D., +, *TCSI Nov. 2020 3839-3852*

A 7.8 Gb/s/pin, 1.96 pJ/b Transceiver With Phase-Difference-Modulation Signaling for Highly Reflective Interconnects. Lee, S., +, *TCSI June 2020 2114-2127*

A Charge-Domain Switched-G_m-C Band-Pass Filter Using Interleaved Semi-Passive Charge-Sharing Technique. Xu, Y., +, *TCSI Feb. 2020 600-610*

A Flexible 18-Channel Multi-Hit Time-to-Digital Converter for Trigger-Based Data Acquisition Systems. Chithra, ., +, *TCSI June 2020 1892-1901*

A Hybrid 3D Interconnect With 2x Bandwidth Density Employing Orthogonal Simultaneous Bidirectional Signaling for 3D NoC. Gopal, S., +, *TCSI Nov. 2020 3919-3932*

An N-Path Filter Design Methodology With Harmonic Rejection, Power Reduction, Foldback Elimination, and Spectrum Shaping. Karami, P., +, *TCSI Dec. 2020 4494-4506*

Clock-Voltage Co-Regulator With Adaptive Power Budget Tracking for Robust Near-Threshold-Voltage Sequential Logic Circuits. Nguyen, B., +, *TCSI Feb. 2020 622-633*

Jitter Suppression Techniques for High-Speed Sample-and-Hold Circuits. Jamali-Zavareh, S., +, *TCSI Jan. 2020 1-11*

- Linearity Theory of Stochastic Phase-Interpolation Time-to-Digital Converter. *Gammoh, K.*, +, *TCSI Dec. 2020 4348-4359*
- Low-Power All-Digital Multiphase DLL Design Using a Scalable Phase-to-Digital Converter. *Angeli, N.*, +, *TCSI April 2020 1158-1168*
- Low-Power Wireless Transceiver With 67-nW Differential Pulse-Position Modulation Transmitter. *Pulkkinen, M.*, +, *TCSI Dec. 2020 5468-5481*
- On Quantized Analog Compressive Sensing Methods for Efficient Resonator Frequency Estimation. *Somappa, L.*, +, *TCSI Dec. 2020 4556-4565*
- Precision Improvement of Power-Efficient Capacitive Sensor Readout Circuit Using Multi-Nested Clocks. *Zhong, L.*, +, *TCSI Aug. 2020 2578-2587*
- Reduced-Complexity Key Equation Solvers for Generalized Integrated Interleaved BCH Decoders. *Xie, Z.*, +, *TCSI Dec. 2020 5520-5529*
- Single Plastic Optical Fiber, Multiple Channel Data Link for Sensing Applications With PCB Implemented Transmitter and Receiver. *Fuchs, S.*, +, *TCSI March 2020 1045-1057*
- Soft Error Detection and Correction Architecture for Asynchronous Bundled Data Designs. *Kuentzer, F.A.*, +, *TCSI Dec. 2020 4883-4894*
- Synchronizer-Free Digital Link Controller. *Bund, J.*, +, *TCSI Oct. 2020 3562-3573*
- Timing Reliability Improvement of Master-Slave Flip-Flops in the Presence of Aging Effects. *Jafari, A.*, +, *TCSI Dec. 2020 4761-4773*
- Closed loop systems**
- Adaptive Event-Triggered Predictive Control for Finite Time Microgrid. *Yan, H.*, +, *TCSI March 2020 1035-1044*
- Adaptive Finite-Time Control for High-Order Nonlinear Systems With Multiple Uncertainties and its Application. *Min, H.*, +, *TCSI May 2020 1752-1761*
- Cluster Tracking Performance Analysis of Linear Heterogeneous Multi-Agent Networks: A Complex Frequency Domain Approach. *Zhang, W.*, +, *TCSI Jan. 2020 259-270*
- Fully Distributed Containment Control for Multiple Euler-Lagrange Systems Over Directed Graphs: An Event-Triggered Approach. *Xu, T.*, +, *TCSI June 2020 2078-2090*
- Global Stabilization of the Discrete-Time Integrators System by Bounded Controls. *Yang, X.*, +, *TCSI Dec. 2020 5175-5188*
- Position Regulator With Variable Cut-Off Frequency Mechanism for Hybrid-Type Stepper Motors. *Kim, S.*, +, *TCSI Oct. 2020 3533-3540*
- Cloud computing**
- Data-Driven Distributed Coordinated Control for Cloud-Based Model-Free Multiagent Systems With Communication Constraints. *Tan, H.*, +, *TCSI Sept. 2020 3187-3198*
- Clustering algorithms**
- A Secure Distributed Information Sharing Algorithm Based on Attack Detection in Multi-Task Networks. *Shi, Q.*, +, *TCSI Dec. 2020 5125-5138*
- CMOS analog integrated circuits**
- 120-GHz 8-Stage Broadband Amplifier With Quantitative Stagger Tuning Technique. *Jang, T.H.*, +, *TCSI March 2020 785-796*
- A 7.8 Gb/s/pin, 1.96 pJ/b Transceiver With Phase-Difference-Modulation Signaling for Highly Reflective Interconnects. *Lee, S.*, +, *TCSI June 2020 2114-2127*
- A High Efficiency Multi-Mode Outphasing RF Power Amplifier With 31.6 dBm Peak Output Power in 45nm CMOS. *Banerjee, A.*, +, *TCSI March 2020 815-828*
- A Switched-Capacitor DC-DC Converter Powering an LC Oscillator to Achieve 85% System Peak Power Efficiency and -65dBc Spurious Tones. *Urso, A.*, +, *TCSI Nov. 2020 3764-3777*
- An 80 MHz Bandwidth and 26.8 dBm OOB IIP3 Transimpedance Amplifier With Improved Nested Feedforward Compensation and Multi-Order Filtering. *Jung, H.*, +, *TCSI Oct. 2020 3410-3421*
- Analysis and Design of N-Path Band-Pass Filters With Negative Base Band Resistance. *Zolkov, E.*, +, *TCSI July 2020 2250-2262*
- Design of a 4.2-to-5.1 GHz Ultralow-Power Complementary Class-B/C Hybrid-Mode VCO in 65-nm CMOS Fully Supported by EDA Tools. *Martins, R.*, +, *TCSI Nov. 2020 3965-3977*
- Design of D-Band Transformer-Based Gain-Boosting Class-AB Power Amplifiers in Silicon Technologies. *Tang, X.*, +, *TCSI May 2020 1447-1458*
- I/Q Balance-Enhanced Wideband Receiver Front-End for 2G/3G/4G/5G NR Cellular Applications. *Han, J.*, +, *TCSI June 2020 1881-1891*
- LDO With Improved Common Gate Class-AB OTA Handles any Load Capacitors and Provides Fast Response to Load Transients. *Raducan, C.*, +, *TCSI Nov. 2020 3740-3752*
- Power-Scaling Output-Compensated Three-Stage OTAs for Wide Load Range Applications. *Riad, J.*, +, *TCSI July 2020 2180-2192*
- Ultra-Low-Voltage CMOS Crystal Oscillators. *Siniscalchi, M.*, +, *TCSI June 2020 1846-1856*
- Wideband 28-nm CMOS Variable-Gain Amplifier. *Asgari, V.*, +, *TCSI Jan. 2020 37-47*
- CMOS digital integrated circuits**
- A 0.36-V 5-MS/s Time-Mode Flash ADC With Dickson-Charge-Pump-Based Comparators in 28-nm CMOS. *Esmailian, A.*, +, *TCSI June 2020 1789-1802*
- A 1.45 GHz All-Digital Spread Spectrum Clock Generator in 65nm CMOS for Synchronization-Free SoC Applications. *De Caro, D.*, +, *TCSI Nov. 2020 3839-3852*
- A 12-Bit 100-MS/s Pipelined-SAR ADC With PVT-Insensitive and Gain-Folding Dynamic Amplifier. *Liu, S.*, +, *TCSI Aug. 2020 2602-2611*
- A 12-Bit Dynamic Tracking Algorithm-Based SAR ADC With Real-Time QRS Detection. *Zhang, Z.*, +, *TCSI Sept. 2020 2923-2933*
- A 12-bit SAR ADC With a DAC-Configurable Window Switching Scheme. *Chung, Y.*, +, *TCSI Feb. 2020 358-368*
- A 33-ppm/°C 240-nW 40-nm CMOS Wakeup Timer Based on a Bang-Bang Digital-Intensive Frequency-Locked-Loop for IoT Applications. *Ding, M.*, +, *TCSI July 2020 2263-2273*
- A 37–40-GHz Low-Phase-Imbalance CMOS Attenuator With Tail-Capacitor Compensation Technique. *Zhao, C.*, +, *TCSI Oct. 2020 3400-3409*
- A 5–13.5 Gb/s Multistandard Receiver With High Jitter Tolerance Digital CDR in 40-nm CMOS Process. *Shu, Z.*, +, *TCSI Oct. 2020 3378-3388*
- A Calibration-Free Ring-Oscillator PLL With Gain Tracking Achieving 9% Jitter Variation Over PVT. *Yang, X.*, +, *TCSI Nov. 2020 3753-3763*
- A Hybrid 3D Interconnect With 2x Bandwidth Density Employing Orthogonal Simultaneous Bidirectional Signaling for 3D NoC. *Gopal, S.*, +, *TCSI Nov. 2020 3919-3932*
- A Low Noise Fault Tolerant Radiation Hardened 2.56 Gbps Clock-Data Recovery Circuit With High Speed Feed Forward Correction in 65 nm CMOS. *Biereigel, S.*, +, *TCSI May 2020 1438-1446*
- A Reconfigurable 0.1–10 MHz DT Passive Dynamic Zoom ADC for Cellular Receivers. *Erol, O.E.*, +, *TCSI July 2020 2216-2228*
- A Transient-Enhanced Output-Capacitorless LDO With Fast Local Loop and Overshoot Detection. *Liu, N.*, +, *TCSI Oct. 2020 3422-3432*
- A Two-Step ADC With Statistical Calibration. *Yu, Y.*, +, *TCSI Aug. 2020 2588-2601*
- An Inverter-Based Continuous Time Sigma Delta ADC With Latency-Free DAC Calibration. *Guo, Y.*, +, *TCSI Nov. 2020 3630-3642*
- Low-Power All-Digital Multiphase DLL Design Using a Scalable Phase-to-Digital Converter. *Angeli, N.*, +, *TCSI April 2020 1158-1168*
- Optimized Implementation of SIKE Round 2 on 64-bit ARM Cortex-A Processors. *Seo, H.*, +, *TCSI Aug. 2020 2659-2671*
- Single Plastic Optical Fiber, Multiple Channel Data Link for Sensing Applications With PCB Implemented Transmitter and Receiver. *Fuchs, S.*, +, *TCSI March 2020 1045-1057*
- CMOS image sensors**
- A Closed-Loop, All-Electronic Pixel-Wise Adaptive Imaging System for High Dynamic Range Videography. *Zhang, J.*, +, *TCSI June 2020 1803-1814*
- A Single Slope ADC With Row-Wise Noise Reduction Technique for CMOS Image Sensor. *Nie, K.*, +, *TCSI Sept. 2020 2873-2882*
- Experimental Verification of the Impact of Analog CMS on CIS Readout Noise. *Capoccia, R.*, +, *TCSI March 2020 774-784*
- Hardware-Compliant Compressive Image Sensor Architecture Based on Random Modulations and Permutations for Embedded Inference. *Ben-jilali, W.*, +, *TCSI April 2020 1218-1231*

- Low-Power Receivers for Wireless Capacitive Coupling Transmission in 3-D-Integrated Massively Parallel CMOS Imager. *Blakiewicz, G., +, TCSI Aug. 2020 2556-2565*
- NS-CIM: A Current-Mode Computation-in-Memory Architecture Enabling Near-Sensor Processing for Intelligent IoT Vision Nodes. *Liu, Z., +, TCSI Sept. 2020 2909-2922*
- Processing Near Sensor Architecture in Mixed-Signal Domain With CMOS Image Sensor of Convolutional-Kernel-Readout Method. *Chen, Z., +, TCSI Feb. 2020 389-400*
- Single-Slope Look-Ahead Ramp ADC for CMOS Image Sensors. *Elmezayen, M.R., +, TCSI Dec. 2020 4484-4493*
- Ultra-Low Power CMOS Image Sensor With Two-Step Logical Shift Algorithm-Based Correlated Double Sampling Scheme. *Park, K., +, TCSI Nov. 2020 3718-3727*
- CMOS integrated circuits**
- 3.125-to-28.125 Gb/s 4.72 mW/Gb/s Multi-Standard Parallel Transceiver Supporting Channel-Independent Operation in 40-nm CMOS. *Yoon, J., +, TCSI Aug. 2020 2647-2658*
- 76-dB DR, 48 fJ/Step Second-Order VCO-Based Current-to-Digital Converter. *Jayaraj, A., +, TCSI April 2020 1149-1157*
- A +0.66/−0.73 °C Inaccuracy, 1.99- μ W Time-Domain CMOS Temperature Sensor With Second-Order $\Delta\Sigma$ Modulator and On-Chip Reference Clock. *Chen, Y., +, TCSI Nov. 2020 3815-3827*
- A −68 dB THD, 0.6 mm² Active Area Biosignal Acquisition System With a 40–320 Hz Duty-Cycle Controlled Filter. *Hsu, Y., +, TCSI Jan. 2020 48-59*
- A −24 dB in-Band Noise-Immunity Mutual Capacitance Readout System for Variable Refresh Rate of Active-Matrix OLED Display. *Ko, S.H., TCSI April 2020 1126-1135*
- A 0.04% BER Strong PUF With Cell-Bias-Based CRPs Filtering and Background Offset Calibration. *Liu, J., +, TCSI Nov. 2020 3853-3865*
- A 0.5-V Supply, 36 nW Bandgap Reference With 42 ppm/°C Average Temperature Coefficient Within −40 °C to 120 °C. *Chi-Wa, U., +, TCSI Nov. 2020 3656-3669*
- A 1.0-8.3 GHz Cochlea-Based Real-Time Spectrum Analyzer With $\Delta\Sigma$ -Modulated Digital Outputs. *Wang, Y., +, TCSI Sept. 2020 2934-2947*
- A 1.22 mW 2.4 GHz PLL Using a Single-Ring-Oscillator-Based Integrator With Background Frequency Calibration. *Su, G., +, TCSI July 2020 2169-2179*
- A 10.7b 300MS/s Two-Step Digital-Slope ADC in 65nm CMOS. *Peng, C., +, TCSI Sept. 2020 2948-2959*
- A 100-Gbps 4-Lane Transceiver for 47-dB Loss Copper Cable in 28-nm CMOS. *Norimatsu, T., +, TCSI Oct. 2020 3433-3443*
- A 115 \times Conversion-Ratio Thermoelectric Energy-Harvesting Battery Charger for the Internet of Things. *Chung, M., +, TCSI Nov. 2020 4110-4121*
- A 12-Bit 125-MS/s 2.5-Bit/Cycle SAR-Based Pipeline ADC Employing a Self-Biased Gain Boosting Amplifier. *Park, C., +, TCSI Nov. 2020 3618-3629*
- A 14b, Twofold Time-Interleaved Incremental $\Delta\Sigma$ ADC Using Hardware Sharing. *Vogelmann, P., +, TCSI Nov. 2020 3681-3692*
- A 17 Gbps 156 fJ/bit Two-Channel Optical Receiver With Optical-Input Split and Delay in 65 nm CMOS. *Taherzadeh-Sani, M., +, TCSI July 2020 2288-2296*
- A 2.12-V V_{pp} 11.67-pJ/pulse Fully Integrated UWB Pulse Generator in 65-nm CMOS Technology. *Gao, S., +, TCSI March 2020 1058-1068*
- A 28-GHz 16-Gb/s High Efficiency 16-QAM Transmitter in 65-nm CMOS. *Meng, X., +, TCSI June 2020 1835-1845*
- A 3.3-mW 25.2-to-29.4-GHz Current-Reuse VCO Using a Single-Turn Multi-Tap Inductor and Differential-Only Switched-Capacitor Arrays With a 187.6-dBc/Hz FOM. *Huang, Y., +, TCSI Nov. 2020 3704-3717*
- A 4-MHz Digitally Controlled Voltage-Mode Buck Converter With Embedded Transient Improvement Using Delay Line Control Techniques. *Huang, Q., +, TCSI Nov. 2020 4029-4040*
- A 40.68-MHz Active Rectifier With Hybrid Adaptive On/Off Delay-Compensation Scheme for Biomedical Implantable Devices. *Cheng, L., +, TCSI Feb. 2020 516-525*
- A 470-nA Quiescent Current and 92.7%/94.7% Efficiency DCT/PWM Control Buck Converter With Seamless Mode Selection for IoT Application. *Zeng, W., +, TCSI Nov. 2020 4085-4098*
- A 48 pW, 0.34 V, 0.019%/V Line Sensitivity Self-Biased Subthreshold Voltage Reference With DIBL Effect Compensation. *Wang, Y., +, TCSI Feb. 2020 611-621*
- A 56-to-66 GHz CMOS Low-Power Phased-Array Receiver Front-End With Hybrid Phase Shifting Scheme. *Yaghoobi, M., +, TCSI Nov. 2020 4002-4014*
- A 60-m Range 6.16-mW Laser-Power Linear-Mode LiDAR System With Multiplex ADC/TDC in 65-nm CMOS. *Liu, M., +, TCSI March 2020 753-764*
- A 77-GHz Mixed-Mode FMCW Generator Based on a Vernier TDC With Dual Rising-Edge Fractional-Phase Detector. *Wu, J., +, TCSI Jan. 2020 60-73*
- A 92%-Efficiency Battery Powered Hybrid DC-DC Converter for IoT Applications. *Elhebeary, M., +, TCSI Oct. 2020 3342-3351*
- A Charge-Domain Switched- G_m -C Band-Pass Filter Using Interleaved Semi-Passive Charge-Sharing Technique. *Xu, Y., +, TCSI Feb. 2020 600-610*
- A Compact Fully Passive Loop Filter-Based Continuous Time $\Sigma\Delta$ Modulator for Multi-Channel Biomedical Applications. *Somappa, L., +, TCSI Feb. 2020 590-599*
- A Configurable Noise-Shaping Band-Pass SAR ADC With Two-Stage Clock-Controlled Amplifier. *Jiao, Z., +, TCSI Nov. 2020 3728-3739*
- A DC-50 GHz CMOS Switched-Type Attenuator With Capacitive Compensation Technique. *Gu, P., +, TCSI Oct. 2020 3389-3399*
- A Distributed Power Delivery Grid Based on Analog-Assisted Digital LDOs With Cooperative Regulation and IR-Drop Reduction. *Lu, Y., +, TCSI Aug. 2020 2859-2871*
- A Fast-Settling Integer- N Frequency Synthesizer Using Switched-Gain Control. *Zhao, H., +, TCSI April 2020 1344-1357*
- A Framed-Pulsewidth Modulation Transceiver for High-Speed Broadband Communication Links. *Jeon, S., +, TCSI Aug. 2020 2825-2835*
- A Fully Integrated High-Power-Supply-Rejection Linear Regulator With an Output-Supplied Voltage Reference. *Chen, Y., +, TCSI Nov. 2020 3828-3838*
- A Low Voltage and Low Power 10-bit Non-Binary 2b/Cycle Time and Voltage Based SAR ADC. *Luo, J., +, TCSI April 2020 1136-1148*
- A Low-Power BFSK Transmitter Architecture for Biomedical Applications. *Ibrahim, M.A.A., +, TCSI May 2020 1527-1540*
- A Low-Spur and Intrinsically Aligned IL-PLL With Self-Feedback Injection Locked RO and Pseudo-Random Injection Locked Technique. *Xi, N., +, TCSI April 2020 1358-1367*
- A Mismatch Calibration Technique for SAR ADCs Based on Deterministic Self-Calibration and Stochastic Quantization. *Bagheri, M., +, TCSI Sept. 2020 2883-2896*
- A Neural Network Assistance AMPPT Solar Energy Harvesting System With 89.39% Efficiency and 0.01–0.5% Tracking Errors. *Wang, Y., +, TCSI Sept. 2020 2960-2971*
- A Partially Binarized Hybrid Neural Network System for Low-Power and Resource Constrained Human Activity Recognition. *De Vita, A., +, TCSI Nov. 2020 3893-3904*
- A Power-Efficient CNN Accelerator With Similar Feature Skipping for Face Recognition in Mobile Devices. *Kim, S., +, TCSI April 2020 1181-1193*
- A Precision-Scalable Energy-Efficient Convolutional Neural Network Accelerator. *Liu, W., +, TCSI Oct. 2020 3484-3497*
- A Strong Subthreshold Current Array PUF Resilient to Machine Learning Attacks. *Zhuang, H., +, TCSI Jan. 2020 135-144*
- A Sub- μ W Reconfigurable Front-End for Invasive Neural Recording That Exploits the Spectral Characteristics of the Wideband Neural Signal. *Valtierra, J.L., +, TCSI May 2020 1426-1437*
- A Thermal/RF Hybrid Energy Harvesting System With Rectifying-Combination and Improved Fractional-OCV MPPT Method. *Liu, Z., +, TCSI Oct. 2020 3352-3363*

- A Time-Domain $147f_{\text{rms}}$ -MHz Bandwidth Two-Step Flash-MASH 1-1-1 Time-to-Digital Converter With Third-Order Noise-Shaping and Mismatch Correction. *Wu, Y.*, +, *TCSI Aug. 2020 2532-2545*
- A Wide Dynamic Range Laser Radar Receiver Based on Input Pulse-Shaping Techniques. *Baharmast, A.*, +, *TCSI Aug. 2020 2566-2577*
- A Wide-Voltage-Range Transition-Detector With In-Situ Timing-Error Detection and Correction Based on Pulsed-Latch Design in 28 nm CMOS. *Shang, X.*, +, *TCSI Nov. 2020 3933-3943*
- A Wideband Frequency Divider With Programmable Odd/Even Division Factors and Quadrature/Symmetrical Outputs. *Rezaei-Hosseinabadi, N.*, +, *TCSI June 2020 1857-1866*
- An 8-bit Low-Cost String DAC With Gradient Errors Suppression to Achieve 16-bit Linearity. *Liu, N.*, +, *TCSI July 2020 2157-2168*
- An Efficient Sinusoid-Like Pseudo Random Sequence Modulator/Demodulator System With Reduced Adjacent Channel Leakage and High Rejection to Random and Systematic Interference. *Shao, J.*, +, *TCSI Nov. 2020 3790-3803*
- An Inverted Ring Oscillator Noise-Shaping Time-to-Digital Converter With In-Band Noise Reduction and Coherent Noise Cancellation. *Yi, X.*, +, *TCSI Feb. 2020 686-698*
- An NMOS Digital LDO With NAND-Based Analog-Assisted Loop in 28-nm CMOS. *Ma, X.*, +, *TCSI Nov. 2020 4041-4052*
- An Open Loop Digitally Controlled Hybrid Supply Modulator Achieving High Efficiency for Envelope Tracking With Baseband up to 200-MHz. *Chen, Z.*, +, *TCSI Nov. 2020 4142-4153*
- An RF-Energy Harvester and IR-UWB Transmitter for Ultra-Low-Power Battery-Less Biosensors. *Schmickl, S.*, +, *TCSI May 2020 1459-1468*
- An Ultra-Low-Power Low-Voltage WuTx With Built-In Analog Sensing for Self-Powered WSN. *Karami, M.A.*, +, *TCSI July 2020 2274-2287*
- Angular-Domain Massive MIMO Detection: Algorithm, Implementation, and Design Tradeoffs. *Mahdavi, M.*, +, *TCSI June 2020 1948-1961*
- CMOS 256-Pixel/480-Pixel Photovoltaic-Powered Subretinal Prosthetic Chips With Wide Image Dynamic Range and Bi/Four-Directional Sharing Electrodes and Their *Ex Vivo* Experimental Validations With Mice. *Wu, C.*, +, *TCSI Oct. 2020 3273-3283*
- Comparison and Extension of Approximate 4-2 Compressors for Low-Power Approximate Multipliers. *Strollo, A.G.M.*, +, *TCSI Sept. 2020 3021-3034*
- Data-Dependent Selection of Amplitude and Phase Equalization in a Quarter-Rate Transmitter for Memory Interfaces. *Chae, J.*, +, *TCSI Sept. 2020 2972-2983*
- Design of a 60 GHz 32% PAE Class-AB PA with 2nd Harmonic Control in 45-nm PD-SOI CMOS. *Ciocoveanu, R.*, +, *TCSI Aug. 2020 2635-2646*
- Design of a 77-GHz LC-VCO With a Slow-Wave Coplanar Stripline-Based Inductor. *Sharma, E.*, +, *TCSI Feb. 2020 378-388*
- Design of Stage-Selective Negative Voltage Generator to Improve On-Chip Power Conversion Efficiency for Neuron Stimulation. *Lin, S.*, +, *TCSI Nov. 2020 4122-4131*
- Design, Implementation, and Experimental Verification of 5 Gbps, 800 Mrad TID and SEU-Tolerant Optical Modulators Drivers. *Ciarpi, G.*, +, *TCSI March 2020 829-838*
- Differential Coded Multiple Signaling Method With Fully Differential Receiver for Mutual Capacitive Fingerprint TSP. *Heo, S.*, +, *TCSI Jan. 2020 74-85*
- Digital Battery Management Unit With Built-In Resistance Compensation, Modulated Frequency Detection and Multi-Mode Protection for Fast, Efficient and Safe Charging. *Li, J.*, +, *TCSI Nov. 2020 4063-4074*
- DT-CNN: An Energy-Efficient Dilated and Transposed Convolutional Neural Network Processor for Region of Interest Based Image Segmentation. *Im, D.*, +, *TCSI Oct. 2020 3471-3483*
- Energy-Efficient Hardware Architectures for Fast Polar Decoders. *Ercan, F.*, +, *TCSI Jan. 2020 322-335*
- Enhanced Linearity in FD-SOI CMOS Body-Input Analog Circuits – Application to Voltage-Controlled Ring Oscillators and Frequency-Based $\Sigma\Delta$ ADCs. *Ahmadi-Farsani, J.*, +, *TCSI Oct. 2020 3297-3308*
- Fast Sensing-Time and Hardware-Efficient Eigenvalue-Based Blind Spectrum Sensors for Cognitive Radio Network. *Chaurasiya, R.B.*, +, *TCSI April 2020 1296-1308*
- Fully-Integrated Reconfigurable Charge Pump With Two-Dimensional Frequency Modulation for Self-Powered Internet-of-Things Applications. *Cheng, H.*, +, *TCSI Nov. 2020 4132-4141*
- Generic Wireless Power Transfer and Data Communication System Based on a Novel Modulation Technique. *Trigui, A.*, +, *TCSI Nov. 2020 3978-3990*
- High Efficiency Doherty Power Amplifier Using Dual-Adaptive Biases. *Zhang, H.*, +, *TCSI Aug. 2020 2625-2634*
- High Sensitivity and Dynamic-Range 25 Gbaud Silicon Receiver Chipset With Current-Controlled DC Adjustment Path and Cube-Shape Ge-on-Si PD. *Bi, X.*, +, *TCSI Nov. 2020 3991-4001*
- I/Q Balance-Enhanced Wideband Receiver Front-End for 2G/3G/4G/5G NR Cellular Applications. *Han, J.*, +, *TCSI June 2020 1881-1891*
- Inherently Accurate Attenuation-Based Digital Calibration of ADC. *Oshima, T.*, +, *TCSI Jan. 2020 23-36*
- Multi-Channel Analog-to-Digital Conversion Techniques Using a Continuous-Time Delta-Sigma Modulator Without Reset. *Kumar, R.S.A.*, +, *TCSI Nov. 2020 3693-3703*
- On the Cross-Correlation Based Loop Gain Adaptation for Bang-Bang CDRs. *Ardila, J.*, +, *TCSI April 2020 1169-1180*
- On the Design of Low-Power Hybrids for Full Duplex Simultaneous Bidirectional Signaling Links. *Yuan, C.*, +, *TCSI April 2020 1413-1422*
- On-Chip Solar Energy Harvester and PMU With Cold Start-Up and Regulated Output Voltage for Biomedical Applications. *Cabello, D.*, +, *TCSI April 2020 1103-1114*
- Passive SC $\Sigma\Delta$ Modulator Based on Pipelined Charge-Sharing Rotation in 28-nm CMOS. *Wang, H.*, +, *TCSI Feb. 2020 578-589*
- Resistance Compression Dual-Band Differential CMOS RF Energy Harvester Under Modulated Signal Excitation. *Nagaveni, S.*, +, *TCSI Nov. 2020 4053-4062*
- Single Plastic Optical Fiber, Multiple Channel Data Link for Sensing Applications With PCB Implemented Transmitter and Receiver. *Fuchs, S.*, +, *TCSI March 2020 1045-1057*
- Single-Inductor Dual-Input Dual-Output Battery-PV Hybrid System With 2-D Adaptive On-Time Control for Internet of Things. *Lee, H.*, +, *TCSI March 2020 1069-1078*
- Slewing Mitigation Technique for Switched Capacitor Circuits. *Kareppagoudr, M.*, +, *TCSI Oct. 2020 3251-3261*
- Spur Minimization Techniques for Ultra-Low-Power Injection-Locked Transmitters. *Lin, C.*, +, *TCSI Nov. 2020 3643-3655*
- Theory and Implementation of a Load-Mismatch Protective Class-E PA System. *Ponte, J.*, +, *TCSI Feb. 2020 369-377*
- Time-Based Sensor Interface for Dopamine Detection. *Olabode, O.*, +, *TCSI Oct. 2020 3284-3296*
- Utilization of Multi-Resonant Defected Ground Structure Resonators in the Oscillator Feedback for Phase Noise Reduction of K-Band VCOs in 0.18- μm CMOS Technology. *Jahan, N.*, +, *TCSI April 2020 1115-1125*
- CMOS logic circuits**
- A Logic Synthesis Methodology for Low-Power Ternary Logic Circuits. *Kim, S.*, +, *TCSI Sept. 2020 3138-3151*
- An Efficient Massive MIMO Detector Based on Second-Order Richardson Iteration: From Algorithm to Flexible Architecture. *Tu, J.*, +, *TCSI Nov. 2020 4015-4028*
- Design and Evaluation of Low-Complexity Radiation Hardened CMOS Latch for Double-Node Upset Tolerance. *Guo, J.*, +, *TCSI June 2020 1925-1935*
- High-Speed Area-Efficient VLSI Architecture of Three-Operand Binary Adder. *Panda, A.K.*, +, *TCSI Nov. 2020 3944-3953*
- In-Hardware Training Chip Based on CMOS Invertible Logic for Machine Learning. *Onizawa, N.*, +, *TCSI May 2020 1541-1550*
- SC-DDPL: A Novel Standard-Cell Based Approach for Counteracting Power Analysis Attacks in the Presence of Unbalanced Routing. *Bellizia, D.*, +, *TCSI July 2020 2317-2330*
- Ultra-Low Power CMOS Image Sensor With Two-Step Logical Shift Algorithm-Based Correlated Double Sampling Scheme. *Park, K.*, +, *TCSI Nov. 2020 3718-3727*

CMOS memory circuits

- A 108 F²/Bit Fully Reconfigurable RRAM PUF Based on Truly Random Dynamic Entropy of Jitter Noise. *Zhao, Q.*, +, *TCSI Nov. 2020 3866-3879*
- A Low-Latency Multi-Touch Detector Based on Concurrent Processing of Redesigned Overlap Split and Connected Component Analysis. *Kong, B.Y.*, +, *TCSI Jan. 2020 166-176*
- A Low-Voltage-Driven High-Voltage SRAM Pixel Circuit for Power Reduction in a Digital Micro-Display Panel. *Cho, J.*, +, *TCSI May 2020 1640-1652*
- A Self-Timed Voltage-Mode Sensing Scheme With Successive Sensing and Checking for STT-MRAM. *Zhou, Y.*, +, *TCSI May 2020 1602-1614*
- Always-On 674 μ W@4GOP/s Error Resilient Binary Neural Networks With Aggressive SRAM Voltage Scaling on a 22-nm IoT End-Node. *Mauro, A.D.*, +, *TCSI Nov. 2020 3905-3918*
- Energy-Efficient Precharge-Free Ternary Content Addressable Memory (TCAM) for High Search Rate Applications. *Venkata Mahendra, T.*, +, *TCSI July 2020 2345-2357*
- IMAC: In-Memory Multi-Bit Multiplication and Accumulation in 6T SRAM Array. *Ali, M.*, +, *TCSI Aug. 2020 2521-2531*

CMOS technology

- A 270-mV 6T SRAM Using Row-Based Dual-Phase V_{DD} Control in 28-nm CMOS. *Lu, C.*, +, *TCSI Dec. 2020 4774-4783*
- A CMOS Peak Detect and Hold Circuit With Auto-Adjust Charging Current for NS-Scale Pulse ToF Lidar Application. *Zheng, H.*, +, *TCSI Dec. 2020 4409-4419*
- A Multi-Folded MCML for Ultra-Low-Voltage High-Performance in Deeply Scaled CMOS. *Palumbo, G.*, +, *TCSI Dec. 2020 4696-4706*
- Single-Slope Look-Ahead Ramp ADC for CMOS Image Sensors. *Elmezayen, M.R.*, +, *TCSI Dec. 2020 4484-4493*
- Switched-Capacitor-Assisted Power Gating for Ultra-Low Standby Power in CMOS Digital ICs. *Sankar, S.*, +, *TCSI Dec. 2020 4281-4294*

Code division multiple access

- An Efficient Sinusoid-Like Pseudo Random Sequence Modulator/Demodulator System With Reduced Adjacent Channel Leakage and High Rejection to Random and Systematic Interference. *Shao, J.*, +, *TCSI Nov. 2020 3790-3803*

Code standards

- A High-Throughput Hardware Architecture for AV1 Non-Directional Intra Modes. *Correa, M.M.*, +, *TCSI May 2020 1481-1494*

Codecs

- Polar Compiler: Auto-Generator of Hardware Architectures for Polar Encoders. *Zhong, Z.*, +, *TCSI June 2020 2091-2102*

Cognitive radio

- A 1.0-8.3 GHz Cochlea-Based Real-Time Spectrum Analyzer With Δ - Σ -Modulated Digital Outputs. *Wang, Y.*, +, *TCSI Sept. 2020 2934-2947*
- Fast Sensing-Time and Hardware-Efficient Eigenvalue-Based Blind Spectrum Sensors for Cognitive Radio Network. *Chaurasiya, R.B.*, +, *TCSI April 2020 1296-1308*

Coils

- CMOS High-Efficiency Wireless Battery Charging System With Global Power Control Through Backward Data Telemetry for Implantable Medical Devices. *Wu, C.*, +, *TCSI Dec. 2020 5624-5635*
- Compensation Network Optimal Design Based on Evolutionary Algorithm for Inductive Power Transfer System. *Chen, W.*, +, *TCSI Dec. 2020 5664-5674*
- Miniature Dual-Band Quadrature Coupler With Arbitrary Power Division Ratios Over the Two Bands. *Lin, Y.*, +, *TCSI Feb. 2020 634-646*

Color

- A High-Performance and Secure TRNG Based on Chaotic Cellular Automata Topology. *Luo, Y.*, +, *TCSI Dec. 2020 4970-4983*

Communication complexity

- Angular-Domain Massive MIMO Detection: Algorithm, Implementation, and Design Tradeoffs. *Mahdavi, M.*, +, *TCSI June 2020 1948-1961*

Comparators (circuits)

- 8fJ/Step Bandpass ADC With Digitally Assisted NTF Re-Configuration. *Tannirkulam Chandrasekaran, S.*, +, *TCSI Oct. 2020 3262-3272*
- A 0.04% BER Strong PUF With Cell-Bias-Based CRPs Filtering and Background Offset Calibration. *Liu, J.*, +, *TCSI Nov. 2020 3853-3865*

- A 0.36-V 5-MS/s Time-Mode Flash ADC With Dickson-Charge-Pump-Based Comparators in 28-nm CMOS. *Esmailian, A.*, +, *TCSI June 2020 1789-1802*

- A 33-ppm/ $^{\circ}$ C 240-nW 40-nm CMOS Wakeup Timer Based on a Bang-Bang Digital-Intensive Frequency-Locked-Loop for IoT Applications. *Ding, M.*, +, *TCSI July 2020 2263-2273*

- A Low Voltage and Low Power 10-bit Non-Binary 2b/Cycle Time and Voltage Based SAR ADC. *Luo, J.*, +, *TCSI April 2020 1136-1148*

- Order Statistics and Optimal Selection of Unit Elements in DACs to Enhance the Static Linearity. *Fan, H.*, +, *TCSI July 2020 2193-2203*

- Passive SC $\Sigma\Delta$ Modulator Based on Pipelined Charge-Sharing Rotation in 28-nm CMOS. *Wang, H.*, +, *TCSI Feb. 2020 578-589*

Compensation

- An 80 MHz Bandwidth and 26.8 dBm OOB IIP3 Transimpedance Amplifier With Improved Nested Feedforward Compensation and Multi-Order Filtering. *Jung, H.*, +, *TCSI Oct. 2020 3410-3421*

- Power-Scaling Output-Compensated Three-Stage OTAs for Wide Load Range Applications. *Riad, J.*, +, *TCSI July 2020 2180-2192*

- Self-Tuned Class-D Audio Amplifier With Post-Filter Digital Feedback Implemented on Digital Signal Controller. *Sobaszek, M.*, *TCSI March 2020 797-805*

Complex networks

- Adaptive PI Control for Synchronization of Complex Networks With Stochastic Coupling and Nonlinear Dynamics. *Gu, H.*, +, *TCSI Dec. 2020 5268-5280*

- Leader-Following Pinning Synchronization of Multiagent Systems With Impulsive Interlayer Coupling. *Ning, D.*, +, *TCSI Dec. 2020 5162-5174*

- Optimizing Synchronizability of Multilayer Networks Based on the Graph Comparison Method. *Liu, H.*, +, *TCSI May 2020 1740-1751*

- Pinning-Observer-Based Secure Synchronization Control for Complex Dynamical Networks Subject to DoS Attacks. *Liu, D.*, +, *TCSI Dec. 2020 5394-5404*

- Robust H_{∞} Pinning Synchronization for Complex Networks With Event-Triggered Communication Scheme. *Xing, W.*, +, *TCSI Dec. 2020 5233-5245*

- Towards Optimal Robustness of Network Controllability: An Empirical Necessary Condition. *Lou, Y.*, +, *TCSI Sept. 2020 3163-3174*

Complexity theory

- A Pipelined Reduced Complexity Two-Stages Parallel LMS Structure for Adaptive Beamforming. *Akkad, G.*, +, *TCSI Dec. 2020 5079-5091*

- An Agile LUT-Based All-Digital Transmitter. *Yang, J.*, +, *TCSI Dec. 2020 5550-5560*

- Ask Less, Get More: Side-Channel Signal Hiding, Revisited. *Levi, I.*, +, *TCSI Dec. 2020 4904-4917*

- Profile-Based Output Error Compensation for Approximate Arithmetic Circuits. *Chen, K.*, +, *TCSI Dec. 2020 4707-4718*

- Reduced-Complexity Key Equation Solvers for Generalized Integrated Interleaved BCH Decoders. *Xie, Z.*, +, *TCSI Dec. 2020 5520-5529*

- Using Rotator Transformations to Simplify FFT Hardware Architectures. *Andersson, R.*, +, *TCSI Dec. 2020 4784-4793*

Compressed sensing

- On Quantized Analog Compressive Sensing Methods for Efficient Resonator Frequency Estimation. *Somappa, L.*, +, *TCSI Dec. 2020 4556-4565*

Computational complexity

- A High-Performance Scalable Shared-Memory SVD Processor Architecture Based on Jacobi Algorithm and Batcher's Sorting Network. *Shahshahani, S.M.R.*, +, *TCSI June 2020 1912-1924*

- Bias-Compensated Sparsity-Aware NLMM Algorithms for Robust Adaptive Echo Cancellation. *Zheng, Z.*, +, *TCSI July 2020 2383-2396*

- Efficient Successive Over Relaxation Detectors for Massive MIMO. *Yu, A.*, +, *TCSI June 2020 2128-2139*

- Iterative Approach With Optimization-Based Execution Scheme for Parameter Identification of Distributed Parameter Systems and its Application in Secure Communication. *Li, R.*, +, *TCSI Sept. 2020 3113-3126*

- On Feedback Sample Selection Methods Allowing Lightweight Digital Predistorter Adaptation. *Kral, J.*, +, *TCSI June 2020 1976-1988*

- On the Complexity of Hybrid n -Term Karatsuba Multiplier for Trinomials. *Li, Y.*, +, *TCSI March 2020 852-865*

- Projected Kernel Least Mean p -Power Algorithm: Convergence Analyses and Modifications. *Zhao, J.*, +, *TCSI Oct. 2020 3498-3511*
- Towards Wave Digital Memcomputing With Physical Memristor Models. *Ochs, K.*, +, *TCSI April 2020 1092-1102*
- VPQC: A Domain-Specific Vector Processor for Post-Quantum Cryptography Based on RISC-V Architecture. *Xin, G.*, +, *TCSI Aug. 2020 2672-2684*
- Computational efficiency**
- A Resampling Method Based on Filter Designed by Window Function Considering Frequency Aliasing. *Liu, H.*, +, *TCSI Dec. 2020 5018-5030*
- Compact Mixed-Signal Convolutional Neural Network Using a Single Modular Neuron. *Chang, D.*, +, *TCSI Dec. 2020 5189-5199*
- Computational modeling**
- An Artificial Neural Network Processor With a Custom Instruction Set Architecture for Embedded Applications. *Valencia, D.*, +, *TCSI Dec. 2020 5200-5210*
- Hardware-Algorithm Co-Design of a Compressed Fuzzy Active Learning Method. *Jokar, E.*, +, *TCSI Dec. 2020 4932-4945*
- Turing Meets Circuit Theory: Not Every Continuous-Time LTI System Can be Simulated on a Digital Computer. *Boche, H.*, +, *TCSI Dec. 2020 5051-5064*
- Computer architecture**
- A 22nm, 10.8 μ W/15.1 μ W Dual Computing Modes High Power-Performance-Area Efficiency Domained Background Noise Aware Keyword-Spotting Processor. *Liu, B.*, +, *TCSI Dec. 2020 4733-4746*
- A Digital CMOS Silicon Photomultiplier Using Perimeter Gated Single Photon Avalanche Diodes With Asynchronous AER Readout. *Shawkat, M.S.A.*, +, *TCSI Dec. 2020 4818-4828*
- A High-Performance Stochastic LDPC Decoder Architecture Designed via Correlation Analysis. *Zhang, Q.*, +, *TCSI Dec. 2020 5429-5442*
- A Pipelined Reduced Complexity Two-Stages Parallel LMS Structure for Adaptive Beamforming. *Akkad, G.*, +, *TCSI Dec. 2020 5079-5091*
- An Artificial Neural Network Processor With a Custom Instruction Set Architecture for Embedded Applications. *Valencia, D.*, +, *TCSI Dec. 2020 5200-5210*
- An SRAM-Based PUF With a Capacitive Digital Preselection for a 1E-9 Key Error Probability. *Shifman, Y.*, +, *TCSI Dec. 2020 4855-4868*
- FPGA-Based Design for Online Computation of Multivariate Empirical Mode Decomposition. *Gul, S.*, +, *TCSI Dec. 2020 5040-5050*
- Hardware-Algorithm Co-Design of a Compressed Fuzzy Active Learning Method. *Jokar, E.*, +, *TCSI Dec. 2020 4932-4945*
- In-Field Performance Optimization for mm-Wave Mixed-Signal Doherty Power Amplifiers: A Bandit Approach. *Xu, S.*, +, *TCSI Dec. 2020 5302-5315*
- Profile-Based Output Error Compensation for Approximate Arithmetic Circuits. *Chen, K.*, +, *TCSI Dec. 2020 4707-4718*
- Reduced-Complexity Key Equation Solvers for Generalized Integrated Interleaved BCH Decoders. *Xie, Z.*, +, *TCSI Dec. 2020 5520-5529*
- SIKE'd Up: Fast Hardware Architectures for Supersingular Isogeny Key Encapsulation. *Koziel, B.*, +, *TCSI Dec. 2020 4842-4854*
- The Development of Silicon for AI: Different Design Approaches. *Lee, K.J.*, +, *TCSI Dec. 2020 4719-4732*
- Using Rotator Transformations to Simplify FFT Hardware Architectures. *Andersson, R.*, +, *TCSI Dec. 2020 4784-4793*
- Computer vision**
- A Binary Line Buffer Circuit Featuring Lossy Data Compression at Fixed Maximum Data Rate. *Napoli, E.*, +, *TCSI Jan. 2020 121-134*
- Processing Near Sensor Architecture in Mixed-Signal Domain With CMOS Image Sensor of Convolutional-Kernel-Readout Method. *Chen, Z.*, +, *TCSI Feb. 2020 389-400*
- Concurrency theory**
- A Low-Latency Multi-Touch Detector Based on Concurrent Processing of Redesigned Overlap Split and Connected Component Analysis. *Kong, B.Y.*, +, *TCSI Jan. 2020 166-176*
- Constant current sources**
- A Single Slope ADC With Row-Wise Noise Reduction Technique for CMOS Image Sensor. *Nie, K.*, +, *TCSI Sept. 2020 2873-2882*
- Digital Battery Management Unit With Built-In Resistance Compensation, Modulated Frequency Detection and Multi-Mode Protection for Fast, Efficient and Safe Charging. *Li, J.*, +, *TCSI Nov. 2020 4063-4074*
- Content-addressable storage**
- Design of Magnetic Non-Volatile TCAM With Priority-Decision in Memory Technology for High Speed, Low Power, and High Reliability. *Wang, C.*, +, *TCSI Feb. 2020 464-474*
- Energy-Efficient Precharge-Free Ternary Content Addressable Memory (TCAM) for High Search Rate Applications. *Venkata Mahendra, T.*, +, *TCSI July 2020 2345-2357*
- Continuous systems**
- Discrete-Communication-Based Bipartite Tracking of Networked Robotic Systems via Hierarchical Hybrid Control. *Ding, T.*, +, *TCSI April 2020 1402-1412*
- Continuous time filters**
- A Compact Fully Passive Loop Filter-Based Continuous Time $\Sigma\Delta$ Modulator for Multi-Channel Biomedical Applications. *Somappa, L.*, +, *TCSI Feb. 2020 590-599*
- Continuous time systems**
- Data-Based H_∞ Control for the Constrained-Input Nonlinear Systems and its Applications in Chaotic Circuit Systems. *Ren, L.*, +, *TCSI Aug. 2020 2791-2802*
- Fully Distributed Containment Control for Multiple Euler-Lagrange Systems Over Directed Graphs: An Event-Triggered Approach. *Xu, T.*, +, *TCSI June 2020 2078-2090*
- Periodic Event-Triggered Adaptive Control for Attitude Stabilization Under Input Saturation. *Jiang, B.*, +, *TCSI Jan. 2020 249-258*
- Control engineering computing**
- Data-Driven Distributed Coordinated Control for Cloud-Based Model-Free Multiagent Systems With Communication Constraints. *Tan, H.*, +, *TCSI Sept. 2020 3187-3198*
- Control nonlinearities**
- Adaptive Finite-Time Control for High-Order Nonlinear Systems With Multiple Uncertainties and its Application. *Min, H.*, +, *TCSI May 2020 1752-1761*
- Improved Sliding Mode Control With Time Delay Estimation for Motion Tracking of Cell Puncture Mechanism. *Xie, M.*, +, *TCSI Sept. 2020 3199-3210*
- Control system analysis**
- Cluster Tracking Performance Analysis of Linear Heterogeneous Multi-Agent Networks: A Complex Frequency Domain Approach. *Zhang, W.*, +, *TCSI Jan. 2020 259-270*
- Control system synthesis**
- A Novel Approach to State and Unknown Input Estimation for Takagi-Sugeno Fuzzy Models With Applications to Fault Detection. *Zhao, D.*, +, *TCSI June 2020 2053-2063*
- Adaptive Finite-Time Control for High-Order Nonlinear Systems With Multiple Uncertainties and its Application. *Min, H.*, +, *TCSI May 2020 1752-1761*
- An Adaptive SOSM Controller Design by Using a Sliding-Mode-Based Filter and its Application to Buck Converter. *Liu, L.*, +, *TCSI July 2020 2409-2418*
- Asymptotic Output Tracking of Probabilistic Boolean Control Networks. *Chen, B.*, +, *TCSI Aug. 2020 2780-2790*
- Attack-Resilient Event-Triggered Controller Design of DC Microgrids Under DoS Attacks. *Hu, S.*, +, *TCSI Feb. 2020 699-710*
- Distributed Adaptive Observer-Based Control for Output Consensus of Heterogeneous MASs With Input Saturation Constraint. *Lv, Y.*, +, *TCSI March 2020 995-1007*
- Distributed Fixed-Time Triggering-Based Containment Control for Networked Nonlinear Agents Under Directed Graphs. *Xu, T.*, +, *TCSI Oct. 2020 3541-3552*
- Event-Triggered Synchronization for Nonlinear Multi-Agent Systems With Sampled Data. *Han, Z.*, +, *TCSI Oct. 2020 3553-3561*
- Finite-Time H_∞ Filtering for State-Dependent Uncertain Systems With Event-Triggered Mechanism and Multiple Attacks. *Liu, J.*, +, *TCSI March 2020 1021-1034*

Fully Distributed Containment Control for Multiple Euler-Lagrange Systems Over Directed Graphs: An Event-Triggered Approach. *Xu, T., +, TCSI June 2020 2078-2090*

Global Stabilization of Switched Feedforward Nonlinear Time-Delay Systems Under Asynchronous Switching. *Li, Z., +, TCSI Feb. 2020 711-724*

H_∞ Control for Switched Systems Based on Dynamic Event-Triggered Strategy and Quantization Under State-Dependent Switching. *Ma, Y., +, TCSI Sept. 2020 3175-3186*

Memory Output-Feedback Integral Sliding Mode Control for Furuta Pendulum Systems. *Xu, J., +, TCSI June 2020 2042-2052*

Observer-Based Asynchronous Fault Detection for Conic-Type Nonlinear Jumping Systems and its Application to Separately Excited DC Motor. *Cheng, P., +, TCSI March 2020 951-962*

Periodic Event-Triggered Adaptive Control for Attitude Stabilization Under Input Saturation. *Jiang, B., +, TCSI Jan. 2020 249-258*

Position Regulator With Variable Cut-Off Frequency Mechanism for Hybrid-Type Stepper Motors. *Kim, S., +, TCSI Oct. 2020 3533-3540*

Reduced-Order Observer Based-Fault Estimation for Markovian Jump Systems With Time-Varying Generally Uncertain Transition Rates. *Lu, D., +, TCSI Aug. 2020 2803-2815*

Relaxed Multi-Instant Fuzzy State Estimation Design of Discrete-Time Nonlinear Systems and its Application: A Deep Division Approach. *Xie, X., +, TCSI May 2020 1775-1785*

Sampled-Data Modeling for PCM and ZVS Controlled Critical Conduction Mode (CrCM) Active Clamp Flyback (ACF) Converter at Variable Switching Frequency. *Xu, S., +, TCSI Oct. 2020 3588-3600*

Self-Tuned Class-D Audio Amplifier With Post-Filter Digital Feedback Implemented on Digital Signal Controller. *Sobaszek, M., TCSI March 2020 797-805*

Control systems

Event-Triggered Fuzzy Control of Repeated Scalar Nonlinear Systems and its Application to Chua's Circuit System. *Wen, Y., +, TCSI Dec. 2020 5347-5357*

Controllability

Asymptotic Output Tracking of Probabilistic Boolean Control Networks. *Chen, B., +, TCSI Aug. 2020 2780-2790*

Controllability of Deep-Coupling Dynamical Networks. *Wu, J., +, TCSI Dec. 2020 5211-5222*

Convergence

A Pipelined Reduced Complexity Two-Stages Parallel LMS Structure for Adaptive Beamforming. *Akkad, G., +, TCSI Dec. 2020 5079-5091*

Finite-Time Bipartite Tracking Control for Double-Integrator Networked Systems With Cooperative and Antagonistic Interactions. *Ning, B., +, TCSI Dec. 2020 5223-5232*

Iterative Approach With Optimization-Based Execution Scheme for Parameter Identification of Distributed Parameter Systems and its Application in Secure Communication. *Li, R., +, TCSI Sept. 2020 3113-3126*

Projected Kernel Least Mean p -Power Algorithm: Convergence Analyses and Modifications. *Zhao, J., +, TCSI Oct. 2020 3498-3511*

Convergence of numerical methods

MSE Analysis of a Multi-Loop LMS Pseudo-Random Noise Canceler for Mixed-Signal Circuit Calibration. *Kong, D., +, TCSI Sept. 2020 3084-3098*

Projected Kernel Least Mean p -Power Algorithm: Convergence Analyses and Modifications. *Zhao, J., +, TCSI Oct. 2020 3498-3511*

Converters

Balanced $(3+2\log n)\Delta G$ Adders for Moduli Set $\{2^{n+1}, 2^n+2^{n-1}-1, 2^{n+1}-1\}$. *Jaberipur, G., +, TCSI April 2020 1368-1377*

Convolution

Automated Framework for Time-Domain Piecewise-Linear Fitting Method Based on Digital Wave Processing of S -Parameters. *Belforte, P., +, TCSI Jan. 2020 235-248*

Compact Mixed-Signal Convolutional Neural Network Using a Single Modular Neuron. *Chang, D., +, TCSI Dec. 2020 5189-5199*

Fast 2D Convolution Algorithms for Convolutional Neural Networks. *Cheng, C., +, TCSI May 2020 1678-1691*

Weight-Oriented Approximation for Energy-Efficient Neural Network Inference Accelerators. *Tasoulas, Z., +, TCSI Dec. 2020 4670-4683*

Convolutional neural networks

A Power-Efficient CNN Accelerator With Similar Feature Skipping for Face Recognition in Mobile Devices. *Kim, S., +, TCSI April 2020 1181-1193*

A Precision-Scalable Energy-Efficient Convolutional Neural Network Accelerator. *Liu, W., +, TCSI Oct. 2020 3484-3497*

A Stride-Based Convolution Decomposition Method to Stretch CNN Acceleration Algorithms for Efficient and Flexible Hardware Implementation. *Yang, C., +, TCSI Sept. 2020 3007-3020*

Deep Neural Network Acceleration Based on Low-Rank Approximated Channel Pruning. *Chen, Z., +, TCSI April 2020 1232-1244*

DT-CNN: An Energy-Efficient Dilated and Transposed Convolutional Neural Network Processor for Region of Interest Based Image Segmentation. *Im, D., +, TCSI Oct. 2020 3471-3483*

Fast 2D Convolution Algorithms for Convolutional Neural Networks. *Cheng, C., +, TCSI May 2020 1678-1691*

Machine Learning-Based Approach for Hardware Faults Prediction. *Khalil, K., +, TCSI Nov. 2020 3880-3892*

O⁺-DNN: A Hybrid DSP-LUT-Based Processing Unit With Operation Packing and Out-of-Order Execution for Efficient Realization of Convolutional Neural Networks on FPGA Devices. *Haghi, P., +, TCSI Sept. 2020 3056-3069*

Optimizing Weight Mapping and Data Flow for Convolutional Neural Networks on Processing-in-Memory Architectures. *Peng, X., +, TCSI April 2020 1333-1343*

Processing Near Sensor Architecture in Mixed-Signal Domain With CMOS Image Sensor of Convolutional-Kernel-Readout Method. *Chen, Z., +, TCSI Feb. 2020 389-400*

Res-DNN: A Residue Number System-Based DNN Accelerator Unit. *Samimi, N., +, TCSI Feb. 2020 658-671*

Retrain-Less Weight Quantization for Multiplier-Less Convolutional Neural Networks. *Choi, J., +, TCSI March 2020 972-982*

VWA: Hardware Efficient Vectorwise Accelerator for Convolutional Neural Network. *Chang, K., +, TCSI Jan. 2020 145-154*

Coplanar waveguides

Design of a 77-GHz LC-VCO With a Slow-Wave Coplanar Stripline-Based Inductor. *Sharma, E., +, TCSI Feb. 2020 378-388*

Coprocessors

VPQC: A Domain-Specific Vector Processor for Post-Quantum Cryptography Based on RISC-V Architecture. *Xin, G., +, TCSI Aug. 2020 2672-2684*

Correlation

A High-Performance Stochastic LDPC Decoder Architecture Designed via Correlation Analysis. *Zhang, Q., +, TCSI Dec. 2020 5429-5442*

A Secure Distributed Information Sharing Algorithm Based on Attack Detection in Multi-Task Networks. *Shi, Q., +, TCSI Dec. 2020 5125-5138*

A Spectral-Correlation-Based Blind Calibration Method for Time-Interleaved ADCs. *Niu, H., +, TCSI Dec. 2020 5007-5017*

Counting circuits

Ultra-Low Power CMOS Image Sensor With Two-Step Logical Shift Algorithm-Based Correlated Double Sampling Scheme. *Park, K., +, TCSI Nov. 2020 3718-3727*

Couplers

A 28GHz Reflective-Type Transmission-Line-Based Phase Shifter. *Kadam, M., +, TCSI Dec. 2020 4641-4650*

Design of a Simultaneous Frequency- and Power-Dividing Ratio-Reconfigurable Quadrature Coupler With Simple Tuning Approach. *Tan, X., +, TCSI Dec. 2020 5510-5519*

High-Selectivity Single-Ended/Balanced DC-Block Filtering Impedance Transformer and Its Application on Power Amplifier. *Zhuang, Z., +, TCSI Dec. 2020 4360-4369*

Phase Shifter-Relaxed and Control-Relaxed Continuous Steering Multiple Beamforming 4×4 Butler Matrix Phased Array. *Ren, H., +, TCSI Dec. 2020 5031-5039*

Couplings

Adaptive PI Control for Synchronization of Complex Networks With Stochastic Coupling and Nonlinear Dynamics. *Gu, H., +, TCSI Dec. 2020 5268-5280*

- Compensation Network Optimal Design Based on Evolutionary Algorithm for Inductive Power Transfer System. *Chen, W.*, +, *TCSI Dec. 2020 5664-5674*
- Controllability of Deep-Coupling Dynamical Networks. *Wu, J.*, +, *TCSI Dec. 2020 5211-5222*
- Design Method for Compact Multifunctional Reconfigurable Filtering Power Divider on a New Tunable Three-Port Multi-Mode Topology. *Zhang, G.*, +, *TCSI Dec. 2020 4580-4592*
- High-Selectivity Single-Ended/Balanced DC-Block Filtering Impedance Transformer and Its Application on Power Amplifier. *Zhuang, Z.*, +, *TCSI Dec. 2020 4360-4369*
- Leader-Following Pinning Synchronization of Multiagent Systems With Impulsive Interlayer Coupling. *Ning, D.*, +, *TCSI Dec. 2020 5162-5174*
- Robust H_∞ Pinning Synchronization for Complex Networks With Event-Triggered Communication Scheme. *Xing, W.*, +, *TCSI Dec. 2020 5233-5245*
- Synthesis, Design, and Synchronization Analysis of Coupled Linear Electrical Networks. *Ochs, K.*, +, *TCSI Dec. 2020 4521-4532*
- Crosstalk**
- CMOS 256-Pixel/480-Pixel Photovoltaic-Powered Subretinal Prosthetic Chips With Wide Image Dynamic Range and Bi/Four-Directional Sharing Electrodes and Their *Ex Vivo* Experimental Validations With Mice. *Wu, C.*, +, *TCSI Oct. 2020 3273-3283*
- Low-Power Receivers for Wireless Capacitive Coupling Transmission in 3-D-Integrated Massively Parallel CMOS Imager. *Blakiewicz, G.*, +, *TCSI Aug. 2020 2556-2565*
- Cryogenics**
- Designing a DDS-Based SoC for High-Fidelity Multi-Qubit Control. *van Dijk, J.P.G.*, +, *TCSI Dec. 2020 5380-5393*
- Cryptocurrencies**
- A Standalone FPGA-Based Miner for Lyra2REv2 Cryptocurrencies. *Tetu, J.*, +, *TCSI April 2020 1194-1206*
- Cryptographic protocols**
- SC-DDPL: A Novel Standard-Cell Based Approach for Counteracting Power Analysis Attacks in the Presence of Unbalanced Routing. *Bellizia, D.*, +, *TCSI July 2020 2317-2330*
- Cryptography**
- A Strong Subthreshold Current Array PUF Resilient to Machine Learning Attacks. *Zhuang, H.*, +, *TCSI Jan. 2020 135-144*
- Implementation of Supersingular Isogeny-Based Diffie-Hellman and Key Encapsulation Using an Efficient Scheduling. *Farzam, M.*, +, *TCSI Dec. 2020 4895-4903*
- Iterative Approach With Optimization-Based Execution Scheme for Parameter Identification of Distributed Parameter Systems and its Application in Secure Communication. *Li, R.*, +, *TCSI Sept. 2020 3113-3126*
- Lattice-Based Cryptoprocessor for CCA-Secure Identity-Based Encryption. *Renteria-Mejia, C.P.*, +, *TCSI July 2020 2331-2344*
- Towards Wave Digital Memcomputing With Physical Memristor Models. *Ochs, K.*, +, *TCSI April 2020 1092-1102*
- Crystal oscillators**
- Temperature Compensation of Crystal References in NB-IoT Modems. *Haapala, T.*, +, *TCSI July 2020 2467-2480*
- Ultra-Low-Voltage CMOS Crystal Oscillators. *Siniscalchi, M.*, +, *TCSI June 2020 1846-1856*
- Current density**
- High Sensitivity and Dynamic-Range 25 Gbaud Silicon Receiver Chipset With Current-Controlled DC Adjustment Path and Cube-Shape Ge-on-Si PD. *Bi, X.*, +, *TCSI Nov. 2020 3991-4001*
- Current measurement**
- A Low Walk Error Analog Front-End Circuit With Intensity Compensation for Direct ToF LiDAR. *Wang, X.*, +, *TCSI Dec. 2020 4309-4321*
- Current-mode circuits**
- NS-CIM: A Current-Mode Computation-in-Memory Architecture Enabling Near-Sensor Processing for Intelligent IoT Vision Nodes. *Liu, Z.*, +, *TCSI Sept. 2020 2909-2922*
- CW radar**
- A 77-GHz Mixed-Mode FMCW Generator Based on a Vernier TDC With Dual Rising-Edge Fractional-Phase Detector. *Wu, J.*, +, *TCSI Jan. 2020 60-73*
- Cyber-physical systems**
- Interval Functional Observers Design for Time-Delay Systems Under Stealthy Attacks. *Huong, D.C.*, +, *TCSI Dec. 2020 5101-5112*
- Pinning-Observer-Based Secure Synchronization Control for Complex Dynamical Networks Subject to DoS Attacks. *Liu, D.*, +, *TCSI Dec. 2020 5394-5404*
- D**
- Damping**
- Interpreting Frame Transformations in AC Systems as Diagonalization of Harmonic Transfer Functions. *Li, Y.*, +, *TCSI July 2020 2481-2491*
- Modelling and Verification of Nonlinear Electromechanical Coupling in Micro-Scale Kinetic Electromagnetic Energy Harvesters. *Sokolov, A.*, +, *TCSI Feb. 2020 565-577*
- Data acquisition**
- A Flexible 18-Channel Multi-Hit Time-to-Digital Converter for Trigger-Based Data Acquisition Systems. *Chithra, .*, +, *TCSI June 2020 1892-1901*
- A Low-Power Signal-Dependent Sampling Technique: Analysis, Implementation, and Applications. *Hafshejani, E.H.*, +, *TCSI Dec. 2020 4334-4347*
- Data communication**
- A 7.8 Gb/s/pin, 1.96 pJ/b Transceiver With Phase-Difference-Modulation Signaling for Highly Reflective Interconnects. *Lee, S.*, +, *TCSI June 2020 2114-2127*
- Galvanically Isolated DC-DC Converter Using a Single Isolation Transformer for Multi-Channel Communication. *Parisi, A.*, +, *TCSI Dec. 2020 4434-4444*
- Generic Wireless Power Transfer and Data Communication System Based on a Novel Modulation Technique. *Trigui, A.*, +, *TCSI Nov. 2020 3978-3990*
- Interleaved Write Scheme for Improving Sequential Write Throughput of Multi-Chip MLC NAND Flash Memory Systems. *Hong, H.*, +, *TCSI Dec. 2020 4946-4959*
- Probabilistic-Constrained Distributed Filtering for a Class of Nonlinear Stochastic Systems Subject to Periodic DoS Attacks. *Tian, E.*, +, *TCSI Dec. 2020 5369-5379*
- Single Plastic Optical Fiber, Multiple Channel Data Link for Sensing Applications With PCB Implemented Transmitter and Receiver. *Fuchs, S.*, +, *TCSI March 2020 1045-1057*
- Data compression**
- A Binary Line Buffer Circuit Featuring Lossy Data Compression at Fixed Maximum Data Rate. *Napoli, E.*, +, *TCSI Jan. 2020 121-134*
- A High-Throughput Hardware Architecture for AV1 Non-Directional Intra Modes. *Correa, M.M.*, +, *TCSI May 2020 1481-1494*
- Deep Neural Network Acceleration Based on Low-Rank Approximated Channel Pruning. *Chen, Z.*, +, *TCSI April 2020 1232-1244*
- DPTC—An FPGA-Based Trace Compression. *Bruni, G.*, +, *TCSI Jan. 2020 189-197*
- Generative Multi-Symbol Architecture of the Binary Arithmetic Coder for UHDTV Video Encoders. *Pastuszak, G.*, *TCSI March 2020 891-902*
- Hardware-Compliant Compressive Image Sensor Architecture Based on Random Modulations and Permutations for Embedded Inference. *Ben-jilali, W.*, +, *TCSI April 2020 1218-1231*
- DC motors**
- Observer-Based Asynchronous Fault Detection for Conic-Type Nonlinear Jumping Systems and its Application to Separately Excited DC Motor. *Cheng, P.*, +, *TCSI March 2020 951-962*
- DC-DC power converters**
- A 4-MHz Digitally Controlled Voltage-Mode Buck Converter With Embedded Transient Improvement Using Delay Line Control Techniques. *Huang, Q.*, +, *TCSI Nov. 2020 4029-4040*
- A 470-nA Quiescent Current and 92.7%/94.7% Efficiency DCT/PWM Control Buck Converter With Seamless Mode Selection for IoT Application. *Zeng, W.*, +, *TCSI Nov. 2020 4085-4098*
- A 92%-Efficiency Battery Powered Hybrid DC-DC Converter for IoT Applications. *Elhebeary, M.*, +, *TCSI Oct. 2020 3342-3351*

- A Soft-Charging-Based SC DC–DC Boost Converter With Conversion-Ratio-Insensitive High Efficiency for Energy Harvesting in Miniature Sensor Systems. *Gi, H.*, +, *TCSI Oct. 2020 3601-3612*
- A Switched-Capacitor DC-DC Converter Powering an LC Oscillator to Achieve 85% System Peak Power Efficiency and –65dBc Spurious Tones. *Urso, A.*, +, *TCSI Nov. 2020 3764-3777*
- ADEPOS: A Novel Approximate Computing Framework for Anomaly Detection Systems and its Implementation in 65-nm CMOS. *Bose, S.K.*, +, *TCSI March 2020 913-926*
- An Error Amplifier With a Low Power Multi-Mode Voltage Clamper for Transient Enhancement and High Reliability. *Zhou, Z.*, +, *TCSI Nov. 2020 4075-4084*
- Analysis and Design of a New Current-Source Output Load Resonant Converter With High Capability in Line and Load Regulation. *Khoshsaadat, A.*, +, *TCSI Aug. 2020 2849-2858*
- Analysis and Design of Power Supply Circuits for RF Oscillators. *Urso, A.*, +, *TCSI Dec. 2020 4233-4246*
- Analysis and Investigation of Internal AC Frequency to Minimize AC Current Magnitude and Reactive Power Circulation in Chain-Link Modular Multilevel Direct DC–DC Converters. *Xiang, X.*, +, *TCSI Dec. 2020 5586-5599*
- Analysis of Start-Up Response in a Digitally Controlled Boost Converter With Constant Power Load and Mitigation of Inrush Current Problems. *El Aroudi, A.*, +, *TCSI April 2020 1276-1285*
- Comprehensive Conception of High Step-Up DC–DC Converters With Coupled Inductor and Voltage Multipliers Techniques. *Schmitz, L.*, +, *TCSI June 2020 2140-2151*
- Galvanically Isolated DC-DC Converter Using a Single Isolation Transformer for Multi-Channel Communication. *Parisi, A.*, +, *TCSI Dec. 2020 4434-4444*
- LDO-Free Power Management System: A 10-bit Pipelined ADC Directly Powered by Inductor-Based Boost Converter With Ripple Calibration. *Wang, H.*, +, *TCSI Dec. 2020 4174-4186*
- MultiObjective Evolutionary Approach to Grey-Box Identification of Buck Converter. *Hafiz, F.*, +, *TCSI June 2020 2016-2028*
- Single-Inductor Dual-Input Dual-Output Battery-PV Hybrid System With 2-D Adaptive On-Time Control for Internet of Things. *Lee, H.*, +, *TCSI March 2020 1069-1078*
- Decentralized control**
- ADP-Based Security Decentralized Sliding Mode Control for Partially Unknown Large-Scale Systems Under Injection Attacks. *Song, J.*, +, *TCSI Dec. 2020 5290-5301*
- Distributed Fixed-Time Triggering-Based Containment Control for Networked Nonlinear Agents Under Directed Graphs. *Xu, T.*, +, *TCSI Oct. 2020 3541-3552*
- Decision feedback equalizers**
- A 100-Gbps 4-Lane Transceiver for 47-dB Loss Copper Cable in 28-nm CMOS. *Norimatsu, T.*, +, *TCSI Oct. 2020 3433-3443*
- A 7.8 Gb/s/pin, 1.96 pJ/b Transceiver With Phase-Difference-Modulation Signaling for Highly Reflective Interconnects. *Lee, S.*, +, *TCSI June 2020 2114-2127*
- Decision trees**
- Low-Energy Voice Activity Detection via Energy-Quality Scaling From Data Conversion to Machine Learning. *Teo, J.H.*, +, *TCSI April 2020 1378-1388*
- Decoding**
- 3D-HEVC Bipartition Modes Encoder and Decoder Design Targeting High-Resolution Videos. *Sanchez, G.*, +, *TCSI Feb. 2020 415-427*
- A High-Performance Stochastic LDPC Decoder Architecture Designed via Correlation Analysis. *Zhang, Q.*, +, *TCSI Dec. 2020 5429-5442*
- A High-Throughput Hardware Architecture for AV1 Non-Directional Intra Modes. *Correa, M.M.*, +, *TCSI May 2020 1481-1494*
- Codes for Limited Magnitude Error Correction in Multilevel Cell Memories. *Liu, S.*, +, *TCSI May 2020 1615-1626*
- Energy-Efficient Hardware Architectures for Fast Polar Decoders. *Ercan, F.*, +, *TCSI Jan. 2020 322-335*
- Flexible High Throughput QC-LDPC Decoder With Perfect Pipeline Conflicts Resolution and Efficient Hardware Utilization. *Petrovic, V.L.*, +, *TCSI Dec. 2020 5454-5467*
- Low-Latency Unfolded-KES Architecture for Emerging Storage Class Memories. *Moon, S.*, +, *TCSI June 2020 2103-2113*
- Near-Optimal Decoding of Incremental Delta-Sigma ADC Output. *Wang, B.*, +, *TCSI Nov. 2020 3670-3680*
- Reduced-Complexity Key Equation Solvers for Generalized Integrated Interleaved BCH Decoders. *Xie, Z.*, +, *TCSI Dec. 2020 5520-5529*
- Defected ground structures**
- Utilization of Multi-Resonant Defected Ground Structure Resonators in the Oscillator Feedback for Phase Noise Reduction of K-Band VCOs in 0.18- μ m CMOS Technology. *Jahan, N.*, +, *TCSI April 2020 1115-1125*
- Delay effects**
- Interval Functional Observers Design for Time-Delay Systems Under Stealthy Attacks. *Huong, D.C.*, +, *TCSI Dec. 2020 5101-5112*
- Delay estimation**
- Synthesis of DDRO Timing Monitors by Delay-Tracking and Static Timing Analysis. *Kasturi Rangan, J.*, +, *TCSI Feb. 2020 401-414*
- Delay lines**
- A 1.45 GHz All-Digital Spread Spectrum Clock Generator in 65nm CMOS for Synchronization-Free SoC Applications. *De Caro, D.*, +, *TCSI Nov. 2020 3839-3852*
- A 4-MHz Digitally Controlled Voltage-Mode Buck Converter With Embedded Transient Improvement Using Delay Line Control Techniques. *Huang, Q.*, +, *TCSI Nov. 2020 4029-4040*
- A High Resolution DPWM Based on Synchronous Phase-Shifted Circuit and Delay Line. *Cheng, X.*, +, *TCSI Aug. 2020 2685-2692*
- Delay lock loops**
- Low-Power All-Digital Multiphase DLL Design Using a Scalable Phase-to-Digital Converter. *Angeli, N.*, +, *TCSI April 2020 1158-1168*
- Delay systems**
- Global Stabilization of Switched Feedforward Nonlinear Time-Delay Systems Under Asynchronous Switching. *Li, Z.*, +, *TCSI Feb. 2020 711-724*
- Delays**
- A 28GHz Reflective-Type Transmission-Line-Based Phase Shifter. *Kadam, M.*, +, *TCSI Dec. 2020 4641-4650*
- A Pipelined Reduced Complexity Two-Stages Parallel LMS Structure for Adaptive Beamforming. *Akkad, G.*, +, *TCSI Dec. 2020 5079-5091*
- A Resampling Method Based on Filter Designed by Window Function Considering Frequency Aliasing. *Liu, H.*, +, *TCSI Dec. 2020 5018-5030*
- A Systematic Approach for Arbitration Expressions. *Bingham, N.*, +, *TCSI Dec. 2020 4960-4969*
- Decentralized Adaptive Event-Triggered Control for a Class of Uncertain Systems With Deception Attacks and Its Application to Electronic Circuits. *Sun, Y.*, +, *TCSI Dec. 2020 5405-5416*
- Event-Triggered Synchronization for Nonlinear Multi-Agent Systems With Sampled Data. *Han, Z.*, +, *TCSI Oct. 2020 3553-3561*
- Improved Sliding Mode Control With Time Delay Estimation for Motion Tracking of Cell Puncture Mechanism. *Xie, M.*, +, *TCSI Sept. 2020 3199-3210*
- Linearity Theory of Stochastic Phase-Interpolation Time-to-Digital Converter. *Gammoh, K.*, +, *TCSI Dec. 2020 4348-4359*
- Memory Output-Feedback Integral Sliding Mode Control for Furuta Pendulum Systems. *Xu, J.*, +, *TCSI June 2020 2042-2052*
- Quadruple Cross-Coupled Dual-Interlocked-Storage-Cells-Based Multiple-Node-Upset-Tolerant Latch Designs. *Yan, A.*, +, *TCSI March 2020 879-890*
- Robust H_{∞} Pinning Synchronization for Complex Networks With Event-Triggered Communication Scheme. *Xing, W.*, +, *TCSI Dec. 2020 5233-5245*
- Synthesis of DDRO Timing Monitors by Delay-Tracking and Static Timing Analysis. *Kasturi Rangan, J.*, +, *TCSI Feb. 2020 401-414*
- Timing Reliability Improvement of Master-Slave Flip-Flops in the Presence of Aging Effects. *Jafari, A.*, +, *TCSI Dec. 2020 4761-4773*
- True-Time-Delay Beamforming Receiver With RF Re-Sampling. *Spoof, K.*, +, *TCSI Dec. 2020 4457-4469*
- Using Rotator Transformations to Simplify FFT Hardware Architectures. *Andersson, R.*, +, *TCSI Dec. 2020 4784-4793*
- Delta-sigma modulation**
- 76-dB DR, 48 fJ/Step Second-Order VCO-Based Current-to-Digital Converter. *Jayaraj, A.*, +, *TCSI April 2020 1149-1157*

- A +0.66/−0.73 °C Inaccuracy, 1.99- μ W Time-Domain CMOS Temperature Sensor With Second-Order $\Delta\Sigma$ Modulator and On-Chip Reference Clock. *Chen, Y., +, TCSI Nov. 2020 3815-3827*
- A 1.0-8.3 GHz Cochlea-Based Real-Time Spectrum Analyzer With $\Delta\Sigma$ -Modulated Digital Outputs. *Wang, Y., +, TCSI Sept. 2020 2934-2947*
- A 14b, Twofold Time-Interleaved Incremental $\Delta\Sigma$ ADC Using Hardware Sharing. *Vogelmann, P., +, TCSI Nov. 2020 3681-3692*
- A Compact Fully Passive Loop Filter-Based Continuous Time $\Sigma\Delta$ Modulator for Multi-Channel Biomedical Applications. *Somappa, L., +, TCSI Feb. 2020 590-599*
- Analysis of Wandering Spur Patterns in a Fractional- N Frequency Synthesizer With a MASH-Based Divider Controller. *Mai, D., +, TCSI March 2020 729-742*
- Design Approach for Ring Amplifiers. *Conrad, J., +, TCSI Oct. 2020 3444-3457*
- Improved Continuous-Time Delta-Sigma Modulators With Embedded Active Filtering. *Manivannan, S., +, TCSI Nov. 2020 3778-3789*
- Jitter Suppression Techniques for High-Speed Sample-and-Hold Circuits. *Jamali-Zavareh, S., +, TCSI Jan. 2020 1-11*
- Low-Power All-Digital Multiphase DLL Design Using a Scalable Phase-to-Digital Converter. *Angeli, N., +, TCSI April 2020 1158-1168*
- Multi-Channel Analog-to-Digital Conversion Techniques Using a Continuous-Time Delta-Sigma Modulator Without Reset. *Kumar, R.S.A., +, TCSI Nov. 2020 3693-3703*
- Near-Optimal Decoding of Incremental Delta-Sigma ADC Output. *Wang, B., +, TCSI Nov. 2020 3670-3680*
- Passive SC $\Sigma\Delta$ Modulator Based on Pipelined Charge-Sharing Rotation in 28-nm CMOS. *Wang, H., +, TCSI Feb. 2020 578-589*
- Reconfigurable Digital Delta-Sigma Modulation Transmitter Architecture for Concurrent Multi-Band Transmission. *Kumar, N., +, TCSI July 2020 2455-2466*
- Slewing Mitigation Technique for Switched Capacitor Circuits. *Kareppagoudar, M., +, TCSI Oct. 2020 3251-3261*
- Demodulation**
- A 1.0-8.3 GHz Cochlea-Based Real-Time Spectrum Analyzer With $\Delta\Sigma$ -Modulated Digital Outputs. *Wang, Y., +, TCSI Sept. 2020 2934-2947*
- An Efficient Sinusoid-Like Pseudo Random Sequence Modulator/Demodulator System With Reduced Adjacent Channel Leakage and High Rejection to Random and Systematic Interference. *Shao, J., +, TCSI Nov. 2020 3790-3803*
- Double-Sub-Stream M-ary Differential Chaos Shift Keying Wireless Communication System Using Chaotic Shape-Forming Filter. *Bai, C., +, TCSI Oct. 2020 3574-3587*
- Generic Wireless Power Transfer and Data Communication System Based on a Novel Modulation Technique. *Trigui, A., +, TCSI Nov. 2020 3978-3990*
- Denial-of-service attack**
- Pinning-Observer-Based Secure Synchronization Control for Complex Dynamical Networks Subject to DoS Attacks. *Liu, D., +, TCSI Dec. 2020 5394-5404*
- Density measurement**
- Single-Stage Three-Phase AC-DC Resonant Switched Capacitor LED Driver Without Electrolytic Capacitor and Reduced Number of Controlled Switches. *Miranda, P.H.A., +, TCSI Dec. 2020 5675-5686*
- Design methodology**
- Design Method for Compact Multifunctional Reconfigurable Filtering Power Divider on a New Tunable Three-Port Multi-Mode Topology. *Zhang, G., +, TCSI Dec. 2020 4580-4592*
- Detector circuits**
- A Transient-Enhanced Output-Capacitorless LDO With Fast Local Loop and Overshoot Detection. *Liu, N., +, TCSI Oct. 2020 3422-3432*
- Enhanced Linear Iterative Detector for Massive Multiuser MIMO Uplink. *Tan, X., +, TCSI Feb. 2020 540-552*
- Detectors**
- A Low Walk Error Analog Front-End Circuit With Intensity Compensation for Direct ToF LiDAR. *Wang, X., +, TCSI Dec. 2020 4309-4321*
- Differential algebraic equations**
- Analytical Study of the Impacts of Stochastic Load Fluctuation on the Dynamic Voltage Stability Margin Using Bifurcation Theory. *Pierrou, G., +, TCSI April 2020 1286-1295*
- Differential amplifiers**
- A 7.8 Gb/s/pin, 1.96 pJ/b Transceiver With Phase-Difference-Modulation Signaling for Highly Reflective Interconnects. *Lee, S., +, TCSI June 2020 2114-2127*
- EMI Reduction in Class-D Amplifiers by Actively Reducing PWM Ripple. *Lokin, C.E., +, TCSI March 2020 765-773*
- Differential equations**
- Simulations of Memristors Using the Poincaré Map Approach. *Galias, Z., TCSI March 2020 963-971*
- Differential transformers**
- A 28-GHz 16-Gb/s High Efficiency 16-QAM Transmitter in 65-nm CMOS. *Meng, X., +, TCSI June 2020 1835-1845*
- Digital arithmetic**
- A Memristive Multiplier Using Semi-Serial IMPLY-Based Adder. *Radakovits, D., +, TCSI May 2020 1495-1506*
- Design and Implementation of a Low-Latency Modular Multiplication Algorithm. *Ozturk, E., TCSI June 2020 1902-1911*
- Improving Architectures of Binary Signed-Digit CORDIC With Generic/Specific Initial Angles. *Mahdavi, H., +, TCSI July 2020 2297-2304*
- On the Complexity of Hybrid n -Term Karatsuba Multiplier for Trinomials. *Li, Y., +, TCSI March 2020 852-865*
- Digital control**
- A 4-MHz Digitally Controlled Voltage-Mode Buck Converter With Embedded Transient Improvement Using Delay Line Control Techniques. *Huang, Q., +, TCSI Nov. 2020 4029-4040*
- A Miniaturized 0.003 mm² PNP-Based Thermal Sensor for Dense CPU Thermal Monitoring. *Bass, O., +, TCSI Sept. 2020 2984-2992*
- Active Interface for Piezoelectric Harvesters Based on Multi-Variable Maximum Power Point Tracking. *Costanzo, L., +, TCSI July 2020 2503-2515*
- An NMOS Digital LDO With NAND-Based Analog-Assisted Loop in 28-nm CMOS. *Ma, X., +, TCSI Nov. 2020 4041-4052*
- Analysis of Start-Up Response in a Digitally Controlled Boost Converter With Constant Power Load and Mitigation of Inrush Current Problems. *El Aroudi, A., +, TCSI April 2020 1276-1285*
- Digital Battery Management Unit With Built-In Resistance Compensation, Modulated Frequency Detection and Multi-Mode Protection for Fast, Efficient and Safe Charging. *Li, J., +, TCSI Nov. 2020 4063-4074*
- Self-Tuned Class-D Audio Amplifier With Post-Filter Digital Feedback Implemented on Digital Signal Controller. *Sobaszek, M., TCSI March 2020 797-805*
- Digital filters**
- A 33-ppm/°C 240-nW 40-nm CMOS Wakeup Timer Based on a Bang-Bang Digital-Intensive Frequency-Locked-Loop for IoT Applications. *Ding, M., +, TCSI July 2020 2263-2273*
- A 4-MHz Digitally Controlled Voltage-Mode Buck Converter With Embedded Transient Improvement Using Delay Line Control Techniques. *Huang, Q., +, TCSI Nov. 2020 4029-4040*
- A 5–13.5 Gb/s Multistandard Receiver With High Jitter Tolerance Digital CDR in 40-nm CMOS Process. *Shu, Z., +, TCSI Oct. 2020 3378-3388*
- An Open Loop Digitally Controlled Hybrid Supply Modulator Achieving High Efficiency for Envelope Tracking With Baseband up to 200-MHz. *Chen, Z., +, TCSI Nov. 2020 4142-4153*
- EMI Reduction in Class-D Amplifiers by Actively Reducing PWM Ripple. *Lokin, C.E., +, TCSI March 2020 765-773*
- Near-Optimal Decoding of Incremental Delta-Sigma ADC Output. *Wang, B., +, TCSI Nov. 2020 3670-3680*
- Digital phase locked loops**
- Jitter Minimization in Digital PLLs with Mid-Rise TDCs. *Avallone, L., +, TCSI March 2020 743-752*
- Digital signal processing chips**
- Hardware-Compliant Compressive Image Sensor Architecture Based on Random Modulations and Permutations for Embedded Inference. *Benjilali, W., +, TCSI April 2020 1218-1231*

O⁴-DNN: A Hybrid DSP-LUT-Based Processing Unit With Operation Packing and Out-of-Order Execution for Efficient Realization of Convolutional Neural Networks on FPGA Devices. *Haghi, P., +, TCSI Sept. 2020 3056-3069*

Self-Tuned Class-D Audio Amplifier With Post-Filter Digital Feedback Implemented on Digital Signal Controller. *Sobaszek, M., TCSI March 2020 797-805*

Digital signatures

An Efficient Implementation of the NewHope Key Exchange on FPGAs. *Xing, Y., +, TCSI March 2020 866-878*

Compact Code-Based Signature for Reconfigurable Devices With Side Channel Resilience. *Hu, J., +, TCSI July 2020 2305-2316*

Digital video broadcasting

Fast Sensing-Time and Hardware-Efficient Eigenvalue-Based Blind Spectrum Sensors for Cognitive Radio Network. *Chaurasiya, R.B., +, TCSI April 2020 1296-1308*

Digital-analog conversion

A 10.7b 300MS/s Two-Step Digital-Slope ADC in 65nm CMOS. *Peng, C., +, TCSI Sept. 2020 2948-2959*

A 12-bit SAR ADC With a DAC-Configurable Window Switching Scheme. *Chung, Y., +, TCSI Feb. 2020 358-368*

A 77-GHz Mixed-Mode FMCW Generator Based on a Vernier TDC With Dual Rising-Edge Fractional-Phase Detector. *Wu, J., +, TCSI Jan. 2020 60-73*

A Mismatch Calibration Technique for SAR ADCs Based on Deterministic Self-Calibration and Stochastic Quantization. *Bagheri, M., +, TCSI Sept. 2020 2883-2896*

A Single Slope ADC With Row-Wise Noise Reduction Technique for CMOS Image Sensor. *Nie, K., +, TCSI Sept. 2020 2873-2882*

An 8-bit Low-Cost String DAC With Gradient Errors Suppression to Achieve 16-bit Linearity. *Liu, N., +, TCSI July 2020 2157-2168*

An Inverter-Based Continuous Time Sigma Delta ADC With Latency-Free DAC Calibration. *Guo, Y., +, TCSI Nov. 2020 3630-3642*

Dual Pulse Shaping Transmission and Equalization for High-Speed Wideband Wireless Communication Systems. *Zhang, H., +, TCSI July 2020 2372-2382*

MSE Analysis of a Multi-Loop LMS Pseudo-Random Noise Canceler for Mixed-Signal Circuit Calibration. *Kong, D., +, TCSI Sept. 2020 3084-3098*

Order Statistics and Optimal Selection of Unit Elements in DACs to Enhance the Static Linearity. *Fan, H., +, TCSI July 2020 2193-2203*

Direct digital synthesis

Phase Coherent Frequency Hopping in Direct Digital Synthesizers and Phase Locked Loops. *Turner, S.E., +, TCSI June 2020 1815-1823*

Directed graphs

Discrete-Communication-Based Bipartite Tracking of Networked Robotic Systems via Hierarchical Hybrid Control. *Ding, T., +, TCSI April 2020 1402-1412*

Distributed Adaptive Observer-Based Control for Output Consensus of Heterogeneous MASs With Input Saturation Constraint. *Lv, Y., +, TCSI March 2020 995-1007*

Distributed Fixed-Time Triggering-Based Containment Control for Networked Nonlinear Agents Under Directed Graphs. *Xu, T., +, TCSI Oct. 2020 3541-3552*

Fully Distributed Containment Control for Multiple Euler-Lagrange Systems Over Directed Graphs: An Event-Triggered Approach. *Xu, T., +, TCSI June 2020 2078-2090*

Directional couplers

A 28-GHz 16-Gb/s High Efficiency 16-QAM Transmitter in 65-nm CMOS. *Meng, X., +, TCSI June 2020 1835-1845*

Discharges (electric)

Leakage-Aware Battery Lifetime Analysis Using the Calculus of Variations. *Jafari-Nodoushan, M., +, TCSI Dec. 2020 4829-4841*

Discrete cosine transforms

A Probabilistic Prediction-Based Fixed-Width Booth Multiplier for Approximate Computing. *He, Y., +, TCSI Dec. 2020 4794-4803*

A Time-Efficient Automatic Circuit Approximation Method. *Zhang, Z., +, TCSI Sept. 2020 3047-3055*

Discrete Fourier transforms

A Spectral-Correlation-Based Blind Calibration Method for Time-Interleaved ADCs. *Niu, H., +, TCSI Dec. 2020 5007-5017*

Discrete systems

Discrete-Communication-Based Bipartite Tracking of Networked Robotic Systems via Hierarchical Hybrid Control. *Ding, T., +, TCSI April 2020 1402-1412*

Sampled-Data Modeling for PCM and ZVS Controlled Critical Conduction Mode (CrCM) Active Clamp Flyback (ACF) Converter at Variable Switching Frequency. *Xu, S., +, TCSI Oct. 2020 3588-3600*

Discrete time systems

Asymptotic Output Tracking of Probabilistic Boolean Control Networks. *Chen, B., +, TCSI Aug. 2020 2780-2790*

H_∞ Control for Switched Systems Based on Dynamic Event-Triggered Strategy and Quantization Under State-Dependent Switching. *Ma, Y., +, TCSI Sept. 2020 3175-3186*

Observer-Based Asynchronous Fault Detection for Conic-Type Nonlinear Jumping Systems and its Application to Separately Excited DC Motor. *Cheng, P., +, TCSI March 2020 951-962*

Relaxed Multi-Instant Fuzzy State Estimation Design of Discrete-Time Nonlinear Systems and its Application: A Deep Division Approach. *Xie, X., +, TCSI May 2020 1775-1785*

Robust Filtering of Discrete-Time Linear Systems With Correlated Process and Measurement Noises. *Yin, L., +, TCSI March 2020 1008-1020*

Discrete-time systems

Global Stabilization of the Discrete-Time Integrators System by Bounded Controls. *Yang, X., +, TCSI Dec. 2020 5175-5188*

Distance measurement

High Accuracy Adaptive Microwave Ranging Using SNR-Based Perception for Coherent Distributed Antenna Arrays. *Mghabghab, S.R., +, TCSI Dec. 2020 5540-5549*

Distortion

Efficient Offline Outer/Inner DAC Mismatch Calibration in Wideband $\Delta\Sigma$ ADCs. *Liu, H., +, TCSI Dec. 2020 4259-4269*

Self-Tuned Class-D Audio Amplifier With Post-Filter Digital Feedback Implemented on Digital Signal Controller. *Sobaszek, M., TCSI March 2020 797-805*

Distributed amplifiers

An Integrated, Software-Defined FDD Transceiver: Distributed Duplexing Theory and Operation. *Tapen, T., +, TCSI Jan. 2020 271-283*

InP DHBT Single-Stage and Multiplicative Distributed Amplifiers for Ultra-Wideband Amplification. *Odedeyi, T., +, TCSI Nov. 2020 3804-3814*

Distributed arithmetic

An Analytical Framework and Approximation Strategy for Efficient Implementation of Distributed Arithmetic-Based Inner-Product Architectures. *Ray, D., +, TCSI Jan. 2020 212-224*

Distributed control

Data-Driven Distributed Coordinated Control for Cloud-Based Model-Free Multiagent Systems With Communication Constraints. *Tan, H., +, TCSI Sept. 2020 3187-3198*

Distributed Adaptive Observer-Based Control for Output Consensus of Heterogeneous MASs With Input Saturation Constraint. *Lv, Y., +, TCSI March 2020 995-1007*

Distributed Consensus of Layered Multi-Agent Systems Subject to Attacks on Edges. *Wen, G., +, TCSI Sept. 2020 3152-3162*

Distributed Fixed-Time Triggering-Based Containment Control for Networked Nonlinear Agents Under Directed Graphs. *Xu, T., +, TCSI Oct. 2020 3541-3552*

Fully Distributed Containment Control for Multiple Euler-Lagrange Systems Over Directed Graphs: An Event-Triggered Approach. *Xu, T., +, TCSI June 2020 2078-2090*

Distributed parameter systems

Iterative Approach With Optimization-Based Execution Scheme for Parameter Identification of Distributed Parameter Systems and its Application in Secure Communication. *Li, R., +, TCSI Sept. 2020 3113-3126*

Distributed power generation

Adaptive Event-Triggered Predictive Control for Finite Time Microgrid. *Yan, H., +, TCSI March 2020 1035-1044*

Attack-Resilient Event-Triggered Controller Design of DC Microgrids Under DoS Attacks. *Hu, S., +, TCSI Feb. 2020 699-710*

Distributed sensors

Improving the Performance of Multitask Diffusion APA via Controlled Inter-Cluster Cooperation. *Gogineni, V.C., +, TCSI March 2020 903-912*

Distribution networks

Dynamic State Estimation of Power Systems by p -Norm Nonlinear Kalman Filter. *Wang, W., +, TCSI May 2020 1715-1728*

Doping

Challenges and Solutions of the TFET Circuit Design. *Lin, Z., +, TCSI Dec. 2020 4918-4931*

DRAM chips

An Approximate Memory Architecture for Energy Saving in Deep Learning Applications. *Nguyen, D.T., +, TCSI May 2020 1588-1601*

Bulkyflip: A NAND-SPIN-Based Last-Level Cache With Bandwidth-Oriented Write Management Policy. *Wu, B., +, TCSI Jan. 2020 108-120*

Codes for Limited Magnitude Error Correction in Multilevel Cell Memories. *Liu, S., +, TCSI May 2020 1615-1626*

Current-Based Data-Retention-Time Characterization of Gain-Cell Embedded DRAMs Across the Design and Variations Space. *Giterman, R., +, TCSI April 2020 1207-1217*

In-Memory Low-Cost Bit-Serial Addition Using Commodity DRAM Technology. *Ali, M.F., +, TCSI Jan. 2020 155-165*

Driver circuits

A Low-Voltage-Driven High-Voltage SRAM Pixel Circuit for Power Reduction in a Digital Micro-Display Panel. *Cho, J., +, TCSI May 2020 1640-1652*

A Switched-Capacitor DC-DC Converter Powering an LC Oscillator to Achieve 85% System Peak Power Efficiency and -65 dBc Spurious Tones. *Urso, A., +, TCSI Nov. 2020 3764-3777*

Bootstrapped Driver and the Single-Event-Upset Effect. *Al-Daloo, M., +, TCSI Oct. 2020 3309-3319*

Design of Stage-Selective Negative Voltage Generator to Improve On-Chip Power Conversion Efficiency for Neuron Stimulation. *Lin, S., +, TCSI Nov. 2020 4122-4131*

Design, Implementation, and Experimental Verification of 5 Gbps, 800 Mrad TID and SEU-Tolerant Optical Modulators Drivers. *Ciarpi, G., +, TCSI March 2020 829-838*

On the Design of Low-Power Hybrids for Full Duplex Simultaneous Bidirectional Signaling Links. *Yuan, C., +, TCSI April 2020 1413-1422*

Dynamic programming

Statistical BER Analysis of Wireline Links With Non-Binary Linear Block Codes Subject to DFE Error Propagation. *Yang, M., +, TCSI Jan. 2020 284-297*

Dynamic range

A Low Walk Error Analog Front-End Circuit With Intensity Compensation for Direct ToF LiDAR. *Wang, X., +, TCSI Dec. 2020 4309-4321*

E

Ear

A 1.0-8.3 GHz Cochlea-Based Real-Time Spectrum Analyzer With Δ - Σ -Modulated Digital Outputs. *Wang, Y., +, TCSI Sept. 2020 2934-2947*

A 1.5 mW Programmable Acoustic Signal Processor for Hearing Assistive Devices With Speech Intelligibility Enhancement. *Lin, Y., +, TCSI Dec. 2020 4984-4993*

Echo suppression

Bias-Compensated Sparsity-Aware NLMM Algorithms for Robust Adaptive Echo Cancellation. *Zheng, Z., +, TCSI July 2020 2383-2396*

Eigenvalues and eigenfunctions

A High-Performance Scalable Shared-Memory SVD Processor Architecture Based on Jacobi Algorithm and Batcher's Sorting Network. *Shahshahani, S.M.R., +, TCSI June 2020 1912-1924*

Corrections to "Two Reciprocal Power Theorems for Passive Linear Time-Invariant Multiports". *Broyde, F., +, TCSI July 2020 2516-2517*

Fast Sensing-Time and Hardware-Efficient Eigenvalue-Based Blind Spectrum Sensors for Cognitive Radio Network. *Chaurasiya, R.B., +, TCSI April 2020 1296-1308*

Electric breakdown

A Digital CMOS Silicon Photomultiplier Using Perimeter Gated Single Photon Avalanche Diodes With Asynchronous AER Readout. *Shawkat, M.S.A., +, TCSI Dec. 2020 4818-4828*

Electric current control

A Low-Profile High-Efficiency Fast Battery Charger With Unifiable Constant-Current and Constant-Voltage Regulation. *Qu, Y., +, TCSI Nov. 2020 4099-4109*

An Error Amplifier With a Low Power Multi-Mode Voltage Clamper for Transient Enhancement and High Reliability. *Zhou, Z., +, TCSI Nov. 2020 4075-4084*

Analysis and Design of a New Current-Source Output Load Resonant Converter With High Capability in Line and Load Regulation. *Khoshsaadat, A., +, TCSI Aug. 2020 2849-2858*

Sampled-Data Modeling for PCM and ZVS Controlled Critical Conduction Mode (CrCM) Active Clamp Flyback (ACF) Converter at Variable Switching Frequency. *Xu, S., +, TCSI Oct. 2020 3588-3600*

Electric resistance

On the Coexistence of Multiple Limit Cycles in H-Bridge Wireless Power Transfer Systems With Zero Current Switching Control. *El Aroudi, A., +, TCSI May 2020 1729-1739*

Electric sensing devices

A Self-Timed Voltage-Mode Sensing Scheme With Successive Sensing and Checking for STT-MRAM. *Zhou, Y., +, TCSI May 2020 1602-1614*

Electric variables measurement

Output Regulation for Switched Systems With Multiple Disturbances. *Zhao, Y., +, TCSI Dec. 2020 5326-5335*

Electric vehicle charging

Flow Distribution for Electric Vehicles Under Nodal-Centrality-Based Resource Allocation. *Bi, X., +, TCSI April 2020 1309-1318*

Electric vehicles

Flow Distribution for Electric Vehicles Under Nodal-Centrality-Based Resource Allocation. *Bi, X., +, TCSI April 2020 1309-1318*

Electrocardiography

A 12-Bit Dynamic Tracking Algorithm-Based SAR ADC With Real-Time QRS Detection. *Zhang, Z., +, TCSI Sept. 2020 2923-2933*

A Low-Power Signal-Dependent Sampling Technique: Analysis, Implementation, and Applications. *Hafshejani, E.H., +, TCSI Dec. 2020 4334-4347*

Reducing Energy of Approximate Feature Extraction in Heterogeneous Architectures for Sensor Inference via Energy-Aware Genetic Programming. *Tang, Y., +, TCSI May 2020 1576-1587*

Theory and Algorithms for Pulse Signal Processing. *Nallathambi, G., +, TCSI Aug. 2020 2707-2718*

Electrodes

Precision Improvement of Power-Efficient Capacitive Sensor Readout Circuit Using Multi-Nested Clocks. *Zhong, L., +, TCSI Aug. 2020 2578-2587*

Variability-Aware Modeling of Filamentary Oxide-Based Bipolar Resistive Switching Cells Using SPICE Level Compact Models. *Bengel, C., +, TCSI Dec. 2020 4618-4630*

Electroencephalography

A -68 dB THD, 0.6 mm² Active Area Biosignal Acquisition System With a 40–320 Hz Duty-Cycle Controlled Filter. *Hsu, Y., +, TCSI Jan. 2020 48-59*

ADEPOS: A Novel Approximate Computing Framework for Anomaly Detection Systems and its Implementation in 65-nm CMOS. *Bose, S.K., +, TCSI March 2020 913-926*

Reducing Energy of Approximate Feature Extraction in Heterogeneous Architectures for Sensor Inference via Energy-Aware Genetic Programming. *Tang, Y., +, TCSI May 2020 1576-1587*

Electromagnetic compatibility

Distortion Contribution Analysis for Identifying EM Immunity Failures. *Duipmans, L., +, TCSI Aug. 2020 2767-2779*

Electromagnetic devices

Modelling and Verification of Nonlinear Electromechanical Coupling in Micro-Scale Kinetic Electromagnetic Energy Harvesters. *Sokolov, A., +, TCSI Feb. 2020 565-577*

Electromagnetic interference

A 1.45 GHz All-Digital Spread Spectrum Clock Generator in 65nm CMOS for Synchronization-Free SoC Applications. *De Caro, D.*, +, *TCSI Nov. 2020 3839-3852*

EMI Reduction in Class-D Amplifiers by Actively Reducing PWM Ripple. *Lokin, C.E.*, +, *TCSI March 2020 765-773*

Load Effect Analysis and Maximum Power Transfer Tracking of CPT System. *Mostafa, T.M.*, +, *TCSI Aug. 2020 2836-2848*

Electromyography

A -68 dB THD, 0.6 mm² Active Area Biosignal Acquisition System With a 40–320 Hz Duty-Cycle Controlled Filter. *Hsu, Y.*, +, *TCSI Jan. 2020 48-59*

Electronic circuits

Decentralized Adaptive Event-Triggered Control for a Class of Uncertain Systems With Deception Attacks and Its Application to Electronic Circuits. *Sun, Y.*, +, *TCSI Dec. 2020 5405-5416*

Electronic design automation

Current-Based Data-Retention-Time Characterization of Gain-Cell Embedded DRAMs Across the Design and Variations Space. *Giterman, R.*, +, *TCSI April 2020 1207-1217*

Design of a 4.2-to-5.1 GHz Ultralow-Power Complementary Class-B/C Hybrid-Mode VCO in 65-nm CMOS Fully Supported by EDA Tools. *Martins, R.*, +, *TCSI Nov. 2020 3965-3977*

Electrostatic discharges

Analysis and Design of Integrated Voltage Regulators for Supply Noise Rejection During System-Level ESD. *Xiu, Y.*, +, *TCSI Dec. 2020 4199-4210*

Elemental semiconductors

A Strong Subthreshold Current Array PUF Resilient to Machine Learning Attacks. *Zhuang, H.*, +, *TCSI Jan. 2020 135-144*

Angular-Domain Massive MIMO Detection: Algorithm, Implementation, and Design Tradeoffs. *Mahdavi, M.*, +, *TCSI June 2020 1948-1961*

Design, Implementation, and Experimental Verification of 5 Gbps, 800 Mrad TID and SEU-Tolerant Optical Modulators Drivers. *Ciarpi, G.*, +, *TCSI March 2020 829-838*

Ellipsoids

Probabilistic-Constrained Distributed Filtering for a Class of Nonlinear Stochastic Systems Subject to Periodic DoS Attacks. *Tian, E.*, +, *TCSI Dec. 2020 5369-5379*

Elliptic curves

Implementation of Supersingular Isogeny-Based Diffie-Hellman and Key Encapsulation Using an Efficient Scheduling. *Farzam, M.*, +, *TCSI Dec. 2020 4895-4903*

SIKE'd Up: Fast Hardware Architectures for Supersingular Isogeny Key Encapsulation. *Kozziel, B.*, +, *TCSI Dec. 2020 4842-4854*

Embedded systems

Current-Based Data-Retention-Time Characterization of Gain-Cell Embedded DRAMs Across the Design and Variations Space. *Giterman, R.*, +, *TCSI April 2020 1207-1217*

Processing Near Sensor Architecture in Mixed-Signal Domain With CMOS Image Sensor of Convolutional-Kernel-Readout Method. *Chen, Z.*, +, *TCSI Feb. 2020 389-400*

Weight-Oriented Approximation for Energy-Efficient Neural Network Inference Accelerators. *Tasoulas, Z.*, +, *TCSI Dec. 2020 4670-4683*

Empirical mode decomposition

FPGA-Based Design for Online Computation of Multivariate Empirical Mode Decomposition. *Gul, S.*, +, *TCSI Dec. 2020 5040-5050*

Encapsulation

Implementation of Supersingular Isogeny-Based Diffie-Hellman and Key Encapsulation Using an Efficient Scheduling. *Farzam, M.*, +, *TCSI Dec. 2020 4895-4903*

Encoding

A Probabilistic Prediction-Based Fixed-Width Booth Multiplier for Approximate Computing. *He, Y.*, +, *TCSI Dec. 2020 4794-4803*

An Agile LUT-Based All-Digital Transmitter. *Yang, J.*, +, *TCSI Dec. 2020 5550-5560*

Polar Compiler: Auto-Generator of Hardware Architectures for Polar Encoders. *Zhong, Z.*, +, *TCSI June 2020 2091-2102*

Single Plastic Optical Fiber, Multiple Channel Data Link for Sensing Applications With PCB Implemented Transmitter and Receiver. *Fuchs, S.*, +, *TCSI March 2020 1045-1057*

Theory and Algorithms for Pulse Signal Processing. *Nallathambi, G.*, +, *TCSI Aug. 2020 2707-2718*

Encryption

Resource-Shared Crypto-Coprocessor of AES Enc/Dec With SHA-3. *Kundi, D.*, +, *TCSI Dec. 2020 4869-4882*

Energy conservation

A 40.68-MHz Active Rectifier With Hybrid Adaptive On/Off Delay-Compensation Scheme for Biomedical Implantable Devices. *Cheng, L.*, +, *TCSI Feb. 2020 516-525*

A Precision-Scalable Energy-Efficient Convolutional Neural Network Accelerator. *Liu, W.*, +, *TCSI Oct. 2020 3484-3497*

Always-On 674 μ W@4GOP/s Error Resilient Binary Neural Networks With Aggressive SRAM Voltage Scaling on a 22-nm IoT End-Node. *Mauro, A.D.*, +, *TCSI Nov. 2020 3905-3918*

Battery Management Technique to Reduce Standby Energy Consumption in Ultra-Low Power IoT and Sensory Applications. *Radfar, M.*, +, *TCSI Jan. 2020 336-345*

Design of Stage-Selective Negative Voltage Generator to Improve On-Chip Power Conversion Efficiency for Neuron Stimulation. *Lin, S.*, +, *TCSI Nov. 2020 4122-4131*

Energy-Efficient Precharge-Free Ternary Content Addressable Memory (TCAM) for High Search Rate Applications. *Venkata Mahendra, T.*, +, *TCSI July 2020 2345-2357*

In-Hardware Training Chip Based on CMOS Invertible Logic for Machine Learning. *Onizawa, N.*, +, *TCSI May 2020 1541-1550*

Processing Near Sensor Architecture in Mixed-Signal Domain With CMOS Image Sensor of Convolutional-Kernel-Readout Method. *Chen, Z.*, +, *TCSI Feb. 2020 389-400*

Energy consumption

An Approximate Memory Architecture for Energy Saving in Deep Learning Applications. *Nguyen, D.T.*, +, *TCSI May 2020 1588-1601*

Battery Management Technique to Reduce Standby Energy Consumption in Ultra-Low Power IoT and Sensory Applications. *Radfar, M.*, +, *TCSI Jan. 2020 336-345*

Design of Magnetic Non-Volatile TCAM With Priority-Decision in Memory Technology for High Speed, Low Power, and High Reliability. *Wang, C.*, +, *TCSI Feb. 2020 464-474*

Weight-Oriented Approximation for Energy-Efficient Neural Network Inference Accelerators. *Tasoulas, Z.*, +, *TCSI Dec. 2020 4670-4683*

Energy harvesting

A 115 \times Conversion-Ratio Thermoelectric Energy-Harvesting Battery Charger for the Internet of Things. *Chung, M.*, +, *TCSI Nov. 2020 4110-4121*

A 580 nW Dual-Input Energy Harvester IC Using Multi-Task MPPT and a Current Boost Converter for Heterogeneous Source Combining. *Chandrarathna, S.C.*, +, *TCSI Dec. 2020 5650-5663*

A High Efficiency AC/DC NVC-PSSHI Electrical Interface for Vibration-Based Energy Harvesters. *Badri, A.O.*, +, *TCSI Jan. 2020 346-355*

A Neural Network Assistance AMPPT Solar Energy Harvesting System With 89.39% Efficiency and 0.01–0.5% Tracking Errors. *Wang, Y.*, +, *TCSI Sept. 2020 2960-2971*

A Soft-Charging-Based SC DC–DC Boost Converter With Conversion-Ratio-Insensitive High Efficiency for Energy Harvesting in Miniature Sensor Systems. *Gi, H.*, +, *TCSI Oct. 2020 3601-3612*

A Thermal/RF Hybrid Energy Harvesting System With Rectifying-Combination and Improved Fractional-OCV MPPT Method. *Liu, Z.*, +, *TCSI Oct. 2020 3352-3363*

Active Interface for Piezoelectric Harvesters Based on Multi-Variable Maximum Power Point Tracking. *Costanzo, L.*, +, *TCSI July 2020 2503-2515*

An RF-Energy Harvester and IR-UWB Transmitter for Ultra-Low-Power Battery-Less Biosensors. *Schmickl, S.*, +, *TCSI May 2020 1459-1468*

Clock-Voltage Co-Regulator With Adaptive Power Budget Tracking for Robust Near-Threshold-Voltage Sequential Logic Circuits. *Nguyen, B.*, +, *TCSI Feb. 2020 622-633*

Modelling and Verification of Nonlinear Electromechanical Coupling in Micro-Scale Kinetic Electromagnetic Energy Harvesters. *Sokolov, A.*, +, *TCSI Feb. 2020 565-577*

On-Chip Solar Energy Harvester and PMU With Cold Start-Up and Regulated Output Voltage for Biomedical Applications. *Cabello, D.*, +, *TCSI April 2020 1103-1114*

Resistance Compression Dual-Band Differential CMOS RF Energy Harvester Under Modulated Signal Excitation. *Nagaveni, S.*, +, *TCSI Nov. 2020 4053-4062*

Energy storage

A High Efficiency AC/DC NVC-PSSHI Electrical Interface for Vibration-Based Energy Harvesters. *Badr, A.O.*, +, *TCSI Jan. 2020 346-355*

Engines

Ask Less, Get More: Side-Channel Signal Hiding, Revisited. *Levi, I.*, +, *TCSI Dec. 2020 4904-4917*

Entropy

A 108 F²/Bit Fully Reconfigurable RRAM PUF Based on Truly Random Dynamic Entropy of Jitter Noise. *Zhao, Q.*, +, *TCSI Nov. 2020 3866-3879*

A High-Performance and Secure TRNG Based on Chaotic Cellular Automata Topology. *Luo, Y.*, +, *TCSI Dec. 2020 4970-4983*

Entropy codes

Residual Syntax Elements Analysis and Design Targeting High-Throughput HEVC CABAC. *Ramos, F.L.L.*, +, *TCSI Feb. 2020 475-488*

Equalizers

A Framed-Pulsewidth Modulation Transceiver for High-Speed Broadband Communication Links. *Jeon, S.*, +, *TCSI Aug. 2020 2825-2835*

A Hybrid 3D Interconnect With 2x Bandwidth Density Employing Orthogonal Simultaneous Bidirectional Signaling for 3D NoC. *Gopal, S.*, +, *TCSI Nov. 2020 3919-3932*

Data-Dependent Selection of Amplitude and Phase Equalization in a Quarter-Rate Transmitter for Memory Interfaces. *Chae, J.*, +, *TCSI Sept. 2020 2972-2983*

Dual Pulse Shaping Transmission and Equalization for High-Speed Wideband Wireless Communication Systems. *Zhang, H.*, +, *TCSI July 2020 2372-2382*

Statistical BER Analysis of Wireline Links With Non-Binary Linear Block Codes Subject to DFE Error Propagation. *Yang, M.*, +, *TCSI Jan. 2020 284-297*

Equivalent circuits

A Perturbative Stochastic Galerkin Method for the Uncertainty Quantification of Linear Circuits. *Manfredi, P.*, +, *TCSI Sept. 2020 2993-3006*

Design of Miniaturized On-Chip Bandpass Filters Using Inverting-Coupled Inductors in (Bi)-CMOS Technology. *Zhu, H.*, +, *TCSI Feb. 2020 647-657*

Error analysis

An SRAM-Based PUF With a Capacitive Digital Preselection for a 1E-9 Key Error Probability. *Shifman, Y.*, +, *TCSI Dec. 2020 4855-4868*

Error compensation

An Analytical Framework and Approximation Strategy for Efficient Implementation of Distributed Arithmetic-Based Inner-Product Architectures. *Ray, D.*, +, *TCSI Jan. 2020 212-224*

Profile-Based Output Error Compensation for Approximate Arithmetic Circuits. *Chen, K.*, +, *TCSI Dec. 2020 4707-4718*

Error correction

A Wide-Voltage-Range Transition-Detector With In-Situ Timing-Error Detection and Correction Based on Pulsed-Latch Design in 28 nm CMOS. *Shang, X.*, +, *TCSI Nov. 2020 3933-3943*

An SRAM-Based PUF With a Capacitive Digital Preselection for a 1E-9 Key Error Probability. *Shifman, Y.*, +, *TCSI Dec. 2020 4855-4868*

Error correction codes

An SRAM-Based PUF With a Capacitive Digital Preselection for a 1E-9 Key Error Probability. *Shifman, Y.*, +, *TCSI Dec. 2020 4855-4868*

Codes for Limited Magnitude Error Correction in Multilevel Cell Memories. *Liu, S.*, +, *TCSI May 2020 1615-1626*

Interleaved Write Scheme for Improving Sequential Write Throughput of Multi-Chip MLC NAND Flash Memory Systems. *Hong, H.*, +, *TCSI Dec. 2020 4946-4959*

Error detection

A Wide-Voltage-Range Transition-Detector With In-Situ Timing-Error Detection and Correction Based on Pulsed-Latch Design in 28 nm CMOS. *Shang, X.*, +, *TCSI Nov. 2020 3933-3943*

SERAD: Soft Error Resilient Asynchronous Design Using a Bundled Data Protocol. *Aketi, S.A.*, +, *TCSI May 2020 1667-1677*

Error statistics

A 0.04% BER Strong PUF With Cell-Bias-Based CRPs Filtering and Background Offset Calibration. *Liu, J.*, +, *TCSI Nov. 2020 3853-3865*

A 108 F²/Bit Fully Reconfigurable RRAM PUF Based on Truly Random Dynamic Entropy of Jitter Noise. *Zhao, Q.*, +, *TCSI Nov. 2020 3866-3879*

A Framed-Pulsewidth Modulation Transceiver for High-Speed Broadband Communication Links. *Jeon, S.*, +, *TCSI Aug. 2020 2825-2835*

Always-On 674μ W@4GOP/s Error Resilient Binary Neural Networks With Aggressive SRAM Voltage Scaling on a 22-nm IoT End-Node. *Mauro, A.D.*, +, *TCSI Nov. 2020 3905-3918*

Design, Implementation, and Experimental Verification of 5 Gbps, 800 Mrad TID and SEU-Tolerant Optical Modulators Drivers. *Ciarpi, G.*, +, *TCSI March 2020 829-838*

Double-Sub-Stream M-ary Differential Chaos Shift Keying Wireless Communication System Using Chaotic Shape-Forming Filter. *Bai, C.*, +, *TCSI Oct. 2020 3574-3587*

Dual Pulse Shaping Transmission and Equalization for High-Speed Wideband Wireless Communication Systems. *Zhang, H.*, +, *TCSI July 2020 2372-2382*

Efficient and Secure Non-Coherent OFDM-Based Overlapped Chaotic Chip Position Shift Keying System: Design and Performance Analysis. *Zhang, L.*, +, *TCSI Jan. 2020 309-321*

Enhanced Linear Iterative Detector for Massive Multiuser MIMO Uplink. *Tan, X.*, +, *TCSI Feb. 2020 540-552*

Statistical BER Analysis of Wireline Links With Non-Binary Linear Block Codes Subject to DFE Error Propagation. *Yang, M.*, +, *TCSI Jan. 2020 284-297*

Estimation

A Low-Complexity 6DOF Magnetic Tracking System Based on Pre-Computed Data Sets for Wearable Applications. *Guzman, D.A.F.*, +, *TCSI Dec. 2020 5065-5078*

A Probabilistic Prediction-Based Fixed-Width Booth Multiplier for Approximate Computing. *He, Y.*, +, *TCSI Dec. 2020 4794-4803*

A Secure Distributed Information Sharing Algorithm Based on Attack Detection in Multi-Task Networks. *Shi, Q.*, +, *TCSI Dec. 2020 5125-5138*

A Spectral-Correlation-Based Blind Calibration Method for Time-Interleaved ADCs. *Niu, H.*, +, *TCSI Dec. 2020 5007-5017*

Adjacent Channel Interference Cancellation in FDM Transmissions. *Harvanek, M.*, +, *TCSI Dec. 2020 5417-5428*

Beamspace Channel Estimation for Massive MIMO mmWave Systems: Algorithm and VLSI Design. *Mirfarshbafan, S.H.*, +, *TCSI Dec. 2020 5482-5495*

Robust Filtering of Discrete-Time Linear Systems With Correlated Process and Measurement Noises. *Yin, L.*, +, *TCSI March 2020 1008-1020*

Europe

Corrections to "A Design of Input-Decimation Technique for Recursive DFT/IDFT Algorithm". *Wu, C.*, +, *TCSI June 2020 2152*

Evolutionary computation

MultiObjective Evolutionary Approach to Grey-Box Identification of Buck Converter. *Hafiz, F.*, +, *TCSI June 2020 2016-2028*

Eyes

CMOS 256-Pixel/480-Pixel Photovoltaic-Powered Subretinal Prosthetic Chips With Wide Image Dynamic Range and Bi/Four-Directional Sharing Electrodes and Their *Ex Vivo* Experimental Validations With Mice. *Wu, C.*, +, *TCSI Oct. 2020 3273-3283*

F

Fabrication

A Broadband Doherty Power Amplifier With Hybrid Class-EFJ Mode. *Zhang, Z.*, +, *TCSI Dec. 2020 4270-4280*

Face recognition

A Power-Efficient CNN Accelerator With Similar Feature Skipping for Face Recognition in Mobile Devices. *Kim, S.*, +, *TCSI April 2020 1181-1193*

Fading channels

Design and Analysis of Replica Piecewise M-Ary DCSK Scheme for Power Line Communications With Asynchronous Impulsive Noise. *Miao, M.*, +, *TCSI Dec. 2020 5443-5453*

Efficient and Secure Non-Coherent OFDM-Based Overlapped Chaotic Chip Position Shift Keying System: Design and Performance Analysis. *Zhang, L.*, +, *TCSI Jan. 2020 309-321*

Fast Fourier transforms

A Stride-Based Convolution Decomposition Method to Stretch CNN Acceleration Algorithms for Efficient and Flexible Hardware Implementation. *Yang, C.*, +, *TCSI Sept. 2020 3007-3020*

Fast Sensing-Time and Hardware-Efficient Eigenvalue-Based Blind Spectrum Sensors for Cognitive Radio Network. *Chaurasiya, R.B.*, +, *TCSI April 2020 1296-1308*

Improving Architectures of Binary Signed-Digit CORDIC With Generic/Specific Initial Angles. *Mahdavi, H.*, +, *TCSI July 2020 2297-2304*

Machine Learning-Based Approach for Hardware Faults Prediction. *Khalil, K.*, +, *TCSI Nov. 2020 3880-3892*

Tunable Block Floating-Point Quantizer With Fractional Exponent for Compressing Non-Uniformly Distributed Signals. *Tsai, P.*, +, *TCSI April 2020 1245-1254*

Using Rotator Transformations to Simplify FFT Hardware Architectures. *Andersson, R.*, +, *TCSI Dec. 2020 4784-4793*

Fault diagnosis

A Novel Approach to State and Unknown Input Estimation for Takagi-Sugeno Fuzzy Models With Applications to Fault Detection. *Zhao, D.*, +, *TCSI June 2020 2053-2063*

Fault-Tolerant Control Based on Virtual Actuator and Sensor for Discrete-Time Descriptor Systems. *Wang, Y.*, +, *TCSI Dec. 2020 5316-5325*

Machine Learning-Based Approach for Hardware Faults Prediction. *Khalil, K.*, +, *TCSI Nov. 2020 3880-3892*

Observer-Based Asynchronous Fault Detection for Conic-Type Nonlinear Jumping Systems and its Application to Separately Excited DC Motor. *Cheng, P.*, +, *TCSI March 2020 951-962*

Reduced-Order Observer Based-Fault Estimation for Markovian Jump Systems With Time-Varying Generally Uncertain Transition Rates. *Lu, D.*, +, *TCSI Aug. 2020 2803-2815*

Fault tolerance

A Low Noise Fault Tolerant Radiation Hardened 2.56 Gbps Clock-Data Recovery Circuit With High Speed Feed Forward Correction in 65 nm CMOS. *Biereigel, S.*, +, *TCSI May 2020 1438-1446*

Fault-Tolerant Control Based on Virtual Actuator and Sensor for Discrete-Time Descriptor Systems. *Wang, Y.*, +, *TCSI Dec. 2020 5316-5325*

Soft Error Detection and Correction Architecture for Asynchronous Bundled Data Designs. *Kuentzer, F.A.*, +, *TCSI Dec. 2020 4883-4894*

Fault tolerant computing

Machine Learning-Based Approach for Hardware Faults Prediction. *Khalil, K.*, +, *TCSI Nov. 2020 3880-3892*

Processing Near Sensor Architecture in Mixed-Signal Domain With CMOS Image Sensor of Convolutional-Kernel-Readout Method. *Chen, Z.*, +, *TCSI Feb. 2020 389-400*

Fault tolerant systems

Fault-Tolerant Control Based on Virtual Actuator and Sensor for Discrete-Time Descriptor Systems. *Wang, Y.*, +, *TCSI Dec. 2020 5316-5325*

Soft Error Detection and Correction Architecture for Asynchronous Bundled Data Designs. *Kuentzer, F.A.*, +, *TCSI Dec. 2020 4883-4894*

Feature extraction

A 22nm, 10.8 μ W/15.1 μ W Dual Computing Modes High Power-Performance-Area Efficiency Domained Background Noise Aware Keyword-Spotting Processor. *Liu, B.*, +, *TCSI Dec. 2020 4733-4746*

A Power-Efficient CNN Accelerator With Similar Feature Skipping for Face Recognition in Mobile Devices. *Kim, S.*, +, *TCSI April 2020 1181-1193*

FPGA-Based Low-Visibility Enhancement Accelerator for Video Sequence by Adaptive Histogram Equalization With Dynamic Clip-Threshold. *Xu, C.*, +, *TCSI Nov. 2020 3954-3964*

Hardware-Algorithm Co-Design of a Compressed Fuzzy Active Learning Method. *Jokar, E.*, +, *TCSI Dec. 2020 4932-4945*

Hardware-Compliant Compressive Image Sensor Architecture Based on Random Modulations and Permutations for Embedded Inference. *Ben-jilali, W.*, +, *TCSI April 2020 1218-1231*

Reducing Energy of Approximate Feature Extraction in Heterogeneous Architectures for Sensor Inference via Energy-Aware Genetic Programming. *Tang, Y.*, +, *TCSI May 2020 1576-1587*

Semi-Supervised Broad Learning System Based on Manifold Regularization and Broad Network. *Zhao, H.*, +, *TCSI March 2020 983-994*

Feedback

A Neural Network Assistance AMPPT Solar Energy Harvesting System With 89.39% Efficiency and 0.01–0.5% Tracking Errors. *Wang, Y.*, +, *TCSI Sept. 2020 2960-2971*

Adaptive Finite-Time Control for High-Order Nonlinear Systems With Multiple Uncertainties and its Application. *Min, H.*, +, *TCSI May 2020 1752-1761*

An Error Amplifier With a Low Power Multi-Mode Voltage Clamper for Transient Enhancement and High Reliability. *Zhou, Z.*, +, *TCSI Nov. 2020 4075-4084*

Distortion Analysis of RC Integrators With Wideband Input Signals. *Hammler, N.*, +, *TCSI Jan. 2020 12-22*

Distributed Adaptive Observer-Based Control for Output Consensus of Heterogeneous MASs With Input Saturation Constraint. *Lv, Y.*, +, *TCSI March 2020 995-1007*

Global Stabilization of Switched Feedforward Nonlinear Time-Delay Systems Under Asynchronous Switching. *Li, Z.*, +, *TCSI Feb. 2020 711-724*

Jitter Suppression Techniques for High-Speed Sample-and-Hold Circuits. *Jamali-Zavareh, S.*, +, *TCSI Jan. 2020 1-11*

Memory Output-Feedback Integral Sliding Mode Control for Furuta Pendulum Systems. *Xu, J.*, +, *TCSI June 2020 2042-2052*

Feedback loop

Novel Speed-and-Power-Optimized SRAM Cell Designs With Enhanced Self-Recoverability From Single- and Double-Node Upsets. *Yan, A.*, +, *TCSI Dec. 2020 4684-4695*

Feedforward

An 80 MHz Bandwidth and 26.8 dBm OOB IIP3 Transimpedance Amplifier With Improved Nested Feedforward Compensation and Multi-Order Filtering. *Jung, H.*, +, *TCSI Oct. 2020 3410-3421*

Global Stabilization of Switched Feedforward Nonlinear Time-Delay Systems Under Asynchronous Switching. *Li, Z.*, +, *TCSI Feb. 2020 711-724*

Ferrites

Magnetics-Based Efficiency Optimization for Low Power Cascaded-Buck-Boost Converter. *Chen, X.*, +, *TCSI Dec. 2020 5611-5623*

Fiber optic sensors

Single Plastic Optical Fiber, Multiple Channel Data Link for Sensing Applications With PCB Implemented Transmitter and Receiver. *Fuchs, S.*, +, *TCSI March 2020 1045-1057*

Field effect MIMIC

120-GHz 8-Stage Broadband Amplifier With Quantitative Stagger Tuning Technique. *Jang, T.H.*, +, *TCSI March 2020 785-796*

A 56-to-66 GHz CMOS Low-Power Phased-Array Receiver Front-End With Hybrid Phase Shifting Scheme. *Yaghoobi, M.*, +, *TCSI Nov. 2020 4002-4014*

Design of a 60 GHz 32% PAE Class-AB PA with 2nd Harmonic Control in 45-nm PD-SOI CMOS. *Ciocoveanu, R.*, +, *TCSI Aug. 2020 2635-2646*

High Efficiency Doherty Power Amplifier Using Dual-Adaptive Biases. *Zhang, H.*, +, *TCSI Aug. 2020 2625-2634*

Field effect MMIC

A 28-GHz 16-Gb/s High Efficiency 16-QAM Transmitter in 65-nm CMOS. *Meng, X.*, +, *TCSI June 2020 1835-1845*

A 37–40-GHz Low-Phase-Imbalance CMOS Attenuator With Tail-Capacitor Compensation Technique. *Zhao, C.*, +, *TCSI Oct. 2020 3400-3409*

A Calibration-Free Ring-Oscillator PLL With Gain Tracking Achieving 9% Jitter Variation Over PVT. *Yang, X.*, +, *TCSI Nov. 2020 3753-3763*

A Wideband Frequency Divider With Programmable Odd/Even Division Factors and Quadrature/Symmetrical Outputs. *Rezaei-Hosseiniabadi, N.*, +, *TCSI June 2020 1857-1866*

- An X-Band Class-J Power Amplifier With Active Load Modulation to Boost Drain Efficiency. *Alizadeh, A.*, +, *TCSI Oct. 2020 3364-3377*
- Design of Miniaturized On-Chip Bandpass Filters Using Inverting-Coupled Inductors in (Bi)-CMOS Technology. *Zhu, H.*, +, *TCSI Feb. 2020 647-657*
- Field effect transistors**
- A 100-V Battery Charger Voltage Extender IC With 97% Efficiency at 4-A and $\pm 0.5\%$ Voltage Accuracy. *Hunter, B.L.*, +, *TCSI July 2020 2492-2502*
- A Logic Synthesis Methodology for Low-Power Ternary Logic Circuits. *Kim, S.*, +, *TCSI Sept. 2020 3138-3151*
- Field programmable gate arrays**
- A Fully Programmable eFPGA-Augmented SoC for Smart Power Applications. *Renzini, F.*, +, *TCSI Feb. 2020 489-501*
- A High Resolution DPWM Based on Synchronous Phase-Shifted Circuit and Delay Line. *Cheng, X.*, +, *TCSI Aug. 2020 2685-2692*
- A High-Performance and Secure TRNG Based on Chaotic Cellular Automata Topology. *Luo, Y.*, +, *TCSI Dec. 2020 4970-4983*
- A New Class of Digital Circuits for the Design of Entropy Sources in Programmable Logic. *Addabbo, T.*, +, *TCSI July 2020 2419-2430*
- A New Variable Forgetting Factor-Based Bias-Compensated RLS Algorithm for Identification of FIR Systems With Input Noise and Its Hardware Implementation. *Tan, H.J.*, +, *TCSI Jan. 2020 198-211*
- A Novel Asynchronous CA Neuron Model: Design of Neuron-Like Non-linear Responses Based on Novel Bifurcation Theory of Asynchronous Sequential Logic Circuit. *Takeda, K.*, +, *TCSI June 2020 1989-2001*
- A Partially Binarized Hybrid Neural Network System for Low-Power and Resource Constrained Human Activity Recognition. *De Vita, A.*, +, *TCSI Nov. 2020 3893-3904*
- A Standalone FPGA-Based Miner for Lyra2REv2 Cryptocurrencies. *Tetu, J.*, +, *TCSI April 2020 1194-1206*
- An Agile LUT-Based All-Digital Transmitter. *Yang, J.*, +, *TCSI Dec. 2020 5550-5560*
- An Architecture for Real-Time Arbitrary and Variable Sampling Rate Conversion With Application to the Processing of Harmonic Signals. *Galindo Guarch, F.J.*, +, *TCSI May 2020 1653-1666*
- An Efficient Implementation of the NewHope Key Exchange on FPGAs. *Xing, Y.*, +, *TCSI March 2020 866-878*
- An Efficient Massive MIMO Detector Based on Second-Order Richardson Iteration: From Algorithm to Flexible Architecture. *Tu, J.*, +, *TCSI Nov. 2020 4015-4028*
- Compact Code-Based Signature for Reconfigurable Devices With Side Channel Resilience. *Hu, J.*, +, *TCSI July 2020 2305-2316*
- Deep Neural Network Acceleration Based on Low-Rank Approximated Channel Pruning. *Chen, Z.*, +, *TCSI April 2020 1232-1244*
- Design and Implementation of a Low-Latency Modular Multiplication Algorithm. *Ozturk, E.*, *TCSI June 2020 1902-1911*
- DPTC—An FPGA-Based Trace Compression. *Bruni, G.*, +, *TCSI Jan. 2020 189-197*
- Enhanced Linear Iterative Detector for Massive Multiuser MIMO Uplink. *Tan, X.*, +, *TCSI Feb. 2020 540-552*
- Fast Sensing-Time and Hardware-Efficient Eigenvalue-Based Blind Spectrum Sensors for Cognitive Radio Network. *Chaurasiya, R.B.*, +, *TCSI April 2020 1296-1308*
- FPGA-Based Design for Online Computation of Multivariate Empirical Mode Decomposition. *Gul, S.*, +, *TCSI Dec. 2020 5040-5050*
- FPGA-Based Low-Visibility Enhancement Accelerator for Video Sequence by Adaptive Histogram Equalization With Dynamic Clip-Threshold. *Xu, C.*, +, *TCSI Nov. 2020 3954-3964*
- Framework for Automated Earthquake Event Detection Based on Denoising by Adaptive Filter. *Bose, S.*, +, *TCSI Sept. 2020 3070-3083*
- High-Speed Area-Efficient VLSI Architecture of Three-Operand Binary Adder. *Panda, A.K.*, +, *TCSI Nov. 2020 3944-3953*
- Lattice-Based Cryptoprocessor for CCA-Secure Identity-Based Encryption. *Renteria-Mejia, C.P.*, +, *TCSI July 2020 2331-2344*
- Low-Latency Reconfigurable Entropy Digital True Random Number Generator With Bias Detection and Correction. *Carreira, L.B.*, +, *TCSI May 2020 1562-1575*
- O⁴-DNN: A Hybrid DSP-LUT-Based Processing Unit With Operation Packing and Out-of-Order Execution for Efficient Realization of Convolutional Neural Networks on FPGA Devices. *Haghi, P.*, +, *TCSI Sept. 2020 3056-3069*
- Polar Compiler: Auto-Generator of Hardware Architectures for Polar Encoders. *Zhong, Z.*, +, *TCSI June 2020 2091-2102*
- Presynaptic Spike-Driven Spike Timing-Dependent Plasticity With Address Event Representation for Large-Scale Neuromorphic Systems. *Park, J.*, +, *TCSI June 2020 1936-1947*
- Real-Time Distance Evaluation System for Wireless Localization. *Piccinni, G.*, +, *TCSI Oct. 2020 3320-3330*
- Real-Time Light Field Denoising Using a Novel Linear 4-D Hyperfan Filter. *Premaratne, S.U.*, +, *TCSI Aug. 2020 2693-2706*
- Resource-Shared Crypto-Coprocessor of AES Enc/Dec With SHA-3. *Kundi, D.*, +, *TCSI Dec. 2020 4869-4882*
- SC-DDPL: A Novel Standard-Cell Based Approach for Counteracting Power Analysis Attacks in the Presence of Unbalanced Routing. *Bellizia, D.*, +, *TCSI July 2020 2317-2330*
- SIKE'd Up: Fast Hardware Architectures for Supersingular Isogeny Key Encapsulation. *Kozziel, B.*, +, *TCSI Dec. 2020 4842-4854*
- Single Plastic Optical Fiber, Multiple Channel Data Link for Sensing Applications With PCB Implemented Transmitter and Receiver. *Fuchs, S.*, +, *TCSI March 2020 1045-1057*
- Filtering**
- High-Selectivity Single-Ended/Balanced DC-Block Filtering Impedance Transformer and Its Application on Power Amplifier. *Zhuang, Z.*, +, *TCSI Dec. 2020 4360-4369*
- Filtering theory**
- An Architecture for Real-Time Arbitrary and Variable Sampling Rate Conversion With Application to the Processing of Harmonic Signals. *Galindo Guarch, F.J.*, +, *TCSI May 2020 1653-1666*
- Exponentially Fitted Cubature Kalman Filter With Application to Oscillatory Dynamical Systems. *Singh, A.K.*, *TCSI Aug. 2020 2739-2752*
- Finite-Time H_∞ Filtering for State-Dependent Uncertain Systems With Event-Triggered Mechanism and Multiple Attacks. *Liu, J.*, +, *TCSI March 2020 1021-1034*
- Real-Time Light Field Denoising Using a Novel Linear 4-D Hyperfan Filter. *Premaratne, S.U.*, +, *TCSI Aug. 2020 2693-2706*
- Robust Filtering of Discrete-Time Linear Systems With Correlated Process and Measurement Noises. *Yin, L.*, +, *TCSI March 2020 1008-1020*
- Fingerprint identification**
- Differential Coded Multiple Signaling Method With Fully Differential Receiver for Mutual Capacitive Fingerprint TSP. *Heo, S.*, +, *TCSI Jan. 2020 74-85*
- Finite impulse response filters**
- Incremental Delta-Sigma ADCs: A Tutorial Review. *Tan, Z.*, +, *TCSI Dec. 2020 4161-4173*
- Finite wordlength effects**
- A Probabilistic Prediction-Based Fixed-Width Booth Multiplier for Approximate Computing. *He, Y.*, +, *TCSI Dec. 2020 4794-4803*
- FIR filters**
- A Configurable Noise-Shaping Band-Pass SAR ADC With Two-Stage Clock-Controlled Amplifier. *Jiao, Z.*, +, *TCSI Nov. 2020 3728-3739*
- A New Variable Forgetting Factor-Based Bias-Compensated RLS Algorithm for Identification of FIR Systems With Input Noise and Its Hardware Implementation. *Tan, H.J.*, +, *TCSI Jan. 2020 198-211*
- Cascaded Form Sparse FIR Filter Design. *Chen, W.*, +, *TCSI May 2020 1692-1703*
- Matrix Decomposition Based Low-Complexity FIR Filter: Further Results. *Wang, H.*, +, *TCSI Feb. 2020 672-685*
- Fixed point arithmetic**
- Tunable Block Floating-Point Quantizer With Fractional Exponent for Compressing Non-Uniformly Distributed Signals. *Tsai, P.*, +, *TCSI April 2020 1245-1254*
- Flash memories**
- Interleaved Write Scheme for Improving Sequential Write Throughput of Multi-Chip MLC NAND Flash Memory Systems. *Hong, H.*, +, *TCSI Dec. 2020 4946-4959*

Self-Learning Hot Data Prediction: Where Echo State Network Meets NAND Flash Memories. *Luo, Q.*, +, *TCSI March 2020 939-950*

Flexible electronics

A Flexible 18-Channel Multi-Hit Time-to-Digital Converter for Trigger-Based Data Acquisition Systems. *Chithra, .*, +, *TCSI June 2020 1892-1901*

Flicker noise

Low $1/f^3$ Noise Corner LC-VCO Design Using Flicker Noise Filtering Technique in 22nm FD-SOI. *Zong, Z.*, +, *TCSI May 2020 1469-1480*

Flip-flops

A 0.36-V 5-MS/s Time-Mode Flash ADC With Dickson-Charge-Pump-Based Comparators in 28-nm CMOS. *Esmailyan, A.*, +, *TCSI June 2020 1789-1802*

A Wide-Voltage-Range Transition-Detector With In-Situ Timing-Error Detection and Correction Based on Pulsed-Latch Design in 28 nm CMOS. *Shang, X.*, +, *TCSI Nov. 2020 3933-3943*

Design and Evaluation of Low-Complexity Radiation Hardened CMOS Latch for Double-Node Upset Tolerance. *Guo, J.*, +, *TCSI June 2020 1925-1935*

Quadruple Cross-Coupled Dual-Interlocked-Storage-Cells-Based Multiple-Node-Upset-Tolerant Latch Designs. *Yan, A.*, +, *TCSI March 2020 879-890*

Floating point arithmetic

In-Hardware Training Chip Based on CMOS Invertible Logic for Machine Learning. *Onizawa, N.*, +, *TCSI May 2020 1541-1550*

Flow graphs

Evolution of Function-Call Network Reliability in Android Operating System. *Yao, A.*, +, *TCSI April 2020 1264-1275*

Fluorescence

Needle-Type Imager Sensor With Band-Pass Composite Emission Filter and Parallel Fiber-Coupled Laser Excitation. *Rustami, E.*, +, *TCSI April 2020 1082-1091*

FM radar

A 77-GHz Mixed-Mode FMCW Generator Based on a Vernier TDC With Dual Rising-Edge Fractional-Phase Detector. *Wu, J.*, +, *TCSI Jan. 2020 60-73*

Forward error correction

Statistical BER Analysis of Wireline Links With Non-Binary Linear Block Codes Subject to DFE Error Propagation. *Yang, M.*, +, *TCSI Jan. 2020 284-297*

Fourier transforms

An Open Loop Digitally Controlled Hybrid Supply Modulator Achieving High Efficiency for Envelope Tracking With Baseband up to 200-MHz. *Chen, Z.*, +, *TCSI Nov. 2020 4142-4153*

Frequency control

An Error Amplifier With a Low Power Multi-Mode Voltage Clamper for Transient Enhancement and High Reliability. *Zhou, Z.*, +, *TCSI Nov. 2020 4075-4084*

Frequency conversion

A 0.045- to 2.5-GHz Frequency Synthesizer With TDC-Based AFC and Phase Switching Multi-Modulus Divider. *Hu, A.*, +, *TCSI Dec. 2020 4470-4483*

A 580 nW Dual-Input Energy Harvester IC Using Multi-Task MPPT and a Current Boost Converter for Heterogeneous Source Combining. *Chandrarathna, S.C.*, +, *TCSI Dec. 2020 5650-5663*

A 7.4-MHz Tri-Mode DC-DC Buck Converter With Load Current Prediction Scheme and Seamless Mode Transition for IoT Applications. *Hong, W.*, +, *TCSI Dec. 2020 4544-4555*

A Resampling Method Based on Filter Designed by Window Function Considering Frequency Aliasing. *Liu, H.*, +, *TCSI Dec. 2020 5018-5030*

Analysis and Investigation of Internal AC Frequency to Minimize AC Current Magnitude and Reactive Power Circulation in Chain-Link Modular Multilevel Direct DC-DC Converters. *Xiang, X.*, +, *TCSI Dec. 2020 5586-5599*

Frequency dividers

A 4-MHz Digitally Controlled Voltage-Mode Buck Converter With Embedded Transient Improvement Using Delay Line Control Techniques. *Huang, Q.*, +, *TCSI Nov. 2020 4029-4040*

A Wideband Frequency Divider With Programmable Odd/Even Division Factors and Quadrature/Symmetrical Outputs. *Rezaei-Hosseinabadi, N.*, +, *TCSI June 2020 1857-1866*

Frequency division multiplexing

Designing a DDS-Based SoC for High-Fidelity Multi-Qubit Control. *van Dijk, J.P.G.*, +, *TCSI Dec. 2020 5380-5393*

Frequency estimation

On Quantized Analog Compressive Sensing Methods for Efficient Resonator Frequency Estimation. *Somappa, L.*, +, *TCSI Dec. 2020 4556-4565*

Frequency hop communication

Phase Coherent Frequency Hopping in Direct Digital Synthesizers and Phase Locked Loops. *Turner, S.E.*, +, *TCSI June 2020 1815-1823*

Frequency locked loops

A 33-ppm/ $^{\circ}$ C 240-nW 40-nm CMOS Wakeup Timer Based on a Bang-Bang Digital-Intensive Frequency-Locked-Loop for IoT Applications. *Ding, M.*, +, *TCSI July 2020 2263-2273*

Frequency measurement

A Resampling Method Based on Filter Designed by Window Function Considering Frequency Aliasing. *Liu, H.*, +, *TCSI Dec. 2020 5018-5030*

Frequency modulation

A 1.45 GHz All-Digital Spread Spectrum Clock Generator in 65nm CMOS for Synchronization-Free SoC Applications. *De Caro, D.*, +, *TCSI Nov. 2020 3839-3852*

Dynamic Harmonic Analysis With FIR Filters Designed With O-Splines. *Serna, J.A.d.l.O.*, *TCSI Dec. 2020 5092-5100*

Frequency multipliers

Spur Minimization Techniques for Ultra-Low-Power Injection-Locked Transmitters. *Lin, C.*, +, *TCSI Nov. 2020 3643-3655*

Frequency response

A Millimeter-Wave Reconfigurable On-Chip Coupler With Tunable Power-Dividing Ratios in 0.13- μ m BiCMOS Technology. *Yang, Y.*, +, *TCSI May 2020 1516-1526*

A Novel Physical Layer Authentication With PAPR Reduction Based on Channel and Hardware Frequency Responses. *Ramabadran, P.*, +, *TCSI Feb. 2020 526-539*

Multi-Channel Analog-to-Digital Conversion Techniques Using a Continuous-Time Delta-Sigma Modulator Without Reset. *Kumar, R.S.A.*, +, *TCSI Nov. 2020 3693-3703*

Rapid Simulation of Photonic Integrated Circuits Using Verilog-A Compact Models. *Shawon, M.J.*, +, *TCSI Oct. 2020 3331-3341*

Unloaded Quality Factor of Transmission Line Resonators With Capacitors. *Zakharov, A.*, +, *TCSI July 2020 2204-2215*

Zero-Crossing-Time-Difference Model for Stability Analysis of VCO-Based OTAs. *Kalani, S.*, +, *TCSI March 2020 839-851*

Frequency shift keying

A Low-Power BFSK Transmitter Architecture for Biomedical Applications. *Ibrahim, M.A.A.*, +, *TCSI May 2020 1527-1540*

Frequency synthesizers

A 0.045- to 2.5-GHz Frequency Synthesizer With TDC-Based AFC and Phase Switching Multi-Modulus Divider. *Hu, A.*, +, *TCSI Dec. 2020 4470-4483*

A Fast-Settling Integer- N Frequency Synthesizer Using Switched-Gain Control. *Zhao, H.*, +, *TCSI April 2020 1344-1357*

Analysis of Wandering Spur Patterns in a Fractional- N Frequency Synthesizer With a MASH-Based Divider Controller. *Mai, D.*, +, *TCSI March 2020 729-742*

Temperature Compensation of Crystal References in NB-IoT Modems. *Haapala, T.*, +, *TCSI July 2020 2467-2480*

Frequency-domain analysis

A Calibration Technique for Simultaneous Estimation of Actual Sensing Matrix Coefficients on Modulated Wideband Converters. *Byambadorj, Z.*, +, *TCSI Dec. 2020 5561-5573*

Adjacent Channel Interference Cancellation in FDM Transmissions. *Harvanek, M.*, +, *TCSI Dec. 2020 5417-5428*

Cluster Tracking Performance Analysis of Linear Heterogeneous Multi-Agent Networks: A Complex Frequency Domain Approach. *Zhang, W.*, +, *TCSI Jan. 2020 259-270*

Design of Downlink Synchronization for Millimeter Wave Cellular System Based on Multipath Division Multiple Access. *Chiu, K., +, TCSI Sept. 2020 3211-3223*

Efficient Offline Outer/Inner DAC Mismatch Calibration in Wideband $\Delta\Sigma$ ADCs. *Liu, H., +, TCSI Dec. 2020 4259-4269*

Interpreting Frame Transformations in AC Systems as Diagonalization of Harmonic Transfer Functions. *Li, Y., +, TCSI July 2020 2481-2491*

Rapid Simulation of Photonic Integrated Circuits Using Verilog-A Compact Models. *Shawon, M.J., +, TCSI Oct. 2020 3331-3341*

Fuzzy control

A Novel Approach to State and Unknown Input Estimation for Takagi–Sugeno Fuzzy Models With Applications to Fault Detection. *Zhao, D., +, TCSI June 2020 2053-2063*

Event-Triggered Fuzzy Control of Repeated Scalar Nonlinear Systems and its Application to Chua's Circuit System. *Wen, Y., +, TCSI Dec. 2020 5347-5357*

Fuzzy set theory

Relaxed Multi-Instant Fuzzy State Estimation Design of Discrete-Time Nonlinear Systems and its Application: A Deep Division Approach. *Xie, X., +, TCSI May 2020 1775-1785*

Fuzzy systems

Relaxed Multi-Instant Fuzzy State Estimation Design of Discrete-Time Nonlinear Systems and its Application: A Deep Division Approach. *Xie, X., +, TCSI May 2020 1775-1785*

G

Gain

A 22-to-47 GHz 2-Stage LNA With 22.2 dB Peak Gain by Using Coupled L-Type Interstage Matching Inductors. *Wang, K., +, TCSI Dec. 2020 4607-4617*

Automated Deep Neural Learning-Based Optimization for High Performance High Power Amplifier Designs. *Kouhalvandi, L., +, TCSI Dec. 2020 4420-4433*

Broadband Balun-LNA Employing Local Feedback g_m -Boosting Technique and Balanced Loads for Low-Power Low-Voltage Applications. *Kim, S., +, TCSI Dec. 2020 4631-4640*

Design of a Wideband Variable-Gain Amplifier With Self-Compensated Transistor for Accurate dB-Linear Characteristic in 65 nm CMOS Technology. *Kong, L., +, TCSI Dec. 2020 4187-4198*

Gain control

A Fast-Settling Integer- N Frequency Synthesizer Using Switched-Gain Control. *Zhao, H., +, TCSI April 2020 1344-1357*

Galerkin method

A Perturbative Stochastic Galerkin Method for the Uncertainty Quantification of Linear Circuits. *Manfredi, P., +, TCSI Sept. 2020 2993-3006*

Gallium arsenide

An Open Loop Digitally Controlled Hybrid Supply Modulator Achieving High Efficiency for Envelope Tracking With Baseband up to 200-MHz. *Chen, Z., +, TCSI Nov. 2020 4142-4153*

An X-Band Class-J Power Amplifier With Active Load Modulation to Boost Drain Efficiency. *Alizadeh, A., +, TCSI Oct. 2020 3364-3377*

Miniature Dual-Band Quadrature Coupler With Arbitrary Power Division Ratios Over the Two Bands. *Lin, Y., +, TCSI Feb. 2020 634-646*

Gallium compounds

Bandwidth Enhancement of Doherty Power Amplifier Using Modified Load Modulation Network. *Li, M., +, TCSI June 2020 1824-1834*

Linearity Enhanced Harmonic-Modulated Impedance Inverter Doherty-Like Power Amplifier. *Zhou, X.Y., +, TCSI June 2020 2029-2041*

Gallium nitride

Broadband Fully Integrated GaN Power Amplifier With Minimum-Inductance BPF Matching and Two-Transistor AM-PM Compensation. *Nikan-dish, G.R., +, TCSI Dec. 2020 4211-4223*

Galois fields

On the Complexity of Hybrid n -Term Karatsuba Multiplier for Trinomials. *Li, Y., +, TCSI March 2020 852-865*

Gaussian distribution

Tunable Block Floating-Point Quantizer With Fractional Exponent for Compressing Non-Uniformly Distributed Signals. *Tsai, P., +, TCSI April 2020 1245-1254*

Gaussian noise

Dynamic State Estimation of Power Systems by p -Norm Nonlinear Kalman Filter. *Wang, W., +, TCSI May 2020 1715-1728*

Projected Kernel Least Mean p -Power Algorithm: Convergence Analyses and Modifications. *Zhao, J., +, TCSI Oct. 2020 3498-3511*

Robust Filtering of Discrete-Time Linear Systems With Correlated Process and Measurement Noises. *Yin, L., +, TCSI March 2020 1008-1020*

Gaussian processes

Exponentially Fitted Cubature Kalman Filter With Application to Oscillatory Dynamical Systems. *Singh, A.K., TCSI Aug. 2020 2739-2752*

Ge-Si alloys

A Millimeter-Wave Reconfigurable On-Chip Coupler With Tunable Power-Dividing Ratios in 0.13- μm BiCMOS Technology. *Yang, Y., +, TCSI May 2020 1516-1526*

Design of D-Band Transformer-Based Gain-Boosting Class-AB Power Amplifiers in Silicon Technologies. *Tang, X., +, TCSI May 2020 1447-1458*

Generators

A 580 nW Dual-Input Energy Harvester IC Using Multi-Task MPPT and a Current Boost Converter for Heterogeneous Source Combining. *Chandrarathna, S.C., +, TCSI Dec. 2020 5650-5663*

An N-Path Filter Design Methodology With Harmonic Rejection, Power Reduction, Foldback Elimination, and Spectrum Shaping. *Karami, P., +, TCSI Dec. 2020 4494-4506*

Design of a Wideband Variable-Gain Amplifier With Self-Compensated Transistor for Accurate dB-Linear Characteristic in 65 nm CMOS Technology. *Kong, L., +, TCSI Dec. 2020 4187-4198*

FPGA-Based Design for Online Computation of Multivariate Empirical Mode Decomposition. *Gul, S., +, TCSI Dec. 2020 5040-5050*

Implementation of Supersingular Isogeny-Based Diffie-Hellman and Key Encapsulation Using an Efficient Scheduling. *Farzam, M., +, TCSI Dec. 2020 4895-4903*

Single-Slope Look-Ahead Ramp ADC for CMOS Image Sensors. *Elmezayen, M.R., +, TCSI Dec. 2020 4484-4493*

Genetic algorithms

Reducing Energy of Approximate Feature Extraction in Heterogeneous Architectures for Sensor Inference via Energy-Aware Genetic Programming. *Tang, Y., +, TCSI May 2020 1576-1587*

Geophysical signal processing

Framework for Automated Earthquake Event Detection Based on Denoising by Adaptive Filter. *Bose, S., +, TCSI Sept. 2020 3070-3083*

Germanium

High Sensitivity and Dynamic-Range 25 Gbaud Silicon Receiver Chipset With Current-Controlled DC Adjustment Path and Cube-Shape Ge-on-Si PD. *Bi, X., +, TCSI Nov. 2020 3991-4001*

Gradient methods

FPGA-Based Low-Visibility Enhancement Accelerator for Video Sequence by Adaptive Histogram Equalization With Dynamic Clip-Threshold. *Xu, C., +, TCSI Nov. 2020 3954-3964*

Matrix Decomposition Based Low-Complexity FIR Filter: Further Results. *Wang, H., +, TCSI Feb. 2020 672-685*

Graph theory

Cluster Tracking Performance Analysis of Linear Heterogeneous Multi-Agent Networks: A Complex Frequency Domain Approach. *Zhang, W., +, TCSI Jan. 2020 259-270*

Optimizing Synchronizability of Multilayer Networks Based on the Graph Comparison Method. *Liu, H., +, TCSI May 2020 1740-1751*

Towards Optimal Robustness of Network Controllability: An Empirical Necessary Condition. *Lou, Y., +, TCSI Sept. 2020 3163-3174*

Graphics processing units

A Standalone FPGA-Based Miner for Lyra2REv2 Cryptocurrencies. *Tetu, J., +, TCSI April 2020 1194-1206*

Kernel-Based Resource Allocation for Improving GPU Throughput While Minimizing the Activity Divergence of SMs. *Tasoulas, Z., +, TCSI Feb. 2020 428-440*

Gyrators

Synthesis, Design, and Synchronization Analysis of Coupled Linear Electrical Networks. *Ochs, K., +, TCSI Dec. 2020 4521-4532*

H

H^∞ control

A Novel Approach to State and Unknown Input Estimation for Takagi-Sugeno Fuzzy Models With Applications to Fault Detection. *Zhao, D., +, TCSI June 2020 2053-2063*

Finite-Time H_∞ Filtering for State-Dependent Uncertain Systems With Event-Triggered Mechanism and Multiple Attacks. *Liu, J., +, TCSI March 2020 1021-1034*

H_∞ Control for Switched Systems Based on Dynamic Event-Triggered Strategy and Quantization Under State-Dependent Switching. *Ma, Y., +, TCSI Sept. 2020 3175-3186*

Handwritten character recognition

IMAC: In-Memory Multi-Bit Multiplication and Accumulation in 6T SRAM Array. *Ali, M., +, TCSI Aug. 2020 2521-2531*

Hardware

A High-Performance and Secure TRNG Based on Chaotic Cellular Automata Topology. *Luo, Y., +, TCSI Dec. 2020 4970-4983*

A Pipelined Reduced Complexity Two-Stages Parallel LMS Structure for Adaptive Beamforming. *Akkad, G., +, TCSI Dec. 2020 5079-5091*

A Probabilistic Prediction-Based Fixed-Width Booth Multiplier for Approximate Computing. *He, Y., +, TCSI Dec. 2020 4794-4803*

A Spectral-Correlation-Based Blind Calibration Method for Time-Interleaved ADCs. *Niu, H., +, TCSI Dec. 2020 5007-5017*

An Artificial Neural Network Processor With a Custom Instruction Set Architecture for Embedded Applications. *Valencia, D., +, TCSI Dec. 2020 5200-5210*

Beamspace Channel Estimation for Massive MIMO mmWave Systems: Algorithm and VLSI Design. *Mirfarshbafan, S.H., +, TCSI Dec. 2020 5482-5495*

Compact Mixed-Signal Convolutional Neural Network Using a Single Modular Neuron. *Chang, D., +, TCSI Dec. 2020 5189-5199*

FPGA-Based Design for Online Computation of Multivariate Empirical Mode Decomposition. *Gul, S., +, TCSI Dec. 2020 5040-5050*

Implementation of Supersingular Isogeny-Based Diffie-Hellman and Key Encapsulation Using an Efficient Scheduling. *Farzam, M., +, TCSI Dec. 2020 4895-4903*

In-Field Performance Optimization for mm-Wave Mixed-Signal Doherty Power Amplifiers: A Bandit Approach. *Xu, S., +, TCSI Dec. 2020 5302-5315*

Interleaved Write Scheme for Improving Sequential Write Throughput of Multi-Chip MLC NAND Flash Memory Systems. *Hong, H., +, TCSI Dec. 2020 4946-4959*

Resource-Shared Crypto-Coprocessor of AES Enc/Dec With SHA-3. *Kundi, D., +, TCSI Dec. 2020 4869-4882*

The Development of Silicon for AI: Different Design Approaches. *Lee, K.J., +, TCSI Dec. 2020 4719-4732*

Using Rotator Transformations to Simplify FFT Hardware Architectures. *Andersson, R., +, TCSI Dec. 2020 4784-4793*

Weight-Oriented Approximation for Energy-Efficient Neural Network Inference Accelerators. *Tasoulas, Z., +, TCSI Dec. 2020 4670-4683*

Hardware description languages

DPTC—An FPGA-Based Trace Compression. *Bruni, G., +, TCSI Jan. 2020 189-197*

Polar Compiler: Auto-Generator of Hardware Architectures for Polar Encoders. *Zhong, Z., +, TCSI June 2020 2091-2102*

Rapid Simulation of Photonic Integrated Circuits Using Verilog-A Compact Models. *Shawon, M.J., +, TCSI Oct. 2020 3331-3341*

Harmonic analysis

A Framework of L-HC and AM-MKF for Accurate Harmonic Supportive Control Schemes. *Kumar, N., +, TCSI Dec. 2020 5246-5256*

An N-Path Filter Design Methodology With Harmonic Rejection, Power Reduction, Foldback Elimination, and Spectrum Shaping. *Karami, P., +, TCSI Dec. 2020 4494-4506*

Dynamic Harmonic Analysis With FIR Filters Designed With O-Splines. *Serna, J.A.d.l.O., TCSI Dec. 2020 5092-5100*

High-Efficiency Low Voltage Inverse Class-F Power Amplifier Design Based on Harmonic Control Network Analysis. *Ekhteraei, M., +, TCSI March 2020 806-814*

Harmonic distortion

3.125-to-28.125 Gb/s 4.72 mW/Gb/s Multi-Standard Parallel Transceiver Supporting Channel-Independent Operation in 40-nm CMOS. *Yoon, J., +, TCSI Aug. 2020 2647-2658*

A -68 dB THD, 0.6 mm² Active Area Biosignal Acquisition System With a 40–320 Hz Duty-Cycle Controlled Filter. *Hsu, Y., +, TCSI Jan. 2020 48-59*

A PVT-Resilient, Highly-Linear Fifth-Order Ring-Oscillator-Based Filter. *Osman, H., +, TCSI Dec. 2020 4295-4308*

Enhanced Linearity in FD-SOI CMOS Body-Input Analog Circuits – Application to Voltage-Controlled Ring Oscillators and Frequency-Based $\Sigma\Delta$ ADCs. *Ahmadi-Farsani, J., +, TCSI Oct. 2020 3297-3308*

Self-Tuned Class-D Audio Amplifier With Post-Filter Digital Feedback Implemented on Digital Signal Controller. *Sobaszek, M., TCSI March 2020 797-805*

Harmonics suppression

High-Efficiency Low Voltage Inverse Class-F Power Amplifier Design Based on Harmonic Control Network Analysis. *Ekhteraei, M., +, TCSI March 2020 806-814*

HEMT circuits

High-Efficiency Low Voltage Inverse Class-F Power Amplifier Design Based on Harmonic Control Network Analysis. *Ekhteraei, M., +, TCSI March 2020 806-814*

Linearity Enhanced Harmonic-Modulated Impedance Inverter Doherty-Like Power Amplifier. *Zhou, X.Y., +, TCSI June 2020 2029-2041*

HEMT integrated circuits

An X-Band Class-J Power Amplifier With Active Load Modulation to Boost Drain Efficiency. *Alizadeh, A., +, TCSI Oct. 2020 3364-3377*

HEMTs

Design of a High Temperature 2.37 GHz Voltage-Controlled Oscillator With GaN-on-SiC HEMTs. *Turner, N., +, TCSI Dec. 2020 5153-5161*

Heterojunction bipolar transistors

InP DHBT Single-Stage and Multiplicative Distributed Amplifiers for Ultra-Wideband Amplification. *Odedeyi, T., +, TCSI Nov. 2020 3804-3814*

Heuristic algorithms

A Framework of L-HC and AM-MKF for Accurate Harmonic Supportive Control Schemes. *Kumar, N., +, TCSI Dec. 2020 5246-5256*

Distributed Model Predictive Consensus of Heterogeneous Time-Varying Multi-Agent Systems: With and Without Self-Triggered Mechanism. *Li, H., +, TCSI Dec. 2020 5358-5368*

Hidden Markov models

Observer-Based Asynchronous Fault Detection for Conic-Type Nonlinear Jumping Systems and its Application to Separately Excited DC Motor. *Cheng, P., +, TCSI March 2020 951-962*

High definition television

Generative Multi-Symbol Architecture of the Binary Arithmetic Coder for UHD TV Video Encoders. *Pastuszak, G., TCSI March 2020 891-902*

High electron mobility transistors

Miniature Dual-Band Quadrature Coupler With Arbitrary Power Division Ratios Over the Two Bands. *Lin, Y., +, TCSI Feb. 2020 634-646*

Histograms

Linearity Theory of Stochastic Phase-Interpolation Time-to-Digital Converter. *Gammoh, K., +, TCSI Dec. 2020 4348-4359*

Hybrid power systems

A Broadband Doherty Power Amplifier With Hybrid Class-EFJ Mode. *Zhang, Z., +, TCSI Dec. 2020 4270-4280*

Power Scalable Beam-Oriented Digital Predistortion for Compact Hybrid Massive MIMO Transmitters. *Liu, X., +, TCSI Dec. 2020 4994-5006*

Hysteresis

Improved Sliding Mode Control With Time Delay Estimation for Motion Tracking of Cell Puncture Mechanism. *Xie, M.*, +, *TCSI Sept. 2020 3199-3210*

I**Image classification**

Processing Near Sensor Architecture in Mixed-Signal Domain With CMOS Image Sensor of Convolutional-Kernel-Readout Method. *Chen, Z.*, +, *TCSI Feb. 2020 389-400*

Retrain-Less Weight Quantization for Multiplier-Less Convolutional Neural Networks. *Choi, J.*, +, *TCSI March 2020 972-982*

The Hardware and Algorithm Co-Design for Energy-Efficient DNN Processor on Edge/Mobile Devices. *Lee, J.*, +, *TCSI Oct. 2020 3458-3470*

Image coding

Hardware-Compliant Compressive Image Sensor Architecture Based on Random Modulations and Permutations for Embedded Inference. *Benjilali, W.*, +, *TCSI April 2020 1218-1231*

Low-Power Receivers for Wireless Capacitive Coupling Transmission in 3-D-Integrated Massively Parallel CMOS Imager. *Blakiewicz, G.*, +, *TCSI Aug. 2020 2556-2565*

Image color analysis

FPGA-Based Low-Visibility Enhancement Accelerator for Video Sequence by Adaptive Histogram Equalization With Dynamic Clip-Threshold. *Xu, C.*, +, *TCSI Nov. 2020 3954-3964*

Real-Time Light Field Denoising Using a Novel Linear 4-D Hyperfan Filter. *Premaratne, S.U.*, +, *TCSI Aug. 2020 2693-2706*

Image denoising

Real-Time Light Field Denoising Using a Novel Linear 4-D Hyperfan Filter. *Premaratne, S.U.*, +, *TCSI Aug. 2020 2693-2706*

Image enhancement

A $4K \times 2K@60$ fps Multifunctional Video Display Processor for High Perceptual Image Quality. *Wang, H.*, +, *TCSI Feb. 2020 451-463*

FPGA-Based Low-Visibility Enhancement Accelerator for Video Sequence by Adaptive Histogram Equalization With Dynamic Clip-Threshold. *Xu, C.*, +, *TCSI Nov. 2020 3954-3964*

Real-Time Light Field Denoising Using a Novel Linear 4-D Hyperfan Filter. *Premaratne, S.U.*, +, *TCSI Aug. 2020 2693-2706*

Image filtering

Needle-Type Imager Sensor With Band-Pass Composite Emission Filter and Parallel Fiber-Coupled Laser Excitation. *Rustami, E.*, +, *TCSI April 2020 1082-1091*

Image processing

Theoretical Foundations of Memristor Cellular Nonlinear Networks: Memcomputing With Bistable-Like Memristors. *Tetzlaff, R.*, +, *TCSI Feb. 2020 502-515*

Image recognition

A Partially Binarized Hybrid Neural Network System for Low-Power and Resource Constrained Human Activity Recognition. *De Vita, A.*, +, *TCSI Nov. 2020 3893-3904*

sBSNN: Stochastic-Bits Enabled Binary Spiking Neural Network With On-Chip Learning for Energy Efficient Neuromorphic Computing at the Edge. *Koo, M.*, +, *TCSI Aug. 2020 2546-2555*

The Hardware and Algorithm Co-Design for Energy-Efficient DNN Processor on Edge/Mobile Devices. *Lee, J.*, +, *TCSI Oct. 2020 3458-3470*

Image reconstruction

A Calibration Technique for Simultaneous Estimation of Actual Sensing Matrix Coefficients on Modulated Wideband Converters. *Byambadorj, Z.*, +, *TCSI Dec. 2020 5561-5573*

Image resolution

3D-HEVC Bipartition Modes Encoder and Decoder Design Targeting High-Resolution Videos. *Sanchez, G.*, +, *TCSI Feb. 2020 415-427*

Image retrieval

Theoretical Foundations of Memristor Cellular Nonlinear Networks: Memcomputing With Bistable-Like Memristors. *Tetzlaff, R.*, +, *TCSI Feb. 2020 502-515*

Image sampling

A Closed-Loop, All-Electronic Pixel-Wise Adaptive Imaging System for High Dynamic Range Videography. *Zhang, J.*, +, *TCSI June 2020 1803-1814*

Experimental Verification of the Impact of Analog CMS on CIS Readout Noise. *Capoccia, R.*, +, *TCSI March 2020 774-784*

Image segmentation

DT-CNN: An Energy-Efficient Dilated and Transposed Convolutional Neural Network Processor for Region of Interest Based Image Segmentation. *Im, D.*, +, *TCSI Oct. 2020 3471-3483*

The Hardware and Algorithm Co-Design for Energy-Efficient DNN Processor on Edge/Mobile Devices. *Lee, J.*, +, *TCSI Oct. 2020 3458-3470*

Image sensors

Needle-Type Imager Sensor With Band-Pass Composite Emission Filter and Parallel Fiber-Coupled Laser Excitation. *Rustami, E.*, +, *TCSI April 2020 1082-1091*

Image sequences

FPGA-Based Low-Visibility Enhancement Accelerator for Video Sequence by Adaptive Histogram Equalization With Dynamic Clip-Threshold. *Xu, C.*, +, *TCSI Nov. 2020 3954-3964*

Image texture

Tile Adaptation for Workload Balancing of 3D-HEVC Encoder in Homogeneous Multicore Systems. *Saldanha, M.*, +, *TCSI May 2020 1704-1714*

Immune system

A 0.5-V 3.69-nW Complementary Source-Follower-C Based Low-Pass Filter for Wearable Biomedical Applications. *Liu, Z.*, +, *TCSI Dec. 2020 4370-4381*

Impedance

A Broadband Doherty Power Amplifier With Hybrid Class-EFJ Mode. *Zhang, Z.*, +, *TCSI Dec. 2020 4270-4280*

A High-Voltage UWB Pulse Generator Using Passive Amplification in 65-nm CMOS. *Gao, S.*, +, *TCSI Dec. 2020 5530-5539*

Broadband Balun-LNA Employing Local Feedback g_m -Boosting Technique and Balanced Loads for Low-Power Low-Voltage Applications. *Kim, S.*, +, *TCSI Dec. 2020 4631-4640*

Broadband Fully Integrated GaN Power Amplifier With Minimum-Inductance BPF Matching and Two-Transistor AM-PM Compensation. *Nikandish, G.R.*, +, *TCSI Dec. 2020 4211-4223*

Corrections to "Two Reciprocal Power Theorems for Passive Linear Time-Invariant Multiports". *Broyde, F.*, +, *TCSI July 2020 2516-2517*

High-Selectivity Single-Ended/Balanced DC-Block Filtering Impedance Transformer and Its Application on Power Amplifier. *Zhuang, Z.*, +, *TCSI Dec. 2020 4360-4369*

Power Amplifier With Load Impedance Sensing Incorporated Into the Output Matching Network. *Donahue, D.T.*, +, *TCSI Dec. 2020 5113-5124*

Impedance converters

Linearity Enhanced Harmonic-Modulated Impedance Inverter Doherty-Like Power Amplifier. *Zhou, X.Y.*, +, *TCSI June 2020 2029-2041*

Impedance matching

A DC-50 GHz CMOS Switched-Type Attenuator With Capacitive Compensation Technique. *Gu, P.*, +, *TCSI Oct. 2020 3389-3399*

A High-Voltage UWB Pulse Generator Using Passive Amplification in 65-nm CMOS. *Gao, S.*, +, *TCSI Dec. 2020 5530-5539*

Cell Weighting and Gate Inductive Peaking Techniques for Wideband Noise Suppression in Distributed Amplifiers. *Mesgari, B.*, +, *TCSI Dec. 2020 4507-4520*

Impedance measurement

Power Amplifier With Load Impedance Sensing Incorporated Into the Output Matching Network. *Donahue, D.T.*, +, *TCSI Dec. 2020 5113-5124*

Impulse noise

Bias-Compensated Sparsity-Aware NLMM Algorithms for Robust Adaptive Echo Cancellation. *Zheng, Z.*, +, *TCSI July 2020 2383-2396*

Indexes

Finite-Time Bipartite Tracking Control for Double-Integrator Networked Systems With Cooperative and Antagonistic Interactions. *Ning, B.*, +, *TCSI Dec. 2020 5223-5232*

Leader-Following Pinning Synchronization of Multiagent Systems With Impulsive Interlayer Coupling. *Ning, D.*, +, *TCSI Dec. 2020 5162-5174*

Indium compounds

InP DHB Single-Stage and Multiplicative Distributed Amplifiers for Ultra-Wideband Amplification. *Odedeyi, T.*, +, *TCSI Nov. 2020 3804-3814*

Inductance

Broadband Fully Integrated GaN Power Amplifier With Minimum-Inductance BPF Matching and Two-Transistor AM-PM Compensation. *Nikandish, G.R.*, +, *TCSI Dec. 2020 4211-4223*

Piecewise Quadratic Slope Compensation Technique for DC-DC Switching Converters. *Aroudi, A.E.*, +, *TCSI Dec. 2020 5574-5585*

Power Inductors Behavioral Modeling Revisited. *Stoyka, K.*, +, *TCSI Dec. 2020 5636-5649*

Inductive power transmission

A Fully Integrated High-Power-Supply-Rejection Linear Regulator With an Output-Supplied Voltage Reference. *Chen, Y.*, +, *TCSI Nov. 2020 3828-3838*

Generic Wireless Power Transfer and Data Communication System Based on a Novel Modulation Technique. *Trigui, A.*, +, *TCSI Nov. 2020 3978-3990*

Load Effect Analysis and Maximum Power Transfer Tracking of CPT System. *Mostafa, T.M.*, +, *TCSI Aug. 2020 2836-2848*

On the Coexistence of Multiple Limit Cycles in H-Bridge Wireless Power Transfer Systems With Zero Current Switching Control. *El Aroudi, A.*, +, *TCSI May 2020 1729-1739*

Inductors

120-GHz 8-Stage Broadband Amplifier With Quantitative Stagger Tuning Technique. *Jang, T.H.*, +, *TCSI March 2020 785-796*

A 22-to-47 GHz 2-Stage LNA With 22.2 dB Peak Gain by Using Coupled L-Type Interstage Matching Inductors. *Wang, K.*, +, *TCSI Dec. 2020 4607-4617*

A 3.3-mW 25.2-to-29.4-GHz Current-Reuse VCO Using a Single-Turn Multi-Tap Inductor and Differential-Only Switched-Capacitor Arrays With a 187.6-dBc/Hz FOM. *Huang, Y.*, +, *TCSI Nov. 2020 3704-3717*

A 65–81 GHz CMOS Dual-Mode VCO Using High Quality Factor Transformer-Based Inductors. *Basaligheh, A.*, +, *TCSI Dec. 2020 4533-4543*

A Nonlinear Behavioral Ferrite-Core Inductance Model Able to Reproduce Thermal Transients in Switch-Mode Power Supplies. *Lodi, M.*, +, *TCSI April 2020 1255-1263*

Advanced Control Strategies for DC–DC Buck Converters With Parametric Uncertainties via Experimental Evaluation. *Yin, Y.*, +, *TCSI Dec. 2020 5257-5267*

Analysis of Start-Up Response in a Digitally Controlled Boost Converter With Constant Power Load and Mitigation of Inrush Current Problems. *El Aroudi, A.*, +, *TCSI April 2020 1276-1285*

Design of a Simultaneous Frequency- and Power-Dividing Ratio-Reconfigurable Quadrature Coupler With Simple Tuning Approach. *Tan, X.*, +, *TCSI Dec. 2020 5510-5519*

Design of Miniaturized On-Chip Bandpass Filters Using Inverting-Coupled Inductors in (Bi)-CMOS Technology. *Zhu, H.*, +, *TCSI Feb. 2020 647-657*

LDO-Free Power Management System: A 10-bit Pipelined ADC Directly Powered by Inductor-Based Boost Converter With Ripple Calibration. *Wang, H.*, +, *TCSI Dec. 2020 4174-4186*

Magnetics-Based Efficiency Optimization for Low Power Cascaded-Buck-Boost Converter. *Chen, X.*, +, *TCSI Dec. 2020 5611-5623*

Piecewise Quadratic Slope Compensation Technique for DC-DC Switching Converters. *Aroudi, A.E.*, +, *TCSI Dec. 2020 5574-5585*

Power Inductors Behavioral Modeling Revisited. *Stoyka, K.*, +, *TCSI Dec. 2020 5636-5649*

Single-Inductor Dual-Input Dual-Output Battery-PV Hybrid System With 2-D Adaptive On-Time Control for Internet of Things. *Lee, H.*, +, *TCSI March 2020 1069-1078*

Inference algorithms

Hardware-Algorithm Co-Design of a Compressed Fuzzy Active Learning Method. *Jokar, E.*, +, *TCSI Dec. 2020 4932-4945*

Information management

A Secure Distributed Information Sharing Algorithm Based on Attack Detection in Multi-Task Networks. *Shi, Q.*, +, *TCSI Dec. 2020 5125-5138*

Injection locked amplifiers

A Calibration-Free Ring-Oscillator PLL With Gain Tracking Achieving 9% Jitter Variation Over PVT. *Yang, X.*, +, *TCSI Nov. 2020 3753-3763*

Injection locked oscillators

3.125-to-28.125 Gb/s 4.72 mW/Gb/s Multi-Standard Parallel Transceiver Supporting Channel-Independent Operation in 40-nm CMOS. *Yoon, J.*, +, *TCSI Aug. 2020 2647-2658*

A Low-Spur and Intrinsically Aligned IL-PLL With Self-Feedback Injection Locked RO and Pseudo-Random Injection Locked Technique. *Xi, N.*, +, *TCSI April 2020 1358-1367*

Locking Range Maximization in Injection-Locked Class-E Oscillator—A Case Study for Optimizing Synchronizability. *Yabe, Y.*, +, *TCSI May 2020 1762-1774*

Insertion loss

A 28GHz Reflective-Type Transmission-Line-Based Phase Shifter. *Kadam, M.*, +, *TCSI Dec. 2020 4641-4650*

Integrated circuit design

120-GHz 8-Stage Broadband Amplifier With Quantitative Stagger Tuning Technique. *Jang, T.H.*, +, *TCSI March 2020 785-796*

A 12-Bit 100-MS/s Pipelined-SAR ADC With PVT-Insensitive and Gain-Folding Dynamic Amplifier. *Liu, S.*, +, *TCSI Aug. 2020 2602-2611*

A Charge-Domain Switched-G_m-C Band-Pass Filter Using Interleaved Semi-Passive Charge-Sharing Technique. *Xu, Y.*, +, *TCSI Feb. 2020 600-610*

A Configurable Noise-Shaping Band-Pass SAR ADC With Two-Stage Clock-Controlled Amplifier. *Jiao, Z.*, +, *TCSI Nov. 2020 3728-3739*

A DC-50 GHz CMOS Switched-Type Attenuator With Capacitive Compensation Technique. *Gu, P.*, +, *TCSI Oct. 2020 3389-3399*

A Fully Integrated High-Power-Supply-Rejection Linear Regulator With an Output-Supplied Voltage Reference. *Chen, Y.*, +, *TCSI Nov. 2020 3828-3838*

A Logic Synthesis Methodology for Low-Power Ternary Logic Circuits. *Kim, S.*, +, *TCSI Sept. 2020 3138-3151*

A Low-Power BFSK Transmitter Architecture for Biomedical Applications. *Ibrahim, M.A.A.*, +, *TCSI May 2020 1527-1540*

A Low-Voltage-Driven High-Voltage SRAM Pixel Circuit for Power Reduction in a Digital Micro-Display Panel. *Cho, J.*, +, *TCSI May 2020 1640-1652*

A Precision-Scalable Energy-Efficient Convolutional Neural Network Accelerator. *Liu, W.*, +, *TCSI Oct. 2020 3484-3497*

A Wideband Frequency Divider With Programmable Odd/Even Division Factors and Quadrature/Symmetrical Outputs. *Rezaei-Hosseiniabadi, N.*, +, *TCSI June 2020 1857-1866*

Aging Compensation With Dynamic Computation Approximation. *Kim, H.*, +, *TCSI April 2020 1319-1332*

An 80 MHz Bandwidth and 26.8 dBm OOB IIP3 Transimpedance Amplifier With Improved Nested Feedforward Compensation and Multi-Order Filtering. *Jung, H.*, +, *TCSI Oct. 2020 3410-3421*

Bootstrapped Driver and the Single-Event-Upset Effect. *Al-Daloo, M.*, +, *TCSI Oct. 2020 3309-3319*

Current-Based Data-Retention-Time Characterization of Gain-Cell Embedded DRAMs Across the Design and Variations Space. *Giterman, R.*, +, *TCSI April 2020 1207-1217*

Design and Evaluation of Low-Complexity Radiation Hardened CMOS Latch for Double-Node Upset Tolerance. *Guo, J.*, +, *TCSI June 2020 1925-1935*

Design Approach for Ring Amplifiers. *Conrad, J.*, +, *TCSI Oct. 2020 3444-3457*

Design of a 77-GHz LC-VCO With a Slow-Wave Coplanar Stripline-Based Inductor. *Sharma, E.*, +, *TCSI Feb. 2020 378-388*

Design of D-Band Transformer-Based Gain-Boosting Class-AB Power Amplifiers in Silicon Technologies. *Tang, X.*, +, *TCSI May 2020 1447-1458*

Design of Miniaturized On-Chip Bandpass Filters Using Inverting-Coupled Inductors in (Bi)-CMOS Technology. *Zhu, H.*, +, *TCSI Feb. 2020 647-657*

Distortion Contribution Analysis for Identifying EM Immunity Failures. *Duipmans, L.*, +, *TCSI Aug. 2020 2767-2779*

Effective Resistance of Finite Two-Dimensional Grids Based on Infinity Mirror Technique. *Bairamkulov, R.*, +, *TCSI Sept. 2020 3224-3233*

Energy-Efficient Precharge-Free Ternary Content Addressable Memory (TCAM) for High Search Rate Applications. *Venkata Mahendra, T.*, +, *TCSI July 2020 2345-2357*

Enhanced Linearity in FD-SOI CMOS Body-Input Analog Circuits – Application to Voltage-Controlled Ring Oscillators and Frequency-Based $\Sigma\Delta$ ADCs. *Ahmadi-Farsani, J.*, +, *TCSI Oct. 2020 3297-3308*

IMAC: In-Memory Multi-Bit Multiplication and Accumulation in 6T SRAM Array. *Ali, M.*, +, *TCSI Aug. 2020 2521-2531*

InP DHB T Single-Stage and Multiplicative Distributed Amplifiers for Ultra-Wideband Amplification. *Odedeyi, T.*, +, *TCSI Nov. 2020 3804-3814*

LDO With Improved Common Gate Class-AB OTA Handles any Load Capacitors and Provides Fast Response to Load Transients. *Raducan, C.*, +, *TCSI Nov. 2020 3740-3752*

Low-Power All-Digital Multiphase DLL Design Using a Scalable Phase-to-Digital Converter. *Angeli, N.*, +, *TCSI April 2020 1158-1168*

On the Design of Low-Power Hybrids for Full Duplex Simultaneous Bidirectional Signaling Links. *Yuan, C.*, +, *TCSI April 2020 1413-1422*

Slewing Mitigation Technique for Switched Capacitor Circuits. *Kareppagoudr, M.*, +, *TCSI Oct. 2020 3251-3261*

Theory and Implementation of a Load-Mismatch Protective Class-E PA System. *Ponte, J.*, +, *TCSI Feb. 2020 369-377*

Ultra-Low-Voltage CMOS Crystal Oscillators. *Siniscalchi, M.*, +, *TCSI June 2020 1846-1856*

Integrated circuit interconnections

A Hybrid 3D Interconnect With 2x Bandwidth Density Employing Orthogonal Simultaneous Bidirectional Signaling for 3D NoC. *Gopal, S.*, +, *TCSI Nov. 2020 3919-3932*

An Artificial Neural Network Processor With a Custom Instruction Set Architecture for Embedded Applications. *Valencia, D.*, +, *TCSI Dec. 2020 5200-5210*

Bootstrapped Driver and the Single-Event-Upset Effect. *Al-Daloo, M.*, +, *TCSI Oct. 2020 3309-3319*

High Efficiency Doherty Power Amplifier Using Dual-Adaptive Biases. *Zhang, H.*, +, *TCSI Aug. 2020 2625-2634*

Synthesis, Design, and Synchronization Analysis of Coupled Linear Electrical Networks. *Ochs, K.*, +, *TCSI Dec. 2020 4521-4532*

Integrated circuit layout

A 5–13.5 Gb/s Multistandard Receiver With High Jitter Tolerance Digital CDR in 40-nm CMOS Process. *Shu, Z.*, +, *TCSI Oct. 2020 3378-3388*

A Self-Timed Voltage-Mode Sensing Scheme With Successive Sensing and Checking for STT-MRAM. *Zhou, Y.*, +, *TCSI May 2020 1602-1614*

Design of a 4.2-to-5.1 GHz Ultralow-Power Complementary Class-B/C Hybrid-Mode VCO in 65-nm CMOS Fully Supported by EDA Tools. *Martins, R.*, +, *TCSI Nov. 2020 3965-3977*

High Efficiency Doherty Power Amplifier Using Dual-Adaptive Biases. *Zhang, H.*, +, *TCSI Aug. 2020 2625-2634*

Integrated circuit manufacture

A Framed-Pulsewidth Modulation Transceiver for High-Speed Broadband Communication Links. *Jeon, S.*, +, *TCSI Aug. 2020 2825-2835*

A Miniaturized 0.003 mm² PNP-Based Thermal Sensor for Dense CPU Thermal Monitoring. *Bass, O.*, +, *TCSI Sept. 2020 2984-2992*

Integrated circuit measurement

A 2.12-V V_{pp} 11.67-pJ/pulse Fully Integrated UWB Pulse Generator in 65-nm CMOS Technology. *Gao, S.*, +, *TCSI March 2020 1058-1068*

Integrated circuit modeling

A Systematic Approach for Arbitration Expressions. *Bingham, N.*, +, *TCSI Dec. 2020 4960-4969*

Automated Deep Neural Learning-Based Optimization for High Performance High Power Amplifier Designs. *Kouhalvandi, L.*, +, *TCSI Dec. 2020 4420-4433*

Deep Neural Network (DNN) Optimized Design of 2.45 GHz CMOS Rectifier With 73.6% Peak Efficiency for RF Energy Harvesting. *Lau, W.W.Y.*, +, *TCSI Dec. 2020 4322-4333*

Event-Triggered Fuzzy Control of Repeated Scalar Nonlinear Systems and its Application to Chua's Circuit System. *Wen, Y.*, +, *TCSI Dec. 2020 5347-5357*

Extended Dissipative Control for Singularly Perturbed PDT Switched Systems and its Application. *Wang, J.*, +, *TCSI Dec. 2020 5281-5289*

Output Regulation for Switched Systems With Multiple Disturbances. *Zhao, Y.*, +, *TCSI Dec. 2020 5326-5335*

S-Type Locally Active Memristor-Based Periodic and Chaotic Oscillators. *Liang, Y.*, +, *TCSI Dec. 2020 5139-5152*

Synthesis, Design, and Synchronization Analysis of Coupled Linear Electrical Networks. *Ochs, K.*, +, *TCSI Dec. 2020 4521-4532*

Variability-Aware Modeling of Filamentary Oxide-Based Bipolar Resistive Switching Cells Using SPICE Level Compact Models. *Bengel, C.*, +, *TCSI Dec. 2020 4618-4630*

Integrated circuit noise

A Single Slope ADC With Row-Wise Noise Reduction Technique for CMOS Image Sensor. *Nie, K.*, +, *TCSI Sept. 2020 2873-2882*

A Time-Domain 147fs_{rms} 2.5-MHz Bandwidth Two-Step Flash-MASH 1-1-1 Time-to-Digital Converter With Third-Order Noise-Shaping and Mismatch Correction. *Wu, Y.*, +, *TCSI Aug. 2020 2532-2545*

An Inverted Ring Oscillator Noise-Shaping Time-to-Digital Converter With In-Band Noise Reduction and Coherent Noise Cancellation. *Yi, X.*, +, *TCSI Feb. 2020 686-698*

Processing Near Sensor Architecture in Mixed-Signal Domain With CMOS Image Sensor of Convolutional-Kernel-Readout Method. *Chen, Z.*, +, *TCSI Feb. 2020 389-400*

Utilization of Multi-Resonant Defected Ground Structure Resonators in the Oscillator Feedback for Phase Noise Reduction of K-Band VCOs in 0.18- μ m CMOS Technology. *Jahan, N.*, +, *TCSI April 2020 1115-1125*

Integrated circuit reliability

A Low Noise Fault Tolerant Radiation Hardened 2.56 Gbps Clock-Data Recovery Circuit With High Speed Feed Forward Correction in 65 nm CMOS. *Biereigel, S.*, +, *TCSI May 2020 1438-1446*

Aging Compensation With Dynamic Computation Approximation. *Kim, H.*, +, *TCSI April 2020 1319-1332*

Design and Evaluation of Low-Complexity Radiation Hardened CMOS Latch for Double-Node Upset Tolerance. *Guo, J.*, +, *TCSI June 2020 1925-1935*

Energy-Efficient Precharge-Free Ternary Content Addressable Memory (TCAM) for High Search Rate Applications. *Venkata Mahendra, T.*, +, *TCSI July 2020 2345-2357*

Novel Speed-and-Power-Optimized SRAM Cell Designs With Enhanced Self-Recoverability From Single- and Double-Node Upsets. *Yan, A.*, +, *TCSI Dec. 2020 4684-4695*

One-Sided Schmitt-Trigger-Based 9T SRAM Cell for Near-Threshold Operation. *Cho, K.*, +, *TCSI May 2020 1551-1561*

Self-Learning Hot Data Prediction: Where Echo State Network Meets NAND Flash Memories. *Luo, Q.*, +, *TCSI March 2020 939-950*

Theory and Implementation of a Load-Mismatch Protective Class-E PA System. *Ponte, J.*, +, *TCSI Feb. 2020 369-377*

Timing Reliability Improvement of Master-Slave Flip-Flops in the Presence of Aging Effects. *Jafari, A.*, +, *TCSI Dec. 2020 4761-4773*

Integrated circuit testing

3.125-to-28.125 Gb/s 4.72 mW/Gb/s Multi-Standard Parallel Transceiver Supporting Channel-Independent Operation in 40-nm CMOS. *Yoon, J.*, +, *TCSI Aug. 2020 2647-2658*

A Framed-Pulsewidth Modulation Transceiver for High-Speed Broadband Communication Links. *Jeon, S.*, +, *TCSI Aug. 2020 2825-2835*

A Self-Timed Voltage-Mode Sensing Scheme With Successive Sensing and Checking for STT-MRAM. *Zhou, Y.*, +, *TCSI May 2020 1602-1614*

LDO With Improved Common Gate Class-AB OTA Handles any Load Capacitors and Provides Fast Response to Load Transients. *Raducan, C.*, +, *TCSI Nov. 2020 3740-3752*

Machine Learning-Based Approach for Hardware Faults Prediction. *Khalil, K.*, +, *TCSI Nov. 2020 3880-3892*

Integrated circuits

A –20 dBm Passive UHF RFID Tag IC With MTP NVM in 0.13- μ m Standard CMOS Process. *Li, S.*, +, *TCSI Dec. 2020 4566-4579*

A 580 nW Dual-Input Energy Harvester IC Using Multi-Task MPPT and a Current Boost Converter for Heterogeneous Source Combining. *Chandrarathna, S.C.*, +, *TCSI Dec. 2020 5650-5663*

Adjacent Channel Interference Cancellation in FDM Transmissions. *Harvanek, M.*, +, *TCSI Dec. 2020 5417-5428*

An SRAM-Based PUF With a Capacitive Digital Preselection for a 1E-9 Key Error Probability. *Shifman, Y.*, +, *TCSI Dec. 2020 4855-4868*

Guest Editorial Special Issue on the International Symposium on Integrated Circuits and Systems—ISICAS 2020. *Blokhina, E.*, *TCSI Nov. 2020 3617*

Novel Speed-and-Power-Optimized SRAM Cell Designs With Enhanced Self-Recoverability From Single- and Double-Node Upsets. *Yan, A.*, +, *TCSI Dec. 2020 4684-4695*

Integrated memory circuits

Continuous-Flow Matrix Transposition Using Memories. *Garrido, M.*, +, *TCSI Sept. 2020 3035-3046*

Integrated optics

Rapid Simulation of Photonic Integrated Circuits Using Verilog-A Compact Models. *Shawon, M.J.*, +, *TCSI Oct. 2020 3331-3341*

Integrated optoelectronics

Rapid Simulation of Photonic Integrated Circuits Using Verilog-A Compact Models. *Shawon, M.J.*, +, *TCSI Oct. 2020 3331-3341*

Integrating circuits

Distortion Analysis of RC Integrators With Wideband Input Signals. *Hammler, N.*, +, *TCSI Jan. 2020 12-22*

Integration

Exponentially Fitted Cubature Kalman Filter With Application to Oscillatory Dynamical Systems. *Singh, A.K.*, *TCSI Aug. 2020 2739-2752*

Simulations of Memristors Using the Poincaré Map Approach. *Galias, Z.*, *TCSI March 2020 963-971*

Interchannel interference

Adjacent Channel Interference Cancellation in FDM Transmissions. *Harvanek, M.*, +, *TCSI Dec. 2020 5417-5428*

Interference cancellation

Adjacent Channel Interference Cancellation in FDM Transmissions. *Harvanek, M.*, +, *TCSI Dec. 2020 5417-5428*

Interference filters

Needle-Type Imager Sensor With Band-Pass Composite Emission Filter and Parallel Fiber-Coupled Laser Excitation. *Rustami, E.*, +, *TCSI April 2020 1082-1091*

Interference suppression

An Integrated, Software-Defined FDD Transceiver: Distributed Duplexing Theory and Operation. *Tapen, T.*, +, *TCSI Jan. 2020 271-283*

An Inverted Ring Oscillator Noise-Shaping Time-to-Digital Converter With In-Band Noise Reduction and Coherent Noise Cancellation. *Yi, X.*, +, *TCSI Feb. 2020 686-698*

Analysis of Spectral Degradation and Error Compensation in 5G NR Digital Polar Transmitters. *Preissl, C.*, +, *TCSI Aug. 2020 2719-2729*

Dual Pulse Shaping Transmission and Equalization for High-Speed Wideband Wireless Communication Systems. *Zhang, H.*, +, *TCSI July 2020 2372-2382*

EMI Reduction in Class-D Amplifiers by Actively Reducing PWM Ripple. *Lokin, C.E.*, +, *TCSI March 2020 765-773*

Jitter Minimization in Digital PLLs with Mid-Rise TDCs. *Avallone, L.*, +, *TCSI March 2020 743-752*

Passive SC $\Sigma\Delta$ Modulator Based on Pipelined Charge-Sharing Rotation in 28-nm CMOS. *Wang, H.*, +, *TCSI Feb. 2020 578-589*

Internet of Things

A 115 \times Conversion-Ratio Thermoelectric Energy-Harvesting Battery Charger for the Internet of Things. *Chung, M.*, +, *TCSI Nov. 2020 4110-4121*

A 33-ppm/ $^{\circ}$ C 240-nW 40-nm CMOS Wakeup Timer Based on a Bang-Bang Digital-Intensive Frequency-Locked-Loop for IoT Applications. *Ding, M.*, +, *TCSI July 2020 2263-2273*

A 7.4-MHz Tri-Mode DC-DC Buck Converter With Load Current Prediction Scheme and Seamless Mode Transition for IoT Applications. *Hong, W.*, +, *TCSI Dec. 2020 4544-4555*

A 92%-Efficiency Battery Powered Hybrid DC-DC Converter for IoT Applications. *Elhebeary, M.*, +, *TCSI Oct. 2020 3342-3351*

ADEPOS: A Novel Approximate Computing Framework for Anomaly Detection Systems and its Implementation in 65-nm CMOS. *Bose, S.K.*, +, *TCSI March 2020 913-926*

Battery Management Technique to Reduce Standby Energy Consumption in Ultra-Low Power IoT and Sensory Applications. *Radfar, M.*, +, *TCSI Jan. 2020 336-345*

Compact Code-Based Signature for Reconfigurable Devices With Side Channel Resilience. *Hu, J.*, +, *TCSI July 2020 2305-2316*

Fully-Integrated Reconfigurable Charge Pump With Two-Dimensional Frequency Modulation for Self-Powered Internet-of-Things Applications. *Cheng, H.*, +, *TCSI Nov. 2020 4132-4141*

Low-Latency Reconfigurable Entropy Digital True Random Number Generator With Bias Detection and Correction. *Carreira, L.B.*, +, *TCSI May 2020 1562-1575*

NS-CIM: A Current-Mode Computation-in-Memory Architecture Enabling Near-Sensor Processing for Intelligent IoT Vision Nodes. *Liu, Z.*, +, *TCSI Sept. 2020 2909-2922*

Processing Near Sensor Architecture in Mixed-Signal Domain With CMOS Image Sensor of Convolutional-Kernel-Readout Method. *Chen, Z.*, +, *TCSI Feb. 2020 389-400*

Interpolation

A Low-Power Signal-Dependent Sampling Technique: Analysis, Implementation, and Applications. *Hajfshejani, E.H.*, +, *TCSI Dec. 2020 4334-4347*

A Reconfigurable 0.1–10 MHz DT Passive Dynamic Zoom ADC for Cellular Receivers. *Erol, O.E.*, +, *TCSI July 2020 2216-2228*

A Resampling Method Based on Filter Designed by Window Function Considering Frequency Aliasing. *Liu, H.*, +, *TCSI Dec. 2020 5018-5030*

Dynamic Harmonic Analysis With FIR Filters Designed With O-Splines. *Serna, J.A.d.I.O.*, *TCSI Dec. 2020 5092-5100*

Multibeam Phased-Arrays Using Dual-Vector Distributed Beamforming: Architecture Overview and 28 GHz Transceiver Prototypes. *Yeh, Y.*, +, *TCSI Dec. 2020 5496-5509*

Intersymbol interference

A 7.8 Gb/s/pin, 1.96 pJ/b Transceiver With Phase-Difference-Modulation Signaling for Highly Reflective Interconnects. *Lee, S.*, +, *TCSI June 2020 2114-2127*

Inverse problems

Unloaded Quality Factor of Transmission Line Resonators With Capacitors. *Zakharov, A.*, +, *TCSI July 2020 2204-2215*

Inverters

A +0.66/–0.73 $^{\circ}$ C Inaccuracy, 1.99- μ W Time-Domain CMOS Temperature Sensor With Second-Order $\Delta\Sigma$ Modulator and On-Chip Reference Clock. *Chen, Y.*, +, *TCSI Nov. 2020 3815-3827*

A 60-m Range 6.16-mW Laser-Power Linear-Mode LiDAR System With Multiplex ADC/TDC in 65-nm CMOS. *Liu, M.*, +, *TCSI March 2020 753-764*

A Multi-Folded MCML for Ultra-Low-Voltage High-Performance in Deeply Scaled CMOS. *Palumbo, G.*, +, *TCSI Dec. 2020 4696-4706*

Analysis and Design of a New Current-Source Output Load Resonant Converter With High Capability in Line and Load Regulation. *Khoshsaadat, A.*, +, *TCSI Aug. 2020 2849-2858*

Interpreting Frame Transformations in AC Systems as Diagonalization of Harmonic Transfer Functions. *Li, Y.*, +, *TCSI July 2020 2481-2491*

On the Coexistence of Multiple Limit Cycles in H-Bridge Wireless Power Transfer Systems With Zero Current Switching Control. *El Aroudi, A.*, +, *TCSI May 2020 1729-1739*

Iterative decoding

Flexible High Throughput QC-LDPC Decoder With Perfect Pipeline Conflicts Resolution and Efficient Hardware Utilization. *Petrovic, V.L.*, +, *TCSI Dec. 2020 5454-5467*

Reduced-Complexity Key Equation Solvers for Generalized Integrated Interleaved BCH Decoders. *Xie, Z.*, +, *TCSI Dec. 2020 5520-5529*

Iterative methods

A Perturbative Stochastic Galerkin Method for the Uncertainty Quantification of Linear Circuits. *Manfredi, P.*, +, *TCSI Sept. 2020 2993-3006*

An Efficient Massive MIMO Detector Based on Second-Order Richardson Iteration: From Algorithm to Flexible Architecture. *Tu, J.*, +, *TCSI Nov. 2020 4015-4028*

An Efficient Spur-Aliasing-Free Spectral Calibration Technique in Time-Interleaved ADCs. *Niu, H.*, +, *TCSI July 2020 2229-2238*

- Cascaded Form Sparse FIR Filter Design. *Chen, W.*, +, *TCSI May 2020 1692-1703*
- Data-Based H_∞ Control for the Constrained-Input Nonlinear Systems and its Applications in Chaotic Circuit Systems. *Ren, L.*, +, *TCSI Aug. 2020 2791-2802*
- Efficient Successive Over Relaxation Detectors for Massive MIMO. *Yu, A.*, +, *TCSI June 2020 2128-2139*
- Enhanced Linear Iterative Detector for Massive Multiuser MIMO Uplink. *Tan, X.*, +, *TCSI Feb. 2020 540-552*
- Iterative Approach With Optimization-Based Execution Scheme for Parameter Identification of Distributed Parameter Systems and its Application in Secure Communication. *Li, R.*, +, *TCSI Sept. 2020 3113-3126*
- Low-Latency Unfolded-KES Architecture for Emerging Storage Class Memories. *Moon, S.*, +, *TCSI June 2020 2103-2113*
- Matrix Decomposition Based Low-Complexity FIR Filter: Further Results. *Wang, H.*, +, *TCSI Feb. 2020 672-685*
- Rational Polynomial Chaos Expansions for the Stochastic Macromodeling of Network Responses. *Manfredi, P.*, +, *TCSI Jan. 2020 225-234*

J

Jamming

- Probabilistic-Constrained Distributed Filtering for a Class of Nonlinear Stochastic Systems Subject to Periodic DoS Attacks. *Tian, E.*, +, *TCSI Dec. 2020 5369-5379*

Jitter

- A 1.22 mW 2.4 GHz PLL Using a Single-Ring-Oscillator-Based Integrator With Background Frequency Calibration. *Su, G.*, +, *TCSI July 2020 2169-2179*
- A 108 F²/Bit Fully Reconfigurable RRAM PUF Based on Truly Random Dynamic Entropy of Jitter Noise. *Zhao, Q.*, +, *TCSI Nov. 2020 3866-3879*
- A 5–13.5 Gb/s Multistandard Receiver With High Jitter Tolerance Digital CDR in 40-nm CMOS Process. *Shu, Z.*, +, *TCSI Oct. 2020 3378-3388*
- A Flexible 18-Channel Multi-Hit Time-to-Digital Converter for Trigger-Based Data Acquisition Systems. *Chithra, .*, +, *TCSI June 2020 1892-1901*
- A Low-Spur and Intrinsically Aligned IL-PLL With Self-Feedback Injection Locked RO and Pseudo-Random Injection Locked Technique. *Xi, N.*, +, *TCSI April 2020 1358-1367*
- An Inverted Ring Oscillator Noise-Shaping Time-to-Digital Converter With In-Band Noise Reduction and Coherent Noise Cancellation. *Yi, X.*, +, *TCSI Feb. 2020 686-698*
- Jitter Minimization in Digital PLLs with Mid-Rise TDCs. *Avallone, L.*, +, *TCSI March 2020 743-752*
- Low-Power All-Digital Multiphase DLL Design Using a Scalable Phase-to-Digital Converter. *Angeli, N.*, +, *TCSI April 2020 1158-1168*

K

Kalman filters

- A Framework of L-HC and AM-MKF for Accurate Harmonic Supportive Control Schemes. *Kumar, N.*, +, *TCSI Dec. 2020 5246-5256*
- Dynamic State Estimation of Power Systems by p -Norm Nonlinear Kalman Filter. *Wang, W.*, +, *TCSI May 2020 1715-1728*
- Exponentially Fitted Cubature Kalman Filter With Application to Oscillatory Dynamical Systems. *Singh, A.K.*, *TCSI Aug. 2020 2739-2752*
- Robust Filtering of Discrete-Time Linear Systems With Correlated Process and Measurement Noises. *Yin, L.*, +, *TCSI March 2020 1008-1020*

Kernel

- Dynamic Harmonic Analysis With FIR Filters Designed With O-Splines. *Serna, J.A.d.l.O.*, *TCSI Dec. 2020 5092-5100*
- Implementation of Supersingular Isogeny-Based Diffie-Hellman and Key Encapsulation Using an Efficient Scheduling. *Farzam, M.*, +, *TCSI Dec. 2020 4895-4903*

L

Lab-on-a-chip

- CMOS 256-Pixel/480-Pixel Photovoltaic-Powered Subretinal Prosthetic Chips With Wide Image Dynamic Range and Bi/Four-Directional Sharing Electrodes and Their *Ex Vivo* Experimental Validations With Mice. *Wu, C.*, +, *TCSI Oct. 2020 3273-3283*

Laboratories

- Corrections to “A Design of Input-Decimation Technique for Recursive DFT/IDFT Algorithm”. *Wu, C.*, +, *TCSI June 2020 2152*

Large-scale systems

- ADP-Based Security Decentralized Sliding Mode Control for Partially Unknown Large-Scale Systems Under Injection Attacks. *Song, J.*, +, *TCSI Dec. 2020 5290-5301*

Laser applications in medicine

- Needle-Type Imager Sensor With Band-Pass Composite Emission Filter and Parallel Fiber-Coupled Laser Excitation. *Rustami, E.*, +, *TCSI April 2020 1082-1091*

Laser radar

- A CMOS Peak Detect and Hold Circuit With Auto-Adjust Charging Current for NS-Scale Pulse ToF Lidar Application. *Zheng, H.*, +, *TCSI Dec. 2020 4409-4419*

- A Low Walk Error Analog Front-End Circuit With Intensity Compensation for Direct ToF LiDAR. *Wang, X.*, +, *TCSI Dec. 2020 4309-4321*

Laser ranging

- A Wide Dynamic Range Laser Radar Receiver Based on Input Pulse-Shaping Techniques. *Baharmast, A.*, +, *TCSI Aug. 2020 2566-2577*

Latches

- Single-Slope Look-Ahead Ramp ADC for CMOS Image Sensors. *Elmezayen, M.R.*, +, *TCSI Dec. 2020 4484-4493*

- Soft Error Detection and Correction Architecture for Asynchronous Bundled Data Designs. *Kuentzer, F.A.*, +, *TCSI Dec. 2020 4883-4894*

LC circuits

- A Switched-Capacitor DC-DC Converter Powering an LC Oscillator to Achieve 85% System Peak Power Efficiency and -65 dBc Spurious Tones. *Urso, A.*, +, *TCSI Nov. 2020 3764-3777*

- Design of a 77-GHz LC With a Slow-Wave Coplanar Stripline-Based Inductor. *Sharma, E.*, +, *TCSI Feb. 2020 378-388*

- Utilization of Multi-Resonant Defected Ground Structure Resonators in the Oscillator Feedback for Phase Noise Reduction of K-Band VCOs in 0.18- μ m CMOS Technology. *Jahan, N.*, +, *TCSI April 2020 1115-1125*

Leakage currents

- A 270-mV 6T SRAM Using Row-Based Dual-Phase V_{DD} Control in 28-nm CMOS. *Lu, C.*, +, *TCSI Dec. 2020 4774-4783*

- A Transient-Enhanced Output-Capacitorless LDO With Fast Local Loop and Overshoot Detection. *Liu, N.*, +, *TCSI Oct. 2020 3422-3432*

- Current-Based Data-Retention-Time Characterization of Gain-Cell Embedded DRAMs Across the Design and Variations Space. *Giterman, R.*, +, *TCSI April 2020 1207-1217*

- Deep Neural Network (DNN) Optimized Design of 2.45 GHz CMOS Rectifier With 73.6% Peak Efficiency for RF Energy Harvesting. *Lau, W.W.Y.*, +, *TCSI Dec. 2020 4322-4333*

- Switched-Capacitor-Assisted Power Gating for Ultra-Low Standby Power in CMOS Digital ICs. *Sankar, S.*, +, *TCSI Dec. 2020 4281-4294*

Learning (artificial intelligence)

- A Semi-Supervised Learning Approach for Identification of Piecewise Affine Systems. *Du, Y.*, +, *TCSI Oct. 2020 3521-3532*

- A Strong Subthreshold Current Array PUF Resilient to Machine Learning Attacks. *Zhuang, H.*, +, *TCSI Jan. 2020 135-144*

- An Approximate Memory Architecture for Energy Saving in Deep Learning Applications. *Nguyen, D.T.*, +, *TCSI May 2020 1588-1601*

- Deep In-Memory Architectures for Machine Learning—Accuracy Versus Efficiency Trade-Offs. *Kang, M.*, +, *TCSI May 2020 1627-1639*

- Hardware-Compliant Compressive Image Sensor Architecture Based on Random Modulations and Permutations for Embedded Inference. *Benjilali, W.*, +, *TCSI April 2020 1218-1231*

In-Field Performance Optimization for mm-Wave Mixed-Signal Doherty Power Amplifiers: A Bandit Approach. *Xu, S.*, +, *TCSI Dec. 2020 5302-5315*

In-Hardware Training Chip Based on CMOS Invertible Logic for Machine Learning. *Onizawa, N.*, +, *TCSI May 2020 1541-1550*

In-Memory Low-Cost Bit-Serial Addition Using Commodity DRAM Technology. *Ali, M.F.*, +, *TCSI Jan. 2020 155-165*

Low-Energy Voice Activity Detection via Energy-Quality Scaling From Data Conversion to Machine Learning. *Teo, J.H.*, +, *TCSI April 2020 1378-1388*

Machine Learning-Based Approach for Hardware Faults Prediction. *Khalil, K.*, +, *TCSI Nov. 2020 3880-3892*

Presynaptic Spike-Driven Spike Timing-Dependent Plasticity With Address Event Representation for Large-Scale Neuromorphic Systems. *Park, J.*, +, *TCSI June 2020 1936-1947*

Retrain-Less Weight Quantization for Multiplier-Less Convolutional Neural Networks. *Choi, J.*, +, *TCSI March 2020 972-982*

sBSNN: Stochastic-Bits Enabled Binary Spiking Neural Network With On-Chip Learning for Energy Efficient Neuromorphic Computing at the Edge. *Koo, M.*, +, *TCSI Aug. 2020 2546-2555*

Self-Learning Hot Data Prediction: Where Echo State Network Meets NAND Flash Memories. *Luo, Q.*, +, *TCSI March 2020 939-950*

Semi-Supervised Broad Learning System Based on Manifold Regularization and Broad Network. *Zhao, H.*, +, *TCSI March 2020 983-994*

Least mean squares methods

A New Variable Forgetting Factor-Based Bias-Compensated RLS Algorithm for Identification of FIR Systems With Input Noise and Its Hardware Implementation. *Tan, H.J.*, +, *TCSI Jan. 2020 198-211*

An Efficient Massive MIMO Detector Based on Second-Order Richardson Iteration: From Algorithm to Flexible Architecture. *Tu, J.*, +, *TCSI Nov. 2020 4015-4028*

Bias-Compensated Sparsity-Aware NLMM Algorithms for Robust Adaptive Echo Cancellation. *Zheng, Z.*, +, *TCSI July 2020 2383-2396*

Dynamic State Estimation of Power Systems by p -Norm Nonlinear Kalman Filter. *Wang, W.*, +, *TCSI May 2020 1715-1728*

Efficient Successive Over Relaxation Detectors for Massive MIMO. *Yu, A.*, +, *TCSI June 2020 2128-2139*

Enhanced Linear Iterative Detector for Massive Multiuser MIMO Uplink. *Tan, X.*, +, *TCSI Feb. 2020 540-552*

Feature Adaptive Filtering: Exploiting Hidden Sparsity. *Yazdanpanah, H.*, +, *TCSI July 2020 2358-2371*

Framework for Automated Earthquake Event Detection Based on Denoising by Adaptive Filter. *Bose, S.*, +, *TCSI Sept. 2020 3070-3083*

Projected Kernel Least Mean p -Power Algorithm: Convergence Analyses and Modifications. *Zhao, J.*, +, *TCSI Oct. 2020 3498-3511*

Least squares approximations

Data-Based H_∞ Control for the Constrained-Input Nonlinear Systems and its Applications in Chaotic Circuit Systems. *Ren, L.*, +, *TCSI Aug. 2020 2791-2802*

LED displays

A Low-Voltage-Driven High-Voltage SRAM Pixel Circuit for Power Reduction in a Digital Micro-Display Panel. *Cho, J.*, +, *TCSI May 2020 1640-1652*

Legged locomotion

Analysis and Investigation of Internal AC Frequency to Minimize AC Current Magnitude and Reactive Power Circulation in Chain-Link Modular Multilevel Direct DC–DC Converters. *Xiang, X.*, +, *TCSI Dec. 2020 5586-5599*

Light emitting diodes

Single-Stage Three-Phase AC-DC Resonant Switched Capacitor LED Driver Without Electrolytic Capacitor and Reduced Number of Controlled Switches. *Miranda, P.H.A.*, +, *TCSI Dec. 2020 5675-5686*

Limit cycles

On the Coexistence of Multiple Limit Cycles in H-Bridge Wireless Power Transfer Systems With Zero Current Switching Control. *El Aroudi, A.*, +, *TCSI May 2020 1729-1739*

Linear codes

Statistical BER Analysis of Wireline Links With Non-Binary Linear Block Codes Subject to DFE Error Propagation. *Yang, M.*, +, *TCSI Jan. 2020 284-297*

Linear matrix inequalities

A Novel Approach to State and Unknown Input Estimation for Takagi–Sugeno Fuzzy Models With Applications to Fault Detection. *Zhao, D.*, +, *TCSI June 2020 2053-2063*

Bounded Input Dissipativity of Linearized Circuit Models. *Bradde, T.*, +, *TCSI June 2020 2064-2077*

Energy-Constraint Formation for Multiagent Systems With Switching Interaction Topologies. *Xi, J.*, +, *TCSI July 2020 2442-2454*

Event-Triggered Fuzzy Control of Repeated Scalar Nonlinear Systems and its Application to Chua's Circuit System. *Wen, Y.*, +, *TCSI Dec. 2020 5347-5357*

Finite-Time H_∞ Filtering for State-Dependent Uncertain Systems With Event-Triggered Mechanism and Multiple Attacks. *Liu, J.*, +, *TCSI March 2020 1021-1034*

Global Stabilization of Switched Feedforward Nonlinear Time-Delay Systems Under Asynchronous Switching. *Li, Z.*, +, *TCSI Feb. 2020 711-724*

Memory Output-Feedback Integral Sliding Mode Control for Furuta Pendulum Systems. *Xu, J.*, +, *TCSI June 2020 2042-2052*

Observer-Based Asynchronous Fault Detection for Conic-Type Nonlinear Jumping Systems and its Application to Separately Excited DC Motor. *Cheng, P.*, +, *TCSI March 2020 951-962*

Probabilistic-Constrained Distributed Filtering for a Class of Nonlinear Stochastic Systems Subject to Periodic DoS Attacks. *Tian, E.*, +, *TCSI Dec. 2020 5369-5379*

Reduced-Order Observer Based-Fault Estimation for Markovian Jump Systems With Time-Varying Generally Uncertain Transition Rates. *Lu, D.*, +, *TCSI Aug. 2020 2803-2815*

Robust H_∞ Pinning Synchronization for Complex Networks With Event-Triggered Communication Scheme. *Xing, W.*, +, *TCSI Dec. 2020 5233-5245*

Linear programming

Interval Functional Observers Design for Time-Delay Systems Under Stealthy Attacks. *Huong, D.C.*, +, *TCSI Dec. 2020 5101-5112*

Linear systems

Asymptotic Output Tracking of Probabilistic Boolean Control Networks. *Chen, B.*, +, *TCSI Aug. 2020 2780-2790*

Cluster Tracking Performance Analysis of Linear Heterogeneous Multi-Agent Networks: A Complex Frequency Domain Approach. *Zhang, W.*, +, *TCSI Jan. 2020 259-270*

Corrections to “Two Reciprocal Power Theorems for Passive Linear Time-Invariant Multiports”. *Broyde, F.*, +, *TCSI July 2020 2516-2517*

Distributed Fixed-Time Triggering-Based Containment Control for Networked Nonlinear Agents Under Directed Graphs. *Xu, T.*, +, *TCSI Oct. 2020 3541-3552*

Finite-Time H_∞ Filtering for State-Dependent Uncertain Systems With Event-Triggered Mechanism and Multiple Attacks. *Liu, J.*, +, *TCSI March 2020 1021-1034*

Robust Filtering of Discrete-Time Linear Systems With Correlated Process and Measurement Noises. *Yin, L.*, +, *TCSI March 2020 1008-1020*

Turing Meets Circuit Theory: Not Every Continuous-Time LTI System Can be Simulated on a Digital Computer. *Boche, H.*, +, *TCSI Dec. 2020 5051-5064*

Two Reciprocal Power Theorems for Passive Linear Time-Invariant Multiports. *Broyde, F.*, +, *TCSI Jan. 2020 86-97*

Linearity

A 12-GHz Calibration-Free All-Digital PLL for FMCW Signal Generation With 78 MHz/ μ s Chirp Slope and High Chirp Linearity. *Shen, Z.*, +, *TCSI Dec. 2020 4445-4456*

A High Area-Efficiency 14-bit SAR ADC With Hybrid Capacitor DAC for Array Sensors. *Zhang, Q.*, +, *TCSI Dec. 2020 4396-4408*

A PVT-Resilient, Highly-Linear Fifth-Order Ring-Oscillator-Based Filter. *Osman, H.*, +, *TCSI Dec. 2020 4295-4308*

In-Field Performance Optimization for mm-Wave Mixed-Signal Doherty Power Amplifiers: A Bandit Approach. *Xu, S.*, +, *TCSI Dec. 2020 5302-5315*

Linearity Theory of Stochastic Phase-Interpolation Time-to-Digital Converter. *Gammoh, K., +, TCSI Dec. 2020 4348-4359*

Linearization techniques

On Feedback Sample Selection Methods Allowing Lightweight Digital Pre-distorter Adaptation. *Kral, J., +, TCSI June 2020 1976-1988*

Lithium compounds

A 100-V Battery Charger Voltage Extender IC With 97% Efficiency at 4-A and $\pm 0.5\%$ Voltage Accuracy. *Hunter, B.L., +, TCSI July 2020 2492-2502*

Load modeling

A Systematic Approach for Arbitration Expressions. *Bingham, N., +, TCSI Dec. 2020 4960-4969*

Logic circuits

A Logic Synthesis Methodology for Low-Power Ternary Logic Circuits. *Kim, S., +, TCSI Sept. 2020 3138-3151*

Multi-Level Design Influences on Robustness Evaluation of 7nm FinFET Technology. *Brendler, L.H., +, TCSI Feb. 2020 553-564*

One-Sided Schmitt-Trigger-Based 9T SRAM Cell for Near-Threshold Operation. *Cho, K., +, TCSI May 2020 1551-1561*

SC-DDPL: A Novel Standard-Cell Based Approach for Counteracting Power Analysis Attacks in the Presence of Unbalanced Routing. *Bellizia, D., +, TCSI July 2020 2317-2330*

Synthesis of DDRO Timing Monitors by Delay-Tracking and Static Timing Analysis. *Kasturi Rangan, J., +, TCSI Feb. 2020 401-414*

Logic design

A Fully Programmable eFPGA-Augmented SoC for Smart Power Applications. *Renzini, F., +, TCSI Feb. 2020 489-501*

A High Resolution DPWM Based on Synchronous Phase-Shifted Circuit and Delay Line. *Cheng, X., +, TCSI Aug. 2020 2685-2692*

A Logic Synthesis Methodology for Low-Power Ternary Logic Circuits. *Kim, S., +, TCSI Sept. 2020 3138-3151*

A Memristive Multiplier Using Semi-Serial IMPLY-Based Adder. *Radakovits, D., +, TCSI May 2020 1495-1506*

A New Class of Digital Circuits for the Design of Entropy Sources in Programmable Logic. *Addabbo, T., +, TCSI July 2020 2419-2430*

A Novel Asynchronous CA Neuron Model: Design of Neuron-Like Non-linear Responses Based on Novel Bifurcation Theory of Asynchronous Sequential Logic Circuit. *Takeda, K., +, TCSI June 2020 1989-2001*

A Time-Efficient Automatic Circuit Approximation Method. *Zhang, Z., +, TCSI Sept. 2020 3047-3055*

A Wide-Voltage-Range Transition-Detector With In-Situ Timing-Error Detection and Correction Based on Pulsed-Latch Design in 28 nm CMOS. *Shang, X., +, TCSI Nov. 2020 3933-3943*

An Inverter-Based Continuous Time Sigma Delta ADC With Latency-Free DAC Calibration. *Guo, Y., +, TCSI Nov. 2020 3630-3642*

Design and Evaluation of Low-Complexity Radiation Hardened CMOS Latch for Double-Node Upset Tolerance. *Guo, J., +, TCSI June 2020 1925-1935*

Enhanced Linear Iterative Detector for Massive Multiuser MIMO Uplink. *Tan, X., +, TCSI Feb. 2020 540-552*

High-Speed Area-Efficient VLSI Architecture of Three-Operand Binary Adder. *Panda, A.K., +, TCSI Nov. 2020 3944-3953*

In-Hardware Training Chip Based on CMOS Invertible Logic for Machine Learning. *Onizawa, N., +, TCSI May 2020 1541-1550*

MSE Analysis of a Multi-Loop LMS Pseudo-Random Noise Canceller for Mixed-Signal Circuit Calibration. *Kong, D., +, TCSI Sept. 2020 3084-3098*

Multi-Level Design Influences on Robustness Evaluation of 7nm FinFET Technology. *Brendler, L.H., +, TCSI Feb. 2020 553-564*

Optimizing Weight Mapping and Data Flow for Convolutional Neural Networks on Processing-in-Memory Architectures. *Peng, X., +, TCSI April 2020 1333-1343*

Quadruple Cross-Coupled Dual-Interlocked-Storage-Cells-Based Multiple-Node-Upset-Tolerant Latch Designs. *Yan, A., +, TCSI March 2020 879-890*

SC-DDPL: A Novel Standard-Cell Based Approach for Counteracting Power Analysis Attacks in the Presence of Unbalanced Routing. *Bellizia, D., +, TCSI July 2020 2317-2330*

SERAD: Soft Error Resilient Asynchronous Design Using a Bundled Data Protocol. *Aketi, S.A., +, TCSI May 2020 1667-1677*

Synthesis of DDRO Timing Monitors by Delay-Tracking and Static Timing Analysis. *Kasturi Rangan, J., +, TCSI Feb. 2020 401-414*

VWA: Hardware Efficient Vectorwise Accelerator for Convolutional Neural Network. *Chang, K., +, TCSI Jan. 2020 145-154*

Logic gates

i-SRAM: Interleaved Wordlines for Vector Boolean Operations Using SRAMs. *Jaiswal, A., +, TCSI Dec. 2020 4651-4659*

A Class-D FVF LDO With Multi-Level PWM Gate Control, 280-ns Settling Time, and No Overshoot/Undershoot. *Elhebeary, M., +, TCSI Dec. 2020 5600-5610*

A Digital CMOS Silicon Photomultiplier Using Perimeter Gated Single Photon Avalanche Diodes With Asynchronous AER Readout. *Shawkat, M.S.A., +, TCSI Dec. 2020 4818-4828*

A High-Performance Stochastic LDPC Decoder Architecture Designed via Correlation Analysis. *Zhang, Q., +, TCSI Dec. 2020 5429-5442*

A Logic Synthesis Methodology for Low-Power Ternary Logic Circuits. *Kim, S., +, TCSI Sept. 2020 3138-3151*

A Multi-Folded MCML for Ultra-Low-Voltage High-Performance in Deeply Scaled CMOS. *Palumbo, G., +, TCSI Dec. 2020 4696-4706*

A Systematic Approach for Arbitration Expressions. *Bingham, N., +, TCSI Dec. 2020 4960-4969*

An Inverter-Based Continuous Time Sigma Delta ADC With Latency-Free DAC Calibration. *Guo, Y., +, TCSI Nov. 2020 3630-3642*

An NMOS Digital LDO With NAND-Based Analog-Assisted Loop in 28-nm CMOS. *Ma, X., +, TCSI Nov. 2020 4041-4052*

Ask Less, Get More: Side-Channel Signal Hiding, Revisited. *Levi, I., +, TCSI Dec. 2020 4904-4917*

Cell Weighting and Gate Inductive Peaking Techniques for Wideband Noise Suppression in Distributed Amplifiers. *Mesgari, B., +, TCSI Dec. 2020 4507-4520*

Challenges and Solutions of the TFET Circuit Design. *Lin, Z., +, TCSI Dec. 2020 4918-4931*

Deep Neural Network (DNN) Optimized Design of 2.45 GHz CMOS Rectifier With 73.6% Peak Efficiency for RF Energy Harvesting. *Lau, W.W.Y., +, TCSI Dec. 2020 4322-4333*

Design of a Wideband Variable-Gain Amplifier With Self-Compensated Transistor for Accurate dB-Linear Characteristic in 65 nm CMOS Technology. *Kong, L., +, TCSI Dec. 2020 4187-4198*

Designing a DDS-Based SoC for High-Fidelity Multi-Qubit Control. *van Dijk, J.P.G., +, TCSI Dec. 2020 5380-5393*

Magnetics-Based Efficiency Optimization for Low Power Cascaded-Buck-Boost Converter. *Chen, X., +, TCSI Dec. 2020 5611-5623*

One-Sided Schmitt-Trigger-Based 9T SRAM Cell for Near-Threshold Operation. *Cho, K., +, TCSI May 2020 1551-1561*

Profile-Based Output Error Compensation for Approximate Arithmetic Circuits. *Chen, K., +, TCSI Dec. 2020 4707-4718*

SC-DDPL: A Novel Standard-Cell Based Approach for Counteracting Power Analysis Attacks in the Presence of Unbalanced Routing. *Bellizia, D., +, TCSI July 2020 2317-2330*

Secure Path Balanced BDD-Based Pre-Charge Logic for Masking. *De, P., +, TCSI Dec. 2020 4747-4760*

Switched-Capacitor-Assisted Power Gating for Ultra-Low Standby Power in CMOS Digital ICs. *Sankar, S., +, TCSI Dec. 2020 4281-4294*

Theoretical Foundations of Memristor Cellular Nonlinear Networks: Stability Analysis With Dynamic Memristors. *Ascoli, A., +, TCSI April 2020 1389-1401*

VWA: Hardware Efficient Vectorwise Accelerator for Convolutional Neural Network. *Chang, K., +, TCSI Jan. 2020 145-154*

Logic testing

A High Resolution DPWM Based on Synchronous Phase-Shifted Circuit and Delay Line. *Cheng, X., +, TCSI Aug. 2020 2685-2692*

A New Class of Digital Circuits for the Design of Entropy Sources in Programmable Logic. *Addabbo, T., +, TCSI July 2020 2419-2430*

Low-Latency Reconfigurable Entropy Digital True Random Number Generator With Bias Detection and Correction. *Carreira, L.B., +, TCSI May 2020 1562-1575*

Long Term Evolution

A High Efficiency Multi-Mode Outphasing RF Power Amplifier With 31.6 dBm Peak Output Power in 45nm CMOS. *Banerjee, A.*, +, *TCSI March 2020 815-828*

I/Q Balance-Enhanced Wideband Receiver Front-End for 2G/3G/4G/5G NR Cellular Applications. *Han, J.*, +, *TCSI June 2020 1881-1891*

Reconfigurable Digital Delta-Sigma Modulation Transmitter Architecture for Concurrent Multi-Band Transmission. *Kumar, N.*, +, *TCSI July 2020 2455-2466*

Loss measurement

Design of a Simultaneous Frequency- and Power-Dividing Ratio-Reconfigurable Quadrature Coupler With Simple Tuning Approach. *Tan, X.*, +, *TCSI Dec. 2020 5510-5519*

Losses

Comprehensive Conception of High Step-Up DC–DC Converters With Coupled Inductor and Voltage Multipliers Techniques. *Schmitz, L.*, +, *TCSI June 2020 2140-2151*

Low noise amplifiers

A 56-to-66 GHz CMOS Low-Power Phased-Array Receiver Front-End With Hybrid Phase Shifting Scheme. *Yaghoobi, M.*, +, *TCSI Nov. 2020 4002-4014*

Differential Coded Multiple Signaling Method With Fully Differential Receiver for Mutual Capacitive Fingerprint TSP. *Heo, S.*, +, *TCSI Jan. 2020 74-85*

I/Q Balance-Enhanced Wideband Receiver Front-End for 2G/3G/4G/5G NR Cellular Applications. *Han, J.*, +, *TCSI June 2020 1881-1891*

Low voltage

A Multi-Folded MCML for Ultra-Low-Voltage High-Performance in Deeply Scaled CMOS. *Palumbo, G.*, +, *TCSI Dec. 2020 4696-4706*

Switched-Capacitor Boost-Buck Ladder Converters With Extended Voltage Range in Standard CMOS. *Liu, J.*, +, *TCSI Dec. 2020 4593-4606*

Low-pass filters

A Fully Integrated High-Power-Supply-Rejection Linear Regulator With an Output-Supplied Voltage Reference. *Chen, Y.*, +, *TCSI Nov. 2020 3828-3838*

An Adaptive SOSM Controller Design by Using a Sliding-Mode-Based Filter and its Application to Buck Converter. *Liu, L.*, +, *TCSI July 2020 2409-2418*

An Open Loop Digitally Controlled Hybrid Supply Modulator Achieving High Efficiency for Envelope Tracking With Baseband up to 200-MHz. *Chen, Z.*, +, *TCSI Nov. 2020 4142-4153*

High-Efficiency Low Voltage Inverse Class-F Power Amplifier Design Based on Harmonic Control Network Analysis. *Ekhteraei, M.*, +, *TCSI March 2020 806-814*

Low-Power All-Digital Multiphase DLL Design Using a Scalable Phase-to-Digital Converter. *Angeli, N.*, +, *TCSI April 2020 1158-1168*

Passive SC $\Sigma\Delta$ Modulator Based on Pipelined Charge-Sharing Rotation in 28-nm CMOS. *Wang, H.*, +, *TCSI Feb. 2020 578-589*

Position Regulator With Variable Cut-Off Frequency Mechanism for Hybrid-Type Stepper Motors. *Kim, S.*, +, *TCSI Oct. 2020 3533-3540*

Self-Tuned Class-D Audio Amplifier With Post-Filter Digital Feedback Implemented on Digital Signal Controller. *Sobaszek, M.*, *TCSI March 2020 797-805*

Low-power electronics

120-GHz 8-Stage Broadband Amplifier With Quantitative Stagger Tuning Technique. *Jang, T.H.*, +, *TCSI March 2020 785-796*

8EJ/Step Bandpass ADC With Digitally Assisted NTF Re-Configuration. *Tamirkulam Chandrasekaran, S.*, +, *TCSI Oct. 2020 3262-3272*

A +0.66/−0.73 °C Inaccuracy, 1.99- μ W Time-Domain CMOS Temperature Sensor With Second-Order $\Delta\Sigma$ Modulator and On-Chip Reference Clock. *Chen, Y.*, +, *TCSI Nov. 2020 3815-3827*

A −68 dB THD, 0.6 mm² Active Area Biosignal Acquisition System With a 40–320 Hz Duty-Cycle Controlled Filter. *Hsu, Y.*, +, *TCSI Jan. 2020 48-59*

A 0.04% BER Strong PUF With Cell-Bias-Based CRPs Filtering and Background Offset Calibration. *Liu, J.*, +, *TCSI Nov. 2020 3853-3865*

A 0.5-V Supply, 36 nW Bandgap Reference With 42 ppm/°C Average Temperature Coefficient Within −40 °C to 120 °C. *Chi-Wa, U.*, +, *TCSI Nov. 2020 3656-3669*

A 1.45 GHz All-Digital Spread Spectrum Clock Generator in 65nm CMOS for Synchronization-Free SoC Applications. *De Caro, D.*, +, *TCSI Nov. 2020 3839-3852*

A 12-Bit 125-MS/s 2.5-Bit/Cycle SAR-Based Pipeline ADC Employing a Self-Biased Gain Boosting Amplifier. *Park, C.*, +, *TCSI Nov. 2020 3618-3629*

A 12-bit SAR ADC With a DAC-Configurable Window Switching Scheme. *Chung, Y.*, +, *TCSI Feb. 2020 358-368*

A 2.12-V V_{pp} 11.67-pJ/pulse Fully Integrated UWB Pulse Generator in 65-nm CMOS Technology. *Gao, S.*, +, *TCSI March 2020 1058-1068*

A 33-ppm/°C 240-nW 40-nm CMOS Wakeup Timer Based on a Bang-Bang Digital-Intensive Frequency-Locked-Loop for IoT Applications. *Ding, M.*, +, *TCSI July 2020 2263-2273*

A 40.68-MHz Active Rectifier With Hybrid Adaptive On/Off Delay-Compensation Scheme for Biomedical Implantable Devices. *Cheng, L.*, +, *TCSI Feb. 2020 516-525*

A 48 pW, 0.34 V, 0.019%/V Line Sensitivity Self-Biased Subthreshold Voltage Reference With DIBL Effect Compensation. *Wang, Y.*, +, *TCSI Feb. 2020 611-621*

A 56-to-66 GHz CMOS Low-Power Phased-Array Receiver Front-End With Hybrid Phase Shifting Scheme. *Yaghoobi, M.*, +, *TCSI Nov. 2020 4002-4014*

A 60-m Range 6.16-mW Laser-Power Linear-Mode LiDAR System With Multiplex ADC/TDC in 65-nm CMOS. *Liu, M.*, +, *TCSI March 2020 753-764*

A 7.8 Gb/s/pin, 1.96 pJ/b Transceiver With Phase-Difference-Modulation Signaling for Highly Reflective Interconnects. *Lee, S.*, +, *TCSI June 2020 2114-2127*

A Clockless Temperature-Compensated Nanowatt Analog Front-End for Wake-Up Radios Based on a Band-Pass Envelope Detector. *Elgani, A.M.*, +, *TCSI Aug. 2020 2612-2624*

A Configurable Noise-Shaping Band-Pass SAR ADC With Two-Stage Clock-Controlled Amplifier. *Jiao, Z.*, +, *TCSI Nov. 2020 3728-3739*

A Distributed Power Delivery Grid Based on Analog-Assisted Digital LDOs With Cooperative Regulation and IR-Drop Reduction. *Lu, Y.*, +, *TCSI Aug. 2020 2859-2871*

A Flexible 18-Channel Multi-Hit Time-to-Digital Converter for Trigger-Based Data Acquisition Systems. *Chithra, .*, +, *TCSI June 2020 1892-1901*

A Fully Programmable eFPGA-Augmented SoC for Smart Power Applications. *Renzini, F.*, +, *TCSI Feb. 2020 489-501*

A Hybrid 3D Interconnect With 2x Bandwidth Density Employing Orthogonal Simultaneous Bidirectional Signaling for 3D NoC. *Gopal, S.*, +, *TCSI Nov. 2020 3919-3932*

A Logic Synthesis Methodology for Low-Power Ternary Logic Circuits. *Kim, S.*, +, *TCSI Sept. 2020 3138-3151*

A Low Noise Fault Tolerant Radiation Hardened 2.56 Gbps Clock-Data Recovery Circuit With High Speed Feed Forward Correction in 65 nm CMOS. *Biereigel, S.*, +, *TCSI May 2020 1438-1446*

A Low Voltage and Low Power 10-bit Non-Binary 2b/Cycle Time and Voltage Based SAR ADC. *Luo, J.*, +, *TCSI April 2020 1136-1148*

A Low-Power BFSK Transmitter Architecture for Biomedical Applications. *Ibrahim, M.A.A.*, +, *TCSI May 2020 1527-1540*

A Low-Voltage-Driven High-Voltage SRAM Pixel Circuit for Power Reduction in a Digital Micro-Display Panel. *Cho, J.*, +, *TCSI May 2020 1640-1652*

A Partially Binarized Hybrid Neural Network System for Low-Power and Resource Constrained Human Activity Recognition. *De Vita, A.*, +, *TCSI Nov. 2020 3893-3904*

A Power-Efficient CNN Accelerator With Similar Feature Skipping for Face Recognition in Mobile Devices. *Kim, S.*, +, *TCSI April 2020 1181-1193*

A Precision-Scalable Energy-Efficient Convolutional Neural Network Accelerator. *Liu, W.*, +, *TCSI Oct. 2020 3484-3497*

A Robust 8-Bit Non-Volatile Computing-in-Memory Core for Low-Power Parallel MAC Operations. *Zhang, S.*, +, *TCSI June 2020 1867-1880*

A Transient-Enhanced Output-Capacitorless LDO With Fast Local Loop and Overshoot Detection. *Liu, N.*, +, *TCSI Oct. 2020 3422-3432*

- ADEPOS: A Novel Approximate Computing Framework for Anomaly Detection Systems and its Implementation in 65-nm CMOS. *Bose, S.K.*, +, *TCSI March 2020 913-926*
- Aging Compensation With Dynamic Computation Approximation. *Kim, H.*, +, *TCSI April 2020 1319-1332*
- Always-On 674 μ W@4GOP/s Error Resilient Binary Neural Networks With Aggressive SRAM Voltage Scaling on a 22-nm IoT End-Node. *Mauro, A.D.*, +, *TCSI Nov. 2020 3905-3918*
- An Approximate Memory Architecture for Energy Saving in Deep Learning Applications. *Nguyen, D.T.*, +, *TCSI May 2020 1588-1601*
- An Error Amplifier With a Low Power Multi-Mode Voltage Clamper for Transient Enhancement and High Reliability. *Zhou, Z.*, +, *TCSI Nov. 2020 4075-4084*
- An RF-Energy Harvester and IR-UWB Transmitter for Ultra-Low-Power Battery-Less Biosensors. *Schmickl, S.*, +, *TCSI May 2020 1459-1468*
- An Ultra-Low-Power Low-Voltage WuTx With Built-In Analog Sensing for Self-Powered WSN. *Karami, M.A.*, +, *TCSI July 2020 2274-2287*
- Bootstrapped Driver and the Single-Event-Upset Effect. *Al-Daloo, M.*, +, *TCSI Oct. 2020 3309-3319*
- Clock-Voltage Co-Regulator With Adaptive Power Budget Tracking for Robust Near-Threshold-Voltage Sequential Logic Circuits. *Nguyen, B.*, +, *TCSI Feb. 2020 622-633*
- Current-Based Data-Retention-Time Characterization of Gain-Cell Embedded DRAMs Across the Design and Variations Space. *Giterman, R.*, +, *TCSI April 2020 1207-1217*
- Design of a 4.2-to-5.1 GHz Ultralow-Power Complementary Class-B/C Hybrid-Mode VCO in 65-nm CMOS Fully Supported by EDA Tools. *Martins, R.*, +, *TCSI Nov. 2020 3965-3977*
- Design of Stage-Selective Negative Voltage Generator to Improve On-Chip Power Conversion Efficiency for Neuron Stimulation. *Lin, S.*, +, *TCSI Nov. 2020 4122-4131*
- Energy-Efficient Precharge-Free Ternary Content Addressable Memory (TCAM) for High Search Rate Applications. *Venkata Mahendra, T.*, +, *TCSI July 2020 2345-2357*
- Generic Wireless Power Transfer and Data Communication System Based on a Novel Modulation Technique. *Trigui, A.*, +, *TCSI Nov. 2020 3978-3990*
- In-Hardware Training Chip Based on CMOS Invertible Logic for Machine Learning. *Onizawa, N.*, +, *TCSI May 2020 1541-1550*
- Low-Energy Voice Activity Detection via Energy-Quality Scaling From Data Conversion to Machine Learning. *Teo, J.H.*, +, *TCSI April 2020 1378-1388*
- Low-Power All-Digital Multiphase DLL Design Using a Scalable Phase-to-Digital Converter. *Angeli, N.*, +, *TCSI April 2020 1158-1168*
- Low-Power Receivers for Wireless Capacitive Coupling Transmission in 3-D-Integrated Massively Parallel CMOS Imager. *Blakiewicz, G.*, +, *TCSI Aug. 2020 2556-2565*
- NS-CIM: A Current-Mode Computation-in-Memory Architecture Enabling Near-Sensor Processing for Intelligent IoT Vision Nodes. *Liu, Z.*, +, *TCSI Sept. 2020 2909-2922*
- On the Design of Low-Power Hybrids for Full Duplex Simultaneous Bidirectional Signaling Links. *Yuan, C.*, +, *TCSI April 2020 1413-1422*
- On-Chip Solar Energy Harvester and PMU With Cold Start-Up and Regulated Output Voltage for Biomedical Applications. *Cabello, D.*, +, *TCSI April 2020 1103-1114*
- One-Sided Schmitt-Trigger-Based 9T SRAM Cell for Near-Threshold Operation. *Cho, K.*, +, *TCSI May 2020 1551-1561*
- Power-Scaling Output-Compensated Three-Stage OTAs for Wide Load Range Applications. *Riad, J.*, +, *TCSI July 2020 2180-2192*
- Processing Near Sensor Architecture in Mixed-Signal Domain With CMOS Image Sensor of Convolutional-Kernel-Readout Method. *Chen, Z.*, +, *TCSI Feb. 2020 389-400*
- Temperature Compensation of Crystal References in NB-IoT Modems. *Haapala, T.*, +, *TCSI July 2020 2467-2480*
- Ultra-Low Power CMOS Image Sensor With Two-Step Logical Shift Algorithm-Based Correlated Double Sampling Scheme. *Park, K.*, +, *TCSI Nov. 2020 3718-3727*
- Ultra-Low-Voltage CMOS Crystal Oscillators. *Siniscalchi, M.*, +, *TCSI June 2020 1846-1856*
- Lumped parameter networks**
- Rational Polynomial Chaos Expansions for the Stochastic Macromodeling of Network Responses. *Manfredi, P.*, +, *TCSI Jan. 2020 225-234*
- Lyapunov methods**
- Adaptive Event-Triggered Predictive Control for Finite Time Microgrid. *Yan, H.*, +, *TCSI March 2020 1035-1044*
- Adaptive Finite-Time Control for High-Order Nonlinear Systems With Multiple Uncertainties and its Application. *Min, H.*, +, *TCSI May 2020 1752-1761*
- An Adaptive SOSM Controller Design by Using a Sliding-Mode-Based Filter and its Application to Buck Converter. *Liu, L.*, +, *TCSI July 2020 2409-2418*
- Discrete-Communication-Based Bipartite Tracking of Networked Robotic Systems via Hierarchical Hybrid Control. *Ding, T.*, +, *TCSI April 2020 1402-1412*
- Distributed Consensus of Layered Multi-Agent Systems Subject to Attacks on Edges. *Wen, G.*, +, *TCSI Sept. 2020 3152-3162*
- Event-Triggered Synchronization for Nonlinear Multi-Agent Systems With Sampled Data. *Han, Z.*, +, *TCSI Oct. 2020 3553-3561*
- Finite-Time H_∞ Filtering for State-Dependent Uncertain Systems With Event-Triggered Mechanism and Multiple Attacks. *Liu, J.*, +, *TCSI March 2020 1021-1034*
- Fully Distributed Containment Control for Multiple Euler-Lagrange Systems Over Directed Graphs: An Event-Triggered Approach. *Xu, T.*, +, *TCSI June 2020 2078-2090*
- Global Stabilization of Switched Feedforward Nonlinear Time-Delay Systems Under Asynchronous Switching. *Li, Z.*, +, *TCSI Feb. 2020 711-724*
- Global Stabilization of the Discrete-Time Integrators System by Bounded Controls. *Yang, X.*, +, *TCSI Dec. 2020 5175-5188*
- Improved Sliding Mode Control With Time Delay Estimation for Motion Tracking of Cell Puncture Mechanism. *Xie, M.*, +, *TCSI Sept. 2020 3199-3210*
- Output Regulation for Switched Systems With Multiple Disturbances. *Zhao, Y.*, +, *TCSI Dec. 2020 5326-5335*
- Relaxed Multi-Instant Fuzzy State Estimation Design of Discrete-Time Nonlinear Systems and its Application: A Deep Division Approach. *Xie, X.*, +, *TCSI May 2020 1775-1785*
- Synchronization Analysis on Two-Layer Networks of Fractional-Order Systems: Intra-layer and Inter-layer Synchronization. *Zhang, X.*, +, *TCSI July 2020 2397-2408*
- Unified Stability Criteria of Random Nonlinear Time-Varying Impulsive Switched Systems. *Jiao, T.*, +, *TCSI Sept. 2020 3099-3112*

M

Machine control

- Interpreting Frame Transformations in AC Systems as Diagonalization of Harmonic Transfer Functions. *Li, Y.*, +, *TCSI July 2020 2481-2491*
- Position Regulator With Variable Cut-Off Frequency Mechanism for Hybrid-Type Stepper Motors. *Kim, S.*, +, *TCSI Oct. 2020 3533-3540*

Magnetic cores

- Power Inductors Behavioral Modeling Revisited. *Stoyka, K.*, +, *TCSI Dec. 2020 5636-5649*

Magnetic moments

- A Low-Complexity 6DOF Magnetic Tracking System Based on Pre-Computed Data Sets for Wearable Applications. *Guzman, D.A.F.*, +, *TCSI Dec. 2020 5065-5078*

Magnetic sensors

- Modelling and Verification of Nonlinear Electromechanical Coupling in Micro-Scale Kinetic Electromagnetic Energy Harvesters. *Sokolov, A.*, +, *TCSI Feb. 2020 565-577*

Magnetic tunneling

- A Self-Matching Complementary-Reference Sensing Scheme for High-Speed and Reliable Toggle Spin Torque MRAM. *Wang, J.*, +, *TCSI Dec. 2020 4247-4258*

Design of Magnetic Non-Volatile TCAM With Priority-Decision in Memory Technology for High Speed, Low Power, and High Reliability. *Wang, C., +, TCSI Feb. 2020 464-474*

Field-Free 3T2SOT MRAM for Non-Volatile Cache Memories. *Wu, B., +, TCSI Dec. 2020 4660-4669*

Magneto-electronics

Bulkyflip: A NAND-SPIN-Based Last-Level Cache With Bandwidth-Oriented Write Management Policy. *Wu, B., +, TCSI Jan. 2020 108-120*

Magnetometers

A Low-Complexity 6DOF Magnetic Tracking System Based on Pre-Computed Data Sets for Wearable Applications. *Guzman, D.A.F., +, TCSI Dec. 2020 5065-5078*

Manganese

Automated Deep Neural Learning-Based Optimization for High Performance High Power Amplifier Designs. *Kouhalvandi, L., +, TCSI Dec. 2020 4420-4433*

Deep Neural Network (DNN) Optimized Design of 2.45 GHz CMOS Rectifier With 73.6% Peak Efficiency for RF Energy Harvesting. *Lau, W.W.Y., +, TCSI Dec. 2020 4322-4333*

Manipulators

Extended Dissipative Control for Singularly Perturbed PDT Switched Systems and its Application. *Wang, J., +, TCSI Dec. 2020 5281-5289*

Markov processes

Asymptotic Output Tracking of Probabilistic Boolean Control Networks. *Chen, B., +, TCSI Aug. 2020 2780-2790*

Observer-Based Asynchronous Fault Detection for Conic-Type Nonlinear Jumping Systems and its Application to Separately Excited DC Motor. *Cheng, P., +, TCSI March 2020 951-962*

Reduced-Order Observer Based-Fault Estimation for Markovian Jump Systems With Time-Varying Generally Uncertain Transition Rates. *Lu, D., +, TCSI Aug. 2020 2803-2815*

Matched filters

Double-Sub-Stream M-ary Differential Chaos Shift Keying Wireless Communication System Using Chaotic Shape-Forming Filter. *Bai, C., +, TCSI Oct. 2020 3574-3587*

Mathematical analysis

A Robust Local Positive Feedback Based Performance Enhancement Strategy for Non-Recycling Folded Cascode OTA. *Wang, Y., +, TCSI Sept. 2020 2897-2908*

Phase Coherent Frequency Hopping in Direct Digital Synthesizers and Phase Locked Loops. *Turner, S.E., +, TCSI June 2020 1815-1823*

Mathematical model

A 0.5-V 3.69-nW Complementary Source-Follower-C Based Low-Pass Filter for Wearable Biomedical Applications. *Liu, Z., +, TCSI Dec. 2020 4370-4381*

A Low-Complexity 6DOF Magnetic Tracking System Based on Pre-Computed Data Sets for Wearable Applications. *Guzman, D.A.F., +, TCSI Dec. 2020 5065-5078*

A Resampling Method Based on Filter Designed by Window Function Considering Frequency Aliasing. *Liu, H., +, TCSI Dec. 2020 5018-5030*

Compensation Network Optimal Design Based on Evolutionary Algorithm for Inductive Power Transfer System. *Chen, W., +, TCSI Dec. 2020 5664-5674*

Deep Neural Network (DNN) Optimized Design of 2.45 GHz CMOS Rectifier With 73.6% Peak Efficiency for RF Energy Harvesting. *Lau, W.W.Y., +, TCSI Dec. 2020 4322-4333*

Distributed Model Predictive Consensus of Heterogeneous Time-Varying Multi-Agent Systems: With and Without Self-Triggered Mechanism. *Li, H., +, TCSI Dec. 2020 5358-5368*

Leader-Following Pinning Synchronization of Multiagent Systems With Impulsive Interlayer Coupling. *Ning, D., +, TCSI Dec. 2020 5162-5174*

S-Type Locally Active Memristor-Based Periodic and Chaotic Oscillators. *Liang, Y., +, TCSI Dec. 2020 5139-5152*

Turing Meets Circuit Theory: Not Every Continuous-Time LTI System Can be Simulated on a Digital Computer. *Boche, H., +, TCSI Dec. 2020 5051-5064*

Variability-Aware Modeling of Filamentary Oxide-Based Bipolar Resistive Switching Cells Using SPICE Level Compact Models. *Bengel, C., +, TCSI Dec. 2020 4618-4630*

Mathematics computing

Balanced $(3+2\log n)\Delta G$ Adders for Moduli Set $\{2^{n+1}, 2^{n+2^{n-1}-1}, 2^{n+1}-1\}$. *Jaberipur, G., +, TCSI April 2020 1368-1377*

Matrix algebra

A Novel Approach to State and Unknown Input Estimation for Takagi-Sugeno Fuzzy Models With Applications to Fault Detection. *Zhao, D., +, TCSI June 2020 2053-2063*

Angular-Domain Massive MIMO Detection: Algorithm, Implementation, and Design Tradeoffs. *Mahdavi, M., +, TCSI June 2020 1948-1961*

Cluster Tracking Performance Analysis of Linear Heterogeneous Multi-Agent Networks: A Complex Frequency Domain Approach. *Zhang, W., +, TCSI Jan. 2020 259-270*

Continuous-Flow Matrix Transposition Using Memories. *Garrido, M., +, TCSI Sept. 2020 3035-3046*

Distributed Consensus of Layered Multi-Agent Systems Subject to Attacks on Edges. *Wen, G., +, TCSI Sept. 2020 3152-3162*

Feature Adaptive Filtering: Exploiting Hidden Sparsity. *Yazdanpanah, H., +, TCSI July 2020 2358-2371*

Interpreting Frame Transformations in AC Systems as Diagonalization of Harmonic Transfer Functions. *Li, Y., +, TCSI July 2020 2481-2491*

On the Coexistence of Multiple Limit Cycles in H-Bridge Wireless Power Transfer Systems With Zero Current Switching Control. *El Aroudi, A., +, TCSI May 2020 1729-1739*

Relaxed Multi-Instant Fuzzy State Estimation Design of Discrete-Time Nonlinear Systems and its Application: A Deep Division Approach. *Xie, X., +, TCSI May 2020 1775-1785*

Semi-Supervised Broad Learning System Based on Manifold Regularization and Broad Network. *Zhao, H., +, TCSI March 2020 983-994*

Matrix converters

Event-Triggered Fuzzy Control of Repeated Scalar Nonlinear Systems and its Application to Chua's Circuit System. *Wen, Y., +, TCSI Dec. 2020 5347-5357*

Matrix decomposition

Matrix Decomposition Based Low-Complexity FIR Filter: Further Results. *Wang, H., +, TCSI Feb. 2020 672-685*

Matrix inversion

Enhanced Linear Iterative Detector for Massive Multiuser MIMO Uplink. *Tan, X., +, TCSI Feb. 2020 540-552*

Maximum likelihood detection

Area Efficient VLSI Architectures for Weak Signal Detection in Additive Generalized Cauchy Noise. *Vadali, S.R.K., +, TCSI June 2020 1962-1975*

Maximum likelihood estimation

8EI/Step Bandpass ADC With Digitally Assisted NTF Re-Configuration. *Tannirkulam Chandrasekaran, S., +, TCSI Oct. 2020 3262-3272*

Area Efficient VLSI Architectures for Weak Signal Detection in Additive Generalized Cauchy Noise. *Vadali, S.R.K., +, TCSI June 2020 1962-1975*

Maximum power point trackers

A Neural Network Assistance AMPPT Solar Energy Harvesting System With 89.39% Efficiency and 0.01–0.5% Tracking Errors. *Wang, Y., +, TCSI Sept. 2020 2960-2971*

A Thermal/RF Hybrid Energy Harvesting System With Rectifying-Combination and Improved Fractional-OCV MPPT Method. *Liu, Z., +, TCSI Oct. 2020 3352-3363*

Active Interface for Piezoelectric Harvesters Based on Multi-Variable Maximum Power Point Tracking. *Costanzo, L., +, TCSI July 2020 2503-2515*

Load Effect Analysis and Maximum Power Transfer Tracking of CPT System. *Mostafa, T.M., +, TCSI Aug. 2020 2836-2848*

Maxwell equations

Rapid Simulation of Photonic Integrated Circuits Using Verilog-A Compact Models. *Shawon, M.J., +, TCSI Oct. 2020 3331-3341*

Mean square error methods

A 1.22 mW 2.4 GHz PLL Using a Single-Ring-Oscillator-Based Integrator With Background Frequency Calibration. *Su, G., +, TCSI July 2020 2169-2179*

- Aging Compensation With Dynamic Computation Approximation. *Kim, H.*, +, *TCSI April 2020 1319-1332*
- Distortion Analysis of RC Integrators With Wideband Input Signals. *Hammler, N.*, +, *TCSI Jan. 2020 12-22*
- Feature Adaptive Filtering: Exploiting Hidden Sparsity. *Yazdanpanah, H.*, +, *TCSI July 2020 2358-2371*
- I/Q Imbalance Compensation in Wideband Millimeter-Wave Transmitters Using a Single Undersampling ADC. *Almoneer, M.*, +, *TCSI Aug. 2020 2730-2738*
- Improving the Performance of Multitask Diffusion APA via Controlled Inter-Cluster Cooperation. *Gogineni, V.C.*, +, *TCSI March 2020 903-912*
- MSE Analysis of a Multi-Loop LMS Pseudo-Random Noise Canceler for Mixed-Signal Circuit Calibration. *Kong, D.*, +, *TCSI Sept. 2020 3084-3098*
- Measurement**
- Ask Less, Get More: Side-Channel Signal Hiding, Revisited. *Levi, I.*, +, *TCSI Dec. 2020 4904-4917*
- Profile-Based Output Error Compensation for Approximate Arithmetic Circuits. *Chen, K.*, +, *TCSI Dec. 2020 4707-4718*
- Medical image processing**
- CMOS 256-Pixel/480-Pixel Photovoltaic-Powered Subretinal Prosthetic Chips With Wide Image Dynamic Range and Bi/Four-Directional Sharing Electrodes and Their *Ex Vivo* Experimental Validations With Mice. *Wu, C.*, +, *TCSI Oct. 2020 3273-3283*
- Needle-Type Imager Sensor With Band-Pass Composite Emission Filter and Parallel Fiber-Coupled Laser Excitation. *Rustami, E.*, +, *TCSI April 2020 1082-1091*
- Medical signal detection**
- A 12-Bit Dynamic Tracking Algorithm-Based SAR ADC With Real-Time QRS Detection. *Zhang, Z.*, +, *TCSI Sept. 2020 2923-2933*
- ADEPOS: A Novel Approximate Computing Framework for Anomaly Detection Systems and its Implementation in 65-nm CMOS. *Bose, S.K.*, +, *TCSI March 2020 913-926*
- Reducing Energy of Approximate Feature Extraction in Heterogeneous Architectures for Sensor Inference via Energy-Aware Genetic Programming. *Tang, Y.*, +, *TCSI May 2020 1576-1587*
- Medical signal processing**
- A -68 dB THD, 0.6 mm² Active Area Biosignal Acquisition System With a 40–320 Hz Duty-Cycle Controlled Filter. *Hsu, Y.*, +, *TCSI Jan. 2020 48-59*
- A 12-Bit Dynamic Tracking Algorithm-Based SAR ADC With Real-Time QRS Detection. *Zhang, Z.*, +, *TCSI Sept. 2020 2923-2933*
- A Sub- μ W Reconfigurable Front-End for Invasive Neural Recording That Exploits the Spectral Characteristics of the Wideband Neural Signal. *Valtierra, J.L.*, +, *TCSI May 2020 1426-1437*
- ADEPOS: A Novel Approximate Computing Framework for Anomaly Detection Systems and its Implementation in 65-nm CMOS. *Bose, S.K.*, +, *TCSI March 2020 913-926*
- Reducing Energy of Approximate Feature Extraction in Heterogeneous Architectures for Sensor Inference via Energy-Aware Genetic Programming. *Tang, Y.*, +, *TCSI May 2020 1576-1587*
- Theory and Algorithms for Pulse Signal Processing. *Nallathambi, G.*, +, *TCSI Aug. 2020 2707-2718*
- Meetings**
- Guest Editorial Selected Papers From the IEEE Asia Pacific Conference of Circuits and Systems 2018 and the IEEE International Conference on Electronics, Circuits and Systems 2018. *Blokhina, E.*, *TCSI Feb. 2020 357*
- Guest Editorial Special Issue on the IEEE LASCAS 2019 and the IEEE NEWCAS 2019. *Blokhina, E.*, *TCSI May 2020 1425*
- Guest Editorial Special Issue on the International Symposium on Integrated Circuits and Systems—ISICAS 2020. *Blokhina, E.*, *TCSI Nov. 2020 3617*
- Guest Editorial Special Section on the IEEE International Symposium on Circuits and Systems 2019. *Blokhina, E.*, *TCSI April 2020 1081*
- MWSCAS Guest Editorial Special Issue Based on the 62nd International Midwest Symposium on Circuits and Systems. *Silva-Martinez, J.*, +, *TCSI Oct. 2020 3249-3250*
- Mel frequency cepstral coefficient**
- A 22nm, 10.8 μ W/15.1 μ W Dual Computing Modes High Power-Performance-Area Efficiency Domained Background Noise Aware Keyword-Spotting Processor. *Liu, B.*, +, *TCSI Dec. 2020 4733-4746*
- Memory architecture**
- A High-Performance Scalable Shared-Memory SVD Processor Architecture Based on Jacobi Algorithm and Batcher's Sorting Network. *Shahshahani, S.M.R.*, +, *TCSI June 2020 1912-1924*
- An Approximate Memory Architecture for Energy Saving in Deep Learning Applications. *Nguyen, D.T.*, +, *TCSI May 2020 1588-1601*
- Deep In-Memory Architectures for Machine Learning—Accuracy Versus Efficiency Trade-Offs. *Kang, M.*, +, *TCSI May 2020 1627-1639*
- Energy-Efficient Precharge-Free Ternary Content Addressable Memory (TCAM) for High Search Rate Applications. *Venkata Mahendra, T.*, +, *TCSI July 2020 2345-2357*
- NS-CIM: A Current-Mode Computation-in-Memory Architecture Enabling Near-Sensor Processing for Intelligent IoT Vision Nodes. *Liu, Z.*, +, *TCSI Sept. 2020 2909-2922*
- Optimizing Weight Mapping and Data Flow for Convolutional Neural Networks on Processing-in-Memory Architectures. *Peng, X.*, +, *TCSI April 2020 1333-1343*
- Memory management**
- Design of a Refresh-Controller for GC-eDRAM Based FIFOs. *Noy, T.*, +, *TCSI Dec. 2020 4804-4817*
- Memristor circuits**
- A Memristive Multiplier Using Semi-Serial IMPLY-Based Adder. *Radakovits, D.*, +, *TCSI May 2020 1495-1506*
- Simulations of Memristors Using the Poincaré Map Approach. *Galias, Z.*, *TCSI March 2020 963-971*
- Towards Wave Digital Memcomputing With Physical Memristor Models. *Ochs, K.*, +, *TCSI April 2020 1092-1102*
- Memristors**
- Homogeneous Models of Nonlinear Circuits. *Riaza, R.*, *TCSI June 2020 2002-2015*
- S-Type Locally Active Memristor-Based Periodic and Chaotic Oscillators. *Liang, Y.*, +, *TCSI Dec. 2020 5139-5152*
- Theoretical Foundations of Memristor Cellular Nonlinear Networks: A DRM₂-Based Method to Design Memcomputers With Dynamic Memristors. *Ascoli, A.*, +, *TCSI Aug. 2020 2753-2766*
- Theoretical Foundations of Memristor Cellular Nonlinear Networks: Memcomputing With Bistable-Like Memristors. *Tezclaff, R.*, +, *TCSI Feb. 2020 502-515*
- Theoretical Foundations of Memristor Cellular Nonlinear Networks: Stability Analysis With Dynamic Memristors. *Ascoli, A.*, +, *TCSI April 2020 1389-1401*
- Merging**
- A High-Performance Scalable Shared-Memory SVD Processor Architecture Based on Jacobi Algorithm and Batcher's Sorting Network. *Shahshahani, S.M.R.*, +, *TCSI June 2020 1912-1924*
- Metals**
- A Self-Matching Complementary-Reference Sensing Scheme for High-Speed and Reliable Toggle Spin Torque MRAM. *Wang, J.*, +, *TCSI Dec. 2020 4247-4258*
- Field-Free 3T2SOT MRAM for Non-Volatile Cache Memories. *Wu, B.*, +, *TCSI Dec. 2020 4660-4669*
- Galvanically Isolated DC-DC Converter Using a Single Isolation Transformer for Multi-Channel Communication. *Parisi, A.*, +, *TCSI Dec. 2020 4434-4444*
- Meters**
- A Low-Complexity 6DOF Magnetic Tracking System Based on Pre-Computed Data Sets for Wearable Applications. *Guzman, D.A.F.*, +, *TCSI Dec. 2020 5065-5078*
- Microcell networks**
- A Digital CMOS Silicon Photomultiplier Using Perimeter Gated Single Photon Avalanche Diodes With Asynchronous AER Readout. *Shawkat, M.S.A.*, +, *TCSI Dec. 2020 4818-4828*
- Microcontrollers**
- Clock-Voltage Co-Regulator With Adaptive Power Budget Tracking for Robust Near-Threshold-Voltage Sequential Logic Circuits. *Nguyen, B.*, +, *TCSI Feb. 2020 622-633*

Self-Tuned Class-D Audio Amplifier With Post-Filter Digital Feedback Implemented on Digital Signal Controller. *Sobaszek, M.*, *TCSI March 2020 797-805*

Micromechanical devices

Modelling and Verification of Nonlinear Electromechanical Coupling in Micro-Scale Kinetic Electromagnetic Energy Harvesters. *Sokolov, A.*, *TCSI Feb. 2020 565-577*

Switched-Capacitor-Assisted Power Gating for Ultra-Low Standby Power in CMOS Digital ICs. *Sankar, S.*, *TCSI Dec. 2020 4281-4294*

Microprocessor chips

A Miniaturized 0.003 mm² PNP-Based Thermal Sensor for Dense CPU Thermal Monitoring. *Bass, O.*, *TCSI Sept. 2020 2984-2992*

ADEPOS: A Novel Approximate Computing Framework for Anomaly Detection Systems and its Implementation in 65-nm CMOS. *Bose, S.K.*, *TCSI March 2020 913-926*

Impact of Variability on Processor Performance in Negative Capacitance FinFET Technology. *Amrouch, H.*, *TCSI Sept. 2020 3127-3137*

In-Memory Low-Cost Bit-Serial Addition Using Commodity DRAM Technology. *Ali, M.F.*, *TCSI Jan. 2020 155-165*

SC-DDPL: A Novel Standard-Cell Based Approach for Counteracting Power Analysis Attacks in the Presence of Unbalanced Routing. *Bellizia, D.*, *TCSI July 2020 2317-2330*

Temperature Compensation of Crystal References in NB-IoT Modems. *Haapala, T.*, *TCSI July 2020 2467-2480*

VPQC: A Domain-Specific Vector Processor for Post-Quantum Cryptography Based on RISC-V Architecture. *Xin, G.*, *TCSI Aug. 2020 2672-2684*

Microprocessors

Profile-Based Output Error Compensation for Approximate Arithmetic Circuits. *Chen, K.*, *TCSI Dec. 2020 4707-4718*

Microsensors

Precision Improvement of Power-Efficient Capacitive Sensor Readout Circuit Using Multi-Nested Clocks. *Zhong, L.*, *TCSI Aug. 2020 2578-2587*

Microwave amplifiers

An RF-Energy Harvester and IR-UWB Transmitter for Ultra-Low-Power Battery-Less Biosensors. *Schmickl, S.*, *TCSI May 2020 1459-1468*

Microwave filters

A Charge-Domain Switched-G_m-C Band-Pass Filter Using Interleaved Semi-Passive Charge-Sharing Technique. *Xu, Y.*, *TCSI Feb. 2020 600-610*

Low 1/f³ Noise Corner LC-VCO Design Using Flicker Noise Filtering Technique in 22nm FD-SOI. *Zong, Z.*, *TCSI May 2020 1469-1480*

Microwave integrated circuits

A 1.22 mW 2.4 GHz PLL Using a Single-Ring-Oscillator-Based Integrator With Background Frequency Calibration. *Su, G.*, *TCSI July 2020 2169-2179*

A 3.3-mW 25.2-to-29.4-GHz Current-Reuse VCO Using a Single-Turn Multi-Tap Inductor and Differential-Only Switched-Capacitor Arrays With a 187.6-dBc/Hz FOM. *Huang, Y.*, *TCSI Nov. 2020 3704-3717*

A Charge-Domain Switched-G_m-C Band-Pass Filter Using Interleaved Semi-Passive Charge-Sharing Technique. *Xu, Y.*, *TCSI Feb. 2020 600-610*

An RF-Energy Harvester and IR-UWB Transmitter for Ultra-Low-Power Battery-Less Biosensors. *Schmickl, S.*, *TCSI May 2020 1459-1468*

Low-Power All-Digital Multiphase DLL Design Using a Scalable Phase-to-Digital Converter. *Angeli, N.*, *TCSI April 2020 1158-1168*

Utilization of Multi-Resonant Defected Ground Structure Resonators in the Oscillator Feedback for Phase Noise Reduction of K-Band VCOs in 0.18- μ m CMOS Technology. *Jahan, N.*, *TCSI April 2020 1115-1125*

Microwave oscillators

A 1.22 mW 2.4 GHz PLL Using a Single-Ring-Oscillator-Based Integrator With Background Frequency Calibration. *Su, G.*, *TCSI July 2020 2169-2179*

A 3.3-mW 25.2-to-29.4-GHz Current-Reuse VCO Using a Single-Turn Multi-Tap Inductor and Differential-Only Switched-Capacitor Arrays With a 187.6-dBc/Hz FOM. *Huang, Y.*, *TCSI Nov. 2020 3704-3717*

Exploiting Sensitivity Enhancement in Micro-wave Planar Sensors Using Intermodulation Products With Phase Noise Analysis. *Abdolrazzahi, M.*, *TCSI Dec. 2020 4382-4395*

Low 1/f³ Noise Corner LC-VCO Design Using Flicker Noise Filtering Technique in 22nm FD-SOI. *Zong, Z.*, *TCSI May 2020 1469-1480*

Utilization of Multi-Resonant Defected Ground Structure Resonators in the Oscillator Feedback for Phase Noise Reduction of K-Band VCOs in 0.18- μ m CMOS Technology. *Jahan, N.*, *TCSI April 2020 1115-1125*

Microwave phase shifters

Low-Power All-Digital Multiphase DLL Design Using a Scalable Phase-to-Digital Converter. *Angeli, N.*, *TCSI April 2020 1158-1168*

Microwave photonics

Rapid Simulation of Photonic Integrated Circuits Using Verilog-A Compact Models. *Shawon, M.J.*, *TCSI Oct. 2020 3331-3341*

Microwave power amplifiers

An X-Band Class-J Power Amplifier With Active Load Modulation to Boost Drain Efficiency. *Alizadeh, A.*, *TCSI Oct. 2020 3364-3377*

Bandwidth Enhancement of Doherty Power Amplifier Using Modified Load Modulation Network. *Li, M.*, *TCSI June 2020 1824-1834*

Theory and Implementation of a Load-Mismatch Protective Class-E PA System. *Ponte, J.*, *TCSI Feb. 2020 369-377*

Wideband Class-F⁻¹ Power Amplifier With Dual-/Quad-Mode Bandpass Response. *Zhou, L.*, *TCSI July 2020 2239-2249*

Microwave resonators

Design of Miniaturized On-Chip Bandpass Filters Using Inverting-Coupled Inductors in (Bi)-CMOS Technology. *Zhu, H.*, *TCSI Feb. 2020 647-657*

Utilization of Multi-Resonant Defected Ground Structure Resonators in the Oscillator Feedback for Phase Noise Reduction of K-Band VCOs in 0.18- μ m CMOS Technology. *Jahan, N.*, *TCSI April 2020 1115-1125*

Millimeter wave amplifiers

120-GHz 8-Stage Broadband Amplifier With Quantitative Stagger Tuning Technique. *Jang, T.H.*, *TCSI March 2020 785-796*

Millimeter wave bipolar transistors

InP DHB T Single-Stage and Multiplicative Distributed Amplifiers for Ultra-Wideband Amplification. *Odedeyi, T.*, *TCSI Nov. 2020 3804-3814*

Millimeter wave communication

Design of Downlink Synchronization for Millimeter Wave Cellular System Based on Multipath Division Multiple Access. *Chiu, K.*, *TCSI Sept. 2020 3211-3223*

Dual Pulse Shaping Transmission and Equalization for High-Speed Wideband Wireless Communication Systems. *Zhang, H.*, *TCSI July 2020 2372-2382*

I/Q Imbalance Compensation in Wideband Millimeter-Wave Transmitters Using a Single Undersampling ADC. *Almoneer, M.*, *TCSI Aug. 2020 2730-2738*

Millimeter wave filters

A Calibration-Free Ring-Oscillator PLL With Gain Tracking Achieving 9% Jitter Variation Over PVT. *Yang, X.*, *TCSI Nov. 2020 3753-3763*

A Charge-Domain Switched-G_m-C Band-Pass Filter Using Interleaved Semi-Passive Charge-Sharing Technique. *Xu, Y.*, *TCSI Feb. 2020 600-610*

Millimeter wave integrated circuits

A 3.3-mW 25.2-to-29.4-GHz Current-Reuse VCO Using a Single-Turn Multi-Tap Inductor and Differential-Only Switched-Capacitor Arrays With a 187.6-dBc/Hz FOM. *Huang, Y.*, *TCSI Nov. 2020 3704-3717*

A 77-GHz Mixed-Mode FMCW Generator Based on a Vernier TDC With Dual Rising-Edge Fractional-Phase Detector. *Wu, J.*, *TCSI Jan. 2020 60-73*

A DC-50 GHz CMOS Switched-Type Attenuator With Capacitive Compensation Technique. *Gu, P.*, *TCSI Oct. 2020 3389-3399*

Millimeter wave oscillators

A 3.3-mW 25.2-to-29.4-GHz Current-Reuse VCO Using a Single-Turn Multi-Tap Inductor and Differential-Only Switched-Capacitor Arrays With a 187.6-dBc/Hz FOM. *Huang, Y.*, *TCSI Nov. 2020 3704-3717*

Design of a 77-GHz LC-VCO With a Slow-Wave Coplanar Stripline-Based Inductor. *Sharma, E.*, *TCSI Feb. 2020 378-388*

Millimeter wave phase shifters

A 56-to-66 GHz CMOS Low-Power Phased-Array Receiver Front-End With Hybrid Phase Shifting Scheme. *Yaghoobi, M.*, *TCSI Nov. 2020 4002-4014*

- Design of a 60 GHz 32% PAE Class-AB PA with 2nd Harmonic Control in 45-nm PD-SOI CMOS. *Ciocoveanu, R., +, TCSI Aug. 2020 2635-2646*
- Design of D-Band Transformer-Based Gain-Boosting Class-AB Power Amplifiers in Silicon Technologies. *Tang, X., +, TCSI May 2020 1447-1458*
- High Efficiency Doherty Power Amplifier Using Dual-Adaptive Biases. *Zhang, H., +, TCSI Aug. 2020 2625-2634*
- I/Q Imbalance Compensation in Wideband Millimeter-Wave Transmitters Using a Single Undersampling ADC. *Almoneer, M., +, TCSI Aug. 2020 2730-2738*
- Millimeter wave propagation**
- A Novel Physical Layer Authentication With PAPR Reduction Based on Channel and Hardware Frequency Responses. *Ramabadran, P., +, TCSI Feb. 2020 526-539*
- Millimeter wave radar**
- A 77-GHz Mixed-Mode FMCW Generator Based on a Vernier TDC With Dual Rising-Edge Fractional-Phase Detector. *Wu, J., +, TCSI Jan. 2020 60-73*
- Design of a 60 GHz 32% PAE Class-AB PA with 2nd Harmonic Control in 45-nm PD-SOI CMOS. *Ciocoveanu, R., +, TCSI Aug. 2020 2635-2646*
- Millimeter wave receivers**
- A 56-to-66 GHz CMOS Low-Power Phased-Array Receiver Front-End With Hybrid Phase Shifting Scheme. *Yaghoobi, M., +, TCSI Nov. 2020 4002-4014*
- MIMIC**
- Design of a 77-GHz LC-VCO With a Slow-Wave Coplanar Stripline-Based Inductor. *Sharma, E., +, TCSI Feb. 2020 378-388*
- Design of D-Band Transformer-Based Gain-Boosting Class-AB Power Amplifiers in Silicon Technologies. *Tang, X., +, TCSI May 2020 1447-1458*
- MIMO communication**
- An Efficient Massive MIMO Detector Based on Second-Order Richardson Iteration: From Algorithm to Flexible Architecture. *Tu, J., +, TCSI Nov. 2020 4015-4028*
- Angular-Domain Massive MIMO Detection: Algorithm, Implementation, and Design Tradeoffs. *Mahdavi, M., +, TCSI June 2020 1948-1961*
- Efficient Successive Over Relaxation Detectors for Massive MIMO. *Yu, A., +, TCSI June 2020 2128-2139*
- Enhanced Linear Iterative Detector for Massive Multiuser MIMO Uplink. *Tan, X., +, TCSI Feb. 2020 540-552*
- Power Scalable Beam-Oriented Digital Predistortion for Compact Hybrid Massive MIMO Transmitters. *Liu, X., +, TCSI Dec. 2020 4994-5006*
- Minimax techniques**
- Cascaded Form Sparse FIR Filter Design. *Chen, W., +, TCSI May 2020 1692-1703*
- Minimization**
- Cascaded Form Sparse FIR Filter Design. *Chen, W., +, TCSI May 2020 1692-1703*
- MISO communication**
- Hardware-Algorithm Co-Design of a Compressed Fuzzy Active Learning Method. *Jokar, E., +, TCSI Dec. 2020 4932-4945*
- Mixed analog digital integrated circuits**
- A 77-GHz Mixed-Mode FMCW Generator Based on a Vernier TDC With Dual Rising-Edge Fractional-Phase Detector. *Wu, J., +, TCSI Jan. 2020 60-73*
- An Efficient Sinusoid-Like Pseudo Random Sequence Modulator/Demodulator System With Reduced Adjacent Channel Leakage and High Rejection to Random and Systematic Interference. *Shao, J., +, TCSI Nov. 2020 3790-3803*
- Deep In-Memory Architectures for Machine Learning—Accuracy Versus Efficiency Trade-Offs. *Kang, M., +, TCSI May 2020 1627-1639*
- Enhanced Linearity in FD-SOI CMOS Body-Input Analog Circuits—Application to Voltage-Controlled Ring Oscillators and Frequency-Based $\Sigma\Delta$ ADCs. *Ahmadi-Farsani, J., +, TCSI Oct. 2020 3297-3308*
- MSE Analysis of a Multi-Loop LMS Pseudo-Random Noise Canceler for Mixed-Signal Circuit Calibration. *Kong, D., +, TCSI Sept. 2020 3084-3098*
- NS-CIM: A Current-Mode Computation-in-Memory Architecture Enabling Near-Sensor Processing for Intelligent IoT Vision Nodes. *Liu, Z., +, TCSI Sept. 2020 2909-2922*
- Processing Near Sensor Architecture in Mixed-Signal Domain With CMOS Image Sensor of Convolutional-Kernel-Readout Method. *Chen, Z., +, TCSI Feb. 2020 389-400*
- Mixers**
- Multibeam Phased-Arrays Using Dual-Vector Distributed Beamforming: Architecture Overview and 28 GHz Transceiver Prototypes. *Yeh, Y., +, TCSI Dec. 2020 5496-5509*
- Mixers (circuits)**
- I/Q Balance-Enhanced Wideband Receiver Front-End for 2G/3G/4G/5G NR Cellular Applications. *Han, J., +, TCSI June 2020 1881-1891*
- MMIC**
- On the Design of Low-Power Hybrids for Full Duplex Simultaneous Bidirectional Signaling Links. *Yuan, C., +, TCSI April 2020 1413-1422*
- MMIC amplifiers**
- InP DHBT Single-Stage and Multiplicative Distributed Amplifiers for Ultra-Wideband Amplification. *Odedeyi, T., +, TCSI Nov. 2020 3804-3814*
- Wideband 28-nm CMOS Variable-Gain Amplifier. *Asgari, V., +, TCSI Jan. 2020 37-47*
- Mmic frequency converters**
- A Wideband Frequency Divider With Programmable Odd/Even Division Factors and Quadrature/Symmetrical Outputs. *Rezaei-Hosseinabadi, N., +, TCSI June 2020 1857-1866*
- MMIC oscillators**
- A Calibration-Free Ring-Oscillator PLL With Gain Tracking Achieving 9% Jitter Variation Over PVT. *Yang, X., +, TCSI Nov. 2020 3753-3763*
- Design of a 4.2-to-5.1 GHz Ultralow-Power Complementary Class-B/C Hybrid-Mode VCO in 65-nm CMOS Fully Supported by EDA Tools. *Martins, R., +, TCSI Nov. 2020 3965-3977*
- MMIC power amplifiers**
- A 28-GHz 16-Gb/s High Efficiency 16-QAM Transmitter in 65-nm CMOS. *Meng, X., +, TCSI June 2020 1835-1845*
- Design of D-Band Transformer-Based Gain-Boosting Class-AB Power Amplifiers in Silicon Technologies. *Tang, X., +, TCSI May 2020 1447-1458*
- Mobile computing**
- The Hardware and Algorithm Co-Design for Energy-Efficient DNN Processor on Edge/Mobile Devices. *Lee, J., +, TCSI Oct. 2020 3458-3470*
- Mobile robots**
- Discrete-Communication-Based Bipartite Tracking of Networked Robotic Systems via Hierarchical Hybrid Control. *Ding, T., +, TCSI April 2020 1402-1412*
- Modems**
- Temperature Compensation of Crystal References in NB-IoT Modems. *Haapala, T., +, TCSI July 2020 2467-2480*
- MODFETS**
- Design of a High Temperature 2.37 GHz Voltage-Controlled Oscillator With GaN-on-SiC HEMTs. *Turner, N., +, TCSI Dec. 2020 5153-5161*
- Modulation**
- A 12-GHz Calibration-Free All-Digital PLL for FMCW Signal Generation With 78 MHz/ μ s Chirp Slope and High Chirp Linearity. *Shen, Z., +, TCSI Dec. 2020 4445-4456*
- An Efficient Sinusoid-Like Pseudo Random Sequence Modulator/Demodulator System With Reduced Adjacent Channel Leakage and High Rejection to Random and Systematic Interference. *Shao, J., +, TCSI Nov. 2020 3790-3803*
- Design and Analysis of Replica Piecewise M-Ary DCSK Scheme for Power Line Communications With Asynchronous Impulsive Noise. *Miao, M., +, TCSI Dec. 2020 5443-5453*
- Double-Sub-Stream M-ary Differential Chaos Shift Keying Wireless Communication System Using Chaotic Shape-Forming Filter. *Bai, C., +, TCSI Oct. 2020 3574-3587*
- Incremental Delta-Sigma ADCs: A Tutorial Review. *Tan, Z., +, TCSI Dec. 2020 4161-4173*
- Low-Power Wireless Transceiver With 67-nW Differential Pulse-Position Modulation Transmitter. *Pulkkinen, M., +, TCSI Dec. 2020 5468-5481*

Resistance Compression Dual-Band Differential CMOS RF Energy Harvester Under Modulated Signal Excitation. *Nagaveni, S., +, TCSI Nov. 2020 4053-4062*

Modulators

A Reconfigurable 0.1–10 MHz DT Passive Dynamic Zoom ADC for Cellular Receivers. *Erol, O.E., +, TCSI July 2020 2216-2228*

An Open Loop Digitally Controlled Hybrid Supply Modulator Achieving High Efficiency for Envelope Tracking With Baseband up to 200-MHz. *Chen, Z., +, TCSI Nov. 2020 4142-4153*

Jitter Suppression Techniques for High-Speed Sample-and-Hold Circuits. *Jamali-Zavareh, S., +, TCSI Jan. 2020 1-11*

Passive SC $\Sigma\Delta$ Modulator Based on Pipelined Charge-Sharing Rotation in 28-nm CMOS. *Wang, H., +, TCSI Feb. 2020 578-589*

Spur Minimization Techniques for Ultra-Low-Power Injection-Locked Transmitters. *Lin, C., +, TCSI Nov. 2020 3643-3655*

Monte Carlo methods

An Analytical Framework and Approximation Strategy for Efficient Implementation of Distributed Arithmetic-Based Inner-Product Architectures. *Ray, D., +, TCSI Jan. 2020 212-224*

Analytical Study of the Impacts of Stochastic Load Fluctuation on the Dynamic Voltage Stability Margin Using Bifurcation Theory. *Pierrou, G., +, TCSI April 2020 1286-1295*

MOS devices

A Crossbar-Based In-Memory Computing Architecture. *Wang, X., +, TCSI Dec. 2020 4224-4232*

A Multi-Folded MCML for Ultra-Low-Voltage High-Performance in Deeply Scaled CMOS. *Palumbo, G., +, TCSI Dec. 2020 4696-4706*

MOSFET

A High-Voltage UWB Pulse Generator Using Passive Amplification in 65-nm CMOS. *Gao, S., +, TCSI Dec. 2020 5530-5539*

Challenges and Solutions of the TFET Circuit Design. *Lin, Z., +, TCSI Dec. 2020 4918-4931*

Compensation Network Optimal Design Based on Evolutionary Algorithm for Inductive Power Transfer System. *Chen, W., +, TCSI Dec. 2020 5664-5674*

Design, Implementation, and Experimental Verification of 5 Gbps, 800 Mrad TID and SEU-Tolerant Optical Modulators Drivers. *Ciarpi, G., +, TCSI March 2020 829-838*

Impact of Variability on Processor Performance in Negative Capacitance FinFET Technology. *Amrouch, H., +, TCSI Sept. 2020 3127-3137*

Magnetics-Based Efficiency Optimization for Low Power Cascaded-Buck-Boost Converter. *Chen, X., +, TCSI Dec. 2020 5611-5623*

Novel Speed-and-Power-Optimized SRAM Cell Designs With Enhanced Self-Recoverability From Single- and Double-Node Upsets. *Yan, A., +, TCSI Dec. 2020 4684-4695*

Statistical BER Analysis of Wireline Links With Non-Binary Linear Block Codes Subject to DFE Error Propagation. *Yang, M., +, TCSI Jan. 2020 284-297*

MOSFET circuits

Monolithic 3D Carbon Nanotube Memory for Enhanced Yield and Integration Density. *Sun, Y., +, TCSI July 2020 2431-2441*

Multi-Level Design Influences on Robustness Evaluation of 7nm FinFET Technology. *Brendler, L.H., +, TCSI Feb. 2020 553-564*

One-Sided Schmitt-Trigger-Based 9T SRAM Cell for Near-Threshold Operation. *Cho, K., +, TCSI May 2020 1551-1561*

Motion compensation

A $4K \times 2K@60$ fps Multifunctional Video Display Processor for High Perceptual Image Quality. *Wang, H., +, TCSI Feb. 2020 451-463*

Motion control

Improved Sliding Mode Control With Time Delay Estimation for Motion Tracking of Cell Puncture Mechanism. *Xie, M., +, TCSI Sept. 2020 3199-3210*

MRAM devices

A Self-Timed Voltage-Mode Sensing Scheme With Successive Sensing and Checking for STT-MRAM. *Zhou, Y., +, TCSI May 2020 1602-1614*

Multi-access systems

Design of Downlink Synchronization for Millimeter Wave Cellular System Based on Multipath Division Multiple Access. *Chiu, K., +, TCSI Sept. 2020 3211-3223*

Enhanced Linear Iterative Detector for Massive Multiuser MIMO Uplink. *Tan, X., +, TCSI Feb. 2020 540-552*

Multi-agent systems

Cluster Tracking Performance Analysis of Linear Heterogeneous Multi-Agent Networks: A Complex Frequency Domain Approach. *Zhang, W., +, TCSI Jan. 2020 259-270*

Data-Driven Distributed Coordinated Control for Cloud-Based Model-Free Multiagent Systems With Communication Constraints. *Tan, H., +, TCSI Sept. 2020 3187-3198*

Distributed Adaptive Observer-Based Control for Output Consensus of Heterogeneous MASs With Input Saturation Constraint. *Lv, Y., +, TCSI March 2020 995-1007*

Distributed Consensus of Layered Multi-Agent Systems Subject to Attacks on Edges. *Wen, G., +, TCSI Sept. 2020 3152-3162*

Distributed Fixed-Time Triggering-Based Containment Control for Networked Nonlinear Agents Under Directed Graphs. *Xu, T., +, TCSI Oct. 2020 3541-3552*

Distributed Model Predictive Consensus of Heterogeneous Time-Varying Multi-Agent Systems: With and Without Self-Triggered Mechanism. *Li, H., +, TCSI Dec. 2020 5358-5368*

Energy-Constraint Formation for Multiagent Systems With Switching Interaction Topologies. *Xi, J., +, TCSI July 2020 2442-2454*

Event-Triggered Synchronization for Nonlinear Multi-Agent Systems With Sampled Data. *Han, Z., +, TCSI Oct. 2020 3553-3561*

Fully Distributed Containment Control for Multiple Euler-Lagrange Systems Over Directed Graphs: An Event-Triggered Approach. *Xu, T., +, TCSI June 2020 2078-2090*

Leader-Following Pinning Synchronization of Multiagent Systems With Impulsive Interlayer Coupling. *Ning, D., +, TCSI Dec. 2020 5162-5174*

Multi-robot systems

Discrete-Communication-Based Bipartite Tracking of Networked Robotic Systems via Hierarchical Hybrid Control. *Ding, T., +, TCSI April 2020 1402-1412*

Distributed Adaptive Observer-Based Control for Output Consensus of Heterogeneous MASs With Input Saturation Constraint. *Lv, Y., +, TCSI March 2020 995-1007*

Energy-Constraint Formation for Multiagent Systems With Switching Interaction Topologies. *Xi, J., +, TCSI July 2020 2442-2454*

Multimedia systems

A $4K \times 2K@60$ fps Multifunctional Video Display Processor for High Perceptual Image Quality. *Wang, H., +, TCSI Feb. 2020 451-463*

Multipath channels

Design of Downlink Synchronization for Millimeter Wave Cellular System Based on Multipath Division Multiple Access. *Chiu, K., +, TCSI Sept. 2020 3211-3223*

Double-Sub-Stream M-ary Differential Chaos Shift Keying Wireless Communication System Using Chaotic Shape-Forming Filter. *Bai, C., +, TCSI Oct. 2020 3574-3587*

Multiplexing

Leader-Following Pinning Synchronization of Multiagent Systems With Impulsive Interlayer Coupling. *Ning, D., +, TCSI Dec. 2020 5162-5174*

On the Design of Low-Power Hybrids for Full Duplex Simultaneous Bidirectional Signaling Links. *Yuan, C., +, TCSI April 2020 1413-1422*

Single Plastic Optical Fiber, Multiple Channel Data Link for Sensing Applications With PCB Implemented Transmitter and Receiver. *Fuchs, S., +, TCSI March 2020 1045-1057*

Multiplexing equipment

Single Plastic Optical Fiber, Multiple Channel Data Link for Sensing Applications With PCB Implemented Transmitter and Receiver. *Fuchs, S., +, TCSI March 2020 1045-1057*

Multiplying circuits

A Memristive Multiplier Using Semi-Serial IMPLY-Based Adder. *Radakovits, D., +, TCSI May 2020 1495-1506*

- A Precision-Scalable Energy-Efficient Convolutional Neural Network Accelerator. *Liu, W., +, TCSI Oct. 2020 3484-3497*
- A Time-Efficient Automatic Circuit Approximation Method. *Zhang, Z., +, TCSI Sept. 2020 3047-3055*
- An Analytical Framework and Approximation Strategy for Efficient Implementation of Distributed Arithmetic-Based Inner-Product Architectures. *Ray, D., +, TCSI Jan. 2020 212-224*
- Comparison and Extension of Approximate 4-2 Compressors for Low-Power Approximate Multipliers. *Strollo, A.G.M., +, TCSI Sept. 2020 3021-3034*
- IMAC: In-Memory Multi-Bit Multiplication and ACcumulation in 6T SRAM Array. *Ali, M., +, TCSI Aug. 2020 2521-2531*
- On the Complexity of Hybrid n -Term Karatsuba Multiplier for Trinomials. *Li, Y., +, TCSI March 2020 852-865*
- Multiprocessing systems**
- Kernel-Based Resource Allocation for Improving GPU Throughput While Minimizing the Activity Divergence of SMS. *Tasoulas, Z., +, TCSI Feb. 2020 428-440*
- Slicing FIFOs for On-Chip Memory Bandwidth Exhaustion. *Hasler, M., +, TCSI Feb. 2020 441-450*
- Tile Adaptation for Workload Balancing of 3D-HEVC Encoder in Homogeneous Multicore Systems. *Saldanha, M., +, TCSI May 2020 1704-1714*
- Multiresolution analysis**
- Dynamic Harmonic Analysis With FIR Filters Designed With O-Splines. *Serna, J.A.d.l.O., TCSI Dec. 2020 5092-5100*
- Multistage interconnection networks**
- A High-Performance Scalable Shared-Memory SVD Processor Architecture Based on Jacobi Algorithm and Batcher's Sorting Network. *Shahshahani, S.M.R., +, TCSI June 2020 1912-1924*
- N
- NAND circuits**
- Bulkyflip: A NAND-SPIN-Based Last-Level Cache With Bandwidth-Oriented Write Management Policy. *Wu, B., +, TCSI Jan. 2020 108-120*
- Self-Learning Hot Data Prediction: Where Echo State Network Meets NAND Flash Memories. *Luo, Q., +, TCSI March 2020 939-950*
- Nanoelectronics**
- A Logic Synthesis Methodology for Low-Power Ternary Logic Circuits. *Kim, S., +, TCSI Sept. 2020 3138-3151*
- Network analysis**
- Synthesis of DDRO Timing Monitors by Delay-Tracking and Static Timing Analysis. *Kasturi Rangan, J., +, TCSI Feb. 2020 401-414*
- Network routing**
- SC-DDPL: A Novel Standard-Cell Based Approach for Counteracting Power Analysis Attacks in the Presence of Unbalanced Routing. *Bellizia, D., +, TCSI July 2020 2317-2330*
- Network synthesis**
- Synthesis of DDRO Timing Monitors by Delay-Tracking and Static Timing Analysis. *Kasturi Rangan, J., +, TCSI Feb. 2020 401-414*
- Network theory (graphs)**
- Improving the Performance of Multitask Diffusion APA via Controlled Inter-Cluster Cooperation. *Gogineni, V.C., +, TCSI March 2020 903-912*
- Optimizing Synchronizability of Multilayer Networks Based on the Graph Comparison Method. *Liu, H., +, TCSI May 2020 1740-1751*
- Synchronization in Multiplex Networks of Chua's Circuits: Theory and Experiments. *Burbano-L., D.A., +, TCSI March 2020 927-938*
- Towards Optimal Robustness of Network Controllability: An Empirical Necessary Condition. *Lou, Y., +, TCSI Sept. 2020 3163-3174*
- Network topology**
- A Clockless Temperature-Compensated Nanowatt Analog Front-End for Wake-Up Radios Based on a Band-Pass Envelope Detector. *Elgani, A.M., +, TCSI Aug. 2020 2612-2624*
- A DC-50 GHz CMOS Switched-Type Attenuator With Capacitive Compensation Technique. *Gu, P., +, TCSI Oct. 2020 3389-3399*
- Controllability of Deep-Coupling Dynamical Networks. *Wu, J., +, TCSI Dec. 2020 5211-5222*
- Synchronization in Multiplex Networks of Chua's Circuits: Theory and Experiments. *Burbano-L., D.A., +, TCSI March 2020 927-938*
- Towards Optimal Robustness of Network Controllability: An Empirical Necessary Condition. *Lou, Y., +, TCSI Sept. 2020 3163-3174*
- Network-on-chip**
- A Hybrid 3D Interconnect With 2x Bandwidth Density Employing Orthogonal Simultaneous Bidirectional Signaling for 3D NoC. *Gopal, S., +, TCSI Nov. 2020 3919-3932*
- Networked control systems**
- Adaptive Event-Triggered Predictive Control for Finite Time Microgrid. *Yan, H., +, TCSI March 2020 1035-1044*
- Discrete-Communication-Based Bipartite Tracking of Networked Robotic Systems via Hierarchical Hybrid Control. *Ding, T., +, TCSI April 2020 1402-1412*
- Distributed Fixed-Time Triggering-Based Containment Control for Networked Nonlinear Agents Under Directed Graphs. *Xu, T., +, TCSI Oct. 2020 3541-3552*
- Fully Distributed Containment Control for Multiple Euler-Lagrange Systems Over Directed Graphs: An Event-Triggered Approach. *Xu, T., +, TCSI June 2020 2078-2090*
- Neural chips**
- DT-CNN: An Energy-Efficient Dilated and Transposed Convolutional Neural Network Processor for Region of Interest Based Image Segmentation. *Im, D., +, TCSI Oct. 2020 3471-3483*
- Presynaptic Spike-Driven Spike Timing-Dependent Plasticity With Address Event Representation for Large-Scale Neuromorphic Systems. *Park, J., +, TCSI June 2020 1936-1947*
- sBSNN: Stochastic-Bits Enabled Binary Spiking Neural Network With On-Chip Learning for Energy Efficient Neuromorphic Computing at the Edge. *Koo, M., +, TCSI Aug. 2020 2546-2555*
- Self-Learning Hot Data Prediction: Where Echo State Network Meets NAND Flash Memories. *Luo, Q., +, TCSI March 2020 939-950*
- Neural network architecture**
- IMAC: In-Memory Multi-Bit Multiplication and ACcumulation in 6T SRAM Array. *Ali, M., +, TCSI Aug. 2020 2521-2531*
- Retrain-Less Weight Quantization for Multiplier-Less Convolutional Neural Networks. *Choi, J., +, TCSI March 2020 972-982*
- Neural networks**
- A Neural Network Assistance AMPPT Solar Energy Harvesting System With 89.39% Efficiency and 0.01–0.5% Tracking Errors. *Wang, Y., +, TCSI Sept. 2020 2960-2971*
- A Partially Binarized Hybrid Neural Network System for Low-Power and Resource Constrained Human Activity Recognition. *De Vita, A., +, TCSI Nov. 2020 3893-3904*
- ADEPOS: A Novel Approximate Computing Framework for Anomaly Detection Systems and its Implementation in 65-nm CMOS. *Bose, S.K., +, TCSI March 2020 913-926*
- Always-On 674 μ W@4GOP/s Error Resilient Binary Neural Networks With Aggressive SRAM Voltage Scaling on a 22-nm IoT End-Node. *Mauro, A.D., +, TCSI Nov. 2020 3905-3918*
- Hardware-Compliant Compressive Image Sensor Architecture Based on Random Modulations and Permutations for Embedded Inference. *Ben-jilali, W., +, TCSI April 2020 1218-1231*
- In-Hardware Training Chip Based on CMOS Invertible Logic for Machine Learning. *Onizawa, N., +, TCSI May 2020 1541-1550*
- NS-CIM: A Current-Mode Computation-in-Memory Architecture Enabling Near-Sensor Processing for Intelligent IoT Vision Nodes. *Liu, Z., +, TCSI Sept. 2020 2909-2922*
- Presynaptic Spike-Driven Spike Timing-Dependent Plasticity With Address Event Representation for Large-Scale Neuromorphic Systems. *Park, J., +, TCSI June 2020 1936-1947*
- sBSNN: Stochastic-Bits Enabled Binary Spiking Neural Network With On-Chip Learning for Energy Efficient Neuromorphic Computing at the Edge. *Koo, M., +, TCSI Aug. 2020 2546-2555*
- The Hardware and Algorithm Co-Design for Energy-Efficient DNN Processor on Edge/Mobile Devices. *Lee, J., +, TCSI Oct. 2020 3458-3470*
- Theoretical Foundations of Memristor Cellular Nonlinear Networks: Stability Analysis With Dynamic Memristors. *Ascoli, A., +, TCSI April 2020 1389-1401*

Neurocontrollers

Data-Based H_∞ Control for the Constrained-Input Nonlinear Systems and its Applications in Chaotic Circuit Systems. *Ren, L.*, +, *TCSI Aug. 2020 2791-2802*

Fully Distributed Containment Control for Multiple Euler-Lagrange Systems Over Directed Graphs: An Event-Triggered Approach. *Xu, T.*, +, *TCSI June 2020 2078-2090*

Neuromorphics

The Development of Silicon for AI: Different Design Approaches. *Lee, K.J.*, +, *TCSI Dec. 2020 4719-4732*

Neurons

An Artificial Neural Network Processor With a Custom Instruction Set Architecture for Embedded Applications. *Valencia, D.*, +, *TCSI Dec. 2020 5200-5210*

Compact Mixed-Signal Convolutional Neural Network Using a Single Modular Neuron. *Chang, D.*, +, *TCSI Dec. 2020 5189-5199*

Neurophysiology

A Sub- μ W Reconfigurable Front-End for Invasive Neural Recording That Exploits the Spectral Characteristics of the Wideband Neural Signal. *Valtierra, J.L.*, +, *TCSI May 2020 1426-1437*

Design of Stage-Selective Negative Voltage Generator to Improve On-Chip Power Conversion Efficiency for Neuron Stimulation. *Lin, S.*, +, *TCSI Nov. 2020 4122-4131*

Presynaptic Spike-Driven Spike Timing-Dependent Plasticity With Address Event Representation for Large-Scale Neuromorphic Systems. *Park, J.*, +, *TCSI June 2020 1936-1947*

sBSNN: Stochastic-Bits Enabled Binary Spiking Neural Network With On-Chip Learning for Energy Efficient Neuromorphic Computing at the Edge. *Koo, M.*, +, *TCSI Aug. 2020 2546-2555*

Next generation networks

A Novel Physical Layer Authentication With PAPR Reduction Based on Channel and Hardware Frequency Responses. *Ramabadran, P.*, +, *TCSI Feb. 2020 526-539*

NIST

Resource-Shared Crypto-Coprocessor of AES Enc/Dec With SHA-3. *Kundi, D.*, +, *TCSI Dec. 2020 4869-4882*

SIKE'd Up: Fast Hardware Architectures for Supersingular Isogeny Key Encapsulation. *Koziel, B.*, +, *TCSI Dec. 2020 4842-4854*

Noise measurement

Area Efficient VLSI Architectures for Weak Signal Detection in Additive Generalized Cauchy Noise. *Vadali, S.R.K.*, +, *TCSI June 2020 1962-1975*

A 22-to-47 GHz 2-Stage LNA With 22.2 dB Peak Gain by Using Coupled L-Type Interstage Matching Inductors. *Wang, K.*, +, *TCSI Dec. 2020 4607-4617*

A 22nm, 10.8 μ W/15.1 μ W Dual Computing Modes High Power-Performance-Area Efficiency Domained Background Noise Aware Keyword-Spotting Processor. *Liu, B.*, +, *TCSI Dec. 2020 4733-4746*

Broadband Balun-LNA Employing Local Feedback g_m -Boosting Technique and Balanced Loads for Low-Power Low-Voltage Applications. *Kim, S.*, +, *TCSI Dec. 2020 4631-4640*

Cell Weighting and Gate Inductive Peaking Techniques for Wideband Noise Suppression in Distributed Amplifiers. *Mesgari, B.*, +, *TCSI Dec. 2020 4507-4520*

The Development of Silicon for AI: Different Design Approaches. *Lee, K.J.*, +, *TCSI Dec. 2020 4719-4732*

Noise reduction

Cell Weighting and Gate Inductive Peaking Techniques for Wideband Noise Suppression in Distributed Amplifiers. *Mesgari, B.*, +, *TCSI Dec. 2020 4507-4520*

Nonlinear control systems

A Novel Approach to State and Unknown Input Estimation for Takagi-Sugeno Fuzzy Models With Applications to Fault Detection. *Zhao, D.*, +, *TCSI June 2020 2053-2063*

Adaptive Finite-Time Control for High-Order Nonlinear Systems With Multiple Uncertainties and its Application. *Min, H.*, +, *TCSI May 2020 1752-1761*

Asymptotic Output Tracking of Probabilistic Boolean Control Networks. *Chen, B.*, +, *TCSI Aug. 2020 2780-2790*

Data-Based H_∞ Control for the Constrained-Input Nonlinear Systems and its Applications in Chaotic Circuit Systems. *Ren, L.*, +, *TCSI Aug. 2020 2791-2802*

Distributed Adaptive Observer-Based Control for Output Consensus of Heterogeneous MASs With Input Saturation Constraint. *Lv, Y.*, +, *TCSI March 2020 995-1007*

Distributed Fixed-Time Triggering-Based Containment Control for Networked Nonlinear Agents Under Directed Graphs. *Xu, T.*, +, *TCSI Oct. 2020 3541-3552*

Event-Triggered Synchronization for Nonlinear Multi-Agent Systems With Sampled Data. *Han, Z.*, +, *TCSI Oct. 2020 3553-3561*

Finite-Time H_∞ Filtering for State-Dependent Uncertain Systems With Event-Triggered Mechanism and Multiple Attacks. *Liu, J.*, +, *TCSI March 2020 1021-1034*

Fully Distributed Containment Control for Multiple Euler-Lagrange Systems Over Directed Graphs: An Event-Triggered Approach. *Xu, T.*, +, *TCSI June 2020 2078-2090*

Global Stabilization of Switched Feedforward Nonlinear Time-Delay Systems Under Asynchronous Switching. *Li, Z.*, +, *TCSI Feb. 2020 711-724*

Memory Output-Feedback Integral Sliding Mode Control for Furuta Pendulum Systems. *Xu, J.*, +, *TCSI June 2020 2042-2052*

Observer-Based Asynchronous Fault Detection for Conic-Type Nonlinear Jumping Systems and its Application to Separately Excited DC Motor. *Cheng, P.*, +, *TCSI March 2020 951-962*

Periodic Event-Triggered Adaptive Control for Attitude Stabilization Under Input Saturation. *Jiang, B.*, +, *TCSI Jan. 2020 249-258*

Position Regulator With Variable Cut-Off Frequency Mechanism for Hybrid-Type Stepper Motors. *Kim, S.*, +, *TCSI Oct. 2020 3533-3540*

Relaxed Multi-Instant Fuzzy State Estimation Design of Discrete-Time Nonlinear Systems and its Application: A Deep Division Approach. *Xie, X.*, +, *TCSI May 2020 1775-1785*

Synchronization Analysis on Two-Layer Networks of Fractional-Order Systems: Intralayer and Interlayer Synchronization. *Zhang, X.*, +, *TCSI July 2020 2397-2408*

Unified Stability Criteria of Random Nonlinear Time-Varying Impulsive Switched Systems. *Jiao, T.*, +, *TCSI Sept. 2020 3099-3112*

Nonlinear distortion

On Feedback Sample Selection Methods Allowing Lightweight Digital Pre-distorter Adaptation. *Kral, J.*, +, *TCSI June 2020 1976-1988*

Nonlinear dynamical systems

A New Class of Digital Circuits for the Design of Entropy Sources in Programmable Logic. *Addabbo, T.*, +, *TCSI July 2020 2419-2430*

S-Type Locally Active Memristor-Based Periodic and Chaotic Oscillators. *Liang, Y.*, +, *TCSI Dec. 2020 5139-5152*

Stability Enhancement of One-Cycle Controlled Buck-Boost Converters With a Composite Function Embedded. *Guo, Y.L.*, +, *TCSI Oct. 2020 3512-3520*

Synchronization in Multiplex Networks of Chua's Circuits: Theory and Experiments. *Burbano-L., D.A.*, +, *TCSI March 2020 927-938*

Theoretical Foundations of Memristor Cellular Nonlinear Networks: A DRM₂-Based Method to Design Memcomputers With Dynamic Memristors. *Ascoli, A.*, +, *TCSI Aug. 2020 2753-2766*

Nonlinear filters

Dynamic State Estimation of Power Systems by p -Norm Nonlinear Kalman Filter. *Wang, W.*, +, *TCSI May 2020 1715-1728*

Exponentially Fitted Cubature Kalman Filter With Application to Oscillatory Dynamical Systems. *Singh, A.K.*, *TCSI Aug. 2020 2739-2752*

Near-Optimal Decoding of Incremental Delta-Sigma ADC Output. *Wang, B.*, +, *TCSI Nov. 2020 3670-3680*

Nonlinear functions

A Universal Method of Linear Approximation With Controllable Error for the Efficient Implementation of Transcendental Functions. *Sun, H.*, +, *TCSI Jan. 2020 177-188*

Nonlinear network analysis

Bounded Input Dissipativity of Linearized Circuit Models. *Bradde, T.*, +, *TCSI June 2020 2064-2077*

Homogeneous Models of Nonlinear Circuits. *Riaza, R.*, *TCSI June 2020 2002-2015*

Nonlinear systems

Adaptive Finite-Time Control for High-Order Nonlinear Systems With Multiple Uncertainties and its Application. *Min, H.*, +, *TCSI May 2020 1752-1761*

Adaptive Fuzzy Output Feedback Event-Triggered Control for a Class of Switched Nonlinear Systems With Sensor Failures. *Zhang, J.*, +, *TCSI Dec. 2020 5336-5346*

Event-Triggered Fuzzy Control of Repeated Scalar Nonlinear Systems and its Application to Chua's Circuit System. *Wen, Y.*, +, *TCSI Dec. 2020 5347-5357*

Nonvolatile memory

A -20 dBm Passive UHF RFID Tag IC With MTP NVM in 0.13- μm Standard CMOS Process. *Li, S.*, +, *TCSI Dec. 2020 4566-4579*

Notch filters

Spur Minimization Techniques for Ultra-Low-Power Injection-Locked Transmitters. *Lin, C.*, +, *TCSI Nov. 2020 3643-3655*

Nuclear electronics

A Low Noise Fault Tolerant Radiation Hardened 2.56 Gbps Clock-Data Recovery Circuit With High Speed Feed Forward Correction in 65 nm CMOS. *Biereigel, S.*, +, *TCSI May 2020 1438-1446*

Design, Implementation, and Experimental Verification of 5 Gbps, 800 Mrad TID and SEU-Tolerant Optical Modulators Drivers. *Ciarpi, G.*, +, *TCSI March 2020 829-838*

Numerical analysis

On the Coexistence of Multiple Limit Cycles in H-Bridge Wireless Power Transfer Systems With Zero Current Switching Control. *El Aroudi, A.*, +, *TCSI May 2020 1729-1739*

Numerical stability

Piecewise Quadratic Slope Compensation Technique for DC-DC Switching Converters. *Aroudi, A.E.*, +, *TCSI Dec. 2020 5574-5585*

O**Object recognition**

Hardware-Compliant Compressive Image Sensor Architecture Based on Random Modulations and Permutations for Embedded Inference. *Benjilali, W.*, +, *TCSI April 2020 1218-1231*

Observability

Controllability of Deep-Coupling Dynamical Networks. *Wu, J.*, +, *TCSI Dec. 2020 5211-5222*

Observers

A Novel Approach to State and Unknown Input Estimation for Takagi-Sugeno Fuzzy Models With Applications to Fault Detection. *Zhao, D.*, +, *TCSI June 2020 2053-2063*

Distributed Adaptive Observer-Based Control for Output Consensus of Heterogeneous MASs With Input Saturation Constraint. *Lv, Y.*, +, *TCSI March 2020 995-1007*

Distributed Consensus of Layered Multi-Agent Systems Subject to Attacks on Edges. *Wen, G.*, +, *TCSI Sept. 2020 3152-3162*

Fault-Tolerant Control Based on Virtual Actuator and Sensor for Discrete-Time Descriptor Systems. *Wang, Y.*, +, *TCSI Dec. 2020 5316-5325*

Interval Functional Observers Design for Time-Delay Systems Under Stealthy Attacks. *Huong, D.C.*, +, *TCSI Dec. 2020 5101-5112*

Observer-Based Asynchronous Fault Detection for Conic-Type Nonlinear Jumping Systems and its Application to Separately Excited DC Motor. *Cheng, P.*, +, *TCSI March 2020 951-962*

Pinning-Observer-Based Secure Synchronization Control for Complex Dynamical Networks Subject to DoS Attacks. *Liu, D.*, +, *TCSI Dec. 2020 5394-5404*

Position Regulator With Variable Cut-Off Frequency Mechanism for Hybrid-Type Stepper Motors. *Kim, S.*, +, *TCSI Oct. 2020 3533-3540*

Reduced-Order Observer Based-Fault Estimation for Markovian Jump Systems With Time-Varying Generally Uncertain Transition Rates. *Lu, D.*, +, *TCSI Aug. 2020 2803-2815*

Relaxed Multi-Instant Fuzzy State Estimation Design of Discrete-Time Nonlinear Systems and its Application: A Deep Division Approach. *Xie, X.*, +, *TCSI May 2020 1775-1785*

OFDM

Adjacent Channel Interference Cancellation in FDM Transmissions. *Harvanek, M.*, +, *TCSI Dec. 2020 5417-5428*

A High Efficiency Multi-Mode Outphasing RF Power Amplifier With 31.6 dBm Peak Output Power in 45nm CMOS. *Banerjee, A.*, +, *TCSI March 2020 815-828*

A Novel Physical Layer Authentication With PAPR Reduction Based on Channel and Hardware Frequency Responses. *Ramabadran, P.*, +, *TCSI Feb. 2020 526-539*

Bandwidth Enhancement of Doherty Power Amplifier Using Modified Load Modulation Network. *Li, M.*, +, *TCSI June 2020 1824-1834*

Efficient and Secure Non-Coherent OFDM-Based Overlapped Chaotic Chip Position Shift Keying System: Design and Performance Analysis. *Zhang, L.*, +, *TCSI Jan. 2020 309-321*

Fast Sensing-Time and Hardware-Efficient Eigenvalue-Based Blind Spectrum Sensors for Cognitive Radio Network. *Chaurasiya, R.B.*, +, *TCSI April 2020 1296-1308*

Real-Time Distance Evaluation System for Wireless Localization. *Piccinni, G.*, +, *TCSI Oct. 2020 3320-3330*

Resistance Compression Dual-Band Differential CMOS RF Energy Harvester Under Modulated Signal Excitation. *Nagaveni, S.*, +, *TCSI Nov. 2020 4053-4062*

Open loop systems

An Error Amplifier With a Low Power Multi-Mode Voltage Clamper for Transient Enhancement and High Reliability. *Zhou, Z.*, +, *TCSI Nov. 2020 4075-4084*

Operating system kernels

Evolution of Function-Call Network Reliability in Android Operating System. *Yao, A.*, +, *TCSI April 2020 1264-1275*

Operational amplifiers

A -24 dB in-Band Noise-Immunity Mutual Capacitance Readout System for Variable Refresh Rate of Active-Matrix OLED Display. *Ko, S.H.*, *TCSI April 2020 1126-1135*

A 12-Bit 125-MS/s 2.5-Bit/Cycle SAR-Based Pipeline ADC Employing a Self-Biased Gain Boosting Amplifier. *Park, C.*, +, *TCSI Nov. 2020 3618-3629*

A 17 Gbps 156 fJ/bit Two-Channel Optical Receiver With Optical-Input Split and Delay in 65 nm CMOS. *Taherzadeh-Sani, M.*, +, *TCSI July 2020 2288-2296*

A 60-m Range 6.16-mW Laser-Power Linear-Mode LiDAR System With Multiplex ADC/TDC in 65-nm CMOS. *Liu, M.*, +, *TCSI March 2020 753-764*

A Configurable Noise-Shaping Band-Pass SAR ADC With Two-Stage Clock-Controlled Amplifier. *Jiao, Z.*, +, *TCSI Nov. 2020 3728-3739*

A Robust Local Positive Feedback Based Performance Enhancement Strategy for Non-Recycling Folded Cascode OTA. *Wang, Y.*, +, *TCSI Sept. 2020 2897-2908*

A Self-Timed Voltage-Mode Sensing Scheme With Successive Sensing and Checking for STT-MRAM. *Zhou, Y.*, +, *TCSI May 2020 1602-1614*

A Transient-Enhanced Output-Capacitorless LDO With Fast Local Loop and Overshoot Detection. *Liu, N.*, +, *TCSI Oct. 2020 3422-3432*

A Wide Dynamic Range Laser Radar Receiver Based on Input Pulse-Shaping Techniques. *Baharmast, A.*, +, *TCSI Aug. 2020 2566-2577*

An 80 MHz Bandwidth and 26.8 dBm OOB IIP3 Transimpedance Amplifier With Improved Nested Feedforward Compensation and Multi-Order Filtering. *Jung, H.*, +, *TCSI Oct. 2020 3410-3421*

Design Approach for Ring Amplifiers. *Conrad, J.*, +, *TCSI Oct. 2020 3444-3457*

Distortion Analysis of RC Integrators With Wideband Input Signals. *Hammler, N.*, +, *TCSI Jan. 2020 12-22*

High Sensitivity and Dynamic-Range 25 Gbaud Silicon Receiver Chipset With Current-Controlled DC Adjustment Path and Cube-Shape Ge-on-Si PD. *Bi, X.*, +, *TCSI Nov. 2020 3991-4001*

I/Q Balance-Enhanced Wideband Receiver Front-End for 2G/3G/4G/5G NR Cellular Applications. *Han, J.*, +, *TCSI June 2020 1881-1891*

Inherently Accurate Attenuation-Based Digital Calibration of ADC. *Oshima, T.*, +, *TCSI Jan. 2020 23-36*

- LDO With Improved Common Gate Class-AB OTA Handles any Load Capacitors and Provides Fast Response to Load Transients. *Raducan, C.*, +, *TCSI Nov. 2020 3740-3752*
- On the Design of Low-Power Hybrids for Full Duplex Simultaneous Bidirectional Signaling Links. *Yuan, C.*, +, *TCSI April 2020 1413-1422*
- Power-Scaling Output-Compensated Three-Stage OTAs for Wide Load Range Applications. *Riad, J.*, +, *TCSI July 2020 2180-2192*
- Slewing Mitigation Technique for Switched Capacitor Circuits. *Kareppagoudr, M.*, +, *TCSI Oct. 2020 3251-3261*
- Zero-Crossing-Time-Difference Model for Stability Analysis of VCO-Based OTAs. *Kalani, S.*, +, *TCSI March 2020 839-851*
- Optical fibers**
- Needle-Type Imager Sensor With Band-Pass Composite Emission Filter and Parallel Fiber-Coupled Laser Excitation. *Rustami, E.*, +, *TCSI April 2020 1082-1091*
- Optical filters**
- Rapid Simulation of Photonic Integrated Circuits Using Verilog-A Compact Models. *Shawon, M.J.*, +, *TCSI Oct. 2020 3331-3341*
- Optical modulation**
- A 17 Gbps 156 fJ/bit Two-Channel Optical Receiver With Optical-Input Split and Delay in 65 nm CMOS. *Taherzadeh-Sani, M.*, +, *TCSI July 2020 2288-2296*
- Design, Implementation, and Experimental Verification of 5 Gbps, 800 Mrad TID and SEU-Tolerant Optical Modulators Drivers. *Ciarpi, G.*, +, *TCSI March 2020 829-838*
- Single Plastic Optical Fiber, Multiple Channel Data Link for Sensing Applications With PCB Implemented Transmitter and Receiver. *Fuchs, S.*, +, *TCSI March 2020 1045-1057*
- Optical radar**
- A 60-m Range 6.16-mW Laser-Power Linear-Mode LiDAR System With Multiplex ADC/TDC in 65-nm CMOS. *Liu, M.*, +, *TCSI March 2020 753-764*
- A Wide Dynamic Range Laser Radar Receiver Based on Input Pulse-Shaping Techniques. *Baharmast, A.*, +, *TCSI Aug. 2020 2566-2577*
- Dark Count Rate Modeling in Single-Photon Avalanche Diodes. *Panglosse, A.*, +, *TCSI May 2020 1507-1515*
- Optical receivers**
- A 17 Gbps 156 fJ/bit Two-Channel Optical Receiver With Optical-Input Split and Delay in 65 nm CMOS. *Taherzadeh-Sani, M.*, +, *TCSI July 2020 2288-2296*
- High Sensitivity and Dynamic-Range 25 Gbaud Silicon Receiver Chipset With Current-Controlled DC Adjustment Path and Cube-Shape Ge-on-Si PD. *Bi, X.*, +, *TCSI Nov. 2020 3991-4001*
- Single Plastic Optical Fiber, Multiple Channel Data Link for Sensing Applications With PCB Implemented Transmitter and Receiver. *Fuchs, S.*, +, *TCSI March 2020 1045-1057*
- Optical transmitters**
- Single Plastic Optical Fiber, Multiple Channel Data Link for Sensing Applications With PCB Implemented Transmitter and Receiver. *Fuchs, S.*, +, *TCSI March 2020 1045-1057*
- Optimal control**
- ADP-Based Security Decentralized Sliding Mode Control for Partially Unknown Large-Scale Systems Under Injection Attacks. *Song, J.*, +, *TCSI Dec. 2020 5290-5301*
- Optimal scheduling**
- Leakage-Aware Battery Lifetime Analysis Using the Calculus of Variations. *Jafari-Nodoushan, M.*, +, *TCSI Dec. 2020 4829-4841*
- Optimization**
- A 33-ppm/°C 240-nW 40-nm CMOS Wakeup Timer Based on a Bang-Bang Digital-Intensive Frequency-Locked-Loop for IoT Applications. *Ding, M.*, +, *TCSI July 2020 2263-2273*
- A Nonlinear Behavioral Ferrite-Core Inductance Model Able to Reproduce Thermal Transients in Switch-Mode Power Supplies. *Lodi, M.*, +, *TCSI April 2020 1255-1263*
- Automated Deep Neural Learning-Based Optimization for High Performance High Power Amplifier Designs. *Kouhalvandi, L.*, +, *TCSI Dec. 2020 4420-4433*
- Compensation Network Optimal Design Based on Evolutionary Algorithm for Inductive Power Transfer System. *Chen, W.*, +, *TCSI Dec. 2020 5664-5674*
- Design Approach for Ring Amplifiers. *Conrad, J.*, +, *TCSI Oct. 2020 3444-3457*
- Dynamic State Estimation of Power Systems by p -Norm Nonlinear Kalman Filter. *Wang, W.*, +, *TCSI May 2020 1715-1728*
- Energy-Efficient Hardware Architectures for Fast Polar Decoders. *Ercan, F.*, +, *TCSI Jan. 2020 322-335*
- Flow Distribution for Electric Vehicles Under Nodal-Centrality-Based Resource Allocation. *Bi, X.*, +, *TCSI April 2020 1309-1318*
- In-Field Performance Optimization for mm-Wave Mixed-Signal Doherty Power Amplifiers: A Bandit Approach. *Xu, S.*, +, *TCSI Dec. 2020 5302-5315*
- Locking Range Maximization in Injection-Locked Class-E Oscillator—A Case Study for Optimizing Synchronizability. *Yabe, Y.*, +, *TCSI May 2020 1762-1774*
- Matrix Decomposition Based Low-Complexity FIR Filter: Further Results. *Wang, H.*, +, *TCSI Feb. 2020 672-685*
- On Feedback Sample Selection Methods Allowing Lightweight Digital Pre-distorter Adaptation. *Kral, J.*, +, *TCSI June 2020 1976-1988*
- Optimizing Synchronizability of Multilayer Networks Based on the Graph Comparison Method. *Liu, H.*, +, *TCSI May 2020 1740-1751*
- Optimizing Weight Mapping and Data Flow for Convolutional Neural Networks on Processing-in-Memory Architectures. *Peng, X.*, +, *TCSI April 2020 1333-1343*
- Synthesis of DDRO Timing Monitors by Delay-Tracking and Static Timing Analysis. *Kasturi Rangan, J.*, +, *TCSI Feb. 2020 401-414*
- The Hardware and Algorithm Co-Design for Energy-Efficient DNN Processor on Edge/Mobile Devices. *Lee, J.*, +, *TCSI Oct. 2020 3458-3470*
- Towards Optimal Robustness of Network Controllability: An Empirical Necessary Condition. *Lou, Y.*, +, *TCSI Sept. 2020 3163-3174*
- Oscillations**
- On the Coexistence of Multiple Limit Cycles in H-Bridge Wireless Power Transfer Systems With Zero Current Switching Control. *El Aroudi, A.*, +, *TCSI May 2020 1729-1739*
- Oscillators**
- A 108 F²/Bit Fully Reconfigurable RRAM PUF Based on Truly Random Dynamic Entropy of Jitter Noise. *Zhao, Q.*, +, *TCSI Nov. 2020 3866-3879*
- A 33-ppm/°C 240-nW 40-nm CMOS Wakeup Timer Based on a Bang-Bang Digital-Intensive Frequency-Locked-Loop for IoT Applications. *Ding, M.*, +, *TCSI July 2020 2263-2273*
- A 470-nA Quiescent Current and 92.7%/94.7% Efficiency DCT/PWM Control Buck Converter With Seamless Mode Selection for IoT Application. *Zeng, W.*, +, *TCSI Nov. 2020 4085-4098*
- A Framework of L-HC and AM-MKF for Accurate Harmonic Supportive Control Schemes. *Kumar, N.*, +, *TCSI Dec. 2020 5246-5256*
- A New Class of Digital Circuits for the Design of Entropy Sources in Programmable Logic. *Addabbo, T.*, +, *TCSI July 2020 2419-2430*
- A PVT-Resilient, Highly-Linear Fifth-Order Ring-Oscillator-Based Filter. *Osman, H.*, +, *TCSI Dec. 2020 4295-4308*
- A Switched-Capacitor DC-DC Converter Powering an LC Oscillator to Achieve 85% System Peak Power Efficiency and -65dBc Spurious Tones. *Urso, A.*, +, *TCSI Nov. 2020 3764-3777*
- An Inverted Ring Oscillator Noise-Shaping Time-to-Digital Converter With In-Band Noise Reduction and Coherent Noise Cancellation. *Yi, X.*, +, *TCSI Feb. 2020 686-698*
- Galvanically Isolated DC-DC Converter Using a Single Isolation Transformer for Multi-Channel Communication. *Parisi, A.*, +, *TCSI Dec. 2020 4434-4444*
- Piecewise Quadratic Slope Compensation Technique for DC-DC Switching Converters. *Aroudi, A.E.*, +, *TCSI Dec. 2020 5574-5585*
- S-Type Locally Active Memristor-Based Periodic and Chaotic Oscillators. *Liang, Y.*, +, *TCSI Dec. 2020 5139-5152*
- Spur Minimization Techniques for Ultra-Low-Power Injection-Locked Transmitters. *Lin, C.*, +, *TCSI Nov. 2020 3643-3655*

Synchronization Analysis on Two-Layer Networks of Fractional-Order Systems: Intralayer and Interlayer Synchronization. *Zhang, X.*, +, *TCSI July 2020 2397-2408*

Synthesis of DDRO Timing Monitors by Delay-Tracking and Static Timing Analysis. *Kasturi Rangan, J.*, +, *TCSI Feb. 2020 401-414*

Time-Based Sensor Interface for Dopamine Detection. *Olabode, O.*, +, *TCSI Oct. 2020 3284-3296*

Output feedback

Adaptive Fuzzy Output Feedback Event-Triggered Control for a Class of Switched Nonlinear Systems With Sensor Failures. *Zhang, J.*, +, *TCSI Dec. 2020 5336-5346*

Oxidation

Time-Based Sensor Interface for Dopamine Detection. *Olabode, O.*, +, *TCSI Oct. 2020 3284-3296*

P

Parallel algorithms

A High-Performance Scalable Shared-Memory SVD Processor Architecture Based on Jacobi Algorithm and Batchers's Sorting Network. *Shahshahani, S.M.R.*, +, *TCSI June 2020 1912-1924*

Parallel architectures

A High-Performance Scalable Shared-Memory SVD Processor Architecture Based on Jacobi Algorithm and Batchers's Sorting Network. *Shahshahani, S.M.R.*, +, *TCSI June 2020 1912-1924*

In-Memory Low-Cost Bit-Serial Addition Using Commodity DRAM Technology. *Ali, M.F.*, +, *TCSI Jan. 2020 155-165*

Parallel processing

A Power-Efficient CNN Accelerator With Similar Feature Skipping for Face Recognition in Mobile Devices. *Kim, S.*, +, *TCSI April 2020 1181-1193*

Balanced $(3+2\log n)\Delta G$ Adders for Moduli Set $\{2^{n+1}, 2^n+2^{n-1}, 2^{n+1}-1\}$. *Jaberipur, G.*, +, *TCSI April 2020 1368-1377*

Parameter estimation

Improving the Performance of Multitask Diffusion APA via Controlled Inter-Cluster Cooperation. *Gogineni, V.C.*, +, *TCSI March 2020 903-912*

Iterative Approach With Optimization-Based Execution Scheme for Parameter Identification of Distributed Parameter Systems and its Application in Secure Communication. *Li, R.*, +, *TCSI Sept. 2020 3113-3126*

Parametric amplifiers

Design Approach for Ring Amplifiers. *Conrad, J.*, +, *TCSI Oct. 2020 3444-3457*

Parity check codes

A High-Performance Stochastic LDPC Decoder Architecture Designed via Correlation Analysis. *Zhang, Q.*, +, *TCSI Dec. 2020 5429-5442*

Codes for Limited Magnitude Error Correction in Multilevel Cell Memories. *Liu, S.*, +, *TCSI May 2020 1615-1626*

Partial discharges

A CMOS Peak Detect and Hold Circuit With Auto-Adjust Charging Current for NS-Scale Pulse ToF Lidar Application. *Zheng, H.*, +, *TCSI Dec. 2020 4409-4419*

Particle accelerators

Design, Implementation, and Experimental Verification of 5 Gbps, 800 Mrad TID and SEU-Tolerant Optical Modulators Drivers. *Ciarpi, G.*, +, *TCSI March 2020 829-838*

Particle swarm optimization

Iterative Approach With Optimization-Based Execution Scheme for Parameter Identification of Distributed Parameter Systems and its Application in Secure Communication. *Li, R.*, +, *TCSI Sept. 2020 3113-3126*

Self-Learning Hot Data Prediction: Where Echo State Network Meets NAND Flash Memories. *Luo, Q.*, +, *TCSI March 2020 939-950*

Partitioning algorithms

A Probabilistic Prediction-Based Fixed-Width Booth Multiplier for Approximate Computing. *He, Y.*, +, *TCSI Dec. 2020 4794-4803*

Passive filters

A 2.12-V V_{pp} 11.67-pJ/pulse Fully Integrated UWB Pulse Generator in 65-nm CMOS Technology. *Gao, S.*, +, *TCSI March 2020 1058-1068*

Passive SC $\Sigma\Delta$ Modulator Based on Pipelined Charge-Sharing Rotation in 28-nm CMOS. *Wang, H.*, +, *TCSI Feb. 2020 578-589*

Passive networks

Experimental Verification of the Impact of Analog CMS on CIS Readout Noise. *Capocchia, R.*, +, *TCSI March 2020 774-784*

Two Reciprocal Power Theorems for Passive Linear Time-Invariant Multiports. *Broyde, F.*, +, *TCSI Jan. 2020 86-97*

Patient treatment

Design of Stage-Selective Negative Voltage Generator to Improve On-Chip Power Conversion Efficiency for Neuron Stimulation. *Lin, S.*, +, *TCSI Nov. 2020 4122-4131*

Pattern classification

A Semi-Supervised Learning Approach for Identification of Piecewise Affine Systems. *Du, Y.*, +, *TCSI Oct. 2020 3521-3532*

Semi-Supervised Broad Learning System Based on Manifold Regularization and Broad Network. *Zhao, H.*, +, *TCSI March 2020 983-994*

Pattern clustering

A Power-Efficient CNN Accelerator With Similar Feature Skipping for Face Recognition in Mobile Devices. *Kim, S.*, +, *TCSI April 2020 1181-1193*

A Semi-Supervised Learning Approach for Identification of Piecewise Affine Systems. *Du, Y.*, +, *TCSI Oct. 2020 3521-3532*

Pattern recognition

ADEPOS: A Novel Approximate Computing Framework for Anomaly Detection Systems and its Implementation in 65-nm CMOS. *Bose, S.K.*, +, *TCSI March 2020 913-926*

Pendulums

Memory Output-Feedback Integral Sliding Mode Control for Furuta Pendulum Systems. *Xu, J.*, +, *TCSI June 2020 2042-2052*

Performance evaluation

A Crossbar-Based In-Memory Computing Architecture. *Wang, X.*, +, *TCSI Dec. 2020 4224-4232*

Processing Near Sensor Architecture in Mixed-Signal Domain With CMOS Image Sensor of Convolutional-Kernel-Readout Method. *Chen, Z.*, +, *TCSI Feb. 2020 389-400*

Performance index

Observer-Based Asynchronous Fault Detection for Conic-Type Nonlinear Jumping Systems and its Application to Separately Excited DC Motor. *Cheng, P.*, +, *TCSI March 2020 951-962*

Periodic structures

Advanced Control Strategies for DC-DC Buck Converters With Parametric Uncertainties via Experimental Evaluation. *Yin, Y.*, +, *TCSI Dec. 2020 5257-5267*

Permittivity

Exploiting Sensitivity Enhancement in Micro-wave Planar Sensors Using Intermodulation Products With Phase Noise Analysis. *Abdolrazzaghi, M.*, +, *TCSI Dec. 2020 4382-4395*

Perpendicular magnetic anisotropy

A Self-Matching Complementary-Reference Sensing Scheme for High-Speed and Reliable Toggle Spin Torque MRAM. *Wang, J.*, +, *TCSI Dec. 2020 4247-4258*

Perturbation methods

Extended Dissipative Control for Singularly Perturbed PDT Switched Systems and its Application. *Wang, J.*, +, *TCSI Dec. 2020 5281-5289*

Phase detectors

3.125-to-28.125 Gb/s 4.72 mW/Gb/s Multi-Standard Parallel Transceiver Supporting Channel-Independent Operation in 40-nm CMOS. *Yoon, J.*, +, *TCSI Aug. 2020 2647-2658*

A 4-MHz Digitally Controlled Voltage-Mode Buck Converter With Embedded Transient Improvement Using Delay Line Control Techniques. *Huang, Q.*, +, *TCSI Nov. 2020 4029-4040*

A 77-GHz Mixed-Mode FMCW Generator Based on a Vernier TDC With Dual Rising-Edge Fractional-Phase Detector. *Wu, J.*, +, *TCSI Jan. 2020 60-73*

Jitter Minimization in Digital PLLs with Mid-Rise TDCs. *Avallone, L.*, +, *TCSI March 2020 743-752*

Low-Power All-Digital Multiphase DLL Design Using a Scalable Phase-to-Digital Converter. *Angeli, N.*, +, *TCSI April 2020 1158-1168*

On the Cross-Correlation Based Loop Gain Adaptation for Bang-Bang CDRs. *Ardila, J.*, +, *TCSI April 2020 1169-1180*

Spur Minimization Techniques for Ultra-Low-Power Injection-Locked Transmitters. *Lin, C.*, +, *TCSI Nov. 2020 3643-3655*

Phase locked loops

3.125-to-28.125 Gb/s 4.72 mW/Gb/s Multi-Standard Parallel Transceiver Supporting Channel-Independent Operation in 40-nm CMOS. *Yoon, J.*, +, *TCSI Aug. 2020 2647-2658*

A 1.22 mW 2.4 GHz PLL Using a Single-Ring-Oscillator-Based Integrator With Background Frequency Calibration. *Su, G.*, +, *TCSI July 2020 2169-2179*

A 12-GHz Calibration-Free All-Digital PLL for FMCW Signal Generation With 78 MHz/ μ s Chirp Slope and High Chirp Linearity. *Shen, Z.*, +, *TCSI Dec. 2020 4445-4456*

A 4-MHz Digitally Controlled Voltage-Mode Buck Converter With Embedded Transient Improvement Using Delay Line Control Techniques. *Huang, Q.*, +, *TCSI Nov. 2020 4029-4040*

A 77-GHz Mixed-Mode FMCW Generator Based on a Vernier TDC With Dual Rising-Edge Fractional-Phase Detector. *Wu, J.*, +, *TCSI Jan. 2020 60-73*

A Calibration-Free Ring-Oscillator PLL With Gain Tracking Achieving 9% Jitter Variation Over PVT. *Yang, X.*, +, *TCSI Nov. 2020 3753-3763*

A Fast-Settling Integer- N Frequency Synthesizer Using Switched-Gain Control. *Zhao, H.*, +, *TCSI April 2020 1344-1357*

A Low-Power BFSK Transmitter Architecture for Biomedical Applications. *Ibrahim, M.A.A.*, +, *TCSI May 2020 1527-1540*

A Low-Spur and Intrinsically Aligned IL-PLL With Self-Feedback Injection Locked RO and Pseudo-Random Injection Locked Technique. *Xi, N.*, +, *TCSI April 2020 1358-1367*

Jitter Minimization in Digital PLLs with Mid-Rise TDCs. *Avallone, L.*, +, *TCSI March 2020 743-752*

Phase Coherent Frequency Hopping in Direct Digital Synthesizers and Phase Locked Loops. *Turner, S.E.*, +, *TCSI June 2020 1815-1823*

Spur Minimization Techniques for Ultra-Low-Power Injection-Locked Transmitters. *Lin, C.*, +, *TCSI Nov. 2020 3643-3655*

Phase locked oscillators

Temperature Compensation of Crystal References in NB-IoT Modems. *Haapala, T.*, +, *TCSI July 2020 2467-2480*

Phase modulation

Analysis of Spectral Degradation and Error Compensation in 5G NR Digital Polar Transmitters. *Preissl, C.*, +, *TCSI Aug. 2020 2719-2729*

Phase noise

A 3.3-mW 25.2-to-29.4-GHz Current-Reuse VCO Using a Single-Turn Multi-Tap Inductor and Differential-Only Switched-Capacitor Arrays With a 187.6-dBc/Hz FOM. *Huang, Y.*, +, *TCSI Nov. 2020 3704-3717*

A Calibration-Free Ring-Oscillator PLL With Gain Tracking Achieving 9% Jitter Variation Over PVT. *Yang, X.*, +, *TCSI Nov. 2020 3753-3763*

A Fast-Settling Integer- N Frequency Synthesizer Using Switched-Gain Control. *Zhao, H.*, +, *TCSI April 2020 1344-1357*

A Low-Spur and Intrinsically Aligned IL-PLL With Self-Feedback Injection Locked RO and Pseudo-Random Injection Locked Technique. *Xi, N.*, +, *TCSI April 2020 1358-1367*

Analysis and Design of Power Supply Circuits for RF Oscillators. *Urso, A.*, +, *TCSI Dec. 2020 4233-4246*

Design of a 4.2-to-5.1 GHz Ultralow-Power Complementary Class-B/C Hybrid-Mode VCO in 65-nm CMOS Fully Supported by EDA Tools. *Martins, R.*, +, *TCSI Nov. 2020 3965-3977*

Low $1/f^3$ Noise Corner LC-VCO Design Using Flicker Noise Filtering Technique in 22nm FD-SOI. *Zong, Z.*, +, *TCSI May 2020 1469-1480*

Utilization of Multi-Resonant Defected Ground Structure Resonators in the Oscillator Feedback for Phase Noise Reduction of K-Band VCOs in 0.18- μ m CMOS Technology. *Jahan, N.*, +, *TCSI April 2020 1115-1125*

Phase shifters

A 28GHz Reflective-Type Transmission-Line-Based Phase Shifter. *Kadam, M.*, +, *TCSI Dec. 2020 4641-4650*

A High Resolution DPWM Based on Synchronous Phase-Shifted Circuit and Delay Line. *Cheng, X.*, +, *TCSI Aug. 2020 2685-2692*

Phase Shifter-Relaxed and Control-Relaxed Continuous Steering Multiple Beamforming 4×4 Butler Matrix Phased Array. *Ren, H.*, +, *TCSI Dec. 2020 5031-5039*

Phased arrays

High Accuracy Adaptive Microwave Ranging Using SNR-Based Perception for Coherent Distributed Antenna Arrays. *Mghabghab, S.R.*, +, *TCSI Dec. 2020 5540-5549*

Multibeam Phased-Arrays Using Dual-Vector Distributed Beamforming: Architecture Overview and 28 GHz Transceiver Prototypes. *Yeh, Y.*, +, *TCSI Dec. 2020 5496-5509*

Phase Shifter-Relaxed and Control-Relaxed Continuous Steering Multiple Beamforming 4×4 Butler Matrix Phased Array. *Ren, H.*, +, *TCSI Dec. 2020 5031-5039*

Phasor measurement

Dynamic State Estimation of Power Systems by p -Norm Nonlinear Kalman Filter. *Wang, W.*, +, *TCSI May 2020 1715-1728*

Photodetectors

Dark Count Rate Modeling in Single-Photon Avalanche Diodes. *Panglosse, A.*, +, *TCSI May 2020 1507-1515*

High Sensitivity and Dynamic-Range 25 Gbaud Silicon Receiver Chipset With Current-Controlled DC Adjustment Path and Cube-Shape Ge-on-Si PD. *Bi, X.*, +, *TCSI Nov. 2020 3991-4001*

Low-Power Receivers for Wireless Capacitive Coupling Transmission in 3-D-Integrated Massively Parallel CMOS Imager. *Blakiewicz, G.*, +, *TCSI Aug. 2020 2556-2565*

Photon counting

Dark Count Rate Modeling in Single-Photon Avalanche Diodes. *Panglosse, A.*, +, *TCSI May 2020 1507-1515*

Photonics

A Digital CMOS Silicon Photomultiplier Using Perimeter Gated Single Photon Avalanche Diodes With Asynchronous AER Readout. *Shawkat, M.S.A.*, +, *TCSI Dec. 2020 4818-4828*

Photovoltaic cells

CMOS 256-Pixel/480-Pixel Photovoltaic-Powered Subretinal Prosthetic Chips With Wide Image Dynamic Range and Bi/Four-Directional Sharing Electrodes and Their *Ex Vivo* Experimental Validations With Mice. *Wu, C.*, +, *TCSI Oct. 2020 3273-3283*

Photovoltaic power systems

A Neural Network Assistance AMPPT Solar Energy Harvesting System With 89.39% Efficiency and 0.01–0.5% Tracking Errors. *Wang, Y.*, +, *TCSI Sept. 2020 2960-2971*

Single-Inductor Dual-Input Dual-Output Battery-PV Hybrid System With 2-D Adaptive On-Time Control for Internet of Things. *Lee, H.*, +, *TCSI March 2020 1069-1078*

Physical unclonable function

An SRAM-Based PUF With a Capacitive Digital Preselection for a 1E-9 Key Error Probability. *Shifman, Y.*, +, *TCSI Dec. 2020 4855-4868*

Piecewise linear techniques

A Universal Method of Linear Approximation With Controllable Error for the Efficient Implementation of Transcendental Functions. *Sun, H.*, +, *TCSI Jan. 2020 177-188*

Automated Framework for Time-Domain Piecewise-Linear Fitting Method Based on Digital Wave Processing of S -Parameters. *Belforte, P.*, +, *TCSI Jan. 2020 235-248*

Piezoelectric transducers

A High Efficiency AC/DC NVC-PSSHI Electrical Interface for Vibration-Based Energy Harvesters. *Badr, A.O.*, +, *TCSI Jan. 2020 346-355*

Active Interface for Piezoelectric Harvesters Based on Multi-Variable Maximum Power Point Tracking. *Costanzo, L.*, +, *TCSI July 2020 2503-2515*

PIN photodiodes

Analysis and Design of Integrated Voltage Regulators for Supply Noise Rejection During System-Level ESD. *Xiu, Y.*, +, *TCSI Dec. 2020 4199-4210*

Challenges and Solutions of the TFET Circuit Design. *Lin, Z.*, +, *TCSI Dec. 2020 4918-4931*

Pipelines

Flexible High Throughput QC-LDPC Decoder With Perfect Pipeline Conflicts Resolution and Efficient Hardware Utilization. *Petrovic, V.L.*, +, *TCSI Dec. 2020 5454-5467*

Plugs

Variability-Aware Modeling of Filamentary Oxide-Based Bipolar Resistive Switching Cells Using SPICE Level Compact Models. *Bengel, C., +, TCSI Dec. 2020 4618-4630*

Poincare mapping

A Novel Asynchronous CA Neuron Model: Design of Neuron-Like Non-linear Responses Based on Novel Bifurcation Theory of Asynchronous Sequential Logic Circuit. *Takeda, K., +, TCSI June 2020 1989-2001*
 Simulations of Memristors Using the Poincaré Map Approach. *Galias, Z., TCSI March 2020 963-971*

Polar codes

Energy-Efficient Hardware Architectures for Fast Polar Decoders. *Ercan, F., +, TCSI Jan. 2020 322-335*

Polynomials

A Perturbative Stochastic Galerkin Method for the Uncertainty Quantification of Linear Circuits. *Manfredi, P., +, TCSI Sept. 2020 2993-3006*
 Exponentially Fitted Cubature Kalman Filter With Application to Oscillatory Dynamical Systems. *Singh, A.K., TCSI Aug. 2020 2739-2752*
 Lattice-Based Cryptoprocessor for CCA-Secure Identity-Based Encryption. *Renteria-Mejia, C.P., +, TCSI July 2020 2331-2344*
 On the Complexity of Hybrid n -Term Karatsuba Multiplier for Trinomials. *Li, Y., +, TCSI March 2020 852-865*
 Rational Polynomial Chaos Expansions for the Stochastic Macromodeling of Network Responses. *Manfredi, P., +, TCSI Jan. 2020 225-234*

Position control

Position Regulator With Variable Cut-Off Frequency Mechanism for Hybrid-Type Stepper Motors. *Kim, S., +, TCSI Oct. 2020 3533-3540*

Power amplifiers

A 100-V Battery Charger Voltage Extender IC With 97% Efficiency at 4-A and $\pm 0.5\%$ Voltage Accuracy. *Hunter, B.L., +, TCSI July 2020 2492-2502*
 A 2.12-V V_{pp} 11.67-pJ/pulse Fully Integrated UWB Pulse Generator in 65-nm CMOS Technology. *Gao, S., +, TCSI March 2020 1058-1068*

Power aware computing

ADEPOS: A Novel Approximate Computing Framework for Anomaly Detection Systems and its Implementation in 65-nm CMOS. *Bose, S.K., +, TCSI March 2020 913-926*
 Always-On 674 μ W@4GOP/s Error Resilient Binary Neural Networks With Aggressive SRAM Voltage Scaling on a 22-nm IoT End-Node. *Mauro, A.D., +, TCSI Nov. 2020 3905-3918*
 Design of Magnetic Non-Volatile TCAM With Priority-Decision in Memory Technology for High Speed, Low Power, and High Reliability. *Wang, C., +, TCSI Feb. 2020 464-474*
 Energy-Efficient Hardware Architectures for Fast Polar Decoders. *Ercan, F., +, TCSI Jan. 2020 322-335*
 Processing Near Sensor Architecture in Mixed-Signal Domain With CMOS Image Sensor of Convolutional-Kernel-Readout Method. *Chen, Z., +, TCSI Feb. 2020 389-400*

Power capacitors

Analysis and Design Method of Multiple-Output Switched-Capacitor Voltage Regulators With a Reduced Number of Power Electronic Components. *Hong, W., +, TCSI Sept. 2020 3234-3247*

Power combiners

A 28-GHz 16-Gb/s High Efficiency 16-QAM Transmitter in 65-nm CMOS. *Meng, X., +, TCSI June 2020 1835-1845*

Power consumption

A 5–13.5 Gb/s Multistandard Receiver With High Jitter Tolerance Digital CDR in 40-nm CMOS Process. *Shu, Z., +, TCSI Oct. 2020 3378-3388*
 A Low-Power BFSK Transmitter Architecture for Biomedical Applications. *Ibrahim, M.A.A., +, TCSI May 2020 1527-1540*
 A Power-Efficient CNN Accelerator With Similar Feature Skipping for Face Recognition in Mobile Devices. *Kim, S., +, TCSI April 2020 1181-1193*
 A Robust 8-Bit Non-Volatile Computing-in-Memory Core for Low-Power Parallel MAC Operations. *Zhang, S., +, TCSI June 2020 1867-1880*
 Aging Compensation With Dynamic Computation Approximation. *Kim, H., +, TCSI April 2020 1319-1332*
 Analysis of Spectral Degradation and Error Compensation in 5G NR Digital Polar Transmitters. *Preissl, C., +, TCSI Aug. 2020 2719-2729*

Design of a 4.2-to-5.1 GHz Ultralow-Power Complementary Class-B/C Hybrid-Mode VCO in 65-nm CMOS Fully Supported by EDA Tools. *Martins, R., +, TCSI Nov. 2020 3965-3977*

Power control

CMOS High-Efficiency Wireless Battery Charging System With Global Power Control Through Backward Data Telemetry for Implantable Medical Devices. *Wu, C., +, TCSI Dec. 2020 5624-5635*

Power converters

A 100-V Battery Charger Voltage Extender IC With 97% Efficiency at 4-A and $\pm 0.5\%$ Voltage Accuracy. *Hunter, B.L., +, TCSI July 2020 2492-2502*
 A 115 \times Conversion-Ratio Thermoelectric Energy-Harvesting Battery Charger for the Internet of Things. *Chung, M., +, TCSI Nov. 2020 4110-4121*
 An Adaptive SOSM Controller Design by Using a Sliding-Mode-Based Filter and its Application to Buck Converter. *Liu, L., +, TCSI July 2020 2409-2418*
 Fully-Integrated Reconfigurable Charge Pump With Two-Dimensional Frequency Modulation for Self-Powered Internet-of-Things Applications. *Cheng, H., +, TCSI Nov. 2020 4132-4141*
 Stability Enhancement of One-Cycle Controlled Buck-Boost Converters With a Composite Function Embedded. *Guo, Y.L., +, TCSI Oct. 2020 3512-3520*

Power demand

A 22nm, 10.8 μ W/15.1 μ W Dual Computing Modes High Power-Performance-Area Efficiency Domained Background Noise Aware Keyword-Spotting Processor. *Liu, B., +, TCSI Dec. 2020 4733-4746*
 A Low-Power Signal-Dependent Sampling Technique: Analysis, Implementation, and Applications. *Hafshejani, E.H., +, TCSI Dec. 2020 4334-4347*
 Low-Power Wireless Transceiver With 67-nW Differential Pulse-Position Modulation Transmitter. *Pulkkinen, M., +, TCSI Dec. 2020 5468-5481*

Power dissipation

Secure Path Balanced BDD-Based Pre-Charge Logic for Masking. *De, P., +, TCSI Dec. 2020 4747-4760*

Power dividers

A Millimeter-Wave Reconfigurable On-Chip Coupler With Tunable Power-Dividing Ratios in 0.13- μ m BiCMOS Technology. *Yang, Y., +, TCSI May 2020 1516-1526*
 Design Method for Compact Multifunctional Reconfigurable Filtering Power Divider on a New Tunable Three-Port Multi-Mode Topology. *Zhang, G., +, TCSI Dec. 2020 4580-4592*
 High-Selectivity Single-Ended/Balanced DC-Block Filtering Impedance Transformer and Its Application on Power Amplifier. *Zhuang, Z., +, TCSI Dec. 2020 4360-4369*
 Miniature Dual-Band Quadrature Coupler With Arbitrary Power Division Ratios Over the Two Bands. *Lin, Y., +, TCSI Feb. 2020 634-646*

Power electronics

Analysis and Design Method of Multiple-Output Switched-Capacitor Voltage Regulators With a Reduced Number of Power Electronic Components. *Hong, W., +, TCSI Sept. 2020 3234-3247*
 Guest Editorial Selected Papers From the IEEE Asia Pacific Conference of Circuits and Systems 2018 and the IEEE International Conference on Electronics, Circuits and Systems 2018. *Blokhina, E., TCSI Feb. 2020 357*
 Two Reciprocal Power Theorems for Passive Linear Time-Invariant Multiports. *Broyde, F., +, TCSI Jan. 2020 86-97*

Power engineering computing

Battery Management Technique to Reduce Standby Energy Consumption in Ultra-Low Power IoT and Sensory Applications. *Radfar, M., +, TCSI Jan. 2020 336-345*

Power generation

Galvanically Isolated DC-DC Converter Using a Single Isolation Transformer for Multi-Channel Communication. *Parisi, A., +, TCSI Dec. 2020 4434-4444*
 Low-Power Wireless Transceiver With 67-nW Differential Pulse-Position Modulation Transmitter. *Pulkkinen, M., +, TCSI Dec. 2020 5468-5481*

Power grids

A Distributed Power Delivery Grid Based on Analog-Assisted Digital LDOs With Cooperative Regulation and IR-Drop Reduction. *Lu, Y., +, TCSI Aug. 2020 2859-2871*

- Controllability of Deep-Coupling Dynamical Networks. *Wu, J.*, +, *TCSI Dec. 2020 5211-5222*
- Power harmonic filters**
An N-Path Filter Design Methodology With Harmonic Rejection, Power Reduction, Foldback Elimination, and Spectrum Shaping. *Karami, P.*, +, *TCSI Dec. 2020 4494-4506*
- Power inductors**
A 100-V Battery Charger Voltage Extender IC With 97% Efficiency at 4-A and $\pm 0.5\%$ Voltage Accuracy. *Hunter, B.L.*, +, *TCSI July 2020 2492-2502*
Comprehensive Conception of High Step-Up DC-DC Converters With Coupled Inductor and Voltage Multipliers Techniques. *Schmitz, L.*, +, *TCSI June 2020 2140-2151*
- Power integrated circuits**
A 100-V Battery Charger Voltage Extender IC With 97% Efficiency at 4-A and $\pm 0.5\%$ Voltage Accuracy. *Hunter, B.L.*, +, *TCSI July 2020 2492-2502*
A Fully Programmable eFPGA-Augmented SoC for Smart Power Applications. *Renzini, F.*, +, *TCSI Feb. 2020 489-501*
- Power line communications**
Design and Analysis of Replica Piecewise M-Ary DCSK Scheme for Power Line Communications With Asynchronous Impulsive Noise. *Miao, M.*, +, *TCSI Dec. 2020 5443-5453*
- Power measurement**
Precision Improvement of Power-Efficient Capacitive Sensor Readout Circuit Using Multi-Nested Clocks. *Zhong, L.*, +, *TCSI Aug. 2020 2578-2587*
- Power supplies**
Analysis and Design of Integrated Voltage Regulators for Supply Noise Rejection During System-Level ESD. *Xiu, Y.*, +, *TCSI Dec. 2020 4199-4210*
Analysis and Design of Power Supply Circuits for RF Oscillators. *Urso, A.*, +, *TCSI Dec. 2020 4233-4246*
- Power supply circuits**
A Distributed Power Delivery Grid Based on Analog-Assisted Digital LDOs With Cooperative Regulation and IR-Drop Reduction. *Lu, Y.*, +, *TCSI Aug. 2020 2859-2871*
An NMOS Digital LDO With NAND-Based Analog-Assisted Loop in 28-nm CMOS. *Ma, X.*, +, *TCSI Nov. 2020 4041-4052*
- Power system control**
A Low-Profile High-Efficiency Fast Battery Charger With Unifiable Constant-Current and Constant-Voltage Regulation. *Qu, Y.*, +, *TCSI Nov. 2020 4099-4109*
- Power system dynamic stability**
Analytical Study of the Impacts of Stochastic Load Fluctuation on the Dynamic Voltage Stability Margin Using Bifurcation Theory. *Pierrou, G.*, +, *TCSI April 2020 1286-1295*
- Power system dynamics**
Controllability of Deep-Coupling Dynamical Networks. *Wu, J.*, +, *TCSI Dec. 2020 5211-5222*
- Power system management**
LDO-Free Power Management System: A 10-bit Pipelined ADC Directly Powered by Inductor-Based Boost Converter With Ripple Calibration. *Wang, H.*, +, *TCSI Dec. 2020 4174-4186*
- Power system security**
Attack-Resilient Event-Triggered Controller Design of DC Microgrids Under DoS Attacks. *Hu, S.*, +, *TCSI Feb. 2020 699-710*
- Power system simulation**
A Neural Network Assistance AMPPT Solar Energy Harvesting System With 89.39% Efficiency and 0.01–0.5% Tracking Errors. *Wang, Y.*, +, *TCSI Sept. 2020 2960-2971*
- Power system stability**
Stability Enhancement of One-Cycle Controlled Buck-Boost Converters With a Composite Function Embedded. *Guo, Y.L.*, +, *TCSI Oct. 2020 3512-3520*
- Power system state estimation**
Dynamic State Estimation of Power Systems by p -Norm Nonlinear Kalman Filter. *Wang, W.*, +, *TCSI May 2020 1715-1728*
- Power transformers**
Galvanically Isolated DC-DC Converter Using a Single Isolation Transformer for Multi-Channel Communication. *Parisi, A.*, +, *TCSI Dec. 2020 4434-4444*
- Power transistors**
A Transient-Enhanced Output-Capacitorless LDO With Fast Local Loop and Overshoot Detection. *Liu, N.*, +, *TCSI Oct. 2020 3422-3432*
- Power transmission lines**
A 28GHz Reflective-Type Transmission-Line-Based Phase Shifter. *Kadam, M.*, +, *TCSI Dec. 2020 4641-4650*
- Preamplifiers**
High Sensitivity and Dynamic-Range 25 Gbaud Silicon Receiver Chipset With Current-Controlled DC Adjustment Path and Cube-Shape Ge-on-Si PD. *Bi, X.*, +, *TCSI Nov. 2020 3991-4001*
- Prediction algorithms**
Distributed Model Predictive Consensus of Heterogeneous Time-Varying Multi-Agent Systems: With and Without Self-Triggered Mechanism. *Li, H.*, +, *TCSI Dec. 2020 5358-5368*
- Predictive control**
Adaptive Event-Triggered Predictive Control for Finite Time Microgrid. *Yan, H.*, +, *TCSI March 2020 1035-1044*
Data-Driven Distributed Coordinated Control for Cloud-Based Model-Free Multiagent Systems With Communication Constraints. *Tan, H.*, +, *TCSI Sept. 2020 3187-3198*
- Predictive models**
Distributed Model Predictive Consensus of Heterogeneous Time-Varying Multi-Agent Systems: With and Without Self-Triggered Mechanism. *Li, H.*, +, *TCSI Dec. 2020 5358-5368*
- Principal component analysis**
A Low-Latency Multi-Touch Detector Based on Concurrent Processing of Redesigned Overlap Split and Connected Component Analysis. *Kong, B.Y.*, +, *TCSI Jan. 2020 166-176*
Machine Learning-Based Approach for Hardware Faults Prediction. *Khalil, K.*, +, *TCSI Nov. 2020 3880-3892*
- Printed circuits**
On the Design of Low-Power Hybrids for Full Duplex Simultaneous Bidirectional Signaling Links. *Yuan, C.*, +, *TCSI April 2020 1413-1422*
Single Plastic Optical Fiber, Multiple Channel Data Link for Sensing Applications With PCB Implemented Transmitter and Receiver. *Fuchs, S.*, +, *TCSI March 2020 1045-1057*
- Probabilistic logic**
A Probabilistic Prediction-Based Fixed-Width Booth Multiplier for Approximate Computing. *He, Y.*, +, *TCSI Dec. 2020 4794-4803*
Probabilistic-Constrained Distributed Filtering for a Class of Nonlinear Stochastic Systems Subject to Periodic DoS Attacks. *Tian, E.*, +, *TCSI Dec. 2020 5369-5379*
- Probability**
Fast Sensing-Time and Hardware-Efficient Eigenvalue-Based Blind Spectrum Sensors for Cognitive Radio Network. *Chaurasiya, R.B.*, +, *TCSI April 2020 1296-1308*
- Process control**
Decentralized Adaptive Event-Triggered Control for a Class of Uncertain Systems With Deception Attacks and Its Application to Electronic Circuits. *Sun, Y.*, +, *TCSI Dec. 2020 5405-5416*
- Processor scheduling**
Implementation of Supersingular Isogeny-Based Diffie-Hellman and Key Encapsulation Using an Efficient Scheduling. *Farzam, M.*, +, *TCSI Dec. 2020 4895-4903*
Leakage-Aware Battery Lifetime Analysis Using the Calculus of Variations. *Jafari-Nodoushan, M.*, +, *TCSI Dec. 2020 4829-4841*
- Program compilers**
Polar Compiler: Auto-Generator of Hardware Architectures for Polar Encoders. *Zhong, Z.*, +, *TCSI June 2020 2091-2102*
- Program processors**
The Development of Silicon for AI: Different Design Approaches. *Lee, K.J.*, +, *TCSI Dec. 2020 4719-4732*
- Program testing**
Evolution of Function-Call Network Reliability in Android Operating System. *Yao, A.*, +, *TCSI April 2020 1264-1275*
- Programmable logic devices**
A New Class of Digital Circuits for the Design of Entropy Sources in Programmable Logic. *Addabbo, T.*, +, *TCSI July 2020 2419-2430*

Programming

Interleaved Write Scheme for Improving Sequential Write Throughput of Multi-Chip MLC NAND Flash Memory Systems. *Hong, H.*, +, *TCSI Dec. 2020 4946-4959*

Propagation

Turing Meets Circuit Theory: Not Every Continuous-Time LTI System Can be Simulated on a Digital Computer. *Boche, H.*, +, *TCSI Dec. 2020 5051-5064*

Proposals

i-SRAM: Interleaved Wordlines for Vector Boolean Operations Using SRAMs. *Jaiswal, A.*, +, *TCSI Dec. 2020 4651-4659*

Finite-Time Bipartite Tracking Control for Double-Integrator Networked Systems With Cooperative and Antagonistic Interactions. *Ning, B.*, +, *TCSI Dec. 2020 5223-5232*

Prosthetic power supplies

A 40.68-MHz Active Rectifier With Hybrid Adaptive On/Off Delay-Compensation Scheme for Biomedical Implantable Devices. *Cheng, L.*, +, *TCSI Feb. 2020 516-525*

Generic Wireless Power Transfer and Data Communication System Based on a Novel Modulation Technique. *Trigui, A.*, +, *TCSI Nov. 2020 3978-3990*

Prosthetics

CMOS 256-Pixel/480-Pixel Photovoltaic-Powered Subretinal Prosthetic Chips With Wide Image Dynamic Range and Bi/Four-Directional Sharing Electrodes and Their *Ex Vivo* Experimental Validations With Mice. *Wu, C.*, +, *TCSI Oct. 2020 3273-3283*

Proteins

Needle-Type Imager Sensor With Band-Pass Composite Emission Filter and Parallel Fiber-Coupled Laser Excitation. *Rustami, E.*, +, *TCSI April 2020 1082-1091*

Protocols

Adaptive PI Control for Synchronization of Complex Networks With Stochastic Coupling and Nonlinear Dynamics. *Gu, H.*, +, *TCSI Dec. 2020 5268-5280*

Robust H_∞ Pinning Synchronization for Complex Networks With Event-Triggered Communication Scheme. *Xing, W.*, +, *TCSI Dec. 2020 5233-5245*

SERAD: Soft Error Resilient Asynchronous Design Using a Bundled Data Protocol. *Aketi, S.A.*, +, *TCSI May 2020 1667-1677*

Public key

SIKE'd Up: Fast Hardware Architectures for Supersingular Isogeny Key Encapsulation. *Kozziel, B.*, +, *TCSI Dec. 2020 4842-4854*

Public key cryptography

A Novel Physical Layer Authentication With PAPR Reduction Based on Channel and Hardware Frequency Responses. *Ramabadrana, P.*, +, *TCSI Feb. 2020 526-539*

An Efficient Implementation of the NewHope Key Exchange on FPGAs. *Xing, Y.*, +, *TCSI March 2020 866-878*

Design and Implementation of a Low-Latency Modular Multiplication Algorithm. *Ozturk, E.*, *TCSI June 2020 1902-1911*

Optimized Implementation of SIKE Round 2 on 64-bit ARM Cortex-A Processors. *Seo, H.*, +, *TCSI Aug. 2020 2659-2671*

VPQC: A Domain-Specific Vector Processor for Post-Quantum Cryptography Based on RISC-V Architecture. *Xin, G.*, +, *TCSI Aug. 2020 2672-2684*

Pulse amplitude modulation

Single Plastic Optical Fiber, Multiple Channel Data Link for Sensing Applications With PCB Implemented Transmitter and Receiver. *Fuchs, S.*, +, *TCSI March 2020 1045-1057*

Statistical BER Analysis of Wireline Links With Non-Binary Linear Block Codes Subject to DFE Error Propagation. *Yang, M.*, +, *TCSI Jan. 2020 284-297*

Pulse frequency modulation

Fully-Integrated Reconfigurable Charge Pump With Two-Dimensional Frequency Modulation for Self-Powered Internet-of-Things Applications. *Cheng, H.*, +, *TCSI Nov. 2020 4132-4141*

Pulse generation

A High-Voltage UWB Pulse Generator Using Passive Amplification in 65-nm CMOS. *Gao, S.*, +, *TCSI Dec. 2020 5530-5539*

Pulse generators

A 2.12-V V_{pp} 11.67-pJ/pulse Fully Integrated UWB Pulse Generator in 65-nm CMOS Technology. *Gao, S.*, +, *TCSI March 2020 1058-1068*

A Low-Spur and Intrinsically Aligned IL-PLL With Self-Feedback Injection Locked RO and Pseudo-Random Injection Locked Technique. *Xi, N.*, +, *TCSI April 2020 1358-1367*

Pulse measurements

A CMOS Peak Detect and Hold Circuit With Auto-Adjust Charging Current for NS-Scale Pulse ToF Lidar Application. *Zheng, H.*, +, *TCSI Dec. 2020 4409-4419*

A Low Walk Error Analog Front-End Circuit With Intensity Compensation for Direct ToF LiDAR. *Wang, X.*, +, *TCSI Dec. 2020 4309-4321*

Pulse position modulation

Low-Power Receivers for Wireless Capacitive Coupling Transmission in 3-D-Integrated Massively Parallel CMOS Imager. *Blakiewicz, G.*, +, *TCSI Aug. 2020 2556-2565*

Pulse shaping

Dual Pulse Shaping Transmission and Equalization for High-Speed Wideband Wireless Communication Systems. *Zhang, H.*, +, *TCSI July 2020 2372-2382*

Pulse width modulation

A 7.4-MHz Tri-Mode DC-DC Buck Converter With Load Current Prediction Scheme and Seamless Mode Transition for IoT Applications. *Hong, W.*, +, *TCSI Dec. 2020 4544-4555*

A Class-D FVF LDO With Multi-Level PWM Gate Control, 280-ns Settling Time, and No Overshoot/Undershoot. *Elhebeary, M.*, +, *TCSI Dec. 2020 5600-5610*

A Framed-Pulsewidth Modulation Transceiver for High-Speed Broadband Communication Links. *Jeon, S.*, +, *TCSI Aug. 2020 2825-2835*

A High Resolution DPWM Based on Synchronous Phase-Shifted Circuit and Delay Line. *Cheng, X.*, +, *TCSI Aug. 2020 2685-2692*

Baseband Model for Uniformly Sampled RF-PWM. *Chierchie, F.*, +, *TCSI Aug. 2020 2816-2824*

Data-Dependent Selection of Amplitude and Phase Equalization in a Quarter-Rate Transmitter for Memory Interfaces. *Chae, J.*, +, *TCSI Sept. 2020 2972-2983*

PWM power converters

A 470-nA Quiescent Current and 92.7%/94.7% Efficiency DCT/PWM Control Buck Converter With Seamless Mode Selection for IoT Application. *Zeng, W.*, +, *TCSI Nov. 2020 4085-4098*

Q**Q factor**

A 3.3-mW 25.2-to-29.4-GHz Current-Reuse VCO Using a Single-Turn Multi-Tap Inductor and Differential-Only Switched-Capacitor Arrays With a 187.6-dBc/Hz FOM. *Huang, Y.*, +, *TCSI Nov. 2020 3704-3717*

A 65–81 GHz CMOS Dual-Mode VCO Using High Quality Factor Transformer-Based Inductors. *Basaligheh, A.*, +, *TCSI Dec. 2020 4533-4543*

Generic Wireless Power Transfer and Data Communication System Based on a Novel Modulation Technique. *Trigui, A.*, +, *TCSI Nov. 2020 3978-3990*

Unloaded Quality Factor of Transmission Line Resonators With Capacitors. *Zakharov, A.*, +, *TCSI July 2020 2204-2215*

Utilization of Multi-Resonant Defected Ground Structure Resonators in the Oscillator Feedback for Phase Noise Reduction of K-Band VCOs in 0.18- μm CMOS Technology. *Jahan, N.*, +, *TCSI April 2020 1115-1125*

Quadrature amplitude modulation

A 28-GHz 16-Gb/s High Efficiency 16-QAM Transmitter in 65-nm CMOS. *Meng, X.*, +, *TCSI June 2020 1835-1845*

A High Efficiency Multi-Mode Outphasing RF Power Amplifier With 31.6 dBm Peak Output Power in 45nm CMOS. *Banerjee, A.*, +, *TCSI March 2020 815-828*

Resistance Compression Dual-Band Differential CMOS RF Energy Harvester Under Modulated Signal Excitation. *Nagaveni, S.*, +, *TCSI Nov. 2020 4053-4062*

Quadrature phase shift keying

A Novel Physical Layer Authentication With PAPR Reduction Based on Channel and Hardware Frequency Responses. *Ramabadran, P.*, +, *TCSI Feb. 2020 526-539*

Quantization (signal)

A 0.045- to 2.5-GHz Frequency Synthesizer With TDC-Based AFC and Phase Switching Multi-Modulus Divider. *Hu, A.*, +, *TCSI Dec. 2020 4470-4483*

A 0.36-V 5-MS/s Time-Mode Flash ADC With Dickson-Charge-Pump-Based Comparators in 28-nm CMOS. *Esmailyan, A.*, +, *TCSI June 2020 1789-1802*

A 12-GHz Calibration-Free All-Digital PLL for FMCW Signal Generation With 78 MHz/ μ s Chirp Slope and High Chirp Linearity. *Shen, Z.*, +, *TCSI Dec. 2020 4445-4456*

A 14b, Twofold Time-Interleaved Incremental $\Delta\Sigma$ ADC Using Hardware Sharing. *Vogelmann, P.*, +, *TCSI Nov. 2020 3681-3692*

A Low Voltage and Low Power 10-bit Non-Binary 2b/Cycle Time and Voltage Based SAR ADC. *Luo, J.*, +, *TCSI April 2020 1136-1148*

A Mismatch Calibration Technique for SAR ADCs Based on Deterministic Self-Calibration and Stochastic Quantization. *Bagheri, M.*, +, *TCSI Sept. 2020 2883-2896*

A Precision-Scalable Energy-Efficient Convolutional Neural Network Accelerator. *Liu, W.*, +, *TCSI Oct. 2020 3484-3497*

An Inverter-Based Continuous Time Sigma Delta ADC With Latency-Free DAC Calibration. *Guo, Y.*, +, *TCSI Nov. 2020 3630-3642*

H_∞ Control for Switched Systems Based on Dynamic Event-Triggered Strategy and Quantization Under State-Dependent Switching. *Ma, Y.*, +, *TCSI Sept. 2020 3175-3186*

Incremental Delta-Sigma ADCs: A Tutorial Review. *Tan, Z.*, +, *TCSI Dec. 2020 4161-4173*

Jitter Minimization in Digital PLLs with Mid-Rise TDCs. *Avallone, L.*, +, *TCSI March 2020 743-752*

Near-Optimal Decoding of Incremental Delta-Sigma ADC Output. *Wang, B.*, +, *TCSI Nov. 2020 3670-3680*

Tunable Block Floating-Point Quantizer With Fractional Exponent for Compressing Non-Uniformly Distributed Signals. *Tsai, P.*, +, *TCSI April 2020 1245-1254*

Quantum computing

Designing a DDS-Based SoC for High-Fidelity Multi-Qubit Control. *van Dijk, J.P.G.*, +, *TCSI Dec. 2020 5380-5393*

Quantum cryptography

An Efficient Implementation of the NewHope Key Exchange on FPGAs. *Xing, Y.*, +, *TCSI March 2020 866-878*

Optimized Implementation of SIKE Round 2 on 64-bit ARM Cortex-A Processors. *Seo, H.*, +, *TCSI Aug. 2020 2659-2671*

VPQC: A Domain-Specific Vector Processor for Post-Quantum Cryptography Based on RISC-V Architecture. *Xin, G.*, +, *TCSI Aug. 2020 2672-2684*

Quantum gates

VPQC: A Domain-Specific Vector Processor for Post-Quantum Cryptography Based on RISC-V Architecture. *Xin, G.*, +, *TCSI Aug. 2020 2672-2684*

R**Radar**

A 12-GHz Calibration-Free All-Digital PLL for FMCW Signal Generation With 78 MHz/ μ s Chirp Slope and High Chirp Linearity. *Shen, Z.*, +, *TCSI Dec. 2020 4445-4456*

Radar imaging

Tunable Block Floating-Point Quantizer With Fractional Exponent for Compressing Non-Uniformly Distributed Signals. *Tsai, P.*, +, *TCSI April 2020 1245-1254*

Radar interference

An Efficient Sinusoid-Like Pseudo Random Sequence Modulator/Demodulator System With Reduced Adjacent Channel Leakage and High Rejection to Random and Systematic Interference. *Shao, J.*, +, *TCSI Nov. 2020 3790-3803*

Radar receivers

A Wide Dynamic Range Laser Radar Receiver Based on Input Pulse-Shaping Techniques. *Baharmast, A.*, +, *TCSI Aug. 2020 2566-2577*

Radar signal processing

An Efficient Sinusoid-Like Pseudo Random Sequence Modulator/Demodulator System With Reduced Adjacent Channel Leakage and High Rejection to Random and Systematic Interference. *Shao, J.*, +, *TCSI Nov. 2020 3790-3803*

Radiation hardening (electronics)

A Low Noise Fault Tolerant Radiation Hardened 2.56 Gbps Clock-Data Recovery Circuit With High Speed Feed Forward Correction in 65 nm CMOS. *Biereigel, S.*, +, *TCSI May 2020 1438-1446*

Bootstrapped Driver and the Single-Event-Upset Effect. *Al-Daloo, M.*, +, *TCSI Oct. 2020 3309-3319*

Design and Evaluation of Low-Complexity Radiation Hardened CMOS Latch for Double-Node Upset Tolerance. *Guo, J.*, +, *TCSI June 2020 1925-1935*

Design, Implementation, and Experimental Verification of 5 Gbps, 800 Mrad TID and SEU-Tolerant Optical Modulators Drivers. *Ciarpi, G.*, +, *TCSI March 2020 829-838*

Multi-Level Design Influences on Robustness Evaluation of 7nm FinFET Technology. *Brendler, L.H.*, +, *TCSI Feb. 2020 553-564*

Quadruple Cross-Coupled Dual-Interlocked-Storage-Cells-Based Multiple-Node-Upset-Tolerant Latch Designs. *Yan, A.*, +, *TCSI March 2020 879-890*

SERAD: Soft Error Resilient Asynchronous Design Using a Bundled Data Protocol. *Aketi, S.A.*, +, *TCSI May 2020 1667-1677*

Radio equipment

A Clockless Temperature-Compensated Nanowatt Analog Front-End for Wake-Up Radios Based on a Band-Pass Envelope Detector. *Elgani, A.M.*, +, *TCSI Aug. 2020 2612-2624*

Radio frequency

An Agile LUT-Based All-Digital Transmitter. *Yang, J.*, +, *TCSI Dec. 2020 5550-5560*

Automated Deep Neural Learning-Based Optimization for High Performance High Power Amplifier Designs. *Kouhalvandi, L.*, +, *TCSI Dec. 2020 4420-4433*

Deep Neural Network (DNN) Optimized Design of 2.45 GHz CMOS Rectifier With 73.6% Peak Efficiency for RF Energy Harvesting. *Lau, W.W.Y.*, +, *TCSI Dec. 2020 4322-4333*

Multibeam Phased-Arrays Using Dual-Vector Distributed Beamforming: Architecture Overview and 28 GHz Transceiver Prototypes. *Yeh, Y.*, +, *TCSI Dec. 2020 5496-5509*

Power Amplifier With Load Impedance Sensing Incorporated Into the Output Matching Network. *Donahue, D.T.*, +, *TCSI Dec. 2020 5113-5124*

Power Scalable Beam-Oriented Digital Predistortion for Compact Hybrid Massive MIMO Transmitters. *Liu, X.*, +, *TCSI Dec. 2020 4994-5006*

True-Time-Delay Beamforming Receiver With RF Re-Sampling. *Spoof, K.*, +, *TCSI Dec. 2020 4457-4469*

Radio links

A Novel Physical Layer Authentication With PAPR Reduction Based on Channel and Hardware Frequency Responses. *Ramabadran, P.*, +, *TCSI Feb. 2020 526-539*

Radio receivers

A 1.0-8.3 GHz Cochlea-Based Real-Time Spectrum Analyzer With $\Delta\Sigma$ -Modulated Digital Outputs. *Wang, Y.*, +, *TCSI Sept. 2020 2934-2947*

A 5–13.5 Gb/s Multistandard Receiver With High Jitter Tolerance Digital CDR in 40-nm CMOS Process. *Shu, Z.*, +, *TCSI Oct. 2020 3378-3388*

A 56-to-66 GHz CMOS Low-Power Phased-Array Receiver Front-End With Hybrid Phase Shifting Scheme. *Yaghoobi, M.*, +, *TCSI Nov. 2020 4002-4014*

A Reconfigurable 0.1–10 MHz DT Passive Dynamic Zoom ADC for Cellular Receivers. *Erol, O.E.*, +, *TCSI July 2020 2216-2228*

Dual Pulse Shaping Transmission and Equalization for High-Speed Wideband Wireless Communication Systems. *Zhang, H.*, +, *TCSI July 2020 2372-2382*

Fast Sensing-Time and Hardware-Efficient Eigenvalue-Based Blind Spectrum Sensors for Cognitive Radio Network. *Chaurasiya, R.B.*, +, *TCSI April 2020 1296-1308*

I/Q Balance-Enhanced Wideband Receiver Front-End for 2G/3G/4G/5G NR Cellular Applications. *Han, J.*, +, *TCSI June 2020 1881-1891*

I/Q Imbalance Compensation in Wideband Millimeter-Wave Transmitters Using a Single Undersampling ADC. *Almoneer, M.*, +, *TCSI Aug. 2020 2730-2738*

Low-Power Receivers for Wireless Capacitive Coupling Transmission in 3-D-Integrated Massively Parallel CMOS Imager. *Blakiewicz, G.*, +, *TCSI Aug. 2020 2556-2565*

Theoretical Analysis of Noise Figure for Modulated Wideband Converter. *Byambadorj, Z.*, +, *TCSI Jan. 2020 298-308*

Radio spectrum management

Fast Sensing-Time and Hardware-Efficient Eigenvalue-Based Blind Spectrum Sensors for Cognitive Radio Network. *Chaurasiya, R.B.*, +, *TCSI April 2020 1296-1308*

Radio transceivers

3.125-to-28.125 Gb/s 4.72 mW/Gb/s Multi-Standard Parallel Transceiver Supporting Channel-Independent Operation in 40-nm CMOS. *Yoon, J.*, +, *TCSI Aug. 2020 2647-2658*

A 7.8 Gb/s/pin, 1.96 pJ/b Transceiver With Phase-Difference-Modulation Signaling for Highly Reflective Interconnects. *Lee, S.*, +, *TCSI June 2020 2114-2127*

A Hybrid 3D Interconnect With 2x Bandwidth Density Employing Orthogonal Simultaneous Bidirectional Signaling for 3D NoC. *Gopal, S.*, +, *TCSI Nov. 2020 3919-3932*

An Integrated, Software-Defined FDD Transceiver: Distributed Duplexing Theory and Operation. *Tapen, T.*, +, *TCSI Jan. 2020 271-283*

On the Design of Low-Power Hybrids for Full Duplex Simultaneous Bidirectional Signaling Links. *Yuan, C.*, +, *TCSI April 2020 1413-1422*

Statistical BER Analysis of Wireline Links With Non-Binary Linear Block Codes Subject to DFE Error Propagation. *Yang, M.*, +, *TCSI Jan. 2020 284-297*

Radio transmitters

A 28-GHz 16-Gb/s High Efficiency 16-QAM Transmitter in 65-nm CMOS. *Meng, X.*, +, *TCSI June 2020 1835-1845*

A High Efficiency Multi-Mode Outphasing RF Power Amplifier With 31.6 dBm Peak Output Power in 45nm CMOS. *Banerjee, A.*, +, *TCSI March 2020 815-828*

A Low-Power BFSK Transmitter Architecture for Biomedical Applications. *Ibrahim, M.A.A.*, +, *TCSI May 2020 1527-1540*

An RF-Energy Harvester and IR-UWB Transmitter for Ultra-Low-Power Battery-Less Biosensors. *Schmickl, S.*, +, *TCSI May 2020 1459-1468*

An Ultra-Low-Power Low-Voltage WuTx With Built-In Analog Sensing for Self-Powered WSN. *Karami, M.A.*, +, *TCSI July 2020 2274-2287*

Analysis of Spectral Degradation and Error Compensation in 5G NR Digital Polar Transmitters. *Preissl, C.*, +, *TCSI Aug. 2020 2719-2729*

Baseband Model for Uniformly Sampled RF-PWM. *Chierchie, F.*, +, *TCSI Aug. 2020 2816-2824*

Dual Pulse Shaping Transmission and Equalization for High-Speed Wideband Wireless Communication Systems. *Zhang, H.*, +, *TCSI July 2020 2372-2382*

I/Q Imbalance Compensation in Wideband Millimeter-Wave Transmitters Using a Single Undersampling ADC. *Almoneer, M.*, +, *TCSI Aug. 2020 2730-2738*

On Feedback Sample Selection Methods Allowing Lightweight Digital Pre-distorter Adaptation. *Kral, J.*, +, *TCSI June 2020 1976-1988*

Spur Minimization Techniques for Ultra-Low-Power Injection-Locked Transmitters. *Lin, C.*, +, *TCSI Nov. 2020 3643-3655*

Radiofrequency amplifiers

An Integrated, Software-Defined FDD Transceiver: Distributed Duplexing Theory and Operation. *Tapen, T.*, +, *TCSI Jan. 2020 271-283*

Radiofrequency filters

An Open Loop Digitally Controlled Hybrid Supply Modulator Achieving High Efficiency for Envelope Tracking With Baseband up to 200-MHz. *Chen, Z.*, +, *TCSI Nov. 2020 4142-4153*

Radiofrequency identification

A -20 dBm Passive UHF RFID Tag IC With MTP NVM in 0.13- μ m Standard CMOS Process. *Li, S.*, +, *TCSI Dec. 2020 4566-4579*

Battery Management Technique to Reduce Standby Energy Consumption in Ultra-Low Power IoT and Sensory Applications. *Radfar, M.*, +, *TCSI Jan. 2020 336-345*

Radiofrequency integrated circuits

An Open Loop Digitally Controlled Hybrid Supply Modulator Achieving High Efficiency for Envelope Tracking With Baseband up to 200-MHz. *Chen, Z.*, +, *TCSI Nov. 2020 4142-4153*

Radiofrequency interference

On the Design of Low-Power Hybrids for Full Duplex Simultaneous Bidirectional Signaling Links. *Yuan, C.*, +, *TCSI April 2020 1413-1422*

Radiofrequency power amplifiers

An Open Loop Digitally Controlled Hybrid Supply Modulator Achieving High Efficiency for Envelope Tracking With Baseband up to 200-MHz. *Chen, Z.*, +, *TCSI Nov. 2020 4142-4153*

On Feedback Sample Selection Methods Allowing Lightweight Digital Pre-distorter Adaptation. *Kral, J.*, +, *TCSI June 2020 1976-1988*

Radiofrequency power transmission

A 40.68-MHz Active Rectifier With Hybrid Adaptive On/Off Delay-Compensation Scheme for Biomedical Implantable Devices. *Cheng, L.*, +, *TCSI Feb. 2020 516-525*

Generic Wireless Power Transfer and Data Communication System Based on a Novel Modulation Technique. *Trigui, A.*, +, *TCSI Nov. 2020 3978-3990*

Resistance Compression Dual-Band Differential CMOS RF Energy Harvester Under Modulated Signal Excitation. *Nagaveni, S.*, +, *TCSI Nov. 2020 4053-4062*

Radionavigation

Real-Time Distance Evaluation System for Wireless Localization. *Piccinni, G.*, +, *TCSI Oct. 2020 3320-3330*

Radiowave propagation

Statistical BER Analysis of Wireline Links With Non-Binary Linear Block Codes Subject to DFE Error Propagation. *Yang, M.*, +, *TCSI Jan. 2020 284-297*

Ramp generators

A Single Slope ADC With Row-Wise Noise Reduction Technique for CMOS Image Sensor. *Nie, K.*, +, *TCSI Sept. 2020 2873-2882*

Random access memory

i-SRAM: Interleaved Wordlines for Vector Boolean Operations Using SRAMs. *Jaiswal, A.*, +, *TCSI Dec. 2020 4651-4659*

A 270-mV 6T SRAM Using Row-Based Dual-Phase V_{DD} Control in 28-nm CMOS. *Lu, C.*, +, *TCSI Dec. 2020 4774-4783*

An SRAM-Based PUF With a Capacitive Digital Preselection for a 1E-9 Key Error Probability. *Shifman, Y.*, +, *TCSI Dec. 2020 4855-4868*

Challenges and Solutions of the TFET Circuit Design. *Lin, Z.*, +, *TCSI Dec. 2020 4918-4931*

Design of a Refresh-Controller for GC-eDRAM Based FIFOs. *Noy, T.*, +, *TCSI Dec. 2020 4804-4817*

Field-Free 3T2SOT MRAM for Non-Volatile Cache Memories. *Wu, B.*, +, *TCSI Dec. 2020 4660-4669*

Random noise

Jitter Minimization in Digital PLLs with Mid-Rise TDCs. *Avallone, L.*, +, *TCSI March 2020 743-752*

MSE Analysis of a Multi-Loop LMS Pseudo-Random Noise Canceler for Mixed-Signal Circuit Calibration. *Kong, D.*, +, *TCSI Sept. 2020 3084-3098*

Random number generation

A 108 F²/Bit Fully Reconfigurable RRAM PUF Based on Truly Random Dynamic Entropy of Jitter Noise. *Zhao, Q.*, +, *TCSI Nov. 2020 3866-3879*

Data-Dependent Selection of Amplitude and Phase Equalization in a Quarter-Rate Transmitter for Memory Interfaces. *Chae, J.*, +, *TCSI Sept. 2020 2972-2983*

Lattice-Based Cryptoprocessor for CCA-Secure Identity-Based Encryption. *Renteria-Mejia, C.P.*, +, *TCSI July 2020 2331-2344*

Low-Latency Reconfigurable Entropy Digital True Random Number Generator With Bias Detection and Correction. *Carreira, L.B.*, +, *TCSI May 2020 1562-1575*

- sBSNN: Stochastic-Bits Enabled Binary Spiking Neural Network With On-Chip Learning for Energy Efficient Neuromorphic Computing at the Edge. *Koo, M.*, +, *TCSI Aug. 2020 2546-2555*
- Random processes**
- An Efficient Sinusoid-Like Pseudo Random Sequence Modulator/Demodulator System With Reduced Adjacent Channel Leakage and High Rejection to Random and Systematic Interference. *Shao, J.*, +, *TCSI Nov. 2020 3790-3803*
- Random sequences**
- An Efficient Sinusoid-Like Pseudo Random Sequence Modulator/Demodulator System With Reduced Adjacent Channel Leakage and High Rejection to Random and Systematic Interference. *Shao, J.*, +, *TCSI Nov. 2020 3790-3803*
- Random-access storage**
- Design of Magnetic Non-Volatile TCAM With Priority-Decision in Memory Technology for High Speed, Low Power, and High Reliability. *Wang, C.*, +, *TCSI Feb. 2020 464-474*
- Theoretical Foundations of Memristor Cellular Nonlinear Networks: A DRM₂-Based Method to Design Memcomputers With Dynamic Memristors. *Ascoli, A.*, +, *TCSI Aug. 2020 2753-2766*
- Rational functions**
- Rational Polynomial Chaos Expansions for the Stochastic Macromodeling of Network Responses. *Manfredi, P.*, +, *TCSI Jan. 2020 225-234*
- Reactive power**
- Analysis and Investigation of Internal AC Frequency to Minimize AC Current Magnitude and Reactive Power Circulation in Chain-Link Modular Multilevel Direct DC–DC Converters. *Xiang, X.*, +, *TCSI Dec. 2020 5586-5599*
- Readout electronics**
- A -24 dB in-Band Noise-Immunity Mutual Capacitance Readout System for Variable Refresh Rate of Active-Matrix OLED Display. *Ko, S.H.*, *TCSI April 2020 1126-1135*
- Differential Coded Multiple Signaling Method With Fully Differential Receiver for Mutual Capacitive Fingerprint TSP. *Heo, S.*, +, *TCSI Jan. 2020 74-85*
- Experimental Verification of the Impact of Analog CMS on CIS Readout Noise. *Capoccia, R.*, +, *TCSI March 2020 774-784*
- Precision Improvement of Power-Efficient Capacitive Sensor Readout Circuit Using Multi-Nested Clocks. *Zhong, L.*, +, *TCSI Aug. 2020 2578-2587*
- Real-time systems**
- FPGA-Based Design for Online Computation of Multivariate Empirical Mode Decomposition. *Gul, S.*, +, *TCSI Dec. 2020 5040-5050*
- Receivers**
- A CMOS Peak Detect and Hold Circuit With Auto-Adjust Charging Current for NS-Scale Pulse ToF Lidar Application. *Zheng, H.*, +, *TCSI Dec. 2020 4409-4419*
- Broadband Balun-LNA Employing Local Feedback g_m -Boosting Technique and Balanced Loads for Low-Power Low-Voltage Applications. *Kim, S.*, +, *TCSI Dec. 2020 4631-4640*
- Low-Power Wireless Transceiver With 67-nW Differential Pulse-Position Modulation Transmitter. *Pulkkinen, M.*, +, *TCSI Dec. 2020 5468-5481*
- Multibeam Phased-Arrays Using Dual-Vector Distributed Beamforming: Architecture Overview and 28 GHz Transceiver Prototypes. *Yeh, Y.*, +, *TCSI Dec. 2020 5496-5509*
- True-Time-Delay Beamforming Receiver With RF Re-Sampling. *Spoof, K.*, +, *TCSI Dec. 2020 4457-4469*
- Receiving antennas**
- An Integrated, Software-Defined FDD Transceiver: Distributed Duplexing Theory and Operation. *Tapen, T.*, +, *TCSI Jan. 2020 271-283*
- Reconfigurable architectures**
- Area Efficient VLSI Architectures for Weak Signal Detection in Additive Generalized Cauchy Noise. *Vadali, S.R.K.*, +, *TCSI June 2020 1962-1975*
- Rectifying circuits**
- A 40.68-MHz Active Rectifier With Hybrid Adaptive On/Off Delay-Compensation Scheme for Biomedical Implantable Devices. *Cheng, L.*, +, *TCSI Feb. 2020 516-525*
- A Thermal/RF Hybrid Energy Harvesting System With Rectifying-Combination and Improved Fractional-OCV MPPT Method. *Liu, Z.*, +, *TCSI Oct. 2020 3352-3363*
- Resistance Compression Dual-Band Differential CMOS RF Energy Harvester Under Modulated Signal Excitation. *Nagaveni, S.*, +, *TCSI Nov. 2020 4053-4062*
- Recursive estimation**
- A New Variable Forgetting Factor-Based Bias-Compensated RLS Algorithm for Identification of FIR Systems With Input Noise and Its Hardware Implementation. *Tan, H.J.*, +, *TCSI Jan. 2020 198-211*
- Reduced instruction set computing**
- VPQC: A Domain-Specific Vector Processor for Post-Quantum Cryptography Based on RISC-V Architecture. *Xin, G.*, +, *TCSI Aug. 2020 2672-2684*
- Reduced order systems**
- Reduced-Order Observer Based-Fault Estimation for Markovian Jump Systems With Time-Varying Generally Uncertain Transition Rates. *Lu, D.*, +, *TCSI Aug. 2020 2803-2815*
- Reduction (chemical)**
- Time-Based Sensor Interface for Dopamine Detection. *Olabode, O.*, +, *TCSI Oct. 2020 3284-3296*
- Redundancy**
- Design and Evaluation of Low-Complexity Radiation Hardened CMOS Latch for Double-Node Upset Tolerance. *Guo, J.*, +, *TCSI June 2020 1925-1935*
- Linearity Theory of Stochastic Phase-Interpolation Time-to-Digital Converter. *Gammoh, K.*, +, *TCSI Dec. 2020 4348-4359*
- SERAD: Soft Error Resilient Asynchronous Design Using a Bundled Data Protocol. *Aketi, S.A.*, +, *TCSI May 2020 1667-1677*
- Redundant number systems**
- Improving Architectures of Binary Signed-Digit CORDIC With Generic/Specific Initial Angles. *Mahdavi, H.*, +, *TCSI July 2020 2297-2304*
- Reference circuits**
- A 0.5-V Supply, 36 nW Bandgap Reference With 42 ppm/°C Average Temperature Coefficient Within -40 °C to 120 °C. *Chi-Wa, U.*, +, *TCSI Nov. 2020 3656-3669*
- A 48 pW, 0.34 V, 0.019%/V Line Sensitivity Self-Biased Subthreshold Voltage Reference With DIBL Effect Compensation. *Wang, Y.*, +, *TCSI Feb. 2020 611-621*
- A Fully Integrated High-Power-Supply-Rejection Linear Regulator With an Output-Supplied Voltage Reference. *Chen, Y.*, +, *TCSI Nov. 2020 3828-3838*
- Reflectometers**
- Automated Framework for Time-Domain Piecewise-Linear Fitting Method Based on Digital Wave Processing of S-Parameters. *Belforte, P.*, +, *TCSI Jan. 2020 235-248*
- Registers**
- A High Area-Efficiency 14-bit SAR ADC With Hybrid Capacitor DAC for Array Sensors. *Zhang, Q.*, +, *TCSI Dec. 2020 4396-4408*
- Regression analysis**
- A Semi-Supervised Learning Approach for Identification of Piecewise Affine Systems. *Du, Y.*, +, *TCSI Oct. 2020 3521-3532*
- Rational Polynomial Chaos Expansions for the Stochastic Macromodeling of Network Responses. *Manfredi, P.*, +, *TCSI Jan. 2020 225-234*
- Robust Filtering of Discrete-Time Linear Systems With Correlated Process and Measurement Noises. *Yin, L.*, +, *TCSI March 2020 1008-1020*
- Self-Learning Hot Data Prediction: Where Echo State Network Meets NAND Flash Memories. *Luo, Q.*, +, *TCSI March 2020 939-950*
- Semi-Supervised Broad Learning System Based on Manifold Regularization and Broad Network. *Zhao, H.*, +, *TCSI March 2020 983-994*
- Regulators**
- Analysis and Design of Integrated Voltage Regulators for Supply Noise Rejection During System-Level ESD. *Xiu, Y.*, +, *TCSI Dec. 2020 4199-4210*
- LDO-Free Power Management System: A 10-bit Pipelined ADC Directly Powered by Inductor-Based Boost Converter With Ripple Calibration. *Wang, H.*, +, *TCSI Dec. 2020 4174-4186*
- Output Regulation for Switched Systems With Multiple Disturbances. *Zhao, Y.*, +, *TCSI Dec. 2020 5326-5335*

Relaxation oscillators

A +0.66/−0.73 °C Inaccuracy, 1.99- μ W Time-Domain CMOS Temperature Sensor With Second-Order $\Delta\Sigma$ Modulator and On-Chip Reference Clock. *Chen, Y., +, TCSI Nov. 2020 3815-3827*

Reliability

A Self-Matching Complementary-Reference Sensing Scheme for High-Speed and Reliable Toggle Spin Torque MRAM. *Wang, J., +, TCSI Dec. 2020 4247-4258*

An Error Amplifier With a Low Power Multi-Mode Voltage Clamper for Transient Enhancement and High Reliability. *Zhou, Z., +, TCSI Nov. 2020 4075-4084*

Field-Free 3T2SOT MRAM for Non-Volatile Cache Memories. *Wu, B., +, TCSI Dec. 2020 4660-4669*

Residue number systems

Balanced $(3+2\log n)\Delta G$ Adders for Moduli Set $\{2^{n+1}, 2^{n+2n-1}, 2^{n+1}-1\}$. *Jaberipur, G., +, TCSI April 2020 1368-1377*

Res-DNN: A Residue Number System-Based DNN Accelerator Unit. *Samimi, N., +, TCSI Feb. 2020 658-671*

Resistance

A 580 nW Dual-Input Energy Harvester IC Using Multi-Task MPPT and a Current Boost Converter for Heterogeneous Source Combining. *Chandrarathna, S.C., +, TCSI Dec. 2020 5650-5663*

A Crossbar-Based In-Memory Computing Architecture. *Wang, X., +, TCSI Dec. 2020 4224-4232*

Secure Path Balanced BDD-Based Pre-Charge Logic for Masking. *De, P., +, TCSI Dec. 2020 4747-4760*

Variability-Aware Modeling of Filamentary Oxide-Based Bipolar Resistive Switching Cells Using SPICE Level Compact Models. *Bengel, C., +, TCSI Dec. 2020 4618-4630*

Resistive RAM

A 108 F²/Bit Fully Reconfigurable RRAM PUF Based on Truly Random Dynamic Entropy of Jitter Noise. *Zhao, Q., +, TCSI Nov. 2020 3866-3879*

A Robust 8-Bit Non-Volatile Computing-in-Memory Core for Low-Power Parallel MAC Operations. *Zhang, S., +, TCSI June 2020 1867-1880*

Optimizing Weight Mapping and Data Flow for Convolutional Neural Networks on Processing-in-Memory Architectures. *Peng, X., +, TCSI April 2020 1333-1343*

Theoretical Foundations of Memristor Cellular Nonlinear Networks: Memcomputing With Bistable-Like Memristors. *Tetzlaff, R., +, TCSI Feb. 2020 502-515*

Towards Wave Digital Memcomputing With Physical Memristor Models. *Ochs, K., +, TCSI April 2020 1092-1102*

Resistors

A 100-V Battery Charger Voltage Extender IC With 97% Efficiency at 4-A and $\pm 0.5\%$ Voltage Accuracy. *Hunter, B.L., +, TCSI July 2020 2492-2502*

A Neural Network Assistance AMPPT Solar Energy Harvesting System With 89.39% Efficiency and 0.01–0.5% Tracking Errors. *Wang, Y., +, TCSI Sept. 2020 2960-2971*

An 8-bit Low-Cost String DAC With Gradient Errors Suppression to Achieve 16-bit Linearity. *Liu, N., +, TCSI July 2020 2157-2168*

Analysis and Design of N-Path Band-Pass Filters With Negative Base Band Resistance. *Zolkov, E., +, TCSI July 2020 2250-2262*

Analysis and Design of Power Supply Circuits for RF Oscillators. *Urso, A., +, TCSI Dec. 2020 4233-4246*

Cell Weighting and Gate Inductive Peaking Techniques for Wideband Noise Suppression in Distributed Amplifiers. *Mesgari, B., +, TCSI Dec. 2020 4507-4520*

Design of a Wideband Variable-Gain Amplifier With Self-Compensated Transistor for Accurate dB-Linear Characteristic in 65 nm CMOS Technology. *Kong, L., +, TCSI Dec. 2020 4187-4198*

Synchronization in Multiplex Networks of Chua's Circuits: Theory and Experiments. *Burbano-L., D.A., +, TCSI March 2020 927-938*

Resists

Design and Analysis of Replica Piecewise M-Ary DCSK Scheme for Power Line Communications With Asynchronous Impulsive Noise. *Miao, M., +, TCSI Dec. 2020 5443-5453*

Resonant frequency

Exploiting Sensitivity Enhancement in Micro-wave Planar Sensors Using Intermodulation Products With Phase Noise Analysis. *Abdolrazzaghi, M., +, TCSI Dec. 2020 4382-4395*

On Quantized Analog Compressive Sensing Methods for Efficient Resonator Frequency Estimation. *Somappa, L., +, TCSI Dec. 2020 4556-4565*

Resonant power converters

Analysis and Design of a New Current-Source Output Load Resonant Converter With High Capability in Line and Load Regulation. *Khoshsaadat, A., +, TCSI Aug. 2020 2849-2858*

Resonator filters

Circuit Function Characterizing Tunability of Resonators. *Zakharov, A., +, TCSI Jan. 2020 98-107*

EMI Reduction in Class-D Amplifiers by Actively Reducing PWM Ripple. *Lokin, C.E., +, TCSI March 2020 765-773*

Wideband Class-F⁻¹ Power Amplifier With Dual-/Quad-Mode Bandpass Response. *Zhou, L., +, TCSI July 2020 2239-2249*

Resonators

Design Method for Compact Multifunctional Reconfigurable Filtering Power Divider on a New Tunable Three-Port Multi-Mode Topology. *Zhang, G., +, TCSI Dec. 2020 4580-4592*

Exploiting Sensitivity Enhancement in Micro-wave Planar Sensors Using Intermodulation Products With Phase Noise Analysis. *Abdolrazzaghi, M., +, TCSI Dec. 2020 4382-4395*

Unloaded Quality Factor of Transmission Line Resonators With Capacitors. *Zakharov, A., +, TCSI July 2020 2204-2215*

Resource allocation

Flow Distribution for Electric Vehicles Under Nodal-Centrality-Based Resource Allocation. *Bi, X., +, TCSI April 2020 1309-1318*

Kernel-Based Resource Allocation for Improving GPU Throughput While Minimizing the Activity Divergence of SMs. *Tasoulas, Z., +, TCSI Feb. 2020 428-440*

Resource management

Using Rotator Transformations to Simplify FFT Hardware Architectures. *Andersson, R., +, TCSI Dec. 2020 4784-4793*

Robust control

Adaptive Finite-Time Control for High-Order Nonlinear Systems With Multiple Uncertainties and its Application. *Min, H., +, TCSI May 2020 1752-1761*

Improved Sliding Mode Control With Time Delay Estimation for Motion Tracking of Cell Puncture Mechanism. *Xie, M., +, TCSI Sept. 2020 3199-3210*

Observer-Based Asynchronous Fault Detection for Conic-Type Nonlinear Jumping Systems and its Application to Separately Excited DC Motor. *Cheng, P., +, TCSI March 2020 951-962*

Position Regulator With Variable Cut-Off Frequency Mechanism for Hybrid-Type Stepper Motors. *Kim, S., +, TCSI Oct. 2020 3533-3540*

Robustness

Robust H_∞ Pinning Synchronization for Complex Networks With Event-Triggered Communication Scheme. *Xing, W., +, TCSI Dec. 2020 5233-5245*

Routing

Secure Path Balanced BDD-Based Pre-Charge Logic for Masking. *De, P., +, TCSI Dec. 2020 4747-4760*

S

S-parameters

Automated Framework for Time-Domain Piecewise-Linear Fitting Method Based on Digital Wave Processing of S-Parameters. *Belforte, P., +, TCSI Jan. 2020 235-248*

Utilization of Multi-Resonant Defected Ground Structure Resonators in the Oscillator Feedback for Phase Noise Reduction of K-Band VCOs in 0.18- μ m CMOS Technology. *Jahan, N., +, TCSI April 2020 1115-1125*

Sample and hold circuits

Jitter Suppression Techniques for High-Speed Sample-and-Hold Circuits. *Jamali-Zavareh, S., +, TCSI Jan. 2020 1-11*

Multi-Channel Analog-to-Digital Conversion Techniques Using a Continuous-Time Delta-Sigma Modulator Without Reset. *Kumar, R.S.A., +, TCSI Nov. 2020 3693-3703*

Scattering parameters

High-Selectivity Single-Ended/Balanced DC-Block Filtering Impedance Transformer and Its Application on Power Amplifier. *Zhuang, Z., +, TCSI Dec. 2020 4360-4369*

Schedules

Flexible High Throughput QC-LDPC Decoder With Perfect Pipeline Conflicts Resolution and Efficient Hardware Utilization. *Petrovic, V.L., +, TCSI Dec. 2020 5454-5467*

Leakage-Aware Battery Lifetime Analysis Using the Calculus of Variations. *Jafari-Nodoushan, M., +, TCSI Dec. 2020 4829-4841*

Search engines

Energy-Efficient Precharge-Free Ternary Content Addressable Memory (TCAM) for High Search Rate Applications. *Venkata Mahendra, T., +, TCSI July 2020 2345-2357*

Search problems

Distributed Consensus of Layered Multi-Agent Systems Subject to Attacks on Edges. *Wen, G., +, TCSI Sept. 2020 3152-3162*

Iterative Approach With Optimization-Based Execution Scheme for Parameter Identification of Distributed Parameter Systems and its Application in Secure Communication. *Li, R., +, TCSI Sept. 2020 3113-3126*

Matrix Decomposition Based Low-Complexity FIR Filter: Further Results. *Wang, H., +, TCSI Feb. 2020 672-685*

Towards Optimal Robustness of Network Controllability: An Empirical Necessary Condition. *Lou, Y., +, TCSI Sept. 2020 3163-3174*

Secondary cells

A 100-V Battery Charger Voltage Extender IC With 97% Efficiency at 4-A and $\pm 0.5\%$ Voltage Accuracy. *Hunter, B.L., +, TCSI July 2020 2492-2502*

Battery Management Technique to Reduce Standby Energy Consumption in Ultra-Low Power IoT and Sensory Applications. *Radfar, M., +, TCSI Jan. 2020 336-345*

Single-Inductor Dual-Input Dual-Output Battery-PV Hybrid System With 2-D Adaptive On-Time Control for Internet of Things. *Lee, H., +, TCSI March 2020 1069-1078*

Security

A High-Performance and Secure TRNG Based on Chaotic Cellular Automata Topology. *Luo, Y., +, TCSI Dec. 2020 4970-4983*

A Secure Distributed Information Sharing Algorithm Based on Attack Detection in Multi-Task Networks. *Shi, Q., +, TCSI Dec. 2020 5125-5138*

ADP-Based Security Decentralized Sliding Mode Control for Partially Unknown Large-Scale Systems Under Injection Attacks. *Song, J., +, TCSI Dec. 2020 5290-5301*

Ask Less, Get More: Side-Channel Signal Hiding, Revisited. *Levi, I., +, TCSI Dec. 2020 4904-4917*

Interval Functional Observers Design for Time-Delay Systems Under Stealthy Attacks. *Huong, D.C., +, TCSI Dec. 2020 5101-5112*

Seismology

Framework for Automated Earthquake Event Detection Based on Denoising by Adaptive Filter. *Bose, S., +, TCSI Sept. 2020 3070-3083*

Semiconductor device modeling

A Systematic Approach for Arbitration Expressions. *Bingham, N., +, TCSI Dec. 2020 4960-4969*

Semiconductor device models

Design, Implementation, and Experimental Verification of 5 Gbps, 800 Mrad TID and SEU-Tolerant Optical Modulators Drivers. *Ciarpi, G., +, TCSI March 2020 829-838*

Impact of Variability on Processor Performance in Negative Capacitance FinFET Technology. *Amrouch, H., +, TCSI Sept. 2020 3127-3137*

Sensitivity

Exploiting Sensitivity Enhancement in Micro-wave Planar Sensors Using Intermodulation Products With Phase Noise Analysis. *Abdolrazzagh, M., +, TCSI Dec. 2020 4382-4395*

Sensitivity analysis

Circuit Function Characterizing Tunability of Resonators. *Zakharov, A., +, TCSI Jan. 2020 98-107*

Synthesis of DDRO Timing Monitors by Delay-Tracking and Static Timing Analysis. *Kasturi Rangan, J., +, TCSI Feb. 2020 401-414*

Sensor arrays

A High Area-Efficiency 14-bit SAR ADC With Hybrid Capacitor DAC for Array Sensors. *Zhang, Q., +, TCSI Dec. 2020 4396-4408*

Sensor systems

Incremental Delta-Sigma ADCs: A Tutorial Review. *Tan, Z., +, TCSI Dec. 2020 4161-4173*

Interval Functional Observers Design for Time-Delay Systems Under Stealthy Attacks. *Huong, D.C., +, TCSI Dec. 2020 5101-5112*

Sensors

A Calibration Technique for Simultaneous Estimation of Actual Sensing Matrix Coefficients on Modulated Wideband Converters. *Byambadorj, Z., +, TCSI Dec. 2020 5561-5573*

A Low-Power Signal-Dependent Sampling Technique: Analysis, Implementation, and Applications. *Hafshejani, E.H., +, TCSI Dec. 2020 4334-4347*

A Self-Matching Complementary-Reference Sensing Scheme for High-Speed and Reliable Toggle Spin Torque MRAM. *Wang, J., +, TCSI Dec. 2020 4247-4258*

A Soft-Charging-Based SC DC-DC Boost Converter With Conversion-Ratio-Insensitive High Efficiency for Energy Harvesting in Miniature Sensor Systems. *Gi, H., +, TCSI Oct. 2020 3601-3612*

ADEPOS: A Novel Approximate Computing Framework for Anomaly Detection Systems and its Implementation in 65-nm CMOS. *Bose, S.K., +, TCSI March 2020 913-926*

Battery Management Technique to Reduce Standby Energy Consumption in Ultra-Low Power IoT and Sensory Applications. *Radfar, M., +, TCSI Jan. 2020 336-345*

Exploiting Sensitivity Enhancement in Micro-wave Planar Sensors Using Intermodulation Products With Phase Noise Analysis. *Abdolrazzagh, M., +, TCSI Dec. 2020 4382-4395*

On Quantized Analog Compressive Sensing Methods for Efficient Resonator Frequency Estimation. *Somappa, L., +, TCSI Dec. 2020 4556-4565*

Power Amplifier With Load Impedance Sensing Incorporated Into the Output Matching Network. *Donahue, D.T., +, TCSI Dec. 2020 5113-5124*

Sequences

Phase Coherent Frequency Hopping in Direct Digital Synthesizers and Phase Locked Loops. *Turner, S.E., +, TCSI June 2020 1815-1823*

Sequential circuits

A Novel Asynchronous CA Neuron Model: Design of Neuron-Like Non-linear Responses Based on Novel Bifurcation Theory of Asynchronous Sequential Logic Circuit. *Takeda, K., +, TCSI June 2020 1989-2001*

Clock-Voltage Co-Regulator With Adaptive Power Budget Tracking for Robust Near-Threshold-Voltage Sequential Logic Circuits. *Nguyen, B., +, TCSI Feb. 2020 622-633*

Set theory

Asymptotic Output Tracking of Probabilistic Boolean Control Networks. *Chen, B., +, TCSI Aug. 2020 2780-2790*

Balanced $(3+2\log n)\Delta G$ Adders for Moduli Set $\{2^{n+1}, 2^{n+2n-1}, 2^{n+1}\}$. *Jaberipur, G., +, TCSI April 2020 1368-1377*

Shared memory systems

A High-Performance Scalable Shared-Memory SVD Processor Architecture Based on Jacobi Algorithm and Batcher's Sorting Network. *Shahshahani, S.M.R., +, TCSI June 2020 1912-1924*

Shift registers

A Two-Step ADC With Statistical Calibration. *Yu, Y., +, TCSI Aug. 2020 2588-2601*

An NMOS Digital LDO With NAND-Based Analog-Assisted Loop in 28-nm CMOS. *Ma, X., +, TCSI Nov. 2020 4041-4052*

Sigma-delta modulation

A 33-ppm/ $^{\circ}\text{C}$ 240-nW 40-nm CMOS Wakeup Timer Based on a Bang-Bang Digital-Intensive Frequency-Locked-Loop for IoT Applications. *Ding, M., +, TCSI July 2020 2263-2273*

An Inverter-Based Continuous Time Sigma Delta ADC With Latency-Free DAC Calibration. *Guo, Y., +, TCSI Nov. 2020 3630-3642*

Enhanced Linearity in FD-SOI CMOS Body-Input Analog Circuits – Application to Voltage-Controlled Ring Oscillators and Frequency-Based $\Sigma\Delta$ ADCs. *Ahmadi-Farsani, J., +, TCSI Oct. 2020 3297-3308*

- Hardware-Compliant Compressive Image Sensor Architecture Based on Random Modulations and Permutations for Embedded Inference. *Benjilali, W.*, +, *TCSI April 2020 1218-1231*
- Phase Coherent Frequency Hopping in Direct Digital Synthesizers and Phase Locked Loops. *Turner, S.E.*, +, *TCSI June 2020 1815-1823*
- Signal conditioning circuits**
- Time-Based Sensor Interface for Dopamine Detection. *Olabode, O.*, +, *TCSI Oct. 2020 3284-3296*
- Signal denoising**
- Framework for Automated Earthquake Event Detection Based on Denoising by Adaptive Filter. *Bose, S.*, +, *TCSI Sept. 2020 3070-3083*
- Low-Energy Voice Activity Detection via Energy-Quality Scaling From Data Conversion to Machine Learning. *Teo, J.H.*, +, *TCSI April 2020 1378-1388*
- Signal detection**
- Design of Downlink Synchronization for Millimeter Wave Cellular System Based on Multipath Division Multiple Access. *Chiu, K.*, +, *TCSI Sept. 2020 3211-3223*
- Fast Sensing-Time and Hardware-Efficient Eigenvalue-Based Blind Spectrum Sensors for Cognitive Radio Network. *Chaurasiya, R.B.*, +, *TCSI April 2020 1296-1308*
- Signal generators**
- Efficient Offline Outer/Inner DAC Mismatch Calibration in Wideband $\Delta\Sigma$ ADCs. *Liu, H.*, +, *TCSI Dec. 2020 4259-4269*
- Inherently Accurate Attenuation-Based Digital Calibration of ADC. *Oshima, T.*, +, *TCSI Jan. 2020 23-36*
- Signal processing**
- A 1.0-8.3 GHz Cochlea-Based Real-Time Spectrum Analyzer With $\Delta\Sigma$ -Modulated Digital Outputs. *Wang, Y.*, +, *TCSI Sept. 2020 2934-2947*
- Improving Architectures of Binary Signed-Digit CORDIC With Generic/Specific Initial Angles. *Mahdavi, H.*, +, *TCSI July 2020 2297-2304*
- Signal processing algorithms**
- A 1.5 mW Programmable Acoustic Signal Processor for Hearing Assistive Devices With Speech Intelligibility Enhancement. *Lin, Y.*, +, *TCSI Dec. 2020 4984-4993*
- A Secure Distributed Information Sharing Algorithm Based on Attack Detection in Multi-Task Networks. *Shi, Q.*, +, *TCSI Dec. 2020 5125-5138*
- Corrections to "A Design of Input-Decimation Technique for Recursive DFT/IDFT Algorithm". *Wu, C.*, +, *TCSI June 2020 2152*
- FPGA-Based Design for Online Computation of Multivariate Empirical Mode Decomposition. *Gul, S.*, +, *TCSI Dec. 2020 5040-5050*
- Signal reconstruction**
- Theory and Algorithms for Pulse Signal Processing. *Nallathambi, G.*, +, *TCSI Aug. 2020 2707-2718*
- Signal resolution**
- On Quantized Analog Compressive Sensing Methods for Efficient Resonator Frequency Estimation. *Somappa, L.*, +, *TCSI Dec. 2020 4556-4565*
- Single-Slope Look-Ahead Ramp ADC for CMOS Image Sensors. *Elmezayen, M.R.*, +, *TCSI Dec. 2020 4484-4493*
- Signal sampling**
- An Architecture for Real-Time Arbitrary and Variable Sampling Rate Conversion With Application to the Processing of Harmonic Signals. *Galindo Guarach, F.J.*, +, *TCSI May 2020 1653-1666*
- Baseband Model for Uniformly Sampled RF-PWM. *Chierchie, F.*, +, *TCSI Aug. 2020 2816-2824*
- Dual Pulse Shaping Transmission and Equalization for High-Speed Wideband Wireless Communication Systems. *Zhang, H.*, +, *TCSI July 2020 2372-2382*
- I/Q Imbalance Compensation in Wideband Millimeter-Wave Transmitters Using a Single Undersampling ADC. *Almoneer, M.*, +, *TCSI Aug. 2020 2730-2738*
- Theoretical Analysis of Noise Figure for Modulated Wideband Converter. *Byambadorj, Z.*, +, *TCSI Jan. 2020 298-308*
- Signal to noise ratio**
- A 22nm, 10.8 μ W/15.1 μ W Dual Computing Modes High Power-Performance-Area Efficiency Domained Background Noise Aware Keyword-Spotting Processor. *Liu, B.*, +, *TCSI Dec. 2020 4733-4746*
- An Agile LUT-Based All-Digital Transmitter. *Yang, J.*, +, *TCSI Dec. 2020 5550-5560*
- Flexible High Throughput QC-LDPC Decoder With Perfect Pipeline Conflicts Resolution and Efficient Hardware Utilization. *Petrovic, V.L.*, +, *TCSI Dec. 2020 5454-5467*
- High Accuracy Adaptive Microwave Ranging Using SNR-Based Perception for Coherent Distributed Antenna Arrays. *Mghabghab, S.R.*, +, *TCSI Dec. 2020 5540-5549*
- Incremental Delta-Sigma ADCs: A Tutorial Review. *Tan, Z.*, +, *TCSI Dec. 2020 4161-4173*
- Silicon**
- A Digital CMOS Silicon Photomultiplier Using Perimeter Gated Single Photon Avalanche Diodes With Asynchronous AER Readout. *Shawkat, M.S.A.*, +, *TCSI Dec. 2020 4818-4828*
- A Strong Subthreshold Current Array PUF Resilient to Machine Learning Attacks. *Zhuang, H.*, +, *TCSI Jan. 2020 135-144*
- Angular-Domain Massive MIMO Detection: Algorithm, Implementation, and Design Tradeoffs. *Mahdavi, M.*, +, *TCSI June 2020 1948-1961*
- Design, Implementation, and Experimental Verification of 5 Gbps, 800 Mrad TID and SEU-Tolerant Optical Modulators Drivers. *Ciarpi, G.*, +, *TCSI March 2020 829-838*
- High Sensitivity and Dynamic-Range 25 Gbaud Silicon Receiver Chipset With Current-Controlled DC Adjustment Path and Cube-Shape Ge-on-Si PD. *Bi, X.*, +, *TCSI Nov. 2020 3991-4001*
- Rapid Simulation of Photonic Integrated Circuits Using Verilog-A Compact Models. *Shawon, M.J.*, +, *TCSI Oct. 2020 3331-3341*
- Silicon carbide**
- Design of a High Temperature 2.37 GHz Voltage-Controlled Oscillator With GaN-on-SiC HEMTs. *Turner, N.*, +, *TCSI Dec. 2020 5153-5161*
- Silicon compounds**
- Design, Implementation, and Experimental Verification of 5 Gbps, 800 Mrad TID and SEU-Tolerant Optical Modulators Drivers. *Ciarpi, G.*, +, *TCSI March 2020 829-838*
- Silicon germanium**
- A 22-to-47 GHz 2-Stage LNA With 22.2 dB Peak Gain by Using Coupled L-Type Interstage Matching Inductors. *Wang, K.*, +, *TCSI Dec. 2020 4607-4617*
- Silicon-on-insulator**
- Angular-Domain Massive MIMO Detection: Algorithm, Implementation, and Design Tradeoffs. *Mahdavi, M.*, +, *TCSI June 2020 1948-1961*
- Design of a 60 GHz 32% PAE Class-AB PA with 2nd Harmonic Control in 45-nm PD-SOI CMOS. *Ciocoveanu, R.*, +, *TCSI Aug. 2020 2635-2646*
- Design of D-Band Transformer-Based Gain-Boosting Class-AB Power Amplifiers in Silicon Technologies. *Tang, X.*, +, *TCSI May 2020 1447-1458*
- Enhanced Linearity in FD-SOI CMOS Body-Input Analog Circuits – Application to Voltage-Controlled Ring Oscillators and Frequency-Based $\Sigma\Delta$ ADCs. *Ahmadi-Farsani, J.*, +, *TCSI Oct. 2020 3297-3308*
- Wideband 28-nm CMOS Variable-Gain Amplifier. *Asgari, V.*, +, *TCSI Jan. 2020 37-47*
- Single-photon avalanche diodes**
- A Digital CMOS Silicon Photomultiplier Using Perimeter Gated Single Photon Avalanche Diodes With Asynchronous AER Readout. *Shawkat, M.S.A.*, +, *TCSI Dec. 2020 4818-4828*
- Singular value decomposition**
- A High-Performance Scalable Shared-Memory SVD Processor Architecture Based on Jacobi Algorithm and Batcher's Sorting Network. *Shahshahani, S.M.R.*, +, *TCSI June 2020 1912-1924*
- Sliding mode control**
- ADP-Based Security Decentralized Sliding Mode Control for Partially Unknown Large-Scale Systems Under Injection Attacks. *Song, J.*, +, *TCSI Dec. 2020 5290-5301*
- Finite-Time Bipartite Tracking Control for Double-Integrator Networked Systems With Cooperative and Antagonistic Interactions. *Ning, B.*, +, *TCSI Dec. 2020 5223-5232*
- Software architecture**
- Evolution of Function-Call Network Reliability in Android Operating System. *Yao, A.*, +, *TCSI April 2020 1264-1275*

Software radio

An Integrated, Software-Defined FDD Transceiver: Distributed Duplexing Theory and Operation. *Tapen, T.*, +, *TCSI Jan. 2020 271-283*

Software reliability

Evolution of Function-Call Network Reliability in Android Operating System. *Yao, A.*, +, *TCSI April 2020 1264-1275*

Solar cell arrays

A Neural Network Assistance AMPPT Solar Energy Harvesting System With 89.39% Efficiency and 0.01–0.5% Tracking Errors. *Wang, Y.*, +, *TCSI Sept. 2020 2960-2971*

Solar cells

Fully-Integrated Reconfigurable Charge Pump With Two-Dimensional Frequency Modulation for Self-Powered Internet-of-Things Applications. *Cheng, H.*, +, *TCSI Nov. 2020 4132-4141*

On-Chip Solar Energy Harvester and PMU With Cold Start-Up and Regulated Output Voltage for Biomedical Applications. *Cabello, D.*, +, *TCSI April 2020 1103-1114*

Solid modeling

Turing Meets Circuit Theory: Not Every Continuous-Time LTI System Can be Simulated on a Digital Computer. *Boche, H.*, +, *TCSI Dec. 2020 5051-5064*

Sorting

A High-Performance Scalable Shared-Memory SVD Processor Architecture Based on Jacobi Algorithm and Batcher's Sorting Network. *Shahshahani, S.M.R.*, +, *TCSI June 2020 1912-1924*

Energy-Efficient Hardware Architectures for Fast Polar Decoders. *Ercan, F.*, +, *TCSI Jan. 2020 322-335*

Space vehicle electronics

A Low Noise Fault Tolerant Radiation Hardened 2.56 Gbps Clock-Data Recovery Circuit With High Speed Feed Forward Correction in 65 nm CMOS. *Biereigel, S.*, +, *TCSI May 2020 1438-1446*

Space vehicles

Periodic Event-Triggered Adaptive Control for Attitude Stabilization Under Input Saturation. *Jiang, B.*, +, *TCSI Jan. 2020 249-258*

Sparse matrices

A Calibration Technique for Simultaneous Estimation of Actual Sensing Matrix Coefficients on Modulated Wideband Converters. *Byambadorj, Z.*, +, *TCSI Dec. 2020 5561-5573*

Spatial filters

FPGA-Based Low-Visibility Enhancement Accelerator for Video Sequence by Adaptive Histogram Equalization With Dynamic Clip-Threshold. *Xu, C.*, +, *TCSI Nov. 2020 3954-3964*

Special issues and sections

Guest Editorial Selected Papers From the IEEE Asia Pacific Conference of Circuits and Systems 2018 and the IEEE International Conference on Electronics, Circuits and Systems 2018. *Blokhina, E.*, *TCSI Feb. 2020 357*
 Guest Editorial Special Issue on the IEEE LASCAS 2019 and the IEEE NEWCAS 2019. *Blokhina, E.*, *TCSI May 2020 1425*

Guest Editorial Special Issue on the International Symposium on Integrated Circuits and Systems—ISICAS 2020. *Blokhina, E.*, *TCSI Nov. 2020 3617*

Guest Editorial Special Section on the IEEE International Symposium on Circuits and Systems 2019. *Blokhina, E.*, *TCSI April 2020 1081*

MWSCAS Guest Editorial Special Issue Based on the 62nd International Midwest Symposium on Circuits and Systems. *Silva-Martinez, J.*, +, *TCSI Oct. 2020 3249-3250*

Spectral analysis

Deep Neural Network Acceleration Based on Low-Rank Approximated Channel Pruning. *Chen, Z.*, +, *TCSI April 2020 1232-1244*

Spectral analyzers

A 1.0–8.3 GHz Cochlea-Based Real-Time Spectrum Analyzer With Δ - Σ -Modulated Digital Outputs. *Wang, Y.*, +, *TCSI Sept. 2020 2934-2947*

Speech enhancement

A 1.5 mW Programmable Acoustic Signal Processor for Hearing Assistive Devices With Speech Intelligibility Enhancement. *Lin, Y.*, +, *TCSI Dec. 2020 4984-4993*

Speech recognition

A 22nm, 10.8 μ W/15.1 μ W Dual Computing Modes High Power-Performance-Area Efficiency Domained Background Noise Aware Keyword-Spotting Processor. *Liu, B.*, +, *TCSI Dec. 2020 4733-4746*

SPICE

Machine Learning-Based Approach for Hardware Faults Prediction. *Khalil, K.*, +, *TCSI Nov. 2020 3880-3892*

Rapid Simulation of Photonic Integrated Circuits Using Verilog-A Compact Models. *Shawon, M.J.*, +, *TCSI Oct. 2020 3331-3341*

Synchronizer-Free Digital Link Controller. *Bund, J.*, +, *TCSI Oct. 2020 3562-3573*

Splines (mathematics)

Dynamic Harmonic Analysis With FIR Filters Designed With O-Splines. *Serna, J.A.d.l.O.*, *TCSI Dec. 2020 5092-5100*

Spread spectrum communication

A 1.45 GHz All-Digital Spread Spectrum Clock Generator in 65nm CMOS for Synchronization-Free SoC Applications. *De Caro, D.*, +, *TCSI Nov. 2020 3839-3852*

A 5–13.5 Gb/s Multistandard Receiver With High Jitter Tolerance Digital CDR in 40-nm CMOS Process. *Shu, Z.*, +, *TCSI Oct. 2020 3378-3388*

An Efficient Sinusoid-Like Pseudo Random Sequence Modulator/Demodulator System With Reduced Adjacent Channel Leakage and High Rejection to Random and Systematic Interference. *Shao, J.*, +, *TCSI Nov. 2020 3790-3803*

SRAM cells

Novel Speed-and-Power-Optimized SRAM Cell Designs With Enhanced Self-Recoverability From Single- and Double-Node Upsets. *Yan, A.*, +, *TCSI Dec. 2020 4684-4695*

SRAM chips

A Low-Voltage-Driven High-Voltage SRAM Pixel Circuit for Power Reduction in a Digital Micro-Display Panel. *Cho, J.*, +, *TCSI May 2020 1640-1652*

Always-On 674 μ W@4GOP/s Error Resilient Binary Neural Networks With Aggressive SRAM Voltage Scaling on a 22-nm IoT End-Node. *Mauro, A.D.*, +, *TCSI Nov. 2020 3905-3918*

Bulkyflip: A NAND-SPIN-Based Last-Level Cache With Bandwidth-Oriented Write Management Policy. *Wu, B.*, +, *TCSI Jan. 2020 108-120*

Codes for Limited Magnitude Error Correction in Multilevel Cell Memories. *Liu, S.*, +, *TCSI May 2020 1615-1626*

IMAC: In-Memory Multi-Bit Multiplication and Accumulation in 6T SRAM Array. *Ali, M.*, +, *TCSI Aug. 2020 2521-2531*

Monolithic 3D Carbon Nanotube Memory for Enhanced Yield and Integration Density. *Sun, Y.*, +, *TCSI July 2020 2431-2441*

NS-CIM: A Current-Mode Computation-in-Memory Architecture Enabling Near-Sensor Processing for Intelligent IoT Vision Nodes. *Liu, Z.*, +, *TCSI Sept. 2020 2909-2922*

One-Sided Schmitt-Trigger-Based 9T SRAM Cell for Near-Threshold Operation. *Cho, K.*, +, *TCSI May 2020 1551-1561*

Stability

An Adaptive SOSM Controller Design by Using a Sliding-Mode-Based Filter and its Application to Buck Converter. *Liu, L.*, +, *TCSI July 2020 2409-2418*

Cluster Tracking Performance Analysis of Linear Heterogeneous Multi-Agent Networks: A Complex Frequency Domain Approach. *Zhang, W.*, +, *TCSI Jan. 2020 259-270*

Event-Triggered Synchronization for Nonlinear Multi-Agent Systems With Sampled Data. *Han, Z.*, +, *TCSI Oct. 2020 3553-3561*

Finite-Time H_∞ Filtering for State-Dependent Uncertain Systems With Event-Triggered Mechanism and Multiple Attacks. *Liu, J.*, +, *TCSI March 2020 1021-1034*

Fully Distributed Containment Control for Multiple Euler-Lagrange Systems Over Directed Graphs: An Event-Triggered Approach. *Xu, T.*, +, *TCSI June 2020 2078-2090*

Improved Sliding Mode Control With Time Delay Estimation for Motion Tracking of Cell Puncture Mechanism. *Xie, M.*, +, *TCSI Sept. 2020 3199-3210*

Interpreting Frame Transformations in AC Systems as Diagonalization of Harmonic Transfer Functions. *Li, Y.*, +, *TCSI July 2020 2481-2491*

Periodic Event-Triggered Adaptive Control for Attitude Stabilization Under Input Saturation. *Jiang, B.*, +, *TCSI Jan. 2020 249-258*

- Synchronization Analysis on Two-Layer Networks of Fractional-Order Systems: Intralayer and Interlayer Synchronization. *Zhang, X., +, TCSI July 2020 2397-2408*
- Synchronization in Multiplex Networks of Chua's Circuits: Theory and Experiments. *Burbano-L., D.A., +, TCSI March 2020 927-938*
- Stability analysis**
- Piecewise Quadratic Slope Compensation Technique for DC-DC Switching Converters. *Aroudi, A.E., +, TCSI Dec. 2020 5574-5585*
- Stability criteria**
- Unified Stability Criteria of Random Nonlinear Time-Varying Impulsive Switched Systems. *Jiao, T., +, TCSI Sept. 2020 3099-3112*
- Standards**
- i*-SRAM: Interleaved Wordlines for Vector Boolean Operations Using SRAMs. *Jaiswal, A., +, TCSI Dec. 2020 4651-4659*
- A -20 dBm Passive UHF RFID Tag IC With MTP NVM in 0.13- μ m Standard CMOS Process. *Li, S., +, TCSI Dec. 2020 4566-4579*
- Analysis and Investigation of Internal AC Frequency to Minimize AC Current Magnitude and Reactive Power Circulation in Chain-Link Modular Multilevel Direct DC-DC Converters. *Xiang, X., +, TCSI Dec. 2020 5586-5599*
- Ask Less, Get More: Side-Channel Signal Hiding, Revisited. *Levi, I., +, TCSI Dec. 2020 4904-4917*
- Design of a Refresh-Controller for GC-eDRAM Based FIFOs. *Noy, T., +, TCSI Dec. 2020 4804-4817*
- State feedback**
- Adaptive Finite-Time Control for High-Order Nonlinear Systems With Multiple Uncertainties and its Application. *Min, H., +, TCSI May 2020 1752-1761*
- Asymptotic Output Tracking of Probabilistic Boolean Control Networks. *Chen, B., +, TCSI Aug. 2020 2780-2790*
- Global Stabilization of Switched Feedforward Nonlinear Time-Delay Systems Under Asynchronous Switching. *Li, Z., +, TCSI Feb. 2020 711-724*
- Observer-Based Asynchronous Fault Detection for Conic-Type Nonlinear Jumping Systems and its Application to Separately Excited DC Motor. *Cheng, P., +, TCSI March 2020 951-962*
- State-space methods**
- Interpreting Frame Transformations in AC Systems as Diagonalization of Harmonic Transfer Functions. *Li, Y., +, TCSI July 2020 2481-2491*
- Synthesis, Design, and Synchronization Analysis of Coupled Linear Electrical Networks. *Ochs, K., +, TCSI Dec. 2020 4521-4532*
- Statistical analysis**
- A Two-Step ADC With Statistical Calibration. *Yu, Y., +, TCSI Aug. 2020 2588-2601*
- Hardware-Compliant Compressive Image Sensor Architecture Based on Random Modulations and Permutations for Embedded Inference. *Ben-jilali, W., +, TCSI April 2020 1218-1231*
- Order Statistics and Optimal Selection of Unit Elements in DACs to Enhance the Static Linearity. *Fan, H., +, TCSI July 2020 2193-2203*
- Statistical BER Analysis of Wireline Links With Non-Binary Linear Block Codes Subject to DFE Error Propagation. *Yang, M., +, TCSI Jan. 2020 284-297*
- Steady-state**
- A Framework of L-HC and AM-MKF for Accurate Harmonic Supportive Control Schemes. *Kumar, N., +, TCSI Dec. 2020 5246-5256*
- Stepping motors**
- Position Regulator With Variable Cut-Off Frequency Mechanism for Hybrid-Type Stepper Motors. *Kim, S., +, TCSI Oct. 2020 3533-3540*
- Stereo image processing**
- 3D-HEVC Bipartition Modes Encoder and Decoder Design Targeting High-Resolution Videos. *Sanchez, G., +, TCSI Feb. 2020 415-427*
- Tile Adaptation for Workload Balancing of 3D-HEVC Encoder in Homogeneous Multicore Systems. *Saldanha, M., +, TCSI May 2020 1704-1714*
- Stochastic processes**
- A High-Performance Stochastic LDPC Decoder Architecture Designed via Correlation Analysis. *Zhang, Q., +, TCSI Dec. 2020 5429-5442*
- A Perturbative Stochastic Galerkin Method for the Uncertainty Quantification of Linear Circuits. *Manfredi, P., +, TCSI Sept. 2020 2993-3006*
- Analytical Study of the Impacts of Stochastic Load Fluctuation on the Dynamic Voltage Stability Margin Using Bifurcation Theory. *Pierrou, G., +, TCSI April 2020 1286-1295*
- Linearity Theory of Stochastic Phase-Interpolation Time-to-Digital Converter. *Gammoh, K., +, TCSI Dec. 2020 4348-4359*
- Probabilistic-Constrained Distributed Filtering for a Class of Nonlinear Stochastic Systems Subject to Periodic DoS Attacks. *Tian, E., +, TCSI Dec. 2020 5369-5379*
- Rational Polynomial Chaos Expansions for the Stochastic Macromodeling of Network Responses. *Manfredi, P., +, TCSI Jan. 2020 225-234*
- sBSNN: Stochastic-Bits Enabled Binary Spiking Neural Network With On-Chip Learning for Energy Efficient Neuromorphic Computing at the Edge. *Koo, M., +, TCSI Aug. 2020 2546-2555*
- Unified Stability Criteria of Random Nonlinear Time-Varying Impulsive Switched Systems. *Jiao, T., +, TCSI Sept. 2020 3099-3112*
- Stochastic systems**
- Finite-Time H_∞ Filtering for State-Dependent Uncertain Systems With Event-Triggered Mechanism and Multiple Attacks. *Liu, J., +, TCSI March 2020 1021-1034*
- Observer-Based Asynchronous Fault Detection for Conic-Type Nonlinear Jumping Systems and its Application to Separately Excited DC Motor. *Cheng, P., +, TCSI March 2020 951-962*
- Probabilistic-Constrained Distributed Filtering for a Class of Nonlinear Stochastic Systems Subject to Periodic DoS Attacks. *Tian, E., +, TCSI Dec. 2020 5369-5379*
- Reduced-Order Observer Based-Fault Estimation for Markovian Jump Systems With Time-Varying Generally Uncertain Transition Rates. *Lu, D., +, TCSI Aug. 2020 2803-2815*
- Storage management**
- Low-Latency Unfolded-KES Architecture for Emerging Storage Class Memories. *Moon, S., +, TCSI June 2020 2103-2113*
- Theoretical Foundations of Memristor Cellular Nonlinear Networks: Memcomputing With Bistable-Like Memristors. *Tetzlaff, R., +, TCSI Feb. 2020 502-515*
- Storage management chips**
- Slicing FIFOs for On-Chip Memory Bandwidth Exhaustion. *Hasler, M., +, TCSI Feb. 2020 441-450*
- Stress**
- Analysis and Investigation of Internal AC Frequency to Minimize AC Current Magnitude and Reactive Power Circulation in Chain-Link Modular Multilevel Direct DC-DC Converters. *Xiang, X., +, TCSI Dec. 2020 5586-5599*
- Switched-Capacitor Boost-Buck Ladder Converters With Extended Voltage Range in Standard CMOS. *Liu, J., +, TCSI Dec. 2020 4593-4606*
- Sun**
- Decentralized Adaptive Event-Triggered Control for a Class of Uncertain Systems With Deception Attacks and Its Application to Electronic Circuits. *Sun, Y., +, TCSI Dec. 2020 5405-5416*
- Supercapacitors**
- On-Chip Solar Energy Harvester and PMU With Cold Start-Up and Regulated Output Voltage for Biomedical Applications. *Cabello, D., +, TCSI April 2020 1103-1114*
- Support vector machines**
- A Semi-Supervised Learning Approach for Identification of Piecewise Affine Systems. *Du, Y., +, TCSI Oct. 2020 3521-3532*
- Switched capacitor filters**
- A Charge-Domain Switched- G_m -C Band-Pass Filter Using Interleaved Semi-Passive Charge-Sharing Technique. *Xu, Y., +, TCSI Feb. 2020 600-610*
- A Configurable Noise-Shaping Band-Pass SAR ADC With Two-Stage Clock-Controlled Amplifier. *Jiao, Z., +, TCSI Nov. 2020 3728-3739*
- Passive SC $\Sigma\Delta$ Modulator Based on Pipelined Charge-Sharing Rotation in 28-nm CMOS. *Wang, H., +, TCSI Feb. 2020 578-589*
- Switched capacitor networks**
- A 0.5-V Supply, 36 nW Bandgap Reference With 42 ppm/ $^{\circ}$ C Average Temperature Coefficient Within -40 $^{\circ}$ C to 120 $^{\circ}$ C. *Chi-Wa, U., +, TCSI Nov. 2020 3656-3669*

- A 3.3-mW 25.2-to-29.4-GHz Current-Reuse VCO Using a Single-Turn Multi-Tap Inductor and Differential-Only Switched-Capacitor Arrays With a 187.6-dBc/Hz FOM. *Huang, Y.*, +, *TCSI Nov. 2020 3704-3717*
- A 92%-Efficiency Battery Powered Hybrid DC-DC Converter for IoT Applications. *Elhebeary, M.*, +, *TCSI Oct. 2020 3342-3351*
- A DC-50 GHz CMOS Switched-Type Attenuator With Capacitive Compensation Technique. *Gu, P.*, +, *TCSI Oct. 2020 3389-3399*
- A Miniaturized 0.003 mm² PNP-Based Thermal Sensor for Dense CPU Thermal Monitoring. *Bass, O.*, +, *TCSI Sept. 2020 2984-2992*
- A Soft-Charging-Based SC DC-DC Boost Converter With Conversion-Ratio-Insensitive High Efficiency for Energy Harvesting in Miniature Sensor Systems. *Gi, H.*, +, *TCSI Oct. 2020 3601-3612*
- A Switched-Capacitor DC-DC Converter Powering an LC Oscillator to Achieve 85% System Peak Power Efficiency and -65dBc Spurious Tones. *Urso, A.*, +, *TCSI Nov. 2020 3764-3777*
- Analysis and Design Method of Multiple-Output Switched-Capacitor Voltage Regulators With a Reduced Number of Power Electronic Components. *Hong, W.*, +, *TCSI Sept. 2020 3234-3247*
- Design Approach for Ring Amplifiers. *Conrad, J.*, +, *TCSI Oct. 2020 3444-3457*
- Experimental Verification of the Impact of Analog CMS on CIS Readout Noise. *Capoccia, R.*, +, *TCSI March 2020 774-784*
- Jitter Suppression Techniques for High-Speed Sample-and-Hold Circuits. *Jamali-Zavareh, S.*, +, *TCSI Jan. 2020 1-11*
- Low 1/f³ Noise Corner LC-VCO Design Using Flicker Noise Filtering Technique in 22nm FD-SOI. *Zong, Z.*, +, *TCSI May 2020 1469-1480*
- Slewing Mitigation Technique for Switched Capacitor Circuits. *Kareppagoudr, M.*, +, *TCSI Oct. 2020 3251-3261*
- Switched mode power supplies**
- A Nonlinear Behavioral Ferrite-Core Inductance Model Able to Reproduce Thermal Transients in Switch-Mode Power Supplies. *Lodi, M.*, +, *TCSI April 2020 1255-1263*
- Power Inductors Behavioral Modeling Revisited. *Stoyka, K.*, +, *TCSI Dec. 2020 5636-5649*
- Switched systems**
- Extended Dissipative Control for Singularly Perturbed PDT Switched Systems and its Application. *Wang, J.*, +, *TCSI Dec. 2020 5281-5289*
- Output Regulation for Switched Systems With Multiple Disturbances. *Zhao, Y.*, +, *TCSI Dec. 2020 5326-5335*
- Switches**
- A 28GHz Reflective-Type Transmission-Line-Based Phase Shifter. *Kadam, M.*, +, *TCSI Dec. 2020 4641-4650*
- A 580 nW Dual-Input Energy Harvester IC Using Multi-Task MPPT and a Current Boost Converter for Heterogeneous Source Combining. *Chandrarathna, S.C.*, +, *TCSI Dec. 2020 5650-5663*
- A 65–81 GHz CMOS Dual-Mode VCO Using High Quality Factor Transformer-Based Inductors. *Basaligheh, A.*, +, *TCSI Dec. 2020 4533-4543*
- A 7.4-MHz Tri-Mode DC-DC Buck Converter With Load Current Prediction Scheme and Seamless Mode Transition for IoT Applications. *Hong, W.*, +, *TCSI Dec. 2020 4544-4555*
- A Crossbar-Based In-Memory Computing Architecture. *Wang, X.*, +, *TCSI Dec. 2020 4224-4232*
- A High-Voltage UWB Pulse Generator Using Passive Amplification in 65-nm CMOS. *Gao, S.*, +, *TCSI Dec. 2020 5530-5539*
- Adaptive Fuzzy Output Feedback Event-Triggered Control for a Class of Switched Nonlinear Systems With Sensor Failures. *Zhang, J.*, +, *TCSI Dec. 2020 5336-5346*
- Analysis and Design of Power Supply Circuits for RF Oscillators. *Urso, A.*, +, *TCSI Dec. 2020 4233-4246*
- Extended Dissipative Control for Singularly Perturbed PDT Switched Systems and its Application. *Wang, J.*, +, *TCSI Dec. 2020 5281-5289*
- Field-Free 3T2SOT MRAM for Non-Volatile Cache Memories. *Wu, B.*, +, *TCSI Dec. 2020 4660-4669*
- LDO-Free Power Management System: A 10-bit Pipelined ADC Directly Powered by Inductor-Based Boost Converter With Ripple Calibration. *Wang, H.*, +, *TCSI Dec. 2020 4174-4186*
- Magnetics-Based Efficiency Optimization for Low Power Cascaded-Buck-Boost Converter. *Chen, X.*, +, *TCSI Dec. 2020 5611-5623*
- Output Regulation for Switched Systems With Multiple Disturbances. *Zhao, Y.*, +, *TCSI Dec. 2020 5326-5335*
- Piecewise Quadratic Slope Compensation Technique for DC-DC Switching Converters. *Aroudi, A.E.*, +, *TCSI Dec. 2020 5574-5585*
- Power Inductors Behavioral Modeling Revisited. *Stoyka, K.*, +, *TCSI Dec. 2020 5636-5649*
- Secure Path Balanced BDD-Based Pre-Charge Logic for Masking. *De, P.*, +, *TCSI Dec. 2020 4747-4760*
- Single-Stage Three-Phase AC-DC Resonant Switched Capacitor LED Driver Without Electrolytic Capacitor and Reduced Number of Controlled Switches. *Miranda, P.H.A.*, +, *TCSI Dec. 2020 5675-5686*
- Switched-Capacitor Boost-Buck Ladder Converters With Extended Voltage Range in Standard CMOS. *Liu, J.*, +, *TCSI Dec. 2020 4593-4606*
- Switched-Capacitor-Assisted Power Gating for Ultra-Low Standby Power in CMOS Digital ICs. *Sankar, S.*, +, *TCSI Dec. 2020 4281-4294*
- Variability-Aware Modeling of Filamentary Oxide-Based Bipolar Resistive Switching Cells Using SPICE Level Compact Models. *Bengel, C.*, +, *TCSI Dec. 2020 4618-4630*
- Switching circuits**
- Adaptive Fuzzy Output Feedback Event-Triggered Control for a Class of Switched Nonlinear Systems With Sensor Failures. *Zhang, J.*, +, *TCSI Dec. 2020 5336-5346*
- Design of a Simultaneous Frequency- and Power-Dividing Ratio-Reconfigurable Quadrature Coupler With Simple Tuning Approach. *Tan, X.*, +, *TCSI Dec. 2020 5510-5519*
- Switched-Capacitor Boost-Buck Ladder Converters With Extended Voltage Range in Standard CMOS. *Liu, J.*, +, *TCSI Dec. 2020 4593-4606*
- Switched-Capacitor-Assisted Power Gating for Ultra-Low Standby Power in CMOS Digital ICs. *Sankar, S.*, +, *TCSI Dec. 2020 4281-4294*
- Switching converters**
- A Low-Profile High-Efficiency Fast Battery Charger With Unifiable Constant-Current and Constant-Voltage Regulation. *Qu, Y.*, +, *TCSI Nov. 2020 4099-4109*
- A Switched-Capacitor DC-DC Converter Powering an LC Oscillator to Achieve 85% System Peak Power Efficiency and -65dBc Spurious Tones. *Urso, A.*, +, *TCSI Nov. 2020 3764-3777*
- Analysis and Design of a New Current-Source Output Load Resonant Converter With High Capability in Line and Load Regulation. *Khoshsaadat, A.*, +, *TCSI Aug. 2020 2849-2858*
- LDO-Free Power Management System: A 10-bit Pipelined ADC Directly Powered by Inductor-Based Boost Converter With Ripple Calibration. *Wang, H.*, +, *TCSI Dec. 2020 4174-4186*
- Piecewise Quadratic Slope Compensation Technique for DC-DC Switching Converters. *Aroudi, A.E.*, +, *TCSI Dec. 2020 5574-5585*
- Sampled-Data Modeling for PCM and ZVS Controlled Critical Conduction Mode (CrCM) Active Clamp Flyback (ACF) Converter at Variable Switching Frequency. *Xu, S.*, +, *TCSI Oct. 2020 3588-3600*
- Switching frequency**
- A 7.4-MHz Tri-Mode DC-DC Buck Converter With Load Current Prediction Scheme and Seamless Mode Transition for IoT Applications. *Hong, W.*, +, *TCSI Dec. 2020 4544-4555*
- Magnetics-Based Efficiency Optimization for Low Power Cascaded-Buck-Boost Converter. *Chen, X.*, +, *TCSI Dec. 2020 5611-5623*
- Switching systems (control)**
- A Fast-Settling Integer-*N* Frequency Synthesizer Using Switched-Gain Control. *Zhao, H.*, +, *TCSI April 2020 1344-1357*
- A Low-Profile High-Efficiency Fast Battery Charger With Unifiable Constant-Current and Constant-Voltage Regulation. *Qu, Y.*, +, *TCSI Nov. 2020 4099-4109*
- H_∞ Control for Switched Systems Based on Dynamic Event-Triggered Strategy and Quantization Under State-Dependent Switching. *Ma, Y.*, +, *TCSI Sept. 2020 3175-3186*
- Unified Stability Criteria of Random Nonlinear Time-Varying Impulsive Switched Systems. *Jiao, T.*, +, *TCSI Sept. 2020 3099-3112*

Synchronization

- A 1.45 GHz All-Digital Spread Spectrum Clock Generator in 65nm CMOS for Synchronization-Free SoC Applications. *De Caro, D.*, +, *TCSI Nov. 2020 3839-3852*
- A 7.8 Gb/s/pin, 1.96 pJ/b Transceiver With Phase-Difference-Modulation Signaling for Highly Reflective Interconnects. *Lee, S.*, +, *TCSI June 2020 2114-2127*
- Adaptive PI Control for Synchronization of Complex Networks With Stochastic Coupling and Nonlinear Dynamics. *Gu, H.*, +, *TCSI Dec. 2020 5268-5280*
- An Architecture for Real-Time Arbitrary and Variable Sampling Rate Conversion With Application to the Processing of Harmonic Signals. *Galindo Guarch, F.J.*, +, *TCSI May 2020 1653-1666*
- Design of Downlink Synchronization for Millimeter Wave Cellular System Based on Multipath Division Multiple Access. *Chiu, K.*, +, *TCSI Sept. 2020 3211-3223*
- Event-Triggered Synchronization for Nonlinear Multi-Agent Systems With Sampled Data. *Han, Z.*, +, *TCSI Oct. 2020 3553-3561*
- Leader-Following Pinning Synchronization of Multiagent Systems With Impulsive Interlayer Coupling. *Ning, D.*, +, *TCSI Dec. 2020 5162-5174*
- Locking Range Maximization in Injection-Locked Class-E Oscillator—A Case Study for Optimizing Synchronizability. *Yabe, Y.*, +, *TCSI May 2020 1762-1774*
- Pinning-Observer-Based Secure Synchronization Control for Complex Dynamical Networks Subject to DoS Attacks. *Liu, D.*, +, *TCSI Dec. 2020 5394-5404*
- Robust H_∞ Pinning Synchronization for Complex Networks With Event-Triggered Communication Scheme. *Xing, W.*, +, *TCSI Dec. 2020 5233-5245*
- Synchronization Analysis on Two-Layer Networks of Fractional-Order Systems: Intralayer and Interlayer Synchronization. *Zhang, X.*, +, *TCSI July 2020 2397-2408*
- Synchronization in Multiplex Networks of Chua's Circuits: Theory and Experiments. *Burbano-L., D.A.*, +, *TCSI March 2020 927-938*
- Synchronizer-Free Digital Link Controller. *Bund, J.*, +, *TCSI Oct. 2020 3562-3573*
- Synthesis, Design, and Synchronization Analysis of Coupled Linear Electrical Networks. *Ochs, K.*, +, *TCSI Dec. 2020 4521-4532*

Synthetic aperture radar

- Tunable Block Floating-Point Quantizer With Fractional Exponent for Compressing Non-Uniformly Distributed Signals. *Tsai, P.*, +, *TCSI April 2020 1245-1254*

Synthetic aperture sonar

- Using Rotator Transformations to Simplify FFT Hardware Architectures. *Andersson, R.*, +, *TCSI Dec. 2020 4784-4793*

System dynamics

- ADP-Based Security Decentralized Sliding Mode Control for Partially Unknown Large-Scale Systems Under Injection Attacks. *Song, J.*, +, *TCSI Dec. 2020 5290-5301*
- Finite-Time Bipartite Tracking Control for Double-Integrator Networked Systems With Cooperative and Antagonistic Interactions. *Ning, B.*, +, *TCSI Dec. 2020 5223-5232*

System performance

- Compensation Network Optimal Design Based on Evolutionary Algorithm for Inductive Power Transfer System. *Chen, W.*, +, *TCSI Dec. 2020 5664-5674*

System-on-chip

- A 1.45 GHz All-Digital Spread Spectrum Clock Generator in 65nm CMOS for Synchronization-Free SoC Applications. *De Caro, D.*, +, *TCSI Nov. 2020 3839-3852*
- A Fully Programmable eFPGA-Augmented SoC for Smart Power Applications. *Renzini, F.*, +, *TCSI Feb. 2020 489-501*
- A New Variable Forgetting Factor-Based Bias-Compensated RLS Algorithm for Identification of FIR Systems With Input Noise and Its Hardware Implementation. *Tan, H.J.*, +, *TCSI Jan. 2020 198-211*
- A Standalone FPGA-Based Miner for Lyra2REv2 Cryptocurrencies. *Tetu, J.*, +, *TCSI April 2020 1194-1206*
- A Transient-Enhanced Output-Capacitorless LDO With Fast Local Loop and Overshoot Detection. *Liu, N.*, +, *TCSI Oct. 2020 3422-3432*

Always-On 674 μ W@4GOP/s Error Resilient Binary Neural Networks With Aggressive SRAM Voltage Scaling on a 22-nm IoT End-Node. *Mauro, A.D.*, +, *TCSI Nov. 2020 3905-3918*

An RF-Energy Harvester and IR-UWB Transmitter for Ultra-Low-Power Battery-Less Biosensors. *Schmickl, S.*, +, *TCSI May 2020 1459-1468*

Analysis and Design of Integrated Voltage Regulators for Supply Noise Rejection During System-Level ESD. *Xiu, Y.*, +, *TCSI Dec. 2020 4199-4210*

Design of a Refresh-Controller for GC-eDRAM Based FIFOs. *Noy, T.*, +, *TCSI Dec. 2020 4804-4817*

Slicing FIFOs for On-Chip Memory Bandwidth Exhaustion. *Hasler, M.*, +, *TCSI Feb. 2020 441-450*

Systematics

Designing a DDS-Based SoC for High-Fidelity Multi-Qubit Control. *van Dijk, J.P.G.*, +, *TCSI Dec. 2020 5380-5393*

Systolic arrays

An Efficient Massive MIMO Detector Based on Second-Order Richardson Iteration: From Algorithm to Flexible Architecture. *Tu, J.*, +, *TCSI Nov. 2020 4015-4028*

O⁴-DNN: A Hybrid DSP-LUT-Based Processing Unit With Operation Packing and Out-of-Order Execution for Efficient Realization of Convolutional Neural Networks on FPGA Devices. *Haghi, P.*, +, *TCSI Sept. 2020 3056-3069*

VWA: Hardware Efficient Vectorwise Accelerator for Convolutional Neural Network. *Chang, K.*, +, *TCSI Jan. 2020 145-154*

T**Table lookup**

A Crossbar-Based In-Memory Computing Architecture. *Wang, X.*, +, *TCSI Dec. 2020 4224-4232*

A New Variable Forgetting Factor-Based Bias-Compensated RLS Algorithm for Identification of FIR Systems With Input Noise and Its Hardware Implementation. *Tan, H.J.*, +, *TCSI Jan. 2020 198-211*

An Agile LUT-Based All-Digital Transmitter. *Yang, J.*, +, *TCSI Dec. 2020 5550-5560*

Energy-Efficient Precharge-Free Ternary Content Addressable Memory (TCAM) for High Search Rate Applications. *Venkata Mahendra, T.*, +, *TCSI July 2020 2345-2357*

Target tracking

Finite-Time Bipartite Tracking Control for Double-Integrator Networked Systems With Cooperative and Antagonistic Interactions. *Ning, B.*, +, *TCSI Dec. 2020 5223-5232*

Task analysis

A Secure Distributed Information Sharing Algorithm Based on Attack Detection in Multi-Task Networks. *Shi, Q.*, +, *TCSI Dec. 2020 5125-5138*

Leakage-Aware Battery Lifetime Analysis Using the Calculus of Variations. *Jafari-Nodoushan, M.*, +, *TCSI Dec. 2020 4829-4841*

Technology CAD (electronics)

Dark Count Rate Modeling in Single-Photon Avalanche Diodes. *Panglosse, A.*, +, *TCSI May 2020 1507-1515*

Telecommunication network reliability

Efficient Successive Over Relaxation Detectors for Massive MIMO. *Yu, A.*, +, *TCSI June 2020 2128-2139*

Telecommunication power management

Analysis of Spectral Degradation and Error Compensation in 5G NR Digital Polar Transmitters. *Preissl, C.*, +, *TCSI Aug. 2020 2719-2729*

Energy-Efficient Hardware Architectures for Fast Polar Decoders. *Ercan, F.*, +, *TCSI Jan. 2020 322-335*

Telecommunication security

Iterative Approach With Optimization-Based Execution Scheme for Parameter Identification of Distributed Parameter Systems and its Application in Secure Communication. *Li, R.*, +, *TCSI Sept. 2020 3113-3126*

Telecommunication signaling

A Hybrid 3D Interconnect With 2x Bandwidth Density Employing Orthogonal Simultaneous Bidirectional Signaling for 3D NoC. *Gopal, S.*, +, *TCSI Nov. 2020 3919-3932*

On the Design of Low-Power Hybrids for Full Duplex Simultaneous Bidirectional Signaling Links. *Yuan, C.*, +, *TCSI April 2020 1413-1422*

Telemetry

CMOS High-Efficiency Wireless Battery Charging System With Global Power Control Through Backward Data Telemetry for Implantable Medical Devices. *Wu, C.*, +, *TCSI Dec. 2020 5624-5635*

Temperature control

Designing a DDS-Based SoC for High-Fidelity Multi-Qubit Control. *van Dijk, J.P.G.*, +, *TCSI Dec. 2020 5380-5393*

Temperature distribution

Design of a High Temperature 2.37 GHz Voltage-Controlled Oscillator With GaN-on-SiC HEMTs. *Turner, N.*, +, *TCSI Dec. 2020 5153-5161*

Temperature measurement

A +0.66/−0.73 °C Inaccuracy, 1.99- μ W Time-Domain CMOS Temperature Sensor With Second-Order $\Delta\Sigma$ Modulator and On-Chip Reference Clock. *Chen, Y.*, +, *TCSI Nov. 2020 3815-3827*

Design of a High Temperature 2.37 GHz Voltage-Controlled Oscillator With GaN-on-SiC HEMTs. *Turner, N.*, +, *TCSI Dec. 2020 5153-5161*

Linearity Theory of Stochastic Phase-Interpolation Time-to-Digital Converter. *Gammoh, K.*, +, *TCSI Dec. 2020 4348-4359*

Power Inductors Behavioral Modeling Revisited. *Stoyka, K.*, +, *TCSI Dec. 2020 5636-5649*

Temperature sensors

A +0.66/−0.73 °C Inaccuracy, 1.99- μ W Time-Domain CMOS Temperature Sensor With Second-Order $\Delta\Sigma$ Modulator and On-Chip Reference Clock. *Chen, Y.*, +, *TCSI Nov. 2020 3815-3827*

A 0.5-V 3.69-nW Complementary Source-Follower-C Based Low-Pass Filter for Wearable Biomedical Applications. *Liu, Z.*, +, *TCSI Dec. 2020 4370-4381*

A Miniaturized 0.003 mm² PNP-Based Thermal Sensor for Dense CPU Thermal Monitoring. *Bass, O.*, +, *TCSI Sept. 2020 2984-2992*

Ternary logic

A Logic Synthesis Methodology for Low-Power Ternary Logic Circuits. *Kim, S.*, +, *TCSI Sept. 2020 3138-3151*

TFETs

Challenges and Solutions of the TFET Circuit Design. *Lin, Z.*, +, *TCSI Dec. 2020 4918-4931*

Thermal noise

Near-Optimal Decoding of Incremental Delta-Sigma ADC Output. *Wang, B.*, +, *TCSI Nov. 2020 3670-3680*

Thermoelectric conversion

A 115 \times Conversion-Ratio Thermoelectric Energy-Harvesting Battery Charger for the Internet of Things. *Chung, M.*, +, *TCSI Nov. 2020 4110-4121*

A Thermal/RF Hybrid Energy Harvesting System With Rectifying-Combination and Improved Fractional-OCV MPPT Method. *Liu, Z.*, +, *TCSI Oct. 2020 3352-3363*

Three-dimensional integrated circuits

A Hybrid 3D Interconnect With 2x Bandwidth Density Employing Orthogonal Simultaneous Bidirectional Signaling for 3D NoC. *Gopal, S.*, +, *TCSI Nov. 2020 3919-3932*

Low-Power Receivers for Wireless Capacitive Coupling Transmission in 3-D-Integrated Massively Parallel CMOS Imager. *Blakiewicz, G.*, +, *TCSI Aug. 2020 2556-2565*

Monolithic 3D Carbon Nanotube Memory for Enhanced Yield and Integration Density. *Sun, Y.*, +, *TCSI July 2020 2431-2441*

Three-term control

An NMOS Digital LDO With NAND-Based Analog-Assisted Loop in 28-nm CMOS. *Ma, X.*, +, *TCSI Nov. 2020 4041-4052*

Improved Sliding Mode Control With Time Delay Estimation for Motion Tracking of Cell Puncture Mechanism. *Xie, M.*, +, *TCSI Sept. 2020 3199-3210*

Self-Tuned Class-D Audio Amplifier With Post-Filter Digital Feedback Implemented on Digital Signal Controller. *Sobaszek, M.*, *TCSI March 2020 797-805*

Threshold voltage

A −20 dBm Passive UHF RFID Tag IC With MTP NVM in 0.13- μ m Standard CMOS Process. *Li, S.*, +, *TCSI Dec. 2020 4566-4579*

A 0.5-V 3.69-nW Complementary Source-Follower-C Based Low-Pass Filter for Wearable Biomedical Applications. *Liu, Z.*, +, *TCSI Dec. 2020 4370-4381*

Throughput

i-SRAM: Interleaved Wordlines for Vector Boolean Operations Using SRAMs. *Jaiswal, A.*, +, *TCSI Dec. 2020 4651-4659*

A High-Performance Stochastic LDPC Decoder Architecture Designed via Correlation Analysis. *Zhang, Q.*, +, *TCSI Dec. 2020 5429-5442*

Flexible High Throughput QC-LDPC Decoder With Perfect Pipeline Conflicts Resolution and Efficient Hardware Utilization. *Petrovic, V.L.*, +, *TCSI Dec. 2020 5454-5467*

Interleaved Write Scheme for Improving Sequential Write Throughput of Multi-Chip MLC NAND Flash Memory Systems. *Hong, H.*, +, *TCSI Dec. 2020 4946-4959*

Time measurement

Automated Framework for Time-Domain Piecewise-Linear Fitting Method Based on Digital Wave Processing of *S*-Parameters. *Belforte, P.*, +, *TCSI Jan. 2020 235-248*

Time series

Projected Kernel Least Mean *p*-Power Algorithm: Convergence Analyses and Modifications. *Zhao, J.*, +, *TCSI Oct. 2020 3498-3511*

Time-digital conversion

A 60-m Range 6.16-mW Laser-Power Linear-Mode LiDAR System With Multiplex ADC/TDC in 65-nm CMOS. *Liu, M.*, +, *TCSI March 2020 753-764*

A 77-GHz Mixed-Mode FMCW Generator Based on a Vernier TDC With Dual Rising-Edge Fractional-Phase Detector. *Wu, J.*, +, *TCSI Jan. 2020 60-73*

A Flexible 18-Channel Multi-Hit Time-to-Digital Converter for Trigger-Based Data Acquisition Systems. *Chithra, .*, +, *TCSI June 2020 1892-1901*

A Time-Domain 147fs_{rms} 2.5-MHz Bandwidth Two-Step Flash-MASH 1-1-1 Time-to-Digital Converter With Third-Order Noise-Shaping and Mismatch Correction. *Wu, Y.*, +, *TCSI Aug. 2020 2532-2545*

An Inverted Ring Oscillator Noise-Shaping Time-to-Digital Converter With In-Band Noise Reduction and Coherent Noise Cancellation. *Yi, X.*, +, *TCSI Feb. 2020 686-698*

Jitter Minimization in Digital PLLs with Mid-Rise TDCs. *Avallone, L.*, +, *TCSI March 2020 743-752*

Time-domain analysis

A Time-Domain 147fs_{rms} 2.5-MHz Bandwidth Two-Step Flash-MASH 1-1-1 Time-to-Digital Converter With Third-Order Noise-Shaping and Mismatch Correction. *Wu, Y.*, +, *TCSI Aug. 2020 2532-2545*

A Two-Step ADC With Statistical Calibration. *Yu, Y.*, +, *TCSI Aug. 2020 2588-2601*

Analysis of Start-Up Response in a Digitally Controlled Boost Converter With Constant Power Load and Mitigation of Inrush Current Problems. *El Aroudi, A.*, +, *TCSI April 2020 1276-1285*

Interpreting Frame Transformations in AC Systems as Diagonalization of Harmonic Transfer Functions. *Li, Y.*, +, *TCSI July 2020 2481-2491*

Jitter Minimization in Digital PLLs with Mid-Rise TDCs. *Avallone, L.*, +, *TCSI March 2020 743-752*

Time-frequency analysis

A 0.045- to 2.5-GHz Frequency Synthesizer With TDC-Based AFC and Phase Switching Multi-Modulus Divider. *Hu, A.*, +, *TCSI Dec. 2020 4470-4483*

Automated Framework for Time-Domain Piecewise-Linear Fitting Method Based on Digital Wave Processing of *S*-Parameters. *Belforte, P.*, +, *TCSI Jan. 2020 235-248*

Corrections to “Two Reciprocal Power Theorems for Passive Linear Time-Invariant Multiports”. *Broyde, F.*, +, *TCSI July 2020 2516-2517*

Time-of-arrival estimation

Real-Time Distance Evaluation System for Wireless Localization. *Piccinni, G.*, +, *TCSI Oct. 2020 3320-3330*

Time-varying systems

Adaptive Finite-Time Control for High-Order Nonlinear Systems With Multiple Uncertainties and its Application. *Min, H.*, +, *TCSI May 2020 1752-1761*

- Distributed Model Predictive Consensus of Heterogeneous Time-Varying Multi-Agent Systems: With and Without Self-Triggered Mechanism. *Li, H., +, TCSI Dec. 2020 5358-5368*
- Event-Triggered Synchronization for Nonlinear Multi-Agent Systems With Sampled Data. *Han, Z., +, TCSI Oct. 2020 3553-3561*
- Finite-Time H_∞ Filtering for State-Dependent Uncertain Systems With Event-Triggered Mechanism and Multiple Attacks. *Liu, J., +, TCSI March 2020 1021-1034*
- Fully Distributed Containment Control for Multiple Euler-Lagrange Systems Over Directed Graphs: An Event-Triggered Approach. *Xu, T., +, TCSI June 2020 2078-2090*
- Global Stabilization of Switched Feedforward Nonlinear Time-Delay Systems Under Asynchronous Switching. *Li, Z., +, TCSI Feb. 2020 711-724*
- Memory Output-Feedback Integral Sliding Mode Control for Furuta Pendulum Systems. *Xu, J., +, TCSI June 2020 2042-2052*
- Timing**
- A Low Walk Error Analog Front-End Circuit With Intensity Compensation for Direct ToF LiDAR. *Wang, X., +, TCSI Dec. 2020 4309-4321*
- A Spectral-Correlation-Based Blind Calibration Method for Time-Interleaved ADCs. *Niu, H., +, TCSI Dec. 2020 5007-5017*
- Soft Error Detection and Correction Architecture for Asynchronous Bundled Data Designs. *Kuentzer, F.A., +, TCSI Dec. 2020 4883-4894*
- Synthesis of DDRO Timing Monitors by Delay-Tracking and Static Timing Analysis. *Kasturi Rangan, J., +, TCSI Feb. 2020 401-414*
- Timing jitter**
- 3.125-to-28.125 Gb/s 4.72 mW/Gb/s Multi-Standard Parallel Transceiver Supporting Channel-Independent Operation in 40-nm CMOS. *Yoon, J., +, TCSI Aug. 2020 2647-2658*
- A Calibration-Free Ring-Oscillator PLL With Gain Tracking Achieving 9% Jitter Variation Over PVT. *Yang, X., +, TCSI Nov. 2020 3753-3763*
- Jitter Suppression Techniques for High-Speed Sample-and-Hold Circuits. *Jamali-Zavareh, S., +, TCSI Jan. 2020 1-11*
- On the Cross-Correlation Based Loop Gain Adaptation for Bang-Bang CDRs. *Ardila, J., +, TCSI April 2020 1169-1180*
- Tools**
- Ask Less, Get More: Side-Channel Signal Hiding, Revisited. *Levi, I., +, TCSI Dec. 2020 4904-4917*
- Corrections to "A Design of Input-Decimation Technique for Recursive DFT/IDFT Algorithm". *Wu, C., +, TCSI June 2020 2152*
- Topology**
- A 0.5-V 3.69-nW Complementary Source-Follower-C Based Low-Pass Filter for Wearable Biomedical Applications. *Liu, Z., +, TCSI Dec. 2020 4370-4381*
- A 270-mV 6T SRAM Using Row-Based Dual-Phase V_{DD} Control in 28-nm CMOS. *Lu, C., +, TCSI Dec. 2020 4774-4783*
- A Broadband Doherty Power Amplifier With Hybrid Class-EFJ Mode. *Zhang, Z., +, TCSI Dec. 2020 4270-4280*
- A High-Performance and Secure TRNG Based on Chaotic Cellular Automata Topology. *Luo, Y., +, TCSI Dec. 2020 4970-4983*
- A Multi-Folded MCML for Ultra-Low-Voltage High-Performance in Deeply Scaled CMOS. *Palumbo, G., +, TCSI Dec. 2020 4696-4706*
- A PVT-Resilient, Highly-Linear Fifth-Order Ring-Oscillator-Based Filter. *Osman, H., +, TCSI Dec. 2020 4295-4308*
- Automated Deep Neural Learning-Based Optimization for High Performance High Power Amplifier Designs. *Kouhalvandi, L., +, TCSI Dec. 2020 4420-4433*
- Broadband Balun-LNA Employing Local Feedback g_m -Boosting Technique and Balanced Loads for Low-Power Low-Voltage Applications. *Kim, S., +, TCSI Dec. 2020 4631-4640*
- Cell Weighting and Gate Inductive Peaking Techniques for Wideband Noise Suppression in Distributed Amplifiers. *Mesgari, B., +, TCSI Dec. 2020 4507-4520*
- Compensation Network Optimal Design Based on Evolutionary Algorithm for Inductive Power Transfer System. *Chen, W., +, TCSI Dec. 2020 5664-5674*
- Controllability of Deep-Coupling Dynamical Networks. *Wu, J., +, TCSI Dec. 2020 5211-5222*
- Design Method for Compact Multifunctional Reconfigurable Filtering Power Divider on a New Tunable Three-Port Multi-Mode Topology. *Zhang, G., +, TCSI Dec. 2020 4580-4592*
- Distributed Adaptive Observer-Based Control for Output Consensus of Heterogeneous MASs With Input Saturation Constraint. *Lv, Y., +, TCSI March 2020 995-1007*
- Distributed Consensus of Layered Multi-Agent Systems Subject to Attacks on Edges. *Wen, G., +, TCSI Sept. 2020 3152-3162*
- Energy-Constraint Formation for Multiagent Systems With Switching Interaction Topologies. *Xi, J., +, TCSI July 2020 2442-2454*
- Incremental Delta-Sigma ADCs: A Tutorial Review. *Tan, Z., +, TCSI Dec. 2020 4161-4173*
- Synthesis, Design, and Synchronization Analysis of Coupled Linear Electrical Networks. *Ochs, K., +, TCSI Dec. 2020 4521-4532*
- Torque**
- A Self-Matching Complementary-Reference Sensing Scheme for High-Speed and Reliable Toggle Spin Torque MRAM. *Wang, J., +, TCSI Dec. 2020 4247-4258*
- Touch sensitive screens**
- A -24 dB in-Band Noise-Immunity Mutual Capacitance Readout System for Variable Refresh Rate of Active-Matrix OLED Display. *Ko, S.H., TCSI April 2020 1126-1135*
- Differential Coded Multiple Signaling Method With Fully Differential Receiver for Mutual Capacitive Fingerprint TSP. *Heo, S., +, TCSI Jan. 2020 74-85*
- Tracking**
- A Low-Complexity 6DOF Magnetic Tracking System Based on Pre-Computed Data Sets for Wearable Applications. *Guzman, D.A.F., +, TCSI Dec. 2020 5065-5078*
- Discrete-Communication-Based Bipartite Tracking of Networked Robotic Systems via Hierarchical Hybrid Control. *Ding, T., +, TCSI April 2020 1402-1412*
- Training data**
- A Calibration Technique for Simultaneous Estimation of Actual Sensing Matrix Coefficients on Modulated Wideband Converters. *Byambadorj, Z., +, TCSI Dec. 2020 5561-5573*
- Hardware-Algorithm Co-Design of a Compressed Fuzzy Active Learning Method. *Jokar, E., +, TCSI Dec. 2020 4932-4945*
- Trajectory**
- Global Stabilization of the Discrete-Time Integrators System by Bounded Controls. *Yang, X., +, TCSI Dec. 2020 5175-5188*
- Transceivers**
- A 100-Gbps 4-Lane Transceiver for 47-dB Loss Copper Cable in 28-nm CMOS. *Norimatsu, T., +, TCSI Oct. 2020 3433-3443*
- A Framed-Pulsewidth Modulation Transceiver for High-Speed Broadband Communication Links. *Jeon, S., +, TCSI Aug. 2020 2825-2835*
- Multibeam Phased-Arrays Using Dual-Vector Distributed Beamforming: Architecture Overview and 28 GHz Transceiver Prototypes. *Yeh, Y., +, TCSI Dec. 2020 5496-5509*
- Transfer functions**
- 8fJ/Step Bandpass ADC With Digitally Assisted NTF Re-Configuration. *Tannirkulam Chandrasekaran, S., +, TCSI Oct. 2020 3262-3272*
- A Compact Fully Passive Loop Filter-Based Continuous Time $\Sigma\Delta$ Modulator for Multi-Channel Biomedical Applications. *Somappa, L., +, TCSI Feb. 2020 590-599*
- A PVT-Resilient, Highly-Linear Fifth-Order Ring-Oscillator-Based Filter. *Osman, H., +, TCSI Dec. 2020 4295-4308*
- Interpreting Frame Transformations in AC Systems as Diagonalization of Harmonic Transfer Functions. *Li, Y., +, TCSI July 2020 2481-2491*
- Reconfigurable Digital Delta-Sigma Modulation Transmitter Architecture for Concurrent Multi-Band Transmission. *Kumar, N., +, TCSI July 2020 2455-2466*
- Sampled-Data Modeling for PCM and ZVS Controlled Critical Conduction Mode (CrCM) Active Clamp Flyback (ACF) Converter at Variable Switching Frequency. *Xu, S., +, TCSI Oct. 2020 3588-3600*
- Transforms**
- Dynamic Harmonic Analysis With FIR Filters Designed With O-Splines. *Serna, J.A.d.l.O., TCSI Dec. 2020 5092-5100*

Lattice-Based Cryptoprocessor for CCA-Secure Identity-Based Encryption. *Renteria-Mejia, C.P.*, +, *TCSI July 2020 2331-2344*

Zero-Crossing-Time-Difference Model for Stability Analysis of VCO-Based OTAs. *Kalani, S.*, +, *TCSI March 2020 839-851*

Transient analysis

A Class-D FVF LDO With Multi-Level PWM Gate Control, 280-ns Settling Time, and No Overshoot/Undershoot. *Elhebeary, M.*, +, *TCSI Dec. 2020 5600-5610*

Global Stabilization of the Discrete-Time Integrators System by Bounded Controls. *Yang, X.*, +, *TCSI Dec. 2020 5175-5188*

Soft Error Detection and Correction Architecture for Asynchronous Bundled Data Designs. *Kuentzer, F.A.*, +, *TCSI Dec. 2020 4883-4894*

Transient response

A Class-D FVF LDO With Multi-Level PWM Gate Control, 280-ns Settling Time, and No Overshoot/Undershoot. *Elhebeary, M.*, +, *TCSI Dec. 2020 5600-5610*

A Fully Integrated High-Power-Supply-Rejection Linear Regulator With an Output-Supplied Voltage Reference. *Chen, Y.*, +, *TCSI Nov. 2020 3828-3838*

A Transient-Enhanced Output-Capacitorless LDO With Fast Local Loop and Overshoot Detection. *Liu, N.*, +, *TCSI Oct. 2020 3422-3432*

An Error Amplifier With a Low Power Multi-Mode Voltage Clamper for Transient Enhancement and High Reliability. *Zhou, Z.*, +, *TCSI Nov. 2020 4075-4084*

An NMOS Digital LDO With NAND-Based Analog-Assisted Loop in 28-nm CMOS. *Ma, X.*, +, *TCSI Nov. 2020 4041-4052*

Analysis of Start-Up Response in a Digitally Controlled Boost Converter With Constant Power Load and Mitigation of Inrush Current Problems. *El Aroudi, A.*, +, *TCSI April 2020 1276-1285*

Automated Framework for Time-Domain Piecewise-Linear Fitting Method Based on Digital Wave Processing of *S*-Parameters. *Belforte, P.*, +, *TCSI Jan. 2020 235-248*

Transistor circuits

Bandwidth Enhancement of Doherty Power Amplifier Using Modified Load Modulation Network. *Li, M.*, +, *TCSI June 2020 1824-1834*

Transistors

A -20 dBm Passive UHF RFID Tag IC With MTP NVM in 0.13- μ m Standard CMOS Process. *Li, S.*, +, *TCSI Dec. 2020 4566-4579*

A 0.5-V 3.69-nW Complementary Source-Follower-C Based Low-Pass Filter for Wearable Biomedical Applications. *Liu, Z.*, +, *TCSI Dec. 2020 4370-4381*

A 270-mV 6T SRAM Using Row-Based Dual-Phase V_{DD} Control in 28-nm CMOS. *Lu, C.*, +, *TCSI Dec. 2020 4774-4783*

A Broadband Doherty Power Amplifier With Hybrid Class-EFJ Mode. *Zhang, Z.*, +, *TCSI Dec. 2020 4270-4280*

A Multi-Folded MCML for Ultra-Low-Voltage High-Performance in Deeply Scaled CMOS. *Palumbo, G.*, +, *TCSI Dec. 2020 4696-4706*

Analysis and Design of Power Supply Circuits for RF Oscillators. *Urso, A.*, +, *TCSI Dec. 2020 4233-4246*

Automated Deep Neural Learning-Based Optimization for High Performance High Power Amplifier Designs. *Kouhalvandi, L.*, +, *TCSI Dec. 2020 4420-4433*

Deep Neural Network (DNN) Optimized Design of 2.45 GHz CMOS Rectifier With 73.6% Peak Efficiency for RF Energy Harvesting. *Lau, W.W.Y.*, +, *TCSI Dec. 2020 4322-4333*

Design of a Wideband Variable-Gain Amplifier With Self-Compensated Transistor for Accurate dB-Linear Characteristic in 65 nm CMOS Technology. *Kong, L.*, +, *TCSI Dec. 2020 4187-4198*

Field-Free 3T2SOT MRAM for Non-Volatile Cache Memories. *Wu, B.*, +, *TCSI Dec. 2020 4660-4669*

Switched-Capacitor Boost-Buck Ladder Converters With Extended Voltage Range in Standard CMOS. *Liu, J.*, +, *TCSI Dec. 2020 4593-4606*

Timing Reliability Improvement of Master-Slave Flip-Flops in the Presence of Aging Effects. *Jafari, A.*, +, *TCSI Dec. 2020 4761-4773*

Transmission line measurements

Power Amplifier With Load Impedance Sensing Incorporated Into the Output Matching Network. *Donahue, D.T.*, +, *TCSI Dec. 2020 5113-5124*

Transmission lines

An Integrated, Software-Defined FDD Transceiver: Distributed Duplexing Theory and Operation. *Tapen, T.*, +, *TCSI Jan. 2020 271-283*

Design of a 77-GHz LC-VCO With a Slow-Wave Coplanar Stripline-Based Inductor. *Sharma, E.*, +, *TCSI Feb. 2020 378-388*

Unloaded Quality Factor of Transmission Line Resonators With Capacitors. *Zakharov, A.*, +, *TCSI July 2020 2204-2215*

Transmitters

An Agile LUT-Based All-Digital Transmitter. *Yang, J.*, +, *TCSI Dec. 2020 5550-5560*

Data-Dependent Selection of Amplitude and Phase Equalization in a Quarter-Rate Transmitter for Memory Interfaces. *Chae, J.*, +, *TCSI Sept. 2020 2972-2983*

Low-Power Wireless Transceiver With 67-nW Differential Pulse-Position Modulation Transmitter. *Pulkkinen, M.*, +, *TCSI Dec. 2020 5468-5481*

Transmitting antennas

An Integrated, Software-Defined FDD Transceiver: Distributed Duplexing Theory and Operation. *Tapen, T.*, +, *TCSI Jan. 2020 271-283*

Efficient Successive Over Relaxation Detectors for Massive MIMO. *Yu, A.*, +, *TCSI June 2020 2128-2139*

Power Scalable Beam-Oriented Digital Predistortion for Compact Hybrid Massive MIMO Transmitters. *Liu, X.*, +, *TCSI Dec. 2020 4994-5006*

Trees (mathematics)

Distributed Consensus of Layered Multi-Agent Systems Subject to Attacks on Edges. *Wen, G.*, +, *TCSI Sept. 2020 3152-3162*

Trigger circuits

A Clockless Temperature-Compensated Nanowatt Analog Front-End for Wake-Up Radios Based on a Band-Pass Envelope Detector. *Elgani, A.M.*, +, *TCSI Aug. 2020 2612-2624*

A Flexible 18-Channel Multi-Hit Time-to-Digital Converter for Trigger-Based Data Acquisition Systems. *Chithra, .*, +, *TCSI June 2020 1892-1901*

One-Sided Schmitt-Trigger-Based 9T SRAM Cell for Near-Threshold Operation. *Cho, K.*, +, *TCSI May 2020 1551-1561*

Ultra-Low-Voltage CMOS Crystal Oscillators. *Siniscalchi, M.*, +, *TCSI June 2020 1846-1856*

Tuning

A 0.045- to 2.5-GHz Frequency Synthesizer With TDC-Based AFC and Phase Switching Multi-Modulus Divider. *Hu, A.*, +, *TCSI Dec. 2020 4470-4483*

A 65–81 GHz CMOS Dual-Mode VCO Using High Quality Factor Transformer-Based Inductors. *Basaligheh, A.*, +, *TCSI Dec. 2020 4533-4543*

Design Method for Compact Multifunctional Reconfigurable Filtering Power Divider on a New Tunable Three-Port Multi-Mode Topology. *Zhang, G.*, +, *TCSI Dec. 2020 4580-4592*

Design of a Simultaneous Frequency- and Power-Dividing Ratio-Reconfigurable Quadrature Coupler With Simple Tuning Approach. *Tan, X.*, +, *TCSI Dec. 2020 5510-5519*

Phase Shifter-Relaxed and Control-Relaxed Continuous Steering Multiple Beamforming 4×4 Butler Matrix Phased Array. *Ren, H.*, +, *TCSI Dec. 2020 5031-5039*

Tunneling magnetoresistance

Field-Free 3T2SOT MRAM for Non-Volatile Cache Memories. *Wu, B.*, +, *TCSI Dec. 2020 4660-4669*

Turing machines

Turing Meets Circuit Theory: Not Every Continuous-Time LTI System Can be Simulated on a Digital Computer. *Boche, H.*, +, *TCSI Dec. 2020 5051-5064*

Tutorials

Incremental Delta-Sigma ADCs: A Tutorial Review. *Tan, Z.*, +, *TCSI Dec. 2020 4161-4173*

Two-port networks

Two Reciprocal Power Theorems for Passive Linear Time-Invariant Multiports. *Broyde, F.*, +, *TCSI Jan. 2020 86-97*

U

UHF amplifiers

Wideband 28-nm CMOS Variable-Gain Amplifier. *Asgari, V.*, +, *TCSI Jan. 2020 37-47*

UHF couplers

Miniature Dual-Band Quadrature Coupler With Arbitrary Power Division Ratios Over the Two Bands. *Lin, Y.*, +, *TCSI Feb. 2020 634-646*

UHF filters

Analysis and Design of N-Path Band-Pass Filters With Negative Base Band Resistance. *Zolkov, E.*, +, *TCSI July 2020 2250-2262*

UHF frequency converters

A Wideband Frequency Divider With Programmable Odd/Even Division Factors and Quadrature/Symmetrical Outputs. *Rezaei-Hosseiniabadi, N.*, +, *TCSI June 2020 1857-1866*

UHF integrated circuits

A 1.22 mW 2.4 GHz PLL Using a Single-Ring-Oscillator-Based Integrator With Background Frequency Calibration. *Su, G.*, +, *TCSI July 2020 2169-2179*

A High Efficiency Multi-Mode Outphasing RF Power Amplifier With 31.6 dBm Peak Output Power in 45nm CMOS. *Banerjee, A.*, +, *TCSI March 2020 815-828*

Low-Power All-Digital Multiphase DLL Design Using a Scalable Phase-to-Digital Converter. *Angeli, N.*, +, *TCSI April 2020 1158-1168*

UHF oscillators

A 1.22 mW 2.4 GHz PLL Using a Single-Ring-Oscillator-Based Integrator With Background Frequency Calibration. *Su, G.*, +, *TCSI July 2020 2169-2179*

An Ultra-Low-Power Low-Voltage WuTx With Built-In Analog Sensing for Self-Powered WSN. *Karami, M.A.*, +, *TCSI July 2020 2274-2287*

UHF phase shifters

Low-Power All-Digital Multiphase DLL Design Using a Scalable Phase-to-Digital Converter. *Angeli, N.*, +, *TCSI April 2020 1158-1168*

UHF power amplifiers

A High Efficiency Multi-Mode Outphasing RF Power Amplifier With 31.6 dBm Peak Output Power in 45nm CMOS. *Banerjee, A.*, +, *TCSI March 2020 815-828*

An Ultra-Low-Power Low-Voltage WuTx With Built-In Analog Sensing for Self-Powered WSN. *Karami, M.A.*, +, *TCSI July 2020 2274-2287*

Bandwidth Enhancement of Doherty Power Amplifier Using Modified Load Modulation Network. *Li, M.*, +, *TCSI June 2020 1824-1834*

High-Efficiency Low Voltage Inverse Class-F Power Amplifier Design Based on Harmonic Control Network Analysis. *Ekhteraei, M.*, +, *TCSI March 2020 806-814*

Linearity Enhanced Harmonic-Modulated Impedance Inverter Doherty-Like Power Amplifier. *Zhou, X.Y.*, +, *TCSI June 2020 2029-2041*

Ultra wideband communication

An RF-Energy Harvester and IR-UWB Transmitter for Ultra-Low-Power Battery-Less Biosensors. *Schmickl, S.*, +, *TCSI May 2020 1459-1468*

Uncertain systems

Adaptive Finite-Time Control for High-Order Nonlinear Systems With Multiple Uncertainties and its Application. *Min, H.*, +, *TCSI May 2020 1752-1761*

Decentralized Adaptive Event-Triggered Control for a Class of Uncertain Systems With Deception Attacks and Its Application to Electronic Circuits. *Sun, Y.*, +, *TCSI Dec. 2020 5405-5416*

Distributed Adaptive Observer-Based Control for Output Consensus of Heterogeneous MASs With Input Saturation Constraint. *Lv, Y.*, +, *TCSI March 2020 995-1007*

Finite-Time H_∞ Filtering for State-Dependent Uncertain Systems With Event-Triggered Mechanism and Multiple Attacks. *Liu, J.*, +, *TCSI March 2020 1021-1034*

Memory Output-Feedback Integral Sliding Mode Control for Furuta Pendulum Systems. *Xu, J.*, +, *TCSI June 2020 2042-2052*

Observer-Based Asynchronous Fault Detection for Conic-Type Nonlinear Jumping Systems and its Application to Separately Excited DC Motor. *Cheng, P.*, +, *TCSI March 2020 951-962*

Reduced-Order Observer Based-Fault Estimation for Markovian Jump Systems With Time-Varying Generally Uncertain Transition Rates. *Lu, D.*, +, *TCSI Aug. 2020 2803-2815*

Unified Stability Criteria of Random Nonlinear Time-Varying Impulsive Switched Systems. *Jiao, T.*, +, *TCSI Sept. 2020 3099-3112*

Uncertainty

Advanced Control Strategies for DC-DC Buck Converters With Parametric Uncertainties via Experimental Evaluation. *Yin, Y.*, +, *TCSI Dec. 2020 5257-5267*

Decentralized Adaptive Event-Triggered Control for a Class of Uncertain Systems With Deception Attacks and Its Application to Electronic Circuits. *Sun, Y.*, +, *TCSI Dec. 2020 5405-5416*

V

Varactors

A 65–81 GHz CMOS Dual-Mode VCO Using High Quality Factor Transformer-Based Inductors. *Basaligheh, A.*, +, *TCSI Dec. 2020 4533-4543*

A Millimeter-Wave Reconfigurable On-Chip Coupler With Tunable Power-Dividing Ratios in 0.13- μm BiCMOS Technology. *Yang, Y.*, +, *TCSI May 2020 1516-1526*

Design of a 77-GHz LC-VCO With a Slow-Wave Coplanar Stripline-Based Inductor. *Sharma, E.*, +, *TCSI Feb. 2020 378-388*

Design of a Simultaneous Frequency- and Power-Dividing Ratio-Reconfigurable Quadrature Coupler With Simple Tuning Approach. *Tan, X.*, +, *TCSI Dec. 2020 5510-5519*

Variable structure systems

An Adaptive SOSM Controller Design by Using a Sliding-Mode-Based Filter and its Application to Buck Converter. *Liu, L.*, +, *TCSI July 2020 2409-2418*

Distributed Fixed-Time Triggering-Based Containment Control for Networked Nonlinear Agents Under Directed Graphs. *Xu, T.*, +, *TCSI Oct. 2020 3541-3552*

Fully Distributed Containment Control for Multiple Euler-Lagrange Systems Over Directed Graphs: An Event-Triggered Approach. *Xu, T.*, +, *TCSI June 2020 2078-2090*

Improved Sliding Mode Control With Time Delay Estimation for Motion Tracking of Cell Puncture Mechanism. *Xie, M.*, +, *TCSI Sept. 2020 3199-3210*

Memory Output-Feedback Integral Sliding Mode Control for Furuta Pendulum Systems. *Xu, J.*, +, *TCSI June 2020 2042-2052*

Periodic Event-Triggered Adaptive Control for Attitude Stabilization Under Input Saturation. *Jiang, B.*, +, *TCSI Jan. 2020 249-258*

Vectors

A Semi-Supervised Learning Approach for Identification of Piecewise Affine Systems. *Du, Y.*, +, *TCSI Oct. 2020 3521-3532*

Improving the Performance of Multitask Diffusion APA via Controlled Inter-Cluster Cooperation. *Gogineni, V.C.*, +, *TCSI March 2020 903-912*

Very large scale integration

Beamspace Channel Estimation for Massive MIMO mmWave Systems: Algorithm and VLSI Design. *Mirfarshbafan, S.H.*, +, *TCSI Dec. 2020 5482-5495*

Vibrations

A 580 nW Dual-Input Energy Harvester IC Using Multi-Task MPPT and a Current Boost Converter for Heterogeneous Source Combining. *Chandrarathna, S.C.*, +, *TCSI Dec. 2020 5650-5663*

Active Interface for Piezoelectric Harvesters Based on Multi-Variable Maximum Power Point Tracking. *Costanzo, L.*, +, *TCSI July 2020 2503-2515*

Video coding

3D-HEVC Bipartition Modes Encoder and Decoder Design Targeting High-Resolution Videos. *Sanchez, G.*, +, *TCSI Feb. 2020 415-427*

A Binary Line Buffer Circuit Featuring Lossy Data Compression at Fixed Maximum Data Rate. *Napoli, E.*, +, *TCSI Jan. 2020 121-134*

A High-Throughput Hardware Architecture for AV1 Non-Directional Intra Modes. *Correa, M.M.*, +, *TCSI May 2020 1481-1494*

Deep Neural Network Acceleration Based on Low-Rank Approximated Channel Pruning. *Chen, Z.*, +, *TCSI April 2020 1232-1244*

Generative Multi-Symbol Architecture of the Binary Arithmetic Coder for UHD TV Video Encoders. *Pastuszak, G.*, *TCSI March 2020 891-902*
 Residual Syntax Elements Analysis and Design Targeting High-Throughput HEVC CABAC. *Ramos, F.L.L.*, *TCSI Feb. 2020 475-488*
 Tile Adaptation for Workload Balancing of 3D-HEVC Encoder in Homogeneous Multicore Systems. *Saldanha, M.*, *TCSI May 2020 1704-1714*

Video recording

A Closed-Loop, All-Electronic Pixel-Wise Adaptive Imaging System for High Dynamic Range Videography. *Zhang, J.*, *TCSI June 2020 1803-1814*

Video signal processing

A $4K \times 2K@60$ fps Multifunctional Video Display Processor for High Perceptual Image Quality. *Wang, H.*, *TCSI Feb. 2020 451-463*
 A Binary Line Buffer Circuit Featuring Lossy Data Compression at Fixed Maximum Data Rate. *Napoli, E.*, *TCSI Jan. 2020 121-134*
 FPGA-Based Low-Visibility Enhancement Accelerator for Video Sequence by Adaptive Histogram Equalization With Dynamic Clip-Threshold. *Xu, C.*, *TCSI Nov. 2020 3954-3964*

Visual perception

FPGA-Based Low-Visibility Enhancement Accelerator for Video Sequence by Adaptive Histogram Equalization With Dynamic Clip-Threshold. *Xu, C.*, *TCSI Nov. 2020 3954-3964*

VLSI

Area Efficient VLSI Architectures for Weak Signal Detection in Additive Generalized Cauchy Noise. *Vadali, S.R.K.*, *TCSI June 2020 1962-1975*
 Bootstrapped Driver and the Single-Event-Upset Effect. *Al-Daloo, M.*, *TCSI Oct. 2020 3309-3319*
 Effective Resistance of Finite Two-Dimensional Grids Based on Infinity Mirror Technique. *Bairamkulov, R.*, *TCSI Sept. 2020 3224-3233*
 Fast Sensing-Time and Hardware-Efficient Eigenvalue-Based Blind Spectrum Sensors for Cognitive Radio Network. *Chaurasiya, R.B.*, *TCSI April 2020 1296-1308*
 Framework for Automated Earthquake Event Detection Based on Denoising by Adaptive Filter. *Bose, S.*, *TCSI Sept. 2020 3070-3083*
 High-Speed Area-Efficient VLSI Architecture of Three-Operand Binary Adder. *Panda, A.K.*, *TCSI Nov. 2020 3944-3953*

Voice activity detection

Low-Energy Voice Activity Detection via Energy-Quality Scaling From Data Conversion to Machine Learning. *Teo, J.H.*, *TCSI April 2020 1378-1388*

Voltage control

A Class-D FVF LDO With Multi-Level PWM Gate Control, 280-ns Settling Time, and No Overshoot/Undershoot. *Elhebeary, M.*, *TCSI Dec. 2020 5600-5610*
 A Framework of L-HC and AM-MKF for Accurate Harmonic Supportive Control Schemes. *Kumar, N.*, *TCSI Dec. 2020 5246-5256*
 A Low-Profile High-Efficiency Fast Battery Charger With Unifiable Constant-Current and Constant-Voltage Regulation. *Qu, Y.*, *TCSI Nov. 2020 4099-4109*
 A Neural Network Assistance AMPPT Solar Energy Harvesting System With 89.39% Efficiency and 0.01–0.5% Tracking Errors. *Wang, Y.*, *TCSI Sept. 2020 2960-2971*
 Advanced Control Strategies for DC–DC Buck Converters With Parametric Uncertainties via Experimental Evaluation. *Yin, Y.*, *TCSI Dec. 2020 5257-5267*
 An Adaptive SOSM Controller Design by Using a Sliding-Mode-Based Filter and its Application to Buck Converter. *Liu, L.*, *TCSI July 2020 2409-2418*
 An Error Amplifier With a Low Power Multi-Mode Voltage Clamper for Transient Enhancement and High Reliability. *Zhou, Z.*, *TCSI Nov. 2020 4075-4084*
 Analysis and Design of Integrated Voltage Regulators for Supply Noise Rejection During System-Level ESD. *Xiu, Y.*, *TCSI Dec. 2020 4199-4210*
 CMOS High-Efficiency Wireless Battery Charging System With Global Power Control Through Backward Data Telemetry for Implantable Medical Devices. *Wu, C.*, *TCSI Dec. 2020 5624-5635*
 Low-Power All-Digital Multiphase DLL Design Using a Scalable Phase-to-Digital Converter. *Angeli, N.*, *TCSI April 2020 1158-1168*

Voltage dividers

A 0.5-V Supply, 36 nW Bandgap Reference With 42 ppm/°C Average Temperature Coefficient Within -40 °C to 120 °C. *Chi-Wa, U.*, *TCSI Nov. 2020 3656-3669*

Voltage measurement

Power Amplifier With Load Impedance Sensing Incorporated Into the Output Matching Network. *Donahue, D.T.*, *TCSI Dec. 2020 5113-5124*
 Switched-Capacitor-Assisted Power Gating for Ultra-Low Standby Power in CMOS Digital ICs. *Sankar, S.*, *TCSI Dec. 2020 4281-4294*
 Variability-Aware Modeling of Filamentary Oxide-Based Bipolar Resistive Switching Cells Using SPICE Level Compact Models. *Bengel, C.*, *TCSI Dec. 2020 4618-4630*

Voltage multipliers

Comprehensive Conception of High Step-Up DC–DC Converters With Coupled Inductor and Voltage Multipliers Techniques. *Schmitz, L.*, *TCSI June 2020 2140-2151*

Voltage regulators

A 92%-Efficiency Battery Powered Hybrid DC-DC Converter for IoT Applications. *Elhebeary, M.*, *TCSI Oct. 2020 3342-3351*
 A Distributed Power Delivery Grid Based on Analog-Assisted Digital LDOs With Cooperative Regulation and IR-Drop Reduction. *Lu, Y.*, *TCSI Aug. 2020 2859-2871*
 A Fully Integrated High-Power-Supply-Rejection Linear Regulator With an Output-Supplied Voltage Reference. *Chen, Y.*, *TCSI Nov. 2020 3828-3838*
 A Low-Profile High-Efficiency Fast Battery Charger With Unifiable Constant-Current and Constant-Voltage Regulation. *Qu, Y.*, *TCSI Nov. 2020 4099-4109*
 A Transient-Enhanced Output-Capacitorless LDO With Fast Local Loop and Overshoot Detection. *Liu, N.*, *TCSI Oct. 2020 3422-3432*
 An NMOS Digital LDO With NAND-Based Analog-Assisted Loop in 28-nm CMOS. *Ma, X.*, *TCSI Nov. 2020 4041-4052*
 Analysis and Design Method of Multiple-Output Switched-Capacitor Voltage Regulators With a Reduced Number of Power Electronic Components. *Hong, W.*, *TCSI Sept. 2020 3234-3247*
 Clock-Voltage Co-Regulator With Adaptive Power Budget Tracking for Robust Near-Threshold-Voltage Sequential Logic Circuits. *Nguyen, B.*, *TCSI Feb. 2020 622-633*
 On-Chip Solar Energy Harvester and PMU With Cold Start-Up and Regulated Output Voltage for Biomedical Applications. *Cabello, D.*, *TCSI April 2020 1103-1114*

Voltage-controlled oscillators

76-dB DR, 48 fJ/Step Second-Order VCO-Based Current-to-Digital Converter. *Jayaraj, A.*, *TCSI April 2020 1149-1157*
 A 0.045- to 2.5-GHz Frequency Synthesizer With TDC-Based AFC and Phase Switching Multi-Modulus Divider. *Hu, A.*, *TCSI Dec. 2020 4470-4483*
 A 3.3-mW 25.2-to-29.4-GHz Current-Reuse VCO Using a Single-Turn Multi-Tap Inductor and Differential-Only Switched-Capacitor Arrays With a 187.6-dBc/Hz FOM. *Huang, Y.*, *TCSI Nov. 2020 3704-3717*
 A 65–81 GHz CMOS Dual-Mode VCO Using High Quality Factor Transformer-Based Inductors. *Basaligheh, A.*, *TCSI Dec. 2020 4533-4543*
 A Low Noise Fault Tolerant Radiation Hardened 2.56 Gbps Clock-Data Recovery Circuit With High Speed Feed Forward Correction in 65 nm CMOS. *Biereigel, S.*, *TCSI May 2020 1438-1446*
 A Neural Network Assistance AMPPT Solar Energy Harvesting System With 89.39% Efficiency and 0.01–0.5% Tracking Errors. *Wang, Y.*, *TCSI Sept. 2020 2960-2971*
 Design of a 4.2-to-5.1 GHz Ultralow-Power Complementary Class-B/C Hybrid-Mode VCO in 65-nm CMOS Fully Supported by EDA Tools. *Martins, R.*, *TCSI Nov. 2020 3965-3977*
 Design of a 77-GHz LC-VCO With a Slow-Wave Coplanar Stripline-Based Inductor. *Sharma, E.*, *TCSI Feb. 2020 378-388*
 Design of a High Temperature 2.37 GHz Voltage-Controlled Oscillator With GaN-on-SiC HEMTs. *Turner, N.*, *TCSI Dec. 2020 5153-5161*
 Enhanced Linearity in FD-SOI CMOS Body-Input Analog Circuits – Application to Voltage-Controlled Ring Oscillators and Frequency-Based $\Sigma\Delta$ ADCs. *Ahmadi-Farsani, J.*, *TCSI Oct. 2020 3297-3308*

- Low $1/f^3$ Noise Corner LC-VCO Design Using Flicker Noise Filtering Technique in 22nm FD-SOI. *Zong, Z.*, +, *TCSI May 2020 1469-1480*
- Utilization of Multi-Resonant Defected Ground Structure Resonators in the Oscillator Feedback for Phase Noise Reduction of K-Band VCOs in 0.18- μm CMOS Technology. *Jahan, N.*, +, *TCSI April 2020 1115-1125*
- Zero-Crossing-Time-Difference Model for Stability Analysis of VCO-Based OTAs. *Kalani, S.*, +, *TCSI March 2020 839-851*

W

Waveform generators

- A 77-GHz Mixed-Mode FMCW Generator Based on a Vernier TDC With Dual Rising-Edge Fractional-Phase Detector. *Wu, J.*, +, *TCSI Jan. 2020 60-73*

White noise

- An Architecture for Real-Time Arbitrary and Variable Sampling Rate Conversion With Application to the Processing of Harmonic Signals. *Galindo Guarch, F.J.*, +, *TCSI May 2020 1653-1666*

Wide band gap semiconductors

- Bandwidth Enhancement of Doherty Power Amplifier Using Modified Load Modulation Network. *Li, M.*, +, *TCSI June 2020 1824-1834*
- Linearity Enhanced Harmonic-Modulated Impedance Inverter Doherty-Like Power Amplifier. *Zhou, X.Y.*, +, *TCSI June 2020 2029-2041*

Wideband

- A 22-to-47 GHz 2-Stage LNA With 22.2 dB Peak Gain by Using Coupled L-Type Interstage Matching Inductors. *Wang, K.*, +, *TCSI Dec. 2020 4607-4617*
- A Calibration Technique for Simultaneous Estimation of Actual Sensing Matrix Coefficients on Modulated Wideband Converters. *Byambadorj, Z.*, +, *TCSI Dec. 2020 5561-5573*
- A High-Voltage UWB Pulse Generator Using Passive Amplification in 65-nm CMOS. *Gao, S.*, +, *TCSI Dec. 2020 5530-5539*
- A Spectral-Correlation-Based Blind Calibration Method for Time-Interleaved ADCs. *Niu, H.*, +, *TCSI Dec. 2020 5007-5017*
- Cell Weighting and Gate Inductive Peaking Techniques for Wideband Noise Suppression in Distributed Amplifiers. *Mesgari, B.*, +, *TCSI Dec. 2020 4507-4520*
- Design of a Wideband Variable-Gain Amplifier With Self-Compensated Transistor for Accurate dB-Linear Characteristic in 65 nm CMOS Technology. *Kong, L.*, +, *TCSI Dec. 2020 4187-4198*
- Efficient Offline Outer/Inner DAC Mismatch Calibration in Wideband $\Delta\Sigma$ ADCs. *Liu, H.*, +, *TCSI Dec. 2020 4259-4269*

Wideband amplifiers

- 120-GHz 8-Stage Broadband Amplifier With Quantitative Stagger Tuning Technique. *Jang, T.H.*, +, *TCSI March 2020 785-796*
- A High Efficiency Multi-Mode Outphasing RF Power Amplifier With 31.6 dBm Peak Output Power in 45nm CMOS. *Banerjee, A.*, +, *TCSI March 2020 815-828*
- InP DHBT Single-Stage and Multiplicative Distributed Amplifiers for Ultra- Wideband Amplification. *Odedeyi, T.*, +, *TCSI Nov. 2020 3804-3814*
- Wideband 28-nm CMOS Variable-Gain Amplifier. *Asgari, V.*, +, *TCSI Jan. 2020 37-47*
- Wideband Class- F^{-1} Power Amplifier With Dual-/Quad-Mode Bandpass Response. *Zhou, L.*, +, *TCSI July 2020 2239-2249*

Windings

- Galvanically Isolated DC-DC Converter Using a Single Isolation Transformer for Multi-Channel Communication. *Parisi, A.*, +, *TCSI Dec. 2020 4434-4444*
- Power Inductors Behavioral Modeling Revisited. *Stoyka, K.*, +, *TCSI Dec. 2020 5636-5649*

Wireless channels

- A Hybrid 3D Interconnect With 2x Bandwidth Density Employing Orthogonal Simultaneous Bidirectional Signaling for 3D NoC. *Gopal, S.*, +, *TCSI Nov. 2020 3919-3932*
- A Novel Physical Layer Authentication With PAPR Reduction Based on Channel and Hardware Frequency Responses. *Ramabadran, P.*, +, *TCSI Feb. 2020 526-539*
- An Efficient Sinusoid-Like Pseudo Random Sequence Modulator/Demodulator System With Reduced Adjacent Channel Leakage and High Rejection to Random and Systematic Interference. *Shao, J.*, +, *TCSI Nov. 2020 3790-3803*

- Angular-Domain Massive MIMO Detection: Algorithm, Implementation, and Design Tradeoffs. *Mahdavi, M.*, +, *TCSI June 2020 1948-1961*
- Efficient Successive Over Relaxation Detectors for Massive MIMO. *Yu, A.*, +, *TCSI June 2020 2128-2139*
- Generic Wireless Power Transfer and Data Communication System Based on a Novel Modulation Technique. *Trigui, A.*, +, *TCSI Nov. 2020 3978-3990*

Wireless communication

- A Low-Complexity 6DOF Magnetic Tracking System Based on Pre-Computed Data Sets for Wearable Applications. *Guzman, D.A.F.*, +, *TCSI Dec. 2020 5065-5078*
- A Low-Power Signal-Dependent Sampling Technique: Analysis, Implementation, and Applications. *Hafshejani, E.H.*, +, *TCSI Dec. 2020 4334-4347*
- CMOS High-Efficiency Wireless Battery Charging System With Global Power Control Through Backward Data Telemetry for Implantable Medical Devices. *Wu, C.*, +, *TCSI Dec. 2020 5624-5635*
- Efficient Offline Outer/Inner DAC Mismatch Calibration in Wideband $\Delta\Sigma$ ADCs. *Liu, H.*, +, *TCSI Dec. 2020 4259-4269*
- Low-Power Wireless Transceiver With 67-nW Differential Pulse-Position Modulation Transmitter. *Pulkkinen, M.*, +, *TCSI Dec. 2020 5468-5481*

Wireless LAN

- A High Efficiency Multi-Mode Outphasing RF Power Amplifier With 31.6 dBm Peak Output Power in 45nm CMOS. *Banerjee, A.*, +, *TCSI March 2020 815-828*

Wireless sensor networks

- A Low-Power Signal-Dependent Sampling Technique: Analysis, Implementation, and Applications. *Hafshejani, E.H.*, +, *TCSI Dec. 2020 4334-4347*
- ADEPOS: A Novel Approximate Computing Framework for Anomaly Detection Systems and its Implementation in 65-nm CMOS. *Bose, S.K.*, +, *TCSI March 2020 913-926*
- An Ultra-Low-Power Low-Voltage WuTx With Built-In Analog Sensing for Self-Powered WSN. *Karami, M.A.*, +, *TCSI July 2020 2274-2287*
- Low-Power Receivers for Wireless Capacitive Coupling Transmission in 3-D-Integrated Massively Parallel CMOS Imager. *Blakiewicz, G.*, +, *TCSI Aug. 2020 2556-2565*
- On-Chip Solar Energy Harvester and PMU With Cold Start-Up and Regulated Output Voltage for Biomedical Applications. *Cabello, D.*, +, *TCSI April 2020 1103-1114*

Wires

- A Systematic Approach for Arbitration Expressions. *Bingham, N.*, +, *TCSI Dec. 2020 4960-4969*

Writing

- Interleaved Write Scheme for Improving Sequential Write Throughput of Multi-Chip MLC NAND Flash Memory Systems. *Hong, H.*, +, *TCSI Dec. 2020 4946-4959*

Z

Zero current switching

- On the Coexistence of Multiple Limit Cycles in H-Bridge Wireless Power Transfer Systems With Zero Current Switching Control. *El Aroudi, A.*, +, *TCSI May 2020 1729-1739*
- Single-Stage Three-Phase AC-DC Resonant Switched Capacitor LED Driver Without Electrolytic Capacitor and Reduced Number of Controlled Switches. *Miranda, P.H.A.*, +, *TCSI Dec. 2020 5675-5686*

Zero voltage switching

- Analysis and Design of a New Current-Source Output Load Resonant Converter With High Capability in Line and Load Regulation. *Khoshsaadat, A.*, +, *TCSI Aug. 2020 2849-2858*
- Load Effect Analysis and Maximum Power Transfer Tracking of CPT System. *Mostafa, T.M.*, +, *TCSI Aug. 2020 2836-2848*
- Sampled-Data Modeling for PCM and ZVS Controlled Critical Conduction Mode (CrCM) Active Clamp Flyback (ACF) Converter at Variable Switching Frequency. *Xu, S.*, +, *TCSI Oct. 2020 3588-3600*