

IEEE

SIGNAL PROCESSING LETTERS

A PUBLICATION OF THE IEEE SIGNAL PROCESSING SOCIETY



www.ieee.org/sp/index.html

2021

VOLUME 28

ISPLEM

(ISSN 1070-9908)

LETTERS

| | | |
|--|--|----|
| Robust Downlink Transmit Optimization Under Quantized Channel Feedback via the Strong Duality for QCQP | <i>X. Lin, Y. Huang, and W.-K. Ma</i> | 1 |
| Meta-MSNet: Meta-Learning Based Multi-Source Data Fusion for Traffic Flow Prediction | <i>S. Fang, X. Pan, S. Xiang, and C. Pan</i> | 6 |
| Linguistic Steganography: From Symbolic Space to Semantic Space | <i>S. Zhang, Z. Yang, J. Yang, and Y. Huang</i> | 11 |
| Direction-of-Arrival Estimation Through Exact Continuous $l_{2,0}$ -Norm Relaxation | <i>E. Soubies, A. Chinatto, P. Larzabal, J. M. T. Romano, and L. Blanc-Féraud</i> | 16 |
| Signal Lag Measurements Based on Temporal Correlations | <i>D. S. Kim and E. Lee</i> | 21 |
| SAGRNN: Self-Attentive Gated RNN For Binaural Speaker Separation With Interaural Cue Preservation | <i>K. Tan, B. Xu, A. Kumar, E. Nachmani, and Y. Adi</i> | 26 |
| Multi-Volumetric Refocusing of Light Fields | <i>S. S. Jayaweera, C. U. S. Edussooriya, C. Wijenayake, P. Agathoklis, and L. T. Bruton</i> | 31 |
| Hole-Free Coprime Array for DOA Estimation: Augmented Uniform Co-Array | <i>P. Ma, J. Li, F. Xu, and X. Zhang</i> | 36 |
| Readout of Energy Pulses on Microwave SQUID Multiplexer: A Sensor Array-Based Approach | <i>J. A. Kunzler, R. P. Lemos, N. Karcher, and O. Sander</i> | 41 |
| Three-Stream Cross-Modal Feature Aggregation Network for Light Field Salient Object Detection | <i>A. Wang</i> | 46 |
| Time Difference of Arrival Estimation Based on a Kronecker Product Decomposition | <i>X. Wang, G. Huang, J. Benesty, J. Chen, and I. Cohen</i> | 51 |
| Compressed Super-Resolution of Positive Sources | <i>M. Ferreira Da Costa and Y. Chi</i> | 56 |
| Category-Aware Aircraft Landmark Detection | <i>Y. Li, Y. Chang, Y. Ye, X. Zou, S. Zhong, and L. Yan</i> | 61 |
| Automatic Classification of Glaucoma Stages Using Two-Dimensional Tensor Empirical Wavelet Transform | <i>D. Parashar and D. K. Agrawal</i> | 66 |
| Multi-Attention Network for Unsupervised Video Object Segmentation | <i>G. Zhang, H.-C. Wong, and S.-L. Lo</i> | 71 |
| Parameter Estimation for Sinusoidal Frequency-Modulated Signals Using Phase Modulation | <i>X. Jiang, S. Wu, Y. Chen, and L. Qiu</i> | 76 |
| Adversarial Unsupervised Domain Adaptation for Harmonic-Percussive Source Separation | <i>C. Lordelo, E. Benetos, S. Dixon, S. Ahlbäck, and P. Ohlsson</i> | 81 |
| Hybrid Cascade Filter With Complementary Features for Visual Tracking | <i>H. Zhu, Y. Han, Y. Wang, and G. Yuan</i> | 86 |
| Multi-Function Radar Signal Sorting Based on Complex Network | <i>K. Chi, J. Shen, Y. Li, Y. Li, and S. Wang</i> | 91 |
| Subspace-Based Learning for Automatic Dysarthric Speech Detection | <i>P. Janbakhshi, I. Kodrasi, and H. Bourlard</i> | 96 |

(Contents Continued on Page ii)

| | |
|--|-----|
| Robust Dereverberation With Kronecker Product Based Multichannel Linear Prediction | 101 |
| Local Graph Clustering With Network Lasso | 106 |
| A Two-Stage Maximum a Posterior Probability Method for Blind Identification of LDPC Codes | 111 |
| Rapid Robust Principal Component Analysis: CUR Accelerated Inexact Low Rank Estimation | 116 |
| Non-Autoregressive Transformer for Speech Recognition | 121 |
| Total Variation Constrained Graph-Regularized Convex Non-Negative Matrix Factorization for Data Representation | 126 |
| On the Identifiability of Sparse Vectors From Modulo Compressed Sensing Measurements | 131 |
| Graph-Theoretic Properties of Sub-Graph Entropy | 135 |
| On a Particular Family of Differential Beamformers With Cardioid-Like and No-Null Patterns | 140 |
| Learning Unsupervised and Supervised Representations via General Covariance | 145 |
| A Novel H_2 Approach to FIR Prediction Under Disturbances and Measurement Errors | 150 |
| Data-Driven Parameter Choice for Illumination Artifact Correction of Digital Images | 155 |
| Contrast Enhancement of Multiple Tissues in MR Brain Images With Reversibility | 160 |
| Robust Kernel Correlation Based Bi-Channel Signal Detection With Correlated Non-Gaussian Noise | 165 |
| Predicting Spatio-Temporal Entropic Differences for Robust No Reference Video Quality Assessment | 170 |
| Bayesian Post-Model-Selection Estimation | 175 |
| Two-Stream Encoder GAN With Progressive Training for Co-Saliency Detection | 180 |
| The Property of Frequency Shift in 2D-FRFT Domain With Application to Image Encryption | 185 |
| Face Image Inpainting With Evolutionary Generators | 190 |
| An Integral-Based Approach to Orthogonal AMP | 194 |
| Attenuation Coefficient Guided Two-Stage Network for Underwater Image Restoration | 199 |
| Semantic Information Oriented No-Reference Video Quality Assessment | 204 |
| LFNet: Local Rotation Invariant Coordinate Frame for Robust Point Cloud Analysis | 209 |
| Fast Variational Bayesian Inference for Temporally Correlated Sparse Signal Recovery | 214 |
| Adaptive Spatiotemporal Graph Convolutional Networks for Motor Imagery Classification | 219 |
| Utterance Verification-Based Dysarthric Speech Intelligibility Assessment Using Phonetic Posterior Features | 224 |
| Finite-Length Bounds on Hypothesis Testing Subject to Vanishing Type I Error Restrictions | 229 |
| EACNet: Enhanced Asymmetric Convolution for Real-Time Semantic Segmentation | 234 |
| GraphTTE: Travel Time Estimation Based on Attention-Spatiotemporal Graphs | 239 |
| Spatial Temporal Graph Deconvolutional Network for Skeleton-Based Human Action Recognition | 244 |
| Consensus-Based Distributed Computation of Link-Based Network Metrics | 249 |

| | | |
|---|--|-----|
| Vector-to-Vector Regression via Distributional Loss for Speech Enhancement | <i>S. M. Siniscalchi</i> | 254 |
| Support Vector Machine-Based Blind Equalization for High-Order QAM With Short Data Length | <i>X. Liu, Y. L. Guan, and Q. Xu</i> | 259 |
| Dark-Aware Network For Fine-Grained Sketch-Based Image Retrieval | <i>Z. Yang, X. Zhu, J. Qian, and P. Liu</i> | 264 |
| Risk-Aware Multi-Armed Bandits With Refined Upper Confidence Bounds | <i>X. Liu, M. Derakhshani, S. Lambotharan, and M. van der Schaar</i> | 269 |
| DOA Refinement Through Complex Parabolic Interpolation of a Sparse Recovered Signal | <i>L. Pallotta, G. Giunta, and A. Farina</i> | 274 |
| Template Enhancement and Mask Generation for Siamese Tracking | <i>X. Ke, Y. Li, Y. Ye, and W. Guo</i> | 279 |
| Randomized Subspace Newton Convex Method Applied to Data-Driven Sensor Selection Problem | <i>T. Nonomura, S. Ono, K. Nakai, and Y. Saito</i> | 284 |
| Reconstruction of Periodic Signals From Asynchronous Trains of Samples | <i>M. W. Rupniewski</i> | 289 |
| Online EM-Based Ensemble Classification With Correlated Agents | <i>E. Efendi and B. Dulek</i> | 294 |
| A Clustering-Based Approach for Designing Low Complexity FIR Filters | <i>M. H. Nassralla, N. Akl, and Z. Dawy</i> | 299 |
| Sifting Convolution on the Sphere | <i>P. J. Roddy and J. D. McEwen</i> | 304 |
| A Maximum-Likelihood TDOA Localization Algorithm Using Difference-of-Convex Programming | <i>X. Ma, T. Ballal, H. Chen, O. Aldayel, and T. Y. Al-Naffouri</i> | 309 |
| Hypersphere Fitting From Noisy Data Using an EM Algorithm | <i>J. Lesouple, B. Pilastre, Y. Altmann, and J.-Y. Tournet</i> | 314 |
| Multiple Target Tracking With Unresolved Measurements | <i>R. B. Angle, R. L. Streit, and M. Efe</i> | 319 |
| Entropy Optimized Deep Feature Compression | <i>B. Niu, X. Cao, Z. Wei, and Y. He</i> | 324 |
| Energy-Efficient Distributed Learning With Coarsely Quantized Signals | <i>A. Danaee, R. C. de Lamare, and V. H. Nascimento</i> | 329 |
| Distortion-Aware Monocular Depth Estimation for Omnidirectional Images | <i>H.-X. Chen, K. Li, Z. Fu, M. Liu, Z. Chen, and Y. Guo</i> | 334 |
| Feasibility of Joint Power Optimization of Multiple Source-Destinations in an AF Relay Network | <i>A. Bahmani and M. Biguesh (Bighesh)</i> | 339 |
| Pruning by Training: A Novel Deep Neural Network Compression Framework for Image Processing | <i>G. Tian, J. Chen, X. Zeng, and Y. Liu</i> | 344 |
| Robust Minimum Error Entropy Based Cubature Information Filter With Non-Gaussian Measurement Noise | <i>M. Li, Z. Jing, and H. Leung</i> | 349 |
| MIND-Net: A Deep Mutual Information Distillation Network for Realistic Low-Resolution Face Recognition | <i>C.-Y. Low, A. B.-J. Teoh, and J. Park</i> | 354 |
| New Mutually Orthogonal Complementary Sets With Non-Power-of-Two Lengths | <i>L. Tian, X. Lu, C. Xu, and Y. Li</i> | 359 |
| Vocal Tract Length Perturbation for Text-Dependent Speaker Verification With Autoregressive Prediction Coding | <i>A. kr. Sarkar and Z.-H. Tan</i> | 364 |
| Ray-Space-Based Multichannel Nonnegative Matrix Factorization for Audio Source Separation | <i>M. Pezzoli, J. J. Carabias-Orti, M. Cobos, F. Antonacci, and A. Sarti</i> | 369 |
| PSF Estimation in Crowded Astronomical Imagery as a Convolutional Dictionary Learning Problem | <i>B. Wohlberg and P. Wozniak</i> | 374 |
| Unsupervised Person Re-Identification Based on Measurement Axis | <i>J. Li, D. Cheng, R. Liu, Q. Kou, and K. Zhao</i> | 379 |
| Efficient Synthesis of Filter-and-Sum Array With Scanned Wideband Frequency-Invariant Beam Pattern and Space-Frequency Notching | <i>L. Chen, Y. Liu, S. Yang, and Y. J. Guo</i> | 384 |
| The NLMS Is Steady-State Schur-Convex | <i>A. Ali, M. Moinuddin, and T. Y. Al-Naffouri</i> | 389 |
| Multiscale Optimal Filtering on the Sphere | <i>A. Aslam, Z. Khalid, and J. D. McEwen</i> | 394 |
| Blind Signal Dereverberation Based on Mixture of Weighted Prediction Error Models | <i>R. Ikeshita, N. Kamo, and T. Nakatani</i> | 399 |
| Online Construction of Variable Span Linear Filters Using a Fixed-Point Approach | <i>H. Cai, Y. Zhao, J. Chen, W. Chen, and M. Kaloorazi</i> | 404 |
| Linguistic Generative Steganography With Enhanced Cognitive-Imperceptibility | <i>Z. Yang, L. Xiang, S. Zhang, X. Sun, and Y. Huang</i> | 409 |
| Maximum-Likelihood, Magnitude-Based, Amplitude and Noise Variance Estimation | <i>M.-W. Wu, Y. Jin, Y. Li, T. Song, and P.-Y. Kam</i> | 414 |
| Recurrent Context Aggregation Network for Single Image Dehazing | <i>C. Wang, R. Chen, Y. Lu, Y. Yan, and H. Wang</i> | 419 |
| Channel and Space Attention Neural Network for Image Denoising | <i>Y. Wang, X. Song, and K. Chen</i> | 424 |

| | | |
|---|--|-----|
| A Low-Complexity Linear-Phase Graphic Audio Equalizer Based on IFIR Filters | <i>V. Bruschi, S. Nobili, A. Terenzi, and S. Cecchi</i> | 429 |
| A Multi-Task CNN for Maritime Target Detection | <i>Z. Liu, M. Waqas, J. Yang, A. Rashid, and Z. Han</i> | 434 |
| A Scheme of Polarimetric Superresolution for Multitarget Detection and Localization | <i>S. L. Wang, Z. Xu, W. Dong, and G. Wang</i> | 439 |
| An Improved MSR-Based Data-Driven Detection Method Using Smoothing Pre-Processing | <i>Y. Yan, G. Wu, Y. Dong, and Y. Bai</i> | 444 |
| Discriminative Ensemble Loss for Deep Neural Network on Classification of Ship-Radiated Noise | <i>L. He, X. Shen, M. Zhang, and H. Wang</i> | 449 |
| Multi-Label Classification of Fundus Images With Graph Convolutional Network and Self-Supervised Learning | <i>J. Lin, Q. Cai, and M. Lin</i> | 454 |
| A Tibetan Language Model That Considers the Relationship Between Suffixes and Functional Words | <i>K. Khysru, D. Jin, Y. Huang, H. Feng, and J. Dang</i> | 459 |
| CNN Prediction Based Reversible Data Hiding | <i>R. Hu and S. Xiang</i> | 464 |
| Spectral Domain Spline Graph Filter Bank | <i>A. Miraki, H. Saeedi-Sourck, N. Marchetti, and A. Farhang</i> | 469 |
| Semi-Blind Source Separation for Nonlinear Acoustic Echo Cancellation | <i>G. Cheng, L. Liao, H. Chen, and J. Lu</i> | 474 |
| High-Resolution Time Delay Estimation Algorithms Through Cross-Correlation Post-Processing | <i>Q. Song and X. Ma</i> | 479 |
| Spike-Event-Driven Deep Spiking Neural Network With Temporal Encoding | <i>Z. Zhang and Q. Liu</i> | 484 |
| Deep Adversarial Network for Scene Independent Moving Object Segmentation | <i>P. W. Patil, A. Dudhane, S. Murala, and A. B. Gonde</i> | 489 |
| On Stability and Convergence of Distributed Filters | <i>S. P. Talebi, S. Werner, V. Gupta, and Y.-F. Huang</i> | 494 |
| Two Points Interpolated DFT Algorithm for Accurate Estimation of Damping Factor and Frequency | <i>K. Wang, H. Wen, L. Xu, and L. Wang</i> | 499 |
| POLO: Learning Explicit Cross-Modality Fusion for Temporal Action Localization | <i>B. Wang, L. Yang, and Y. Zhao</i> | 503 |
| Object Detection in Hyperspectral Images | <i>L. Yan, M. Zhao, X. Wang, Y. Zhang, and J. Chen</i> | 508 |
| TRICE: A Channel Estimation Framework for RIS-Aided Millimeter-Wave MIMO Systems | <i>K. Ardah, S. Gherekhloo, A. L. F. de Almeida, and M. Haardt</i> | 513 |
| Unsupervised Discriminative Deep Hashing With Locality and Globality Preservation | <i>Z. Ni, Z. Ji, L. Lan, Y.-H. Yuan, and X. Shen</i> | 518 |
| Generating Out of Distribution Adversarial Attack Using Latent Space Poisoning | <i>U. Upadhyay and P. Mukherjee</i> | 523 |
| Lightweight 2D Imaging for Integrated Imaging and Communication Applications | <i>X. Li and Y. Chen</i> | 528 |
| Multi-Modal Emotion Recognition by Fusing Correlation Features of Speech-Visual | <i>C. Guanghui and Z. Xiaoping</i> | 533 |
| Variational Measurement Update for Extended Object Tracking Using Gaussian Processes | <i>M. Kumru, H. Köksal, and E. Özkan</i> | 538 |
| On the Performance of the SPICE Method | <i>H. Qiao</i> | 543 |
| Coarray Interpolation for DOA Estimation Using Coprime EMVS Array | <i>M. Fu, Z. Zheng, W.-Q. Wang, and H. C. So</i> | 548 |
| Inversion Based on a Detached Dual-Channel Domain Method for StyleGAN2 Embedding | <i>N. Yang, M. C. Zhou, B. Xia, X. Guo, and L. Qi</i> | 553 |
| Linguistic Steganalysis With Graph Neural Networks | <i>H. Wu, B. Yi, F. Ding, G. Feng, and X. Zhang</i> | 558 |
| A New Method to Design Steerable First-Order Differential Beamformers | <i>X. Leng, J. Chen, and J. Benesty</i> | 563 |
| Generalizable Seizure Detection Model Using Generating Transferable Adversarial Features | <i>S. Nasiri and G. D. Clifford</i> | 568 |
| Multi-Dimensional Edge Features Graph Neural Network on Few-Shot Image Classification | <i>C. Xiong, W. Li, Y. Liu, and M. Wang</i> | 573 |
| Semidefinite Programming Two-Way TOA Localization for User Devices With Motion and Clock Drift | <i>S. Zhao, X.-P. Zhang, X. Cui, and M. Lu</i> | 578 |
| Blind Two-Dimensional Super-Resolution in Multiple-Input Single-Output Linear Systems | <i>S. Sayyari, S. Daei, and F. Haddadi</i> | 583 |
| Distortion Reduction in Fractional Delay Filters | <i>Z. Zhou, Y. Yang, M. Ma, and B. Jiao</i> | 588 |
| Fast Adaptive Active Noise Control Based on Modified Model-Agnostic Meta-Learning Algorithm | <i>D. Shi, W.-S. Gan, B. Lam, and K. Ooi</i> | 593 |
| Improved Clock Parameters Tracking and Ranging Method Based on Two-Way Timing Stamps Exchange Mechanism | <i>X. Gu, J. Li, G. Zhou, and S. Xie</i> | 598 |

| | | |
|---|--|-----|
| Minimum Gaussian Entropy Based Distortionless Adaptive Beamforming Algorithms | <i>G. Xia, W. Xia, and H. Yu</i> | 603 |
| Multimodal Embeddings From Language Models for Emotion Recognition in the Wild | <i>S.-Y. Tseng, S. Narayanan, and P. Georgiou</i> | 608 |
| Deep Bilateral Learning for Stereo Image Super-Resolution | <i>Q. Xu, L. Wang, Y. Wang, W. Sheng, and X. Deng</i> | 613 |
| Power Exponent Based Weighting Criterion for DNN-Based Mask Approximation in Speech Enhancement | <i>Z. Cui and C. Bao</i> | 618 |
| Boosting in Univariate Nonparametric Maximum Likelihood Estimation | <i>Y. P. Li and Z. H. Ye</i> | 623 |
| An Adaptive All-Pass Filter for Time-Varying Delay Estimation | <i>B. Jelfs, S. Sun, K. Ghorbani, and C. Gilliam</i> | 628 |
| Adaptive Detection of Dim Maneuvering Targets in Adjacent Range Cells | <i>S. Yan, P. Addabbo, C. Hao, and D. Orlando</i> | 633 |
| Adv-Depth: Self-Supervised Monocular Depth Estimation With an Adversarial Loss | <i>K. Li, Z. Fu, H. Wang, Z. Chen, and Y. Guo</i> | 638 |
| Fine-Grained Image-Text Retrieval via Discriminative Latent Space Learning | <i>M. Zheng, W. Wang, and Q. Li</i> | 643 |
| Expectation-Maximization-Aided Hybrid Generalized Expectation Consistent for Sparse Signal Reconstruction | <i>Q. Zou, H. Zhang, and H. Yang</i> | 648 |
| Strong but Simple Baseline With Dual-Granularity Triplet Loss for Visible-Thermal Person Re-Identification | <i>H. Liu, Y. Chai, X. Tan, D. Li, and X. Zhou</i> | 653 |
| Non-Local Aggregation for RGB-D Semantic Segmentation | <i>G. Zhang, J.-H. Xue, P. Xie, S. Yang, and G. Wang</i> | 658 |
| Graph Attention Networks Adjusted Bi-LSTM for Video Summarization | <i>R. Zhong, R. Wang, Y. Zou, Z. Hong, and M. Hu</i> | 663 |
| Exploring the Prediction Consistency of Multiple Views for Transductive Visual Recognition | <i>C. Zhang and D.-H. Wang</i> | 668 |
| A Costas-Based Waveform for Local Range-Doppler Sidelobe Level Reduction | <i>N. Neuberger and R. Vehmas</i> | 673 |
| Monocular Depth Estimation With Multi-Scale Feature Fusion | <i>X. Xu, Z. Chen, and F. Yin</i> | 678 |
| Quickest Detection of COVID-19 Pandemic Onset | <i>P. Braca, D. Gaglione, S. Marano, L. M. Millefiori, P. Willett, and K. R. Pattipati</i> | 683 |
| Maximum Likelihood Sensor Array Calibration Using Non-Approximate Hessian Matrix | <i>S. Song, X. Ma, W. Sheng, and R. Zhang</i> | 688 |
| The Hilbert Transform of B-Spline Wavelets | <i>B. Yu and X. Yang</i> | 693 |
| A Two-Stage Spatiotemporal Attention Convolution Network for Continuous Dimensional Emotion Recognition From Facial Video | <i>M. Hu, Q. Chu, X. Wang, L. He, and F. Ren</i> | 698 |
| LET-Decoder: A WFST-Based Lazy-Evaluation Token-Group Decoder With Exact Lattice Generation | <i>H. Lv, D. Povey, M. Yarmohammadi, K. Li, Y. Wang, L. Xie, and S. Khudanpur</i> | 703 |
| Self-Supervised Learning of Audio Representations From Permutations With Differentiable Ranking | <i>A. N. Carr, Q. Berthet, M. Blondel, O. Teboul, and N. Zeghidour</i> | 708 |
| Hamiltonian Adaptive Importance Sampling | <i>A. Mousavi, R. Monsefi, and V. Elvira</i> | 713 |
| Mixup Asymmetric Tri-Training for Heartbeat Classification Under Domain Shift | <i>J. Li, G. Wang, M. Chen, Z. Ding, and H. Yang</i> | 718 |
| Decentralized TD(0) With Gradient Tracking | <i>Q. Lin and Q. Ling</i> | 723 |
| Joint Source-Channel Coding for Semantics-Aware Grant-Free Radio Access in IoT Fog Networks | <i>J. Dommel, Z. Utkovski, O. Simeone, and S. Stańczak</i> | 728 |
| Enriched Music Representations With Multiple Cross-Modal Contrastive Learning | <i>A. Ferraro, X. Favory, K. Drossos, Y. Kim, and D. Bogdanov</i> | 733 |
| Compact and Cancelable Fingerprint Binary Codes Generation via One Permutation Hashing | <i>Y. Li, H. Zhao, Z. Cao, E. Liu, and L. Pang</i> | 738 |
| Part-Relation-Aware Feature Fusion Network for Person Re-Identification | <i>Y. Hou, S. Lian, H. Hu, and D. Chen</i> | 743 |
| An Efficient Quasi-Newton Method for Nonlinear Inverse Problems via Learned Singular Values | <i>D. Smyl, T. N. Tallman, D. Liu, and A. Hauptmann</i> | 748 |
| A Feature Fusion Framework and Its Application to Automatic Seizure Detection | <i>C. Huang, W. Chen, M. Chen, and B. Yuan</i> | 753 |
| CondNet: Conditional Classifier for Scene Segmentation | <i>C. Yu, Y. Shao, C. Gao, and N. Sang</i> | 758 |
| End-to-End Image Stitching Network via Multi-Homography Estimation | <i>D.-Y. Song, G.-M. Um, H. K. Lee, and D. Cho</i> | 763 |
| Towards NIR-VIS Masked Face Recognition | <i>H. Du, H. Shi, Y. Liu, D. Zeng, and T. Mei</i> | 768 |

| | |
|---|-----|
| Joint Two-Dimensional Deception Countering ISAR via Frequency Diverse Array | 773 |
| <i>L. Huang, Z. Zong, S. Zhang, and W.-Q. Wang</i> | |
| A KNN-Based Radar Detector for Coherent Targets in Non-Gaussian Noise | 778 |
| <i>A. Coluccia, A. Fascista, and G. Ricci</i> | |
| DoA Estimation Using Neural Network-Based Covariance Matrix Reconstruction | 783 |
| <i>A. Barthelme and W. Utschick</i> | |
| Efficiently Fusing Pretrained Acoustic and Linguistic Encoders for Low-Resource Speech Recognition | 788 |
| <i>C. Yi, S. Zhou, and B. Xu</i> | |
| ATA: Attentional Non-Linear Activation Function Approximation for VLSI-Based Neural Networks | 793 |
| <i>L. Wei, J. Cai, and W. Wang</i> | |
| On the Instantaneous Angular Jerk Estimation in the Time-Frequency Domain | 798 |
| <i>K. Abratkiewicz</i> | |
| Streaming End-to-End Multi-Talker Speech Recognition | 803 |
| <i>L. Lu, N. Kanda, J. Li, and Y. Gong</i> | |
| Passive Sonar Target Classification Using Deep Generative β -VAE | 808 |
| <i>S. Chandran C., S. Kamal, A. Mujeeb, and S. M. H.</i> | |
| Multiple Antenna Selection and Successive Signal Detection for SM-Based IRS-Aided Communication | 813 |
| <i>H. Albinsaid, K. Singh, A. Bansal, S. Biswas, C.-P. Li, and Z. J. Haas</i> | |
| Joint Luminance and Chrominance Learning for Underwater Image Enhancement | 818 |
| <i>X. Xue, Z. Hao, L. Ma, Y. Wang, and R. Liu</i> | |
| Moving Source Localization in Passive Sensor Network With Location Uncertainty | 823 |
| <i>Z. Mao, H. Su, B. He, and X. Jing</i> | |
| Constructions of Even-Length Z-Complementary Pairs With Large Zero Correlation Zones | 828 |
| <i>T. Yu, X. Du, L. Li, and Y. Yang</i> | |
| Pano-SfMLearner: Self-Supervised Multi-Task Learning of Depth and Semantics in Panoramic Videos | 832 |
| <i>M. Liu, S. Wang, Y. Guo, Y. He, and H. Xue</i> | |
| Higher Order Crossings Analysis of Signals Over Graphs | 837 |
| <i>P. C. Petrantonakis</i> | |
| EDBGAN: Image Inpainting via an Edge-Aware Dual Branch Generative Adversarial Network | 842 |
| <i>M. Chen and Z. Liu</i> | |
| An Effective Face Anti-Spoofing Method via Stereo Matching | 847 |
| <i>Z. Li, J. Yuan, B. Jia, Y. He, and L. Xie</i> | |
| Extending Ordinary-Label Learning Losses to Complementary-Label Learning | 852 |
| <i>D. Liu, J. Ning, J. Wu, and G. Yang</i> | |
| Incremental Text-to-Speech Synthesis Using Pseudo Lookahead With Large Pretrained Language Model | 857 |
| <i>T. Saeki, S. Takamichi, and H. Saruwatari</i> | |
| Underdetermined Direction-of-Arrival Estimation Using Sparse Circular Arrays on a Rotating Platform | 862 |
| <i>S. K. Yadav and N. V. George</i> | |
| Geometric Analysis of Uncertainty Sampling for Dense Neural Network Layer | 867 |
| <i>A. Koçanaoğulları, N. Smedemark-Margulies, M. Akcakaya, and D. Erdoğan</i> | |
| On Implicit Attribute Localization for Generalized Zero-Shot Learning | 872 |
| <i>S. Yang, K. Wang, L. Herranz, and J. van de Weijer</i> | |
| Testing Rank of Incomplete Unimodal Matrices | 877 |
| <i>R. Zhang, J. Chen, Y. Xie, A. Shapiro, and U. Mitra</i> | |
| Construction of Binary Matrices as a Union of Orthogonal Blocks via Generalized Euler Squares | 882 |
| <i>P. Sasmal, P. Jampana, and C. S. Sastry</i> | |
| Epipolar Geometry Guided Highly Robust Structured Light 3D Imaging | 887 |
| <i>G. Wang, C. Feng, X. Hu, H. Wang, and H. Yang</i> | |
| Two Novel Algorithms for Low-Rank Matrix Completion Problem | 892 |
| <i>H. Fathi, E. Rangriz, and V. Pourahmadi</i> | |
| Peak-Graph-Based Fast Density Peak Clustering for Image Segmentation | 897 |
| <i>J. Guan, S. Li, X. He, and J. Chen</i> | |
| Performance Ranking of Kalman Filter With Pre-Determined Initial State Prior | 902 |
| <i>T. Shao, Z. Duan, and Z. Tian</i> | |
| Chebyshev Periodical Successive Over-Relaxation for Accelerating Fixed-Point Iterations | 907 |
| <i>T. Wadayama and S. Takabe</i> | |
| Reliable Camera Model Identification Using Sparse Gaussian Processes | 912 |
| <i>B. Lorch, F. Schirmacher, A. Maier, and C. Riess</i> | |
| Joint Secure Design of Downlink and D2D Cooperation Strategies for Multi-User Systems | 917 |
| <i>S.-H. Park and X. Jin</i> | |
| Deep Superpixel Convolutional Network for Image Recognition | 922 |
| <i>X. Zeng, W. Wu, G. Tian, F. Li, and Y. Liu</i> | |
| Parallax-Estimation-Enhanced Network With Interweave Consistency Feature Fusion for Binocular Salient Object Detection | 927 |
| <i>Y. Zhu, W. Zhou, Q. Li, and L. Yu</i> | |
| Sequential Nonparametric Detection of Anomalous Data Streams | 932 |
| <i>S. C. Sreenivasan and S. Bhashyam</i> | |
| One-Class Learning Towards Synthetic Voice Spoofing Detection | 937 |
| <i>Y. Zhang, F. Jiang, and Z. Duan</i> | |
| Split Bregman Approach to Linear Prediction Based Dereverberation With Enforced Speech Sparsity | 942 |
| <i>M. Witkowski and K. Kowalczyk</i> | |
| Multi-Aperture Space-Time Transmit and Receive Design for MIMO Radar | 947 |
| <i>X. Zhang, F. Wang, and H. Li</i> | |

| | |
|---|------|
| Reconstructing Speech From CNN Embeddings | 952 |
| <i>L. Comanducci, P. Bestagini, M. Tagliasacchi, A. Sarti, and S. Tubaro</i> | |
| Mask-ShadowNet: Toward Shadow Removal via Masked Adaptive Instance Normalization | 957 |
| <i>S. He, B. Peng, J. Dong, and Y. Du</i> | |
| Knowledge Distillation With Multi-Objective Divergence Learning | 962 |
| <i>Y. Tian, M. Chen, L. Shen, B. Jiang, and Z. Li</i> | |
| Convergence Issues in Sequential Partial-Update LMS for Cyclostationary White Gaussian Input Signals | 967 |
| <i>W. Wang and K. Doğançay</i> | |
| Independent Vector Extraction for Fast Joint Blind Source Separation and Dereverberation | 972 |
| <i>R. Ikeshita and T. Nakatani</i> | |
| Joint Cramér-Rao Lower Bound for Nonlinear Parametric Systems With Cross-Correlated Noises | 977 |
| <i>X. Li and Z. Duan</i> | |
| Infrared Image Super-Resolution via Transfer Learning and PSRGAN | 982 |
| <i>Y. Huang, Z. Jiang, R. Lan, S. Zhang, and K. Pi</i> | |
| Discriminative Auto-Encoding for Classification and Representation Learning Problems | 987 |
| <i>V. Bansal, H. Buckchash, and B. Raman</i> | |
| A Unimodal Reinforced Transformer With Time Squeeze Fusion for Multimodal Sentiment Analysis | 992 |
| <i>J. He, S. Mai, and H. Hu</i> | |
| Polar Coded Modulation Operated With Physical Network Coding | 997 |
| <i>Z. Xie, P. Chen, R. Chen, and Y. Fang</i> | |
| Elimination of Undetectable Attacks on Natural Gas Networks | 1002 |
| <i>Z. Wang and R. S. Blum</i> | |
| HANME: Hierarchical Attention Network for Singing Melody Extraction | 1006 |
| <i>S. Yu, Y. Yu, X. Chen, and W. Li</i> | |
| Robust Cauchy Kernel Conjugate Gradient Algorithm for Non-Gaussian Noises | 1011 |
| <i>L. Qi, M. Shen, D. Wang, and S. Wang</i> | |
| Deep Block Transform for Autoencoders | 1016 |
| <i>K. H. Jin</i> | |
| Memory-Free Stochastic Weight Averaging by One-Way Variational Pruning | 1021 |
| <i>Y. Wang, H. Park, and J. Lee</i> | |
| Self-Supervised Feature Enhancement Networks for Small Object Detection in Noisy Images | 1026 |
| <i>G. Lee, S. Hong, and D. Cho</i> | |
| A Low Computational Complexity JPDA Filter With Superposition | 1031 |
| <i>R. B. Angle, R. L. Streit, and M. Efe</i> | |
| Intelligent Reflecting Surface Assisted Secret Key Generation | 1036 |
| <i>X. Lu, J. Lei, Y. Shi, and W. Li</i> | |
| Space Target Attitude Estimation From ISAR Image Sequences With Key Point Extraction Network | 1041 |
| <i>P. Xie, L. Zhang, C. Du, X. Wang, and W. Zhong</i> | |
| Interactive Multimodal Attention Network for Emotion Recognition in Conversation | 1046 |
| <i>M. Ren, X. Huang, X. Shi, and W. Nie</i> | |
| Multi-View Clustering Based on Invisible Weights | 1051 |
| <i>Z. Li, D. Wu, F. Nie, R. Wang, Z. Sun, and X. Li</i> | |
| A Method for Scaling Window Sidelobe Magnitude | 1056 |
| <i>Y. C. Lim, T. Saramäki, P. S. R. Diniz, and Q. Liu</i> | |
| A Deep Feature Fusion Network Based on Multiple Attention Mechanisms for Joint Iris-Periocular Biometric Recognition | 1060 |
| <i>Z. Luo, J. Li, and Y. Zhu</i> | |
| A Multi-Modal Edge Consistency Metric Based on Regression Robustness of Truncated SVD | 1065 |
| <i>M. Zhu, J. Yu, Z. Gao, B. He, and J. Liu</i> | |
| Difference Value Network for Image Super-Resolution | 1070 |
| <i>Z. Jiang, K. Pi, Y. Huang, Y. Qian, and S. Zhang</i> | |
| Robust Localization Employing Weighted Least Squares Method Based on MM Estimator and Kalman Filter With Maximum Versoria Criterion | 1075 |
| <i>C.-H. Park and J.-H. Chang</i> | |
| Enhanced Spinning Parallelogram Operator Combining Color Constraint and Histogram Integration for Robust Light Field Depth Estimation | 1080 |
| <i>W. Wang, Y. Lin, and S. Zhang</i> | |
| A Fast CFAR Algorithm Based on Density-Censoring Operation for Ship Detection in SAR Images | 1085 |
| <i>X. Wang, G. Li, X.-P. Zhang, and Y. He</i> | |
| Robust TDOA Source Localization Based on Lagrange Programming Neural Network | 1090 |
| <i>W. Xiong, C. Schindelbauer, H. C. So, D. J. Schott, and S. J. Rupitsch</i> | |
| Embedding Probability Guided Network for Image Steganalysis | 1095 |
| <i>Q. Li, G. Feng, Y. Ren, and X. Zhang</i> | |
| Drum-Aware Ensemble Architecture for Improved Joint Musical Beat and Downbeat Tracking | 1100 |
| <i>C.-Y. Chiu, A. W.-Y. Su, and Y.-H. Yang</i> | |
| The ORLS-Based DoA Estimation for Unknown Mixtures of Uncorrelated and Coherent Signals Under Unknown Number of Sources | 1105 |
| <i>G. Yao, H. Zhang, L. Li, and F. Hu</i> | |
| Improved Coherence Index-Based Bound in Compressive Sensing | 1110 |
| <i>L. Stanković, M. Brajović, D. Mandić, I. Stanković, and M. Daković</i> | |
| Two-Stage Cascaded Decoder for Semantic Segmentation of RGB-D Images | 1115 |
| <i>Y. Yue, W. Zhou, J. Lei, and L. Yu</i> | |

| | | |
|---|---|------|
| On Procrustes Analysis in Hyperbolic Space | <i>P. Tabaghi and I. Dokmanić</i> | 1120 |
| High Precision Error Prediction Algorithm Based on Ridge Regression Predictor for Reversible Data Hiding | <i>X. Wang, X. Wang, B. Ma, Q. Li, and Y.-Q. Shi</i> | 1125 |
| Joint Sparse Recovery for Signals of Spark-Level Sparsity and MMV Tail- $\ell_{2,1}$ Minimization | <i>B. Zheng, C. Zeng, S. Li, and G. Liao</i> | 1130 |
| Generalizing AUC Optimization to Multiclass Classification for Audio Segmentation With Limited Training Data | <i>P. Gimeno, V. Mingote, A. Ortega, A. Miguel, and E. Lleida</i> | 1135 |
| HLFNet: High-low Frequency Network for Person Re-Identification | <i>C. Liu, L. Guo, and R. Zhang</i> | 1140 |
| DAPC-Net: Deformable Alignment and Pyramid Context Completion Networks for Video Inpainting | <i>Z. Wu, K. Zhang, H. Xuan, J. Yang, and Y. Yan</i> | 1145 |
| Color and Geometry Texture Descriptors for Point-Cloud Quality Assessment | <i>R. Diniz, P. G. Freitas, and M. C. Q. Farias</i> | 1150 |
| Self-Guided Body Part Alignment With Relation Transformers for Occluded Person Re-Identification | <i>G. Wang, X. Chen, J. Gao, X. Zhou, and S. Ge</i> | 1155 |
| Transient Theoretical Analysis of Diffusion RLS Algorithm for Cyclostationary Colored Inputs | <i>W. Gao, J. Chen, and C. Richard</i> | 1160 |
| Innovative Two-Stage Radar Detection Architectures in Adverse Scenarios Using Two Training Data Sets | <i>S. Yan, F. Lotfi, S. Chen, C. Hao, and D. Orlando</i> | 1165 |
| Blind Adaptive Mask to Improve Intelligibility of Non-Stationary Noisy Speech | <i>F. Farias and R. Coelho</i> | 1170 |
| A Dispersion-Compensated Algorithm for the Analysis of Electromagnetic Waveguides | <i>J. D. Garrett and C. E. Tong</i> | 1175 |
| Distributed Newton Method Over Graphs: Can Sharing of Second-Order Information Eliminate the Condition Number Dependence? | <i>E. Berglund, S. Magnússon, and M. Johansson</i> | 1180 |
| Frequency Domain Long-Term Prediction for Low Delay General Audio Coding | <i>N. Guo and B. Edler</i> | 1185 |
| Cross-Corpus Speech Emotion Recognition Based on Few-Shot Learning and Domain Adaptation | <i>Y. Ahn, S. J. Lee, and J. W. Shin</i> | 1190 |
| Linear Transformations and Signal Estimation in the Joint Spatial-Slepian Domain | <i>A. Aslam and Z. Khalid</i> | 1195 |
| One-Shot Summary Prototypical Network Toward Accurate Unpaved Road Semantic Segmentation | <i>Y. Wang, D. Lee, J. Heo, and J. Park</i> | 1200 |
| Reduced Biquaternion Stacked Denoising Convolutional AutoEncoder for RGB-D Image Classification | <i>X. Huang and S. Gai</i> | 1205 |
| Cramér-Rao Bound for DOA Estimation Exploiting Multiple Frequency Pairs | <i>Y. Liang, W. Cui, Q. Shen, W. Liu, and H. Wu</i> | 1210 |
| Wavelet Multi-Level Attention Capsule Network for Texture Classification | <i>Z. Tao, T. Wei, and J. Li</i> | 1215 |
| Next-Item Recommendation With Deep Adaptable Co-Embedding Neural Networks | <i>D. Chen, W. Hu, B. Yuan, R. Zhang, and J. Wang</i> | 1220 |
| F0-Based Gammatone Filtering for Intelligibility Gain of Acoustic Noisy Signals | <i>A. Queiroz and R. Coelho</i> | 1225 |
| Learning Dynamic Spatial-Temporal Regularization for UAV Object Tracking | <i>C. Deng, S. He, Y. Han, and B. Zhao</i> | 1230 |
| Robust Frequency and Phase Estimation for Three-Phase Power Systems Using a Bank of Kalman Filters | <i>Z. K. Stuart, Y. El-Laham, and M. F. Bugallo</i> | 1235 |
| New Sets of Quadriphase Cross Z-Complementary Pairs for Preamble Design in Spatial Modulation | <i>M. Yang, S. Tian, N. Li, and A. R. Adhikary</i> | 1240 |
| A Novel Construction of Two-Dimensional Z-Complementary Array Pairs With Large Zero Correlation Zone | <i>C.-Y. Pai and C.-Y. Chen</i> | 1245 |
| Seeing in the Dark by Component-GAN | <i>N. Rao, T. Lu, Q. Zhou, Y. Zhang, and Z. Wang</i> | 1250 |
| Hierarchical Factorization Strategy for High-Order Tensor and Application to Data Completion | <i>Z. Chen, G. Zhou, and Q. Zhao</i> | 1255 |
| A CNN-Based Fast Inter Coding Method for VVC | <i>Z. Pan, P. Zhang, B. Peng, N. Ling, and J. Lei</i> | 1260 |
| Towards End-to-End Synthetic Speech Detection | <i>G. Hua, A. B. J. Teoh, and H. Zhang</i> | 1265 |
| Graph Signal Processing: Vertex Multiplication | <i>B. Kartal, Y. E. Bayiz, and A. Koç</i> | 1270 |
| Conditional Automated Channel Pruning for Deep Neural Networks | <i>Y. Liu, Y. Guo, J. Guo, L. Jiang, and J. Chen</i> | 1275 |
| Enhanced Separable Convolution Network for Lightweight JPEG Compression Artifacts Reduction | <i>Z. Chen, X. He, C. Ren, H. Chen, and T. Zhang</i> | 1280 |
| A Disparity Feature Alignment Module for Stereo Image Super-Resolution | <i>J. Dan, Z. Qu, X. Wang, and J. Gu</i> | 1285 |

| | |
|---|------|
| TransRPPG: Remote Photoplethysmography Transformer for 3D Mask Face Presentation Attack Detection | 1290 |
| Z. Yu, X. Li, P. Wang, and G. Zhao | |
| An Adaptive Formulation of the Sliding Innovation Filter | 1295 |
| A. S. Lee, S. A. Gadsden, and M. Al-Shabi | |
| GA-NET: Global Attention Network for Point Cloud Semantic Segmentation | 1300 |
| S. Deng and Q. Dong | |
| Single Image Super-Resolution via Multi-Scale Information Polymerization Network | 1305 |
| T. Lu, Y. Wang, J. Wang, W. Liu, and Y. Zhang | |
| Amplitude-Phase Information Measurement on Riemannian Manifold for Motor Imagery-Based BCI | 1310 |
| S. Huang, G. Cai, T. Wang, and T. Ma | |
| Radar Target Detection Aided by Reconfigurable Intelligent Surfaces | 1315 |
| S. Buzzi, E. Grossi, M. Lops, and L. Venturino | |
| Orthogonal Subspace Based Fast Iterative Thresholding Algorithms for Joint Sparsity Recovery | 1320 |
| N. Han, S. Li, and J. Lu | |
| Self-Supervised Saliency Estimation for Pixel Embedding in Road Detection | 1325 |
| D. Zhou, Y. Tian, W.-G. Chen, and G. Huang | |
| Target Tracking With Equality/Inequality Constraints Based on Trajectory Function of Time | 1330 |
| J. Zhou, T. Li, X. Wang, and L. Zheng | |
| Local Moment Driven PVO Based Reversible Data Hiding | 1335 |
| N. Kumar, R. Kumar, and R. Caldelli | |
| DiFNet: Densely High-Frequency Convolutional Neural Networks | 1340 |
| W. Hu, M. Li, Z. Wang, J. Wang, and C. Zhang | |
| SF-GAN: Face De-Identification Method Without Losing Facial Attribute Information | 1345 |
| Y. Li, Q. Lu, Q. Tao, X. Zhao, and Y. Yu | |
| Pseudo-Boolean Functions for Optimal Z-Complementary Code Sets With Flexible Lengths | 1350 |
| P. Sarkar, S. Majhi, and Z. Liu | |
| Lattice Kalman Filters | 1355 |
| A. Rahimnejad, S. A. Gadsden, and M. Al-Shabi | |
| Encode Imaging System Parameters as Distribution to Improve Reflection Generation and Removal | 1360 |
| W. Zhu, X. Wu, H. Chen, X. Luo, and S. Zhong | |
| Semantic-Guided Pixel Sampling for Cloth-Changing Person Re-Identification | 1365 |
| X. Shu, G. Li, X. Wang, W. Ruan, and Q. Tian | |
| Complex Neural Spatial Filter: Enhancing Multi-Channel Target Speech Separation in Complex Domain | 1370 |
| R. Gu, S.-X. Zhang, Y. Zou, and D. Yu | |
| A Novel Nested Array for Real-Valued Sources Exploiting Array Motion | 1375 |
| R. K. Patra and A. S. Dhar | |
| Room Geometry Estimation Using the Multipath Delays | 1380 |
| Y. Wang, K. C. Ho, and L. Huang | |
| Xi-Vector Embedding for Speaker Recognition | 1385 |
| K. A. Lee, Q. Wang, and T. Koshinaka | |
| Multi-View Label Prediction for Unsupervised Learning Person Re-Identification | 1390 |
| Q. Yin, G. Wang, G. Ding, S. Gong, and Z. Tang | |
| A Semantic Encoding Out-of-Distribution Classifier for Generalized Zero-Shot Learning | 1395 |
| J. Ding, X. Hu, and X. Zhong | |
| DoA Estimation Using Low-Resolution Multi-Bit Sparse Array Measurements | 1400 |
| S. Sedighi, M. R. B. Shankar, M. Soltanian, and B. Ottersten | |
| Three-Dimensional Speaker Localization: Audio-Refined Visual Scaling Factor Estimation | 1405 |
| X. Qian, Q. Liu, J. Wang, and H. Li | |
| Exponential Hyperbolic Cosine Robust Adaptive Filters for Audio Signal Processing | 1410 |
| K. Kumar, R. Pandey, S. S. Bhattacharjee, and N. V. George | |
| Adversarially-Trained Nonnegative Matrix Factorization | 1415 |
| T. Cai, V. Y. F. Tan, and C. Févotte | |
| Non-Synchronous Measurements of a Microphone Array at Coprime Positions | 1420 |
| N. Chu, Q. Liu, L. Yu, Y. Ning, and P. Hou | |
| Efficient Cross-Modality Graph Reasoning for RGB-Infrared Person Re-Identification | 1425 |
| Y. Feng, F. Chen, Y.-mu Ji, F. Wu, and J. Sun | |
| Progressive Class-Based Expansion Learning for Image Classification | 1430 |
| H. Wang, H. Zhao, and X. Li | |
| Alternative Implementations of the GNSS Power-Based Capon Beamformer | 1435 |
| M. Mañosas-Caballú and G. Seco-Granados | |
| Perceptual Redundancy Estimation of Screen Images via Multi-Domain Sensitivities | 1440 |
| M. Wang, X. Liu, W. Xie, and L. Xu | |
| A Single-Input/Binaural-Output Antiphase Speech Enhancement Method for Speech Intelligibility Improvement | 1445 |
| N. Pan, Y. Wang, J. Chen, and J. Benesty | |
| Unsupervised Learning Strategy for Direction-of-Arrival Estimation Network | 1450 |
| Y. Yuan, S. Wu, M. Wu, and N. Yuan | |

| | | |
|---|---|------|
| A Convolutional Network With Multi-Scale and Attention Mechanisms for End-to-End Single-Channel Speech Enhancement | X. Xiang, X. Zhang, and H. Chen | 1455 |
| Online Censoring Based Weighted-Frequency Fourier Linear Combiner for Estimation of Pathological Hand Tremors .. | E. C. Mengüç, S. Çınar, M. Xiang, and D. P. Mandić | 1460 |
| One-Shot Distributed Algorithm for PCA With RBF Kernels | F. He, K. Lv, J. Yang, and X. Huang | 1465 |
| Learning to Discover a Unified Architecture for Low-Level Vision | Z. Liu, L. Ma, R. Liu, and X. Fan | 1470 |
| Tackling the Cover Source Mismatch Problem in Audio Steganalysis With Unsupervised Domain Adaptation | Y. Lin, R. Wang, L. Dong, D. Yan, and J. Wang | 1475 |
| Staged-Learning: Assessing the Quality of Screen Content Images from Distortion Information | J. Yang, Z. Bian, Y. Zhao, W. Lu, and X. Gao | 1480 |
| “One-Shot” Super-Resolution via Backward Style Transfer for Fast High-Resolution Style Transfer | J. Cheng, Z. Han, Z. Wang, and L. Chen | 1485 |
| Hybrid Beamforming Optimization for DOA Estimation Based on the CRB Analysis | T. Lin, X. Zhou, Y. Zhu, and Y. Jiang | 1490 |
| Simultaneous Graph Learning and Blind Separation of Graph Signal Sources | A. Einzade, S. H. Sardouie, and M. B. Shamsollahi | 1495 |
| Stereo Feature Enhancement and Temporal Information Extraction Network for Automatic Music Transcription | W. Zhang, Y. Zhang, Y. She, and J. Shao | 1500 |
| MACRO: Multi-Attention Convolutional Recurrent Model for Subject-Independent ERP Detection | Z. Lan, C. Yan, Z. Li, D. Tang, and X. Xiang | 1505 |
| Real-Time Text Steganalysis Based on Multi-Stage Transfer Learning | W. Peng, J. Zhang, Y. Xue, and Z. Yang | 1510 |
| Fast, Nonlocal and Neural: A Lightweight High Quality Solution to Image Denoising | Y. Guo, A. Davy, G. Facciolo, J.-M. Morel, and Q. Jin | 1515 |
| Learning Alternating Deep-Layer Cascaded Representation | Z. Chen, X.-J. Wu, T. Xu, and J. Kittler | 1520 |
| MRINet: Multilevel Reverse-Context Interactive-Fusion Network for Detecting Salient Objects in RGB-D Images | W. Zhou, S. Pan, J. Lei, and L. Yu | 1525 |
| FDA-MIMO Radar With Long-Baseline Transmit Array Using ESPRIT | Y. Hu, W. Deng, X. Zhang, and X. Wu | 1530 |
| Edge/Structure-Preserving Texture Filter via Relative Bilateral Filtering With a Conditional Constraint | W. Cao, S. Wu, J. Wu, Z. Liu, and Y. Li | 1535 |
| Low-Light Image Enhancement via Poisson Noise Aware Retinex Model | X.-Y. Kong, L. Liu, and Y.-S. Qian | 1540 |
| Coupled Coarray Tensor CPD for DOA Estimation With Coprime L-Shaped Array | H. Zheng, Z. Shi, C. Zhou, M. Haardt, and J. Chen | 1545 |
| RS-DPSNet: Deep Plane Sweep Network for Rolling Shutter Stereo Images | B. Fan, K. Wang, Y. Dai, and M. He | 1550 |
| Multi-Target Tracking on Riemannian Manifolds via Probabilistic Data Association | B. Bićanić, I. Marković, and I. Petrović | 1555 |
| Hierarchical Authorization of Convolutional Neural Networks for Multi-User | Y. Luo, G. Feng, and X. Zhang | 1560 |
| Dynamic Scene Video Deblurring Using Robust Incremental Weighted Fourier Aggregation | Y. Li, H. Zhang, Y. Wu, and D. Yuan | 1565 |
| Dilated-Scale-Aware Category-Attention ConvNet for Multi-Class Object Counting | W. Xu, D. Liang, Y. Zheng, J. Xie, and Z. Ma | 1570 |
| BRAFT: Recurrent All-Pairs Field Transforms for Optical Flow Based on Correlation Blocks | D. Jia, K. Wang, S. L. Luo, T. Y. Liu, and Y. Liu | 1575 |
| Online Speech Dereverberation Using Mixture of Multichannel Linear Prediction Models | R. Ikeshita, K. Kinoshita, N. Kamo, and T. Nakatani | 1580 |
| Bilateral False Contour Elimination Filter-Based Image Bit-Depth Enhancement | C. Peng, M. Xia, Z. Fu, J. Xu, and X. Li | 1585 |
| Finger Vein Recognition Based on Multi-Receptive Field Bilinear Convolutional Neural Network | K. Wang, G. Chen, and H. Chu | 1590 |
| An Adaptive Consensus Filter for Distributed State Estimation With Unknown Noise Statistics | X. Dong, G. Battistelli, L. Chisci, and Y. Cai | 1595 |
| Pixel-Attention CNN With Color Correlation Loss for Color Image Denoising | F. Jia, L. Ma, Y. Yang, and T. Zeng | 1600 |
| Wavelet Frame-Based Image Restoration via ℓ_2 -Relaxed Truncated ℓ_0 Regularization and Nonlocal Estimation | L. He, Y. Wang, J.-jin Mei, J. Liu, and C. Wang | 1605 |
| Pitch Estimation by Multiple Octave Decoders | Y. Segal, M. Arama-Chayoth, and J. Keshet | 1610 |

| | | |
|---|---|------|
| Dilated U-Block for Lightweight Indoor Depth Completion With Sobel Edge | <i>Z. Tao, P. Shuguo, Z. Hui, and S. Yingchun</i> | 1615 |
| Reversible Data Hiding for JPEG Images Based on Multiple Two-Dimensional Histograms | <i>M. Xiao, X. Li, and Y. Zhao</i> | 1620 |
| Single Haze Image Restoration Under Non-Uniform Dense Scattering Media | <i>Y. Wang, J. Cao, S. Rizvi, and Q. Hao</i> | 1625 |
| Joint Collaboration and Compression Design for Random Signal Detection in Wireless Sensor Networks | <i>X. Cheng, B. Geng, P. Khanduri, B. Chen, and P. K. Varshney</i> | 1630 |
| Single Image Deraining Integrating Physics Model and Density-Oriented Conditional GAN Refinement | <i>M. Cao, Z. Gao, B. Ramesh, T. Mei, and J. Cui</i> | 1635 |
| Cross-Burg Algorithm for Single-Input Two-Outputs Autoregressive Modeling | <i>S. Colonnese, F. Conti, M. Biagi, and G. Scarano</i> | 1640 |
| Provable Super-Convergence With a Large Cyclical Learning Rate | <i>S. Oymak</i> | 1645 |
| Learning to Balance the Learning Rates Between Various Modalities via Adaptive Tracking Factor | <i>Y. Sun, S. Mai, and H. Hu</i> | 1650 |
| TSFNet: Two-Stage Fusion Network for RGB-T Salient Object Detection | <i>Q. Guo, W. Zhou, J. Lei, and L. Yu</i> | 1655 |
| Silhouette 4D With Context Selection: Lossless Geometry Compression of Dynamic Point Clouds | <i>E. Ramalho, E. Peixoto, and E. Medeiros</i> | 1660 |
| Sharper N -D Heisenberg's Uncertainty Principle | <i>Z. Zhang, X. Shi, A. Wu, and D. Li</i> | 1665 |
| Neural Full-Rank Spatial Covariance Analysis for Blind Source Separation | <i>Y. Bando, K. Sekiguchi, Y. Masuyama, A. A. Nugraha, M. Fontaine, and K. Yoshii</i> | 1670 |
| CSANet for Video Semantic Segmentation With Inter-Frame Mutual Learning | <i>Y. Yuan, L. Wang, and Y. Wang</i> | 1675 |
| Convex Nonparanormal Regression | <i>Y. Woodbridge, G. Elidan, and A. Wiesel</i> | 1680 |
| 3D Shape Estimation With an Enhanced Sparse Representation Approach | <i>J.-X. Wang, Z.-L. Sun, Z.-G. Zeng, and K.-M. Lam</i> | 1685 |
| An Uncertainty-Aware Performance Measure for Multi-Object Tracking | <i>J. Pinto, Y. Xia, L. Svensson, and H. Wymeersch</i> | 1689 |
| Constructions of Optimal Binary Z-Complementary Sequence Sets With Large Zero Correlation Zone | <i>C. Xie, Y. Sun, and Y. Ming</i> | 1694 |
| Threshold Setting of Generalized Likelihood Ratio Test for Impropriety of Complex Signals | <i>H. Lai, W. Xu, J. Dai, and Y. Zhou</i> | 1699 |
| Missing-Data Nonparametric Coherency Estimation | <i>C. Haley</i> | 1704 |
| Estimating Polynomial Coefficients to Correct Improperly White-Balanced sRGB Images | <i>H. Luo and X. Wan</i> | 1709 |
| DOA Estimation With Nonuniform Moving Sampling Scheme Based on a Moving Platform | <i>H. Wu, Q. Shen, W. Cui, and W. Liu</i> | 1714 |
| Fidelity Estimation Improves Noisy-Image Classification With Pretrained Networks | <i>X. Lin, D. Bhattacharjee, M. E. Helou, and S. Ssstrunk</i> | 1719 |
| Cyclostationary Signals Analysis Methods Based on High-Dimensional Space Transformation Under Impulsive Noise | <i>Q. Zhang, H. Ji, and Y. Jin</i> | 1724 |
| Gaussian Model for 3D Mesh Steganography | <i>J. Zhu, Y. Zhang, X. Zhang, and X. Cao</i> | 1729 |
| A Dual Rank-Constrained Filter Pruning Approach for Convolutional Neural Networks | <i>F. Fan, Y. Su, P. Jing, and W. Lu</i> | 1734 |
| CompNet: Competitive Neural Network for Palmprint Recognition Using Learnable Gabor Kernels | <i>X. Liang, J. Yang, G. Lu, and D. Zhang</i> | 1739 |
| Sparse Bayesian Learning Using Generalized Double Pareto Prior for DOA Estimation | <i>Q. Wang, H. Yu, J. Li, F. Ji, and F. Chen</i> | 1744 |
| Visual Saliency via Selecting and Reweighting Features in Hierarchical Fusion Network | <i>F. Zhou, J. Chen, and B. Liu</i> | 1749 |
| Two-Stage Learning and Fusion Network With Noise Aware for Time-Domain Monaural Speech Enhancement | <i>X. Xiang, X. Zhang, and H. Chen</i> | 1754 |
| Robust Adaptive Beamforming via Covariance Matrix Reconstruction Under Colored Noise | <i>H. Yang, P. Wang, and Z. Ye</i> | 1759 |
| Computationally Efficient Two-Dimensional DOA Estimation Algorithm Based on Quaternion Theory | <i>Y. Lou, G. Qiao, X. Qu, and F. Zhou</i> | 1764 |
| Cyclic Defense GAN Against Speech Adversarial Attacks | <i>M. Esmailpour, P. Cardinal, and A. L. Koerich</i> | 1769 |
| Searching for Unknown Anomalies in Hierarchical Data Streams | <i>T. Gafni, K. Cohen, and Q. Zhao</i> | 1774 |

| | | |
|---|--|------|
| Null Space Property of ℓ_{1-2} Minimization With Prior Support Information | <i>J. Zhang and S. Zhang</i> | 1779 |
| Optimal Power Allocation for Secure Estimation of Multiple Parameters | <i>D. Gurgunoglu, C. Goken, and S. Gezici</i> | 1784 |
| LLM: Learning Cross-Modality Person Re-Identification via Low-Rank Local Matching | <i>Y. Feng, J. Xu, Y.-mu Ji, and F. Wu</i> | 1789 |
| Main-Auxiliary Aggregation Strategy for Video Anomaly Detection | <i>Z. Wang, Y. Zhang, G. Wang, and P. Xie</i> | 1794 |
| A Direct Construction of Asymptotically Optimal Type-II ZCP for Every Possible Even Length | <i>R. Kumar, P. Sarkar, P. K. Srivastava, and S. Majhi</i> | 1799 |
| Blind Image Quality Assessment by Visual Neuron Matrix | <i>H.-W. Chang, X.-D. Bi, and C. Kai</i> | 1803 |
| ENF Detection in Audio Recordings via Multi-Harmonic Combining | <i>H. Liao, G. Hua, and H. Zhang</i> | 1808 |
| On Relationship of Multilayer Perceptrons and Piecewise Polynomial Approximators | <i>R. Lin, S. You, R. Rao, and C.-C. J. Kuo</i> | 1813 |
| SMoA: Searching a Modality-Oriented Architecture for Infrared and Visible Image Fusion | <i>J. Liu, Y. Wu, Z. Huang, R. Liu, and X. Fan</i> | 1818 |
| Single Image Super-Resolution Using Asynchronous Multi-Scale Network | <i>J. Ji, B. Zhong, and K.-K. Ma</i> | 1823 |
| Multi-Channel Modulo Samplers Constructed From Gaussian Integers | <i>Y. Gong, L. Gan, and H. Liu</i> | 1828 |
| Segmental DCT Coefficient Reversal Based Anti-Collusion Audio Fingerprinting Mechanism | <i>J. Zhao, T. Zong, Y. Xiang, L. Gao, and G. Hua</i> | 1833 |
| Handwritten Text Generation via Disentangled Representations | <i>X. Liu, G. Meng, S. Xiang, and C. Pan</i> | 1838 |
| Non-Degraded Adaptive HEVC Steganography by Advanced Motion Vector Prediction | <i>S. Liu, B. Liu, Y. Hu, and X. Zhao</i> | 1843 |
| Linear Prediction-Based Covariance Matrix Reconstruction for Robust Adaptive Beamforming | <i>P. Chen, J. Gao, and W. Wang</i> | 1848 |
| Temporal Envelope and Fine Structure Cues for Dysarthric Speech Detection Using CNNs | <i>I. Kodrasi</i> | 1853 |
| Message Passing Based Target Localization Under Range Deception Jamming in Distributed MIMO Radar | <i>Z. Yu, J. Li, and Q. Guo</i> | 1858 |
| Joint Radar Scheduling and Beampattern Design for Multitarget Tracking in Netted Colocated MIMO Radar Systems | <i>H. Sun, M. Li, L. Zuo, and P. Zhang</i> | 1863 |
| ECF-Based Estimator for the LOS Power in Uplink NOMA System With Unknown Impulsive Noise | <i>B. A. Seyyedmahalleh, S. M. Saberali, F. Parvaresh, and M. Majidi</i> | 1868 |
| Diverse Receptive Field Based Adversarial Concurrent Encoder Network for Image Inpainting | <i>S. S Phutke and S. Murala</i> | 1873 |
| LightQNet: Lightweight Deep Face Quality Assessment for Risk-Controlled Face Recognition | <i>K. Chen, T. Yi, and Q. Lv</i> | 1878 |
| Channel Estimation for Underwater Acoustic Communications Based on Orthogonal Chirp Division Multiplexing | <i>B. Wang and X. Guan</i> | 1883 |
| Deep Bayesian Sparse Subspace Clustering | <i>X. Ye, S. Luo, and J. Zhao</i> | 1888 |
| Efficient Non-Targeted Attack for Deep Hashing Based Image Retrieval | <i>C. Qin, L. Wu, X. Zhang, and G. Feng</i> | 1893 |
| Feature Fusion for Multimodal Emotion Recognition Based on Deep Canonical Correlation Analysis | <i>K. Zhang, Y. Li, J. Wang, Z. Wang, and X. Li</i> | 1898 |
| Set Partitioning in Hierarchical Trees for Point Cloud Attribute Compression | <i>A. L. Souto, V. F. Figueiredo, P. A. Chou, and R. L. de Queiroz</i> | 1903 |
| Optimal Sparse Sampling for Detection of a Known Signal in Nonwhite Gaussian Noise | <i>K. Adhikari and S. Kay</i> | 1908 |
| Disentangling 3D/4D Facial Affect Recognition With Faster Multi-View Transformer | <i>M. Behzad, X. Li, and G. Zhao</i> | 1913 |
| Study on Convergence of Plug-and-Play ISTA With Adaptive-Kernel Denoisers | <i>T. Liu, L. Xing, and Z. Sun</i> | 1918 |
| Inheritance Attention Matrix-Based Universal Adversarial Perturbations on Vision Transformers | <i>H. Hu, X. Lu, X. Zhang, T. Zhang, and G. Sun</i> | 1923 |
| Nullspace Property for Optimality of Minimum Frame Angle Under Invertible Linear Operators | <i>P. Sasmal, P. Theeda, P. Jampana, and C. S. Sastry</i> | 1928 |
| Infrared Pedestrian Tracking With Graph Memory Features | <i>L. Jin, J. Cheng, and C. Zhang</i> | 1933 |
| Hyperparameter Free MEE-FP Based Localization | <i>R. Mitra, G. Kaddoum, G. Dahman, and G. Poitou</i> | 1938 |
| Graph Fourier Transform Based Audio Zero-Watermarking | <i>L. Xu, D. Huang, S. F. A. Zaidi, A. Rauf, and R. K. Das</i> | 1943 |
| Efficient Image-Warping Framework for Content-Adaptive Superpixels Generation | <i>A. Chuchvara and A. Gotchev</i> | 1948 |
| Structured Variational Bayesian Inference for Gaussian State-Space Models With Regime Switching | <i>Y. Petetin, Y. Janati, and F. Desbouvries</i> | 1953 |

| | | |
|---|---|------|
| FSCNet: Feature-Specific Convolution Neural Network for Real-Time Speech Enhancement | <i>L. Cheng, J. Li, and Y. Yan</i> | 1958 |
| Discriminative Alignment of Projected Belief Networks | <i>P. M. Baggenstoss</i> | 1963 |
| Defensive Compressive Time Delay Estimation Using Information Bottleneck | <i>Y. Li, R. Wang, Y. Hu, J. Yang, and X. Cai</i> | 1968 |
| Deep Joint Source-Channel Coding for Multi-Task Network | <i>M. Wang, Z. Zhang, J. Li, M. Ma, and X. Fan</i> | 1973 |
| MANet: Multi-Scale Attention Network for Correspondence Learning | <i>Y. Chen, L. Zheng, X. Liu, and G. Xiao</i> | 1978 |
| Complemental Attention Multi-Feature Fusion Network for Fine-Grained Classification | <i>Z. Miao, X. Zhao, J. Wang, Y. Li, and H. Li</i> | 1983 |
| Rank Correlation Based Detection of Known Signals in Middleton’s Class-A Noise | <i>C. Chen, W. Xu, Y. Pan, H. Zhu, and J. Wang</i> | 1988 |
| CLECG: A Novel Contrastive Learning Framework for Electrocardiogram Arrhythmia Classification | <i>H. Chen, G. Wang, G. Zhang, P. Zhang, and H. Yang</i> | 1993 |
| IDANet: An Information Distillation and Aggregation Network for Speech Enhancement | <i>W. Tai, T. Lan, Q. Wang, and Q. Liu</i> | 1998 |
| Dynamic Center Aggregation Loss With Mixed Modality for Visible-Infrared Person Re-Identification | <i>J. Kong, Q. He, M. Jiang, and T. Liu</i> | 2003 |
| Quantification of Mismatch Error in Randomly Switching Linear State-Space Models | <i>P. Karimi, Z. Zhao, M. D. Butala, and F. Kamalabadi</i> | 2008 |
| On the Size and Redundancy of the Fourth-Order Difference Co-Array | <i>Y.-P. Chen and C.-L. Liu</i> | 2013 |
| On the Compensation Between Magnitude and Phase in Speech Separation | <i>Z.-Q. Wang, G. Wichern, and J. Le Roux</i> | 2018 |
| Reconfigurable Intelligent Surface Aided Sparse DOA Estimation Method With Non-ULA | <i>P. Chen, Z. Yang, Z. Chen, and Z. Guo</i> | 2023 |
| DESA: Disparity Estimation With Surface Awareness | <i>S. Sun, R. Liu, and S. Sun</i> | 2028 |
| Closed-Form Hybrid Cramer-Rao Bound for DOA Estimation by an Acoustic Vector Sensor Under Orientation Deviation | <i>D. Lu, R. Duan, and K. Yang</i> | 2033 |
| FCGP: Infrared and Visible Image Fusion via Joint Contrast and Gradient Preservation | <i>H. Yan and S. Wang</i> | 2038 |
| Integrated Online Prediction Model for IoT Data | <i>X. Song, Y. Guo, N. Li, and L. Zhang</i> | 2043 |
| Multi-Level Difference Repair Architecture for Face Hallucination | <i>W. Wang and H.-C. Wong</i> | 2048 |
| Bespoke Fractal Sampling Patterns for Discrete Fourier Space via the Kaleidoscope Transform | <i>J. M. White, S. Crozier, and S. S. Chandra</i> | 2053 |
| Skeleton-Based Action Recognition With Focusing-Diffusion Graph Convolutional Networks | <i>J. Gao, T. He, X. Zhou, and S. Ge</i> | 2058 |
| Order Estimation via Matrix Completion for Multi-Switch Antenna Selection | <i>V. Garg, A. Pagès-Zamora, and I. Santamaria</i> | 2063 |
| Domain Discrepancy Elimination and Mean Face Representation Learning for NIR-VIS Face Recognition | <i>W. Hu and H. Hu</i> | 2068 |
| Fast Momentum Contrast Learning for Unsupervised Person Re-Identification | <i>B. Wang, G. Ma, and M. Zhu</i> | 2073 |
| Fast Convergence Method for Scaling Window Sidelobe Magnitude | <i>Y. C. Lim, T. Saramäki, P. S. R. Diniz, and Q. Liu</i> | 2078 |
| Improving Super-Resolution Performance Using Meta-Attention Layers | <i>M. Aquilina, C. Galea, J. Abela, K. P. Camilleri, and R. A. Farrugia</i> | 2082 |
| Improving End-to-End Contextual Speech Recognition via a Word-Matching Algorithm With Backward Search | <i>J. Kim and Y. Lee</i> | 2087 |
| On the Variability of the Sample Covariance Matrix Under Complex Elliptical Distributions | <i>E. Raninen, E. Ollila, and D. E. Tyler</i> | 2092 |
| Distributed Matrix Multiplication Using Group Algebra for On-Device Edge Computing | <i>K. Son, A. Ramamoorthy, and W. Choi</i> | 2097 |
| Efficient Max-Min Power Control for Cell-Free Massive MIMO Systems: An Alternating Projection-Based Approach | <i>B. Wang, J. Wang, J. Fang, H. Duan, and H. Li</i> | 2102 |
| Robust Dynamic Multi-Modal Data Fusion: A Model Uncertainty Perspective | <i>B. Liu</i> | 2107 |
| Statistical Classification via Robust Hypothesis Testing: Non-Asymptotic and Simple Bounds | <i>H. Afşer</i> | 2112 |
| Point Cloud Resampling via Hypergraph Signal Processing | <i>Q. Deng, S. Zhang, and Z. Ding</i> | 2117 |
| Dual Alignment Self-Supervised Incomplete Multi-View Subspace Clustering Network | <i>L. Zhao, J. Zhang, Q. Wang, and Z. Chen</i> | 2122 |

| | | |
|---|---|------|
| Single Image Dehazing via Semi-Supervised Domain Translation and Architecture Search | <i>K. Zhang and Y. Li</i> | 2127 |
| ℓ_1 -Norm Minimization With Regula Falsi Type Root Finding Methods | <i>M. Vural, A. Y. Aravkin, and S. Stańczak</i> | 2132 |
| Cross-Epoch Learning for Weakly Supervised Anomaly Detection in Surveillance Videos | | |
| | <i>S. Yu, C. Wang, Q. Mao, Y. Li, and J. Wu</i> | 2137 |
| Biclustering Collaborative Learning for Cross-Domain Person Re-Identification | <i>Z. Pang, J. Guo, W. Sun, and S. Li</i> | 2142 |
| Reconciling Hand-Crafted and Self-Supervised Deep Priors for Video Directional Rain Streaks Removal | | |
| | <i>J.-H. Zhuang, Y.-S. Luo, X.-L. Zhao, and T.-X. Jiang</i> | 2147 |
| Two-Branch Deep Neural Network for Underwater Image Enhancement in HSV Color Space | | |
| | <i>J. Hu, Q. Jiang, R. Cong, W. Gao, and F. Shao</i> | 2152 |
| Spatio-Spectral Feature Fusion for Low-Light Image Enhancement | | |
| | <i>Y. Qiu, J. Chen, Z. Wang, X. Wang, and C.-W. Lin</i> | 2157 |
| Adaptive Flexible Optimal Graph for Unsupervised Dimensionality Reduction | <i>H. Chen, F. Nie, R. Wang, and X. Li</i> | 2162 |
| Improving the Visual Quality of Video Frame Prediction Models Using the Perceptual Straightening Hypothesis | | |
| | <i>P. Kancharla and S. S. Channappayya</i> | 2167 |
| Beyond Coarray MUSIC: Harnessing the Difference Sets of Nested Arrays With Limited Snapshots | | |
| | <i>P. Kancharla and S. S. Channappayya</i> | 2172 |
| An Efficient Sampling Scheme for the Eigenvalues of Dual Wishart Matrices | <i>I. Santamaria and V. Elvira</i> | 2177 |
| A One-Class Classification Method for Human Gait Authentication Using Micro-Doppler Signatures | | |
| | <i>H. Ji, C. Hou, Y. Yang, F. Fioranelli, and Y. Lang</i> | 2182 |
| Optimizing Multi-Taper Features for Deep Speaker Verification | <i>X. Liu, M. Sahidullah, and T. Kinnunen</i> | 2187 |
| Accelerated Graph Learning From Smooth Signals | <i>S. S. Saboksayr and G. Mateos</i> | 2192 |
| Multi-Modal Visual Place Recognition in Dynamics-Invariant Perception Space | <i>L. Wu, T. Wang, and C. Sun</i> | 2197 |
| Partially Linear Bayesian Estimation Using Mixed-Resolution Data | <i>I. E. Berman and T. Routtenberg</i> | 2202 |

| | | |
|-----------------------------|--|------|
| List of Reviewers | | 2207 |
|-----------------------------|--|------|

2021 INDEX Available online at <https://ieeexplore.ieee.org>

EDICS–Editors’ Information Classification Scheme
..... <https://signalprocessingsociety.org/publications-resources/ieee-signal-processing-letters/edics>
Information for Authors
..... <https://signalprocessingsociety.org/publications-resources/ieee-signal-processing-letters/information-authors-spl>
