

SPREAD SPECTRUM COMMUNICATIONS HANDBOOK

Marvin K. Simon

Jet Propulsion Laboratory

Jim K. Omura

Cylink Corporation, Sunnyvale, California

Robert A. Scholtz

University of Southern California

Barry K. Levitt

Jet Propulsion Laboratory

Electronic Edition

McGraw-Hill, Inc.

New York Chicago San Francisco Lisbon London Madrid
Mexico City Milan New Delhi San Juan Seoul
Singapore Sydney Toronto

McGraw-Hill

A Division of The McGraw-Hill Companies



Copyright © 2002, 1994 by The McGraw-Hill Companies, Inc. All rights reserved. Printed in the United States of America. Except as permitted under the United States Copyright Act of 1976, no part of this publication may be reproduced or distributed in any form or by any means, or stored in a data base or retrieval system, without the prior written permission of the publisher.

The first edition was published in three volumes by Computer Science press in 1985 under the title *Spread Spectrum Communications*.

1 2 3 4 5 6 7 8 9 0 DOC/DOC 0 9 8 7 6 5 4 3 2 1

P/N 138225-9

PART OF

ISBN 0-07-138215-1

The sponsoring editor for this book was Stephen S. Chapman, the editing supervisor was David E. Fogarty, and the production supervisor was Sherri Souffrance. It was set in Times Roman by MacAllister Publishing Services, LLC

Printed and bound by R. R. Donnelley & Sons Company.



This book is printed on recycled, acid-free paper containing a minimum of 50% recycled, de-inked fiber.

Information contained in this work has been obtained by McGraw-Hill, Inc., from sources believed to be reliable. However, neither McGraw-Hill nor its authors guarantee the accuracy or completeness of any information published herein, and neither McGraw-Hill nor its authors shall be responsible for any errors, omissions, or damages arising out of use of this information. This work is published with the understanding that McGraw-Hill and its authors are supplying information but are not attempting to render engineering or other professional services. If such services are required, the assistance of an appropriate professional should be sought.

CONTENTS

Preface	xv
Preface to First Edition	xvi

PART 1 INTRODUCTION TO SPREAD-SPECTRUM COMMUNICATIONS

Chapter 1 A Spread-Spectrum Overview	3
1.1 A Basis for a Jamming Game	3
1.2 Energy Allocation Strategies	6
1.3 Spread-Spectrum System Configurations and Components	9
1.4 Energy Gain Calculations for Typical Systems	17
1.5 The Advantages of Spectrum Spreading	20
1.5.1 Low Probability of Intercept (LPI)	20
1.5.2 Independent Interference Rejection and Multiple-Access Operation	25
1.5.3 High-Resolution Time-of-Arrival (TOA) Measurements	29
1.6 Design Issues	37
1.7 References	38
1.7.1 Books on Communication Theory	38
1.7.2 Books on Resolution and Ambiguity Functions	39
1.7.3 Recent Books and Proceedings on Spread-Spectrum Communications	39
1.7.4 Spread-Spectrum Tutorials and General Interest Papers	39
Chapter 2 The Historical Origins of Spread-Spectrum Communications	41
2.1 Emerging Concepts	42
2.1.1 Radar Innovations	42
2.1.2 Developments in Communication Theory	45
2.1.3 Correlator Mechanization	47
2.1.4 Protected Communications	48
2.1.5 Remote Control and Missile Guidance	58

2.2	Early Spread-Spectrum Systems	65
2.2.1	WHYN	65
2.2.2	A Note on CYTAC	71
2.2.3	Hush-Up	71
2.2.4	BLADES	73
2.2.5	Noise Wheels	78
2.2.6	The Hartwell Connection	84
2.2.7	NOMAC	87
2.2.8	F9C-A/Rake	90
2.2.9	A Note on PPM	100
2.2.10	CODORAC	100
2.2.11	<i>M</i> -Sequence Genesis	106
2.2.12	AN/ARC-50 Development at Magnavox	108
2.3	Branches on the SS Tree	111
2.3.1	Spread-Spectrum Radar	111
2.3.2	Other Early Spread-Spectrum Communication Systems	112
2.3.3	Spread-Spectrum Developments Outside the United States	121
2.4	A Viewpoint	123
2.5	References	125
Chapter 3 Basic Concepts and System Models		137
3.1	Design Approach for Anti-Jam Systems	137
3.2	Models and Fundamental Parameters	139
3.3	Jammer Waveforms	141
3.3.1	Broadband and Partial-Band Noise Jammers	141
3.3.2	CW and Multitone Jammers	143
3.3.3	Pulse Jammer	143
3.3.4	Arbitrary Jammer Power Distributions	143
3.3.5	Repeat-Back Jammers	144
3.4	Uncoded Direct-Sequence Spread Binary Phase-Shift-Keying	144
3.4.1	Constant Power Broadband Noise Jammer	147
3.4.2	Pulse Jammer	150
3.5	Coded Direct-Sequence Spread Binary Phase-Shift-Keying	153
3.5.1	Interleaver and Deinterleaver	158
3.5.2	Unknown Channel State	159
	3.5.2.1 Soft Decision Decoder	160
	3.5.2.2 Hard Decision Decoder	162
3.5.3	Known Channel State	165
	3.5.3.1 Soft Decision Decoder	166
	3.5.3.2 Hard Decision Decoder	168
3.6	Uncoded Frequency-Hopped Binary Frequency-Shift-Keying	169

3.6.1	Constant Power Broadband Noise Jammer	172
3.6.2	Partial-Band Noise Jammer	174
3.6.3	Multitone Jammer	176
3.7	Coded Frequency-Hopped Binary Frequency-Shift-Keying	178
3.8	Interleaver/Hop Rate Tradeoff	180
3.9	Receiver Noise Floor	180
3.10	Discussion	183
3.11	References	183
	Appendix 3A: Interleaving and Deinterleaving	184
Chapter 4	General Analysis of Anti-Jam Communication Systems	189
4.1	System Model	190
4.2	Coded Bit Error Rate Bound	194
4.3	Cutoff Rates	196
4.4	Conventional Coherent BPSK	198
4.5	DS/BPSK and Pulse Jamming	204
4.6	Translation of Coded Error Bounds	205
4.7	Conventional Non-Coherent MFSK	208
4.7.1	Uncoded	208
4.7.2	Coded	213
4.8	FH/MFSK and Partial-Band Jamming	217
4.9	Diversity for FH/MFSK	227
4.10	Concatenation of Codes	235
4.10.1	Binary Super Channel	235
4.10.2	M -ary Super Channel	238
4.10.3	Reed-Solomon Outer Codes	238
4.11	Summary of Bit Error Bounds	246
4.11.1	DS/BPSK with Pulse Jamming	246
4.11.2	FH/MFSK with Partial-Band Noise Jamming	247
4.11.3	Coding Functions	249
4.12	References	249
	Appendix 4A: Chernoff Bound	250
	Appendix 4B: Factor of One-Half in Error Bounds	251
	Appendix 4C: Reed-Solomon Code Performance	260
Chapter 5	Pseudonoise Generators	264
5.1	The Storage/Generation Problem	264
5.2	Linear Recursions	271
5.2.1	Fibonacci Generators	271
5.2.2	Formal Power Series and Characteristic Polynomials	273
5.2.3	Galois Generators	275
5.2.4	State Space Viewpoint	278
5.2.5	Determination of Linear Recursions from Sequence Segments	280

5.3	Memory-Efficient Linear Generators	281
5.3.1	Partial Fraction Decompositions	281
5.3.2	Maximization of Period for a Fixed Memory Size	283
5.3.3	Repeated Factors in the Characteristic Polynomial	284
5.3.4	M -Sequences	285
5.4	Statistical Properties of M -Sequences	286
5.4.1	Event Counts	287
5.4.2	The Shift-and-Add Property	288
5.4.3	Hamming Distance Properties of Derived Real-Integer Sequences	289
5.4.4	Correlation Properties of Derived Complex Roots-of-Unity Sequences	291
5.5	Galois Field Connections	297
5.5.1	Extension Field Construction	297
5.5.2	The LFSR as a Galois Field Multiplier	298
5.5.3	Determining the Period of Memory Cell Outputs	299
5.5.4	The Trace Representation of M -Sequences	301
5.5.5	A Correlation Computation	304
5.5.6	Decimations of Sequences	305
5.6	Non-Linear Feed-Forward Logic	307
5.6.1	A Powers-of- α Representation Theorem	307
5.6.2	Key's Bound on Linear Span	311
5.6.3	Difference Set Designs	315
5.6.4	GMW Sequences	317
5.7	Direct-Sequence Multiple-Access Designs	326
5.7.1	A Design Criterion	326
5.7.2	Welch's Inner Product Bound	327
5.7.3	Cross-correlation of Binary M -Sequences	329
5.7.4	Linear Designs	334
5.7.5	A Transform-Domain Design Philosophy	340
5.7.6	Bent Sequences	344
5.8	Frequency-Hopping Multiple-Access Designs	352
5.8.1	Design Criteria	352
5.8.2	A Bound on Hamming Distance	353
5.8.3	An FHMA Design Employing an M -Sequence Generator	354
5.8.4	Reed-Solomon Sequences	355
5.9	A Look at the Literature	360
5.10	References	362
	Appendix 5A: Finite Field Arithmetic	367
	Appendix 5B: Factorizations of $2^n - 1$ and Selected Primitive Polynomials	398

PART 2 CLASSICAL SPREAD-SPECTRUM COMMUNICATIONS

Chapter 1 Coherent Direct Sequence Systems	405
1.1 Direct-Sequence Spread Coherent Binary Phase-Shift Keying	407
1.2 Uncoded Bit Error Probability for Arbitrary Jammer Waveforms	409
1.2.1 Chernoff Bound	410
1.2.2 Gaussian Assumptions	411
1.3 Uncoded Bit Error Probability for Specific Jammer Waveforms	412
1.3.1 CW Jammer	414
1.3.2 Random Jammer	416
1.4 Pulse Jamming	418
1.4.1 Arbitrary Time Distribution	418
1.4.2 Worst Case Jammer	420
1.5 Standard Codes and Cutoff Rates	422
1.5.1 The Additive White Gaussian Noise Channel	422
1.5.2 Jamming Channels	424
1.6 Slow Frequency Non-Selective Fading Channels	428
1.6.1 Continuous Jammer with No Coding	428
1.6.2 Continuous Jammer with Coding—No Fading Estimate	430
1.6.3 Continuous Jammer with Coding—Fading Estimate	436
1.6.4 Pulse Jammer with No Coding	441
1.7 Slow Fading Multipath Channels	442
1.8 Other Coding Metrics for Pulse Jamming	453
1.9 Discussion	460
1.10 References	462
Chapter 2 Non-Coherent Frequency-Hopped Systems	464
2.1 Broadband Noise Jamming	471
2.2 Worst Case Jamming	475
2.2.1 Partial-Band Noise Jamming	475
2.2.2 Multitone Jamming	480
2.2.2.1 Random Jamming Tone Phase	483
2.2.2.2 Band Multitone Jamming	484
2.2.2.3 Independent Multitone Jamming	493
2.3 Coding Countermeasures	497
2.3.1 Time Diversity	497
2.3.1.1 Partial-Band Noise Jamming	500
2.3.1.2 Band Multitone Jamming	512
2.3.1.3 Independent Multitone Jamming	535

2.3.1.4	Time Diversity Overview	540
2.3.2	Coding Without Diversity	546
2.3.2.1	Convolutional Codes	547
2.3.2.2	Reed-Solomon Codes	562
2.3.2.3	Concatenated Codes	565
2.3.3	Coding With Diversity	567
2.3.3.1	Optimum Code Rates	593
2.4	Slow Fading Uniform Channels	600
2.4.1	Broadband Jamming—No Diversity	602
2.4.2	Broadband Jamming—Diversity and Coding	604
2.4.3	Partial-Band Jamming	612
2.5	Worst Noise Jammer Distribution—Slow Fading Uniform Channel	615
2.5.1	Uncoded	615
2.5.2	Diversity and Coding	619
2.6	Worst Noise Jammer Distribution—Slow Fading Nonuniform Channel	622
2.6.1	Uncoded	623
2.6.2	Diversity and Coding	626
2.7	Other Coding Metrics	630
2.7.1	Energy Quantizer	633
2.7.2	Hard Decision with One Bit Quality Measure	636
2.7.3	List Metric	641
2.7.4	Metrics for Binary Codes	652
2.8	References	660
Appendix 2A:	Justification of Factor of 1/2 for FH/MFSK Signals with Diversity in Partial-Band Noise	662
Appendix 2B:	Combinatorial Computation for $n = 1$ Band Multitone Jamming	664

PART 3 OTHER FREQUENCY-HOPPED SYSTEMS

Chapter 1	Coherent Modulation Techniques	669
1.1	Performance of FH/QPSK in the Presence of Partial- Band Multitone Jamming	670
1.2	Performance of FH/QASK in the Presence of Partial- Band Multitone Jamming	680
1.3	Performance of FH/QPSK in the Presence of Partial- Band Noise Jamming	687
1.4	Performance of FH/QASK in the Presence of Partial- Band Noise Jamming	690
1.5	Performance of FH/PN/QPSK in the Presence of Partial-Band Multitone Jamming	693
1.6	Performance of FH/PN/QASK in the Presence of Partial-Band Multitone Jamming	698

1.7	Performance of FH/QPR in the Presence of Partial-Band Multitone Jamming	699
1.8	Performance of FH/QPR in the Presence of Partial-Band Multitone Jamming	710
1.9	Summary and Conclusions	713
1.10	References	713
Chapter 2	Differentially Coherent Modulation Techniques	715
2.1	Performance of FH/MDPSK in the Presence of Partial-Band Multitone Jamming	716
2.1.1	Evaluation of $Q_{2\pi n/m}$	719
2.2	Performance of FH/MDPSK in the Presence of Partial-Band Noise Jamming	728
2.3	Performance of DQASK in the Presence of Additive White Gaussian Noise	731
2.3.1	Characterization of the Transmitted Signal	31
2.3.2	Receiver Characterization and Performance	732
2.4	Performance of FH/DQASK in the Presence of Partial-Band Multitone Jamming	739
2.5	Performance of FH/DQASK in the Presence of Partial-Band Noise Jamming	748
2.6	References	749
PART 4	SYNCHRONIZATION OF SPREAD-SPECTRUM SYSTEMS	
Chapter 1	Pseudonoise Acquisition in Direct Sequence Receivers	753
1.1	Historical Survey	753
1.2	The Single Dwell Serial PN Acquisition System	765
1.2.1	Markov Chain Acquisition Model	767
1.2.2	Single Dwell Acquisition Time Performance in the Absence of Code Doppler	770
1.2.3	Single Dwell Acquisition Time Performance in the Presence of Code Doppler and Doppler Rate	777
1.2.4	Evaluation of Detection Probability P_D and False Alarm Probability P_{FA} in Terms of PN Acquisition System Parameters	781
1.2.5	Effective Probability of Detection and Timing Misalignment	785
1.2.6	Modulation Distortion Effects	786
1.2.7	Reduction in Noise Spectral Density Caused by PN Despreading	786
1.2.8	Code Doppler and Its Derivative	787
1.2.9	Probability of Acquisition for the Single Dwell System	789

1.3	The Multiple Dwell Serial PN Acquisition System	794
1.3.1	Markov Chain Acquisition Model	798
1.3.2	Multiple Dwell Acquisition Time Performance	801
1.4	A Unified Approach to Serial Search Acquisition with Fixed Dwell Times	811
1.4.1	The Flow Graph Technique	811
1.5	Rapid Acquisition Using Matched Filter Techniques	817
1.5.1	Markov Chain Acquisition Model and Acquisition Time Performance	824
1.5.2	Evaluation of Detection and False Alarm Probabilities for Correlation and Coincidence Detectors	827
1.5.2.1	Exact Results	829
1.5.2.2	Approximate Results	831
1.5.2.3	Acquisition Time Performance	833
1.6	PN Sync Search Procedures and Sweep Strategies for a Non-Uniformly Distributed Signal Location	834
1.6.1	An Example—Single Dwell Serial Acquisition with an Optimized Expanding Window Search	838
1.6.2	Application of the Circular State Diagram Approach	843
1.7	PN Synchronization Using Sequential Detection	860
1.7.1	A Brief Review of Sequential Hypothesis Testing as Applied to the Non-Coherent Detection of a Sine Wave in Gaussian Noise	864
1.7.2	The Biased Square-Law Sequential Detector	867
1.7.3	Probability of False Alarm and Average Test Duration in the Absence of Signal	868
1.7.4	Simulation Results	877
1.8	Search/Lock Strategies	885
1.8.1	Mean and Variance of the Acquisition Time	887
1.8.1.1	Evaluation of Probability Lock	890
1.8.1.2	Evaluation of Mean Dwell Time	891
1.8.2	Another Search/Lock Strategy	896
1.9	Further Discussion	898
1.10	References	899
Chapter 2 Pseudonoise Tracking in Direct Sequence Receivers		903
2.1	The Delay-Locked Loop	904
2.1.1	Mathematical Loop Model and Equation of Operation	904
2.1.2	Statistical Characterization of the Equivalent Additive Noise	909
2.1.3	Linear Analysis of DLL Tracking Performance	911
2.2	The Tau-Dither Loop	915

2.2.1	Mathematical Loop Model and equation of Operation	916
2.2.2	Statistical Characterization of the Equivalent Additive Noise	920
2.2.3	Linear Analysis of TDL Tracking Performance	922
2.3	Acquisition (Transient) Behavior of the DLL and TDL	928
2.4	Mean Time to Loss-of-Lock for the DLL and TDL	933
2.5	The Double Dither Loop	935
2.6	The Product of Sum and Difference DLL	937
2.7	The Modified Code Tracking Loop	941
2.8	The Complex Sums Loop (A Phase-Sensing DLL)	948
2.9	Quadrphase PN Tracking	949
2.10	Further Discussion	952
2.11	References	956
Chapter 3 Time and Frequency Synchronization of Frequency-Hopped Receivers		958
3.1	FH Acquisition Techniques	959
3.1.1	Serial Search Techniques with Active Correlation	959
3.1.2	Serial Search Techniques with Passive Correlation	983
3.1.3	Other FH Acquisition Techniques	985
3.2	Time Synchronization of Non-Coherent FH/MFSK Systems	989
3.2.1	The Case of Full-Band Noise jamming	992
	3.2.1.1 Signal Model and Spectral Computations	992
	3.2.1.2 Results of Large N_h	997
3.2.2	The Case of Partial-Band Noise Jamming	999
	3.2.2.1 Results of Large ρN_h	1000
3.2.3	The Effects of Time Synchronization Error on FH/MFSK Error Probability Performance	1001
	3.2.3.1 Conditional Error Probability Performance—No Diversity	1002
	3.2.3.2 Conditional Error Probability Performance— m -Diversity with Non-Coherent Combining	1006
	3.2.3.3 Average Error Probability Performance in the Presence of Time Synchronization Error Estimation	1009
3.3	Frequency Synchronization of Non-Coherent FH/MFSK Systems	1011
3.3.1	The Case of Full-Band Noise Jamming	1013
	3.3.1.1 Signal Model and Spectral Computations	1013
3.3.2	The Case of Partial-Band Noise Jamming	1017
3.3.3	The Effects of Frequency Synchronization Error on FH/MFSK Error Probability Performance	1017

3.3.3.1	Average Error Probability Performance in the Presence of Frequency Synchronization Error Estimation	1022
3.4	References	
Appendix 3A:	To Prove That a Frequency Estimator Based upon Adjacent Spectral Estimates Taken at Integer Multiples of $1/T$ Cannot be Unbiased	1026

PART 5 SPECIAL TOPICS

Chapter 1	Low Probability of Intercept Communications	1033
1.1	Signal Modulation Forms	1035
1.2	Interception Detectors	1036
1.2.1	Ideal and Realizable Detectors	1037
1.2.1.1	Detectability Criteria	1037
1.2.1.2	Maximum or Bounding Performance of Fundamental Detector Types	1037
(1)	Wideband Energy Detector (Radiometer)	1038
(2)	Optimum Multichannel FH Pulse-Matched Energy Detector	1040
(3)	Filter Bank Combiner (FBC) Detector	1045
(4)	Partial-band Filter Bank Combiner (PB-FBC)	1050
1.2.1.3	Signal Structures and Modulation Considerations	1055
1.2.2	Non-idealistic Detector Performance	1059
1.2.2.1	The Problem of Time Synchronization	1059
(1)	Wideband Detector with Overlapping I & Ds Each of Duration Equal to That of the Message	1059
(2)	Wideband Detector with Single (Non-overlapping) I & D of Duration Equal to Half of the Message Duration	1063
(3)	Wideband Detector with a Continuous Integration Post- Detection RC Filter	1064
(4)	Filter Bank Combiner with Overlapping I & Ds Each of Hop Interval Duration	1066
1.2.2.2	The Problem of Frequency Synchronization	1070
(1)	Doppler Effects	1070
(2)	Performance of the FBC with Frequency Error	1070

1.2.3	Detector Implementation	1074
1.2.3.1	Basic Configurations	1074
(1)	Wideband Single-Channel Detectors	1074
(2)	Channelized Detectors	1076
1.2.3.2	Other Possible Feature Detector Configurations	1077
1.3	Performance and Strategies Assessment	1083
1.3.1	Communicator Modulation and Intercept Detectors	1083
1.3.2	Anti-Jam Measures	1087
1.3.3	Optimum LPI Modulation/Coding Conditions	1089
1.4	Further Discussion	1089
1.5	References	1092
	Appendix 1A: Conditions for Viable Multichannel Detector Performance	1093
Chapter 2	Multiple Access	1096
2.1	Networks	1099
2.1.1	Decentralized (Point-to-Point) Networks	1099
2.1.2	Centralized (Multipoint-to-Point) Networks	1103
2.2	Summary of Multiple Access Techniques	1105
2.3	Spread-Spectrum Multiple Access with DS/BPSK Waveforms	1110
2.3.1	Point-to-Point	1110
2.3.2	Conventional Multipoint-to-Point	1113
2.3.3	Optimum Multipoint-to-Point	1116
2.4	Spread-Spectrum Multiple Access with FH/MFSK Waveforms	1123
2.4.1	Point-to-Point	1124
2.4.2	Conventional Multipoint-to-Point	1136
2.4.3	Optimum Multipoint-to-Point	1142
2.5	Discussion	1148
2.6	References	1148
Chapter 3	Commercial Applications	1158
3.1	Key Events in the Commercial Market	1160
3.2	The United States FCC Part 15 Rules	1160
3.2.1	Indoor Applications	1161
3.2.2	Outdoor Applications	1162
3.2.3	Direct Sequence Versus Frequency Hopping	1162
3.2.3.1	Conversion of Narrowband Radios	1163
3.2.3.2	Cost of Development and Products	1163
3.2.3.3	Performance	1163
3.2.4	Multipath and Diversity	1165
3.2.5	Results of The Part 15 Rule	1166

3.3	The Digital Cellular CDMA Standard	1169
3.3.1	Overview of the CDMA Digital Cellular System (IS-95)	1170
3.3.2	Comparison of IS-95, IS-54, and GSM	1172
3.4	A New Paradigm for Designing Radio Networks	1173
3.5	The Potential Capacity of Direct Sequence Spread Spectrum CDMA in High-Density Networks	1176
3.5.1	Data Versus Voice Applications	1179
3.5.2	Power Control	1179
3.5.3	Time Synchronization and Orthogonal Codes	1179
3.5.4	The Outbound Channel	1180
3.5.5	Frequency Reuse and Antenna Sectorization	1181
3.5.6	Narrowbeam and Delay-line Antennas	1181
3.6	Spread Spectrum CDMA for PCS/PCN	1182
3.6.1	Binary Orthogonal Codes	1183
3.6.2	S-CDMA Equivalent to Bit-Level TDMA	1183
3.6.3	A High-Density Voice PCS System	1186
	3.6.3.1 Bit-Error Probabilities	1188
	3.6.3.2 Computer Simulations	1191
	3.6.3.3 Other System Issues	1192
	3.6.3.4 Comparison with DECT	1193
3.7	Higher Capacity Optional Receivers	1194
3.8	Summary	1195
3.9	References	1196
	Appendix 3A: Multipath and Diversity	1198
	Appendix 3B: Error Bounds for Interference-Limited Channels	1208

Index**1215**

PREFACE

In the nine years since the publication of the first edition of *Spread Spectrum Communications*, the world's political situation has changed considerably. The U.S. Department of Defense has reduced its support for the development of new communication systems as well as their acquisition. One might question the need for a second edition of a book written about robust techniques for anti-jamming (AJ) and low-probability-of-intercept (LPI) communications.

However, while it is already painfully clear that the close of the Cold War has not ended warfare, the past decade has also ushered in a new era of mobile communications. The qualities that make spread-spectrum techniques useful in military communications—fine time-resolution, low power-density, privacy, and a high immunity to interference—are also extremely desirable in today's mobile communications systems. Encouraged by enlightened FCC actions, spread-spectrum technology is being transferred from the Department of Defense to the arena of commercial mobile cellular communications. The emerging markets for spread-spectrum systems have the potential to dwarf those of the past.

Are the design techniques for military communication systems truly applicable to the commercial environment? Does yesteryear's jammer have anything to teach us about managing multiple-user noise in a spread-spectrum multiple-access radio network? The answer—an unqualified “yes”—is attested to by the successes of companies that are penetrating the commercial marketplace with spread-spectrum products.

This revised edition contains new material on the emerging commercial applications of spread-spectrum techniques as well as minor modifications to the book's original fourteen chapters. We believe that since it is based on sound engineering principles and is not bound to a particular implementation technology, it will retain its usefulness for the foreseeable future.

*Marvin K. Simon
Jim K. Omura
Robert A. Scholtz
Barry K. Levitt*

PREFACE TO FIRST EDITION

Not more than a decade ago, the discipline of spread-spectrum (SS) communications was primarily cloaked in secrecy. Indeed, most of the information available on the subject at that time could be found only in documents of a classified nature.

Today the picture is noticeably changed. The open literature abounds with publications on SS communications, special issues of the *IEEE Transactions on Communications* have been devoted to the subject, and the formation of an annual conference on military communications, MILCOM, now offers a public forum for presentation of unclassified (as well as classified) papers dealing with SS applications in military systems. On a less formal note, many tutorial and survey papers have recently appeared in the open literature, and presentations on a similar level have taken place at major communications conferences. Finally, as further evidence we cite the publication of several books dealing either with SS communications directly or as part of the more general electronic countermeasures (ECM) and electronic counter-countermeasures (ECCM) problem. References to all these forms of public documentation are given in Section 1.7 of Chapter 1, Part 1.

The reasons for this proliferation can be traced to many sources. While it is undoubtedly true that the primary application of SS communications still lies in the development of enemy jam-resistant communication systems for the military, largely within the confines of classified programs, the emergence of other applications, in which both the military and civilian sectors are involved, as playing a role of ever-increasing importance. For example, to minimize mutual interference, the flux density of transmissions from radio transmitters must often be maintained at acceptably low radiation levels. A convenient way to meet these requirements is to spread the power spectrum of the signal before transmission and despread it after reception—the non-hostile equivalent of the military low-probability-of-intercept (LPI) signal design.

Another instance in which SS techniques are particularly useful in a non-anti-jam application is in multiple-access communications in which many users share a single communication channel. The assignment of a unique SS sequence to each user allows him or her to transmit simultaneously over the common channel with a minimum of mutual interference, simplifying the network control requirements.

Extremely accurate positioning can be computed by using signals from several satellites in synchronous and asynchronous orbits. Satellites transmitting pseudorandom noise sequences modulated onto the transmitted carrier signal provide the means for accomplishing the required range and distance determination at any point on the earth.

Finally, SS techniques can improve the reliability of transmission in frequency-selective fading and multipath environments. Spreading the bandwidth of the transmitted signal over a wide range of frequencies reduces its vulnerability to interference and often provides some diversity gain at the receiver.

At the heart of all these potential applications lies the increasing use of digital forms of modulation for transmitting information, driven by the tremendous advances made over the last decade in microelectronics. This trend no doubt will continue, and thus it should not be surprising that more and more applications for spread-spectrum techniques will continue to surface. Indeed, the state-of-the-art is advancing so rapidly (e.g., witness the recent improvements in frequency synthesizers boosting frequency hop rates from the Khops/sec to the Mhops/sec ranges over SS bandwidths in excess of a GHz) that today's primarily theoretical concepts will be realized tomorrow.

Unclassified research and developments in spread-spectrum communications have arrived at a point of maturity necessary to justify a textbook on SS communications that goes far beyond the level of those available on today's market. Such is the purpose of *Spread Spectrum Communications*. Contained within the fourteen chapters of its three volumes is an in-depth treatment of SS communications that should appeal to the specialist already familiar with the subject as well as the neophyte with little or no background in the area. The book is organized into five parts, within which the various chapters are for the most part self-contained. The exception is Chapter 3, Part 1, which deals with basic concepts and system models and serves as a basis for many of the other chapters that follow. As would be expected, the more traditional portions of the subject are treated in the first two parts, while the latter three parts deal with more specialized aspects. The authors envision that an introductory one-semester course in SS communications taught at a graduate level in a university might cover all or parts of Chapters 1, 3, 4, 5 of Part 1, Chapters 1 and 2 of Part 2, and Chapters 1 and 2 of Part 4.

In composing the technical material presented in *Spread Spectrum Communications*, the authors have intentionally avoided referring by name to specific modern SS systems that employ techniques such as those discussed in many of the chapters. Such a choice was motivated by the desire to offer a unified approach to the subject that stresses fundamental principles rather than specific applications. Nevertheless, the reader should feel confident that the broad experience of the four authors ensures that the material is practical as well as academically inspiring.

In writing a book of this magnitude, we acknowledge many whose efforts should not go unnoticed. Credit is due to Paul Green for originally suggesting

the research that uncovered the material in Chapter 2, Part 1, and to Bob Price for the tireless sleuthing which led to much of the remarkable information presented there. Chapter 5, Part 1 benefited significantly from the comments of Lloyd Welch, whose innovative research is responsible for some of the elegant sequence designs presented there. Per Kullstam helped clarify the material on DS/BPSK analysis in Chapter 1, Part 2. Paul Crepeau contributed substantially to the work on list detectors. Last but by no means least, the authors would like to thank James Springett, Gaylord Huth, and Richard Iwasaki for their contributions to much of the material presented in Chapter 4, Part 5.

Several colleagues of the authors have aided in the production of a useful book by virtue of critical reading and/or proofing. In this regard, the efforts of Paul Crepeau, Larry Hatch, Vijay Kumar, Sang Moon, Wei-Chung Peng, and Reginaldo Polazzo, Jr. are greatly appreciated.

It is often said that a book cannot be judged by its cover. The authors of *Spread Spectrum Communications* are proud to take exception to this commonly quoted cliché. For the permission to use the historically significant noise-wheel cover design (see Chapter 2, Part 1, Section 2.2.5), we gratefully acknowledge the International Telephone and Telegraph Corp.

Marvin K. Simon
Jim K. Omura
Robert A. Scholtz
Barry K. Levitt