

PROCEEDINGS OF SPIE

[SPIDigitalLibrary.org/conference-proceedings-of-spie](https://spiedigitallibrary.org/conference-proceedings-of-spie)

Front Matter: Volume 7624

, "Front Matter: Volume 7624," Proc. SPIE 7624, Medical Imaging 2010:
Computer-Aided Diagnosis, 762401 (15 April 2010); doi: 10.1117/12.856064

SPIE.

Event: SPIE Medical Imaging, 2010, San Diego, California, United States

Medical Imaging 2010

Computer-Aided Diagnosis

Nico Karssemeijer
Ronald M. Summers
Editors

16–18 February 2010
San Diego, California, United States

Sponsored by
SPIE

Cosponsored by
Medtronic, Inc. • Aeroflex, Inc. (United States) • Hamamatsu Photonics K.K. • OpenXi (United States) Tungsten Heavy Powder, Inc. (United States)

Cooperating Organizations
AAPM—American Association of Physicists in Medicine (United States) • APS—American Physiological Society (United States) • CARS—Computer Assisted Radiology and Surgery (Germany) • The Society for Imaging Science and Technology • Medical Image Perception Society (United States) • Radiological Society of North America (United States) • Society for Imaging Informatics in Medicine (United States) • SMI—The Society for Molecular Imaging The DICOM Standards Committee (United States)

Published by
SPIE

Part One of Two Parts
Volume 7624

Proceedings of SPIE, 1605-7422, v. 7624

SPIE is an international society advancing an interdisciplinary approach to the science and application of light.

The papers included in this volume were part of the technical conference cited on the cover and title page. Papers were selected and subject to review by the editors and conference program committee. Some conference presentations may not be available for publication. The papers published in these proceedings reflect the work and thoughts of the authors and are published herein as submitted. The publisher is not responsible for the validity of the information or for any outcomes resulting from reliance thereon.

Please use the following format to cite material from this book:

Author(s), "Title of Paper," in *Medical Imaging 2010: Computer-Aided Diagnosis*, edited by Nico Karssemeijer, Ronald M. Summers, Proceedings of SPIE Vol. 7624 (SPIE, Bellingham, WA, 2010) Article CID Number.

ISSN 1605-7422

ISBN 9780819480255

Published by

SPIE

P.O. Box 10, Bellingham, Washington 98227-0010 USA

Telephone +1 360 676 3290 (Pacific Time) · Fax +1 360 647 1445

SPIE.org

Copyright © 2010, Society of Photo-Optical Instrumentation Engineers.

Copying of material in this book for internal or personal use, or for the internal or personal use of specific clients, beyond the fair use provisions granted by the U.S. Copyright Law is authorized by SPIE subject to payment of copying fees. The Transactional Reporting Service base fee for this volume is \$18.00 per article (or portion thereof), which should be paid directly to the Copyright Clearance Center (CCC), 222 Rosewood Drive, Danvers, MA 01923. Payment may also be made electronically through CCC Online at copyright.com. Other copying for republication, resale, advertising or promotion, or any form of systematic or multiple reproduction of any material in this book is prohibited except with permission in writing from the publisher. The CCC fee code is 1605-7422/10/\$18.00.

Printed in the United States of America.

Publication of record for individual papers is online in the SPIE Digital Library.



SPIDigitalLibrary.org

Paper Numbering: Proceedings of SPIE follow an e-First publication model, with papers published first online and then in print and on CD-ROM. Papers are published as they are submitted and meet publication criteria. A unique, consistent, permanent citation identifier (CID) number is assigned to each article at the time of the first publication. Utilization of CIDs allows articles to be fully citable as soon they are published online, and connects the same identifier to all online, print, and electronic versions of the publication. SPIE uses a six-digit CID article numbering system in which:

- The first four digits correspond to the SPIE volume number.
- The last two digits indicate publication order within the volume using a Base 36 numbering system employing both numerals and letters. These two-number sets start with 00, 01, 02, 03, 04, 05, 06, 07, 08, 09, 0A, 0B ... 0Z, followed by 10-1Z, 20-2Z, etc.

The CID number appears on each page of the manuscript. The complete citation is used on the first page, and an abbreviated version on subsequent pages. Numbers in the index correspond to the last two digits of the six-digit CID number.

Contents

xvii Conference Committee

SESSION 1 KEYNOTE AND CLASSIFIER TRAINING

7624 03 **Resampling method for balancing training data in video analysis** [7624-02]
B. Girtharan, X. Yuan, Univ. of North Texas (United States)

7624 04 **Training variability in the evaluation of automated classifiers** [7624-03]
W. Chen, B. D. Gallas, U.S. Food and Drug Administration (United States)

SESSION 2 BREAST IMAGING

7624 05 **Database-guided breast tumor detection and segmentation in 2D ultrasound images** [7624-04]
J. Zhang, S. K. Zhou, Siemens Corporate Research (United States); S. Brunke, C. Lowery, Siemens Medical Solutions USA, Inc. (United States); D. Comaniciu, Siemens Corporate Research (United States)

7624 06 **Perception-driven IT-CADe analysis for the detection of masses in screening mammography: initial investigation** [7624-05]
G. D. Tourassi, M. A. Mazurowski, Duke Univ. Medical Ctr. (United States); E. A. Krupinski, The Univ. of Arizona (United States)

7624 07 **Joint segmentation and spiculation detection for ill-defined and spiculated mammographic masses** [7624-06]
Y. Tao, Virginia Polytechnic Institute and State Univ. (United States) and Georgetown Univ. Medical Ctr. (United States); S.-C. B. Lo, M. T. Freedman, Georgetown Univ. Medical Ctr. (United States); J. Xuan, Virginia Polytechnic Institute and State Univ. (United States)

7624 08 **Detection of architectural distortion in prior mammograms using fractal analysis and angular spread of power** [7624-07]
S. Banik, R. M. Rangayyan, J. E. L. Desautels, Univ. of Calgary (Canada)

7624 09 **A comparative study of volumetric breast density estimation in digital mammography and magnetic resonance imaging: results from a high-risk population** [7624-08]
D. Kontos, Y. Xing, P. R. Bakic, E. F. Conant, A. D. A. Maidment, The Univ. of Pennsylvania (United States)

7624 0A **Association of a mammographic parenchymal pattern (MPP) descriptor with breast cancer risk: a case-control study** [7624-09]
J. Wei, H.-P. Chan, C. Zhou, M. A. Helvie, L. M. Hadjiiski, B. Sahiner, Univ. of Michigan (United States)

SESSION 3 COLON AND PROSTATE

- 7624 0B **Projection-based features for reducing false positives in computer-aided detection of colonic polyps in CT colonography** [7624-10]
H. Zhu, M. Barish, SUNY, Stony Brook (United States); P. Pickhardt, Univ. of Wisconsin-Madison Medical School (United States); Y. Fan, E. Posniak, R. Richards, Z. Liang, SUNY, Stony Brook (United States)
- 7624 0C **Dual-energy electronic cleansing for non-cathartic CT colonography: a phantom study** [7624-11]
W. Cai, B. Liu, H. Yoshida, Massachusetts General Hospital (United States) and Harvard Medical School (United States)
- 7624 0D **Prediction of polyp histology on CT colonography using content-based image retrieval** [7624-12]
J. M. Aman, J. Yao, R. M. Summers, National Institutes of Health (United States)
- 7624 0E **Matching colonic polyps using correlation optimized warping** [7624-13]
S. Wang, J. Yao, National Institutes of Health Clinical Ctr. (United States); N. Petrick, Ctr. for Devices and Radiological Health, U.S. Food and Drug Administration (United States); R. M. Summers, National Institutes of Health Clinical Ctr. (United States)
- 7624 0F **Automated segmentation of reference tissue for prostate cancer localization in dynamic contrast enhanced MRI** [7624-14]
P. C. Vos, T. Hambrock, J. O. Barentsz, H. J. Huisman, Radboud Univ. Nijmegen Medical Ctr. (Netherlands)

SESSION 4 RETINAL IMAGING

- 7624 0G **Automatic classification of pathological myopia in retinal fundus images using PAMELA** [7624-15]
J. Liu, D. W. K. Wong, N. M. Tan, Z. Zhang, S. Lu, J. H. Lim, H. Li, A*STAR Institute for Infocomm Research (Singapore); S. M. Saw, National Univ. of Singapore (Singapore); L. Tong, Singapore National Eye Ctr. (Singapore); T. Y. Wong, National Univ. of Singapore (Singapore) and Singapore Eye Research Institute (Singapore)
- 7624 0H **Effects of image compression and degradation on an automatic diabetic retinopathy screening algorithm** [7624-16]
C. Agurto, S. Barriga, V. Murray, VisionQuest Biomedical, LLC (United States) and The Univ. of New Mexico (United States); M. Pattichis, The Univ. of New Mexico (United States); P. Soliz, VisionQuest Biomedical, LLC (United States), The Univ. of New Mexico (United States), and Univ. of Iowa (United States)
- 7624 0I **Automatic determination of the artery-vein ratio in retinal images** [7624-17]
M. Niemeijer, Univ. Medical Ctr. Utrecht (Netherlands), The Univ. of Iowa (United States), and Veteran's Administration MC (United States); B. van Ginneken, Univ. Medical Ctr. Utrecht (Netherlands); M. D. Abramoff, The Univ. of Iowa (United States) and Veteran's Administration MC (United States)

- 7624 OJ **Automated detection and classification of major retinal vessels for determination of diameter ratio of arteries and veins** [7624-18]
C. Muramatsu, Gifu Univ. (Japan); Y. Hatanaka, Univ. of Shiga Prefecture (Japan); T. Iwase, T. Hara, H. Fujita, Gifu Univ. (Japan)
- 7624 OK **Use of a twin dataset to identify AMD-related visual patterns controlled by genetic factors** [7624-19]
G. Quéllec, The Univ. of Iowa Hospitals and Clinics (United States) and Univ. of Iowa (United States); M. D. Abramoff, The Univ. of Iowa Hospitals and Clinics (United States), Univ. of Iowa (United States), and Iowa City VA Medical Ctr. (United States); S. R. Russell, The Univ. of Iowa Hospitals and Clinics (United States) and Iowa City VA Medical Ctr. (United States);

SESSION 5 CARDIAC AND VASCULAR

- 7624 OL **Auto-biometric for M-mode echocardiography** [7624-20]
W. Zhang, Siemens Corporate Research (United States) and SET Corp. (United States); J. Park, S. K. Zhou, Siemens Corporate Research (United States)
- 7624 OM **Automatic coronary calcium scoring in low-dose non-ECG-synchronized thoracic CT scans** [7624-21]
I. Išgum, M. Prokop, P. C. Jacobs, M. J. Gondrie, W. P. Th. M. Mali, M. A. Viergever, B. van Ginneken, Univ. Medical Ctr. Utrecht (Netherlands)
- 7624 ON **A hybrid CPU-GPU framework for quantitative follow-up of abdominal aortic aneurysm volume by CT angiography** [7624-22]
C. Kauffmann, Ctr. Hospitalier de l'Univ. de Montréal (Canada); A. Tang, E. Therasse, G. Soulez, Hôpital Saint-Luc, Univ. of Montreal (Canada)
- 7624 OO **Automated segmentation and tracking of coronary arteries in cardiac CT scans: comparison of performance with a clinically used commercial software** [7624-23]
C. Zhou, H.-P. Chan, A. Chughtai, S. Patel, L. M. Hadjiiski, B. Sahiner, J. Wei, E. A. Kazerooni, Univ. of Michigan (United States)
- 7624 OP **MACD: an imaging marker for cardiovascular disease** [7624-24]
M. Ganz, M. de Bruijne, M. Nielsen, Univ. of Copenhagen (Denmark)

SESSION 6 LIVER AND LYMPH NODES

- 7624 OQ **Automated classification of lymph nodes in USPIO-enhanced MR-images: a comparison of three segmentation methods** [7624-25]
O. A. Debats, N. Karssemeijer, J. O. Barentsz, H. Huisman, Radboud Univ. Nijmegen Medical Ctr. (Netherlands)
- 7624 OR **CT liver volumetry using geodesic active contour segmentation with a level-set algorithm** [7624-26]
K. Suzuki, M. L. Epstein, R. Kohlbrenner, A. Obajuluwa, J. Xu, M. Hori, R. Baron, The Univ. of Chicago (United States)

- 7624 OS **Multi-class SVM model for fMRI-based classification and grading of liver fibrosis** [7624-27]
M. Freiman, Y. Sela, The Hebrew Univ. of Jerusalem (Israel); Y. Edrei, O. Pappo, Hadassah Hebrew Univ. Medical Ctr. (Israel); L. Joskowicz, The Hebrew Univ. of Jerusalem (Israel); R. Abramovitch, Hadassah Hebrew Univ. Medical Ctr. (Israel)
- 7624 OT **Semi-automatic central-chest lymph-node definition from 3D MDCT images** [7624-28]
K. Lu, W. E. Higgins, The Pennsylvania State Univ. (United States)
- 7624 OU **Computer-aided lymph node detection in abdominal CT images** [7624-29]
J. Liu, J. M. White, R. M. Summers, Imaging Biomarkers and Computer-Aided Diagnosis Lab., National Institutes of Health (United States)
- 7624 OV **Automated liver lesion characterization using fast kVp switching dual energy computed tomography imaging** [7624-30]
A. Santamaría-Pang, GE Global Research (United States); S. Dutta, GE Healthcare (United States); S. Makrogiannis, Medstar Research Institute/National Institute of Aging (United States); A. Hara, W. Pavlicek, A. Silva, Mayo Clinic (United States); B. Thomsen, S. Robertson, D. Okerlund, GE Healthcare (United States); D. A. Langan, R. Bhotika, GE Global Research (United States)

SESSION 7 PULMONARY PATTERNS

- 7624 OW **What catches a radiologist's eye? A comprehensive comparison of feature types for saliency prediction** [7624-33]
M. Alzubaidi, V. Balasubramanian, Arizona State Univ. (United States); A. Patel, Mayo Clinic (United States); S. Panchanathan, J. A. Black, Jr., Arizona State Univ. (United States)
- 7624 OX **Interactive annotation of textures in thoracic CT scans** [7624-31]
T. T. J. P. Kockelkorn, P. A. de Jong, H. A. Gietema, Univ. Medical Ctr. Utrecht (Netherlands); J. C. Grutters, St. Antonius Ziekenhuis Nieuwegein (Netherlands); M. Prokop, B. van Ginneken, Univ. Medical Ctr. Utrecht (Netherlands)
- 7624 OY **Rib suppression in chest radiographs to improve classification of textural abnormalities** [7624-32]
L. E. Hogeweg, C. Mol, P. A. de Jong, B. van Ginneken, Univ. Medical Ctr. Utrecht (Netherlands)
- 7624 OZ **Combinational feature optimization for classification of lung tissue images** [7624-34]
R. K. Samala, The Univ. of Texas at El Paso (United States); T. Zhukov, H. Lee Moffitt Cancer Ctr. & Research Institute (United States); J. Zhang, The Univ. of Texas at El Paso (United States); M. Tockman, H. Lee Moffitt Cancer Ctr. & Research Institute (United States); W. Qian, The Univ. of Texas at El Paso (United States)
- 7624 10 **Classification of interstitial lung disease patterns with topological texture features** [7624-35]
M. B. Huber, M. Nagarajan, Univ. of Rochester (United States); G. Leinsinger, Ludwig-Maximilians-Univ. München (Germany); L. A. Ray, Carestream Health, Inc. (United States); A. Wismüller, Univ. of Rochester (United States)

SESSION 8 LUNG NODULES

- 7624 12 **Content-based image retrieval applied to bone age assessment** [7624-45]
B. Fischer, A. Brosig, P. Welter, C. Grouls, R. W. Günther, T. M. Deserno, RWTH Aachen Univ. (Germany)
- 7624 13 **Standard moments based vessel bifurcation filter for computer-aided detection of pulmonary nodules** [7624-37]
S. V. Fotin, A. P. Reeves, A. M. Biancardi, Cornell Univ. (United States); D. F. Yankelevitz, C. I. Henschke, Weill Cornell Medical Ctr. (United States)
- 7624 14 **Micro CT based truth estimation of nodule volume** [7624-38]
L. M. Kinnard, U.S. Army Medical Research and Materiel Command (United States); M. A. Gavrielides, K. J. Myers, R. Zeng, U.S. Food and Drug Administration (United States); B. Whiting, Washington Univ. in St. Louis (United States); S. Lin-Gibson, National Institute of Standards and Technology (United States); N. Petrick, U.S. Food and Drug Administration (United States)
- 7624 15 **Approximations of noise structures in helical multi-detector CT scans: application to lung nodule volume estimation** [7624-39]
R. Zeng, N. Petrick, M. A. Gavrielides, K. J. Myers, U.S. Food and Drug Administration (United States)
- 7624 16 **A shape-dependent variability metric for evaluating panel segmentations with a case study on LIDC** [7624-40]
S. Siena, Univ. of Notre Dame (United States); O. Zinoveva, Harvard Univ. (United States); D. Raicu, J. Furst, DePaul Univ. (United States); S. Armato III, The Univ. of Chicago (United States)
- 7624 17 **FDA phantom CT database: a resource for the assessment of lung nodule size estimation methodologies and software development** [7624-41]
M. A. Gavrielides, L. M. Kinnard, K. J. Myers, R. Zeng, N. Petrick, U.S. Food and Drug Administration (United States)

SESSION 9 ABDOMINAL AND SKELETON

- 7624 19 **Computer aided segmentation of kidneys using locally shape constrained deformable models on CT images** [7624-43]
M. Erdt, Fraunhofer-Institut für Graphische Datenverarbeitung (Germany); G. Sakas, Technische Univ. Darmstadt (Germany)
- 7624 1A **Automatic diagnosis of lumbar disc herniation with shape and appearance features from MRI** [7624-44]
R. S. Alomari, J. J. Corso, V. Chaudhary, Univ. at Buffalo, SUNY (United States); G. Dhillon, ProScan Imaging Buffalo (United States)
- 7624 1B **Feature selection for computer-aided polyp detection using MRMR** [7624-69]
X. Yang, B. Tek, G. Beddoe, G. Slabaugh, Medicsight PLC (United Kingdom)

- 7624 1C **Computer-aided diagnosis of lumbar stenosis conditions** [7624-46]
S. Koompaiojn, Univ. of Central Florida (United States); K. Hua, Emory Univ. (United States);
K. A. Hua, Univ. of Central Florida (United States); J. Srisomboon, BMA General Hospital
(Thailand)

SESSION 10 BREAST MRI AND TOMOSYNTHESIS

- 7624 1D **Digital breast tomosynthesis: computerized detection of microcalcifications in reconstructed breast volume using a 3D approach** [7624-47]
H.-P. Chan, B. Sahiner, J. Wei, L. M. Hadjiiski, C. Zhou, M. A. Helvie, Univ. of Michigan (United States)
- 7624 1E **The reconstruction of microcalcification clusters in digital breast tomosynthesis** [7624-48]
C. P. S. Ho, C. E. Tromans, J. A. Schnabel, S. M. Brady, Univ. of Oxford (United Kingdom)
- 7624 1F **Digital breast tomosynthesis: feasibility of automated detection of microcalcification clusters on projections views** [7624-49]
L. M. Hadjiiski, H.-P. Chan, J. Wei, B. Sahiner, C. Zhou, M. A. Helvie, Univ. of Michigan (United States)
- 7624 1G **Analysis of breast lesions on contrast-enhanced magnetic resonance images using high-dimensional texture features** [7624-50]
M. B. Nagarajan, M. B. Huber, Univ. of Rochester Medical Ctr. (United States);
T. Schlossbauer, G. Leinsinger, Ludwig-Maximilians-Univ. München (Germany); A. Wismueller, Univ. of Rochester Medical Ctr. (United States)
- 7624 1H **Heterogeneity of kinetic curve parameters as indicator for the malignancy of breast lesions in DCE MRI** [7624-51]
T. Buelow, Philips Research Hamburg (Germany); A. Saalbach, Philips Research Aachen (Germany); M. Bergtholdt, R. Wiemker, Philips Research Hamburg (Germany); H. Buurman, Philips Healthcare Best (Netherlands); L. Arbash Meinel, The Univ. of Chicago Medical Ctr. (United States) and Philips Research (United States); G. Newstead, The Univ. of Chicago Medical Ctr. (United States)
- 7624 1I **Optimization of a fuzzy C-means approach to determining probability of lesion malignancy and quantifying lesion enhancement heterogeneity in breast DCE-MRI** [7624-52]
J. Bancroft Brown, M. L. Giger, N. Bhooshan, G. Newstead, The Univ. of Chicago (United States); S. Jansen, Ctr. for Cancer Research, National Institutes of Health (United States)

SESSION 11 BRAIN IMAGE ANALYSIS

- 7624 1J **Computer-aided classification of patients with dementia of Alzheimer's type based on cerebral blood flow determined with arterial spin labeling technique** [7624-53]
Y. Yamashita, H. Arimura, T. Yoshiura, C. Tokunaga, T. Magome, A. Monji, T. Noguchi, F. Toyofuku, M. Oki, Kyushu Univ. (Japan); Y. Nakamura, Kyushu Univ. Hospital (Japan); H. Honda, Kyushu Univ. (Japan)

- 7624 1K **Predictive modeling of neuroanatomic structures for brain atrophy detection** [7624-54]
X. Hu, L. Guo, J. Nie, Northwestern Polytechnical Univ. (China); K. Li, Northwestern Polytechnical Univ. (China) and The Univ. of Georgia (United States); T. Liu, The Univ. of Georgia (United States)
- 7624 1L **Spatial prior in SVM-based classification of brain images** [7624-55]
R. Cuingnet, Univ. Pierre et Marie Curie (France), CNRS, UMR 7225, CRICM (France), INSERM, UMRS 975, CRICM (France), and INSERM, UMRS 678, LIF (France); M. Chupin, Univ. Pierre et Marie Curie (France), CNRS, UMR 7225, CRICM (France), and INSERM, UMRS 975, CRICM (France); H. Bendi, INSERM, UMRS 678, LIF (France); O. Colliot, Univ. Pierre et Marie Curie (France), and CNRS, UMR 7225, CRICM (France), and INSERM, UMRS 975, CRICM (France)
- 7624 1M **Model-free functional MRI analysis for detecting low-frequency functional connectivity in the human brain** [7624-56]
A. Wismueller, O. Lange, Univ. of Rochester (United States); D. Auer, The Univ. of Nottingham (United Kingdom); G. Leinsinger, Ludwig-Maximilians-Univ. München (Germany)
- 7624 1N **Supervised method to build an atlas database for multi-atlas segmentation-propagation** [7624-57]
K. Shen, Australian e-Health Research Ctr. (Australia) and Univ. de Bourgogne (France); P. Bourgeat, J. Fripp, Australian e-Health Research Ctr. (Australia); F. Mériaudeau, Univ. de Bourgogne (France); D. Ames, National Ageing Research Institute (Australia); K. A. Ellis, The Mental Health Research Institute (Australia) and National Ageing Research Institute (Australia); C. L. Masters, The Mental Health Research Institute (Australia) and The Univ. of Melbourne (Australia); V. L. Villemagne, The Univ. of Melbourne (Australia) and The Mental Health Research Institute (Australia); C. C. Rowe, The Univ. of Melbourne (Australia); O. Salvado, Australian e-Health Research Ctr. (Australia)

SESSION 12 LUNG IMAGING

- 7624 1O **Reproducibility of airway wall thickness measurements** [7624-58]
M. Schmidt, J.-M. Kuhnigk, S. Krass, Fraunhofer MEVIS (Germany); M. Owsijewitsch, German Cancer Research Ctr. (Germany) and Univ. Hospital Heidelberg (Germany); B. de Hoop, Univ. Medical Ctr. Utrecht (Netherlands); H.-O. Peitgen, Fraunhofer MEVIS (Germany)
- 7624 1P **Automated volumetric segmentation method for computerized-diagnosis of pure nodular ground-glass opacity in high-resolution CT** [7624-59]
W. Son, S. J. Park, Seoul National Univ. (Korea, Republic of); C. M. Park, J. M. Goo, Seoul National Univ. Hospital (Korea, Republic of); J. H. Kim, Seoul National Univ. (Korea, Republic of) and Seoul National Univ. Hospital (Korea, Republic of)
- 7624 1Q **Automated quantification of pulmonary emphysema from computed tomography scans: comparison of variation and correlation of common measures in a large cohort** [7624-60]
B. M. Keller, A. P. Reeves, Cornell Univ. (United States); D. F. Yankelevitz, C. I. Henschke, Weill Cornell Medical College (United States)
- 7624 1R **Semi-automated method to measure pneumonia severity in mice through computed tomography (CT) scan analysis** [7624-61]
A. Johri, Columbia Univ. (United States); D. Schimel, A. Noguchi, L. L. Hsu, National Institutes of Health (United States)

- 7624 1S **Quantitative analysis of airway abnormalities in CT** [7624-62]
J. Petersen, P. Lo, M. Nielsen, Univ. of Copenhagen (Denmark); G. Edula, AstraZeneca R&D Lund (Sweden); H. Ashraf, A. Dirksen, Gentofte Hospital (Denmark); M. de Bruijne, Univ. of Copenhagen (Denmark) and Erasmus MC (Denmark)

Part 2

POSTERS: ABDOMINAL

- 7624 1T **Towards automatic determination of total tumor burden from PET images** [7624-63]
S. Renisch, R. Opfer, R. Wiemker, Philips Research Europe (Germany)
- 7624 1U **Development of CAD prototype system for Crohn's disease** [7624-64]
M. Oda, Nagoya Univ. (Japan); T. Kitasaka, Aichi Institute of Technology (Japan) and Nagoya Univ. (Japan); K. Furukawa, O. Watanabe, T. Ando, H. Goto, K. Mori, Nagoya Univ. (Japan)
- 7624 1V **Eigenvalue-weighting and feature selection for computer-aided polyp detection in CT colonography** [7624-65]
H. Zhu, S. Wang, Y. Fan, Stony Brook Univ. (United States); H. Lu, Fourth Military Medical Univ. (China); Z. Liang, Stony Brook Univ. (United States)
- 7624 1W **Segmentation of polycystic kidneys from MR images** [7624-67]
D. Racimora, New York Univ. Medical Ctr. (United States); P.-H. Vivier, Univ. of Rouen School of Medicine (France); H. Chandarana, H. Rusinek, New York Univ. Medical Ctr. (United States)
- 7624 1X **A model based method for recognizing psoas major muscles in torso CT images** [7624-68]
N. Kamiya, X. Zhou, H. Chen, T. Hara, Gifu Univ. (Japan); R. Yokoyama, M. Kanematsu, Gifu Univ. Hospital (Japan); H. Hoshi, H. Fujita, Gifu Univ. (Japan)
- 7624 1Y **Accurate motion parameter estimation for colonoscopy tracking using a regression method** [7624-70]
J. Liu, K. R. Subramanian, The Univ. of North Carolina at Charlotte (United States); T. S. Yoo, National Library of Medicine, NIH (United States)
- 7624 1Z **Segmentation of liver portal veins by global optimization** [7624-71]
P. Bruyninckx, D. Loeckx, D. Vandermeulen, P. Suetens, Katholieke Univ. Leuven (Belgium)
- 7624 20 **Haustral fold registration in CT colonography and its application to registration of virtual stretched view of the colon** [7624-72]
E. Fukano, M. Oda, Nagoya Univ. (Japan); T. Kitasaka, Y. Suenaga, Nagoya Univ. (Japan) and Aichi Institute of Technology (Japan); T. Takayama, Univ. of Tokushima (Japan); H. Takabatake, Minami Sanjyo Hospital (Japan); M. Mori, Sapporo Kosei Hospital (Japan); H. Natori, Keiwakai Nishioka Hospital (Japan); S. Nawano, International Univ. of Health and Welfare (Japan); K. Mori, Nagoya Univ. (Japan)

- 7624 21 **An open source implementation of colon CAD in 3D slicer** [7624-73]
H. Xu, H. D. Gage, P. Santago, Wake Forest Univ. (United States) and Virginia Tech - Wake Forest Univ. (United States)
- 7624 22 **Prostate cancer region prediction using MALDI mass spectra** [7624-74]
A. Vadlamudi, S.-H. Chuang, X. Sun, Old Dominion Univ. (United States); L. Cazares, J. Nyalwidhe, D. Troyer, O. J. Semmes, Eastern Virginia Medical School (United States); J. Li, F. D. McKenzie, Old Dominion Univ. (United States)
- 7624 23 **Automated scheme for measuring polyp volume in CT colonography using Hessian matrix-based shape extraction and 3D volume growing** [7624-75]
K. Suzuki, M. L. Epstein, J. Xu, P. Obara, D. C. Rockey, A. H. Dachman, The Univ. of Chicago (United States) and The Univ. of Texas Southwestern Medical Ctr. at Dallas (United States)

POSTERS: BRAIN

- 7624 24 **Computerized evaluation method of white matter hyperintensities related to subcortical vascular dementia in brain MR images** [7624-76]
H. Arimura, Kyushu Univ. (Japan); Y. Kawata, Hitachi Medical Corp. (Japan); Y. Yamashita, T. Magome, M. Ohki, F. Toyofuku, Y. Higashida, Kyushu Univ. (Japan); K. Tsuchiya, Kyorin Univ. (Japan)
- 7624 25 **Prediction of brain tumor progression using a machine learning technique** [7624-77]
Y. Shen, D. Banerjee, J. Li, Old Dominion Univ. (United States); A. Chandler, GE Healthcare (United Kingdom); Y. Shen, F. D. McKenzie, Old Dominion Univ. (United States); J. Wang, The Univ. of Texas M.D. Anderson Cancer Ctr. (United States)
- 7624 26 **Parkinson's disease prediction using diffusion-based atlas approach** [7624-78]
R. O. Teodorescu, Politehnica Univ. Timisoara (Romania), Univ. de Franche-Comté (France), and Image & Pervasive Access Lab., CNRS (Singapore); D. Racocanu, Univ. de Franche-Comté (France), Ctr. National de la Recherche Scientifique (France), and Image & Pervasive Access Lab., CNRS (Singapore); N. Smit, Image & Pervasive Access Lab., CNRS (Singapore) and Institut Supérieur de l'Electronique et du Numerique (France); V. I. Cretu, Politehnica Univ. Timisoara (Romania); E. K. Tan, L. L. Chan, Singapore General Hospital (Singapore)
- 7624 27 **TBIdoc: 3D content-based CT image retrieval system for traumatic brain injury** [7624-79]
S. Li, T. Gong, J. Wang, R. Liu, C. L. Tan, T. Y. Leong, National Univ. of Singapore (Singapore); B. C. Pang, C. C. T. Lim, C. K. Lee, National Neuroscience Institute (Singapore); Q. Tian, Z. Zhang, A*STAR Institute for Infocomm Research (Singapore)
- 7624 28 **Shape similarity analysis of regions of interest in medical images** [7624-80]
Q. Wang, National Institute of Allergy and Infectious Diseases (United States) and Temple Univ. (United States); A. Charisi, Univ. of Patras (Greece); L. J. Latecki, Temple Univ. (United States); J. Gee, Univ. of Pennsylvania (United States); V. Megalooikonomou, Univ. of Patras (Greece) and Temple Univ. (United States)

- 7624 29 **Population analysis of the cingulum bundle using the tubular surface model for schizophrenia detection** [7624-81]
V. Mohan, Georgia Institute of Technology (United States); G. Sundaramoorthi, Univ. of California, Los Angeles (United States); M. Kubicki, D. Terry, Brigham and Women's Hospital (United States); A. Tannenbaum, Georgia Institute of Technology (United States)
- 7624 2A **Robustness of interactive intensity thresholding based breast density assessment in MR-mammography** [7624-82]
S. Reed, G. Ertas, S. Doran, Institute of Cancer Research and Royal Marsden (United Kingdom); R. M. Warren, Univ. of Cambridge (United Kingdom); M. O. Leach, Institute of Cancer Research and Royal Marsden (United Kingdom)

POSTERS: BREAST

- 7624 2B **Repeatability and classifier bias in computer-aided diagnosis for breast ultrasound** [7624-83]
K. Drukker, L. L. Pesce, M. L. Giger, The Univ. of Chicago (United States)
- 7624 2C **Effect of variable gain on computerized texture analysis on digitized mammograms** [7624-84]
H. Li, M. L. Giger, L. Lan, Y. Yuan, N. Bhooshan, O. I. Olopade, The Univ. of Chicago (United States)
- 7624 2D **Breast MRI intensity non-uniformity correction using mean-shift** [7624-85]
A. Makarau, H. Huisman, R. Mus, M. Zijp, N. Karssemeijer, Radboud Univ. Nijmegen Medical Ctr. (Netherlands)
- 7624 2E **Improving performance and reliability of interactive CAD schemes** [7624-86]
X.-H. Wang, S. C. Park, J. Tan, J. K. Leader, B. Zheng, Univ. of Pittsburgh (United States)
- 7624 2F **Automated estimation of breast density on mammogram using combined information of histogram statistics and boundary gradients (Cum Laude Poster Award)** [7624-87]
Y. Kim, C. Kim, J.-H. Kim, Seoul National Univ. College of Medicine (Korea, Republic of)
- 7624 2G **Similarity based false-positive reduction for breast cancer using radiographic and pathologic imaging features** [7624-88]
A. Pai, R. K. Samala, J. Zhang, W. Qian, The Univ. of Texas at El Paso (United States)
- 7624 2H **Classification of mammographic masses: influence of regions used for feature extraction on the classification performance** [7624-89]
F. Wagner, T. Wittenberg, M. Elter, Fraunhofer Institute for Integrated Circuits (Germany)
- 7624 2I **An improved method for segmentation of mammographic masses** [7624-90]
M. Elter, C. Held, Fraunhofer Institute for Integrated Circuits (Germany)
- 7624 2J **Computer-aided diagnosis of digital mammography images using unsupervised clustering and biclustering techniques** [7624-91]
M. A. Al-Olfe, F. M. Al-Akwaa, Cairo Univ. (Egypt); W. A. Mohamed, Benha Univ. (Egypt); Y. M. Kadah, Cairo Univ. (Egypt)

- 7624 2K **Multi-agent method for masses classification in mammogram** [7624-92]
F. Peng, L. Li, W. Xu, W. Liu, Hangzhou Dianzi Univ. (China)
- 7624 2M **Computer aided breast calcification auto-detection in cone beam breast CT** [7624-94]
X. Zhang, R. Ning, J. Liu, Univ. of Rochester (United States)
- 7624 2N **Evaluation of a 3D lesion segmentation algorithm on DBT and breast CT images** [7624-95]
I. Reiser, S. P. Joseph, R. M. Nishikawa, M. L. Giger, The Univ. of Chicago (United States); J. M. Boone, K. Lindfors, Univ. of California, Davis Medical Ctr. (United States); A. Edwards, The Univ. of Chicago (United States); N. Packard, Univ. of California, Davis Medical Ctr. (United States); R. H. Moore, D. B. Kopans, Massachusetts General Hospital (United States)

POSTERS: CARDIAC/VASCULAR

- 7624 2Q **Automatic detection of plaques with severe stenosis in coronary vessels of CT angiography** [7624-98]
M. S. Dinesh, P. Devarakota, J. Kumar, Siemens Information Systems Ltd. (India)
- 7624 2R **Automatic lumen segmentation from intravascular OCT images** [7624-99]
R. Bourezak, Ecole Polytechnique de Montréal (Canada) and National Research Council Canada (Canada); G. Lamouche, National Research Council Canada (Canada) and Ecole Polytechnique de Montréal (Canada); F. Cheriet, Ecole Polytechnique de Montréal (Canada)
- 7624 2S **Automated myocardial perfusion from coronary x-ray angiography** [7624-100]
C. J. Storm, Ziekenhuis Walcheren (Netherlands); C. H. Slump, Univ. Twente (Netherlands)
- 7624 2T **An adaptive 3D region growing algorithm to automatically segment and identify thoracic aorta and its centerline using computed tomography angiography scans** [7624-101]
F. Ferreira, J. Dehmeshki, Kingston Univ. (United Kingdom); H. Amin, M. E. Dehkordi, MedIAR Ltd. (United Kingdom); A. Belli, St. George's Univ. of London (United Kingdom); A. Jouannic, S. Qanadli, Univ. de Lausanne (Switzerland)

POSTERS: LUNG

- 7624 2U **Filter learning and evaluation of the computer aided visualization and analysis (CAVA) paradigm for pulmonary nodules using the LIDC-IDRI database** [7624-102]
R. Wiemker, Philips Research Europe (Germany); E. Dharaiya, A. Steinberg, Philips Healthcare CT (Israel); T. Buelow, A. Saalbach, T. Vik, Philips Research Europe (Germany)
- 7624 2V **Modeling uncertainty in classification design of a computer-aided detection system** [7624-103]
R. Hosseini, J. Dehmeshki, S. Barman, M. Mazinani, Kingston Univ. (United Kingdom); S. Qanadli, Univ. de Lausanne Hospital (Switzerland)
- 7624 2W **Usefulness of texture features for segmentation of lungs with severe diffuse interstitial lung disease** [7624-104]
J. Wang, Duke Univ. (United States); F. Li, The Univ. of Chicago (United States); Q. Li, Duke Univ. (United States)

- 7624 2X **Realistic simulated lung nodule dataset for testing CAD detection and sizing** [7624-105]
R. D. Ambrosini, W. G. O'Dell, Univ. of Rochester (United States)
- 7624 2Y **Predicting LIDC diagnostic characteristics by combining spatial and diagnostic opinions**
[7624-106]
W. H. Horsthemke, D. S. Raicu, J. D. Furst, DePaul Univ. (United States)
- 7624 2Z **Improving CAD performance in pulmonary embolism detection: preliminary investigation**
[7624-107]
S. C. Park, B. Chapman, C. Deible, S. Lee, B. Zheng, Univ. of Pittsburgh (United States)
- 7624 30 **Selective reduction of CAD false-positive findings** [7624-108]
N. Camarlinghi, Univ. di Pisa (Italy) and Istituto Nazionale di Fisica Nucleare (Italy); I. Gori, Istituto Nazionale di Fisica Nucleare (Italy) and Bracco Imaging (Italy); A. Retico, Istituto Nazionale di Fisica Nucleare (Italy); F. Bagagli, Univ. di Pisa (Italy) and Istituto Nazionale di Fisica Nucleare (Italy)
- 7624 31 **A model for the relationship between semantic and content based similarity using LIDC**
[7624-109]
G. Dasovich, Northwestern Univ. (United States); R. Kim, The Johns Hopkins Univ. (United States); D. S. Raicu, J. D. Furst, DePaul Univ. (United States)
- 7624 32 **Variation compensation and analysis on diaphragm curvature analysis for emphysema quantification on whole lung CT scans** [7624-110]
B. M. Keller, A. P. Reeves, Cornell Univ. (United States); R. G. Barr, Columbia Univ. (United States); D. F. Yankelevitz, C. I. Henschke, Weill Cornell Medical College (United States)

POSTERS: MICROSCOPY

- 7624 33 **Adjacent slice prostate cancer prediction to inform MALDI imaging biomarker analysis**
[7624-111]
S.-H. Chuang, X. Sun, Old Dominion Univ. (United States); L. Cazares, J. Nyalwidhe, D. Troyer, O. J. Semmes, Eastern Virginia Medical School (United States); J. Li, F. D. McKenzie, Old Dominion Univ. (United States)
- 7624 35 **Automatic recognition of abnormal cells in cytological tests using multispectral imaging**
[7624-114]
A. Gertych, G. Galliano, S. Bose, Cedars-Sinai Medical Ctr. (United States); D. L. Farkas, Cedars-Sinai Medical Ctr. (United States) and Univ. of Southern California (United States)
- 7624 36 **Segmentation of follicular regions on H&E slides using a matching filter and active contour model** [7624-115]
K. Belkacem-Boussaid, J. Prescott, G. Lozanski, M. N. Gurcan, The Ohio State Univ. (United States)

POSTERS: RETINA

- 7624 38 **Classification of left and right eye retinal images** [7624-117]
N. M. Tan, J. Liu, D. W. K. Wong, Z. Zhang, S. Lu, J. H. Lim, H. Li, A*STAR Institute for Infocomm Research (Singapore); T. Y. Wong, Singapore Eye Research Institute (Singapore)

- 7624 39 **Enhancement of optic cup detection through an improved vessel kink detection framework** [7624-118]
D. W. K. Wong, J. Liu, N. M. Tan, Z. Zhang, S. Lu, J. H. Lim, H. Li, A*STAR Institute for Infocomm Research (Singapore); T. Y. Wong, National Univ. of Singapore (Singapore) and Singapore Eye Research Institute (Singapore)
- 7624 3A **Automated measurement of retinal blood vessel tortuosity** [7624-119]
V. Joshi, J. M. Reinhardt, M. D. Abramoff, The Univ. of Iowa (United States)
- 7624 3B **New algorithm for detecting smaller retinal blood vessels in fundus images** [7624-120]
R. LeAnder, P. I. Bidari, T. A. Mohammed, M. Das, S. E. Umbaugh, Southern Illinois Univ. Edwardsville (United States)
- 7624 3C **Vertical cup-to-disc ratio measurement for diagnosis of glaucoma on fundus images** [7624-121]
Y. Hatanaka, Univ. of Shiga Prefecture (Japan); A. Noudo, C. Muramatsu, A. Sawada, T. Hara, T. Yamamoto, H. Fujita, Gifu Univ. (Japan)
- 7624 3D **3D reconstruction of the optic nerve head using stereo fundus images for computer-aided diagnosis of glaucoma** [7624-122]
L. Tang, Y. H. Kwon, W. L. M. Alward, E. C. Greenlee, K. Lee, M. K. Garvin, The Univ. of Iowa (United States); M. D. Abramoff, The Univ. of Iowa (United States) and Veteran's Administration Medical Ctr. (United States)
- 7624 3E **Fundus image registration for vestibularis research** [7624-123]
V. K. Ithapu, Indian Institute of Technology Guwahati (India); A. Fritsche, A. Oppelt, M. Westhofen, T. M. Deserno, RWTH Aachen (Germany)
- 7624 3F **Toward automatic phenotyping of retinal images from genetically determined mono- and dizygotic twins using amplitude modulation-frequency modulation methods** [7624-124]
P. Soliz, VisionQuest Biomedical, LLC (United States), Univ. of Iowa (United States), and The Univ. of New Mexico (United States); B. Davis, VisionQuest Biomedical, LLC (United States); V. Murray, M. Pattichis, The Univ. of New Mexico (United States); S. Barriga, VisionQuest Biomedical, LLC (United States); S. Russell, The Univ. of Iowa (United States)

POSTERS: OTHER

- 7624 3G **Interobserver variability effects on computerized volume analysis of treatment response of head and neck lesions in CT** [7624-125]
L. Hadjiiski, H.-P. Chan, M. Ibrahim, B. Sahiner, Univ. of Michigan (United States); S. Gujar, The Johns Hopkins Hospital (United States); S. K. Mukherji, Univ. of Michigan (United States)
- 7624 3I **Source separation on hyperspectral cube applied to dermatology** [7624-127]
J. Mitra, R. Jolivot, F. S. Marzani, P. Vabres, Le2i, CNRS, Univ. de Bourgogne (France)
- 7624 3J **Segmentation of individual ribs from low-dose chest CT** [7624-128]
J. Lee, A. P. Reeves, Cornell Univ. (United States)

- 7624 3K **A comparison of basic deinterlacing approaches for a computer assisted diagnosis approach of videoscope images** [7624-129]
A. Kage, Fraunhofer-Institut für Integrierte Schaltungen (Germany); M. Canto, E. Gorospe, A. Almaro, The Johns Hopkins Univ. (United States); C. Münzenmayer, Fraunhofer-Institut für Integrierte Schaltungen (Germany)
- 7624 3L **Segmentation and classification of dermatological lesions** [7624-130]
A. Sáez, B. Acha, C. Serrano, Univ. de Sevilla (Spain)
- 7624 3M **Pathology detection in medical images based on oriented active appearance models** [7624-131]
X. Chen, National Institute of Health, Bethesda (United States); J. K. Udupa, The Univ. of Pennsylvania (United States); A. Alavi, D. A. Torigian, The Univ. of Pennsylvania School of Medicine (United States)
- 7624 3N **Automated segmentation of mucosal change in rhinosinusitis patients** [7624-132]
W. F. Sensakovic, J. M. Pinto, F. M. Baroody, A. Starkey, S. G. Armato III, The Univ. of Chicago (United States)
- 7624 3O **Diagnosis of disc herniation based on classifiers and features generated from spine MR images** [7624-133]
J. Koh, V. Chaudhary, Univ. at Buffalo (United States); G. Dhillon, Proscan Imaging, LLC (United States)
- 7624 3P **Navigated tracking of skin lesion progression with optical spectroscopy** [7624-134]
A. Duliu, T. Lasser, T. Wendler, A. Safi, Technische Univ. München (Germany); S. Ziegler, Klinikum rechts der Isar München (Germany); N. Navab, Technische Univ. München (Germany)
- 7624 3Q **Computer aided diagnosis of osteoporosis using multi-slice CT images** [7624-135]
E. Takahashi, S. Saita, Y. Kawata, N. Niki, Univ. of Tokushima (Japan); M. Ito, Nagasaki Univ. School of Medicine (Japan); H. Nishitani, Univ. of Tokushima (Japan); N. Moriyama, National Cancer Ctr. Hospital East (Japan)

Author Index

Conference Committee

Symposium Chairs

Kevin R. Cleary, Georgetown University Medical Center (United States)
Maryellen L. Giger, The University of Chicago (United States)

Conference Chairs

Nico Karssemeijer, Radboud University Nijmegen Medical Center
(Netherlands)
Ronald M. Summers, National Institutes of Health (United States)

Program Committee

Samuel G. Armato III, The University of Chicago (United States)
Susan M. Astley, The University of Manchester (United Kingdom)
Stephen R. Aylward, Kitware, Inc. (United States)
Kyongtae T. Bae, University of Pittsburgh (United States)
Heang-Ping Chan, University of Michigan (United States)
Marleen de Bruijne, Copenhagen University (Denmark)
Hiroshi Fujita, Gifu University School of Medicine (Japan)
Horst K. Hahn, MeVis Research GmbH (Germany)
Joseph Y. Lo, Duke University (United States)
Michael F. McNitt-Gray, University of California, Los Angeles
(United States)
Kensaku Mori, Nagoya University (Japan)
Noboru Niki, University of Tokushima (Japan)
Carol L. Novak, Siemens Corporate Research (United States)
Janne J. Nappi, Massachusetts General Hospital (United States)
Nicholas A. Petrick, U.S. Food and Drug Administration (United States)
Kenji Suzuki, The University of Chicago (United States)
Bram van Ginneken, University Medical Center Utrecht (Netherlands)
Rafael Wiemker, Philips GmbH (Germany)
Axel Wismueller, University of Rochester Medical Center (United States)

Session Chairs

- 1 Keynote and Classifier Training
Ronald M. Summers, National Institutes of Health (United States)
- 2 Breast Imaging
Stephen R. Aylward, Kitware, Inc. (United States)

- 3 Colon and Prostate
Axel Wismueller, University of Rochester Medical Center (United States)
- 4 Retinal Imaging
Bram van Ginneken, University Medical Center Utrecht (Netherlands)
- 5 Cardiac and Vascular
Heang-Ping Chan, University of Michigan (United States)
- 6 Liver and Lymph Nodes
Carol L. Novak, Siemens Corporate Research (United States)
- 7 Pulmonary Patterns
Rafael Wiemker, Philips Research (Germany)
- 8 Lung Nodules
Michael F. McNitt-Gray, University of California, Los Angeles
(United States)
- 9 Abdominal and Skeleton
Kensaku Mori, Nagoya University (Japan)
- 10 Breast MRI and Tomosynthesis
Nico Karssemeijer, Radboud University Nijmegen Medical Center
(Netherlands)
- 11 Brain Image Analysis
Marleen de Bruijne, Copenhagen University (Denmark)
- 12 Lung Imaging
Samuel G. Armato III, The University of Chicago (United States)