

# IEEE TRANSACTIONS ON VEHICULAR TECHNOLOGY

A PUBLICATION OF THE IEEE VEHICULAR TECHNOLOGY SOCIETY

AUGUST 2016

VOLUME 65

NUMBER 8

ITVTAB

(ISSN 0018-9545)

---

REGULAR PAPERS

*Channel Models*

On the Influence of Scattering From Traffic Signs in Vehicle-to-X Communications . . . . .	<i>K. Guan, B. Ai, M. L. Nicolás, R. Geise, A. Möller, Z. Zhong, and T. Kürner</i>	5835
Vehicle-to-Vehicle Radio Channel Characterization in Crossroad Scenarios . . . . .	<i>R. He, O. Renaudin, V.-M. Kolmonen, K. Haneda, Z. Zhong, B. Ai, S. Hubert, and C. Oestges</i>	5850
5-GHz Vehicle-to-Vehicle Channel Characterization for Example Overpass Channels . . . . .	<i>P. Liu, B. Ai, D. W. Matolak, R. Sun, and Y. Li</i>	5862
Investigation of MPC Correlation and Angular Characteristics in the Vehicular Urban Intersection Channel Using Channel Sounding and Ray Tracing . . . . .	<i>P. Paschalidis, J. Nuckelt, K. Mahler, M. Peter, A. Kortke, M. Wisotzki, W. Keusgen, and T. Kürner</i>	5874

*Transportation Systems*

Intelligent Traffic Light Controlling Algorithms Using Vehicular Networks . . . . .	<i>M. Bani Younes and A. Boukerche</i>	5887
An Integrated Simulation Framework to Model Electric Vehicle Operations and Services . . . . .	<i>L. Bedogni, L. Bononi, M. Di Felice, A. D'Elia, R. Mock, F. Morandi, S. Rondelli, T. Salmon Cinotti, and F. Vergari</i>	5900
Implementation of an Energy Management Strategy for Hybrid Electric Vehicles Including Drivability Constraints . . . . .	<i>T. Miro-Padovani, G. Colin, A. Ketfi-Chérif, and Y. Chamailard</i>	5918
Electric-Vehicle Navigation System Based on Power Consumption . . . . .	<i>J.-Y. Yang, L.-D. Chou, and Y.-J. Chang</i>	5930

*Wireless Communications*

Interference-Driven Antenna Selection for Massive Multiuser MIMO . . . . .	<i>P. V. Amadori and C. Masouros</i>	5944
On the Performance of SR and FR Protocols for OSTBC-Based AF-MIMO Relay System With Channel and Noise Correlations . . . . .	<i>B. K. Chalise</i>	5959
On the Relaying Protocols Without Causing Capacity Loss at a Primary Node in Cognitive Radio Networks . . . . .	<i>W. Chang and B. C. Jung</i>	5972
An Efficient Sensor-Node Selection Algorithm for Sidelobe Control in Collaborative Beamforming . . . . .	<i>J.-C. Chen, C.-K. Wen, and K.-K. Wong</i>	5984
Cooperative Coverage Extension in Vehicular Land Mobile Satellite Networks . . . . .	<i>G. Cocco, N. Alagha, and C. Ibars</i>	5995
Impact of User Pairing on 5G Nonorthogonal Multiple-Access Downlink Transmissions . . . . .	<i>Z. Ding, P. Fan, and H. V. Poor</i>	6010
Interference Alignment Transceiver Design by Minimizing the Maximum Mean Square Error for MIMO Interfering Broadcast Channel . . . . .	<i>A. Dong, H. Zhang, D. Yuan, and X. Zhou</i>	6024
On the Spectral Efficiency of Rate and Subcarrier Bandwidth Adaptive OFDM Systems Over Very Fast Fading Channels . . . . .	<i>Z. Dong, P. Fan, R. Q. Hu, J. Gunther, and X. Lei</i>	6038

---

(Contents Continued on Page 5833)

---

QoS-Aware Resource Allocation for Device-to-Device Communications With Channel Uncertainty . . . . .	6051
Resource Efficiency: A New Beamforming Design for Multicell Multiuser Systems . . . . .	6063
On–Off-Based Secure Transmission Design With Outdated Channel State Information . . . . .	6075
Aperture Selection for ACO-OFDM in Free-Space Optical Turbulence Channel . . . . .	6089
Resource Allocation for Multiuser OFDMA Hybrid Full/Half-Duplex Relaying Systems With Direct Links . . . . .	6101
Energy-Efficient Joint Resource Allocation and Power Control for D2D Communications . . . . .	6119
Moving Relays in Heterogeneous Cellular Networks—A Coverage Performance Analysis . . . . .	6128
A Message-Passing Receiver for OFDM-Based Self-Interference-Limited Networks . . . . .	6136
On Ergodic Secrecy Capacity of Random Wireless Networks With Protected Zones . . . . .	6146
Interference Alignment for MIMO Downlink Multicell Networks . . . . .	6159
Joint Resource Optimization for Multicell Networks With Wireless Energy Harvesting Relays . . . . .	6168
Reduced-Complexity User Scheduling Algorithms for Coordinated Heterogeneous MIMO Networks . . . . .	6184
Compressed Channel Estimation With Position-Based ICI Elimination for High-Mobility SIMO-OFDM Systems . . . . .	6204
Adaptive Multicell 3-D Beamforming in Multiantenna Cellular Networks . . . . .	6217
Instantly Decodable Network Coding for Multiple Unicast Retransmissions in Wireless Point-to-Multipoint Networks . . . . .	6232
Mitigation of Uplink ICI and IBI in OFDMA Two-Tier Networks . . . . .	6244
Joint Relay and Jammer Selection Improves the Physical Layer Security in the Face of CSI Feedback Delays . . . . .	6259
QoS-Guaranteed User Scheduling and Pilot Assignment for Large-Scale MIMO-OFDM Systems . . . . .	6275
Dual-Hop Cognitive Amplify-and-Forward Relaying Networks Over $\eta - \mu$ Fading Channels . . . . .	6290
Multicell Multiuser Massive MIMO Transmission With Downlink Training and Pilot Contamination Precoding . . . . .	6301
<i>Wireless Networks</i>	
Joint Power Control and Rate Adaptation for Video Streaming in Wireless Networks With Time-Varying Interference . . . . .	6315
Distributed Scheduling and Delay-Aware Routing in Multihop MR-MC Wireless Networks . . . . .	6330
QoS-Aware Energy-Efficient Joint Radio Resource Management in Multi-RAT Heterogeneous Networks . . . . .	6343
Energy-Efficient User Association and Resource Allocation for Multistream Carrier Aggregation . . . . .	6366
A Secure Credit-Based Incentive Mechanism for Message Forwarding in Noncooperative DTNs . . . . .	6377
Delay-Optimal Data Forwarding in Vehicular Sensor Networks . . . . .	6389
Energy-Efficient Scalable Video Multicasting for Overlapping Groups in a Mobile WiMAX Network . . . . .	6403
Modeling and Performance Analysis of a Tracking-Area-List-Based Location Management Scheme in LTE Networks . . . . .	6417
Optimal Cooperator Set Selection in Social Cognitive Radio Networks . . . . .	6432

---

---

The Impact of Weather Condition on Radio-Based Distance Estimation: A Case Study in GSM Networks With Mobile Measurements . . . . .	<i>S.-H. Fang and Y.-H. S. Yang</i>	6444
Spatial Capacity of IEEE 802.11p-Based VANET: Models, Simulations, and Experimentations . . . . .	<i>A. T. Giang, A. Busson, A. Lambert, and D. Gruyer</i>	6454
Methodology for the Design and Evaluation of Self-Healing LTE Networks . . . . .	<i>A. Gómez-Andrades, P. Muñoz, E. J. Khatib, I. de-la-Bandera, I. Serrano, and R. Barco</i>	6468
Minimizing End-to-End Delays in Linear Multihop Networks . . . . .	<i>D. Hu, J. Wu, and P. Fan</i>	6487
Optimal Solution for a Joint Power Allocation and Relay Assignment Problem . . . . .	<i>A. M. Jalil and W. Hamouda</i>	6497
Coordinated Multichannel MAC Protocol for Vehicular Ad Hoc Networks . . . . .	<i>Y. Kim, M. Lee, and T.-J. Lee</i>	6508
An Energy-Efficient Multimedia Streaming Transport Protocol Over Heterogeneous Wireless Networks . . . . .	<i>O. C. Kwon, Y. Go, and H. Song</i>	6518
Theoretical-Analysis-Based Distributed Load Balancing Over Dynamic Overlay Clustering . . . . .	<i>H. Lee, B. Kwon, S. Kim, I. Lee, and S. Lee</i>	6532
A Novel Routing Scheme for Resource-Constraint Opportunistic Networks: A Cooperative Multiplayer Bargaining Game Approach . . . . .	<i>L. Li, Y. Qin, and X. Zhong</i>	6547
Relay Selection for Cooperative Relaying Networks With Small Buffers . . . . .	<i>S.-L. Lin and K.-H. Liu</i>	6562
Cooperative Content Dissemination and Offloading in Heterogeneous Mobile Networks . . . . .	<i>G. Mao, Z. Zhang, and B. D. O. Anderson</i>	6573
Energy-Efficient Transmission Schedule for Delay-Limited Bursty Data Arrivals Under Nonideal Circuit Power Consumption . . . . .	<i>Z. Nan, T. Chen, X. Wang, and W. Ni</i>	6588
HetNets With Random DTX Scheme: Local Delay and Energy Efficiency . . . . .	<i>W. Nie, Y. Zhong, F.-C. Zheng, W. Zhang, and T. O'Farrell</i>	6601
Boosting Spatial Reuse via Multiple-Path Multihop Scheduling for Directional mmWave WPANs . . . . .	<i>Y. Niu, C. Gao, Y. Li, D. Jin, L. Su, and D. Wu</i>	6614
Efficient Resource Allocation for Multicell Heterogeneous Cognitive Networks With Varying Spectrum Availability . . . . .	<i>H. B. Salameh</i>	6628
Radio Resource Management for D2D-Based V2V Communication . . . . .	<i>W. Sun, E. G. Ström, F. Brännström, K. C. Sou, and Y. Sui</i>	6636
Scalable RAN Virtualization in Multitenant LTE-A Heterogeneous Networks . . . . .	<i>G. Tseliou, F. Adelantado, and C. Verikoukis</i>	6651
Toward Accurate Device-Free Wireless Localization With a Saddle Surface Model . . . . .	<i>J. Wang, Q. Gao, M. Pan, X. Zhang, Y. Yu, and H. Wang</i>	6665
Effective Defense Schemes for Phishing Attacks on Mobile Computing Platforms . . . . .	<i>L. Wu, X. Du, and J. Wu</i>	6678
A Game Theoretical Incentive Scheme for Relay Selection Services in Mobile Social Networks . . . . .	<i>Q. Xu, Z. Su, and S. Guo</i>	6692
Host-Based Intrusion Detection for VANETs: A Statistical Approach to Rogue Node Detection . . . . .	<i>K. Zaidi, M. B. Milojevic, V. Rakocevic, A. Nallanathan, and M. Rajarajan</i>	6703
GeoMobCon: A Mobility-Contact-Aware Geocast Scheme for Urban VANETs . . . . .	<i>L. Zhang, B. Yu, and J. Pan</i>	6715

---

CORRESPONDENCE

Finite-Horizon Prediction of Energy Depletions in Off-Grid Wireless Networks . . . . .	<i>A. Anttonen, A. Kotelba, M. Verhelst, and A. Mämmelä</i>	6731
OFDM Full-Duplex DF Relaying Under I/Q Imbalance and Loopback Self-Interference . . . . .	<i>M. Mokhtar, N. Al-Dhahir, and R. Hamila</i>	6737
Iterative Beamformer Design for Multi-Node MIMO Two-Way Relay Networks Using Duality . . . . .	<i>W.-C. Choi and D.-J. Park</i>	6742
Analog Beamforming for Low-Complexity Multiuser Detection in mm-Wave Systems . . . . .	<i>J. Choi</i>	6747
Precoding and Artificial Noise Design for Cognitive MIMOME Wiretap Channels . . . . .	<i>B. Fang, Z. Qian, W. Shao, and W. Zhong</i>	6753
Throughput Maximization for a Buffer-Aided Successive Relaying Network Employing Energy Harvesting . . . . .	<i>S. Gupta, R. Zhang, and L. Hanzo</i>	6758
Spectral-Efficient Cellular Communications With Coexistent One- and Two-Hop Transmissions . . . . .	<i>C. Li, P. Liu, C. Zou, F. Sun, J. M. Cioffi, and L. Yang</i>	6765
Performance Analysis of Coded SSK Modulation on Block-Fading Channels . . . . .	<i>S. Nagaraj</i>	6773
Random Triangle: A Baseline Model for Interference Analysis in Heterogeneous Networks . . . . .	<i>A. Samuylov, D. Moltchanov, Y. Gaidamaka, S. Andreev, and Y. Koucheryav</i>	6778

---

---

Analysis and Design Specifications for Full-Duplex Radio Transceivers Under RF Oscillator Phase Noise With Arbitrary Spectral Shape . . . . .	<i>Ville Syrjälä, Koji Yamamoto, and Mikko Valkama</i>	6782
Location-Probability-Based Transmission Strategy for White Space Devices With Multiple Antennas in TV White Space . . . . .	<i>J. Um, J. Park, J. Chun, and S. Park</i>	6788
Global Optimized Design of an Electric Variable Transmission for HEVs . . . . .	<i>E. Vinot, V. Reinbold, and R. Trigui</i>	6794
Spectrum Sensing of OFDM Signals in the Presence of Carrier Frequency Offset . . . . .	<i>W. Xu, W. Xiang, M. El Kashlan, and H. Mehrpouyan</i>	6798
Completely Irrepressible Sequences for Multiple-Packet Reception . . . . .	<i>Y. Zhang, Y.-H. Lo, and W. S. Wong</i>	6803
Blind Carrier Frequency Offset Estimation for MIMO-OFDM With Constant Modulus Constellations via Rank Reduction Criterion . . . . .	<i>W. Zhang and Q. Yin</i>	6809
Location-Aware Pilot Assignment for Massive MIMO Systems in Heterogeneous Networks . . . . .	<i>P. Zhao, Z. Wang, C. Qian, L. Dai, and S. Chen</i>	6815
Adaptive Index Modulation for Parallel Gaussian Channels With Finite Alphabet Inputs . . . . .	<i>J. Zheng</i>	6821

---