

2005 Index

IEEE Communication Letters

Vol. 9

This index covers all technical items — papers, correspondence, reviews, etc. — that appeared in this periodical during 2005, and items from previous years that were commented upon or corrected in 2005. Departments and other items may also be covered if they have been judged to have archival value.

The Author Index contains the primary entry for each item, listed under the first author's name. The primary entry includes the coauthors' names, the title of the paper or other item, and its location, specified by the publication abbreviation, year, month, and inclusive pagination. The Subject Index contains entries describing the item under all appropriate subject headings, plus the first author's name, the publication abbreviation, month, and year, and inclusive pages. Subject cross-references are included to assist in finding items of interest. Note that the item title is found only under the primary entry in the Author Index.

AUTHOR INDEX

A

- A. Ng.**, *see* Leith, D.J., *COML Nov 05* 964-966
- Aalo, V.A.**, T. Piboongunon, and C.-D. Iskander. Bit-error rate of binary digital modulation schemes in generalized gamma fading channels; *COML Feb 05* 139-141
- Abbasfar, A.**, and K. Yao. Survivor memory reduction in the Viterbi algorithm; *COML Apr 05* 352-354
- Abdi, A.**, *see* Shuangquan Wang, *COML Oct 05* 891-893
- Abel, F.**, *see* Minkenberg, C., *COML Feb 05* 178-180
- Acharya, R.**, *see* Sarangan, V., *COML Feb 05* 187-189
- Adinoyi, A.**, and H. Yanikomeroglu. Practical capacity calculation for time-hopping ultra-wide band multiple-access communications; *COML Jul 05* 601-603
- Adrat, M.**, J. Brauers, T. Clevorn, and P. Vary. The EXIT-characteristic of softbit-source decoders; *COML Jun 05* 540-542
- Adrat, M.**, *see* Clevorn, T., *COML Sep 05* 820-822
- Adve, R.**, *see* Zhao, Y., *COML Aug 05* 700-702
- Aghvami, A.H.**, *see* Gkelias, A., *COML Mar 05* 273-275
- Agusti, R.**, *see* Alonso, L., *COML Apr 05* 310-312
- Ahmed, M.H.**, and H. Yanikomeroglu. SINR threshold lower bound for SINR-based call admission control in CDMA networks with imperfect power control; *COML Apr 05* 331-333
- Akhbarizadeh, M.J.**, and M. Nourani. Throughput increase in packet forwarding engines using adaptive block-selection scheme; *COML Sep 05* 838-840
- Alavi, A.**, C. Tellambura, and I. Fair. PAPR reduction of OFDM signals using partial transmit sequence: An optimal approach using sphere decoding; *COML Nov 05* 982-984
- Ali, S.A.**, *see* Ince, E.A.R., *COML Jan 05* 25-27
- Almeida, R.C., Jr.**, J.U. Pelegriani, and H. Waldman. A generic-traffic optical buffer modeling for asynchronous optical switching networks; *COML Feb 05* 175-177
- Alonso, L.**, M. Garcia, and F. Casadevall. Feasibility condition for the uplink of a CDMA multiservice mobile communication system with repeaters; *COML May 05* 408-410
- Alonso, L.**, R. Ferrus, and R. Agusti. WLAN throughput improvement via distributed queuing MAC; *COML Apr 05* 310-312
- Anand Vishal**, *see* Cao, X., *COML Jul 05* 646-648
- Anantharam Karunakar**, *see* Shevtekar, A., *COML Apr 05* 363-365
- Andersen, J.B.**, *see* Nguyen, H.T., *COML Jan 05* 40-42
- Anderson, J.B.**, and T. Eriksson. Trellis source codes based on linear congruential recursions; *COML Mar 05* 198-200
- Andrew, L.L.H.**, T. Cui, J. Sun, M. Zukerman, K.-T. Ko, and S. Chan. Buffer sizing for nonhomogeneous TCP sources; *COML Jun 05* 567-569
- Andrieu, C.**, *see* Yugang Jia, *COML Nov 05* 997-999
- Angueira, P.**, *see* Prieto, G., *COML Oct 05* 877-879
- Annamalai, A.**, *see* Gaedert, J., *COML Jan 05* 22-24
- Annamalai, A.**, *see* Gaedert, J., *COML Apr 05* 313-315
- Ansari, N.**, *see* Shevtekar, A., *COML Apr 05* 363-365
- Ansari, N.**, *see* Xu, K., *COML Apr 05* 378-380
- Araki, K.**, *see* Ting, S.H., *COML Aug 05* 697-699
- Arapoglou, P.-D.M.**, *see* Panagopoulos, A.D., *COML Feb 05* 145-147
- Ardakani, M.**, T.H. Chan, and F.R. Kschischang. EXIT-chart properties of the highest-rate LDPC code with desired convergence behavior; *COML Jan 05* 52-54
- Armand, M.A.**, and O. de Taisne. Multistage list decoding of generalized Reed-Solomon codes over Galois rings; *COML Jul 05* 625-627
- Arnon, S.** Deriving an upper bound on the average operation time of a wireless sensor network; *COML Feb 05* 154-156
- Assi, C.**, *see* Shami, A., *COML Jun 05* 558-560
- Assi, C.**, W. Huo, A. Shami, and N. Ghani. Analysis of capacity provisioning in optical mesh networks; *COML Jul 05* 658-660
- Aulin, T.**, *see* Xiao, M., *COML Aug 05* 723-725
- Aulin, T.**, *see* Bokolamulla, D., *COML Oct 05* 906-908

B

- Bae Eun Jung**, and Seong-Hun Paeng. Representations of finite fields and the Naini-Seberry partitioning problem; *COML Jun 05* 532-533
- Bahk Saewoong**, *see* Hyogon Kim, *COML Jul 05* 655-657
- Bai Baoming**, *see* Sheng Tong, *COML Jun 05* 543-545
- Banchs, A.**, *see* Vollero, L., *COML Apr 05* 346-348
- Banchs, A.**, and L. Vollero. A delay model for IEEE 802.11e EDCA; *COML Jun 05* 508-510
- Banelli, P.**, *see* Rugini, L., *COML Jan 05* 34-36
- Banelli, P.**, *see* Rugini, L., *COML Jul 05* 619-621
- Banerjee, A.**, and D.J. Costello, Jr. Low rate code designs for multilevel signaling; *COML Feb 05* 166-168
- Bang Wang**, Wei Wang, V. Srinivasan, and Kee Chaing Chua. Information coverage for wireless sensor networks; *COML Nov 05* 967-969
- Banihashemi, A.H.**, *see* Kalbasi, R., *COML Sep 05* 826-828
- Baoming Bai**, *see* Sheng Tong, *COML Jun 05* 543-545
- Bara Kim**, *see* Sujeong Choi, *COML May 05* 474-476
- Barbieri, A.**, *see* Colavolpe, G., *COML Aug 05* 720-722
- Barco, R.**, *see* Wille, V., *COML Jul 05* 598-600
- Bar-Ness, Y.**, *see* Tan, M., *COML Jul 05* 592-594
- Baruffa, G.**, G. Reali, and S. Cacopardi. A modified algorithm for the fast computation of even and odd order intermodulation products; *COML Feb 05* 121-123
- Bates, S.**, *see* Zhengang Chen, *COML Dec 05* 1058-1060
- Beaulieu, N.C.**, *see* Hu, J., *COML Feb 05* 109-111
- Beaulieu, N.C.**, *see* Hu, J., *COML Feb 05* 133-135
- Beaulieu, N.C.**, *see* Rabiei, A.M., *COML Mar 05* 201-203
- Beaulieu, N.C.**, *see* Sivanesan, K., *COML Mar 05* 207-209
- Beaulieu, N.C.**, and Yunfei Chen. Maximum likelihood estimation of local average SNR in Rician fading channels; *COML Mar 05* 219-221
- Beaulieu, N.C.**, *see* Yunfei Chen, *COML May 05* 417-419
- Beaulieu, N.C.**, *see* Cheng, J., *COML Apr 05* 316-318
- Beaulieu, N.C.**, *see* Chen, Y., *COML Jun 05* 517-519
- Beaulieu, N.C.**, *see* Xiaodi Zhang, *COML Jul 05* 577-579
- Beaulieu, N.C.**, *see* Chen, Y., *COML Aug 05* 688-690
- Beaulieu, N.C.**, *see* Yunfei Chen, *COML Aug 05* 709-711
- Beaulieu, N.C.**, *see* Yunfei Chen, *COML Dec 05* 1040-1042
- Beaulieu, N.C.**, *see* Loskot, P., *COML Dec 05* 1061-xx2
- Belfiore, J.-C.**, *see* Danjou, E.J.D., *COML Sep 05* 784-786
- Belhoste, J.**, *see* Boujelben, Y., *COML Aug 05* 750-752
- Bellini, S.**, *see* Ferrari, M., *COML Jul 05* 640-642
- Belzile, J.**, *see* Ghyslain, G., *COML Oct 05* 918-920
- Benedetto, S.**, *see* Bosco, G., *COML Jul 05* 634-636
- Bernasconi, V.**, *see* Cassioli, D., *COML May 05* 441-443
- Bharadwaj, V.**, and R.M. Buehrer. An interference suppression scheme for UWB Signals using multiple receive antennas; *COML Jun 05* 529-531
- Bhashyam, S.**, *see* Mohanram, C., *COML Aug 05* 685-687
- Bialkowski, M.E.**, *see* Durrani, S., *COML Feb 05* 148-150

- Bianchi, G.**, and I. Tinnirello. Remarks on IEEE 802.11 DCF performance analysis; *COML Aug 05* 765-767
- Biao Chen**, see Jiajia Chen, *COML Sep 05* 850-852
- Biglieri, E.**, A. Nordin, and G. Taricco. MIMO doubly-iterative receivers: pre- vs. post-cancellation filtering; *COML Feb 05* 106-108
- Bing, B.**, see Chunpeng Xiao, *COML Mar 05* 243-245
- Bin-Tsan Hsieh**, see Hung-Min Sun, *COML Jan 05* 58-60
- Bin Wang**, and A. Deshmukh. An all hops optimal algorithm for dynamic routing of sliding scheduled traffic demands; *COML Oct 05* 936-938
- Bin Zhao**, see Cheng-Nian Long, *COML Jan 05* 78-80
- Blum, R.S.**, see Luo, J., *COML Jul 05* 616-618
- Bogucka, H.** On the impact of the impulse noise on the WHT-OFDM transmission; *COML Jan 05* 37-39
- Bok Lee Kwang**, see Taewon Park, *COML Jan 05* 13-15
- Bokolamulla, D.**, and T. Aulin. Multiuser detection for continuous phase modulation over Rayleigh fading channels; *COML Oct 05* 906-908
- Bo Li**, see Xiaowen Chu, *COML Jan 05* 69-71
- Bomi Lee**, see Hyesook Lim, *COML Jan 05* 75-77
- Bomi Lee**, see Changhoon Yim, *COML Jul 05* 652-654
- Bonald, T.**, and J. Virtamo. A recursive formula for multirate systems with elastic traffic; *COML Aug 05* 753-755
- Bonghoe Kim**, see Sung Lark Kwon, *COML Nov 05* 979-981
- Bongtae Kim**, see Man-Soo Han, *COML May 05* 462-464
- Boon-Chong Seet**, see Chuan Heng Foh, *COML Jan 05* 31-33
- Boon-Hee Soong**, see Zhang, L., *COML Nov 05* 985-987
- Borrel, V.**, M. Dias de Amorim, and S. Fdida. A preferential attachment gathering mobility model; *COML Oct 05* 900-902
- Bosco, G.**, G. Montorsi, and S. Benedetto. Decreasing the complexity of LDPC iterative decoders; *COML Jul 05* 634-636
- Bose, S.K.**, see Chen, B., *COML Apr 05* 366-368
- Bose, S.K.**, see Zhenrong Zhang, *COML Aug 05* 756-758
- Bosheng Zhou**, A. Marshall, and Tsung-Han Lee. The non-responsive receiver problem in mobile ad-hoc networks; *COML Nov 05* 973-975
- Boujelben, Y.**, J. Belhoste, and S. Pierre. A lightpath length-aware adaptive routing algorithm for WDM networks; *COML Aug 05* 750-752
- Brauers, J.**, see Adrat, M., *COML Jun 05* 540-542
- Brauers, J.**, see Clevorn, T., *COML Sep 05* 820-822
- Bruggen, T.**, and P. Vary. Unequal error protection by modulation with unequal power allocation; *COML Jun 05* 484-486
- Bruneel, H.**, see Simoens, F., *COML May 05* 453-455
- Buehrer, R.M.**, see Mohammad, M., *COML Jun 05* 490-492
- Buehrer, R.M.**, see Bharadwaj, V., *COML Jun 05* 529-531
- Bu Sung Lee**, see Chuan Heng Foh, *COML Jan 05* 31-33
- Bu Sung Lee**, see Zou ZiXuan, *COML Dec 05* 1076-1078
- Butler, T.**, see Xiangdong Xia, *COML Oct 05* 954-956
- Byunghoo Jung**, see Mi-Kyung Oh, *COML Feb 05* 151-153
- Byun Hee-Jung**, see Hee-Jung Byun, *COML Feb 05* 190-192
- Byun Hee-Jung**, see Hee-Jung Byun, *COML Jul 05* 610-612

C

- Cacopardi, S.**, see Rugini, L., *COML Jan 05* 34-36
- Cacopardi, S.**, see Baruffa, G., *COML Feb 05* 121-123
- Cai, J.**, see Gao, D., *COML Aug 05* 694-696
- Campelo, D.R.**, see Waldman, H., *COML Jun 05* 564-566
- Cao, X.**, Vishal Anand, J. Li, and C. Xin. Waveband switching networks with limited wavelength conversion; *COML Jul 05* 646-648
- Cao, Y.**, see Larsson, E.G., *COML Jun 05* 511-513
- Cao Yuan**, see Liansheng Tan, *COML Aug 05* 762-764
- Cao Zhigang**, see Jingyu Kang, *COML Jun 05* 534-536
- Casadevall, F.**, see Alonso, L., *COML May 05* 408-410
- Cassoli, D.**, S. Persia, V. Bernasconi, and A. Valent. Measurements of the performance degradation of UMTS receivers due to UWB emissions; *COML May 05* 441-443
- Castillo-Vargas, S.A.**, see Piqueira, J.R.C., *COML Sep 05* 829-831
- Castillo-Vazquez, M.**, and A. Puerta-Notario. Single-channel imaging receiver for optical wireless communications; *COML Oct 05* 897-899
- Catovic, A.**, and S. Tekinay. Power efficiency of user cooperation in multihop wireless networks; *COML Dec 05* 1034-1036
- Caviglione, L.**, and F. Davoli. Peer-to-peer middleware for bandwidth allocation in sensor networks; *COML Mar 05* 285-287
- Ce-Kuen Shieh**, see Chih-Heng Ke, *COML Apr 05* 381-383
- Chafnaji, H.**, see Szczecinski, L., *COML Dec 05* 1031-1033
- Chai-Hien Gan**, see Yi-Bing Lin, *COML Oct 05* 874-876
- Chaing Chua Kee**, see Bang Wang, *COML Nov 05* 967-969
- Chan, S.**, see Andrew, L.L.H., *COML Jun 05* 567-569
- Chan, T.H.**, see Ardakani, M., *COML Jan 05* 52-54
- Chan Chia-Tai**, see Pi-Chung Wang, *COML Mar 05* 282-284
- Chandan, S.**, see Sandeep, P., *COML Apr 05* 292-294
- Chandan, S.**, P. Sandeep, and A.K. Chaturvedi. A family of ISI-free polynomial pulses; *COML Jun 05* 496-498
- Chang, S.-C.**, see Echard, R., *COML May 05* 447-449
- Chang Chih-Wen**, see Li-Chun Wang, *COML Apr 05* 298-300
- Chang Chung-Ju**, see Chieh-Ho Lee, *COML Jan 05* 28-30
- Chang Chung-Ju**, see Po-Chou Lin, *COML Jun 05* 555-557
- Changeheng Huang**, H. Peng, and Fengjie Yuan. A deterministic bound for the access delay of resilient packet rings; *COML Jan 05* 87-89
- Changeon Kang**, see Goohyun Park, *COML Aug 05* 706-708
- Changhong Wang**, see Huijun Gao, *COML May 05* 402-404
- Changhoon Yim**, Bomi Lee, and Hyesook Lim. Efficient binary search for IP address lookup; *COML Jul 05* 652-654
- Chang Hung-Hsing**, see Chien-Chao Tseng, *COML Apr 05* 304-306
- Chang Hung-Yi**, see Pi-Chung Wang, *COML Mar 05* 282-284
- Chang Kyung Sung**, Heunchul Lee, Hwangjun Song, and Inkyu Lee. Decision feedback detection with error compensation for hybrid space-time block codes; *COML Oct 05* 882-884
- Chang Pao-Chi**, see Chu-Chuan Lee, *COML Mar 05* 279-281
- Chan Sammy**, see Qian Huang, *COML Jul 05* 664-666
- Charopoulos, C.N.**, see Orphanoudakis, T.G., *COML Jun 05* 573-575
- Chass, A.**, see Kutz, G., *COML Jan 05* 10-12
- Chaturvedi, A.K.**, see Sandeep, P., *COML Apr 05* 292-294
- Chaturvedi, A.K.**, see Chandan, S., *COML Jun 05* 496-498
- Chatzarakis, G.E.**, see Panagopoulos, A.D., *COML Feb 05* 145-147
- Chieha Kim**, see Jongsik Jung, *COML Feb 05* 112-114
- Chen, B.**, S.K. Bose, and W.-D. Zhong. Priority enabled dynamic traffic grooming; *COML Apr 05* 366-368
- Chen, Y.**, and C. Tellambura. Performance analysis of maximum ratio transmission with imperfect channel estimation; *COML Apr 05* 322-324
- Chen, Y.**, and N.C. Beaulieu. An approximate maximum likelihood estimator for SNR jointly using pilot and data symbols; *COML Jun 05* 517-519
- Chen, Y.**, and N.C. Beaulieu. NDA estimation of SINR for QAM signals; *COML Aug 05* 688-690
- Chen Biao**, see Jiajia Chen, *COML Sep 05* 850-852
- Cheng, J.**, N.C. Beaulieu, and X. Zhang. Precise BER analysis of dual-channel reception of QPSK in Nakagami fading and cochannel interference; *COML Apr 05* 316-318
- Cheng-Lin Tsao**, see Yueh-Ting Wu, *COML Nov 05* 1003-1005
- Cheng-Nian Long**, Bin Zhao, and Xin-Ping Guan. SAVQ: stabilized adaptive virtual queue management algorithm; *COML Jan 05* 78-80
- Cheng Peng Fu**, see Chuan Heng Foh, *COML Jan 05* 31-33
- Cheng Peng Fu**, see Zou ZiXuan, *COML Dec 05* 1076-1078
- Cheng Tee Hiang**, see Ying Wang, *COML Sep 05* 841-843
- Cheng Xiantao**, see Xiantao Cheng, *COML Jun 05* 493-495
- Cheng Yang-Min**, see Li-Hsing Yen, *COML Mar 05* 234-236
- Cheng Yuxin**, see Xiaofu Wu, *COML Aug 05* 726-728
- Chen Jiajia**, see Jiajia Chen, *COML Sep 05* 850-852
- Chen Kwang-Cheng**, see Huang Lee, *COML Feb 05* 103-105
- Chen Rong-Chang**, see Pi-Chung Wang, *COML Mar 05* 282-284
- Chen Wen-Huei**, see Wen-Huei Chen, *COML Oct 05* 945-947
- Chen Wenqing**, see Yong Yuan, *COML Jun 05* 481-483
- Chen Whai-En**, see Whai-En Chen, *COML Oct 05* 865-867
- Chen Whai-En**, see Yi-Bing Lin, *COML Oct 05* 874-876
- Chen Yen-Da**, see Kuei-Ping Shih, *COML Sep 05* 859-861
- Chen Yifan**, see Yifan Chen, *COML Apr 05* 319-321
- Chen Yu**, see Ming Jiang, *COML Sep 05* 814-816
- Chen Yu-Jen**, see Wen-Huei Chen, *COML Oct 05* 945-947
- Chen Yunfei**, see Beaulieu, N.C., *COML Mar 05* 219-221
- Chen Yunfei**, see Yunfei Chen, *COML May 05* 417-419
- Chen Yunfei**, see Yunfei Chen, *COML Aug 05* 709-711
- Chen Yunfei**, see Yunfei Chen, *COML Dec 05* 1040-1042
- Chen Yunxia**, see Yunxia Chen, *COML Nov 05* 976-978
- Chen Zhengang**, see Zhengang Chen, *COML Dec 05* 1058-1060
- Chiani, M.**, see Liva, G., *COML Mar 05* 258-260
- Chiani, M.**, and M.G. Martini. Practical frame synchronization for data with unknown distribution on AWGN channels; *COML May 05* 456-458
- Chia-Tai Chan**, see Pi-Chung Wang, *COML Mar 05* 282-284
- Chia-Yung Su**, see Whai-En Chen, *COML Oct 05* 865-867
- Chieh-Ho Lee**, and Chung-Ju Chang. An accurate method for approximating the interference statistics of DS/CDMA cellular systems with power control over frequency-selective fading channels; *COML Jan 05* 28-30

- Chien-Chao Tseng**, Kuang-Hui Chi, Ming-Deng Hsieh, and Hung-Hsing Chang. Location-based fast handoff for 802.11 networks; *COML Apr 05* 304-306
- Chien-Chao Tseng**, see Yuan-Ying Hsu, *COML Aug 05* 712-714
- Chih-Heng Ke**, Ce-Kuen Shieh, Wen-Shyang Hwang, and A. Ziviani. A two markers system for improved MPEG video delivery in a DiffServ network; *COML Apr 05* 381-383
- Chih-Wen Chang**, see Li-Chun Wang, *COML Apr 05* 298-300
- Chi Kuang-Hui**, see Chien-Chao Tseng, *COML Apr 05* 304-306
- Chiu, P.L.**, see Lin, F.Y.S., *COML Jan 05* 43-45
- Chiu Ge-Ming**, see Huei-Wen Ferng, *COML Apr 05* 301-303
- Cho Dong-Ho**, see Taesoo Kwon, *COML Mar 05* 216-218
- Cho Dong-Ho**, see Sun-Ho Lee, *COML Mar 05* 222-224
- Cho Dong-Ho**, see Woon-Young Yeo, *COML Mar 05* 270-272
- Cho Dong-Ho**, see Soo-Yong Jeon, *COML May 05* 432-434
- Cho Dong-Ho**, see Kihyun Pyun, *COML Apr 05* 369-371
- Cho Dong-Ho**, see Hyu-Dae Kim, *COML Jun 05* 520-522
- Cho Dong-Ho**, see Soo-Yong Jeon, *COML Jul 05* 607-609
- Cho Dong-Ho**, see Gyung-Ho Hwang, *COML Jul 05* 667-669
- Cho Dong-Ho**, see Howon Lee, *COML Aug 05* 691-693
- Cho Dong-Ho**, see Jung-Ryun Lee, *COML Sep 05* 853-855
- Cho Dong-Ho**, see HyeJeong Lee, *COML Oct 05* 903-905
- Choi Eunjeong**, see Sun-Ho Lee, *COML Mar 05* 222-224
- Choi Seungwon**, see Weon-Cheol Lee, *COML Jun 05* 514-516
- Choi Seungwon**, see Weon-Cheol Lee, *COML Oct 05* 888-890
- Choi Sooyong**, see Kyunbyoung Ko, *COML Feb 05* 142-144
- Choi Sujeong**, see Sujeong Choi, *COML May 05* 474-476
- Cholvi, V.**, J. Echague, and J.-Y. LeBoudec. On the feasible scenarios at the output of a FIFO server; *COML May 05* 397-399
- Chong Song**, see Hyung-Keun Ryu, *COML Sep 05* 856-858
- Chong Song**, see Song Chong, *COML Oct 05* 957-959
- Choquette, F.**, see Ghyslain, G., *COML Oct 05* 918-920
- Chor Ping Low** An efficient algorithm for the minimum cost min-max load terminal assignment problem; *COML Nov 05* 1012-1014
- Cho Sung Ho**, see Park, S., *COML Mar 05* 196-197
- Choudhari, T.**, see Kanchumarthi, V.R., *COML May 05* 400-401
- Cho Yong Soo**, see Kyung Won Park, *COML Jul 05* 604-606
- Cho Yun Hee**, see Yun Hee Cho, *COML Nov 05* 1009-1011
- Chua Kee Chaing**, see Bang Wang, *COML Nov 05* 967-969
- Chuang Lin**, see Liansheng Tan, *COML Jan 05* 90-92
- Chuang Lin**, see Fengyuan Ren, *COML May 05* 471-473
- Chuan Heng Foh**, Genping Liu, Bu Sung Lee, Boon-Chong Seet, Kai-Juan Wong, and Cheng Peng Fu. Network connectivity of one-dimensional MANETs with random waypoint movement; *COML Jan 05* 31-33
- Chuan Heng Foh**, and J.W. Tantra. Comments on IEEE 802.11 saturation throughput analysis with freezing of backoff counters; *COML Feb 05* 130-132
- Chu-Chuan Lee**, and Pao-Chi Chang. A novel long-span traffic predictor for real-time VBR videos via ρ -domain rate model; *COML Mar 05* 279-281
- Chung-Fan Lee**, see Huei-Wen Ferng, *COML Apr 05* 301-303
- Chung-Ju Chang**, see Chieh-Ho Lee, *COML Jan 05* 28-30
- Chung-Ju Chang**, see Po-Chou Lin, *COML Jun 05* 555-557
- Chung Min Young**, see Myoung-Hee Jung, *COML Feb 05* 184-186
- Chungyong Lee**, see Seijoon Shim, *COML Feb 05* 124-126
- Chungyong Lee**, see Hakju Lee, *COML Apr 05* 328-330
- Chungyong Lee**, see Jaesang Ham, *COML Dec 05* 1049-1051
- Chunming Zhao**, see Ming Jiang, *COML Sep 05* 814-816
- Chunpeng Xiao**, and B. Bing. Delta compression with fixed-length substring coding for fast content download; *COML Mar 05* 243-245
- Chun Sum Ng**, see Thian Ping Soh, *COML Jan 05* 7-9
- Chu Xiaowen**, see Xiaowen Chu, *COML Jan 05* 69-71
- Cimini, L.**, see Luo, J., *COML Jul 05* 616-618
- Cioffi, J.M.**, see Jungwon Lee, *COML Mar 05* 193-195
- Clarkson, I.V.L.**, see Ryan, D.J., *COML Oct 05* 868-870
- Clevorn, T.**, see Adrat, M., *COML Jun 05* 540-542
- Clevorn, T.**, J. Brauers, M. Adrat, and P. Vary. Turbo decodulation: iterative combined demodulation and source-channel decoding; *COML Sep 05* 820-822
- Clifford, P.**, see Leith, D.J., *COML Nov 05* 964-966
- Colavolpe, G.**, and A. Barbieri. On MAP symbol detection for ISI channels using the Ungerboeck observation model; *COML Aug 05* 720-722
- Collings, I.B.**, see Ryan, D.J., *COML Oct 05* 868-870
- Conti, A.** MC-CDMA bit error probability and outage minimization through partial combining; *COML Dec 05* 1055-1057
- Cosman, P.C.**, see Yushi Shen, *COML Sep 05* 811-813
- Costello, D.J., Jr.**, see Banerjee, A., *COML Feb 05* 166-168
- Cotae, P.** Multicell spreading sequence design algorithm for overloaded S-CDMA; *COML Dec 05* 1028-1030
- Cottis, P.G.**, see Panagopoulos, A.D., *COML Feb 05* 145-147
- Crozier, S.**, P. Guinand, and A. Hunt. Estimating the minimum distance of turbo-codes using double and triple impulse methods; *COML Jul 05* 631-633
- Cui, T.**, and C. Tellambura. An efficient generalized sphere decoder for rank-deficient MIMO systems; *COML May 05* 423-425
- Cui, T.**, see Andrew, L.L.H., *COML Jun 05* 567-569

D

- Daesik Hong**, see Kyunbyoung Ko, *COML Feb 05* 142-144
- Daesik Hong**, see Goohyun Park, *COML Aug 05* 706-708
- D'Amico, A.A.**, and U. Mengali. GLRT receivers for UWB systems; *COML Jun 05* 487-489
- D'Amours, C.** Parity bit selected spreading sequences: a block coding approach to spread spectrum; *COML Jan 05* 16-18
- Danjou, E.J.D.**, and J.-C. Belfiore. A 2x2 antennas Bluetooth system; *COML Sep 05* 784-786
- Darsena, D.**, G. Gelli, L. Paura, and F. Verde. NBI-resistant zero-forcing equalizers for OFDM systems; *COML Aug 05* 744-746
- Davoli, F.**, see Caviglione, L., *COML Mar 05* 285-287
- De, S.** On hop count and Euclidean distance in greedy forwarding in wireless ad hoc networks; *COML Nov 05* 1000-1002
- Declercq, D.**, see Poulliat, C., *COML Dec 05* 1064-xx2
- de Lamare, R.C.**, and R. Sampaio-Neto. Reduced-rank interference suppression for DS-CDMA based on interpolated FIR filters; *COML Mar 05* 213-215
- de Lamare, R.C.**, and R. Sampaio-Neto. Blind adaptive code-constrained constant modulus algorithms for CDMA interference suppression in multipath channels; *COML Apr 05* 334-336
- de la Vega, D.**, see Prieto, G., *COML Oct 05* 877-879
- Demo Souza, R.**, see Uchoa-Filho, B.F., *COML Dec 05* 1070-1072
- DengGuo Feng**, see YongBin Zhou, *COML Apr 05* 372-374
- Deng Xinmin**, see Xinmin Deng, *COML Nov 05* 994-996
- Dent, A.W.** Flaws in an E-mail protocol; *COML Aug 05* 718-719
- De Pellegrini, F.**, see Zanella, A., *COML Mar 05* 225-227
- de Rezende, J.F.**, see Ziviani, A., *COML Dec 05* 1043-1045
- Deshmukh, A.**, see Bin Wang, *COML Oct 05* 936-938
- de Taisne, O.**, see Armand, M.A., *COML Jul 05* 625-627
- Devendra Jalihal**, see Milleth, J.K., *COML Aug 05* 703-705
- Dharmawansa, P.**, and N. Rajatheva. Pairwise error probability of space-time codes in frequency selective Rician channels; *COML Oct 05* 894-896
- Dias de Amorim, M.**, see Borrel, V., *COML Oct 05* 900-902
- Ding-Zhu Du**, see Thai, M.T., *COML Dec 05* 1037-1039
- Divakaran, D.**, V.K. Jain, and B.A. Myers. Spectral characteristics of OWSS signal; *COML Apr 05* 325-327
- Djordjevic, I.B.**, and B. Vasic. Iteratively decodable codes from orthogonal arrays for optical communication systems; *COML Oct 05* 924-926
- Dohler, M.**, see Gkelias, A., *COML Mar 05* 273-275
- Dohler, M.**, see Li, Y., *COML May 05* 388-390
- Dong, X.J.**, and P. Varaiya. Saturation throughput analysis of IEEE 802.11 wireless LANs for a lossy channel; *COML Feb 05* 100-102
- Dong, Z.**, see Rojas-Cessa, R., *COML Jul 05* 661-663
- Dong-Ho Cho**, see Taesoo Kwon, *COML Mar 05* 216-218
- Dong-Ho Cho**, see Sun-Ho Lee, *COML Mar 05* 222-224
- Dong-Ho Cho**, see Woon-Young Yeo, *COML Mar 05* 270-272
- Dong-Ho Cho**, see Soo-Yong Jeon, *COML May 05* 432-434
- Dong-Ho Cho**, see Kihyun Pyun, *COML Apr 05* 369-371
- Dong-Ho Cho**, see Hyu-Dae Kim, *COML Jun 05* 520-522
- Dong-Ho Cho**, see Soo-Yong Jeon, *COML Jul 05* 607-609
- Dong-Ho Cho**, see Gyung-Ho Hwang, *COML Jul 05* 667-669
- Dong-Ho Cho**, see Howon Lee, *COML Aug 05* 691-693
- Dong-Ho Cho**, see Jung-Ryun Lee, *COML Sep 05* 853-855
- Dong-Ho Cho**, see HyeJeong Lee, *COML Oct 05* 903-905
- Dongho Won**, see Junghyun Nam, *COML May 05* 429-431
- Dong-Jo Park**, see Mi-Kyung Oh, *COML Feb 05* 151-153
- Dong-Sun Kim**, see Won-Gi Jeon, *COML Mar 05* 255-257
- Dong Wang**, and Xiang-Gen Xia. Optimal diversity product rotations for quasiorthogonal STBC with MPSK symbols; *COML May 05* 420-422
- Dong Xiaodai**, see Lei Xiao, *COML Feb 05* 136-138
- Dong Xiaodai**, see Eslami, M., *COML Jun 05* 502-504

Dowon Hong, and Ju-Sung Kang. An efficient key distribution scheme with self-healing property; *COML Aug 05* 759-761
Dragotti, P.L., see Gehrig, N., *COML Jan 05* 61-63
Duarte, O.C.M.B., see Ziviani, A., *COML Dec 05* 1043-1045
Dubey, V.K., see Zhao, L., *COML Jan 05* 49-51
Dubey, V.K., see Ng, W.T., *COML May 05* 394-396
Dubey, V.K., see Yifan Chen, *COML Apr 05* 319-321
Du Ding-Zhu, see Thai, M.T., *COML Dec 05* 1037-1039
Duffy, K., D. Malone, and D.J. Leith. Modeling the 802.11 distributed coordination function in non-saturated conditions; *COML Aug 05* 715-717
Durrani, S., and M.E. Bialkowski. Analysis of the error performance of adaptive array antennas for CDMA with noncoherent M-ary orthogonal modulation in Nakagami fading; *COML Feb 05* 148-150
Dzongang, C., P. Galinier, and S. Pierre. A tabu search heuristic for the routing and wavelength assignment problem in optical networks; *COML May 05* 426-428

E

Echague, J., see Cholvi, V., *COML May 05* 397-399
Echard, R., and S.-C. Chang. Design considerations leading to the development of good π -rotation LDPC codes; *COML May 05* 447-449
Elhanany, I., and M. Kahane. Heterogeneous bursty traffic dispersion over multiple server clusters; *COML Mar 05* 261-263
Elhanany, I., see Xike Li, *COML Oct 05* 942-944
Ergen, S.C., and P. Varaiya. On multi-hop routing for energy efficiency; *COML Oct 05* 880-881
Eriksson, T., see Anderson, J.B., *COML Mar 05* 198-200
Eslami, M., and Xiaodai Dong. Rake-MMSE-equalizer performance for UWB; *COML Jun 05* 502-504
Eunjeong Choi, see Sun-Ho Lee, *COML Mar 05* 222-224
Eun Jung Bae, see Bae Eun Jung, *COML Jun 05* 532-533

F

Fabregat, R., see Solano, F., *COML Nov 05* 1021-1023
Fair, I., see Alavi, A., *COML Nov 05* 982-984
Fair, I.J., see Xin, Y., *COML Jun 05* 537-539
Falconer, D.D., see Kalbasi, R., *COML Sep 05* 826-828
Fanguo Zhang Cryptanalysis of Chang et al.'s signature scheme with message recovery; *COML Apr 05* 358-359
Fan Jiang, see Min Sheng, *COML May 05* 468-470
Fan Pingyi, see Jingyu Kang, *COML Jun 05* 534-536
Fan Yi, see Yi Fan, *COML Oct 05* 951-953
Fdida, S., see Borrel, V., *COML Oct 05* 900-902
Fdida, S., see Ziviani, A., *COML Dec 05* 1043-1045
Feng DengGuo, see YongBin Zhou, *COML Apr 05* 372-374
Fengjie Yuan, see Changheng Huang, *COML Jan 05* 87-89
Fengyuan Ren, Chuang Lin, and Xiaomeng Huang. TCC: a two-category classifier for AQM routers supporting TCP flows; *COML May 05* 471-473
Ferg Huei-Wen, see Huei-Wen Ferng, *COML Apr 05* 301-303
Ferrari, M., and S. Bellini. Weight spectrum evaluation for multi-binary tailbiting turbo codes; *COML Jul 05* 640-642
Ferrus, R., see Alonso, L., *COML Apr 05* 310-312
Fijalkow, I., see Poulliat, C., *COML Dec 05* 1064-xx2
Filho, J.C.S.S., see Fraidenraich, G., *COML Jan 05* 19-21
Finamore, W.A., see Silva, D., *COML Aug 05* 673-675
Finger, A., see Schmidt, K.-U., *COML Oct 05* 912-914
Fledderus, E.R., see Schenk, T.C.W., *COML Aug 05* 682-684
Foh Chuan Heng, see Chuan Heng Foh, *COML Jan 05* 31-33
Foh Chuan Heng, see Chuan Heng Foh, *COML Feb 05* 130-132
Fossorier, M., see Isaka, M., *COML Feb 05* 160-162
Fossorier, M., and N. Miladinovic. Irregular LDPC codes as concatenation regular LDPC codes; *COML Jul 05* 628-630
Fossorier, M. Critical point for maximum likelihood decoding of linear block codes; *COML Sep 05* 817-819
Fossorier, M., see Kothiyal, A., *COML Dec 05* 1067-1069
Fossorier, M.P.C., see Mihaljevic, M.J., *COML Aug 05* 741-743
Fraidenraich, G., J.C.S.S. Filho, and M.D. Yacoub. Second-order statistics of maximal-ratio and equal-gain combining in Hoyt fading; *COML Jan 05* 19-21
Fraidenraich, G., M.D. Yacoub, and J.C.S. Santos Filho. Second-order statistics of maximal-ratio and equal-gain combining in Weibull fading; *COML Jun 05* 499-501
Friderikos, V., see Gkelias, A., *COML Mar 05* 273-275

Frigyes, I., see Horvath, N., *COML Oct 05* 921-923
Frost, V., see Zaghoul, S., *COML Nov 05* 988-990
Fu Cheng Peng, see Chuan Heng Foh, *COML Jan 05* 31-33
Fu Cheng Peng, see Zou ZiXuan, *COML Dec 05* 1076-1078
Fujiwara, C., see Yoshikawa, H., *COML Mar 05* 237-239
Fumagalli, A., see Pandi, Z., *COML Oct 05* 939-941

G

Gaeddert, J., and A. Annamalai. Further results on Nakagami-m parameter estimation; *COML Jan 05* 22-24
Gaeddert, J., and A. Annamalai. Some remarks on Nakagami-m parameter estimation using method of moments; *COML Apr 05* 313-315
Gagnon, F., see Ghyslain, G., *COML Oct 05* 918-920
Galiner, P., see Dzongang, C., *COML May 05* 426-428
Gan Chai-Hien, see Yi-Bing Lin, *COML Oct 05* 874-876
Gao, D., and J. Cai. Admission control with physical rate measurement for IEEE 802.11e controlled channel access; *COML Aug 05* 694-696
Gao, J., and N.S.V. Rao. TCP AIMD dynamics over Internet connections; *COML Jan 05* 4-6
Gao Huijun, see Huijun Gao, *COML May 05* 402-404
Garcia, M., see Alonso, L., *COML May 05* 408-410
Garcia-Zambrana, A., see Garrido-Balsells, J.M., *COML Sep 05* 787-789
Garrido-Balsells, J.M., A. Garcia-Zambrana, and A. Puerta-Notario. Rate-adaptive transmission schemes in the context of runlength-limited-codes for optical wireless communications; *COML Sep 05* 787-789
Gautam, N., see Sarangan, V., *COML Feb 05* 187-189
Gehrig, N., and P.L. Dragotti. Symmetric and asymmetric Slepian-Wolf codes with systematic and nonsystematic linear codes; *COML Jan 05* 61-63
Gelli, G., see Darsena, D., *COML Aug 05* 744-746
Ge-Ming Chiu, see Huei-Wen Ferng, *COML Apr 05* 301-303
Genping Liu, see Chuan Heng Foh, *COML Jan 05* 31-33
Ghani, N., see Shami, A., *COML Jun 05* 558-560
Ghani, N., see Assi, C., *COML Jul 05* 658-660
Ghogho, M., see Ying, Y., *COML Jun 05* 549-551
Ghosh, D., see Sarangan, V., *COML Feb 05* 187-189
Ghyslain, G., F. Choquette, J. Belzile, and F. Gagnon. A simple and fast carrier recovery algorithm for high-order QAM; *COML Oct 05* 918-920
Gi-Hong Im, see Hui-Chul Won, *COML Apr 05* 307-309
Giridhar, K., see Milleth, J.K., *COML Aug 05* 703-705
Gkelias, A., M. Dohler, V. Friderikos, and A.H. Aghvami. Average packet delay of CSMA/CA with finite user population; *COML Mar 05* 273-275
Golmie, N., see Griffith, D., *COML Oct 05* 930-932
Golmie, N., see SuKyoung Lee, *COML Dec 05* 1052-1054
Goohyun Park, Sangho Nam, Takki Yu, Daesik Hong, and Changeon Kang. A modified covariance-based mobile velocity estimation method for Rician fading channels; *COML Aug 05* 706-708
Greenstein, L., see Luo, J., *COML Jul 05* 616-618
Griffith, D., K. Sriram, and N. Golmie. Protection switching for optical bursts using segmentation and deflection routing; *COML Oct 05* 930-932
Guan Xin-Ping, see Cheng-Nian Long, *COML Jan 05* 78-80
Guan Xiping, see Huijun Gao, *COML May 05* 402-404
Guerra, D., see Prieto, G., *COML Oct 05* 877-879
Guinand, P., see Crozier, S., *COML Jul 05* 631-633
Guo, Z., see Rojas-Cessa, R., *COML Jul 05* 661-663
Guolong Zhu, see Tong Ye, *COML Feb 05* 181-183
Guo Xudong, see Ying Li, *COML Jul 05* 637-639
Guo Zhen, see Zhen Guo, *COML Sep 05* 805-807
Guo Zihua, see Zihua Guo, *COML Mar 05* 228-230
Guo Zihua, see Qi Wu, *COML Oct 05* 933-935
Gupta, S., see Helmy, A., *COML Apr 05* 375-377
Gusat, M., see Minkenberg, C., *COML Feb 05* 178-180
Guvenc, I., and Z. Sahinoglu. Threshold selection for UWB TOA estimation based on kurtosis analysis; *COML Dec 05* 1025-1027
Gyasi-Agyei, A. Multiuser diversity based opportunistic scheduling for wireless data networks; *COML Jul 05* 670-672
Gyung-Ho Hwang, and Dong-Ho Cho. New access scheme for VoIP packets in IEEE 802.11e wireless LANs; *COML Jul 05* 667-669

H

Haar, S., see Vogelbruch, F., *COML Jul 05* 586-588
Haige Xiang, see Xiaofu Wu, *COML Aug 05* 726-728
Haige Xiang, see Xiaofu Wu, *COML Aug 05* 735-737

- Hai-Han Lu**, Wen-Shing Tsai, Hsiang-Chun Peng, and Yu-Jie Ji. A comparison between optical SSB transmitter-filter in a full-duplex radio-over-fiber transport system; *COML Jul 05* 649-651
- Hai Le Vu**, see Halgamuge, M.N., *COML Sep 05* 790-792
- Haimovich, A.**, see Luo, J., *COML Jul 05* 616-618
- Haimovich, A.M.**, see Xinmin Deng, *COML Nov 05* 994-996
- Haitao Wu**, see Qi Wu, *COML Oct 05* 933-935
- Hakju Lee**, Myeongcheol Shin, and Chungyong Lee. An eigen-based MIMO multiuser scheduler with partial feedback information; *COML Apr 05* 328-330
- Halgamuge, M.N.**, Hai Le Vu, K. Rarnamohanarao, and M. Zukerman. Signal-based evaluation of handoff algorithms; *COML Sep 05* 790-792
- Ham Jaesang**, see Jaesang Ham, *COML Dec 05* 1049-1051
- Han, Y.S.**, see Tsang-Yi Wang, *COML Sep 05* 808-810
- Han Man-Soo**, see Man-Soo Han, *COML May 05* 462-464
- Hanwu Wang**, see Liansheng Tan, *COML Jun 05* 561-563
- Han Youngnam**, see Hoon Kim, *COML Mar 05* 210-212
- Han Youngnam**, see Keunyoung Kim, *COML Jun 05* 526-528
- Hao Zhang**, see Mingxin Zhou, *COML Sep 05* 799-801
- Harjani, R.**, see Mi-Kyung Oh, *COML Feb 05* 151-153
- Hasu, V.**, and H. Koivo. SINR estimation for power control in systems with transmission beamforming; *COML Oct 05* 885-887
- Hayat, M.M.**, see Peng Sun, *COML Dec 05* 1073-1075
- Heath, R.W.**, see Taiwan Tang, *COML Oct 05* 948-950
- Hee Cho Yun**, see Yun Hee Cho, *COML Nov 05* 1009-1011
- Hee-Jung Byun**, and Jong-Tae Lim. On a fair congestion control scheme for TCP Vegas; *COML Feb 05* 190-192
- Hee-Jung Byun**, and Jong-Tae Lim. Rate-based feedback control over TCP wireless networks using supervisory control; *COML Jul 05* 610-612
- Hee Jung Lee**, see Taekyoung Kwon, *COML Jan 05* 93-95
- Heidi, S.**, see Nele, N., *COML Oct 05* 915-917
- He Jianhua**, see Yong Yuan, *COML Jun 05* 481-483
- Helmy, A.**, and S. Gupta. FOTG: fault-oriented stress testing of IP multicast; *COML Apr 05* 375-377
- Heng Foh Chuan**, see Chuan Heng Foh, *COML Jan 05* 31-33
- Heng Foh Chuan**, see Chuan Heng Foh, *COML Feb 05* 130-132
- Hermosilla, C.**, see Szczecinski, L., *COML Dec 05* 1031-1033
- He Sailing**, see Jiajia Chen, *COML Sep 05* 850-852
- Heunchul Lee**, see Chang Kyung Sung, *COML Oct 05* 882-884
- Heung-No Lee**, see Jingqiao Zhang, *COML Sep 05* 796-798
- Hiang Cheng Tee**, see Ying Wang, *COML Sep 05* 841-843
- Hillenbrand, J.**, T.A. Weiss, and F.K. Jondral. Calculation of detection and false alarm probabilities in spectrum pooling systems; *COML Apr 05* 349-351
- Hiot Lim Meng**, see Ying Wang, *COML Sep 05* 841-843
- Ho Cho Sung**, see Park, S., *COML Mar 05* 196-197
- Holzohner, R.**, A. Mahadevan, C.R. Menyuk, J.M. Morris, and J. Zweck. Evaluation of the very low BER of FEC codes using dual adaptive importance sampling; *COML Feb 05* 163-165
- Hong, S.-K.**, see Won-Gi Jeon, *COML Mar 05* 255-257
- Hong Daesik**, see Kyunbyoung Ko, *COML Feb 05* 142-144
- Hong Daesik**, see Goohyun Park, *COML Aug 05* 706-708
- Hong Dowon**, see Dowon Hong, *COML Aug 05* 759-761
- Hong Sungkwon**, see Sung Lark Kwon, *COML Nov 05* 979-981
- Hong-Yeop Song**, see Min-Ho Shin, *COML Mar 05* 240-242
- Hoon Kim**, and Youngnam Han. A proportional fair scheduling for multicarrier transmission systems; *COML Mar 05* 210-212
- Horvath, N.**, and I. Frigyes. Effects of the nonlinearity of a Mach-Zehnder modulator on OFDM radio-over-fiber transmission; *COML Oct 05* 921-923
- Ho Tsung-Yen**, see Yueh-Ting Wu, *COML Nov 05* 1003-1005
- Howon Lee**, Taesoo Kwon, and Dong-Ho Cho. An enhanced uplink scheduling algorithm based on voice activity for VoIP services in IEEE 802.16d/e system; *COML Aug 05* 691-693
- Hsiang-Chun Peng**, see Hai-Han Lu, *COML Jul 05* 649-651
- Hsieh Bin-Tsan**, see Hung-Min Sun, *COML Jan 05* 58-60
- Hsieh Ming-Deng**, see Chien-Chao Tseng, *COML Apr 05* 304-306
- Hsin-Jia Hwang**, see Hung-Min Sun, *COML Jan 05* 58-60
- Hsu Yuan-Ying**, see Yuan-Ying Hsu, *COML Aug 05* 712-714
- Hu, J.**, and N.C. Beaulieu. Accurate simple closed-form approximations to Rayleigh sum distributions and densities; *COML Feb 05* 109-111
- Hu, J.**, and N.C. Beaulieu. Accurate closed-form approximations to Ricean sum distributions and densities; *COML Feb 05* 133-135
- Huang Changeheng**, see Changeheng Huang, *COML Jan 05* 87-89
- Huang Jeng-Ji**, see Hwei-Wen Ferng, *COML Apr 05* 301-303
- Huang Lee**, and Kwang-Cheng Chen. Performance analysis and improvement of decorrelating detection for multirate DS/CDMA; *COML Feb 05* 103-105
- Huang Qian**, see Qian Huang, *COML Jul 05* 664-666
- Huang Xiaohong**, see Xiaohong Huang, *COML Jan 05* 72-74
- Huang Xiaomeng**, see Fengyuan Ren, *COML May 05* 471-473
- Huang Yuheng**, see Yuheng Huang, *COML Feb 05* 157-159
- Huaping Liu**, see Liang Xian, *COML Mar 05* 231-233
- Huaping Liu**, see Shiwei Zhao, *COML Apr 05* 340-342
- Huazhong Yang**, see Shuzheng Xu, *COML Jul 05* 613-615
- Hwei-Wen Ferng**, Chung-Fan Lee, Jeng-Ji Huang, and Ge-Ming Chiu. Designing a fair scheduling mechanism for IEEE 802.11 wireless LANs; *COML Apr 05* 301-303
- Hui-Chul Won**, and Gi-Hong Im. Iterative cyclic prefix reconstruction and channel estimation for a STBC OFDM system; *COML Apr 05* 307-309
- Huijun Gao**, James Lam, Changhong Wang, and Xinping Guan. Further results on local stability of REM algorithm with time-varying delays; *COML May 05* 402-404
- Hui Wang**, see Shuzheng Xu, *COML Jul 05* 613-615
- Hung-Hsing Chang**, see Chien-Chao Tseng, *COML Apr 05* 304-306
- Hung-Min Sun**, Bin-Tsan Hsieh, and Hsin-Jia Hwang. Secure E-mail protocols providing perfect forward secrecy; *COML Jan 05* 58-60
- Hung-Yi Chang**, see Pi-Chung Wang, *COML Mar 05* 282-284
- Hunt, A.**, see Crozier, S., *COML Jul 05* 631-633
- Huo, W.**, see Assi, C., *COML Jul 05* 658-660
- Hwang Gyung-Ho**, see Gyung-Ho Hwang, *COML Jul 05* 667-669
- Hwang Hsin-Jia**, see Hung-Min Sun, *COML Jan 05* 58-60
- Hwangjun Song**, see Chang Kyung Sung, *COML Oct 05* 882-884
- Hwang Wen-Shyang**, see Chih-Heng Ke, *COML Apr 05* 381-383
- Hyang-Won Lee**, see Song Chong, *COML Oct 05* 957-959
- HyeJeong Lee**, Woon-Young Yeo, and Dong-Ho Cho. New rate control scheme BSbased on adaptive RateLimit for 1xEV-DO reverse link traffic channels; *COML Oct 05* 903-905
- Hyeon Seunghoon**, see Weon-Cheol Lee, *COML Jun 05* 514-516
- Hyesook Lim**, Bomi Lee, and Wonjung Kim. Binary searches on multiple small trees for IP address lookup; *COML Jan 05* 75-77
- Hyesook Lim**, see Changhoon Yim, *COML Jul 05* 652-654
- Hyogon Kim**, Sangki Yun, Inhye Kang, and Saewoong Bahk. Resolving 802.11 performance anomalies through QoS differentiation; *COML Jul 05* 655-657
- Hyu-Dae Kim**, and Dong-Ho Cho. Enhanced power-saving mechanism for broadcast and multicast service in WLAN; *COML Jun 05* 520-522
- Hyunduk Kang**, see Jeungmin Joo, *COML Apr 05* 295-297
- Hyung-Keun Ryu**, and Song Chong. Deterministic packet marking for maximum flow control; *COML Sep 05* 856-858
- Hyun-il Lim**, see Kihyun Pyun, *COML Apr 05* 369-371

I

- Iannello, G.**, see Vollero, L., *COML Apr 05* 346-348
- Ibanez, J.**, see Perez, J., *COML Nov 05* 961-963
- Imai, H.**, see Mihaljevic, M.J., *COML Aug 05* 741-743
- Im Gi-Hong**, see Hui-Chul Won, *COML Apr 05* 307-309
- Ince, E.A.R.**, N.S. Kambo, and S.A. Ali. Efficient expression and bound for pairwise error probability in Rayleigh fading channels, with application to union bounds for turbo codes; *COML Jan 05* 25-27
- Inhye Kang**, see Hyogon Kim, *COML Jul 05* 655-657
- Inkyu Lee**, see Chang Kyung Sung, *COML Oct 05* 882-884
- Isaka, M.**, and M. Fossorier. High-rate serially concatenated coding with extended Hamming codes; *COML Feb 05* 160-162
- Iskander, C.-D.**, see Aalo, V.A., *COML Feb 05* 139-141
- Ismail, M.H.**, and M.M. Matalgah. An analytical framework for performance evaluation of downlink WCDMA/TDD mode; *COML Aug 05* 747-749

J

- Jaesang Ham**, Seijoon Shim, Kyeongyeon Kim, and Chungyong Lee. A simplified adaptive modulation scheme for D-STTD systems with linear receivers; *COML Dec 05* 1049-1051
- Jain, V.K.**, see Divakaran, D., *COML Apr 05* 325-327
- Jajszczyk, A.**, and R. Wojcik. The enumeration method for selecting optimum switching network structures; *COML Jan 05* 64-65
- Jalihal Devendra**, see Millesh, J.K., *COML Aug 05* 703-705

Jamali, S.H., *see* Rashidpour, M., *COML Jun 05* 546-548
James Lam, *see* Huijun Gao, *COML May 05* 402-404
Jang, B., *see* Kim, Y., *COML May 05* 405-407
Jang Jiho, *see* Taewon Park, *COML Jan 05* 13-15
Jayaweera, S.K. Signal design for noncoherent PPM modulation with applications to UWB communications; *COML May 05* 411-413
Jayaweera, S.K. Large system decentralized detection performance under communication constraints; *COML Sep 05* 769-771
Jegbefume, O., M. Saquib, and M.Z. Win. Soft-length symbol protocol for wireless; *COML Sep 05* 793-795
Jeng-Ji Huang, *see* Huei-Wen Ferng, *COML Apr 05* 301-303
Jeonghoon Mo, *see* Song Chong, *COML Oct 05* 957-959
Jeonghoon Mo, *see* Moonsoo Kang, *COML Nov 05* 1018-1020
Jeong-Wook Seo, *see* Won-Gi Jeon, *COML Mar 05* 255-257
Jeon Soo-Yong, *see* Soo-Yong Jeon, *COML May 05* 432-434
Jeon Soo-Yong, *see* Soo-Yong Jeon, *COML Jul 05* 607-609
Jeon Won-Gi, *see* Won-Gi Jeon, *COML Mar 05* 255-257
Jeungmin Joo, Hyunduk Kang, Kanghee Kim, and Kiseon Kim. Analysis of asynchronous FFH-MA systems with a hard-limited combining in Rayleigh fading; *COML Apr 05* 295-297
Jiajia Chen, Biao Chen, and Sailing He. A novel algorithm for intra-ONU bandwidth allocation in Ethernet passive optical networks; *COML Sep 05* 850-852
Jia Ming, *see* Ming Jia, *COML Oct 05* 909-911
Jiandong Li, *see* Min Sheng, *COML May 05* 468-470
Jiangchuan Liu, *see* Xiaowen Chu, *COML Jan 05* 69-71
Jiang Fan, *see* Min Sheng, *COML May 05* 468-470
Jiang Ming, *see* Ming Jiang, *COML Sep 05* 814-816
Jiangtao Wen, *see* Ming Jia, *COML Oct 05* 909-911
Jiang Zhong-Ping, *see* Yi Fan, *COML Oct 05* 951-953
Jianhua He, *see* Yong Yuan, *COML Jun 05* 481-483
Jia Yugang, *see* Yugang Jia, *COML Nov 05* 997-999
Jie Song, *see* Zou ZiXuan, *COML Dec 05* 1076-1078
Jiho Jang, *see* Taewon Park, *COML Jan 05* 13-15
Jimaa, S.A., *see* Le Goff, S.Y., *COML Mar 05* 246-248
Jinfan Zhang, Yongle Wu, Shidong Zhou, and Jing Wang. Joint linear transmitter and receiver design for the downlink of multiuser MIMO systems; *COML Nov 05* 991-993
Jingqiao Zhang, and Heung-No Lee. Union bounds on coded modulation systems over fast fading MIMO channels; *COML Sep 05* 796-798
Jing Sun, and O.Y. Takeshita. Extended tail-biting schemes for turbo codes; *COML Mar 05* 252-254
Jing Wang, *see* Jinfan Zhang, *COML Nov 05* 991-993
Jingyu Kang, Pingyi Fan, and Zhigang Cao. Flexible construction of irregular partitioned permutation LDPC codes with low, error floors; *COML Jun 05* 534-536
Jin Wenyi, *see* Kothiyal, A., *COML Dec 05* 1067-1069
Jin Yaohui, *see* Tong Ye, *COML Feb 05* 181-183
Ji Yuefeng, *see* Lei Lei, *COML May 05* 459-461
Ji Yu-Jie, *see* Hai-Han Lu, *COML Jul 05* 649-651
Jondral, F.K., *see* Hillenbrand, J., *COML Apr 05* 349-351
Jongsik Jung, Taekeun Park, and Checha Kim. A forwarding scheme for reliable and energy-efficient data delivery in cluster-based sensor networks; *COML Feb 05* 112-114
Jong-Tae Lim, *see* Hee-Jung Byun, *COML Feb 05* 190-192
Jong-Tae Lim, *see* Hee-Jung Byun, *COML Jul 05* 610-612
Joo Jeungmin, *see* Jeungmin Joo, *COML Apr 05* 295-297
Joon-Sung Kim, *see* Min-Ho Shin, *COML Mar 05* 240-242
Jorswieck, E.A., *see* Sezgin, A., *COML May 05* 435-437
Jung Bae Eun, *see* Bae Eun Jung, *COML Jun 05* 532-533
Jung Byunghoo, *see* Mi-Kyung Oh, *COML Feb 05* 151-153
Junghyun Nam, Seungjoo Kim, and Dongho Won. A weakness in the Bresson-Chevassut-Essiari-Pointcheval's Group Key Agreement scheme for low-power mobile devices; *COML May 05* 429-431
Jung Jongsik, *see* Jongsik Jung, *COML Feb 05* 112-114
Jung Lee Hee, *see* Taekyoung Kwon, *COML Jan 05* 93-95
Jung Myoung-Hee, *see* Myoung-Hee Jung, *COML Feb 05* 184-186
Jung-Ryun Lee, Sang-Wook Kwon, and Dong-Ho Cho. Adaptive beacon listening protocol for a TCP connection in slow-start phase in WLAN; *COML Sep 05* 853-855
Jungwon Lee, R.V. Sonalkar, and J.M. Cioffi. A multi-user power control algorithm for digital subscriber lines; *COML Mar 05* 193-195
Junjie Yang, *see* Tong Ye, *COML Feb 05* 181-183
Jurvansuu, M., *see* Pentikousis, K., *COML Sep 05* 802-804
Ju-Sung Kang, *see* Dowon Hong, *COML Aug 05* 759-761

K

Kahane, M., *see* Elhanany, I., *COML Mar 05* 261-263
Kai-Juan Wong, *see* Chuan Heng Foh, *COML Jan 05* 31-33
Kalbasi, R., D.D. Falconer, and A.H. Banihashemi. Optimum power allocation for a V-BLAST system with two antennas at the transmitter; *COML Sep 05* 826-828
Kam, P.Y., *see* Li, R., *COML Apr 05* 289-291
Kambo, N.S., *see* Ince, E.A.R., *COML Jan 05* 25-27
Kam Pooi Yuen, *see* Thian Ping Soh, *COML Jan 05* 7-9
Kanchumathy, V.R., T. Choudhari, and R. Viswanathan. Performance analysis of optimum receivers for differentially encoded M-PSK in low SNR; *COML May 05* 400-401
Kanellopoulos, J.D., *see* Panagopoulos, A.D., *COML Feb 05* 145-147
Kang, S.H., *see* Sujeong Choi, *COML May 05* 474-476
Kang Changeon, *see* Goohyun Park, *COML Aug 05* 706-708
Kanghee Kim, *see* Jeungmin Joo, *COML Apr 05* 295-297
Kang Hyunduk, *see* Jeungmin Joo, *COML Apr 05* 295-297
Kang Inhye, *see* Hyogon Kim, *COML Jul 05* 655-657
Kang Jingyu, *see* Jingyu Kang, *COML Jun 05* 534-536
Kang Ju-Sung, *see* Dowon Hong, *COML Aug 05* 759-761
Kang Moonsoo, *see* Moonsoo Kang, *COML Nov 05* 1018-1020
Karagiannidis, G.C., *see* Sagias, N.C., *COML Feb 05* 97-99
Karagiannidis, G.K., *see* Sagias, N.C., *COML Jul 05* 580-582
Karagiannidis, G.K., T.A. Tsiftsis, and N.C. Sagias. A closed-form upper-bound for the distribution of the weighted sum of Rayleigh variates; *COML Jul 05* 589-591
Karapantazis, S., and F.-N. Pavlidou. Impact of imperfect power control multiuser detection on the uplink of a WCDMA high altitude platform system; *COML May 05* 414-416
Karunakar Anantharam, *see* Shevtekar, A., *COML Apr 05* 363-365
Ke Chih-Heng, *see* Chih-Heng Ke, *COML Apr 05* 381-383
Ke Chaing Chua, *see* Bang Wang, *COML Nov 05* 967-969
Keunyoung Kim, Youngnam Han, and Seong-Lyun Kim. Joint subcarrier and power allocation in uplink OFDMA systems; *COML Jun 05* 526-528
Keying Wu, and Li Ping. Multilayer turbo space-time codes; *COML Jan 05* 55-57
Khan, S.U. Heuristics-based PON deployment; *COML Sep 05* 847-849
Kihyun Pyun, Dong-Ho Cho, and Hyun-il Lim. Groupers for deterministic guaranteed service in an FH-OFDM wireless system; *COML Apr 05* 369-371
Kikuchi, H., *see* Rahman, M.A., *COML Sep 05* 772-774
Kim, J.-T., *see* Won-Gi Jeon, *COML Mar 05* 255-257
Kim, Y., B. Jang, C. Shin, and B.F. Womack. Orthonormal pulses for high data rate communications in indoor UWB systems; *COML May 05* 405-407
Kim Bara, *see* Sujeong Choi, *COML May 05* 474-476
Kim Bonghoe, *see* Sung Lark Kwon, *COML Nov 05* 979-981
Kim Bongtae, *see* Man-Soo Han, *COML May 05* 462-464
Kim Checha, *see* Jongsik Jung, *COML Feb 05* 112-114
Kim Dong-Sun, *see* Won-Gi Jeon, *COML Mar 05* 255-257
Kim Hoon, *see* Hoon Kim, *COML Mar 05* 210-212
Kim Hyogon, *see* Hyogon Kim, *COML Jul 05* 655-657
Kim Hyu-Dae, *see* Hyu-Dae Kim, *COML Jun 05* 520-522
Kim Joon-Sung, *see* Min-Ho Shin, *COML Mar 05* 240-242
Kim Kanghee, *see* Jeungmin Joo, *COML Apr 05* 295-297
Kim Keunyoung, *see* Keunyoung Kim, *COML Jun 05* 526-528
Kim Kiseon, *see* Jeungmin Joo, *COML Apr 05* 295-297
Kim Kwangjoon, *see* Yun Hee Cho, *COML Nov 05* 1009-1011
Kim Kyeongyeon, *see* Seijoon Shim, *COML Feb 05* 124-126
Kim Kyeongyeon, *see* Jaesang Ham, *COML Dec 05* 1049-1051
Kim Saejoon, *see* Saejoon Kim, *COML Aug 05* 738-740
Kim Seong-Lyun, *see* Keunyoung Kim, *COML Jun 05* 526-528
Kim Seong-Lyun, *see* Moonsoo Kang, *COML Nov 05* 1018-1020
Kim Seong-Lyun, *see* Tae-Suk Kim, *COML Dec 05* 1046-1048
Kim Seungjoo, *see* Junghyun Nam, *COML May 05* 429-431
Kim Tae-Suk, *see* Tae-Suk Kim, *COML Dec 05* 1046-1048
Kim Taeyoung, *see* Kyunbyoung Ko, *COML Feb 05* 142-144
Kim Wonjung, *see* Hyesook Lim, *COML Jan 05* 75-77
King-Tim Ko, *see* Qian Huang, *COML Jul 05* 664-666
Kiseon Kim, *see* Jeungmin Joo, *COML Apr 05* 295-297
Ki-Won Kwon, *see* Won-Gi Jeon, *COML Mar 05* 255-257
Klonidis, D., *see* Nejabati, R., *COML Jun 05* 552-554
Ko, K.-T., *see* Andrew, L.L.H., *COML Jun 05* 567-569
Koh, S.N., *see* Liu, X., *COML Apr 05* 355-357

- Koivo, H.**, *see* Hasu, V., *COML Oct 05* 885-887
- Ko Kyung-Tim**, *see* Qian Huang, *COML Jul 05* 664-666
- Ko Kyunbyoung**, *see* Kyunbyoung Ko, *COML Feb 05* 142-144
- Kothiyal, A.**, O.Y. Takeshita, Wenyi Jin, and M. Fossorier. Iterative reliability-based decoding of linear Block codes with adaptive belief propagation; *COML Dec 05* 1067-1069
- Krzymien, L.**, and C. Schlegel. Turbo decoding with one bit extrinsic quantization; *COML Aug 05* 732-734
- Kschischang, F.R.**, *see* Ardakani, M., *COML Jan 05* 52-54
- Kuang-Hui Chi**, *see* Chien-Chao Tseng, *COML Apr 05* 304-306
- Kuei-Ping Shih**, and Yen-Da Chen. CAPC: a collision avoidance power control MAC protocol for wireless ad hoc networks; *COML Sep 05* 859-861
- Kuipers, F.A.**, and P. Van Mieghem. Non-dominance in QoS routing: an implementational perspective; *COML Mar 05* 267-269
- Kumar, S.**, and A. Munoz. Performance comparison of switch architectures with shareable parallel memory modules; *COML Nov 05* 1015-1017
- Kumar Vidya**, *see* Vidya Kumar, *COML Aug 05* 729-731
- Kuppuswamy, K.**, and D.C. Lee. On subscription admission control for network service provision; *COML Jan 05* 66-68
- Kutz, G.**, and A. Chass. Sparse chip equalizer for DS-CDMA downlink receivers; *COML Jan 05* 10-12
- Kwang Bok Lee**, *see* Taewon Park, *COML Jan 05* 13-15
- Kwang-Cheng Chen**, *see* Huang Lee, *COML Feb 05* 103-105
- Kwangjoon Kim**, *see* Yun Hee Cho, *COML Nov 05* 1009-1011
- Kwon Ki-Won**, *see* Won-Gi Jeon, *COML Mar 05* 255-257
- Kwon Sang-Wook**, *see* Jung-Ryun Lee, *COML Sep 05* 853-855
- Kwon Sung Lark**, *see* Sung Lark Kwon, *COML Nov 05* 979-981
- Kwon Taekyoung**, *see* Taekyoung Kwon, *COML Jan 05* 93-95
- Kwon Taesoo**, *see* Taesoo Kwon, *COML Mar 05* 216-218
- Kwon Taesoo**, *see* Howon Lee, *COML Aug 05* 691-693
- Kyeongcheol Yang**, *see* Seho Myung, *COML Sep 05* 823-825
- Kyeongyeon Kim**, *see* Seijoon Shim, *COML Feb 05* 124-126
- Kyeongyeon Kim**, *see* Jaesang Ham, *COML Dec 05* 1049-1051
- Kyunbyoung Ko**, Taeyoung Kim, Sooyong Choi, and Daesik Hong. Semianalytical approach of asynchronous MC-CDMA systems with a cyclic prefix; *COML Feb 05* 142-144
- Kyung Sung Chang**, *see* Chang Kyung Sung, *COML Oct 05* 882-884
- Kyung Won Park**, and Yong Soo Cho. An MIMO-OFDM technique for high-speed mobile channels; *COML Jul 05* 604-606
- L**
- Laddomada, M.**, and B. Scanavino. Design of punctured serially concatenated convolutional codes; *COML Feb 05* 169-171
- Lam James**, *see* Huijun Gao, *COML May 05* 402-404
- Lamy-Bergot, C.**, *see* Poulliat, C., *COML Dec 05* 1064-xx2
- Lark Kwon Sung**, *see* Sung Lark Kwon, *COML Nov 05* 979-981
- Larsson, E.G.**, and Y. Cao. Collaborative transmit diversity with adaptive radio resource and power allocation; *COML Jun 05* 511-513
- Larsson, E.G.**, and B.R. Vojcic. Cooperative transmit diversity based on superposition modulation; *COML Sep 05* 778-780
- Latinovic, Z.**, *see* Tan, M., *COML Jul 05* 592-594
- Lazarou, G.Y.**, *see* Xiangdong Xia, *COML Oct 05* 954-956
- LeBoudec, J.-Y.**, *see* Cholvi, V., *COML May 05* 397-399
- Lee, D.C.**, *see* Kuppuswamy, K., *COML Jan 05* 66-68
- Lee Bomi**, *see* Hyesook Lim, *COML Jan 05* 75-77
- Lee Bomi**, *see* Changhoon Yim, *COML Jul 05* 652-654
- Lee Bu Sung**, *see* Chuan Heng Foh, *COML Jan 05* 31-33
- Lee Bu Sung**, *see* Zou ZiXuan, *COML Dec 05* 1076-1078
- Lee Chieh-Ho**, *see* Chieh-Ho Lee, *COML Jan 05* 28-30
- Lee Chu-Chuan**, *see* Chu-Chuan Lee, *COML Mar 05* 279-281
- Lee Chung-Fan**, *see* Huei-Wen Ferng, *COML Apr 05* 301-303
- Lee Chungyong**, *see* Seijoon Shim, *COML Feb 05* 124-126
- Lee Chungyong**, *see* Hakju Lee, *COML Apr 05* 328-330
- Lee Chungyong**, *see* Jaesang Ham, *COML Dec 05* 1049-1051
- Lee Hakju**, *see* Hakju Lee, *COML Apr 05* 328-330
- Lee Hee Jung**, *see* Taekyoung Kwon, *COML Jan 05* 93-95
- Lee Heunchul**, *see* Chang Kyung Sung, *COML Oct 05* 882-884
- Lee Heung-No**, *see* Jingqiao Zhang, *COML Sep 05* 796-798
- Lee Howon**, *see* Howon Lee, *COML Aug 05* 691-693
- Lee Huang**, *see* Huang Lee, *COML Feb 05* 103-105
- Lee Hyang-Won**, *see* Song Chong, *COML Oct 05* 957-959
- Lee HyeJeong**, *see* HyeJeong Lee, *COML Oct 05* 903-905
- Lee Inkyu**, *see* Chang Kyung Sung, *COML Oct 05* 882-884
- Lee Jung-Ryun**, *see* Jung-Ryun Lee, *COML Sep 05* 853-855
- Lee Jungwon**, *see* Jungwon Lee, *COML Mar 05* 193-195
- Lee Kwang Bok**, *see* Taewon Park, *COML Jan 05* 13-15
- Lee SuKyoung**, *see* SuKyoung Lee, *COML Dec 05* 1052-1054
- Lee Sun-Ho**, *see* Sun-Ho Lee, *COML Mar 05* 222-224
- Lee Sun-Ho**, *see* Soo-Yong Jeon, *COML Jul 05* 607-609
- Lee Tae-Jin**, *see* Myoung-Hee Jung, *COML Feb 05* 184-186
- Lee Tsung-Han**, *see* Bosheng Zhou, *COML Nov 05* 973-975
- Lee Weon-Cheol**, *see* Weon-Cheol Lee, *COML Jun 05* 514-516
- Lee Weon-Cheol**, *see* Weon-Cheol Lee, *COML Oct 05* 888-890
- Le Goff, S.Y.**, B.S. Sharif, and S.A. Jimaa. Bit-interleaved turbo-coded modulation using shaping coding; *COML Mar 05* 246-248
- Lei Lei**, *see* Lei Lei, *COML May 05* 459-461
- Lei Lei**, and Yuefeng Ji. A spanning tree-based QoS aggregation algorithm in hierarchical ASON; *COML May 05* 459-461
- Leith, D.J.**, *see* Duffy, K., *COML Aug 05* 715-717
- Leith, D.J.**, P. Clifford, D. Malone, and Ng. A. TCP fairness in 802.11e WLANs; *COML Nov 05* 964-966
- Lei Xiao**, and Xiaodai Dong. New results on the BER of switched diversity combining over Nakagami fading channels; *COML Feb 05* 136-138
- Leligou, H.C.**, *see* Orphanoudakis, T.G., *COML Jun 05* 573-575
- Le Nong**, *see* Nong Le, *COML Nov 05* 1006-1008
- Leung, V.C.M.**, *see* Qixiang Pang, *COML Sep 05* 781-783
- Leung Shu-Huang**, *see* Rongfang Song, *COML May 05* 391-393
- Leung Yiu-Wing**, *see* Yiu-Wing Leung, *COML Jan 05* 84-86
- Leus, G.**, *see* Rugini, L., *COML Jul 05* 619-621
- Le Vu Hai**, *see* Halgamuge, M.N., *COML Sep 05* 790-792
- Li, G.**, and H. Liu. On the optimality of the OFDMA network; *COML May 05* 438-440
- Li, H.**, *see* Zhao, Q., *COML Apr 05* 343-345
- Li, J.**, *see* Cao, X., *COML Jul 05* 646-648
- Li, R.**, and P.Y. Kam. New tight bounds on the pairwise error probability for unitary space-time modulations; *COML Apr 05* 289-291
- Li, Y.**, and W.E. Ryan. Bit-reliability mapping in LDPC-coded modulation systems; *COML Jan 05* 1-3
- Li, Y.**, B. Vucetic, and M. Dohler. A space-time trellis coding scheme for vector Gaussian broadcast channels; *COML May 05* 388-390
- Liang Xian**, and Huaping Liu. Space-time block codes from cyclic design; *COML Mar 05* 231-233
- Liang Xue-Bin**, *see* Xue-Bin Liang, *COML Feb 05* 115-117
- Liansheng Tan**, Yan Yang, Wei Zhang, and M. Zukerman. On control gain selection in dynamic-RED; *COML Jan 05* 81-83
- Liansheng Tan**, Yan Yang, Chuang Lin, Naixue Xiong, and M. Zukerman. Scalable parameter tuning for AVQ; *COML Jan 05* 90-92
- Liansheng Tan**, Hanwu Wang, and M. Zukerman. Adaptive bandwidth allocation for metropolitan and wide-area networks; *COML Jun 05* 561-563
- Liansheng Tan**, Cao Yuan, and M. Zukerman. FAST TCP: fairness and queuing issues; *COML Aug 05* 762-764
- Liao Wanjiun**, *see* Yueh-Ting Wu, *COML Nov 05* 1003-1005
- Li Bo**, *see* Xiaowen Chu, *COML Jan 05* 69-71
- Li-Chun Wang**, and Chih-Wen Chang. Probability of false power control command in CDMA systems subject to measurement errors; *COML Apr 05* 298-300
- Liew, S.C.**, *see* Qixiang Pang, *COML Sep 05* 781-783
- Li-Hsing Yen**, and Yang-Min Cheng. Clustering coefficient of wireless ad hoc networks and the quantity of hidden terminals; *COML Mar 05* 234-236
- Li Jiandong**, *see* Min Sheng, *COML May 05* 468-470
- Lim, T.J.**, *see* Zhao, Y., *COML Aug 05* 700-702
- Lim Hyesook**, *see* Hyesook Lim, *COML Jan 05* 75-77
- Lim Hyesook**, *see* Changhoon Yim, *COML Jul 05* 652-654
- Lim Hyun-il**, *see* Kihyun Pyun, *COML Apr 05* 369-371
- Lim Jong-Tae**, *see* Hee-Jung Byun, *COML Feb 05* 190-192
- Lim Jong-Tae**, *see* Hee-Jung Byun, *COML Jul 05* 610-612
- Lim Meng Hiot**, *see* Ying Wang, *COML Sep 05* 841-843
- Lin, F.Y.S.**, and P.L. Chiu. A near-optimal sensor placement algorithm to achieve complete coverage-discrimination in sensor networks; *COML Jan 05* 43-45
- Lin, M.**, and N. McKeown. The throughput of a buffered crossbar switch; *COML May 05* 465-467
- Lin Chuang**, *see* Liansheng Tan, *COML Jan 05* 90-92
- Lin Chuang**, *see* Fengyuan Ren, *COML May 05* 471-473
- Lin Mao-Chao**, *see* Uchoa-Filho, B.F., *COML Dec 05* 1070-1072
- Lin Po-Chou**, *see* Po-Chou Lin, *COML Jun 05* 555-557

- Lin Yi-Bing**, *see* Whai-En Chen, *COML Oct 05* 865-867
Lin Yi-Bing, *see* Yi-Bing Lin, *COML Oct 05* 874-876
Lin Zhiwei, A.B. Premkumar, and A.S. Madhukumar. Matching pursuit-based tap selection technique for UWB channel equalization; *COML Sep 05* 835-837
Liotta, A., C. Ragusa, and G. Pavlou. Near-optimal service facility location in dynamic communication networks; *COML Sep 05* 862-864
Li Ping, *see* Keying Wu, *COML Jan 05* 55-57
Li Ping Approximate MMSE-APP estimation for linear systems with binary inputs; *COML Feb 05* 172-174
Li Ping, *see* Qian Huang, *COML Jul 05* 664-666
Liu, H., *see* Li, G., *COML May 05* 438-440
Liu, H., *see* Xian, L., *COML Aug 05* 676-678
Liu, X., and S.N. Koh. Iterative joint source-channel decoding with combined a priori information of source and channel; *COML Apr 05* 355-357
Liu Genping, *see* Chuan Heng Foh, *COML Jan 05* 31-33
Liu Huaping, *see* Liang Xian, *COML Mar 05* 231-233
Liu Huaping, *see* Shiwei Zhao, *COML Apr 05* 340-342
Liu Jiangchuan, *see* Xiaowen Chu, *COML Jan 05* 69-71
Liva, G., E. Paolini, and M. Chiani. Simple reconfigurable low-density parity-check codes; *COML Mar 05* 258-260
Li Xike, *see* Xike Li, *COML Oct 05* 942-944
Li Xing, *see* Ming Jia, *COML Oct 05* 909-911
Li Ying, *see* Ying Li, *COML Jul 05* 637-639
Li Yingshu, *see* Thai, M.T., *COML Dec 05* 1037-1039
Li Yipeng, *see* Yipeng Li, *COML May 05* 444-446
Li Yonghui, *see* Yang Tang, *COML Jun 05* 505-507
Li Zhongcheng, *see* Qi Wu, *COML Oct 05* 933-935
Long Cheng-Nian, *see* Cheng-Nian Long, *COML Jan 05* 78-80
Loskot, P., and N.C. Beaulieu. A family of low-complexity binary linear codes for Bluetooth and BLAST signaling applications; *COML Dec 05* 1061-xx2
Low Chor Ping, *see* Chor Ping Low, *COML Nov 05* 1012-1014
Lu Hai-Han, *see* Hai-Han Lu, *COML Jul 05* 649-651
Luo, J., R.S. Blum, L. Cimini, L. Greenstein, and A. Haimovich. Power allocation in a transmit diversity system with mean channel gain information; *COML Jul 05* 616-618

M

- Madhukumar, A.S.**, *see* Lin Zhiwei, *COML Sep 05* 835-837
Mahadevan, A., *see* Holzlohner, R., *COML Feb 05* 163-165
Malone, D., *see* Duffy, K., *COML Aug 05* 715-717
Malone, D., *see* Leith, D.J., *COML Nov 05* 964-966
Ma Maode, *see* Xiaohong Huang, *COML Jan 05* 72-74
Man-Soo Han, and Bongtae Kim. Stability analysis of input-buffered packet switches with maximal size matching; *COML May 05* 462-464
Mao-Chao Lin, *see* Uchoa-Filho, B.F., *COML Dec 05* 1070-1072
Maode Ma, *see* Xiaohong Huang, *COML Jan 05* 72-74
Marshall, A., *see* Bosheng Zhou, *COML Nov 05* 973-975
Martini, M.G., *see* Chiani, M., *COML May 05* 456-458
Marzo, J.L., *see* Solano, F., *COML Nov 05* 1021-1023
Matalgah, M.M., *see* Ismail, M.H., *COML Aug 05* 747-749
Mathiopoulos, T., *see* Sagias, N.C., *COML Oct 05* 871-873
Mazzini, G., *see* Taddia, C., *COML Feb 05* 118-120
Mazzini, G., R. Rovatti, and G. Setti. A closed form solution of Bernoullian two-classes priority queue; *COML Mar 05* 264-266
McKeown, N., *see* Lin, M., *COML May 05* 465-467
Mello, D.A.A., D.A. Schupke, and H. Waldman. A matrix-based analytical approach to connection unavailability estimation in shared backup path protection; *COML Sep 05* 844-846
Mengali, U., *see* D'Amico, A.A., *COML Jun 05* 487-489
Mengchu Zhou, *see* Zhen Guo, *COML Sep 05* 805-807
Meng Hiot Lim, *see* Ying Wang, *COML Sep 05* 841-843
Menyuk, C.R., *see* Holzlohner, R., *COML Feb 05* 163-165
Mgebrishvili, N., *see* O'Droma, N.S., *COML Feb 05* 127-129
Mihaljevic, M.J., M.P.C. Fossorier, and H. Imai. Key management with minimized secret storage employing an erasure channel approach; *COML Aug 05* 741-743
Mi-Kyung Oh, Byunghoo Jung, R. Harjani, and Dong-Jo Park. A new noncoherent UWB impulse radio receiver; *COML Feb 05* 151-153
Miladinovic, N., *see* Fossorier, M., *COML Jul 05* 628-630
Milenkovic, O., *see* Vidya Kumar, *COML Aug 05* 729-731
Milleth, J.K., K. Giridhar, and Devendra Jalihal. Pre-processed space-time trellis codes with one-bit feedback; *COML Aug 05* 703-705

- Milstein, L.B.**, *see* Yushi Shen, *COML Sep 05* 811-813
Ming-Deng Hsieh, *see* Chien-Chao Tseng, *COML Apr 05* 304-306
Ming Jia, Jiangtao Wen, Shaozhi Ye, and Xing Li. Error restricted fast MAP decoding of VLC; *COML Oct 05* 909-911
Ming Jiang, Chunming Zhao, Zhihua Shi, and Yu Chen. An improvement on the modified weighted bit flipping decoding algorithm for LDPC codes; *COML Sep 05* 814-816
Mingxin Zhou, Hao Zhang, and Yingning Peng. A simulation-based approach to estimate the correlation parameters of multivariate Nakagami-m distribution; *COML Sep 05* 799-801
Min-Ho Shin, Joon-Sung Kim, and Hong-Yeop Song. Generalization of Tanner's minimum distance bounds for LDPC codes; *COML Mar 05* 240-242
Minkenbergh, C., F. Abel, and M. Gusat. Reliable control protocol for crossbar arbitration; *COML Feb 05* 178-180
Min Sheng, Jiandong Li, and Fan Jiang. Hybrid splitting algorithm for wireless MAC; *COML May 05* 468-470
Minsu Shin, *see* Song Chong, *COML Oct 05* 957-959
Min Young Chung, *see* Myoung-Hee Jung, *COML Feb 05* 184-186
Moeneclaey, M., *see* Simoens, F., *COML May 05* 453-455
Moeneclaey, M., *see* Nele, N., *COML Oct 05* 915-917
Mohammad, A.J., *see* Zaghoul, S., *COML Nov 05* 988-990
Mohammad, M., and R.M. Buehrer. On the impact of SNR estimation error on adaptive modulation; *COML Jun 05* 490-492
Mohanram, C., and S. Bhashyam. A sub-optimal joint subcarrier and power allocation algorithm for multiuser OFDM; *COML Aug 05* 685-687
Mo Jeonghoon, *see* Song Chong, *COML Oct 05* 957-959
Mo Jeonghoon, *see* Moonsoo Kang, *COML Nov 05* 1018-1020
Monteiro, L.H.A., *see* Piqueira, J.R.C., *COML Sep 05* 829-831
Montorsi, G., *see* Bosco, G., *COML Jul 05* 634-636
Moonsoo Kang, Jeonghoon Mo, and Seong-Lyun Kim. A new loss recovery architecture for wireless TCP; *COML Nov 05* 1018-1020
Morris, J.M., *see* Holzlohner, R., *COML Feb 05* 163-165
Mouftah, H.T., *see* Shami, A., *COML Jun 05* 558-560
Muhammad, N.S., and J. Speidel. Joint optimization of signal constellation bit labeling for bit-interleaved coded modulation with iterative decoding; *COML Sep 05* 775-777
Munoz, A., *see* Kumar, S., *COML Nov 05* 1015-1017
Muxiang Zhang Breaking an improved password authenticated key exchange protocol for imbalanced wireless networks; *COML Mar 05* 276-278
Myeongcheol Shin, *see* Hakju Lee, *COML Apr 05* 328-330
Myers, B.A., *see* Divakaran, D., *COML Apr 05* 325-327
Myoung-Hee Jung, Min Young Chung, and Tae-Jin Lee. MAC throughput analysis of HomePlug 1.0; *COML Feb 05* 184-186
Myung Seho, *see* Seho Myung, *COML Sep 05* 823-825

N

- Naixue Xiong**, *see* Liansheng Tan, *COML Jan 05* 90-92
Nam Junghyun, *see* Junghyun Nam, *COML May 05* 429-431
Nam Sangho, *see* Goohyun Park, *COML Aug 05* 706-708
Nejabati, R., D. Klonidis, D. Simeonidou, and M. O'Mahony. Demonstration of an agile hybrid IP-optical packet construction mechanism in wavelength routed optical packet switched networks; *COML Jun 05* 552-554
Nele, N., S. Heidi, and M. Moeneclaey. Carrier phase tracking from turbo and LDPC coded signals affected by a frequency offset; *COML Oct 05* 915-917
Neve, M.J., *see* Pais, A.V., *COML Mar 05* 204-206
Ng, A., *see* Leith, D.J., *COML Nov 05* 964-966
Ng, W.T., and V.K. Dubey. Analysis of PCC-OFDM systems for general time-varying channel; *COML May 05* 394-396
Ng Chun Sum, *see* Thian Ping Soh, *COML Jan 05* 7-9
Nguyen, H.H., and N.H. Tran. Bonferroni-type bounds for CDMA systems with nonuniform signalling; *COML Jul 05* 583-585
Nguyen, H.T., J.B. Andersen, and G.F. Pedersen. The potential use of time reversal techniques in multiple element antenna systems; *COML Jan 05* 40-42
Nong Le, R. Soleymani, and Y.R. Shayan. Distance-based decoding of block turbo codes; *COML Nov 05* 1006-1008
Nordio, A., *see* Biglieri, E., *COML Feb 05* 106-108
Nourani, M., *see* Akhbarizadeh, M.J., *COML Sep 05* 838-840

O

- O'Droma, N.S.**, and N. Mgebrishvili. Signal modeling classes for linearized OFDM SSPA behavioral analysis; *COML Feb 05* 127-129
- Oh Mi-Kyung**, *see* Mi-Kyung Oh, *COML Feb 05* 151-153
- Oh-Soon Shin**, *see* Taewon Park, *COML Jan 05* 13-15
- Oka, I.**, *see* Yoshikawa, H., *COML Mar 05* 237-239
- O'Mahony, M.**, *see* Nejabati, R., *COML Jun 05* 552-554
- Orphanoudakis, T.G.**, C.N. Charopoulos, and H.C. Leligou. Leaky-bucket shaper design based on time interval grouping; *COML Jun 05* 573-575
- Ouveysi, I.**, *see* Zukerman, M., *COML Jul 05* 643-645

P

- Paeng Seong-Hun**, *see* Bae Eun Jung, *COML Jun 05* 532-533
- Pais, A.V.**, K.W. Sowerby, and M.J. Neve. Implications of power control and successive interference cancellation on indoor DS-CDMA system deployment and performance; *COML Mar 05* 204-206
- Palola, M.**, *see* Pentikousis, K., *COML Sep 05* 802-804
- Panagopoulos, A.D.**, P.-D.M. Arapoglou, G.E. Chatzarakis, J.D. Kanellopoulos, and P.G. Cottis. LMS diversity systems: a new performance model incorporating stratified rain; *COML Feb 05* 145-147
- Pandi, Z.**, M. Tacca, and A. Fumagalli. Efficient computation of multi-component failure stratum probabilities; *COML Oct 05* 939-941
- Pang Qixiang**, *see* Qixiang Pang, *COML Sep 05* 781-783
- Pao-Chi Chang**, *see* Chu-Chuan Lee, *COML Mar 05* 279-281
- Paolini, E.**, *see* Liva, G., *COML Mar 05* 258-260
- Papavassiliou, S.**, and J. Zhu. A continuum theory-based approach to the modeling of dynamic wireless sensor networks; *COML Apr 05* 337-339
- Park, H.**, *see* Sung Lark Kwon, *COML Nov 05* 979-981
- Park, S.**, and Sung Ho Cho. Probability of an arbitrary wedge-shaped region of the MPSK system in the presence of quadrature error; *COML Mar 05* 196-197
- Park Dong-Jo**, *see* Mi-Kyung Oh, *COML Feb 05* 151-153
- Park Goohyun**, *see* Goohyun Park, *COML Aug 05* 706-708
- Park Kyung Won**, *see* Kyung Won Park, *COML Jul 05* 604-606
- Park Taekeun**, *see* Jongsik Jung, *COML Feb 05* 112-114
- Park Taewon**, *see* Taewon Park, *COML Jan 05* 13-15
- Park Young-Ho**, *see* Taekyoung Kwon, *COML Jan 05* 93-95
- Paura, L.**, *see* Darsena, D., *COML Aug 05* 744-746
- Pavlidou, F.-N.**, *see* Karapantazis, S., *COML May 05* 414-416
- Pavlou, G.**, *see* Liotta, A., *COML Sep 05* 862-864
- Pedersen, G.F.**, *see* Nguyen, H.T., *COML Jan 05* 40-42
- Pelegrini, J.U.**, *see* Almeida, R.C., Jr., *COML Feb 05* 175-177
- Peng, H.**, *see* Changheng Huang, *COML Jan 05* 87-89
- Peng Fu Cheng**, *see* Chuan Heng Foh, *COML Jan 05* 31-33
- Peng Fu Cheng**, *see* Zou ZiXuan, *COML Dec 05* 1076-1078
- Peng Hsiang-Chun**, *see* Hai-Han Lu, *COML Jul 05* 649-651
- Peng Sun**, and M.M. Hayat. A linear equalizer for high-speed APD-based integrate-and-dump receivers; *COML Dec 05* 1073-1075
- Peng Yingning**, *see* Mingxin Zhou, *COML Sep 05* 799-801
- Pentikousis, K.**, M. Palola, M. Jurvansuu, and P. Perala. Active goodput measurements from a public 3G/UMTS network; *COML Sep 05* 802-804
- Perala, P.**, *see* Pentikousis, K., *COML Sep 05* 802-804
- Perez, J.**, J. Ibanez, L. Vielva, and I. Santamaria. Closed-form approximation for the outage capacity of orthogonal STBC; *COML Nov 05* 961-963
- Persia, S.**, *see* Cassioli, D., *COML May 05* 441-443
- Phan, R.C.-W.** Fixing the integrated Diffie-Hellman-DSA key exchange protocol; *COML Jun 05* 570-572
- Piboongungon, T.**, *see* Aalo, V.A., *COML Feb 05* 139-141
- Pi-Chung Wang**, Chia-Tai Chan, Rong-Chang Chen, and Hung-Yi Chang. A hierarchical FLP model for broadband networks; *COML Mar 05* 282-284
- Piechocki, R.J.**, *see* Yugang Jia, *COML Nov 05* 997-999
- Pierre, S.**, *see* Dzungang, C., *COML May 05* 426-428
- Pierre, S.**, *see* Boujelben, Y., *COML Aug 05* 750-752
- Pimentel, C.**, *see* Uchoa-Filho, B.F., *COML Dec 05* 1070-1072
- Ping Li**, *see* Keying Wu, *COML Jan 05* 55-57
- Ping Li**, *see* Li Ping, *COML Feb 05* 172-174
- Ping Li**, *see* Qian Huang, *COML Jul 05* 664-666
- Ping Low Chor**, *see* Chor Ping Low, *COML Nov 05* 1012-1014
- Ping Soh Thian**, *see* Thian Ping Soh, *COML Jan 05* 7-9
- Pingyi Fan**, *see* Jingyu Kang, *COML Jun 05* 534-536
- Piqueira, J.R.C.**, S.A. Castillo-Vargas, and L.H.A. Monteiro. Two-way master-slave double-chain networks: limitations imposed by linear master drift for second order PLLs as slave nodes; *COML Sep 05* 829-831

- Po-Chou Lin**, and Chung-Ju Chang. An efficient per-VC accounting-based buffer management scheme for GFR services in TCP/IP networks; *COML Jun 05* 555-557
- Pooi Yuen Kam**, *see* Thian Ping Soh, *COML Jan 05* 7-9
- Poulliat, C.**, D. Declercq, C. Lamy-Bergot, and I. Fijalkow. Analysis and optimization of irregular LDPC codes for joint source-channel decoding; *COML Dec 05* 1064-xx2
- Premkumar, A.B.**, *see* Lin Zhiwei, *COML Sep 05* 835-837
- Prieto, G.**, M. Velez, P. Angueira, D. Guerra, and D. de la Vega. Minimum ON requirements for DRM reception based on field trials; *COML Oct 05* 877-879
- Puerta-Notario, A.**, *see* Garrido-Balsells, J.M., *COML Sep 05* 787-789
- Puerta-Notario, A.**, *see* Castillo-Vazquez, M., *COML Oct 05* 897-899
- Pyun Kihyun**, *see* Kihyun Pyun, *COML Apr 05* 369-371

Q

- Qian Huang**, Sammy Chan, Li Ping, King-Tim Ko, and M. Zukerman. A hybrid ARQ scheme based on CT-TCM codes; *COML Jul 05* 664-666
- Qian Zhang**, *see* Qi Wu, *COML Oct 05* 933-935
- Qingji Zeng**, *see* Tong Ye, *COML Feb 05* 181-183
- Qing Zhao**, *see* Yunxia Chen, *COML Nov 05* 976-978
- Qi Wu**, Yongqiang Xiong, Haitao Wu, Zihua Guo, Xiang-gen Xia, Qian Zhang, and Zhongcheng Li. Performance evaluation. Of the beacon period contraction algorithm in UWB MBOA MAC; *COML Oct 05* 933-935
- Qixiang Pang**, S.C. Liew, and V.C.M. Leung. Design of an effective loss-distinguishable MAC protocol for 802.11 WLAN; *COML Sep 05* 781-783

R

- Rabiei, A.M.**, and N.C. Beaulieu. A simple, intuitive expression for the BER of a jointly optimal single cochannel interferer BPSK receiver; *COML Mar 05* 201-203
- Ragusa, C.**, *see* Liotta, A., *COML Sep 05* 862-864
- Rahman, M.A.**, S. Sasaki, J. Zhou, and H. Kikuchi. Simple-to-evaluate error probabilities for impulse radio UWB multiple access systems with pulse-based polarity randomization; *COML Sep 05* 772-774
- Rajatheva, N.**, *see* Dharmawansa, P., *COML Oct 05* 894-896
- Ramirez-Mireles, F.** On the capacity of UWB over multipath channels; *COML Jun 05* 523-525
- Rao, N.S.V.**, *see* Gao, J., *COML Jan 05* 4-6
- Rarnamohanarao, K.**, *see* Halgamuge, M.N., *COML Sep 05* 790-792
- Rashidpour, M.**, A. Shokrollahi, and S.H. Jamali. Optimal regular LDPC codes for the binary erasure channel; *COML Jun 05* 546-548
- Reali, G.**, *see* Baruffa, G., *COML Feb 05* 121-123
- Ren Fengyuan**, *see* Fengyuan Ren, *COML May 05* 471-473
- Ren Yong**, *see* Zihua Guo, *COML Mar 05* 228-230
- Ritcey, J.A.**, *see* Yuheng Huang, *COML Feb 05* 157-159
- Rodriguez-Dagnino, R.M.** Some remarks regarding asymptotic packet loss in the Pareto/M/1/K queueing system; *COML Oct 05* 927-929
- Rojas-Cessa, R.**, Z. Dong, and Z. Guo. Load-balanced combined input-crosspoint buffered packet switch and long round-trip times; *COML Jul 05* 661-663
- Rong-Chang Chen**, *see* Pi-Chung Wang, *COML Mar 05* 282-284
- Rongfang Song**, and Shu-Huang Leung. A novel OFDM receiver with second order polynomial Nyquist window function; *COML May 05* 391-393
- Rouskas, A.N.**, and D.N. Skoutas. Management of channelization codes at the forward link of WCDMA; *COML Aug 05* 679-681
- Rovatti, R.**, *see* Mazzini, G., *COML Mar 05* 264-266
- Rugini, L.**, P. Banelli, and S. Caciopardi. A full-rank regularization technique for MMSE detection in multiuser CDMA systems; *COML Jan 05* 34-36
- Rugini, L.**, P. Banelli, and G. Leus. Simple equalization of time-varying channels for OFDM; *COML Jul 05* 619-621
- Ryan, D.J.**, I.B. Collings, and I.V.L. Clarkson. Low-complexity Low-PAR transmission for MIMO-DSL; *COML Oct 05* 868-870
- Ryan, W.E.**, *see* Li, Y., *COML Jan 05* 1-3
- Ryu Hyung-Keun**, *see* Hyung-Keun Ryu, *COML Sep 05* 856-858

S

- Saejoon Kim** Generalized minimum distance iterative decoding of Tanner codes; *COML Aug 05* 738-740
- Saewoong Bahk**, *see* Hyogon Kim, *COML Jul 05* 655-657

- Sagias, N.C.**, G.S. Tombras, and G.C. Karagiannidis. New results for the Shannon channel capacity in generalized fading channels; *COML Feb 05* 97-99
- Sagias, N.C.**, and G.K. Karagiannidis. Effects of carrier phase error on EGC receivers in correlated Nakagami-m fading; *COML Jul 05* 580-582
- Sagias, N.C.**, see Karagiannidis, G.K., *COML Jul 05* 589-591
- Sagias, N.C.**, and T. Mathiopoulos. Switched diversity receivers over generalized gamma fading channels; *COML Oct 05* 871-873
- Sahinoglu, Z.**, see Guvenc, I., *COML Dec 05* 1025-1027
- Sailing He**, see Jiajia Chen, *COML Sep 05* 850-852
- Sakaguchi, K.**, see Ting, S.H., *COML Aug 05* 697-699
- Sammy Chan**, see Qian Huang, *COML Jul 05* 664-666
- Sampaio-Neto, R.**, see de Lamare, R.C., *COML Mar 05* 213-215
- Sampaio-Neto, R.**, see de Lamare, R.C., *COML Apr 05* 334-336
- Sandeep, P.**, S. Chandan, and A.K. Chaturvedi. ISI-free pulses with reduced sensitivity to timing errors; *COML Apr 05* 292-294
- Sandeep, P.**, see Chandan, S., *COML Jun 05* 496-498
- Sandell, M.**, see Yugang Jia, *COML Nov 05* 997-999
- Sangho Nam**, see Goohyun Park, *COML Aug 05* 706-708
- Sangki Yun**, see Hyogon Kim, *COML Jul 05* 655-657
- Sang-Wook Kwon**, see Jung-Ryun Lee, *COML Sep 05* 853-855
- Santamaria, I.**, see Perez, J., *COML Nov 05* 961-963
- Santos Filho, J.C.S.**, see Fraidenraich, G., *COML Jun 05* 499-501
- Saqib, M.**, see Jegbefume, O., *COML Sep 05* 793-795
- Sarangan, V.**, D. Ghosh, N. Gautam, and R. Acharya. Steady state distribution for stochastic knapsack with bursty arrivals; *COML Feb 05* 187-189
- Sasaki, S.**, see Rahman, M.A., *COML Sep 05* 772-774
- Scanavino, B.**, see Laddomada, M., *COML Feb 05* 169-171
- Schenk, T.C.W.**, X.-J. Tao, P.F.M. Smulders, and E.R. Fledderus. On the influence of phase noise induced ICI in MIMO OFDM systems; *COML Aug 05* 682-684
- Schlegel, C.**, see Krzymien, L., *COML Aug 05* 732-734
- Schmidt, K.-U.**, and A. Finger. Simple maximum-likelihood decoding of generalized first-order Reed-Muller codes; *COML Oct 05* 912-914
- Schupke, D.A.** On Hamiltonian cycles as optimal p-cycles; *COML Apr 05* 360-362
- Schupke, D.A.**, see Mello, D.A.A., *COML Sep 05* 844-846
- Seet Boon-Chong**, see Chuan Heng Foh, *COML Jan 05* 31-33
- Seho Myung**, and Kyeongcheol Yang. A combining method of quasi-cyclic LDPC codes by the Chinese remainder theorem; *COML Sep 05* 823-825
- Seijoon Shim**, Kyeongyeon Kim, and Chungyong Lee. An efficient antenna shuffling scheme for a DSTTD system; *COML Feb 05* 124-126
- Seijoon Shim**, see Jaesang Ham, *COML Dec 05* 1049-1051
- Seo Jeong-Wook**, see Won-Gi Jeon, *COML Mar 05* 255-257
- Seong-Hun Paeng**, see Bae Eun Jung, *COML Jun 05* 532-533
- Seong-Lyun Kim**, see Keunyoung Kim, *COML Jun 05* 526-528
- Seong-Lyun Kim**, see Moonsoo Kang, *COML Nov 05* 1018-1020
- Seong-Lyun Kim**, see Tae-Suk Kim, *COML Dec 05* 1046-1048
- Seo SungHoon**, see SuKyoung Lee, *COML Dec 05* 1052-1054
- Setti, G.**, see Mazzini, G., *COML Mar 05* 264-266
- Seunghoon Hyeon**, see Weon-Cheol Lee, *COML Jun 05* 514-516
- Seungjoo Kim**, see Junghyun Nam, *COML May 05* 429-431
- Seungwon Choi**, see Weon-Cheol Lee, *COML Jun 05* 514-516
- Seungwon Choi**, see Weon-Cheol Lee, *COML Oct 05* 888-890
- Sezgin, A.**, and E.A. Jorswieck. Capacity achieving high rate space-time block codes; *COML May 05* 435-437
- Shami, A.**, C. Assi, N. Ghani, and H.T. Mouftah. A new reconfiguration protocol for mesh optical networks; *COML Jun 05* 558-560
- Shami, A.**, see Assi, C., *COML Jul 05* 658-660
- Shamir, G.I.**, and K. Xie. Universal lossless source controlled channel decoding for i.i.d. sequences; *COML May 05* 450-452
- Shaozhi Ye**, see Ming Jia, *COML Oct 05* 909-911
- Sharif, B.S.**, see Le Goff, S.Y., *COML Mar 05* 246-248
- Sharma, P.** Time-series model for wireless fading channels in isotropic and nonisotropic scattering environments; *COML Jan 05* 46-48
- Shayan, Y.R.**, see Nong Le, *COML Nov 05* 1006-1008
- Sheng Min**, see Min Sheng, *COML May 05* 468-470
- Sheng Tong**, and Xinmei Wang. A simple convergence comparison of Gallager codes under two message-passing schedules; *COML Mar 05* 249-251
- Sheng Tong**, Baoming Bai, and Xinmei Wang. Convergence rates comparison of sum-product decoding of RA codes under different message-passing schedules; *COML Jun 05* 543-545
- Shen Yushi**, see Yushi Shen, *COML Sep 05* 811-813
- Shevtekar, A.**, Karunakar Anantharam, and N. Ansari. Low rate TCP denial-of-service attack detection at edge routers; *COML Apr 05* 363-365
- Shidong Zhou**, see Jinfan Zhang, *COML Nov 05* 991-993
- Shieh Ce-Kuen**, see Chih-Heng Ke, *COML Apr 05* 381-383
- Shih Kuei-Ping**, see Kuei-Ping Shih, *COML Sep 05* 859-861
- Shim Seijoon**, see Seijoon Shim, *COML Feb 05* 124-126
- Shim Seijoon**, see Jaesang Ham, *COML Dec 05* 1049-1051
- Shin, C.**, see Kim, Y., *COML May 05* 405-407
- Shin Min-Ho**, see Min-Ho Shin, *COML Mar 05* 240-242
- Shin Minsu**, see Song Chong, *COML Oct 05* 957-959
- Shin Myeongcheol**, see Hakju Lee, *COML Apr 05* 328-330
- Shin Oh-Soon**, see Taewon Park, *COML Jan 05* 13-15
- Shiwei Zhao**, and Huaping Liu. On the optimum linear receiver for impulse radio systems in the presence of pulse overlapping; *COML Apr 05* 340-342
- Shi Zhihua**, see Ming Jiang, *COML Sep 05* 814-816
- Shokrollahi, A.**, see Rashidpour, M., *COML Jun 05* 546-548
- Shuangquan Wang**, and A. Abdi. Aperiodic complementary sets of sequences-based MIMO frequency selective channel estimation; *COML Oct 05* 891-893
- Shu-Huang Leung**, see Rongfang Song, *COML May 05* 391-393
- Shuzheng Xu**, Huazhong Yang, and Hui Wang. Application of DAPSK in HF communications; *COML Jul 05* 613-615
- Silva, D.**, and W.A. Finamore. Vector permutation modulation; *COML Aug 05* 673-675
- Simeonidou, D.**, see Nejabati, R., *COML Jun 05* 552-554
- Simoens, F.**, H. Wymeersch, H. Bruneel, and M. Moeneclaey. Multidimensional mapping for bit-interleaved coded modulation with BPSK/QPSK signaling; *COML May 05* 453-455
- Sivanesan, K.**, and N.C. Beaulieu. Outage and BER of MRC diversity in bandlimited micro-cellular systems with CCI; *COML Mar 05* 207-209
- Skoutas, D.N.**, see Rouskas, A.N., *COML Aug 05* 679-681
- Smulders, P.F.M.**, see Schenk, T.C.W., *COML Aug 05* 682-684
- Soh Thian Ping**, see Thian Ping Soh, *COML Jan 05* 7-9
- Solano, F.**, R. Fabregat, and J.L. Marzo. Full label space reduction in MPLS networks: Asymmetric merged tunneling; *COML Nov 05* 1021-1023
- Soleymani, R.**, see Nong Le, *COML Nov 05* 1006-1008
- Sonalkar, R.V.**, see Jungwon Lee, *COML Mar 05* 193-195
- Song Chong**, see Hyung-Keun Ryu, *COML Sep 05* 856-858
- Song Chong**, Minsu Shin, Jeonghoon Mo, and Hyang-Won Lee. Flow control with processing constraint; *COML Oct 05* 957-959
- Song Hong-Yeop**, see Min-Ho Shin, *COML Mar 05* 240-242
- Song Hwangjun**, see Chang Kyung Sung, *COML Oct 05* 882-884
- Song Jie**, see Zou ZiXuan, *COML Dec 05* 1076-1078
- Song Rongfang**, see Rongfang Song, *COML May 05* 391-393
- Soo Cho Yong**, see Kyung Won Park, *COML Jul 05* 604-606
- Soong Boon-Hee**, see Zhang, L., *COML Nov 05* 985-987
- Sooyong Choi**, see Kyunbyoung Ko, *COML Feb 05* 142-144
- Soo-Yong Jeon**, and Dong-Ho Cho. An enhanced channel-quality indication (CQI) reporting scheme for HSDPA systems; *COML May 05* 432-434
- Soo-Yong Jeon**, Sun-Ho Lee, and Dong-Ho Cho. Power-efficient cache management schemes for mobile client-server environments; *COML Jul 05* 607-609
- Sowerby, K.W.**, see Pais, A.V., *COML Mar 05* 204-206
- Speidel, J.**, see Muhammad, N.S., *COML Sep 05* 775-777
- Srinivasan, V.**, see Bang Wang, *COML Nov 05* 967-969
- Sriram, K.**, see Griffith, D., *COML Oct 05* 930-932
- Su Chia-Yung**, see Whai-En Chen, *COML Oct 05* 865-867
- Sujeong Choi**, S.H. Kang, and Bara Kim. Streaming video packet scheduling by $\text{Geo}^V/G/\infty$ input process modeling; *COML May 05* 474-476
- SuKyoung Lee**, SungHoon Seo, and N. Golmie. An efficient power-saving mechanism for integration of WLAN and cellular networks; *COML Dec 05* 1052-1054
- Sum Ng Chun**, see Thian Ping Soh, *COML Jan 05* 7-9
- Sun, J.**, see Andrew, L.L.H., *COML Jun 05* 567-569
- Sung Chang Kyung**, see Chang Kyung Sung, *COML Oct 05* 882-884
- Sung Ho Cho**, see Park, S., *COML Mar 05* 196-197
- SungHoon Seo**, see SuKyoung Lee, *COML Dec 05* 1052-1054
- Sungkwon Hong**, see Sung Lark Kwon, *COML Nov 05* 979-981
- Sung Lark Kwon**, Bonghoe Kim, Sungkwon Hong, and H. Park. Analysis of TFCI code performance of WCDMA systems; *COML Nov 05* 979-981
- Sung Lee Bu**, see Chuan Heng Foh, *COML Dec 05* 31-33
- Sung Lee Bu**, see Zou ZiXuan, *COML Dec 05* 1076-1078

Sun-Ho Lee, Eunjeong Choi, and Dong-Ho Cho. Timer-based broadcasting for power-aware routing in power-controlled wireless ad hoc networks; *COML Mar 05* 222-224

Sun-Ho Lee, see Soo-Yong Jeon, *COML Jul 05* 607-609

Sun Hung-Min, see Hung-Min Sun, *COML Jan 05* 58-60

Sun Jing, see Jing Sun, *COML Mar 05* 252-254

Sun Peng, see Peng Sun, *COML Dec 05* 1073-1075

Szczecinski, L., H. Chafnaji, and C. Hermosilla. Modulation doping for iterative demapping of bit-interleaved coded modulation; *COML Dec 05* 1031-1033

T

Tacca, M., see Pandi, Z., *COML Oct 05* 939-941

Taddia, C., and G. Mazzini. On the energy impact of four information delivery methods in wireless sensor networks; *COML Feb 05* 118-120

Tae-Jin Lee, see Myoung-Hee Jung, *COML Feb 05* 184-186

Taekeun Park, see Jongsik Jung, *COML Feb 05* 112-114

Taekyoung Kwon, Young-Ho Park, and Hee Jung Lee. Security analysis and improvement of the efficient password-based authentication protocol; *COML Jan 05* 93-95

Taesoo Kwon, and Dong-Ho Cho. A novel two-phase access priority scheme in wireless communication systems; *COML Mar 05* 216-218

Taesoo Kwon, see Howon Lee, *COML Aug 05* 691-693

Tae-Suk Kim, and Seong-Lyun Kim. Random power control in wireless ad hoc networks; *COML Dec 05* 1046-1048

Taewon Park, Jiho Jang, Oh-Soon Shin, and Kwang Bok Lee. Transmit power allocation for a downlink two-user interference channel; *COML Jan 05* 13-15

Taeyoung Kim, see Kyunbyoung Ko, *COML Feb 05* 142-144

Taiwen Tang, and R.W. Heath. Opportunistic feedback for downlink multiuser diversity; *COML Oct 05* 948-950

Takeshita, O.Y., see Jing Sun, *COML Mar 05* 252-254

Takeshita, O.Y., see Kothiyal, A., *COML Dec 05* 1067-1069

Takki Yu, see Goohyun Park, *COML Aug 05* 706-708

Tan, L., see Zukerman, M., *COML Jul 05* 643-645

Tan, M., Z. Latinovic, and Y. Bar-Ness. STBC MIMO-OFDM peak-to-average power ratio reduction by cross-antenna rotation and inversion; *COML Jul 05* 592-594

Tang Taiwen, see Taiwen Tang, *COML Oct 05* 948-950

Tang Yang, see Yang Tang, *COML Jun 05* 505-507

Tan Liansheng, see Liansheng Tan, *COML Jan 05* 81-83

Tan Liansheng, see Liansheng Tan, *COML Jan 05* 90-92

Tan Liansheng, see Liansheng Tan, *COML Jun 05* 561-563

Tan Liansheng, see Liansheng Tan, *COML Aug 05* 762-764

Tantra, J.W., see Chuan Heng Foh, *COML Feb 05* 130-132

Tao, X.-J., see Schenk, T.C.W., *COML Aug 05* 682-684

Tao Zhu Wen, see Wen Tao Zhu, *COML May 05* 477-479

Taricco, G., see Biglieri, E., *COML Feb 05* 106-108

Tee Hiang Cheng, see Ying Wang, *COML Sep 05* 841-843

Tekinay, S., see Catovic, A., *COML Dec 05* 1034-1036

Tellambura, C., see Yunfei Chen, *COML May 05* 417-419

Tellambura, C., see Cui, T., *COML May 05* 423-425

Tellambura, C., see Chen, Y., *COML Apr 05* 322-324

Tellambura, C., see Alavi, A., *COML Nov 05* 982-984

Thai, M.T., Yingshu Li, and Ding-Zhu Du. A combination of wireless multicast advantage and hitch-hiking; *COML Dec 05* 1037-1039

Thian Ping Soh, Chun Sum Ng, and Pooi Yuen Kam. Improved signal constellations for differential unitary space-time modulations with more than two transmit antennas; *COML Jan 05* 7-9

Tian Xiaojian, see Xiaojian Tian, *COML Nov 05* 970-972

Ting, S.H., K. Sakaguchi, and K. Araki. Differential quantization of eigenmodes for MIMO eigenmode transmission systems; *COML Aug 05* 697-699

Tinnirello, I., see Bianchi, G., *COML Aug 05* 765-767

Tombras, G.S., see Sagias, N.C., *COML Feb 05* 97-99

Tong Sheng, see Sheng Tong, *COML Mar 05* 249-251

Tong Sheng, see Sheng Tong, *COML Jan 05* 543-545

Tong Ye, Qingji Zeng, Wei Wei, Guolong Zhu, Junjie Yang, Yaohui Jin, and L. Yannick. Routing algorithms in IP/WDM networks based on hop-constraint lightpath establishment approach; *COML Feb 05* 181-183

Toril, M., see Wille, V., *COML Jul 05* 598-600

Tran, N.H., see Nguyen, H.H., *COML Jul 05* 583-585

Tsai Wen-Shing, see Hai-Han Lu, *COML Jul 05* 649-651

Tsang-Yi Wang, Y.S. Han, and P.K. Varshney. Fault-tolerant distributed classification based on non-binary codes in wireless sensor networks; *COML Sep 05* 808-810

Tsao Cheng-Lin, see Yueh-Ting Wu, *COML Nov 05* 1003-1005

Tseng Chien-Chao, see Chien-Chao Tseng, *COML Apr 05* 304-306

Tseng Chien-Chao, see Yuan-Ying Hsu, *COML Aug 05* 712-714

Tsiftsis, T.A., see Karagiannidis, G.K., *COML Jul 05* 589-591

Tsung-Han Lee, see Bosheng Zhou, *COML Nov 05* 973-975

Tsung-Yen Ho, see Yueh-Ting Wu, *COML Nov 05* 1003-1005

U

Uchoa-Filho, B.F., R. Demo Souza, C. Pimentel, and Mao-Chao Lin. Generalized punctured convolutional codes; *COML Dec 05* 1070-1072

V

Valent, A., see Cassioli, D., *COML May 05* 441-443

Van Mieghem, P., see Kuipers, F.A., *COML Mar 05* 267-269

Varaiya, P., see Dong, X.J., *COML Feb 05* 100-102

Varaiya, P., see Ergen, S.C., *COML Oct 05* 880-881

Varshney, P.K., see Tsang-Yi Wang, *COML Sep 05* 808-810

Vary, P., see Bruggen, T., *COML Jun 05* 484-486

Vary, P., see Adrat, M., *COML Jun 05* 540-542

Vary, P., see Clevorn, T., *COML Sep 05* 820-822

Vasic, B., see Djordjevic, I.B., *COML Oct 05* 924-926

Velez, M., see Prieto, G., *COML Oct 05* 877-879

Verde, F., see Darsena, D., *COML Aug 05* 744-746

Vidya Kumar, and O. Milenkovic. On graphical representations of algebraic codes suitable for iterative decoding; *COML Aug 05* 729-731

Vielva, L., see Perez, J., *COML Nov 05* 961-963

Virtamo, J., see Bonald, T., *COML Aug 05* 753-755

Vishal Anand, see Cao, X., *COML Jul 05* 646-648

Viswanathan, R., see Kanchumarthy, V.R., *COML May 05* 400-401

Vogelbruch, F., and S. Haar. Low complexity turbo equalization based on soft feedback interference cancellation; *COML Jul 05* 586-588

Vojcic, B.R., see Larsson, E.G., *COML Sep 05* 778-780

Vollero, L., A. Banchs, and G. Iannello. ACKS: a technique to reduce the impact of legacy stations in 802.11e EDCA WLANs; *COML Apr 05* 346-348

Vollero, L., see Banchs, A., *COML Jun 05* 508-510

Vucetic, B., see Li, Y., *COML May 05* 388-390

Vucetic, B., see Yang Tang, *COML Jun 05* 505-507

Vu Hai Le, see Halgamuge, M.N., *COML Sep 05* 790-792

W

Waldman, H., see Almeida, R.C., Jr., *COML Feb 05* 175-177

Waldman, H., and D.R. Campelo. Asymptotic blocking probabilities in rings with single-circuit links; *COML Jun 05* 564-566

Waldman, H., see Mello, D.A.A., *COML Sep 05* 844-846

Wang, H., see Zukerman, M., *COML Jul 05* 643-645

Wang Bang, see Bang Wang, *COML Nov 05* 967-969

Wang Bin, see Bin Wang, *COML Oct 05* 936-938

Wang Changhong, see Huijun Gao, *COML May 05* 402-404

Wang Dong, see Dong Wang, *COML May 05* 420-422

Wang Hanwu, see Liansheng Tan, *COML Jun 05* 561-563

Wang Hui, see Shuzheng Xu, *COML Jul 05* 613-615

Wang Jing, see Jinfan Zhang, *COML Nov 05* 991-993

Wang Li-Chun, see Li-Chun Wang, *COML Apr 05* 298-300

Wang Pi-Chung, see Pi-Chung Wang, *COML Mar 05* 282-284

Wang Shuangquan, see Shuangquan Wang, *COML Oct 05* 891-893

Wang Tsang-Yi, see Tsang-Yi Wang, *COML Sep 05* 808-810

Wang Wei, see Bang Wang, *COML Nov 05* 967-969

Wang Xin, see Zihua Guo, *COML Mar 05* 228-230

Wang Xinmei, see Sheng Tong, *COML Mar 05* 249-251

Wang Xinmei, see Sheng Tong, *COML Jun 05* 543-545

Wang Xinmei, see Ying Li, *COML Jul 05* 637-639

Wang Ying, see Ying Wang, *COML Sep 05* 841-843

Wanjun Liao, see Yueh-Ting Wu, *COML Nov 05* 1003-1005

Weile Zhu, see Xiantao Cheng, *COML Jun 05* 493-495

Weiss, T.A., see Hillenbrand, J., *COML Apr 05* 349-351

Wei Wang, see Bang Wang, *COML Nov 05* 967-969

Wei Wei, see Tong Ye, *COML Feb 05* 181-183

Wei Zhang, see Liansheng Tan, *COML Jan 05* 81-83

Wen, Y., *see* Win, M.Z., *COML May 05* 385-387

Wen-Huei Chen, and Yu-Jen Chen. A bootstrapping scheme for inter-sensor authentication within sensor networks; *COML Oct 05* 945-947

Wen Jiangtao, *see* Ming Jia, *COML Oct 05* 909-911

Wenqing Chen, *see* Yong Yuan, *COML Jun 05* 481-483

Wen-Shing Tsai, *see* Hai-Han Lu, *COML Jul 05* 649-651

Wen-Shyang Hwang, *see* Chih-Heng Ke, *COML Apr 05* 381-383

Wen Tao Zhu Optimizing the tree structure in secure multicast key management; *COML May 05* 477-479

Wenwu Zhu, *see* Zihua Guo, *COML Mar 05* 228-230

Wenyi Jin, *see* Kothiyal, A., *COML Dec 05* 1067-1069

Weon-Cheol Lee, Seungheon Hyeon, and Seungwon Choi. Performance analysis of downlink smart antenna system with auxiliary pilot in CDMA2000 1X; *COML Jun 05* 514-516

Weon-Cheol Lee, and Seungwon Choi. Adaptive beamforming algorithm based on eigen-space method for smart antennas; *COML Oct 05* 888-890

Whai-En Chen, Chia-Yung Su, and Yi-Bing Lin. NCTU SLT: a socket-layer translator for IPv4-IPv6 translation; *COML Oct 05* 865-867

Whai-En Chen, *see* Yi-Bing Lin, *COML Oct 05* 874-876

Wille, V., M. Toril, and R. Barco. Impact of antenna downtilting on network performance in GERAN systems; *COML Jul 05* 598-600

Willink, T.J. Improving power allocation to MIMO eigenbeams under imperfect channel estimation; *COML Jul 05* 622-624

Win, M.Z., and Y. Wen. Extreme power dispersion profiles for Nakagami-m fading channels with maximal-ratio diversity; *COML May 05* 385-387

Win, M.Z., *see* Jegbefume, O., *COML Sep 05* 793-795

Wojcik, R., *see* Jajszczyk, A., *COML Jan 05* 64-65

Womack, B.F., *see* Kim, Y., *COML May 05* 405-407

Won Dongho, *see* Junghyun Nam, *COML May 05* 429-431

Wong, D.S., *see* Xiaojian Tian, *COML Nov 05* 970-972

Won-Gi Jeon, Y.-H. You, J.-T. Kim, Dong-Sun Kim, Ki-Won Kwon, Jeong-Wook Seo, and S.-K. Hong. Timing synchronization for IEEE 802.15.3 WPAN applications; *COML Mar 05* 255-257

Wong Kai-Juan, *see* Chuan Heng Foh, *COML Jan 05* 31-33

Won Hui-Chul, *see* Hui-Chul Won, *COML Apr 05* 307-309

Wonjung Kim, *see* Hyesook Lim, *COML Jan 05* 75-77

Won Park Kyung, *see* Kyung Won Park, *COML Jul 05* 604-606

Woon-Young Yeo, and Dong-Ho Cho. An analytical model for reverse link rate control in cdma2000 1xEV-DO systems; *COML Mar 05* 270-272

Woon-Young Yeo, *see* HyeJeong Lee, *COML Oct 05* 903-905

Wu Haitao, *see* Qi Wu, *COML Oct 05* 933-935

Wu Keying, *see* Keying Wu, *COML Jan 05* 55-57

Wulich, D. Definition of efficient PAPR in OFDM; *COML Sep 05* 832-834

Wu Qi, *see* Qi Wu, *COML Oct 05* 933-935

Wu Xiaofu, *see* Xiaofu Wu, *COML Aug 05* 726-728

Wu Xiaofu, *see* Xiaofu Wu, *COML Aug 05* 735-737

Wu Xingxing, *see* Yi Fan, *COML Oct 05* 951-953

Wu Yongle, *see* Jinfan Zhang, *COML Nov 05* 991-993

Wu Yueh-Ting, *see* Yueh-Ting Wu, *COML Nov 05* 1003-1005

Wymeersch, H., *see* Simoens, F., *COML May 05* 453-455

X

Xian, L., and H. Liu. Optimal rotation angles for quasi-orthogonal space-time codes with PSK modulation; *COML Aug 05* 676-678

Xiangdong Xia, G.Y. Lazarou, and T. Butler. Automatic scaling range selection for long-range dependent network traffic; *COML Oct 05* 954-956

Xiang-Gen Xia, *see* Dong Wang, *COML May 05* 420-422

Xiang-gen Xia, *see* Qi Wu, *COML Oct 05* 933-935

Xiang Haige, *see* Xiaofu Wu, *COML Aug 05* 726-728

Xiang Haige, *see* Xiaofu Wu, *COML Aug 05* 735-737

Xian Liang, *see* Liang Xian, *COML Mar 05* 231-233

Xiantao Cheng, and Weile Zhu. A subspace detection method of analog space-time codes for multiantenna ultra-wideband transmissions; *COML Jun 05* 493-495

Xiao, M., and T. Aulin. Irregular repeat continuous phase modulation; *COML Aug 05* 723-725

Xiao, Y. Energy saving mechanism in the IEEE 802.16e wireless MAN; *COML Jul 05* 595-597

Xiao Chunpeng, *see* Chunpeng Xiao, *COML Mar 05* 243-245

Xiaodai Dong, *see* Lei Xiao, *COML Feb 05* 136-138

Xiaodai Dong, *see* Eslami, M., *COML Jun 05* 502-504

Xiaodi Zhang, and N.C. Beaulieu. Outage probability of MRC with equal-power cochannel interferers in correlated Rayleigh fading; *COML Jul 05* 577-579

Xiaofu Wu, Yuxin Cheng, and Haige Xiang. The Engdahl-Zigangirov bound for binary coded systems over block-fading channels; *COML Aug 05* 726-728

Xiaofu Wu, and Haige Xiang. Iterative carrier phase recovery methods in turbo receivers; *COML Aug 05* 735-737

Xiaohong Huang, and Maode Ma. Message scheduling in WDM optical networks with reduced transmitter tuning overhead; *COML Jan 05* 72-74

Xiaojian Tian, D.S. Wong, and R.W. Zhu. Analysis and improvement of an authenticated key exchange protocol for sensor networks; *COML Nov 05* 970-972

Xiao Lei, *see* Lei Xiao, *COML Feb 05* 136-138

Xiaomeng Huang, *see* Fengyuan Ren, *COML May 05* 471-473

Xiaowen Chu, Jiangchuan Liu, Bo Li, and Zhensheng Zhang. Analytical model of sparse-partial wavelength conversion in wavelength-routed WDM networks; *COML Jan 05* 69-71

Xia Xiangdong, *see* Xiangdong Xia, *COML Oct 05* 954-956

Xia Xiang-Gen, *see* Dong Wang, *COML May 05* 420-422

Xia Xiang-gen, *see* Qi Wu, *COML Oct 05* 933-935

Xie, K., *see* Shamir, G.I., *COML May 05* 450-452

Xike Li, and I. Elhanany. Stability of a frame-based maximal weight matching algorithm with transfer speedup; *COML Oct 05* 942-944

Xin, C., *see* Cao, X., *COML Jul 05* 646-648

Xin, Y., and I.J. Fair. Low-frequency performance of guided scrambling DC-free codes; *COML Jun 05* 537-539

Xing Li, *see* Ming Jia, *COML Oct 05* 909-911

Xingxing Wu, *see* Yi Fan, *COML Oct 05* 951-953

Xinmei Wang, *see* Sheng Tong, *COML Mar 05* 249-251

Xinmei Wang, *see* Sheng Tong, *COML Jun 05* 543-545

Xinmei Wang, *see* Ying Li, *COML Jul 05* 637-639

Xinmin Deng, and A.M. Haimovich. Power allocation for cooperative relaying in wireless networks; *COML Nov 05* 994-996

Xin-Ping Guan, *see* Cheng-Nian Long, *COML Jan 05* 78-80

Xinping Guan, *see* Huijun Gao, *COML May 05* 402-404

Xin Wang, *see* Zihua Guo, *COML Mar 05* 228-230

Xiong Naixue, *see* Liansheng Tan, *COML Jan 05* 90-92

Xiong Yongqiang, *see* Qi Wu, *COML Oct 05* 933-935

Xu, K., and N. Ansari. Stability and fairness of rate estimation-based AIAD congestion control in TCP; *COML Apr 05* 378-380

Xudong Guo, *see* Ying Li, *COML Jul 05* 637-639

Xue-Bin Liang A complex orthogonal space-time block code for 8 transmit antennas; *COML Feb 05* 115-117

Xu Shuzheng, *see* Shuzheng Xu, *COML Jul 05* 613-615

Y

Yacoub, M.D., *see* Fraidenraich, G., *COML Jan 05* 19-21

Yacoub, M.D., *see* Fraidenraich, G., *COML Jun 05* 499-501

Yang Huazhong, *see* Shuzheng Xu, *COML Jul 05* 613-615

Yang Junjie, *see* Tong Ye, *COML Feb 05* 181-183

Yang Kyeongcheol, *see* Seho Myung, *COML Sep 05* 823-825

Yang-Min Cheng, *see* Li-Hsing Yen, *COML Mar 05* 234-236

Yang Tang, B. Vucetic, and Yonghui Li. An iterative singular vectors estimation scheme for beamforming transmission and detection in MIMO systems; *COML Jun 05* 505-507

Yang Yan, *see* Liansheng Tan, *COML Jan 05* 81-83

Yang Yan, *see* Liansheng Tan, *COML Jan 05* 90-92

Yang Zongkai, *see* Yong Yuan, *COML Jun 05* 481-483

Yanikomeroglu, H., *see* Ahmed, M.H., *COML Apr 05* 331-333

Yanikomeroglu, H., *see* Adinoyi, A., *COML Jul 05* 601-603

Yannick, L., *see* Tong Ye, *COML Feb 05* 181-183

Yan Yang, *see* Liansheng Tan, *COML Jan 05* 81-83

Yan Yang, *see* Liansheng Tan, *COML Jan 05* 90-92

Yao, K., *see* Abbasfar, A., *COML Apr 05* 352-354

Yao, R., *see* Zihua Guo, *COML Mar 05* 228-230

Yaohui Jin, *see* Tong Ye, *COML Feb 05* 181-183

Yen-Da Chen, *see* Kuei-Ping Shih, *COML Sep 05* 859-861

Yen Li-Hsing, *see* Li-Hsing Yen, *COML Mar 05* 234-236

Yeo Woon-Young, *see* Woon-Young Yeo, *COML Mar 05* 270-272

Yeo Woon-Young, *see* HyeJeong Lee, *COML Oct 05* 903-905

Ye Shaozhi, *see* Ming Jia, *COML Oct 05* 909-911

Ye Tong, *see* Tong Ye, *COML Feb 05* 181-183

Ye Zhongfu, *see* Yipeng Li, *COML May 05* 444-446

Yi-Bing Lin, *see* Whai-En Chen, *COML Oct 05* 865-867

Yi-Bing Lin, Whai-En Chen, and Chai-Hien Gan. Effective VoIP call routing in WLAN and cellular integration; *COML Oct 05* 874-876

Z

- Yi Fan**, Zhong-Ping Jiang, and Xingxing Wu. A control theoretic approach to stabilizing queues in large-scale networks; *COML Oct 05* 951-953
- Yifan Chen**, and V.K. Dubey. Spatio-diversity gain of a system-dependent wideband directional channel; *COML Apr 05* 319-321
- Yim Changhoon**, *see* Changhoon Yim, *COML Jul 05* 652-654
- Ying, Y.**, and M. Ghogho. Optimal pilot placement for frequency offset estimation and data detection in burst transmission systems; *COML Jun 05* 549-551
- Ying Li**, Xudong Guo, and Xinmei Wang. Design of recursive convolutional space-time codes with an arbitrary number of transmit antennas; *COML Jul 05* 637-639
- Yingning Peng**, *see* Mingxin Zhou, *COML Sep 05* 799-801
- Yingshu Li**, *see* Thai, M.T., *COML Dec 05* 1037-1039
- Ying Wang**, Tee Hiang Cheng, and Meng Hiot Lim. A Tabu search algorithm for static routing and wavelength assignment problem; *COML Sep 05* 841-843
- Yipeng Li**, and Zhongfu Ye. On optimum transmission power strategy in MIMO systems with covariance feedback; *COML May 05* 444-446
- Yiu-Wing Leung** Shared packet loss recovery for Internet telephony; *COML Jan 05* 84-86
- YongBin Zhou**, ZhenFeng Zhang, and DengGuo Feng. Cryptanalysis of the end-to-end security for mobile communications with end-user identification/authentication; *COML Apr 05* 372-374
- Yonghui Li**, *see* Yang Tang, *COML Jun 05* 505-507
- Yongle Wu**, *see* Jinfan Zhang, *COML Nov 05* 991-993
- Yongqiang Xiong**, *see* Qi Wu, *COML Oct 05* 933-935
- Yong Ren**, *see* Zihua Guo, *COML Mar 05* 228-230
- Yong Soo Cho**, *see* Kyung Won Park, *COML Jul 05* 604-606
- Yong Yuan**, Zongkai Yang, Jianhua He, and Wenqing Chen. An adaptive code position modulation scheme for wireless sensor networks; *COML Jun 05* 481-483
- Yoshikawa, H.**, I. Oka, and C. Fujiwara. Exact analysis of bit error probability for trellis coded QPSK; *COML Mar 05* 237-239
- You, Y.-H.**, *see* Won-Gi Jeon, *COML Mar 05* 255-257
- Young Chung Min**, *see* Myoung-Hee Jung, *COML Feb 05* 184-186
- Young-Ho Park**, *see* Taekyoung Kwon, *COML Jan 05* 93-95
- Youngnam Han**, *see* Hoon Kim, *COML Mar 05* 210-212
- Youngnam Han**, *see* Keunyoung Kim, *COML Jun 05* 526-528
- Yuan Cao**, *see* Liansheng Tan, *COML Aug 05* 762-764
- Yuan Fengjie**, *see* Changeheng Huang, *COML Jan 05* 87-89
- Yuan-Ying Hsu**, and Chien-Chao Tseng. Prime DHCP: a prime numbering address allocation mechanism for MANETs; *COML Aug 05* 712-714
- Yuan Yong**, *see* Yong Yuan, *COML Jun 05* 481-483
- Yu Chen**, *see* Ming Jiang, *COML Sep 05* 814-816
- Yuefeng Ji**, *see* Lei Lei, *COML May 05* 459-461
- Yueh-Ting Wu**, Tsung-Yen Ho, Wanjin Liao, and Cheng-Lin Tsao. Epoch length of the random waypoint model in mobile ad hoc networks; *COML Nov 05* 1003-1005
- Yuen Kam Pooi**, *see* Thian Ping Soh, *COML Jan 05* 7-9
- Yugang Jia**, C. Andrieu, R.J. Piechocki, and M. Sandell. Gaussian approximation based mixture reduction for near optimum detection in MIMO systems; *COML Nov 05* 997-999
- Yuheng Huang**, and J.A. Ritcey. Improved 16-QAM constellation labeling for BI-STCM-ID with the Alamouti scheme; *COML Feb 05* 157-159
- Yu-Jen Chen**, *see* Wen-Huei Chen, *COML Oct 05* 945-947
- Yu-Jie Ji**, *see* Hai-Han Lu, *COML Jul 05* 649-651
- Yunfei Chen**, *see* Beaulieu, N.C., *COML Mar 05* 219-221
- Yunfei Chen**, N.C. Beaulieu, and C. Tellambura. Novel Nakagami-m parameter estimator for noisy channel samples; *COML May 05* 417-419
- Yunfei Chen**, and N.C. Beaulieu. CRLBs for NDA ML estimation of UWB channels; *COML Aug 05* 709-711
- Yunfei Chen**, and N.C. Beaulieu. Maximum likelihood estimation of the K factor in Ricean fading channels; *COML Dec 05* 1040-1042
- Yun Hee Cho**, and Kwangjoon Kim. Impact of 3R wavelength converters on the blocking probability of WDM networks with finite impairment threshold; *COML Nov 05* 1009-1011
- Yun Sangki**, *see* Hyogon Kim, *COML Jul 05* 655-657
- Yunxia Chen**, and Qing Zhao. On the lifetime of wireless sensor networks; *COML Nov 05* 976-978
- Yushi Shen**, P.C. Cosman, and L.B. Milstein. Weight distribution of a class of binary block codes formed from RCPC codes; *COML Sep 05* 811-813
- Yu Takki**, *see* Goohyun Park, *COML Aug 05* 706-708
- Yuxin Cheng**, *see* Xiaofu Wu, *COML Aug 05* 726-728
- Zaghloul, S.**, V. Frost, and A.J. Mohammad. Modeling TCP long file transfer latency over long delay wireless multilink PPP; *COML Nov 05* 988-990
- Zakrevski, L.**, *see* Zhen Guo, *COML Sep 05* 805-807
- Zanella, A.**, and F. De Pellegrini. Statistical characterization of the service time in saturated IEEE 802.11 networks; *COML Mar 05* 225-227
- Zeng Qingji**, *see* Tong Ye, *COML Feb 05* 181-183
- Zhang, L.**, and Boon-Hee Soong. Multi-code multi-packet transmission (MCMPT) in wireless CDMA ad hoc networks under Rayleigh fading channels; *COML Nov 05* 985-987
- Zhang, X.**, *see* Cheng, J., *COML Apr 05* 316-318
- Zhang Fangguo**, *see* Fangguo Zhang, *COML Apr 05* 358-359
- Zhang Hao**, *see* Mingxin Zhou, *COML Sep 05* 799-801
- Zhang Jinfan**, *see* Jinfan Zhang, *COML Nov 05* 991-993
- Zhang Jingqiao**, *see* Jingqiao Zhang, *COML Sep 05* 796-798
- Zhang Muxiang**, *see* Muxiang Zhang, *COML Mar 05* 276-278
- Zhang Qian**, *see* Qi Wu, *COML Oct 05* 933-935
- Zhang Wei**, *see* Liansheng Tan, *COML Jan 05* 81-83
- Zhang Xiaodi**, *see* Xiaodi Zhang, *COML Jul 05* 577-579
- Zhang ZhenFeng**, *see* YongBin Zhou, *COML Apr 05* 372-374
- Zhang Zhenrong**, *see* Zhenrong Zhang, *COML Aug 05* 756-758
- Zhang Zhensheng**, *see* Xiaowen Chu, *COML Jan 05* 69-71
- Zhao, L.**, and V.K. Dubey. Detection schemes for space-time block code and spatial multiplexing combined system; *COML Jan 05* 49-51
- Zhao, Q.**, and H. Li. Performance of differential modulation with wireless relays in Rayleigh fading channels; *COML Apr 05* 343-345
- Zhao, Y.**, R. Adve, and T.J. Lim. Outage probability at arbitrary SNR with cooperative diversity; *COML Aug 05* 700-702
- Zhao Bin**, *see* Cheng-Nian Long, *COML Jan 05* 78-80
- Zhao Chunming**, *see* Ming Jiang, *COML Sep 05* 814-816
- Zhao Qing**, *see* Yunxia Chen, *COML Nov 05* 976-978
- Zhao Shiwei**, *see* Shiwei Zhao, *COML Apr 05* 340-342
- ZhenFeng Zhang**, *see* YongBin Zhou, *COML Apr 05* 372-374
- Zhengang Chen**, and S. Bates. Construction of low-density parity-check convolutional codes through progressive edge-growth; *COML Dec 05* 1058-1060
- Zhen Guo**, Mengchu Zhou, and L. Zakrevski. Optimal tracking interval for predictive tracking in wireless sensor network; *COML Sep 05* 805-807
- Zhenrong Zhang**, W.-D. Zhong, and S.K. Bose. Dynamically survivable WDM network design with p-cycle-based PWCE; *COML Aug 05* 756-758
- Zhensheng Zhang**, *see* Xiaowen Chu, *COML Jan 05* 69-71
- Zhigang Cao**, *see* Jingyu Kang, *COML Jun 05* 534-536
- Zhijia Shi**, *see* Ming Jiang, *COML Sep 05* 814-816
- Zhiwei Lin**, *see* Lin Zhiwei, *COML Sep 05* 835-837
- Zhong, W.-D.**, *see* Chen, B., *COML Apr 05* 366-368
- Zhong, W.-D.**, *see* Zhenrong Zhang, *COML Aug 05* 756-758
- Zhongcheng Li**, *see* Qi Wu, *COML Oct 05* 933-935
- Zhongfu Ye**, *see* Yipeng Li, *COML May 05* 444-446
- Zhong-Ping Jiang**, *see* Yi Fan, *COML Oct 05* 951-953
- Zhou, J.**, *see* Rahman, M.A., *COML Sep 05* 772-774
- Zhou Bosheng**, *see* Bosheng Zhou, *COML Nov 05* 973-975
- Zhou Mengchu**, *see* Zhen Guo, *COML Sep 05* 805-807
- Zhou Mingxin**, *see* Mingxin Zhou, *COML Sep 05* 799-801
- Zhou Shidong**, *see* Jinfan Zhang, *COML Nov 05* 991-993
- Zhou YongBin**, *see* YongBin Zhou, *COML Apr 05* 372-374
- Zhu, J.**, *see* Papavassiliou, S., *COML Apr 05* 337-339
- Zhu, R.W.**, *see* Xiaojian Tian, *COML Nov 05* 970-972
- Zhu Guolong**, *see* Tong Ye, *COML Feb 05* 181-183
- Zhu Weile**, *see* Xiantao Cheng, *COML Jun 05* 493-495
- Zhu Wen Tao**, *see* Wen Tao Zhu, *COML May 05* 477-479
- Zhu Wenwu**, *see* Zihua Guo, *COML Mar 05* 228-230
- Zihua Guo**, R. Yao, Wenwu Zhu, Xin Wang, and Yong Ren. Intra-superframe power management for IEEE 802.15.3 WPAN; *COML Mar 05* 228-230
- Zihua Guo**, *see* Qi Wu, *COML Oct 05* 933-935
- Ziviani, A.**, *see* Chih-Heng Ke, *COML Apr 05* 381-383
- Ziviani, A.**, S. Fdida, J.F. de Rezende, and O.C.M.B. Duarte. A TCP-tailored approach to location management in mobile ad hoc networks; *COML Dec 05* 1043-1045
- ZiXuan Zou**, *see* Zou ZiXuan, *COML Dec 05* 1076-1078
- Zongkai Yang**, *see* Yong Yuan, *COML Jun 05* 481-483
- Zou ZiXuan**, Bu Sung Lee, Cheng Peng Fu, and Jie Song. Packet triplet: A novel Approach to estimate path capacity; *COML Dec 05* 1076-1078
- Zukerman, M.**, *see* Liansheng Tan, *COML Jan 05* 81-83

Zukerman, M., *see* Liansheng Tan, *COML Jan 05* 90-92
Zukerman, M., *see* Liansheng Tan, *COML Jun 05* 561-563
Zukerman, M., *see* Andrew, L.L.H., *COML Jun 05* 567-569
Zukerman, M., L. Tan, H. Wang, and I. Ouveysi. Efficiency-fairness tradeoff in telecommunications networks; *COML Jul 05* 643-645
Zukerman, M., *see* Qian Huang, *COML Jul 05* 664-666
Zukerman, M., *see* Liansheng Tan, *COML Aug 05* 762-764
Zukerman, M., *see* Halgamuge, M.N., *COML Sep 05* 790-792
Zweck, J., *see* Holzlohner, R., *COML Feb 05* 163-165

SUBJECT INDEX

A

Access control

lifetime of wireless sensor networks. *Yunxia Chen, +, COML Nov 05* 976-978
 non-responsive receiver problem in mobile ad-hoc networks. *Bosheng Zhou, +, COML Nov 05* 973-975

Access protocols

2-phase access priority scheme, wireless commun. systs. *Taesoo Kwon, +, COML Mar 05* 216-218
 bandwidth allocation, sens. nets., peer-to-peer middleware. *Caviglione, L., +, COML Mar 05* 285-287
 CAPC, collision avoidance power control MAC protocol for wireless ad hoc nets. *Kuei-Ping Shih, +, COML Sep 05* 859-861
 delay of resilient packet rings, deterministic bound. *Changeheng Huang, +, COML Jan 05* 87-89
 deterministic guaranteed service, FH-OFDM wireless syst., groupers. *Kihyun Pyun, +, COML Apr 05* 369-371
 downlink multiuser diversity, opportunistic feedback. *Taiwen Tang, +, COML Oct 05* 948-950
 effective loss-distinguishable MAC protocol for 802.11 WLAN, design. *Qixiang Pang, +, COML Sep 05* 781-783
 HomePlug 1.0, MAC throughput anal. *Myoung-Hee Jung, +, COML Feb 05* 184-186
 IEEE 802.11 wireless LANs for lossy channel, saturation throughput anal. *Dong, X.J., +, COML Feb 05* 100-102
 power-aware routing, power-controlled wireless ad hoc nets., timer-based broadcasting. *Sun-Ho Lee, +, COML Mar 05* 222-224
 resolving 802.11 perform. anom., QoS differentiation. *Hyogon Kim, +, COML Jul 05* 655-657
 service time, saturated IEEE 802.11 nets., stat. charactn. *Zanella, A., +, COML Mar 05* 225-227
 TCP connection, slow-start phase, WLAN, adaptive beacon listening protocol. *Jung-Ryun Lee, +, COML Sep 05* 853-855
 VoIP packets, IEEE 802.11e wireless LANs, access scheme. *Gyung-Ho Hwang, +, COML Jul 05* 667-669
 wireless data nets., multiuser diversity opportunistic sched. *Gyasi-Agyei, A., COML Jul 05* 670-672
 wireless MAC, hybrid splitting algm. *Min Sheng, +, COML May 05* 468-470

Access protocols; cf. Code division multiple access**Adaptive arrays**

downlink smart antenna syst., auxiliary pilot, CDMA2000 1X, perform. anal. *Weon-Cheol Lee, +, COML Jun 05* 514-516
 eigen-space method for smart antennas, adaptive beamforming algm. *Weon-Cheol Lee, +, COML Oct 05* 888-890
 error perform. of adaptive array antennas for CDMA, noncoherent M-ary orthogonal modulation, Nakagami fading. *Durrani, S., +, COML Feb 05* 148-150
 power control, systs., transm. beamforming, SINR estim. *Hasu, V., +, COML Oct 05* 885-887

Adaptive codes

iterative reliability-based decoding of linear Block codes with adaptive belief propagation. *Kothiyal, A., +, COML Dec 05* 1067-1069

Adaptive coding

enhanced channel-quality indication (CQI) reporting scheme for HSDPA systs. *Soo-Yong Jeon, +, COML May 05* 432-434

Adaptive control

code posn. modulation scheme for wireless sens. nets. *Yong Yuan, +, COML Jun 05* 481-483

RateLimit for 1xEV-DO reverse link traffic channels, rate control scheme BSbased. *HyeJeong Lee, +, COML Oct 05* 903-905
 TCP connection, slow-start phase, WLAN, adaptive beacon listening protocol. *Jung-Ryun Lee, +, COML Sep 05* 853-855

Adaptive estimation

rate estim.-based AIAD congestion control, TCP, stabil. and fairness. *Xu, K., +, COML Apr 05* 378-380

Adaptive modulation

simplified scheme for D-STTD systs. with linear receivers. *Jaesang Ham, +, COML Dec 05* 1049-1051

Ad hoc networks

epoch length of the random waypoint model in mobile ad hoc networks. *Yueh-Ting Wu, +, COML Nov 05* 1003-1005
 hop count and Euclidean distance in greedy forwarding in wireless ad hoc networks. *De, S., COML Nov 05* 1000-1002
 non-responsive receiver problem in mobile ad-hoc networks. *Bosheng Zhou, +, COML Nov 05* 973-975

Adjacent channel interference

multicell spreading sequence design algorithm for overloaded S-CDMA. *Cotae, P., COML Dec 05* 1028-1030

Algebra; cf. Galois fields; Polynomials**Algorithm theory; cf.** Deterministic algorithms**Amplifiers; cf.** Power amplifiers**Amplitude modulation; cf.** Amplitude shift keying; Quadrature amplitude modulation**Amplitude shift keying**

context of runlength-limited-codes for opt. wireless communs., rate-adaptive transm. schemes. *Garrido-Balsells, J.M., +, COML Sep 05* 787-789
 DAPSK, HF communs. *Shuzheng Xu, +, COML Jul 05* 613-615

Antenna arrays

2x2 antennas Bluetooth syst. *Danjou, E.J.D., +, COML Sep 05* 784-786
 analog space-time codes for multiantenna UWB transms., subspace detect. method. *Xiantao Cheng, +, COML Jun 05* 493-495
 capacity achieving high rate space-time block codes. *Sezgin, A., +, COML May 05* 435-437
 CPM, Rayleigh fading channels, multiuser detect. *Bokolamulla, D., +, COML Oct 05* 906-908
 differential unitary space-time modulations, than 2 transmit antennas, improved sig. constellations. *Thian Ping Soh, +, COML Jan 05* 7-9
 DSTTD syst., efficient antenna shuffling scheme. *Seijoon Shim, +, COML Feb 05* 124-126
 eigenmodes for MIMO eigenmode transm. systs., differential quantization. *Ting, S.H., +, COML Aug 05* 697-699
 MIMO doubly-iter. receivers, pre vs. post-cancellation filtering. *Biglieri, E., +, COML Feb 05* 106-108
 MIMO eigenbeams under imperfect channel estim., improv. power allocation. *Willink, T.J., COML Jul 05* 622-624
 MIMO systs., covariance feedback, optimum transm. power strategy. *Yipeng Li, +, COML May 05* 444-446
 MRC, equi-power cochannel interferers, correl. Rayleigh fading, outage probab. *Xiaodi Zhang, +, COML Jul 05* 577-579
 multilayer turbo space-time codes. *Keying Wu, +, COML Jan 05* 55-57
 phase noise induced ICI, MIMO OFDM systs. *Schenk, T.C.W., +, COML Aug 05* 682-684
 quasiorthogonal space-time codes, PSK modulation, optimal rot. angles. *Xian, L., +, COML Aug 05* 676-678
 rank-deficient MIMO systs., efficient gen. sphere decoder. *Cui, T., +, COML May 05* 423-425
 recursive convolutional space-time codes, arbitrary no. of transmit antennas, design. *Ying Li, +, COML Jul 05* 637-639
 seqs.-based MIMO freq. selective channel estim., aperiodic complementary sets. *Shuangquan Wang, +, COML Oct 05* 891-893
 space-time block code and spatial MUX combined syst., detect. schemes. *Zhao, L., +, COML Jan 05* 49-51
 STBC MIMO-OFDM peak-to-av. power ratio reduction by cross-antenna rot. and inversion. *Tan, M., +, COML Jul 05* 592-594
 time reversal techs., multiple element antenna systs., pot. *Nguyen, H.T., +, COML Jan 05* 40-42
 UWB Signals, multiple receive antennas, interf. suppression scheme. *Bharadwaj, V., +, COML Jun 05* 529-531
 V-BLAST syst., 2 antennas, transmitter, optimum power allocation. *Kalbasi, R., +, COML Sep 05* 826-828

- vector Gaussian broadcast channels, space-time trellis coding scheme. *Li, Y.*, +, *COML May 05* 388-390
- Antennas; cf.** Antenna arrays; Antenna theory; Mobile antennas; Receiving antennas; Transmitting antennas
- Antenna theory**
eigen-space method for smart antennas, adaptive beamforming algm. *Weon-Cheol Lee*, +, *COML Oct 05* 888-890
- Approximation methods**
outage and BER of MRC diversity, bandlimited micro-cellular systs., CCI. *Sivanesan, K.*, +, *COML Mar 05* 207-209
Ricean sum distrib. and densities, accurate closed-form approxs. *Hu, J.*, +, *COML Feb 05* 133-135
SNR jointly, pilot and data syms., approx. max. likelihood estimator. *Chen, Y.*, +, *COML Jun 05* 517-519
- Arrays; cf.** Antenna arrays
- Array signal processing**
eigen-space method for smart antennas, adaptive beamforming algm. *Weon-Cheol Lee*, +, *COML Oct 05* 888-890
iter. sing. vectors estim. scheme for beamforming transm. and detect., MIMO systs. *Yang Tang*, +, *COML Jun 05* 505-507
power control, systs., transm. beamforming, SINR estim. *Hasu, V.*, +, *COML Oct 05* 885-887
- Artificial intelligence; cf.** Cooperative systems
- Associative memories**
packet forwarding engines, adaptive block-selection scheme, throughput increase. *Akhbarizadeh, M.J.*, +, *COML Sep 05* 838-840
- Asymptotic stability**
2-way master-slave double-chain nets. *Piqueira, J.R.C.*, +, *COML Sep 05* 829-831
- Asynchronous transfer mode**
time interval grouping, leaky-bucket shaper design. *Orphanoudakis, T.G.*, +, *COML Jun 05* 573-575
- Atmospheric precipitation; cf.** Rain
- Automatic repeat request**
CT-TCM codes, hybrid ARQ scheme. *Qian Huang*, +, *COML Jul 05* 664-666
- Automation; cf.** Home automation
- Autoregressive processes**
wireless fading channels, isotropic/nonisotropic scatt. environments, time-series model. *Sharma, P.*, *COML Jan 05* 46-48
- Avalanche diodes; cf.** Avalanche photodiodes
- Avalanche photodiodes**
linear equalizer for high-speed APD-based integrate-and-dump receivers. *Peng Sun*, +, *COML Dec 05* 1073-1075
- B**
- Bayes procedures**
estim. correl. params. of multivariate Nakagami-m distrib., simul.-based approach. *Mingxin Zhou*, +, *COML Sep 05* 799-801
- Binary codes**
family of low-complexity binary linear codes for Bluetooth and BLAST signaling applications. *Loskot, P.*, +, *COML Dec 05* 1061-xx2
- Binary sequences**
data, unknown distrib., AWGN channels, practical frame sync. *Chiani, M.*, +, *COML May 05* 456-458
impulse radio UWB multiple access systs., pulse-based polarity randomization, simple-to-evaluate error probabilities. *Rahman, M.A.*, +, *COML Sep 05* 772-774
multiple small trees for IP address lookup, binary searches. *Hyesook Lim*, +, *COML Jan 05* 75-77
universal lossless source controlled channel decoding for i.i.d. seqs. *Shamir, G.I.*, +, *COML May 05* 450-452
- Block codes**
analog space-time codes for multiantenna UWB transms., subspace detect. method. *Xiantao Cheng*, +, *COML Jun 05* 493-495
binary coded systs., block-fading channels, Engdahl-Zigangirov bound. *Xiaofu Wu*, +, *COML Aug 05* 726-728
channelization codes, forward link of WCDMA, mgt. *Rouskas, A.N.*, +, *COML Aug 05* 679-681
class of binary block codes form. from RCPC codes, wt. distrib. *Yushi Shen*, +, *COML Sep 05* 811-813
complex orthogonal space-time block code for 8 transmit antennas. *Xue-Bin Liang*, *COML Feb 05* 115-117
construction of low-density parity-check convolutional codes through progressive edge-growth. *Zhengang Chen*, +, *COML Dec 05* 1058-1060
cyclic design, space-time block codes. *Liang Xian*, +, *COML Mar 05* 231-233
decision feedback detect., error compensation for hybrid space-time block codes. *Chang Kyung Sung*, +, *COML Oct 05* 882-884
DSTTD syst., efficient antenna shuffling scheme. *Seijoon Shim*, +, *COML Feb 05* 124-126
gen. 1st-order Reed-Muller codes, simple max.-likelihood decoding. *Schmidt, K.-U.*, +, *COML Oct 05* 912-914
iterative reliability-based decoding of linear Block codes with adaptive belief propagation. *Kothiyal, A.*, +, *COML Dec 05* 1067-1069
iter. cyclic prefix reconstruction and channel estim. for STBC OFDM syst. *Hui-Chul Won*, +, *COML Apr 05* 307-309
key mgt., minimized secret storage employing, erasure channel approach. *Mihaljevic, M.J.*, +, *COML Aug 05* 741-743
max. likelihood decoding of lin. block codes, crit. point. *Fossorier, M.*, *COML Sep 05* 817-819
parity bit selected spreading seqs. *D'Amours, C.*, *COML Jan 05* 16-18
quasiorthogonal space-time codes, PSK modulation, optimal rot. angles. *Xian, L.*, +, *COML Aug 05* 676-678
quasiorthogonal STBC, MPSK syms., optimal diversity product rotations. *Dong Wang*, +, *COML May 05* 420-422
space-time block code and spatial MUX combined syst., detect. schemes. *Zhao, L.*, +, *COML Jan 05* 49-51
STBC MIMO-OFDM peak-to-av. power ratio reduction by cross-antenna rot. and inversion. *Tan, M.*, +, *COML Jul 05* 592-594
Tanner's min. dist. bounds for LDPC codes, gen. *Min-Ho Shin*, +, *COML Mar 05* 240-242
- Boolean algebra; cf.** Boolean functions
- Boolean functions**
context of runlength-limited-codes for opt. wireless communs., rate-adaptive transm. schemes. *Garrido-Balsells, J.M.*, +, *COML Sep 05* 787-789
- Broadband communication**
channelization codes, forward link of WCDMA, mgt. *Rouskas, A.N.*, +, *COML Aug 05* 679-681
hierarchical FLP model. *Pi-Chung Wang*, +, *COML Mar 05* 282-284
IEEE 802.16e wireless MAN, energy saving mechanism. *Xiao, Y.*, *COML Jul 05* 595-597
imperfect power control multiuser detect., uplink of WCDMA high altitude platform syst., impact. *Karapantazis, S.*, +, *COML May 05* 414-416
impulse radio UWB multiple access systs., pulse-based polarity randomization, simple-to-evaluate error probabilities. *Rahman, M.A.*, +, *COML Sep 05* 772-774
noncoherent PPM modulation, appls., UWB communs., sig. design. *Jayaweera, S.K.*, *COML May 05* 411-413
perform. eval. of downlink WCDMA/TDD mode, anal. framework. *Ismail, M.H.*, +, *COML Aug 05* 747-749
public 3G/UMTS net., act. goodput meas. *Pentikousis, K.*, +, *COML Sep 05* 802-804
STBC MIMO-OFDM peak-to-av. power ratio reduction by cross-antenna rot. and inversion. *Tan, M.*, +, *COML Jul 05* 592-594
syst.-depend. wideband directional channel, spatio-diversity gain. *Yifan Chen*, +, *COML Apr 05* 319-321
- Broadcast channels**
combination of wireless multicast advantage and hitch-hiking. *Thai, M.T.*, +, *COML Dec 05* 1037-1039
- Broadcasting**
inter-sens. authentication, sens. nets., bootstrapping scheme. *Wen-Huei Chen*, +, *COML Oct 05* 945-947
key mgt., minimized secret storage employing, erasure channel approach. *Mihaljevic, M.J.*, +, *COML Aug 05* 741-743
prime DHCP, prime numbering address allocation mechanism for MANETs. *Yuan-Ying Hsu*, +, *COML Aug 05* 712-714
- Broadcasting; cf.** Radio broadcasting
- Buffer memories**
asynchronous opt. switching nets., generic-traffic opt. buffer modeling. *Almeida, R.C., Jr.*, +, *COML Feb 05* 175-177
efficient per-VC accounting-based buffer mgt. scheme for GFR services, TCP/IP nets. *Po-Chou Lin*, +, *COML Jun 05* 555-557
nonhomogeneous TCP sources, buffer sizing. *Andrew, L.L.H.*, +, *COML Jun 05* 567-569

Burst noise

switch architectures with shareable parallel memory modules. *Kumar, S.*, +, *COML Nov 05* 1015-1017

C**Cache memories**

mobile client-server environments, power-efficient cache mgt. schemes. *Soo-Yong Jeon*, +, *COML Jul 05* 607-609

Calculus; cf. Integration**Carrier lifetime**

lifetime of wireless sensor networks. *Yunxia Chen*, +, *COML Nov 05* 976-978

Carrier sense multiaccess

CSMA/CA, finite user pop., av. packet delay. *Gkelias, A.*, +, *COML Mar 05* 273-275

HomePlug 1.0, MAC throughput anal. *Myoung-Hee Jung*, +, *COML Feb 05* 184-186

IEEE 802.11 DCF perform. anal., remarks. *Bianchi, G.*, +, *COML Aug 05* 765-767

modeling 802.11 distrib. coord. fn., nonsaturated conds. *Duffy, K.*, +, *COML Aug 05* 715-717

VoIP packets, IEEE 802.11e wireless LANs, access scheme. *Gyung-Ho Hwang*, +, *COML Jul 05* 667-669

wireless ad hoc nets. and qty. of hidden terminals, clustering coeff. *Li-Hsing Yen*, +, *COML Mar 05* 234-236

Cellular radio

efficient power-saving mechanism for integration of WLAN and cellular nets. *SuKyoung Lee*, +, *COML Dec 05* 1052-1054

multicell spreading sequence design algorithm for overloaded S-CDMA. *Cotae, P.*, *COML Dec 05* 1028-1030

Channel capacity

packet triplet approach to estimate Internet path capacity. *Zou ZiXuan*, +, *COML Dec 05* 1076-1078

Channel coding

binary erasure channel, optimal regular LDPC codes. *Rashidpour, M.*, +, *COML Jun 05* 546-548

BI-STCM-ID, Alamouti scheme, improved 16-QAM constellation labeling. *Yuheng Huang*, +, *COML Feb 05* 157-159

channelization codes, forward link of WCDMA, mgt. *Rouskas, A.N.*, +, *COML Aug 05* 679-681

collaborative transmit diversity, adaptive radio resource and power allocation. *Larsson, E.G.*, +, *COML Jun 05* 511-513

DSTTD syst., efficient antenna shuffling scheme. *Seijoon Shim*, +, *COML Feb 05* 124-126

eigen-based MIMO multiuser scheduler, partial feedback inform. *Hakju Lee*, +, *COML Apr 05* 328-330

finite fields and Naini-Seberry partitioning problem, representations. *Bae Eun Jung*, +, *COML Jun 05* 532-533

highest-rate LDPC code, desired convergence behavior, EXIT-chart props. *Ardakani, M.*, +, *COML Jan 05* 52-54

MIMO-DSL, low-complexity Low-PAR transm. *Ryan, D.J.*, +, *COML Oct 05* 868-870

multilayer turbo space-time codes. *Keying Wu*, +, *COML Jan 05* 55-57
outage probab., arbitrary SNR, cooperative diversity. *Zhao, Y.*, +, *COML Aug 05* 700-702

PCC-OFDM systs. for general time-varying channel. *Ng, W.T.*, +, *COML May 05* 394-396

preprocessed space-time trellis codes, 1-bit feedback. *Milleth, J.K.*, +, *COML Aug 05* 703-705

simple reconfigurable low-dens. parity-check codes. *Liva, G.*, +, *COML Mar 05* 258-260

space-time block code and spatial MUX combined syst., detect. schemes. *Zhao, L.*, +, *COML Jan 05* 49-51

symmetric/asymmetric Slepian-Wolf codes, systematic and nonsystematic lin. codes. *Gehrig, N.*, +, *COML Jan 05* 61-63

turbo decoding, 1 bit extrinsic quantization. *Krzymien, L.*, +, *COML Aug 05* 732-734

turbo receivers, iter. carrier phase recovery methods. *Xiaofu Wu*, +, *COML Aug 05* 735-737

vector Gaussian broadcast channels, space-time trellis coding scheme. *Li, Y.*, +, *COML May 05* 388-390

vector permutation modulation. *Silva, D.*, +, *COML Aug 05* 673-675

Client-server systems

IPv4-IPv6 translation, NCTU SLT, socket-layer translator. *Whai-En Chen*, +, *COML Oct 05* 865-867

low rate TCP denial-of-service attack detect., edge routers. *Shevtekar, A.*, +, *COML Apr 05* 363-365

mobile client-server environments, power-efficient cache mgt. schemes. *Soo-Yong Jeon*, +, *COML Jul 05* 607-609

Cochannel interference

BER of jointly optimal single cochannel interferer BPSK receiver, simple, intuitive expression. *Rabiei, A.M.*, +, *COML Mar 05* 201-203

DS-CDMA, interpolated FIR filters, reduced-rank interf. suppression. *de Lamare, R.C.*, +, *COML Mar 05* 213-215

dual-channel reception of QPSK, Nakagami fading and cochannel interf., precise BER anal. *Cheng, J.*, +, *COML Apr 05* 316-318

MRC, equi-power cochannel interferers, correl. Rayleigh fading, outage probab. *Xiaodi Zhang*, +, *COML Jul 05* 577-579

outage and BER of MRC diversity, bandlimited micro-cellular systs., CCI. *Sivanesan, K.*, +, *COML Mar 05* 207-209

time reversal techs., multiple element antenna systs., pot. *Nguyen, H.T.*, +, *COML Jan 05* 40-42

Code division multiaccess

approx. interf. stats. of DS/CDMA cellular systs., power control, freq.-selective fading channels, accurate method. *Chieh-Ho Lee*, +, *COML Jan 05* 28-30

asynchronous MC-CDMA systs., cyclic prefix, semianalytical approach. *Kyunbyoung Ko*, +, *COML Feb 05* 142-144

av. operation time of wireless sens. net., deriving, upper bound. *Arnon, S.*, *COML Feb 05* 154-156

blind adaptive code-constrained const. modulus algms. for CDMA interf. suppression, multipath channels. *de Lamare, R.C.*, +, *COML Apr 05* 334-336

channelization codes, forward link of WCDMA, mgt. *Rouskas, A.N.*, +, *COML Aug 05* 679-681

commun. constraints, large syst. decentralized detect. perform. *Jayaweera, S.K.*, *COML Sep 05* 769-771

decorrelating detect. for multirate DS/CDMA, perform. anal. and improv. *Huang Lee*, +, *COML Feb 05* 103-105

DS-CDMA downlink receivers, sparse chip equalizer. *Kutz, G.*, +, *COML Jan 05* 10-12

DS-CDMA, interpolated FIR filters, reduced-rank interf. suppression. *de Lamare, R.C.*, +, *COML Mar 05* 213-215

eigen-space method for smart antennas, adaptive beamforming algm. *Weon-Cheol Lee*, +, *COML Oct 05* 888-890

error perform. of adaptive array antennas for CDMA, noncoherent M-ary orthogonal modulation, Nakagami fading. *Durrani, S.*, +, *COML Feb 05* 148-150

false power control command, CDMA systs. subj., meas. errors, probab. *Li-Chun Wang*, +, *COML Apr 05* 298-300

imperfect power control multiuser detect., uplink of WCDMA high altitude platform syst., impact. *Karapantazis, S.*, +, *COML May 05* 414-416

MMSE detect., multiuser CDMA systs., full-rank regularization tech. *Rugini, L.*, +, *COML Jan 05* 34-36

multicell spreading sequence design algorithm for overloaded S-CDMA. *Cotae, P.*, *COML Dec 05* 1028-1030

perform. eval. of downlink WCDMA/TDD mode, anal. framework. *Ismail, M.H.*, +, *COML Aug 05* 747-749

power control and successive interf. cancellation, indoor DS-CDMA syst. deployment and perform., implications. *Pais, A.V.*, +, *COML Mar 05* 204-206

public 3G/UMTS net., act. goodput meas. *Pentikousis, K.*, +, *COML Sep 05* 802-804

SINR-based call admission control, CDMA nets., imperfect power control, SINR threshold lower bound. *Ahmed, M.H.*, +, *COML Apr 05* 331-333

systs., nonuniform signalling, bonferroni-type bounds. *Nguyen, H.H.*, +, *COML Jul 05* 583-585

uplink of CDMA multiservice mobile commun. syst., repeaters, feasibility condition. *Alonso, L.*, +, *COML May 05* 408-410

Code division multiple access

MC-CDMA bit error probability and outage minimization through partial combining. *Conti, A.*, *COML Dec 05* 1055-1057

multi-code multi-packet transmission (MCMPT) in wireless CDMA ad hoc networks under Rayleigh fading channels. *Zhang, L.*, +, *COML Nov 05* 985-987

- TFCI code performance of WCDMA systems. *Sung Lark Kwon*, +, *COML Nov 05* 979-981
- Codes; cf.** Adaptive codes; Binary codes; Block codes; Convolutional codes; Cyclic codes; Error correction codes; Gray codes; Hamming codes; Huffman codes; Linear codes; Reed-Muller codes; Reed-Solomon codes; Space-time codes; Trellis codes; Turbo codes; Variable length codes; Variable rate codes
- Combinatorial mathematics**
achieve complete coverage-discrim., sens. nets., near-optimal sens. placement algm. *Lin, F.Y.S.*, +, *COML Jan 05* 43-45
- Combinatorial mathematics; cf.** Graph theory
- Communication channels**
admission control, phys. rate meas. for IEEE 802.11e controlled channel access. *Gao, D.*, +, *COML Aug 05* 694-696
deterministic guaranteed service, FH-OFDM wireless syst., groupers. *Kihyun Pyun*, +, *COML Apr 05* 369-371
enhanced channel-quality indication (CQI) reporting scheme for HSDPA systs. *Soo-Yong Jeon*, +, *COML May 05* 432-434
IEEE 802.11 saturation throughput anal., freezing of backoff counters. *Chuan Heng Foh*, +, *COML Feb 05* 130-132
irregular LDPC codes, concatenation regular LDPC codes. *Fossorier, M.*, +, *COML Jul 05* 628-630
iter. joint source-channel decoding, combined, priori inform. of source and channel. *Liu, X.*, +, *COML Apr 05* 355-357
key mgt., minimized secret storage employing, erasure channel approach. *Mihaljevic, M.J.*, +, *COML Aug 05* 741-743
reduce impact of legacy stations, 802.11e EDCA WLANs, ACKS, tech. *Vollero, L.*, +, *COML Apr 05* 346-348
V-BLAST syst., 2 antennas, transmitter, optimum power allocation. *Kalbasi, R.*, +, *COML Sep 05* 826-828
WDM opt. nets., reduced transmitter tuning overhead, message sched. *Xiaohong Huang*, +, *COML Jan 05* 72-74
- Communication standards**
adaptive RateLimit for 1xEV-DO reverse link traffic channels, rate control scheme BSased. *HyeJeong Lee*, +, *COML Oct 05* 903-905
broadcast/multicast service, WLAN, enhanced power-saving mechanism. *Hyu-Dae Kim*, +, *COML Jun 05* 520-522
CAPC, collision avoidance power control MAC protocol for wireless ad hoc nets. *Kuei-Ping Shih*, +, *COML Sep 05* 859-861
context of runlength-limited-codes for opt. wireless communs., rate-adaptive transm. schemes. *Garrido-Balsells, J.M.*, +, *COML Sep 05* 787-789
downlink smart antenna syst., auxiliary pilot, CDMA2000 1X, perform. anal. *Weon-Cheol Lee*, +, *COML Jun 05* 514-516
effective loss-distinguishable MAC protocol for 802.11 WLAN, design. *Qixiang Pang*, +, *COML Sep 05* 781-783
IEEE 802.15.3 WPAN appls., timing sync. *Won-Gi Jeon*, +, *COML Mar 05* 255-257
modeling 802.11 distrib. coord. fn., nonsaturated conds. *Duffy, K.*, +, *COML Aug 05* 715-717
reverse link rate control, cdma2000 1xEV-DO systs., anal. model. *Woon-Young Yeo*, +, *COML Mar 05* 270-272
- Communication switching**
opt. bursts, segm. and deflection routing, protection switching. *Griffith, D.*, +, *COML Oct 05* 930-932
spanning tree-based QoS aggregation algm., hierarchical ASON. *Lei Lei*, +, *COML May 05* 459-461
- Communication system control**
2-way master-slave double-chain nets. *Piqueira, J.R.C.*, +, *COML Sep 05* 829-831
DSL, multi-user power control algm. *Jungwon Lee*, +, *COML Mar 05* 193-195
false power control command, CDMA systs. subj., meas. errors, probab. *Li-Chun Wang*, +, *COML Apr 05* 298-300
IEEE 802.15.3 WPAN, intra-superframe power mgt. *Zihua Guo*, +, *COML Mar 05* 228-230
imperfect power control multiuser detect., uplink of WCDMA high altitude platform syst., impact. *Karapantazis, S.*, +, *COML May 05* 414-416
power-aware routing, power-controlled wireless ad hoc nets., timer-based broadcasting. *Sun-Ho Lee*, +, *COML Mar 05* 222-224
power control and successive interf. cancellation, indoor DS-CDMA syst. deployment and perform., implications. *Pais, A.V.*, +, *COML Mar 05* 204-206
power control, systs., transm. beamforming, SINR estim. *Hasu, V.*, +, *COML Oct 05* 885-887
resolving 802.11 perform. anom., QoS differentiation. *Hyogon Kim*, +, *COML Jul 05* 655-657
- Communication system operations and management**
AQM routers supporting TCP flows, TCC, 2-category classifier. *Fengyuan Ren*, +, *COML May 05* 471-473
Bernoullian 2-classes priority queue, closed form soln. *Mazzini, G.*, +, *COML Mar 05* 264-266
broadcast/multicast service, WLAN, enhanced power-saving mechanism. *Hyu-Dae Kim*, +, *COML Jun 05* 520-522
channelization codes, forward link of WCDMA, mgt. *Rouskas, A.N.*, +, *COML Aug 05* 679-681
connection unavailability estim., shared backup path protection, matrix-based anal. approach. *Mello, D.A.A.*, +, *COML Sep 05* 844-846
deterministic guaranteed service, FH-OFDM wireless syst., groupers. *Kihyun Pyun*, +, *COML Apr 05* 369-371
end-to-end security for mobile communs., end-user ident./authentication, cryptanalysis. *YongBin Zhou*, +, *COML Apr 05* 372-374
imperfect power control multiuser detect., uplink of WCDMA high altitude platform syst., impact. *Karapantazis, S.*, +, *COML May 05* 414-416
key mgt., minimized secret storage employing, erasure channel approach. *Mihaljevic, M.J.*, +, *COML Aug 05* 741-743
low rate TCP denial-of-service attack detect., edge routers. *Shevtekar, A.*, +, *COML Apr 05* 363-365
- Communication system reliability**
capacity re-provisioning, opt. mesh nets. *Assi, C.*, +, *COML Jul 05* 658-660
connection unavailability estim., shared backup path protection, matrix-based anal. approach. *Mello, D.A.A.*, +, *COML Sep 05* 844-846
crossbar arbitration, reliable control protocol. *Minkenber, C.*, +, *COML Feb 05* 178-180
detect. and false alarm probabilities, spectrum pooling systs., calc. *Hillenbrand, J.*, +, *COML Apr 05* 349-351
dynamically survivable WDM net. design, p-cycle-based PWCE. *Zhenrong Zhang*, +, *COML Aug 05* 756-758
mesh opt. nets., reconfiguration protocol. *Shami, A.*, +, *COML Jun 05* 558-560
multi-component failure stratum probabilities, efficient comput. *Pandi, Z.*, +, *COML Oct 05* 939-941
opt. bursts, segm. and deflection routing, protection switching. *Griffith, D.*, +, *COML Oct 05* 930-932
seqs.-based MIMO freq. selective channel estim., aperiodic complementary sets. *Shuangquan Wang*, +, *COML Oct 05* 891-893
- Communication system routing**
agile hybrid IP-opt. packet constr. mechanism, wavel. routed opt. packet switched nets., demons. *Nejabati, R.*, +, *COML Jun 05* 552-554
AQM routers supporting TCP flows, TCC, 2-category classifier. *Fengyuan Ren*, +, *COML May 05* 471-473
connection unavailability estim., shared backup path protection, matrix-based anal. approach. *Mello, D.A.A.*, +, *COML Sep 05* 844-846
dynamically survivable WDM net. design, p-cycle-based PWCE. *Zhenrong Zhang*, +, *COML Aug 05* 756-758
dyn. routing of sliding scheduled traffic demands, hops optimal algm. *Bin Wang*, +, *COML Oct 05* 936-938
energy effic., multi-hop routing. *Ergen, S.C.*, +, *COML Oct 05* 880-881
IP address lookup, efficient binary search. *Changhoon Yim*, +, *COML Jul 05* 652-654
IP/WDM nets., hop-constraint lighthouse establishment approach, routing algms. *Tong Ye*, +, *COML Feb 05* 181-183
lightpath length-aware adaptive routing algm. for WDM nets. *Boujelben, Y.*, +, *COML Aug 05* 750-752
mesh opt. nets., reconfiguration protocol. *Shami, A.*, +, *COML Jun 05* 558-560
multiple small trees for IP address lookup, binary searches. *Hyesook Lim*, +, *COML Jan 05* 75-77
opt. bursts, segm. and deflection routing, protection switching. *Griffith, D.*, +, *COML Oct 05* 930-932
QoS routing, implementational perspective, nondominance. *Kuipers, F.A.*, +, *COML Mar 05* 267-269
rings, single-cct. links, asymptotic blocking probabilities. *Waldman, H.*, +, *COML Jun 05* 564-566
routing and wavel. assignment problem, opt. nets., tabu search heuristic. *Dzongang, C.*, +, *COML May 05* 426-428

- spanning tree-based QoS aggregation algm., hierarchical ASON. *Lei Lei*, +, *COML May 05* 459-461
- sparse-partial wavel. conversion, wavel.-routed WDM nets., anal. model. *Xiaowen Chu*, +, *COML Jan 05* 69-71
- static routing and wavel. assignment problem, Tabu search algm. *Ying Wang*, +, *COML Sep 05* 841-843
- waveband switching nets., limited wavel. conversion. *Cao, X.*, +, *COML Jul 05* 646-648
- Communication systems**
- stoch. knapsack, bursty arrivals, steady state distrib. *Sarangan, V.*, +, *COML Feb 05* 187-189
- telecomms. nets., effic.-fairness tradeoff. *Zukerman, M.*, +, *COML Jul 05* 643-645
- Communication system signaling**
- bit-interleaved coded modulation, BPSK/QPSK signaling, multidimensional mapping. *Simoens, F.*, +, *COML May 05* 453-455
- CDMA systs., nonuniform signalling, bonferroni-type bounds. *Nguyen, H.H.*, +, *COML Jul 05* 583-585
- context of runlength-limited-codes for opt. wireless communs., rate-adaptive transm. schemes. *Garrido-Balsells, J.M.*, +, *COML Sep 05* 787-789
- ISI channels, Ungerboeck obs. model, MAP sym. detect. *Colavolpe, G.*, +, *COML Aug 05* 720-722
- multilevel signaling, low rate code designs. *Banerjee, A.*, +, *COML Feb 05* 166-168
- OWSS sig., spectral characts. *Divakaran, D.*, +, *COML Apr 05* 325-327
- UWB systs., GLRT receivers. *D'Amico, A.A.*, +, *COML Jun 05* 487-489
- WLAN and cellular integrat., effective VoIP call routing. *Yi-Bing Lin*, +, *COML Oct 05* 874-876
- Communication system software**
- bandwidth allocation, sens. nets., peer-to-peer middleware. *Caviglione, L.*, +, *COML Mar 05* 285-287
- multi-component failure stratum probabilities, efficient comput. *Pandi, Z.*, +, *COML Oct 05* 939-941
- Communication system traffic**
- access delay of resilient packet rings, deterministic bound. *Changeheng Huang*, +, *COML Jan 05* 87-89
- adaptive RateLimit for 1xEV-DO reverse link traffic channels, rate control scheme BSased. *HyeJeong Lee*, +, *COML Oct 05* 903-905
- admission control, phys. rate meas. for IEEE 802.11e controlled channel access. *Gao, D.*, +, *COML Aug 05* 694-696
- agile hybrid IP-opt. packet constr. mechanism, wavel. routed opt. packet switched nets., demons. *Nejabati, R.*, +, *COML Jun 05* 552-554
- AQM routers supporting TCP flows, TCC, 2-category classifier. *Fengyuan Ren*, +, *COML May 05* 471-473
- asynchronous opt. switching nets., generic-traffic opt. buffer modeling. *Almeida, R.C., Jr.*, +, *COML Feb 05* 175-177
- AVQ, scalable param. tuning. *Liansheng Tan*, +, *COML Jan 05* 90-92
- Bernoullian 2-classes priority queue, closed form soln. *Mazzini, G.*, +, *COML Mar 05* 264-266
- broadcast/multicast service, WLAN, enhanced power-saving mechanism. *Hyu-Dae Kim*, +, *COML Jun 05* 520-522
- dynamically survivable WDM net. design, p-cycle-based PWCE. *Zhenrong Zhang*, +, *COML Aug 05* 756-758
- dyn. routing of sliding scheduled traffic demands, hops optimal algm. *Bin Wang*, +, *COML Oct 05* 936-938
- feasible scenarios, output of FIFO server. *Cholvi, V.*, +, *COML May 05* 397-399
- frame-based maximal wt. matching algm., transfer speedup, stabil. *Xike Li*, +, *COML Oct 05* 942-944
- Geo^Y/G/[∞] input proc. modeling, streaming video packet sched. *Sujeong Choi*, +, *COML May 05* 474-476
- heterog. bursty traffic dispers., multiple server clusters. *Elhanany, I.*, +, *COML Mar 05* 261-263
- IEEE 802.16e wireless MAN, energy saving mechanism. *Xiao, Y.*, *COML Jul 05* 595-597
- improved MPEG video delivery, DiffServ net., 2 markers syst. *Chih-Heng Ke*, +, *COML Apr 05* 381-383
- long-range depend. net. traffic, automatic scaling range selection. *Xiangdong Xia*, +, *COML Oct 05* 954-956
- metropolitan and WAN, adaptive bandwidth allocation. *Liansheng Tan*, +, *COML Jun 05* 561-563
- modeling 802.11 distrib. coord. fn., nonsaturated conds. *Duffy, K.*, +, *COML Aug 05* 715-717
- multiple small trees for IP address lookup, binary searches. *Hyesook Lim*, +, *COML Jan 05* 75-77
- multirate systs., elastic traffic, recursive formula. *Bonald, T.*, +, *COML Aug 05* 753-755
- net. service provision, subscription admission control. *Kuppuswamy, K.*, +, *COML Jan 05* 66-68
- nonhomogeneous TCP sources, buffer sizing. *Andrew, L.L.H.*, +, *COML Jun 05* 567-569
- packet forwarding engines, adaptive block-selection scheme, throughput increase. *Akhbarizadeh, M.J.*, +, *COML Sep 05* 838-840
- priority enabled dyn. traffic grooming. *Chen, B.*, +, *COML Apr 05* 366-368
- QoS routing, implementational perspective, nondominance. *Kuipers, F.A.*, +, *COML Mar 05* 267-269
- real-time VBR videos via ρ -domain rate model, long-span traffic predictor. *Chu-Chuan Lee*, +, *COML Mar 05* 279-281
- reverse link rate control, cdma2000 1xEV-DO systs., anal. model. *Woon-Young Yeo*, +, *COML Mar 05* 270-272
- SINR-based call admission control, CDMA nets., imperfect power control, SINR threshold lower bound. *Ahmed, M.H.*, +, *COML Apr 05* 331-333
- stabil. queues, large-scale nets., control theoretic approach. *Yi Fan*, +, *COML Oct 05* 951-953
- stoch. knapsack, bursty arrivals, steady state distrib. *Sarangan, V.*, +, *COML Feb 05* 187-189
- TCP AIMD dynamics, Internet connections. *Gao, J.*, +, *COML Jan 05* 4-6
- time interval grouping, leaky-bucket shaper design. *Orphanoudakis, T.G.*, +, *COML Jun 05* 573-575
- VoIP packets, IEEE 802.11e wireless LANs, access scheme. *Gyung-Ho Hwang*, +, *COML Jul 05* 667-669
- wireless data nets., multiuser diversity opportunistic sched. *Gyasi-Agyei, A.*, *COML Jul 05* 670-672
- wireless MAC, hybrid splitting algm. *Min Sheng*, +, *COML May 05* 468-470
- wireless, soft-length sym. protocol. *Jegbefume, O.*, +, *COML Sep 05* 793-795
- Compensation; cf.** Error compensation
- Complexity theory**
- binary coded systs., block-fading channels, Engdahl-Zigangirov bound. *Xiaofu Wu*, +, *COML Aug 05* 726-728
- connection unavailability estim., shared backup path protection, matrix-based anal. approach. *Mello, D.A.A.*, +, *COML Sep 05* 844-846
- DS-CDMA downlink receivers, sparse chip equalizer. *Kutz, G.*, +, *COML Jan 05* 10-12
- dyn. commun. nets., near-optimal service facility location. *Liotta, A.*, +, *COML Sep 05* 862-864
- efficient key distrib. scheme, self-healing property. *Dowon Hong*, +, *COML Aug 05* 759-761
- intra-ONU bandwidth allocation, Ethernet pass. opt. nets., algm. *Jiajia Chen*, +, *COML Sep 05* 850-852
- long-range depend. net. traffic, automatic scaling range selection. *Xiangdong Xia*, +, *COML Oct 05* 954-956
- MIMO-DSL, low-complexity Low-PAR transm. *Ryan, D.J.*, +, *COML Oct 05* 868-870
- modified weighted bit flipping decoding algm. for LDPC codes, improv. *Ming Jiang*, +, *COML Sep 05* 814-816
- QoS routing, implementational perspective, nondominance. *Kuipers, F.A.*, +, *COML Mar 05* 267-269
- seqs.-based MIMO freq. selective channel estim., aperiodic complementary sets. *Shuangquan Wang*, +, *COML Oct 05* 891-893
- simple reconfigurable low-dens. parity-check codes. *Liva, G.*, +, *COML Mar 05* 258-260
- static routing and wavel. assignment problem, Tabu search algm. *Ying Wang*, +, *COML Sep 05* 841-843
- superposition modulation, cooperative transmit diversity. *Larsson, E.G.*, +, *COML Sep 05* 778-780
- Computer applications; cf.** Information systems
- Computer architecture; cf.** Reconfigurable architectures
- Computer network management**
- dyn. commun. nets., near-optimal service facility location. *Liotta, A.*, +, *COML Sep 05* 862-864
- heterog. bursty traffic dispers., multiple server clusters. *Elhanany, I.*, +, *COML Mar 05* 261-263

Computer network reliability

- local stabil. of REM algm., time-varying delays, further results. *Huijun Gao*, +, *COML May 05* 402-404
- low rate TCP denial-of-service attack detect., edge routers. *Shevtekar, A.*, +, *COML Apr 05* 363-365
- rate estim.-based AIAD congestion control, TCP, stabil. and fairness. *Xu, K.*, +, *COML Apr 05* 378-380

Computer networks; cf. Computer network management; Computer network reliability; Local area networks; Metropolitan area networks

Computer software; cf. Software standards

Concatenated coding

- CT-TCM codes, hybrid ARQ scheme. *Qian Huang*, +, *COML Jul 05* 664-666
- high-rate serially concatenated coding, extended Hamming codes. *Isaka, M.*, +, *COML Feb 05* 160-162
- irregular LDPC codes, concatenation regular LDPC codes. *Fossorier, M.*, +, *COML Jul 05* 628-630
- multi-binary tailbiting turbo codes, wt. spectrum eval. *Ferrari, M.*, +, *COML Jul 05* 640-642
- punctured serially concatenated convolutional codes, design. *Laddomada, M.*, +, *COML Feb 05* 169-171
- recursive convolutional space-time codes, arbitrary no. of transmit antennas, design. *Ying Li*, +, *COML Jul 05* 637-639
- sum-product decoding of RA codes under different message-passing schedules, convergence rates comp. *Sheng Tong*, +, *COML Jun 05* 543-545

Continuous phase modulation

- irregular repeat CPM. *Xiao, M.*, +, *COML Aug 05* 723-725
- Rayleigh fading channels, multiuser detect. *Bokolamulla, D.*, +, *COML Oct 05* 906-908

Control theory; cf. Adaptive control

Convergence of numerical methods; cf. Numerical stability

Converters

- 3R wavelength converters on the blocking probability of WDM networks with finite impairment threshold. *Yun Hee Cho*, +, *COML Nov 05* 1009-1011

Convolutional codes

- class of binary block codes form. from RCPC codes, wt. distrib. *Yushi Shen*, +, *COML Sep 05* 811-813
- construction of low-density parity-check convolutional codes through progressive edge-growth. *Zhengang Chen*, +, *COML Dec 05* 1058-1060
- generalized punctured convolutional codes. *Uchoa-Filho, B.F.*, +, *COML Dec 05* 1070-1072
- high-rate serially concatenated coding, extended Hamming codes. *Isaka, M.*, +, *COML Feb 05* 160-162
- punctured serially concatenated convolutional codes, design. *Laddomada, M.*, +, *COML Feb 05* 169-171
- recursive convolutional space-time codes, arbitrary no. of transmit antennas, design. *Ying Li*, +, *COML Jul 05* 637-639
- turbo codes, extended tail-biting schemes. *Jing Sun*, +, *COML Mar 05* 252-254
- Viterbi algm., survivor memory reduction. *Abbasfar, A.*, +, *COML Apr 05* 352-354

Cooperative systems

- power efficiency of user cooperation in multihop wireless nets. *Catovic, A.*, +, *COML Dec 05* 1034-1036
- transmit diversity syst., mean channel gain inform., power allocation. *Luo, J.*, +, *COML Jul 05* 616-618

Correlation

- data, unknown distrib., AWGN channels, practical frame sync. *Chiani, M.*, +, *COML May 05* 456-458
- eigen-based MIMO multiuser scheduler, partial feedback inform. *Hakju Lee*, +, *COML Apr 05* 328-330
- estim. correl. params. of multivariate Nakagami-m distrib., simul.-based approach. *Mingxin Zhou*, +, *COML Sep 05* 799-801
- Geo³/G/∞ input proc. modeling, streaming video packet sched. *Sujeong Choi*, +, *COML May 05* 474-476
- high data rate communs., indoor UWB systs., orthonormal pulses. *Kim, Y.*, +, *COML May 05* 405-407
- IEEE 802.15.3 WPAN appls., timing sync. *Won-Gi Jeon*, +, *COML Mar 05* 255-257
- noncoherent PPM modulation, appls., UWB communs., sig. design. *Jayaweera, S.K.*, *COML May 05* 411-413
- PCC-OFDM systs. for general time-varying channel. *Ng, W.T.*, +, *COML May 05* 394-396

- UWB, multipath channels, capacity. *Ramirez-Mireles, F.*, *COML Jun 05* 523-525

Correlation methods

- multicell spreading sequence design algorithm for overloaded S-CDMA. *Cotae, P.*, *COML Dec 05* 1028-1030

Costing

- efficient algorithm for the minimum cost min-max load terminal assignment problem. *Chor Ping Low*, *COML Nov 05* 1012-1014

Covariance analysis

- modified covariance-based mobile vel. estim. method for Rician fading channels. *Goohyun Park*, +, *COML Aug 05* 706-708

Covariance matrices

- detect. and false alarm probabilities, spectrum pooling systs., calc. *Hillenbrand, J.*, +, *COML Apr 05* 349-351
- MIMO systs., covariance feedback, optimum transm. power strategy. *Yipeng Li*, +, *COML May 05* 444-446
- MMSE detect., multiuser CDMA systs., full-rank regularization tech. *Rugini, L.*, +, *COML Jan 05* 34-36

Crosstalk

- MIMO-DSL, low-complexity Low-PAR transm. *Ryan, D.J.*, +, *COML Oct 05* 868-870

Cryptography

- Bresson-Chevassut-Essiari-Pointcheval's Group Key Agreement scheme for low-power mobile devices, weakness. *Junghyun Nam*, +, *COML May 05* 429-431
- Chang et al.'s signature scheme, message recovery, cryptanalysis. *Fangguo Zhang*, *COML Apr 05* 358-359
- efficient key distrib. scheme, self-healing property. *Dowon Hong*, +, *COML Aug 05* 759-761
- efficient password-based authentication protocol, security anal. and improv. *Taekyoung Kwon*, +, *COML Jan 05* 93-95
- fixing integr. Diffie-Hellman-DSA key exchange protocol. *Phan, R.C.-W.*, *COML Jun 05* 570-572
- inter-sens. authentication, sens. nets., bootstrapping scheme. *Wen-Huei Chen*, +, *COML Oct 05* 945-947
- secure multicast key mgt., optimizing tree struct. *Wen Tao Zhu*, *COML May 05* 477-479

Cryptography; cf. Public key cryptography

Curve fitting

- high-speed mobile channels, MIMO-OFDM tech. *Kyung Won Park*, +, *COML Jul 05* 604-606

Cyclic codes

- design, space-time block codes. *Liang Xian*, +, *COML Mar 05* 231-233
- differential unitary space-time modulations, than 2 transmit antennas, improved sig. constellations. *Thian Ping Soh*, +, *COML Jan 05* 7-9
- quasicyclic LDPC codes by Chinese remainder theorem, combining method. *Seho Myung*, +, *COML Sep 05* 823-825

D**Data communication**

- delta compress., fixed-length substring coding for fast content download. *Chunpeng Xiao*, +, *COML Mar 05* 243-245
- multicarrier transm. systs., proportional fair sched. *Hoon Kim*, +, *COML Mar 05* 210-212
- multirate systs., elastic traffic, recursive formula. *Bonald, T.*, +, *COML Aug 05* 753-755
- reverse link rate control, cdma2000 1xEV-DO systs., anal. model. *Woon-Young Yeo*, +, *COML Mar 05* 270-272
- Shannon channel capacity, gen. fading channels, results. *Sagias, N.C.*, +, *COML Feb 05* 97-99

Data compression

- delta compress., fixed-length substring coding for fast content download. *Chunpeng Xiao*, +, *COML Mar 05* 243-245
- improved MPEG video delivery, DiffServ net., 2 markers syst. *Chih-Heng Ke*, +, *COML Apr 05* 381-383

Data compression; cf. Source coding; Vector quantization

Data handling; cf. Table lookup

Data security

- efficient password-based authentication protocol, security anal. and improv. *Taekyoung Kwon*, +, *COML Jan 05* 93-95
- end-to-end security for mobile communs., end-user ident./authentication, cryptanalysis. *YongBin Zhou*, +, *COML Apr 05* 372-374
- finite fields and Naini-Seberry partitioning problem, representations. *Bae Eun Jung*, +, *COML Jun 05* 532-533

- improved MPEG video delivery, DiffServ net., 2 markers syst. *Chih-Heng Ke*, +, *COML Apr 05* 381-383
- inter-sens. authentication, sens. nets., bootstrapping scheme. *Wen-Huei Chen*, +, *COML Oct 05* 945-947
- Data structures; cf.** Tree data structures
- Decoding**
- analog space-time codes for multiantenna UWB transms., subspace detect. method. *Xiantao Cheng*, +, *COML Jun 05* 493-495
- class of binary block codes form. from RCPC codes, wt. distrib. *Yushi Shen*, +, *COML Sep 05* 811-813
- context of runlength-limited-codes for opt. wireless communs., rate-adaptive transm. schemes. *Garrido-Balsells, J.M.*, +, *COML Sep 05* 787-789
- distance-based decoding of block turbo codes. *Nong Le*, +, *COML Nov 05* 1006-1008
- gen. RS codes, Galois rings, multistage list decoding. *Armand, M.A.*, +, *COML Jul 05* 625-627
- highest-rate LDPC code, desired convergence behavior, EXIT-chart props. *Ardakani, M.*, +, *COML Jan 05* 52-54
- irregular partitioned permutation LDPC codes, low, error floors, flexible constr. *Jingyu Kang*, +, *COML Jun 05* 534-536
- joint linear transmitter and receiver design for the downlink of multiuser MIMO systems. *Jinfan Zhang*, +, *COML Nov 05* 991-993
- key mgt., minimized secret storage employing, erasure channel approach. *Mihaljevic, M.J.*, +, *COML Aug 05* 741-743
- modulation, unequal power allocation, unequal error protection. *Bruggen, T.*, +, *COML Jun 05* 484-486
- OFDMA net., optimality. *Li, G.*, +, *COML May 05* 438-440
- outage probab., arbitrary SNR, cooperative diversity. *Zhao, Y.*, +, *COML Aug 05* 700-702
- PAPR reduction of OFDM signals using partial transmit sequence, optimal approach using sphere decoding. *Alavi, A.*, +, *COML Nov 05* 982-984
- rank-deficient MIMO systs., efficient gen. sphere decoder. *Cui, T.*, +, *COML May 05* 423-425
- simple reconfigurable low-dens. parity-check codes. *Liva, G.*, +, *COML Mar 05* 258-260
- softbit-source decoders, EXIT-charact. *Adrat, M.*, +, *COML Jun 05* 540-542
- space-time block code and spatial MUX combined syst., detect. schemes. *Zhao, L.*, +, *COML Jan 05* 49-51
- superposition modulation, cooperative transmit diversity. *Larsson, E.G.*, +, *COML Sep 05* 778-780
- transmit diversity syst., mean channel gain inform., power allocation. *Luo, J.*, +, *COML Jul 05* 616-618
- turbo decoding, 1 bit extrinsic quantization. *Krzymien, L.*, +, *COML Aug 05* 732-734
- Decoding; cf.** Iterative decoding; Maximum likelihood decoding; Viterbi decoding
- Delay effects**
- access delay of resilient packet rings, deterministic bound. *Changeheng Huang*, +, *COML Jan 05* 87-89
- deterministic guaranteed service, FH-OFDM wireless syst., groupers. *Kihyun Pyun*, +, *COML Apr 05* 369-371
- IEEE 802.11 DCF perform. anal., remarks. *Bianchi, G.*, +, *COML Aug 05* 765-767
- IEEE 802.11e EDCA, delay model. *Banchs, A.*, +, *COML Jun 05* 508-510
- Internet telephony, shared packet loss recovery. *Yiu-Wing Leung*, *COML Jan 05* 84-86
- local stabil. of REM algm., time-varying delays, further results. *Huijun Gao*, +, *COML May 05* 402-404
- OFDM receiver, second order polynomial Nyquist window fn. *Rongfang Song*, +, *COML May 05* 391-393
- stabil. queues, large-scale nets., control theoretic approach. *Yi Fan*, +, *COML Oct 05* 951-953
- UWB channels, CRLBs for NDA ML estim. *Yunfei Chen*, +, *COML Aug 05* 709-711
- WDM opt. nets., reduced transmitter tuning overhead, message sched. *Xiaohong Huang*, +, *COML Jan 05* 72-74
- Delay estimation**
- threshold selection for UWB TOA estimation based on Kurtosis anal. *Guvenc, I.*, +, *COML Dec 05* 1025-1027
- Delay lines; cf.** Optical delay lines
- Delays; cf.** Delay estimation
- Demodulation**
- turbo decodulation. *Clevorn, T.*, +, *COML Sep 05* 820-822
- Detectors**
- 4 inform. delivery methods, wireless sens. nets., energy impact. *Taddia, C.*, +, *COML Feb 05* 118-120
- reliable and energy-efficient data delivery, cluster-based sens. nets., forwarding scheme. *Jongsik Jung*, +, *COML Feb 05* 112-114
- Deterministic algorithms**
- max-min flow control, deterministic packet marking. *Hyung-Keun Ryu*, +, *COML Sep 05* 856-858
- Differential phase shift keying**
- DAPSK, HF communs. *Shuzheng Xu*, +, *COML Jul 05* 613-615
- optimum receivers for differentially encoded M-PSK, low SNR, perform. anal. *Kanchumarthy, V.R.*, +, *COML May 05* 400-401
- Digital audio broadcasting**
- DRM reception, field trials, min. ON requirements. *Prieto, G.*, +, *COML Oct 05* 877-879
- Digital communication**
- modulation, unequal power allocation, unequal error protection. *Bruggen, T.*, +, *COML Jun 05* 484-486
- Digital radio; cf.** Digital audio broadcasting
- Digital systems; cf.** Digital communication
- Directed graphs**
- VLC, error restricted fast MAP decoding. *Ming Jia*, +, *COML Oct 05* 909-911
- Discrete event systems**
- rate-based feedback control, TCP wireless nets., supervisory control. *Hee-Jung Byun*, +, *COML Jul 05* 610-612
- Discrete systems; cf.** Discrete event systems
- Distance measurement**
- turbo-codes, double and triple impulse methods, estimating min. dist. *Crozier, S.*, +, *COML Jul 05* 631-633
- Distributed algorithms**
- dyn. commun. nets., near-optimal service facility location. *Liotta, A.*, +, *COML Sep 05* 862-864
- flow control, proc. constraint. *Song Chong*, +, *COML Oct 05* 957-959
- Distributed control**
- adaptive RateLimit for 1xEV-DO reverse link traffic channels, rate control scheme BSased. *HyeJeong Lee*, +, *COML Oct 05* 903-905
- reverse link rate control, cdma2000 1xEV-DO systs., anal. model. *Woon-Young Yeo*, +, *COML Mar 05* 270-272
- stabil. queues, large-scale nets., control theoretic approach. *Yi Fan*, +, *COML Oct 05* 951-953
- Distributed processing; cf.** Client-server systems; Distributed algorithms; Message passing
- Diversity methods**
- 2x2 antennas Bluetooth syst. *Danjou, E.J.D.*, +, *COML Sep 05* 784-786
- asynchronous MC-CDMA systs., cyclic prefix, semianalytical approach. *Kyunbyoung Ko*, +, *COML Feb 05* 142-144
- BER of switched diversity combining, Nakagami fading channels, results. *Lei Xiao*, +, *COML Feb 05* 136-138
- carrier phase error, EGC receivers, correl. Nakagami-m fading, effects. *Sagias, N.C.*, +, *COML Jul 05* 580-582
- collaborative transmit diversity, adaptive radio resource and power allocation. *Larsson, E.G.*, +, *COML Jun 05* 511-513
- complex orthogonal space-time block code for 8 transmit antennas. *Xue-Bin Liang*, *COML Feb 05* 115-117
- cyclic design, space-time block codes. *Liang Xian*, +, *COML Mar 05* 231-233
- decision feedback detect., error compensation for hybrid space-time block codes. *Chang Kyung Sung*, +, *COML Oct 05* 882-884
- differential modulation, wireless relays, Rayleigh fading channels, perform. *Zhao, Q.*, +, *COML Apr 05* 343-345
- distrib. of weighted sum of Rayleigh variates, closed-form upper-bound. *Karagiannidis, G.K.*, +, *COML Jul 05* 589-591
- downlink multiuser diversity, opportunistic feedback. *Taiwen Tang*, +, *COML Oct 05* 948-950
- DSTTD syst., efficient antenna shuffling scheme. *Seijoon Shim*, +, *COML Feb 05* 124-126
- eigen-space method for smart antennas, adaptive beamforming algm. *Weon-Cheol Lee*, +, *COML Oct 05* 888-890
- impulse radio systs., presence of pulse overlapping, optimum lin. receiver. *Shiwei Zhao*, +, *COML Apr 05* 340-342
- LMDS diversity systs. *Panagopoulos, A.D.*, +, *COML Feb 05* 145-147

maximal-ratio and equal-gain combining, Hoyt fading, second-order stats. *Fraidenraich, G., +, COML Jan 05 19-21*

maximal-ratio and equal-gain combining, Weibull fading, second-order stats. *Fraidenraich, G., +, COML Jun 05 499-501*

MIMO eigenbeams under imperfect channel estim., improv. power allocation. *Willink, T.J., COML Jul 05 622-624*

MRC, equi-power cochannel interferers, correl. Rayleigh fading, outage probab. *Xiaodi Zhang, +, COML Jul 05 577-579*

Nakagami-m fading channels, maximal-ratio diversity, extreme power dispers. profiles. *Win, M.Z., +, COML May 05 385-387*

outage and BER of MRC diversity, bandlimited micro-cellular systs., CCI. *Sivanesan, K., +, COML Mar 05 207-209*

outage probab., arbitrary SNR, cooperative diversity. *Zhao, Y., +, COML Aug 05 700-702*

preprocessed space-time trellis codes, 1-bit feedback. *Milleth, J.K., +, COML Aug 05 703-705*

quasiorthogonal space-time codes, PSK modulation, optimal rot. angles. *Xian, L., +, COML Aug 05 676-678*

quasiorthogonal STBC, MPSK syms., optimal diversity product rotations. *Dong Wang, +, COML May 05 420-422*

Shannon channel capacity, gen. fading channels, results. *Sagias, N.C., +, COML Feb 05 97-99*

space-time block code and spatial MUX combined syst., detect. schemes. *Zhao, L., +, COML Jan 05 49-51*

superposition modulation, cooperative transmit diversity. *Larsson, E.G., +, COML Sep 05 778-780*

switched diversity receivers, gen. gamma fading channels. *Sagias, N.C., +, COML Oct 05 871-873*

sys.-depend. wideband directional channel, spatio-diversity gain. *Yifan Chen, +, COML Apr 05 319-321*

transmit diversity syst., mean channel gain inform., power allocation. *Luo, J., +, COML Jul 05 616-618*

UWB Signals, multiple receive antennas, interf. suppression scheme. *Bharadwaj, V., +, COML Jun 05 529-531*

wireless data nets., multiuser diversity opportunistic sched. *Gyasi-Agyei, A., COML Jul 05 670-672*

Diversity reception

power efficiency of user cooperation in multihop wireless nets. *Catovic, A., +, COML Dec 05 1034-1036*

simplified adaptive modulation scheme for D-STTD systs. with linear receivers. *Jaesang Ham, +, COML Dec 05 1049-1051*

Dynamic programming

net. service provision, subscription admission control. *Kuppuswamy, K., +, COML Jan 05 66-68*

Dynamic programming; cf. Integer programming

Dynamic response; cf. Transient response

E

Eigenvalues and eigenfunctions

eigen-based MIMO multiuser scheduler, partial feedback inform. *Hakju Lee, +, COML Apr 05 328-330*

eigenmodes for MIMO eigenmode transm. systs., differential quantization. *Ting, S.H., +, COML Aug 05 697-699*

eigen-space method for smart antennas, adaptive beamforming algm. *Weon-Cheol Lee, +, COML Oct 05 888-890*

MIMO eigenbeams under imperfect channel estim., improv. power allocation. *Willink, T.J., COML Jul 05 622-624*

Tanner's min. dist. bounds for LDPC codes, gen. *Min-Ho Shin, +, COML Mar 05 240-242*

Electric variables control; cf. Power control

Electromagnetic radiative interference

decorrelating detect. for multirate DS/CDMA, perform. anal. and improv. *Huang Lee, +, COML Feb 05 103-105*

fast comput. of even and odd order intermodulation products, modified algm. *Baruffa, G., +, COML Feb 05 121-123*

impulse radio systs., presence of pulse overlapping, optimum lin. receiver. *Shiwei Zhao, +, COML Apr 05 340-342*

MIMO eigenbeams under imperfect channel estim., improv. power allocation. *Willink, T.J., COML Jul 05 622-624*

perform. degrad. of UMTS receivers, UWB emissions, meas. *Cassoli, D., +, COML May 05 441-443*

time-varying channels for OFDM, simple equalization. *Rugini, L., +, COML Jul 05 619-621*

UWB channel equalization, matching pursuit-based tap selection tech. *Lin Zhiwei, +, COML Sep 05 835-837*

vector Gaussian broadcast channels, space-time trellis coding scheme. *Li, Y., +, COML May 05 388-390*

wireless, soft-length sym. protocol. *Jegbefume, O., +, COML Sep 05 793-795*

Electronic mail

E-mail protocol, flaws. *Dent, A.W., COML Aug 05 718-719*

secure E-mail protocols providing perfect forward secrecy. *Hung-Min Sun, +, COML Jan 05 58-60*

Electronic switching systems

buffered crossbar switch, throughput. *Lin, M., +, COML May 05 465-467*

load-balanced combined input-crosspoint buffered packet switch and long round-trip times. *Rojas-Cessa, R., +, COML Jul 05 661-663*

Electrooptic modulation

nonlinearity of Mach-Zehnder modulator, OFDM radio-over-fiber transm., effects. *Horvath, N., +, COML Oct 05 921-923*

Encoding

delta compress., fixed-length substring coding for fast content download. *Chunpeng Xiao, +, COML Mar 05 243-245*

guided scrambling DC-free codes, LF perform. *Xin, Y., +, COML Jun 05 537-539*

Encoding; cf. Channel coding; Modulation coding; Source coding; Vector quantization

Energy conservation

4 inform. delivery methods, wireless sens. nets., energy impact. *Taddia, C., +, COML Feb 05 118-120*

adaptive code posn. modulation scheme for wireless sens. nets. *Yong Yuan, +, COML Jun 05 481-483*

effic., multi-hop routing. *Ergen, S.C., +, COML Oct 05 880-881*

reliable and energy-efficient data delivery, cluster-based sens. nets., forwarding scheme. *Jongsik Jung, +, COML Feb 05 112-114*

Energy resources; cf. Energy conservation

Entropy

delta compress., fixed-length substring coding for fast content download. *Chunpeng Xiao, +, COML Mar 05 243-245*

Equalizers

DS-CDMA downlink receivers, sparse chip equalizer. *Kutz, G., +, COML Jan 05 10-12*

ISI channels, Ungerboeck obs. model, MAP sym. detect. *Colavolpe, G., +, COML Aug 05 720-722*

linear equalizer for high-speed APD-based integrate-and-dump receivers. *Peng Sun, +, COML Dec 05 1073-1075*

OFDM systs., NBI-resistant zero-forcing equalizers. *Darsena, D., +, COML Aug 05 744-746*

soft feedback interf. cancellation, low complexity turbo equalization. *Vogelbruch, F., +, COML Jul 05 586-588*

time-varying channels for OFDM, simple equalization. *Rugini, L., +, COML Jul 05 619-621*

UWB channel equalization, matching pursuit-based tap selection tech. *Lin Zhiwei, +, COML Sep 05 835-837*

UWB, Rake-MMSE-equalizer perform. *Eslami, M., +, COML Jun 05 502-504*

Error analysis

adaptive code posn. modulation scheme for wireless sens. nets. *Yong Yuan, +, COML Jun 05 481-483*

arbitrary wedge-shaped region of MPSK syst., presence of quadrature error, probab. *Park, S., +, COML Mar 05 196-197*

asynchronous FFH-MA systs., hard-limited combining, Rayleigh fading. *Jeungmin Joo, +, COML Apr 05 295-297*

asynchronous MC-CDMA systs., cyclic prefix, semianalytical approach. *Kyunbyoung Ko, +, COML Feb 05 142-144*

BER of jointly optimal single cochannel interferer BPSK receiver, simple, intuitive expression. *Rabiei, A.M., +, COML Mar 05 201-203*

BER of switched diversity combining, Nakagami fading channels, results. *Lei Xiao, +, COML Feb 05 136-138*

binary digital modulation schemes, gen. gamma fading channels, BER. *Aalo, V.A., +, COML Feb 05 139-141*

bit error probab. for trellis coded QPSK, exact anal. *Yoshikawa, H., +, COML Mar 05 237-239*

bit-interleaved turbo-coded modulation, shaping coding. *Le Goff, S.Y., +, COML Mar 05 246-248*

carrier phase error, EGC receivers, correl. Nakagami-m fading, effects. *Sagias, N.C., +, COML Jul 05 580-582*

- CDMA systs., nonuniform signalling, bonferroni-type bounds. *Nguyen, H.H.*, +, *COML Jul 05* 583-585
- DAPSK, HF communs. *Shuzheng Xu*, +, *COML Jul 05* 613-615
- decision feedback detect., error compensation for hybrid space-time block codes. *Chang Kyung Sung*, +, *COML Oct 05* 882-884
- decorrelating detect. for multirate DS/CDMA, perform. anal. and improv. *Huang Lee*, +, *COML Feb 05* 103-105
- differential modulation, wireless relays, Rayleigh fading channels, perform. *Zhao, Q.*, +, *COML Apr 05* 343-345
- DRM reception, field trials, min. ON requirements. *Prieto, G.*, +, *COML Oct 05* 877-879
- DSTTD syst., efficient antenna shuffling scheme. *Seijoon Shim*, +, *COML Feb 05* 124-126
- dual-channel reception of QPSK, Nakagami fading and cochannel interf., precise BER anal. *Cheng, J.*, +, *COML Apr 05* 316-318
- efficient PAPR, OFDM, defn. *Wulich, D.*, *COML Sep 05* 832-834
- efficient per-VC accounting-based buffer mgt. scheme for GFR services, TCP/IP nets. *Po-Chou Lin*, +, *COML Jun 05* 555-557
- freq. offset estim. and data detect., burst transm. systs., optimal pilot placement. *Ying, Y.*, +, *COML Jun 05* 549-551
- impulse noise, WHT-OFDM transm., impact. *Bogucka, H.*, *COML Jan 05* 37-39
- iter. joint source-channel decoding, combined, priori inform. of source and channel. *Liu, X.*, +, *COML Apr 05* 355-357
- iter. sing. vectors estim. scheme for beamforming transm. and detect., MIMO systs. *Yang Tang*, +, *COML Jun 05* 505-507
- LMDS diversity systs. *Panagopoulos, A.D.*, +, *COML Feb 05* 145-147
- max-min flow control, deterministic packet marking. *Hyung-Keun Ryu*, +, *COML Sep 05* 856-858
- MC-CDMA bit error probability and outage minimization through partial combining. *Conti, A.*, *COML Dec 05* 1055-1057
- Nakagami-m fading channels, maximal-ratio diversity, extreme power dispers. profiles. *Win, M.Z.*, +, *COML May 05* 385-387
- noncoherent PPM modulation, appls., UWB communs., sig. design. *Jayaweera, S.K.*, *COML May 05* 411-413
- noncoherent UWB impulse radio receiver. *Mi-Kyung Oh*, +, *COML Feb 05* 151-153
- outage and BER of MRC diversity, bandlimited micro-cellular systs., CCI. *Sivanesan, K.*, +, *COML Mar 05* 207-209
- pairwise error probab. for unitary space-time modulations, tight bounds. *Li, R.*, +, *COML Apr 05* 289-291
- pairwise error probab., Rayleigh fading channels, appl., union bounds for turbo codes, efficient expression and bound. *Ince, E.A.R.*, +, *COML Jan 05* 25-27
- perform. degrad. of UMTS receivers, UWB emissions, meas. *Cassoli, D.*, +, *COML May 05* 441-443
- perform. of adaptive array antennas for CDMA, noncoherent M-ary orthogonal modulation, Nakagami fading. *Durrani, S.*, +, *COML Feb 05* 148-150
- preprocessed space-time trellis codes, 1-bit feedback. *Milleth, J.K.*, +, *COML Aug 05* 703-705
- punctured serially concatenated convolutional codes, design. *Laddomada, M.*, +, *COML Feb 05* 169-171
- sig. constellation bit labeling for bit-interleaved coded modulation, iter. decoding, joint optim. *Muhammad, N.S.*, +, *COML Sep 05* 775-777
- SNR estim. error, adaptive modulation, impact. *Mohammad, M.*, +, *COML Jun 05* 490-492
- soft feedback interf. cancellation, low complexity turbo equalization. *Vogelbruch, F.*, +, *COML Jul 05* 586-588
- space-time block code and spatial MUX combined syst., detect. schemes. *Zhao, L.*, +, *COML Jan 05* 49-51
- space-time codes, freq. selective Rician channels, pairwise error probab. *Dharmawansa, P.*, +, *COML Oct 05* 894-896
- switched diversity receivers, gen. gamma fading channels. *Sagias, N.C.*, +, *COML Oct 05* 871-873
- timing errors, ISI-free pulses, reduced sensitivity. *Sandeep, P.*, +, *COML Apr 05* 292-294
- universal lossless source controlled channel decoding for i.i.d. seqs. *Shamir, G.I.*, +, *COML May 05* 450-452
- UWB Signals, multiple receive antennas, interf. suppression scheme. *Bharadwaj, V.*, +, *COML Jun 05* 529-531
- UWB systs., GLRT receivers. *D'Amico, A.A.*, +, *COML Jun 05* 487-489
- V-BLAST syst., 2 antennas, transmitter, optimum power allocation. *Kalbasi, R.*, +, *COML Sep 05* 826-828
- very low BER of FEC codes, dual adaptive importance sampling. *Holzloher, R.*, +, *COML Feb 05* 163-165
- VLC, error restricted fast MAP decoding. *Ming Jia*, +, *COML Oct 05* 909-911
- Error compensation**
decision feedback detect., error compensation for hybrid space-time block codes. *Chang Kyung Sung*, +, *COML Oct 05* 882-884
- Error correction; cf.** Forward error correction
- Error correction codes**
construction of low-density parity-check convolutional codes through progressive edge-growth. *Zhengang Chen*, +, *COML Dec 05* 1058-1060
- Error correction coding**
finite fields and Naimi-Seberry partitioning problem, representations. *Bae Eun Jung*, +, *COML Jun 05* 532-533
- Gallager codes under 2 message-passing schedules, simple convergence comp. *Sheng Tong*, +, *COML Mar 05* 249-251
- gen. RS codes, Galois rings, multistage list decoding. *Armand, M.A.*, +, *COML Jul 05* 625-627
- irregular LDPC codes, concatenation regular LDPC codes. *Fossorier, M.*, +, *COML Jul 05* 628-630
- orthogonal arrays for opt. commun. systs., iteratively decodable codes. *Djordjevic, I.B.*, +, *COML Oct 05* 924-926
- parity bit selected spreading seqs. *D'Amours, C.*, *COML Jan 05* 16-18
- simple reconfigurable low-dens. parity-check codes. *Liva, G.*, +, *COML Mar 05* 258-260
- Tanner codes, gen. min. dist. iter. decoding. *Saejoon Kim*, *COML Aug 05* 738-740
- Tanner's min. dist. bounds for LDPC codes, gen. *Min-Ho Shin*, +, *COML Mar 05* 240-242
- VLC, error restricted fast MAP decoding. *Ming Jia*, +, *COML Oct 05* 909-911
- Error statistics**
linear equalizer for high-speed APD-based integrate-and-dump receivers. *Peng Sun*, +, *COML Dec 05* 1073-1075
- Estimation**
guided scrambling DC-free codes, LF perform. *Xin, Y.*, +, *COML Jun 05* 537-539
- Estimation theory**
information coverage for wireless sensor networks. *Bang Wang*, +, *COML Nov 05* 967-969
- Estimation theory; cf.** Adaptive estimation; Frequency estimation; Maximum likelihood estimation; Phase estimation; Recursive estimation
- F**
- Fading; cf.** Fading channels
- Fading channels**
closed-form approximation for the outage capacity of orthogonal STBC. *Perez, J.*, +, *COML Nov 05* 961-963
- maximum likelihood estimation of K factor in Ricean fading channels. *Yunfei Chen*, +, *COML Dec 05* 1040-1042
- MC-CDMA bit error probability and outage minimization through partial combining. *Conti, A.*, *COML Dec 05* 1055-1057
- multi-code multi-packet transmission (MCMPT) in wireless CDMA ad hoc networks under Rayleigh fading channels. *Zhang, L.*, +, *COML Nov 05* 985-987
- power allocation for cooperative relaying in wireless networks. *Xinmin Deng*, +, *COML Nov 05* 994-996
- Fading channels; cf.** Rayleigh channels; Rician channels
- File systems**
Chang et al.'s signature scheme, message recovery, cryptanalysis. *Fangguo Zhang*, *COML Apr 05* 358-359
- inter-sens. authentication, sens. nets., bootstrapping scheme. *Wen-Huei Chen*, +, *COML Oct 05* 945-947
- Filtering**
ISI channels, Ungerboeck obs. model, MAP sym. detect. *Colavolpe, G.*, +, *COML Aug 05* 720-722
- MIMO doubly-iter. receivers, pre vs. post-cancellation filtering. *Biglieri, E.*, +, *COML Feb 05* 106-108
- soft feedback interf. cancellation, low complexity turbo equalization. *Vogelbruch, F.*, +, *COML Jul 05* 586-588
- Filters; cf.** Matched filters
- Finance; cf.** Costing

FIR digital filters

- DS-CDMA, interpolated FIR filters, reduced-rank interf. suppression. *de Lamare, R.C.*, +, *COML Mar 05* 213-215
 OFDM systs., NBI-resistant zero-forcing equalizers. *Darsena, D.*, +, *COML Aug 05* 744-746

Formal logic; cf. Boolean functions; Threshold logic

Forward error correction

- orthogonal arrays for opt. commun. systs., iteratively decodable codes. *Djordjevic, I.B.*, +, *COML Oct 05* 924-926
 very low BER of FEC codes, dual adaptive importance sampling. *Holzlohner, R.*, +, *COML Feb 05* 163-165

Frequency division multiaccess

- OFDMA net., optimality. *Li, G.*, +, *COML May 05* 438-440
 uplink OFDMA systs., joint subcarrier and power allocation. *Keunyoung Kim*, +, *COML Jun 05* 526-528

Frequency division multiplexing; cf. OFDM modulation

Frequency-domain analysis; cf. Time-frequency analysis

Frequency estimation

- offset estim. and data detect., burst transm. systs., optimal pilot placement. *Ying, Y.*, +, *COML Jun 05* 549-551

Frequency hop communication

- asynchronous FFH-MA systs., hard-limited combining, Rayleigh fading. *Jeungmin Joo*, +, *COML Apr 05* 295-297
 deterministic guaranteed service, FH-OFDM wireless syst., groupers. *Kihyun Pyun*, +, *COML Apr 05* 369-371

Frequency modulation; cf. Frequency shift keying

Frequency shift keying

- 2×2 antennas Bluetooth syst. *Danjou, E.J.D.*, +, *COML Sep 05* 784-786
 asynchronous FFH-MA systs., hard-limited combining, Rayleigh fading. *Jeungmin Joo*, +, *COML Apr 05* 295-297

Functions; cf. Boolean functions; Random functions; Transfer functions

G**Galois fields**

- algebraic codes suitable for iter. decoding, graphical representations. *Vidya Kumar*, +, *COML Aug 05* 729-731
 gen. RS codes, Galois rings, multistage list decoding. *Armand, M.A.*, +, *COML Jul 05* 625-627

Gamma distributions

- binary digital modulation schemes, gen. gamma fading channels, BER. *Aalo, V.A.*, +, *COML Feb 05* 139-141
 switched diversity receivers, gen. gamma fading channels. *Sagias, N.C.*, +, *COML Oct 05* 871-873

Gaussian channels

- Gaussian approximation based mixture reduction for near optimum detection in MIMO systems. *Yugang Jia*, +, *COML Nov 05* 997-999
 max. ratio transm., imperfect channel estim., perform. anal. *Chen, Y.*, +, *COML Apr 05* 322-324
 vector Gaussian broadcast channels, space-time trellis coding scheme. *Li, Y.*, +, *COML May 05* 388-390

Gaussian noise

- arbitrary wedge-shaped region of MPSK syst., presence of quadrature error, probab. *Park, S.*, +, *COML Mar 05* 196-197

Gaussian processes

- lin. congruential recursions, trellis source codes. *Anderson, J.B.*, +, *COML Mar 05* 198-200
 outage and BER of MRC diversity, bandlimited micro-cellular systs., CCI. *Sivanesan, K.*, +, *COML Mar 05* 207-209

Gaussian processes; cf. Gaussian channels; Gaussian noise

Geometry

- quasiorthogonal space-time codes, PSK modulation, optimal rot. angles. *Xian, L.*, +, *COML Aug 05* 676-678

Graph theory

- algebraic codes suitable for iter. decoding, graphical representations. *Vidya Kumar*, +, *COML Aug 05* 729-731
 beacon period contraction algm., UWB MBOA MAC, perform. eval. *Qi Wu*, +, *COML Oct 05* 933-935
 heuristics-based PON deployment. *Khan, S.U.*, *COML Sep 05* 847-849
 IEEE 802.15.3 WPAN, intra-superframe power mgt. *Zihua Guo*, +, *COML Mar 05* 228-230
 ISI channels, Ungerboeck obs. model, MAP sym. detect. *Colavolpe, G.*, +, *COML Aug 05* 720-722

Tanner codes, gen. min. dist. iter. decoding. *Saejoon Kim*, *COML Aug 05* 738-740

Tanner's min. dist. bounds for LDPC codes, gen. *Min-Ho Shin*, +, *COML Mar 05* 240-242

wireless ad hoc nets. and qty. of hidden terminals, clustering coeff. *Li-Hsing Yen*, +, *COML Mar 05* 234-236

Graph theory; cf. Directed graphs

Gray codes

LDPC-coded modulation systs., bit-reliab. mapping. *Li, Y.*, +, *COML Jan 05* 1-3

Greedy algorithms

hop count and Euclidean distance in greedy forwarding in wireless ad hoc networks. *De, S.*, *COML Nov 05* 1000-1002

H**Hadamard transforms**

impulse noise, WHT-OFDM transm., impact. *Bogucka, H.*, *COML Jan 05* 37-39

Hamming codes

high-rate serially concatenated coding, extended Hamming codes. *Isaka, M.*, +, *COML Feb 05* 160-162
 symmetric/asymmetric Slepian-Wolf codes, systematic and nonsystematic lin. codes. *Gehrig, N.*, +, *COML Jan 05* 61-63

Higher order statistics

simple and fast carrier recovery algm. for high-order QAM. *Ghyslain, G.*, +, *COML Oct 05* 918-920

Home automation

HomePlug 1.0, MAC throughput anal. *Myoung-Hee Jung*, +, *COML Feb 05* 184-186

Huffman codes

Viterbi algm., survivor memory reduction. *Abbasfar, A.*, +, *COML Apr 05* 352-354

I

Identification; cf. Parameter estimation

IEEE standards

- 802.15.3 WPAN appls., timing sync. *Won-Gi Jeon*, +, *COML Mar 05* 255-257
 802.15.3 WPAN, intra-superframe power mgt. *Zihua Guo*, +, *COML Mar 05* 228-230
 access delay of resilient packet rings, deterministic bound. *Changeheng Huang*, +, *COML Jan 05* 87-89
 authenticated key exchange protocol for sensor networks. *Xiaojuan Tian*, +, *COML Nov 05* 970-972
 CAPC, collision avoidance power control MAC protocol for wireless ad hoc nets. *Kuei-Ping Shih*, +, *COML Sep 05* 859-861
 effective loss-distinguishable MAC protocol for 802.11 WLAN, design. *Qixiang Pang*, +, *COML Sep 05* 781-783
 modeling 802.11 distrib. coord. fn., nonsaturated conds. *Duffy, K.*, +, *COML Aug 05* 715-717
 reduce impact of legacy stations, 802.11e EDCA WLANs, ACKS, tech. *Vollero, L.*, +, *COML Apr 05* 346-348
 service time, saturated IEEE 802.11 nets., stat. charactn. *Zanella, A.*, +, *COML Mar 05* 225-227
 TCP fairness in 802.11e WLANs. *Leith, D.J.*, +, *COML Nov 05* 964-966

Image coding; cf. Video coding

Image sensors

opt. wireless communs., single-channel imaging receiver. *Castillo-Vazquez, M.*, +, *COML Oct 05* 897-899

Indoor radio communication

- context of runlength-limited-codes for opt. wireless communs., rate-adaptive transm. schemes. *Garrido-Balsells, J.M.*, +, *COML Sep 05* 787-789
 high data rate communs., indoor UWB systs., orthonormal pulses. *Kim, Y.*, +, *COML May 05* 405-407
 power control and successive interf. cancellation, indoor DS-CDMA syst. deployment and perform., implications. *Pais, A.V.*, +, *COML Mar 05* 204-206
 UWB channel equalization, matching pursuit-based tap selection tech. *Lin Zhiwei*, +, *COML Sep 05* 835-837
 UWB, multipath channels, capacity. *Ramirez-Mireles, F.*, *COML Jun 05* 523-525

Information networks; cf. Internet

Information rates

- adaptive RateLimit for 1xEV-DO reverse link traffic channels, rate control scheme BSased. *HyeJeong Lee, +, COML Oct 05 903-905*
- bit-interleaved turbo-coded modulation, shaping coding. *Le Goff, S.Y., +, COML Mar 05 246-248*
- eigen-based MIMO multiuser scheduler, partial feedback inform. *Hakju Lee, +, COML Apr 05 328-330*
- finite fields and Naini-Seberry partitioning problem, representations. *Bae Eun Jung, +, COML Jun 05 532-533*
- imperfect power control multiuser detect., uplink of WCDMA high altitude platform syst., impact. *Karapantazis, S., +, COML May 05 414-416*
- MIMO systs., covariance feedback, optimum transm. power strategy. *Yipeng Li, +, COML May 05 444-446*
- multilevel signaling, low rate code designs. *Banerjee, A., +, COML Feb 05 166-168*
- Shannon channel capacity, gen. fading channels, results. *Sagias, N.C., +, COML Feb 05 97-99*
- time-hopping ultra-wide band multiple-access communs., practical capacity calc. *Adinoyi, A., +, COML Jul 05 601-603*
- UWB, multipath channels, capacity. *Ramirez-Mireles, F., COML Jun 05 523-525*

Information retrieval

- E-mail protocol, flaws. *Dent, A.W., COML Aug 05 718-719*

Information science; cf. Information retrieval**Information systems**

- information coverage for wireless sensor networks. *Bang Wang, +, COML Nov 05 967-969*

Information theory

- high-rate serially concatenated coding, extended Hamming codes. *Isaka, M., +, COML Feb 05 160-162*

Information theory; cf. Decoding; Encoding; Entropy; Error statistics**Integer programming**

- dynamically survivable WDM net. design, p-cycle-based PWCE. *Zhenrong Zhang, +, COML Aug 05 756-758*
- static routing and wavel. assignment problem, Tabu search algm. *Ying Wang, +, COML Sep 05 841-843*

Integrated memory circuits; cf. SRAM chips**Integration**

- linear equalizer for high-speed APD-based integrate-and-dump receivers. *Peng Sun, +, COML Dec 05 1073-1075*

Interchannel interference

- high-speed mobile channels, MIMO-OFDM tech. *Kyung Won Park, +, COML Jul 05 604-606*
- PCC-OFDM systs. for general time-varying channel. *Ng, W.T., +, COML May 05 394-396*
- phase noise induced ICI, MIMO OFDM systs. *Schenk, T.C.W., +, COML Aug 05 682-684*

Interconnected systems

- stabil. queues, large-scale nets., control theoretic approach. *Yi Fan, +, COML Oct 05 951-953*

Interference

- SINR for QAM sigs., NDA estim. *Chen, Y., +, COML Aug 05 688-690*

Interference (signal); cf. Adjacent channel interference; Cochannel interference; Crosstalk; Intersymbol interference**Interference suppression**

- blind adaptive code-constrained const. modulus algms. for CDMA interf. suppression, multipath channels. *de Lamare, R.C., +, COML Apr 05 334-336*
- DS-CDMA, interpolated FIR filters, reduced-rank interf. suppression. *de Lamare, R.C., +, COML Mar 05 213-215*
- high-speed mobile channels, MIMO-OFDM tech. *Kyung Won Park, +, COML Jul 05 604-606*
- iter. cyclic prefix reconstruction and channel estim. for STBC OFDM syst. *Hui-Chul Won, +, COML Apr 05 307-309*
- MIMO doubly-iter. receivers, pre vs. post-cancellation filtering. *Biglieri, E., +, COML Feb 05 106-108*
- OFDM receiver, second order polynomial Nyquist window fn. *Rongfang Song, +, COML May 05 391-393*
- OFDM systs., NBI-resistant zero-forcing equalizers. *Darsena, D., +, COML Aug 05 744-746*
- PCC-OFDM systs. for general time-varying channel. *Ng, W.T., +, COML May 05 394-396*
- phase noise induced ICI, MIMO OFDM systs. *Schenk, T.C.W., +, COML Aug 05 682-684*

- power control and successive interf. cancellation, indoor DS-CDMA syst. deployment and perform., implications. *Pais, A.V., +, COML Mar 05 204-206*

- soft feedback interf. cancellation, low complexity turbo equalization. *Vogelbruch, F., +, COML Jul 05 586-588*

- time reversal techs., multiple element antenna systs., pot. *Nguyen, H.T., +, COML Jan 05 40-42*

- time-varying channels for OFDM, simple equalization. *Rugini, L., +, COML Jul 05 619-621*

- UWB Signals, multiple receive antennas, interf. suppression scheme. *Bharadwaj, V., +, COML Jun 05 529-531*

- vector Gaussian broadcast channels, space-time trellis coding scheme. *Li, Y., +, COML May 05 388-390*

Interleaved coding

- BI-STCM-ID, Alamouti scheme, improved 16-QAM constellation labeling. *Yuheng Huang, +, COML Feb 05 157-159*

- bit-interleaved coded modulation, BPSK/QPSK signaling, multidimensional mapping. *Simoens, F., +, COML May 05 453-455*

- bit-interleaved turbo-coded modulation, shaping coding. *Le Goff, S.Y., +, COML Mar 05 246-248*

- multi-binary tailbiting turbo codes, wt. spectrum eval. *Ferrari, M., +, COML Jul 05 640-642*

- multilevel signaling, low rate code designs. *Banerjee, A., +, COML Feb 05 166-168*

- pairwise error probab., Rayleigh fading channels, appl., union bounds for turbo codes, efficient expression and bound. *Ince, E.A.R., +, COML Jan 05 25-27*

- sig. constellation bit labeling for bit-interleaved coded modulation, iter. decoding, joint optim. *Muhammad, N.S., +, COML Sep 05 775-777*

- turbo-codes, double and triple impulse methods, estimating min. dist. *Crozier, S., +, COML Jul 05 631-633*

- turbo decodulation. *Clevorn, T., +, COML Sep 05 820-822*

Intermodulation; cf. Intermodulation distortion**Intermodulation distortion**

- fast comput. of even and odd order intermodulation products, modified algm. *Baruffa, G., +, COML Feb 05 121-123*

Internet

- access delay of resilient packet rings, deterministic bound. *Changeheng Huang, +, COML Jan 05 87-89*

- agile hybrid IP-opt. packet constr. mechanism, wavel. routed opt. packet switched nets., demons. *Nejabati, R., +, COML Jun 05 552-554*

- asynchronous opt. switching nets., generic-traffic opt. buffer modeling. *Almeida, R.C., Jr., +, COML Feb 05 175-177*

- AVQ, scalable param. tuning. *Liansheng Tan, +, COML Jan 05 90-92*

- bandwidth allocation, sens. nets., peer-to-peer middleware. *Caviglione, L., +, COML Mar 05 285-287*

- dyn.-RED, control gain selection. *Liansheng Tan, +, COML Jan 05 81-83*

- flow control, proc. constraint. *Song Chong, +, COML Oct 05 957-959*

- IP address lookup, efficient binary search. *Changhoon Yim, +, COML Jul 05 652-654*

- IPv4-IPv6 translation, NCTU SLT, socket-layer translator. *Whai-En Chen, +, COML Oct 05 865-867*

- local stabil. of REM algm., time-varying delays, further results. *Huijun Gao, +, COML May 05 402-404*

- long-range depend. net. traffic, automatic scaling range selection. *Xiangdong Xia, +, COML Oct 05 954-956*

- low rate TCP denial-of-service attack detect., edge routers. *Shevtekar, A., +, COML Apr 05 363-365*

- multiple small trees for IP address lookup, binary searches. *Hyesook Lim, +, COML Jan 05 75-77*

- multirate systs., elastic traffic, recursive formula. *Bonald, T., +, COML Aug 05 753-755*

- nonhomogeneous TCP sources, buffer sizing. *Andrew, L.L.H., +, COML Jun 05 567-569*

- packet forwarding engines, adaptive block-selection scheme, throughput increase. *Akhbarizadeh, M.J., +, COML Sep 05 838-840*

- packet triplet approach to estimate Internet path capacity. *Zou ZiXuan, +, COML Dec 05 1076-1078*

- SAVQ, stabil. adaptive virtual queue mgt. algm. *Cheng-Nian Long, +, COML Jan 05 78-80*

- secure E-mail protocols providing perfect forward secrecy. *Hung-Min Sun, +, COML Jan 05 58-60*

- TCP AIMD dynamics, Internet connections. *Gao, J., +, COML Jan 05 4-6*

Interpolation

DS-CDMA, interpolated FIR filters, reduced-rank interf. suppression. *de Lamare, R.C.*, +, *COML Mar 05* 213-215

Intersymbol interference

asynchronous MC-CDMA systs., cyclic prefix, semianalytical approach. *Kyunbyoung Ko*, +, *COML Feb 05* 142-144

blind adaptive code-constrained const. modulus algms. for CDMA interf. suppression, multipath channels. *de Lamare, R.C.*, +, *COML Apr 05* 334-336

channels, Ungerboeck obs. model, MAP sym. detect. *Colavolpe, G.*, +, *COML Aug 05* 720-722

DS-CDMA, interpolated FIR filters, reduced-rank interf. suppression. *de Lamare, R.C.*, +, *COML Mar 05* 213-215

ISI-free polynomial pulses, family. *Chandan, S.*, +, *COML Jun 05* 496-498

iter. cyclic prefix reconstruction and channel estim. for STBC OFDM syst. *Hui-Chul Won*, +, *COML Apr 05* 307-309

OFDM receiver, second order polynomial Nyquist window fn. *Rongfang Song*, +, *COML May 05* 391-393

soft feedback interf. cancellation, low complexity turbo equalization. *Vogelbruch, F.*, +, *COML Jul 05* 586-588

timing errors, ISI-free pulses, reduced sensitivity. *Sandeep, P.*, +, *COML Apr 05* 292-294

UWB channel equalization, matching pursuit-based tap selection tech. *Lin Zhiwei*, +, *COML Sep 05* 835-837

UWB, Rake-MMSE-equalizer perform. *Eslami, M.*, +, *COML Jun 05* 502-504

Iterative decoding

decreasing the complexity of LDPC iterative decoders. *Bosco, G.*, +, *COML Jul 05* 634-636

distance-based decoding of block turbo codes. *Nong Le*, +, *COML Nov 05* 1006-1008

modulation doping for iterative demapping of bit-interleaved coded modulation. *Szczecinski, L.*, +, *COML Dec 05* 1031-1033

Iterative methods

cyclic prefix reconstruction and channel estim. for STBC OFDM syst. *Hui-Chul Won*, +, *COML Apr 05* 307-309

dyn. routing of sliding scheduled traffic demands, hops optimal algm. *Bin Wang*, +, *COML Oct 05* 936-938

feasible scenarios, output of FIFO server. *Cholvi, V.*, +, *COML May 05* 397-399

lin. systs., binary inputs, approx. MMSE-APP estim. *Li Ping*, *COML Feb 05* 172-174

net. service provision, subscription admission control. *Kuppuswamy, K.*, +, *COML Jan 05* 66-68

sing. vectors estim. scheme for beamforming transm. and detect., MIMO systs. *Yang Tang*, +, *COML Jun 05* 505-507

soft feedback interf. cancellation, low complexity turbo equalization. *Vogelbruch, F.*, +, *COML Jul 05* 586-588

uplink OFDMA systs., joint subcarrier and power allocation. *Keunyoung Kim*, +, *COML Jun 05* 526-528

UWB channel equalization, matching pursuit-based tap selection tech. *Lin Zhiwei*, +, *COML Sep 05* 835-837

Iterative methods; cf. Iterative decoding; Newton method

L**Land mobile radio**

1D MANETs, random waypoint movement, net. connectivity. *Chuan Heng Foh*, +, *COML Jan 05* 31-33

simple reconfigurable low-dens. parity-check codes. *Liva, G.*, +, *COML Mar 05* 258-260

Land mobile radio; cf. Cellular radio**Land mobile radio cellular systems**

4 inform. delivery methods, wireless sens. nets., energy impact. *Taddia, C.*, +, *COML Feb 05* 118-120

antenna downtilting, net. perform., GERAN systs., impact. *Wille, V.*, +, *COML Jul 05* 598-600

approx. interf. stats. of DS/CDMA cellular systs., power control, freq.-selective fading channels, accurate method. *Chieh-Ho Lee*, +, *COML Jan 05* 28-30

DS-CDMA downlink receivers, sparse chip equalizer. *Kutz, G.*, +, *COML Jan 05* 10-12

fast comput. of even and odd order intermodulation products, modified algm. *Baruffa, G.*, +, *COML Feb 05* 121-123

handoff algms., sig.-based eval. *Halgamuge, M.N.*, +, *COML Sep 05* 790-792

high-speed mobile channels, MIMO-OFDM tech. *Kyung Won Park*, +, *COML Jul 05* 604-606

LMDS diversity systs. *Panagopoulos, A.D.*, +, *COML Feb 05* 145-147

perform. eval. of downlink WCDMA/TDD mode, anal. framework. *Ismail, M.H.*, +, *COML Aug 05* 747-749

power control, systs., transm. beamforming, SINR estim. *Hasu, V.*, +, *COML Oct 05* 885-887

public 3G/UMTS net., act. goodput meas. *Pentikousis, K.*, +, *COML Sep 05* 802-804

WLAN and cellular integrat., effective VoIP call routing. *Yi-Bing Lin*, +, *COML Oct 05* 874-876

Laplace transforms

remarks regarding asymptotic packet loss, Pareto/M/1/K queueing syst. *Rodriguez-Dagnino, R.M.*, *COML Oct 05* 927-929

Large-scale systems; cf. Interconnected systems

Least mean square methods

DS-CDMA, interpolated FIR filters, reduced-rank interf. suppression. *de Lamare, R.C.*, +, *COML Mar 05* 213-215

iter. joint source-channel decoding, combined, priori inform. of source and channel. *Liu, X.*, +, *COML Apr 05* 355-357

lin. systs., binary inputs, approx. MMSE-APP estim. *Li Ping*, *COML Feb 05* 172-174

MIMO doubly-iter. receivers, pre vs. post-cancellation filtering. *Biglieri, E.*, +, *COML Feb 05* 106-108

MMSE detect., multiuser CDMA systs., full-rank regularization tech. *Rugini, L.*, +, *COML Jan 05* 34-36

soft feedback interf. cancellation, low complexity turbo equalization. *Vogelbruch, F.*, +, *COML Jul 05* 586-588

time-varying channels for OFDM, simple equalization. *Rugini, L.*, +, *COML Jul 05* 619-621

UWB channel equalization, matching pursuit-based tap selection tech. *Lin Zhiwei*, +, *COML Sep 05* 835-837

UWB, Rake-MMSE-equalizer perform. *Eslami, M.*, +, *COML Jun 05* 502-504

Least squares methods

blind adaptive code-constrained const. modulus algms. for CDMA interf. suppression, multipath channels. *de Lamare, R.C.*, +, *COML Apr 05* 334-336

Rayleigh sum distribns. and densities, accurate simple closed-form approxs. *Hu, J.*, +, *COML Feb 05* 109-111

Linear algebra; cf. Eigenvalues and eigenfunctions; Vectors

Linear codes

class of binary block codes form. from RCPC codes, wt. distrib. *Yushi Shen*, +, *COML Sep 05* 811-813

family of low-complexity binary linear codes for Bluetooth and BLAST signaling applications. *Loskot, P.*, +, *COML Dec 05* 1061-xx2

iterative reliability-based decoding of linear Block codes with adaptive belief propagation. *Kothiyal, A.*, +, *COML Dec 05* 1067-1069

max. likelihood decoding of lin. block codes, crit. point. *Fossorier, M.*, *COML Sep 05* 817-819

symmetric/asymmetric Slepian-Wolf codes, systematic and nonsystematic lin. codes. *Gehrig, N.*, +, *COML Jan 05* 61-63

Tanner codes, gen. min. dist. iter. decoding. *Saejoon Kim*, *COML Aug 05* 738-740

turbo receivers, iter. carrier phase recovery methods. *Xiaofu Wu*, +, *COML Aug 05* 735-737

Linear programming

broadband nets., hierarchical FLP model. *Pi-Chung Wang*, +, *COML Mar 05* 282-284

dynamically survivable WDM net. design, p-cycle-based PWCE. *Zhenrong Zhang*, +, *COML Aug 05* 756-758

energy effic., multi-hop routing. *Ergen, S.C.*, +, *COML Oct 05* 880-881

static routing and wavel. assignment problem, Tabu search algm. *Ying Wang*, +, *COML Sep 05* 841-843

telecomms. nets., effic.-fairness tradeoff. *Zukerman, M.*, +, *COML Jul 05* 643-645

Linear systems

2-way master-slave double-chain nets. *Piqueira, J.R.C.*, +, *COML Sep 05* 829-831

binary inputs, approx. MMSE-APP estim. *Li Ping*, *COML Feb 05* 172-174

simplified adaptive modulation scheme for D-STTD systs. with linear receivers. *Jaesang Ham*, +, *COML Dec 05* 1049-1051

Load distribution

efficient algorithm for the minimum cost min-max load terminal assignment problem. *Chor Ping Low, COML Nov 05 1012-1014*

Load management; cf. Load distribution**Local area networks**

HomePlug 1.0, MAC throughput anal. *Myoung-Hee Jung, +, COML Feb 05 184-186*

metropolitan and WAN, adaptive bandwidth allocation. *Liansheng Tan, +, COML Jun 05 561-563*

Local area networks; cf. Optical fiber LAN; Wireless LAN**Logic devices; cf.** Threshold elements**Log normal distributions**

switched diversity receivers, gen. gamma fading channels. *Sagias, N.C., +, COML Oct 05 871-873*

Lyapunov methods

frame-based maximal wt. matching algm., transfer speedup, stabil. *Xike Li, +, COML Oct 05 942-944*

input-buffered packet switches, maximal size matching, stabil. anal. *Man-Soo Han, +, COML May 05 462-464*

M**Maintenance engineering; cf.** Software maintenance**Markov processes**

asynchronous opt. switching nets., generic-traffic opt. buffer modeling. *Almeida, R.C., Jr., +, COML Feb 05 175-177*

delta compress., fixed-length substring coding for fast content download. *Chunpeng Xiao, +, COML Mar 05 243-245*

heterog. bursty traffic dispers., multiple server clusters. *Elhanany, I., +, COML Mar 05 261-263*

IEEE 802.11 DCF perform. anal., remarks. *Bianchi, G., +, COML Aug 05 765-767*

iter. joint source-channel decoding, combined, priori inform. of source and channel. *Liu, X., +, COML Apr 05 355-357*

reverse link rate control, cdma2000 1xEV-DO systs., anal. model. *Woon-Young Yeo, +, COML Mar 05 270-272*

Matched filters

parity bit selected spreading seqs. *D'Amours, C., COML Jan 05 16-18*

Mathematical analysis; cf. Eigenvalues and eigenfunctions; Numerical analysis**Mathematical programming; cf.** Dynamic programming; Linear programming**Mathematics; cf.** Combinatorial mathematics; Estimation theory; Geometry; Probability; Set theory; Statistics**Matrices**

commun. constraints, large syst. decentralized detect. perform. *Jayaweera, S.K., COML Sep 05 769-771*

complex orthogonal space-time block code for 8 transmit antennas. *Xue-Bin Liang, COML Feb 05 115-117*

connection unavailability estim., shared backup path protection, matrix-based anal. approach. *Mello, D.A.A., +, COML Sep 05 844-846*

develop. of good π -rot. LDPC codes, design considerations leading. *Echard, R., +, COML May 05 447-449*

differential unitary space-time modulations, than 2 transmit antennas, improved sig. constellations. *Thian Ping Soh, +, COML Jan 05 7-9*

eigenmodes for MIMO eigenmode transm. systs., differential quantization. *Ting, S.H., +, COML Aug 05 697-699*

estim. correl. params. of multivariate Nakagami-m distrib., simul.-based approach. *Mingxin Zhou, +, COML Sep 05 799-801*

irregular partitioned permutation LDPC codes, low, error floors, flexible constr. *Jingyu Kang, +, COML Jun 05 534-536*

lin. systs., binary inputs, approx. MMSE-APP estim. *Li Ping, COML Feb 05 172-174*

MRC, equi-power cochannel interferers, correl. Rayleigh fading, outage probab. *Xiaodi Zhang, +, COML Jul 05 577-579*

nonbinary codes, wireless sens. nets., fault-tolerant distrib. class. *Tsang-Yi Wang, +, COML Sep 05 808-810*

Tanner's min. dist. bounds for LDPC codes, gen. *Min-Ho Shin, +, COML Mar 05 240-242*

Matrix algebra; cf. Covariance matrices; Matrix decomposition; Sparse matrices; Toeplitz matrices**Matrix decomposition**

time-varying channels for OFDM, simple equalization. *Rugini, L., +, COML Jul 05 619-621*

Matrix decomposition; cf. Singular value decomposition**Maximum likelihood decoding**

gen. 1st-order Reed-Muller codes, simple max.-likelihood decoding. *Schmidt, K.-U., +, COML Oct 05 912-914*

iterative reliability-based decoding of linear Block codes with adaptive belief propagation. *Kothiyal, A., +, COML Dec 05 1067-1069*

iter. joint source-channel decoding, combined, priori inform. of source and channel. *Liu, X., +, COML Apr 05 355-357*

lin. block codes, crit. point. *Fossorier, M., COML Sep 05 817-819*

turbo and LDPC coded sigs., by freq. offset, carrier phase tracking. *Nele, N., +, COML Oct 05 915-917*

VLC, error restricted fast MAP decoding. *Ming Jia, +, COML Oct 05 909-911*

Maximum likelihood detection

CDMA systs., nonuniform signalling, bonferroni-type bounds. *Nguyen, H.H., +, COML Jul 05 583-585*

ISI channels, Ungerboeck obs. model, MAP sym. detect. *Colavolpe, G., +, COML Aug 05 720-722*

optimum receivers for differentially encoded M-PSK, low SNR, perform. anal. *Kanchumarthy, V.R., +, COML May 05 400-401*

rank-deficient MIMO systs., efficient gen. sphere decoder. *Cui, T., +, COML May 05 423-425*

turbo and LDPC coded sigs., by freq. offset, carrier phase tracking. *Nele, N., +, COML Oct 05 915-917*

vector permutation modulation. *Silva, D., +, COML Aug 05 673-675*

Maximum likelihood estimation

ISI channels, Ungerboeck obs. model, MAP sym. detect. *Colavolpe, G., +, COML Aug 05 720-722*

local av. SNR, Rician fading channels, MLE. *Beaulieu, N.C., +, COML Mar 05 219-221*

ML estimation of K factor in Rician fading channels. *Yunfei Chen, +, COML Dec 05 1040-1042*

Nakagami-m param. estim., further results. *Gaeddert, J., +, COML Jan 05 22-24*

SNR estim. error, adaptive modulation, impact. *Mohammad, M., +, COML Jun 05 490-492*

SNR jointly, pilot and data syms., approx. max. likelihood estimator. *Chen, Y., +, COML Jun 05 517-519*

turbo receivers, iter. carrier phase recovery methods. *Xiaofu Wu, +, COML Aug 05 735-737*

UWB channels, CRLBs for NDA ML estim. *Yunfei Chen, +, COML Aug 05 709-711*

VLC, error restricted fast MAP decoding. *Ming Jia, +, COML Oct 05 909-911*

Memoryless systems

fast comput. of even and odd order intermodulation products, modified algm. *Baruffa, G., +, COML Feb 05 121-123*

Message authentication

authenticated key exchange protocol for sensor networks. *Xiaojian Tian, +, COML Nov 05 970-972*

Message passing

sum-product decoding of RA codes under different message-passing schedules, convergence rates comp. *Sheng Tong, +, COML Jun 05 543-545*

Metropolitan area networks

enhanced uplink sched. algm., voice activity for VoIP services, IEEE 802.16d/e syst. *Howon Lee, +, COML Aug 05 691-693*

IEEE 802.16e wireless MAN, energy saving mechanism. *Xiao, Y., COML Jul 05 595-597*

metropolitan and WAN, adaptive bandwidth allocation. *Liansheng Tan, +, COML Jun 05 561-563*

MIMO systems

2x2 antennas Bluetooth syst. *Danjou, E.J.D., +, COML Sep 05 784-786*

analog space-time codes for multiantenna UWB transms., subspace detect. method. *Xiantao Cheng, +, COML Jun 05 493-495*

capacity achieving high rate space-time block codes. *Sezgin, A., +, COML May 05 435-437*

closed-form approximation for the outage capacity of orthogonal STBC. *Perez, J., +, COML Nov 05 961-963*

coded modulation systs., fast fading MIMO channels, union bounds. *Jingqiao Zhang, +, COML Sep 05 796-798*

covariance feedback, optimum transm. power strategy. *Yipeng Li, +, COML May 05 444-446*

eigen-based MIMO multiuser scheduler, partial feedback inform. *Hakju Lee, +, COML Apr 05 328-330*

- eigenbeams under imperfect channel estim., improv. power allocation. *Willink, T.J.*, *COML Jul 05* 622-624
- eigenmodes for MIMO eigenmode transm. systs., differential quantization. *Ting, S.H.*, +, *COML Aug 05* 697-699
- Gaussian approximation based mixture reduction for near optimum detection in MIMO systems. *Yugang Jia*, +, *COML Nov 05* 997-999
- high-speed mobile channels, MIMO-OFDM tech. *Kyung Won Park*, +, *COML Jul 05* 604-606
- iter. sing. vectors estim. scheme for beamforming transm. and detect., MIMO systs. *Yang Tang*, +, *COML Jun 05* 505-507
- joint linear transmitter and receiver design for the downlink of multiuser MIMO systems. *Jinfan Zhang*, +, *COML Nov 05* 991-993
- max. ratio transm., imperfect channel estim., perform. anal. *Chen, Y.*, +, *COML Apr 05* 322-324
- MIMO-DSL, low-complexity Low-PAR transm. *Ryan, D.J.*, +, *COML Oct 05* 868-870
- phase noise induced ICI, MIMO OFDM systs. *Schenk, T.C.W.*, +, *COML Aug 05* 682-684
- preprocessed space-time trellis codes, 1-bit feedback. *Milleth, J.K.*, +, *COML Aug 05* 703-705
- rank-deficient MIMO systs., efficient gen. sphere decoder. *Cui, T.*, +, *COML May 05* 423-425
- seqs.-based MIMO freq. selective channel estim., aperiodic complementary sets. *Shuangquan Wang*, +, *COML Oct 05* 891-893
- space-time block code and spatial MUX combined syst., detect. schemes. *Zhao, L.*, +, *COML Jan 05* 49-51
- STBC MIMO-OFDM peak-to-av. power ratio reduction by cross-antenna rot. and inversion. *Tan, M.*, +, *COML Jul 05* 592-594
- time reversal techs., multiple element antenna systs., pot. *Nguyen, H.T.*, +, *COML Jan 05* 40-42
- vector Gaussian broadcast channels, space-time trellis coding scheme. *Li, Y.*, +, *COML May 05* 388-390
- Minimax methods**
- max-min flow control, deterministic packet marking. *Hyung-Keun Ryu*, +, *COML Sep 05* 856-858
- Minimization methods**
- IEEE 802.15.3 WPAN, intra-superframe power mgt. *Zihua Guo*, +, *COML Mar 05* 228-230
- key mgt., minimized secret storage employing, erasure channel approach. *Mihaljevic, M.J.*, +, *COML Aug 05* 741-743
- Nakagami-m fading channels, maximal-ratio diversity, extreme power dispers. profiles. *Win, M.Z.*, +, *COML May 05* 385-387
- power-aware routing, power-controlled wireless ad hoc nets., timer-based broadcasting. *Sun-Ho Lee*, +, *COML Mar 05* 222-224
- sig. constellation bit labeling for bit-interleaved coded modulation, iter. decoding, joint optim. *Muhammad, N.S.*, +, *COML Sep 05* 775-777
- transmit diversity syst., mean channel gain inform., power allocation. *Luo, J.*, +, *COML Jul 05* 616-618
- V-BLAST syst., 2 antennas, transmitter, optimum power allocation. *Kalbasi, R.*, +, *COML Sep 05* 826-828
- Mobile antennas**
- antenna downtilting, net. perform., GERAN systs., impact. *Wille, V.*, +, *COML Jul 05* 598-600
- Mobile communication**
- end-to-end security for mobile communs., end-user ident./authentication, cryptanalysis. *YongBin Zhou*, +, *COML Apr 05* 372-374
- epoch length of the random waypoint model in mobile ad hoc networks. *Yueh-Ting Wu*, +, *COML Nov 05* 1003-1005
- non-responsive receiver problem in mobile ad-hoc networks. *Bosheng Zhou*, +, *COML Nov 05* 973-975
- opt. wireless communs., single-channel imaging receiver. *Castillo-Vazquez, M.*, +, *COML Oct 05* 897-899
- preferential attachment gathering mobility model. *Borrel, V.*, +, *COML Oct 05* 900-902
- random power control in wireless ad hoc nets. *Tae-Suk Kim*, +, *COML Dec 05* 1046-1048
- TCP-tailored approach to location management in mobile ad hoc nets. *Ziviani, A.*, +, *COML Dec 05* 1043-1045
- Mobile radio; cf.** Land mobile radio; Paging communication
- Modeling**
- modeling TCP long file transfer latency over long delay wireless multilink PPP. *Zaghloul, S.*, +, *COML Nov 05* 988-990
- Modulation**
- decorrelating detect. for multirate DS/CDMA, perform. anal. and improv. *Huang Lee*, +, *COML Feb 05* 103-105
- error perform. of adaptive array antennas for CDMA, noncoherent M-ary orthogonal modulation, Nakagami fading. *Durrani, S.*, +, *COML Feb 05* 148-150
- pairwise error probab. for unitary space-time modulations, tight bounds. *Li, R.*, +, *COML Apr 05* 289-291
- superposition modulation, cooperative transmit diversity. *Larsson, E.G.*, +, *COML Sep 05* 778-780
- Modulation; cf.** Adaptive modulation; Modulation coding; OFDM modulation
- Modulation coding**
- 2x2 antennas Bluetooth syst. *Danjou, E.J.D.*, +, *COML Sep 05* 784-786
- BI-STCM-ID, Alamouti scheme, improved 16-QAM constellation labeling. *Yuheng Huang*, +, *COML Feb 05* 157-159
- bit-interleaved coded modulation, BPSK/QPSK signaling, multidimensional mapping. *Simoens, F.*, +, *COML May 05* 453-455
- bit-interleaved turbo-coded modulation, shaping coding. *Le Goff, S.Y.*, +, *COML Mar 05* 246-248
- coded modulation systs., fast fading MIMO channels, union bounds. *Jingqiao Zhang*, +, *COML Sep 05* 796-798
- differential unitary space-time modulations, than 2 transmit antennas, improved sig. constellations. *Thian Ping Soh*, +, *COML Jan 05* 7-9
- gen. 1st-order Reed-Muller codes, simple max.-likelihood decoding. *Schmidt, K.-U.*, +, *COML Oct 05* 912-914
- irregular repeat CPM. *Xiao, M.*, +, *COML Aug 05* 723-725
- LDPC-coded modulation systs., bit-reliab. mapping. *Li, Y.*, +, *COML Jan 05* 1-3
- MIMO-DSL, low-complexity Low-PAR transm. *Ryan, D.J.*, +, *COML Oct 05* 868-870
- modulation doping for iterative demapping of bit-interleaved coded modulation. *Szczecinski, L.*, +, *COML Dec 05* 1031-1033
- multilevel signaling, low rate code designs. *Banerjee, A.*, +, *COML Feb 05* 166-168
- sig. constellation bit labeling for bit-interleaved coded modulation, iter. decoding, joint optim. *Muhammad, N.S.*, +, *COML Sep 05* 775-777
- turbo decodulation. *Clevorn, T.*, +, *COML Sep 05* 820-822
- turbo receivers, iter. carrier phase recovery methods. *Xiaofu Wu*, +, *COML Aug 05* 735-737
- vector permutation modulation. *Silva, D.*, +, *COML Aug 05* 673-675
- Modulation coding; cf.** Trellis coded modulation
- Moment methods**
- Nakagami-m param. estim., MoM, remarks. *Gaeddert, J.*, +, *COML Apr 05* 313-315
- noisy channel samples, Nakagami-m param. estimator. *Yunfei Chen*, +, *COML May 05* 417-419
- Monte Carlo methods**
- approx. interf. stats. of DS/CDMA cellular systs., power control, freq.-selective fading channels, accurate method. *Chieh-Ho Lee*, +, *COML Jan 05* 28-30
- asynchronous FFH-MA systs., hard-limited combining, Rayleigh fading. *Jeungmin Joo*, +, *COML Apr 05* 295-297
- impulse radio UWB multiple access systs., pulse-based polarity randomization, simple-to-evaluate error probabilities. *Rahman, M.A.*, +, *COML Sep 05* 772-774
- Nakagami-m param. estim., further results. *Gaeddert, J.*, +, *COML Jan 05* 22-24
- perform. eval. of downlink WCDMA/TDD mode, anal. framework. *Ismail, M.H.*, +, *COML Aug 05* 747-749
- power control and successive interf. cancellation, indoor DS-CDMA syst. deployment and perform., implications. *Pais, A.V.*, +, *COML Mar 05* 204-206
- seqs.-based MIMO freq. selective channel estim., aperiodic complementary sets. *Shuangquan Wang*, +, *COML Oct 05* 891-893
- UWB, Rake-MMSE-equalizer perform. *Eslami, M.*, +, *COML Jun 05* 502-504
- Multiaccess communication**
- asynchronous FFH-MA systs., hard-limited combining, Rayleigh fading. *Jeungmin Joo*, +, *COML Apr 05* 295-297
- beacon contraction contraction algm., UWB MBOA MAC, perform. eval. *Qi Wu*, +, *COML Oct 05* 933-935
- high data rate communs., indoor UWB systs., orthonormal pulses. *Kim, Y.*, +, *COML May 05* 405-407
- impulse radio UWB multiple access systs., pulse-based polarity randomization, simple-to-evaluate error probabilities. *Rahman, M.A.*, +, *COML Sep 05* 772-774

- time-hopping ultra-wide band multiple-access communs., practical capacity calc. *Adinoyi, A.*, +, *COML Jul 05* 601-603
- Multi-access systems; cf.** Code division multiple access
- Multipath channels**
 approx. interf. stats. of DS/CDMA cellular systs., power control, freq.-selective fading channels, accurate method. *Chieh-Ho Lee*, +, *COML Jan 05* 28-30
 asynchronous MC-CDMA systs., cyclic prefix, semianalytical approach. *Kyunbyoung Ko*, +, *COML Feb 05* 142-144
 binary digital modulation schemes, gen. gamma fading channels, BER. *Aalo, V.A.*, +, *COML Feb 05* 139-141
 blind adaptive code-constrained const. modulus algms. for CDMA interf. suppression, multipath channels. *de Lamare, R.C.*, +, *COML Apr 05* 334-336
 combination of wireless multicast advantage and hitch-hiking. *Thai, M.T.*, +, *COML Dec 05* 1037-1039
 downlink smart antenna syst., auxiliary pilot, CDMA2000 IX, perform. anal. *Weon-Cheol Lee*, +, *COML Jun 05* 514-516
 IEEE 802.15.3 WPAN appls., timing sync. *Won-Gi Jeon*, +, *COML Mar 05* 255-257
 impulse radio systs., presence of pulse overlapping, optimum lin. receiver. *Shiwei Zhao*, +, *COML Apr 05* 340-342
 iter. cyclic prefix reconstruction and channel estim. for STBC OFDM syst. *Hui-Chul Won*, +, *COML Apr 05* 307-309
 OFDM receiver, second order polynomial Nyquist window fn. *Rongfang Song*, +, *COML May 05* 391-393
 opt. wireless communs., single-channel imaging receiver. *Castillo-Vazquez, M.*, +, *COML Oct 05* 897-899
 power efficiency of user cooperation in multihop wireless nets. *Catovic, A.*, +, *COML Dec 05* 1034-1036
 syst.-depend. wideband directional channel, spatio-diversity gain. *Yifan Chen*, +, *COML Apr 05* 319-321
 time reversal techs., multiple element antenna systs., pot. *Nguyen, H.T.*, +, *COML Jan 05* 40-42
 time-varying channels for OFDM, simple equalization. *Rugini, L.*, +, *COML Jul 05* 619-621
 transmit diversity syst., mean channel gain inform., power allocation. *Luo, J.*, +, *COML Jul 05* 616-618
 UWB channels, CRLBs for NDA ML estim. *Yunfei Chen*, +, *COML Aug 05* 709-711
 UWB, multipath channels, capacity. *Ramirez-Mireles, F.*, *COML Jun 05* 523-525
- Multiplexing**
 MIMO eigenbeams under imperfect channel estim., improv. power allocation. *Willink, T.J.*, *COML Jul 05* 622-624
 space-time block code and spatial MUX combined syst., detect. schemes. *Zhao, L.*, +, *COML Jan 05* 49-51
- Multiplexing; cf.** Space division multiplexing; Time division multiplexing; Wavelength division multiplexing
- Multiprocessor interconnection networks; cf.** Multistage interconnection networks
- Multiprotocol label switching**
 full label space reduction in MPLS networks, asymmetric merged tunneling. *Solano, F.*, +, *COML Nov 05* 1021-1023
- Multisensor systems**
 commun. constraints, large syst. decentralized detect. perform. *Jayaweera, S.K.*, *COML Sep 05* 769-771
 nonbinary codes, wireless sens. nets., fault-tolerant distrib. class. *Tsang-Yi Wang*, +, *COML Sep 05* 808-810
- Multistage interconnection networks**
 selecting optimum switching net. structs., enumeration method. *Jajszczyk, A.*, +, *COML Jan 05* 64-65
- Multisuser channels**
 transmit power allocation for interference channel. *Taewon Park*, +, *COML Jan 05* 13-15
- Multisuser channels; cf.** Multisuser detection
- Multisuser detection**
 Gaussian approximation based mixture reduction for near optimum detection in MIMO systems. *Yugang Jia*, +, *COML Nov 05* 997-999
- Multivariable systems**
 commun. constraints, large syst. decentralized detect. perform. *Jayaweera, S.K.*, *COML Sep 05* 769-771
- Multivariable systems; cf.** MIMO systems
- Networks (circuits); cf.** Equalizers; Phase locked loops
- Network servers**
 feasible scenarios, output of FIFO server. *Cholvi, V.*, +, *COML May 05* 397-399
 heterog. bursty traffic dispers., multiple server clusters. *Elhanany, I.*, +, *COML Mar 05* 261-263
- Newton method**
 Nakagami-m param. estim., further results. *Gaeddert, J.*, +, *COML Jan 05* 22-24
- Noise; cf.** Optical noise; Phase noise
- Nonlinear distortion; cf.** Intermodulation distortion
- Nonlinear programming; cf.** Quadratic programming
- Numerical analysis**
 BI-STCM-ID, Alamouti scheme, improved 16-QAM constellation labeling. *Yuheng Huang*, +, *COML Feb 05* 157-159
 carrier phase error, EGC receivers, correl. Nakagami-m fading, effects. *Sagias, N.C.*, +, *COML Jul 05* 580-582
 differential modulation, wireless relays, Rayleigh fading channels, perform. *Zhao, Q.*, +, *COML Apr 05* 343-345
 IEEE 802.11 saturation throughput anal., freeing of backoff counters. *Chuan Heng Foh*, +, *COML Feb 05* 130-132
- Numerical analysis; cf.** Curve fitting; Error analysis; Interpolation; Iterative methods; Monte Carlo methods
- Numerical stability**
 local stabil. of REM algm., time-varying delays, further results. *Huijun Gao*, +, *COML May 05* 402-404
- Nyquist stability**
 OFDM receiver, second order polynomial Nyquist window fn. *Rongfang Song*, +, *COML May 05* 391-393
- O**
- Object detection**
 predictive tracking, wireless sens. net., optimal tracking interval. *Zhen Guo*, +, *COML Sep 05* 805-807
- OFDM modulation**
 PAPR reduction of OFDM signals using partial transmit sequence, optimal approach using sphere decoding. *Alavi, A.*, +, *COML Nov 05* 982-984
 sub-opt. joint subcarrier/power alloc. algorithm for multiuser OFDM. *Mohanram, C.*, +, *COML Aug 05* 685-687
- Open systems**
 IPv4-IPv6 translation, NCTU SLT, socket-layer translator. *Whai-En Chen*, +, *COML Oct 05* 865-867
- Operations research; cf.** Scheduling
- Optical communication**
 context of runlength-limited-codes for opt. wireless communs., rate-adaptive transm. schemes. *Garrido-Balsells, J.M.*, +, *COML Sep 05* 787-789
 orthogonal arrays for opt. commun. systs., iteratively decodable codes. *Djordjevic, I.B.*, +, *COML Oct 05* 924-926
- Optical communication; cf.** Optical communication equipment; Optical fiber communication
- Optical communication equipment**
 linear equalizer for high-speed APD-based integrate-and-dump receivers. *Peng Sun*, +, *COML Dec 05* 1073-1075
 nonlinearity of Mach-Zehnder modulator, OFDM radio-over-fiber transm., effects. *Horvath, N.*, +, *COML Oct 05* 921-923
 SSB transmitter-filter, full-duplex radio-on-fiber transport syst., comp. *Hai-Han Lu*, +, *COML Jul 05* 649-651
- Optical communication equipment; cf.** Optical receivers; Photonic switching systems
- Optical delay lines**
 asynchronous opt. switching nets., generic-traffic opt. buffer modeling. *Almeida, R.C., Jr.*, +, *COML Feb 05* 175-177
- Optical dispersion; cf.** Optical fiber dispersion
- Optical elements; cf.** Optical delay lines
- Optical fiber communication**
 agile hybrid IP-opt. packet constr. mechanism, wavel. routed opt. packet switched nets., demons. *Nejabati, R.*, +, *COML Jun 05* 552-554
 asynchronous opt. switching nets., generic-traffic opt. buffer modeling. *Almeida, R.C., Jr.*, +, *COML Feb 05* 175-177
 bursts, segm. and deflection routing, protection switching. *Griffith, D.*, +, *COML Oct 05* 930-932
 connection unavailability estim., shared backup path protection, matrix-based anal. approach. *Mello, D.A.A.*, +, *COML Sep 05* 844-846

- dynamically survivable WDM net. design, p-cycle-based PWCE. *Zhenrong Zhang, +, COML Aug 05 756-758*
- heuristics-based PON deployment. *Khan, S.U., COML Sep 05 847-849*
- IP/WDM nets., hop-constraint lightpath establishment approach, routing algms. *Tong Ye, +, COML Feb 05 181-183*
- lightpath length-aware adaptive routing algm. for WDM nets. *Boujelben, Y., +, COML Aug 05 750-752*
- mesh opt. nets., reconfiguration protocol. *Shami, A., +, COML Jun 05 558-560*
- nonlinearity of Mach-Zehnder modulator, OFDM radio-over-fiber transm., effects. *Horvath, N., +, COML Oct 05 921-923*
- priority enabled dyn. traffic grooming. *Chen, B., +, COML Apr 05 366-368*
- rings, single-cct. links, asymptotic blocking probabilities. *Waldman, H., +, COML Jun 05 564-566*
- routing and wavel. assignment problem, opt. nets., tabu search heuristic. *Dzongang, C., +, COML May 05 426-428*
- spanning tree-based QoS aggregation algm., hierarchical ASON. *Lei Lei, +, COML May 05 459-461*
- sparse-partial wavel. conversion, wavel.-routed WDM nets., anal. model. *Xiaowen Chu, +, COML Jan 05 69-71*
- SSB transmitter-filter, full-duplex radio-on-fiber transport syst., comp. *Hai-Han Lu, +, COML Jul 05 649-651*
- static routing and wavel. assignment problem, Tabu search algm. *Ying Wang, +, COML Sep 05 841-843*
- waveband switching nets., limited wavel. conversion. *Cao, X., +, COML Jul 05 646-648*
- WDM opt. nets., reduced transmitter tuning overhead, message sched. *Xiaohong Huang, +, COML Jan 05 72-74*
- Optical fiber dispersion**
SSB transmitter-filter, full-duplex radio-on-fiber transport syst., comp. *Hai-Han Lu, +, COML Jul 05 649-651*
- Optical fiber filters**
SSB transmitter-filter, full-duplex radio-on-fiber transport syst., comp. *Hai-Han Lu, +, COML Jul 05 649-651*
- Optical fiber LAN**
intra-ONU bandwidth allocation, Ethernet pass. opt. nets., algm. *Jiajia Chen, +, COML Sep 05 850-852*
- Optical fiber networks; cf.** Optical fiber LAN
- Optical fibers; cf.** Optical fiber dispersion; Optical fiber filters
- Optical interferometry**
nonlinearity of Mach-Zehnder modulator, OFDM radio-over-fiber transm., effects. *Horvath, N., +, COML Oct 05 921-923*
- Optical noise**
wireless communs., single-channel imaging receiver. *Castillo-Vazquez, M., +, COML Oct 05 897-899*
- Optical properties; cf.** Optical noise
- Optical receivers**
wireless communs., single-channel imaging receiver. *Castillo-Vazquez, M., +, COML Oct 05 897-899*
- Optical switches; cf.** Photonic switching systems
- Optical waveguide filters; cf.** Optical fiber filters
- Optimization; cf.** Simulated annealing
- Optimization methods**
antenna downtilting, net. perform., GERAN systs., impact. *Wille, V., +, COML Jul 05 598-600*
- binary erasure channel, optimal regular LDPC codes. *Rashidpour, M., +, COML Jun 05 546-548*
- blind adaptive code-constrained const. modulus algms. for CDMA interf. suppression, multipath channels. *de Lamare, R.C., +, COML Apr 05 334-336*
- collaborative transmit diversity, adaptive radio resource and power allocation. *Larsson, E.G., +, COML Jun 05 511-513*
- DAPSK, HF communs. *Shuzheng Xu, +, COML Jul 05 613-615*
- DSL, multi-user power control algm. *Jungwon Lee, +, COML Mar 05 193-195*
- dyn. commun. nets., near-optimal service facility location. *Liotta, A., +, COML Sep 05 862-864*
- fast comput. of even and odd order intermodulation products, modified algm. *Baruffa, G., +, COML Feb 05 121-123*
- high-speed mobile channels, MIMO-OFDM tech. *Kyung Won Park, +, COML Jul 05 604-606*
- irregular repeat CPM. *Xiao, M., +, COML Aug 05 723-725*
- local av. SNR, Rician fading channels, MLE. *Beaulieu, N.C., +, COML Mar 05 219-221*
- modulation, unequal power allocation, unequal error protection. *Bruggen, T., +, COML Jun 05 484-486*
- multicarrier transm. systs., proportional fair sched. *Hoon Kim, +, COML Mar 05 210-212*
- Nakagami-m param. estim., further results. *Gaeddert, J., +, COML Jan 05 22-24*
- power control and successive interf. cancellation, indoor DS-CDMA syst. deployment and perform., implications. *Pais, A.V., +, COML Mar 05 204-206*
- predictive tracking, wireless sens. net., optimal tracking interval. *Zhen Guo, +, COML Sep 05 805-807*
- secure multicast key mgt., optimizing tree struct. *Wen Tao Zhu, COML May 05 477-479*
- selecting optimum switching net. structs., enumeration method. *Jajszczyk, A., +, COML Jan 05 64-65*
- turbo decoding, 1 bit extrinsic quantization. *Krzymien, L., +, COML Aug 05 732-734*
- uplink OFDMA systs., joint subcarrier and power allocation. *Keunyoung Kim, +, COML Jun 05 526-528*
- P**
- Packet radio**
CSMA/CA, finite user pop., av. packet delay. *Gkelias, A., +, COML Mar 05 273-275*
- multicarrier transm. systs., proportional fair sched. *Hoon Kim, +, COML Mar 05 210-212*
- rate-based feedback control, TCP wireless nets., supervisory control. *Hee-Jung Byun, +, COML Jul 05 610-612*
- service time, saturated IEEE 802.11 nets., stat. charactn. *Zanella, A., +, COML Mar 05 225-227*
- VoIP packets, IEEE 802.11e wireless LANs, access scheme. *Gyung-Ho Hwang, +, COML Jul 05 667-669*
- Packet radio networks**
packet triplet approach to estimate Internet path capacity. *Zou ZiXuan, +, COML Dec 05 1076-1078*
- Packet radio networks; cf.** Ad hoc networks
- Packet switching**
asynchronous opt. switching nets., generic-traffic opt. buffer modeling. *Almeida, R.C., Jr., +, COML Feb 05 175-177*
- buffered crossbar switch, throughput. *Lin, M., +, COML May 05 465-467*
- crossbar arbitration, reliable control protocol. *Minkenber, C., +, COML Feb 05 178-180*
- frame-based maximal wt. matching algm., transfer speedup, stabil. *Xike Li, +, COML Oct 05 942-944*
- heterog. bursty traffic dispers., multiple server clusters. *Elhanany, I., +, COML Mar 05 261-263*
- input-buffered packet switches, maximal size matching, stabil. anal. *Man-Soo Han, +, COML May 05 462-464*
- load-balanced combined input-crosspoint buffered packet switch and long round-trip times. *Rojas-Cessa, R., +, COML Jul 05 661-663*
- multirate systs., elastic traffic, recursive formula. *Bonald, T., +, COML Aug 05 753-755*
- rate estim.-based AIAD congestion control, TCP, stabil. and fairness. *Xu, K., +, COML Apr 05 378-380*
- switch architectures with shareable parallel memory modules. *Kumar, S., +, COML Nov 05 1015-1017*
- Packet switching; cf.** Multiprotocol label switching
- Paging communication**
WLAN and cellular integrat., effective VoIP call routing. *Yi-Bing Lin, +, COML Oct 05 874-876*
- Parameter estimation**
estim. correl. params. of multivariate Nakagami-m distrib., simul.-based approach. *Mingxin Zhou, +, COML Sep 05 799-801*
- Nakagami-m param. estim., MoM, remarks. *Gaeddert, J., +, COML Apr 05 313-315*
- noisy channel samples, Nakagami-m param. estimator. *Yunfei Chen, +, COML May 05 417-419*
- Parameter estimation; cf.** Delay estimation; Frequency estimation; Maximum likelihood estimation; Phase estimation; Recursive estimation
- Partial response signaling**
ISI channels, Ungerboeck obs. model, MAP sym. detect. *Colavolpe, G., +, COML Aug 05 720-722*
- Passive circuits**
heuristics-based PON deployment. *Khan, S.U., COML Sep 05 847-849*

- intra-ONU bandwidth allocation, Ethernet pass. opt. nets., algm. *Jiajia Chen*, +, *COML Sep 05* 850-852
- WDM opt. nets., reduced transmitter tuning overhead, message sched. *Xiaohong Huang*, +, *COML Jan 05* 72-74
- Pattern recognition; cf.** Object detection
- Performance evaluation**
- switch architectures with shareable parallel memory modules. *Kumar, S.*, +, *COML Nov 05* 1015-1017
- TFCI code performance of WCDMA systems. *Sung Lark Kwon*, +, *COML Nov 05* 979-981
- Personal communication networks**
- antenna downtilting, net. perform., GERAN systs., impact. *Wille, V.*, +, *COML Jul 05* 598-600
- Perturbation methods**
- MIMO eigenbeams under imperfect channel estim., improv. power allocation. *Willink, T.J.*, *COML Jul 05* 622-624
- Phase estimation**
- simple and fast carrier recovery algm. for high-order QAM. *Ghyslain, G.*, +, *COML Oct 05* 918-920
- turbo and LDPC coded sigs., by freq. offset, carrier phase tracking. *Nele, N.*, +, *COML Oct 05* 915-917
- Phase locked loops**
- 2-way master-slave double-chain nets. *Piqueira, J.R.C.*, +, *COML Sep 05* 829-831
- carrier phase error, EGC receivers, correl. Nakagami-m fading, effects. *Sagias, N.C.*, +, *COML Jul 05* 580-582
- Phase modulation; cf.** Continuous phase modulation; Phase shift keying
- Phase noise**
- induced ICI, MIMO OFDM systs. *Schenk, T.C.W.*, +, *COML Aug 05* 682-684
- Phase shift keying**
- arbitrary wedge-shaped region of MPSK syst., presence of quadrature error, probab. *Park, S.*, +, *COML Mar 05* 196-197
- BER of jointly optimal single cochannel interferer BPSK receiver, simple, intuitive expression. *Rabiei, A.M.*, +, *COML Mar 05* 201-203
- BER of switched diversity combining, Nakagami fading channels, results. *Lei Xiao*, +, *COML Feb 05* 136-138
- decorrelating detect. for multirate DS/CDMA, perform. anal. and improv. *Huang Lee*, +, *COML Feb 05* 103-105
- impulse radio UWB multiple access systs., pulse-based polarity randomization, simple-to-evaluate error probabilities. *Rahman, M.A.*, +, *COML Sep 05* 772-774
- LDPC-coded modulation systs., bit-reliab. mapping. *Li, Y.*, +, *COML Jan 05* 1-3
- modulation, unequal power allocation, unequal error protection. *Bruggen, T.*, +, *COML Jun 05* 484-486
- outage and BER of MRC diversity, bandlimited micro-cellular systs., CCI. *Sivanesan, K.*, +, *COML Mar 05* 207-209
- quasiorthogonal space-time codes, PSK modulation, optimal rot. angles. *Xian, L.*, +, *COML Aug 05* 676-678
- quasiorthogonal STBC, MPSK syms., optimal diversity product rotations. *Dong Wang*, +, *COML May 05* 420-422
- SNR jointly, pilot and data syms., approx. max. likelihood estimator. *Chen, Y.*, +, *COML Jun 05* 517-519
- Phase shift keying; cf.** Differential phase shift keying; Quadrature phase shift keying
- Photodiodes; cf.** Avalanche photodiodes
- Photoelectric devices; cf.** Image sensors
- Photonic switching systems**
- waveband switching nets., limited wavel. conversion. *Cao, X.*, +, *COML Jul 05* 646-648
- Piecewise linear approximation**
- feasible scenarios, output of FIFO server. *Cholvi, V.*, +, *COML May 05* 397-399
- Poisson distributions**
- wireless MAC, hybrid splitting algm. *Min Sheng*, +, *COML May 05* 468-470
- Polynomials**
- Nakagami-m param. estim., further results. *Gaeddert, J.*, +, *COML Jan 05* 22-24
- Power amplifiers**
- efficient PAPR, OFDM, defn. *Wulich, D.*, *COML Sep 05* 832-834
- linearized OFDM SSPA behavioral anal., sig. modeling classes. *O'Droma, N.S.*, +, *COML Feb 05* 127-129
- Power control**
- adaptive code posn. modulation scheme for wireless sens. nets. *Yong Yuan*, +, *COML Jun 05* 481-483
- approx. interf. stats. of DS/CDMA cellular systs., power control, freq.-selective fading channels, accurate method. *Chieh-Ho Lee*, +, *COML Jan 05* 28-30
- CAPC, collision avoidance power control MAC protocol for wireless ad hoc nets. *Kuei-Ping Shih*, +, *COML Sep 05* 859-861
- control and successive interf. cancellation, indoor DS-CDMA syst. deployment and perform., implications. *Pais, A.V.*, +, *COML Mar 05* 204-206
- DSL, multi-user power control algm. *Jungwon Lee*, +, *COML Mar 05* 193-195
- false power control command, CDMA systs. subj., meas. errors, probab. *Li-Chun Wang*, +, *COML Apr 05* 298-300
- IEEE 802.15.3 WPAN, intra-superframe power mgt. *Zihua Guo*, +, *COML Mar 05* 228-230
- imperfect power control multiuser detect., uplink of WCDMA high altitude platform syst., impact. *Karapanantzis, S.*, +, *COML May 05* 414-416
- power-aware routing, power-controlled wireless ad hoc nets., timer-based broadcasting. *Sun-Ho Lee*, +, *COML Mar 05* 222-224
- random power control in wireless ad hoc nets. *Tae-Suk Kim*, +, *COML Dec 05* 1046-1048
- reverse link rate control, cdma2000 1xEV-DO systs., anal. model. *Woon-Young Yeo*, +, *COML Mar 05* 270-272
- SINR-based call admission control, CDMA nets., imperfect power control, SINR threshold lower bound. *Ahmed, M.H.*, +, *COML Apr 05* 331-333
- systs., transm. beamforming, SINR estim. *Hasu, V.*, +, *COML Oct 05* 885-887
- Power demand**
- 4 inform. delivery methods, wireless sens. nets., energy impact. *Taddia, C.*, +, *COML Feb 05* 118-120
- av. operation time of wireless sens. net., deriving, upper bound. *Arnon, S.*, *COML Feb 05* 154-156
- energy effic., multi-hop routing. *Ergen, S.C.*, +, *COML Oct 05* 880-881
- Power system relaying**
- power allocation for cooperative relaying in wireless networks. *Xinmin Deng*, +, *COML Nov 05* 994-996
- Power systems; cf.** Power system relaying
- Power transmission**
- control, systs., transm. beamforming, SINR estim. *Hasu, V.*, +, *COML Oct 05* 885-887
- Prediction methods**
- predictive tracking, wireless sens. net., optimal tracking interval. *Zhen Guo*, +, *COML Sep 05* 805-807
- Probability**
- 2-phase access priority scheme, wireless commun. systs. *Taeso Kwon*, +, *COML Mar 05* 216-218
- AQM routers supporting TCP flows, TCC, 2-category classifier. *Fengyuan Ren*, +, *COML May 05* 471-473
- bit-interleaved coded modulation, BPSK/QPSK signaling, multidimensional mapping. *Simoens, F.*, +, *COML May 05* 453-455
- channelization codes, forward link of WCDMA, mgt. *Rouskas, A.N.*, +, *COML Aug 05* 679-681
- detect. and false alarm probabilities, spectrum pooling systs., calc. *Hillenbrand, J.*, +, *COML Apr 05* 349-351
- differential modulation, wireless relays, Rayleigh fading channels, perform. *Zhao, Q.*, +, *COML Apr 05* 343-345
- distrib. of weighted sum of Rayleigh variates, closed-form upper-bound. *Karagiannidis, G.K.*, +, *COML Jul 05* 589-591
- downlink multiuser diversity, opportunistic feedback. *Taiwen Tang*, +, *COML Oct 05* 948-950
- false power control command, CDMA systs. subj., meas. errors, probab. *Li-Chun Wang*, +, *COML Apr 05* 298-300
- Geo^V/G/∞ input proc. modeling, streaming video packet sched. *Sujeong Choi*, +, *COML May 05* 474-476
- heuristics-based PON deployment. *Khan, S.U.*, *COML Sep 05* 847-849
- hop count and Euclidean distance in greedy forwarding in wireless ad hoc networks. *De, S.*, *COML Nov 05* 1000-1002
- IEEE 802.11 DCF perform. anal., remarks. *Bianchi, G.*, +, *COML Aug 05* 765-767
- IEEE 802.11 saturation throughput anal., freezing of backoff counters. *Chuan Heng Foh*, +, *COML Feb 05* 130-132

- IEEE 802.15.3 WPAN apps., timing sync. *Won-Gi Jeon, +, COML Mar 05 255-257*
- irregular LDPC codes, concatenation regular LDPC codes. *Fossorier, M., +, COML Jul 05 628-630*
- local av. SNR, Rician fading channels, MLE. *Beaulieu, N.C., +, COML Mar 05 219-221*
- max. ratio transm., imperfect channel estim., perform. anal. *Chen, Y., +, COML Apr 05 322-324*
- MRC, equi-power cochannel interferers, correl. Rayleigh fading, outage probab. *Xiaodi Zhang, +, COML Jul 05 577-579*
- multi-component failure stratum probabilities, efficient comput. *Pandi, Z., +, COML Oct 05 939-941*
- multirate systs., elastic traffic, recursive formula. *Bonald, T., +, COML Aug 05 753-755*
- outage and BER of MRC diversity, bandlimited micro-cellular systs., CCI. *Sivanesan, K., +, COML Mar 05 207-209*
- outage probab., arbitrary SNR, cooperative diversity. *Zhao, Y., +, COML Aug 05 700-702*
- Rayleigh sum distrib. and densities, accurate simple closed-form approx. *Hu, J., +, COML Feb 05 109-111*
- reduce impact of legacy stations, 802.11e EDCA WLANs, ACKS, tech. *Vollero, L., +, COML Apr 05 346-348*
- rings, single-ect. links, asymptotic blocking probabilities. *Waldman, H., +, COML Jun 05 564-566*
- sig. constellation bit labeling for bit-interleaved coded modulation, iter. decoding, joint optim. *Muhammad, N.S., +, COML Sep 05 775-777*
- SINR-based call admission control, CDMA nets., imperfect power control, SINR threshold lower bound. *Ahmed, M.H., +, COML Apr 05 331-333*
- transmit diversity syst., mean channel gain inform., power allocation. *Luo, J., +, COML Jul 05 616-618*
- waveband switching nets., limited wavel. conversion. *Cao, X., +, COML Jul 05 646-648*
- wireless ad hoc nets. and qty. of hidden terminals, clustering coeff. *Li-Hsing Yen, +, COML Mar 05 234-236*
- Project engineering; cf.** Scheduling
- Protocols**
- breaking, improved password authenticated key exchange protocol for imbalanced wireless nets. *Muxiang Zhang, COML Mar 05 276-278*
- crossbar arbitration, reliable control protocol. *Minkenber, C., +, COML Feb 05 178-180*
- dyn. commun. nets., near-optimal service facility location. *Liotta, A., +, COML Sep 05 862-864*
- efficient password-based authentication protocol, security anal. and improv. *Taekyoung Kwon, +, COML Jan 05 93-95*
- E-mail protocol, flaws. *Dent, A.W., COML Aug 05 718-719*
- end-to--end security for mobile communs., end-user ident./authentication, cryptanalysis. *YongBin Zhou, +, COML Apr 05 372-374*
- fixing integr. Diffie-Hellman-DSA key exchange protocol. *Phan, R.C.-W., COML Jun 05 570-572*
- inter-sens. authentication, sens. nets., bootstrapping scheme. *Wen-Huei Chen, +, COML Oct 05 945-947*
- iter. sing. vectors estim. scheme for beamforming transm. and detect., MIMO systs. *Yang Tang, +, COML Jun 05 505-507*
- wireless, soft-length sym. protocol. *Jegbefume, O., +, COML Sep 05 793-795*
- Protocols; cf.** Access protocols; Multiprotocol label switching; Transport protocols
- Pseudonoise coding**
- parity bit selected spreading seqs. *D'Amours, C., COML Jan 05 16-18*
- Public key cryptography**
- breaking, improved password authenticated key exchange protocol for imbalanced wireless nets. *Muxiang Zhang, COML Mar 05 276-278*
- E-mail protocol, flaws. *Dent, A.W., COML Aug 05 718-719*
- end-to--end security for mobile communs., end-user ident./authentication, cryptanalysis. *YongBin Zhou, +, COML Apr 05 372-374*
- key mgt., minimized secret storage employing, erasure channel approach. *Mihaljevic, M.J., +, COML Aug 05 741-743*
- secure E-mail protocols providing perfect forward secrecy. *Hung-Min Sun, +, COML Jan 05 58-60*
- Pulse amplitude modulation**
- BER of switched diversity combining, Nakagami fading channels, results. *Lei Xiao, +, COML Feb 05 136-138*
- bit-interleaved turbo-coded modulation, shaping coding. *Le Goff, S.Y., +, COML Mar 05 246-248*
- Pulse code modulation**
- adaptive code posn. modulation scheme for wireless sens. nets. *Yong Yuan, +, COML Jun 05 481-483*
- Pulse modulation; cf.** Pulse amplitude modulation; Pulse code modulation
- Pulse position modulation**
- high data rate communs., indoor UWB systs., orthonormal pulses. *Kim, Y., +, COML May 05 405-407*
- noncoherent PPM modulation, apps., UWB communs., sig. design. *Jayaweera, S.K., COML May 05 411-413*
- time-hopping ultra-wide band multiple-access communs., practical capacity calc. *Adinoyi, A., +, COML Jul 05 601-603*
- UWB, multipath channels, capacity. *Ramirez-Mireles, F., COML Jun 05 523-525*
- Pulse time modulation; cf.** Pulse position modulation
- Q**
- Quadratic programming**
- BI-STCM-ID, Alamouti scheme, improved 16-QAM constellation labeling. *Yuheng Huang, +, COML Feb 05 157-159*
- Quadrature amplitude modulation**
- BER of switched diversity combining, Nakagami fading channels, results. *Lei Xiao, +, COML Feb 05 136-138*
- BI-STCM-ID, Alamouti scheme, improved 16-QAM constellation labeling. *Yuheng Huang, +, COML Feb 05 157-159*
- DAPSK, HF communs. *Shuzheng Xu, +, COML Jul 05 613-615*
- impulse noise, WHT-OFDM transm., impact. *Bogucka, H., COML Jan 05 37-39*
- LDPC-coded modulation systs., bit-reliab. mapping. *Li, Y., +, COML Jan 05 1-3*
- multilevel signaling, low rate code designs. *Banerjee, A., +, COML Feb 05 166-168*
- sig. constellation bit labeling for bit-interleaved coded modulation, iter. decoding, joint optim. *Muhammad, N.S., +, COML Sep 05 775-777*
- simple and fast carrier recovery algm. for high-order QAM. *Ghyslain, G., +, COML Oct 05 918-920*
- SINR for QAM sigs., NDA estim. *Chen, Y., +, COML Aug 05 688-690*
- Quadrature phase shift keying**
- bit error probab. for trellis coded QPSK, exact anal. *Yoshikawa, H., +, COML Mar 05 237-239*
- bit-interleaved coded modulation, BPSK/QPSK signaling, multidimensional mapping. *Simoens, F., +, COML May 05 453-455*
- carrier phase error, EGC receivers, correl. Nakagami-m fading, effects. *Sagias, N.C., +, COML Jul 05 580-582*
- cyclic design, space-time block codes. *Liang Xian, +, COML Mar 05 231-233*
- dual-channel reception of QPSK, Nakagami fading and cochannel interf., precise BER anal. *Cheng, J., +, COML Apr 05 316-318*
- Quantization**
- turbo decoding, 1 bit extrinsic quantization. *Krzymien, L., +, COML Aug 05 732-734*
- Quantization (signal); cf.** Vector quantization
- Queuing analysis**
- AQM routers supporting TCP flows, TCC, 2-category classifier. *Fengyuan Ren, +, COML May 05 471-473*
- AVQ, scalable param. tuning. *Liansheng Tan, +, COML Jan 05 90-92*
- Bernoullian 2-classes priority queue, closed form soln. *Mazzini, G., +, COML Mar 05 264-266*
- buffered crossbar switch, throughput. *Lin, M., +, COML May 05 465-467*
- crossbar arbitration, reliable control protocol. *Minkenber, C., +, COML Feb 05 178-180*
- dyn.-RED, control gain selection. *Liansheng Tan, +, COML Jan 05 81-83*
- fair congestion control scheme for TCP Vegas. *Hee-Jung Byun, +, COML Feb 05 190-192*
- FAST TCP, fairness and queuing issues. *Liansheng Tan, +, COML Aug 05 762-764*
- frame-based maximal wt. matching algm., transfer speedup, stabil. *Xike Li, +, COML Oct 05 942-944*
- Geo^Y/G/[∞] input proc. modeling, streaming video packet sched. *Sujeong Choi, +, COML May 05 474-476*
- heterog. bursty traffic dispers., multiple server clusters. *Elhanany, I., +, COML Mar 05 261-263*
- input-buffered packet switches, maximal size matching, stabil. anal. *Man-Soo Han, +, COML May 05 462-464*

low rate TCP denial-of-service attack detect., edge routers. *Shevtekar, A.*, +, *COML Apr 05* 363-365
 remarks regarding asymptotic packet loss, Pareto/M/1/K queueing syst. *Rodriguez-Dagnino, R.M.*, *COML Oct 05* 927-929
 SAVQ, stabil. adaptive virtual queue mgt. algm. *Cheng-Nian Long*, +, *COML Jan 05* 78-80
 stabil. queues, large-scale nets., control theoretic approach. *Yi Fan*, +, *COML Oct 05* 951-953
 WLAN throughput improv. via distrib. queueing MAC. *Alonso, L.*, +, *COML Apr 05* 310-312

R

Radio broadcasting

broadcast/multicast service, WLAN, enhanced power-saving mechanism. *Hyu-Dae Kim*, +, *COML Jun 05* 520-522

Radio broadcasting; cf. Digital audio broadcasting

Radio communication

adaptive RateLimit for 1xEV-DO reverse link traffic channels, rate control scheme BSased. *HyeJeong Lee*, +, *COML Oct 05* 903-905
 deterministic guaranteed service, FH-OFDM wireless syst., groupers. *Kihyun Pyun*, +, *COML Apr 05* 369-371
 downlink smart antenna syst., auxiliary pilot, CDMA2000 1X, perform. anal. *Weon-Cheol Lee*, +, *COML Jun 05* 514-516
 effective loss-distinguishable MAC protocol for 802.11 WLAN, design. *Qixiang Pang*, +, *COML Sep 05* 781-783
 imperfect power control multiuser detect., uplink of WCDMA high altitude platform syst., impact. *Karapantazis, S.*, +, *COML May 05* 414-416
 LMDS diversity systs. *Panagopoulos, A.D.*, +, *COML Feb 05* 145-147
 MIMO systs., covariance feedback, optimum transm. power strategy. *Yipeng Li*, +, *COML May 05* 444-446
 Nakagami-m param. estim., further results. *Gaeddert, J.*, +, *COML Jan 05* 22-24
 OFDMA net., optimality. *Li, G.*, +, *COML May 05* 438-440
 perform. eval. of downlink WCDMA/TDD mode, anal. framework. *Ismail, M.H.*, +, *COML Aug 05* 747-749
 rate-based feedback control, TCP wireless nets., supervisory control. *Hee-Jung Byun*, +, *COML Jul 05* 610-612
 Rayleigh sum distribs. and densities, accurate simple closed-form approxs. *Hu, J.*, +, *COML Feb 05* 109-111
 SINR-based call admission control, CDMA nets., imperfect power control, SINR threshold lower bound. *Ahmed, M.H.*, +, *COML Apr 05* 331-333
 time reversal techs., multiple element antenna systs., pot. *Nguyen, H.T.*, +, *COML Jan 05* 40-42
 uplink of CDMA multiservice mobile commun. syst., repeaters, feasibility condition. *Alonso, L.*, +, *COML May 05* 408-410

Radiocommunication; cf. Frequency hop communication; Radio broadcasting

Radio equipment; cf. Radio receivers; Radio repeaters; Radio transmitters; Transceivers

Radiofrequency interference; cf. Adjacent channel interference; Cochannel interference

Radio networks; cf. Packet radio networks

Radio propagation

decision feedback detect., error compensation for hybrid space-time block codes. *Chang Kyung Sung*, +, *COML Oct 05* 882-884
 DRM reception, field trials, min. ON requirements. *Prieto, G.*, +, *COML Oct 05* 877-879
 LMDS diversity systs. *Panagopoulos, A.D.*, +, *COML Feb 05* 145-147
 power control and successive interf. cancellation, indoor DS-CDMA syst. deployment and perform., implications. *Pais, A.V.*, +, *COML Mar 05* 204-206

Radio receivers

BER of jointly optimal single cochannel interferer BPSK receiver, simple, intuitive expression. *Rabiei, A.M.*, +, *COML Mar 05* 201-203
 blind adaptive code-constrained const. modulus algms. for CDMA interf. suppression, multipath channels. *de Lamare, R.C.*, +, *COML Apr 05* 334-336
 carrier phase error, EGC receivers, correl. Nakagami-m fading, effects. *Sagias, N.C.*, +, *COML Jul 05* 580-582
 DS-CDMA downlink receivers, sparse chip equalizer. *Kutz, G.*, +, *COML Jan 05* 10-12
 energy effic., multi-hop routing. *Ergen, S.C.*, +, *COML Oct 05* 880-881

error perform. of adaptive array antennas for CDMA, noncoherent M-ary orthogonal modulation, Nakagami fading. *Durrani, S.*, +, *COML Feb 05* 148-150
 estim. correl. params. of multivariate Nakagami-m distrib., simul.-based approach. *Mingxin Zhou*, +, *COML Sep 05* 799-801
 high data rate communs., indoor UWB systs., orthonormal pulses. *Kim, Y.*, +, *COML May 05* 405-407
 MIMO doubly-iter. receivers, pre vs. post-cancellation filtering. *Biglieri, E.*, +, *COML Feb 05* 106-108
 Nakagami-m fading channels, maximal-ratio diversity, extreme power dispers. profiles. *Win, M.Z.*, +, *COML May 05* 385-387
 noncoherent UWB impulse radio receiver. *Mi-Kyung Oh*, +, *COML Feb 05* 151-153
 OFDM receiver, second order polynomial Nyquist window fn. *Rongfang Song*, +, *COML May 05* 391-393
 OFDM systs., NBI-resistant zero-forcing equalizers. *Darsena, D.*, +, *COML Aug 05* 744-746
 perform. degrad. of UMTS receivers, UWB emissions, meas. *Cassoli, D.*, +, *COML May 05* 441-443
 phase noise induced ICI, MIMO OFDM systs. *Schenk, T.C.W.*, +, *COML Aug 05* 682-684
 Shannon channel capacity, gen. fading channels, results. *Sagias, N.C.*, +, *COML Feb 05* 97-99
 simplified adaptive modulation scheme for D-STTD systs. with linear receivers. *Jaesang Ham*, +, *COML Dec 05* 1049-1051
 SNR estim. error, adaptive modulation, impact. *Mohammad, M.*, +, *COML Jun 05* 490-492
 soft feedback interf. cancellation, low complexity turbo equalization. *Vogelbruch, F.*, +, *COML Jul 05* 586-588
 space-time block code and spatial MUX combined syst., detect. schemes. *Zhao, L.*, +, *COML Jan 05* 49-51
 switched diversity receivers, gen. gamma fading channels. *Sagias, N.C.*, +, *COML Oct 05* 871-873
 UWB, Rake-MMSE-equalizer perform. *Eslami, M.*, +, *COML Jun 05* 502-504
 UWB systs., GLRT receivers. *D'Amico, A.A.*, +, *COML Jun 05* 487-489

Radio repeaters

uplink of CDMA multiservice mobile commun. syst., repeaters, feasibility condition. *Alonso, L.*, +, *COML May 05* 408-410

Radiotelephony; cf. Cellular radio

Radio transmitters

linearized OFDM SSPA behavioral anal., sig. modeling classes. *O'Droma, N.S.*, +, *COML Feb 05* 127-129
 phase noise induced ICI, MIMO OFDM systs. *Schenk, T.C.W.*, +, *COML Aug 05* 682-684

Rain

LMDS diversity systs. *Panagopoulos, A.D.*, +, *COML Feb 05* 145-147

Random-access storage; cf. SRAM chips

Random functions

linear equalizer for high-speed APD-based integrate-and-dump receivers. *Peng Sun*, +, *COML Dec 05* 1073-1075

Random noise; cf. Burst noise; Gaussian noise

Random processes

epoch length of the random waypoint model in mobile ad hoc networks. *Yueh-Ting Wu*, +, *COML Nov 05* 1003-1005

Rayleigh channels

asynchronous FFH-MA systs., hard-limited combining, Rayleigh fading. *Jeungmin Joo*, +, *COML Apr 05* 295-297
 BI-STCM-ID, Alamouti scheme, improved 16-QAM constellation labeling. *Yuheng Huang*, +, *COML Feb 05* 157-159
 CPM, Rayleigh fading channels, multiuser detect. *Bokolamulla, D.*, +, *COML Oct 05* 906-908
 differential modulation, wireless relays, Rayleigh fading channels, perform. *Zhao, Q.*, +, *COML Apr 05* 343-345
 distrib. of weighted sum of Rayleigh variates, closed-form upper-bound. *Karagiannidis, G.K.*, +, *COML Jul 05* 589-591
 IEEE 802.15.3 WPAN appls., timing sync. *Won-Gi Jeon*, +, *COML Mar 05* 255-257
 iter. sing. vectors estim. scheme for beamforming transm. and detect., MIMO systs. *Yang Tang*, +, *COML Jun 05* 505-507

- max. ratio transm., imperfect channel estim., perform. anal. *Chen, Y., +, COML Apr 05 322-324*
- modified covariance-based mobile vel. estim. method for Rician fading channels. *Goohyun Park, +, COML Aug 05 706-708*
- MRC, equi-power cochannel interferers, correl. Rayleigh fading, outage probab. *Xiaodi Zhang, +, COML Jul 05 577-579*
- multi-code multi-packet transmission (MCMPT) in wireless CDMA ad hoc networks under Rayleigh fading channels. *Zhang, L., +, COML Nov 05 985-987*
- Nakagami-m fading channels, maximal-ratio diversity, extreme power dispers. profiles. *Win, M.Z., +, COML May 05 385-387*
- outage and BER of MRC diversity, bandlimited micro-cellular systs., CCI. *Sivanesan, K., +, COML Mar 05 207-209*
- pairwise error probab. for unitary space-time modulations, tight bounds. *Li, R., +, COML Apr 05 289-291*
- pairwise error probab., Rayleigh fading channels, appl., union bounds for turbo codes, efficient expression and bound. *Ince, E.A.R., +, COML Jan 05 25-27*
- phase noise induced ICI, MIMO OFDM systs. *Schenk, T.C.W., +, COML Aug 05 682-684*
- preprocessed space-time trellis codes, 1-bit feedback. *Milleth, J.K., +, COML Aug 05 703-705*
- reverse link rate control, cdma2000 1xEV-DO systs., anal. model. *Woon-Young Yeo, +, COML Mar 05 270-272*
- Shannon channel capacity, gen. fading channels, results. *Sagias, N.C., +, COML Feb 05 97-99*
- SNR estim. error, adaptive modulation, impact. *Mohammad, M., +, COML Jun 05 490-492*
- sum distribs. and densities, accurate simple closed-form approxs. *Hu, J., +, COML Feb 05 109-111*
- transmit diversity syst., mean channel gain inform., power allocation. *Luo, J., +, COML Jul 05 616-618*
- wireless data nets., multiuser diversity opportunistic sched. *Gyasi-Agyei, A., COML Jul 05 670-672*
- wireless fading channels, isotropic/nonisotropic scatt. environments, time-series model. *Sharma, P., COML Jan 05 46-48*
- Real time systems**
- deterministic guaranteed service, FH-OFDM wireless syst., groupers. *Kihyun Pyun, +, COML Apr 05 369-371*
- enhanced uplink sched. algm., voice activity for VoIP services, IEEE 802.16d/e syst. *Howon Lee, +, COML Aug 05 691-693*
- Receivers**
- linear equalizer for high-speed APD-based integrate-and-dump receivers. *Peng Sun, +, COML Dec 05 1073-1075*
- optimum receivers for differentially encoded M-PSK, low SNR, perform. anal. *Kanchumarthy, V.R., +, COML May 05 400-401*
- turbo decodulation. *Clevorn, T., +, COML Sep 05 820-822*
- turbo receivers, iter. carrier phase recovery methods. *Xiaofu Wu, +, COML Aug 05 735-737*
- Receivers; cf.** Optical receivers; Radio receivers; Transceivers
- Receiving antennas**
- capacity achieving high rate space-time block codes. *Sezgin, A., +, COML May 05 435-437*
- CPM, Rayleigh fading channels, multiuser detect. *Bokolamulla, D., +, COML Oct 05 906-908*
- MIMO systs., covariance feedback, optimum transm. power strategy. *Yipeng Li, +, COML May 05 444-446*
- MRC, equi-power cochannel interferers, correl. Rayleigh fading, outage probab. *Xiaodi Zhang, +, COML Jul 05 577-579*
- rank-deficient MIMO systs., efficient gen. sphere decoder. *Cui, T., +, COML May 05 423-425*
- UWB Signals, multiple receive antennas, interf. suppression scheme. *Bharadwaj, V., +, COML Jun 05 529-531*
- vector Gaussian broadcast channels, space-time trellis coding scheme. *Li, Y., +, COML May 05 388-390*
- Reception; cf.** Diversity reception
- Reconfigurable architectures**
- agile hybrid IP-opt. packet constr. mechanism, wavel. routed opt. packet switched nets., demons. *Nejabat, R., +, COML Jun 05 552-554*
- Recovery**
- loss recovery architecture for wireless TCP. *Moonsoo Kang, +, COML Nov 05 1018-1020*
- Recursive estimation**
- convolutional space-time codes, arbitrary no. of transmit antennas, design. *Ying Li, +, COML Jul 05 637-639*
- high-rate serially concatenated coding, extended Hamming codes. *Isaka, M., +, COML Feb 05 160-162*
- lin. systs., binary inputs, approx. MMSE-APP estim. *Li Ping, COML Feb 05 172-174*
- long-range depend. net. traffic, automatic scaling range selection. *Xiangdong Xia, +, COML Oct 05 954-956*
- Reed-Muller codes**
- gen. 1st-order Reed-Muller codes, simple max.-likelihood decoding. *Schmidt, K.-U., +, COML Oct 05 912-914*
- TFCI code performance of WCDMA systems. *Sung Lark Kwon, +, COML Nov 05 979-981*
- Reed-Solomon codes**
- gen. RS codes, Galois rings, multistage list decoding. *Armand, M.A., +, COML Jul 05 625-627*
- Relay control systems**
- power control, systs., transm. beamforming, SINR estim. *Hasu, V., +, COML Oct 05 885-887*
- Repeaters; cf.** Radio repeaters
- Resource management**
- bandwidth allocation, sens. nets., peer-to-peer middleware. *Caviglione, L., +, COML Mar 05 285-287*
- collaborative transmit diversity, adaptive radio resource and power allocation. *Larsson, E.G., +, COML Jun 05 511-513*
- deterministic guaranteed service, FH-OFDM wireless syst., groupers. *Kihyun Pyun, +, COML Apr 05 369-371*
- IP/WDM nets., hop-constraint lightpath establishment approach, routing algms. *Tong Ye, +, COML Feb 05 181-183*
- uplink OFDMA systs., joint subcarrier and power allocation. *Keunyoung Kim, +, COML Jun 05 526-528*
- Rician channels**
- local av. SNR, Rician fading channels, MLE. *Beaulieu, N.C., +, COML Mar 05 219-221*
- maximum likelihood estimation of K factor in Rician fading channels. *Yunfei Chen, +, COML Dec 05 1040-1042*
- modified covariance-based mobile vel. estim. method for Rician fading channels. *Goohyun Park, +, COML Aug 05 706-708*
- preprocessed space-time trellis codes, 1-bit feedback. *Milleth, J.K., +, COML Aug 05 703-705*
- Rician sum distribs. and densities, accurate closed-form approxs. *Hu, J., +, COML Feb 05 133-135*
- space-time codes, freq. selective Rician channels, pairwise error probab. *Dharmawansa, P., +, COML Oct 05 894-896*
- Routh methods**
- 2-way master-slave double-chain nets. *Piqueira, J.R.C., +, COML Sep 05 829-831*
- Run length codes**
- context of runlength-limited-codes for opt. wireless communs., rate-adaptive transm. schemes. *Garrido-Balsells, J.M., +, COML Sep 05 787-789*

S

Satellite communication

simple reconfigurable low-dens. parity-check codes. *Liva, G., +, COML Mar 05 258-260*

Scheduling

adaptive code posn. modulation scheme for wireless sens. nets. *Yong Yuan, +, COML Jun 05 481-483*

dyn. routing of sliding scheduled traffic demands, hops optimal algm. *Bin Wang, +, COML Oct 05 936-938*

eigen-based MIMO multiuser scheduler, partial feedback inform. *Hakju Lee, +, COML Apr 05 328-330*

enhanced channel-quality indication (CQI) reporting scheme for HSDPA systs. *Soo-Yong Jeon, +, COML May 05 432-434*

enhanced uplink sched. algm., voice activity for VoIP services, IEEE 802.16d/e syst. *Howon Lee, +, COML Aug 05 691-693*

feasible scenarios, output of FIFO server. *Cholvi, V., +, COML May 05 397-399*

frame-based maximal wt. matching algm., transfer speedup, stabil. *Xike Li, +, COML Oct 05 942-944*

Geo^Y/G/∞ input proc. modeling, streaming video packet sched. *Sujeong Choi, +, COML May 05 474-476*

IEEE 802.11 wireless LANs, designing, fair sched. mechanism. *Huei-Wen Ferng, +, COML Apr 05 301-303*

- IEEE 802.15.3 WPAN, intra-superframe power mgt. *Zihua Guo, +, COML Mar 05 228-230*
- multicarrier transm. systs., proportional fair sched. *Hoon Kim, +, COML Mar 05 210-212*
- WDM opt. nets., reduced transmitter tuning overhead, message sched. *Xiaohong Huang, +, COML Jan 05 72-74*
- wireless data nets., multiuser diversity opportunistic sched. *Gyasi-Agyei, A., COML Jul 05 670-672*
- Search methods**
- IEEE 802.15.3 WPAN, intra-superframe power mgt. *Zihua Guo, +, COML Mar 05 228-230*
- IP multicast, FOTG, fault-oriented stress testing. *Helmy, A., +, COML Apr 05 375-377*
- long-range depend. net. traffic, automatic scaling range selection. *Xiangdong Xia, +, COML Oct 05 954-956*
- packet forwarding engines, adaptive block-selection scheme, throughput increase. *Akhbarizadeh, M.J., +, COML Sep 05 838-840*
- routing and wavel. assignment problem, opt. nets., tabu search heuristic. *Dzongang, C., +, COML May 05 426-428*
- static routing and wavel. assignment problem, Tabu search algm. *Ying Wang, +, COML Sep 05 841-843*
- Search problems; cf.** Tree searching
- Security; cf.** Access control
- Security of data; cf.** Cryptography; Message authentication
- Sensors; cf.** Image sensors
- Sequences**
- parity bit selected spreading seqs. *D'Amours, C., COML Jan 05 16-18*
- Sequences; cf.** Binary sequences
- Set theory**
- modeling of dyn. wireless sens. nets., continuum theory-based approach. *Papavassiliou, S., +, COML Apr 05 337-339*
- Signal detection**
- BER of jointly optimal single cochannel interferer BPSK receiver, simple, intuitive expression. *Rabiei, A.M., +, COML Mar 05 201-203*
- commun. constraints, large syst. decentralized detect. perform. *Jayaweera, S.K., COML Sep 05 769-771*
- decision feedback detect., error compensation for hybrid space-time block codes. *Chang Kyung Sung, +, COML Oct 05 882-884*
- iter. sing. vectors estim. scheme for beamforming transm. and detect., MIMO systs. *Yang Tang, +, COML Jun 05 505-507*
- multicell spreading sequence design algorithm for overloaded S-CDMA. *Cotae, P., COML Dec 05 1028-1030*
- nonbinary codes, wireless sens. nets., fault-tolerant distrib. class. *Tsang-Yi Wang, +, COML Sep 05 808-810*
- noncoherent PPM modulation, appls., UWB communs., sig. design. *Jayaweera, S.K., COML May 05 411-413*
- soft feedback interf. cancellation, low complexity turbo equalization. *Vogelbruch, F., +, COML Jul 05 586-588*
- space-time block code and spatial MUX combined syst., detect. schemes. *Zhao, L., +, COML Jan 05 49-51*
- threshold selection for UWB TOA estimation based on Kurtosis anal. *Guvenc, I., +, COML Dec 05 1025-1027*
- Signal detection; cf.** Maximum likelihood detection; Multiuser detection
- Signal processing**
- adaptive code posn. modulation scheme for wireless sens. nets. *Yong Yuan, +, COML Jun 05 481-483*
- handoff algms., sig.-based eval. *Halgamuge, M.N., +, COML Sep 05 790-792*
- Signal processing; cf.** Array signal processing; Data compression
- Signal representations**
- linearized OFDM SSPA behavioral anal., sig. modeling classes. *O'Droma, N.S., +, COML Feb 05 127-129*
- Simulated annealing**
- achieve complete coverage-discrim., sens. nets., near-optimal sens. placement algm. *Lin, F.Y.S., +, COML Jan 05 43-45*
- Singular value decomposition**
- iter. sing. vectors estim. scheme for beamforming transm. and detect., MIMO systs. *Yang Tang, +, COML Jun 05 505-507*
- Software engineering; cf.** Software maintenance
- Software maintenance**
- improved MPEG video delivery, DiffServ net., 2 markers syst. *Chih-Heng Ke, +, COML Apr 05 381-383*
- Software standards**
- local stabil. of REM algm., time-varying delays, further results. *Huijun Gao, +, COML May 05 402-404*
- Source coding**
- irregular LDPC codes for joint source-channel decoding, anal. and optimization. *Poulliat, C., +, COML Dec 05 1064-xx2*
- lin. congruential recursions, trellis source codes. *Anderson, J.B., +, COML Mar 05 198-200*
- symmetric/asymmetric Slepian-Wolf codes, systematic and nonsystematic lin. codes. *Gehrig, N., +, COML Jan 05 61-63*
- Space division multiplexing**
- decision feedback detect., error compensation for hybrid space-time block codes. *Chang Kyung Sung, +, COML Oct 05 882-884*
- Space-time codes**
- closed-form approximation for the outage capacity of orthogonal STBC. *Perez, J., +, COML Nov 05 961-963*
- Sparse matrices**
- algebraic codes suitable for iter. decoding, graphical representations. *Vidya Kumar, +, COML Aug 05 729-731*
- Spatial variables measurement; cf.** Distance measurement
- Spectral analysis**
- detect. and false alarm probabilities, spectrum pooling systs., calc. *Hillenbrand, J., +, COML Apr 05 349-351*
- OWSS sig., spectral characts. *Divakaran, D., +, COML Apr 05 325-327*
- Spread spectrum communication**
- approx. interf. stats. of DS/CDMA cellular systs., power control, freq.-selective fading channels, accurate method. *Chieh-Ho Lee, +, COML Jan 05 28-30*
- blind adaptive code-constrained const. modulus algms. for CDMA interf. suppression, multipath channels. *de Lamare, R.C., +, COML Apr 05 334-336*
- commun. constraints, large syst. decentralized detect. perform. *Jayaweera, S.K., COML Sep 05 769-771*
- decorrelating detect. for multirate DS/CDMA, perform. anal. and improv. *Huang Lee, +, COML Feb 05 103-105*
- DS-CDMA downlink receivers, sparse chip equalizer. *Kutz, G., +, COML Jan 05 10-12*
- DS-CDMA, interpolated FIR filters, reduced-rank interf. suppression. *de Lamare, R.C., +, COML Mar 05 213-215*
- error perform. of adaptive array antennas for CDMA, noncoherent M-ary orthogonal modulation, Nakagami fading. *Durrani, S., +, COML Feb 05 148-150*
- IEEE 802.11 wireless LANs for lossy channel, saturation throughput anal. *Dong, X.J., +, COML Feb 05 100-102*
- impulse noise, WHT-OFDM transm., impact. *Bogucka, H., COML Jan 05 37-39*
- multicell spreading sequence design algorithm for overloaded S-CDMA. *Cotae, P., COML Dec 05 1028-1030*
- OWSS sig., spectral characts. *Divakaran, D., +, COML Apr 05 325-327*
- parity bit selected spreading seqs. *D'Amours, C., COML Jan 05 16-18*
- perform. degrad. of UMTS receivers, UWB emissions, meas. *Cassioi, D., +, COML May 05 441-443*
- power control and successive interf. cancellation, indoor DS-CDMA syst. deployment and perform., implications. *Pais, A.V., +, COML Mar 05 204-206*
- SRAM chips**
- multiple small trees for IP address lookup, binary searches. *Hyesook Lim, +, COML Jan 05 75-77*
- Stability**
- input-buffered packet switches, maximal size matching, stabil. anal. *Man-Soo Han, +, COML May 05 462-464*
- Stability; cf.** Asymptotic stability; Numerical stability; Nyquist stability; Routh methods
- Standards; cf.** IEEE standards; Software standards
- Statistical analysis; cf.** Covariance analysis; Higher order statistics; Maximum likelihood estimation
- Statistics**
- Bernoullian 2-classes priority queue, closed form soln. *Mazzini, G., +, COML Mar 05 264-266*
- delta compress., fixed-length substring coding for fast content download. *Chunpeng Xiao, +, COML Mar 05 243-245*
- linearized OFDM SSPA behavioral anal., sig. modeling classes. *O'Droma, N.S., +, COML Feb 05 127-129*
- Statics; cf.** Error statistics; Monte Carlo methods; Time series
- Stochastic processes**
- 1D MANETs, random waypoint movement, net. connectivity. *Chuan Heng Foh, +, COML Jan 05 31-33*

commun. constraints, large syst. decentralized detect. perform. *Jayaweera, S.K., COML Sep 05 769-771*
 knapsack, bursty arrivals, steady state distrib. *Sarangan, V., +, COML Feb 05 187-189*
 long-range depend. net. traffic, automatic scaling range selection. *Xiangdong Xia, +, COML Oct 05 954-956*
 turbo-codes, double and triple impulse methods, estimating min. dist. *Crozier, S., +, COML Jul 05 631-633*

Stochastic processes; cf. Autoregressive processes; Gaussian processes; Markov processes

Switching; cf. Telecommunication switching

Synchronization

data, unknown distrib., AWGN channels, practical frame sync. *Chiani, M., +, COML May 05 456-458*
 IEEE 802.15.3 WPAN appls., timing sync. *Won-Gi Jeon, +, COML Mar 05 255-257*
 simple and fast carrier recovery algm. for high-order QAM. *Ghyslain, G., +, COML Oct 05 918-920*
 time-hopping ultra-wide band multiple-access communs., practical capacity calc. *Adinoyi, A., +, COML Jul 05 601-603*
 turbo and LDPC coded sigs., by freq. offset, carrier phase tracking. *Nele, N., +, COML Oct 05 915-917*

T

Table lookup

IP address lookup, efficient binary search. *Changhoon Yim, +, COML Jul 05 652-654*
 multiple small trees for IP address lookup, binary searches. *Hyesook Lim, +, COML Jan 05 75-77*

Telecommunication; cf. Automatic repeat request; Data communication; Digital communication; Mobile communication; Optical communication; Satellite communication; Spread spectrum communication; Telecommunication links; Telecommunication signaling; Telecommunication switching; Telecommunication traffic

Telecommunication channels; cf. Broadcast channels; Channel capacity; Fading channels; Gaussian channels; Multipath channels; Multiuser channels; Rayleigh channels; Rician channels; Time-varying channels

Telecommunication equipment; cf. Optical communication equipment

Telecommunication links

Hamiltonian cycles as optimal p-cycles. *Schupke, D.A., COML Apr 05 360-362*

Telecommunication network management

efficient algorithm for the minimum cost min-max load terminal assignment problem. *Chor Ping Low, COML Nov 05 1012-1014*

Telecommunication network management; cf. Computer network management

Telecommunication network reliability; cf. Computer network reliability

Telecommunication networks; cf. Personal communication networks; Telecommunication network management

Telecommunication network topology

Hamiltonian cycles as optimal p-cycles. *Schupke, D.A., COML Apr 05 360-362*

Telecommunication services; cf. Electronic mail

Telecommunication signaling

family of low-complexity binary linear codes for Bluetooth and BLAST signaling applications. *Loskot, P., +, COML Dec 05 1061-xx2*

Telecommunication switching

switch architectures with shareable parallel memory modules. *Kumar, S., +, COML Nov 05 1015-1017*

Telecommunication switching; cf. Electronic switching systems; Multiplexing; Photonic switching systems

Telecommunication traffic

full label space reduction in MPLS networks, asymmetric merged tunneling. *Solano, F., +, COML Nov 05 1021-1023*

Thermodynamic properties; cf. Entropy

Threshold elements

3R wavelength converters on the blocking probability of WDM networks with finite impairment threshold. *Yun Hee Cho, +, COML Nov 05 1009-1011*

Threshold logic

threshold selection for UWB TOA estimation based on Kurtosis anal. *Guvenc, I., +, COML Dec 05 1025-1027*

Time division multiaccess

IEEE 802.15.3 WPAN, intra-superframe power mgt. *Zihua Guo, +, COML Mar 05 228-230*

Time division multiplexing

iter. sing. vectors estim. scheme for beamforming transm. and detect., MIMO systems. *Yang Tang, +, COML Jun 05 505-507*
 perform. eval. of downlink WCDMA/TDD mode, anal. framework. *Ismail, M.H., +, COML Aug 05 747-749*

Time division multiplexing; cf. Asynchronous transfer mode; Packet switching

Time-domain analysis; cf. Time-frequency analysis

Time-frequency analysis

linearized OFDM SSPA behavioral anal., sig. modeling classes. *O'Droma, N.S., +, COML Feb 05 127-129*
 UWB channel equalization, matching pursuit-based tap selection tech. *Lin Zhiwei, +, COML Sep 05 835-837*

Time series

wireless fading channels, isotropic/nonisotropic scatt. environments, time-series model. *Sharma, P., COML Jan 05 46-48*

Time-varying channels

high-speed mobile channels, MIMO-OFDM tech. *Kyung Won Park, +, COML Jul 05 604-606*
 OFDM, simple equalization. *Rugini, L., +, COML Jul 05 619-621*
 PCC-OFDM systs. for general time-varying channel. *Ng, W.T., +, COML May 05 394-396*

Time-varying systems

local stabil. of REM algm., time-varying delays, further results. *Huijun Gao, +, COML May 05 402-404*

Timing

IEEE 802.15.3 WPAN appls., timing sync. *Won-Gi Jeon, +, COML Mar 05 255-257*
 outage and BER of MRC diversity, bandlimited micro-cellular systs., CCI. *Sivanesan, K., +, COML Mar 05 207-209*

Toeplitz matrices

MIMO-DSL, low-complexity Low-PAR transm. *Ryan, D.J., +, COML Oct 05 868-870*

Topology; cf. Graph theory

Tracking

predictive tracking, wireless sens. net., optimal tracking interval. *Zhen Guo, +, COML Sep 05 805-807*

Traffic; cf. Telecommunication traffic

Traffic control (communication)

admission control, phys. rate meas. for IEEE 802.11e controlled channel access. *Gao, D., +, COML Aug 05 694-696*
 AQM routers supporting TCP flows, TCC, 2-category classifier. *Fengyuan Ren, +, COML May 05 471-473*
 AVQ, scalable param. tuning. *Liansheng Tan, +, COML Jan 05 90-92*
 Bernoullian 2-classes priority queue, closed form soln. *Mazzini, G., +, COML Mar 05 264-266*
 CAPC, collision avoidance power control MAC protocol for wireless ad hoc nets. *Kuei-Ping Shih, +, COML Sep 05 859-861*
 dyn.-RED, control gain selection. *Liansheng Tan, +, COML Jan 05 81-83*
 effective loss-distinguishable MAC protocol for 802.11 WLAN, design. *Qixiang Pang, +, COML Sep 05 781-783*
 fair congestion control scheme for TCP Vegas. *Hee-Jung Byun, +, COML Feb 05 190-192*
 FAST TCP, fairness and queuing issues. *Liansheng Tan, +, COML Aug 05 762-764*
 flow control, proc. constraint. *Song Chong, +, COML Oct 05 957-959*
 heterog. bursty traffic dispers., multiple server clusters. *Elhanany, I., +, COML Mar 05 261-263*
 HomePlug 1.0, MAC throughput anal. *Myoung-Hee Jung, +, COML Feb 05 184-186*
 local stabil. of REM algm., time-varying delays, further results. *Huijun Gao, +, COML May 05 402-404*
 low rate TCP denial-of-service attack detect., edge routers. *Shevtekar, A., +, COML Apr 05 363-365*
 max-min flow control, deterministic packet marking. *Hyung-Keun Ryu, +, COML Sep 05 856-858*
 metropolitan and WAN, adaptive bandwidth allocation. *Liansheng Tan, +, COML Jun 05 561-563*
 net. service provision, subscription admission control. *Kuppuswamy, K., +, COML Jan 05 66-68*
 nonhomogeneous TCP sources, buffer sizing. *Andrew, L.L.H., +, COML Jun 05 567-569*

- priority enabled dyn. traffic grooming. *Chen, B.*, +, *COML Apr 05* 366-368
- rate-based feedback control, TCP wireless nets., supervisory control. *Hee-Jung Byun*, +, *COML Jul 05* 610-612
- rate estim.-based AIAD congestion control, TCP, stabil. and fairness. *Xu, K.*, +, *COML Apr 05* 378-380
- reverse link rate control, cdma2000 1xEV-DO systs., anal. model. *Woon-Young Yeo*, +, *COML Mar 05* 270-272
- SAVQ, stabil. adaptive virtual queue mgt. algm. *Cheng-Nian Long*, +, *COML Jan 05* 78-80
- SINR-based call admission control, CDMA nets., imperfect power control, SINR threshold lower bound. *Ahmed, M.H.*, +, *COML Apr 05* 331-333
- stabil. queues, large-scale nets., control theoretic approach. *Yi Fan*, +, *COML Oct 05* 951-953
- stoch. knapsack, bursty arrivals, steady state distrib. *Sarangan, V.*, +, *COML Feb 05* 187-189
- uplink of CDMA multiservice mobile commun. syst., repeaters, feasibility condition. *Alonso, L.*, +, *COML May 05* 408-410
- VoIP packets, IEEE 802.11e wireless LANs, access scheme. *Gyung-Ho Hwang*, +, *COML Jul 05* 667-669
- wireless MAC, hybrid splitting algm. *Min Sheng*, +, *COML May 05* 468-470
- WLAN and cellular integrat., effective VoIP call routing. *Yi-Bing Lin*, +, *COML Oct 05* 874-876
- Training**
UWB channel equalization, matching pursuit-based tap selection tech. *Lin Zhiwei*, +, *COML Sep 05* 835-837
- Transceivers**
2x2 antennas Bluetooth syst. *Danjou, E.J.D.*, +, *COML Sep 05* 784-786
downlink smart antenna syst., auxiliary pilot, CDMA2000 1X, perform. anal. *Weon-Cheol Lee*, +, *COML Jun 05* 514-516
IP/WDM nets., hop-constraint lighthouse establishment approach, routing algms. *Tong Ye*, +, *COML Feb 05* 181-183
- Transfer functions**
irregular repeat CPM. *Xiao, M.*, +, *COML Aug 05* 723-725
pairwise error probab., Rayleigh fading channels, appl., union bounds for turbo codes, efficient expression and bound. *Ince, E.A.R.*, +, *COML Jan 05* 25-27
- Transforms; cf.** Hadamard transforms; Laplace transforms; Wavelet transforms
- Transient response**
linear equalizer for high-speed APD-based integrate-and-dump receivers. *Peng Sun*, +, *COML Dec 05* 1073-1075
- Transmission; cf.** Power transmission
- Transmitters; cf.** Radio transmitters; Transceivers
- Transmitting antennas**
capacity achieving high rate space-time block codes. *Sezgin, A.*, +, *COML May 05* 435-437
complex orthogonal space-time block code for 8 transmit antennas. *Xue-Bin Liang*, *COML Feb 05* 115-117
cyclic design, space-time block codes. *Liang Xian*, +, *COML Mar 05* 231-233
decision feedback detect., error compensation for hybrid space-time block codes. *Chang Kyung Sung*, +, *COML Oct 05* 882-884
differential unitary space-time modulations, than 2 transmit antennas, improved sig. constellations. *Thian Ping Soh*, +, *COML Jan 05* 7-9
MIMO systs., covariance feedback, optimum transm. power strategy. *Yipeng Li*, +, *COML May 05* 444-446
rank-deficient MIMO systs., efficient gen. sphere decoder. *Cui, T.*, +, *COML May 05* 423-425
recursive convolutional space-time codes, arbitrary no. of transmit antennas, design. *Ying Li*, +, *COML Jul 05* 637-639
space-time block code and spatial MUX combined syst., detect. schemes. *Zhao, L.*, +, *COML Jan 05* 49-51
STBC MIMO-OFDM peak-to-av. power ratio reduction by cross-antenna rot. and inversion. *Tan, M.*, +, *COML Jul 05* 592-594
V-BLAST syst., 2 antennas, transmitter, optimum power allocation. *Kalbasi, R.*, +, *COML Sep 05* 826-828
vector Gaussian broadcast channels, space-time trellis coding scheme. *Li, Y.*, +, *COML May 05* 388-390
- Transport processes; cf.** Carrier lifetime
- Transport protocol**
loss recovery architecture for wireless TCP. *Moonsoo Kang*, +, *COML Nov 05* 1018-1020
- Transport protocols**
AQM routers supporting TCP flows, TCC, 2-category classifier. *Fengyuan Ren*, +, *COML May 05* 471-473
efficient per-VC accounting-based buffer mgt. scheme for GFR services, TCP/IP nets. *Po-Chou Lin*, +, *COML Jun 05* 555-557
fair congestion control scheme for TCP Vegas. *Hee-Jung Byun*, +, *COML Feb 05* 190-192
FAST TCP, fairness and queuing issues. *Liansheng Tan*, +, *COML Aug 05* 762-764
IP address lookup, efficient binary search. *Changhoon Yim*, +, *COML Jul 05* 652-654
IPv4-IPv6 translation, NCTU SLT, socket-layer translator. *Whai-En Chen*, +, *COML Oct 05* 865-867
low rate TCP denial-of-service attack detect., edge routers. *Shevtekar, A.*, +, *COML Apr 05* 363-365
modeling TCP long file transfer latency over long delay wireless multilink PPP. *Zaghloul, S.*, +, *COML Nov 05* 988-990
multiple small trees for IP address lookup, binary searches. *Hyesook Lim*, +, *COML Jan 05* 75-77
nonhomogeneous TCP sources, buffer sizing. *Andrew, L.L.H.*, +, *COML Jun 05* 567-569
rate-based feedback control, TCP wireless nets., supervisory control. *Hee-Jung Byun*, +, *COML Jul 05* 610-612
rate estim.-based AIAD congestion control, TCP, stabil. and fairness. *Xu, K.*, +, *COML Apr 05* 378-380
TCP AIMD dynamics, Internet connections. *Gao, J.*, +, *COML Jan 05* 4-6
TCP connection, slow-start phase, WLAN, adaptive beacon listening protocol. *Jung-Ryun Lee*, +, *COML Sep 05* 853-855
TCP fairness in 802.11e WLANs. *Leith, D.J.*, +, *COML Nov 05* 964-966
WLAN and cellular integrat., effective VoIP call routing. *Yi-Bing Lin*, +, *COML Oct 05* 874-876
- Tree data structures**
IP address lookup, efficient binary search. *Changhoon Yim*, +, *COML Jul 05* 652-654
- Tree searching**
IP address lookup, efficient binary search. *Changhoon Yim*, +, *COML Jul 05* 652-654
multiple small trees for IP address lookup, binary searches. *Hyesook Lim*, +, *COML Jan 05* 75-77
- Trees (graphs)**
channelization codes, forward link of WCDMA, mgt. *Rouskas, A.N.*, +, *COML Aug 05* 679-681
IP address lookup, efficient binary search. *Changhoon Yim*, +, *COML Jul 05* 652-654
secure multicast key mgt., optimizing tree struct. *Wen Tao Zhu*, *COML May 05* 477-479
spanning tree-based QoS aggregation algm., hierarchical ASON. *Lei Lei*, +, *COML May 05* 459-461
- Trellis coded modulation**
bit error probab. for trellis coded QPSK, exact anal. *Yoshikawa, H.*, +, *COML Mar 05* 237-239
CT-TCM codes, hybrid ARQ scheme. *Qian Huang*, +, *COML Jul 05* 664-666
- Trellis codes**
generalized punctured convolutional codes. *Uchoa-Filho, B.F.*, +, *COML Dec 05* 1070-1072
lin. congruential recursions, trellis source codes. *Anderson, J.B.*, +, *COML Mar 05* 198-200
preprocessed space-time trellis codes, 1-bit feedback. *Milleth, J.K.*, +, *COML Aug 05* 703-705
recursive convolutional space-time codes, arbitrary no. of transmit antennas, design. *Ying Li*, +, *COML Jul 05* 637-639
space-time codes, freq. selective Rician channels, pairwise error probab. *Dharmawansa, P.*, +, *COML Oct 05* 894-896
turbo codes, extended tail-biting schemes. *Jing Sun*, +, *COML Mar 05* 252-254
vector Gaussian broadcast channels, space-time trellis coding scheme. *Li, Y.*, +, *COML May 05* 388-390
- Trellis codes; cf.** Trellis coded modulation
- Tunneling**
full label space reduction in MPLS networks, asymmetric merged tunneling. *Solano, F.*, +, *COML Nov 05* 1021-1023

Turbo codes

distance-based decoding of block turbo codes. *Nong Le, +, COML Nov 05 1006-1008*

U**Ultra wideband technology**

threshold selection for UWB TOA estimation based on Kurtosis anal. *Guvenc, I., +, COML Dec 05 1025-1027*

User interfaces

agile hybrid IP-opt. packet constr. mechanism, wavel. routed opt. packet switched nets., demons. *Nejabat, R., +, COML Jun 05 552-554*

V**Variable length codes**

universal lossless source controlled channel decoding for i.i.d. seqs. *Shamir, G.I., +, COML May 05 450-452*

Viterbi algm., survivor memory reduction. *Abbasfar, A., +, COML Apr 05 352-354*

VLC, error restricted fast MAP decoding. *Ming Jia, +, COML Oct 05 909-911*

Variable rate codes

real-time VBR videos via ρ -domain rate model, long-span traffic predictor. *Chu-Chuan Lee, +, COML Mar 05 279-281*

Vector quantization

lin. congruential recursions, trellis source codes. *Anderson, J.B., +, COML Mar 05 198-200*

Vectors

develop. of good π -rot. LDPC codes, design considerations leading. *Echard, R., +, COML May 05 447-449*

Video coding

improved MPEG video delivery, DiffServ net., 2 markers syst. *Chih-Heng Ke, +, COML Apr 05 381-383*

real-time VBR videos via ρ -domain rate model, long-span traffic predictor. *Chu-Chuan Lee, +, COML Mar 05 279-281*

Video signal processing; cf. Video coding**Viterbi decoding**

algm., survivor memory reduction. *Abbasfar, A., +, COML Apr 05 352-354*

bit error probab. for trellis coded QPSK, exact anal. *Yoshikawa, H., +, COML Mar 05 237-239*

universal lossless source controlled channel decoding for i.i.d. seqs. *Shamir, G.I., +, COML May 05 450-452*

W**Walsh analysis**

impulse noise, WHT-OFDM transm., impact. *Bogucka, H., COML Jan 05 37-39*

Waveform analysis; cf. Spectral analysis**Wavelength division multiplexing**

3R wavelength converters on the blocking probability of WDM networks with finite impairment threshold. *Yun Hee Cho, +, COML Nov 05 1009-1011*

agile hybrid IP-opt. packet constr. mechanism, wavel. routed opt. packet switched nets., demons. *Nejabat, R., +, COML Jun 05 552-554*

dynamically survivable WDM net. design, p-cycle-based PWCE. *Zhenrong Zhang, +, COML Aug 05 756-758*

IP/WDM nets., hop-constraint lightpath establishment approach, routing algms. *Tong Ye, +, COML Feb 05 181-183*

lightpath length-aware adaptive routing algm. for WDM nets. *Boujelben, Y., +, COML Aug 05 750-752*

mesh opt. nets., reconfiguration protocol. *Shami, A., +, COML Jun 05 558-560*

opt. nets., reduced transmitter tuning overhead, message sched. *Xiaohong Huang, +, COML Jan 05 72-74*

priority enabled dyn. traffic grooming. *Chen, B., +, COML Apr 05 366-368*

rings, single-cct. links, asymptotic blocking probabilities. *Waldman, H., +, COML Jun 05 564-566*

routing and wavel. assignment problem, opt. nets., tabu search heuristic. *Dzongang, C., +, COML May 05 426-428*

sparse-partial wavel. conversion, wavel.-routed WDM nets., anal. model. *Xiaowen Chu, +, COML Jan 05 69-71*

Wavelet transforms

high data rate communs., indoor UWB systs., orthonormal pulses. *Kim, Y., +, COML May 05 405-407*

long-range depend. net. traffic, automatic scaling range selection. *Xiangdong Xia, +, COML Oct 05 954-956*

OWSS sig., spectral characts. *Divakaran, D., +, COML Apr 05 325-327*

Weibull distributions

Geo¹/G/ ∞ input proc. modeling, streaming video packet sched. *Sujeong Choi, +, COML May 05 474-476*

maximal-ratio and equal-gain combining, Weibull fading, second-order stats. *Fraidenraich, G., +, COML Jun 05 499-501*

Shannon channel capacity, gen. fading channels, results. *Sagias, N.C., +, COML Feb 05 97-99*

Wireless LAN

1D MANETs, random waypoint movement, net. connectivity. *Chuan Heng Foh, +, COML Jan 05 31-33*

802.11 nets., location-based fast handoff. *Chien-Chao Tseng, +, COML Apr 05 304-306*

admission control, phys. rate meas. for IEEE 802.11e controlled channel access. *Gao, D., +, COML Aug 05 694-696*

broadcast/multicast service, WLAN, enhanced power-saving mechanism. *Hyu-Dae Kim, +, COML Jun 05 520-522*

combination of wireless multicast advantage and hitch-hiking. *Thai, M.T., +, COML Dec 05 1037-1039*

effective loss-distinguishable MAC protocol for 802.11 WLAN, design. *Qixiang Pang, +, COML Sep 05 781-783*

efficient power-saving mechanism for integration of WLAN and cellular nets. *SuKyoung Lee, +, COML Dec 05 1052-1054*

IEEE 802.11 DCF perform. anal., remarks. *Bianchi, G., +, COML Aug 05 765-767*

IEEE 802.11e EDCA, delay model. *Banachs, A., +, COML Jun 05 508-510*

IEEE 802.11 saturation throughput anal., freezing of backoff counters. *Chuan Heng Foh, +, COML Feb 05 130-132*

IEEE 802.11 wireless LANs, designing, fair sched. mechanism. *Huei-Wen Ferng, +, COML Apr 05 301-303*

IEEE 802.11 wireless LANs for lossy channel, saturation throughput anal. *Dong, X.J., +, COML Feb 05 100-102*

IEEE 802.15.3 WPAN appls., timing sync. *Won-Gi Jeon, +, COML Mar 05 255-257*

IEEE 802.15.3 WPAN, intra-superframe power mgt. *Zihua Guo, +, COML Mar 05 228-230*

maximum likelihood estimation of K factor in Ricean fading channels. *Yunfei Chen, +, COML Dec 05 1040-1042*

modeling 802.11 distrib. coord. fn., nonsaturated conds. *Duffy, K., +, COML Aug 05 715-717*

OWSS sig., spectral characts. *Divakaran, D., +, COML Apr 05 325-327*

power efficiency of user cooperation in multihop wireless nets. *Catovic, A., +, COML Dec 05 1034-1036*

random power control in wireless ad hoc nets. *Tae-Suk Kim, +, COML Dec 05 1046-1048*

reduce impact of legacy stations, 802.11e EDCA WLANs, ACKS, tech. *Vollero, L., +, COML Apr 05 346-348*

resolving 802.11 perform. anom., QoS differentiation. *Hyogon Kim, +, COML Jul 05 655-657*

service time, saturated IEEE 802.11 nets., stat. charactn. *Zanella, A., +, COML Mar 05 225-227*

TCP connection, slow-start phase, WLAN, adaptive beacon listening protocol. *Jung-Ryun Lee, +, COML Sep 05 853-855*

TCP fairness in 802.11e WLANs. *Leith, D.J., +, COML Nov 05 964-966*

TCP-tailored approach to location management in mobile ad hoc nets. *Ziviani, A., +, COML Dec 05 1043-1045*

throughput improv. via distrib. queuing MAC. *Alonso, L., +, COML Apr 05 310-312*

VoIP packets, IEEE 802.11e wireless LANs, access scheme. *Gyung-Ho Hwang, +, COML Jul 05 667-669*

WLAN and cellular integrat., effective VoIP call routing. *Yi-Bing Lin, +, COML Oct 05 874-876*

Wireless sensor networks

authenticated key exchange protocol for sensor networks. *Xiaojian Tian, +, COML Nov 05 970-972*

hop count and Euclidean distance in greedy forwarding in wireless ad hoc networks. *De, S., COML Nov 05 1000-1002*

information coverage for wireless sensor networks. *Bang Wang, +, COML Nov 05 967-969*

lifetime of wireless sensor networks. *Yunxia Chen, +, COML Nov 05 976-978*

loss recovery architecture for wireless TCP. *Moonsoo Kang, +, COML Nov 05 1018-1020*