

2019 Index

IEEE Transactions on Circuits and Systems I: Regular Papers

Vol. 66

This index covers all technical items—papers, correspondence, reviews, etc.—that appeared in this periodical during 2019, and items from previous years that were commented upon or corrected in 2019. Departments and other items may also be covered if they have been judged to have archival value.

The Author Index contains the primary entry for each item, listed under the first author's name. The primary entry includes the coauthors' names, the title of the paper or other item, and its location, specified by the publication abbreviation, year, month, and inclusive pagination. The Subject Index contains entries describing the item under all appropriate subject headings, plus the first author's name, the publication abbreviation, month, and year, and inclusive pages. Note that the item title is found only under the primary entry in the Author Index.

Author Index

A

- Abbasi, S.**, Ceylan, O., and Gurbuz, Y., A DROIC Based on PFM ADCs Employing Over-Integration for Error Shaping; *TCSI Oct. 2019 3713-3722*
- Abdelaal, R.A.**, Yantir, H.E., Eltawil, A.M., and Kurdahi, F.J., Power Performance Tradeoffs Using Adaptive Bit Width Adjustments on Resistive Associative Processors; *TCSI Jan. 2019 302-312*
- Abdelhamid, A.**, see Ozgun, M.T., *TCSI March 2019 1180-1191*
- Abdelrahman, D.**, and Cowan, G.E.R., Noise Analysis and Design Considerations for Equalizer-Based Optical Receivers; *TCSI Aug. 2019 3201-3212*
- Abdelsalam, H.**, see Soliman, M., *TCSI Nov. 2019 4439-4447*
- Abdulaziz, M.**, Klumperink, E.A.M., Nauta, B., and Sjolund, H., Improving Receiver Close-In Blocker Tolerance by Baseband G_m -C Notch Filtering; *TCSI March 2019 885-896*
- Abedi, R.**, Kananizadeh, R., Momeni, O., and Heydari, P., A CMOS V-Band PLL With a Harmonic Positive Feedback VCO Leveraging Operation in Triode Region for Phase-Noise Improvement; *TCSI May 2019 1818-1830*
- Abidi, A.A.**, see Xu, H., *TCSI Aug. 2019 2817-2830*
- Abolfathi, H.**, see Jokar, E., *TCSI June 2019 2336-2349*
- Acharyya, A.**, see Mopuri, S., *TCSI Dec. 2019 4673-4686*
- Adhikari, S.P.**, see Yang, C., *TCSI Oct. 2019 3906-3916*
- Afshari, E.**, see Pourahmad, V., *TCSI April 2019 1531-1543*
- Afshari, E.**, see Haghi Kashani, M., *TCSI June 2019 2051-2063*
- Afzali-Kusha, A.**, see Pashaeifar, M., *TCSI Jan. 2019 327-340*
- Afzali-Kusha, A.**, see Ansari, M., *TCSI Dec. 2019 4687-4698*
- Agarwal, M.**, De, A., and Banerjee, S., An IEEE Single Precision Floating Point Arithmetic-Based Apodization Architecture for Portable Ultrasound Imaging System; *TCSI June 2019 2275-2287*
- Agarwal, P.**, see Ali, S.N., *TCSI Feb. 2019 834-847*
- Agostini, L.**, see Bubolz, T.L.A., *TCSI June 2019 2124-2136*
- Agostini, L.V.**, see Seidel, I., *TCSI June 2019 2102-2115*
- Agrawal, A.**, Jaiswal, A., Roy, D., Han, B., Srinivasan, G., Ankit, A., and Roy, K., Xcel-RAM: Accelerating Binary Neural Networks in High-Throughput SRAM Compute Arrays; *TCSI Aug. 2019 3064-3076*
- Ahmadi, A.**, see Heidarpor, M., *TCSI July 2019 2651-2661*
- Ahmadi, A.**, see Jokar, E., *TCSI June 2019 2336-2349*
- Ahmadi, M.**, see Heidarpor, M., *TCSI July 2019 2651-2661*
- Ahmadi, M.**, see Jokar, E., *TCSI June 2019 2336-2349*
- Ahmadinejad, M.**, see Sabetzadeh, F., *TCSI Nov. 2019 4200-4208*
- Ahmed, A.H.**, see El Sayed, A., *TCSI March 2019 1153-1165*
- Ahmed, A.H.**, see Nayak, S., *TCSI Aug. 2019 3162-3173*
- Ahmed, M.**, see Jiang, Y., *TCSI Oct. 2019 4055-4067*
- Ahmed, T.**, see Kim, J., *TCSI July 2019 2615-2626*
- Ahn, S.**, see Kim, C., *TCSI Feb. 2019 605-615*
- Aiello, O.**, Crovetto, P.S., and Alioto, M., Fully Synthesizable Low-Area Digital-to-Analog Converter With Graceful Degradation and Dynamic Power-Resolution Scaling; *TCSI Aug. 2019 2865-2875*
- Al Ghouwayel, A.**, see Marchand, C., *TCSI Feb. 2019 869-880*
- Alam, M.**, see Saki, A.A., *TCSI Nov. 2019 4219-4229*
- Ali, S.N.**, Agarwal, P., Gopal, S., Mirabbasi, S., and Heo, D., A 25–35 GHz Neutralized Continuous Class-F CMOS Power Amplifier for 5G Mobile Communications Achieving 26% Modulation PAE at 1.5 Gb/s and 46.4% Peak PAE; *TCSI Feb. 2019 834-847*
- Alimenti, F.**, see Spasaro, M., *TCSI April 2019 1305-1318*
- Alink, M.S.O.**, see Palattella, C., *TCSI Oct. 2019 3761-3774*
- Alioto, M.**, see Aiello, O., *TCSI Aug. 2019 2865-2875*
- Alizadeh, A.**, Frounchi, M., and Medi, A., Class- J_{23} Power Amplifiers; *TCSI Oct. 2019 3664-3675*
- Alizadeh, A.**, Hassanzadehyamchi, S., and Medi, A., Integrated Output Matching Networks for Class- J/J^{-1} Power Amplifiers; *TCSI Aug. 2019 2921-2934*
- Almeida, S.J.M.d.**, see Soares, A.d.S.P., *TCSI June 2019 2116-2123*
- Almurib, H.A.F.**, see Huang, J., *TCSI Aug. 2019 3001-3014*
- Amaricai, A.**, see Boncalo, O., *TCSI April 2019 1643-1656*
- Amrouch, H.**, see van Santen, V.M., *TCSI July 2019 2671-2684*
- Anand, C.**, Jainwal, K., and Sarkar, M., A Three-Phase, One-Tap High Background Light Subtraction Time-of-Flight Camera; *TCSI June 2019 2219-2229*
- Anand, T.**, see Ramachandran, A., *TCSI March 2019 1192-1204*
- Anand, T.**, see Devaraj, A., *TCSI Dec. 2019 4876-4887*
- Angotzi, G.N.**, see Crepaldi, M., *TCSI July 2019 2735-2748*
- Aniruddhan, S.**, see Sharkia, A., *TCSI Jan. 2019 43-53*
- Ankit, A.**, see Agrawal, A., *TCSI Aug. 2019 3064-3076*
- Ansari, M.**, Fayyazi, A., Kamal, M., Afzali-Kusha, A., and Pedram, M., OCTAN: An On-Chip Training Algorithm for Memristive Neuromorphic Circuits; *TCSI Dec. 2019 4687-4698*
- Antunez-Calistro, G.**, Siniscalchi, M., Silveira, F., and Rossi-Aicardi, C., Variability-Aware Design Method for a Constant Inversion Level Bias Current Generator; *TCSI June 2019 2027-2036*
- Aoki, T.**, see Suzuki, M., *TCSI Feb. 2019 616-629*
- Arasu, M.A.**, see Jeon, Y., *TCSI Oct. 2019 3797-3810*
- Arzel, M.**, see Larras, B., *TCSI May 2019 1704-1715*
- Asar, S.**, see Jiang, Y., *TCSI Oct. 2019 4055-4067*
- Ascoli, A.**, see Weiher, M., *TCSI July 2019 2627-2638*
- Aslam, M.S.**, Shi, P., and Lim, C., Variable Threshold-Based Selective Updating Algorithms in Feed-Forward Active Noise Control Systems; *TCSI Feb. 2019 782-795*
- Aslam, M.S.**, Shi, P., and Lim, C., Robust Active Noise Control Design by Optimal Weighted Least Squares Approach; *TCSI Oct. 2019 3955-3967*
- Asoodeh, A.**, and Mirabbasi, S., On the Design of n th-Order Polyphase All-Pass Filters; *TCSI Jan. 2019 133-146*
- Azarderakhsh, R.**, see Jalali, A., *TCSI Nov. 2019 4209-4218*
- Aziz, M.**, Vejdani Amiri, M., Helaooui, M., and Ghannouchi, F.M., Statistics-Based Approach for Blind Post-Compensation of Modulator's Imperfections and Power Amplifier Nonlinearity; *TCSI March 2019 1063-1075*

B

- Bachmann, C.**, see Ding, M., *TCSI April 2019 1382-1392*
- Badiyari, K.**, Nallam, N., and Chatterjee, S., An N-Path Band-Pass Filter With Parametric Gain-Boosting; *TCSI Oct. 2019 3700-3712*
- Bagla, A.**, see Hu, X., *TCSI Jan. 2019 263-273*
- Bai, L.**, see Lyu, Y., *TCSI May 2019 1769-1779*
- Bai, Y.**, see Wang, B., *TCSI May 2019 1853-1862*

- Bairamkulov, R.**, and Friedman, E.G., Effective Resistance of Two-Dimensional Truncated Infinite Mesh Structures; *TCSI Nov. 2019 4368-4376*
- Bakkaloglu, B.**, see Singh, S., *TCSI June 2019 2208-2218*
- Balaji, A.**, see Kuttappa, R., *TCSI July 2019 2685-2698*
- Bampi, S.**, see Paim, G., *TCSI Feb. 2019 680-693*
- Bampi, S.**, see Soares, L.B., *TCSI June 2019 2137-2150*
- Banerjee, S.**, see Agarwal, M., *TCSI June 2019 2275-2287*
- Bao, B.**, see Wang, N., *TCSI Dec. 2019 4767-4779*
- Bao, H.**, see Wang, N., *TCSI Dec. 2019 4767-4779*
- Bao, Z.**, see Zhang, H., *TCSI April 2019 1608-1619*
- Barbieri, T.**, see Salimath, A., *TCSI Sept. 2019 3598-3609*
- Baric, A.**, see Mikulic, J., *TCSI May 2019 1728-1736*
- Barlabe, A.**, see Gilasgar, M., *TCSI Jan. 2019 31-42*
- Barton, T.W.**, see Chang, H., *TCSI April 2019 1594-1607*
- Basak, D.**, see Zhang, Y., *TCSI Dec. 2019 4592-4605*
- Basaligheh, A.**, Saffari, P., Winkler, W., and Moez, K., A Wide Tuning Range, Low Phase Noise, and Area Efficient Dual-Band Millimeter-Wave CMOS VCO Based on Switching Cores; *TCSI Aug. 2019 2888-2897*
- Basaligheh, A.**, see Saffari, P., *TCSI Dec. 2019 4862-4875*
- Basu, A.**, see Chen, Y., *TCSI June 2019 2240-2252*
- Baum, T.C.**, see Ebrahimi, A., *TCSI Oct. 2019 3811-3821*
- Bayat-Sarmadi, S.**, see Shahroodi, T., *TCSI April 2019 1465-1473*
- Bayat-Sarmadi, S.**, see Salarifard, R., *TCSI Oct. 2019 3854-3862*
- Baylon, J.**, see Renaud, L., *TCSI April 2019 1319-1330*
- Bellasi, D.**, Crescentini, M., Cristaudo, D., Romani, A., Tartagni, M., and Benini, L., A Broadband Multi-Mode Compressive Sensing Current Sensor SoC in 0.16 μm CMOS; *TCSI Jan. 2019 105-118*
- Belostotski, L.**, see Udayanga, N., *TCSI Oct. 2019 3941-3954*
- Belz, M.R.**, see Fragasse, R., *TCSI June 2019 2037-2050*
- Ben Ahmed, A.**, Mosbahi, O., Khalgui, M., and Li, Z., Boundary Scan Extension for Testing Distributed Reconfigurable Hardware Systems; *TCSI July 2019 2699-2708*
- Benadero, L.**, see El Aroudi, A., *TCSI April 2019 1657-1667*
- Benini, L.**, see Bellasi, D., *TCSI Jan. 2019 105-118*
- Berdondini, L.**, see Crepaldi, M., *TCSI July 2019 2735-2748*
- Bermak, A.**, see Zhao, X., *TCSI Sept. 2019 3494-3503*
- Bernardini, A.**, Werner, K.J., Smith, J.O., and Sarti, A., Generalized Wave Digital Filter Realizations of Arbitrary Reciprocal Connection Networks; *TCSI Feb. 2019 694-707*
- Bhat, A.N.**, see Krishnapura, N., *TCSI Sept. 2019 3531-3543*
- Bhat, D.K.**, see Kumar, S., *TCSI Sept. 2019 3393-3401*
- Bhattacharyya, B.K.**, see Majumder, A., *TCSI March 2019 1231-1244*
- Bi, X.**, Gu, Z., and Xu, Q., Analysis and Design of Ultra-Large Dynamic Range CMOS Transimpedance Amplifier With Automatically-Controlled Multi-Current-Bleeding Paths; *TCSI Sept. 2019 3266-3278*
- Bindima, T.**, and Elias, E., Low-Complexity 2-D Digital FIR Filters Using Polyphase Decomposition and Farrow Structure; *TCSI June 2019 2298-2308*
- Biolato, L.**, see Reyes, B.T., *TCSI June 2019 2064-2076*
- Bizzarri, F.**, Brambilla, A., and Codecasa, L., Shooting by a Two-Step Galerkin Method; *TCSI Jan. 2019 383-390*
- Blaabjerg, F.**, see Lotfi, A., *TCSI July 2019 2794-2802*
- Blandino, S.**, Mangraviti, G., Desset, C., Bourdoux, A., Wambacq, P., and Pollin, S., Multi-User Hybrid MIMO at 60 GHz Using 16-Antenna Transmitters; *TCSI Feb. 2019 848-858*
- Blokhina, E.**, Guest Editorial Special Issue on the IEEE International Symposium on Circuits and Systems 2018; *TCSI May 2019 1669*
- Blokhina, E.**, Guest Editorial Selected Papers From Regional Flagship Conferences of the IEEE Circuits and Systems Society (ICECS 2017, LASCAS 2018, and NEWCAS 2018); *TCSI June 2019 1997*
- Blokhina, E.**, Guest Editorial Special Issue on the 2019 International Symposium on Integrated Circuits and Systems; *TCSI Sept. 2019 3253*
- Bo Marr, H.**, Fundamental Energy Limits of Digital Phased Arrays; *TCSI July 2019 2775-2783*
- Bochard, N.**, see Mureddu, U., *TCSI July 2019 2560-2571*
- Boglione, L.**, see Tantawy, R., *TCSI May 2019 1758-1768*
- Bolcato, P.**, see De Luca, G., *TCSI March 2019 1104-1115*
- Bonament, A.**, see Madec, M., *TCSI June 2019 2188-2197*
- Bonani, F.**, see Bonnin, M., *TCSI Oct. 2019 3917-3927*
- Boncalo, O.**, Kolumban-Antal, G., Amaricai, A., Savin, V., and Declercq, D., Layered LDPC Decoders With Efficient Memory Access Scheduling and Mapping and Built-In Support for Pipeline Hazards Mitigation; *TCSI April 2019 1643-1656*
- Bonizzoni, E.**, see Lupo, N., *TCSI May 2019 1935-1947*
- Bonizzoni, E.**, see Salimath, A., *TCSI Sept. 2019 3598-3609*
- Bonizzoni, E.**, see Moisello, E., *TCSI Sept. 2019 3402-3413*
- Bonnin, M.**, Traversa, F.L., and Bonani, F., Colored Noise in Oscillators. Phase-Amplitude Analysis and a Method to Avoid the it \ddot{o} -Stratonovich Dilemma; *TCSI Oct. 2019 3917-3927*
- Bonotto, B.**, see Seidel, I., *TCSI June 2019 2102-2115*
- Bontorin, G.**, see de Almeida Ramos, E., *TCSI June 2019 2165-2174*
- Bonu, M.**, see Krishnapura, N., *TCSI Sept. 2019 3531-3543*
- Boon, C.C.**, see Khanna, D., *TCSI Sept. 2019 3423-3436*
- Boon, C.C.**, see Chen, Y., *TCSI Oct. 2019 3991-4004*
- Bose, S.**, see Shen, B., *TCSI March 2019 1258-1269*
- Bossuet, L.**, see Mureddu, U., *TCSI July 2019 2560-2571*
- Botti, E.**, see Salimath, A., *TCSI Sept. 2019 3598-3609*
- Bourdoux, A.**, see Blandino, S., *TCSI Feb. 2019 848-858*
- Boutillon, E.**, see Marchand, C., *TCSI Feb. 2019 869-880*
- Boutillon, E.**, see Le, K., *TCSI Jan. 2019 403-416*
- Boyd, T.A.**, see Morgan, M.A., *TCSI Feb. 2019 594-604*
- Boyd, T.A.**, see Guilbert, A., *TCSI Dec. 2019 4606-4618*
- Brambilla, A.**, see Bizzarri, F., *TCSI Jan. 2019 383-390*
- Brambilla, D.L.**, see Salimath, A., *TCSI Sept. 2019 3598-3609*
- Breun, S.**, see Issakov, V., *TCSI Sept. 2019 3557-3570*
- Briseno-Vidrios, C.**, see Zhou, D., *TCSI Sept. 2019 3373-3383*
- Brunhaver, J.**, see Clark, L.T., *TCSI March 2019 955-966*
- Bruno, G.**, see Moisello, E., *TCSI Sept. 2019 3402-3413*
- Bruton, L.T.**, see Udayanga, N., *TCSI Oct. 2019 3941-3954*
- Bubolz, T.L.A.**, Conceicao, R.A., Grellert, M., Agostini, L., Zatt, B., and Correa, G., Quality and Energy-Aware HEVC Transrating Based on Machine Learning; *TCSI June 2019 2124-2136*
- Bunnam, T.**, Soltan, A., Sokolov, D., Maevsky, O., and Yakovlev, A., Toward Designing Thermally-Aware Memristance Decoder; *TCSI Nov. 2019 4337-4347*
- Burak, A.**, see Kalyoncu, I., *TCSI April 2019 1632-1642*
- Burrascano, P.**, Laureti, S., Senni, L., and Ricci, M., Pulse Compression in Nondestructive Testing Applications: Reduction of Near Sidelobes Exploiting Reactance Transformation; *TCSI May 2019 1886-1896*

C

- Cao, K.**, *see* Wang, B., *TCSI May 2019 1853-1862*
- Cao, Y.**, *see* Zhao, X., *TCSI Sept. 2019 3494-3503*
- Cao, Y.**, *see* Kim, M., *TCSI Oct. 2019 3843-3853*
- Cardes, F.**, Medina, V., Paton, S., and Hernandez, L., Clock Jitter Analysis of Continuous-Time $\Sigma\Delta$ Modulators Based on a Relative Time-Base Projection; *TCSI March 2019 920-929*
- Cardiff, B.**, *see* Salib, A., *TCSI May 2019 1874-1885*
- Cardiff, B.**, *see* Salib, A., *TCSI Oct. 2019 3747-3760*
- Cariow, A.**, Majorkowska-Mech, D., Paplinski, J.P., and Cariowa, G., A New Fast Algorithm for Discrete Fractional Hadamard Transform; *TCSI July 2019 2584-2592*
- Cariowa, G.**, *see* Cariow, A., *TCSI July 2019 2584-2592*
- Castagna, M.E.**, *see* Moissello, E., *TCSI Sept. 2019 3402-3413*
- Casto, M.**, *see* Tantawy, R., *TCSI May 2019 1758-1768*
- Cathelin, A.**, *see* Hammler, N., *TCSI Sept. 2019 3340-3351*
- Cathelin, P.**, *see* Hammler, N., *TCSI Sept. 2019 3340-3351*
- Cauwenberghs, G.**, *see* Joshi, S., *TCSI Nov. 2019 4095-4107*
- Cavers, J.K.**, Mehrotra, K., and Woodward, G.K., Advantages of Second-Order Cartesian Feedback Linearizers for Radio Amplifiers; *TCSI Nov. 2019 4134-4146*
- Cederstroem, L.**, *see* Hoppner, S., *TCSI Aug. 2019 2973-2986*
- Celma, S.**, *see* Perez-Resca, A., *TCSI Feb. 2019 859-868*
- Ceylan, O.**, *see* Kalyoncu, I., *TCSI April 2019 1632-1642*
- Ceylan, O.**, *see* Abbasi, S., *TCSI Oct. 2019 3713-3722*
- Chamanian, S.**, Ciftci, B., Ulsan, H., Muhtaroglu, A., and Kulah, H., Power-Efficient Hybrid Energy Harvesting System for Harnessing Ambient Vibrations; *TCSI July 2019 2784-2793*
- Chan, C.**, *see* Xing, D., *TCSI Feb. 2019 489-501*
- Chan, C.**, *see* Li, C., *TCSI Jan. 2019 82-93*
- Chan, C.**, *see* Lei, X., *TCSI Sept. 2019 3365-3372*
- Chandra, A.**, *see* Roy, S., *TCSI Nov. 2019 4287-4295*
- Chandrarathna, S.C.**, and Lee, J., A Dual-Stage Boost Converter Using Two-Dimensional Adaptive Input-Sampling MPPT for Thermoelectric Energy Harvesting; *TCSI Dec. 2019 4888-4900*
- Chandrasekaran, S.T.**, *see* Jayaraj, A., *TCSI July 2019 2415-2425*
- Chang, C.**, *see* Chang, W.L., *TCSI July 2019 2454-2467*
- Chang, H.**, *see* Liao, Y., *TCSI March 2019 1219-1230*
- Chang, H.**, Hahn, Y., Roblin, P., and Barton, T.W., New Mixed-Mode Design Methodology for High-Efficiency Outphasing Chireix Amplifiers; *TCSI April 2019 1594-1607*
- Chang, H.**, *see* Liang, C., *TCSI Aug. 2019 2935-2948*
- Chang, K.**, *see* Chang, W.L., *TCSI July 2019 2454-2467*
- Chang, M.**, *see* Rangachar Srinivasa, S., *TCSI July 2019 2533-2545*
- Chang, M.**, *see* Si, X., *TCSI Nov. 2019 4172-4185*
- Chang, S.**, Wu, B., Liou, Y., Zheng, R., Lee, P., Chiueh, T., and Liu, T., An Ultra-Low-Power Dual-Mode Automatic Sleep Staging Processor Using Neural-Network-Based Decision Tree; *TCSI Sept. 2019 3504-3516*
- Chang, W.L.**, Meng, C., Ni, J., Chang, K., Chang, C., Lee, P., and Huang, Y., Analytical Noise Optimization of Single-/Dual-Band MOS LNAs With Substrate and Metal Loss Effects of Inductors; *TCSI July 2019 2454-2467*
- Charisoulis, T.**, Reiman, C., Frey, D., and Hatalis, M., Current Feedback Compensation Circuit for 2T1C LED Displays: Analysis and Evaluation; *TCSI Jan. 2019 175-188*
- Chatterjee, S.**, *see* Badiyari, K., *TCSI Oct. 2019 3700-3712*
- Chatterjee, S.**, and Sarawadekar, K., Approximated Core Transform Architectures for HEVC Using WHT-Based Decomposition Method; *TCSI Nov. 2019 4296-4308*
- Chaurasiya, R.B.**, and Shrestha, R., Hardware-Efficient and Fast Sensing-Time Maximum-Minimum-Eigenvalue-Based Spectrum Sensor for Cognitive Radio Network; *TCSI Nov. 2019 4448-4461*
- Chen, B.**, *see* Dang, L., *TCSI Nov. 2019 4265-4277*
- Chen, C.**, *see* Lee, L., *TCSI June 2019 2382-2393*
- Chen, C.**, *see* Lee, L., *TCSI June 2019 2382-2393*
- Chen, C.**, *see* Li, C., *TCSI Sept. 2019 3585-3597*
- Chen, C.**, *see* Wu, C., *TCSI Dec. 2019 4713-4726*
- Chen, C.W.**, *see* Lu, F., *TCSI Aug. 2019 3213-3226*
- Chen, D.**, *see* Li, Y., *TCSI Feb. 2019 502-512*
- Chen, G.**, *see* Li, C., *TCSI June 2019 2322-2335*
- Chen, J.**, *see* Wang, C., *TCSI April 2019 1454-1464*
- Chen, J.**, *see* Song, X., *TCSI Sept. 2019 3279-3287*
- Chen, J.**, *see* Si, X., *TCSI Nov. 2019 4172-4185*
- Chen, K.**, *see* Muniandi, B., *TCSI Nov. 2019 4516-4527*
- Chen, L.**, Zhao, Y., Fu, S., Liu, M., and Qiu, J., Fault Estimation Observer Design for Descriptor Switched Systems With Actuator and Sensor Failures; *TCSI Feb. 2019 810-819*
- Chen, M.**, *see* Wang, N., *TCSI Dec. 2019 4767-4779*
- Chen, P.**, *see* Cheng, H., *TCSI Sept. 2019 3288-3295*
- Chen, Q.**, *see* Li, Y.C., *TCSI Oct. 2019 3822-3830*
- Chen, T.**, *see* Liao, C., *TCSI Aug. 2019 2987-3000*
- Chen, W.**, Huang, M., and Lou, X., Design of Sparse FIR Filters With Reduced Effective Length; *TCSI April 2019 1496-1506*
- Chen, W.**, *see* Rangachar Srinivasa, S., *TCSI July 2019 2533-2545*
- Chen, X.**, Ni, K., Niemier, M.T., Han, Y., Datta, S., and Hu, X.S., Power and Area Efficient FPGA Building Blocks Based on Ferroelectric FETs; *TCSI May 2019 1780-1793*
- Chen, X.**, Yu, S., and Zhang, Z., A Receiver-Controlled Coupler for Multiple Output Wireless Power Transfer Applications; *TCSI Nov. 2019 4542-4552*
- Chen, Y.**, *see* Patil, S., *TCSI March 2019 1017-1030*
- Chen, Y.**, Sun, W., Cheng, C., Tsai, T., Ueng, Y., and Yang, C., An Integrated Message-Passing Detector and Decoder for Polar-Coded Massive MU-MIMO Systems; *TCSI March 2019 1205-1218*
- Chen, Y.**, *see* Liu, D., *TCSI April 2019 1474-1483*
- Chen, Y.**, Wang, Z., Patil, A., and Basu, A., A 2.86-TOPS/W Current Mirror Cross-Bar-Based Machine-Learning and Physical Unclonable Function Engine for Internet-of-Things Applications; *TCSI June 2019 2240-2252*
- Chen, Y.**, *see* Zhao, X., *TCSI Sept. 2019 3330-3339*
- Chen, Y.**, *see* Li, C., *TCSI Sept. 2019 3585-3597*
- Chen, Y.**, *see* Cheng, H., *TCSI Sept. 2019 3288-3295*
- Chen, Y.**, Mak, P., Yang, Z., Boon, C.C., and Martins, R.P., A 0.0071-mm² 10.8ps_{pp}-Jitter 4 to 10-Gb/s 5-Tap Current-Mode Transmitter Using a Hybrid Delay Line for Sub-1-UI Fractional De-Emphasis; *TCSI Oct. 2019 3991-4004*
- Chen, Y.**, *see* Li, H., *TCSI Dec. 2019 4699-4712*
- Cheng, C.**, *see* Chen, Y., *TCSI March 2019 1205-1218*
- Cheng, H.**, Chen, Y., Chen, P., and Liao, Y., An Optically-Powered 432 MHz Wireless Tag for Batteryless Internet-of-Things Applications; *TCSI Sept. 2019 3288-3295*
- Cheng, K.E.**, *see* Li, Y., *TCSI July 2019 2803-2812*
- Cheng, Z.**, *see* Sun, H., *TCSI April 2019 1517-1530*
- Chesi, G.**, Stability Test for Complex Matrices Over the Complex Unit Circumference via LMIs and Applications in 2D Systems; *TCSI May 2019 1960-1969*
- Chiang, P.Y.**, *see* Li, D., *TCSI Oct. 2019 3676-3689*
- Chicco, F.**, Pezzotta, A., and Enz, C.C., Charge-Based Distortion Analysis of Nanoscale MOSFETs; *TCSI Feb. 2019 453-462*
- Chien, S.**, *see* Liu, C., *TCSI May 2019 1908-1921*
- Chiu, Y.**, *see* Hong, H., *TCSI May 2019 1840-1852*
- Chiueh, T.**, *see* Chang, S., *TCSI Sept. 2019 3504-3516*
- Chliskan, C.**, Kalyoncu, I., Yazici, M., and Gurbuz, Y., Sub-1-dB and Wideband SiGe BiCMOS Low-Noise Amplifiers for X-Band Applications; *TCSI April 2019 1419-1430*
- Cho, T.B.**, *see* Kim, J., *TCSI Oct. 2019 3723-3732*
- Chodavarapu, V.P.**, *see* Islam, M.S., *TCSI Nov. 2019 4158-4171*
- Choi, J.**, *see* Kim, J., *TCSI Oct. 2019 3723-3732*
- Choi, P.**, *see* Khanna, D., *TCSI Sept. 2019 3423-3436*
- Choi, S.**, *see* Song, B., *TCSI Aug. 2019 2963-2972*
- Choi, Y.**, *see* El Sayed, A., *TCSI March 2019 1153-1165*
- Chollet, P.**, *see* Larras, B., *TCSI May 2019 1704-1715*
- Chong, K.**, *see* Ho, W., *TCSI Nov. 2019 4186-4199*
- Chou, C.**, *see* Li, H., *TCSI Dec. 2019 4699-4712*
- Chou, P.**, and Wang, J., An All-Digital On-Chip Peak-to-Peak Jitter Measurement Circuit With Automatic Resolution Calibration for High PVT-Variation Resilience; *TCSI July 2019 2508-2518*
- Choubey, B.**, *see* Levski, D., *TCSI Jan. 2019 54-67*

- Chun, H.**, see Kim, J., *TCSI July 2019 2615-2626*
- Chun, J.**, see Kim, J., *TCSI Oct. 2019 3723-3732*
- Ciftci, B.**, see Chamani, S., *TCSI July 2019 2784-2793*
- Clark, L.T.**, Medapuram, S.B., Kadiyala, D.K., and Brunhaver, J., Physically Unclonable Functions Using Foundry SRAM Cells; *TCSI March 2019 955-966*
- Codecasa, L.**, see Bizzarri, F., *TCSI Jan. 2019 383-390*
- Compassi-Severo, L.**, and Van Noije, W., A 0.4-V 10.9- μ W/Pole Third-Order Complex BPF for Low Energy RF Receivers; *TCSI June 2019 2017-2026*
- Conceicao, C.M.D.O.**, and Reis, R.A.D.L., Transistor Count Reduction by Gate Merging; *TCSI June 2019 2175-2187*
- Conceicao, R.A.**, see Bubolz, T.L.A., *TCSI June 2019 2124-2136*
- Conde-Canencia, L.**, see Marchand, C., *TCSI Feb. 2019 869-880*
- Cong, L.**, Liu, J., and Lee, H., A High-Efficiency Low-Profile Zero-Voltage Transition Synchronous Non-Inverting Buck-Boost Converter With Auxiliary-Component Sharing; *TCSI Jan. 2019 438-449*
- Correa, G.**, see Bubolz, T.L.A., *TCSI June 2019 2124-2136*
- Costanzo, L.**, Lo Schiavo, A., and Vitelli, M., Power Extracted From Piezoelectric Harvesters Driven by Non-Sinusoidal Vibrations; *TCSI March 2019 1291-1303*
- Cotofana, S.D.**, see Jiang, Y., *TCSI May 2019 1948-1959*
- Coutts, F.K.**, Proudler, I.K., and Weiss, S., Efficient Implementation of Iterative Polynomial Matrix EVD Algorithms Exploiting Structural Redundancy and Parallelisation; *TCSI Dec. 2019 4753-4766*
- Cowan, G.E.R.**, see Abdelrahman, D., *TCSI Aug. 2019 3201-3212*
- Crepaldi, M.**, Angotzi, G.N., and Berdondini, L., A 0.34 mm² 1 Gb/s Non-Coherent UWB Receiver Architecture With Pulse Enhancement and Double PLL Clock/Data Packet Recovery; *TCSI July 2019 2735-2748*
- Crescentini, M.**, see Bellasi, D., *TCSI Jan. 2019 105-118*
- Cristaudo, D.**, see Bellasi, D., *TCSI Jan. 2019 105-118*
- Crovetti, P.S.**, see Aiello, O., *TCSI Aug. 2019 2865-2875*
- Cucu Laurenciu, N.**, see Jiang, Y., *TCSI May 2019 1948-1959*
- Cui, H.**, Lin, J., and Wang, Z., An Improved Gradient Descent Bit-Flipping Decoder for LDPC Codes; *TCSI Aug. 2019 3188-3200*
- D**
- da Costa, E.A.C.**, see Paim, G., *TCSI Feb. 2019 680-693*
- da Costa, E.A.C.**, see Soares, L.B., *TCSI June 2019 2137-2150*
- da Rosa, F.R.**, Garibotti, R., Ost, L., and Reis, R., Using Machine Learning Techniques to Evaluate Multicore Soft Error Reliability; *TCSI June 2019 2151-2164*
- da Rosa, M.M.A.**, see Soares, L.B., *TCSI June 2019 2137-2150*
- Dai, L.**, see Zhao, X., *TCSI Jan. 2019 226-238*
- Danesh, M.**, see Jayaraj, A., *TCSI July 2019 2415-2425*
- Dang, L.**, Chen, B., Wang, S., Gu, Y., and Principe, J.C., Kernel Kalman Filtering With Conditional Embedding and Maximum Correntropy Criterion; *TCSI Nov. 2019 4265-4277*
- Das, M.**, see Majumder, A., *TCSI March 2019 1231-1244*
- Das Sharma, K.**, see Maiti, R., *TCSI Oct. 2019 3978-3990*
- Datta, K.**, Menezes, V., and Pavan, S., Analysis and Design of Cyclic Switched-Capacitor DC-DC Converters; *TCSI Aug. 2019 3227-3237*
- Datta, S.**, see Chen, X., *TCSI May 2019 1780-1793*
- Davis, W.R.**, see Park, J.B., *TCSI Feb. 2019 756-768*
- De, A.**, see Agarwal, M., *TCSI June 2019 2275-2287*
- de Abreu Faria, L.**, see de Souza, G.A.F., *TCSI July 2019 2639-2650*
- de Almeida Ramos, E.**, Bontorin, G., and Reis, R., A New Nonlinear Global Placement for FPGAs: The Chaotic Place; *TCSI June 2019 2165-2174*
- de Barros Naviner, L.A.**, see Cai, H., *TCSI Jan. 2019 239-250*
- De Koninck, Y.**, see Noormohammadi Khirak, M., *TCSI June 2019 2077-2087*
- De Luca, G.**, Bolcato, P., and Schilders, W.H.A., Proper Initial Solution to Start Periodic Steady-State-Based Methods; *TCSI March 2019 1104-1115*
- de Melo, J.L.A.**, Pereira, N., Leitao, P.V., Paulino, N., and Goes, J., A Systematic Design Methodology for Optimization of Sigma-Delta Modulators Based on an Evolutionary Algorithm; *TCSI Sept. 2019 3544-3556*
- de Souza, G.A.F.**, dos Santos, R.B., and de Abreu Faria, L., Low-Power Current-Mode Interval Type-2 Fuzzy Inference Engine Circuit; *TCSI July 2019 2639-2650*
- de Souza, M.**, see Guitton, G., *TCSI Oct. 2019 3653-3663*
- Dean, T.**, see Fragasse, R., *TCSI June 2019 2037-2050*
- Declercq, D.**, see Le, K., *TCSI Jan. 2019 403-416*
- Declercq, D.**, see Boncalo, O., *TCSI April 2019 1643-1656*
- Del Barrio, A.A.**, Hermida, R., and Ogrenco-Memik, S., A Combined Arithmetic-High-Level Synthesis Solution to Deploy Partial Carry-Save Radix-8 Booth Multipliers in Datapaths; *TCSI Feb. 2019 742-755*
- DeMara, R.F.**, see Zand, R., *TCSI Dec. 2019 4662-4672*
- Demosthenous, A.**, see Schormans, M., *TCSI Sept. 2019 3254-3265*
- Demosthenous, A.**, Outgoing Editorial; *TCSI Dec. 2019 4555-4556*
- Deng, E.**, see Wang, C., *TCSI April 2019 1454-1464*
- Deng, X.**, Sha, J., Zhou, X., Fu, Y., Zhang, Z., You, X., and Zhang, C., Joint Detection and Decoding of Polar-Coded OFDM-IDMA Systems; *TCSI Oct. 2019 4005-4017*
- Deng, Z.**, Qian, H., and Luo, X., Tunable Quasi-Circulator Based on a Compact Fully-Reconfigurable 180° Hybrid for Full-Duplex Transceivers; *TCSI Aug. 2019 2949-2962*
- Denham, S.L.**, see Singh, R.K., *TCSI May 2019 1805-1817*
- Desset, C.**, see Blandino, S., *TCSI Feb. 2019 848-858*
- Devaraj, A.**, Megahed, M., Liu, Y., Ramachandran, A., and Anand, T., A Switched Capacitor Multiple Input Single Output Energy Harvester (Solar + Piezo) Achieving 74.6% Efficiency With Simultaneous MPPT; *TCSI Dec. 2019 4876-4887*
- Dey, S.**, see Maghami, H., *TCSI July 2019 2440-2453*
- Dhuli, R.**, see Patel, S., *TCSI Oct. 2019 3882-3895*
- Di Capua, G.**, see Oliveri, A., *TCSI June 2019 2394-2402*
- Ding, J.**, Li, S., and Gu, Z., High-Speed ECC Processor Over NIST Prime Fields Applied With Toom-Cook Multiplication; *TCSI March 2019 1003-1016*
- Ding, M.**, Liu, Y., Harpe, P., Bachmann, C., Philips, K., and Van Roermund, A., A Low-Power Fast Start-Up Crystal Oscillator With an Autonomous Dynamically Adjusted Load; *TCSI April 2019 1382-1392*
- Ding, S.X.**, see Fu, F., *TCSI June 2019 2371-2381*
- Diniz, C.M.**, see Soares, L.B., *TCSI June 2019 2137-2150*
- Disabato, D.**, see Fragasse, R., *TCSI June 2019 2037-2050*
- Dixius, A.**, see Hoppner, S., *TCSI Aug. 2019 2973-2986*
- Dogan, H.**, see Ozgun, M.T., *TCSI March 2019 1180-1191*
- Dong, Y.**, see Lu, F., *TCSI Aug. 2019 3213-3226*
- Dong, Z.**, see Han, R., *TCSI May 2019 1692-1703*
- Donnelly, Y.**, and Kennedy, M.P., Wandering Spurs in MASH 1-1 Delta-Sigma Modulators; *TCSI July 2019 2426-2439*
- Donnelly, Y.**, and Kennedy, M.P., Prediction of Phase Noise and Spurs in a Non-linear Fractional- N Frequency Synthesizer; *TCSI Nov. 2019 4108-4121*
- dos Santos, R.B.**, see de Souza, G.A.F., *TCSI July 2019 2639-2650*
- Duncan, L.**, see Tantawy, R., *TCSI May 2019 1758-1768*
- Dupaix, B.**, see Tantawy, R., *TCSI May 2019 1758-1768*
- Dupaix, B.**, see Fragasse, R., *TCSI June 2019 2037-2050*
- E**
- Ebrahimi, A.**, Baum, T.C., Wang, K., Scott, J., and Ghorbani, K., Differential Transmission Lines Loaded With Magnetic LC Resonators and Application in Common Mode Suppression; *TCSI Oct. 2019 3811-3821*
- Edfors, O.**, see Liu, Y., *TCSI Jan. 2019 417-427*
- Edfors, O.**, see Mahdavi, M., *TCSI July 2019 2763-2774*
- El Aroudi, A.**, Benadero, L., Ponce, E., Olalla, C., Torres, F., and Martinez-Sal-amero, L., Nonlinear Dynamic Modeling and Analysis of Self-Oscillating H-Bridge Parallel Resonant Converter Under Zero Current Switching Control: Unveiling Coexistence of Attractors; *TCSI April 2019 1657-1667*
- El Sayed, A.**, Mishra, A.K., Ahmed, A.H., Shirazi, A.H.M., Woo, S., Choi, Y., Mirabbasi, S., and Shekhar, S., A Hilbert Transform Equalizer Enabling 80 MHz RF Self-Interference Cancellation for Full-Duplex Receivers; *TCSI March 2019 1153-1165*
- Elias, E.**, see Bindima, T., *TCSI June 2019 2298-2308*
- Ellguth, G.**, see Hoppner, S., *TCSI Aug. 2019 2973-2986*

Elliott, D.G., see Jiang, H., *TCSI Jan. 2019 313-326*
Eltawil, A.M., see Abdelaal, R.A., *TCSI Jan. 2019 302-312*
Elwakil, A.S., see Maundy, B., *TCSI July 2019 2606-2614*
Enz, C.C., see Chicco, F., *TCSI Feb. 2019 453-462*
Ergintav, A., Herzel, F., Fischer, G., and Kissinger, D., A Study of Phase Noise and Frequency Error of a Fractional-N PLL in the Course of FMCW Chirp Generation; *TCSI May 2019 1670-1680*
Eshraghian, J.K., see Zheng, C., *TCSI Dec. 2019 4793-4806*

F

Fan, C., Yu, W., Mak, P., and Martins, R.P., A 40-Gb/s PAM-4 Transmitter Using a 0.16-pJ/bit SST-CML-Hybrid (SCH) Output Driver and a Hybrid-Path 3-Tap FFE Scheme in 28-nm CMOS; *TCSI Dec. 2019 4850-4861*
Fan, P., see Li, H., *TCSI Jan. 2019 341-354*
Fan, X., Stuijt, J., Liu, B., and Gemmeke, T., Synthesizable Memory Arrays Based on Logic Gates for Subthreshold Operation in IoT; *TCSI March 2019 941-954*
Fan, X., see Zhang, M., *TCSI March 2019 909-919*
Fan, X., see Leon-Salas, W.D., *TCSI May 2019 1981-1992*
Fang, Z., see Zhong, L., *TCSI April 2019 1393-1404*
Fayed, A., see Jiang, Y., *TCSI Oct. 2019 4055-4067*
Fayyazi, A., see Ansari, M., *TCSI Dec. 2019 4687-4698*
Fei, S., see Liu, J., *TCSI Dec. 2019 4817-4828*
Femia, N., see Oliveri, A., *TCSI June 2019 2394-2402*
Feng, B., see Li, C., *TCSI June 2019 2322-2335*
Feng, L., Li, Z., Wang, Y., and Wang, C., A Fast On-Chip SVM-Training System With Dual-Mode Configurable Pipelines and MSMO Scheduler; *TCSI Nov. 2019 4230-4241*
Feng, P., see Zhang, Z., *TCSI Oct. 2019 3733-3746*
Feng, P.X., see Islam, M.S., *TCSI April 2019 1405-1418*
Fernando, T., see Zheng, C., *TCSI Dec. 2019 4793-4806*
Feuervie, B., see Le Duc, H., *TCSI March 2019 1031-1041*
Fiez, T.S., see Maghami, H., *TCSI July 2019 2440-2453*
Filanovsky, I.M., Oliveira, L.B., and Tchamov, N.T., Using Modified Bessel Functions for Analysis of Nonlinear Effects in a MOS Transistor Operating in Moderate Inversion; *TCSI May 2019 1897-1907*
Fischer, G., see Ergintav, A., *TCSI May 2019 1670-1680*
Fischer, V., see Mureddu, U., *TCSI July 2019 2560-2571*
Flanagan, M.F., see Salib, A., *TCSI May 2019 1874-1885*
Flanagan, M.F., see Salib, A., *TCSI Oct. 2019 3747-3760*
Floyd, B.A., see Wilson, C., *TCSI Jan. 2019 161-174*
Fotoohi Piraghaj, S., and Saedi, S., Analysis of Timing Accuracy and Sensitivity in a RF Correlation-Based Impulse Radio Receiver With Phase Interpolation for Data Synchronization; *TCSI July 2019 2749-2762*
Fouda, M.E., see Hamed, E.M., *TCSI Aug. 2019 3052-3063*
Fragasse, R., see Tantawy, R., *TCSI May 2019 1758-1768*
Fragasse, R., Tantawy, R., Dupaix, B., Dean, T., Disabato, D., Belz, M.R., Smith, D., Mccue, J., and Khalil, W., Analysis of SRAM Enhancements Through Sense Amplifier Capacitive Offset Correction and Replica Self-Timing; *TCSI June 2019 2037-2050*
Frank Chang, M., see Zhang, Y., *TCSI May 2019 1863-1873*
Franzon, P.D., see Park, J.B., *TCSI Feb. 2019 756-768*
Frey, D., see Charisoulis, T., *TCSI Jan. 2019 175-188*
Friedman, E.G., see Bairamkulov, R., *TCSI Nov. 2019 4368-4376*
Friedman, J.S., see Hu, X., *TCSI Jan. 2019 263-273*
Frounchi, M., see Alizadeh, A., *TCSI Oct. 2019 3664-3675*
Fu, F., Wang, D., Ding, S.X., and Zhao, D., Fault Identifiability Analysis of Linear Discrete Time-Varying Systems; *TCSI June 2019 2371-2381*
Fu, S., see Chen, L., *TCSI Feb. 2019 810-819*
Fu, Y., see Lai, L., *TCSI Jan. 2019 68-81*
Fu, Y., see Deng, X., *TCSI Oct. 2019 4005-4017*
Fujita, M., see Sun, H., *TCSI April 2019 1517-1530*
Furber, S., see Hoppner, S., *TCSI Aug. 2019 2973-2986*

G

Gagnon, G., see Ziabakhsh, S., *TCSI April 2019 1355-1368*
Gaillardon, P., see Giacomini, E., *TCSI Feb. 2019 643-654*
Galetto, A.C., see Reyes, B.T., *TCSI June 2019 2064-2076*
Galton, I., and Weltin-Wu, C., Understanding Phase Error and Jitter: Definitions, Implications, Simulations, and Measurement; *TCSI Jan. 2019 1-19*
Galton, I., see Kong, D., *TCSI Aug. 2019 2843-2853*
Gan, P., see Zhao, X., *TCSI Sept. 2019 3494-3503*
Ganesan, A., see Jafari, A., *TCSI Jan. 2019 274-287*
Gao, F., see Liu, X., *TCSI Feb. 2019 708-718*
Gao, L., Lin, T., and Rebeiz, G.M., Design of Tunable Multi-Pole Multi-Zero Bandpass Filters and Diplexer With High Selectivity and Isolation; *TCSI Oct. 2019 3831-3842*
Gao, S., see Li, D., *TCSI Oct. 2019 3676-3689*
Gao, Y., see Jeon, Y., *TCSI Oct. 2019 3797-3810*
Garcia-Bosque, M., see Perez-Resca, A., *TCSI Feb. 2019 859-868*
Garcia-Herrero, F.M., see Valls, J., *TCSI June 2019 2198-2207*
Garghetti, A., Lacaita, A.L., and Levantino, S., A Novel Single-Inductor Injection-Locked Frequency Divider by Three With Dual-Injection Secondary Locking; *TCSI May 2019 1737-1745*
Garibotti, R., see da Rosa, F.R., *TCSI June 2019 2151-2164*
Garrido, M., Moller, K., and Kumm, M., World's Fastest FFT Architectures: Breaking the Barrier of 100 GS/s; *TCSI April 2019 1507-1516*
Garrido, M., see Kanders, H., *TCSI Oct. 2019 3863-3873*
Garside, J., see Hoppner, S., *TCSI Aug. 2019 2973-2986*
Gemmeke, T., see Fan, X., *TCSI March 2019 941-954*
Geng, L., see Yang, C., *TCSI Sept. 2019 3480-3493*
Geng, L., see Li, D., *TCSI Oct. 2019 3676-3689*
Geng, S., and Hiskens, I.A., Second-Order Trajectory Sensitivity Analysis of Hybrid Systems; *TCSI May 2019 1922-1934*
Georgiadis, A., see Canavate Sanchez, M.J., *TCSI Oct. 2019 4044-4054*
Ghaderi, E., Sivadasan Ramani, A., Rahimi, A.A., Heo, D., Shekhar, S., and Gupta, S., An Integrated Discrete-Time Delay-Compensating Technique for Large-Array Beamformers; *TCSI Sept. 2019 3296-3306*
Ghaffari, F., see Le, K., *TCSI Jan. 2019 403-416*
Ghannouchi, F.M., see Aziz, M., *TCSI March 2019 1063-1075*
Gharehbaghi, A.M., see Sun, H., *TCSI April 2019 1517-1530*
Ghorbani, K., see Ebrahimi, A., *TCSI Oct. 2019 3811-3821*
Ghosh, S., see Rangachar Srinivasa, S., *TCSI July 2019 2533-2545*
Ghosh, S., see Saki, A.A., *TCSI Nov. 2019 4219-4229*
Giacomini, E., Greenberg-Toledo, T., Kvatinsky, S., and Gaillardon, P., A Robust Digital RRAM-Based Convolutional Block for Low-Power Image Processing and Learning Applications; *TCSI Feb. 2019 643-654*
Gielen, G.G.E., see Liu, H., *TCSI July 2019 2405-2414*
Gilagar, M., Barlabé, A., and Pradell, L., A 2.4 GHz CMOS Class-F Power Amplifier With Reconfigurable Load-Impedance Matching; *TCSI Jan. 2019 31-42*
Giustolisi, G., and Palumbo, G., In-Depth Analysis of Pole-Zero Compensations in CMOS Operational Transconductance Amplifiers; *TCSI Dec. 2019 4557-4570*
Goes, J., see de Melo, J.L.A., *TCSI Sept. 2019 3544-3556*
Gonano, G., see Salimath, A., *TCSI Sept. 2019 3598-3609*
Goodman, J., see Tantawy, R., *TCSI May 2019 1758-1768*
Gopal, S., see Ali, S.N., *TCSI Feb. 2019 834-847*
Gopal, S., see Renaud, L., *TCSI April 2019 1319-1330*
Goroju, R., see Kumar, S., *TCSI Sept. 2019 3393-3401*
Gosselin, B., see Noormohammadi Khirak, M., *TCSI June 2019 2077-2087*
Gottardi, M., and Lecca, M., A 64×64 Pixel Vision Sensor for Local Binary Pattern Computation; *TCSI May 2019 1831-1839*
Goussetis, G., see Canavate Sanchez, M.J., *TCSI Oct. 2019 4044-4054*
Greenberg-Toledo, T., see Giacomini, E., *TCSI Feb. 2019 643-654*
Greenberg-Toledo, T., Mazor, R., Haj-Ali, A., and Kvatinsky, S., Supporting the Momentum Training Algorithm Using a Memristor-Based Synapse; *TCSI April 2019 1571-1583*
Grellert, M., see Bubolz, T.L.A., *TCSI June 2019 2124-2136*
Gross, W.J., see Smithson, S.C., *TCSI June 2019 2263-2274*

- Groves, W.M., *see* Morgan, M.A., *TCSI Feb. 2019 594-604*
- Gu, J., *see* Shi, S., *TCSI Dec. 2019 4840-4849*
- Gu, Q.J., *see* Ma, S., *TCSI Feb. 2019 555-568*
- Gu, Q.J., *see* Li, J., *TCSI July 2019 2468-2477*
- Gu, Y., *see* Dang, L., *TCSI Nov. 2019 4265-4277*
- Gu, Z., *see* Ding, J., *TCSI March 2019 1003-1016*
- Gu, Z., *see* Bi, X., *TCSI Sept. 2019 3266-3278*
- Guan, T., Liu, P., Zeng, X., Kim, M., and Seok, M., Recursive Binary Neural Network Training Model for Efficient Usage of On-Chip Memory; *TCSI July 2019 2593-2605*
- Guilbert, A., Morgan, M.A., and Boyd, T.A., Reflectionless Filters for Generalized Elliptic Transmission Functions; *TCSI Dec. 2019 4606-4618*
- Guitton, G., de Souza, M., Mariano, A., and Taris, T., Design Methodology Based on the Inversion Coefficient and its Application to Inductorless LNA Implementations; *TCSI Oct. 2019 3653-3663*
- Guntzel, J.L., *see* Seidel, I., *TCSI June 2019 2102-2115*
- Guo, H., *see* Zheng, C., *TCSI Dec. 2019 4793-4806*
- Guo, Y., *see* Yang, J., *TCSI Aug. 2019 3015-3027*
- Gupta, K., *see* Gupta, S., *TCSI March 2019 978-988*
- Gupta, R., *see* Kalani, S., *TCSI May 2019 1681-1691*
- Gupta, S., Gupta, K., Calhoun, B.H., and Pandey, N., Low-Power Near-Threshold 10T SRAM Bit Cells With Enhanced Data-Independent Read Port Leakage for Array Augmentation in 32-nm CMOS; *TCSI March 2019 978-988*
- Gupta, S., *see* Hu, H., *TCSI Feb. 2019 534-545*
- Gupta, S., *see* Ghaderi, E., *TCSI Sept. 2019 3296-3306*
- Gupta, S.K., *see* Rangachar Srinivasa, S., *TCSI July 2019 2533-2545*
- Gupta, S.K., *see* Saki, A.A., *TCSI Nov. 2019 4219-4229*
- Gurbuz, Y., *see* Kalyoncu, I., *TCSI April 2019 1632-1642*
- Gurbuz, Y., *see* Chliskan, C., *TCSI April 2019 1419-1430*
- Gurbuz, Y., *see* Abbasi, S., *TCSI Oct. 2019 3713-3722*
- Gustafsson, O., *see* Kanders, H., *TCSI Oct. 2019 3863-3873*
- Guthaus, M.R., *see* Islam, R., *TCSI Jan. 2019 251-262*
- Gwee, B., *see* Ho, W., *TCSI Nov. 2019 4186-4199*
- ## H
- Ha, J., *see* Hwang, S., *TCSI Nov. 2019 4462-4475*
- Ha, S., *see* Hu, H., *TCSI Feb. 2019 534-545*
- Hafez, I.M., *see* Mohey, A.M., *TCSI Oct. 2019 4079-4092*
- Haghi Kashani, M., Tarkeshdouz, A., Afshari, E., and Mirabbasi, S., A 53–67 GHz Low-Noise Mixer-First Receiver Front-End in 65-nm CMOS; *TCSI June 2019 2051-2063*
- Haghiri, S., *see* Zahedi, A., *TCSI July 2019 2662-2670*
- Hahn, Y., *see* Chang, H., *TCSI April 2019 1594-1607*
- Hahn, Y., *see* Liang, C., *TCSI Aug. 2019 2935-2948*
- Haj-Ali, A., *see* Greenberg-Toledo, T., *TCSI April 2019 1571-1583*
- Hajimiri, A., *see* Hong, B., *TCSI Jan. 2019 355-368*
- Hamed, E.M., Fouda, M.E., and Radwan, A.G., Multiple Pinch-Off Points in Memristive Equations: Analysis and Experiments; *TCSI Aug. 2019 3052-3063*
- Hamilton, T.J., *see* Lammie, C., *TCSI April 2019 1558-1570*
- Hamilton, T.J., *see* Singh, R.K., *TCSI May 2019 1805-1817*
- Hammler, N., Cathelin, A., Cathelin, P., and Murmann, B., A Spectrum-Sensing DPD Feedback Receiver With $30\times$ Reduction in ADC Acquisition Bandwidth and Sample Rate; *TCSI Sept. 2019 3340-3351*
- Han, B., *see* Agrawal, A., *TCSI Aug. 2019 3064-3076*
- Han, D., Lee, J., Lee, J., and Yoo, H., A Low-Power Deep Neural Network Online Learning Processor for Real-Time Object Tracking Application; *TCSI May 2019 1794-1804*
- Han, J., *see* Jiang, H., *TCSI Jan. 2019 189-202*
- Han, J., *see* Jiang, H., *TCSI Jan. 2019 313-326*
- Han, J., *see* Lu, W., *TCSI Nov. 2019 4528-4541*
- Han, R., Kang, J., Huang, P., Xiang, Y., Liu, C., Dong, Z., Su, Z., Liu, Y., Liu, L., and Liu, X., A Novel Convolution Computing Paradigm Based on NOR Flash Array With High Computing Speed and Energy Efficiency; *TCSI May 2019 1692-1703*
- Han, Y., *see* Chen, X., *TCSI May 2019 1780-1793*
- Han, Z., *see* Jia, Q., *TCSI Nov. 2019 4429-4438*
- Handagala, S., *see* Wang, Y., *TCSI Feb. 2019 569-582*
- Hanyu, T., *see* Smithson, S.C., *TCSI June 2019 2263-2274*
- Haque, T., *see* Kalani, S., *TCSI May 2019 1681-1691*
- Harb, H., *see* Marchand, C., *TCSI Feb. 2019 869-880*
- Hariharan, S.I., *see* Udayanga, N., *TCSI Oct. 2019 3941-3954*
- Harpe, P., *see* Ding, M., *TCSI April 2019 1382-1392*
- Hartmann, S., *see* Hoppner, S., *TCSI Aug. 2019 2973-2986*
- Hassanzadehyamchi, S., *see* Alizadeh, A., *TCSI Aug. 2019 2921-2934*
- Hatalis, M., *see* Charisoulis, T., *TCSI Jan. 2019 175-188*
- Hayati, M., *see* Zahedi, A., *TCSI July 2019 2662-2670*
- He, T., Kareppagoudr, M., Zhang, Y., Caceres, E., Moon, U., and Temes, G.C., Noise Filtering and Linearization of Single-Ended Sampled-Data Circuits; *TCSI April 2019 1331-1341*
- He, X., *see* Kim, M., *TCSI Oct. 2019 3843-3853*
- Hebrard, L., *see* Madec, M., *TCSI June 2019 2188-2197*
- Heidarpur, M., Ahmadi, A., Ahmadi, M., and Rahimi Azghadi, M., COR-DIC-SNN: On-FPGA STDP Learning With Izhikevich Neurons; *TCSI July 2019 2651-2661*
- Helaoui, M., *see* Aziz, M., *TCSI March 2019 1063-1075*
- Heng, C., *see* Mao, W., *TCSI Feb. 2019 477-488*
- Heng, C., *see* Tao, J., *TCSI Sept. 2019 3317-3329*
- Henkel, J., *see* van Santen, V.M., *TCSI July 2019 2671-2684*
- Heo, D., *see* Ali, S.N., *TCSI Feb. 2019 834-847*
- Heo, D., *see* Renaud, L., *TCSI April 2019 1319-1330*
- Heo, D., *see* Ghaderi, E., *TCSI Sept. 2019 3296-3306*
- Hermida, R., *see* Del Barrio, A.A., *TCSI Feb. 2019 742-755*
- Hernandez, L., *see* Cardes, F., *TCSI March 2019 920-929*
- Herzel, F., *see* Ergintav, A., *TCSI May 2019 1670-1680*
- Herzel, F., Waldmann, S., and Kissinger, D., Numerical Jitter Minimization for PLL-Based FMCW Radar Systems; *TCSI July 2019 2478-2488*
- Herzig, M., *see* Weiher, M., *TCSI July 2019 2627-2638*
- Heydari, P., *see* Abedi, R., *TCSI May 2019 1818-1830*
- Hill, D.J., *see* Song, Y., *TCSI Nov. 2019 4415-4428*
- Hiskens, I.A., *see* Geng, S., *TCSI May 2019 1922-1934*
- Ho, W., Chong, K., Kim, T.T., and Gwee, B., A Secure Data-Toggling SRAM for Confidential Data Protection; *TCSI Nov. 2019 4186-4199*
- Hollis, S.J., *see* Liu, D., *TCSI March 2019 1280-1290*
- Holzer, K.D., and Walling, J.S., 1-to-N Ring Power Combiners With Common Delta Ports; *TCSI April 2019 1431-1441*
- Homma, N., *see* Suzuki, M., *TCSI Feb. 2019 616-629*
- Hong, B., and Hajimiri, A., A Phasor-Based Analysis of Sinusoidal Injection Locking in LC and Ring Oscillators; *TCSI Jan. 2019 355-368*
- Hong, H., Lin, L., and Chiu, Y., Design of a 0.20–0.25-V, Sub-nW, Rail-to-Rail, 10-bit SAR ADC for Self-Sustainable IoT Applications; *TCSI May 2019 1840-1852*
- Hong, H., and Lin, L., Accurate and Fast On-Wafer Test Circuitry for Device Array Characterization in Wafer Acceptance Test; *TCSI Sept. 2019 3467-3479*
- Hong, X., *see* Zhao, R., *TCSI Dec. 2019 4740-4752*
- Hoppner, S., Ellguth, G., Cederstroem, L., Plana, L.A., Garside, J., Furber, S., Mayr, C., Vogginger, B., Yan, Y., Dixius, A., Scholze, S., Partzsch, J., Neumarcker, F., Hartmann, S., and Schiefer, S., Dynamic Power Management for Neuromorphic Many-Core Systems; *TCSI Aug. 2019 2973-2986*
- Hoque, M.A., *see* Renaud, L., *TCSI April 2019 1319-1330*
- Horiuchi, T.K., *see* Koul, S., *TCSI April 2019 1544-1557*
- Hsieh, C., *see* Lin, C., *TCSI Nov. 2019 4476-4489*
- Hsu, C., *see* Liu, J., *TCSI April 2019 1342-1354*
- Hu, H., Islam, T., Kostyukova, A., Ha, S., and Gupta, S., From Battery Enabled to Natural Harvesting: Enzymatic BioFuel Cell Assisted Integrated Analog Front-End in 130nm CMOS for Long-Term Monitoring; *TCSI Feb. 2019 534-545*
- Hu, J., *see* Li, Y., *TCSI July 2019 2803-2812*
- Hu, W., *see* Li, C., *TCSI Sept. 2019 3585-3597*
- Hu, X., Schultis, M.J., Kramer, M., Bagla, A., Shetty, A., and Friedman, J.S., Overhead Requirements for Stateful Memristor Logic; *TCSI Jan. 2019 263-273*

Hu, X.S., *see* Chen, X., *TCSI May 2019 1780-1793*
Hu, Y., *see* Song, J., *TCSI Feb. 2019 655-668*
Huang, C., *see* Wu, H., *TCSI Oct. 2019 4068-4078*
Huang, C., *see* Muniandi, B., *TCSI Nov. 2019 4516-4527*
Huang, J., Nandha Kumar, T., Almurib, H.A.F., and Lombardi, F., A Deterministic Low-Complexity Approximate (Multiplier-Less) Technique for DCT Computation; *TCSI Aug. 2019 3001-3014*
Huang, M., *see* Chen, W., *TCSI April 2019 1496-1506*
Huang, P., *see* Han, R., *TCSI May 2019 1692-1703*
Huang, T., *see* Wang, P., *TCSI March 2019 1141-1152*
Huang, X., *see* Lyu, Y., *TCSI May 2019 1769-1779*
Huang, Y., *see* Chang, W.L., *TCSI July 2019 2454-2467*
Huang, Y., *see* Lee, L., *TCSI June 2019 2382-2393*
Huang, Y., *see* Li, C., *TCSI Sept. 2019 3585-3597*
Hueda, M.R., *see* Reyes, B.T., *TCSI June 2019 2064-2076*
Huemer, M., *see* Paireder, T., *TCSI Sept. 2019 3517-3530*
Hurst, P.J., *see* Stoops, D.J., *TCSI Aug. 2019 2854-2864*
Hwang, K.C., *see* Kang, H., *TCSI Feb. 2019 583-593*
Hwang, S., Moon, S., Jung, J., Kim, D., Park, I., Ha, J., and Lee, Y., Energy-Efficient Symmetric BC-BCH Decoder Architecture for Mobile Storages; *TCSI Nov. 2019 4462-4475*

I

Ibrahim, S.A., *see* Mohey, A.M., *TCSI Oct. 2019 4079-4092*
Ieong, C., *see* Un, K., *TCSI Sept. 2019 3307-3316*
Ippolito, S., *see* Kim, J., *TCSI July 2019 2615-2626*
Islam, M.S., Singh, S.K., Lee, J., Xie, Y., Zorman, C.A., Feng, P.X., and Mandal, S., A Programmable Sustaining Amplifier for Flexible Multimode MEMS-Referenced Oscillators; *TCSI April 2019 1405-1418*
Islam, M.S., Singh, S.K., Xereas, G., Chodavarapu, V.P., and Mandal, S., A Digitally Programmable CMOS Feedback ASIC for Highly Stable MEMS-Referenced Oscillators; *TCSI Nov. 2019 4158-4171*
Islam, R., and Guthaus, M.R., HCDN: Hybrid-Mode Clock Distribution Networks; *TCSI Jan. 2019 251-262*
Islam, T., *see* Hu, H., *TCSI Feb. 2019 534-545*
Ismail, M., *see* Tekeste, T., *TCSI Feb. 2019 669-679*
Issakov, V., Kehl-Waas, S., and Breun, S., Analytical Equivalent Circuit Extraction Procedure for Broadband Scalable Modeling of Three-Port Center-Tapped Symmetric On-Chip Inductors; *TCSI Sept. 2019 3557-3570*
Iu, H.H., *see* Lu, W., *TCSI Nov. 2019 4528-4541*
Iu, H.H.C., *see* Zheng, C., *TCSI Dec. 2019 4793-4806*
Izumi, S., *see* Mori, H., *TCSI April 2019 1442-1453*
Izumi, S., *see* Yoshida, S., *TCSI Oct. 2019 3896-3905*

J

Jafari, A., Ganesan, A., Thalissety, C.S.K., Sivasubramanian, V., Oates, T., and Mohsenin, T., SensorNet: A Scalable and Low-Power Deep Convolutional Neural Network for Multimodal Data Classification; *TCSI Jan. 2019 274-287*
Jainwal, K., *see* Anand, C., *TCSI June 2019 2219-2229*
Jaiswal, A., *see* Agrawal, A., *TCSI Aug. 2019 3064-3076*
Jalali, A., Azarderakhsh, R., Mozaffari Kermani, M., Campagna, M., and Jao, D., ARMv8 SIKE: Optimized Supersingular Isogeny Key Encapsulation on ARMv8 Processors; *TCSI Nov. 2019 4209-4218*
James, A.P., *see* Krestinskaya, O., *TCSI Feb. 2019 719-732*
Jang, W., *see* Kim, J., *TCSI Oct. 2019 3723-3732*
Jao, D., *see* Jalali, A., *TCSI Nov. 2019 4209-4218*
Jayaraj, A., Danesh, M., Chandrasekaran, S.T., and Sanyal, A., Highly Digital Second-Order $\Sigma\Delta$ VCO ADC; *TCSI July 2019 2415-2425*
Jeon, Y., Yao, L., Gao, Y., and Arasu, M.A., A 0.034% Charge-Imbalanced Neural Stimulation Front-End (SFE) IC With on-Chip Voltage Compliance Monitoring Circuit and Analysis on Resting Potential by Utilizing the SFE IC; *TCSI Oct. 2019 3797-3810*
Jeong, D., *see* Jeong, G., *TCSI Nov. 2019 4278-4286*
Jeong, D.S., *see* Kim, J., *TCSI July 2019 2615-2626*

Jeong, G., Kang, B., Ju, H., Park, K., and Jeong, D., A Modulo-FIR Equalizer for Wireline Communications; *TCSI Nov. 2019 4278-4286*
Jia, Q., Han, Z., and Tang, W.K.S., Synchronization of Multi-Agent Systems With Time-Varying Control and Delayed Communications; *TCSI Nov. 2019 4429-4438*
Jia, X., *see* Zhang, M., *TCSI March 2019 909-919*
Jiang, C., *see* Jin, X., *TCSI Oct. 2019 3928-3940*
Jiang, D., *see* Schormans, M., *TCSI Sept. 2019 3254-3265*
Jiang, H., Liu, C., Lombardi, F., and Han, J., Low-Power Approximate Unsigned Multipliers With Configurable Error Recovery; *TCSI Jan. 2019 189-202*
Jiang, H., Liu, L., Jonker, P.P., Elliott, D.G., Lombardi, F., and Han, J., A High-Performance and Energy-Efficient FIR Adaptive Filter Using Approximate Distributed Arithmetic Circuits; *TCSI Jan. 2019 313-326*
Jiang, J., Xu, Y., Zhu, W., Xiao, J., and Zou, S., Quadruple Cross-Coupled Latch-Based 10T and 12T SRAM Bit-Cell Designs for Highly Reliable Terrestrial Applications; *TCSI March 2019 967-977*
Jiang, J., *see* Zhou, D., *TCSI Sept. 2019 3373-3383*
Jiang, J., Kim, J., Karsilayan, A.I., and Silva-Martinez, J., A 3–6-GHz Highly Linear I-Channel Receiver With Over +3.0-dBm In-Band P_{1dB} and 200-MHz Baseband Bandwidth Suitable for 5G Wireless and Cognitive Radio Applications; *TCSI Aug. 2019 3134-3147*
Jiang, Y., Cucu Laurenciu, N., and Cotofana, S.D., On Basic Boolean Function Graphene Nanoribbon Conductance Mapping; *TCSI May 2019 1948-1959*
Jiang, Y., Asar, S., Ahmed, M., Zhang, H., and Fayed, A., Output Control Techniques for Dual-Frequency SIMO Buck Converters; *TCSI Oct. 2019 4055-4067*
Jin, S., *see* Liu, X., *TCSI Feb. 2019 708-718*
Jin, X., Jiang, C., Qin, J., and Zheng, W.X., Robust Pinning Constrained Control and Adaptive Regulation of Coupled Chua's Circuit Networks; *TCSI Oct. 2019 3928-3940*
Johns, D.A., *see* Lulec, S.Z., *TCSI Oct. 2019 3643-3652*
Johnston, M.L., *see* Shen, B., *TCSI March 2019 1258-1269*
Jokar, E., Abolfathi, H., Ahmadi, A., and Ahmadi, M., An Efficient Uniform-Segmented Neuron Model for Large-Scale Neuromorphic Circuit Design: Simulation and FPGA Synthesis Results; *TCSI June 2019 2336-2349*
Jonker, P.P., *see* Jiang, H., *TCSI Jan. 2019 313-326*
Joshi, S., Kim, C., Thomas, C.M., and Cauwenberghs, G., Digitally Adaptive High-Fidelity Analog Array Signal Processing Resilient to Capacitive Multiplying DAC Inter-Stage Gain Error; *TCSI Nov. 2019 4095-4107*
Ju, H., *see* Jeong, G., *TCSI Nov. 2019 4278-4286*
Jung, J., *see* Hwang, S., *TCSI Nov. 2019 4462-4475*
Jung, S., *see* Song, B., *TCSI Aug. 2019 2963-2972*

K

Kadetotad, D., *see* Kim, M., *TCSI Oct. 2019 3843-3853*
Kadiyala, D.K., *see* Clark, L.T., *TCSI March 2019 955-966*
Kajihara, K., *see* Yoshida, S., *TCSI Oct. 2019 3896-3905*
Kalani, S., Haque, T., Gupta, R., and Kinget, P.R., Benefits of Using VCO-OTAs to Construct TIAs in Wideband Current-Mode Receivers Over Inverter-Based OTAs; *TCSI May 2019 1681-1691*
Kale, A., Popuri, S., Koeberle, M., Sturm, J., and Pasupureddi, V.S.R., A –40 dB EVM, 77 MHz Dual-Band Tunable Gain Sub-Sampling Receiver Front End in 65-nm CMOS; *TCSI March 2019 1166-1179*
Kalligeros, E., *see* Pexaras, K., *TCSI June 2019 2088-2101*
Kalyoncu, I., Ozeren, E., Burak, A., Ceylan, O., and Gurbuz, Y., A Phase-Calibration Method for Vector-Sum Phase Shifters Using a Self-Generated LUT; *TCSI April 2019 1632-1642*
Kalyoncu, I., *see* Chliskan, C., *TCSI April 2019 1419-1430*
Kamal, M., *see* Pashaeifar, M., *TCSI Jan. 2019 327-340*
Kamal, M., *see* Ansari, M., *TCSI Dec. 2019 4687-4698*
Kammerer, J., *see* Madec, M., *TCSI June 2019 2188-2197*
Kananizadeh, R., *see* Abedi, R., *TCSI May 2019 1818-1830*
Kanders, H., Mellqvist, T., Garrido, M., Palmkvist, K., and Gustafsson, O., A 1 Million-Point FFT on a Single FPGA; *TCSI Oct. 2019 3863-3873*
Kang, B., *see* Jeong, G., *TCSI Nov. 2019 4278-4286*

- Kang, H.**, Yang, Y., Lee, H., Lee, W., Oh, H., Lim, W., Koo, H., Park, C., Hwang, K.C., and Lee, K., Octave Bandwidth Doherty Power Amplifier Using Multiple Resonance Circuit for the Peaking Amplifier; *TCSI Feb. 2019* 583-593
- Kang, J.**, see Han, R., *TCSI May 2019* 1692-1703
- Kang, J.**, see Moon, Y., *TCSI Aug. 2019* 2907-2920
- Kang, S.H.**, see Song, B., *TCSI Aug. 2019* 2963-2972
- Kanumalli, R.S.**, see Paireder, T., *TCSI Sept. 2019* 3517-3530
- Karami, M.A.**, and Moez, K., Systematic Co-Design of Matching Networks and Rectifiers for CMOS Radio Frequency Energy Harvesters; *TCSI Aug. 2019* 3238-3251
- Kareppagoudr, M.**, see He, T., *TCSI April 2019* 1331-1341
- Karimi, H.R.**, see Ren, H., *TCSI Jan. 2019* 391-402
- Karsilayan, A.I.**, see Jiang, J., *TCSI Aug. 2019* 3134-3147
- Karybali, I.G.**, see Pexaras, K., *TCSI June 2019* 2088-2101
- Katsuki, A.**, see Lotfi, A., *TCSI July 2019* 2794-2802
- Kavehei, O.**, see Kim, J., *TCSI July 2019* 2615-2626
- Kawaguchi, H.**, see Mori, H., *TCSI April 2019* 1442-1453
- Kawaguchi, H.**, see Yoshida, S., *TCSI Oct. 2019* 3896-3905
- Kawamoto, Y.**, see Mori, H., *TCSI April 2019* 1442-1453
- Kawamura, J.H.**, see Zhang, Y., *TCSI May 2019* 1863-1873
- Kazmierczuk, M.K.**, see Lotfi, A., *TCSI July 2019* 2794-2802
- Kehl-Waas, S.**, see Issakov, V., *TCSI Sept. 2019* 3557-3570
- Kenarangi, F.**, and Partin-Vaisband, I., Exploiting Machine Learning Against On-Chip Power Analysis Attacks: Tradeoffs and Design Considerations; *TCSI Feb. 2019* 769-781
- Kenarangi, F.**, and Partin-Vaisband, I., Leveraging Independent Double-Gate FinFET Devices for Machine Learning Classification; *TCSI Nov. 2019* 4356-4367
- Kennedy, M.P.**, see Donnelly, Y., *TCSI July 2019* 2426-2439
- Kennedy, M.P.**, see Donnelly, Y., *TCSI Nov. 2019* 4108-4121
- Ker, M.**, see Luo, Z., *TCSI Sept. 2019* 3437-3444
- Keränen, P.**, and Kostamovaara, J., $256 \times$ TDC Array With Cyclic Interpolators Based on Calibration-Free $2 \times$ Time Amplifier; *TCSI Feb. 2019* 524-533
- Keränen, P.**, and Kostamovaara, J., 256×8 SPAD Array With 256 Column TDCs for a Line Profiling Laser Radar; *TCSI Nov. 2019* 4122-4133
- Kessal, L.**, see Le, K., *TCSI Jan. 2019* 403-416
- Khalgui, M.**, see Ben Ahmed, A., *TCSI July 2019* 2699-2708
- Khalil, W.**, see Tantawy, R., *TCSI May 2019* 1758-1768
- Khalil, W.**, see Fragase, R., *TCSI June 2019* 2037-2050
- Khan, M.T.**, and Shaik, R.A., Optimal Complexity Architectures for Pipelined Distributed Arithmetic-Based LMS Adaptive Filter; *TCSI Feb. 2019* 630-642
- Khanna, D.**, Boon, C.C., Choi, P., Siek, L., Liu, B., and Li, C., A Low-Noise, Positive-Input, Negative-Output Voltage Generator for Low-to-Moderate Driving Capacity Applications; *TCSI Sept. 2019* 3423-3436
- Khateb, F.**, and Kulej, T., Design and Implementation of a 0.3-V Differential Difference Amplifier; *TCSI Feb. 2019* 513-523
- Khateb, F.**, see Vlassis, S., *TCSI Jan. 2019* 94-104
- Khiat, A.**, see Papandroulidakis, G., *TCSI Aug. 2019* 3041-3051
- Khoeini, F.**, see Pourahmad, V., *TCSI April 2019* 1531-1543
- Khwa, W.**, see Si, X., *TCSI Nov. 2019* 4172-4185
- Kiaei, S.**, see Singh, S., *TCSI June 2019* 2208-2218
- Kihara, T.**, Takahashi, T., and Yoshimura, T., Digital Mismatch Correction for Bandpass Sampling Four-Channel Time-Interleaved ADCs in Direct-RF Sampling Receivers; *TCSI June 2019* 2007-2016
- Kilic, R.**, see Ozturk, I., *TCSI Dec. 2019* 4780-4792
- Kim, B.**, see Koo, J., *TCSI Aug. 2019* 3077-3088
- Kim, C.**, Ahn, S., Min, J., and Kwon, K., Power Efficient and Reliable Non-volatile TCAM With Hi-PFO and Semi-Complementary Driver; *TCSI Feb. 2019* 605-615
- Kim, C.**, see Joshi, S., *TCSI Nov. 2019* 4095-4107
- Kim, D.**, see Hwang, S., *TCSI Nov. 2019* 4462-4475
- Kim, H.**, see Yang, C., *TCSI Oct. 2019* 3906-3916
- Kim, H.**, see Mohey, A.M., *TCSI Oct. 2019* 4079-4092
- Kim, J.**, see Ryu, S., *TCSI March 2019* 1245-1257
- Kim, J.**, Chun, H., Kavehei, O., Nili, H., Truong, N.D., Ahmed, T., Yang, J., Jeong, D.S., Sriram, S., Ranasinghe, D.C., and Ippolito, S., Nano-Intrinsic True Random Number Generation: A Device to Data Study; *TCSI July 2019* 2615-2626
- Kim, J.**, Jang, W., Lee, Y., Kim, W., Oh, S., Lee, J., Choi, J., Chun, J., and Cho, T.B., Design and Analysis of a 12-b Current-Steering DAC in a 14-nm FinFET Technology for 2G/3G/4G Cellular Applications; *TCSI Oct. 2019* 3723-3732
- Kim, J.**, see Jiang, J., *TCSI Aug. 2019* 3134-3147
- Kim, K.M.**, and Williams, R.S., A Family of Stateful Memristor Gates for Complete Cascading Logic; *TCSI Nov. 2019* 4348-4355
- Kim, M.**, see Guan, T., *TCSI July 2019* 2593-2605
- Kim, M.**, Mohanty, A., Kadetotad, D., Wei, L., He, X., Cao, Y., and Seo, J., A Real-Time 17-Scale Object Detection Accelerator With Adaptive 2000-Stage Classification in 65 nm CMOS; *TCSI Oct. 2019* 3843-3853
- Kim, S.**, and Kwon, K., A 50-MHz–1-GHz 2.3-dB NF Noise-Cancelling Balun-LNA Employing a Modified Current-Bleeding Technique and Balanced Loads; *TCSI Feb. 2019* 546-554
- Kim, S.**, see Moon, Y., *TCSI Aug. 2019* 2907-2920
- Kim, T.T.**, see Ho, W., *TCSI Nov. 2019* 4186-4199
- Kim, W.**, see Kim, J., *TCSI Oct. 2019* 3723-3732
- Kim, Y.**, see Zhang, Y., *TCSI May 2019* 1863-1873
- Kimura, S.**, see Sun, H., *TCSI April 2019* 1517-1530
- Kinget, P.R.**, see Kalani, S., *TCSI May 2019* 1681-1691
- Kinyua, M.**, see Zhou, D., *TCSI Sept. 2019* 3373-3383
- Kinyua, M.**, see Naderi, M.H., *TCSI Sept. 2019* 3352-3364
- Kishida, K.**, and Maeda, T., Simple, Analytical Expressions of an Effect of Local Signal Imperfections on Four-Phase Passive-Mixer-Based Bandpass Filter; *TCSI Jan. 2019* 147-160
- Kissinger, D.**, see Ergintav, A., *TCSI May 2019* 1670-1680
- Kissinger, D.**, see Herzel, F., *TCSI July 2019* 2478-2488
- Kitahara, Y.**, see Mori, H., *TCSI April 2019* 1442-1453
- Klein, J.**, see Wang, G., *TCSI Jan. 2019* 215-225
- Klumperink, E.A.M.**, see Abdulaziz, M., *TCSI March 2019* 885-896
- Klumperink, E.A.M.**, see Palattella, C., *TCSI Oct. 2019* 3761-3774
- Kochhar, A.**, see Soliman, M., *TCSI Nov. 2019* 4439-4447
- Koeberle, M.**, see Kale, A., *TCSI March 2019* 1166-1179
- Koh, K.**, see Shin, D., *TCSI Aug. 2019* 2898-2906
- Kolumban-Antal, G.**, see Boncalo, O., *TCSI April 2019* 1643-1656
- Kong, D.**, and Galton, I., Subsampling Mismatch Noise Cancellation for High-Speed Continuous-Time DACs; *TCSI Aug. 2019* 2843-2853
- Koo, H.**, see Kang, H., *TCSI Feb. 2019* 583-593
- Koo, J.**, Kim, B., Park, H., and Sim, J., A Quadrature RC Oscillator With Noise Reduction by Voltage Swing Control; *TCSI Aug. 2019* 3077-3088
- Korotkov, A.S.**, see Yenuchenko, M.S., *TCSI June 2019* 2230-2239
- Kose, S.**, see Kuttappa, R., *TCSI Dec. 2019* 4628-4636
- Kosmopoulos, S.A.**, see Canavate Sanchez, M.J., *TCSI Oct. 2019* 4044-4054
- Kostamovaara, J.**, see Keränen, P., *TCSI Feb. 2019* 524-533
- Kostamovaara, J.**, see Keränen, P., *TCSI Nov. 2019* 4122-4133
- Kostyukova, A.**, see Hu, H., *TCSI Feb. 2019* 534-545
- Koul, S.**, and Horiuchi, T.K., Waypoint Path Planning With Synaptic-Dependent Spike Latency; *TCSI April 2019* 1544-1557
- Kramer, M.**, see Hu, X., *TCSI Jan. 2019* 263-273
- Krestinskaya, O.**, Salama, K.N., and James, A.P., Learning in Memristive Neural Network Architectures Using Analog Backpropagation Circuits; *TCSI Feb. 2019* 719-732
- Krishnapura, N.**, see Kumar, S., *TCSI Sept. 2019* 3393-3401
- Krishnapura, N.**, Bhat, A.N., Mukherjee, S., Shrivastava, K.A., and Bonu, M., Maximizing the Data Rate of an Inductively Coupled Chip-to-Chip Link by Resetting the Channel State Variables; *TCSI Sept. 2019* 3531-3543
- Kulah, H.**, see Chamanian, S., *TCSI July 2019* 2784-2793
- Kulej, T.**, see Khateb, F., *TCSI Feb. 2019* 513-523
- Kumar, N.**, Singh, B., and Panigrahi, B.K., ANOVA Kernel Kalman Filter for Multi-Objective Grid Integrated Solar Photovoltaic-Distribution Static Compensator; *TCSI Nov. 2019* 4256-4264
- Kumar, S.**, Goroju, R., Bhat, D.K., Rakshitdatta, K.S., and Krishnapura, N., Design Considerations for Low-Distortion Filter and Oscillator ICs for Testing High-Resolution ADCs; *TCSI Sept. 2019* 3393-3401
- Kumm, M.**, see Garrido, M., *TCSI April 2019* 1507-1516

Kuo, C., *see* Muniandi, B., *TCSI Nov. 2019 4516-4527*
Kuo, J., *see* Stoops, D.J., *TCSI Aug. 2019 2854-2864*
Kurdahi, F.J., *see* Abdelaal, R.A., *TCSI Jan. 2019 302-312*
Kurokawa, F., *see* Lotfi, A., *TCSI July 2019 2794-2802*
Kurths, J., *see* Li, C., *TCSI June 2019 2322-2335*
Kuttappa, R., Balaji, A., Pano, V., Taskin, B., and Mahmoodi, H., RotaSYN: Rotary Traveling Wave Oscillator SYNthesizer; *TCSI July 2019 2685-2698*
Kuttappa, R., Kose, S., and Taskin, B., FOPAC: Flexible On-Chip Power and Clock; *TCSI Dec. 2019 4628-4636*
Kvatinsky, S., *see* Giacomini, E., *TCSI Feb. 2019 643-654*
Kvatinsky, S., *see* Greenberg-Toledo, T., *TCSI April 2019 1571-1583*
Kwon, K., *see* Kim, C., *TCSI Feb. 2019 605-615*
Kwon, K., *see* Kim, S., *TCSI Feb. 2019 546-554*

L

Lacaita, A.L., *see* Garghetti, A., *TCSI May 2019 1737-1745*
Lacaita, A.L., *see* Santiccioli, A., *TCSI Oct. 2019 3775-3785*
Lahuec, C., *see* Larras, B., *TCSI May 2019 1704-1715*
Lai, J., *see* Wu, H., *TCSI Oct. 2019 4068-4078*
Lai, L., Li, X., Fu, Y., Liu, Y., and Yang, H., Demystifying and Mitigating Code-Dependent Switching Distortions in Current-Steering DACs; *TCSI Jan. 2019 68-81*
Lai, X., *see* Zhong, L., *TCSI April 2019 1393-1404*
Lall, B., *see* Patel, S., *TCSI Oct. 2019 3882-3895*
Lallement, C., *see* Madec, M., *TCSI June 2019 2188-2197*
Lam, H., *see* Song, J., *TCSI Nov. 2019 4490-4501*
Lammie, C., Hamilton, T.J., van Schaik, A., and Rahimi Azghadi, M., Efficient FPGA Implementations of Pair and Triplet-Based STDP for Neuromorphic Architectures; *TCSI April 2019 1558-1570*
Larras, B., Chollet, P., Lahuec, C., Seguin, F., and Arzel, M., A Fully Flexible Circuit Implementation of Clique-Based Neural Networks in 65-nm CMOS; *TCSI May 2019 1704-1715*
Laureti, S., *see* Burrascano, P., *TCSI May 2019 1886-1896*
Le, K., Ghaffari, F., Kessal, L., Declercq, D., Boutillon, E., Winstead, C., and Vasic, B., A Probabilistic Parallel Bit-Flipping Decoder for Low-Density Parity-Check Codes; *TCSI Jan. 2019 403-416*
Le Duc, H., Feuvre, B., Pastore, M., and Wang, Y., An Adaptive Cascaded ILA- and DLA-Based Digital Predistorter for Linearizing an RF Power Amplifier; *TCSI March 2019 1031-1041*
Lecca, M., *see* Gottardi, M., *TCSI May 2019 1831-1839*
Lee, B., Nam, S., and Lee, J., Optimization-Free Design Equations for Narrowband Equal-Division Filtering Power Divider With Pre-Specified Filtering Response and Wideband Isolation; *TCSI July 2019 2496-2507*
Lee, C., and Xie, J., Digit-Serial Versatile Multiplier Based on a Novel Block Recombination of the Modified Overlap-Free Karatsuba Algorithm; *TCSI Jan. 2019 203-214*
Lee, H., *see* Kang, H., *TCSI Feb. 2019 583-593*
Lee, H., *see* Cong, L., *TCSI Jan. 2019 438-449*
Lee, H., *see* Liu, C., *TCSI May 2019 1908-1921*
Lee, J., *see* Islam, M.S., *TCSI April 2019 1405-1418*
Lee, J., *see* Han, D., *TCSI May 2019 1794-1804*
Lee, J., *see* Han, D., *TCSI May 2019 1794-1804*
Lee, J., *see* Lee, B., *TCSI July 2019 2496-2507*
Lee, J., *see* Kim, J., *TCSI Oct. 2019 3723-3732*
Lee, J., *see* Chandrarathna, S.C., *TCSI Dec. 2019 4888-4900*
Lee, K., *see* Kang, H., *TCSI Feb. 2019 583-593*
Lee, L., Chen, C., Chen, C., and Huang, Y., Square-Root Generalized Eigenvalue Decomposition Processor for Leakage-Based Multi-User MIMO Pre-coding With Multi-Antenna Users; *TCSI June 2019 2382-2393*
Lee, P., *see* Chang, W.L., *TCSI July 2019 2454-2467*
Lee, P., *see* Chang, S., *TCSI Sept. 2019 3504-3516*
Lee, S., Tsou, C., and Li, Y., Single-Bin DFT-Based Digital Calibration Technique for CDAC in SAR ADCs; *TCSI Dec. 2019 4582-4591*
Lee, W., *see* Kang, H., *TCSI Feb. 2019 583-593*
Lee, Y., *see* Kim, J., *TCSI Oct. 2019 3723-3732*
Lee, Y., *see* Hwang, S., *TCSI Nov. 2019 4462-4475*
Lei, X., Chan, C., Zhu, Y., and Martins, R.P., A 4-b 7- μ W Phase Domain ADC With Time Domain Reference Generation for Low-Power FSK/PSK Demodulation; *TCSI Sept. 2019 3365-3372*
Leitao, P.V., *see* de Melo, J.L.A., *TCSI Sept. 2019 3544-3556*
Leon-Salas, W.D., and Fan, X., Solar Cell Photo-Luminescence Modulation for Optical Frequency Identification Devices; *TCSI May 2019 1981-1992*
Levantino, S., *see* Garghetti, A., *TCSI May 2019 1737-1745*
Levantino, S., *see* Santiccioli, A., *TCSI Oct. 2019 3775-3785*
Levski, D., Wany, M., and Choubey, B., A 1- μ s Ramp Time 12-bit Column-Parallel Flash TDC-Interpolated Single-Slope ADC With Digital Delay-Element Calibration; *TCSI Jan. 2019 54-67*
Levy, B.C., *see* Stoops, D.J., *TCSI Aug. 2019 2854-2864*
Lewis, S.H., *see* Stoops, D.J., *TCSI Aug. 2019 2854-2864*
Li, C., Chan, C., Zhu, Y., and Martins, R.P., Analysis of Reference Error in High-Speed SAR ADCs With Capacitive DAC; *TCSI Jan. 2019 82-93*
Li, C., Feng, B., Li, S., Kurths, J., and Chen, G., Dynamic Analysis of Digital Chaotic Maps via State-Mapping Networks; *TCSI June 2019 2322-2335*
Li, C., Chen, Y., Hu, W., Chen, C., and Huang, Y., A 4×64 MIMO Detector for Generalized Spatial Modulation Systems; *TCSI Sept. 2019 3585-3597*
Li, C., *see* Khanna, D., *TCSI Sept. 2019 3423-3436*
Li, C., *see* Wang, N., *TCSI Dec. 2019 4767-4779*
Li, D., Liu, M., Gao, S., Shi, Y., Zhang, Y., Li, Z., Chiang, P.Y., Maloberti, F., and Geng, L., Low-Noise Broadband CMOS TIA Based on Multi-Stage Stagger-Tuned Amplifier for High-Speed High-Sensitivity Optical Communication; *TCSI Oct. 2019 3676-3689*
Li, H., Fan, P., Xia, H., Peng, H., and Song, S., Quantum Implementation Circuits of Quantum Signal Representation and Type Conversion; *TCSI Jan. 2019 341-354*
Li, H., and Saavedra, C.E., Linearization of Active Downconversion Mixers at the IF Using Feedforward Cancellation; *TCSI April 2019 1620-1631*
Li, H., Chou, C., Chen, Y., Wang, S., and Wu, A., Robust and Lightweight Ensemble Extreme Learning Machine Engine Based on Eigenspace Domain for Compressed Learning; *TCSI Dec. 2019 4699-4712*
Li, J., and Gu, Q.J., Harmonic-Based Nonlinearity Factorization of Switching Behavior in Up-Conversion Mixers; *TCSI July 2019 2468-2477*
Li, J., *see* Si, X., *TCSI Nov. 2019 4172-4185*
Li, N., *see* Zhou, Z., *TCSI Jan. 2019 428-437*
Li, Q., *see* Si, X., *TCSI Nov. 2019 4172-4185*
Li, S., *see* Ding, J., *TCSI March 2019 1003-1016*
Li, S., *see* Liu, J., *TCSI April 2019 1342-1354*
Li, S., *see* Li, C., *TCSI June 2019 2322-2335*
Li, S., *see* Lu, W., *TCSI Nov. 2019 4528-4541*
Li, T., *see* Luo, W., *TCSI June 2019 2309-2321*
Li, W., *see* Zhou, H., *TCSI July 2019 2709-2722*
Li, W., Lin, J., and Wang, Z., A 124-Gb/s Decoder for Generalized Integrated Interleaved Codes; *TCSI Aug. 2019 3174-3187*
Li, X., *see* Lai, L., *TCSI Jan. 2019 68-81*
Li, X., *see* Rangachar Srinivasa, S., *TCSI July 2019 2533-2545*
Li, X., *see* Li, Y., *TCSI July 2019 2803-2812*
Li, X., *see* Wu, J., *TCSI Aug. 2019 3123-3133*
Li, X., *see* Zheng, S., *TCSI Dec. 2019 4648-4661*
Li, Y., *see* Mao, W., *TCSI Feb. 2019 477-488*
Li, Y., and Chen, D., Low-Cost, High-Precision DAC Design Based on Ordered Element Matching; *TCSI Feb. 2019 502-512*
Li, Y., Hu, J., Li, X., and Cheng, K.E., A Flexible Load-Independent Multi-Output Wireless Power Transfer System Based on Cascaded Double T-Resonant Circuits: Analysis, Design and Experimental Verification; *TCSI July 2019 2803-2812*
Li, Y., *see* Lee, S., *TCSI Dec. 2019 4582-4591*
Li, Y.C., Chen, Q., Xue, Q., and Mou, J., Filtering Power Amplifier With Wide Bandwidth Using Discriminating Coupling; *TCSI Oct. 2019 3822-3830*
Li, Z., *see* Sun, Y., *TCSI March 2019 1076-1089*
Li, Z., *see* Ben Ahmed, A., *TCSI July 2019 2699-2708*
Li, Z., *see* Yan, H., *TCSI June 2019 2361-2370*
Li, Z., *see* Li, D., *TCSI Oct. 2019 3676-3689*
Li, Z., *see* Feng, L., *TCSI Nov. 2019 4230-4241*
Lian, K.L., *see* Lin, B.H., *TCSI Dec. 2019 4911-4921*

- Lian, Y.**, see Mao, W., *TCSI Feb. 2019 477-488*
- Liang, C.**, Roblin, P., Hahn, Y., Popovic, Z., and Chang, H., Novel Outphasing Power Amplifiers Designed With an Analytic Generalized Doherty-Chireix Continuum Theory; *TCSI Aug. 2019 2935-2948*
- Liang, D.**, see Zhao, X., *TCSI Sept. 2019 3494-3503*
- Liang, J.**, see Wang, Y., *TCSI Feb. 2019 569-582*
- Liao, C.**, Chen, T., and Wu, A., Real-Time Multi-User Detection Engine Design for IoT Applications via Modified Sparsity Adaptive Matching Pursuit; *TCSI Aug. 2019 2987-3000*
- Liao, Q.**, see Liu, W., *TCSI Dec. 2019 4727-4739*
- Liao, X.**, see Zhong, L., *TCSI April 2019 1393-1404*
- Liao, X.**, see Liu, L., *TCSI Oct. 2019 3786-3796*
- Liao, Y.**, Lin, C., Chang, H., and Lin, S., A (21150, 19050) GC-LDPC Decoder for NAND Flash Applications; *TCSI March 2019 1219-1230*
- Liao, Y.**, see Cheng, H., *TCSI Sept. 2019 3288-3295*
- Lim, C.**, see Aslam, M.S., *TCSI Feb. 2019 782-795*
- Lim, C.**, see Aslam, M.S., *TCSI Oct. 2019 3955-3967*
- Lim, W.**, see Kang, H., *TCSI Feb. 2019 583-593*
- Lin, B.H.**, Tsai, J.T., and Lian, K.L., A Non-Invasive Method for Estimating Circuit and Control Parameters of Voltage Source Converters; *TCSI Dec. 2019 4911-4921*
- Lin, C.**, see Liao, Y., *TCSI March 2019 1219-1230*
- Lin, C.**, and Hsieh, C., Low-Routing-Complexity Convolutional/Turbo Decoder Design for Iterative Detection and Decoding Receivers; *TCSI Nov. 2019 4476-4489*
- Lin, H.**, see Liu, D., *TCSI April 2019 1474-1483*
- Lin, J.**, see Wang, Y., *TCSI Jan. 2019 288-301*
- Lin, J.**, see Cui, H., *TCSI Aug. 2019 3188-3200*
- Lin, J.**, see Li, W., *TCSI Aug. 2019 3174-3187*
- Lin, L.**, see Hong, H., *TCSI May 2019 1840-1852*
- Lin, L.**, see Hong, H., *TCSI Sept. 2019 3467-3479*
- Lin, S.**, see Liao, Y., *TCSI March 2019 1219-1230*
- Lin, S.**, see Muniandi, B., *TCSI Nov. 2019 4516-4527*
- Lin, S.H.**, see Saki, A.A., *TCSI Nov. 2019 4219-4229*
- Lin, T.**, see Liu, C., *TCSI May 2019 1908-1921*
- Lin, T.**, see Gao, L., *TCSI Oct. 2019 3831-3842*
- Lin, Y.**, see Liu, C., *TCSI May 2019 1908-1921*
- Lin, Y.**, and Wang, Y.E., Design and Analysis of a 94-GHz CMOS Down-Conversion Mixer With CCPT-RL-Based IF Load; *TCSI Aug. 2019 3148-3161*
- Lin, Y.**, see Muniandi, B., *TCSI Nov. 2019 4516-4527*
- Liou, Y.**, see Chang, S., *TCSI Sept. 2019 3504-3516*
- Liscidini, A.**, see Lulec, S.Z., *TCSI Oct. 2019 3643-3652*
- Liu, B.**, see Fan, X., *TCSI March 2019 941-954*
- Liu, B.**, see Khanna, D., *TCSI Sept. 2019 3423-3436*
- Liu, C.**, see Jiang, H., *TCSI Jan. 2019 189-202*
- Liu, C.**, Lin, T., Wu, Y., Lin, Y., Lee, H., Tsao, Y., and Chien, S., Computation-Performance Optimization of Convolutional Neural Networks With Redundant Filter Removal; *TCSI May 2019 1908-1921*
- Liu, C.**, see Han, R., *TCSI May 2019 1692-1703*
- Liu, D.**, Hollis, S.J., and Stark, B.H., A New Design Technique for Sub-Nanosecond Delay and 200 V/ns Power Supply Slew-Tolerant Floating Voltage Level Shifters for GaN SMPS; *TCSI March 2019 1280-1290*
- Liu, D.**, Zhang, C., Lin, H., Chen, Y., and Zhang, M., A Resource-Efficient and Side-Channel Secure Hardware Implementation of Ring-LWE Cryptographic Processor; *TCSI April 2019 1474-1483*
- Liu, D.**, and Tse, C.K., Cascading Failure of Cyber-Coupled Power Systems Considering Interactions Between Attack and Defense; *TCSI Nov. 2019 4323-4336*
- Liu, F.**, see Song, Q., *TCSI July 2019 2723-2734*
- Liu, H.**, Xing, X., and Gielen, G.G.E., An 85-MHz-BW ASAR-Assisted CT 4-0 MASH $\Sigma\Delta$ Modulator With Background Half-Range Dithering-Based DAC Calibration in 28-nm CMOS; *TCSI July 2019 2405-2414*
- Liu, J.**, Zhang, X.Y., and Xue, Q., Dual-Band Transmission-Line Resistance Compression Network and Its Application to Rectifiers; *TCSI Jan. 2019 119-132*
- Liu, J.**, see Cong, L., *TCSI Jan. 2019 438-449*
- Liu, J.**, Hsu, C., Tang, X., Li, S., Wen, G., and Sun, N., Error-Feedback Mismatch Error Shaping for High-Resolution Data Converters; *TCSI April 2019 1342-1354*
- Liu, J.**, see Zhang, Z., *TCSI Oct. 2019 3733-3746*
- Liu, J.**, Yang, M., Tian, E., Cao, J., and Fei, S., Event-Based Security Control for State-Dependent Uncertain Systems Under Hybrid-Attacks and Its Application to Electronic Circuits; *TCSI Dec. 2019 4817-4828*
- Liu, L.**, see Liu, S., *TCSI Jan. 2019 20-30*
- Liu, L.**, see Zhao, X., *TCSI Jan. 2019 226-238*
- Liu, L.**, see Liu, Y., *TCSI Jan. 2019 417-427*
- Liu, L.**, see Jiang, H., *TCSI Jan. 2019 313-326*
- Liu, L.**, see Han, R., *TCSI May 2019 1692-1703*
- Liu, L.**, see Mahdavi, M., *TCSI July 2019 2763-2774*
- Liu, L.**, Liao, X., and Mu, J., A $3.6 \mu\text{V}_{\text{rms}}$ Noise, 3 ppm/ $^{\circ}\text{C}$ TC Bandgap Reference With Offset/Noise Suppression and Five-Piece Linear Compensation; *TCSI Oct. 2019 3786-3796*
- Liu, L.**, see Zhang, Z., *TCSI Oct. 2019 3733-3746*
- Liu, L.**, see Zheng, S., *TCSI Dec. 2019 4648-4661*
- Liu, M.**, see Chen, L., *TCSI Feb. 2019 810-819*
- Liu, M.**, see Li, D., *TCSI Oct. 2019 3676-3689*
- Liu, P.**, see Guan, T., *TCSI July 2019 2593-2605*
- Liu, Q.**, see Zhou, D., *TCSI Sept. 2019 3373-3383*
- Liu, R.**, see Si, X., *TCSI Nov. 2019 4172-4185*
- Liu, S.**, Zhu, Z., Wang, J., Liu, L., and Yang, Y., A 1.2-V 2.41-GHz Three-Stage CMOS OTA With Efficient Frequency Compensation Technique; *TCSI Jan. 2019 20-30*
- Liu, T.**, see Chang, S., *TCSI Sept. 2019 3504-3516*
- Liu, T.**, see Xie, F., *TCSI Sept. 2019 3631-3641*
- Liu, T.**, see Song, Y., *TCSI Nov. 2019 4415-4428*
- Liu, W.**, Liao, Q., Qiao, F., Xia, W., Wang, C., and Lombardi, F., Approximate Designs for Fast Fourier Transform (FFT) With Application to Speech Recognition; *TCSI Dec. 2019 4727-4739*
- Liu, X.**, Sha, J., Xie, H., Gao, F., Jin, S., Zhang, Z., You, X., and Zhang, C., Efficient Channel Estimator With Angle-Division Multiple Access; *TCSI Feb. 2019 708-718*
- Liu, X.**, see Cai, H., *TCSI Jan. 2019 239-250*
- Liu, X.**, see Zhou, Z., *TCSI Jan. 2019 428-437*
- Liu, X.**, see Han, R., *TCSI May 2019 1692-1703*
- Liu, Y.**, Liu, L., Edfors, O., and Owall, V., An Area-Efficient On-Chip Memory System for Massive MIMO Using Channel Data Compression; *TCSI Jan. 2019 417-427*
- Liu, Y.**, see Lai, L., *TCSI Jan. 2019 68-81*
- Liu, Y.**, see Ding, M., *TCSI April 2019 1382-1392*
- Liu, Y.**, see Han, R., *TCSI May 2019 1692-1703*
- Liu, Y.**, see Yang, Y., *TCSI May 2019 1970-1980*
- Liu, Y.**, see Devaraj, A., *TCSI Dec. 2019 4876-4887*
- Liu, Y.A.**, see Xu, B.W., *TCSI Dec. 2019 4637-4647*
- Lo Schiavo, A.**, see Costanzo, L., *TCSI March 2019 1291-1303*
- Lodi, M.**, see Oliveri, A., *TCSI June 2019 2394-2402*
- Lombardi, F.**, see Jiang, H., *TCSI Jan. 2019 189-202*
- Lombardi, F.**, see Jiang, H., *TCSI Jan. 2019 313-326*
- Lombardi, F.**, see Huang, J., *TCSI Aug. 2019 3001-3014*
- Lombardi, F.**, see Liu, W., *TCSI Dec. 2019 4727-4739*
- Lombardi, G.**, and Neri, B., On the Relationships Between Input and Output Stability in Two-Ports; *TCSI July 2019 2489-2495*
- Lotfi, A.**, Katsuki, A., Kurokawa, F., Sekiya, H., Kazimierczuk, M.K., and Blaabjerg, F., Analysis of Class-DE PA Using MOSFET Devices With Non-Equally Grading Coefficient; *TCSI July 2019 2794-2802*
- Lou, X.**, see Chen, W., *TCSI April 2019 1496-1506*
- Low, Q.W.**, and Siek, L., A Single-Stage Dual-Output Tri-Mode AC-DC Regulator for Inductively Powered Application; *TCSI Sept. 2019 3620-3630*
- Lu, F.**, Dong, Y., and Chen, C.W., Layered Decoding Algorithm and Two-Level Quasi-Cyclic Matrix Construction for Rate Compatible Modulation; *TCSI Aug. 2019 3213-3226*
- Lu, G.**, see Shen, H., *TCSI March 2019 1130-1140*
- Lu, G.**, see Song, Q., *TCSI July 2019 2723-2734*
- Lu, J.**, see Wu, X., *TCSI Aug. 2019 3113-3122*

- Lu, J.**, see Wu, X., *TCSI Aug. 2019 3113-3122*
- Lu, W.**, Han, J., Li, S., and Iu, H.H., Mitigating Line Frequency Instability of Boost PFC Converter Under Proportional Outer-Voltage Loop With Additional Third Current-Harmonic Feedforward Compensation; *TCSI Nov. 2019 4528-4541*
- Lu, Y.**, see Cai, G., *TCSI Sept. 2019 3610-3619*
- Lu, Z.**, see Song, X., *TCSI Sept. 2019 3279-3287*
- Lulec, S.Z.**, Johns, D.A., and Liscidini, A., A Third-Order Integrated Passive Switched-Capacitor Filter Obtained With a Continuous-Time Design Approach; *TCSI Oct. 2019 3643-3652*
- Luo, S.**, and Ye, D., Adaptive Double Event-Triggered Control for Linear Multi-Agent Systems With Actuator Faults; *TCSI Dec. 2019 4829-4839*
- Luo, W.**, Yin, Y., Xiong, L., Li, T., and Xu, H., Nonlinear Analytical Model for Switched-Capacitor Class-D RF Power Amplifiers; *TCSI June 2019 2309-2321*
- Luo, X.**, see Qian, H.J., *TCSI Feb. 2019 820-833*
- Luo, X.**, see Deng, Z., *TCSI Aug. 2019 2949-2962*
- Luo, Z.**, Yu, L., and Ker, M., An Efficient, Wide-Output, High-Voltage Charge Pump With a Stage Selection Circuit Realized in a Low-Voltage CMOS Process; *TCSI Sept. 2019 3437-3444*
- Lupo, N.**, Perez, E., Wenger, C., Maloberti, F., and Bonizzoni, E., Analysis of Parasitic Effects in Filamentary-Switching Memristive Memories Using an Approximated Verilog-A Memristor Model; *TCSI May 2019 1935-1947*
- Lyu, Y.**, Bai, L., and Huang, X., ChipNet: Real-Time LiDAR Processing for Drivable Region Segmentation on an FPGA; *TCSI May 2019 1769-1779*
- M**
- Ma, C.**, see Zhang, H., *TCSI April 2019 1608-1619*
- Ma, S.**, Yu, H., Gu, Q.J., and Ren, J., A 5–10-Gb/s 12.5-mW Source Synchronous I/O Interface With 3-D Flip Chip Package; *TCSI Feb. 2019 555-568*
- Madanayake, A.**, see Wang, Y., *TCSI Feb. 2019 569-582*
- Madanayake, A.**, see Udayanga, N., *TCSI Oct. 2019 3941-3954*
- Madec, M.**, Hebrard, L., Kammerer, J., Bonament, A., Rosati, E., and Lallement, C., Multiphysics Simulation of Biosensors Involving 3D Biological Reaction–Diffusion Phenomena in a Standard Circuit EDA Environment; *TCSI June 2019 2188-2197*
- Madian, A.H.**, see Tolba, M.F., *TCSI April 2019 1484-1495*
- Maeda, T.**, see Kishida, K., *TCSI Jan. 2019 147-160*
- Maevsky, O.**, see Bunnam, T., *TCSI Nov. 2019 4337-4347*
- Mafi, H.**, Yargholi, M., Yavari, M., and Mirabbasi, S., Digital Calibration of Elements Mismatch in Multirate Predictive SAR ADCs; *TCSI Dec. 2019 4571-4581*
- Maghami, H.**, Payandehnia, P., Mirzaie, H., Zandbaghi, R., Dey, S., Mayaram, K., and Fiez, T.S., A Highly Linear OTA-Free VCO-Based 1-1 MASH $\Sigma\Delta$ ADC; *TCSI July 2019 2440-2453*
- Mahdavi, H.**, and Timarchi, S., Area–Time–Power Efficient FFT Architectures Based on Binary-Signed-Digit CORDIC; *TCSI Oct. 2019 3874-3881*
- Mahdavi, M.**, Edfors, O., Owall, V., and Liu, L., A Low Latency FFT/IFFT Architecture for Massive MIMO Systems Utilizing OFDM Guard Bands; *TCSI July 2019 2763-2774*
- Mahmoodi, H.**, see Kuttappa, R., *TCSI July 2019 2685-2698*
- Maiti, R.**, Das Sharma, K., and Sarkar, G., Linear Consequence-Based Fuzzy Parallel Distributed Compensation Type L_1 Adaptive Controller for Two Link Robot Manipulator; *TCSI Oct. 2019 3978-3990*
- Majorkowska-Mech, D.**, see Cariow, A., *TCSI July 2019 2584-2592*
- Majumder, A.**, Das, M., Saw, S.K., Mondal, A.J., and Bhattacharyya, B.K., Variation Aware Design of 50-Gbit/s, 5.027-fJ/bit Serializer Using Latency Combined Mux-Dual Latch for Inter-Chip Communication; *TCSI March 2019 1231-1244*
- Mak, P.**, see Zhao, X., *TCSI Sept. 2019 3330-3339*
- Mak, P.**, see Un, K., *TCSI Sept. 2019 3307-3316*
- Mak, P.**, see Chen, Y., *TCSI Oct. 2019 3991-4004*
- Mak, P.**, see Fan, C., *TCSI Dec. 2019 4850-4861*
- Malcovati, P.**, see Moisello, E., *TCSI Sept. 2019 3402-3413*
- Maloberti, F.**, see Xing, D., *TCSI Feb. 2019 489-501*
- Maloberti, F.**, see Lupo, N., *TCSI May 2019 1935-1947*
- Maloberti, F.**, see Salimath, A., *TCSI Sept. 2019 3598-3609*
- Maloberti, F.**, see Li, D., *TCSI Oct. 2019 3676-3689*
- Mandal, D.**, see Singh, S., *TCSI June 2019 2208-2218*
- Mandal, S.**, see Wang, Y., *TCSI Feb. 2019 569-582*
- Mandal, S.**, see Islam, M.S., *TCSI April 2019 1405-1418*
- Mandal, S.**, see Udayanga, N., *TCSI Oct. 2019 3941-3954*
- Mandal, S.**, see Islam, M.S., *TCSI Nov. 2019 4158-4171*
- Mangraviti, G.**, see Blandino, S., *TCSI Feb. 2019 848-858*
- Mao, W.**, Li, Y., Heng, C., and Lian, Y., A Low Power 12-bit 1-ks/s SAR ADC for Biomedical Signal Processing; *TCSI Feb. 2019 477-488*
- Marchand, C.**, Boutillon, E., Harb, H., Conde-Cañencia, L., and Al Ghouwayel, A., Hybrid Check Node Architectures for NB-LDPC Decoders; *TCSI Feb. 2019 869-880*
- Mariano, A.**, see Guitton, G., *TCSI Oct. 2019 3653-3663*
- Martel, S.**, see Noormohammadi Khariak, M., *TCSI June 2019 2077-2087*
- Martinez-Salamero, L.**, see El Aroudi, A., *TCSI April 2019 1657-1667*
- Martins, R.P.**, see Xing, D., *TCSI Feb. 2019 489-501*
- Martins, R.P.**, see Li, C., *TCSI Jan. 2019 82-93*
- Martins, R.P.**, see Zhao, X., *TCSI Sept. 2019 3330-3339*
- Martins, R.P.**, see Un, K., *TCSI Sept. 2019 3307-3316*
- Martins, R.P.**, see Lei, X., *TCSI Sept. 2019 3365-3372*
- Martins, R.P.**, see Chen, Y., *TCSI Oct. 2019 3991-4004*
- Martins, R.P.**, see Fan, C., *TCSI Dec. 2019 4850-4861*
- Matsunaga, K.**, see Someya, T., *TCSI March 2019 1270-1279*
- Maundy, B.**, Elwakil, A.S., and Psychalinos, C., Correlation Between the Theory of Lissajous Figures and the Generation of Pinched Hysteresis Loops in Nonlinear Circuits; *TCSI July 2019 2606-2614*
- Mayaram, K.**, see Maghami, H., *TCSI July 2019 2440-2453*
- Mayr, C.**, see Hoppner, S., *TCSI Aug. 2019 2973-2986*
- Mazor, R.**, see Greenberg-Toledo, T., *TCSI April 2019 1571-1583*
- Mccue, J.**, see Fragasse, R., *TCSI June 2019 2037-2050*
- Medapuram, S.B.**, see Clark, L.T., *TCSI March 2019 955-966*
- Medi, A.**, see Alizadeh, A., *TCSI Oct. 2019 3664-3675*
- Medi, A.**, see Alizadeh, A., *TCSI Aug. 2019 2921-2934*
- Medina, V.**, see Cardes, F., *TCSI March 2019 920-929*
- Megahed, M.**, see Devaraj, A., *TCSI Dec. 2019 4876-4887*
- Meher, P.K.**, see Mohanty, B.K., *TCSI March 2019 1042-1050*
- Mehrotra, K.**, see Cavers, J.K., *TCSI Nov. 2019 4134-4146*
- Meinerzhagen, B.**, see Wenger, Y., *TCSI Sept. 2019 3445-3456*
- Mellqvist, T.**, see Kanders, H., *TCSI Oct. 2019 3863-3873*
- Men, Y.**, see Shen, H., *TCSI March 2019 1130-1140*
- Menezes, V.**, see Datta, K., *TCSI Aug. 2019 3227-3237*
- Meng, C.**, see Chang, W.L., *TCSI July 2019 2454-2467*
- Merrett, G.V.**, see Papandroulidakis, G., *TCSI Aug. 2019 3041-3051*
- Meyer, B.H.**, see Smithson, S.C., *TCSI June 2019 2263-2274*
- Mikolajick, T.**, see Weiher, M., *TCSI July 2019 2627-2638*
- Mikulic, J.**, Schatzberger, G., and Baric, A., A 1-MHz Relaxation Oscillator Core Employing a Self-Compensating Chopped Comparator Pair; *TCSI May 2019 1728-1736*
- Min, H.**, see Shi, S., *TCSI Dec. 2019 4840-4849*
- Min, J.**, see Kim, C., *TCSI Feb. 2019 605-615*
- Mirabbasi, S.**, see El Sayed, A., *TCSI March 2019 1153-1165*
- Mirabbasi, S.**, see Ali, S.N., *TCSI Feb. 2019 834-847*
- Mirabbasi, S.**, see Asoodeh, A., *TCSI Jan. 2019 133-146*
- Mirabbasi, S.**, see Sharkia, A., *TCSI Jan. 2019 43-53*
- Mirabbasi, S.**, see Haghi Kashani, M., *TCSI June 2019 2051-2063*
- Mirabbasi, S.**, see Nayak, S., *TCSI Aug. 2019 3162-3173*
- Mirabbasi, S.**, see Mafi, H., *TCSI Dec. 2019 4571-4581*
- Mirzaie, H.**, see Maghami, H., *TCSI July 2019 2440-2453*
- Mishra, A.K.**, see El Sayed, A., *TCSI March 2019 1153-1165*
- Moayeri, M.H.**, see Sabetzadeh, F., *TCSI Nov. 2019 4200-4208*
- Moez, K.**, see Karami, M.A., *TCSI Aug. 2019 3238-3251*
- Moez, K.**, see Basaligheh, A., *TCSI Aug. 2019 2888-2897*
- Moez, K.**, see Saffari, P., *TCSI Dec. 2019 4862-4875*
- Mohammad, B.**, see Tekeste, T., *TCSI Feb. 2019 669-679*
- Mohanty, A.**, see Kim, M., *TCSI Oct. 2019 3843-3853*

- Mohanty, B.K.**, and Meher, P.K., Area-Delay-Energy Efficient VLSI Architecture for Scalable In-Place Computation of FFT on Real Data; *TCSI March 2019 1042-1050*
- Mohey, A.M.**, Ibrahim, S.A., Hafez, I.M., and Kim, H., Design Optimization for Low-Power Reconfigurable Switched-Capacitor DC-DC Voltage Converter; *TCSI Oct. 2019 4079-4092*
- Mohsenin, T.**, see Jafari, A., *TCSI Jan. 2019 274-287*
- Moisello, E.**, Vaiana, M., Castagna, M.E., Bruno, G., Malcovati, P., and Bonizoni, E., An Integrated Micromachined Thermopile Sensor With a Chopper Interface Circuit for Contact-Less Temperature Measurements; *TCSI Sept. 2019 3402-3413*
- Mok, P.K.T.**, see Pan, S., *TCSI Nov. 2019 4502-4515*
- Moller, K.**, see Garrido, M., *TCSI April 2019 1507-1516*
- Momeni, O.**, see Abedi, R., *TCSI May 2019 1818-1830*
- Mondal, A.J.**, see Majumder, A., *TCSI March 2019 1231-1244*
- Monteiro, M.**, see Seidel, I., *TCSI June 2019 2102-2115*
- Moon, S.**, see Hwang, S., *TCSI Nov. 2019 4462-4475*
- Moon, U.**, see He, T., *TCSI April 2019 1331-1341*
- Moon, Y.**, Yoo, J., Ryu, Y., Kim, S., Son, K., and Kang, J., A 2.41-pJ/bit 5.4-Gb/s Dual-Loop Reference-Less CDR With Fully Digital Quarter-Rate Linear Phase Detector for Embedded DisplayPort; *TCSI Aug. 2019 2907-2920*
- Mopuri, S.**, and Acharyya, A., Low Complexity Generic VLSI Architecture Design Methodology for N^{th} Root and N^{th} Power Computations; *TCSI Dec. 2019 4673-4686*
- Morfin-Magana, R.**, Rico-Melgoza, J.J., Ornelas-Tellez, F., and Vasca, F., Complementarity Model of a Photovoltaic Power Electronic System With Model Predictive Control; *TCSI Nov. 2019 4402-4414*
- Morgan, M.A.**, Groves, W.M., and Boyd, T.A., Reflectionless Filter Topologies Supporting Arbitrary Low-Pass Ladder Prototypes; *TCSI Feb. 2019 594-604*
- Morgan, M.A.**, see Guilbert, A., *TCSI Dec. 2019 4606-4618*
- Mori, H.**, Nakagawa, T., Kitahara, Y., Kawamoto, Y., Takagi, K., Yoshimoto, S., Izumi, S., Kawaguchi, H., and Yoshimoto, M., A 28-nm FD-SOI 8T Dual-Port SRAM for Low-Energy Image Processor With Selective Sourceline Drive Scheme; *TCSI April 2019 1442-1453*
- Morimura, H.**, see Someya, T., *TCSI March 2019 1270-1279*
- Morozov, D.V.**, see Yenuchenko, M.S., *TCSI June 2019 2230-2239*
- Mosanaei-Boorani, H.**, see Shahroodi, T., *TCSI April 2019 1465-1473*
- Mosbahi, O.**, see Ben Ahmed, A., *TCSI July 2019 2699-2708*
- Motz, C.**, see Paireder, T., *TCSI Sept. 2019 3517-3530*
- Mou, J.**, see Li, Y.C., *TCSI Oct. 2019 3822-3830*
- Mozaffari Kermani, M.**, see Jalali, A., *TCSI Nov. 2019 4209-4218*
- Mu, J.**, see Liu, L., *TCSI Oct. 2019 3786-3796*
- Muhtaroglu, A.**, see Chamanian, S., *TCSI July 2019 2784-2793*
- Mukherjee, S.**, see Krishnapura, N., *TCSI Sept. 2019 3531-3543*
- Muniandi, B.**, Huang, C., Kuo, C., Yang, T., Chen, K., Lin, Y., Lin, S., and Tsai, T., A 97% Maximum Efficiency Fully Automated Control Turbo Boost Topology for Battery Chargers; *TCSI Nov. 2019 4516-4527*
- Mureddu, U.**, Bochar, N., Bossuet, L., and Fischer, V., Experimental Study of Locking Phenomena on Oscillating Rings Implemented in Logic Devices; *TCSI July 2019 2560-2571*
- Murmann, B.**, see Hammler, N., *TCSI Sept. 2019 3340-3351*
- N**
- Nabki, F.**, see Vejdani, P., *TCSI June 2019 2253-2262*
- Naderi, M.H.**, Park, C., Prakash, S., Kinyua, M., Soenen, E.G., and Silva-Martinez, J., A 27.7 fJ/conv-step 500 MS/s 12-Bit Pipelined ADC Employing a Sub-ADC Forecasting Technique and Low-Power Class AB Slew Boosted Amplifiers; *TCSI Sept. 2019 3352-3364*
- Naik, K.**, see Thulasiraman, K., *TCSI March 2019 1090-1103*
- Nakagawa, T.**, see Mori, H., *TCSI April 2019 1442-1453*
- Nallam, N.**, see Badiyari, K., *TCSI Oct. 2019 3700-3712*
- Nam, S.**, see Lee, B., *TCSI July 2019 2496-2507*
- Nan, J.**, see Wang, G., *TCSI Jan. 2019 215-225*
- Nandha Kumar, T.**, see Huang, J., *TCSI Aug. 2019 3001-3014*
- Narayanan, V.**, see Rangachar Srinivasa, S., *TCSI July 2019 2533-2545*
- Nascimento, C.d.D.d.**, see Soares, A.d.S.P., *TCSI June 2019 2116-2123*
- Natarajan, A.**, see Ramachandran, A., *TCSI March 2019 1192-1204*
- Nauta, B.**, see Abdulaziz, M., *TCSI March 2019 885-896*
- Nauta, B.**, see Palattella, C., *TCSI Oct. 2019 3761-3774*
- Nayak, S.**, Ahmed, A.H., Sharkia, A., Ramani, A.S., Mirabbasi, S., and Shekhar, S., A 10-Gb/s -18.8 dBm Sensitivity 5.7 mW Fully-Integrated Optoelectronic Receiver With Avalanche Photodetector in 0.13- μm CMOS; *TCSI Aug. 2019 3162-3173*
- Nayak, S.**, see Ramani, A.S., *TCSI Nov. 2019 4147-4157*
- Neale, A.**, see Patel, D., *TCSI July 2019 2519-2532*
- Neri, B.**, see Lombardi, G., *TCSI July 2019 2489-2495*
- Neumarker, F.**, see Hoppner, S., *TCSI Aug. 2019 2973-2986*
- Ni, J.**, see Chang, W.L., *TCSI July 2019 2454-2467*
- Ni, K.**, see Chen, X., *TCSI May 2019 1780-1793*
- Niemier, M.T.**, see Chen, X., *TCSI May 2019 1780-1793*
- Nili, H.**, see Kim, J., *TCSI July 2019 2615-2626*
- Nishio, Y.**, see Tanaka, M., *TCSI Dec. 2019 4807-4816*
- Niu, Y.**, see Song, J., *TCSI Nov. 2019 4490-4501*
- Noormohammadi Khiaarak, M.**, Martel, S., De Koninck, Y., and Gosselin, B., High-DR CMOS Fluorescence Biosensor With Extended Counting ADC and Noise Cancellation; *TCSI June 2019 2077-2087*
- O**
- Oates, T.**, see Jafari, A., *TCSI Jan. 2019 274-287*
- Ogrenci-Memik, S.**, see Del Barrio, A.A., *TCSI Feb. 2019 742-755*
- Oh, H.**, see Kang, H., *TCSI Feb. 2019 583-593*
- Oh, S.**, see Kim, J., *TCSI Oct. 2019 3723-3732*
- Olalla, C.**, see El Aroudi, A., *TCSI April 2019 1657-1667*
- Oliveira, L.B.**, see Filanovsky, I.M., *TCSI May 2019 1897-1907*
- Oliveri, A.**, Di Capua, G., Stoyka, K., Lodi, M., Storace, M., and Femia, N., A Power-Loss-Dependent Inductance Model for Ferrite-Core Power Inductors in Switch-Mode Power Supplies; *TCSI June 2019 2394-2402*
- Onizawa, N.**, see Smithson, S.C., *TCSI June 2019 2263-2274*
- Ornelas-Tellez, F.**, see Morfin-Magana, R., *TCSI Nov. 2019 4402-4414*
- Osipov, D.**, and Paul, S., Compact Extended Industrial Range CMOS Current References; *TCSI June 2019 1998-2006*
- Ost, L.**, see da Rosa, F.R., *TCSI June 2019 2151-2164*
- Ouyang, P.**, see Zheng, S., *TCSI Dec. 2019 4648-4661*
- Owall, V.**, see Liu, Y., *TCSI Jan. 2019 417-427*
- Owall, V.**, see Mahdavi, M., *TCSI July 2019 2763-2774*
- Ozeren, E.**, see Kalyoncu, I., *TCSI April 2019 1632-1642*
- Ozgun, M.T.**, Abdelhamid, A., and Dogan, H., A Low Power Receiver Front-End Design With Tunable Notch Filter for TX Leakage and Blocker Suppression; *TCSI March 2019 1180-1191*
- Ozturk, I.**, and Kilic, R., Higher Dimensional Baker Map and its Digital Implementation With LSB-Extension Method; *TCSI Dec. 2019 4780-4792*
- P**
- Paim, G.**, Rocha, L.M.G., Santana, G.M., Soares, L.B., da Costa, E.A.C., and Bampi, S., Power-, Area-, and Compression-Efficient Eight-Point Approximate 2-D Discrete Tchebichef Transform Hardware Design Combining Truncation Pruning and Efficient Transposition Buffers; *TCSI Feb. 2019 680-693*
- Paireder, T.**, Motz, C., Kanumalli, R.S., Sadjina, S., and Huemer, M., Ultra-Low Complex Blind I/Q-Imbalance Compensation; *TCSI Sept. 2019 3517-3530*
- Palattella, C.**, Klumperink, E.A.M., Alink, M.S.O., and Nauta, B., Digital-to-Frequency Converters With a DTC: Theoretical Analysis of the Output SFDR; *TCSI Oct. 2019 3761-3774*
- Paliouras, V.**, see Papachatzopoulos, K., *TCSI July 2019 2546-2559*
- Palmkvist, K.**, see Kanders, H., *TCSI Oct. 2019 3863-3873*
- Palumbo, G.**, see Giustolisi, G., *TCSI Dec. 2019 4557-4570*
- Pan, S.**, and Mok, P.K.T., A 10-MHz Hysteretic-Controlled Buck Converter With Single On/Off Reference Tracking Using Turning-Point Prediction for DVFS Application; *TCSI Nov. 2019 4502-4515*
- Pan, X.**, see Zhao, X., *TCSI Sept. 2019 3494-3503*

- Panda, A.K.**, and Ray, K.C., Modified Dual-CLCG Method and its VLSI Architecture for Pseudorandom Bit Generation; *TCSI March 2019 989-1002*
- Pandey, N.**, see Gupta, S., *TCSI March 2019 978-988*
- Panigrahi, B.K.**, see Kumar, N., *TCSI Nov. 2019 4256-4264*
- Pano, V.**, see Kuttappa, R., *TCSI July 2019 2685-2698*
- Papachatzopoulos, K.**, and Paliouras, V., Static Delay Variation Models for Ripple-Carry and Borrow-Save Adders; *TCSI July 2019 2546-2559*
- Papandroulidakis, G.**, Serb, A., Khiat, A., Merrett, G.V., and Prodromakis, T., Practical Implementation of Memristor-Based Threshold Logic Gates; *TCSI Aug. 2019 3041-3051*
- Paplinski, J.P.**, see Cariow, A., *TCSI July 2019 2584-2592*
- Paramesh, J.**, see Soliman, M., *TCSI Nov. 2019 4439-4447*
- Park, C.**, see Kang, H., *TCSI Feb. 2019 583-593*
- Park, C.**, see Zhou, D., *TCSI Sept. 2019 3373-3383*
- Park, C.**, see Naderi, M.H., *TCSI Sept. 2019 3352-3364*
- Park, H.**, see Koo, J., *TCSI Aug. 2019 3077-3088*
- Park, I.**, see Hwang, S., *TCSI Nov. 2019 4462-4475*
- Park, J.B.**, Davis, W.R., and Franzon, P.D., 3-D-DATE: A Circuit-Level Three-Dimensional DRAM Area, Timing, and Energy Model; *TCSI Feb. 2019 756-768*
- Park, J.H.**, see Xie, X., *TCSI Nov. 2019 4377-4387*
- Park, K.**, see Jeong, G., *TCSI Nov. 2019 4278-4286*
- Parreira, W.D.**, see Soares, A.d.S.P., *TCSI June 2019 2116-2123*
- Partin-Vaisband, I.**, see Kenarangi, F., *TCSI Feb. 2019 769-781*
- Partin-Vaisband, I.**, see Kenarangi, F., *TCSI Nov. 2019 4356-4367*
- Partzsch, J.**, see Hoppner, S., *TCSI Aug. 2019 2973-2986*
- Pashaefar, M.**, Kamal, M., Afzali-Kusha, A., and Pedram, M., A Theoretical Framework for Quality Estimation and Optimization of DSP Applications Using Low-Power Approximate Adders; *TCSI Jan. 2019 327-340*
- Passetti, L.**, see Reyes, B.T., *TCSI June 2019 2064-2076*
- Pastore, M.**, see Le Duc, H., *TCSI March 2019 1031-1041*
- Pasupureddi, V.S.R.**, see Kale, A., *TCSI March 2019 1166-1179*
- Patel, D.**, Neale, A., Wright, D., and Sachdev, M., Hybrid Latch-Type Offset Tolerant Sense Amplifier for Low-Voltage SRAMs; *TCSI July 2019 2519-2532*
- Patel, S.**, Dhuli, R., and Lall, B., Analysis of Signals via Non-Maximally Decimated Non-Uniform Filter Banks; *TCSI Oct. 2019 3882-3895*
- Patel, V.J.**, see Tantawy, R., *TCSI May 2019 1758-1768*
- Patil, A.**, see Chen, Y., *TCSI June 2019 2240-2252*
- Patil, S.**, Rao, S.G., Chen, Y., and Tsvividis, Y., Signal Encoding and Processing in Continuous Time Using a Cascade of Digital Delays; *TCSI March 2019 1017-1030*
- Paton, S.**, see Cardes, F., *TCSI March 2019 920-929*
- Paul, S.**, see Osipov, D., *TCSI June 2019 1998-2006*
- Paulino, N.**, see de Melo, J.L.A., *TCSI Sept. 2019 3544-3556*
- Pavan, S.**, see Theertham, R., *TCSI Aug. 2019 2831-2842*
- Pavan, S.**, see Datta, K., *TCSI Aug. 2019 3227-3237*
- Payandehnia, P.**, see Maghami, H., *TCSI July 2019 2440-2453*
- Pedram, M.**, see Pashaefar, M., *TCSI Jan. 2019 327-340*
- Pedram, M.**, see Ansari, M., *TCSI Dec. 2019 4687-4698*
- Peng, H.**, see Li, H., *TCSI Jan. 2019 341-354*
- Pereira, N.**, see de Melo, J.L.A., *TCSI Sept. 2019 3544-3556*
- Perez, E.**, see Lupo, N., *TCSI May 2019 1935-1947*
- Perez-Resa, A.**, Garcia-Bosque, M., Sanchez-Azqueta, C., and Celma, S., Chaotic Encryption for 10-Gb Ethernet Optical Links; *TCSI Feb. 2019 859-868*
- Pexaras, K.**, Karybali, I.G., and Kalligeros, E., Optimization and Hardware Implementation of Image and Video Watermarking for Low-Cost Applications; *TCSI June 2019 2088-2101*
- Pezzotta, A.**, see Chicco, F., *TCSI Feb. 2019 453-462*
- Phillips, K.**, see Ding, M., *TCSI April 2019 1382-1392*
- Piazza, G.**, see Soliman, M., *TCSI Nov. 2019 4439-4447*
- Pilipko, M.M.**, see Yenuchenko, M.S., *TCSI June 2019 2230-2239*
- Pillans, J.**, Improved Analog Filter Design by Random Search; *TCSI June 2019 2350-2360*
- Plana, L.A.**, see Hoppner, S., *TCSI Aug. 2019 2973-2986*
- Pollin, S.**, see Blandino, S., *TCSI Feb. 2019 848-858*
- Ponce, E.**, see El Aroudi, A., *TCSI April 2019 1657-1667*
- Pop, F.V.**, see Soliman, M., *TCSI Nov. 2019 4439-4447*
- Popovic, Z.**, see Liang, C., *TCSI Aug. 2019 2935-2948*
- Popuri, S.**, see Kale, A., *TCSI March 2019 1166-1179*
- Pourahmad, V.**, Khomeini, F., and Afshari, E., A System of Two Coupled Oscillators With a Continuously Controllable Phase Shift; *TCSI April 2019 1531-1543*
- Pradell, L.**, see Gilasgar, M., *TCSI Jan. 2019 31-42*
- Prakash, S.**, see Naderi, M.H., *TCSI Sept. 2019 3352-3364*
- Principe, J.C.**, see Dang, L., *TCSI Nov. 2019 4265-4277*
- Prodromakis, T.**, see Papandroulidakis, G., *TCSI Aug. 2019 3041-3051*
- Prouder, I.K.**, see Coutts, F.K., *TCSI Dec. 2019 4753-4766*
- Psychalinos, C.**, see Maundy, B., *TCSI July 2019 2606-2614*
- Pun, K.**, see Zhang, Y., *TCSI Dec. 2019 4592-4605*

Q

- Qi, G.**, see Un, K., *TCSI Sept. 2019 3307-3316*
- Qi, N.**, see Zhang, Z., *TCSI Oct. 2019 3733-3746*
- Qian, C.**, and Qian, T., An LLC-Type Resonant Forward Converter With Adjustable Turning-Off Time Control; *TCSI Dec. 2019 4901-4910*
- Qian, H.**, see Deng, Z., *TCSI Aug. 2019 2949-2962*
- Qian, H.J.**, Zhang, B., and Luo, X., High-Resolution Wideband Phase Shifter With Current Limited Vector-Sum; *TCSI Feb. 2019 820-833*
- Qian, T.**, see Qian, C., *TCSI Dec. 2019 4901-4910*
- Qiao, F.**, see Liu, W., *TCSI Dec. 2019 4727-4739*
- Qin, J.**, see Jin, X., *TCSI Oct. 2019 3928-3940*
- Qiu, J.**, see Chen, L., *TCSI Feb. 2019 810-819*

R

- Radwan, A.G.**, see Tolba, M.F., *TCSI April 2019 1484-1495*
- Radwan, A.G.**, see Hamed, E.M., *TCSI Aug. 2019 3052-3063*
- Ragab, K.**, see Song, J., *TCSI Aug. 2019 2876-2887*
- Rahimi, A.A.**, see Ghaderi, E., *TCSI Sept. 2019 3296-3306*
- Rahimi Azghadi, M.**, see Lammie, C., *TCSI April 2019 1558-1570*
- Rahimi Azghadi, M.**, see Heidarpur, M., *TCSI July 2019 2651-2661*
- Rakshitdatta, K.S.**, see Kumar, S., *TCSI Sept. 2019 3393-3401*
- Ramachandran, A.**, Natarajan, A., and Anand, T., Line Coding Techniques for Channel Equalization: Integrated Pulse-Width Modulation and Consecutive Digit Chopping; *TCSI March 2019 1192-1204*
- Ramachandran, A.**, see Devaraj, A., *TCSI Dec. 2019 4876-4887*
- Raman, J.**, see Vercaemer, D., *TCSI April 2019 1369-1381*
- Ramanathan, A.K.**, see Rangachar Srinivasa, S., *TCSI July 2019 2533-2545*
- Ramani, A.S.**, see Nayak, S., *TCSI Aug. 2019 3162-3173*
- Ramani, A.S.**, Nayak, S., and Shekhar, S., A Differential Push-Pull Voltage Mode VCSEL Driver in 65-nm CMOS; *TCSI Nov. 2019 4147-4157*
- Ranasinghe, D.C.**, see Kim, J., *TCSI July 2019 2615-2626*
- Rangachar Srinivasa, S.**, Ramanathan, A.K., Li, X., Chen, W., Gupta, S.K., Chang, M., Ghosh, S., Sampson, J., and Narayanan, V., ROBIN: Monolithic-3D SRAM for Enhanced Robustness with In-Memory Computation Support; *TCSI July 2019 2533-2545*
- Rao, S.G.**, see Patil, S., *TCSI March 2019 1017-1030*
- Rashid, S.M.S.**, see Tantawy, R., *TCSI May 2019 1758-1768*
- Ravelosona, D.**, see Wang, G., *TCSI Jan. 2019 215-225*
- Ray, K.C.**, see Panda, A.K., *TCSI March 2019 989-1002*
- Rebeiz, G.M.**, see Gao, L., *TCSI Oct. 2019 3831-3842*
- Reck, T.J.**, see Zhang, Y., *TCSI May 2019 1863-1873*
- Reiman, C.**, see Charisoulis, T., *TCSI Jan. 2019 175-188*
- Reis, R.**, see de Almeida Ramos, E., *TCSI June 2019 2165-2174*
- Reis, R.**, see da Rosa, F.R., *TCSI June 2019 2151-2164*
- Reis, R.A.D.L.**, see Conceicao, C.M.D.O., *TCSI June 2019 2175-2187*
- Ren, H.**, Zong, G., and Karimi, H.R., Asynchronous Finite-Time Filtering of Networked Switched Systems and its Application: an Event-Driven Method; *TCSI Jan. 2019 391-402*
- Ren, J.**, see Ma, S., *TCSI Feb. 2019 555-568*

- Renaud, L.**, Baylon, J., Gopal, S., Hoque, M.A., and Heo, D., Analysis of Systematic Losses in Hybrid Envelope Tracking Modulators; *TCSI April 2019 1319-1330*
- Reyes, B.T.**, Biolato, L., Galetto, A.C., Passetti, L., Solis, F., and Hueda, M.R., An Energy-Efficient Hierarchical Architecture for Time-Interleaved SAR ADC; *TCSI June 2019 2064-2076*
- Riaza, R.**, Circuit Theory in Projective Space and Homogeneous Circuit Models; *TCSI Feb. 2019 463-476*
- Ribar, L.**, and Sepulchre, R., Neuromodulation of Neuromorphic Circuits; *TCSI Aug. 2019 3028-3040*
- Ricci, M.**, see Burrascano, P., *TCSI May 2019 1886-1896*
- Rico-Melgoza, J.J.**, see Morfin-Magana, R., *TCSI Nov. 2019 4402-4414*
- Roberts, G.W.**, see Ziabakhsh, S., *TCSI April 2019 1355-1368*
- Roblin, P.**, see Chang, H., *TCSI April 2019 1594-1607*
- Roblin, P.**, see Liang, C., *TCSI Aug. 2019 2935-2948*
- Rocha, L.M.G.**, see Paim, G., *TCSI Feb. 2019 680-693*
- Romani, A.**, see Bellasi, D., *TCSI Jan. 2019 105-118*
- Rombouts, P.**, see Vercaemer, D., *TCSI April 2019 1369-1381*
- Rosati, E.**, see Madec, M., *TCSI June 2019 2188-2197*
- Rossi-Aicardi, C.**, see Antunez-Calistro, G., *TCSI June 2019 2027-2036*
- Roy, D.**, see Agrawal, A., *TCSI Aug. 2019 3064-3076*
- Roy, K.**, see Agrawal, A., *TCSI Aug. 2019 3064-3076*
- Roy, S.**, and Chandra, A., On the Order Minimization of Interpolated Bandpass Method Based Narrow Transition Band FIR Filter Design; *TCSI Nov. 2019 4287-4295*
- Ryu, S.**, Son, S., and Kim, J., An Accurate and Noise-Resilient Spread-Spectrum Clock Tracking Aid for Digitally-Controlled Clock and Data Recovery Loops; *TCSI March 2019 1245-1257*
- Ryu, Y.**, see Moon, Y., *TCSI Aug. 2019 2907-2920*

S

- Saavedra, C.E.**, see Li, H., *TCSI April 2019 1620-1631*
- Sabetzadeh, F.**, Moaiyeri, M.H., and Ahmadinejad, M., A Majority-Based Imprecise Multiplier for Ultra-Efficient Approximate Image Multiplication; *TCSI Nov. 2019 4200-4208*
- Sachdev, M.**, see Patel, D., *TCSI July 2019 2519-2532*
- Sadjina, S.**, see Paireder, T., *TCSI Sept. 2019 3517-3530*
- Sadollahi, M.**, and Temes, G.C., A 10-MHz BW 77.9 dB SNDR DT MASH $\Delta\Sigma$ ADC With NC-VCO-Based Quantizer and OPAMP Sharing; *TCSI Sept. 2019 3384-3392*
- Saeedi, S.**, see Fotoohi Piraghaj, S., *TCSI July 2019 2749-2762*
- Saffari, P.**, see Basaligheh, A., *TCSI Aug. 2019 2888-2897*
- Saffari, P.**, Basaligheh, A., and Moez, K., An RF-to-DC Rectifier With High Efficiency Over Wide Input Power Range for RF Energy Harvesting Applications; *TCSI Dec. 2019 4862-4875*
- Said, L.A.**, see Tolba, M.F., *TCSI April 2019 1484-1495*
- Saki, A.A.**, Lin, S.H., Alam, M., Thirumala, S.K., Gupta, S.K., and Ghosh, S., A Family of Compact Non-Volatile Flip-Flops With Ferroelectric FET; *TCSI Nov. 2019 4219-4229*
- Sakurai, T.**, see Someya, T., *TCSI March 2019 1270-1279*
- Salama, K.N.**, see Krestinskaya, O., *TCSI Feb. 2019 719-732*
- Salarifard, R.**, and Bayat-Sarmadi, S., An Efficient Low-Latency Point-Multiplication Over Curve25519; *TCSI Oct. 2019 3854-3862*
- Saleh, H.**, see Tekeste, T., *TCSI Feb. 2019 669-679*
- Salib, A.**, Flanagan, M.F., and Cardiff, B., A Generic Foreground Calibration Algorithm For ADCs With Nonlinear Impairments; *TCSI May 2019 1874-1885*
- Salib, A.**, Flanagan, M.F., and Cardiff, B., A High-Precision Time Skew Estimation and Correction Technique for Time-Interleaved ADCs; *TCSI Oct. 2019 3747-3760*
- Salimath, A.**, Botti, E., Gonano, G., Cacciagrano, P., Brambilla, D.L., Barbieri, T., Maloberti, F., and Bonizzoni, E., An 86% Efficiency, Wide- V_{in} SIMO DC-DC Converter Embedded in a Car-Radio IC; *TCSI Sept. 2019 3598-3609*
- Samori, C.**, see Santiccioli, A., *TCSI Oct. 2019 3775-3785*
- Sampson, J.**, see Rangachar Srinivasa, S., *TCSI July 2019 2533-2545*
- Sanchez-Azqueta, C.**, see Perez-Resca, A., *TCSI Feb. 2019 859-868*
- Sanchez-Sinencio, E.**, see Shi, C., *TCSI March 2019 897-908*
- Santana, G.M.**, see Paim, G., *TCSI Feb. 2019 680-693*
- Santiccioli, A.**, Samori, C., Lacaita, A.L., and Levantino, S., Time-Variant Modeling and Analysis of Multiplying Delay-Locked Loops; *TCSI Oct. 2019 3775-3785*
- Sanyal, A.**, see Jayaraj, A., *TCSI July 2019 2415-2425*
- Sarawadekar, K.**, see Chatterjee, S., *TCSI Nov. 2019 4296-4308*
- Sarkar, G.**, see Maiti, R., *TCSI Oct. 2019 3978-3990*
- Sarkar, M.**, see Anand, C., *TCSI June 2019 2219-2229*
- Sarti, A.**, see Bernardini, A., *TCSI Feb. 2019 694-707*
- Savin, V.**, see Boncalo, O., *TCSI April 2019 1643-1656*
- Saw, S.K.**, see Majumder, A., *TCSI March 2019 1231-1244*
- Sawigun, C.**, and Thanapitak, S., A Nanopower Biopotential Lowpass Filter Using Subthreshold Current-Reuse Biquads With Bulk Effect Self-Neutralization; *TCSI May 2019 1746-1757*
- Schatzberger, G.**, see Mikulic, J., *TCSI May 2019 1728-1736*
- Schiefer, S.**, see Hoppner, S., *TCSI Aug. 2019 2973-2986*
- Schilders, W.H.A.**, see De Luca, G., *TCSI March 2019 1104-1115*
- Scholze, S.**, see Hoppner, S., *TCSI Aug. 2019 2973-2986*
- Schormans, M.**, Jiang, D., Valente, V., and Demosthenous, A., Short-Range Quality-Factor Modulation (SQuirM) for Low Power High Speed Inductive Data Transfer; *TCSI Sept. 2019 3254-3265*
- Schultis, M.J.**, see Hu, X., *TCSI Jan. 2019 263-273*
- Scott, J.**, see Ebrahimi, A., *TCSI Oct. 2019 3811-3821*
- Segneri, A.**, see Canavate Sanchez, M.J., *TCSI Oct. 2019 4044-4054*
- Seguin, F.**, see Larras, B., *TCSI May 2019 1704-1715*
- Seidel, I.**, Monteiro, M., Bonotto, B., Agostini, L.V., and Guntzel, J.L., Energy-Efficient Hadamard-Based SATD Hardware Architectures Through Calculation Reuse; *TCSI June 2019 2102-2115*
- Sekiya, H.**, see Lotfi, A., *TCSI July 2019 2794-2802*
- Senni, L.**, see Burrascano, P., *TCSI May 2019 1886-1896*
- Seo, J.**, see Kim, M., *TCSI Oct. 2019 3843-3853*
- Seok, M.**, see Guan, T., *TCSI July 2019 2593-2605*
- Sepulchre, R.**, see Ribar, L., *TCSI Aug. 2019 3028-3040*
- Serb, A.**, see Papandroulidakis, G., *TCSI Aug. 2019 3041-3051*
- Severino, B.**, and Strunz, K., Enhancing Transient Stability of DC Microgrid by Enlarging the Region of Attraction Through Nonlinear Polynomial Droop Control; *TCSI Nov. 2019 4388-4401*
- Sha, J.**, see Liu, X., *TCSI Feb. 2019 708-718*
- Sha, J.**, see Deng, X., *TCSI Oct. 2019 4005-4017*
- Shahroodi, T.**, Bayat-Sarmadi, S., and Mosanaei-Boorani, H., Low-Latency Double Point Multiplication Architecture Using Differential Addition Chain Over $GF(2^m)$; *TCSI April 2019 1465-1473*
- Shaik, R.A.**, see Khan, M.T., *TCSI Feb. 2019 630-642*
- Shan, W.**, see Cai, H., *TCSI Jan. 2019 239-250*
- Shan, W.**, Shang, X., Wan, X., Cai, H., Zhang, C., and Yang, J., A Wide-Voltage-Range Half-Path Timing Error-Detection System With a 9-Transistor Transition-Detector in 40-nm CMOS; *TCSI June 2019 2288-2297*
- Shang, X.**, see Shan, W., *TCSI June 2019 2288-2297*
- Sharkia, A.**, Aniruddhan, S., Mirabbasi, S., and Shekhar, S., A Compact, Voltage-Mode Type-I PLL With Gain-Boosted Saturated PFD and Synchronous Peak Tracking Loop Filter; *TCSI Jan. 2019 43-53*
- Sharkia, A.**, see Nayak, S., *TCSI Aug. 2019 3162-3173*
- Shekhar, S.**, see El Sayed, A., *TCSI March 2019 1153-1165*
- Shekhar, S.**, see Sharkia, A., *TCSI Jan. 2019 43-53*
- Shekhar, S.**, see Yuan, C., *TCSI Sept. 2019 3414-3422*
- Shekhar, S.**, see Ghaderi, E., *TCSI Sept. 2019 3296-3306*
- Shekhar, S.**, see Nayak, S., *TCSI Aug. 2019 3162-3173*
- Shekhar, S.**, see Ramani, A.S., *TCSI Nov. 2019 4147-4157*
- Shen, B.**, Bose, S., and Johnston, M.L., Fully-Integrated Charge Pump Design Optimization for Above-Breakdown Biasing of Single-Photon Avalanche Diodes in 0.13- μm CMOS; *TCSI March 2019 1258-1269*
- Shen, H.**, Men, Y., Wu, Z., Cao, J., and Lu, G., Network-Based Quantized Control for Fuzzy Singularly Perturbed Semi-Markov Jump Systems and its Application; *TCSI March 2019 1130-1140*
- Shetty, A.**, see Hu, X., *TCSI Jan. 2019 263-273*

- Shi, C.**, and Sanchez-Sinencio, E., An On-Chip Built-in Linearity Estimation Methodology and Hardware Implementation; *TCSI March 2019* 897-908
- Shi, G.**, Symbolic Distortion Analysis of Multistage Amplifiers; *TCSI Jan. 2019* 369-382
- Shi, P.**, see Aslam, M.S., *TCSI Feb. 2019* 782-795
- Shi, P.**, see Aslam, M.S., *TCSI Oct. 2019* 3955-3967
- Shi, S.**, Xu, S., Gu, J., and Min, H., Global High-Order Sliding Mode Controller Design Subject to Mismatched Terms: Application to Buck Converter; *TCSI Dec. 2019* 4840-4849
- Shi, X.**, see Yang, Y., *TCSI May 2019* 1970-1980
- Shi, Y.**, see Zhou, Z., *TCSI Jan. 2019* 428-437
- Shi, Y.**, see Li, D., *TCSI Oct. 2019* 3676-3689
- Shin, D.**, and Koh, K., 24-GHz Injection-Locked Frequency Tripler With Third-Harmonic Quadrature Phase Generator; *TCSI Aug. 2019* 2898-2906
- Shirazi, A.H.M.**, see El Sayed, A., *TCSI March 2019* 1153-1165
- Shiue, M.**, see Wu, C., *TCSI Dec. 2019* 4713-4726
- Shrestha, R.**, see Chaurasiya, R.B., *TCSI Nov. 2019* 4448-4461
- Shrivastava, K.A.**, see Krishnapura, N., *TCSI Sept. 2019* 3531-3543
- Si, X.**, Chang, M., Khwa, W., Chen, J., Li, J., Sun, X., Liu, R., Yu, S., Yamauchi, H., and Li, Q., A Dual-Split 6T SRAM-Based Computing-in-Memory Unit-Macro With Fully Parallel Product-Sum Operation for Binarized DNN Edge Processors; *TCSI Nov. 2019* 4172-4185
- Siek, L.**, see Low, Q.W., *TCSI Sept. 2019* 3620-3630
- Siek, L.**, see Khanna, D., *TCSI Sept. 2019* 3423-3436
- Silva-Martinez, J.**, see Zhou, D., *TCSI Sept. 2019* 3373-3383
- Silva-Martinez, J.**, see Naderi, M.H., *TCSI Sept. 2019* 3352-3364
- Silva-Martinez, J.**, see Jiang, J., *TCSI Aug. 2019* 3134-3147
- Silveira, F.**, see Antunez-Calistro, G., *TCSI June 2019* 2027-2036
- Sim, J.**, see Koo, J., *TCSI Aug. 2019* 3077-3088
- Singh, B.**, see Kumar, N., *TCSI Nov. 2019* 4256-4264
- Singh, R.K.**, Xu, Y., Wang, R., Hamilton, T.J., Denham, S.L., and van Schaik, A., CAR-Lite: A Multi-Rate Cochlear Model on FPGA for Spike-Based Sound Encoding; *TCSI May 2019* 1805-1817
- Singh, S.**, Mandal, D., Bakkaloglu, B., and Kiaei, S., Low-Power/Low-Voltage Integrated CMOS Sense Resistor-Free Analog Power/Current Sensor Compatible With High-Voltage Switching DC-DC Converter; *TCSI June 2019* 2208-2218
- Singh, S.K.**, see Islam, M.S., *TCSI April 2019* 1405-1418
- Singh, S.K.**, see Islam, M.S., *TCSI Nov. 2019* 4158-4171
- Siniscalchi, M.**, see Antunez-Calistro, G., *TCSI June 2019* 2027-2036
- Sivadhasan Ramani, A.**, see Ghaderi, E., *TCSI Sept. 2019* 3296-3306
- Sivasubramanian, V.**, see Jafari, A., *TCSI Jan. 2019* 274-287
- Sjoland, H.**, see Abdulaziz, M., *TCSI March 2019* 885-896
- Slesazek, S.**, see Weiher, M., *TCSI July 2019* 2627-2638
- Smith, D.**, see Fragasse, R., *TCSI June 2019* 2037-2050
- Smith, D.S.**, see Tantawy, R., *TCSI May 2019* 1758-1768
- Smith, J.O.**, see Bernardini, A., *TCSI Feb. 2019* 694-707
- Smithson, S.C.**, Onizawa, N., Meyer, B.H., Gross, W.J., and Hanyu, T., Efficient CMOS Invertible Logic Using Stochastic Computing; *TCSI June 2019* 2263-2274
- Soares, A.d.S.P.**, Parreira, W.D., Souza, E.G., Nascimento, C.d.d., Almeida, S.J.M.d., Voice Activity Detection Using Generalized Exponential Kernels for Time and Frequency Domains; *TCSI June 2019* 2116-2123
- Soares, L.B.**, see Paim, G., *TCSI Feb. 2019* 680-693
- Soares, L.B.**, da Rosa, M.M.A., Diniz, C.M., da Costa, E.A.C., and Bampi, S., Design Methodology to Explore Hybrid Approximate Adders for Energy-Efficient Image and Video Processing Accelerators; *TCSI June 2019* 2137-2150
- Soenen, E.G.**, see Zhou, D., *TCSI Sept. 2019* 3373-3383
- Soenen, E.G.**, see Naderi, M.H., *TCSI Sept. 2019* 3352-3364
- Sokolov, D.**, see Bunnam, T., *TCSI Nov. 2019* 4337-4347
- Soliman, M.**, Kochhar, A., Abdelsalam, H., Pop, F.V., Vidal-Alvarez, G., Weldon, J., Piazza, G., and Paramesh, J., An 18 nW $-47/-40$ dBm Sensitivity 3/100 kbps MEMS-Assisted CMOS Wake-Up Receiver; *TCSI Nov. 2019* 4439-4447
- Solis, F.**, see Reyes, B.T., *TCSI June 2019* 2064-2076
- Soltan, A.**, see Bunnam, T., *TCSI Nov. 2019* 4337-4347
- Someya, T.**, Matsunaga, K., Morimura, H., Sakurai, T., and Takamiya, M., A 0.90-4.39-V Detection Voltage Range, 56-Level Programmable Voltage Detector Using Fine Voltage-Step Subtraction for Battery Management; *TCSI March 2019* 1270-1279
- Son, K.**, see Moon, Y., *TCSI Aug. 2019* 2907-2920
- Son, S.**, see Ryu, S., *TCSI March 2019* 1245-1257
- Song, B.**, Choi, S., Kang, S.H., and Jung, S., Offset-Cancellation Sensing-Circuit-Based Nonvolatile Flip-Flop Operating in Near-Threshold Voltage Region; *TCSI Aug. 2019* 2963-2972
- Song, D.**, see Zheng, S., *TCSI Dec. 2019* 4648-4661
- Song, J.**, Tian, S., and Hu, Y., Analysis and Correction of Combined Channel Mismatch Effects in Frequency-Interleaved ADCs; *TCSI Feb. 2019* 655-668
- Song, J.**, Ragab, K., Tang, X., and Sun, N., A 10-b 600-MS/s 2-Way Time-Interleaved SAR ADC With Mean Absolute Deviation-Based Background Timing-Skew Calibration; *TCSI Aug. 2019* 2876-2887
- Song, J.**, Niu, Y., and Lam, H., Reliable Sliding Mode Control of Fast Sampling Singularly Perturbed Systems: A Redundant Channel Transmission Protocol Approach; *TCSI Nov. 2019* 4490-4501
- Song, Q.**, Lu, G., Wen, G., Cao, J., and Liu, F., Bipartite Synchronization and Convergence Analysis for Network of Harmonic Oscillator Systems With Signed Graph and Time Delay; *TCSI July 2019* 2723-2734
- Song, S.**, see Li, H., *TCSI Jan. 2019* 341-354
- Song, X.**, Lu, Z., Cai, L., Yu, X., Yeo, K., and Chen, J., A Wideband dB-Linear VGA With Temperature Compensation and Active Load; *TCSI Sept. 2019* 3279-3287
- Song, Y.**, see Zhang, H., *TCSI May 2019* 1716-1727
- Song, Y.**, Hill, D.J., and Liu, T., On Extension of Effective Resistance With Application to Graph Laplacian Definiteness and Power Network Stability; *TCSI Nov. 2019* 4415-4428
- Souliotis, G.**, see Vlassis, S., *TCSI Jan. 2019* 94-104
- Souza, E.G.**, see Soares, A.d.S.P., *TCSI June 2019* 2116-2123
- Spasaro, M.**, Alimenti, F., and Zito, D., The Theory of Special Noise Invariants; *TCSI April 2019* 1305-1318
- Srinivasan, G.**, see Agrawal, A., *TCSI Aug. 2019* 3064-3076
- Sriram, S.**, see Kim, J., *TCSI July 2019* 2615-2626
- Stark, B.H.**, see Liu, D., *TCSI March 2019* 1280-1290
- Stoops, D.J.**, Kuo, J., Hurst, P.J., Levy, B.C., and Lewis, S.H., Digital Background Calibration of a Split Current-Steering DAC; *TCSI Aug. 2019* 2854-2864
- Storace, M.**, see Oliveri, A., *TCSI June 2019* 2394-2402
- Stoyka, K.**, see Oliveri, A., *TCSI June 2019* 2394-2402
- Strunz, K.**, see Severino, B., *TCSI Nov. 2019* 4388-4401
- Stuijt, J.**, see Fan, X., *TCSI March 2019* 941-954
- Sturm, J.**, see Kale, A., *TCSI March 2019* 1166-1179
- Su, F.**, see Yang, Y., *TCSI May 2019* 1970-1980
- Su, Y.**, see Sun, W., *TCSI Sept. 2019* 3571-3584
- Su, Z.**, see Han, R., *TCSI May 2019* 1692-1703
- Sun, H.**, see Zhao, X., *TCSI Jan. 2019* 226-238
- Sun, H.**, Cheng, Z., Gharehbaghi, A.M., Kimura, S., and Fujita, M., Approximate DCT Design for Video Encoding Based on Novel Truncation Scheme; *TCSI April 2019* 1517-1530
- Sun, N.**, see Liu, J., *TCSI April 2019* 1342-1354
- Sun, N.**, see Song, J., *TCSI Aug. 2019* 2876-2887
- Sun, S.**, see Tao, Y., *TCSI Oct. 2019* 4032-4043
- Sun, T.**, see Zheng, C., *TCSI Dec. 2019* 4793-4806
- Sun, W.**, see Chen, Y., *TCSI March 2019* 1205-1218
- Sun, W.**, Su, Y., Ueng, Y., and Yang, C., An LDPC-Coded SCMA Receiver With Multi-User Iterative Detection and Decoding; *TCSI Sept. 2019* 3571-3584
- Sun, X.**, see Si, X., *TCSI Nov. 2019* 4172-4185
- Sun, Y.**, Yu, J., and Li, Z., Event-Triggered Finite-Time Robust Filtering for a Class of State-Dependent Uncertain Systems With Network Transmission Delay; *TCSI March 2019* 1076-1089
- Suzuki, M.**, Ueno, R., Homma, N., and Aoki, T., Efficient Fuzzy Extractors Based on Ternary Debiasing Method for Biased Physically Unclonable Functions; *TCSI Feb. 2019* 616-629

T

- Takagi, K.**, see Mori, H., *TCSI April 2019 1442-1453*
- Takahashi, T.**, see Kihara, T., *TCSI June 2019 2007-2016*
- Takamiya, M.**, see Someya, T., *TCSI March 2019 1270-1279*
- Tanaka, M.**, Yamauchi, M., and Nishio, Y., Phase-Inversion Waves Propagating in an In-Phase Synchronization on Oscillators Coupled as a Cross; *TCSI Dec. 2019 4807-4816*
- Tang, A.**, see Zhang, Y., *TCSI May 2019 1863-1873*
- Tang, L.**, and Zhao, J., Switched Threshold-Based Fault Detection for Switched Nonlinear Systems With Its Application to Chua's Circuit System; *TCSI Feb. 2019 733-741*
- Tang, L.**, see Wu, X., *TCSI Aug. 2019 3113-3122*
- Tang, W.K.S.**, see Jia, Q., *TCSI Nov. 2019 4429-4438*
- Tang, X.**, see Liu, J., *TCSI April 2019 1342-1354*
- Tang, X.**, see Song, J., *TCSI Aug. 2019 2876-2887*
- Tantawy, R.**, Goodman, J., Khalil, W., Patel, V.J., Smith, D.S., Rashid, S.M.S., Casto, M., Duncan, L., Fragasse, R., Dupaux, B., and Boglione, L., Wide-Bandwidth, High-Linearity, 2.8-GS/s, 10-bit Accurate Sample and Hold Amplifier in 130-nm SiGe BiCMOS; *TCSI May 2019 1758-1768*
- Tantawy, R.**, see Fragasse, R., *TCSI June 2019 2037-2050*
- Tao, J.**, and Heng, C., A 2.2-GHz 3.2-mW DTC-Free Sampling $\Sigma\Delta$ Fractional-N PLL With -110 -dBc/Hz In-Band Phase Noise and -246 -dB FoM and -83 -dBc Reference Spur; *TCSI Sept. 2019 3317-3329*
- Tao, Y.**, Sun, S., and Zhang, Z., Efficient Post-Processors for Improving Error-Correcting Performance of LDPC Codes; *TCSI Oct. 2019 4032-4043*
- Taris, T.**, see Guitton, G., *TCSI Oct. 2019 3653-3663*
- Tarkeshdouz, A.**, see Haghi Kashani, M., *TCSI June 2019 2051-2063*
- Tartagni, M.**, see Bellasi, D., *TCSI Jan. 2019 105-118*
- Taskin, B.**, see Kuttappa, R., *TCSI July 2019 2685-2698*
- Taskin, B.**, see Kuttappa, R., *TCSI Dec. 2019 4628-4636*
- Tavazoei, M.S.**, Upper and Lower Bounds for the Maximum Number of Frequencies That Can Be Generated by a Class of Fractional Oscillators; *TCSI April 2019 1584-1593*
- Tchamov, N.T.**, see Filanovsky, I.M., *TCSI May 2019 1897-1907*
- Tekeste, T.**, Saleh, H., Mohammad, B., and Ismail, M., Ultra-Low Power QRS Detection and ECG Compression Architecture for IoT Healthcare Devices; *TCSI Feb. 2019 669-679*
- Temes, G.C.**, see He, T., *TCSI April 2019 1331-1341*
- Temes, G.C.**, see Sadollahi, M., *TCSI Sept. 2019 3384-3392*
- Tetzlaff, R.**, see Weiher, M., *TCSI July 2019 2627-2638*
- Thalisetty, C.S.K.**, see Jafari, A., *TCSI Jan. 2019 274-287*
- Thanapitak, S.**, see Sawigun, C., *TCSI May 2019 1746-1757*
- Theertham, R.**, and Pavan, S., Unified Analysis, Modeling, and Simulation of Chopping Artifacts in Continuous-Time Delta-Sigma Modulators; *TCSI Aug. 2019 2831-2842*
- Theuwissen, A.J.P.**, see Wang, F., *TCSI March 2019 930-940*
- Thirumala, S.K.**, see Saki, A.A., *TCSI Nov. 2019 4219-4229*
- Thomas, C.M.**, see Joshi, S., *TCSI Nov. 2019 4095-4107*
- Thulasiraman, K.**, Yadav, M., and Naik, K., Network Science Meets Circuit Theory: Resistance Distance, Kirchhoff Index, and Foster's Theorems With Generalizations and Unification; *TCSI March 2019 1090-1103*
- Tian, E.**, see Liu, J., *TCSI Dec. 2019 4817-4828*
- Tian, S.**, see Song, J., *TCSI Feb. 2019 655-668*
- Timarchi, S.**, see Mahdavi, H., *TCSI Oct. 2019 3874-3881*
- Tolba, M.F.**, Said, L.A., Madian, A.H., and Radwan, A.G., FPGA Implementation of the Fractional Order Integrator/Differentiator: Two Approaches and Applications; *TCSI April 2019 1484-1495*
- Torres, F.**, see El Aroudi, A., *TCSI April 2019 1657-1667*
- Torres, V.**, see Valls, J., *TCSI June 2019 2198-2207*
- Traversa, F.L.**, see Bonnin, M., *TCSI Oct. 2019 3917-3927*
- Truong, N.D.**, see Kim, J., *TCSI July 2019 2615-2626*
- Tsai, J.**, Design of a 5.2-GHz CMOS Power Amplifier Using TF-Based 2-Stage Dual-Radial Power Splitting/Combining Architecture; *TCSI Oct. 2019 3690-3699*
- Tsai, J.T.**, see Lin, B.H., *TCSI Dec. 2019 4911-4921*
- Tsai, P.**, see Wu, C., *TCSI July 2019 2572-2583*

- Tsai, T.**, see Chen, Y., *TCSI March 2019 1205-1218*
- Tsai, T.**, see Muniandi, B., *TCSI Nov. 2019 4516-4527*
- Tsao, Y.**, see Liu, C., *TCSI May 2019 1908-1921*
- Tse, C.K.**, see Liu, D., *TCSI Nov. 2019 4323-4336*
- Tsiftsis, T.A.**, see Canavate Sanchez, M.J., *TCSI Oct. 2019 4044-4054*
- Tsividis, Y.**, see Patil, S., *TCSI March 2019 1017-1030*
- Tsou, C.**, see Lee, S., *TCSI Dec. 2019 4582-4591*

U

- U, S.**, see Xing, D., *TCSI Feb. 2019 489-501*
- Udayanga, N.**, Hariharan, S.I., Mandal, S., Belostotski, L., Bruton, L.T., and Madanayake, A., Continuous-Time Algorithms for Solving Maxwell's Equations Using Analog Circuits; *TCSI Oct. 2019 3941-3954*
- Ueng, Y.**, see Chen, Y., *TCSI March 2019 1205-1218*
- Ueng, Y.**, see Sun, W., *TCSI Sept. 2019 3571-3584*
- Ueno, R.**, see Suzuki, M., *TCSI Feb. 2019 616-629*
- Uluslan, H.**, see Chamanian, S., *TCSI July 2019 2784-2793*
- Un, K.**, Qi, G., Yin, J., Yang, S., Yu, S., Jeong, C., Mak, P., and Martins, R.P., A 0.12 -mm² 1.2-to-2.4-mW 1.3-to-2.65-GHz Fractional-N Bang-Bang Digital PLL With 8 - μ s Settling Time for Multi-ISM-Band ULP Radios; *TCSI Sept. 2019 3307-3316*

V

- Vaiana, M.**, see Moisello, E., *TCSI Sept. 2019 3402-3413*
- Valente, V.**, see Schormans, M., *TCSI Sept. 2019 3254-3265*
- Valls, J.**, Torres, V., Canet, M.J., and Garcia-Herrero, F.M., A Test Vector Generation Method Based on Symbol Error Probabilities for Low-Complexity Chase Soft-Decision Reed-Solomon Decoding; *TCSI June 2019 2198-2207*
- Van Noije, W.**, see Compassi-Severo, L., *TCSI June 2019 2017-2026*
- Van Roermund, A.**, see Ding, M., *TCSI April 2019 1382-1392*
- van Santen, V.M.**, Amrouch, H., and Henkel, J., Modeling and Mitigating Time-Dependent Variability From the Physical Level to the Circuit Level; *TCSI July 2019 2671-2684*
- van Schaik, A.**, see Lammie, C., *TCSI April 2019 1558-1570*
- van Schaik, A.**, see Singh, R.K., *TCSI May 2019 1805-1817*
- Vasca, F.**, see Morfin-Magana, R., *TCSI Nov. 2019 4402-4414*
- Vasic, B.**, see Le, K., *TCSI Jan. 2019 403-416*
- Vejdani, P.**, and Nabki, F., Dual-Path and Dual-Chopper Amplifier Signal Conditioning Circuit With Improved SNR and Ultra-Low Power Consumption for MEMS; *TCSI June 2019 2253-2262*
- Vejdani Amiri, M.**, see Aziz, M., *TCSI March 2019 1063-1075*
- Vercamer, D.**, Raman, J., and Rombouts, P., Low-Pass Filtering SC-DAC for Reduced Jitter and Slewing Requirements on CTSDMs; *TCSI April 2019 1369-1381*
- Vidal-Alvarez, G.**, see Soliman, M., *TCSI Nov. 2019 4439-4447*
- Vitelli, M.**, see Costanzo, L., *TCSI March 2019 1291-1303*
- Vlassis, S.**, Khateb, F., and Souliotis, G., An On-Chip Linear, Squaring, Cubic and Exponential Analog Function Generator; *TCSI Jan. 2019 94-104*
- Vogginger, B.**, see Hoppner, S., *TCSI Aug. 2019 2973-2986*

W

- Waldmann, S.**, see Herzog, F., *TCSI July 2019 2478-2488*
- Walling, J.S.**, see Holzer, K.D., *TCSI April 2019 1431-1441*
- Wambacq, P.**, see Blandino, S., *TCSI Feb. 2019 848-858*
- Wan, X.**, see Shan, W., *TCSI June 2019 2288-2297*
- Wang, B.**, Wang, Z., Wu, B., Bai, Y., Cao, K., Zhao, Y., Zhang, Y., and Zhao, W., Novel Radiation Hardening Read/Write Circuits Using Feedback Connections for Spin-Orbit Torque Magnetic Random Access Memory; *TCSI May 2019 1853-1862*
- Wang, C.**, Zhang, D., Zeng, L., Deng, E., Chen, J., and Zhao, W., A Novel MTJ-Based Non-Volatile Ternary Content-Addressable Memory for High-Speed, Low-Power, and High-Reliable Search Operation; *TCSI April 2019 1454-1464*
- Wang, C.**, see Liu, W., *TCSI Dec. 2019 4727-4739*

- Wang, C.**, see Feng, L., *TCSI Nov. 2019 4230-4241*
- Wang, D.**, see Fu, F., *TCSI June 2019 2371-2381*
- Wang, F.**, and Theuvsissen, A.J.P., Pixel Optimizations and Digital Calibration Methods of a CMOS Image Sensor Targeting High Linearity; *TCSI March 2019 930-940*
- Wang, G.**, Wang, Z., Zhang, Y., Zhao, W., Zhang, Y., Zhang, B., Wu, B., Nan, J., Zhang, X., Zhang, Z., Klein, J., and Ravelosona, D., Ultra-Dense Ring-Shaped Racetrack Memory Cache Design; *TCSI Jan. 2019 215-225*
- Wang, J.**, see Liu, S., *TCSI Jan. 2019 20-30*
- Wang, J.**, see Zhao, X., *TCSI Jan. 2019 226-238*
- Wang, J.**, see Chou, P., *TCSI July 2019 2508-2518*
- Wang, K.**, see Ebrahimi, A., *TCSI Oct. 2019 3811-3821*
- Wang, L.**, and Zhan, C., A 0.7-V 28-nW CMOS Subthreshold Voltage and Current Reference in One Simple Circuit; *TCSI Sept. 2019 3457-3466*
- Wang, N.**, Li, C., Bao, H., Chen, M., and Bao, B., Generating Multi-Scroll Chua's Attractors via Simplified Piecewise-Linear Chua's Diode; *TCSI Dec. 2019 4767-4779*
- Wang, P.**, Wen, G., Yu, X., Yu, W., and Huang, T., Synchronization of Multi-Layer Networks: From Node-to-Node Synchronization to Complete Synchronization; *TCSI March 2019 1141-1152*
- Wang, P.**, and Zhao, J., Almost Output Regulation for Switched Positive Systems With Different Coordinates Transformations and its Application to a Positive Circuit Model; *TCSI Oct. 2019 3968-3977*
- Wang, P.**, see Wen, G., *TCSI Aug. 2019 3100-3112*
- Wang, R.**, see Singh, R.K., *TCSI May 2019 1805-1817*
- Wang, S.**, see Li, H., *TCSI Dec. 2019 4699-4712*
- Wang, S.**, see Dang, L., *TCSI Nov. 2019 4265-4277*
- Wang, W.M.**, see Xu, B.W., *TCSI Dec. 2019 4637-4647*
- Wang, X.**, see Yang, C., *TCSI Sept. 2019 3480-3493*
- Wang, Y.**, see Le Duc, H., *TCSI March 2019 1031-1041*
- Wang, Y.**, Liang, J., Handagala, S., Madanayake, A., and Mandal, S., Δ - Σ Noise-Shaping in 2-D Space-Time for Wideband Antenna Array Receivers; *TCSI Feb. 2019 569-582*
- Wang, Y.**, Lin, J., and Wang, Z., FPAP: A Folded Architecture for Energy-Quality Scalable Convolutional Neural Networks; *TCSI Jan. 2019 288-301*
- Wang, Y.**, see Cai, H., *TCSI Jan. 2019 239-250*
- Wang, Y.**, see Zhou, Z., *TCSI Jan. 2019 428-437*
- Wang, Y.**, see Zhou, Z., *TCSI Jan. 2019 428-437*
- Wang, Y.**, see Yang, C., *TCSI Sept. 2019 3480-3493*
- Wang, Y.**, see Feng, L., *TCSI Nov. 2019 4230-4241*
- Wang, Y.E.**, see Lin, Y., *TCSI Aug. 2019 3148-3161*
- Wang, Z.**, see Wang, Y., *TCSI Jan. 2019 288-301*
- Wang, Z.**, see Wang, G., *TCSI Jan. 2019 215-225*
- Wang, Z.**, see Zhou, Z., *TCSI Jan. 2019 428-437*
- Wang, Z.**, see Wang, B., *TCSI May 2019 1853-1862*
- Wang, Z.**, see Yang, Y., *TCSI May 2019 1970-1980*
- Wang, Z.**, see Chen, Y., *TCSI June 2019 2240-2252*
- Wang, Z.**, see Cui, H., *TCSI Aug. 2019 3188-3200*
- Wang, Z.**, see Li, W., *TCSI Aug. 2019 3174-3187*
- Wany, M.**, see Levski, D., *TCSI Jan. 2019 54-67*
- Wei, C.**, see Wu, H., *TCSI Oct. 2019 4068-4078*
- Wei, L.**, see Kim, M., *TCSI Oct. 2019 3843-3853*
- Wei, S.**, see Zheng, S., *TCSI Dec. 2019 4648-4661*
- Wei, W.**, see Wu, X., *TCSI Aug. 2019 3113-3122*
- Weiherr, M.**, Herzig, M., Tetzlaff, R., Ascoli, A., Mikolajick, T., and Slesazek, S., Pattern Formation With Locally Active S-Type NbO_x Memristors; *TCSI July 2019 2627-2638*
- Weiss, S.**, see Coutts, F.K., *TCSI Dec. 2019 4753-4766*
- Weldon, J.**, see Soliman, M., *TCSI Nov. 2019 4439-4447*
- Weltin-Wu, C.**, see Galton, I., *TCSI Jan. 2019 1-19*
- Wen, G.**, see Wang, P., *TCSI March 2019 1141-1152*
- Wen, G.**, see Liu, J., *TCSI April 2019 1342-1354*
- Wen, G.**, see Song, Q., *TCSI July 2019 2723-2734*
- Wen, G.**, Wang, P., Yu, X., Yu, W., and Cao, J., Pinning Synchronization of Complex Switching Networks With a Leader of Nonzero Control Inputs; *TCSI Aug. 2019 3100-3112*
- Wenger, C.**, see Lupo, N., *TCSI May 2019 1935-1947*
- Wenger, Y.**, and Meinerzhagen, B., Low-Voltage Current and Voltage Reference Design Based on the MOSFET ZTC Effect; *TCSI Sept. 2019 3445-3456*
- Werner, K.J.**, see Bernardini, A., *TCSI Feb. 2019 694-707*
- Williams, R.S.**, see Kim, K.M., *TCSI Nov. 2019 4348-4355*
- Wilson, C.**, and Floyd, B.A., Harmonic Performance of Mixer-First Receivers With Circulant-Symmetric Basebands; *TCSI Jan. 2019 161-174*
- Winkler, W.**, see Basaligheh, A., *TCSI Aug. 2019 2888-2897*
- Winstead, C.**, see Le, K., *TCSI Jan. 2019 403-416*
- Wirski, R.**, Synthesis and Realization of Two-Dimensional Separable Denominator Orthogonal Systems via Decomposition Into 1-D Systems; *TCSI Nov. 2019 4309-4322*
- Woo, S.**, see El Sayed, A., *TCSI March 2019 1153-1165*
- Woodward, G.K.**, see Cavers, J.K., *TCSI Nov. 2019 4134-4146*
- Wright, D.**, see Patel, D., *TCSI July 2019 2519-2532*
- Wu, A.**, see Liao, C., *TCSI Aug. 2019 2987-3000*
- Wu, A.**, see Li, H., *TCSI Dec. 2019 4699-4712*
- Wu, B.**, see Wang, G., *TCSI Jan. 2019 215-225*
- Wu, B.**, see Wang, B., *TCSI May 2019 1853-1862*
- Wu, B.**, see Chang, S., *TCSI Sept. 2019 3504-3516*
- Wu, B.**, see Xie, F., *TCSI Sept. 2019 3631-3641*
- Wu, C.**, and Tsai, P., An SVD Processor Based on Golub-Reinsch Algorithm for MIMO Precoding With Adjustable Precision; *TCSI July 2019 2572-2583*
- Wu, C.**, Chen, C., and Shiue, M., A Design of Input-Decimation Technique for Recursive DFT/IDFT Algorithm; *TCSI Dec. 2019 4713-4726*
- Wu, H.**, Huang, C., Wei, C., and Lai, J., Bidirectional Single-Inductor Dual-Supply Converter With Automatic State-Transition for IoT Applications; *TCSI Oct. 2019 4068-4078*
- Wu, J.**, Yu, X., and Li, X., Global Frequency Synchronization of Complex Power Networks Via Coordinating Switching Control; *TCSI Aug. 2019 3123-3133*
- Wu, N.**, see Zhang, Z., *TCSI Oct. 2019 3733-3746*
- Wu, X.**, see Zhao, X., *TCSI Jan. 2019 226-238*
- Wu, X.**, Wei, W., Tang, L., Lu, J., and Lu, J., Coreness and h -Index for Weighted Networks; *TCSI Aug. 2019 3113-3122*
- Wu, Y.**, see Liu, C., *TCSI May 2019 1908-1921*
- Wu, Y.L.**, see Xu, B.W., *TCSI Dec. 2019 4637-4647*
- Wu, Z.**, see Shen, H., *TCSI March 2019 1130-1140*

X

- Xereas, G.**, see Islam, M.S., *TCSI Nov. 2019 4158-4171*
- Xia, H.**, see Li, H., *TCSI Jan. 2019 341-354*
- Xia, W.**, see Liu, W., *TCSI Dec. 2019 4727-4739*
- Xiang, Y.**, see Han, R., *TCSI May 2019 1692-1703*
- Xiao, J.**, see Jiang, J., *TCSI March 2019 967-977*
- Xiao, Z.**, see Zhou, Z., *TCSI Jan. 2019 428-437*
- Xie, F.**, Wu, B., and Liu, T., A Ripple Reduction Method for Switched-Capacitor DC-DC Voltage Converter Using Fully Digital Resistance Modulation; *TCSI Sept. 2019 3631-3641*
- Xie, H.**, see Liu, X., *TCSI Feb. 2019 708-718*
- Xie, J.**, see Lee, C., *TCSI Jan. 2019 203-214*
- Xie, S.**, see Yang, J., *TCSI Aug. 2019 3015-3027*
- Xie, X.**, Yue, D., and Park, J.H., Observer-Based Fault Estimation for Discrete-Time Nonlinear Systems and Its Application: A Weighted Switching Approach; *TCSI Nov. 2019 4377-4387*
- Xie, Y.**, see Islam, M.S., *TCSI April 2019 1405-1418*
- Xie, Z.**, see Zhang, X., *TCSI Oct. 2019 4018-4031*
- Xing, D.**, Zhu, Y., Chan, C., Maloberti, F., U, S., and Martins, R.P., Design of a High-Speed Time-Interleaved Sub-Ranging SAR ADC With Optimal Code Transfer Technique; *TCSI Feb. 2019 489-501*
- Xing, X.**, see Liu, H., *TCSI July 2019 2405-2414*
- Xiong, J.**, see Yu, L., *TCSI March 2019 1116-1129*
- Xiong, L.**, see Luo, W., *TCSI June 2019 2309-2321*
- Xu, B.W.**, Zheng, S.Y., Wang, W.M., Wu, Y.L., and Liu, Y.A., A Coupled Line-Based Coupler With Simultaneously Tunable Phase and Frequency; *TCSI Dec. 2019 4637-4647*
- Xu, D.**, see Zhong, L., *TCSI April 2019 1393-1404*
- Xu, F.**, see Zhang, H., *TCSI April 2019 1608-1619*

Xu, H., see Luo, W., *TCSI June 2019 2309-2321*
Xu, H., see Yang, Y., *TCSI Aug. 2019 3089-3099*
Xu, H., and Abidi, A.A., Analysis and Design of Regenerative Comparators for Low Offset and Noise; *TCSI Aug. 2019 2817-2830*
Xu, Q., see Bi, X., *TCSI Sept. 2019 3266-3278*
Xu, S., see Shi, S., *TCSI Dec. 2019 4840-4849*
Xu, Y., see Jiang, J., *TCSI March 2019 967-977*
Xu, Y., see Singh, R.K., *TCSI May 2019 1805-1817*
Xue, Q., see Liu, J., *TCSI Jan. 2019 119-132*
Xue, Q., see Li, Y.C., *TCSI Oct. 2019 3822-3830*

Y

Yadav, M., see Thulasiraman, K., *TCSI March 2019 1090-1103*
Yakovlev, A., see Bunnam, T., *TCSI Nov. 2019 4337-4347*
Yamauchi, H., see Si, X., *TCSI Nov. 2019 4172-4185*
Yamauchi, M., see Tanaka, M., *TCSI Dec. 2019 4807-4816*
Yan, H., Zhang, H., Zhan, X., Li, Z., and Yang, C., Event-Based H_∞ Fault Detection for Buck Converter With Multiplicative Noises Over Network; *TCSI June 2019 2361-2370*
Yan, Y., see Hoppner, S., *TCSI Aug. 2019 2973-2986*
Yang, C., see Chen, Y., *TCSI March 2019 1205-1218*
Yang, C., see Zhong, L., *TCSI April 2019 1393-1404*
Yang, C., see Yan, H., *TCSI June 2019 2361-2370*
Yang, C., Wang, Y., Wang, X., and Geng, L., WRA: A 2.2-to-6.3 TOPS Highly Unified Dynamically Reconfigurable Accelerator Using a Novel Winograd Decomposition Algorithm for Convolutional Neural Networks; *TCSI Sept. 2019 3480-3493*
Yang, C., see Sun, W., *TCSI Sept. 2019 3571-3584*
Yang, C., Adhikari, S.P., and Kim, H., On Learning With Nonlinear Memristor-Based Neural Network and its Replication; *TCSI Oct. 2019 3906-3916*
Yang, F., and Yang, J., Convergence Analysis of Deficient-Length Frequency-Domain Adaptive Filters; *TCSI Nov. 2019 4242-4255*
Yang, H., see Lai, L., *TCSI Jan. 2019 68-81*
Yang, H., see Yang, Y., *TCSI May 2019 1970-1980*
Yang, J., see Cai, H., *TCSI Jan. 2019 239-250*
Yang, J., see Kim, J., *TCSI July 2019 2615-2626*
Yang, J., see Shan, W., *TCSI June 2019 2288-2297*
Yang, J., see Zhang, Z., *TCSI Oct. 2019 3733-3746*
Yang, J., Guo, Y., Yang, Z., and Xie, S., Under-Determined Convolutional Blind Source Separation Combining Density-Based Clustering and Sparse Reconstruction in Time-Frequency Domain; *TCSI Aug. 2019 3015-3027*
Yang, J., see Yang, F., *TCSI Nov. 2019 4242-4255*
Yang, M., see Liu, J., *TCSI Dec. 2019 4817-4828*
Yang, P., see Yang, Y., *TCSI May 2019 1970-1980*
Yang, S., see Un, K., *TCSI Sept. 2019 3307-3316*
Yang, T., see Muniandi, B., *TCSI Nov. 2019 4516-4527*
Yang, Y., see Kang, H., *TCSI Feb. 2019 583-593*
Yang, Y., see Liu, S., *TCSI Jan. 2019 20-30*
Yang, Y., see Zhao, X., *TCSI Jan. 2019 226-238*
Yang, Y., Shi, X., Su, F., Wang, Z., Yang, P., Yang, H., and Liu, Y., A 2.2-GHz Configurable Direct Digital Frequency Synthesizer Based on LUT and Rotation; *TCSI May 2019 1970-1980*
Yang, Y., Xu, H., and Yue, D., Observer-Based Distributed Secure Consensus Control of a Class of Linear Multi-Agent Systems Subject to Random Attacks; *TCSI Aug. 2019 3089-3099*
Yang, Z., see Zhang, M., *TCSI March 2019 909-919*
Yang, Z., see Chen, Y., *TCSI Oct. 2019 3991-4004*
Yang, Z., see Yang, J., *TCSI Aug. 2019 3015-3027*
Yano, Y., see Yoshida, S., *TCSI Oct. 2019 3896-3905*
Yantir, H.E., see Abdelaal, R.A., *TCSI Jan. 2019 302-312*
Yao, L., see Jeon, Y., *TCSI Oct. 2019 3797-3810*
Yargholi, M., see Mafi, H., *TCSI Dec. 2019 4571-4581*
Yavari, M., see Mafi, H., *TCSI Dec. 2019 4571-4581*
Yazici, M., see Chliskan, C., *TCSI April 2019 1419-1430*
Ye, D., see Luo, S., *TCSI Dec. 2019 4829-4839*
Yelten, M.B., see Caglar, A., *TCSI Dec. 2019 4619-4627*

Yenuchenko, M.S., Korotkov, A.S., Morozov, D.V., and Pilipko, M.M., A Switching Sequence for Unary Digital-to-Analog Converters Based on a Knight's Tour; *TCSI June 2019 2230-2239*
Yeo, K., see Song, X., *TCSI Sept. 2019 3279-3287*
Yin, J., see Un, K., *TCSI Sept. 2019 3307-3316*
Yin, S., see Zheng, S., *TCSI Dec. 2019 4648-4661*
Yin, Y., see Luo, W., *TCSI June 2019 2309-2321*
Yoo, H., see Han, D., *TCSI May 2019 1794-1804*
Yoo, J., see Moon, Y., *TCSI Aug. 2019 2907-2920*
Yoshida, S., Izumi, S., Kajihara, K., Yano, Y., Kawaguchi, H., and Yoshimoto, M., Energy-Efficient Spectral Analysis Method Using Autoregressive Model-Based Approach for Internet of Things; *TCSI Oct. 2019 3896-3905*
Yoshimoto, M., see Mori, H., *TCSI April 2019 1442-1453*
Yoshimoto, M., see Yoshida, S., *TCSI Oct. 2019 3896-3905*
Yoshimoto, S., see Mori, H., *TCSI April 2019 1442-1453*
Yoshimura, T., see Kihara, T., *TCSI June 2019 2007-2016*
You, X., see Liu, X., *TCSI Feb. 2019 708-718*
You, X., see Deng, X., *TCSI Oct. 2019 4005-4017*
Yu, D., see Zheng, C., *TCSI Dec. 2019 4793-4806*
Yu, H., see Ma, S., *TCSI Feb. 2019 555-568*
Yu, J., see Sun, Y., *TCSI March 2019 1076-1089*
Yu, L., and Xiong, J., H_∞ Model Reduction for Interval Frequency Negative Imaginary Systems; *TCSI March 2019 1116-1129*
Yu, L., see Luo, Z., *TCSI Sept. 2019 3437-3444*
Yu, S., see Un, K., *TCSI Sept. 2019 3307-3316*
Yu, S., see Si, X., *TCSI Nov. 2019 4172-4185*
Yu, S., see Chen, X., *TCSI Nov. 2019 4542-4552*
Yu, W., see Wang, P., *TCSI March 2019 1141-1152*
Yu, W., see Wen, G., *TCSI Aug. 2019 3100-3112*
Yu, W., see Fan, C., *TCSI Dec. 2019 4850-4861*
Yu, X., see Wang, P., *TCSI March 2019 1141-1152*
Yu, X., see Song, X., *TCSI Sept. 2019 3279-3287*
Yu, X., see Wu, J., *TCSI Aug. 2019 3123-3137*
Yu, X., see Wen, G., *TCSI Aug. 2019 3100-3112*
Yuan, C., and Shekhar, S., A Supply-Noise-Insensitive Digitally-Controlled Oscillator; *TCSI Sept. 2019 3414-3422*
Yue, D., see Yang, Y., *TCSI Aug. 2019 3089-3099*
Yue, D., see Xie, X., *TCSI Nov. 2019 4377-4387*

Z

Zahedi, A., Haghiri, S., and Hayati, M., Multiplierless Digital Implementation of Time-Varying FitzHugh-Nagumo Model; *TCSI July 2019 2662-2670*
Zanbaghi, R., see Maghami, H., *TCSI July 2019 2440-2453*
Zand, R., and DeMara, R.F., MRAM-Enhanced Low Power Reconfigurable Fabric With Multi-Level Variation Tolerance; *TCSI Dec. 2019 4662-4672*
Zatt, B., see Bubolz, T.L.A., *TCSI June 2019 2124-2136*
Zeng, L., see Wang, C., *TCSI April 2019 1454-1464*
Zeng, X., see Guan, T., *TCSI July 2019 2593-2605*
Zhan, C., see Wang, L., *TCSI Sept. 2019 3457-3466*
Zhan, C., see Cai, G., *TCSI Sept. 2019 3610-3619*
Zhan, X., see Yan, H., *TCSI June 2019 2361-2370*
Zhang, B., see Qian, H.J., *TCSI Feb. 2019 820-833*
Zhang, B., see Wang, G., *TCSI Jan. 2019 215-225*
Zhang, B., see Zhou, Z., *TCSI Jan. 2019 428-437*
Zhang, C., see Liu, X., *TCSI Feb. 2019 708-718*
Zhang, C., see Liu, D., *TCSI April 2019 1474-1483*
Zhang, C., see Shan, W., *TCSI June 2019 2288-2297*
Zhang, C., see Deng, X., *TCSI Oct. 2019 4005-4017*
Zhang, D., and Zhang, Q., Reduced-Order Observer-Based Sliding Mode Control for Singular Markovian Jump System With Time-Varying Transition Rate; *TCSI Feb. 2019 796-809*
Zhang, D., see Wang, C., *TCSI April 2019 1454-1464*
Zhang, H., Xu, F., Bao, Z., and Ma, C., Reconstructing of Networks With Binary-State Dynamics via Generalized Statistical Inference; *TCSI April 2019 1608-1619*

- Zhang, H.**, Song, Y., and Zhang, R., A 10-Bit 200-kS/s 1.76- μ W SAR ADC With Hybrid CAP-MOS DAC for Energy-Limited Applications; *TCSI May 2019 1716-1727*
- Zhang, H.**, see Zhang, H., *TCSI May 2019 1716-1727*
- Zhang, H.**, see Yan, H., *TCSI June 2019 2361-2370*
- Zhang, H.**, see Jiang, Y., *TCSI Oct. 2019 4055-4067*
- Zhang, M.**, Cai, Q., Yang, Z., Jia, X., and Fan, X., A 1-MHz-Bandwidth Gm-C-Based Quadrature Bandpass Sigma-Delta Modulator Achieving -153.7 -dBFS/Hz NSD With Background Calibration; *TCSI March 2019 909-919*
- Zhang, M.**, see Liu, D., *TCSI April 2019 1474-1483*
- Zhang, Q.**, see Zhang, D., *TCSI Feb. 2019 796-809*
- Zhang, R.**, see Zhao, X., *TCSI Jan. 2019 226-238*
- Zhang, R.**, see Zhang, H., *TCSI May 2019 1716-1727*
- Zhang, S.**, and Zheng, W.X., Mean-Square Analysis of Multi-Sampled Multi-band-Structured Subband Filtering Algorithm; *TCSI March 2019 1051-1062*
- Zhang, X.**, see Wang, G., *TCSI Jan. 2019 215-225*
- Zhang, X.**, and Xie, Z., Efficient Architectures for Generalized Integrated Interleaved Decoder; *TCSI Oct. 2019 4018-4031*
- Zhang, X.Y.**, see Liu, J., *TCSI Jan. 2019 119-132*
- Zhang, Y.**, see Wang, G., *TCSI Jan. 2019 215-225*
- Zhang, Y.**, see Wang, G., *TCSI Jan. 2019 215-225*
- Zhang, Y.**, see He, T., *TCSI April 2019 1331-1341*
- Zhang, Y.**, Kim, Y., Tang, A., Kawamura, J.H., Reck, T.J., and Frank Chang, M., Integrated Wide-Band CMOS Spectrometer Systems for Spaceborne Telescopic Sensing; *TCSI May 2019 1863-1873*
- Zhang, Y.**, see Wang, B., *TCSI May 2019 1853-1862*
- Zhang, Y.**, see Zhou, H., *TCSI July 2019 2709-2722*
- Zhang, Y.**, see Li, D., *TCSI Oct. 2019 3676-3689*
- Zhang, Y.**, Basak, D., and Pun, K., A Highly Linear Multi-Level SC DAC in a Power-Efficient Gm-C Continuous-Time Delta-Sigma Modulator; *TCSI Dec. 2019 4592-4605*
- Zhang, Z.**, see Liu, X., *TCSI Feb. 2019 708-718*
- Zhang, Z.**, see Wang, G., *TCSI Jan. 2019 215-225*
- Zhang, Z.**, Yang, J., Liu, L., Qi, N., Feng, P., Liu, J., and Wu, N., An 18–23 GHz 57.4-fs RMS Jitter -253.5 -dB FoM Sub-Harmonically Injection-Locked All-Digital PLL With Single-Ended Injection Technique and ILFD Aided Adaptive Injection Timing Alignment Technique; *TCSI Oct. 2019 3733-3746*
- Zhang, Z.**, see Tao, Y., *TCSI Oct. 2019 4032-4043*
- Zhang, Z.**, see Deng, X., *TCSI Oct. 2019 4005-4017*
- Zhang, Z.**, see Chen, X., *TCSI Nov. 2019 4542-4552*
- Zhao, D.**, see Fu, F., *TCSI June 2019 2371-2381*
- Zhao, J.**, see Tang, L., *TCSI Feb. 2019 733-741*
- Zhao, J.**, see Wang, P., *TCSI Oct. 2019 3968-3977*
- Zhao, Q.**, see Zhao, X., *TCSI Sept. 2019 3494-3503*
- Zhao, R.**, and Hong, X., Matrix-Based Algorithms for the Optimal Design of Variable Fractional Delay FIR Filters; *TCSI Dec. 2019 4740-4752*
- Zhao, W.**, see Wang, G., *TCSI Jan. 2019 215-225*
- Zhao, W.**, see Cai, H., *TCSI Jan. 2019 239-250*
- Zhao, W.**, see Wang, C., *TCSI April 2019 1454-1464*
- Zhao, W.**, see Wang, B., *TCSI May 2019 1853-1862*
- Zhao, X.**, Sun, H., Liu, L., Yang, Y., Dai, L., Wu, X., Zhang, R., Wang, J., and Zheng, N., Architectural Exploration to Address the Reliability Challenges for ReRAM-Based Buffer in SSD; *TCSI Jan. 2019 226-238*
- Zhao, X.**, Gan, P., Zhao, Q., Liang, D., Cao, Y., Pan, X., and Bermak, A., A 124 fJ/Bit Cascade Current Mirror Array Based PUF With 1.50% Native Unstable Bit Ratio; *TCSI Sept. 2019 3494-3503*
- Zhao, X.**, Chen, Y., Mak, P., and Martins, R.P., A 0.0018-mm² 153% Locking-Range CML-Based Divider-by-2 With Tunable Self-Resonant Frequency Using an Auxiliary Negative- g_m Cell; *TCSI Sept. 2019 3330-3339*
- Zhao, Y.**, see Chen, L., *TCSI Feb. 2019 810-819*
- Zhao, Y.**, see Wang, B., *TCSI May 2019 1853-1862*
- Zheng, C.**, Yu, D., Iu, H.H.C., Fernando, T., Sun, T., Eshraghian, J.K., and Guo, H., A Novel Universal Interface for Constructing Memory Elements for Circuit Applications; *TCSI Dec. 2019 4793-4806*
- Zheng, N.**, see Zhao, X., *TCSI Jan. 2019 226-238*
- Zheng, R.**, see Chang, S., *TCSI Sept. 2019 3504-3516*
- Zheng, S.**, Ouyang, P., Song, D., Li, X., Liu, L., Wei, S., and Yin, S., An Ultra-Low Power Binarized Convolutional Neural Network-Based Speech Recognition Processor With On-Chip Self-Learning; *TCSI Dec. 2019 4648-4661*
- Zheng, S.Y.**, see Xu, B.W., *TCSI Dec. 2019 4637-4647*
- Zheng, W.X.**, see Zhang, S., *TCSI March 2019 1051-1062*
- Zheng, W.X.**, see Jin, X., *TCSI Oct. 2019 3928-3940*
- Zheng, Y.**, see Zhong, L., *TCSI April 2019 1393-1404*
- Zhong, L.**, Lai, X., Xu, D., Liao, X., Yang, C., Fang, Z., and Zheng, Y., Capacitive Touch Panel With Low Sensitivity to Water Drop Employing Mutual-Coupling Electrical Field Shaping Technique; *TCSI April 2019 1393-1404*
- Zhou, D.**, Briseno-Vidrios, C., Jiang, J., Park, C., Liu, Q., Soenen, E.G., Kinyua, M., and Silva-Martinez, J., A 13-Bit 260MS/s Power-Efficient Pipeline ADC Using a Current-Reuse Technique and Interstage Gain and Nonlinearity Errors Calibration; *TCSI Sept. 2019 3373-3383*
- Zhou, H.**, Zhang, Y., and Li, W., Synchronization of Stochastic Lévy Noise Systems on a Multi-Weights Network and Its Applications of Chua's Circuits; *TCSI July 2019 2709-2722*
- Zhou, X.**, see Deng, X., *TCSI Oct. 2019 4005-4017*
- Zhou, Z.**, Shi, Y., Wang, Y., Li, N., Xiao, Z., Wang, Y., Liu, X., Wang, Z., and Zhang, B., A Resistorless High-Precision Compensated CMOS Bandgap Voltage Reference; *TCSI Jan. 2019 428-437*
- Zhu, Q.**, see Canavate Sanchez, M.J., *TCSI Oct. 2019 4044-4054*
- Zhu, W.**, see Jiang, J., *TCSI March 2019 967-977*
- Zhu, Y.**, see Xing, D., *TCSI Feb. 2019 489-501*
- Zhu, Y.**, see Li, C., *TCSI Jan. 2019 82-93*
- Zhu, Y.**, see Lei, X., *TCSI Sept. 2019 3365-3372*
- Zhu, Z.**, see Liu, S., *TCSI Jan. 2019 20-30*
- Ziabakhsh, S.**, Gagnon, G., and Roberts, G.W., A Second-Order Bandpass $\Sigma\Delta$ Time-to-Digital Converter With Negative Time-Mode Feedback; *TCSI April 2019 1355-1368*
- Zito, D.**, see Spasaro, M., *TCSI April 2019 1305-1318*
- Zong, G.**, see Ren, H., *TCSI Jan. 2019 391-402*
- Zorman, C.A.**, see Islam, M.S., *TCSI April 2019 1405-1418*
- Zou, S.**, see Jiang, J., *TCSI March 2019 967-977*

Subject Index

Numeric

1/f noise

A Quadrature RC Oscillator With Noise Reduction by Voltage Swing Control. *Koo, J.*, +, *TCSI Aug. 2019 3077-3088*

3G mobile communication

Design and Analysis of a 12-b Current-Steering DAC in a 14-nm FinFET Technology for 2G/3G/4G Cellular Applications. *Kim, J.*, +, *TCSI Oct. 2019 3723-3732*

4G mobile communication

Design and Analysis of a 12-b Current-Steering DAC in a 14-nm FinFET Technology for 2G/3G/4G Cellular Applications. *Kim, J.*, +, *TCSI Oct. 2019 3723-3732*

5G mobile communication

A 25–35 GHz Neutralized Continuous Class-F CMOS Power Amplifier for 5G Mobile Communications Achieving 26% Modulation PAE at 1.5 Gb/s and 46.4% Peak PAE. *Ali, S.N.*, +, *TCSI Feb. 2019 834-847*

A 3–6-GHz Highly Linear I-Channel Receiver With Over +3.0-dBm In-Band P_{1dB} and 200-MHz Baseband Bandwidth Suitable for 5G Wireless and Cognitive Radio Applications. *Jiang, J.*, +, *TCSI Aug. 2019 3134-3147*

A System of Two Coupled Oscillators With a Continuously Controllable Phase Shift. *Pourahmad, V.*, +, *TCSI April 2019 1531-1543*

Efficient Channel Estimator With Angle-Division Multiple Access. *Liu, X.*, +, *TCSI Feb. 2019 708-718*

III-V semiconductors

A Low-Noise, Positive-Input, Negative-Output Voltage Generator for Low-to-Moderate Driving Capacity Applications. *Khanna, D.*, +, *TCSI Sept. 2019 3423-3436*

- A New Design Technique for Sub-Nanosecond Delay and 200 V/ns Power Supply Slew-Tolerant Floating Voltage Level Shifters for GaN SMPS. *Liu, D.*, +, *TCSI March 2019 1280-1290*
- A Receiver-Controlled Coupler for Multiple Output Wireless Power Transfer Applications. *Chen, X.*, +, *TCSI Nov. 2019 4542-4552*
- Class- J_{23} Power Amplifiers. *Alizadeh, A.*, +, *TCSI Oct. 2019 3664-3675*
- Integrated Output Matching Networks for Class- J/J^{-1} Power Amplifiers. *Alizadeh, A.*, +, *TCSI Aug. 2019 2921-2934*
- Solar Cell Photo-Luminescence Modulation for Optical Frequency Identification Devices. *Leon-Salas, W.D.*, +, *TCSI May 2019 1981-1992*

A

AC-DC power converters

- A Single-Stage Dual-Output Tri-Mode AC-DC Regulator for Inductively Powered Application. *Low, Q.W.*, +, *TCSI Sept. 2019 3620-3630*

Active antennas

- A 4×64 MIMO Detector for Generalized Spatial Modulation Systems. *Li, C.*, +, *TCSI Sept. 2019 3585-3597*

Active filters

- A Low Power Receiver Front-End Design With Tunable Notch Filter for TX Leakage and Blocker Suppression. *Ozgun, M.T.*, +, *TCSI March 2019 1180-1191*
- Design Considerations for Low-Distortion Filter and Oscillator ICs for Testing High-Resolution ADCs. *Kumar, S.*, +, *TCSI Sept. 2019 3393-3401*
- Improved Analog Filter Design by Random Search. *Pillans, J.*, *TCSI June 2019 2350-2360*

Active noise control

- Robust Active Noise Control Design by Optimal Weighted Least Squares Approach. *Aslam, M.S.*, +, *TCSI Oct. 2019 3955-3967*
- Variable Threshold-Based Selective Updating Algorithms in Feed-Forward Active Noise Control Systems. *Aslam, M.S.*, +, *TCSI Feb. 2019 782-795*

Actuators

- Adaptive Double Event-Triggered Control for Linear Multi-Agent Systems With Actuator Faults. *Luo, S.*, +, *TCSI Dec. 2019 4829-4839*
- Fault Estimation Observer Design for Descriptor Switched Systems With Actuator and Sensor Failures. *Chen, L.*, +, *TCSI Feb. 2019 810-819*

Adaptive control

- ANOVA Kernel Kalman Filter for Multi-Objective Grid Integrated Solar Photovoltaic-Distribution Static Compensator. *Kumar, N.*, +, *TCSI Nov. 2019 4256-4264*
- Linear Consequence-Based Fuzzy Parallel Distributed Compensation Type L_1 Adaptive Controller for Two Link Robot Manipulator. *Maiti, R.*, +, *TCSI Oct. 2019 3978-3990*
- Pinning Synchronization of Complex Switching Networks With a Leader of Nonzero Control Inputs. *Wen, G.*, +, *TCSI Aug. 2019 3100-3112*
- Robust Pinning Constrained Control and Adaptive Regulation of Coupled Chua's Circuit Networks. *Jin, X.*, +, *TCSI Oct. 2019 3928-3940*

Adaptive filters

- A High-Performance and Energy-Efficient FIR Adaptive Filter Using Approximate Distributed Arithmetic Circuits. *Jiang, H.*, +, *TCSI Jan. 2019 313-326*
- Convergence Analysis of Deficient-Length Frequency-Domain Adaptive Filters. *Yang, F.*, +, *TCSI Nov. 2019 4242-4255*
- Mean-Square Analysis of Multi-Sampled Multiband-Structured Subband Filtering Algorithm. *Zhang, S.*, +, *TCSI March 2019 1051-1062*
- Optimal Complexity Architectures for Pipelined Distributed Arithmetic-Based LMS Adaptive Filter. *Khan, M.T.*, +, *TCSI Feb. 2019 630-642*
- Variable Threshold-Based Selective Updating Algorithms in Feed-Forward Active Noise Control Systems. *Aslam, M.S.*, +, *TCSI Feb. 2019 782-795*

Adders

- A Combined Arithmetic-High-Level Synthesis Solution to Deploy Partial Carry-Save Radix-8 Booth Multipliers in Datapaths. *Del Barrio, A.A.*, +, *TCSI Feb. 2019 742-755*
- A Theoretical Framework for Quality Estimation and Optimization of DSP Applications Using Low-Power Approximate Adders. *Pashaefifar, M.*, +, *TCSI Jan. 2019 327-340*

- Approximate DCT Design for Video Encoding Based on Novel Truncation Scheme. *Sun, H.*, +, *TCSI April 2019 1517-1530*
- Design Methodology to Explore Hybrid Approximate Adders for Energy-Efficient Image and Video Processing Accelerators. *Soares, L.B.*, +, *TCSI June 2019 2137-2150*
- Digital Mismatch Correction for Bandpass Sampling Four-Channel Time-Interleaved ADCs in Direct-RF Sampling Receivers. *Kihara, T.*, +, *TCSI June 2019 2007-2016*
- Efficient CMOS Invertible Logic Using Stochastic Computing. *Smithson, S.C.*, +, *TCSI June 2019 2263-2274*
- Low-Power Approximate Unsigned Multipliers With Configurable Error Recovery. *Jiang, H.*, +, *TCSI Jan. 2019 189-202*
- Overhead Requirements for Stateful Memristor Logic. *Hu, X.*, +, *TCSI Jan. 2019 263-273*
- Static Delay Variation Models for Ripple-Carry and Borrow-Save Adders. *Papachatzopoulos, K.*, +, *TCSI July 2019 2546-2559*
- World's Fastest FFT Architectures: Breaking the Barrier of 100 GS/s. *Garrido, M.*, +, *TCSI April 2019 1507-1516*
- Xcel-RAM: Accelerating Binary Neural Networks in High-Throughput SRAM Compute Arrays. *Agrawal, A.*, +, *TCSI Aug. 2019 3064-3076*

Additives

- Adaptive Double Event-Triggered Control for Linear Multi-Agent Systems With Actuator Faults. *Luo, S.*, +, *TCSI Dec. 2019 4829-4839*

Adjacent channel interference

- A 25–35 GHz Neutralized Continuous Class-F CMOS Power Amplifier for 5G Mobile Communications Achieving 26% Modulation PAE at 1.5 Gb/s and 46.4% Peak PAE. *Ali, S.N.*, +, *TCSI Feb. 2019 834-847*

All-pass filters

- A Digitally Programmable CMOS Feedback ASIC for Highly Stable MEMS-Referenced Oscillators. *Islam, M.S.*, +, *TCSI Nov. 2019 4158-4171*
- On the Design of n th-Order Polyphase All-Pass Filters. *Asoodeh, A.*, +, *TCSI Jan. 2019 133-146*

Amplifiers

- $256 \times$ TDC Array With Cyclic Interpolators Based on Calibration-Free $2 \times$ Time Amplifier. *Keranen, P.*, +, *TCSI Feb. 2019 524-533*
- A 124 fJ/Bit Cascode Current Mirror Array Based PUF With 1.50% Native Unstable Bit Ratio. *Zhao, X.*, +, *TCSI Sept. 2019 3494-3503*
- A Dual-Split 6T SRAM-Based Computing-in-Memory Unit-Macro With Fully Parallel Product-Sum Operation for Binarized DNN Edge Processors. *Si, X.*, +, *TCSI Nov. 2019 4172-4185*
- Analysis of SRAM Enhancements Through Sense Amplifier Capacitive Offset Correction and Replica Self-Timing. *Fragasse, R.*, +, *TCSI June 2019 2037-2050*
- Dual-Path and Dual-Chopper Amplifier Signal Conditioning Circuit With Improved SNR and Ultra-Low Power Consumption for MEMS. *Vejdani, P.*, +, *TCSI June 2019 2253-2262*
- From Battery Enabled to Natural Harvesting: Enzymatic BioFuel Cell Assisted Integrated Analog Front-End in 130nm CMOS for Long-Term Monitoring. *Hu, H.*, +, *TCSI Feb. 2019 534-545*
- High-Resolution Wideband Phase Shifter With Current Limited Vector-Sum. *Qian, H.J.*, +, *TCSI Feb. 2019 820-833*
- Hybrid Latch-Type Offset Tolerant Sense Amplifier for Low-Voltage SRAMs. *Patel, D.*, +, *TCSI July 2019 2519-2532*
- Linearization of Active Downconversion Mixers at the IF Using Feedforward Cancellation. *Li, H.*, +, *TCSI April 2019 1620-1631*

Amplitude shift keying

- A 0.34 mm^2 1 Gb/s Non-Coherent UWB Receiver Architecture With Pulse Enhancement and Double PLL Clock/Data Packet Recovery. *Crepaldi, M.*, +, *TCSI July 2019 2735-2748*
- An 18 nW $-47/-40$ dBm Sensitivity 3/100 kbps MEMS-Assisted CMOS Wake-Up Receiver. *Soliman, M.*, +, *TCSI Nov. 2019 4439-4447*
- Novel Data Pre-Distorter for APSK Signals in Solid-State Power Amplifiers. *Canavate Sanchez, M.J.*, +, *TCSI Oct. 2019 4044-4054*
- Solar Cell Photo-Luminescence Modulation for Optical Frequency Identification Devices. *Leon-Salas, W.D.*, +, *TCSI May 2019 1981-1992*

Analog circuits

- Guest Editorial Special Issue on the IEEE International Symposium on Circuits and Systems 2018. *Blokhina, E.*, *TCSI May 2019 1669*

Analog integrated circuits

- Improved Analog Filter Design by Random Search. *Pillans, J., TCSI June 2019 2350-2360*
- Learning in Memristive Neural Network Architectures Using Analog Back-propagation Circuits. *Krestinskaya, O., +, TCSI Feb. 2019 719-732*
- Noise Filtering and Linearization of Single-Ended Sampled-Data Circuits. *He, T., +, TCSI April 2019 1331-1341*

Analog-digital conversion

- A 10-b 600-MS/s 2-Way Time-Interleaved SAR ADC With Mean Absolute Deviation-Based Background Timing-Skew Calibration. *Song, J., +, TCSI Aug. 2019 2876-2887*
- A 10-Bit 200-kS/s 1.76- μ W SAR ADC With Hybrid CAP-MOS DAC for Energy-Limited Applications. *Zhang, H., +, TCSI May 2019 1716-1727*
- A 10-MHz BW 77.9 dB SNDR DT MASH $\Delta\Sigma$ ADC With NC-VCO-Based Quantizer and OPAMP Sharing. *Sadollahi, M., +, TCSI Sept. 2019 3384-3392*
- A 13-Bit 260MS/s Power-Efficient Pipeline ADC Using a Current-Reuse Technique and Interstage Gain and Nonlinearity Errors Calibration. *Zhou, D., +, TCSI Sept. 2019 3373-3383*
- A 27.7 fJ/conv-step 500 MS/s 12-Bit Pipelined ADC Employing a Sub-ADC Forecasting Technique and Low-Power Class AB Slew Boosted Amplifiers. *Naderi, M.H., +, TCSI Sept. 2019 3352-3364*
- A 4-b 7- μ W Phase Domain ADC With Time Domain Reference Generation for Low-Power FSK/PSK Demodulation. *Lei, X., +, TCSI Sept. 2019 3365-3372*
- A Generic Foreground Calibration Algorithm For ADCs With Nonlinear Impairments. *Salib, A., +, TCSI May 2019 1874-1885*
- A High-Precision Time Skew Estimation and Correction Technique for Time-Interleaved ADCs. *Salib, A., +, TCSI Oct. 2019 3747-3760*
- A Highly Linear OTA-Free VCO-Based 1-1 MASH $\Sigma\Delta$ ADC. *Maghami, H., +, TCSI July 2019 2440-2453*
- A Low Power 12-bit 1-kS/s SAR ADC for Biomedical Signal Processing. *Mao, W., +, TCSI Feb. 2019 477-488*
- A Spectrum-Sensing DPD Feedback Receiver With $30\times$ Reduction in ADC Acquisition Bandwidth and Sample Rate. *Hammler, N., +, TCSI Sept. 2019 3340-3351*
- An Energy-Efficient Hierarchical Architecture for Time-Interleaved SAR ADC. *Reyes, B.T., +, TCSI June 2019 2064-2076*
- Analysis and Correction of Combined Channel Mismatch Effects in Frequency-Interleaved ADCs. *Song, J., +, TCSI Feb. 2019 655-668*
- Analysis of Reference Error in High-Speed SAR ADCs With Capacitive DAC. *Li, C., +, TCSI Jan. 2019 82-93*
- Design Considerations for Low-Distortion Filter and Oscillator ICs for Testing High-Resolution ADCs. *Kumar, S., +, TCSI Sept. 2019 3393-3401*
- Design of a 0.20–0.25-V, Sub-nW, Rail-to-Rail, 10-bit SAR ADC for Self-Sustainable IoT Applications. *Hong, H., +, TCSI May 2019 1840-1852*
- Design of a High-Speed Time-Interleaved Sub-Ranging SAR ADC With Optimal Code Transfer Technique. *Xing, D., +, TCSI Feb. 2019 489-501*
- Digital Mismatch Correction for Bandpass Sampling Four-Channel Time-Interleaved ADCs in Direct-RF Sampling Receivers. *Kihara, T., +, TCSI June 2019 2007-2016*
- Digitally Adaptive High-Fidelity Analog Array Signal Processing Resilient to Capacitive Multiplying DAC Inter-Stage Gain Error. *Joshi, S., +, TCSI Nov. 2019 4095-4107*
- Error-Feedback Mismatch Error Shaping for High-Resolution Data Converters. *Liu, J., +, TCSI April 2019 1342-1354*
- From Battery Enabled to Natural Harvesting: Enzymatic BioFuel Cell Assisted Integrated Analog Front-End in 130nm CMOS for Long-Term Monitoring. *Hu, H., +, TCSI Feb. 2019 534-545*
- High-DR CMOS Fluorescence Biosensor With Extended Counting ADC and Noise Cancellation. *Noormohammadi Khiarak, M., +, TCSI June 2019 2077-2087*
- Highly Digital Second-Order $\Sigma\Delta$ VCO ADC. *Jayaraj, A., +, TCSI July 2019 2415-2425*
- Integrated Wide-Band CMOS Spectrometer Systems for Spaceborne Telescopic Sensing. *Zhang, Y., +, TCSI May 2019 1863-1873*

- Signal Encoding and Processing in Continuous Time Using a Cascade of Digital Delays. *Patil, S., +, TCSI March 2019 1017-1030*
- Single-Bin DFT-Based Digital Calibration Technique for CDAC in SAR ADCs. *Lee, S., +, TCSI Dec. 2019 4582-4591*
- Subsampling Mismatch Noise Cancellation for High-Speed Continuous-Time DACs. *Kong, D., +, TCSI Aug. 2019 2843-2853*
- Wide-Bandwidth, High-Linearity, 2.8-GS/s, 10-bit Accurate Sample and Hold Amplifier in 130-nm SiGe BiCMOS. *Tantawy, R., +, TCSI May 2019 1758-1768*
- Xcel-RAM: Accelerating Binary Neural Networks in High-Throughput SRAM Compute Arrays. *Agrawal, A., +, TCSI Aug. 2019 3064-3076*

Antenna arrays

- $\Delta\Sigma$ Noise-Shaping in 2-D Space-Time for Wideband Antenna Array Receivers. *Wang, Y., +, TCSI Feb. 2019 569-582*
- An Area-Efficient On-Chip Memory System for Massive MIMO Using Channel Data Compression. *Liu, Y., +, TCSI Jan. 2019 417-427*

Antenna phased arrays

- An Integrated Discrete-Time Delay-Compensating Technique for Large-Array Beamformers. *Ghaderi, E., +, TCSI Sept. 2019 3296-3306*
- Fundamental Energy Limits of Digital Phased Arrays. *Bo Marr, H., TCSI July 2019 2775-2783*

Antennas

- Square-Root Generalized Eigenvalue Decomposition Processor for Leakage-Based Multi-User MIMO Precoding With Multi-Antenna Users. *Lee, L., +, TCSI June 2019 2382-2393*

Aperture antennas

- An Integrated Discrete-Time Delay-Compensating Technique for Large-Array Beamformers. *Ghaderi, E., +, TCSI Sept. 2019 3296-3306*

Application specific integrated circuits

- A Digitally Programmable CMOS Feedback ASIC for Highly Stable MEMS-Referenced Oscillators. *Islam, M.S., +, TCSI Nov. 2019 4158-4171*
- A Fully Flexible Circuit Implementation of Clique-Based Neural Networks in 65-nm CMOS. *Larras, B., +, TCSI May 2019 1704-1715*
- A Probabilistic Parallel Bit-Flipping Decoder for Low-Density Parity-Check Codes. *Le, K., +, TCSI Jan. 2019 403-416*
- A Real-Time 17-Scale Object Detection Accelerator With Adaptive 2000-Stage Classification in 65 nm CMOS. *Kim, M., +, TCSI Oct. 2019 3843-3853*
- Hybrid Check Node Architectures for NB-LDPC Decoders. *Marchand, C., +, TCSI Feb. 2019 869-880*
- Joint Detection and Decoding of Polar-Coded OFDM-IDMA Systems. *Deng, X., +, TCSI Oct. 2019 4005-4017*
- Power-, Area-, and Compression-Efficient Eight-Point Approximate 2-D Discrete Techebichef Transform Hardware Design Combining Truncation Pruning and Efficient Transposition Buffers. *Paim, G., +, TCSI Feb. 2019 680-693*
- Quality and Energy-Aware HEVC Transrating Based on Machine Learning. *Bubolz, T.L.A., +, TCSI June 2019 2124-2136*
- RotaSYN: Rotary Traveling Wave Oscillator SYNthesizer. *Kuttappa, R., +, TCSI July 2019 2685-2698*
- SensorNet: A Scalable and Low-Power Deep Convolutional Neural Network for Multimodal Data Classification. *Jafari, A., +, TCSI Jan. 2019 274-287*
- Transistor Count Reduction by Gate Merging. *Conceicao, C.M.D.O., +, TCSI June 2019 2175-2187*

Approximate computing

- Approximate Designs for Fast Fourier Transform (FFT) With Application to Speech Recognition. *Liu, W., +, TCSI Dec. 2019 4727-4739*

Approximation algorithms

- Approximate Designs for Fast Fourier Transform (FFT) With Application to Speech Recognition. *Liu, W., +, TCSI Dec. 2019 4727-4739*
- OCTAN: An On-Chip Training Algorithm for Memristive Neuromorphic Circuits. *Ansari, M., +, TCSI Dec. 2019 4687-4698*

Approximation theory

- H_∞ Model Reduction for Interval Frequency Negative Imaginary Systems. *Yu, L., +, TCSI March 2019 1116-1129*
- Analysis of Parasitic Effects in Filamentary-Switching Memristive Memories Using an Approximated Verilog-A Memristor Model. *Lupo, N., +, TCSI May 2019 1935-1947*

Approximate DCT Design for Video Encoding Based on Novel Truncation Scheme. *Sun, H.*, +, *TCSI April 2019 1517-1530*

Design of Sparse FIR Filters With Reduced Effective Length. *Chen, W.*, +, *TCSI April 2019 1496-1506*

FPGA Implementation of the Fractional Order Integrator/Differentiator: Two Approaches and Applications. *Tolba, M.F.*, +, *TCSI April 2019 1484-1495*

Improved Analog Filter Design by Random Search. *Pillans, J.*, *TCSI June 2019 2350-2360*

Joint Detection and Decoding of Polar-Coded OFDM-IDMA Systems. *Deng, X.*, +, *TCSI Oct. 2019 4005-4017*

Static Delay Variation Models for Ripple-Carry and Borrow-Save Adders. *Papachatzopoulos, K.*, +, *TCSI July 2019 2546-2559*

Array signal processing

A Design of Input-Decimation Technique for Recursive DFT/IDFT Algorithm. *Wu, C.*, +, *TCSI Dec. 2019 4713-4726*

An Integrated Discrete-Time Delay-Compensating Technique for Large-Array Beamformers. *Ghaderi, E.*, +, *TCSI Sept. 2019 3296-3306*

Digitally Adaptive High-Fidelity Analog Array Signal Processing Resilient to Capacitive Multiplying DAC Inter-Stage Gain Error. *Joshi, S.*, +, *TCSI Nov. 2019 4095-4107*

Multi-User Hybrid MIMO at 60 GHz Using 16-Antenna Transmitters. *Blandino, S.*, +, *TCSI Feb. 2019 848-858*

Assembling

Multiphysics Simulation of Biosensors Involving 3D Biological Reaction-Diffusion Phenomena in a Standard Circuit EDA Environment. *Madedec, M.*, +, *TCSI June 2019 2188-2197*

Asymptotic stability

Asynchronous Finite-Time Filtering of Networked Switched Systems and its Application: an Event-Driven Method. *Ren, H.*, +, *TCSI Jan. 2019 391-402*

Event-Based H_∞ Fault Detection for Buck Converter With Multiplicative Noises Over Network. *Yan, H.*, +, *TCSI June 2019 2361-2370*

Asynchronous circuits

An 85-MHz-BW ASAR-Assisted CT 4-0 MASH $\Sigma\Delta$ Modulator With Background Half-Range Dithering-Based DAC Calibration in 28-nm CMOS. *Liu, H.*, +, *TCSI July 2019 2405-2414*

Boundary Scan Extension for Testing Distributed Reconfigurable Hardware Systems. *Ben Ahmed, A.*, +, *TCSI July 2019 2699-2708*

Toward Designing Thermally-Aware Memristance Decoder. *Bunnam, T.*, +, *TCSI Nov. 2019 4337-4347*

Automatic gain control

Analysis and Design of Ultra-Large Dynamic Range CMOS Transimpedance Amplifier With Automatically-Controlled Multi-Current-Bleeding Paths. *Bi, X.*, +, *TCSI Sept. 2019 3266-3278*

Digital Mismatch Correction for Bandpass Sampling Four-Channel Time-Interleaved ADCs in Direct-RF Sampling Receivers. *Kihara, T.*, +, *TCSI June 2019 2007-2016*

Automobiles

An 86% Efficiency, Wide- V_{in} SIMO DC-DC Converter Embedded in a Car-Radio IC. *Salimath, A.*, +, *TCSI Sept. 2019 3598-3609*

Autoregressive processes

Energy-Efficient Spectral Analysis Method Using Autoregressive Model-Based Approach for Internet of Things. *Yoshida, S.*, +, *TCSI Oct. 2019 3896-3905*

Avalanche diodes

Fully-Integrated Charge Pump Design Optimization for Above-Breakdown Biasing of Single-Photon Avalanche Diodes in 0.13- μm CMOS. *Shen, B.*, +, *TCSI March 2019 1258-1269*

Avalanche photodiodes

A 10-Gb/s -18.8 dBm Sensitivity 5.7 mW Fully-Integrated Optoelectronic Receiver With Avalanche Photodetector in 0.13- μm CMOS. *Nayak, S.*, +, *TCSI Aug. 2019 3162-3173*

AWGN channels

Novel Data Pre-Distorter for APSK Signals in Solid-State Power Amplifiers. *Canavate Sanchez, M.J.*, +, *TCSI Oct. 2019 4044-4054*

B

Backpropagation

Learning in Memristive Neural Network Architectures Using Analog Backpropagation Circuits. *Krestinskaya, O.*, +, *TCSI Feb. 2019 719-732*

Backtracking

Real-Time Multi-User Detection Engine Design for IoT Applications via Modified Sparsity Adaptive Matching Pursuit. *Liao, C.*, +, *TCSI Aug. 2019 2987-3000*

Baluns

A -40 dB EVM, 77 MHz Dual-Band Tunable Gain Sub-Sampling Receiver Front End in 65-nm CMOS. *Kale, A.*, +, *TCSI March 2019 1166-1179*

A 10-Gb/s -18.8 dBm Sensitivity 5.7 mW Fully-Integrated Optoelectronic Receiver With Avalanche Photodetector in 0.13- μm CMOS. *Nayak, S.*, +, *TCSI Aug. 2019 3162-3173*

A 50-MHz-1-GHz 2.3-dB NF Noise-Cancelling Balun-LNA Employing a Modified Current-Bleeding Technique and Balanced Loads. *Kim, S.*, +, *TCSI Feb. 2019 546-554*

A 53-67 GHz Low-Noise Mixer-First Receiver Front-End in 65-nm CMOS. *Haghi Kashani, M.*, +, *TCSI June 2019 2051-2063*

Design and Analysis of a 94-GHz CMOS Down-Conversion Mixer With CCPT-RL-Based IF Load. *Lin, Y.*, +, *TCSI Aug. 2019 3148-3161*

Band-pass filters

A 0.4-V 10.9- μW /Pole Third-Order Complex BPF for Low Energy RF Receivers. *Compassi-Severo, L.*, +, *TCSI June 2019 2017-2026*

A High-Performance and Energy-Efficient FIR Adaptive Filter Using Approximate Distributed Arithmetic Circuits. *Jiang, H.*, +, *TCSI Jan. 2019 313-326*

A Programmable Sustaining Amplifier for Flexible Multimode MEMS-Referenced Oscillators. *Islam, M.S.*, +, *TCSI April 2019 1405-1418*

An N-Path Band-Pass Filter With Parametric Gain-Boosting. *Badiyari, K.*, +, *TCSI Oct. 2019 3700-3712*

Design Considerations for Low-Distortion Filter and Oscillator ICs for Testing High-Resolution ADCs. *Kumar, S.*, +, *TCSI Sept. 2019 3393-3401*

Design of Tunable Multi-Pole Multi-Zero Bandpass Filters and Diplexer With High Selectivity and Isolation. *Gao, L.*, +, *TCSI Oct. 2019 3831-3842*

Filtering Power Amplifier With Wide Bandwidth Using Discriminating Coupling. *Li, Y.C.*, +, *TCSI Oct. 2019 3822-3830*

On the Order Minimization of Interpolated Bandpass Method Based Narrow Transition Band FIR Filter Design. *Roy, S.*, +, *TCSI Nov. 2019 4287-4295*

Simple, Analytical Expressions of an Effect of Local Signal Imperfections on Four-Phase Passive-Mixer-Based Bandpass Filter. *Kishida, K.*, +, *TCSI Jan. 2019 147-160*

Synthesis and Realization of Two-Dimensional Separable Denominator Orthogonal Systems via Decomposition Into 1-D Systems. *Wirski, R.*, *TCSI Nov. 2019 4309-4322*

Bandwidth

A Coupled Line-Based Coupler With Simultaneously Tunable Phase and Frequency. *Xu, B.W.*, +, *TCSI Dec. 2019 4637-4647*

A Highly Linear Multi-Level SC DAC in a Power-Efficient Gm-C Continuous-Time Delta-Sigma Modulator. *Zhang, Y.*, +, *TCSI Dec. 2019 4592-4605*

Battery chargers

A 97% Maximum Efficiency Fully Automated Control Turbo Boost Topology for Battery Chargers. *Muniandi, B.*, +, *TCSI Nov. 2019 4516-4527*

Battery management systems

A 0.90-4.39-V Detection Voltage Range, 56-Level Programmable Voltage Detector Using Fine Voltage-Step Subtraction for Battery Management. *Someya, T.*, +, *TCSI March 2019 1270-1279*

BCH codes

Efficient Architectures for Generalized Integrated Interleaved Decoder. *Zhang, X.*, +, *TCSI Oct. 2019 4018-4031*

Bessel functions

Using Modified Bessel Functions for Analysis of Nonlinear Effects in a MOS Transistor Operating in Moderate Inversion. *Filanovsky, I.M.*, +, *TCSI May 2019 1897-1907*

BiCMOS integrated circuits

- A Phase-Calibration Method for Vector-Sum Phase Shifters Using a Self-Generated LUT. *Kalyoncu, I.*, +, *TCSI April 2019 1632-1642*
- Sub-1-dB and Wideband SiGe BiCMOS Low-Noise Amplifiers for X-Band Applications. *Chliskan, C.*, +, *TCSI April 2019 1419-1430*
- Wide-Bandwidth, High-Linearity, 2.8-GS/s, 10-bit Accurate Sample and Hold Amplifier in 130-nm SiGe BiCMOS. *Tantawy, R.*, +, *TCSI May 2019 1758-1768*

BiCMOS memory circuits

- Analysis of Parasitic Effects in Filamentary-Switching Memristive Memories Using an Approximated Verilog-A Memristor Model. *Lupo, N.*, +, *TCSI May 2019 1935-1947*
- Analysis of SRAM Enhancements Through Sense Amplifier Capacitive Offset Correction and Replica Self-Timing. *Fragasse, R.*, +, *TCSI June 2019 2037-2050*

Bifurcation

- Nonlinear Dynamic Modeling and Analysis of Self-Oscillating H-Bridge Parallel Resonant Converter Under Zero Current Switching Control: Unveiling Coexistence of Attractors. *El Aroudi, A.*, +, *TCSI April 2019 1657-1667*

Binary codes

- Design and Analysis of a 12-b Current-Steering DAC in a 14-nm FinFET Technology for 2G/3G/4G Cellular Applications. *Kim, J.*, +, *TCSI Oct. 2019 3723-3732*
- Optimal Complexity Architectures for Pipelined Distributed Arithmetic-Based LMS Adaptive Filter. *Khan, M.T.*, +, *TCSI Feb. 2019 630-642*

Binary sequences

- A 0.0071-mm² 10.8ps_{pp}-Jitter 4 to 10-Gb/s 5-Tap Current-Mode Transmitter Using a Hybrid Delay Line for Sub-1-UI Fractional De-Emphasis. *Chen, Y.*, +, *TCSI Oct. 2019 3991-4004*

Bioelectric potentials

- Multiplierless Digital Implementation of Time-Varying FitzHugh–Nagumo Model. *Zahedi, A.*, +, *TCSI July 2019 2662-2670*

Biofuel

- From Battery Enabled to Natural Harvesting: Enzymatic BioFuel Cell Assisted Integrated Analog Front-End in 130nm CMOS for Long-Term Monitoring. *Hu, H.*, +, *TCSI Feb. 2019 534-545*

Biological techniques

- Multiphysics Simulation of Biosensors Involving 3D Biological Reaction–Diffusion Phenomena in a Standard Circuit EDA Environment. *Madec, M.*, +, *TCSI June 2019 2188-2197*

Biomedical electronics

- A Nanopower Biopotential Lowpass Filter Using Subthreshold Current-Reuse Biquads With Bulk Effect Self-Neutralization. *Sawigun, C.*, +, *TCSI May 2019 1746-1757*
- An Ultra-Low-Power Dual-Mode Automatic Sleep Staging Processor Using Neural-Network-Based Decision Tree. *Chang, S.*, +, *TCSI Sept. 2019 3504-3516*
- High-DR CMOS Fluorescence Biosensor With Extended Counting ADC and Noise Cancellation. *Noormohammadi Khiarak, M.*, +, *TCSI June 2019 2077-2087*
- Short-Range Quality-Factor Modulation (SQuirM) for Low Power High Speed Inductive Data Transfer. *Schormans, M.*, +, *TCSI Sept. 2019 3254-3265*

Biomedical equipment

- High-DR CMOS Fluorescence Biosensor With Extended Counting ADC and Noise Cancellation. *Noormohammadi Khiarak, M.*, +, *TCSI June 2019 2077-2087*

Biomedical telemetry

- Short-Range Quality-Factor Modulation (SQuirM) for Low Power High Speed Inductive Data Transfer. *Schormans, M.*, +, *TCSI Sept. 2019 3254-3265*

Biomedical ultrasonics

- An IEEE Single Precision Floating Point Arithmetic-Based Apodization Architecture for Portable Ultrasound Imaging System. *Agarwal, M.*, +, *TCSI June 2019 2275-2287*

Biosensors

- High-DR CMOS Fluorescence Biosensor With Extended Counting ADC and Noise Cancellation. *Noormohammadi Khiarak, M.*, +, *TCSI June 2019 2077-2087*
- Multiphysics Simulation of Biosensors Involving 3D Biological Reaction–Diffusion Phenomena in a Standard Circuit EDA Environment. *Madec, M.*, +, *TCSI June 2019 2188-2197*

Biquadratic filters

- A Nanopower Biopotential Lowpass Filter Using Subthreshold Current-Reuse Biquads With Bulk Effect Self-Neutralization. *Sawigun, C.*, +, *TCSI May 2019 1746-1757*

Blind source separation

- Under-Determined Convolutional Blind Source Separation Combining Density-Based Clustering and Sparse Reconstruction in Time-Frequency Domain. *Yang, J.*, +, *TCSI Aug. 2019 3015-3027*

Block codes

- Energy-Efficient Symmetric BC-BCH Decoder Architecture for Mobile Storages. *Hwang, S.*, +, *TCSI Nov. 2019 4462-4475*

Bluetooth

- A 0.4-V 10.9- μ W/Pole Third-Order Complex BPF for Low Energy RF Receivers. *Compassi-Severo, L.*, +, *TCSI June 2019 2017-2026*
- Energy-Efficient Spectral Analysis Method Using Autoregressive Model-Based Approach for Internet of Things. *Yoshida, S.*, +, *TCSI Oct. 2019 3896-3905*

Boolean functions

- A Family of Stateful Memristor Gates for Complete Cascading Logic. *Kim, K.M.*, +, *TCSI Nov. 2019 4348-4355*
- On Basic Boolean Function Graphene Nanoribbon Conductance Mapping. *Jiang, Y.*, +, *TCSI May 2019 1948-1959*
- ROBIN: Monolithic-3D SRAM for Enhanced Robustness with In-Memory Computation Support. *Rangachar Srinivasa, S.*, +, *TCSI July 2019 2533-2545*

Boundary scan testing

- Boundary Scan Extension for Testing Distributed Reconfigurable Hardware Systems. *Ben Ahmed, A.*, +, *TCSI July 2019 2699-2708*

Brain

- High-DR CMOS Fluorescence Biosensor With Extended Counting ADC and Noise Cancellation. *Noormohammadi Khiarak, M.*, +, *TCSI June 2019 2077-2087*
- Multiplierless Digital Implementation of Time-Varying FitzHugh–Nagumo Model. *Zahedi, A.*, +, *TCSI July 2019 2662-2670*

Bridge circuits

- A 0.034% Charge-Imbalanced Neural Stimulation Front-End (SFE) IC With on-Chip Voltage Compliance Monitoring Circuit and Analysis on Resting Potential by Utilizing the SFE IC. *Jeon, Y.*, +, *TCSI Oct. 2019 3797-3810*
- Reflectionless Filters for Generalized Elliptic Transmission Functions. *Guilbert, A.*, +, *TCSI Dec. 2019 4606-4618*

Broadband antennas

- Δ - Σ Noise-Shaping in 2-D Space-Time for Wideband Antenna Array Receivers. *Wang, Y.*, +, *TCSI Feb. 2019 569-582*

Broadband communication

- Efficient Implementation of Iterative Polynomial Matrix EVD Algorithms Exploiting Structural Redundancy and Parallelisation. *Coutts, F.K.*, +, *TCSI Dec. 2019 4753-4766*

Buck converters

- Global High-Order Sliding Mode Controller Design Subject to Mismatched Terms: Application to Buck Converter. *Shi, S.*, +, *TCSI Dec. 2019 4840-4849*

Buffer circuits

- A 5–10-Gb/s 12.5-mW Source Synchronous I/O Interface With 3-D Flip Chip Package. *Ma, S.*, +, *TCSI Feb. 2019 555-568*
- Design Considerations for Low-Distortion Filter and Oscillator ICs for Testing High-Resolution ADCs. *Kumar, S.*, +, *TCSI Sept. 2019 3393-3401*

Built-in self test

- A Generic Foreground Calibration Algorithm For ADCs With Nonlinear Impairments. *Salib, A.*, +, *TCSI May 2019 1874-1885*

C

Cache storage

Ultra-Dense Ring-Shaped Racetrack Memory Cache Design. Wang, G., +, *TCSI Jan. 2019 215-225*

CAD

Synthesizable Memory Arrays Based on Logic Gates for Subthreshold Operation in IoT. Fan, X., +, *TCSI March 2019 941-954*

Calibration

A 1- μ s Ramp Time 12-bit Column-Parallel Flash TDC-Interpolated Single-Slope ADC With Digital Delay-Element Calibration. Levski, D., +, *TCSI Jan. 2019 54-67*

A 1-MHz-Bandwidth Gm-C-Based Quadrature Bandpass Sigma-Delta Modulator Achieving -153.7 -dBFS/Hz NSD With Background Calibration. Zhang, M., +, *TCSI March 2019 909-919*

A 10-b 600-MS/s 2-Way Time-Interleaved SAR ADC With Mean Absolute Deviation-Based Background Timing-Skew Calibration. Song, J., +, *TCSI Aug. 2019 2876-2887*

A 10-MHz Hysteretic-Controlled Buck Converter With Single On/Off Reference Tracking Using Turning-Point Prediction for DVFS Application. Pan, S., +, *TCSI Nov. 2019 4502-4515*

A Generic Foreground Calibration Algorithm For ADCs With Nonlinear Impairments. Salib, A., +, *TCSI May 2019 1874-1885*

A High-Precision Time Skew Estimation and Correction Technique for Time-Interleaved ADCs. Salib, A., +, *TCSI Oct. 2019 3747-3760*

A Highly Linear Multi-Level SC DAC in a Power-Efficient Gm-C Continuous-Time Delta-Sigma Modulator. Zhang, Y., +, *TCSI Dec. 2019 4592-4605*

A Low Power Receiver Front-End Design With Tunable Notch Filter for TX Leakage and Blocker Suppression. Ozgun, M.T., +, *TCSI March 2019 1180-1191*

A Phase-Calibration Method for Vector-Sum Phase Shifters Using a Self-Generated LUT. Kalyoncu, I., +, *TCSI April 2019 1632-1642*

An 85-MHz-BW ASAR-Assisted CT 4-0 MASH $\Sigma\Delta$ Modulator With Background Half-Range Dithering-Based DAC Calibration in 28-nm CMOS. Liu, H., +, *TCSI July 2019 2405-2414*

An All-Digital On-Chip Peak-to-Peak Jitter Measurement Circuit With Automatic Resolution Calibration for High PVT-Variation Resilience. Chou, P., +, *TCSI July 2019 2508-2518*

Analysis and Correction of Combined Channel Mismatch Effects in Frequency-Interleaved ADCs. Song, J., +, *TCSI Feb. 2019 655-668*

Digital Background Calibration of a Split Current-Steering DAC. Stoops, D.J., +, *TCSI Aug. 2019 2854-2864*

Digital Calibration of Elements Mismatch in Multirate Predictive SAR ADCs. Mafi, H., +, *TCSI Dec. 2019 4571-4581*

High-Resolution Wideband Phase Shifter With Current Limited Vector-Sum. Qian, H.J., +, *TCSI Feb. 2019 820-833*

Pixel Optimizations and Digital Calibration Methods of a CMOS Image Sensor Targeting High Linearity. Wang, F., +, *TCSI March 2019 930-940*

Single-Bin DFT-Based Digital Calibration Technique for CDAC in SAR ADCs. Lee, S., +, *TCSI Dec. 2019 4582-4591*

Subsampling Mismatch Noise Cancellation for High-Speed Continuous-Time DACs. Kong, D., +, *TCSI Aug. 2019 2843-2853*

Cameras

A Three-Phase, One-Tap High Background Light Subtraction Time-of-Flight Camera. Anand, C., +, *TCSI June 2019 2219-2229*

ChipNet: Real-Time LiDAR Processing for Drivable Region Segmentation on an FPGA. Lyu, Y., +, *TCSI May 2019 1769-1779*

Capacitance

Capacitive Touch Panel With Low Sensitivity to Water Drop Employing Mutual-Coupling Electrical Field Shaping Technique. Zhong, L., +, *TCSI April 2019 1393-1404*

Single-Bin DFT-Based Digital Calibration Technique for CDAC in SAR ADCs. Lee, S., +, *TCSI Dec. 2019 4582-4591*

Capacitive sensors

Capacitive Touch Panel With Low Sensitivity to Water Drop Employing Mutual-Coupling Electrical Field Shaping Technique. Zhong, L., +, *TCSI April 2019 1393-1404*

Capacitors

FOPAC: Flexible On-Chip Power and Clock. Kuttappa, R., +, *TCSI Dec. 2019 4628-4636*

A 27.7 fJ/conv-step 500 MS/s 12-Bit Pipelined ADC Employing a Sub-ADC Forecasting Technique and Low-Power Class AB Slew Boosted Amplifiers. Naderi, M.H., +, *TCSI Sept. 2019 3352-3364*

A Highly Linear Multi-Level SC DAC in a Power-Efficient Gm-C Continuous-Time Delta-Sigma Modulator. Zhang, Y., +, *TCSI Dec. 2019 4592-4605*

A Low Power 12-bit 1-kS/s SAR ADC for Biomedical Signal Processing. Mao, W., +, *TCSI Feb. 2019 477-488*

A Low-Noise, Positive-Input, Negative-Output Voltage Generator for Low-to-Moderate Driving Capacity Applications. Khanna, D., +, *TCSI Sept. 2019 3423-3436*

A Switched Capacitor Multiple Input Single Output Energy Harvester (Solar + Piezo) Achieving 74.6% Efficiency With Simultaneous MPPT. Devaraj, A., +, *TCSI Dec. 2019 4876-4887*

An Energy-Efficient Hierarchical Architecture for Time-Interleaved SAR ADC. Reyes, B.T., +, *TCSI June 2019 2064-2076*

An LLC-Type Resonant Forward Converter With Adjustable Turning-Off Time Control. Qian, C., +, *TCSI Dec. 2019 4901-4910*

Current Feedback Compensation Circuit for 2T1C LED Displays: Analysis and Evaluation. Charisoulis, T., +, *TCSI Jan. 2019 175-188*

Digital Calibration of Elements Mismatch in Multirate Predictive SAR ADCs. Mafi, H., +, *TCSI Dec. 2019 4571-4581*

Harmonic-Based Nonlinearity Factorization of Switching Behavior in Up-Conversion Mixers. Li, J., +, *TCSI July 2019 2468-2477*

Pixel Optimizations and Digital Calibration Methods of a CMOS Image Sensor Targeting High Linearity. Wang, F., +, *TCSI March 2019 930-940*

Power-Efficient Hybrid Energy Harvesting System for Harnessing Ambient Vibrations. Chamanian, S., +, *TCSI July 2019 2784-2793*

Single-Bin DFT-Based Digital Calibration Technique for CDAC in SAR ADCs. Lee, S., +, *TCSI Dec. 2019 4582-4591*

Carrier mobility

Low-Voltage Current and Voltage Reference Design Based on the MOSFET ZTC Effect. Wenger, Y., +, *TCSI Sept. 2019 3445-3456*

Cascade networks

A Second-Order Bandpass $\Sigma\Delta$ Time-to-Digital Converter With Negative Time-Mode Feedback. Ziabakhsh, S., +, *TCSI April 2019 1355-1368*

Cellular biophysics

Multiplierless Digital Implementation of Time-Varying FitzHugh–Nagumo Model. Zahedi, A., +, *TCSI July 2019 2662-2670*

Channel bank filters

Analysis of Signals via Non-Maximally Decimated Non-Uniform Filter Banks. Patel, S., +, *TCSI Oct. 2019 3882-3895*

Channel coding

A Modulo-FIR Equalizer for Wireline Communications. Jeong, G., +, *TCSI Nov. 2019 4278-4286*

A Probabilistic Parallel Bit-Flipping Decoder for Low-Density Parity-Check Codes. Le, K., +, *TCSI Jan. 2019 403-416*

Layered Decoding Algorithm and Two-Level Quasi-Cyclic Matrix Construction for Rate Compatible Modulation. Lu, F., +, *TCSI Aug. 2019 3213-3226*

Line Coding Techniques for Channel Equalization: Integrated Pulse-Width Modulation and Consecutive Digit Chopping. Ramachandran, A., +, *TCSI March 2019 1192-1204*

Channel estimation

Efficient Channel Estimator With Angle-Division Multiple Access. Liu, X., +, *TCSI Feb. 2019 708-718*

Multi-User Hybrid MIMO at 60 GHz Using 16-Antenna Transmitters. Blandino, S., +, *TCSI Feb. 2019 848-858*

Chaos

A New Nonlinear Global Placement for FPGAs: The Chaotic Place. de Almeida Ramos, E., +, *TCSI June 2019 2165-2174*

- Dynamic Analysis of Digital Chaotic Maps via State-Mapping Networks. *Li, C., +, TCSI June 2019 2322-2335*
- FPGA Implementation of the Fractional Order Integrator/Differentiator: Two Approaches and Applications. *Tolba, M.F., +, TCSI April 2019 1484-1495*
- Higher Dimensional Baker Map and its Digital Implementation With LSB-Extension Method. *Ozturk, I., +, TCSI Dec. 2019 4780-4792*
- Pattern Formation With Locally Active S-Type NbO_x Memristors. *Weither, M., +, TCSI July 2019 2627-2638*
- Robust Pinning Constrained Control and Adaptive Regulation of Coupled Chua's Circuit Networks. *Jin, X., +, TCSI Oct. 2019 3928-3940*
- Chaotic communication**
- Chaotic Encryption for 10-Gb Ethernet Optical Links. *Perez-Resca, A., +, TCSI Feb. 2019 859-868*
- Generating Multi-Scroll Chua's Attractors via Simplified Piecewise-Linear Chua's Diode. *Wang, N., +, TCSI Dec. 2019 4767-4779*
- Charge pump circuits**
- A 2.41-pJ/bit 5.4-Gb/s Dual-Loop Reference-Less CDR With Fully Digital Quarter-Rate Linear Phase Detector for Embedded DisplayPort. *Moon, Y., +, TCSI Aug. 2019 2907-2920*
- A CMOS V-Band PLL With a Harmonic Positive Feedback VCO Leveraging Operation in Triode Region for Phase-Noise Improvement. *Abedi, R., +, TCSI May 2019 1818-1830*
- A Low-Noise, Positive-Input, Negative-Output Voltage Generator for Low-to-Moderate Driving Capacity Applications. *Khanna, D., +, TCSI Sept. 2019 3423-3436*
- A Study of Phase Noise and Frequency Error of a Fractional-N PLL in the Course of FMCW Chirp Generation. *Ergintav, A., +, TCSI May 2019 1670-1680*
- An Efficient, Wide-Output, High-Voltage Charge Pump With a Stage Selection Circuit Realized in a Low-Voltage CMOS Process. *Luo, Z., +, TCSI Sept. 2019 3437-3444*
- An Optically-Powered 432 MHz Wireless Tag for Batteryless Internet-of-Things Applications. *Cheng, H., +, TCSI Sept. 2019 3288-3295*
- Fully-Integrated Charge Pump Design Optimization for Above-Breakdown Biasing of Single-Photon Avalanche Diodes in 0.13- μm CMOS. *Shen, B., +, TCSI March 2019 1258-1269*
- Charge pumps**
- A Switched Capacitor Multiple Input Single Output Energy Harvester (Solar + Piezo) Achieving 74.6% Efficiency With Simultaneous MPPT. *Devaraj, A., +, TCSI Dec. 2019 4876-4887*
- Choppers (circuits)**
- An Integrated Micromachined Thermopile Sensor With a Chopper Interface Circuit for Contact-Less Temperature Measurements. *Moisello, E., +, TCSI Sept. 2019 3402-3413*
- Dual-Path and Dual-Chopper Amplifier Signal Conditioning Circuit With Improved SNR and Ultra-Low Power Consumption for MEMS. *Vejdani, P., +, TCSI June 2019 2253-2262*
- Chua's circuit**
- Pinning Synchronization of Complex Switching Networks With a Leader of Nonzero Control Inputs. *Wen, G., +, TCSI Aug. 2019 3100-3112*
- Robust Pinning Constrained Control and Adaptive Regulation of Coupled Chua's Circuit Networks. *Jin, X., +, TCSI Oct. 2019 3928-3940*
- Synchronization of Stochastic Lévy Noise Systems on a Multi-Weights Network and Its Applications of Chua's Circuits. *Zhou, H., +, TCSI July 2019 2709-2722*
- Circuit complexity**
- Xcel-RAM: Accelerating Binary Neural Networks in High-Throughput SRAM Compute Arrays. *Agrawal, A., +, TCSI Aug. 2019 3064-3076*
- Circuit faults**
- Adaptive Double Event-Triggered Control for Linear Multi-Agent Systems With Actuator Faults. *Luo, S., +, TCSI Dec. 2019 4829-4839*
- Circuit feedback**
- A 1 Million-Point FFT on a Single FPGA. *Kanders, H., +, TCSI Oct. 2019 3863-3873*
- A 1- μs Ramp Time 12-bit Column-Parallel Flash TDC-Interpolated Single-Slope ADC With Digital Delay-Element Calibration. *Levski, D., +, TCSI Jan. 2019 54-67*
- A CMOS V-Band PLL With a Harmonic Positive Feedback VCO Leveraging Operation in Triode Region for Phase-Noise Improvement. *Abedi, R., +, TCSI May 2019 1818-1830*
- A Digitally Programmable CMOS Feedback ASIC for Highly Stable MEMS-Referenced Oscillators. *Islam, M.S., +, TCSI Nov. 2019 4158-4171*
- Accurate and Fast On-Wafer Test Circuitry for Device Array Characterization in Wafer Acceptance Test. *Hong, H., +, TCSI Sept. 2019 3467-3479*
- Current Feedback Compensation Circuit for 2T1C LED Displays: Analysis and Evaluation. *Charisoulis, T., +, TCSI Jan. 2019 175-188*
- Noise Filtering and Linearization of Single-Ended Sampled-Data Circuits. *He, T., +, TCSI April 2019 1331-1341*
- Subsampling Mismatch Noise Cancellation for High-Speed Continuous-Time DACs. *Kong, D., +, TCSI Aug. 2019 2843-2853*
- Circuit noise**
- Noise Analysis and Design Considerations for Equalizer-Based Optical Receivers. *Abdelrahman, D., +, TCSI Aug. 2019 3201-3212*
- Circuit optimization**
- A Novel Single-Inductor Injection-Locked Frequency Divider by Three With Dual-Injection Secondary Locking. *Garghetti, A., +, TCSI May 2019 1737-1745*
- An Efficient, Wide-Output, High-Voltage Charge Pump With a Stage Selection Circuit Realized in a Low-Voltage CMOS Process. *Luo, Z., +, TCSI Sept. 2019 3437-3444*
- Analytical Equivalent Circuit Extraction Procedure for Broadband Scalable Modeling of Three-Port Center-Tapped Symmetric On-Chip Inductors. *Issakov, V., +, TCSI Sept. 2019 3557-3570*
- Design Methodology to Explore Hybrid Approximate Adders for Energy-Efficient Image and Video Processing Accelerators. *Soares, L.B., +, TCSI June 2019 2137-2150*
- Modeling and Mitigating Time-Dependent Variability From the Physical Level to the Circuit Level. *van Santen, V.M., +, TCSI July 2019 2671-2684*
- Transistor Count Reduction by Gate Merging. *Conceicao, C.M.D.O., +, TCSI June 2019 2175-2187*
- Circuit simulation**
- A Power-Loss-Dependent Inductance Model for Ferrite-Core Power Inductors in Switch-Mode Power Supplies. *Oliveri, A., +, TCSI June 2019 2394-2402*
- An Efficient Uniform-Segmented Neuron Model for Large-Scale Neuromorphic Circuit Design: Simulation and FPGA Synthesis Results. *Jokar, E., +, TCSI June 2019 2336-2349*
- Multiphysics Simulation of Biosensors Involving 3D Biological Reaction-Diffusion Phenomena in a Standard Circuit EDA Environment. *Maded, M., +, TCSI June 2019 2188-2197*
- Output Control Techniques for Dual-Frequency SIMO Buck Converters. *Jiang, Y., +, TCSI Oct. 2019 4055-4067*
- Proper Initial Solution to Start Periodic Steady-State-Based Methods. *De Luca, G., +, TCSI March 2019 1104-1115*
- Time-Variant Modeling and Analysis of Multiplying Delay-Locked Loops. *Santiccioli, A., +, TCSI Oct. 2019 3775-3785*
- Circuit stability**
- Design Considerations for Low-Distortion Filter and Oscillator ICs for Testing High-Resolution ADCs. *Kumar, S., +, TCSI Sept. 2019 3393-3401*
- In-Depth Analysis of Pole-Zero Compensations in CMOS Operational Transconductance Amplifiers. *Giustolisi, G., +, TCSI Dec. 2019 4557-4570*
- On the Relationships Between Input and Output Stability in Two-Ports. *Lombardi, G., +, TCSI July 2019 2489-2495*
- Circuit theory**
- Network Science Meets Circuit Theory: Resistance Distance, Kirchhoff Index, and Foster's Theorems With Generalizations and Unification. *Thulasiraman, K., +, TCSI March 2019 1090-1103*
- Circuits and systems**
- Guest Editorial Selected Papers From Regional Flagship Conferences of the IEEE Circuits and Systems Society (ICECS 2017, LASCAS 2018, and NEWCAS 2018). *Blokhina, E., TCSI June 2019 1997*
- Guest Editorial Special Issue on the IEEE International Symposium on Circuits and Systems 2018. *Blokhina, E., TCSI May 2019 1669*

Clock and data recovery circuits

A 0.34 mm² 1 Gb/s Non-Coherent UWB Receiver Architecture With Pulse Enhancement and Double PLL Clock/Data Packet Recovery. *Crepaldi, M., +, TCSI July 2019 2735-2748*

A 2.41-pJ/bit 5.4-Gb/s Dual-Loop Reference-Less CDR With Fully Digital Quarter-Rate Linear Phase Detector for Embedded DisplayPort. *Moon, Y., +, TCSI Aug. 2019 2907-2920*

An Accurate and Noise-Resilient Spread-Spectrum Clock Tracking Aid for Digitally-Controlled Clock and Data Recovery Loops. *Ryu, S., +, TCSI March 2019 1245-1257*

Clock distribution networks

HCDN: Hybrid-Mode Clock Distribution Networks. *Islam, R., +, TCSI Jan. 2019 251-262*

Clocks

FOPAC: Flexible On-Chip Power and Clock. *Kuttappa, R., +, TCSI Dec. 2019 4628-4636*

A Highly Linear Multi-Level SC DAC in a Power-Efficient Gm-C Continuous-Time Delta-Sigma Modulator. *Zhang, Y., +, TCSI Dec. 2019 4592-4605*

A Wide-Voltage-Range Half-Path Timing Error-Detection System With a 9-Transistor Transition-Detector in 40-nm CMOS. *Shan, W., +, TCSI June 2019 2288-2297*

An Accurate and Noise-Resilient Spread-Spectrum Clock Tracking Aid for Digitally-Controlled Clock and Data Recovery Loops. *Ryu, S., +, TCSI March 2019 1245-1257*

An All-Digital On-Chip Peak-to-Peak Jitter Measurement Circuit With Automatic Resolution Calibration for High PVT-Variation Resilience. *Chou, P., +, TCSI July 2019 2508-2518*

Clock Jitter Analysis of Continuous-Time $\Sigma\Delta$ Modulators Based on a Relative Time-Base Projection. *Cardes, F., +, TCSI March 2019 920-929*

Digital-to-Frequency Converters With a DTC: Theoretical Analysis of the Output SFDR. *Palattella, C., +, TCSI Oct. 2019 3761-3774*

RotaSYN: Rotary Traveling Wave Oscillator SYNthesizer. *Kuttappa, R., +, TCSI July 2019 2685-2698*

Synthesizable Memory Arrays Based on Logic Gates for Subthreshold Operation in IoT. *Fan, X., +, TCSI March 2019 941-954*

Wide-Bandwidth, High-Linearity, 2.8-GS/s, 10-bit Accurate Sample and Hold Amplifier in 130-nm SiGe BiCMOS. *Tantawy, R., +, TCSI May 2019 1758-1768*

Closed loop systems

A 97% Maximum Efficiency Fully Automated Control Turbo Boost Topology for Battery Chargers. *Muniandi, B., +, TCSI Nov. 2019 4516-4527*

Robust Pinning Constrained Control and Adaptive Regulation of Coupled Chua's Circuit Networks. *Jin, X., +, TCSI Oct. 2019 3928-3940*

Switched Threshold-Based Fault Detection for Switched Nonlinear Systems With Its Application to Chua's Circuit System. *Tang, L., +, TCSI Feb. 2019 733-741*

Closed-form solutions

Matrix-Based Algorithms for the Optimal Design of Variable Fractional Delay FIR Filters. *Zhao, R., +, TCSI Dec. 2019 4740-4752*

CMOS analog integrated circuits

A 25–35 GHz Neutralized Continuous Class-F CMOS Power Amplifier for 5G Mobile Communications Achieving 26% Modulation PAE at 1.5 Gb/s and 46.4% Peak PAE. *Ali, S.N., +, TCSI Feb. 2019 834-847*

A Novel Single-Inductor Injection-Locked Frequency Divider by Three With Dual-Injection Secondary Locking. *Garghetti, A., +, TCSI May 2019 1737-1745*

A Supply-Noise-Insensitive Digitally-Controlled Oscillator. *Yuan, C., +, TCSI Sept. 2019 3414-3422*

A System of Two Coupled Oscillators With a Continuously Controllable Phase Shift. *Pourahmad, V., +, TCSI April 2019 1531-1543*

A Wide Tuning Range, Low Phase Noise, and Area Efficient Dual-Band Millimeter-Wave CMOS VCO Based on Switching Cores. *Basaligheh, A., +, TCSI Aug. 2019 2888-2897*

A Wideband dB-Linear VGA With Temperature Compensation and Active Load. *Song, X., +, TCSI Sept. 2019 3279-3287*

An On-Chip Linear, Squaring, Cubic and Exponential Analog Function Generator. *Vlassis, S., +, TCSI Jan. 2019 94-104*

Analysis and Design of Ultra-Large Dynamic Range CMOS Transimpedance Amplifier With Automatically-Controlled Multi-Current-Bleeding Paths. *Bi, X., +, TCSI Sept. 2019 3266-3278*

Design Considerations for Low-Distortion Filter and Oscillator ICs for Testing High-Resolution ADCs. *Kumar, S., +, TCSI Sept. 2019 3393-3401*

Design Methodology Based on the Inversion Coefficient and its Application to Inductorless LNA Implementations. *Guitton, G., +, TCSI Oct. 2019 3653-3663*

Design of a 5.2-GHz CMOS Power Amplifier Using TF-Based 2-Stage Dual-Radial Power Splitting/Combining Architecture. *Tsai, J., TCSI Oct. 2019 3690-3699*

High-Resolution Wideband Phase Shifter With Current Limited Vector-Sum. *Qian, H.J., +, TCSI Feb. 2019 820-833*

Low-Power/Low-Voltage Integrated CMOS Sense Resistor-Free Analog Power/Current Sensor Compatible With High-Voltage Switching DC-DC Converter. *Singh, S., +, TCSI June 2019 2208-2218*

CMOS digital integrated circuits

A 0.12-mm² 1.2-to-2.4-mW 1.3-to-2.65-GHz Fractional-N Bang-Bang Digital PLL With 8- μ s Settling Time for Multi-ISM-Band ULP Radios. *Un, K., +, TCSI Sept. 2019 3307-3316*

A Digitally Programmable CMOS Feedback ASIC for Highly Stable MEMS-Referenced Oscillators. *Islam, M.S., +, TCSI Nov. 2019 4158-4171*

A DROIC Based on PFM ADCs Employing Over-Integration for Error Shaping. *Abbasi, S., +, TCSI Oct. 2019 3713-3722*

A Fast-Transient-Response Fully-Integrated Digital LDO With Adaptive Current Step Size Control. *Cai, G., +, TCSI Sept. 2019 3610-3619*

A Second-Order Bandpass $\Sigma\Delta$ Time-to-Digital Converter With Negative Time-Mode Feedback. *Ziabakhsh, S., +, TCSI April 2019 1355-1368*

A Switching Sequence for Unary Digital-to-Analog Converters Based on a Knight's Tour. *Yenuchenko, M.S., +, TCSI June 2019 2230-2239*

An All-Digital On-Chip Peak-to-Peak Jitter Measurement Circuit With Automatic Resolution Calibration for High PVT-Variation Resilience. *Chou, P., +, TCSI July 2019 2508-2518*

Digitally Adaptive High-Fidelity Analog Array Signal Processing Resilient to Capacitive Multiplying DAC Inter-Stage Gain Error. *Joshi, S., +, TCSI Nov. 2019 4095-4107*

Fully Synthesizable Low-Area Digital-to-Analog Converter With Graceful Degradation and Dynamic Power-Resolution Scaling. *Aiello, O., +, TCSI Aug. 2019 2865-2875*

Highly Digital Second-Order $\Sigma\Delta$ VCO ADC. *Jayaraj, A., +, TCSI July 2019 2415-2425*

Low-Pass Filtering SC-DAC for Reduced Jitter and Slewing Requirements on CTSDMs. *Vercaemer, D., +, TCSI April 2019 1369-1381*

Low-Routing-Complexity Convolutional/Turbo Decoder Design for Iterative Detection and Decoding Receivers. *Lin, C., +, TCSI Nov. 2019 4476-4489*

Modeling and Mitigating Time-Dependent Variability From the Physical Level to the Circuit Level. *van Santen, V.M., +, TCSI July 2019 2671-2684*

CMOS image sensors

A 64 \times 64 Pixel Vision Sensor for Local Binary Pattern Computation. *Gotardi, M., +, TCSI May 2019 1831-1839*

A DROIC Based on PFM ADCs Employing Over-Integration for Error Shaping. *Abbasi, S., +, TCSI Oct. 2019 3713-3722*

A Three-Phase, One-Tap High Background Light Subtraction Time-of-Flight Camera. *Anand, C., +, TCSI June 2019 2219-2229*

High-DR CMOS Fluorescence Biosensor With Extended Counting ADC and Noise Cancellation. *Noormohammadi Khiarak, M., +, TCSI June 2019 2077-2087*

Pixel Optimizations and Digital Calibration Methods of a CMOS Image Sensor Targeting High Linearity. *Wang, F., +, TCSI March 2019 930-940*

CMOS integrated circuits

24-GHz Injection-Locked Frequency Tripler With Third-Harmonic Quadrature Phase Generator. *Shin, D., +, TCSI Aug. 2019 2898-2906*

256 \times TDC Array With Cyclic Interpolators Based on Calibration-Free 2 \times Time Amplifier. *Keranen, P., +, TCSI Feb. 2019 524-533*

256 \times 8 SPAD Array With 256 Column TDCs for a Line Profiling Laser Radar. *Keranen, P., +, TCSI Nov. 2019 4122-4133*

- Δ - Σ Noise-Shaping in 2-D Space-Time for Wideband Antenna Array Receivers. Wang, Y., +, *TCSI Feb. 2019* 569-582
- A -40 dB EVM, 77 MHz Dual-Band Tunable Gain Sub-Sampling Receiver Front End in 65-nm CMOS. Kale, A., +, *TCSI March 2019* 1166-1179
- A 0.0071-mm² 10.8ps_{pp}-Jitter 4 to 10-Gb/s 5-Tap Current-Mode Transmitter Using a Hybrid Delay Line for Sub-1-UI Fractional De-Emphasis. Chen, Y., +, *TCSI Oct. 2019* 3991-4004
- A 0.034% Charge-Imbalanced Neural Stimulation Front-End (SFE) IC With on-Chip Voltage Compliance Monitoring Circuit and Analysis on Resting Potential by Utilizing the SFE IC. Jeon, Y., +, *TCSI Oct. 2019* 3797-3810
- A 0.34 mm² 1 Gb/s Non-Coherent UWB Receiver Architecture With Pulse Enhancement and Double PLL Clock/Data Packet Recovery. Crepaldi, M., +, *TCSI July 2019* 2735-2748
- A 0.4-V 10.9- μ W/Pole Third-Order Complex BPF for Low Energy RF Receivers. Compassi-Severo, L., +, *TCSI June 2019* 2017-2026
- A 0.7-V 28-nW CMOS Subthreshold Voltage and Current Reference in One Simple Circuit. Wang, L., +, *TCSI Sept. 2019* 3457-3466
- A 0.90–4.39-V Detection Voltage Range, 56-Level Programmable Voltage Detector Using Fine Voltage-Step Subtraction for Battery Management. Someya, T., +, *TCSI March 2019* 1270-1279
- A 1- μ s Ramp Time 12-bit Column-Parallel Flash TDC-Interpolated Single-Slope ADC With Digital Delay-Element Calibration. Levski, D., +, *TCSI Jan. 2019* 54-67
- A 1-MHz Relaxation Oscillator Core Employing a Self-Compensating Chopped Comparator Pair. Mikulic, J., +, *TCSI May 2019* 1728-1736
- A 1-MHz-Bandwidth Gm-C-Based Quadrature Bandpass Sigma-Delta Modulator Achieving -153.7-dBFS/Hz NSD With Background Calibration. Zhang, M., +, *TCSI March 2019* 909-919
- A 1.2-V 2.41-GHz Three-Stage CMOS OTA With Efficient Frequency Compensation Technique. Liu, S., +, *TCSI Jan. 2019* 20-30
- A 10-b 600-MS/s 2-Way Time-Interleaved SAR ADC With Mean Absolute Deviation-Based Background Timing-Skew Calibration. Song, J., +, *TCSI Aug. 2019* 2876-2887
- A 10-Bit 200-kS/s 1.76- μ W SAR ADC With Hybrid CAP-MOS DAC for Energy-Limited Applications. Zhang, H., +, *TCSI May 2019* 1716-1727
- A 10-Gb/s -18.8 dBm Sensitivity 5.7 mW Fully-Integrated Optoelectronic Receiver With Avalanche Photodetector in 0.13- μ m CMOS. Nayak, S., +, *TCSI Aug. 2019* 3162-3173
- A 10-MHz BW 77.9 dB SNDR DT MASH $\Delta\Sigma$ ADC With NC-VCO-Based Quantizer and OPAMP Sharing. Sadollahi, M., +, *TCSI Sept. 2019* 3384-3392
- A 10-MHz Hysteretic-Controlled Buck Converter With Single On/Off Reference Tracking Using Turning-Point Prediction for DVFS Application. Pan, S., +, *TCSI Nov. 2019* 4502-4515
- A 124 fJ/Bit Cascode Current Mirror Array Based PUF With 1.50% Native Unstable Bit Ratio. Zhao, X., +, *TCSI Sept. 2019* 3494-3503
- A 13-Bit 260MS/s Power-Efficient Pipeline ADC Using a Current-Reuse Technique and Interstage Gain and Nonlinearity Errors Calibration. Zhou, D., +, *TCSI Sept. 2019* 3373-3383
- A 2.2-GHz 3.2-mW DTC-Free Sampling $\Sigma\Delta$ Fractional-N PLL With -110-dBc/Hz In-Band Phase Noise and -246-dB FoM and -83-dBc Reference Spur. Tao, J., +, *TCSI Sept. 2019* 3317-3329
- A 2.4 GHz CMOS Class-F Power Amplifier With Reconfigurable Load-Impedance Matching. Gilasgar, M., +, *TCSI Jan. 2019* 31-42
- A 2.41-pJ/bit 5.4-Gb/s Dual-Loop Reference-Less CDR With Fully Digital Quarter-Rate Linear Phase Detector for Embedded DisplayPort. Moon, Y., +, *TCSI Aug. 2019* 2907-2920
- A 3–6-GHz Highly Linear I-Channel Receiver With Over +3.0-dBm In-Band P_{1dB} and 200-MHz Baseband Bandwidth Suitable for 5G Wireless and Cognitive Radio Applications. Jiang, J., +, *TCSI Aug. 2019* 3134-3147
- A 4-b 7- μ W Phase Domain ADC With Time Domain Reference Generation for Low-Power FSK/PSK Demodulation. Lei, X., +, *TCSI Sept. 2019* 3365-3372
- A 5–10-Gb/s 12.5-mW Source Synchronous I/O Interface With 3-D Flip Chip Package. Ma, S., +, *TCSI Feb. 2019* 555-568
- A 50-MHz–1-GHz 2.3-dB NF Noise-Cancelling Balun-LNA Employing a Modified Current-Bleeding Technique and Balanced Loads. Kim, S., +, *TCSI Feb. 2019* 546-554
- A 53–67 GHz Low-Noise Mixer-First Receiver Front-End in 65-nm CMOS. Haghi Kashani, M., +, *TCSI June 2019* 2051-2063
- A 97% Maximum Efficiency Fully Automated Control Turbo Boost Topology for Battery Chargers. Muniandi, B., +, *TCSI Nov. 2019* 4516-4527
- A 3.6 μ V_{rms} Noise, 3 ppm/°C TC Bandgap Reference With Offset/Noise Suppression and Five-Piece Linear Compensation. Liu, L., +, *TCSI Oct. 2019* 3786-3796
- A 4 \times 64 MIMO Detector for Generalized Spatial Modulation Systems. Li, C., +, *TCSI Sept. 2019* 3585-3597
- A Broadband Multi-Mode Compressive Sensing Current Sensor SoC in 0.16 μ m CMOS. Bellasi, D., +, *TCSI Jan. 2019* 105-118
- A CMOS V-Band PLL With a Harmonic Positive Feedback VCO Leveraging Operation in Triode Region for Phase-Noise Improvement. Abedi, R., +, *TCSI May 2019* 1818-1830
- A Compact, Voltage-Mode Type-I PLL With Gain-Boosted Saturated PFD and Synchronous Peak Tracking Loop Filter. Sharkia, A., +, *TCSI Jan. 2019* 43-53
- A Differential Push-Pull Voltage Mode VCSEL Driver in 65-nm CMOS. Ramani, A.S., +, *TCSI Nov. 2019* 4147-4157
- A Fully Flexible Circuit Implementation of Clique-Based Neural Networks in 65-nm CMOS. Larras, B., +, *TCSI May 2019* 1704-1715
- A Hilbert Transform Equalizer Enabling 80 MHz RF Self-Interference Cancellation for Full-Duplex Receivers. El Sayed, A., +, *TCSI March 2019* 1153-1165
- A Low Latency FFT/IFFT Architecture for Massive MIMO Systems Utilizing OFDM Guard Bands. Mahdavi, M., +, *TCSI July 2019* 2763-2774
- A Low Power 12-bit 1-kS/s SAR ADC for Biomedical Signal Processing. Mao, W., +, *TCSI Feb. 2019* 477-488
- A Low Power Receiver Front-End Design With Tunable Notch Filter for TX Leakage and Blocker Suppression. Ozgun, M.T., +, *TCSI March 2019* 1180-1191
- A Low-Noise, Positive-Input, Negative-Output Voltage Generator for Low-to-Moderate Driving Capacity Applications. Khanna, D., +, *TCSI Sept. 2019* 3423-3436
- A Low-Power Fast Start-Up Crystal Oscillator With an Autonomous Dynamically Adjusted Load. Ding, M., +, *TCSI April 2019* 1382-1392
- A Nanopower Biopotential Lowpass Filter Using Subthreshold Current-Reuse Biquads With Bulk Effect Self-Neutralization. Sawigun, C., +, *TCSI May 2019* 1746-1757
- A New Design Technique for Sub-Nanosecond Delay and 200 V/ns Power Supply Slew-Tolerant Floating Voltage Level Shifters for GaN SMPS. Liu, D., +, *TCSI March 2019* 1280-1290
- A Phasor-Based Analysis of Sinusoidal Injection Locking in LC and Ring Oscillators. Hong, B., +, *TCSI Jan. 2019* 355-368
- A Programmable Sustaining Amplifier for Flexible Multimode MEMS-Referenced Oscillators. Islam, M.S., +, *TCSI April 2019* 1405-1418
- A Quadrature RC Oscillator With Noise Reduction by Voltage Swing Control. Koo, J., +, *TCSI Aug. 2019* 3077-3088
- A Real-Time 17-Scale Object Detection Accelerator With Adaptive 2000-Stage Classification in 65 nm CMOS. Kim, M., +, *TCSI Oct. 2019* 3843-3853
- A Resistorless High-Precision Compensated CMOS Bandgap Voltage Reference. Zhou, Z., +, *TCSI Jan. 2019* 428-437
- A Ripple Reduction Method for Switched-Capacitor DC–DC Voltage Converter Using Fully Digital Resistance Modulation. Xie, F., +, *TCSI Sept. 2019* 3631-3641
- A Single-Stage Dual-Output Tri-Mode AC-DC Regulator for Inductively Powered Application. Low, Q.W., +, *TCSI Sept. 2019* 3620-3630
- A Third-Order Integrated Passive Switched-Capacitor Filter Obtained With a Continuous-Time Design Approach. Lulec, S.Z., +, *TCSI Oct. 2019* 3643-3652
- A Wide-Voltage-Range Half-Path Timing Error-Detection System With a 9-Transistor Transition-Detector in 40-nm CMOS. Shan, W., +, *TCSI June 2019* 2288-2297

- Accurate and Fast On-Wafer Test Circuitry for Device Array Characterization in Wafer Acceptance Test. *Hong, H.*, +, *TCSI Sept. 2019 3467-3479*
- An 18 nW $-47/-40$ dBm Sensitivity 3/100 kbps MEMS-Assisted CMOS Wake-Up Receiver. *Soliman, M.*, +, *TCSI Nov. 2019 4439-4447*
- An 18–23 GHz 57.4-fs RMS Jitter -253.5 -dB FoM Sub-Harmonically Injection-Locked All-Digital PLL With Single-Ended Injection Technique and ILFD Aided Adaptive Injection Timing Alignment Technique. *Zhang, Z.*, +, *TCSI Oct. 2019 3733-3746*
- An 85-MHz-BW ASAR-Assisted CT 4-0 MASH $\Sigma\Delta$ Modulator With Background Half-Range Dithering-Based DAC Calibration in 28-nm CMOS. *Liu, H.*, +, *TCSI July 2019 2405-2414*
- An Efficient, Wide-Output, High-Voltage Charge Pump With a Stage Selection Circuit Realized in a Low-Voltage CMOS Process. *Luo, Z.*, +, *TCSI Sept. 2019 3437-3444*
- An Energy-Efficient Hierarchical Architecture for Time-Interleaved SAR ADC. *Reyes, B.T.*, +, *TCSI June 2019 2064-2076*
- An IEEE Single Precision Floating Point Arithmetic-Based Apodization Architecture for Portable Ultrasound Imaging System. *Agarwal, M.*, +, *TCSI June 2019 2275-2287*
- An Integrated Discrete-Time Delay-Compensating Technique for Large-Array Beamformers. *Ghaderi, E.*, +, *TCSI Sept. 2019 3296-3306*
- An Integrated Micromachined Thermopile Sensor With a Chopper Interface Circuit for Contact-Less Temperature Measurements. *Moisello, E.*, +, *TCSI Sept. 2019 3402-3413*
- An LDPC-Coded SCMA Receiver With Multi-User Iterative Detection and Decoding. *Sun, W.*, +, *TCSI Sept. 2019 3571-3584*
- An N-Path Band-Pass Filter With Parametric Gain-Boosting. *Badiyari, K.*, +, *TCSI Oct. 2019 3700-3712*
- An On-Chip Built-in Linearity Estimation Methodology and Hardware Implementation. *Shi, C.*, +, *TCSI March 2019 897-908*
- An Optically-Powered 432 MHz Wireless Tag for Batteryless Internet-of-Things Applications. *Cheng, H.*, +, *TCSI Sept. 2019 3288-3295*
- An SVD Processor Based on Golub–Reinsch Algorithm for MIMO Precoding With Adjustable Precision. *Wu, C.*, +, *TCSI July 2019 2572-2583*
- An Ultra-Low-Power Dual-Mode Automatic Sleep Staging Processor Using Neural-Network-Based Decision Tree. *Chang, S.*, +, *TCSI Sept. 2019 3504-3516*
- Analysis and Design of Cyclic Switched-Capacitor DC–DC Converters. *Datta, K.*, +, *TCSI Aug. 2019 3227-3237*
- Analysis of Systematic Losses in Hybrid Envelope Tracking Modulators. *Renaud, L.*, +, *TCSI April 2019 1319-1330*
- Analytical Equivalent Circuit Extraction Procedure for Broadband Scalable Modeling of Three-Port Center-Tapped Symmetric On-Chip Inductors. *Issakov, V.*, +, *TCSI Sept. 2019 3557-3570*
- Analytical Noise Optimization of Single-/Dual-Band MOS LNAs With Substrate and Metal Loss Effects of Inductors. *Chang, W.L.*, +, *TCSI July 2019 2454-2467*
- Approximated Core Transform Architectures for HEVC Using WHT-Based Decomposition Method. *Chatterjee, S.*, +, *TCSI Nov. 2019 4296-4308*
- Bidirectional Single-Inductor Dual-Supply Converter With Automatic State-Transition for IoT Applications. *Wu, H.*, +, *TCSI Oct. 2019 4068-4078*
- Compact Extended Industrial Range CMOS Current References. *Osipov, D.*, +, *TCSI June 2019 1998-2006*
- Demystifying and Mitigating Code-Dependent Switching Distortions in Current-Steering DACs. *Lai, L.*, +, *TCSI Jan. 2019 68-81*
- Design and Analysis of a 12-b Current-Steering DAC in a 14-nm FinFET Technology for 2G/3G/4G Cellular Applications. *Kim, J.*, +, *TCSI Oct. 2019 3723-3732*
- Design and Analysis of a 94-GHz CMOS Down-Conversion Mixer With CCPT-RL-Based IF Load. *Lin, Y.*, +, *TCSI Aug. 2019 3148-3161*
- Design and Implementation of a 0.3-V Differential Difference Amplifier. *Khateb, F.*, +, *TCSI Feb. 2019 513-523*
- Design of a High-Speed Time-Interleaved Sub-Ranging SAR ADC With Optimal Code Transfer Technique. *Xing, D.*, +, *TCSI Feb. 2019 489-501*
- Design Optimization for Low-Power Reconfigurable Switched-Capacitor DC-DC Voltage Converter. *Mohey, A.M.*, +, *TCSI Oct. 2019 4079-4092*
- Dual-Path and Dual-Chopper Amplifier Signal Conditioning Circuit With Improved SNR and Ultra-Low Power Consumption for MEMS. *Vejdani, P.*, +, *TCSI June 2019 2253-2262*
- Dynamic Power Management for Neuromorphic Many-Core Systems. *Hopner, S.*, +, *TCSI Aug. 2019 2973-2986*
- Efficient CMOS Invertible Logic Using Stochastic Computing. *Smithson, S.C.*, +, *TCSI June 2019 2263-2274*
- Exploiting Machine Learning Against On-Chip Power Analysis Attacks: Tradeoffs and Design Considerations. *Kenarangi, F.*, +, *TCSI Feb. 2019 769-781*
- From Battery Enabled to Natural Harvesting: Enzymatic BioFuel Cell Assisted Integrated Analog Front-End in 130nm CMOS for Long-Term Monitoring. *Hu, H.*, +, *TCSI Feb. 2019 534-545*
- Fully-Integrated Charge Pump Design Optimization for Above-Breakdown Biasing of Single-Photon Avalanche Diodes in 0.13- μ m CMOS. *Shen, B.*, +, *TCSI March 2019 1258-1269*
- Guest Editorial Special Issue on the 2019 International Symposium on Integrated Circuits and Systems. *Blokhina, E.*, *TCSI Sept. 2019 3253*
- Hardware-Efficient and Fast Sensing-Time Maximum-Minimum-Eigenvalue-Based Spectrum Sensor for Cognitive Radio Network. *Chaurasiya, R.B.*, +, *TCSI Nov. 2019 4448-4461*
- Harmonic Performance of Mixer-First Receivers With Circulant-Symmetric Basebands. *Wilson, C.*, +, *TCSI Jan. 2019 161-174*
- High-DR CMOS Fluorescence Biosensor With Extended Counting ADC and Noise Cancellation. *Noormohammadi Khiarak, M.*, +, *TCSI June 2019 2077-2087*
- Improving Receiver Close-In Blocker Tolerance by Baseband G_m -C Notch Filtering. *Abdulaziz, M.*, +, *TCSI March 2019 885-896*
- Integrated Wide-Band CMOS Spectrometer Systems for Spaceborne Telescopic Sensing. *Zhang, Y.*, +, *TCSI May 2019 1863-1873*
- Learning in Memristive Neural Network Architectures Using Analog Back-propagation Circuits. *Krestinskaya, O.*, +, *TCSI Feb. 2019 719-732*
- Line Coding Techniques for Channel Equalization: Integrated Pulse-Width Modulation and Consecutive Digit Chopping. *Ramachandran, A.*, +, *TCSI March 2019 1192-1204*
- Linearization of Active Downconversion Mixers at the IF Using Feedforward Cancellation. *Li, H.*, +, *TCSI April 2019 1620-1631*
- Low-Noise Broadband CMOS TIA Based on Multi-Stage Stagger-Tuned Amplifier for High-Speed High-Sensitivity Optical Communication. *Li, D.*, +, *TCSI Oct. 2019 3676-3689*
- Low-Power Current-Mode Interval Type-2 Fuzzy Inference Engine Circuit. *de Souza, G.A.F.*, +, *TCSI July 2019 2639-2650*
- Low-Voltage Current and Voltage Reference Design Based on the MOSFET ZTC Effect. *Wenger, Y.*, +, *TCSI Sept. 2019 3445-3456*
- Maximizing the Data Rate of an Inductively Coupled Chip-to-Chip Link by Resetting the Channel State Variables. *Krishnapura, N.*, +, *TCSI Sept. 2019 3531-3543*
- Short-Range Quality-Factor Modulation (SQIRm) for Low Power High Speed Inductive Data Transfer. *Schormans, M.*, +, *TCSI Sept. 2019 3254-3265*
- Systematic Co-Design of Matching Networks and Rectifiers for CMOS Radio Frequency Energy Harvesters. *Karami, M.A.*, +, *TCSI Aug. 2019 3238-3251*
- Toward Designing Thermally-Aware Memristance Decoder. *Bunnam, T.*, +, *TCSI Nov. 2019 4337-4347*
- Variability-Aware Design Method for a Constant Inversion Level Bias Current Generator. *Antunez-Calistro, G.*, +, *TCSI June 2019 2027-2036*
- CMOS logic circuits**
- A 0.0018-mm² 153% Locking-Range CML-Based Divider-by-2 With Tunable Self-Resonant Frequency Using an Auxiliary Negative- g_m Cell. *Zhao, X.*, +, *TCSI Sept. 2019 3330-3339*
- Design of a 0.20–0.25-V, Sub-nW, Rail-to-Rail, 10-bit SAR ADC for Self-Sustainable IoT Applications. *Hong, H.*, +, *TCSI May 2019 1840-1852*
- Experimental Study of Locking Phenomena on Oscillating Rings Implemented in Logic Devices. *Mureddu, U.*, +, *TCSI July 2019 2560-2571*

- FPAP: A Folded Architecture for Energy-Quality Scalable Convolutional Neural Networks. *Wang, Y.*, +, *TCSI Jan. 2019 288-301*
- HCDN: Hybrid-Mode Clock Distribution Networks. *Islam, R.*, +, *TCSI Jan. 2019 251-262*
- Overhead Requirements for Stateful Memristor Logic. *Hu, X.*, +, *TCSI Jan. 2019 263-273*
- SensorNet: A Scalable and Low-Power Deep Convolutional Neural Network for Multimodal Data Classification. *Jafari, A.*, +, *TCSI Jan. 2019 274-287*
- Variation Aware Design of 50-Gbit/s, 5.027-fJ/bit Serializer Using Latency Combined Mux-Dual Latch for Inter-Chip Communication. *Majumder, A.*, +, *TCSI March 2019 1231-1244*
- CMOS memory circuits**
- A Novel MTJ-Based Non-Volatile Ternary Content-Addressable Memory for High-Speed, Low-Power, and High-Reliable Search Operation. *Wang, C.*, +, *TCSI April 2019 1454-1464*
- A Secure Data-Toggling SRAM for Confidential Data Protection. *Ho, W.*, +, *TCSI Nov. 2019 4186-4199*
- Addressing Failure and Aging Degradation in MRAM/MeRAM-on-FDSOI Integration. *Cai, H.*, +, *TCSI Jan. 2019 239-250*
- Analysis of SRAM Enhancements Through Sense Amplifier Capacitive Offset Correction and Replica Self-Timing. *Fragasse, R.*, +, *TCSI June 2019 2037-2050*
- Hybrid Latch-Type Offset Tolerant Sense Amplifier for Low-Voltage SRAMs. *Patel, D.*, +, *TCSI July 2019 2519-2532*
- Low-Power Near-Threshold 10T SRAM Bit Cells With Enhanced Data-Independent Read Port Leakage for Array Augmentation in 32-nm CMOS. *Gupta, S.*, +, *TCSI March 2019 978-988*
- Novel Radiation Hardening Read/Write Circuits Using Feedback Connections for Spin-Orbit Torque Magnetic Random Access Memory. *Wang, B.*, +, *TCSI May 2019 1853-1862*
- Power Efficient and Reliable Nonvolatile TCAM With Hi-PFO and Semi-Complementary Driver. *Kim, C.*, +, *TCSI Feb. 2019 605-615*
- Quadruple Cross-Coupled Latch-Based 10T and 12T SRAM Bit-Cell Designs for Highly Reliable Terrestrial Applications. *Jiang, J.*, +, *TCSI March 2019 967-977*
- CMOS technology**
- Design of Cryogenic LNAs for High Linearity in Space Applications. *Caglar, A.*, +, *TCSI Dec. 2019 4619-4627*
- Cochlear implants**
- CAR-Lite: A Multi-Rate Cochlear Model on FPGA for Spike-Based Sound Encoding. *Singh, R.K.*, +, *TCSI May 2019 1805-1817*
- Cognitive radio**
- A 3–6-GHz Highly Linear I-Channel Receiver With Over +3.0-dBm In-Band P_{1dB} and 200-MHz Baseband Bandwidth Suitable for 5G Wireless and Cognitive Radio Applications. *Jiang, J.*, +, *TCSI Aug. 2019 3134-3147*
- Hardware-Efficient and Fast Sensing-Time Maximum-Minimum-Eigenvalue-Based Spectrum Sensor for Cognitive Radio Network. *Chaurasiya, R.B.*, +, *TCSI Nov. 2019 4448-4461*
- Cognitive systems**
- Waypoint Path Planning With Synaptic-Dependent Spike Latency. *Koul, S.*, +, *TCSI April 2019 1544-1557*
- Coils**
- A Receiver-Controlled Coupler for Multiple Output Wireless Power Transfer Applications. *Chen, X.*, +, *TCSI Nov. 2019 4542-4552*
- Commercialization**
- A Novel Universal Interface for Constructing Memory Elements for Circuit Applications. *Zheng, C.*, +, *TCSI Dec. 2019 4793-4806*
- Comparators (circuits)**
- A 1-MHz Relaxation Oscillator Core Employing a Self-Compensating Chopped Comparator Pair. *Mikulic, J.*, +, *TCSI May 2019 1728-1736*
- A 10-b 600-MS/s 2-Way Time-Interleaved SAR ADC With Mean Absolute Deviation-Based Background Timing-Skew Calibration. *Song, J.*, +, *TCSI Aug. 2019 2876-2887*
- A 27.7 fJ/conv-step 500 MS/s 12-Bit Pipelined ADC Employing a Sub-ADC Forecasting Technique and Low-Power Class AB Slew Boosted Amplifiers. *Naderi, M.H.*, +, *TCSI Sept. 2019 3352-3364*
- Analysis and Design of Regenerative Comparators for Low Offset and Noise. *Xu, H.*, +, *TCSI Aug. 2019 2817-2830*
- Design of a 0.20–0.25-V, Sub-nW, Rail-to-Rail, 10-bit SAR ADC for Self-Sustainable IoT Applications. *Hong, H.*, +, *TCSI May 2019 1840-1852*
- Digital Background Calibration of a Split Current-Steering DAC. *Stoops, D.J.*, +, *TCSI Aug. 2019 2854-2864*
- Toward Designing Thermally-Aware Memristance Decoder. *Bunnam, T.*, +, *TCSI Nov. 2019 4337-4347*
- Compensation**
- A 1.2-V 2.41-GHz Three-Stage CMOS OTA With Efficient Frequency Compensation Technique. *Liu, S.*, +, *TCSI Jan. 2019 20-30*
- A 3.6 μV_{rms} Noise, 3 ppm/ $^{\circ}C$ TC Bandgap Reference With Offset/Noise Suppression and Five-Piece Linear Compensation. *Liu, L.*, +, *TCSI Oct. 2019 3786-3796*
- A Resistorless High-Precision Compensated CMOS Bandgap Voltage Reference. *Zhou, Z.*, +, *TCSI Jan. 2019 428-437*
- Analysis and Correction of Combined Channel Mismatch Effects in Frequency-Interleaved ADCs. *Song, J.*, +, *TCSI Feb. 2019 655-668*
- Compact Extended Industrial Range CMOS Current References. *Osipov, D.*, +, *TCSI June 2019 1998-2006*
- Current Feedback Compensation Circuit for 2T1C LED Displays: Analysis and Evaluation. *Charisoulis, T.*, +, *TCSI Jan. 2019 175-188*
- Linear Consequence-Based Fuzzy Parallel Distributed Compensation Type L_1 Adaptive Controller for Two Link Robot Manipulator. *Maiti, R.*, +, *TCSI Oct. 2019 3978-3990*
- Mitigating Line Frequency Instability of Boost PFC Converter Under Proportional Outer-Voltage Loop With Additional Third Current-Harmonic Feedforward Compensation. *Lu, W.*, +, *TCSI Nov. 2019 4528-4541*
- Complex networks**
- Pinning Synchronization of Complex Switching Networks With a Leader of Nonzero Control Inputs. *Wen, G.*, +, *TCSI Aug. 2019 3100-3112*
- Reconstructing of Networks With Binary-State Dynamics via Generalized Statistical Inference. *Zhang, H.*, +, *TCSI April 2019 1608-1619*
- Synchronization of Multi-Layer Networks: From Node-to-Node Synchronization to Complete Synchronization. *Wang, P.*, +, *TCSI March 2019 1141-1152*
- Synchronization of Stochastic Lévy Noise Systems on a Multi-Weights Network and Its Applications of Chua's Circuits. *Zhou, H.*, +, *TCSI July 2019 2709-2722*
- Complexity theory**
- Generating Multi-Scroll Chua's Attractors via Simplified Piecewise-Linear Chua's Diode. *Wang, N.*, +, *TCSI Dec. 2019 4767-4779*
- Low Complexity Generic VLSI Architecture Design Methodology for N^{th} Root and N^{th} Power Computations. *Mopuri, S.*, +, *TCSI Dec. 2019 4673-4686*
- Single-Bin DFT-Based Digital Calibration Technique for CDAC in SAR ADCs. *Lee, S.*, +, *TCSI Dec. 2019 4582-4591*
- Compressed sensing**
- A Broadband Multi-Mode Compressive Sensing Current Sensor SoC in 0.16 μm CMOS. *Bellasi, D.*, +, *TCSI Jan. 2019 105-118*
- Real-Time Multi-User Detection Engine Design for IoT Applications via Modified Sparsity Adaptive Matching Pursuit. *Liao, C.*, +, *TCSI Aug. 2019 2987-3000*
- Computational complexity**
- A 4×64 MIMO Detector for Generalized Spatial Modulation Systems. *Li, C.*, +, *TCSI Sept. 2019 3585-3597*
- An Efficient Low-Latency Point-Multiplication Over Curve25519. *Salari-fard, R.*, +, *TCSI Oct. 2019 3854-3862*
- An Integrated Message-Passing Detector and Decoder for Polar-Coded Massive MU-MIMO Systems. *Chen, Y.*, +, *TCSI March 2019 1205-1218*
- An SVD Processor Based on Golub-Reinsch Algorithm for MIMO Precoding With Adjustable Precision. *Wu, C.*, +, *TCSI July 2019 2572-2583*
- Digit-Serial Versatile Multiplier Based on a Novel Block Recombination of the Modified Overlap-Free Karatsuba Algorithm. *Lee, C.*, +, *TCSI Jan. 2019 203-214*
- Efficient Channel Estimator With Angle-Division Multiple Access. *Liu, X.*, +, *TCSI Feb. 2019 708-718*
- Energy-Efficient Hadamard-Based SATD Hardware Architectures Through Calculation Reuse. *Seidel, I.*, +, *TCSI June 2019 2102-2115*

High-Speed ECC Processor Over NIST Prime Fields Applied With Toom–Cook Multiplication. *Ding, J.*, +, *TCSI March 2019 1003-1016*

Joint Detection and Decoding of Polar-Coded OFDM-IDMA Systems. *Deng, X.*, +, *TCSI Oct. 2019 4005-4017*

Stability Test for Complex Matrices Over the Complex Unit Circumference via LMIs and Applications in 2D Systems. *Chesi, G.*, *TCSI May 2019 1960-1969*

Ultra-Low Complex Blind I/Q-Imbalance Compensation. *Paireder, T.*, +, *TCSI Sept. 2019 3517-3530*

Computer architecture

A Design of Input-Decimation Technique for Recursive DFT/IDFT Algorithm. *Wu, C.*, +, *TCSI Dec. 2019 4713-4726*

An Ultra-Low Power Binarized Convolutional Neural Network-Based Speech Recognition Processor With On-Chip Self-Learning. *Zheng, S.*, +, *TCSI Dec. 2019 4648-4661*

Approximate Designs for Fast Fourier Transform (FFT) With Application to Speech Recognition. *Liu, W.*, +, *TCSI Dec. 2019 4727-4739*

Low Complexity Generic VLSI Architecture Design Methodology for N^{th} Root and N^{th} Power Computations. *Mopuri, S.*, +, *TCSI Dec. 2019 4673-4686*

Computer network security

Chaotic Encryption for 10-Gb Ethernet Optical Links. *Perez-Resca, A.*, +, *TCSI Feb. 2019 859-868*

Computer simulation

Phase-Inversion Waves Propagating in an In-Phase Synchronization on Oscillators Coupled as a Cross. *Tanaka, M.*, +, *TCSI Dec. 2019 4807-4816*

Computer vision

A 64×64 Pixel Vision Sensor for Local Binary Pattern Computation. *Gotardi, M.*, +, *TCSI May 2019 1831-1839*

A Robust Digital RRAM-Based Convolutional Block for Low-Power Image Processing and Learning Applications. *Giacomin, E.*, +, *TCSI Feb. 2019 643-654*

Computerized instrumentation

Multiphysics Simulation of Biosensors Involving 3D Biological Reaction–Diffusion Phenomena in a Standard Circuit EDA Environment. *Madedec, M.*, +, *TCSI June 2019 2188-2197*

Concatenated codes

Energy-Efficient Symmetric BC-BCH Decoder Architecture for Mobile Storages. *Hwang, S.*, +, *TCSI Nov. 2019 4462-4475*

Concurrency theory

Power Efficient and Reliable Nonvolatile TCAM With Hi-PFO and Semi-Complementary Driver. *Kim, C.*, +, *TCSI Feb. 2019 605-615*

Constant current sources

Symbolic Distortion Analysis of Multistage Amplifiers. *Shi, G.*, *TCSI Jan. 2019 369-382*

Variability-Aware Design Method for a Constant Inversion Level Bias Current Generator. *Antunez-Calistro, G.*, +, *TCSI June 2019 2027-2036*

Content-addressable storage

A Novel MTJ-Based Non-Volatile Ternary Content-Addressable Memory for High-Speed, Low-Power, and High-Reliable Search Operation. *Wang, C.*, +, *TCSI April 2019 1454-1464*

Power Efficient and Reliable Nonvolatile TCAM With Hi-PFO and Semi-Complementary Driver. *Kim, C.*, +, *TCSI Feb. 2019 605-615*

Power Performance Tradeoffs Using Adaptive Bit Width Adjustments on Resistive Associative Processors. *Abdelaal, R.A.*, +, *TCSI Jan. 2019 302-312*

Continuous systems

Second-Order Trajectory Sensitivity Analysis of Hybrid Systems. *Geng, S.*, +, *TCSI May 2019 1922-1934*

Continuous time systems

Almost Output Regulation for Switched Positive Systems With Different Coordinates Transformations and its Application to a Positive Circuit Model. *Wang, P.*, +, *TCSI Oct. 2019 3968-3977*

Clock Jitter Analysis of Continuous-Time $\Sigma\Delta$ Modulators Based on a Relative Time-Base Projection. *Cardes, F.*, +, *TCSI March 2019 920-929*

Fault Estimation Observer Design for Descriptor Switched Systems With Actuator and Sensor Failures. *Chen, L.*, +, *TCSI Feb. 2019 810-819*

Noise Analysis and Design Considerations for Equalizer-Based Optical Receivers. *Abdelrahman, D.*, +, *TCSI Aug. 2019 3201-3212*

Subsampling Mismatch Noise Cancellation for High-Speed Continuous-Time DACs. *Kong, D.*, +, *TCSI Aug. 2019 2843-2853*

Control system synthesis

Almost Output Regulation for Switched Positive Systems With Different Coordinates Transformations and its Application to a Positive Circuit Model. *Wang, P.*, +, *TCSI Oct. 2019 3968-3977*

Complementarity Model of a Photovoltaic Power Electronic System With Model Predictive Control. *Morfin-Magana, R.*, +, *TCSI Nov. 2019 4402-4414*

Enhancing Transient Stability of DC Microgrid by Enlarging the Region of Attraction Through Nonlinear Polynomial Droop Control. *Severino, B.*, +, *TCSI Nov. 2019 4388-4401*

Event-Based H_∞ Fault Detection for Buck Converter With Multiplicative Noises Over Network. *Yan, H.*, +, *TCSI June 2019 2361-2370*

Event-Triggered Finite-Time Robust Filtering for a Class of State-Dependent Uncertain Systems With Network Transmission Delay. *Sun, Y.*, +, *TCSI March 2019 1076-1089*

Fault Estimation Observer Design for Descriptor Switched Systems With Actuator and Sensor Failures. *Chen, L.*, +, *TCSI Feb. 2019 810-819*

Global Frequency Synchronization of Complex Power Networks Via Coordinating Switching Control. *Wu, J.*, +, *TCSI Aug. 2019 3123-3133*

Linear Consequence-Based Fuzzy Parallel Distributed Compensation Type L_1 Adaptive Controller for Two Link Robot Manipulator. *Maiti, R.*, +, *TCSI Oct. 2019 3978-3990*

Network-Based Quantized Control for Fuzzy Singularly Perturbed Semi-Markov Jump Systems and its Application. *Shen, H.*, +, *TCSI March 2019 1130-1140*

Observer-Based Distributed Secure Consensus Control of a Class of Linear Multi-Agent Systems Subject to Random Attacks. *Yang, Y.*, +, *TCSI Aug. 2019 3089-3099*

Observer-Based Fault Estimation for Discrete-Time Nonlinear Systems and Its Application: A Weighted Switching Approach. *Xie, X.*, +, *TCSI Nov. 2019 4377-4387*

Pinning Synchronization of Complex Switching Networks With a Leader of Nonzero Control Inputs. *Wen, G.*, +, *TCSI Aug. 2019 3100-3112*

Reduced-Order Observer-Based Sliding Mode Control for Singular Markovian Jump System With Time-Varying Transition Rate. *Zhang, D.*, +, *TCSI Feb. 2019 796-809*

Reliable Sliding Mode Control of Fast Sampling Singularly Perturbed Systems: A Redundant Channel Transmission Protocol Approach. *Song, J.*, +, *TCSI Nov. 2019 4490-4501*

Synchronization of Multi-Layer Networks: From Node-to-Node Synchronization to Complete Synchronization. *Wang, P.*, +, *TCSI March 2019 1141-1152*

Control systems

Global High-Order Sliding Mode Controller Design Subject to Mismatched Terms: Application to Buck Converter. *Shi, S.*, +, *TCSI Dec. 2019 4840-4849*

Convergence of numerical methods

Mean-Square Analysis of Multi-Sampled Multiband-Structured Subband Filtering Algorithm. *Zhang, S.*, +, *TCSI March 2019 1051-1062*

Converters

256×8 SPAD Array With 256 Column TDCs for a Line Profiling Laser Radar. *Keranen, P.*, +, *TCSI Nov. 2019 4122-4133*

Convex programming

Event-Triggered Finite-Time Robust Filtering for a Class of State-Dependent Uncertain Systems With Network Transmission Delay. *Sun, Y.*, +, *TCSI March 2019 1076-1089*

Reliable Sliding Mode Control of Fast Sampling Singularly Perturbed Systems: A Redundant Channel Transmission Protocol Approach. *Song, J.*, +, *TCSI Nov. 2019 4490-4501*

Convolution

A Novel Convolution Computing Paradigm Based on NOR Flash Array With High Computing Speed and Energy Efficiency. *Han, R.*, +, *TCSI May 2019 1692-1703*

Under-Determined Convolutional Blind Source Separation Combining Density-Based Clustering and Sparse Reconstruction in Time-Frequency Domain. *Yang, J., +, TCSI Aug. 2019 3015-3027*

Xcel-RAM: Accelerating Binary Neural Networks in High-Throughput SRAM Compute Arrays. *Agrawal, A., +, TCSI Aug. 2019 3064-3076*

Convolutional codes

Low-Routing-Complexity Convolutional/Turbo Decoder Design for Iterative Detection and Decoding Receivers. *Lin, C., +, TCSI Nov. 2019 4476-4489*

Convolutional neural nets

A Robust Digital RRAM-Based Convolutional Block for Low-Power Image Processing and Learning Applications. *Giacomin, E., +, TCSI Feb. 2019 643-654*

Computation-Performance Optimization of Convolutional Neural Networks With Redundant Filter Removal. *Liu, C., +, TCSI May 2019 1908-1921*

WRA: A 2.2-to-6.3 TOPS Highly Unified Dynamically Reconfigurable Accelerator Using a Novel Winograd Decomposition Algorithm for Convolutional Neural Networks. *Yang, C., +, TCSI Sept. 2019 3480-3493*

Copyright

Optimization and Hardware Implementation of Image and Video Watermarking for Low-Cost Applications. *Pexaras, K., +, TCSI June 2019 2088-2101*

Correlation

Analysis of Timing Accuracy and Sensitivity in a RF Correlation-Based Impulse Radio Receiver With Phase Interpolation for Data Synchronization. *Fotoohi Piraghaj, S., +, TCSI July 2019 2749-2762*

Digital Calibration of Elements Mismatch in Multirate Predictive SAR ADCs. *Mafi, H., +, TCSI Dec. 2019 4571-4581*

Variable Threshold-Based Selective Updating Algorithms in Feed-Forward Active Noise Control Systems. *Aslam, M.S., +, TCSI Feb. 2019 782-795*

Coupled circuits

A System of Two Coupled Oscillators With a Continuously Controllable Phase Shift. *Pourahmad, V., +, TCSI April 2019 1531-1543*

Pattern Formation With Locally Active S-Type NbO_x Memristors. *Weither, M., +, TCSI July 2019 2627-2638*

Couplers

A Coupled Line-Based Coupler With Simultaneously Tunable Phase and Frequency. *Xu, B.W., +, TCSI Dec. 2019 4637-4647*

Couplings

Phase-Inversion Waves Propagating in an In-Phase Synchronization on Oscillators Coupled as a Cross. *Tanaka, M., +, TCSI Dec. 2019 4807-4816*

Covariance matrices

Efficient Implementation of Iterative Polynomial Matrix EVD Algorithms Exploiting Structural Redundancy and Parallelisation. *Coutts, F.K., +, TCSI Dec. 2019 4753-4766*

Under-Determined Convolutional Blind Source Separation Combining Density-Based Clustering and Sparse Reconstruction in Time-Frequency Domain. *Yang, J., +, TCSI Aug. 2019 3015-3027*

Cryogenic electronics

Low-Voltage Current and Voltage Reference Design Based on the MOSFET ZTC Effect. *Wenger, Y., +, TCSI Sept. 2019 3445-3456*

Cryogenics

Design of Cryogenic LNAs for High Linearity in Space Applications. *Caglar, A., +, TCSI Dec. 2019 4619-4627*

Cryptography

ARMv8 SIKE: Optimized Supersingular Isogeny Key Encapsulation on ARMv8 Processors. *Jalali, A., +, TCSI Nov. 2019 4209-4218*

Dynamic Analysis of Digital Chaotic Maps via State-Mapping Networks. *Li, C., +, TCSI June 2019 2322-2335*

Efficient Fuzzy Extractors Based on Ternary Debiasing Method for Biased Physically Unclonable Functions. *Suzuki, M., +, TCSI Feb. 2019 616-629*

Exploiting Machine Learning Against On-Chip Power Analysis Attacks: Tradeoffs and Design Considerations. *Kenarangi, F., +, TCSI Feb. 2019 769-781*

Higher Dimensional Baker Map and its Digital Implementation With LSB-Extension Method. *Ozturk, I., +, TCSI Dec. 2019 4780-4792*

Crystal oscillators

A Low-Power Fast Start-Up Crystal Oscillator With an Autonomous Dynamically Adjusted Load. *Ding, M., +, TCSI April 2019 1382-1392*

Crystal resonators

An 18 nW $-47/-40$ dBm Sensitivity 3/100 kbps MEMS-Assisted CMOS Wake-Up Receiver. *Soliman, M., +, TCSI Nov. 2019 4439-4447*

Current measurement

A Non-Invasive Method for Estimating Circuit and Control Parameters of Voltage Source Converters. *Lin, B.H., +, TCSI Dec. 2019 4911-4921*

Current mirrors

A 124 fJ/Bit Cascode Current Mirror Array Based PUF With 1.50% Native Unstable Bit Ratio. *Zhao, X., +, TCSI Sept. 2019 3494-3503*

A 2.86-TOPS/W Current Mirror Cross-Bar-Based Machine-Learning and Physical Unclonable Function Engine For Internet-of-Things Applications. *Chen, Y., +, TCSI June 2019 2240-2252*

HCDN: Hybrid-Mode Clock Distribution Networks. *Islam, R., +, TCSI Jan. 2019 251-262*

Low-Power Current-Mode Interval Type-2 Fuzzy Inference Engine Circuit. *de Souza, G.A.F., +, TCSI July 2019 2639-2650*

Wide-Bandwidth, High-Linearity, 2.8-GS/s, 10-bit Accurate Sample and Hold Amplifier in 130-nm SiGe BiCMOS. *Tantawy, R., +, TCSI May 2019 1758-1768*

Current-mode circuits

A 0.0071-mm² 10.8ps_{pp}-Jitter 4 to 10-Gb/s 5-Tap Current-Mode Transmitter Using a Hybrid Delay Line for Sub-1-UI Fractional De-Emphasis. *Chen, Y., +, TCSI Oct. 2019 3991-4004*

Benefits of Using VCO-OTAs to Construct TIAs in Wideband Current-Mode Receivers Over Inverter-Based OTAs. *Kalani, S., +, TCSI May 2019 1681-1691*

Low-Power Current-Mode Interval Type-2 Fuzzy Inference Engine Circuit. *de Souza, G.A.F., +, TCSI July 2019 2639-2650*

Toward Designing Thermally-Aware Memristance Decoder. *Bunnam, T., +, TCSI Nov. 2019 4337-4347*

Current-mode logic

A 0.0018-mm² 153% Locking-Range CML-Based Divider-by-2 With Tunable Self-Resonant Frequency Using an Auxiliary Negative-*g_m* Cell. *Zhao, X., +, TCSI Sept. 2019 3330-3339*

Variation Aware Design of 50-Gbit/s, 5.027-fJ/bit Serializer Using Latency Combined Mux-Dual Latch for Inter-Chip Communication. *Majumder, A., +, TCSI March 2019 1231-1244*

CW radar

A Study of Phase Noise and Frequency Error of a Fractional-N PLL in the Course of FMCW Chirp Generation. *Ergintav, A., +, TCSI May 2019 1670-1680*

Numerical Jitter Minimization for PLL-Based FMCW Radar Systems. *Herzel, F., +, TCSI July 2019 2478-2488*

Cyber-physical systems

Cascading Failure of Cyber-Coupled Power Systems Considering Interactions Between Attack and Defense. *Liu, D., +, TCSI Nov. 2019 4323-4336*

D

Damping

Power-Efficient Hybrid Energy Harvesting System for Harnessing Ambient Vibrations. *Chamanian, S., +, TCSI July 2019 2784-2793*

Data communication

An All-Digital On-Chip Peak-to-Peak Jitter Measurement Circuit With Automatic Resolution Calibration for High PVT-Variation Resilience. *Chou, P., +, TCSI July 2019 2508-2518*

Data compression

A Broadband Multi-Mode Compressive Sensing Current Sensor SoC in 0.16 μ m CMOS. *Bellasi, D., +, TCSI Jan. 2019 105-118*

An Area-Efficient On-Chip Memory System for Massive MIMO Using Channel Data Compression. *Liu, Y., +, TCSI Jan. 2019 417-427*

Approximate DCT Design for Video Encoding Based on Novel Truncation Scheme. *Sun, H., +, TCSI April 2019 1517-1530*

Optimization and Hardware Implementation of Image and Video Watermarking for Low-Cost Applications. *Pexaras, K., +, TCSI June 2019 2088-2101*

Power-, Area-, and Compression-Efficient Eight-Point Approximate 2-D Discrete Tchebichef Transform Hardware Design Combining Truncation

- Pruning and Efficient Transposition Buffers. *Paim, G.*, +, *TCSI Feb. 2019 680-693*
- Quality and Energy-Aware HEVC Transrating Based on Machine Learning. *Bubolz, T.L.A.*, +, *TCSI June 2019 2124-2136*
- Ultra-Low Power QRS Detection and ECG Compression Architecture for IoT Healthcare Devices. *Tekeste, T.*, +, *TCSI Feb. 2019 669-679*
- Data mining**
- Reconstructing of Networks With Binary-State Dynamics via Generalized Statistical Inference. *Zhang, H.*, +, *TCSI April 2019 1608-1619*
- Data models**
- A Non-Invasive Method for Estimating Circuit and Control Parameters of Voltage Source Converters. *Lin, B.H.*, +, *TCSI Dec. 2019 4911-4921*
- Data protection**
- A 2.86-TOPS/W Current Mirror Cross-Bar-Based Machine-Learning and Physical Unclonable Function Engine For Internet-of-Things Applications. *Chen, Y.*, +, *TCSI June 2019 2240-2252*
- A Secure Data-Toggling SRAM for Confidential Data Protection. *Ho, W.*, +, *TCSI Nov. 2019 4186-4199*
- DC-DC power converters**
- A Ripple Reduction Method for Switched-Capacitor DC-DC Voltage Converter Using Fully Digital Resistance Modulation. *Xie, F.*, +, *TCSI Sept. 2019 3631-3641*
- A Single-Stage Dual-Output Tri-Mode AC-DC Regulator for Inductively Powered Application. *Low, Q.W.*, +, *TCSI Sept. 2019 3620-3630*
- A Third-Order Integrated Passive Switched-Capacitor Filter Obtained With a Continuous-Time Design Approach. *Lulec, S.Z.*, +, *TCSI Oct. 2019 3643-3652*
- An 86% Efficiency, Wide- V_{in} SIMO DC-DC Converter Embedded in a Car-Radio IC. *Salimath, A.*, +, *TCSI Sept. 2019 3598-3609*
- Analysis and Design of Cyclic Switched-Capacitor DC-DC Converters. *Datta, K.*, +, *TCSI Aug. 2019 3227-3237*
- Bidirectional Single-Inductor Dual-Supply Converter With Automatic State-Transition for IoT Applications. *Wu, H.*, +, *TCSI Oct. 2019 4068-4078*
- Design Optimization for Low-Power Reconfigurable Switched-Capacitor DC-DC Voltage Converter. *Mohey, A.M.*, +, *TCSI Oct. 2019 4079-4092*
- Decision feedback equalizers**
- A Modulo-FIR Equalizer for Wireline Communications. *Jeong, G.*, +, *TCSI Nov. 2019 4278-4286*
- Noise Analysis and Design Considerations for Equalizer-Based Optical Receivers. *Abdelrahman, D.*, +, *TCSI Aug. 2019 3201-3212*
- Decision trees**
- An Ultra-Low-Power Dual-Mode Automatic Sleep Staging Processor Using Neural-Network-Based Decision Tree. *Chang, S.*, +, *TCSI Sept. 2019 3504-3516*
- Quality and Energy-Aware HEVC Transrating Based on Machine Learning. *Bubolz, T.L.A.*, +, *TCSI June 2019 2124-2136*
- Decoding**
- A (21150, 19050) GC-LDPC Decoder for NAND Flash Applications. *Liao, Y.*, +, *TCSI March 2019 1219-1230*
- A 124-Gb/s Decoder for Generalized Integrated Interleaved Codes. *Li, W.*, +, *TCSI Aug. 2019 3174-3187*
- A Probabilistic Parallel Bit-Flipping Decoder for Low-Density Parity-Check Codes. *Le, K.*, +, *TCSI Jan. 2019 403-416*
- A Test Vector Generation Method Based on Symbol Error Probabilities for Low-Complexity Chase Soft-Decision Reed-Solomon Decoding. *Valls, J.*, +, *TCSI June 2019 2198-2207*
- An Integrated Message-Passing Detector and Decoder for Polar-Coded Massive MU-MIMO Systems. *Chen, Y.*, +, *TCSI March 2019 1205-1218*
- Efficient Architectures for Generalized Integrated Interleaved Decoder. *Zhang, X.*, +, *TCSI Oct. 2019 4018-4031*
- Hybrid Check Node Architectures for NB-LDPC Decoders. *Marchand, C.*, +, *TCSI Feb. 2019 869-880*
- Joint Detection and Decoding of Polar-Coded OFDM-IDMA Systems. *Deng, X.*, +, *TCSI Oct. 2019 4005-4017*
- Layered Decoding Algorithm and Two-Level Quasi-Cyclic Matrix Construction for Rate Compatible Modulation. *Lu, F.*, +, *TCSI Aug. 2019 3213-3226*
- Layered LDPC Decoders With Efficient Memory Access Scheduling and Mapping and Built-In Support for Pipeline Hazards Mitigation. *Boncalo, O.*, +, *TCSI April 2019 1643-1656*
- Quality and Energy-Aware HEVC Transrating Based on Machine Learning. *Bubolz, T.L.A.*, +, *TCSI June 2019 2124-2136*
- Delay circuits**
- A New Design Technique for Sub-Nanosecond Delay and 200 V/ns Power Supply Slew-Tolerant Floating Voltage Level Shifters for GaN SMPS. *Liu, D.*, +, *TCSI March 2019 1280-1290*
- Delay lines**
- $256 \times$ TDC Array With Cyclic Interpolators Based on Calibration-Free $2 \times$ Time Amplifier. *Keranen, P.*, +, *TCSI Feb. 2019 524-533*
- A 0.0071-mm² 10.8ps_{pp}-Jitter 4 to 10-Gb/s 5-Tap Current-Mode Transmitter Using a Hybrid Delay Line for Sub-1-UI Fractional De-Emphasis. *Chen, Y.*, +, *TCSI Oct. 2019 3991-4004*
- An All-Digital On-Chip Peak-to-Peak Jitter Measurement Circuit With Automatic Resolution Calibration for High PVT-Variation Resilience. *Chou, P.*, +, *TCSI July 2019 2508-2518*
- Delay lock loops**
- Time-Variant Modeling and Analysis of Multiplying Delay-Locked Loops. *Santiccioli, A.*, +, *TCSI Oct. 2019 3775-3785*
- Delay systems**
- Event-Triggered Finite-Time Robust Filtering for a Class of State-Dependent Uncertain Systems With Network Transmission Delay. *Sun, Y.*, +, *TCSI March 2019 1076-1089*
- Delay-differential systems**
- Synchronization of Multi-Agent Systems With Time-Varying Control and Delayed Communications. *Jia, Q.*, +, *TCSI Nov. 2019 4429-4438*
- Delays**
- An Integrated Discrete-Time Delay-Compensating Technique for Large-Array Beamformers. *Ghaderi, E.*, +, *TCSI Sept. 2019 3296-3306*
- Approximate Designs for Fast Fourier Transform (FFT) With Application to Speech Recognition. *Liu, W.*, +, *TCSI Dec. 2019 4727-4739*
- Bipartite Synchronization and Convergence Analysis for Network of Harmonic Oscillator Systems With Signed Graph and Time Delay. *Song, Q.*, +, *TCSI July 2019 2723-2734*
- Event-Triggered Finite-Time Robust Filtering for a Class of State-Dependent Uncertain Systems With Network Transmission Delay. *Sun, Y.*, +, *TCSI March 2019 1076-1089*
- Matrix-Based Algorithms for the Optimal Design of Variable Fractional Delay FIR Filters. *Zhao, R.*, +, *TCSI Dec. 2019 4740-4752*
- Static Delay Variation Models for Ripple-Carry and Borrow-Save Adders. *Papachatzopoulos, K.*, +, *TCSI July 2019 2546-2559*
- Synchronization of Multi-Agent Systems With Time-Varying Control and Delayed Communications. *Jia, Q.*, +, *TCSI Nov. 2019 4429-4438*
- Delta-sigma modulation**
- Δ - Σ Noise-Shaping in 2-D Space-Time for Wideband Antenna Array Receivers. *Wang, Y.*, +, *TCSI Feb. 2019 569-582*
- A 1-MHz-Bandwidth Gm-C-Based Quadrature Bandpass Sigma-Delta Modulator Achieving -153.7 -dBFS/Hz NSD With Background Calibration. *Zhang, M.*, +, *TCSI March 2019 909-919*
- A 10-MHz BW 77.9 dB SNDR DT MASH $\Delta\Sigma$ ADC With NC-VCO-Based Quantizer and OPAMP Sharing. *Sadollahi, M.*, +, *TCSI Sept. 2019 3384-3392*
- A 2.2-GHz 3.2-mW DTC-Free Sampling $\Sigma\Delta$ Fractional- N PLL With -110 -dBc/Hz In-Band Phase Noise and -246 -dB FoM and -83 -dBc Reference Spur. *Tao, J.*, +, *TCSI Sept. 2019 3317-3329*
- A Highly Linear OTA-Free VCO-Based 1-1 MASH $\Sigma\Delta$ ADC. *Maghami, H.*, +, *TCSI July 2019 2440-2453*
- A Second-Order Bandpass $\Sigma\Delta$ Time-to-Digital Converter With Negative Time-Mode Feedback. *Ziabakhsh, S.*, +, *TCSI April 2019 1355-1368*
- An 85-MHz-BW ASAR-Assisted CT 4-0 MASH $\Sigma\Delta$ Modulator With Background Half-Range Dithering-Based DAC Calibration in 28-nm CMOS. *Liu, H.*, +, *TCSI July 2019 2405-2414*
- Highly Digital Second-Order $\Sigma\Delta$ VCO ADC. *Jayaraj, A.*, +, *TCSI July 2019 2415-2425*
- Low-Pass Filtering SC-DAC for Reduced Jitter and Slewing Requirements on CTSDMs. *Vercaemer, D.*, +, *TCSI April 2019 1369-1381*

Unified Analysis, Modeling, and Simulation of Chopping Artifacts in Continuous-Time Delta-Sigma Modulators. *Theertham, R.*, +, *TCSI Aug. 2019 2831-2842*

Wandering Spurs in MASH 1-1 Delta-Sigma Modulators. *Donnelly, Y.*, +, *TCSI July 2019 2426-2439*

Demodulation

A 4-b 7- μ W Phase Domain ADC With Time Domain Reference Generation for Low-Power FSK/PSK Demodulation. *Lei, X.*, +, *TCSI Sept. 2019 3365-3372*

Demodulators

An 18 nW $-47/-40$ dBm Sensitivity 3/100 kbps MEMS-Assisted CMOS Wake-Up Receiver. *Soliman, M.*, +, *TCSI Nov. 2019 4439-4447*

Design automation

Guest Editorial Special Issue on the 2019 International Symposium on Integrated Circuits and Systems. *Blokhina, E.*, *TCSI Sept. 2019 3253*

Design methodology

Matrix-Based Algorithms for the Optimal Design of Variable Fractional Delay FIR Filters. *Zhao, R.*, +, *TCSI Dec. 2019 4740-4752*

Detector circuits

A 0.90–4.39-V Detection Voltage Range, 56-Level Programmable Voltage Detector Using Fine Voltage-Step Subtraction for Battery Management. *Someya, T.*, +, *TCSI March 2019 1270-1279*

A Wide-Voltage-Range Half-Path Timing Error-Detection System With a 9-Transistor Transition-Detector in 40-nm CMOS. *Shan, W.*, +, *TCSI June 2019 2288-2297*

Difference equations

Synthesis and Realization of Two-Dimensional Separable Denominator Orthogonal Systems via Decomposition Into 1-D Systems. *Wirski, R.*, *TCSI Nov. 2019 4309-4322*

Differential algebraic equations

Second-Order Trajectory Sensitivity Analysis of Hybrid Systems. *Geng, S.*, +, *TCSI May 2019 1922-1934*

Differential amplifiers

An 18 nW $-47/-40$ dBm Sensitivity 3/100 kbps MEMS-Assisted CMOS Wake-Up Receiver. *Soliman, M.*, +, *TCSI Nov. 2019 4439-4447*

Low-Power Current-Mode Interval Type-2 Fuzzy Inference Engine Circuit. *de Souza, G.A.F.*, +, *TCSI July 2019 2639-2650*

Noise Filtering and Linearization of Single-Ended Sampled-Data Circuits. *He, T.*, +, *TCSI April 2019 1331-1341*

Differential equations

Numerical Jitter Minimization for PLL-Based FMCW Radar Systems. *Herzel, F.*, +, *TCSI July 2019 2478-2488*

Diffusion

Colored Noise in Oscillators. Phase-Amplitude Analysis and a Method to Avoid the it δ -Stratonovich Dilemma. *Bonnin, M.*, +, *TCSI Oct. 2019 3917-3927*

Digital arithmetic

A Combined Arithmetic-High-Level Synthesis Solution to Deploy Partial Carry-Save Radix-8 Booth Multipliers in Datapaths. *Del Barrio, A.A.*, +, *TCSI Feb. 2019 742-755*

Area-Time-Power Efficient FFT Architectures Based on Binary-Signed-Digit CORDIC. *Mahdavi, H.*, +, *TCSI Oct. 2019 3874-3881*

ARMv8 SIKE: Optimized Supersingular Isogeny Key Encapsulation on ARMv8 Processors. *Jalali, A.*, +, *TCSI Nov. 2019 4209-4218*

CORDIC-SNN: On-FPGA STDP Learning With Izhikevich Neurons. *Heidarpur, M.*, +, *TCSI July 2019 2651-2661*

Digit-Serial Versatile Multiplier Based on a Novel Block Recombination of the Modified Overlap-Free Karatsuba Algorithm. *Lee, C.*, +, *TCSI Jan. 2019 203-214*

Efficient CMOS Invertible Logic Using Stochastic Computing. *Smithson, S.C.*, +, *TCSI June 2019 2263-2274*

Digital circuits

Guest Editorial Special Issue on the IEEE International Symposium on Circuits and Systems 2018. *Blokhina, E.*, *TCSI May 2019 1669*

Digital control

A Low-Power Fast Start-Up Crystal Oscillator With an Autonomous Dynamically Adjusted Load. *Ding, M.*, +, *TCSI April 2019 1382-1392*

A Supply-Noise-Insensitive Digitally-Controlled Oscillator. *Yuan, C.*, +, *TCSI Sept. 2019 3414-3422*

Digital filters

A High-Precision Time Skew Estimation and Correction Technique for Time-Interleaved ADCs. *Salib, A.*, +, *TCSI Oct. 2019 3747-3760*

Digital integrated circuits

RotaSYN: Rotary Traveling Wave Oscillator SYNthesizer. *Kuttappa, R.*, +, *TCSI July 2019 2685-2698*

Digital phase locked loops

A 0.12-mm² 1.2-to-2.4-mW 1.3-to-2.65-GHz Fractional-N Bang-Bang Digital PLL With 8- μ s Settling Time for Multi-ISM-Band ULP Radios. *Un, K.*, +, *TCSI Sept. 2019 3307-3316*

A Supply-Noise-Insensitive Digitally-Controlled Oscillator. *Yuan, C.*, +, *TCSI Sept. 2019 3414-3422*

An 18–23 GHz 57.4-fs RMS Jitter -253.5 -dB FoM Sub-Harmonically Injection-Locked All-Digital PLL With Single-Ended Injection Technique and ILFD Aided Adaptive Injection Timing Alignment Technique. *Zhang, Z.*, +, *TCSI Oct. 2019 3733-3746*

Digital signal processing chips

A Theoretical Framework for Quality Estimation and Optimization of DSP Applications Using Low-Power Approximate Adders. *Pashaeifar, M.*, +, *TCSI Jan. 2019 327-340*

Low-Power Approximate Unsigned Multipliers With Configurable Error Recovery. *Jiang, H.*, +, *TCSI Jan. 2019 189-202*

Signal Encoding and Processing in Continuous Time Using a Cascade of Digital Delays. *Patil, S.*, +, *TCSI March 2019 1017-1030*

Digital-analog conversion

A 1-MHz-Bandwidth Gm-C-Based Quadrature Bandpass Sigma-Delta Modulator Achieving -153.7 -dBFS/Hz NSD With Background Calibration. *Zhang, M.*, +, *TCSI March 2019 909-919*

A 10-Bit 200-kS/s 1.76- μ W SAR ADC With Hybrid CAP-MOS DAC for Energy-Limited Applications. *Zhang, H.*, +, *TCSI May 2019 1716-1727*

A 13-Bit 260MS/s Power-Efficient Pipeline ADC Using a Current-Reuse Technique and Interstage Gain and Nonlinearity Errors Calibration. *Zhou, D.*, +, *TCSI Sept. 2019 3373-3383*

A Low Power 12-bit 1-kS/s SAR ADC for Biomedical Signal Processing. *Mao, W.*, +, *TCSI Feb. 2019 477-488*

A Switching Sequence for Unary Digital-to-Analog Converters Based on a Knight's Tour. *Yenuchenko, M.S.*, +, *TCSI June 2019 2230-2239*

Analysis of Reference Error in High-Speed SAR ADCs With Capacitive DAC. *Li, C.*, +, *TCSI Jan. 2019 82-93*

Demystifying and Mitigating Code-Dependent Switching Distortions in Current-Steering DACs. *Lai, L.*, +, *TCSI Jan. 2019 68-81*

Design and Analysis of a 12-b Current-Steering DAC in a 14-nm FinFET Technology for 2G/3G/4G Cellular Applications. *Kim, J.*, +, *TCSI Oct. 2019 3723-3732*

Digital Background Calibration of a Split Current-Steering DAC. *Stoops, D.J.*, +, *TCSI Aug. 2019 2854-2864*

Digital-to-Frequency Converters With a DTC: Theoretical Analysis of the Output SFDR. *Palattella, C.*, +, *TCSI Oct. 2019 3761-3774*

Digitally Adaptive High-Fidelity Analog Array Signal Processing Resilient to Capacitive Multiplying DAC Inter-Stage Gain Error. *Joshi, S.*, +, *TCSI Nov. 2019 4095-4107*

Error-Feedback Mismatch Error Shaping for High-Resolution Data Converters. *Liu, J.*, +, *TCSI April 2019 1342-1354*

Fully Synthesizable Low-Area Digital-to-Analog Converter With Graceful Degradation and Dynamic Power-Resolution Scaling. *Aiello, O.*, +, *TCSI Aug. 2019 2865-2875*

High-Resolution Wideband Phase Shifter With Current Limited Vector-Sum. *Qian, H.J.*, +, *TCSI Feb. 2019 820-833*

Highly Digital Second-Order $\Sigma\Delta$ VCO ADC. *Jayaraj, A.*, +, *TCSI July 2019 2415-2425*

Low-Cost, High-Precision DAC Design Based on Ordered Element Matching. *Li, Y.*, +, *TCSI Feb. 2019 502-512*

Subsampling Mismatch Noise Cancellation for High-Speed Continuous-Time DACs. *Kong, D.*, +, *TCSI Aug. 2019 2843-2853*

Direct digital synthesis

A 2.2-GHz Configurable Direct Digital Frequency Synthesizer Based on LUT and Rotation. *Yang, Y.*, +, *TCSI May 2019 1970-1980*

Directed graphs

Bipartite Synchronization and Convergence Analysis for Network of Harmonic Oscillator Systems With Signed Graph and Time Delay. *Song, Q.*, +, *TCSI July 2019 2723-2734*

Discrete cosine transforms

A Deterministic Low-Complexity Approximate (Multiplier-Less) Technique for DCT Computation. *Huang, J.*, +, *TCSI Aug. 2019 3001-3014*

A Theoretical Framework for Quality Estimation and Optimization of DSP Applications Using Low-Power Approximate Adders. *Pashaeifar, M.*, +, *TCSI Jan. 2019 327-340*

Approximate DCT Design for Video Encoding Based on Novel Truncation Scheme. *Sun, H.*, +, *TCSI April 2019 1517-1530*

Approximated Core Transform Architectures for HEVC Using WHT-Based Decomposition Method. *Chatterjee, S.*, +, *TCSI Nov. 2019 4296-4308*

Discrete event systems

Second-Order Trajectory Sensitivity Analysis of Hybrid Systems. *Geng, S.*, +, *TCSI May 2019 1922-1934*

Discrete Fourier transforms

A Design of Input-Decimation Technique for Recursive DFT/IDFT Algorithm. *Wu, C.*, +, *TCSI Dec. 2019 4713-4726*

Energy-Efficient Spectral Analysis Method Using Autoregressive Model-Based Approach for Internet of Things. *Yoshida, S.*, +, *TCSI Oct. 2019 3896-3905*

Harmonic Performance of Mixer-First Receivers With Circulant-Symmetric Basebands. *Wilson, C.*, +, *TCSI Jan. 2019 161-174*

Voice Activity Detection Using Generalized Exponential Kernels for Time and Frequency Domains. *Soares, A.d.S.P.*, +, *TCSI June 2019 2116-2123*

Discrete time filters

An On-Chip Built-in Linearity Estimation Methodology and Hardware Implementation. *Shi, C.*, +, *TCSI March 2019 897-908*

Synthesis and Realization of Two-Dimensional Separable Denominator Orthogonal Systems via Decomposition Into 1-D Systems. *Wirski, R.*, *TCSI Nov. 2019 4309-4322*

Discrete time systems

Analysis and Correction of Combined Channel Mismatch Effects in Frequency-Interleaved ADCs. *Song, J.*, +, *TCSI Feb. 2019 655-668*

Fault Identifiability Analysis of Linear Discrete Time-Varying Systems. *Fu, F.*, +, *TCSI June 2019 2371-2381*

Observer-Based Fault Estimation for Discrete-Time Nonlinear Systems and Its Application: A Weighted Switching Approach. *Xie, X.*, +, *TCSI Nov. 2019 4377-4387*

Discrete transforms

A New Fast Algorithm for Discrete Fractional Hadamard Transform. *Cariow, A.*, +, *TCSI July 2019 2584-2592*

Power-, Area-, and Compression-Efficient Eight-Point Approximate 2-D Discrete Tehebichef Transform Hardware Design Combining Truncation Pruning and Efficient Transposition Buffers. *Paim, G.*, +, *TCSI Feb. 2019 680-693*

Distance measurement

256×8 SPAD Array With 256 Column TDCs for a Line Profiling Laser Radar. *Keranen, P.*, +, *TCSI Nov. 2019 4122-4133*

Numerical Jitter Minimization for PLL-Based FMCW Radar Systems. *Herzel, F.*, +, *TCSI July 2019 2478-2488*

Distortion

A Low Power Receiver Front-End Design With Tunable Notch Filter for TX Leakage and Blocker Suppression. *Ozgun, M.T.*, +, *TCSI March 2019 1180-1191*

High-Resolution Wideband Phase Shifter With Current Limited Vector-Sum. *Qian, H.J.*, +, *TCSI Feb. 2019 820-833*

Distributed arithmetic

Optimal Complexity Architectures for Pipelined Distributed Arithmetic-Based LMS Adaptive Filter. *Khan, M.T.*, +, *TCSI Feb. 2019 630-642*

Distributed control

Bipartite Synchronization and Convergence Analysis for Network of Harmonic Oscillator Systems With Signed Graph and Time Delay. *Song, Q.*, +, *TCSI July 2019 2723-2734*

Observer-Based Distributed Secure Consensus Control of a Class of Linear Multi-Agent Systems Subject to Random Attacks. *Yang, Y.*, +, *TCSI Aug. 2019 3089-3099*

Distributed power generation

Enhancing Transient Stability of DC Microgrid by Enlarging the Region of Attraction Through Nonlinear Polynomial Droop Control. *Severino, B.*, +, *TCSI Nov. 2019 4388-4401*

Distribution networks

Cascading Failure of Cyber-Coupled Power Systems Considering Interactions Between Attack and Defense. *Liu, D.*, +, *TCSI Nov. 2019 4323-4336*

Dividing circuits

A 0.0018-mm² 153% Locking-Range CML-Based Divider-by-2 With Tunable Self-Resonant Frequency Using an Auxiliary Negative- g_m Cell. *Zhao, X.*, +, *TCSI Sept. 2019 3330-3339*

DRAM chips

3-D-DATE: A Circuit-Level Three-Dimensional DRAM Area, Timing, and Energy Model. *Park, J.B.*, +, *TCSI Feb. 2019 756-768*

Driver circuits

A Differential Push-Pull Voltage Mode VCSEL Driver in 65-nm CMOS. *Ramani, A.S.*, +, *TCSI Nov. 2019 4147-4157*

Power Efficient and Reliable Nonvolatile TCAM With Hi-PFO and Semi-Complementary Driver. *Kim, C.*, +, *TCSI Feb. 2019 605-615*

Dynamic response

Mitigating Line Frequency Instability of Boost PFC Converter Under Proportional Outer-Voltage Loop With Additional Third Current-Harmonic Feedforward Compensation. *Lu, W.*, +, *TCSI Nov. 2019 4528-4541*

E**Eigenvalues and eigenfunctions**

Bipartite Synchronization and Convergence Analysis for Network of Harmonic Oscillator Systems With Signed Graph and Time Delay. *Song, Q.*, +, *TCSI July 2019 2723-2734*

Efficient Implementation of Iterative Polynomial Matrix EVD Algorithms Exploiting Structural Redundancy and Parallelisation. *Coutts, F.K.*, +, *TCSI Dec. 2019 4753-4766*

Hardware-Efficient and Fast Sensing-Time Maximum-Minimum-Eigenvalue-Based Spectrum Sensor for Cognitive Radio Network. *Chaurasiya, R.B.*, +, *TCSI Nov. 2019 4448-4461*

On Extension of Effective Resistance With Application to Graph Laplacian Definiteness and Power Network Stability. *Song, Y.*, +, *TCSI Nov. 2019 4415-4428*

Square-Root Generalized Eigenvalue Decomposition Processor for Leakage-Based Multi-User MIMO Precoding With Multi-Antenna Users. *Lee, L.*, +, *TCSI June 2019 2382-2393*

Stability Test for Complex Matrices Over the Complex Unit Circumference via LMIs and Applications in 2D Systems. *Chesi, G.*, *TCSI May 2019 1960-1969*

The Theory of Special Noise Invariants. *Spasaro, M.*, +, *TCSI April 2019 1305-1318*

Electric admittance

On Extension of Effective Resistance With Application to Graph Laplacian Definiteness and Power Network Stability. *Song, Y.*, +, *TCSI Nov. 2019 4415-4428*

Electric current control

A 0.034% Charge-Imbalanced Neural Stimulation Front-End (SFE) IC With on-Chip Voltage Compliance Monitoring Circuit and Analysis on Resting Potential by Utilizing the SFE IC. *Jeon, Y.*, +, *TCSI Oct. 2019 3797-3810*

A Fast-Transient-Response Fully-Integrated Digital LDO With Adaptive Current Step Size Control. *Cai, G.*, +, *TCSI Sept. 2019 3610-3619*

Analysis and Design of Ultra-Large Dynamic Range CMOS Transimpedance Amplifier With Automatically-Controlled Multi-Current-Bleeding Paths. *Bi, X.*, +, *TCSI Sept. 2019 3266-3278*

Mitigating Line Frequency Instability of Boost PFC Converter Under Proportional Outer-Voltage Loop With Additional Third Current-Harmonic Feedforward Compensation. *Lu, W., +, TCSI Nov. 2019 4528-4541*

Electric current measurement

Low-Power/Low-Voltage Integrated CMOS Sense Resistor-Free Analog Power/Current Sensor Compatible With High-Voltage Switching DC-DC Converter. *Singh, S., +, TCSI June 2019 2208-2218*

Electric resistance

Effective Resistance of Two-Dimensional Truncated Infinite Mesh Structures. *Bairamkulov, R., +, TCSI Nov. 2019 4368-4376*

On Extension of Effective Resistance With Application to Graph Laplacian Definiteness and Power Network Stability. *Song, Y., +, TCSI Nov. 2019 4415-4428*

Electric sensing devices

A Broadband Multi-Mode Compressive Sensing Current Sensor SoC in 0.16 μm CMOS. *Bellasi, D., +, TCSI Jan. 2019 105-118*

Low-Power/Low-Voltage Integrated CMOS Sense Resistor-Free Analog Power/Current Sensor Compatible With High-Voltage Switching DC-DC Converter. *Singh, S., +, TCSI June 2019 2208-2218*

Electrocardiography

A Fully Flexible Circuit Implementation of Clique-Based Neural Networks in 65-nm CMOS. *Larras, B., +, TCSI May 2019 1704-1715*

A Nanopower Biopotential Lowpass Filter Using Subthreshold Current-Reuse Biquads With Bulk Effect Self-Neutralization. *Sawigun, C., +, TCSI May 2019 1746-1757*

Robust and Lightweight Ensemble Extreme Learning Machine Engine Based on Eigenspace Domain for Compressed Learning. *Li, H., +, TCSI Dec. 2019 4699-4712*

Ultra-Low Power QRS Detection and ECG Compression Architecture for IoT Healthcare Devices. *Tekeste, T., +, TCSI Feb. 2019 669-679*

Electroencephalography

An Ultra-Low-Power Dual-Mode Automatic Sleep Staging Processor Using Neural-Network-Based Decision Tree. *Chang, S., +, TCSI Sept. 2019 3504-3516*

Electromyography

An Ultra-Low-Power Dual-Mode Automatic Sleep Staging Processor Using Neural-Network-Based Decision Tree. *Chang, S., +, TCSI Sept. 2019 3504-3516*

Electronic circuits

Event-Based Security Control for State-Dependent Uncertain Systems Under Hybrid-Attacks and Its Application to Electronic Circuits. *Liu, J., +, TCSI Dec. 2019 4817-4828*

Electronic engineering computing

Analysis of Parasitic Effects in Filamentary-Switching Memristive Memories Using an Approximated Verilog-A Memristor Model. *Lupo, N., +, TCSI May 2019 1935-1947*

Efficient CMOS Invertible Logic Using Stochastic Computing. *Smithson, S.C., +, TCSI June 2019 2263-2274*

Supporting the Momentum Training Algorithm Using a Memristor-Based Synapse. *Greenberg-Toledo, T., +, TCSI April 2019 1571-1583*

Elemental semiconductors

An Integrated Micromachined Thermopile Sensor With a Chopper Interface Circuit for Contact-Less Temperature Measurements. *Moisello, E., +, TCSI Sept. 2019 3402-3413*

An On-Chip Built-in Linearity Estimation Methodology and Hardware Implementation. *Shi, C., +, TCSI March 2019 897-908*

Design and Implementation of a 0.3-V Differential Difference Amplifier. *Khateb, F., +, TCSI Feb. 2019 513-523*

Energy conservation

A 2.86-TOPS/W Current Mirror Cross-Bar-Based Machine-Learning and Physical Unclonable Function Engine For Internet-of-Things Applications. *Chen, Y., +, TCSI June 2019 2240-2252*

A Real-Time 17-Scale Object Detection Accelerator With Adaptive 2000-Stage Classification in 65 nm CMOS. *Kim, M., +, TCSI Oct. 2019 3843-3853*

An Efficient, Wide-Output, High-Voltage Charge Pump With a Stage Selection Circuit Realized in a Low-Voltage CMOS Process. *Luo, Z., +, TCSI Sept. 2019 3437-3444*

Design and Analysis of a 12-b Current-Steering DAC in a 14-nm FinFET Technology for 2G/3G/4G Cellular Applications. *Kim, J., +, TCSI Oct. 2019 3723-3732*

FPAP: A Folded Architecture for Energy-Quality Scalable Convolutional Neural Networks. *Wang, Y., +, TCSI Jan. 2019 288-301*

ROBIN: Monolithic-3D SRAM for Enhanced Robustness with In-Memory Computation Support. *Rangachar Srinivasa, S., +, TCSI July 2019 2533-2545*

Energy consumption

Robust and Lightweight Ensemble Extreme Learning Machine Engine Based on Eigenspace Domain for Compressed Learning. *Li, H., +, TCSI Dec. 2019 4699-4712*

Energy harvesting

A Dual-Stage Boost Converter Using Two-Dimensional Adaptive Input-Sampling MPPT for Thermoelectric Energy Harvesting. *Chandrarathna, S.C., +, TCSI Dec. 2019 4888-4900*

A Family of Compact Non-Volatile Flip-Flops With Ferroelectric FET. *Saki, A.A., +, TCSI Nov. 2019 4219-4229*

Design Optimization for Low-Power Reconfigurable Switched-Capacitor DC-DC Voltage Converter. *Mohey, A.M., +, TCSI Oct. 2019 4079-4092*

Power Extracted From Piezoelectric Harvesters Driven by Non-Sinusoidal Vibrations. *Costanzo, L., +, TCSI March 2019 1291-1303*

Power-Efficient Hybrid Energy Harvesting System for Harnessing Ambient Vibrations. *Chamanian, S., +, TCSI July 2019 2784-2793*

Solar Cell Photo-Luminescence Modulation for Optical Frequency Identification Devices. *Leon-Salas, W.D., +, TCSI May 2019 1981-1992*

Systematic Co-Design of Matching Networks and Rectifiers for CMOS Radio Frequency Energy Harvesters. *Karami, M.A., +, TCSI Aug. 2019 3238-3251*

Engines

Robust and Lightweight Ensemble Extreme Learning Machine Engine Based on Eigenspace Domain for Compressed Learning. *Li, H., +, TCSI Dec. 2019 4699-4712*

Enzymatic fuel cells

From Battery Enabled to Natural Harvesting: Enzymatic BioFuel Cell Assisted Integrated Analog Front-End in 130nm CMOS for Long-Term Monitoring. *Hu, H., +, TCSI Feb. 2019 534-545*

Equalizers

A 5–10-Gb/s 12.5-mW Source Synchronous I/O Interface With 3-D Flip Chip Package. *Ma, S., +, TCSI Feb. 2019 555-568*

A 4×64 MIMO Detector for Generalized Spatial Modulation Systems. *Li, C., +, TCSI Sept. 2019 3585-3597*

A Hilbert Transform Equalizer Enabling 80 MHz RF Self-Interference Cancellation for Full-Duplex Receivers. *El Sayed, A., +, TCSI March 2019 1153-1165*

Line Coding Techniques for Channel Equalization: Integrated Pulse-Width Modulation and Consecutive Digit Chopping. *Ramachandran, A., +, TCSI March 2019 1192-1204*

Equivalent circuits

Analytical Equivalent Circuit Extraction Procedure for Broadband Scalable Modeling of Three-Port Center-Tapped Symmetric On-Chip Inductors. *Issakov, V., +, TCSI Sept. 2019 3557-3570*

Differential Transmission Lines Loaded With Magnetic LC Resonators and Application in Common Mode Suppression. *Ebrahimi, A., +, TCSI Oct. 2019 3811-3821*

Harmonic Performance of Mixer-First Receivers With Circulant-Symmetric Basebands. *Wilson, C., +, TCSI Jan. 2019 161-174*

Multiphysics Simulation of Biosensors Involving 3D Biological Reaction-Diffusion Phenomena in a Standard Circuit EDA Environment. *Maded, M., +, TCSI June 2019 2188-2197*

Octave Bandwidth Doherty Power Amplifier Using Multiple Resonance Circuit for the Peaking Amplifier. *Kang, H., +, TCSI Feb. 2019 583-593*

Error analysis

Using Machine Learning Techniques to Evaluate Multicore Soft Error Reliability. *da Rosa, F.R., +, TCSI June 2019 2151-2164*

Error compensation

A Switching Sequence for Unary Digital-to-Analog Converters Based on a Knight's Tour. *Yenuchenko, M.S., +, TCSI June 2019 2230-2239*

Error correction

A 124 fJ/Bit Cascode Current Mirror Array Based PUF With 1.50% Native Unstable Bit Ratio. *Zhao, X.*, +, *TCSI Sept. 2019 3494-3503*

Efficient Post-Processors for Improving Error-Correcting Performance of LDPC Codes. *Tao, Y.*, +, *TCSI Oct. 2019 4032-4043*

Error correction codes

A 124-Gb/s Decoder for Generalized Integrated Interleaved Codes. *Li, W.*, +, *TCSI Aug. 2019 3174-3187*

An Improved Gradient Descent Bit-Flipping Decoder for LDPC Codes. *Cui, H.*, +, *TCSI Aug. 2019 3188-3200*

Energy-Efficient Symmetric BC-BCH Decoder Architecture for Mobile Storages. *Hwang, S.*, +, *TCSI Nov. 2019 4462-4475*

Error detection

A Wide-Voltage-Range Half-Path Timing Error-Detection System With a 9-Transistor Transition-Detector in 40-nm CMOS. *Shan, W.*, +, *TCSI June 2019 2288-2297*

Using Machine Learning Techniques to Evaluate Multicore Soft Error Reliability. *da Rosa, F.R.*, +, *TCSI June 2019 2151-2164*

Error statistics

A 124 fJ/Bit Cascode Current Mirror Array Based PUF With 1.50% Native Unstable Bit Ratio. *Zhao, X.*, +, *TCSI Sept. 2019 3494-3503*

A 2.41-pJ/bit 5.4-Gb/s Dual-Loop Reference-Less CDR With Fully Digital Quarter-Rate Linear Phase Detector for Embedded DisplayPort. *Moon, Y.*, +, *TCSI Aug. 2019 2907-2920*

A Modulo-FIR Equalizer for Wireline Communications. *Jeong, G.*, +, *TCSI Nov. 2019 4278-4286*

A Test Vector Generation Method Based on Symbol Error Probabilities for Low-Complexity Chase Soft-Decision Reed–Solomon Decoding. *Valls, J.*, +, *TCSI June 2019 2198-2207*

An Accurate and Noise-Resilient Spread-Spectrum Clock Tracking Aid for Digitally-Controlled Clock and Data Recovery Loops. *Ryu, S.*, +, *TCSI March 2019 1245-1257*

An LDPC-Coded SCMA Receiver With Multi-User Iterative Detection and Decoding. *Sun, W.*, +, *TCSI Sept. 2019 3571-3584*

Analysis of Timing Accuracy and Sensitivity in a RF Correlation-Based Impulse Radio Receiver With Phase Interpolation for Data Synchronization. *Fotoohi Piraghaj, S.*, +, *TCSI July 2019 2749-2762*

Energy-Efficient Symmetric BC-BCH Decoder Architecture for Mobile Storages. *Hwang, S.*, +, *TCSI Nov. 2019 4462-4475*

Novel Data Pre-Distorter for APSK Signals in Solid-State Power Amplifiers. *Canavate Sanchez, M.J.*, +, *TCSI Oct. 2019 4044-4054*

Solar Cell Photo-Luminescence Modulation for Optical Frequency Identification Devices. *Leon-Salas, W.D.*, +, *TCSI May 2019 1981-1992*

Voice Activity Detection Using Generalized Exponential Kernels for Time and Frequency Domains. *Soares, A.d.S.P.*, +, *TCSI June 2019 2116-2123*

Evolutionary computation

Reconstructing of Networks With Binary-State Dynamics via Generalized Statistical Inference. *Zhang, H.*, +, *TCSI April 2019 1608-1619*

Expectation-maximization algorithms

Reconstructing of Networks With Binary-State Dynamics via Generalized Statistical Inference. *Zhang, H.*, +, *TCSI April 2019 1608-1619*

F**Fast Fourier transforms**

A 1 Million-Point FFT on a Single FPGA. *Kanders, H.*, +, *TCSI Oct. 2019 3863-3873*

A Low Latency FFT/IFFT Architecture for Massive MIMO Systems Utilizing OFDM Guard Bands. *Mahdavi, M.*, +, *TCSI July 2019 2763-2774*

A Theoretical Framework for Quality Estimation and Optimization of DSP Applications Using Low-Power Approximate Adders. *Pashaeifar, M.*, +, *TCSI Jan. 2019 327-340*

Area-Delay-Energy Efficient VLSI Architecture for Scalable In-Place Computation of FFT on Real Data. *Mohanty, B.K.*, +, *TCSI March 2019 1042-1050*

Area-Time-Power Efficient FFT Architectures Based on Binary-Signed-Digit CORDIC. *Mahdavi, H.*, +, *TCSI Oct. 2019 3874-3881*

Energy-Efficient Spectral Analysis Method Using Autoregressive Model-Based Approach for Internet of Things. *Yoshida, S.*, +, *TCSI Oct. 2019 3896-3905*

Integrated Wide-Band CMOS Spectrometer Systems for Spaceborne Telescopic Sensing. *Zhang, Y.*, +, *TCSI May 2019 1863-1873*

Power Performance Tradeoffs Using Adaptive Bit Width Adjustments on Resistive Associative Processors. *Abdelal, R.A.*, +, *TCSI Jan. 2019 302-312*

World's Fastest FFT Architectures: Breaking the Barrier of 100 GS/s. *Garido, M.*, +, *TCSI April 2019 1507-1516*

Fault diagnosis

Event-Based H_{∞} Fault Detection for Buck Converter With Multiplicative Noises Over Network. *Yan, H.*, +, *TCSI June 2019 2361-2370*

Fault Estimation Observer Design for Descriptor Switched Systems With Actuator and Sensor Failures. *Chen, L.*, +, *TCSI Feb. 2019 810-819*

Fault Identifiability Analysis of Linear Discrete Time-Varying Systems. *Fu, F.*, +, *TCSI June 2019 2371-2381*

Observer-Based Fault Estimation for Discrete-Time Nonlinear Systems and Its Application: A Weighted Switching Approach. *Xie, X.*, +, *TCSI Nov. 2019 4377-4387*

Switched Threshold-Based Fault Detection for Switched Nonlinear Systems With Its Application to Chua's Circuit System. *Tang, L.*, +, *TCSI Feb. 2019 733-741*

Using Machine Learning Techniques to Evaluate Multicore Soft Error Reliability. *da Rosa, F.R.*, +, *TCSI June 2019 2151-2164*

Fault tolerance

Adaptive Double Event-Triggered Control for Linear Multi-Agent Systems With Actuator Faults. *Luo, S.*, +, *TCSI Dec. 2019 4829-4839*

Fault tolerant computing

Using Machine Learning Techniques to Evaluate Multicore Soft Error Reliability. *da Rosa, F.R.*, +, *TCSI June 2019 2151-2164*

Fault tolerant systems

Adaptive Double Event-Triggered Control for Linear Multi-Agent Systems With Actuator Faults. *Luo, S.*, +, *TCSI Dec. 2019 4829-4839*

Feature extraction

A 64×64 Pixel Vision Sensor for Local Binary Pattern Computation. *Gotardi, M.*, +, *TCSI May 2019 1831-1839*

A Novel Convolution Computing Paradigm Based on NOR Flash Array With High Computing Speed and Energy Efficiency. *Han, R.*, +, *TCSI May 2019 1692-1703*

A Real-Time 17-Scale Object Detection Accelerator With Adaptive 2000-Stage Classification in 65 nm CMOS. *Kim, M.*, +, *TCSI Oct. 2019 3843-3853*

An Ultra-Low Power Binarized Convolutional Neural Network-Based Speech Recognition Processor With On-Chip Self-Learning. *Zheng, S.*, +, *TCSI Dec. 2019 4648-4661*

Robust and Lightweight Ensemble Extreme Learning Machine Engine Based on Eigenspace Domain for Compressed Learning. *Li, H.*, +, *TCSI Dec. 2019 4699-4712*

SensorNet: A Scalable and Low-Power Deep Convolutional Neural Network for Multimodal Data Classification. *Jafari, A.*, +, *TCSI Jan. 2019 274-287*

Feedback

Advantages of Second-Order Cartesian Feedback Linearizers for Radio Amplifiers. *Cavers, J.K.*, +, *TCSI Nov. 2019 4134-4146*

An Accurate and Noise-Resilient Spread-Spectrum Clock Tracking Aid for Digitally-Controlled Clock and Data Recovery Loops. *Ryu, S.*, +, *TCSI March 2019 1245-1257*

Error-Feedback Mismatch Error Shaping for High-Resolution Data Converters. *Liu, J.*, +, *TCSI April 2019 1342-1354*

Mitigating Line Frequency Instability of Boost PFC Converter Under Proportional Outer-Voltage Loop With Additional Third Current-Harmonic Feedforward Compensation. *Lu, W.*, +, *TCSI Nov. 2019 4528-4541*

Observer-Based Distributed Secure Consensus Control of a Class of Linear Multi-Agent Systems Subject to Random Attacks. *Yang, Y.*, +, *TCSI Aug. 2019 3089-3099*

Reliable Sliding Mode Control of Fast Sampling Singularly Perturbed Systems: A Redundant Channel Transmission Protocol Approach. *Song, J.*, +, *TCSI Nov. 2019 4490-4501*

- Synchronization of Multi-Layer Networks: From Node-to-Node Synchronization to Complete Synchronization. *Wang, P.*, +, *TCSI March 2019 1141-1152*
- Feedback amplifiers**
- Noise Analysis and Design Considerations for Equalizer-Based Optical Receivers. *Abdelrahman, D.*, +, *TCSI Aug. 2019 3201-3212*
- Feedforward**
- A 1.2-V 2.41-GHz Three-Stage CMOS OTA With Efficient Frequency Compensation Technique. *Liu, S.*, +, *TCSI Jan. 2019 20-30*
- Harmonic Performance of Mixer-First Receivers With Circulant-Symmetric Basebands. *Wilson, C.*, +, *TCSI Jan. 2019 161-174*
- Linearization of Active Downconversion Mixers at the IF Using Feedforward Cancellation. *Li, H.*, +, *TCSI April 2019 1620-1631*
- Mitigating Line Frequency Instability of Boost PFC Converter Under Proportional Outer-Voltage Loop With Additional Third Current-Harmonic Feedforward Compensation. *Lu, W.*, +, *TCSI Nov. 2019 4528-4541*
- Robust Active Noise Control Design by Optimal Weighted Least Squares Approach. *Aslam, M.S.*, +, *TCSI Oct. 2019 3955-3967*
- Time-Variant Modeling and Analysis of Multiplying Delay-Locked Loops. *Santuccioli, A.*, +, *TCSI Oct. 2019 3775-3785*
- Feedforward amplifiers**
- Noise Analysis and Design Considerations for Equalizer-Based Optical Receivers. *Abdelrahman, D.*, +, *TCSI Aug. 2019 3201-3212*
- Feedforward neural networks**
- SensorNet: A Scalable and Low-Power Deep Convolutional Neural Network for Multimodal Data Classification. *Jafari, A.*, +, *TCSI Jan. 2019 274-287*
- Ferrites**
- A Power-Loss-Dependent Inductance Model for Ferrite-Core Power Inductors in Switch-Mode Power Supplies. *Oliveri, A.*, +, *TCSI June 2019 2394-2402*
- Ferroelectric devices**
- A Family of Compact Non-Volatile Flip-Flops With Ferroelectric FET. *Saki, A.A.*, +, *TCSI Nov. 2019 4219-4229*
- Field effect MIMIC**
- A -40 dB EVM, 77 MHz Dual-Band Tunable Gain Sub-Sampling Receiver Front End in 65-nm CMOS. *Kale, A.*, +, *TCSI March 2019 1166-1179*
- A 53–67 GHz Low-Noise Mixer-First Receiver Front-End in 65-nm CMOS. *Haghi Kashani, M.*, +, *TCSI June 2019 2051-2063*
- A Wide Tuning Range, Low Phase Noise, and Area Efficient Dual-Band Millimeter-Wave CMOS VCO Based on Switching Cores. *Basaligheh, A.*, +, *TCSI Aug. 2019 2888-2897*
- Field effect MMIC**
- An 18–23 GHz 57.4-fs RMS Jitter -253.5-dB FoM Sub-Harmonically Injection-Locked All-Digital PLL With Single-Ended Injection Technique and ILFD Aided Adaptive Injection Timing Alignment Technique. *Zhang, Z.*, +, *TCSI Oct. 2019 3733-3746*
- Analytical Noise Optimization of Single-/Dual-Band MOS LNAs With Substrate and Metal Loss Effects of Inductors. *Chang, W.L.*, +, *TCSI July 2019 2454-2467*
- Design of a 5.2-GHz CMOS Power Amplifier Using TF-Based 2-Stage Dual-Radial Power Splitting/Combining Architecture. *Tsai, J.*, *TCSI Oct. 2019 3690-3699*
- High-Resolution Wideband Phase Shifter With Current Limited Vector-Sum. *Qian, H.J.*, +, *TCSI Feb. 2019 820-833*
- Field effect transistors**
- A Family of Compact Non-Volatile Flip-Flops With Ferroelectric FET. *Saki, A.A.*, +, *TCSI Nov. 2019 4219-4229*
- Power and Area Efficient FPGA Building Blocks Based on Ferroelectric FETs. *Chen, X.*, +, *TCSI May 2019 1780-1793*
- Field programmable gate arrays**
- A 1 Million-Point FFT on a Single FPGA. *Kanders, H.*, +, *TCSI Oct. 2019 3863-3873*
- A 2.2-GHz Configurable Direct Digital Frequency Synthesizer Based on LUT and Rotation. *Yang, Y.*, +, *TCSI May 2019 1970-1980*
- A Fast On-Chip SVM-Training System With Dual-Mode Configurable Pipelines and MSMO Scheduler. *Feng, L.*, +, *TCSI Nov. 2019 4230-4241*
- A New Nonlinear Global Placement for FPGAs: The Chaotic Place. *de Almeida Ramos, E.*, +, *TCSI June 2019 2165-2174*
- A Resource-Efficient and Side-Channel Secure Hardware Implementation of Ring-LWE Cryptographic Processor. *Liu, D.*, +, *TCSI April 2019 1474-1483*
- An Efficient Low-Latency Point-Multiplication Over Curve25519. *Salari-fard, R.*, +, *TCSI Oct. 2019 3854-3862*
- An Efficient Uniform-Segmented Neuron Model for Large-Scale Neuromorphic Circuit Design: Simulation and FPGA Synthesis Results. *Jokar, E.*, +, *TCSI June 2019 2336-2349*
- An IEEE Single Precision Floating Point Arithmetic-Based Apodization Architecture for Portable Ultrasound Imaging System. *Agarwal, M.*, +, *TCSI June 2019 2275-2287*
- CAR-Lite: A Multi-Rate Cochlear Model on FPGA for Spike-Based Sound Encoding. *Singh, R.K.*, +, *TCSI May 2019 1805-1817*
- Chaotic Encryption for 10-Gb Ethernet Optical Links. *Perez-Resca, A.*, +, *TCSI Feb. 2019 859-868*
- ChipNet: Real-Time LiDAR Processing for Drivable Region Segmentation on an FPGA. *Lyu, Y.*, +, *TCSI May 2019 1769-1779*
- CORDIC-SNN: On-FPGA STDP Learning With Izhikevich Neurons. *Heidarpur, M.*, +, *TCSI July 2019 2651-2661*
- Design Methodology to Explore Hybrid Approximate Adders for Energy-Efficient Image and Video Processing Accelerators. *Soares, L.B.*, +, *TCSI June 2019 2137-2150*
- Efficient Channel Estimator With Angle-Division Multiple Access. *Liu, X.*, +, *TCSI Feb. 2019 708-718*
- Efficient FPGA Implementations of Pair and Triplet-Based STDP for Neuro-morphic Architectures. *Lammie, C.*, +, *TCSI April 2019 1558-1570*
- FPGA Implementation of the Fractional Order Integrator/Differentiator: Two Approaches and Applications. *Tolba, M.F.*, +, *TCSI April 2019 1484-1495*
- Hardware-Efficient and Fast Sensing-Time Maximum-Minimum-Eigenvalue-Based Spectrum Sensor for Cognitive Radio Network. *Chaurasiya, R.B.*, +, *TCSI Nov. 2019 4448-4461*
- High-Speed ECC Processor Over NIST Prime Fields Applied With Toom-Cook Multiplication. *Ding, J.*, +, *TCSI March 2019 1003-1016*
- Higher Dimensional Baker Map and its Digital Implementation With LSB-Extension Method. *Ozturk, I.*, +, *TCSI Dec. 2019 4780-4792*
- Integrated Wide-Band CMOS Spectrometer Systems for Spaceborne Telescopic Sensing. *Zhang, Y.*, +, *TCSI May 2019 1863-1873*
- Layered Decoding Algorithm and Two-Level Quasi-Cyclic Matrix Construction for Rate Compatible Modulation. *Lu, F.*, +, *TCSI Aug. 2019 3213-3226*
- MRAM-Enhanced Low Power Reconfigurable Fabric With Multi-Level Variation Tolerance. *Zand, R.*, +, *TCSI Dec. 2019 4662-4672*
- On the Order Minimization of Interpolated Bandpass Method Based Narrow Transition Band FIR Filter Design. *Roy, S.*, +, *TCSI Nov. 2019 4287-4295*
- Power and Area Efficient FPGA Building Blocks Based on Ferroelectric FETs. *Chen, X.*, +, *TCSI May 2019 1780-1793*
- Power-, Area-, and Compression-Efficient Eight-Point Approximate 2-D Discrete Tchebichef Transform Hardware Design Combining Truncation Pruning and Efficient Transposition Buffers. *Paim, G.*, +, *TCSI Feb. 2019 680-693*
- Recursive Binary Neural Network Training Model for Efficient Usage of On-Chip Memory. *Guan, T.*, +, *TCSI July 2019 2593-2605*
- SensorNet: A Scalable and Low-Power Deep Convolutional Neural Network for Multimodal Data Classification. *Jafari, A.*, +, *TCSI Jan. 2019 274-287*
- Ultra-Low Complex Blind IQ-Imbalance Compensation. *Paireder, T.*, +, *TCSI Sept. 2019 3517-3530*
- World's Fastest FFT Architectures: Breaking the Barrier of 100 GS/s. *Garrido, M.*, +, *TCSI April 2019 1507-1516*
- WRA: A 2.2-to-6.3 TOPS Highly Unified Dynamically Reconfigurable Accelerator Using a Novel Winograd Decomposition Algorithm for Convolutional Neural Networks. *Yang, C.*, +, *TCSI Sept. 2019 3480-3493*
- Filtering theory**
- A Study of Phase Noise and Frequency Error of a Fractional-N PLL in the Course of FMCW Chirp Generation. *Ergintav, A.*, +, *TCSI May 2019 1670-1680*
- Asynchronous Finite-Time Filtering of Networked Switched Systems and its Application: an Event-Driven Method. *Ren, H.*, +, *TCSI Jan. 2019 391-402*

- CAR-Lite: A Multi-Rate Cochlear Model on FPGA for Spike-Based Sound Encoding. *Singh, R.K.*, +, *TCSI May 2019 1805-1817*
- Event-Triggered Finite-Time Robust Filtering for a Class of State-Dependent Uncertain Systems With Network Transmission Delay. *Sun, Y.*, +, *TCSI March 2019 1076-1089*
- Low-Complexity 2-D Digital FIR Filters Using Polyphase Decomposition and Farrow Structure. *Bindima, T.*, +, *TCSI June 2019 2298-2308*
- Noise Filtering and Linearization of Single-Ended Sampled-Data Circuits. *He, T.*, +, *TCSI April 2019 1331-1341*
- Reflectionless Filters for Generalized Elliptic Transmission Functions. *Guilabert, A.*, +, *TCSI Dec. 2019 4606-4618*
- Finite difference methods**
- Continuous-Time Algorithms for Solving Maxwell's Equations Using Analog Circuits. *Udayanga, N.*, +, *TCSI Oct. 2019 3941-3954*
- Finite difference time-domain analysis**
- Continuous-Time Algorithms for Solving Maxwell's Equations Using Analog Circuits. *Udayanga, N.*, +, *TCSI Oct. 2019 3941-3954*
- Multiphysics Simulation of Biosensors Involving 3D Biological Reaction-Diffusion Phenomena in a Standard Circuit EDA Environment. *Madedec, M.*, +, *TCSI June 2019 2188-2197*
- Finite impulse response filters**
- Digital Calibration of Elements Mismatch in Multirate Predictive SAR ADCs. *Mafi, H.*, +, *TCSI Dec. 2019 4571-4581*
- Matrix-Based Algorithms for the Optimal Design of Variable Fractional Delay FIR Filters. *Zhao, R.*, +, *TCSI Dec. 2019 4740-4752*
- FIR filters**
- A High-Performance and Energy-Efficient FIR Adaptive Filter Using Approximate Distributed Arithmetic Circuits. *Jiang, H.*, +, *TCSI Jan. 2019 313-326*
- A Modulo-FIR Equalizer for Wireline Communications. *Jeong, G.*, +, *TCSI Nov. 2019 4278-4286*
- A Theoretical Framework for Quality Estimation and Optimization of DSP Applications Using Low-Power Approximate Adders. *Pashaeifar, M.*, +, *TCSI Jan. 2019 327-340*
- An On-Chip Built-in Linearity Estimation Methodology and Hardware Implementation. *Shi, C.*, +, *TCSI March 2019 897-908*
- Analysis of Signals via Non-Maximally Decimated Non-Uniform Filter Banks. *Patel, S.*, +, *TCSI Oct. 2019 3882-3895*
- Design of Sparse FIR Filters With Reduced Effective Length. *Chen, W.*, +, *TCSI April 2019 1496-1506*
- FPAP: A Folded Architecture for Energy-Quality Scalable Convolutional Neural Networks. *Wang, Y.*, +, *TCSI Jan. 2019 288-301*
- Low-Complexity 2-D Digital FIR Filters Using Polyphase Decomposition and Farrow Structure. *Bindima, T.*, +, *TCSI June 2019 2298-2308*
- On the Order Minimization of Interpolated Bandpass Method Based Narrow Transition Band FIR Filter Design. *Roy, S.*, +, *TCSI Nov. 2019 4287-4295*
- Fixed point arithmetic**
- Dynamic Analysis of Digital Chaotic Maps via State-Mapping Networks. *Li, C.*, +, *TCSI June 2019 2322-2335*
- Flash memories**
- A (21150, 19050) GC-LDPC Decoder for NAND Flash Applications. *Liao, Y.*, +, *TCSI March 2019 1219-1230*
- A Novel Convolution Computing Paradigm Based on NOR Flash Array With High Computing Speed and Energy Efficiency. *Han, R.*, +, *TCSI May 2019 1692-1703*
- Architectural Exploration to Address the Reliability Challenges for ReRAM-Based Buffer in SSD. *Zhao, X.*, +, *TCSI Jan. 2019 226-238*
- Energy-Efficient Symmetric BC-BCH Decoder Architecture for Mobile Storages. *Hwang, S.*, +, *TCSI Nov. 2019 4462-4475*
- Flicker noise**
- Analysis of Timing Accuracy and Sensitivity in a RF Correlation-Based Impulse Radio Receiver With Phase Interpolation for Data Synchronization. *Fotoohi Piraghaj, S.*, +, *TCSI July 2019 2749-2762*
- Dual-Path and Dual-Chopper Amplifier Signal Conditioning Circuit With Improved SNR and Ultra-Low Power Consumption for MEMS. *Vejdani, P.*, +, *TCSI June 2019 2253-2262*
- Unified Analysis, Modeling, and Simulation of Chopping Artifacts in Continuous-Time Delta-Sigma Modulators. *Theertham, R.*, +, *TCSI Aug. 2019 2831-2842*
- Flip-chip devices**
- A 5–10-Gb/s 12.5-mW Source Synchronous I/O Interface With 3-D Flip Chip Package. *Ma, S.*, +, *TCSI Feb. 2019 555-568*
- Flip-flops**
- A 2.2-GHz Configurable Direct Digital Frequency Synthesizer Based on LUT and Rotation. *Yang, Y.*, +, *TCSI May 2019 1970-1980*
- A Family of Compact Non-Volatile Flip-Flops With Ferroelectric FET. *Saki, A.A.*, +, *TCSI Nov. 2019 4219-4229*
- Analysis of SRAM Enhancements Through Sense Amplifier Capacitive Offset Correction and Replica Self-Timing. *Fragasse, R.*, +, *TCSI June 2019 2037-2050*
- Design of a 0.20–0.25-V, Sub-nW, Rail-to-Rail, 10-bit SAR ADC for Self-Sustainable IoT Applications. *Hong, H.*, +, *TCSI May 2019 1840-1852*
- Hybrid Latch-Type Offset Tolerant Sense Amplifier for Low-Voltage SRAMs. *Patel, D.*, +, *TCSI July 2019 2519-2532*
- Offset-Cancellation Sensing-Circuit-Based Nonvolatile Flip-Flop Operating in Near-Threshold Voltage Region. *Song, B.*, +, *TCSI Aug. 2019 2963-2972*
- Optimal Complexity Architectures for Pipelined Distributed Arithmetic-Based LMS Adaptive Filter. *Khan, M.T.*, +, *TCSI Feb. 2019 630-642*
- Quadruple Cross-Coupled Latch-Based 10T and 12T SRAM Bit-Cell Designs for Highly Reliable Terrestrial Applications. *Jiang, J.*, +, *TCSI March 2019 967-977*
- Synthesizable Memory Arrays Based on Logic Gates for Subthreshold Operation in IoT. *Fan, X.*, +, *TCSI March 2019 941-954*
- Variation Aware Design of 50-Gbit/s, 5.027-fJ/bit Serializer Using Latency Combined Mux-Dual Latch for Inter-Chip Communication. *Majumder, A.*, +, *TCSI March 2019 1231-1244*
- Floating point arithmetic**
- An IEEE Single Precision Floating Point Arithmetic-Based Apodization Architecture for Portable Ultrasound Imaging System. *Agarwal, M.*, +, *TCSI June 2019 2275-2287*
- Dynamic Analysis of Digital Chaotic Maps via State-Mapping Networks. *Li, C.*, +, *TCSI June 2019 2322-2335*
- Efficient FPGA Implementations of Pair and Triplet-Based STDP for Neuro-morphic Architectures. *Lammie, C.*, +, *TCSI April 2019 1558-1570*
- Low-Latency Double Point Multiplication Architecture Using Differential Addition Chain Over $GF(2^m)$. *Shahroodi, T.*, +, *TCSI April 2019 1465-1473*
- Fluctuations**
- Colored Noise in Oscillators. Phase-Amplitude Analysis and a Method to Avoid the itô-Stratonovich Dilemma. *Bonnin, M.*, +, *TCSI Oct. 2019 3917-3927*
- Fluorescence**
- High-DR CMOS Fluorescence Biosensor With Extended Counting ADC and Noise Cancellation. *Noormohammadi Khiarak, M.*, +, *TCSI June 2019 2077-2087*
- FM radar**
- A Study of Phase Noise and Frequency Error of a Fractional-N PLL in the Course of FMCW Chirp Generation. *Ergintav, A.*, +, *TCSI May 2019 1670-1680*
- Numerical Jitter Minimization for PLL-Based FMCW Radar Systems. *Herzel, F.*, +, *TCSI July 2019 2478-2488*
- Focal planes**
- A DROIC Based on PFM ADCs Employing Over-Integration for Error Shaping. *Abbasi, S.*, +, *TCSI Oct. 2019 3713-3722*
- Forward error correction**
- A Modulo-FIR Equalizer for Wireline Communications. *Jeong, G.*, +, *TCSI Nov. 2019 4278-4286*
- Free-space optical communication**
- Solar Cell Photo-Luminescence Modulation for Optical Frequency Identification Devices. *Leon-Salas, W.D.*, +, *TCSI May 2019 1981-1992*

Frequency dividers

A Novel Single-Inductor Injection-Locked Frequency Divider by Three With Dual-Injection Secondary Locking. *Garghetti, A.*, +, *TCSI May 2019 1737-1745*

An 18–23 GHz 57.4-fs RMS Jitter –253.5-dB FoM Sub-Harmonically Injection-Locked All-Digital PLL With Single-Ended Injection Technique and ILFD Aided Adaptive Injection Timing Alignment Technique. *Zhang, Z.*, +, *TCSI Oct. 2019 3733-3746*

Prediction of Phase Noise and Spurs in a Nonlinear Fractional- N Frequency Synthesizer. *Donnelly, Y.*, +, *TCSI Nov. 2019 4108-4121*

Frequency division multiplexing

A Low Power Receiver Front-End Design With Tunable Notch Filter for TX Leakage and Blocker Suppression. *Ozgun, M.T.*, +, *TCSI March 2019 1180-1191*

Frequency locked loops

A Quadrature RC Oscillator With Noise Reduction by Voltage Swing Control. *Koo, J.*, +, *TCSI Aug. 2019 3077-3088*

Frequency modulation

A Highly Linear Multi-Level SC DAC in a Power-Efficient Gm-C Continuous-Time Delta-Sigma Modulator. *Zhang, Y.*, +, *TCSI Dec. 2019 4592-4605*

A Novel Universal Interface for Constructing Memory Elements for Circuit Applications. *Zheng, C.*, +, *TCSI Dec. 2019 4793-4806*

Pulse Compression in Nondestructive Testing Applications: Reduction of Near Sidelobes Exploiting Reactance Transformation. *Burrascano, P.*, +, *TCSI May 2019 1886-1896*

Frequency multipliers

24-GHz Injection-Locked Frequency Tripler With Third-Harmonic Quadrature Phase Generator. *Shin, D.*, +, *TCSI Aug. 2019 2898-2906*

Frequency response

Low-Complexity 2-D Digital FIR Filters Using Polyphase Decomposition and Farrow Structure. *Bindima, T.*, +, *TCSI June 2019 2298-2308*

Matrix-Based Algorithms for the Optimal Design of Variable Fractional Delay FIR Filters. *Zhao, R.*, +, *TCSI Dec. 2019 4740-4752*

Optimization-Free Design Equations for Narrowband Equal-Division Filtering Power Divider With Pre-Specified Filtering Response and Wideband Isolation. *Lee, B.*, +, *TCSI July 2019 2496-2507*

Frequency shift keying

A 4-b 7- μ W Phase Domain ADC With Time Domain Reference Generation for Low-Power FSK/PSK Demodulation. *Lei, X.*, +, *TCSI Sept. 2019 3365-3372*

Frequency stability

A 1-MHz Relaxation Oscillator Core Employing a Self-Compensating Chopped Comparator Pair. *Mikulic, J.*, +, *TCSI May 2019 1728-1736*

Frequency synthesizers

Hardware-Efficient and Fast Sensing-Time Maximum-Minimum-Eigenvalue-Based Spectrum Sensor for Cognitive Radio Network. *Chaurasiya, R.B.*, +, *TCSI Nov. 2019 4448-4461*

Prediction of Phase Noise and Spurs in a Nonlinear Fractional- N Frequency Synthesizer. *Donnelly, Y.*, +, *TCSI Nov. 2019 4108-4121*

Frequency-domain analysis

Convergence Analysis of Deficient-Length Frequency-Domain Adaptive Filters. *Yang, F.*, +, *TCSI Nov. 2019 4242-4255*

Synthesis and Realization of Two-Dimensional Separable Denominator Orthogonal Systems via Decomposition Into 1-D Systems. *Wirski, R.*, *TCSI Nov. 2019 4309-4322*

Under-Determined Convolutional Blind Source Separation Combining Density-Based Clustering and Sparse Reconstruction in Time-Frequency Domain. *Yang, J.*, +, *TCSI Aug. 2019 3015-3027*

Voice Activity Detection Using Generalized Exponential Kernels for Time and Frequency Domains. *Soares, A.d.S.P.*, +, *TCSI June 2019 2116-2123*

Fuzzy control

Linear Consequence-Based Fuzzy Parallel Distributed Compensation Type L_1 Adaptive Controller for Two Link Robot Manipulator. *Maiti, R.*, +, *TCSI Oct. 2019 3978-3990*

Network-Based Quantized Control for Fuzzy Singularly Perturbed Semi-Markov Jump Systems and its Application. *Shen, H.*, +, *TCSI March 2019 1130-1140*

Observer-Based Fault Estimation for Discrete-Time Nonlinear Systems and Its Application: A Weighted Switching Approach. *Xie, X.*, +, *TCSI Nov. 2019 4377-4387*

Fuzzy reasoning

Low-Power Current-Mode Interval Type-2 Fuzzy Inference Engine Circuit. *de Souza, G.A.F.*, +, *TCSI July 2019 2639-2650*

Fuzzy set theory

Efficient Fuzzy Extractors Based on Ternary Debiasing Method for Biased Physically Unclonable Functions. *Suzuki, M.*, +, *TCSI Feb. 2019 616-629*

Low-Power Current-Mode Interval Type-2 Fuzzy Inference Engine Circuit. *de Souza, G.A.F.*, +, *TCSI July 2019 2639-2650*

Network-Based Quantized Control for Fuzzy Singularly Perturbed Semi-Markov Jump Systems and its Application. *Shen, H.*, +, *TCSI March 2019 1130-1140*

Observer-Based Fault Estimation for Discrete-Time Nonlinear Systems and Its Application: A Weighted Switching Approach. *Xie, X.*, +, *TCSI Nov. 2019 4377-4387*

Fuzzy systems

Linear Consequence-Based Fuzzy Parallel Distributed Compensation Type L_1 Adaptive Controller for Two Link Robot Manipulator. *Maiti, R.*, +, *TCSI Oct. 2019 3978-3990*

G**Gain control**

A Wideband dB-Linear VGA With Temperature Compensation and Active Load. *Song, X.*, +, *TCSI Sept. 2019 3279-3287*

Galerkin method

Shooting by a Two-Step Galerkin Method. *Bizzarri, F.*, +, *TCSI Jan. 2019 383-390*

Gallium arsenide

Class-J₂₃ Power Amplifiers. *Alizadeh, A.*, +, *TCSI Oct. 2019 3664-3675*

Integrated Output Matching Networks for Class-J/J⁻¹ Power Amplifiers. *Alizadeh, A.*, +, *TCSI Aug. 2019 2921-2934*

Solar Cell Photo-Luminescence Modulation for Optical Frequency Identification Devices. *Leon-Salas, W.D.*, +, *TCSI May 2019 1981-1992*

Gallium compounds

A Low-Noise, Positive-Input, Negative-Output Voltage Generator for Low-to-Moderate Driving Capacity Applications. *Khanna, D.*, +, *TCSI Sept. 2019 3423-3436*

A New Design Technique for Sub-Nanosecond Delay and 200 V/ns Power Supply Slew-Tolerant Floating Voltage Level Shifters for GaN SMPS. *Liu, D.*, +, *TCSI March 2019 1280-1290*

A Receiver-Controlled Coupler for Multiple Output Wireless Power Transfer Applications. *Chen, X.*, +, *TCSI Nov. 2019 4542-4552*

New Mixed-Mode Design Methodology for High-Efficiency Outphasing Chireix Amplifiers. *Chang, H.*, +, *TCSI April 2019 1594-1607*

Galois fields

A Test Vector Generation Method Based on Symbol Error Probabilities for Low-Complexity Chase Soft-Decision Reed–Solomon Decoding. *Valls, J.*, +, *TCSI June 2019 2198-2207*

Hybrid Check Node Architectures for NB-LDPC Decoders. *Marchand, C.*, +, *TCSI Feb. 2019 869-880*

Game theory

Reconstructing of Networks With Binary-State Dynamics via Generalized Statistical Inference. *Zhang, H.*, +, *TCSI April 2019 1608-1619*

Gaussian noise

Colored Noise in Oscillators. Phase-Amplitude Analysis and a Method to Avoid the itô–Stratonovich Dilemma. *Bonnin, M.*, +, *TCSI Oct. 2019 3917-3927*

Gaussian processes

A Fast On-Chip SVM-Training System With Dual-Mode Configurable Pipelines and MSMO Scheduler. *Feng, L.*, +, *TCSI Nov. 2019 4230-4241*

A Resource-Efficient and Side-Channel Secure Hardware Implementation of Ring-LWE Cryptographic Processor. *Liu, D.*, +, *TCSI April 2019 1474-1483*

Ge-Si alloys

A Phase-Calibration Method for Vector-Sum Phase Shifters Using a Self-Generated LUT. *Kalyoncu, I.*, +, *TCSI April 2019 1632-1642*

Analysis of SRAM Enhancements Through Sense Amplifier Capacitive Offset Correction and Replica Self-Timing. *Fragasse, R.*, +, *TCSI June 2019 2037-2050*

Low-Noise Broadband CMOS TIA Based on Multi-Stage Stagger-Tuned Amplifier for High-Speed High-Sensitivity Optical Communication. *Li, D.*, +, *TCSI Oct. 2019 3676-3689*

Sub-1-dB and Wideband SiGe BiCMOS Low-Noise Amplifiers for X-Band Applications. *Chliskan, C.*, +, *TCSI April 2019 1419-1430*

Wide-Bandwidth, High-Linearity, 2.8-GS/s, 10-bit Accurate Sample and Hold Amplifier in 130-nm SiGe BiCMOS. *Tantawy, R.*, +, *TCSI May 2019 1758-1768*

Generators

A Dual-Stage Boost Converter Using Two-Dimensional Adaptive Input-Sampling MPPT for Thermoelectric Energy Harvesting. *Chandrarathna, S.C.*, +, *TCSI Dec. 2019 4888-4900*

Higher Dimensional Baker Map and its Digital Implementation With LSB-Extension Method. *Ozturk, I.*, +, *TCSI Dec. 2019 4780-4792*

Genetic algorithms

A Systematic Design Methodology for Optimization of Sigma-Delta Modulators Based on an Evolutionary Algorithm. *de Melo, J.L.A.*, +, *TCSI Sept. 2019 3544-3556*

FPAP: A Folded Architecture for Energy-Quality Scalable Convolutional Neural Networks. *Wang, Y.*, +, *TCSI Jan. 2019 288-301*

Geometry

Circuit Theory in Projective Space and Homogeneous Circuit Models. *Riaza, R.*, *TCSI Feb. 2019 463-476*

Gradient methods

An Improved Gradient Descent Bit-Flipping Decoder for LDPC Codes. *Cui, H.*, +, *TCSI Aug. 2019 3188-3200*

Digitally Adaptive High-Fidelity Analog Array Signal Processing Resilient to Capacitive Multiplying DAC Inter-Stage Gain Error. *Joshi, S.*, +, *TCSI Nov. 2019 4095-4107*

Learning in Memristive Neural Network Architectures Using Analog Backpropagation Circuits. *Krestinskaya, O.*, +, *TCSI Feb. 2019 719-732*

Supporting the Momentum Training Algorithm Using a Memristor-Based Synapse. *Greenberg-Toledo, T.*, +, *TCSI April 2019 1571-1583*

Graph coloring

Layered LDPC Decoders With Efficient Memory Access Scheduling and Mapping and Built-In Support for Pipeline Hazards Mitigation. *Boncalo, O.*, +, *TCSI April 2019 1643-1656*

Graph theory

On Extension of Effective Resistance With Application to Graph Laplacian Definiteness and Power Network Stability. *Song, Y.*, +, *TCSI Nov. 2019 4415-4428*

Symbolic Distortion Analysis of Multistage Amplifiers. *Shi, G.*, *TCSI Jan. 2019 369-382*

Synchronization of Stochastic Lévy Noise Systems on a Multi-Weights Network and Its Applications of Chua's Circuits. *Zhou, H.*, +, *TCSI July 2019 2709-2722*

Waypoint Path Planning With Synaptic-Dependent Spike Latency. *Koul, S.*, +, *TCSI April 2019 1544-1557*

Graphene

On Basic Boolean Function Graphene Nanoribbon Conductance Mapping. *Jiang, Y.*, +, *TCSI May 2019 1948-1959*

Graphics processing units

SensorNet: A Scalable and Low-Power Deep Convolutional Neural Network for Multimodal Data Classification. *Jafari, A.*, +, *TCSI Jan. 2019 274-287*

Green's function methods

On Basic Boolean Function Graphene Nanoribbon Conductance Mapping. *Jiang, Y.*, +, *TCSI May 2019 1948-1959*

H

H_∞ filters

Event-Triggered Finite-Time Robust Filtering for a Class of State-Dependent Uncertain Systems With Network Transmission Delay. *Sun, Y.*, +, *TCSI March 2019 1076-1089*

Hadamard transforms

A New Fast Algorithm for Discrete Fractional Hadamard Transform. *Cariow, A.*, +, *TCSI July 2019 2584-2592*

Approximated Core Transform Architectures for HEVC Using WHT-Based Decomposition Method. *Chatterjee, S.*, +, *TCSI Nov. 2019 4296-4308*

Energy-Efficient Hadamard-Based SATD Hardware Architectures Through Calculation Reuse. *Seidel, I.*, +, *TCSI June 2019 2102-2115*

Hafnium compounds

Analysis of Parasitic Effects in Filamentary-Switching Memristive Memories Using an Approximated Verilog-A Memristor Model. *Lupo, N.*, +, *TCSI May 2019 1935-1947*

Hardware

Approximate Designs for Fast Fourier Transform (FFT) With Application to Speech Recognition. *Liu, W.*, +, *TCSI Dec. 2019 4727-4739*

Efficient Implementation of Iterative Polynomial Matrix EVD Algorithms Exploiting Structural Redundancy and Parallelisation. *Coutts, F.K.*, +, *TCSI Dec. 2019 4753-4766*

Generating Multi-Scroll Chua's Attractors via Simplified Piecewise-Linear Chua's Diode. *Wang, N.*, +, *TCSI Dec. 2019 4767-4779*

Low Complexity Generic VLSI Architecture Design Methodology for N^{th} Root and N^{th} Power Computations. *Mopuri, S.*, +, *TCSI Dec. 2019 4673-4686*

OCTAN: An On-Chip Training Algorithm for Memristive Neuromorphic Circuits. *Ansari, M.*, +, *TCSI Dec. 2019 4687-4698*

Robust and Lightweight Ensemble Extreme Learning Machine Engine Based on Eigenspace Domain for Compressed Learning. *Li, H.*, +, *TCSI Dec. 2019 4699-4712*

Single-Bin DFT-Based Digital Calibration Technique for CDAC in SAR ADCs. *Lee, S.*, +, *TCSI Dec. 2019 4582-4591*

Hardware description languages

A Generic Foreground Calibration Algorithm For ADCs With Nonlinear Impairments. *Salib, A.*, +, *TCSI May 2019 1874-1885*

Analysis of Parasitic Effects in Filamentary-Switching Memristive Memories Using an Approximated Verilog-A Memristor Model. *Lupo, N.*, +, *TCSI May 2019 1935-1947*

Design Methodology to Explore Hybrid Approximate Adders for Energy-Efficient Image and Video Processing Accelerators. *Soares, L.B.*, +, *TCSI June 2019 2137-2150*

Experimental Study of Locking Phenomena on Oscillating Rings Implemented in Logic Devices. *Mureddu, U.*, +, *TCSI July 2019 2560-2571*

Hardware-software codesign

An Ultra-Low-Power Dual-Mode Automatic Sleep Staging Processor Using Neural-Network-Based Decision Tree. *Chang, S.*, +, *TCSI Sept. 2019 3504-3516*

Harmonic analysis

A Non-Invasive Method for Estimating Circuit and Control Parameters of Voltage Source Converters. *Lin, B.H.*, +, *TCSI Dec. 2019 4911-4921*

Single-Bin DFT-Based Digital Calibration Technique for CDAC in SAR ADCs. *Lee, S.*, +, *TCSI Dec. 2019 4582-4591*

Harmonic distortion

Charge-Based Distortion Analysis of Nanoscale MOSFETs. *Chicco, F.*, +, *TCSI Feb. 2019 453-462*

Design Considerations for Low-Distortion Filter and Oscillator ICs for Testing High-Resolution ADCs. *Kumar, S.*, +, *TCSI Sept. 2019 3393-3401*

Mitigating Line Frequency Instability of Boost PFC Converter Under Proportional Outer-Voltage Loop With Additional Third Current-Harmonic Feedforward Compensation. *Lu, W.*, +, *TCSI Nov. 2019 4528-4541*

Symbolic Distortion Analysis of Multistage Amplifiers. *Shi, G.*, *TCSI Jan. 2019 369-382*

Harmonic oscillators

Bipartite Synchronization and Convergence Analysis for Network of Harmonic Oscillator Systems With Signed Graph and Time Delay. *Song, Q.*, +, *TCSI July 2019 2723-2734*

Harmonics suppression

An On-Chip Built-in Linearity Estimation Methodology and Hardware Implementation. *Shi, C.*, +, *TCSI March 2019 897-908*

Harmonic-Based Nonlinearity Factorization of Switching Behavior in Up-Conversion Mixers. *Li, J.*, +, *TCSI July 2019 2468-2477*

Health care

Ultra-Low Power QRS Detection and ECG Compression Architecture for IoT Healthcare Devices. *Tekeste, T.*, +, *TCSI Feb. 2019 669-679*

Hebbian learning

CORDIC-SNN: On-FPGA STDP Learning With Izhikevich Neurons. *Heidarpur, M.*, +, *TCSI July 2019 2651-2661*

HEMT integrated circuits

Class-J₂₃ Power Amplifiers. *Alizadeh, A.*, +, *TCSI Oct. 2019 3664-3675*

Heterojunction bipolar transistors

Sub-1-dB and Wideband SiGe BiCMOS Low-Noise Amplifiers for X-Band Applications. *Chliskan, C.*, +, *TCSI April 2019 1419-1430*

Wide-Bandwidth, High-Linearity, 2.8-GS/s, 10-bit Accurate Sample and Hold Amplifier in 130-nm SiGe BiCMOS. *Tantawy, R.*, +, *TCSI May 2019 1758-1768*

High definition video

Quality and Energy-Aware HEVC Transrating Based on Machine Learning. *Bubolz, T.L.A.*, +, *TCSI June 2019 2124-2136*

High electron mobility transistors

New Mixed-Mode Design Methodology for High-Efficiency Outphasing Chireix Amplifiers. *Chang, H.*, +, *TCSI April 2019 1594-1607*

Octave Bandwidth Doherty Power Amplifier Using Multiple Resonance Circuit for the Peaking Amplifier. *Kang, H.*, +, *TCSI Feb. 2019 583-593*

High-pass filters

Numerical Jitter Minimization for PLL-Based FMCW Radar Systems. *Herzel, F.*, +, *TCSI July 2019 2478-2488*

High-speed integrated circuits

Wide-Bandwidth, High-Linearity, 2.8-GS/s, 10-bit Accurate Sample and Hold Amplifier in 130-nm SiGe BiCMOS. *Tantawy, R.*, +, *TCSI May 2019 1758-1768*

Higher order statistics

Kernel Kalman Filtering With Conditional Embedding and Maximum Correntropy Criterion. *Dang, L.*, +, *TCSI Nov. 2019 4265-4277*

Statistics-Based Approach for Blind Post-Compensation of Modulator's Imperfections and Power Amplifier Nonlinearity. *Aziz, M.*, +, *TCSI March 2019 1063-1075*

Hilbert spaces

Kernel Kalman Filtering With Conditional Embedding and Maximum Correntropy Criterion. *Dang, L.*, +, *TCSI Nov. 2019 4265-4277*

Hilbert transforms

A Hilbert Transform Equalizer Enabling 80 MHz RF Self-Interference Cancellation for Full-Duplex Receivers. *El Sayed, A.*, +, *TCSI March 2019 1153-1165*

Hysteresis

Correlation Between the Theory of Lissajous Figures and the Generation of Pinched Hysteresis Loops in Nonlinear Circuits. *Maundy, B.*, +, *TCSI July 2019 2606-2614*

Multiple Pinch-Off Points in Memristive Equations: Analysis and Experiments. *Hamed, E.M.*, +, *TCSI Aug. 2019 3052-3063*

I**IIR filters**

A Modulo-FIR Equalizer for Wireline Communications. *Jeong, G.*, +, *TCSI Nov. 2019 4278-4286*

Low-Pass Filtering SC-DAC for Reduced Jitter and Slewing Requirements on CTSDMs. *Vercaemer, D.*, +, *TCSI April 2019 1369-1381*

Synthesis and Realization of Two-Dimensional Separable Denominator Orthogonal Systems via Decomposition Into 1-D Systems. *Wirski, R.*, *TCSI Nov. 2019 4309-4322*

Image classification

A Real-Time 17-Scale Object Detection Accelerator With Adaptive 2000-Stage Classification in 65 nm CMOS. *Kim, M.*, +, *TCSI Oct. 2019 3843-3853*

Computation-Performance Optimization of Convolutional Neural Networks With Redundant Filter Removal. *Liu, C.*, +, *TCSI May 2019 1908-1921*

SensorNet: A Scalable and Low-Power Deep Convolutional Neural Network for Multimodal Data Classification. *Jafari, A.*, +, *TCSI Jan. 2019 274-287*

Image coding

A Deterministic Low-Complexity Approximate (Multiplier-Less) Technique for DCT Computation. *Huang, J.*, +, *TCSI Aug. 2019 3001-3014*

Image filtering

A DROIC Based on PFM ADCs Employing Over-Integration for Error Shaping. *Abbasi, S.*, +, *TCSI Oct. 2019 3713-3722*

Computation-Performance Optimization of Convolutional Neural Networks With Redundant Filter Removal. *Liu, C.*, +, *TCSI May 2019 1908-1921*

Image processing

A 28-nm FD-SOI 8T Dual-Port SRAM for Low-Energy Image Processor With Selective Sourceline Drive Scheme. *Mori, H.*, +, *TCSI April 2019 1442-1453*

A Novel Convolution Computing Paradigm Based on NOR Flash Array With High Computing Speed and Energy Efficiency. *Han, R.*, +, *TCSI May 2019 1692-1703*

Image resolution

A DROIC Based on PFM ADCs Employing Over-Integration for Error Shaping. *Abbasi, S.*, +, *TCSI Oct. 2019 3713-3722*

An IEEE Single Precision Floating Point Arithmetic-Based Apodization Architecture for Portable Ultrasound Imaging System. *Agarwal, M.*, +, *TCSI June 2019 2275-2287*

Computation-Performance Optimization of Convolutional Neural Networks With Redundant Filter Removal. *Liu, C.*, +, *TCSI May 2019 1908-1921*

Image scanners

ChipNet: Real-Time LiDAR Processing for Drivable Region Segmentation on an FPGA. *Lyu, Y.*, +, *TCSI May 2019 1769-1779*

Image segmentation

ChipNet: Real-Time LiDAR Processing for Drivable Region Segmentation on an FPGA. *Lyu, Y.*, +, *TCSI May 2019 1769-1779*

Image watermarking

Optimization and Hardware Implementation of Image and Video Watermarking for Low-Cost Applications. *Pexaras, K.*, +, *TCSI June 2019 2088-2101*

Impedance

A 40-Gb/s PAM-4 Transmitter Using a 0.16-pJ/bit SST-CML-Hybrid (SCH) Output Driver and a Hybrid-Path 3-Tap FFE Scheme in 28-nm CMOS. *Fan, C.*, +, *TCSI Dec. 2019 4850-4861*

Generating Multi-Scroll Chua's Attractors via Simplified Piecewise-Linear Chua's Diode. *Wang, N.*, +, *TCSI Dec. 2019 4767-4779*

Reflectionless Filters for Generalized Elliptic Transmission Functions. *Guilbert, A.*, +, *TCSI Dec. 2019 4606-4618*

Impedance converters

Octave Bandwidth Doherty Power Amplifier Using Multiple Resonance Circuit for the Peaking Amplifier. *Kang, H.*, +, *TCSI Feb. 2019 583-593*

Impedance matching

A 2.4 GHz CMOS Class-F Power Amplifier With Reconfigurable Load-Impedance Matching. *Gilasgar, M.*, +, *TCSI Jan. 2019 31-42*

Dual-Band Transmission-Line Resistance Compression Network and Its Application to Rectifiers. *Liu, J.*, +, *TCSI Jan. 2019 119-132*

Integrated Output Matching Networks for Class-J/J⁻¹ Power Amplifiers. *Alizadeh, A.*, +, *TCSI Aug. 2019 2921-2934*

Octave Bandwidth Doherty Power Amplifier Using Multiple Resonance Circuit for the Peaking Amplifier. *Kang, H.*, +, *TCSI Feb. 2019 583-593*

Indexes

Low Complexity Generic VLSI Architecture Design Methodology for Nth Root and Nth Power Computations. *Mopuri, S.*, +, *TCSI Dec. 2019 4673-4686*

Inductive power transmission

A Flexible Load-Independent Multi-Output Wireless Power Transfer System Based on Cascaded Double T-Resonant Circuits: Analysis, Design and Experimental Verification. *Li, Y.*, +, *TCSI July 2019 2803-2812*

A Receiver-Controlled Coupler for Multiple Output Wireless Power Transfer Applications. *Chen, X.*, +, *TCSI Nov. 2019 4542-4552*

A Single-Stage Dual-Output Tri-Mode AC-DC Regulator for Inductively Powered Application. *Low, Q.W.*, +, *TCSI Sept. 2019 3620-3630*

Inductors

A 0.0071-mm² 10.8ps_{pp}-Jitter 4 to 10-Gb/s 5-Tap Current-Mode Transmitter Using a Hybrid Delay Line for Sub-1-UI Fractional De-Emphasis. *Chen, Y.*, +, *TCSI Oct. 2019 3991-4004*

- A 10-MHz Hysteretic-Controlled Buck Converter With Single On/Off Reference Tracking Using Turning-Point Prediction for DVFS Application. *Pan, S.*, +, *TCSI Nov. 2019 4502-4515*
- A Novel Single-Inductor Injection-Locked Frequency Divider by Three With Dual-Injection Secondary Locking. *Garghetti, A.*, +, *TCSI May 2019 1737-1745*
- A Switched Capacitor Multiple Input Single Output Energy Harvester (Solar + Piezo) Achieving 74.6% Efficiency With Simultaneous MPPT. *Devaraj, A.*, +, *TCSI Dec. 2019 4876-4887*
- A Wide Tuning Range, Low Phase Noise, and Area Efficient Dual-Band Millimeter-Wave CMOS VCO Based on Switching Cores. *Basaligheh, A.*, +, *TCSI Aug. 2019 2888-2897*
- An LLC-Type Resonant Forward Converter With Adjustable Turning-Off Time Control. *Qian, C.*, +, *TCSI Dec. 2019 4901-4910*
- Analytical Equivalent Circuit Extraction Procedure for Broadband Scalable Modeling of Three-Port Center-Tapped Symmetric On-Chip Inductors. *Issakov, V.*, +, *TCSI Sept. 2019 3557-3570*
- Analytical Noise Optimization of Single-/Dual-Band MOS LNAs With Substrate and Metal Loss Effects of Inductors. *Chang, W.L.*, +, *TCSI July 2019 2454-2467*
- Bidirectional Single-Inductor Dual-Supply Converter With Automatic State-Transition for IoT Applications. *Wu, H.*, +, *TCSI Oct. 2019 4068-4078*
- Maximizing the Data Rate of an Inductively Coupled Chip-to-Chip Link by Resetting the Channel State Variables. *Krishnapura, N.*, +, *TCSI Sept. 2019 3531-3543*
- Phase-Inversion Waves Propagating in an In-Phase Synchronization on Oscillators Coupled as a Cross. *Tanaka, M.*, +, *TCSI Dec. 2019 4807-4816*
- Infrared imaging**
- A DROIC Based on PFM ADCs Employing Over-Integration for Error Shaping. *Abbasi, S.*, +, *TCSI Oct. 2019 3713-3722*
- Initial value problems**
- Nonlinear Dynamic Modeling and Analysis of Self-Oscillating H-Bridge Parallel Resonant Converter Under Zero Current Switching Control: Unveiling Coexistence of Attractors. *El Aroudi, A.*, +, *TCSI April 2019 1657-1667*
- Injection locked oscillators**
- A 5–10-Gb/s 12.5-mW Source Synchronous I/O Interface With 3-D Flip Chip Package. *Ma, S.*, +, *TCSI Feb. 2019 555-568*
- A Phasor-Based Analysis of Sinusoidal Injection Locking in LC and Ring Oscillators. *Hong, B.*, +, *TCSI Jan. 2019 355-368*
- An 18–23 GHz 57.4-fs RMS Jitter –253.5-dB FoM Sub-Harmonically Injection-Locked All-Digital PLL With Single-Ended Injection Technique and ILFD Aided Adaptive Injection Timing Alignment Technique. *Zhang, Z.*, +, *TCSI Oct. 2019 3733-3746*
- Instrumentation amplifiers**
- Design and Implementation of a 0.3-V Differential Difference Amplifier. *Khateb, F.*, +, *TCSI Feb. 2019 513-523*
- Integer programming**
- Complementarity Model of a Photovoltaic Power Electronic System With Model Predictive Control. *Morfin-Magana, R.*, +, *TCSI Nov. 2019 4402-4414*
- Integral equations**
- Digital-to-Frequency Converters With a DTC: Theoretical Analysis of the Output SFDR. *Palattella, C.*, +, *TCSI Oct. 2019 3761-3774*
- Effective Resistance of Two-Dimensional Truncated Infinite Mesh Structures. *Bairamkulov, R.*, +, *TCSI Nov. 2019 4368-4376*
- Integrated circuit design**
- 3-D-DATE: A Circuit-Level Three-Dimensional DRAM Area, Timing, and Energy Model. *Park, J.B.*, +, *TCSI Feb. 2019 756-768*
- A –40 dB EVM, 77 MHz Dual-Band Tunable Gain Sub-Sampling Receiver Front End in 65-nm CMOS. *Kale, A.*, +, *TCSI March 2019 1166-1179*
- A 1-MHz Relaxation Oscillator Core Employing a Self-Compensating Chopped Comparator Pair. *Mikulic, J.*, +, *TCSI May 2019 1728-1736*
- A 2.41-pJ/bit 5.4-Gb/s Dual-Loop Reference-Less CDR With Fully Digital Quarter-Rate Linear Phase Detector for Embedded DisplayPort. *Moon, Y.*, +, *TCSI Aug. 2019 2907-2920*
- A 25–35 GHz Neutralized Continuous Class-F CMOS Power Amplifier for 5G Mobile Communications Achieving 26% Modulation PAE at 1.5 Gb/s and 46.4% Peak PAE. *Ali, S.N.*, +, *TCSI Feb. 2019 834-847*
- A 27.7 fJ/conv-step 500 MS/s 12-Bit Pipelined ADC Employing a Sub-ADC Forecasting Technique and Low-Power Class AB Slew Boosted Amplifiers. *Naderi, M.H.*, +, *TCSI Sept. 2019 3352-3364*
- A 50-MHz–1-GHz 2.3-dB NF Noise-Cancelling Balun-LNA Employing a Modified Current-Bleeding Technique and Balanced Loads. *Kim, S.*, +, *TCSI Feb. 2019 546-554*
- A 53–67 GHz Low-Noise Mixer-First Receiver Front-End in 65-nm CMOS. *Haghi Kashani, M.*, +, *TCSI June 2019 2051-2063*
- A Low Power Receiver Front-End Design With Tunable Notch Filter for TX Leakage and Blocker Suppression. *Ozgun, M.T.*, +, *TCSI March 2019 1180-1191*
- A Low-Noise, Positive-Input, Negative-Output Voltage Generator for Low-to-Moderate Driving Capacity Applications. *Khanna, D.*, +, *TCSI Sept. 2019 3423-3436*
- A New Design Technique for Sub-Nanosecond Delay and 200 V/ns Power Supply Slew-Tolerant Floating Voltage Level Shifters for GaN SMPS. *Liu, D.*, +, *TCSI March 2019 1280-1290*
- A Probabilistic Parallel Bit-Flipping Decoder for Low-Density Parity-Check Codes. *Le, K.*, +, *TCSI Jan. 2019 403-416*
- A Programmable Sustaining Amplifier for Flexible Multimode MEMS-Referenced Oscillators. *Islam, M.S.*, +, *TCSI April 2019 1405-1418*
- A Secure Data-Toggling SRAM for Confidential Data Protection. *Ho, W.*, +, *TCSI Nov. 2019 4186-4199*
- A Switching Sequence for Unary Digital-to-Analog Converters Based on a Knight's Tour. *Yenuchenko, M.S.*, +, *TCSI June 2019 2230-2239*
- A System of Two Coupled Oscillators With a Continuously Controllable Phase Shift. *Pourahmad, V.*, +, *TCSI April 2019 1531-1543*
- A Wide-Voltage-Range Half-Path Timing Error-Detection System With a 9-Transistor Transition-Detector in 40-nm CMOS. *Shan, W.*, +, *TCSI June 2019 2288-2297*
- A Wideband dB-Linear VGA With Temperature Compensation and Active Load. *Song, X.*, +, *TCSI Sept. 2019 3279-3287*
- Accurate and Fast On-Wafer Test Circuitry for Device Array Characterization in Wafer Acceptance Test. *Hong, H.*, +, *TCSI Sept. 2019 3467-3479*
- An All-Digital On-Chip Peak-to-Peak Jitter Measurement Circuit With Automatic Resolution Calibration for High PVT-Variation Resilience. *Chou, P.*, +, *TCSI July 2019 2508-2518*
- An Efficient Uniform-Segmented Neuron Model for Large-Scale Neuromorphic Circuit Design: Simulation and FPGA Synthesis Results. *Jokar, E.*, +, *TCSI June 2019 2336-2349*
- An LDPC-Coded SCMA Receiver With Multi-User Iterative Detection and Decoding. *Sun, W.*, +, *TCSI Sept. 2019 3571-3584*
- An On-Chip Linear, Squaring, Cubic and Exponential Analog Function Generator. *Vlassis, S.*, +, *TCSI Jan. 2019 94-104*
- Analysis and Design of Ultra-Large Dynamic Range CMOS Transimpedance Amplifier With Automatically-Controlled Multi-Current-Bleeding Paths. *Bi, X.*, +, *TCSI Sept. 2019 3266-3278*
- Analysis of SRAM Enhancements Through Sense Amplifier Capacitive Offset Correction and Replica Self-Timing. *Fragasse, R.*, +, *TCSI June 2019 2037-2050*
- Compact Extended Industrial Range CMOS Current References. *Osipov, D.*, +, *TCSI June 2019 1998-2006*
- Design and Analysis of a 94-GHz CMOS Down-Conversion Mixer With CCPT-RL-Based IF Load. *Lin, Y.*, +, *TCSI Aug. 2019 3148-3161*
- Design Considerations for Low-Distortion Filter and Oscillator ICs for Testing High-Resolution ADCs. *Kumar, S.*, +, *TCSI Sept. 2019 3393-3401*
- Design Methodology Based on the Inversion Coefficient and its Application to Inductorless LNA Implementations. *Guitton, G.*, +, *TCSI Oct. 2019 3653-3663*
- Design of a 5.2-GHz CMOS Power Amplifier Using TF-Based 2-Stage Dual-Radial Power Splitting/Combining Architecture. *Tsai, J.*, *TCSI Oct. 2019 3690-3699*
- Design of a High-Speed Time-Interleaved Sub-Ranging SAR ADC With Optimal Code Transfer Technique. *Xing, D.*, +, *TCSI Feb. 2019 489-501*

Dual-Path and Dual-Chopper Amplifier Signal Conditioning Circuit With Improved SNR and Ultra-Low Power Consumption for MEMS. *Vejdani, P.*, +, *TCSI June 2019 2253-2262*

Effective Resistance of Two-Dimensional Truncated Infinite Mesh Structures. *Bairamkulov, R.*, +, *TCSI Nov. 2019 4368-4376*

Exploiting Machine Learning Against On-Chip Power Analysis Attacks: Tradeoffs and Design Considerations. *Kenarangi, F.*, +, *TCSI Feb. 2019 769-781*

Fully Synthesizable Low-Area Digital-to-Analog Converter With Graceful Degradation and Dynamic Power-Resolution Scaling. *Aiello, O.*, +, *TCSI Aug. 2019 2865-2875*

High-DR CMOS Fluorescence Biosensor With Extended Counting ADC and Noise Cancellation. *Noormohammadi Khiarak, M.*, +, *TCSI June 2019 2077-2087*

Integrated Wide-Band CMOS Spectrometer Systems for Spaceborne Telescopic Sensing. *Zhang, Y.*, +, *TCSI May 2019 1863-1873*

Learning in Memristive Neural Network Architectures Using Analog Back-propagation Circuits. *Krestinskaya, O.*, +, *TCSI Feb. 2019 719-732*

Low-Noise Broadband CMOS TIA Based on Multi-Stage Stagger-Tuned Amplifier for High-Speed High-Sensitivity Optical Communication. *Li, D.*, +, *TCSI Oct. 2019 3676-3689*

Low-Power Near-Threshold 10T SRAM Bit Cells With Enhanced Data-Independent Read Port Leakage for Array Augmentation in 32-nm CMOS. *Gupta, S.*, +, *TCSI March 2019 978-988*

Low-Voltage Current and Voltage Reference Design Based on the MOSFET ZTC Effect. *Wenger, Y.*, +, *TCSI Sept. 2019 3445-3456*

Modeling and Mitigating Time-Dependent Variability From the Physical Level to the Circuit Level. *van Santen, V.M.*, +, *TCSI July 2019 2671-2684*

New Mixed-Mode Design Methodology for High-Efficiency Outphasing Chireix Amplifiers. *Chang, H.*, +, *TCSI April 2019 1594-1607*

Noise Filtering and Linearization of Single-Ended Sampled-Data Circuits. *He, T.*, +, *TCSI April 2019 1331-1341*

Novel Radiation Hardening Read/Write Circuits Using Feedback Connections for Spin-Orbit Torque Magnetic Random Access Memory. *Wang, B.*, +, *TCSI May 2019 1853-1862*

Physically Unclonable Functions Using Foundry SRAM Cells. *Clark, L.T.*, +, *TCSI March 2019 955-966*

Pixel Optimizations and Digital Calibration Methods of a CMOS Image Sensor Targeting High Linearity. *Wang, F.*, +, *TCSI March 2019 930-940*

Power-, Area-, and Compression-Efficient Eight-Point Approximate 2-D Discrete Techebichef Transform Hardware Design Combining Truncation Pruning and Efficient Transposition Buffers. *Paim, G.*, +, *TCSI Feb. 2019 680-693*

Quadruple Cross-Coupled Latch-Based 10T and 12T SRAM Bit-Cell Designs for Highly Reliable Terrestrial Applications. *Jiang, J.*, +, *TCSI March 2019 967-977*

RotaSYN: Rotary Traveling Wave Oscillator SYNthesizer. *Kuttappa, R.*, +, *TCSI July 2019 2685-2698*

Sub-1-dB and Wideband SiGe BiCMOS Low-Noise Amplifiers for X-Band Applications. *Chliskan, C.*, +, *TCSI April 2019 1419-1430*

Synthesizable Memory Arrays Based on Logic Gates for Subthreshold Operation in IoT. *Fan, X.*, +, *TCSI March 2019 941-954*

Toward Designing Thermally-Aware Memristance Decoder. *Bunnam, T.*, +, *TCSI Nov. 2019 4337-4347*

Variation Aware Design of 50-Gbit/s, 5.027-fJ/bit Serializer Using Latency Combined Mux-Dual Latch for Inter-Chip Communication. *Majumder, A.*, +, *TCSI March 2019 1231-1244*

Integrated circuit interconnections

Effective Resistance of Two-Dimensional Truncated Infinite Mesh Structures. *Bairamkulov, R.*, +, *TCSI Nov. 2019 4368-4376*

Exploiting Machine Learning Against On-Chip Power Analysis Attacks: Tradeoffs and Design Considerations. *Kenarangi, F.*, +, *TCSI Feb. 2019 769-781*

Maximizing the Data Rate of an Inductively Coupled Chip-to-Chip Link by Resetting the Channel State Variables. *Krishnapura, N.*, +, *TCSI Sept. 2019 3531-3543*

Integrated circuit layout

A 4×64 MIMO Detector for Generalized Spatial Modulation Systems. *Li, C.*, +, *TCSI Sept. 2019 3585-3597*

SensorNet: A Scalable and Low-Power Deep Convolutional Neural Network for Multimodal Data Classification. *Jafari, A.*, +, *TCSI Jan. 2019 274-287*

Variability-Aware Design Method for a Constant Inversion Level Bias Current Generator. *Antunez-Calistro, G.*, +, *TCSI June 2019 2027-2036*

Integrated circuit manufacture

A 0.90–4.39-V Detection Voltage Range, 56-Level Programmable Voltage Detector Using Fine Voltage-Step Subtraction for Battery Management. *Someya, T.*, +, *TCSI March 2019 1270-1279*

A Wideband dB-Linear VGA With Temperature Compensation and Active Load. *Song, X.*, +, *TCSI Sept. 2019 3279-3287*

An On-Chip Built-in Linearity Estimation Methodology and Hardware Implementation. *Shi, C.*, +, *TCSI March 2019 897-908*

Modeling and Mitigating Time-Dependent Variability From the Physical Level to the Circuit Level. *van Santen, V.M.*, +, *TCSI July 2019 2671-2684*

Integrated circuit measurement

An All-Digital On-Chip Peak-to-Peak Jitter Measurement Circuit With Automatic Resolution Calibration for High PVT-Variation Resilience. *Chou, P.*, +, *TCSI July 2019 2508-2518*

Integrated circuit modeling

3-D-DATE: A Circuit-Level Three-Dimensional DRAM Area, Timing, and Energy Model. *Park, J.B.*, +, *TCSI Feb. 2019 756-768*

A Non-Invasive Method for Estimating Circuit and Control Parameters of Voltage Source Converters. *Lin, B.H.*, +, *TCSI Dec. 2019 4911-4921*

A Novel Single-Inductor Injection-Locked Frequency Divider by Three With Dual-Injection Secondary Locking. *Garghetti, A.*, +, *TCSI May 2019 1737-1745*

A System of Two Coupled Oscillators With a Continuously Controllable Phase Shift. *Pourahmad, V.*, +, *TCSI April 2019 1531-1543*

An Ultra-Low Power Binarized Convolutional Neural Network-Based Speech Recognition Processor With On-Chip Self-Learning. *Zheng, S.*, +, *TCSI Dec. 2019 4648-4661*

Analytical Equivalent Circuit Extraction Procedure for Broadband Scalable Modeling of Three-Port Center-Tapped Symmetric On-Chip Inductors. *Issakov, V.*, +, *TCSI Sept. 2019 3557-3570*

Effective Resistance of Two-Dimensional Truncated Infinite Mesh Structures. *Bairamkulov, R.*, +, *TCSI Nov. 2019 4368-4376*

Event-Based Security Control for State-Dependent Uncertain Systems Under Hybrid-Attacks and Its Application to Electronic Circuits. *Liu, J.*, +, *TCSI Dec. 2019 4817-4828*

Hybrid Latch-Type Offset Tolerant Sense Amplifier for Low-Voltage SRAMs. *Patel, D.*, +, *TCSI July 2019 2519-2532*

MRAM-Enhanced Low Power Reconfigurable Fabric With Multi-Level Variation Tolerance. *Zand, R.*, +, *TCSI Dec. 2019 4662-4672*

On the Relationships Between Input and Output Stability in Two-Ports. *Lombardi, G.*, +, *TCSI July 2019 2489-2495*

Power Performance Tradeoffs Using Adaptive Bit Width Adjustments on Resistive Associative Processors. *Abdelaal, R.A.*, +, *TCSI Jan. 2019 302-312*

Variability-Aware Design Method for a Constant Inversion Level Bias Current Generator. *Antunez-Calistro, G.*, +, *TCSI June 2019 2027-2036*

Integrated circuit noise

A Differential Push-Pull Voltage Mode VCSEL Driver in 65-nm CMOS. *Ramani, A.S.*, +, *TCSI Nov. 2019 4147-4157*

A Low-Noise, Positive-Input, Negative-Output Voltage Generator for Low-to-Moderate Driving Capacity Applications. *Khanna, D.*, +, *TCSI Sept. 2019 3423-3436*

Design of a High-Speed Time-Interleaved Sub-Ranging SAR ADC With Optimal Code Transfer Technique. *Xing, D.*, +, *TCSI Feb. 2019 489-501*

Power Performance Tradeoffs Using Adaptive Bit Width Adjustments on Resistive Associative Processors. *Abdelaal, R.A.*, +, *TCSI Jan. 2019 302-312*

Quadruple Cross-Coupled Latch-Based 10T and 12T SRAM Bit-Cell Designs for Highly Reliable Terrestrial Applications. *Jiang, J.*, +, *TCSI March 2019 967-977*

Integrated circuit packaging

A 5–10-Gb/s 12.5-mW Source Synchronous I/O Interface With 3-D Flip Chip Package. *Ma, S., +, TCSI Feb. 2019 555-568*

A Differential Push-Pull Voltage Mode VCSEL Driver in 65-nm CMOS. *Ramani, A.S., +, TCSI Nov. 2019 4147-4157*

Integrated circuit reliability

A 1- μ s Ramp Time 12-bit Column-Parallel Flash TDC-Interpolated Single-Slope ADC With Digital Delay-Element Calibration. *Levski, D., +, TCSI Jan. 2019 54-67*

A Secure Data-Toggling SRAM for Confidential Data Protection. *Ho, W., +, TCSI Nov. 2019 4186-4199*

Addressing Failure and Aging Degradation in MRAM/MeRAM-on-FDSOI Integration. *Cai, H., +, TCSI Jan. 2019 239-250*

Modeling and Mitigating Time-Dependent Variability From the Physical Level to the Circuit Level. *van Santen, V.M., +, TCSI July 2019 2671-2684*

Nano-Intrinsic True Random Number Generation: A Device to Data Study. *Kim, J., +, TCSI July 2019 2615-2626*

Quadruple Cross-Coupled Latch-Based 10T and 12T SRAM Bit-Cell Designs for Highly Reliable Terrestrial Applications. *Jiang, J., +, TCSI March 2019 967-977*

Integrated circuit testing

A 1- μ s Ramp Time 12-bit Column-Parallel Flash TDC-Interpolated Single-Slope ADC With Digital Delay-Element Calibration. *Levski, D., +, TCSI Jan. 2019 54-67*

A DROIC Based on PFM ADCs Employing Over-Integration for Error Shaping. *Abbasi, S., +, TCSI Oct. 2019 3713-3722*

A Programmable Sustaining Amplifier for Flexible Multimode MEMS-Referenced Oscillators. *Islam, M.S., +, TCSI April 2019 1405-1418*

A Wide-Voltage-Range Half-Path Timing Error-Detection System With a 9-Transistor Transition-Detector in 40-nm CMOS. *Shan, W., +, TCSI June 2019 2288-2297*

Accurate and Fast On-Wafer Test Circuitry for Device Array Characterization in Wafer Acceptance Test. *Hong, H., +, TCSI Sept. 2019 3467-3479*

An On-Chip Built-in Linearity Estimation Methodology and Hardware Implementation. *Shi, C., +, TCSI March 2019 897-908*

Design Considerations for Low-Distortion Filter and Oscillator ICs for Testing High-Resolution ADCs. *Kumar, S., +, TCSI Sept. 2019 3393-3401*

Fully Synthesizable Low-Area Digital-to-Analog Converter With Graceful Degradation and Dynamic Power-Resolution Scaling. *Aiello, O., +, TCSI Aug. 2019 2865-2875*

Modeling and Mitigating Time-Dependent Variability From the Physical Level to the Circuit Level. *van Santen, V.M., +, TCSI July 2019 2671-2684*

Integrated optics

A 10-Gb/s -18.8 dBm Sensitivity 5.7 mW Fully-Integrated Optoelectronic Receiver With Avalanche Photodetector in 0.13- μ m CMOS. *Nayak, S., +, TCSI Aug. 2019 3162-3173*

Integrated optoelectronics

A Differential Push-Pull Voltage Mode VCSEL Driver in 65-nm CMOS. *Ramani, A.S., +, TCSI Nov. 2019 4147-4157*

Low-Noise Broadband CMOS TIA Based on Multi-Stage Stagger-Tuned Amplifier for High-Speed High-Sensitivity Optical Communication. *Li, D., +, TCSI Oct. 2019 3676-3689*

Interference (signal)

Design of a High-Speed Time-Interleaved Sub-Ranging SAR ADC With Optimal Code Transfer Technique. *Xing, D., +, TCSI Feb. 2019 489-501*

Interference suppression

A 4×64 MIMO Detector for Generalized Spatial Modulation Systems. *Li, C., +, TCSI Sept. 2019 3585-3597*

A Hilbert Transform Equalizer Enabling 80 MHz RF Self-Interference Cancellation for Full-Duplex Receivers. *El Sayed, A., +, TCSI March 2019 1153-1165*

A Low Power Receiver Front-End Design With Tunable Notch Filter for TX Leakage and Blocker Suppression. *Ozgun, M.T., +, TCSI March 2019 1180-1191*

An LDPC-Coded SCMA Receiver With Multi-User Iterative Detection and Decoding. *Sun, W., +, TCSI Sept. 2019 3571-3584*

Capacitive Touch Panel With Low Sensitivity to Water Drop Employing Mutual-Coupling Electrical Field Shaping Technique. *Zhong, L., +, TCSI April 2019 1393-1404*

Differential Transmission Lines Loaded With Magnetic LC Resonators and Application in Common Mode Suppression. *Ebrahimi, A., +, TCSI Oct. 2019 3811-3821*

Digitally Adaptive High-Fidelity Analog Array Signal Processing Resilient to Capacitive Multiplying DAC Inter-Stage Gain Error. *Joshi, S., +, TCSI Nov. 2019 4095-4107*

Dual-Path and Dual-Chopper Amplifier Signal Conditioning Circuit With Improved SNR and Ultra-Low Power Consumption for MEMS. *Vejdani, P., +, TCSI June 2019 2253-2262*

Variable Threshold-Based Selective Updating Algorithms in Feed-Forward Active Noise Control Systems. *Aslam, M.S., +, TCSI Feb. 2019 782-795*

Interleaved codes

A 124-Gb/s Decoder for Generalized Integrated Interleaved Codes. *Li, W., +, TCSI Aug. 2019 3174-3187*

Efficient Architectures for Generalized Integrated Interleaved Decoder. *Zhang, X., +, TCSI Oct. 2019 4018-4031*

Intermodulation

Demystifying and Mitigating Code-Dependent Switching Distortions in Current-Steering DACs. *Lai, L., +, TCSI Jan. 2019 68-81*

Linearization of Active Downconversion Mixers at the IF Using Feedforward Cancellation. *Li, H., +, TCSI April 2019 1620-1631*

Using Modified Bessel Functions for Analysis of Nonlinear Effects in a MOS Transistor Operating in Moderate Inversion. *Filanovsky, I.M., +, TCSI May 2019 1897-1907*

Intermodulation distortion

Advantages of Second-Order Cartesian Feedback Linearizers for Radio Amplifiers. *Cavers, J.K., +, TCSI Nov. 2019 4134-4146*

Harmonic-Based Nonlinearity Factorization of Switching Behavior in Up-Conversion Mixers. *Li, J., +, TCSI July 2019 2468-2477*

Internet of Things

A 2.86-TOPS/W Current Mirror Cross-Bar-Based Machine-Learning and Physical Unclonable Function Engine For Internet-of-Things Applications. *Chen, Y., +, TCSI June 2019 2240-2252*

An Optically-Powered 432 MHz Wireless Tag for Batteryless Internet-of-Things Applications. *Cheng, H., +, TCSI Sept. 2019 3288-3295*

Bidirectional Single-Inductor Dual-Supply Converter With Automatic State-Transition for IoT Applications. *Wu, H., +, TCSI Oct. 2019 4068-4078*

Energy-Efficient Spectral Analysis Method Using Autoregressive Model-Based Approach for Internet of Things. *Yoshida, S., +, TCSI Oct. 2019 3896-3905*

Real-Time Multi-User Detection Engine Design for IoT Applications via Modified Sparsity Adaptive Matching Pursuit. *Liao, C., +, TCSI Aug. 2019 2987-3000*

Ultra-Low Power QRS Detection and ECG Compression Architecture for IoT Healthcare Devices. *Tekeste, T., +, TCSI Feb. 2019 669-679*

Internetworking

Real-Time Multi-User Detection Engine Design for IoT Applications via Modified Sparsity Adaptive Matching Pursuit. *Liao, C., +, TCSI Aug. 2019 2987-3000*

Interpolation

$256 \times$ TDC Array With Cyclic Interpolators Based on Calibration-Free $2 \times$ Time Amplifier. *Keranen, P., +, TCSI Feb. 2019 524-533*

256×8 SPAD Array With 256 Column TDCs for a Line Profiling Laser Radar. *Keranen, P., +, TCSI Nov. 2019 4122-4133*

A 1- μ s Ramp Time 12-bit Column-Parallel Flash TDC-Interpolated Single-Slope ADC With Digital Delay-Element Calibration. *Levski, D., +, TCSI Jan. 2019 54-67*

An Adaptive Cascaded ILA- and DLA-Based Digital Predistorter for Linearizing an RF Power Amplifier. *Le Duc, H., +, TCSI March 2019 1031-1041*

Analysis of Timing Accuracy and Sensitivity in a RF Correlation-Based Impulse Radio Receiver With Phase Interpolation for Data Synchronization. *Fotoohi Piraghaj, S., +, TCSI July 2019 2749-2762*

Low-Complexity 2-D Digital FIR Filters Using Polyphase Decomposition and Farrow Structure. *Bindima, T., +, TCSI June 2019 2298-2308*

On the Order Minimization of Interpolated Bandpass Method Based Narrow Transition Band FIR Filter Design. *Roy, S., +, TCSI Nov. 2019 4287-4295*

Intersymbol interference

Low-Pass Filtering SC-DAC for Reduced Jitter and Slewing Requirements on CTSDMs. *Vercaemer, D., +, TCSI April 2019 1369-1381*

Noise Analysis and Design Considerations for Equalizer-Based Optical Receivers. *Abdelrahman, D., +, TCSI Aug. 2019 3201-3212*

Short-Range Quality-Factor Modulation (SQuirM) for Low Power High Speed Inductive Data Transfer. *Schormans, M., +, TCSI Sept. 2019 3254-3265*

Inverters

A Phasor-Based Analysis of Sinusoidal Injection Locking in LC and Ring Oscillators. *Hong, B., +, TCSI Jan. 2019 355-368*

Noise Analysis and Design Considerations for Equalizer-Based Optical Receivers. *Abdelrahman, D., +, TCSI Aug. 2019 3201-3212*

Nonlinear Analytical Model for Switched-Capacitor Class-D RF Power Amplifiers. *Luo, W., +, TCSI June 2019 2309-2321*

Iterative algorithms

Efficient Implementation of Iterative Polynomial Matrix EVD Algorithms Exploiting Structural Redundancy and Parallelisation. *Coutts, F.K., +, TCSI Dec. 2019 4753-4766*

Iterative decoding

An LDPC-Coded SCMA Receiver With Multi-User Iterative Detection and Decoding. *Sun, W., +, TCSI Sept. 2019 3571-3584*

Efficient Post-Processors for Improving Error-Correcting Performance of LDPC Codes. *Tao, Y., +, TCSI Oct. 2019 4032-4043*

Energy-Efficient Symmetric BC-BCH Decoder Architecture for Mobile Storages. *Hwang, S., +, TCSI Nov. 2019 4462-4475*

Low-Routing-Complexity Convolutional/Turbo Decoder Design for Iterative Detection and Decoding Receivers. *Lin, C., +, TCSI Nov. 2019 4476-4489*

Iterative methods

H_∞ Model Reduction for Interval Frequency Negative Imaginary Systems. *Yu, L., +, TCSI March 2019 1116-1129*

Design of Sparse FIR Filters With Reduced Effective Length. *Chen, W., +, TCSI April 2019 1496-1506*

Matrix-Based Algorithms for the Optimal Design of Variable Fractional Delay FIR Filters. *Zhao, R., +, TCSI Dec. 2019 4740-4752*

Novel Data Pre-Distorter for APSK Signals in Solid-State Power Amplifiers. *Canavate Sanchez, M.J., +, TCSI Oct. 2019 4044-4054*

Real-Time Multi-User Detection Engine Design for IoT Applications via Modified Sparsity Adaptive Matching Pursuit. *Liao, C., +, TCSI Aug. 2019 2987-3000*

Shooting by a Two-Step Galerkin Method. *Bizzarri, F., +, TCSI Jan. 2019 383-390*

Systematic Co-Design of Matching Networks and Rectifiers for CMOS Radio Frequency Energy Harvesters. *Karami, M.A., +, TCSI Aug. 2019 3238-3251*

J

Jitter

A 0.0071-mm² 10.8ps_{pp}-Jitter 4 to 10-Gb/s 5-Tap Current-Mode Transmitter Using a Hybrid Delay Line for Sub-1-UI Fractional De-Emphasis. *Chen, Y., +, TCSI Oct. 2019 3991-4004*

A 1-MHz Relaxation Oscillator Core Employing a Self-Compensating Chopped Comparator Pair. *Mikulic, J., +, TCSI May 2019 1728-1736*

A 2.41-pJ/bit 5.4-Gb/s Dual-Loop Reference-Less CDR With Fully Digital Quarter-Rate Linear Phase Detector for Embedded DisplayPort. *Moon, Y., +, TCSI Aug. 2019 2907-2920*

A Quadrature RC Oscillator With Noise Reduction by Voltage Swing Control. *Koo, J., +, TCSI Aug. 2019 3077-3088*

A Study of Phase Noise and Frequency Error of a Fractional-N PLL in the Course of FMCW Chirp Generation. *Ergintav, A., +, TCSI May 2019 1670-1680*

Analysis and Correction of Combined Channel Mismatch Effects in Frequency-Interleaved ADCs. *Song, J., +, TCSI Feb. 2019 655-668*

Clock Jitter Analysis of Continuous-Time $\Sigma\Delta$ Modulators Based on a Relative Time-Base Projection. *Cardes, F., +, TCSI March 2019 920-929*

HCDN: Hybrid-Mode Clock Distribution Networks. *Islam, R., +, TCSI Jan. 2019 251-262*

Low-Pass Filtering SC-DAC for Reduced Jitter and Slewing Requirements on CTSDMs. *Vercaemer, D., +, TCSI April 2019 1369-1381*

Understanding Phase Error and Jitter: Definitions, Implications, Simulations, and Measurement. *Galton, I., +, TCSI Jan. 2019 1-19*

K

Kalman filters

ANOVA Kernel Kalman Filter for Multi-Objective Grid Integrated Solar Photovoltaic-Distribution Static Compensator. *Kumar, N., +, TCSI Nov. 2019 4256-4264*

Kernel Kalman Filtering With Conditional Embedding and Maximum Correntropy Criterion. *Dang, L., +, TCSI Nov. 2019 4265-4277*

L

Ladder filters

Reflectionless Filter Topologies Supporting Arbitrary Low-Pass Ladder Prototypes. *Morgan, M.A., +, TCSI Feb. 2019 594-604*

Laplace equations

On Extension of Effective Resistance With Application to Graph Laplacian Definiteness and Power Network Stability. *Song, Y., +, TCSI Nov. 2019 4415-4428*

Laplace transforms

Continuous-Time Algorithms for Solving Maxwell's Equations Using Analog Circuits. *Udayanga, N., +, TCSI Oct. 2019 3941-3954*

Laser power transmission

An Optically-Powered 432 MHz Wireless Tag for Batteryless Internet-of-Things Applications. *Cheng, H., +, TCSI Sept. 2019 3288-3295*

Lattices

Reflectionless Filters for Generalized Elliptic Transmission Functions. *Guilbert, A., +, TCSI Dec. 2019 4606-4618*

LC circuits

A Phasor-Based Analysis of Sinusoidal Injection Locking in LC and Ring Oscillators. *Hong, B., +, TCSI Jan. 2019 355-368*

Leakage currents

A Low Power 12-bit 1-kS/s SAR ADC for Biomedical Signal Processing. *Mao, W., +, TCSI Feb. 2019 477-488*

Learning (artificial intelligence)

A 2.86-TOPS/W Current Mirror Cross-Bar-Based Machine-Learning and Physical Unclonable Function Engine For Internet-of-Things Applications. *Chen, Y., +, TCSI June 2019 2240-2252*

A Low-Power Deep Neural Network Online Learning Processor for Real-Time Object Tracking Application. *Han, D., +, TCSI May 2019 1794-1804*

A Real-Time 17-Scale Object Detection Accelerator With Adaptive 2000-Stage Classification in 65 nm CMOS. *Kim, M., +, TCSI Oct. 2019 3843-3853*

A Robust Digital RRAM-Based Convolutional Block for Low-Power Image Processing and Learning Applications. *Giacomin, E., +, TCSI Feb. 2019 643-654*

ChipNet: Real-Time LiDAR Processing for Drivable Region Segmentation on an FPGA. *Lyu, Y., +, TCSI May 2019 1769-1779*

Leveraging Independent Double-Gate FinFET Devices for Machine Learning Classification. *Kenarangi, F., +, TCSI Nov. 2019 4356-4367*

On Learning With Nonlinear Memristor-Based Neural Network and its Replication. *Yang, C., +, TCSI Oct. 2019 3906-3916*

Recursive Binary Neural Network Training Model for Efficient Usage of On-Chip Memory. *Guan, T., +, TCSI July 2019 2593-2605*

Using Machine Learning Techniques to Evaluate Multicore Soft Error Reliability. *da Rosa, F.R., +, TCSI June 2019 2151-2164*

Xcel-RAM: Accelerating Binary Neural Networks in High-Throughput SRAM Compute Arrays. *Agrawal, A., +, TCSI Aug. 2019 3064-3076*

Least mean squares methods

A 4 × 64 MIMO Detector for Generalized Spatial Modulation Systems. *Li, C., +, TCSI Sept. 2019 3585-3597*

- A High-Performance and Energy-Efficient FIR Adaptive Filter Using Approximate Distributed Arithmetic Circuits. *Jiang, H.*, +, *TCSI Jan. 2019 313-326*
- A Study of Phase Noise and Frequency Error of a Fractional-N PLL in the Course of FMCW Chirp Generation. *Ergintav, A.*, +, *TCSI May 2019 1670-1680*
- An LDPC-Coded SCMA Receiver With Multi-User Iterative Detection and Decoding. *Sun, W.*, +, *TCSI Sept. 2019 3571-3584*
- Convergence Analysis of Deficient-Length Frequency-Domain Adaptive Filters. *Yang, F.*, +, *TCSI Nov. 2019 4242-4255*
- Digital Background Calibration of a Split Current-Steering DAC. *Stoops, D.J.*, +, *TCSI Aug. 2019 2854-2864*
- Kernel Kalman Filtering With Conditional Embedding and Maximum Correntropy Criterion. *Dang, L.*, +, *TCSI Nov. 2019 4265-4277*
- Mean-Square Analysis of Multi-Sampled Multiband-Structured Subband Filtering Algorithm. *Zhang, S.*, +, *TCSI March 2019 1051-1062*
- Optimal Complexity Architectures for Pipelined Distributed Arithmetic-Based LMS Adaptive Filter. *Khan, M.T.*, +, *TCSI Feb. 2019 630-642*
- Variable Threshold-Based Selective Updating Algorithms in Feed-Forward Active Noise Control Systems. *Aslam, M.S.*, +, *TCSI Feb. 2019 782-795*
- Least squares approximations**
- Robust Active Noise Control Design by Optimal Weighted Least Squares Approach. *Aslam, M.S.*, +, *TCSI Oct. 2019 3955-3967*
- LED displays**
- Current Feedback Compensation Circuit for 2T1C LED Displays: Analysis and Evaluation. *Charisoulis, T.*, +, *TCSI Jan. 2019 175-188*
- Life testing**
- Accurate and Fast On-Wafer Test Circuitry for Device Array Characterization in Wafer Acceptance Test. *Hong, H.*, +, *TCSI Sept. 2019 3467-3479*
- Light transmission**
- Solar Cell Photo-Luminescence Modulation for Optical Frequency Identification Devices. *Leon-Salas, W.D.*, +, *TCSI May 2019 1981-1992*
- Limit cycles**
- Nonlinear Dynamic Modeling and Analysis of Self-Oscillating H-Bridge Parallel Resonant Converter Under Zero Current Switching Control: Unveiling Coexistence of Attractors. *El Aroudi, A.*, +, *TCSI April 2019 1657-1667*
- Linear matrix inequalities**
- H_∞ Model Reduction for Interval Frequency Negative Imaginary Systems. *Yu, L.*, +, *TCSI March 2019 1116-1129*
- Almost Output Regulation for Switched Positive Systems With Different Coordinates Transformations and its Application to a Positive Circuit Model. *Wang, P.*, +, *TCSI Oct. 2019 3968-3977*
- Asynchronous Finite-Time Filtering of Networked Switched Systems and its Application: an Event-Driven Method. *Ren, H.*, +, *TCSI Jan. 2019 391-402*
- Event-Based H_∞ Fault Detection for Buck Converter With Multiplicative Noises Over Network. *Yan, H.*, +, *TCSI June 2019 2361-2370*
- Network-Based Quantized Control for Fuzzy Singularly Perturbed Semi-Markov Jump Systems and its Application. *Shen, H.*, +, *TCSI March 2019 1130-1140*
- Stability Test for Complex Matrices Over the Complex Unit Circumference via LMIs and Applications in 2D Systems. *Chesi, G.*, *TCSI May 2019 1960-1969*
- Linear network analysis**
- Circuit Theory in Projective Space and Homogeneous Circuit Models. *Riaza, R.*, *TCSI Feb. 2019 463-476*
- Linear systems**
- A Wideband dB-Linear VGA With Temperature Compensation and Active Load. *Song, X.*, +, *TCSI Sept. 2019 3279-3287*
- Almost Output Regulation for Switched Positive Systems With Different Coordinates Transformations and its Application to a Positive Circuit Model. *Wang, P.*, +, *TCSI Oct. 2019 3968-3977*
- Fault Identifiability Analysis of Linear Discrete Time-Varying Systems. *Fu, F.*, +, *TCSI June 2019 2371-2381*
- Harmonic Performance of Mixer-First Receivers With Circulant-Symmetric Basebands. *Wilson, C.*, +, *TCSI Jan. 2019 161-174*
- Network-Based Quantized Control for Fuzzy Singularly Perturbed Semi-Markov Jump Systems and its Application. *Shen, H.*, +, *TCSI March 2019 1130-1140*
- Observer-Based Distributed Secure Consensus Control of a Class of Linear Multi-Agent Systems Subject to Random Attacks. *Yang, Y.*, +, *TCSI Aug. 2019 3089-3099*
- Linearity**
- A 40-Gb/s PAM-4 Transmitter Using a 0.16-pJ/bit SST-CML-Hybrid (SCH) Output Driver and a Hybrid-Path 3-Tap FFE Scheme in 28-nm CMOS. *Fan, C.*, +, *TCSI Dec. 2019 4850-4861*
- A Highly Linear Multi-Level SC DAC in a Power-Efficient Gm-C Continuous-Time Delta-Sigma Modulator. *Zhang, Y.*, +, *TCSI Dec. 2019 4592-4605*
- Design of Cryogenic LNAs for High Linearity in Space Applications. *Caglar, A.*, +, *TCSI Dec. 2019 4619-4627*
- Linearization techniques**
- A Highly Linear OTA-Free VCO-Based 1-1 MASH $\Sigma\Delta$ ADC. *Maghami, H.*, +, *TCSI July 2019 2440-2453*
- Advantages of Second-Order Cartesian Feedback Linearizers for Radio Amplifiers. *Cavers, J.K.*, +, *TCSI Nov. 2019 4134-4146*
- An Adaptive Cascaded ILA- and DLA-Based Digital Predistorter for Linearizing an RF Power Amplifier. *Le Duc, H.*, +, *TCSI March 2019 1031-1041*
- Linearization of Active Downconversion Mixers at the IF Using Feedforward Cancellation. *Li, H.*, +, *TCSI April 2019 1620-1631*
- Noise Filtering and Linearization of Single-Ended Sampled-Data Circuits. *He, T.*, +, *TCSI April 2019 1331-1341*
- Linux**
- Using Machine Learning Techniques to Evaluate Multicore Soft Error Reliability. *da Rosa, F.R.*, +, *TCSI June 2019 2151-2164*
- Lithium compounds**
- A 0.90–4.39-V Detection Voltage Range, 56-Level Programmable Voltage Detector Using Fine Voltage-Step Subtraction for Battery Management. *Someya, T.*, +, *TCSI March 2019 1270-1279*
- Load flow**
- On Extension of Effective Resistance With Application to Graph Laplacian Definiteness and Power Network Stability. *Song, Y.*, +, *TCSI Nov. 2019 4415-4428*
- Load modeling**
- A Coupled Line-Based Coupler With Simultaneously Tunable Phase and Frequency. *Xu, B.W.*, +, *TCSI Dec. 2019 4637-4647*
- Local area networks**
- Chaotic Encryption for 10-Gb Ethernet Optical Links. *Perez-Resca, A.*, +, *TCSI Feb. 2019 859-868*
- Logic circuits**
- Practical Implementation of Memristor-Based Threshold Logic Gates. *Papandroulidakis, G.*, +, *TCSI Aug. 2019 3041-3051*
- Transistor Count Reduction by Gate Merging. *Conceicao, C.M.D.O.*, +, *TCSI June 2019 2175-2187*
- Logic design**
- A 1 Million-Point FFT on a Single FPGA. *Kanders, H.*, +, *TCSI Oct. 2019 3863-3873*
- A Combined Arithmetic-High-Level Synthesis Solution to Deploy Partial Carry-Save Radix-8 Booth Multipliers in Datapaths. *Del Barrio, A.A.*, +, *TCSI Feb. 2019 742-755*
- A Family of Stateful Memristor Gates for Complete Cascading Logic. *Kim, K.M.*, +, *TCSI Nov. 2019 4348-4355*
- A Majority-Based Imprecise Multiplier for Ultra-Efficient Approximate Image Multiplication. *Sabetzadeh, F.*, +, *TCSI Nov. 2019 4200-4208*
- A Robust Digital RRAM-Based Convolutional Block for Low-Power Image Processing and Learning Applications. *Giacomin, E.*, +, *TCSI Feb. 2019 643-654*
- A Second-Order Bandpass $\Sigma\Delta$ Time-to-Digital Converter With Negative Time-Mode Feedback. *Ziabakhsh, S.*, +, *TCSI April 2019 1355-1368*
- An Efficient Uniform-Segmented Neuron Model for Large-Scale Neuromorphic Circuit Design: Simulation and FPGA Synthesis Results. *Jokar, E.*, +, *TCSI June 2019 2336-2349*

Design Methodology to Explore Hybrid Approximate Adders for Energy-Efficient Image and Video Processing Accelerators. *Soares, L.B.*, +, *TCSI June 2019 2137-2150*

Design of a 0.20–0.25-V, Sub-nW, Rail-to-Rail, 10-bit SAR ADC for Self-Sustainable IoT Applications. *Hong, H.*, +, *TCSI May 2019 1840-1852*

Experimental Study of Locking Phenomena on Oscillating Rings Implemented in Logic Devices. *Mureddu, U.*, +, *TCSI July 2019 2560-2571*

FPAP: A Folded Architecture for Energy-Quality Scalable Convolutional Neural Networks. *Wang, Y.*, +, *TCSI Jan. 2019 288-301*

HCDN: Hybrid-Mode Clock Distribution Networks. *Islam, R.*, +, *TCSI Jan. 2019 251-262*

Highly Digital Second-Order $\Sigma\Delta$ VCO ADC. *Jayaraj, A.*, +, *TCSI July 2019 2415-2425*

Offset-Cancellation Sensing-Circuit-Based Nonvolatile Flip-Flop Operating in Near-Threshold Voltage Region. *Song, B.*, +, *TCSI Aug. 2019 2963-2972*

Practical Implementation of Memristor-Based Threshold Logic Gates. *Papandroulidakis, G.*, +, *TCSI Aug. 2019 3041-3051*

ROBIN: Monolithic-3D SRAM for Enhanced Robustness with In-Memory Computation Support. *Rangachar Srinivasa, S.*, +, *TCSI July 2019 2533-2545*

Static Delay Variation Models for Ripple-Carry and Borrow-Save Adders. *Papachatzopoulos, K.*, +, *TCSI July 2019 2546-2559*

Synthesizable Memory Arrays Based on Logic Gates for Subthreshold Operation in IoT. *Fan, X.*, +, *TCSI March 2019 941-954*

Transistor Count Reduction by Gate Merging. *Conceicao, C.M.D.O.*, +, *TCSI June 2019 2175-2187*

Variation Aware Design of 50-Gbit/s, 5.027-fJ/bit Serializer Using Latency Combined Mux-Dual Latch for Inter-Chip Communication. *Majumder, A.*, +, *TCSI March 2019 1231-1244*

World's Fastest FFT Architectures: Breaking the Barrier of 100 GS/s. *Garrido, M.*, +, *TCSI April 2019 1507-1516*

Logic gates

A Family of Stateful Memristor Gates for Complete Cascading Logic. *Kim, K.M.*, +, *TCSI Nov. 2019 4348-4355*

An IEEE Single Precision Floating Point Arithmetic-Based Apodization Architecture for Portable Ultrasound Imaging System. *Agarwal, M.*, +, *TCSI June 2019 2275-2287*

An RF-to-DC Rectifier With High Efficiency Over Wide Input Power Range for RF Energy Harvesting Applications. *Saffari, P.*, +, *TCSI Dec. 2019 4862-4875*

Analysis of SRAM Enhancements Through Sense Amplifier Capacitive Offset Correction and Replica Self-Timing. *Fragasse, R.*, +, *TCSI June 2019 2037-2050*

Efficient CMOS Invertible Logic Using Stochastic Computing. *Smithson, S.C.*, +, *TCSI June 2019 2263-2274*

Low-Power Approximate Unsigned Multipliers With Configurable Error Recovery. *Jiang, H.*, +, *TCSI Jan. 2019 189-202*

On Basic Boolean Function Graphene Nanoribbon Conductance Mapping. *Jiang, Y.*, +, *TCSI May 2019 1948-1959*

Overhead Requirements for Stateful Memristor Logic. *Hu, X.*, +, *TCSI Jan. 2019 263-273*

Practical Implementation of Memristor-Based Threshold Logic Gates. *Papandroulidakis, G.*, +, *TCSI Aug. 2019 3041-3051*

Synthesizable Memory Arrays Based on Logic Gates for Subthreshold Operation in IoT. *Fan, X.*, +, *TCSI March 2019 941-954*

Transistor Count Reduction by Gate Merging. *Conceicao, C.M.D.O.*, +, *TCSI June 2019 2175-2187*

Long Term Evolution

A Low Power Receiver Front-End Design With Tunable Notch Filter for TX Leakage and Blocker Suppression. *Ozgun, M.T.*, +, *TCSI March 2019 1180-1191*

A Spectrum-Sensing DPD Feedback Receiver With $30\times$ Reduction in ADC Acquisition Bandwidth and Sample Rate. *Hammler, N.*, +, *TCSI Sept. 2019 3340-3351*

Low-Routing-Complexity Convolutional/Turbo Decoder Design for Iterative Detection and Decoding Receivers. *Lin, C.*, +, *TCSI Nov. 2019 4476-4489*

Novel Outphasing Power Amplifiers Designed With an Analytic Generalized Doherty–Chireix Continuum Theory. *Liang, C.*, +, *TCSI Aug. 2019 2935-2948*

Ultra-Low Complex Blind I/Q-Imbalance Compensation. *Paireder, T.*, +, *TCSI Sept. 2019 3517-3530*

Loss measurement

Reflectionless Filters for Generalized Elliptic Transmission Functions. *Guilbert, A.*, +, *TCSI Dec. 2019 4606-4618*

Low noise amplifiers

$\Delta\Sigma$ Noise-Shaping in 2-D Space-Time for Wideband Antenna Array Receivers. *Wang, Y.*, +, *TCSI Feb. 2019 569-582*

A –40 dB EVM, 77 MHz Dual-Band Tunable Gain Sub-Sampling Receiver Front End in 65-nm CMOS. *Kale, A.*, +, *TCSI March 2019 1166-1179*

A 3–6-GHz Highly Linear I-Channel Receiver With Over +3.0-dBm In-Band P_{1dB} and 200-MHz Baseband Bandwidth Suitable for 5G Wireless and Cognitive Radio Applications. *Jiang, J.*, +, *TCSI Aug. 2019 3134-3147*

A 50-MHz–1-GHz 2.3-dB NF Noise-Cancelling Balun-LNA Employing a Modified Current-Bleeding Technique and Balanced Loads. *Kim, S.*, +, *TCSI Feb. 2019 546-554*

A Digitally Programmable CMOS Feedback ASIC for Highly Stable MEMS-Referenced Oscillators. *Islam, M.S.*, +, *TCSI Nov. 2019 4158-4171*

A Programmable Sustaining Amplifier for Flexible Multimode MEMS-Referenced Oscillators. *Islam, M.S.*, +, *TCSI April 2019 1405-1418*

An N-Path Band-Pass Filter With Parametric Gain-Boosting. *Badiyari, K.*, +, *TCSI Oct. 2019 3700-3712*

Analysis and Design of Ultra-Large Dynamic Range CMOS Transimpedance Amplifier With Automatically-Controlled Multi-Current-Bleeding Paths. *Bi, X.*, +, *TCSI Sept. 2019 3266-3278*

Analytical Noise Optimization of Single-/Dual-Band MOS LNAs With Substrate and Metal Loss Effects of Inductors. *Chang, W.L.*, +, *TCSI July 2019 2454-2467*

Benefits of Using VCO-OTAs to Construct TIAs in Wideband Current-Mode Receivers Over Inverter-Based OTAs. *Kalani, S.*, +, *TCSI May 2019 1681-1691*

Design Methodology Based on the Inversion Coefficient and its Application to Inductorless LNA Implementations. *Guitton, G.*, +, *TCSI Oct. 2019 3653-3663*

Improving Receiver Close-In Blocker Tolerance by Baseband G_m -C Notch Filtering. *Abdulaziz, M.*, +, *TCSI March 2019 885-896*

Low-Noise Broadband CMOS TIA Based on Multi-Stage Stagger-Tuned Amplifier for High-Speed High-Sensitivity Optical Communication. *Li, D.*, +, *TCSI Oct. 2019 3676-3689*

Sub-1-dB and Wideband SiGe BiCMOS Low-Noise Amplifiers for X-Band Applications. *Chliskan, C.*, +, *TCSI April 2019 1419-1430*

The Theory of Special Noise Invariants. *Spasaro, M.*, +, *TCSI April 2019 1305-1318*

Low-pass filters

$\Delta\Sigma$ Noise-Shaping in 2-D Space-Time for Wideband Antenna Array Receivers. *Wang, Y.*, +, *TCSI Feb. 2019 569-582*

A Nanopower Biopotential Lowpass Filter Using Subthreshold Current-Reuse Biquads With Bulk Effect Self-Neutralization. *Sawigun, C.*, +, *TCSI May 2019 1746-1757*

A Third-Order Integrated Passive Switched-Capacitor Filter Obtained With a Continuous-Time Design Approach. *Lulec, S.Z.*, +, *TCSI Oct. 2019 3643-3652*

An On-Chip Built-in Linearity Estimation Methodology and Hardware Implementation. *Shi, C.*, +, *TCSI March 2019 897-908*

Low-Pass Filtering SC-DAC for Reduced Jitter and Slewing Requirements on CTSDMs. *Vercaemer, D.*, +, *TCSI April 2019 1369-1381*

Mitigating Line Frequency Instability of Boost PFC Converter Under Proportional Outer-Voltage Loop With Additional Third Current-Harmonic Feedforward Compensation. *Lu, W.*, +, *TCSI Nov. 2019 4528-4541*

On the Design of n th-Order Polyphase All-Pass Filters. *Asoodeh, A.*, +, *TCSI Jan. 2019 133-146*

Reflectionless Filter Topologies Supporting Arbitrary Low-Pass Ladder Prototypes. *Morgan, M.A.*, +, *TCSI Feb. 2019 594-604*

Low-power electronics

- A 0.12-mm² 1.2-to-2.4-mW 1.3-to-2.65-GHz Fractional-N Bang-Bang Digital PLL With 8- μ s Settling Time for Multi-ISM-Band ULP Radios. *Un, K., +, TCSI Sept. 2019 3307-3316*
- A 0.4-V 10.9- μ W/Pole Third-Order Complex BPF for Low Energy RF Receivers. *Compassi-Severo, L., +, TCSI June 2019 2017-2026*
- A 0.7-V 28-nW CMOS Subthreshold Voltage and Current Reference in One Simple Circuit. *Wang, L., +, TCSI Sept. 2019 3457-3466*
- A 0.90–4.39-V Detection Voltage Range, 56-Level Programmable Voltage Detector Using Fine Voltage-Step Subtraction for Battery Management. *Someya, T., +, TCSI March 2019 1270-1279*
- A 10-Bit 200-kS/s 1.76- μ W SAR ADC With Hybrid CAP-MOS DAC for Energy-Limited Applications. *Zhang, H., +, TCSI May 2019 1716-1727*
- A 10-MHz BW 77.9 dB SNDR DT MASH $\Delta\Sigma$ ADC With NC-VCO-Based Quantizer and OPAMP Sharing. *Sadollahi, M., +, TCSI Sept. 2019 3384-3392*
- A 2.86-TOPS/W Current Mirror Cross-Bar-Based Machine-Learning and Physical Unclonable Function Engine For Internet-of-Things Applications. *Chen, Y., +, TCSI June 2019 2240-2252*
- A 27.7 fJ/conv-step 500 MS/s 12-Bit Pipelined ADC Employing a Sub-ADC Forecasting Technique and Low-Power Class AB Slew Boosted Amplifiers. *Naderi, M.H., +, TCSI Sept. 2019 3352-3364*
- A 3–6-GHz Highly Linear I-Channel Receiver With Over +3.0-dBm In-Band P_{1dB} and 200-MHz Baseband Bandwidth Suitable for 5G Wireless and Cognitive Radio Applications. *Jiang, J., +, TCSI Aug. 2019 3134-3147*
- A 4-b 7- μ W Phase Domain ADC With Time Domain Reference Generation for Low-Power FSK/PSK Demodulation. *Lei, X., +, TCSI Sept. 2019 3365-3372*
- A 5–10-Gb/s 12.5-mW Source Synchronous I/O Interface With 3-D Flip Chip Package. *Ma, S., +, TCSI Feb. 2019 555-568*
- A 53–67 GHz Low-Noise Mixer-First Receiver Front-End in 65-nm CMOS. *Haghi Kashani, M., +, TCSI June 2019 2051-2063*
- A CMOS V-Band PLL With a Harmonic Positive Feedback VCO Leveraging Operation in Triode Region for Phase-Noise Improvement. *Abedi, R., +, TCSI May 2019 1818-1830*
- A Differential Push-Pull Voltage Mode VCSEL Driver in 65-nm CMOS. *Ramani, A.S., +, TCSI Nov. 2019 4147-4157*
- A Dual-Stage Boost Converter Using Two-Dimensional Adaptive Input-Sampling MPPT for Thermoelectric Energy Harvesting. *Chandrarathna, S.C., +, TCSI Dec. 2019 4888-4900*
- A Family of Compact Non-Volatile Flip-Flops With Ferroelectric FET. *Saki, A.A., +, TCSI Nov. 2019 4219-4229*
- A Fast-Transient-Response Fully-Integrated Digital LDO With Adaptive Current Step Size Control. *Cai, G., +, TCSI Sept. 2019 3610-3619*
- A Low Power 12-bit 1-kS/s SAR ADC for Biomedical Signal Processing. *Mao, W., +, TCSI Feb. 2019 477-488*
- A Low-Power Fast Start-Up Crystal Oscillator With an Autonomous Dynamically Adjusted Load. *Ding, M., +, TCSI April 2019 1382-1392*
- A Nanopower Biopotential Lowpass Filter Using Subthreshold Current-Reuse Biquads With Bulk Effect Self-Neutralization. *Sawigun, C., +, TCSI May 2019 1746-1757*
- A Novel MTJ-Based Non-Volatile Ternary Content-Addressable Memory for High-Speed, Low-Power, and High-Reliable Search Operation. *Wang, C., +, TCSI April 2019 1454-1464*
- A Real-Time 17-Scale Object Detection Accelerator With Adaptive 2000-Stage Classification in 65 nm CMOS. *Kim, M., +, TCSI Oct. 2019 3843-3853*
- A Robust Digital RRAM-Based Convolutional Block for Low-Power Image Processing and Learning Applications. *Giacomin, E., +, TCSI Feb. 2019 643-654*
- A Second-Order Bandpass $\Sigma\Delta$ Time-to-Digital Converter With Negative Time-Mode Feedback. *Ziabakhsh, S., +, TCSI April 2019 1355-1368*
- A Secure Data-Toggling SRAM for Confidential Data Protection. *Ho, W., +, TCSI Nov. 2019 4186-4199*
- A Wide-Voltage-Range Half-Path Timing Error-Detection System With a 9-Transistor Transition-Detector in 40-nm CMOS. *Shan, W., +, TCSI June 2019 2288-2297*
- A Wideband dB-Linear VGA With Temperature Compensation and Active Load. *Song, X., +, TCSI Sept. 2019 3279-3287*
- An 18 nW –47/–40 dBm Sensitivity 3/100 kbps MEMS-Assisted CMOS Wake-Up Receiver. *Soliman, M., +, TCSI Nov. 2019 4439-4447*
- An All-Digital On-Chip Peak-to-Peak Jitter Measurement Circuit With Automatic Resolution Calibration for High PVT-Variation Resilience. *Chou, P., +, TCSI July 2019 2508-2518*
- An Efficient, Wide-Output, High-Voltage Charge Pump With a Stage Selection Circuit Realized in a Low-Voltage CMOS Process. *Luo, Z., +, TCSI Sept. 2019 3437-3444*
- An Optically-Powered 432 MHz Wireless Tag for Batteryless Internet-of-Things Applications. *Cheng, H., +, TCSI Sept. 2019 3288-3295*
- An Ultra-Low-Power Dual-Mode Automatic Sleep Staging Processor Using Neural-Network-Based Decision Tree. *Chang, S., +, TCSI Sept. 2019 3504-3516*
- Area–Delay–Energy Efficient VLSI Architecture for Scalable In-Place Computation of FFT on Real Data. *Mohanty, B.K., +, TCSI March 2019 1042-1050*
- Benefits of Using VCO-OTAs to Construct TIAs in Wideband Current-Mode Receivers Over Inverter-Based OTAs. *Kalani, S., +, TCSI May 2019 1681-1691*
- Design and Analysis of a 12-b Current-Steering DAC in a 14-nm FinFET Technology for 2G/3G/4G Cellular Applications. *Kim, J., +, TCSI Oct. 2019 3723-3732*
- Design and Analysis of a 94-GHz CMOS Down-Conversion Mixer With CCPT-RL-Based IF Load. *Lin, Y., +, TCSI Aug. 2019 3148-3161*
- Design and Implementation of a 0.3-V Differential Difference Amplifier. *Khateb, F., +, TCSI Feb. 2019 513-523*
- Design Methodology to Explore Hybrid Approximate Adders for Energy-Efficient Image and Video Processing Accelerators. *Soares, L.B., +, TCSI June 2019 2137-2150*
- Design of a 0.20–0.25-V, Sub-nW, Rail-to-Rail, 10-bit SAR ADC for Self-Sustainable IoT Applications. *Hong, H., +, TCSI May 2019 1840-1852*
- Design Optimization for Low-Power Reconfigurable Switched-Capacitor DC-DC Voltage Converter. *Mohey, A.M., +, TCSI Oct. 2019 4079-4092*
- Dual-Path and Dual-Chopper Amplifier Signal Conditioning Circuit With Improved SNR and Ultra-Low Power Consumption for MEMS. *Vejdani, P., +, TCSI June 2019 2253-2262*
- Dynamic Power Management for Neuromorphic Many-Core Systems. *Hopner, S., +, TCSI Aug. 2019 2973-2986*
- FPAP: A Folded Architecture for Energy-Quality Scalable Convolutional Neural Networks. *Wang, Y., +, TCSI Jan. 2019 288-301*
- From Battery Enabled to Natural Harvesting: Enzymatic BioFuel Cell Assisted Integrated Analog Front-End in 130nm CMOS for Long-Term Monitoring. *Hu, H., +, TCSI Feb. 2019 534-545*
- Fully Synthesizable Low-Area Digital-to-Analog Converter With Graceful Degradation and Dynamic Power-Resolution Scaling. *Aiello, O., +, TCSI Aug. 2019 2865-2875*
- HCDN: Hybrid-Mode Clock Distribution Networks. *Islam, R., +, TCSI Jan. 2019 251-262*
- High-Resolution Wideband Phase Shifter With Current Limited Vector-Sum. *Qian, H.J., +, TCSI Feb. 2019 820-833*
- Highly Digital Second-Order $\Sigma\Delta$ VCO ADC. *Jayaraj, A., +, TCSI July 2019 2415-2425*
- Hybrid Latch-Type Offset Tolerant Sense Amplifier for Low-Voltage SRAMs. *Patel, D., +, TCSI July 2019 2519-2532*
- Linearization of Active Downconversion Mixers at the IF Using Feedforward Cancellation. *Li, H., +, TCSI April 2019 1620-1631*
- Low-Power Approximate Unsigned Multipliers With Configurable Error Recovery. *Jiang, H., +, TCSI Jan. 2019 189-202*
- Low-Power Current-Mode Interval Type-2 Fuzzy Inference Engine Circuit. *de Souza, G.A.F., +, TCSI July 2019 2639-2650*
- Low-Power Near-Threshold 10T SRAM Bit Cells With Enhanced Data-Independent Read Port Leakage for Array Augmentation in 32-nm CMOS. *Gupta, S., +, TCSI March 2019 978-988*

Low-Power/Low-Voltage Integrated CMOS Sense Resistor-Free Analog Power/Current Sensor Compatible With High-Voltage Switching DC–DC Converter. *Singh, S.*, +, *TCSI June 2019 2208-2218*

Low-Voltage Current and Voltage Reference Design Based on the MOSFET ZTC Effect. *Wenger, Y.*, +, *TCSI Sept. 2019 3445-3456*

Noise Analysis and Design Considerations for Equalizer-Based Optical Receivers. *Abdelrahman, D.*, +, *TCSI Aug. 2019 3201-3212*

Noise Filtering and Linearization of Single-Ended Sampled-Data Circuits. *He, T.*, +, *TCSI April 2019 1331-1341*

Power Efficient and Reliable Nonvolatile TCAM With Hi-PFO and Semi-Complementary Driver. *Kim, C.*, +, *TCSI Feb. 2019 605-615*

Power Performance Tradeoffs Using Adaptive Bit Width Adjustments on Resistive Associative Processors. *Abdelal, R.A.*, +, *TCSI Jan. 2019 302-312*

Power-, Area-, and Compression-Efficient Eight-Point Approximate 2-D Discrete Tchebichef Transform Hardware Design Combining Truncation Pruning and Efficient Transposition Buffers. *Paim, G.*, +, *TCSI Feb. 2019 680-693*

Practical Implementation of Memristor-Based Threshold Logic Gates. *Papandroulidakis, G.*, +, *TCSI Aug. 2019 3041-3051*

ROBIN: Monolithic-3D SRAM for Enhanced Robustness with In-Memory Computation Support. *Rangachar Srinivasa, S.*, +, *TCSI July 2019 2533-2545*

SensorNet: A Scalable and Low-Power Deep Convolutional Neural Network for Multimodal Data Classification. *Jafari, A.*, +, *TCSI Jan. 2019 274-287*

Synthesizable Memory Arrays Based on Logic Gates for Subthreshold Operation in IoT. *Fan, X.*, +, *TCSI March 2019 941-954*

Transistor Count Reduction by Gate Merging. *Conceicao, C.M.D.O.*, +, *TCSI June 2019 2175-2187*

Variation Aware Design of 50-Gbit/s, 5.027-fJ/bit Serializer Using Latency Combined Mux-Dual Latch for Inter-Chip Communication. *Majumder, A.*, +, *TCSI March 2019 1231-1244*

Wide-Bandwidth, High-Linearity, 2.8-GS/s, 10-bit Accurate Sample and Hold Amplifier in 130-nm SiGe BiCMOS. *Tantawy, R.*, +, *TCSI May 2019 1758-1768*

Lumped parameter networks

Optimization-Free Design Equations for Narrowband Equal-Division Filtering Power Divider With Pre-Specified Filtering Response and Wideband Isolation. *Lee, B.*, +, *TCSI July 2019 2496-2507*

Reflectionless Filter Topologies Supporting Arbitrary Low-Pass Ladder Prototypes. *Morgan, M.A.*, +, *TCSI Feb. 2019 594-604*

Lyapunov methods

Almost Output Regulation for Switched Positive Systems With Different Coordinates Transformations and its Application to a Positive Circuit Model. *Wang, P.*, +, *TCSI Oct. 2019 3968-3977*

Asynchronous Finite-Time Filtering of Networked Switched Systems and its Application: an Event-Driven Method. *Ren, H.*, +, *TCSI Jan. 2019 391-402*

Enhancing Transient Stability of DC Microgrid by Enlarging the Region of Attraction Through Nonlinear Polynomial Droop Control. *Severino, B.*, +, *TCSI Nov. 2019 4388-4401*

Event-Based H_∞ Fault Detection for Buck Converter With Multiplicative Noises Over Network. *Yan, H.*, +, *TCSI June 2019 2361-2370*

Event-Triggered Finite-Time Robust Filtering for a Class of State-Dependent Uncertain Systems With Network Transmission Delay. *Sun, Y.*, +, *TCSI March 2019 1076-1089*

Linear Consequence-Based Fuzzy Parallel Distributed Compensation Type L_1 Adaptive Controller for Two Link Robot Manipulator. *Maiti, R.*, +, *TCSI Oct. 2019 3978-3990*

Reliable Sliding Mode Control of Fast Sampling Singularly Perturbed Systems: A Redundant Channel Transmission Protocol Approach. *Song, J.*, +, *TCSI Nov. 2019 4490-4501*

Robust Pinning Constrained Control and Adaptive Regulation of Coupled Chua's Circuit Networks. *Jin, X.*, +, *TCSI Oct. 2019 3928-3940*

Switched Threshold-Based Fault Detection for Switched Nonlinear Systems With Its Application to Chua's Circuit System. *Tang, L.*, +, *TCSI Feb. 2019 733-741*

Synchronization of Multi-Layer Networks: From Node-to-Node Synchronization to Complete Synchronization. *Wang, P.*, +, *TCSI March 2019 1141-1152*

Synchronization of Stochastic Lévy Noise Systems on a Multi-Weights Network and Its Applications of Chua's Circuits. *Zhou, H.*, +, *TCSI July 2019 2709-2722*

M

Machine learning

Robust and Lightweight Ensemble Extreme Learning Machine Engine Based on Eigenspace Domain for Compressed Learning. *Li, H.*, +, *TCSI Dec. 2019 4699-4712*

Magnetic anisotropy

Addressing Failure and Aging Degradation in MRAM/MeRAM-on-FDSOI Integration. *Cai, H.*, +, *TCSI Jan. 2019 239-250*

Magnetic circuits

MRAM-Enhanced Low Power Reconfigurable Fabric With Multi-Level Variation Tolerance. *Zand, R.*, +, *TCSI Dec. 2019 4662-4672*

Magnetic cores

A Power-Loss-Dependent Inductance Model for Ferrite-Core Power Inductors in Switch-Mode Power Supplies. *Oliveri, A.*, +, *TCSI June 2019 2394-2402*

Magnetic microwave devices

Differential Transmission Lines Loaded With Magnetic LC Resonators and Application in Common Mode Suppression. *Ebrahimi, A.*, +, *TCSI Oct. 2019 3811-3821*

Magnetic tunneling

A Novel MTJ-Based Non-Volatile Ternary Content-Addressable Memory for High-Speed, Low-Power, and High-Reliable Search Operation. *Wang, C.*, +, *TCSI April 2019 1454-1464*

Addressing Failure and Aging Degradation in MRAM/MeRAM-on-FDSOI Integration. *Cai, H.*, +, *TCSI Jan. 2019 239-250*

Novel Radiation Hardening Read/Write Circuits Using Feedback Connections for Spin-Orbit Torque Magnetic Random Access Memory. *Wang, B.*, +, *TCSI May 2019 1853-1862*

Manipulators

Linear Consequence-Based Fuzzy Parallel Distributed Compensation Type L_1 Adaptive Controller for Two Link Robot Manipulator. *Maiti, R.*, +, *TCSI Oct. 2019 3978-3990*

Markov processes

Network-Based Quantized Control for Fuzzy Singularly Perturbed Semi-Markov Jump Systems and its Application. *Shen, H.*, +, *TCSI March 2019 1130-1140*

Mathematical analysis

Ultra-Low Complex Blind I/Q-Imbalance Compensation. *Paireder, T.*, +, *TCSI Sept. 2019 3517-3530*

Mathematical model

A Novel Universal Interface for Constructing Memory Elements for Circuit Applications. *Zheng, C.*, +, *TCSI Dec. 2019 4793-4806*

A Switched Capacitor Multiple Input Single Output Energy Harvester (Solar + Piezo) Achieving 74.6% Efficiency With Simultaneous MPPT. *Devaraj, A.*, +, *TCSI Dec. 2019 4876-4887*

In-Depth Analysis of Pole-Zero Compensations in CMOS Operational Transconductance Amplifiers. *Giustolisi, G.*, +, *TCSI Dec. 2019 4557-4570*

Matrix algebra

A 2.86-TOPS/W Current Mirror Cross-Bar-Based Machine-Learning and Physical Unclonable Function Engine For Internet-of-Things Applications. *Chen, Y.*, +, *TCSI June 2019 2240-2252*

An Area-Efficient On-Chip Memory System for Massive MIMO Using Channel Data Compression. *Liu, Y.*, +, *TCSI Jan. 2019 417-427*

Circuit Theory in Projective Space and Homogeneous Circuit Models. *Riaza, R.*, *TCSI Feb. 2019 463-476*

Fault Identifiability Analysis of Linear Discrete Time-Varying Systems. *Fu, F.*, +, *TCSI June 2019 2371-2381*

Generalized Wave Digital Filter Realizations of Arbitrary Reciprocal Connection Networks. *Bernardini, A.*, +, *TCSI Feb. 2019 694-707*

- Layered Decoding Algorithm and Two-Level Quasi-Cyclic Matrix Construction for Rate Compatible Modulation. *Lu, F.*, +, *TCSI Aug. 2019 3213-3226*
- Observer-Based Fault Estimation for Discrete-Time Nonlinear Systems and Its Application: A Weighted Switching Approach. *Xie, X.*, +, *TCSI Nov. 2019 4377-4387*
- On Extension of Effective Resistance With Application to Graph Laplacian Definiteness and Power Network Stability. *Song, Y.*, +, *TCSI Nov. 2019 4415-4428*
- On the Relationships Between Input and Output Stability in Two-Ports. *Lombardi, G.*, +, *TCSI July 2019 2489-2495*
- Synchronization of Multi-Layer Networks: From Node-to-Node Synchronization to Complete Synchronization. *Wang, P.*, +, *TCSI March 2019 1141-1152*
- The Theory of Special Noise Invariants. *Spasaro, M.*, +, *TCSI April 2019 1305-1318*
- Upper and Lower Bounds for the Maximum Number of Frequencies That Can Be Generated by a Class of Fractional Oscillators. *Tavazoei, M.S.*, *TCSI April 2019 1584-1593*
- Variable Threshold-Based Selective Updating Algorithms in Feed-Forward Active Noise Control Systems. *Aslam, M.S.*, +, *TCSI Feb. 2019 782-795*
- Matrix converters**
- Matrix-Based Algorithms for the Optimal Design of Variable Fractional Delay FIR Filters. *Zhao, R.*, +, *TCSI Dec. 2019 4740-4752*
- Matrix decomposition**
- Efficient Implementation of Iterative Polynomial Matrix EVD Algorithms Exploiting Structural Redundancy and Parallelisation. *Coutts, F.K.*, +, *TCSI Dec. 2019 4753-4766*
- Matrix inversion**
- A 4×64 MIMO Detector for Generalized Spatial Modulation Systems. *Li, C.*, +, *TCSI Sept. 2019 3585-3597*
- Maximum likelihood decoding**
- Low-Routing-Complexity Convolutional/Turbo Decoder Design for Iterative Detection and Decoding Receivers. *Lin, C.*, +, *TCSI Nov. 2019 4476-4489*
- Maximum likelihood detection**
- A 4×64 MIMO Detector for Generalized Spatial Modulation Systems. *Li, C.*, +, *TCSI Sept. 2019 3585-3597*
- Maximum likelihood estimation**
- Statistics-Based Approach for Blind Post-Compensation of Modulator's Imperfections and Power Amplifier Nonlinearity. *Aziz, M.*, +, *TCSI March 2019 1063-1075*
- Maximum power point trackers**
- A Dual-Stage Boost Converter Using Two-Dimensional Adaptive Input-Sampling MPPT for Thermoelectric Energy Harvesting. *Chandrarathna, S.C.*, +, *TCSI Dec. 2019 4888-4900*
- A Switched Capacitor Multiple Input Single Output Energy Harvester (Solar + Piezo) Achieving 74.6% Efficiency With Simultaneous MPPT. *Devaraj, A.*, +, *TCSI Dec. 2019 4876-4887*
- Complementarity Model of a Photovoltaic Power Electronic System With Model Predictive Control. *Morfin-Magana, R.*, +, *TCSI Nov. 2019 4402-4414*
- Low-Power/Low-Voltage Integrated CMOS Sense Resistor-Free Analog Power/Current Sensor Compatible With High-Voltage Switching DC-DC Converter. *Singh, S.*, +, *TCSI June 2019 2208-2218*
- Maxwell equations**
- Continuous-Time Algorithms for Solving Maxwell's Equations Using Analog Circuits. *Udayanga, N.*, +, *TCSI Oct. 2019 3941-3954*
- Mean square error methods**
- Reliable Sliding Mode Control of Fast Sampling Singularly Perturbed Systems: A Redundant Channel Transmission Protocol Approach. *Song, J.*, +, *TCSI Nov. 2019 4490-4501*
- Statistics-Based Approach for Blind Post-Compensation of Modulator's Imperfections and Power Amplifier Nonlinearity. *Aziz, M.*, +, *TCSI March 2019 1063-1075*
- Measurement standards**
- An Integrated Micromachined Thermopile Sensor With a Chopper Interface Circuit for Contact-Less Temperature Measurements. *Moisello, E.*, +, *TCSI Sept. 2019 3402-3413*
- Medical image processing**
- An IEEE Single Precision Floating Point Arithmetic-Based Apodization Architecture for Portable Ultrasound Imaging System. *Agarwal, M.*, +, *TCSI June 2019 2275-2287*
- Medical signal detection**
- Ultra-Low Power QRS Detection and ECG Compression Architecture for IoT Healthcare Devices. *Tekeste, T.*, +, *TCSI Feb. 2019 669-679*
- Medical signal processing**
- A Low Power 12-bit 1-kS/s SAR ADC for Biomedical Signal Processing. *Mao, W.*, +, *TCSI Feb. 2019 477-488*
- An Ultra-Low-Power Dual-Mode Automatic Sleep Staging Processor Using Neural-Network-Based Decision Tree. *Chang, S.*, +, *TCSI Sept. 2019 3504-3516*
- Ultra-Low Power QRS Detection and ECG Compression Architecture for IoT Healthcare Devices. *Tekeste, T.*, +, *TCSI Feb. 2019 669-679*
- Meetings**
- Guest Editorial Selected Papers From Regional Flagship Conferences of the IEEE Circuits and Systems Society (ICECS 2017, LASCAS 2018, and NEWCAS 2018). *Blokhina, E.*, *TCSI June 2019 1997*
- Guest Editorial Special Issue on the 2019 International Symposium on Integrated Circuits and Systems. *Blokhina, E.*, *TCSI Sept. 2019 3253*
- Guest Editorial Special Issue on the IEEE International Symposium on Circuits and Systems 2018. *Blokhina, E.*, *TCSI May 2019 1669*
- Memory architecture**
- Area-Delay-Energy Efficient VLSI Architecture for Scalable In-Place Computation of FFT on Real Data. *Mohanty, B.K.*, +, *TCSI March 2019 1042-1050*
- Layered LDPC Decoders With Efficient Memory Access Scheduling and Mapping and Built-In Support for Pipeline Hazards Mitigation. *Boncalo, O.*, +, *TCSI April 2019 1643-1656*
- Power Efficient and Reliable Nonvolatile TCAM With Hi-PFO and Semi-Complementary Driver. *Kim, C.*, +, *TCSI Feb. 2019 605-615*
- Memristor circuits**
- Correlation Between the Theory of Lissajous Figures and the Generation of Pinched Hysteresis Loops in Nonlinear Circuits. *Maundy, B.*, +, *TCSI July 2019 2606-2614*
- Learning in Memristive Neural Network Architectures Using Analog Back-propagation Circuits. *Krestinskaya, O.*, +, *TCSI Feb. 2019 719-732*
- Multiple Pinch-Off Points in Memristive Equations: Analysis and Experiments. *Hamed, E.M.*, +, *TCSI Aug. 2019 3052-3063*
- Pattern Formation With Locally Active S-Type NbO_x Memristors. *Weiher, M.*, +, *TCSI July 2019 2627-2638*
- Toward Designing Thermally-Aware Memristance Decoder. *Bunnam, T.*, +, *TCSI Nov. 2019 4337-4347*
- Memristors**
- A Family of Stateful Memristor Gates for Complete Cascading Logic. *Kim, K.M.*, +, *TCSI Nov. 2019 4348-4355*
- A Novel Universal Interface for Constructing Memory Elements for Circuit Applications. *Zheng, C.*, +, *TCSI Dec. 2019 4793-4806*
- Analysis of Parasitic Effects in Filamentary-Switching Memristive Memories Using an Approximated Verilog-A Memristor Model. *Lupo, N.*, +, *TCSI May 2019 1935-1947*
- OCTAN: An On-Chip Training Algorithm for Memristive Neuromorphic Circuits. *Ansari, M.*, +, *TCSI Dec. 2019 4687-4698*
- On Learning With Nonlinear Memristor-Based Neural Network and its Replication. *Yang, C.*, +, *TCSI Oct. 2019 3906-3916*
- Overhead Requirements for Stateful Memristor Logic. *Hu, X.*, +, *TCSI Jan. 2019 263-273*
- Practical Implementation of Memristor-Based Threshold Logic Gates. *Papandroulidakis, G.*, +, *TCSI Aug. 2019 3041-3051*
- Supporting the Momentum Training Algorithm Using a Memristor-Based Synapse. *Greenberg-Toledo, T.*, +, *TCSI April 2019 1571-1583*
- Message passing**
- An Integrated Message-Passing Detector and Decoder for Polar-Coded Massive MU-MIMO Systems. *Chen, Y.*, +, *TCSI March 2019 1205-1218*

Micromachining

An Integrated Micromachined Thermopile Sensor With a Chopper Interface Circuit for Contact-Less Temperature Measurements. *Moisello, E.*, +, *TCSI Sept. 2019 3402-3413*

Micromagnetics

Addressing Failure and Aging Degradation in MRAM/MeRAM-on-FDSOI Integration. *Cai, H.*, +, *TCSI Jan. 2019 239-250*

Micromechanical devices

A Digitally Programmable CMOS Feedback ASIC for Highly Stable MEMS-Referenced Oscillators. *Islam, M.S.*, +, *TCSI Nov. 2019 4158-4171*

A Novel Universal Interface for Constructing Memory Elements for Circuit Applications. *Zheng, C.*, +, *TCSI Dec. 2019 4793-4806*

Micromechanical resonators

A Programmable Sustaining Amplifier for Flexible Multimode MEMS-Referenced Oscillators. *Islam, M.S.*, +, *TCSI April 2019 1405-1418*

An 18 nW $-47/-40$ dBm Sensitivity 3/100 kbps MEMS-Assisted CMOS Wake-Up Receiver. *Soliman, M.*, +, *TCSI Nov. 2019 4439-4447*

Microprocessor chips

ARMv8 SIKE: Optimized Supersingular Isogeny Key Encapsulation on ARMv8 Processors. *Jalali, A.*, +, *TCSI Nov. 2019 4209-4218*

Dynamic Power Management for Neuromorphic Many-Core Systems. *Hopner, S.*, +, *TCSI Aug. 2019 2973-2986*

Exploiting Machine Learning Against On-Chip Power Analysis Attacks: Tradeoffs and Design Considerations. *Kenarangi, F.*, +, *TCSI Feb. 2019 769-781*

Modeling and Mitigating Time-Dependent Variability From the Physical Level to the Circuit Level. *van Santen, V.M.*, +, *TCSI July 2019 2671-2684*

WRA: A 2.2-to-6.3 TOPS Highly Unified Dynamically Reconfigurable Accelerator Using a Novel Winograd Decomposition Algorithm for Convolutional Neural Networks. *Yang, C.*, +, *TCSI Sept. 2019 3480-3493*

Microsensors

An Integrated Micromachined Thermopile Sensor With a Chopper Interface Circuit for Contact-Less Temperature Measurements. *Moisello, E.*, +, *TCSI Sept. 2019 3402-3413*

Dual-Path and Dual-Chopper Amplifier Signal Conditioning Circuit With Improved SNR and Ultra-Low Power Consumption for MEMS. *Vejdani, P.*, +, *TCSI June 2019 2253-2262*

Microstrip lines

Differential Transmission Lines Loaded With Magnetic LC Resonators and Application in Common Mode Suppression. *Ebrahimi, A.*, +, *TCSI Oct. 2019 3811-3821*

Microstrip resonators

Differential Transmission Lines Loaded With Magnetic LC Resonators and Application in Common Mode Suppression. *Ebrahimi, A.*, +, *TCSI Oct. 2019 3811-3821*

Optimization-Free Design Equations for Narrowband Equal-Division Filtering Power Divider With Pre-Specified Filtering Response and Wideband Isolation. *Lee, B.*, +, *TCSI July 2019 2496-2507*

Microwave amplifiers

A Phase-Calibration Method for Vector-Sum Phase Shifters Using a Self-Generated LUT. *Kalyoncu, I.*, +, *TCSI April 2019 1632-1642*

Analytical Noise Optimization of Single-/Dual-Band MOS LNAs With Substrate and Metal Loss Effects of Inductors. *Chang, W.L.*, +, *TCSI July 2019 2454-2467*

Sub-1-dB and Wideband SiGe BiCMOS Low-Noise Amplifiers for X-Band Applications. *Chliskan, C.*, +, *TCSI April 2019 1419-1430*

Tunable Quasi-Circulator Based on a Compact Fully-Reconfigurable 180° Hybrid for Full-Duplex Transceivers. *Deng, Z.*, +, *TCSI Aug. 2019 2949-2962*

Microwave antenna arrays

Δ - Σ Noise-Shaping in 2-D Space-Time for Wideband Antenna Array Receivers. *Wang, Y.*, +, *TCSI Feb. 2019 569-582*

Microwave circulators

Tunable Quasi-Circulator Based on a Compact Fully-Reconfigurable 180° Hybrid for Full-Duplex Transceivers. *Deng, Z.*, +, *TCSI Aug. 2019 2949-2962*

Microwave filters

Improving Receiver Close-In Blocker Tolerance by Baseband G_m -C Notch Filtering. *Abdulaziz, M.*, +, *TCSI March 2019 885-896*

Microwave integrated circuits

A 0.12-mm² 1.2-to-2.4-mW 1.3-to-2.65-GHz Fractional-N Bang-Bang Digital PLL With 8- μ s Settling Time for Multi-ISM-Band ULP Radios. *Un, K.*, +, *TCSI Sept. 2019 3307-3316*

A 0.34 mm² 1 Gb/s Non-Coherent UWB Receiver Architecture With Pulse Enhancement and Double PLL Clock/Data Packet Recovery. *Crepaldi, M.*, +, *TCSI July 2019 2735-2748*

A 2.2-GHz 3.2-mW DTC-Free Sampling $\Sigma\Delta$ Fractional-N PLL With -110 -dBc/Hz In-Band Phase Noise and -246 -dB FoM and -83 -dBc Reference Spur. *Tao, J.*, +, *TCSI Sept. 2019 3317-3329*

A Phase-Calibration Method for Vector-Sum Phase Shifters Using a Self-Generated LUT. *Kalyoncu, I.*, +, *TCSI April 2019 1632-1642*

Sub-1-dB and Wideband SiGe BiCMOS Low-Noise Amplifiers for X-Band Applications. *Chliskan, C.*, +, *TCSI April 2019 1419-1430*

Microwave metamaterials

Differential Transmission Lines Loaded With Magnetic LC Resonators and Application in Common Mode Suppression. *Ebrahimi, A.*, +, *TCSI Oct. 2019 3811-3821*

Microwave mixers

Improving Receiver Close-In Blocker Tolerance by Baseband G_m -C Notch Filtering. *Abdulaziz, M.*, +, *TCSI March 2019 885-896*

Microwave oscillators

A 0.12-mm² 1.2-to-2.4-mW 1.3-to-2.65-GHz Fractional-N Bang-Bang Digital PLL With 8- μ s Settling Time for Multi-ISM-Band ULP Radios. *Un, K.*, +, *TCSI Sept. 2019 3307-3316*

A 0.34 mm² 1 Gb/s Non-Coherent UWB Receiver Architecture With Pulse Enhancement and Double PLL Clock/Data Packet Recovery. *Crepaldi, M.*, +, *TCSI July 2019 2735-2748*

Microwave phase shifters

A Phase-Calibration Method for Vector-Sum Phase Shifters Using a Self-Generated LUT. *Kalyoncu, I.*, +, *TCSI April 2019 1632-1642*

Microwave power amplifiers

1-to- N Ring Power Combiners With Common Delta Ports. *Holzer, K.D.*, +, *TCSI April 2019 1431-1441*

A 2.4 GHz CMOS Class-F Power Amplifier With Reconfigurable Load-Impedance Matching. *Gilasgar, M.*, +, *TCSI Jan. 2019 31-42*

A 25–35 GHz Neutralized Continuous Class-F CMOS Power Amplifier for 5G Mobile Communications Achieving 26% Modulation PAE at 1.5 Gb/s and 46.4% Peak PAE. *Ali, S.N.*, +, *TCSI Feb. 2019 834-847*

Class-J₂₃ Power Amplifiers. *Alizadeh, A.*, +, *TCSI Oct. 2019 3664-3675*

Microwave receivers

A 0.34 mm² 1 Gb/s Non-Coherent UWB Receiver Architecture With Pulse Enhancement and Double PLL Clock/Data Packet Recovery. *Crepaldi, M.*, +, *TCSI July 2019 2735-2748*

Millimeter wave antenna arrays

Δ - Σ Noise-Shaping in 2-D Space-Time for Wideband Antenna Array Receivers. *Wang, Y.*, +, *TCSI Feb. 2019 569-582*

Multi-User Hybrid MIMO at 60 GHz Using 16-Antenna Transmitters. *Blandino, S.*, +, *TCSI Feb. 2019 848-858*

Millimeter wave communication

Multi-User Hybrid MIMO at 60 GHz Using 16-Antenna Transmitters. *Blandino, S.*, +, *TCSI Feb. 2019 848-858*

Millimeter wave integrated circuits

A CMOS V-Band PLL With a Harmonic Positive Feedback VCO Leveraging Operation in Triode Region for Phase-Noise Improvement. *Abedi, R.*, +, *TCSI May 2019 1818-1830*

Design and Analysis of a 94-GHz CMOS Down-Conversion Mixer With CCPT-RL-Based IF Load. *Lin, Y.*, +, *TCSI Aug. 2019 3148-3161*

Millimeter wave mixers

A 53–67 GHz Low-Noise Mixer-First Receiver Front-End in 65-nm CMOS. *Haghi Kashani, M.*, +, *TCSI June 2019 2051-2063*

Design and Analysis of a 94-GHz CMOS Down-Conversion Mixer With CCPT-RL-Based IF Load. *Lin, Y.*, +, *TCSI Aug. 2019 3148-3161*

Millimeter wave oscillators

A 53–67 GHz Low-Noise Mixer-First Receiver Front-End in 65-nm CMOS. *Haghi Kashani, M., +, TCSI June 2019 2051-2063*

A CMOS V-Band PLL With a Harmonic Positive Feedback VCO Leveraging Operation in Triode Region for Phase-Noise Improvement. *Abedi, R., +, TCSI May 2019 1818-1830*

A Wide Tuning Range, Low Phase Noise, and Area Efficient Dual-Band Millimeter-Wave CMOS VCO Based on Switching Cores. *Basaligheh, A., +, TCSI Aug. 2019 2888-2897*

Millimeter wave phase shifters

A 25–35 GHz Neutralized Continuous Class-F CMOS Power Amplifier for 5G Mobile Communications Achieving 26% Modulation PAE at 1.5 Gb/s and 46.4% Peak PAE. *Ali, S.N., +, TCSI Feb. 2019 834-847*

Millimeter wave receivers

A 53–67 GHz Low-Noise Mixer-First Receiver Front-End in 65-nm CMOS. *Haghi Kashani, M., +, TCSI June 2019 2051-2063*

MIMO communication

A 4×64 MIMO Detector for Generalized Spatial Modulation Systems. *Li, C., +, TCSI Sept. 2019 3585-3597*

A Low Latency FFT/IFFT Architecture for Massive MIMO Systems Utilizing OFDM Guard Bands. *Mahdavi, M., +, TCSI July 2019 2763-2774*

An Area-Efficient On-Chip Memory System for Massive MIMO Using Channel Data Compression. *Liu, Y., +, TCSI Jan. 2019 417-427*

An Integrated Message-Passing Detector and Decoder for Polar-Coded Massive MU-MIMO Systems. *Chen, Y., +, TCSI March 2019 1205-1218*

An SVD Processor Based on Golub–Reinsch Algorithm for MIMO Precoding With Adjustable Precision. *Wu, C., +, TCSI July 2019 2572-2583*

Efficient Channel Estimator With Angle-Division Multiple Access. *Liu, X., +, TCSI Feb. 2019 708-718*

Multi-User Hybrid MIMO at 60 GHz Using 16-Antenna Transmitters. *Blandino, S., +, TCSI Feb. 2019 848-858*

Square-Root Generalized Eigenvalue Decomposition Processor for Leakage-Based Multi-User MIMO Precoding With Multi-Antenna Users. *Lee, L., +, TCSI June 2019 2382-2393*

Minimax techniques

Design of Sparse FIR Filters With Reduced Effective Length. *Chen, W., +, TCSI April 2019 1496-1506*

Minimization

Complementarity Model of a Photovoltaic Power Electronic System With Model Predictive Control. *Morfin-Magana, R., +, TCSI Nov. 2019 4402-4414*

On the Order Minimization of Interpolated Bandpass Method Based Narrow Transition Band FIR Filter Design. *Roy, S., +, TCSI Nov. 2019 4287-4295*

MIS devices

An N-Path Band-Pass Filter With Parametric Gain-Boosting. *Badiyari, K., +, TCSI Oct. 2019 3700-3712*

MISO communication

A Switched Capacitor Multiple Input Single Output Energy Harvester (Solar + Piezo) Achieving 74.6% Efficiency With Simultaneous MPPT. *Devaraj, A., +, TCSI Dec. 2019 4876-4887*

Mixed analog digital integrated circuits

Bidirectional Single-Inductor Dual-Supply Converter With Automatic State-Transition for IoT Applications. *Wu, H., +, TCSI Oct. 2019 4068-4078*

New Mixed-Mode Design Methodology for High-Efficiency Outphasing Chireix Amplifiers. *Chang, H., +, TCSI April 2019 1594-1607*

On Learning With Nonlinear Memristor-Based Neural Network and its Replication. *Yang, C., +, TCSI Oct. 2019 3906-3916*

Mixed analog-digital integrated circuits

Guest Editorial Special Issue on the 2019 International Symposium on Integrated Circuits and Systems. *Blokhina, E., TCSI Sept. 2019 3253*

Guest Editorial Special Issue on the IEEE International Symposium on Circuits and Systems 2018. *Blokhina, E., TCSI May 2019 1669*

Mixers (circuits)

A 3–6-GHz Highly Linear I-Channel Receiver With Over +3.0-dBm In-Band P_{1dB} and 200-MHz Baseband Bandwidth Suitable for 5G Wireless and Cognitive Radio Applications. *Jiang, J., +, TCSI Aug. 2019 3134-3147*

A Low Power Receiver Front-End Design With Tunable Notch Filter for TX Leakage and Blocker Suppression. *Ozgun, M.T., +, TCSI March 2019 1180-1191*

Harmonic Performance of Mixer-First Receivers With Circulant-Symmetric Basebands. *Wilson, C., +, TCSI Jan. 2019 161-174*

Harmonic-Based Nonlinearity Factorization of Switching Behavior in Up-Conversion Mixers. *Li, J., +, TCSI July 2019 2468-2477*

Simple, Analytical Expressions of an Effect of Local Signal Imperfections on Four-Phase Passive-Mixer-Based Bandpass Filter. *Kishida, K., +, TCSI Jan. 2019 147-160*

MMIC amplifiers

High-Resolution Wideband Phase Shifter With Current Limited Vector-Sum. *Qian, H.J., +, TCSI Feb. 2019 820-833*

Mmic frequency converters

A Novel Single-Inductor Injection-Locked Frequency Divider by Three With Dual-Injection Secondary Locking. *Garghetti, A., +, TCSI May 2019 1737-1745*

MMIC oscillators

A Supply-Noise-Insensitive Digitally-Controlled Oscillator. *Yuan, C., +, TCSI Sept. 2019 3414-3422*

A System of Two Coupled Oscillators With a Continuously Controllable Phase Shift. *Pourahmad, V., +, TCSI April 2019 1531-1543*

MMIC phase shifters

High-Resolution Wideband Phase Shifter With Current Limited Vector-Sum. *Qian, H.J., +, TCSI Feb. 2019 820-833*

MMIC power amplifiers

Design of a 5.2-GHz CMOS Power Amplifier Using TF-Based 2-Stage Dual-Radial Power Splitting/Combining Architecture. *Tsai, J., TCSI Oct. 2019 3690-3699*

Mobile computing

A Real-Time 17-Scale Object Detection Accelerator With Adaptive 2000-Stage Classification in 65 nm CMOS. *Kim, M., +, TCSI Oct. 2019 3843-3853*

Mobile robots

Waypoint Path Planning With Synaptic-Dependent Spike Latency. *Koul, S., +, TCSI April 2019 1544-1557*

Modulation

A 4×64 MIMO Detector for Generalized Spatial Modulation Systems. *Li, C., +, TCSI Sept. 2019 3585-3597*

Modulation coding

Layered Decoding Algorithm and Two-Level Quasi-Cyclic Matrix Construction for Rate Compatible Modulation. *Lu, F., +, TCSI Aug. 2019 3213-3226*

Modulators

A 1-MHz-Bandwidth Gm-C-Based Quadrature Bandpass Sigma-Delta Modulator Achieving -153.7 -dBFS/Hz NSD With Background Calibration. *Zhang, M., +, TCSI March 2019 909-919*

An 85-MHz-BW ASAR-Assisted CT 4-0 MASH $\Sigma\Delta$ Modulator With Background Half-Range Dithering-Based DAC Calibration in 28-nm CMOS. *Liu, H., +, TCSI July 2019 2405-2414*

Analysis of Systematic Losses in Hybrid Envelope Tracking Modulators. *Renaud, L., +, TCSI April 2019 1319-1330*

Statistics-Based Approach for Blind Post-Compensation of Modulator's Imperfections and Power Amplifier Nonlinearity. *Aziz, M., +, TCSI March 2019 1063-1075*

Monolithic integrated circuits

Fundamental Energy Limits of Digital Phased Arrays. *Bo Marr, H., TCSI July 2019 2775-2783*

Monte Carlo methods

A Systematic Design Methodology for Optimization of Sigma-Delta Modulators Based on an Evolutionary Algorithm. *de Melo, J.L.A., +, TCSI Sept. 2019 3544-3556*

Improved Analog Filter Design by Random Search. *Pillans, J., TCSI June 2019 2350-2360*

Offset-Cancellation Sensing-Circuit-Based Nonvolatile Flip-Flop Operating in Near-Threshold Voltage Region. *Song, B., +, TCSI Aug. 2019 2963-2972*
Toward Designing Thermally-Aware Memristance Decoder. *Bunnam, T., +, TCSI Nov. 2019 4337-4347*

Variation Aware Design of 50-Gbit/s, 5.027-fJ/bit Serializer Using Latency Combined Mux-Dual Latch for Inter-Chip Communication. *Majumder, A.*, +, *TCSI March 2019 1231-1244*

MOSFET

A Secure Data-Toggling SRAM for Confidential Data Protection. *Ho, W.*, +, *TCSI Nov. 2019 4186-4199*

Analysis of Class-DE PA Using MOSFET Devices With Non-Equally Grading Coefficient. *Lotfi, A.*, +, *TCSI July 2019 2794-2802*

Charge-Based Distortion Analysis of Nanoscale MOSFETs. *Chicco, F.*, +, *TCSI Feb. 2019 453-462*

Design of a 0.20–0.25-V, Sub-nW, Rail-to-Rail, 10-bit SAR ADC for Self-Sustainable IoT Applications. *Hong, H.*, +, *TCSI May 2019 1840-1852*

Leveraging Independent Double-Gate FinFET Devices for Machine Learning Classification. *Kenarangi, F.*, +, *TCSI Nov. 2019 4356-4367*

Novel Radiation Hardening Read/Write Circuits Using Feedback Connections for Spin–Orbit Torque Magnetic Random Access Memory. *Wang, B.*, +, *TCSI May 2019 1853-1862*

Using Modified Bessel Functions for Analysis of Nonlinear Effects in a MOS Transistor Operating in Moderate Inversion. *Filanovsky, I.M.*, +, *TCSI May 2019 1897-1907*

MOSFET circuits

A 0.034% Charge-Imbalanced Neural Stimulation Front-End (SFE) IC With on-Chip Voltage Compliance Monitoring Circuit and Analysis on Resting Potential by Utilizing the SFE IC. *Jeon, Y.*, +, *TCSI Oct. 2019 3797-3810*

Accurate and Fast On-Wafer Test Circuitry for Device Array Characterization in Wafer Acceptance Test. *Hong, H.*, +, *TCSI Sept. 2019 3467-3479*

Design and Analysis of a 12-b Current-Steering DAC in a 14-nm FinFET Technology for 2G/3G/4G Cellular Applications. *Kim, J.*, +, *TCSI Oct. 2019 3723-3732*

Low-Voltage Current and Voltage Reference Design Based on the MOSFET ZTC Effect. *Wenger, Y.*, +, *TCSI Sept. 2019 3445-3456*

Neuromodulation of Neuromorphic Circuits. *Ribar, L.*, +, *TCSI Aug. 2019 3028-3040*

Motion estimation

Energy-Efficient Hadamard-Based SATD Hardware Architectures Through Calculation Reuse. *Seidel, I.*, +, *TCSI June 2019 2102-2115*

MRAM devices

A Novel MTJ-Based Non-Volatile Ternary Content-Addressable Memory for High-Speed, Low-Power, and High-Reliable Search Operation. *Wang, C.*, +, *TCSI April 2019 1454-1464*

Addressing Failure and Aging Degradation in MRAM/MeRAM-on-FDSOI Integration. *Cai, H.*, +, *TCSI Jan. 2019 239-250*

Novel Radiation Hardening Read/Write Circuits Using Feedback Connections for Spin–Orbit Torque Magnetic Random Access Memory. *Wang, B.*, +, *TCSI May 2019 1853-1862*

Ultra-Dense Ring-Shaped Racetrack Memory Cache Design. *Wang, G.*, +, *TCSI Jan. 2019 215-225*

Multi-access systems

An LDPC-Coded SCMA Receiver With Multi-User Iterative Detection and Decoding. *Sun, W.*, +, *TCSI Sept. 2019 3571-3584*

Efficient Channel Estimator With Angle-Division Multiple Access. *Liu, X.*, +, *TCSI Feb. 2019 708-718*

Joint Detection and Decoding of Polar-Coded OFDM-IDMA Systems. *Deng, X.*, +, *TCSI Oct. 2019 4005-4017*

Multi-agent systems

Adaptive Double Event-Triggered Control for Linear Multi-Agent Systems With Actuator Faults. *Luo, S.*, +, *TCSI Dec. 2019 4829-4839*

Bipartite Synchronization and Convergence Analysis for Network of Harmonic Oscillator Systems With Signed Graph and Time Delay. *Song, Q.*, +, *TCSI July 2019 2723-2734*

Observer-Based Distributed Secure Consensus Control of a Class of Linear Multi-Agent Systems Subject to Random Attacks. *Yang, Y.*, +, *TCSI Aug. 2019 3089-3099*

Synchronization of Multi-Agent Systems With Time-Varying Control and Delayed Communications. *Jia, Q.*, +, *TCSI Nov. 2019 4429-4438*

Multiplexing equipment

Design of Tunable Multi-Pole Multi-Zero Bandpass Filters and Diplexer With High Selectivity and Isolation. *Gao, L.*, +, *TCSI Oct. 2019 3831-3842*

Variation Aware Design of 50-Gbit/s, 5.027-fJ/bit Serializer Using Latency Combined Mux-Dual Latch for Inter-Chip Communication. *Majumder, A.*, +, *TCSI March 2019 1231-1244*

Multiplying circuits

A Combined Arithmetic-High-Level Synthesis Solution to Deploy Partial Carry-Save Radix-8 Booth Multipliers in Datapaths. *Del Barrio, A.A.*, +, *TCSI Feb. 2019 742-755*

A High-Precision Time Skew Estimation and Correction Technique for Time-Interleaved ADCs. *Salib, A.*, +, *TCSI Oct. 2019 3747-3760*

A Majority-Based Imprecise Multiplier for Ultra-Efficient Approximate Image Multiplication. *Sabetzadeh, F.*, +, *TCSI Nov. 2019 4200-4208*

Efficient CMOS Invertible Logic Using Stochastic Computing. *Smithson, S.C.*, +, *TCSI June 2019 2263-2274*

FPAP: A Folded Architecture for Energy-Quality Scalable Convolutional Neural Networks. *Wang, Y.*, +, *TCSI Jan. 2019 288-301*

Low-Power Approximate Unsigned Multipliers With Configurable Error Recovery. *Jiang, H.*, +, *TCSI Jan. 2019 189-202*

Multiport networks

Analytical Equivalent Circuit Extraction Procedure for Broadband Scalable Modeling of Three-Port Center-Tapped Symmetric On-Chip Inductors. *Issakov, V.*, +, *TCSI Sept. 2019 3557-3570*

Symbolic Distortion Analysis of Multistage Amplifiers. *Shi, G.*, *TCSI Jan. 2019 369-382*

Multiprocessing systems

Dynamic Power Management for Neuromorphic Many-Core Systems. *Hop-pner, S.*, +, *TCSI Aug. 2019 2973-2986*

Using Machine Learning Techniques to Evaluate Multicore Soft Error Reliability. *da Rosa, F.R.*, +, *TCSI June 2019 2151-2164*

Multiuser detection

Multi-User Hybrid MIMO at 60 GHz Using 16-Antenna Transmitters. *Blancino, S.*, +, *TCSI Feb. 2019 848-858*

Real-Time Multi-User Detection Engine Design for IoT Applications via Modified Sparsity Adaptive Matching Pursuit. *Liao, C.*, +, *TCSI Aug. 2019 2987-3000*

N

NAND circuits

A (21150, 19050) GC-LDPC Decoder for NAND Flash Applications. *Liao, Y.*, +, *TCSI March 2019 1219-1230*

Architectural Exploration to Address the Reliability Challenges for ReRAM-Based Buffer in SSD. *Zhao, X.*, +, *TCSI Jan. 2019 226-238*

Nanoelectronics

Modeling and Mitigating Time-Dependent Variability From the Physical Level to the Circuit Level. *van Santen, V.M.*, +, *TCSI July 2019 2671-2684*

Nano-Intrinsic True Random Number Generation: A Device to Data Study. *Kim, J.*, +, *TCSI July 2019 2615-2626*

On Basic Boolean Function Graphene Nanoribbon Conductance Mapping. *Jiang, Y.*, +, *TCSI May 2019 1948-1959*

Nanoribbons

On Basic Boolean Function Graphene Nanoribbon Conductance Mapping. *Jiang, Y.*, +, *TCSI May 2019 1948-1959*

Nanowires

Ultra-Dense Ring-Shaped Racetrack Memory Cache Design. *Wang, G.*, +, *TCSI Jan. 2019 215-225*

Navigation

Waypoint Path Planning With Synaptic-Dependent Spike Latency. *Koul, S.*, +, *TCSI April 2019 1544-1557*

Nearest neighbor methods

Low-Power Approximate Unsigned Multipliers With Configurable Error Recovery. *Jiang, H.*, +, *TCSI Jan. 2019 189-202*

Negative bias temperature instability

A Secure Data-Toggling SRAM for Confidential Data Protection. *Ho, W.*, +, *TCSI Nov. 2019 4186-4199*

Network analysis

- H_∞ Model Reduction for Interval Frequency Negative Imaginary Systems. Yu, L., +, *TCSI March 2019 1116-1129*
- Analytical Equivalent Circuit Extraction Procedure for Broadband Scalable Modeling of Three-Port Center-Tapped Symmetric On-Chip Inductors. Issakov, V., +, *TCSI Sept. 2019 3557-3570*
- Design and Analysis of a 12-b Current-Steering DAC in a 14-nm FinFET Technology for 2G/3G/4G Cellular Applications. Kim, J., +, *TCSI Oct. 2019 3723-3732*
- Simple, Analytical Expressions of an Effect of Local Signal Imperfections on Four-Phase Passive-Mixer-Based Bandpass Filter. Kishida, K., +, *TCSI Jan. 2019 147-160*

Network routing

- Low-Routing-Complexity Convolutional/Turbo Decoder Design for Iterative Detection and Decoding Receivers. Lin, C., +, *TCSI Nov. 2019 4476-4489*
- Network Science Meets Circuit Theory: Resistance Distance, Kirchhoff Index, and Foster's Theorems With Generalizations and Unification. Thulasiraman, K., +, *TCSI March 2019 1090-1103*

Network synthesis

- A 124 fJ/Bit Cascade Current Mirror Array Based PUF With 1.50% Native Unstable Bit Ratio. Zhao, X., +, *TCSI Sept. 2019 3494-3503*
- An Efficient Uniform-Segmented Neuron Model for Large-Scale Neuromorphic Circuit Design: Simulation and FPGA Synthesis Results. Jokar, E., +, *TCSI June 2019 2336-2349*
- Design and Analysis of a 12-b Current-Steering DAC in a 14-nm FinFET Technology for 2G/3G/4G Cellular Applications. Kim, J., +, *TCSI Oct. 2019 3723-3732*
- Low-Cost, High-Precision DAC Design Based on Ordered Element Matching. Li, Y., +, *TCSI Feb. 2019 502-512*

Network theory (graphs)

- Bipartite Synchronization and Convergence Analysis for Network of Harmonic Oscillator Systems With Signed Graph and Time Delay. Song, Q., +, *TCSI July 2019 2723-2734*
- Coreness and h -Index for Weighted Networks. Wu, X., +, *TCSI Aug. 2019 3113-3122*
- Network Science Meets Circuit Theory: Resistance Distance, Kirchhoff Index, and Foster's Theorems With Generalizations and Unification. Thulasiraman, K., +, *TCSI March 2019 1090-1103*
- Reconstructing of Networks With Binary-State Dynamics via Generalized Statistical Inference. Zhang, H., +, *TCSI April 2019 1608-1619*

Network topology

- Improved Analog Filter Design by Random Search. Pillans, J., *TCSI June 2019 2350-2360*
- Reflectionless Filters for Generalized Elliptic Transmission Functions. Guilbert, A., +, *TCSI Dec. 2019 4606-4618*

Networked control systems

- Event-Based Security Control for State-Dependent Uncertain Systems Under Hybrid-Attacks and Its Application to Electronic Circuits. Liu, J., +, *TCSI Dec. 2019 4817-4828*
- Network-Based Quantized Control for Fuzzy Singularly Perturbed Semi-Markov Jump Systems and its Application. Shen, H., +, *TCSI March 2019 1130-1140*
- Reliable Sliding Mode Control of Fast Sampling Singularly Perturbed Systems: A Redundant Channel Transmission Protocol Approach. Song, J., +, *TCSI Nov. 2019 4490-4501*
- Synchronization of Multi-Layer Networks: From Node-to-Node Synchronization to Complete Synchronization. Wang, P., +, *TCSI March 2019 1141-1152*

Neural chips

- A 0.034% Charge-Imbalanced Neural Stimulation Front-End (SFE) IC With on-Chip Voltage Compliance Monitoring Circuit and Analysis on Resting Potential by Utilizing the SFE IC. Jeon, Y., +, *TCSI Oct. 2019 3797-3810*
- CORDIC-SNN: On-FPGA STDP Learning With Izhikevich Neurons. Heidarpur, M., +, *TCSI July 2019 2651-2661*
- Learning in Memristive Neural Network Architectures Using Analog Back-propagation Circuits. Krestinskaya, O., +, *TCSI Feb. 2019 719-732*

Neural network architecture

- Learning in Memristive Neural Network Architectures Using Analog Back-propagation Circuits. Krestinskaya, O., +, *TCSI Feb. 2019 719-732*

Neural networks

- A Dual-Split 6T SRAM-Based Computing-in-Memory Unit-Macro With Fully Parallel Product-Sum Operation for Binarized DNN Edge Processors. Si, X., +, *TCSI Nov. 2019 4172-4185*
- A Fully Flexible Circuit Implementation of Clique-Based Neural Networks in 65-nm CMOS. Larras, B., +, *TCSI May 2019 1704-1715*
- A Low-Power Deep Neural Network Online Learning Processor for Real-Time Object Tracking Application. Han, D., +, *TCSI May 2019 1794-1804*
- An Efficient Uniform-Segmented Neuron Model for Large-Scale Neuromorphic Circuit Design: Simulation and FPGA Synthesis Results. Jokar, E., +, *TCSI June 2019 2336-2349*
- An Ultra-Low-Power Dual-Mode Automatic Sleep Staging Processor Using Neural-Network-Based Decision Tree. Chang, S., +, *TCSI Sept. 2019 3504-3516*
- ChipNet: Real-Time LiDAR Processing for Drivable Region Segmentation on an FPGA. Lyu, Y., +, *TCSI May 2019 1769-1779*
- CORDIC-SNN: On-FPGA STDP Learning With Izhikevich Neurons. Heidarpur, M., +, *TCSI July 2019 2651-2661*
- Dynamic Power Management for Neuromorphic Many-Core Systems. Hopfner, S., +, *TCSI Aug. 2019 2973-2986*
- Efficient CMOS Invertible Logic Using Stochastic Computing. Smithson, S.C., +, *TCSI June 2019 2263-2274*
- Efficient FPGA Implementations of Pair and Triplet-Based STDP for Neuromorphic Architectures. Lammie, C., +, *TCSI April 2019 1558-1570*
- FPAP: A Folded Architecture for Energy-Quality Scalable Convolutional Neural Networks. Wang, Y., +, *TCSI Jan. 2019 288-301*
- Multiplierless Digital Implementation of Time-Varying FitzHugh-Nagumo Model. Zahedi, A., +, *TCSI July 2019 2662-2670*
- Neuromodulation of Neuromorphic Circuits. Ribar, L., +, *TCSI Aug. 2019 3028-3040*
- On Learning With Nonlinear Memristor-Based Neural Network and its Replication. Yang, C., +, *TCSI Oct. 2019 3906-3916*
- Practical Implementation of Memristor-Based Threshold Logic Gates. Papandroulidakis, G., +, *TCSI Aug. 2019 3041-3051*
- Recursive Binary Neural Network Training Model for Efficient Usage of On-Chip Memory. Guan, T., +, *TCSI July 2019 2593-2605*
- Supporting the Momentum Training Algorithm Using a Memristor-Based Synapse. Greenberg-Toledo, T., +, *TCSI April 2019 1571-1583*
- Xcel-RAM: Accelerating Binary Neural Networks in High-Throughput SRAM Compute Arrays. Agrawal, A., +, *TCSI Aug. 2019 3064-3076*

Neurocontrollers

- Pinning Synchronization of Complex Switching Networks With a Leader of Nonzero Control Inputs. Wen, G., +, *TCSI Aug. 2019 3100-3112*
- Switched Threshold-Based Fault Detection for Switched Nonlinear Systems With Its Application to Chua's Circuit System. Tang, L., +, *TCSI Feb. 2019 733-741*
- Waypoint Path Planning With Synaptic-Dependent Spike Latency. Koul, S., +, *TCSI April 2019 1544-1557*

Neuromorphics

- A Novel Universal Interface for Constructing Memory Elements for Circuit Applications. Zheng, C., +, *TCSI Dec. 2019 4793-4806*
- OCTAN: An On-Chip Training Algorithm for Memristive Neuromorphic Circuits. Ansari, M., +, *TCSI Dec. 2019 4687-4698*

Neurophysiology

- CORDIC-SNN: On-FPGA STDP Learning With Izhikevich Neurons. Heidarpur, M., +, *TCSI July 2019 2651-2661*
- Multiplierless Digital Implementation of Time-Varying FitzHugh-Nagumo Model. Zahedi, A., +, *TCSI July 2019 2662-2670*
- Waypoint Path Planning With Synaptic-Dependent Spike Latency. Koul, S., +, *TCSI April 2019 1544-1557*

Newton method

- Proper Initial Solution to Start Periodic Steady-State-Based Methods. De Luca, G., +, *TCSI March 2019 1104-1115*
- Variable Threshold-Based Selective Updating Algorithms in Feed-Forward Active Noise Control Systems. Aslam, M.S., +, *TCSI Feb. 2019 782-795*

Next generation networks

A 4×64 MIMO Detector for Generalized Spatial Modulation Systems. *Li, C.*, +, *TCSI Sept. 2019 3585-3597*

Multi-User Hybrid MIMO at 60 GHz Using 16-Antenna Transmitters. *Blandin, S.*, +, *TCSI Feb. 2019 848-858*

Niobium compounds

Pattern Formation With Locally Active S-Type NbO_x Memristors. *Weiher, M.*, +, *TCSI July 2019 2627-2638*

Noise measurement

A Study of Phase Noise and Frequency Error of a Fractional-N PLL in the Course of FMCW Chirp Generation. *Ergintav, A.*, +, *TCSI May 2019 1670-1680*

Design of Cryogenic LNAs for High Linearity in Space Applications. *Caglar, A.*, +, *TCSI Dec. 2019 4619-4627*

Nondestructive testing

Pulse Compression in Nondestructive Testing Applications: Reduction of Near Sidelobes Exploiting Reactance Transformation. *Burrascano, P.*, +, *TCSI May 2019 1886-1896*

Nonlinear control systems

Enhancing Transient Stability of DC Microgrid by Enlarging the Region of Attraction Through Nonlinear Polynomial Droop Control. *Severino, B.*, +, *TCSI Nov. 2019 4388-4401*

Global Frequency Synchronization of Complex Power Networks Via Coordinating Switching Control. *Wu, J.*, +, *TCSI Aug. 2019 3123-3133*

Linear Consequence-Based Fuzzy Parallel Distributed Compensation Type L_1 Adaptive Controller for Two Link Robot Manipulator. *Maiti, R.*, +, *TCSI Oct. 2019 3978-3990*

Network-Based Quantized Control for Fuzzy Singularly Perturbed Semi-Markov Jump Systems and its Application. *Shen, H.*, +, *TCSI March 2019 1130-1140*

Observer-Based Fault Estimation for Discrete-Time Nonlinear Systems and Its Application: A Weighted Switching Approach. *Xie, X.*, +, *TCSI Nov. 2019 4377-4387*

Robust Pinning Constrained Control and Adaptive Regulation of Coupled Chua's Circuit Networks. *Jin, X.*, +, *TCSI Oct. 2019 3928-3940*

Switched Threshold-Based Fault Detection for Switched Nonlinear Systems With Its Application to Chua's Circuit System. *Tang, L.*, +, *TCSI Feb. 2019 733-741*

Synchronization of Multi-Agent Systems With Time-Varying Control and Delayed Communications. *Jia, Q.*, +, *TCSI Nov. 2019 4429-4438*

Nonlinear distortion

An Adaptive Cascaded ILA- and DLA-Based Digital Predistorter for Linearizing an RF Power Amplifier. *Le Duc, H.*, +, *TCSI March 2019 1031-1041*

Nonlinear dynamical systems

Nonlinear Dynamic Modeling and Analysis of Self-Oscillating H-Bridge Parallel Resonant Converter Under Zero Current Switching Control: Unveiling Coexistence of Attractors. *El Aroudi, A.*, +, *TCSI April 2019 1657-1667*

Synchronization of Stochastic Lévy Noise Systems on a Multi-Weights Network and Its Applications of Chua's Circuits. *Zhou, H.*, +, *TCSI July 2019 2709-2722*

Nonlinear filters

Kernel Kalman Filtering With Conditional Embedding and Maximum Correntropy Criterion. *Dang, L.*, +, *TCSI Nov. 2019 4265-4277*

Nonlinear network analysis

Correlation Between the Theory of Lissajous Figures and the Generation of Pinched Hysteresis Loops in Nonlinear Circuits. *Maundy, B.*, +, *TCSI July 2019 2606-2614*

Pattern Formation With Locally Active S-Type NbO_x Memristors. *Weiher, M.*, +, *TCSI July 2019 2627-2638*

Shooting by a Two-Step Galerkin Method. *Bizzarri, F.*, +, *TCSI Jan. 2019 383-390*

Nonlinear systems

Global High-Order Sliding Mode Controller Design Subject to Mismatched Terms: Application to Buck Converter. *Shi, S.*, +, *TCSI Dec. 2019 4840-4849*

Guest Editorial Special Issue on the 2019 International Symposium on Integrated Circuits and Systems. *Blokhina, E.*, *TCSI Sept. 2019 3253*

NOR circuits

Xcel-RAM: Accelerating Binary Neural Networks in High-Throughput SRAM Compute Arrays. *Agrawal, A.*, +, *TCSI Aug. 2019 3064-3076*

Normal distribution

Event-Based H_∞ Fault Detection for Buck Converter With Multiplicative Noises Over Network. *Yan, H.*, +, *TCSI June 2019 2361-2370*

Notch filters

A Low Power Receiver Front-End Design With Tunable Notch Filter for TX Leakage and Blocker Suppression. *Ozgun, M.T.*, +, *TCSI March 2019 1180-1191*

Improving Receiver Close-In Blocker Tolerance by Baseband G_m -C Notch Filtering. *Abdulaziz, M.*, +, *TCSI March 2019 885-896*

Numerical analysis

Synchronization of Stochastic Lévy Noise Systems on a Multi-Weights Network and Its Applications of Chua's Circuits. *Zhou, H.*, +, *TCSI July 2019 2709-2722*

Upper and Lower Bounds for the Maximum Number of Frequencies That Can Be Generated by a Class of Fractional Oscillators. *Tavazoei, M.S.*, *TCSI April 2019 1584-1593*

Numerical simulation

Generating Multi-Scroll Chua's Attractors via Simplified Piecewise-Linear Chua's Diode. *Wang, N.*, +, *TCSI Dec. 2019 4767-4779*

Numerical stability

Analysis of Parasitic Effects in Filamentary-Switching Memristive Memories Using an Approximated Verilog-A Memristor Model. *Lupo, N.*, +, *TCSI May 2019 1935-1947*

O**Object detection**

A Real-Time 17-Scale Object Detection Accelerator With Adaptive 2000-Stage Classification in 65 nm CMOS. *Kim, M.*, +, *TCSI Oct. 2019 3843-3853*

Object tracking

A Low-Power Deep Neural Network Online Learning Processor for Real-Time Object Tracking Application. *Han, D.*, +, *TCSI May 2019 1794-1804*

Observers

Fault Estimation Observer Design for Descriptor Switched Systems With Actuator and Sensor Failures. *Chen, L.*, +, *TCSI Feb. 2019 810-819*

Observer-Based Distributed Secure Consensus Control of a Class of Linear Multi-Agent Systems Subject to Random Attacks. *Yang, Y.*, +, *TCSI Aug. 2019 3089-3099*

Observer-Based Fault Estimation for Discrete-Time Nonlinear Systems and Its Application: A Weighted Switching Approach. *Xie, X.*, +, *TCSI Nov. 2019 4377-4387*

Reduced-Order Observer-Based Sliding Mode Control for Singular Markovian Jump System With Time-Varying Transition Rate. *Zhang, D.*, +, *TCSI Feb. 2019 796-809*

Switched Threshold-Based Fault Detection for Switched Nonlinear Systems With Its Application to Chua's Circuit System. *Tang, L.*, +, *TCSI Feb. 2019 733-741*

OFDM

A Low Latency FFT/IFFT Architecture for Massive MIMO Systems Utilizing OFDM Guard Bands. *Mahdavi, M.*, +, *TCSI July 2019 2763-2774*

A Design of Input-Decimation Technique for Recursive DFT/IDFT Algorithm. *Wu, C.*, +, *TCSI Dec. 2019 4713-4722* Design of a 5.2-GHz CMOS Power Amplifier Using TF-Based 2-Stage Dual-Radial Power Splitting/Combining Architecture. *Tsai, J.*, *TCSI Oct. 2019 3690-3699*

Joint Detection and Decoding of Polar-Coded OFDM-IDMA Systems. *Deng, X.*, +, *TCSI Oct. 2019 4005-4017*

Operational amplifiers

A 0.4-V 10.9- μW /Pole Third-Order Complex BPF for Low Energy RF Receivers. *Compassi-Severo, L.*, +, *TCSI June 2019 2017-2026*

A 1.2-V 2.41-GHz Three-Stage CMOS OTA With Efficient Frequency Compensation Technique. *Liu, S.*, +, *TCSI Jan. 2019 20-30*

A 10-Gb/s -18.8 dBm Sensitivity 5.7 mW Fully-Integrated Optoelectronic Receiver With Avalanche Photodetector in 0.13- μm CMOS. *Nayak, S.*, +, *TCSI Aug. 2019 3162-3173*

- A 10-MHz BW 77.9 dB SNDR DT MASH $\Delta\Sigma$ ADC With NC-VCO-Based Quantizer and OPAMP Sharing. *Sadollahi, M.*, +, *TCSI Sept. 2019 3384-3392*
- A 13-Bit 260MS/s Power-Efficient Pipeline ADC Using a Current-Reuse Technique and Interstage Gain and Nonlinearity Errors Calibration. *Zhou, D.*, +, *TCSI Sept. 2019 3373-3383*
- A 27.7 fJ/conv-step 500 MS/s 12-Bit Pipelined ADC Employing a Sub-ADC Forecasting Technique and Low-Power Class AB Slew Boosted Amplifiers. *Naderi, M.H.*, +, *TCSI Sept. 2019 3352-3364*
- A 3–6-GHz Highly Linear I-Channel Receiver With Over +3.0-dBm In-Band P_{1dB} and 200-MHz Baseband Bandwidth Suitable for 5G Wireless and Cognitive Radio Applications. *Jiang, J.*, +, *TCSI Aug. 2019 3134-3147*
- Analysis and Design of Ultra-Large Dynamic Range CMOS Transimpedance Amplifier With Automatically-Controlled Multi-Current-Bleeding Paths. *Bi, X.*, +, *TCSI Sept. 2019 3266-3278*
- Benefits of Using VCO-OTAs to Construct TIAs in Wideband Current-Mode Receivers Over Inverter-Based OTAs. *Kalani, S.*, +, *TCSI May 2019 1681-1691*
- Design Considerations for Low-Distortion Filter and Oscillator ICs for Testing High-Resolution ADCs. *Kumar, S.*, +, *TCSI Sept. 2019 3393-3401*
- Improved Analog Filter Design by Random Search. *Pillans, J.*, *TCSI June 2019 2350-2360*
- Low-Noise Broadband CMOS TIA Based on Multi-Stage Stagger-Tuned Amplifier for High-Speed High-Sensitivity Optical Communication. *Li, D.*, +, *TCSI Oct. 2019 3676-3689*
- Low-Pass Filtering SC-DAC for Reduced Jitter and Slewing Requirements on CTSDMs. *Vercaemer, D.*, +, *TCSI April 2019 1369-1381*
- Neuromodulation of Neuromorphic Circuits. *Ribar, L.*, +, *TCSI Aug. 2019 3028-3040*
- Noise Analysis and Design Considerations for Equalizer-Based Optical Receivers. *Abdelrahman, D.*, +, *TCSI Aug. 2019 3201-3212*
- Noise Filtering and Linearization of Single-Ended Sampled-Data Circuits. *He, T.*, +, *TCSI April 2019 1331-1341*
- Pixel Optimizations and Digital Calibration Methods of a CMOS Image Sensor Targeting High Linearity. *Wang, F.*, +, *TCSI March 2019 930-940*
- Symbolic Distortion Analysis of Multistage Amplifiers. *Shi, G.*, *TCSI Jan. 2019 369-382*
- Unified Analysis, Modeling, and Simulation of Chopping Artifacts in Continuous-Time Delta-Sigma Modulators. *Theertham, R.*, +, *TCSI Aug. 2019 2831-2842*
- Optical communication equipment**
- A Differential Push-Pull Voltage Mode VCSEL Driver in 65-nm CMOS. *Ramani, A.S.*, +, *TCSI Nov. 2019 4147-4157*
- Optical fiber LAN**
- Chaotic Encryption for 10-Gb Ethernet Optical Links. *Perez-Resca, A.*, +, *TCSI Feb. 2019 859-868*
- Optical links**
- A Differential Push-Pull Voltage Mode VCSEL Driver in 65-nm CMOS. *Ramani, A.S.*, +, *TCSI Nov. 2019 4147-4157*
- Optical modulation**
- Solar Cell Photo-Luminescence Modulation for Optical Frequency Identification Devices. *Leon-Salas, W.D.*, +, *TCSI May 2019 1981-1992*
- Optical radar**
- 256 \times TDC Array With Cyclic Interpolators Based on Calibration-Free 2 \times Time Amplifier. *Keranen, P.*, +, *TCSI Feb. 2019 524-533*
- 256 \times 8 SPAD Array With 256 Column TDCs for a Line Profiling Laser Radar. *Keranen, P.*, +, *TCSI Nov. 2019 4122-4133*
- ChipNet: Real-Time LiDAR Processing for Drivable Region Segmentation on an FPGA. *Lyu, Y.*, +, *TCSI May 2019 1769-1779*
- Optical receivers**
- 256 \times 8 SPAD Array With 256 Column TDCs for a Line Profiling Laser Radar. *Keranen, P.*, +, *TCSI Nov. 2019 4122-4133*
- Low-Noise Broadband CMOS TIA Based on Multi-Stage Stagger-Tuned Amplifier for High-Speed High-Sensitivity Optical Communication. *Li, D.*, +, *TCSI Oct. 2019 3676-3689*
- Noise Analysis and Design Considerations for Equalizer-Based Optical Receivers. *Abdelrahman, D.*, +, *TCSI Aug. 2019 3201-3212*
- Optical sensors**
- 256 \times 8 SPAD Array With 256 Column TDCs for a Line Profiling Laser Radar. *Keranen, P.*, +, *TCSI Nov. 2019 4122-4133*
- Optical testing**
- A 10-Gb/s -18.8 dBm Sensitivity 5.7 mW Fully-Integrated Optoelectronic Receiver With Avalanche Photodetector in 0.13- μ m CMOS. *Nayak, S.*, +, *TCSI Aug. 2019 3162-3173*
- Optical transmitters**
- 256 \times 8 SPAD Array With 256 Column TDCs for a Line Profiling Laser Radar. *Keranen, P.*, +, *TCSI Nov. 2019 4122-4133*
- Optimal control**
- Enhancing Transient Stability of DC Microgrid by Enlarging the Region of Attraction Through Nonlinear Polynomial Droop Control. *Severino, B.*, +, *TCSI Nov. 2019 4388-4401*
- Optimization**
- A Fast On-Chip SVM-Training System With Dual-Mode Configurable Pipelines and MSMO Scheduler. *Feng, L.*, +, *TCSI Nov. 2019 4230-4241*
- A Theoretical Framework for Quality Estimation and Optimization of DSP Applications Using Low-Power Approximate Adders. *Pashaeifar, M.*, +, *TCSI Jan. 2019 327-340*
- An Area-Efficient On-Chip Memory System for Massive MIMO Using Channel Data Compression. *Liu, Y.*, +, *TCSI Jan. 2019 417-427*
- Computation-Performance Optimization of Convolutional Neural Networks With Redundant Filter Removal. *Liu, C.*, +, *TCSI May 2019 1908-1921*
- Design Optimization for Low-Power Reconfigurable Switched-Capacitor DC-DC Voltage Converter. *Mohey, A.M.*, +, *TCSI Oct. 2019 4079-4092*
- Digitally Adaptive High-Fidelity Analog Array Signal Processing Resilient to Capacitive Multiplying DAC Inter-Stage Gain Error. *Joshi, S.*, +, *TCSI Nov. 2019 4095-4107*
- Layered Decoding Algorithm and Two-Level Quasi-Cyclic Matrix Construction for Rate Compatible Modulation. *Lu, F.*, +, *TCSI Aug. 2019 3213-3226*
- Novel Data Pre-Distorter for APSK Signals in Solid-State Power Amplifiers. *Canavate Sanchez, M.J.*, +, *TCSI Oct. 2019 4044-4054*
- On Extension of Effective Resistance With Application to Graph Laplacian Definiteness and Power Network Stability. *Song, Y.*, +, *TCSI Nov. 2019 4415-4428*
- Real-Time Multi-User Detection Engine Design for IoT Applications via Modified Sparsity Adaptive Matching Pursuit. *Liao, C.*, +, *TCSI Aug. 2019 2987-3000*
- Orbits**
- Higher Dimensional Baker Map and its Digital Implementation With LSB-Extension Method. *Ozturk, I.*, +, *TCSI Dec. 2019 4780-4792*
- Oscillations**
- Nonlinear Dynamic Modeling and Analysis of Self-Oscillating H-Bridge Parallel Resonant Converter Under Zero Current Switching Control: Unveiling Coexistence of Attractors. *El Aroudi, A.*, +, *TCSI April 2019 1657-1667*
- Oscillators**
- A Digitally Programmable CMOS Feedback ASIC for Highly Stable MEMS-Referenced Oscillators. *Islam, M.S.*, +, *TCSI Nov. 2019 4158-4171*
- A Quadrature RC Oscillator With Noise Reduction by Voltage Swing Control. *Koo, J.*, +, *TCSI Aug. 2019 3077-3088*
- Colored Noise in Oscillators. Phase-Amplitude Analysis and a Method to Avoid the $\text{it}\delta$ -Stratonovich Dilemma. *Bonnin, M.*, +, *TCSI Oct. 2019 3917-3927*
- Design Considerations for Low-Distortion Filter and Oscillator ICs for Testing High-Resolution ADCs. *Kumar, S.*, +, *TCSI Sept. 2019 3393-3401*
- Experimental Study of Locking Phenomena on Oscillating Rings Implemented in Logic Devices. *Mureddu, U.*, +, *TCSI July 2019 2560-2571*
- Phase-Inversion Waves Propagating in an In-Phase Synchronization on Oscillators Coupled as a Cross. *Tanaka, M.*, +, *TCSI Dec. 2019 4807-4816*
- Proper Initial Solution to Start Periodic Steady-State-Based Methods. *De Luca, G.*, +, *TCSI March 2019 1104-1115*
- Time-Variant Modeling and Analysis of Multiplying Delay-Locked Loops. *Santiccioli, A.*, +, *TCSI Oct. 2019 3775-3785*
- Understanding Phase Error and Jitter: Definitions, Implications, Simulations, and Measurement. *Galton, I.*, +, *TCSI Jan. 2019 1-19*

Upper and Lower Bounds for the Maximum Number of Frequencies That Can Be Generated by a Class of Fractional Oscillators. *Tavazoei, M.S., TCSI April 2019 1584-1593*

P

P-n junctions

Accurate and Fast On-Wafer Test Circuitry for Device Array Characterization in Wafer Acceptance Test. *Hong, H., +, TCSI Sept. 2019 3467-3479*

Parallel architectures

Energy-Efficient Hadamard-Based SATD Hardware Architectures Through Calculation Reuse. *Seidel, I., +, TCSI June 2019 2102-2115*

Parallel processing

ARMv8 SIKE: Optimized Supersingular Isogeny Key Encapsulation on ARMv8 Processors. *Jalali, A., +, TCSI Nov. 2019 4209-4218*

FPAP: A Folded Architecture for Energy-Quality Scalable Convolutional Neural Networks. *Wang, Y., +, TCSI Jan. 2019 288-301*

High-Speed ECC Processor Over NIST Prime Fields Applied With Toom-Cook Multiplication. *Ding, J., +, TCSI March 2019 1003-1016*

WRA: A 2.2-to-6.3 TOPS Highly Unified Dynamically Reconfigurable Accelerator Using a Novel Winograd Decomposition Algorithm for Convolutional Neural Networks. *Yang, C., +, TCSI Sept. 2019 3480-3493*

Parity check codes

A (21150, 19050) GC-LDPC Decoder for NAND Flash Applications. *Liao, Y., +, TCSI March 2019 1219-1230*

A Probabilistic Parallel Bit-Flipping Decoder for Low-Density Parity-Check Codes. *Le, K., +, TCSI Jan. 2019 403-416*

An Improved Gradient Descent Bit-Flipping Decoder for LDPC Codes. *Cui, H., +, TCSI Aug. 2019 3188-3200*

An LDPC-Coded SCMA Receiver With Multi-User Iterative Detection and Decoding. *Sun, W., +, TCSI Sept. 2019 3571-3584*

Efficient Post-Processors for Improving Error-Correcting Performance of LDPC Codes. *Tao, Y., +, TCSI Oct. 2019 4032-4043*

Energy-Efficient Symmetric BC-BCH Decoder Architecture for Mobile Storages. *Hwang, S., +, TCSI Nov. 2019 4462-4475*

Hybrid Check Node Architectures for NB-LDPC Decoders. *Marchand, C., +, TCSI Feb. 2019 869-880*

Layered Decoding Algorithm and Two-Level Quasi-Cyclic Matrix Construction for Rate Compatible Modulation. *Lu, F., +, TCSI Aug. 2019 3213-3226*

Layered LDPC Decoders With Efficient Memory Access Scheduling and Mapping and Built-In Support for Pipeline Hazards Mitigation. *Boncalo, O., +, TCSI April 2019 1643-1656*

Partial differential equations

Continuous-Time Algorithms for Solving Maxwell's Equations Using Analog Circuits. *Udayanga, N., +, TCSI Oct. 2019 3941-3954*

Multiphysics Simulation of Biosensors Involving 3D Biological Reaction-Diffusion Phenomena in a Standard Circuit EDA Environment. *Maded, M., +, TCSI June 2019 2188-2197*

Passive filters

A Third-Order Integrated Passive Switched-Capacitor Filter Obtained With a Continuous-Time Design Approach. *Lulec, S.Z., +, TCSI Oct. 2019 3643-3652*

Reflectionless Filter Topologies Supporting Arbitrary Low-Pass Ladder Prototypes. *Morgan, M.A., +, TCSI Feb. 2019 594-604*

Passive networks

A 3–6-GHz Highly Linear I-Channel Receiver With Over +3.0-dBm In-Band P_{1dB} and 200-MHz Baseband Bandwidth Suitable for 5G Wireless and Cognitive Radio Applications. *Jiang, J., +, TCSI Aug. 2019 3134-3147*

Simple, Analytical Expressions of an Effect of Local Signal Imperfections on Four-Phase Passive-Mixer-Based Bandpass Filter. *Kishida, K., +, TCSI Jan. 2019 147-160*

Path planning

Waypoint Path Planning With Synaptic-Dependent Spike Latency. *Koul, S., +, TCSI April 2019 1544-1557*

Pattern classification

An Ultra-Low-Power Dual-Mode Automatic Sleep Staging Processor Using Neural-Network-Based Decision Tree. *Chang, S., +, TCSI Sept. 2019 3504-3516*

Pattern clustering

Under-Determined Convolutional Blind Source Separation Combining Density-Based Clustering and Sparse Reconstruction in Time-Frequency Domain. *Yang, J., +, TCSI Aug. 2019 3015-3027*

Pattern formation

Pattern Formation With Locally Active S-Type NbO_x Memristors. *Weiber, M., +, TCSI July 2019 2627-2638*

Performance index

Event-Based H_∞ Fault Detection for Buck Converter With Multiplicative Noises Over Network. *Yan, H., +, TCSI June 2019 2361-2370*

Phase detectors

A 2.2-GHz 3.2-mW DTC-Free Sampling $\Sigma\Delta$ Fractional- N PLL With -110 -dBc/Hz In-Band Phase Noise and -246 -dB FoM and -83 -dBc Reference Spur. *Tao, J., +, TCSI Sept. 2019 3317-3329*

A 2.41-pJ/bit 5.4-Gb/s Dual-Loop Reference-Less CDR With Fully Digital Quarter-Rate Linear Phase Detector for Embedded DisplayPort. *Moon, Y., +, TCSI Aug. 2019 2907-2920*

A Compact, Voltage-Mode Type-I PLL With Gain-Boosted Saturated PFD and Synchronous Peak Tracking Loop Filter. *Sharkia, A., +, TCSI Jan. 2019 43-53*

An 18–23 GHz 57.4-fs RMS Jitter -253.5 -dB FoM Sub-Harmonically Injection-Locked All-Digital PLL With Single-Ended Injection Technique and ILFD Aided Adaptive Injection Timing Alignment Technique. *Zhang, Z., +, TCSI Oct. 2019 3733-3746*

Phase locked loops

A 0.34 mm² 1 Gb/s Non-Coherent UWB Receiver Architecture With Pulse Enhancement and Double PLL Clock/Data Packet Recovery. *Crepaldi, M., +, TCSI July 2019 2735-2748*

A 2.2-GHz 3.2-mW DTC-Free Sampling $\Sigma\Delta$ Fractional- N PLL With -110 -dBc/Hz In-Band Phase Noise and -246 -dB FoM and -83 -dBc Reference Spur. *Tao, J., +, TCSI Sept. 2019 3317-3329*

A CMOS V-Band PLL With a Harmonic Positive Feedback VCO Leveraging Operation in Triode Region for Phase-Noise Improvement. *Abedi, R., +, TCSI May 2019 1818-1830*

A Compact, Voltage-Mode Type-I PLL With Gain-Boosted Saturated PFD and Synchronous Peak Tracking Loop Filter. *Sharkia, A., +, TCSI Jan. 2019 43-53*

A Study of Phase Noise and Frequency Error of a Fractional- N PLL in the Course of FMCW Chirp Generation. *Ergintav, A., +, TCSI May 2019 1670-1680*

An Accurate and Noise-Resilient Spread-Spectrum Clock Tracking Aid for Digitally-Controlled Clock and Data Recovery Loops. *Ryu, S., +, TCSI March 2019 1245-1257*

An Optically-Powered 432 MHz Wireless Tag for Batteryless Internet-of-Things Applications. *Cheng, H., +, TCSI Sept. 2019 3288-3295*

Integrated Wide-Band CMOS Spectrometer Systems for Spaceborne Telescopic Sensing. *Zhang, Y., +, TCSI May 2019 1863-1873*

Numerical Jitter Minimization for PLL-Based FMCW Radar Systems. *Herzel, F., +, TCSI July 2019 2478-2488*

Prediction of Phase Noise and Spurs in a Nonlinear Fractional- N Frequency Synthesizer. *Donnelly, Y., +, TCSI Nov. 2019 4108-4121*

RotaSYN: Rotary Traveling Wave Oscillator SYNthesizer. *Kuttappa, R., +, TCSI July 2019 2685-2698*

Wandering Spurs in MASH 1-1 Delta-Sigma Modulators. *Donnelly, Y., +, TCSI July 2019 2426-2439*

Phase noise

A 1-MHz Relaxation Oscillator Core Employing a Self-Compensating Chopped Comparator Pair. *Mikulic, J., +, TCSI May 2019 1728-1736*

A 2.2-GHz 3.2-mW DTC-Free Sampling $\Sigma\Delta$ Fractional- N PLL With -110 -dBc/Hz In-Band Phase Noise and -246 -dB FoM and -83 -dBc Reference Spur. *Tao, J., +, TCSI Sept. 2019 3317-3329*

A CMOS V-Band PLL With a Harmonic Positive Feedback VCO Leveraging Operation in Triode Region for Phase-Noise Improvement. *Abedi, R., +, TCSI May 2019 1818-1830*

A Compact, Voltage-Mode Type-I PLL With Gain-Boosted Saturated PFD and Synchronous Peak Tracking Loop Filter. *Sharkia, A., +, TCSI Jan. 2019 43-53*

- A Phasor-Based Analysis of Sinusoidal Injection Locking in LC and Ring Oscillators. *Hong, B.*, +, *TCSI Jan. 2019 355-368*
- A Quadrature RC Oscillator With Noise Reduction by Voltage Swing Control. *Koo, J.*, +, *TCSI Aug. 2019 3077-3088*
- A Study of Phase Noise and Frequency Error of a Fractional-N PLL in the Course of FMCW Chirp Generation. *Ergintav, A.*, +, *TCSI May 2019 1670-1680*
- A Wide Tuning Range, Low Phase Noise, and Area Efficient Dual-Band Millimeter-Wave CMOS VCO Based on Switching Cores. *Basaligheh, A.*, +, *TCSI Aug. 2019 2888-2897*
- An 18–23 GHz 57.4-fs RMS Jitter –253.5-dB FoM Sub-Harmonically Injection-Locked All-Digital PLL With Single-Ended Injection Technique and ILFD Aided Adaptive Injection Timing Alignment Technique. *Zhang, Z.*, +, *TCSI Oct. 2019 3733-3746*
- Analysis and Correction of Combined Channel Mismatch Effects in Frequency-Interleaved ADCs. *Song, J.*, +, *TCSI Feb. 2019 655-668*
- Colored Noise in Oscillators. Phase-Amplitude Analysis and a Method to Avoid the itô-Stratonovich Dilemma. *Bonnin, M.*, +, *TCSI Oct. 2019 3917-3927*
- Numerical Jitter Minimization for PLL-Based FMCW Radar Systems. *Herzel, F.*, +, *TCSI July 2019 2478-2488*
- Prediction of Phase Noise and Spurs in a Nonlinear Fractional-*N* Frequency Synthesizer. *Donnelly, Y.*, +, *TCSI Nov. 2019 4108-4121*
- Time-Variant Modeling and Analysis of Multiplying Delay-Locked Loops. *Santuccioli, A.*, +, *TCSI Oct. 2019 3775-3785*
- Wandering Spurs in MASH 1-1 Delta-Sigma Modulators. *Donnelly, Y.*, +, *TCSI July 2019 2426-2439*
- Phase shift keying**
- A 4-b 7- μ W Phase Domain ADC With Time Domain Reference Generation for Low-Power FSK/PSK Demodulation. *Lei, X.*, +, *TCSI Sept. 2019 3365-3372*
- Novel Data Pre-Distorter for APSK Signals in Solid-State Power Amplifiers. *Canavate Sanchez, M.J.*, +, *TCSI Oct. 2019 4044-4054*
- Phase shifters**
- 24-GHz Injection-Locked Frequency Tripler With Third-Harmonic Quadrature Phase Generator. *Shin, D.*, +, *TCSI Aug. 2019 2898-2906*
- A System of Two Coupled Oscillators With a Continuously Controllable Phase Shift. *Pourahmad, V.*, +, *TCSI April 2019 1531-1543*
- Tunable Quasi-Circulator Based on a Compact Fully-Reconfigurable 180° Hybrid for Full-Duplex Transceivers. *Deng, Z.*, +, *TCSI Aug. 2019 2949-2962*
- Photodetectors**
- A 10-Gb/s –18.8 dBm Sensitivity 5.7 mW Fully-Integrated Optoelectronic Receiver With Avalanche Photodiode in 0.13- μ m CMOS. *Nayak, S.*, +, *TCSI Aug. 2019 3162-3173*
- Photoluminescence**
- Solar Cell Photo-Luminescence Modulation for Optical Frequency Identification Devices. *Leon-Salas, W.D.*, +, *TCSI May 2019 1981-1992*
- Photovoltaic power systems**
- ANOVA Kernel Kalman Filter for Multi-Objective Grid Integrated Solar Photovoltaic-Distribution Static Compensator. *Kumar, N.*, +, *TCSI Nov. 2019 4256-4264*
- Complementarity Model of a Photovoltaic Power Electronic System With Model Predictive Control. *Morfin-Magana, R.*, +, *TCSI Nov. 2019 4402-4414*
- Low-Power/Low-Voltage Integrated CMOS Sense Resistor-Free Analog Power/Current Sensor Compatible With High-Voltage Switching DC–DC Converter. *Singh, S.*, +, *TCSI June 2019 2208-2218*
- Piecewise linear techniques**
- An Efficient Uniform-Segmented Neuron Model for Large-Scale Neuromorphic Circuit Design: Simulation and FPGA Synthesis Results. *Jokar, E.*, +, *TCSI June 2019 2336-2349*
- FPGA Implementation of the Fractional Order Integrator/Differentiator: Two Approaches and Applications. *Tolba, M.F.*, +, *TCSI April 2019 1484-1495*
- Piezoelectric devices**
- Power Extracted From Piezoelectric Harvesters Driven by Non-Sinusoidal Vibrations. *Costanzo, L.*, +, *TCSI March 2019 1291-1303*
- Pipeline arithmetic**
- Layered LDPC Decoders With Efficient Memory Access Scheduling and Mapping and Built-In Support for Pipeline Hazards Mitigation. *Boncalo, O.*, +, *TCSI April 2019 1643-1656*
- Pipeline processing**
- A (21150, 19050) GC-LDPC Decoder for NAND Flash Applications. *Liao, Y.*, +, *TCSI March 2019 1219-1230*
- A Fast On-Chip SVM-Training System With Dual-Mode Configurable Pipelines and MSMO Scheduler. *Feng, L.*, +, *TCSI Nov. 2019 4230-4241*
- A Low Latency FFT/IFFT Architecture for Massive MIMO Systems Utilizing OFDM Guard Bands. *Mahdavi, M.*, +, *TCSI July 2019 2763-2774*
- Digitally Adaptive High-Fidelity Analog Array Signal Processing Resilient to Capacitive Multiplying DAC Inter-Stage Gain Error. *Joshi, S.*, +, *TCSI Nov. 2019 4095-4107*
- Polar codes**
- An Integrated Message-Passing Detector and Decoder for Polar-Coded Massive MU-MIMO Systems. *Chen, Y.*, +, *TCSI March 2019 1205-1218*
- Joint Detection and Decoding of Polar-Coded OFDM-IDMA Systems. *Deng, X.*, +, *TCSI Oct. 2019 4005-4017*
- Poles and zeros**
- In-Depth Analysis of Pole-Zero Compensations in CMOS Operational Transconductance Amplifiers. *Giustolisi, G.*, +, *TCSI Dec. 2019 4557-4570*
- Polynomial approximation**
- Low-Complexity 2-D Digital FIR Filters Using Polyphase Decomposition and Farrow Structure. *Bindima, T.*, +, *TCSI June 2019 2298-2308*
- Polynomials**
- A Resource-Efficient and Side-Channel Secure Hardware Implementation of Ring-LWE Cryptographic Processor. *Liu, D.*, +, *TCSI April 2019 1474-1483*
- Circuit Theory in Projective Space and Homogeneous Circuit Models. *Riaza, R.*, *TCSI Feb. 2019 463-476*
- Digit-Serial Versatile Multiplier Based on a Novel Block Recombination of the Modified Overlap-Free Karatsuba Algorithm. *Lee, C.*, +, *TCSI Jan. 2019 203-214*
- Enhancing Transient Stability of DC Microgrid by Enlarging the Region of Attraction Through Nonlinear Polynomial Droop Control. *Severino, B.*, +, *TCSI Nov. 2019 4388-4401*
- Power-, Area-, and Compression-Efficient Eight-Point Approximate 2-D Discrete Techebichef Transform Hardware Design Combining Truncation Pruning and Efficient Transposition Buffers. *Paim, G.*, +, *TCSI Feb. 2019 680-693*
- Symbolic Distortion Analysis of Multistage Amplifiers. *Shi, G.*, *TCSI Jan. 2019 369-382*
- Upper and Lower Bounds for the Maximum Number of Frequencies That Can Be Generated by a Class of Fractional Oscillators. *Tavazoei, M.S.*, *TCSI April 2019 1584-1593*
- Power amplifiers**
- A Low-Noise, Positive-Input, Negative-Output Voltage Generator for Low-to-Moderate Driving Capacity Applications. *Khanna, D.*, +, *TCSI Sept. 2019 3423-3436*
- Analysis of Class-DE PA Using MOSFET Devices With Non-Equal Grading Coefficient. *Lotfi, A.*, +, *TCSI July 2019 2794-2802*
- Analysis of Systematic Losses in Hybrid Envelope Tracking Modulators. *Renaud, L.*, +, *TCSI April 2019 1319-1330*
- Design of a 5.2-GHz CMOS Power Amplifier Using TF-Based 2-Stage Dual-Radial Power Splitting/Combining Architecture. *Tsai, J.*, *TCSI Oct. 2019 3690-3699*
- Filtering Power Amplifier With Wide Bandwidth Using Discriminating Coupling. *Li, Y.C.*, +, *TCSI Oct. 2019 3822-3830*
- New Mixed-Mode Design Methodology for High-Efficiency Outphasing Chireix Amplifiers. *Chang, H.*, +, *TCSI April 2019 1594-1607*
- Novel Data Pre-Distorter for APSK Signals in Solid-State Power Amplifiers. *Canavate Sanchez, M.J.*, +, *TCSI Oct. 2019 4044-4054*
- Statistics-Based Approach for Blind Post-Compensation of Modulator's Imperfections and Power Amplifier Nonlinearity. *Aziz, M.*, +, *TCSI March 2019 1063-1075*

Power aware computing

A 2.86-TOPS/W Current Mirror Cross-Bar-Based Machine-Learning and Physical Unclonable Function Engine For Internet-of-Things Applications. *Chen, Y.*, +, *TCSI June 2019 2240-2252*

A Low-Power Deep Neural Network Online Learning Processor for Real-Time Object Tracking Application. *Han, D.*, +, *TCSI May 2019 1794-1804*

A Real-Time 17-Scale Object Detection Accelerator With Adaptive 2000-Stage Classification in 65 nm CMOS. *Kim, M.*, +, *TCSI Oct. 2019 3843-3853*

Dynamic Power Management for Neuromorphic Many-Core Systems. *Hopner, S.*, +, *TCSI Aug. 2019 2973-2986*

Power capacitors

Design Optimization for Low-Power Reconfigurable Switched-Capacitor DC-DC Voltage Converter. *Mohey, A.M.*, +, *TCSI Oct. 2019 4079-4092*

Power combiners

1-to- N Ring Power Combiners With Common Delta Ports. *Holzer, K.D.*, +, *TCSI April 2019 1431-1441*

Design of a 5.2-GHz CMOS Power Amplifier Using TF-Based 2-Stage Dual-Radial Power Splitting/Combining Architecture. *Tsai, J.*, *TCSI Oct. 2019 3690-3699*

Novel Outphasing Power Amplifiers Designed With an Analytic Generalized Doherty-Chireix Continuum Theory. *Liang, C.*, +, *TCSI Aug. 2019 2935-2948*

Power consumption

A 0.90–4.39-V Detection Voltage Range, 56-Level Programmable Voltage Detector Using Fine Voltage-Step Subtraction for Battery Management. *Someya, T.*, +, *TCSI March 2019 1270-1279*

A Broadband Multi-Mode Compressive Sensing Current Sensor SoC in 0.16 μm CMOS. *Bellasi, D.*, +, *TCSI Jan. 2019 105-118*

A Robust Digital RRAM-Based Convolutional Block for Low-Power Image Processing and Learning Applications. *Giacomin, E.*, +, *TCSI Feb. 2019 643-654*

A Wideband dB-Linear VGA With Temperature Compensation and Active Load. *Song, X.*, +, *TCSI Sept. 2019 3279-3287*

An All-Digital On-Chip Peak-to-Peak Jitter Measurement Circuit With Automatic Resolution Calibration for High PVT-Variation Resilience. *Chou, P.*, +, *TCSI July 2019 2508-2518*

An Energy-Efficient Hierarchical Architecture for Time-Interleaved SAR ADC. *Reyes, B.T.*, +, *TCSI June 2019 2064-2076*

An Ultra-Low-Power Dual-Mode Automatic Sleep Staging Processor Using Neural-Network-Based Decision Tree. *Chang, S.*, +, *TCSI Sept. 2019 3504-3516*

Analysis of Timing Accuracy and Sensitivity in a RF Correlation-Based Impulse Radio Receiver With Phase Interpolation for Data Synchronization. *Fotoohi Piraghaj, S.*, +, *TCSI July 2019 2749-2762*

Dynamic Power Management for Neuromorphic Many-Core Systems. *Hopner, S.*, +, *TCSI Aug. 2019 2973-2986*

FPAP: A Folded Architecture for Energy-Quality Scalable Convolutional Neural Networks. *Wang, Y.*, +, *TCSI Jan. 2019 288-301*

HCDN: Hybrid-Mode Clock Distribution Networks. *Islam, R.*, +, *TCSI Jan. 2019 251-262*

Low-Power Approximate Unsigned Multipliers With Configurable Error Recovery. *Jiang, H.*, +, *TCSI Jan. 2019 189-202*

Power Efficient and Reliable Nonvolatile TCAM With Hi-PFO and Semi-Complementary Driver. *Kim, C.*, +, *TCSI Feb. 2019 605-615*

Quality and Energy-Aware HEVC Transrating Based on Machine Learning. *Bubolz, T.L.A.*, +, *TCSI June 2019 2124-2136*

SensorNet: A Scalable and Low-Power Deep Convolutional Neural Network for Multimodal Data Classification. *Jafari, A.*, +, *TCSI Jan. 2019 274-287*

Short-Range Quality-Factor Modulation (SQURM) for Low Power High Speed Inductive Data Transfer. *Schormans, M.*, +, *TCSI Sept. 2019 3254-3265*

Power conversion

A Non-Invasive Method for Estimating Circuit and Control Parameters of Voltage Source Converters. *Lin, B.H.*, +, *TCSI Dec. 2019 4911-4921*

Systematic Co-Design of Matching Networks and Rectifiers for CMOS Radio Frequency Energy Harvesters. *Karami, M.A.*, +, *TCSI Aug. 2019 3238-3251*

Power converters

A 10-MHz Hysteretic-Controlled Buck Converter With Single On/Off Reference Tracking Using Turning-Point Prediction for DVFS Application. *Pan, S.*, +, *TCSI Nov. 2019 4502-4515*

A High-Efficiency Low-Profile Zero-Voltage Transition Synchronous Non-Inverting Buck-Boost Converter With Auxiliary-Component Sharing. *Cong, L.*, +, *TCSI Jan. 2019 438-449*

A Power-Loss-Dependent Inductance Model for Ferrite-Core Power Inductors in Switch-Mode Power Supplies. *Oliveri, A.*, +, *TCSI June 2019 2394-2402*

Event-Based H_{∞} Fault Detection for Buck Converter With Multiplicative Noises Over Network. *Yan, H.*, +, *TCSI June 2019 2361-2370*

Mitigating Line Frequency Instability of Boost PFC Converter Under Proportional Outer-Voltage Loop With Additional Third Current-Harmonic Feedforward Compensation. *Lu, W.*, +, *TCSI Nov. 2019 4528-4541*

Power demand

A 40-Gb/s PAM-4 Transmitter Using a 0.16-pJ/bit SST-CML-Hybrid (SCH) Output Driver and a Hybrid-Path 3-Tap FFE Scheme in 28-nm CMOS. *Fan, C.*, +, *TCSI Dec. 2019 4850-4861*

Power dividers

Optimization-Free Design Equations for Narrowband Equal-Division Filtering Power Divider With Pre-Specified Filtering Response and Wideband Isolation. *Lee, B.*, +, *TCSI July 2019 2496-2507*

Power electronics

Guest Editorial Special Issue on the 2019 International Symposium on Integrated Circuits and Systems. *Blokhina, E.*, *TCSI Sept. 2019 3253*

Power engineering computing

Design Optimization for Low-Power Reconfigurable Switched-Capacitor DC-DC Voltage Converter. *Mohey, A.M.*, +, *TCSI Oct. 2019 4079-4092*

Power factor correction

Mitigating Line Frequency Instability of Boost PFC Converter Under Proportional Outer-Voltage Loop With Additional Third Current-Harmonic Feedforward Compensation. *Lu, W.*, +, *TCSI Nov. 2019 4528-4541*

Power filters

Filtering Power Amplifier With Wide Bandwidth Using Discriminating Coupling. *Li, Y.C.*, +, *TCSI Oct. 2019 3822-3830*

Power generation control

ANOVA Kernel Kalman Filter for Multi-Objective Grid Integrated Solar Photovoltaic-Distribution Static Compensator. *Kumar, N.*, +, *TCSI Nov. 2019 4256-4264*

Complementarity Model of a Photovoltaic Power Electronic System With Model Predictive Control. *Morfin-Magana, R.*, +, *TCSI Nov. 2019 4402-4414*

Power grids

ANOVA Kernel Kalman Filter for Multi-Objective Grid Integrated Solar Photovoltaic-Distribution Static Compensator. *Kumar, N.*, +, *TCSI Nov. 2019 4256-4264*

Complementarity Model of a Photovoltaic Power Electronic System With Model Predictive Control. *Morfin-Magana, R.*, +, *TCSI Nov. 2019 4402-4414*

Power inductors

A Power-Loss-Dependent Inductance Model for Ferrite-Core Power Inductors in Switch-Mode Power Supplies. *Oliveri, A.*, +, *TCSI June 2019 2394-2402*

Power integrated circuits

A 0.90–4.39-V Detection Voltage Range, 56-Level Programmable Voltage Detector Using Fine Voltage-Step Subtraction for Battery Management. *Someya, T.*, +, *TCSI March 2019 1270-1279*

An Efficient, Wide-Output, High-Voltage Charge Pump With a Stage Selection Circuit Realized in a Low-Voltage CMOS Process. *Luo, Z.*, +, *TCSI Sept. 2019 3437-3444*

Analysis and Design of Cyclic Switched-Capacitor DC-DC Converters. *Datta, K.*, +, *TCSI Aug. 2019 3227-3237*

Guest Editorial Special Issue on the IEEE International Symposium on Circuits and Systems 2018. *Blokhina, E.*, *TCSI May 2019 1669*

Power measurement

Low-Power/Low-Voltage Integrated CMOS Sense Resistor-Free Analog Power/Current Sensor Compatible With High-Voltage Switching DC-DC Converter. *Singh, S.*, +, *TCSI June 2019 2208-2218*

Power semiconductor switches

A Receiver-Controlled Coupler for Multiple Output Wireless Power Transfer Applications. *Chen, X.*, +, *TCSI Nov. 2019 4542-4552*

Power supply circuits

A Fast-Transient-Response Fully-Integrated Digital LDO With Adaptive Current Step Size Control. *Cai, G.*, +, *TCSI Sept. 2019 3610-3619*

Exploiting Machine Learning Against On-Chip Power Analysis Attacks: Tradeoffs and Design Considerations. *Kenarangi, F.*, +, *TCSI Feb. 2019 769-781*

Power system control

Global Frequency Synchronization of Complex Power Networks Via Coordinating Switching Control. *Wu, J.*, +, *TCSI Aug. 2019 3123-3133*

Power system faults

Cascading Failure of Cyber-Coupled Power Systems Considering Interactions Between Attack and Defense. *Liu, D.*, +, *TCSI Nov. 2019 4323-4336*

Power system harmonics

ANOVA Kernel Kalman Filter for Multi-Objective Grid Integrated Solar Photovoltaic-Distribution Static Compensator. *Kumar, N.*, +, *TCSI Nov. 2019 4256-4264*

Power system interconnection

ANOVA Kernel Kalman Filter for Multi-Objective Grid Integrated Solar Photovoltaic-Distribution Static Compensator. *Kumar, N.*, +, *TCSI Nov. 2019 4256-4264*

Power system management

Design Optimization for Low-Power Reconfigurable Switched-Capacitor DC-DC Voltage Converter. *Mohey, A.M.*, +, *TCSI Oct. 2019 4079-4092*

Power system reliability

Cascading Failure of Cyber-Coupled Power Systems Considering Interactions Between Attack and Defense. *Liu, D.*, +, *TCSI Nov. 2019 4323-4336*

Power system stability

Global Frequency Synchronization of Complex Power Networks Via Coordinating Switching Control. *Wu, J.*, +, *TCSI Aug. 2019 3123-3133*

Power system transient stability

Enhancing Transient Stability of DC Microgrid by Enlarging the Region of Attraction Through Nonlinear Polynomial Droop Control. *Severino, B.*, +, *TCSI Nov. 2019 4388-4401*

On Extension of Effective Resistance With Application to Graph Laplacian Definiteness and Power Network Stability. *Song, Y.*, +, *TCSI Nov. 2019 4415-4428*

Power systems

Phase-Inversion Waves Propagating in an In-Phase Synchronization on Oscillators Coupled as a Cross. *Tanaka, M.*, +, *TCSI Dec. 2019 4807-4816*

Power transformers

An LLC-Type Resonant Forward Converter With Adjustable Turning-Off Time Control. *Qian, C.*, +, *TCSI Dec. 2019 4901-4910*

Power transmission lines

A Coupled Line-Based Coupler With Simultaneously Tunable Phase and Frequency. *Xu, B.W.*, +, *TCSI Dec. 2019 4637-4647*

Preamplifiers

Analysis and Design of Regenerative Comparators for Low Offset and Noise. *Xu, H.*, +, *TCSI Aug. 2019 2817-2830*

Precoding

A Modulo-FIR Equalizer for Wireline Communications. *Jeong, G.*, +, *TCSI Nov. 2019 4278-4286*

An SVD Processor Based on Golub-Reinsch Algorithm for MIMO Precoding With Adjustable Precision. *Wu, C.*, +, *TCSI July 2019 2572-2583*

Multi-User Hybrid MIMO at 60 GHz Using 16-Antenna Transmitters. *Blandino, S.*, +, *TCSI Feb. 2019 848-858*

Square-Root Generalized Eigenvalue Decomposition Processor for Leakage-Based Multi-User MIMO Precoding With Multi-Antenna Users. *Lee, L.*, +, *TCSI June 2019 2382-2393*

Prediction algorithms

Digital Calibration of Elements Mismatch in Multirate Predictive SAR ADCs. *Mafi, H.*, +, *TCSI Dec. 2019 4571-4581*

Predictive control

Complementarity Model of a Photovoltaic Power Electronic System With Model Predictive Control. *Morfin-Magana, R.*, +, *TCSI Nov. 2019 4402-4414*

Private key cryptography

Chaotic Encryption for 10-Gb Ethernet Optical Links. *Perez-Resca, A.*, +, *TCSI Feb. 2019 859-868*

Probability

Hardware-Efficient and Fast Sensing-Time Maximum-Minimum-Eigenvalue-Based Spectrum Sensor for Cognitive Radio Network. *Chaurasiya, R.B.*, +, *TCSI Nov. 2019 4448-4461*

Network-Based Quantized Control for Fuzzy Singularly Perturbed Semi-Markov Jump Systems and its Application. *Shen, H.*, +, *TCSI March 2019 1130-1140*

Reconstructing of Networks With Binary-State Dynamics via Generalized Statistical Inference. *Zhang, H.*, +, *TCSI April 2019 1608-1619*

Static Delay Variation Models for Ripple-Carry and Borrow-Save Adders. *Papachatzopoulos, K.*, +, *TCSI July 2019 2546-2559*

Statistics-Based Approach for Blind Post-Compensation of Modulator's Imperfections and Power Amplifier Nonlinearity. *Aziz, M.*, +, *TCSI March 2019 1063-1075*

Program processors

Approximate Designs for Fast Fourier Transform (FFT) With Application to Speech Recognition. *Liu, W.*, +, *TCSI Dec. 2019 4727-4739*

OCTAN: An On-Chip Training Algorithm for Memristive Neuromorphic Circuits. *Ansari, M.*, +, *TCSI Dec. 2019 4687-4698*

Prosthetic power supplies

Short-Range Quality-Factor Modulation (SQuirM) for Low Power High Speed Inductive Data Transfer. *Schormans, M.*, +, *TCSI Sept. 2019 3254-3265*

Protocols

Multi-User Hybrid MIMO at 60 GHz Using 16-Antenna Transmitters. *Blandino, S.*, +, *TCSI Feb. 2019 848-858*

Public key cryptography

A Resource-Efficient and Side-Channel Secure Hardware Implementation of Ring-LWE Cryptographic Processor. *Liu, D.*, +, *TCSI April 2019 1474-1483*

An Efficient Low-Latency Point-Multiplication Over Curve25519. *Salari-fard, R.*, +, *TCSI Oct. 2019 3854-3862*

High-Speed ECC Processor Over NIST Prime Fields Applied With Toom-Cook Multiplication. *Ding, J.*, +, *TCSI March 2019 1003-1016*

Low-Latency Double Point Multiplication Architecture Using Differential Addition Chain Over $GF(2^m)$. *Shahroodi, T.*, +, *TCSI April 2019 1465-1473*

Pulse amplitude modulation

A Modulo-FIR Equalizer for Wireline Communications. *Jeong, G.*, +, *TCSI Nov. 2019 4278-4286*

Solar Cell Photo-Luminescence Modulation for Optical Frequency Identification Devices. *Leon-Salas, W.D.*, +, *TCSI May 2019 1981-1992*

Pulse compression

Pulse Compression in Nondestructive Testing Applications: Reduction of Near Sidelobes Exploiting Reactance Transformation. *Burrascano, P.*, +, *TCSI May 2019 1886-1896*

Pulse generators

An 18–23 GHz 57.4-fs RMS Jitter –253.5-dB FoM Sub-Harmonically Injection-Locked All-Digital PLL With Single-Ended Injection Technique and ILFD Aided Adaptive Injection Timing Alignment Technique. *Zhang, Z.*, +, *TCSI Oct. 2019 3733-3746*

Pulse width modulation

Line Coding Techniques for Channel Equalization: Integrated Pulse-Width Modulation and Consecutive Digit Chopping. *Ramachandran, A.*, +, *TCSI March 2019 1192-1204*

PWM inverters

Complementarity Model of a Photovoltaic Power Electronic System With Model Predictive Control. *Morfin-Magana, R.*, +, *TCSI Nov. 2019 4402-4414*

Q

Q factor

- A Programmable Sustaining Amplifier for Flexible Multimode MEMS-Referenced Oscillators. *Islam, M.S.*, +, *TCSI April 2019 1405-1418*
- An 18 nW $-47/-40$ dBm Sensitivity 3/100 kbps MEMS-Assisted CMOS Wake-Up Receiver. *Soliman, M.*, +, *TCSI Nov. 2019 4439-4447*
- On the Design of n th-Order Polyphase All-Pass Filters. *Asoodeh, A.*, +, *TCSI Jan. 2019 133-146*

Quadratic programming

- Complementarity Model of a Photovoltaic Power Electronic System With Model Predictive Control. *Morfin-Magana, R.*, +, *TCSI Nov. 2019 4402-4414*

Quadrature amplitude modulation

- A 25–35 GHz Neutralized Continuous Class-F CMOS Power Amplifier for 5G Mobile Communications Achieving 26% Modulation PAE at 1.5 Gb/s and 46.4% Peak PAE. *Ali, S.N.*, +, *TCSI Feb. 2019 834-847*
- An SVD Processor Based on Golub–Reinsch Algorithm for MIMO Precoding With Adjustable Precision. *Wu, C.*, +, *TCSI July 2019 2572-2583*
- Design of a 5.2-GHz CMOS Power Amplifier Using TF-Based 2-Stage Dual-Radial Power Splitting/Combining Architecture. *Tsai, J.*, *TCSI Oct. 2019 3690-3699*

Quantization (signal)

- Δ - Σ Noise-Shaping in 2-D Space-Time for Wideband Antenna Array Receivers. *Wang, Y.*, +, *TCSI Feb. 2019 569-582*
- A Highly Linear OTA-Free VCO-Based 1-1 MASH $\Sigma\Delta$ ADC. *Maghami, H.*, +, *TCSI July 2019 2440-2453*
- A Second-Order Bandpass $\Sigma\Delta$ Time-to-Digital Converter With Negative Time-Mode Feedback. *Ziabakhsh, S.*, +, *TCSI April 2019 1355-1368*
- Network-Based Quantized Control for Fuzzy Singularly Perturbed Semi-Markov Jump Systems and its Application. *Shen, H.*, +, *TCSI March 2019 1130-1140*

Quantum computing

- ARMv8 SIKE: Optimized Supersingular Isogeny Key Encapsulation on ARMv8 Processors. *Jalali, A.*, +, *TCSI Nov. 2019 4209-4218*
- Quantum Implementation Circuits of Quantum Signal Representation and Type Conversion. *Li, H.*, +, *TCSI Jan. 2019 341-354*

R

Radar computing

- ChipNet: Real-Time LiDAR Processing for Drivable Region Segmentation on an FPGA. *Lyu, Y.*, +, *TCSI May 2019 1769-1779*

Radar imaging

- ChipNet: Real-Time LiDAR Processing for Drivable Region Segmentation on an FPGA. *Lyu, Y.*, +, *TCSI May 2019 1769-1779*

Radar interference

- A Study of Phase Noise and Frequency Error of a Fractional-N PLL in the Course of FMCW Chirp Generation. *Ergintav, A.*, +, *TCSI May 2019 1670-1680*

Radar receivers

- 256×8 SPAD Array With 256 Column TDCs for a Line Profiling Laser Radar. *Keranen, P.*, +, *TCSI Nov. 2019 4122-4133*
- ChipNet: Real-Time LiDAR Processing for Drivable Region Segmentation on an FPGA. *Lyu, Y.*, +, *TCSI May 2019 1769-1779*
- Design and Analysis of a 94-GHz CMOS Down-Conversion Mixer With CCPT-RL-Based IF Load. *Lin, Y.*, +, *TCSI Aug. 2019 3148-3161*

Radar transmitters

- 256×8 SPAD Array With 256 Column TDCs for a Line Profiling Laser Radar. *Keranen, P.*, +, *TCSI Nov. 2019 4122-4133*

Radial basis function networks

- Switched Threshold-Based Fault Detection for Switched Nonlinear Systems With Its Application to Chua's Circuit System. *Tang, L.*, +, *TCSI Feb. 2019 733-741*

Radiation hardening (electronics)

- Novel Radiation Hardening Read/Write Circuits Using Feedback Connections for Spin–Orbit Torque Magnetic Random Access Memory. *Wang, B.*, +, *TCSI May 2019 1853-1862*

- Quadruple Cross-Coupled Latch-Based 10T and 12T SRAM Bit-Cell Designs for Highly Reliable Terrestrial Applications. *Jiang, J.*, +, *TCSI March 2019 967-977*

Radio frequency

- An RF-to-DC Rectifier With High Efficiency Over Wide Input Power Range for RF Energy Harvesting Applications. *Saffari, P.*, +, *TCSI Dec. 2019 4862-4875*

Radio networks

- Hardware-Efficient and Fast Sensing-Time Maximum-Minimum-Eigenvalue-Based Spectrum Sensor for Cognitive Radio Network. *Chaurasiya, R.B.*, +, *TCSI Nov. 2019 4448-4461*

Radio receivers

- A 0.34 mm² 1 Gb/s Non-Coherent UWB Receiver Architecture With Pulse Enhancement and Double PLL Clock/Data Packet Recovery. *Crepaldi, M.*, +, *TCSI July 2019 2735-2748*
- A 0.4-V 10.9- μ W/Pole Third-Order Complex BPF for Low Energy RF Receivers. *Compassi-Severo, L.*, +, *TCSI June 2019 2017-2026*
- A 3–6-GHz Highly Linear I-Channel Receiver With Over +3.0-dBm In-Band P_{1dB} and 200-MHz Baseband Bandwidth Suitable for 5G Wireless and Cognitive Radio Applications. *Jiang, J.*, +, *TCSI Aug. 2019 3134-3147*
- A Hilbert Transform Equalizer Enabling 80 MHz RF Self-Interference Cancellation for Full-Duplex Receivers. *El Sayed, A.*, +, *TCSI March 2019 1153-1165*
- A Low Power Receiver Front-End Design With Tunable Notch Filter for TX Leakage and Blocker Suppression. *Ozgun, M.T.*, +, *TCSI March 2019 1180-1191*
- A Receiver-Controlled Coupler for Multiple Output Wireless Power Transfer Applications. *Chen, X.*, +, *TCSI Nov. 2019 4542-4552*
- A Spectrum-Sensing DPD Feedback Receiver With $30 \times$ Reduction in ADC Acquisition Bandwidth and Sample Rate. *Hammler, N.*, +, *TCSI Sept. 2019 3340-3351*
- An 18 nW $-47/-40$ dBm Sensitivity 3/100 kbps MEMS-Assisted CMOS Wake-Up Receiver. *Soliman, M.*, +, *TCSI Nov. 2019 4439-4447*
- An Integrated Message-Passing Detector and Decoder for Polar-Coded Massive MU-MIMO Systems. *Chen, Y.*, +, *TCSI March 2019 1205-1218*
- An LDPC-Coded SCMA Receiver With Multi-User Iterative Detection and Decoding. *Sun, W.*, +, *TCSI Sept. 2019 3571-3584*
- Analysis of Timing Accuracy and Sensitivity in a RF Correlation-Based Impulse Radio Receiver With Phase Interpolation for Data Synchronization. *Fotoohi Piraghaj, S.*, +, *TCSI July 2019 2749-2762*
- Digital Mismatch Correction for Bandpass Sampling Four-Channel Time-Interleaved ADCs in Direct-RF Sampling Receivers. *Kihara, T.*, +, *TCSI June 2019 2007-2016*
- Improving Receiver Close-In Blocker Tolerance by Baseband G_m -C Notch Filtering. *Abdulaziz, M.*, +, *TCSI March 2019 885-896*
- Low-Routing-Complexity Convolutional/Turbo Decoder Design for Iterative Detection and Decoding Receivers. *Lin, C.*, +, *TCSI Nov. 2019 4476-4489*
- Radio spectrum management**
- A Spectrum-Sensing DPD Feedback Receiver With $30 \times$ Reduction in ADC Acquisition Bandwidth and Sample Rate. *Hammler, N.*, +, *TCSI Sept. 2019 3340-3351*
- Hardware-Efficient and Fast Sensing-Time Maximum-Minimum-Eigenvalue-Based Spectrum Sensor for Cognitive Radio Network. *Chaurasiya, R.B.*, +, *TCSI Nov. 2019 4448-4461*
- Radio transceivers**
- A Modulo-FIR Equalizer for Wireline Communications. *Jeong, G.*, +, *TCSI Nov. 2019 4278-4286*
- Hardware-Efficient and Fast Sensing-Time Maximum-Minimum-Eigenvalue-Based Spectrum Sensor for Cognitive Radio Network. *Chaurasiya, R.B.*, +, *TCSI Nov. 2019 4448-4461*
- Line Coding Techniques for Channel Equalization: Integrated Pulse-Width Modulation and Consecutive Digit Chopping. *Ramachandran, A.*, +, *TCSI March 2019 1192-1204*
- Multi-User Hybrid MIMO at 60 GHz Using 16-Antenna Transmitters. *Blandin, S.*, +, *TCSI Feb. 2019 848-858*
- Ultra-Low Complex Blind I/Q-Imbalance Compensation. *Paireder, T.*, +, *TCSI Sept. 2019 3517-3530*

Radio transmitters

A Low Power Receiver Front-End Design With Tunable Notch Filter for TX Leakage and Blocker Suppression. *Ozgun, M.T.*, +, *TCSI March 2019 1180-1191*

An Optically-Powered 432 MHz Wireless Tag for Batteryless Internet-of-Things Applications. *Cheng, H.*, +, *TCSI Sept. 2019 3288-3295*

Statistics-Based Approach for Blind Post-Compensation of Modulator's Imperfections and Power Amplifier Nonlinearity. *Aziz, M.*, +, *TCSI March 2019 1063-1075*

Radiocommunication

Joint Detection and Decoding of Polar-Coded OFDM-IDMA Systems. *Deng, X.*, +, *TCSI Oct. 2019 4005-4017*

Radiofrequency amplifiers

Advantages of Second-Order Cartesian Feedback Linearizers for Radio Amplifiers. *Cavers, J.K.*, +, *TCSI Nov. 2019 4134-4146*

Radiofrequency filters

Simple, Analytical Expressions of an Effect of Local Signal Imperfections on Four-Phase Passive-Mixer-Based Bandpass Filter. *Kishida, K.*, +, *TCSI Jan. 2019 147-160*

Radiofrequency integrated circuits

A Programmable Sustaining Amplifier for Flexible Multimode MEMS-Referenced Oscillators. *Islam, M.S.*, +, *TCSI April 2019 1405-1418*

Analytical Equivalent Circuit Extraction Procedure for Broadband Scalable Modeling of Three-Port Center-Tapped Symmetric On-Chip Inductors. *Issakov, V.*, +, *TCSI Sept. 2019 3557-3570*

Design Considerations for Low-Distortion Filter and Oscillator ICs for Testing High-Resolution ADCs. *Kumar, S.*, +, *TCSI Sept. 2019 3393-3401*

Radiofrequency interconnections

Maximizing the Data Rate of an Inductively Coupled Chip-to-Chip Link by Resetting the Channel State Variables. *Krishnapura, N.*, +, *TCSI Sept. 2019 3531-3543*

Radiofrequency interference

A Hilbert Transform Equalizer Enabling 80 MHz RF Self-Interference Cancellation for Full-Duplex Receivers. *El Sayed, A.*, +, *TCSI March 2019 1153-1165*

Multi-User Hybrid MIMO at 60 GHz Using 16-Antenna Transmitters. *Blancino, S.*, +, *TCSI Feb. 2019 848-858*

Radiofrequency oscillators

A Programmable Sustaining Amplifier for Flexible Multimode MEMS-Referenced Oscillators. *Islam, M.S.*, +, *TCSI April 2019 1405-1418*

Radiofrequency power amplifiers

A Spectrum-Sensing DPD Feedback Receiver With $30\times$ Reduction in ADC Acquisition Bandwidth and Sample Rate. *Hammler, N.*, +, *TCSI Sept. 2019 3340-3351*

An Adaptive Cascaded ILA- and DLA-Based Digital Predistorter for Linearizing an RF Power Amplifier. *Le Duc, H.*, +, *TCSI March 2019 1031-1041*

Nonlinear Analytical Model for Switched-Capacitor Class-D RF Power Amplifiers. *Luo, W.*, +, *TCSI June 2019 2309-2321*

Radiofrequency spectrometers

Integrated Wide-Band CMOS Spectrometer Systems for Spaceborne Telescopic Sensing. *Zhang, Y.*, +, *TCSI May 2019 1863-1873*

Radiofrequency spectroscopy

Integrated Wide-Band CMOS Spectrometer Systems for Spaceborne Telescopic Sensing. *Zhang, Y.*, +, *TCSI May 2019 1863-1873*

Radiotelescopes

Integrated Wide-Band CMOS Spectrometer Systems for Spaceborne Telescopic Sensing. *Zhang, Y.*, +, *TCSI May 2019 1863-1873*

Rails

A 40-Gb/s PAM-4 Transmitter Using a 0.16-pJ/bit SST-CML-Hybrid (SCH) Output Driver and a Hybrid-Path 3-Tap FFE Scheme in 28-nm CMOS. *Fan, C.*, +, *TCSI Dec. 2019 4850-4861*

Ramp generators

A Study of Phase Noise and Frequency Error of a Fractional-N PLL in the Course of FMCW Chirp Generation. *Ergintav, A.*, +, *TCSI May 2019 1670-1680*

Random noise

Modeling and Mitigating Time-Dependent Variability From the Physical Level to the Circuit Level. *van Santen, V.M.*, +, *TCSI July 2019 2671-2684*

Nano-Intrinsic True Random Number Generation: A Device to Data Study. *Kim, J.*, +, *TCSI July 2019 2615-2626*

Random number generation

A 5–10-Gb/s 12.5-mW Source Synchronous I/O Interface With 3-D Flip Chip Package. *Ma, S.*, +, *TCSI Feb. 2019 555-568*

Dynamic Analysis of Digital Chaotic Maps via State-Mapping Networks. *Li, C.*, +, *TCSI June 2019 2322-2335*

Modified Dual-CLCG Method and its VLSI Architecture for Pseudorandom Bit Generation. *Panda, A.K.*, +, *TCSI March 2019 989-1002*

Nano-Intrinsic True Random Number Generation: A Device to Data Study. *Kim, J.*, +, *TCSI July 2019 2615-2626*

Random sequences

A 5–10-Gb/s 12.5-mW Source Synchronous I/O Interface With 3-D Flip Chip Package. *Ma, S.*, +, *TCSI Feb. 2019 555-568*

Random-access storage

A Family of Compact Non-Volatile Flip-Flops With Ferroelectric FET. *Saki, A.A.*, +, *TCSI Nov. 2019 4219-4229*

Addressing Failure and Aging Degradation in MRAM/MeRAM-on-FDSOI Integration. *Cai, H.*, +, *TCSI Jan. 2019 239-250*

Multiple Pinch-Off Points in Memristive Equations: Analysis and Experiments. *Hamed, E.M.*, +, *TCSI Aug. 2019 3052-3063*

Offset-Cancellation Sensing-Circuit-Based Nonvolatile Flip-Flop Operating in Near-Threshold Voltage Region. *Song, B.*, +, *TCSI Aug. 2019 2963-2972*

Power Efficient and Reliable Nonvolatile TCAM With Hi-PFO and Semi-Complementary Driver. *Kim, C.*, +, *TCSI Feb. 2019 605-615*

RC circuits

A Quadrature RC Oscillator With Noise Reduction by Voltage Swing Control. *Koo, J.*, +, *TCSI Aug. 2019 3077-3088*

Reactive power

A Flexible Load-Independent Multi-Output Wireless Power Transfer System Based on Cascaded Double T-Resonant Circuits: Analysis, Design and Experimental Verification. *Li, Y.*, +, *TCSI July 2019 2803-2812*

Reactive power control

ANOVA Kernel Kalman Filter for Multi-Objective Grid Integrated Solar Photovoltaic-Distribution Static Compensator. *Kumar, N.*, +, *TCSI Nov. 2019 4256-4264*

Readout electronics

A DROIC Based on PFM ADCs Employing Over-Integration for Error Shaping. *Abbasi, S.*, +, *TCSI Oct. 2019 3713-3722*

An Integrated Micromachined Thermopile Sensor With a Chopper Interface Circuit for Contact-Less Temperature Measurements. *Moisello, E.*, +, *TCSI Sept. 2019 3402-3413*

Real-time systems

A Real-Time 17-Scale Object Detection Accelerator With Adaptive 2000-Stage Classification in 65 nm CMOS. *Kim, M.*, +, *TCSI Oct. 2019 3843-3853*

Receivers

A Design of Input-Decimation Technique for Recursive DFT/IDFT Algorithm. *Wu, C.*, +, *TCSI Dec. 2019 4713-4726*

Receiving antennas

Δ - Σ Noise-Shaping in 2-D Space-Time for Wideband Antenna Array Receivers. *Wang, Y.*, +, *TCSI Feb. 2019 569-582*

An Integrated Message-Passing Detector and Decoder for Polar-Coded Massive MU-MIMO Systems. *Chen, Y.*, +, *TCSI March 2019 1205-1218*

Reconfigurable architectures

A 1 Million-Point FFT on a Single FPGA. *Kanders, H.*, +, *TCSI Oct. 2019 3863-3873*

Boundary Scan Extension for Testing Distributed Reconfigurable Hardware Systems. *Ben Ahmed, A.*, +, *TCSI July 2019 2699-2708*

Design Optimization for Low-Power Reconfigurable Switched-Capacitor DC-DC Voltage Converter. *Mohey, A.M.*, +, *TCSI Oct. 2019 4079-4092*

WRA: A 2.2-to-6.3 TOPS Highly Unified Dynamically Reconfigurable Accelerator Using a Novel Winograd Decomposition Algorithm for Computational Neural Networks. *Yang, C.*, +, *TCSI Sept. 2019 3480-3493*

Reconfigurable logic

MRAM-Enhanced Low Power Reconfigurable Fabric With Multi-Level Variation Tolerance. *Zand, R.*, +, *TCSI Dec. 2019 4662-4672*

Rectifiers

- A Single-Stage Dual-Output Tri-Mode AC-DC Regulator for Inductively Powered Application. *Low, Q.W.*, +, *TCSI Sept. 2019 3620-3630*
- Design Considerations for Low-Distortion Filter and Oscillator ICs for Testing High-Resolution ADCs. *Kumar, S.*, +, *TCSI Sept. 2019 3393-3401*
- Dual-Band Transmission-Line Resistance Compression Network and Its Application to Rectifiers. *Liu, J.*, +, *TCSI Jan. 2019 119-132*
- Systematic Co-Design of Matching Networks and Rectifiers for CMOS Radio Frequency Energy Harvesters. *Karami, M.A.*, +, *TCSI Aug. 2019 3238-3251*

Rectifying circuits

- An 18 nW $-47/-40$ dBm Sensitivity 3/100 kbps MEMS-Assisted CMOS Wake-Up Receiver. *Soliman, M.*, +, *TCSI Nov. 2019 4439-4447*
- Power Extracted From Piezoelectric Harvesters Driven by Non-Sinusoidal Vibrations. *Costanzo, L.*, +, *TCSI March 2019 1291-1303*

Recursive estimation

- Robust Active Noise Control Design by Optimal Weighted Least Squares Approach. *Aslam, M.S.*, +, *TCSI Oct. 2019 3955-3967*

Recursive filters

- Robust Active Noise Control Design by Optimal Weighted Least Squares Approach. *Aslam, M.S.*, +, *TCSI Oct. 2019 3955-3967*
- Synthesis and Realization of Two-Dimensional Separable Denominator Orthogonal Systems via Decomposition Into 1-D Systems. *Wirski, R.*, *TCSI Nov. 2019 4309-4322*

Reduced order systems

- Reduced-Order Observer-Based Sliding Mode Control for Singular Markovian Jump System With Time-Varying Transition Rate. *Zhang, D.*, +, *TCSI Feb. 2019 796-809*

Redundancy

- A 1- μ s Ramp Time 12-bit Column-Parallel Flash TDC-Interpolated Single-Slope ADC With Digital Delay-Element Calibration. *Levski, D.*, +, *TCSI Jan. 2019 54-67*

Reed-Solomon codes

- A 124-Gb/s Decoder for Generalized Integrated Interleaved Codes. *Li, W.*, +, *TCSI Aug. 2019 3174-3187*
- A Test Vector Generation Method Based on Symbol Error Probabilities for Low-Complexity Chase Soft-Decision Reed-Solomon Decoding. *Valls, J.*, +, *TCSI June 2019 2198-2207*
- Efficient Architectures for Generalized Integrated Interleaved Decoder. *Zhang, X.*, +, *TCSI Oct. 2019 4018-4031*

Reference circuits

- A 0.7-V 28-nW CMOS Subthreshold Voltage and Current Reference in One Simple Circuit. *Wang, L.*, +, *TCSI Sept. 2019 3457-3466*
- A 2.41-pJ/bit 5.4-Gb/s Dual-Loop Reference-Less CDR With Fully Digital Quarter-Rate Linear Phase Detector for Embedded DisplayPort. *Moon, Y.*, +, *TCSI Aug. 2019 2907-2920*
- A 3.6 μ V_{rms} Noise, 3 ppm/ $^{\circ}$ C TC Bandgap Reference With Offset/Noise Suppression and Five-Piece Linear Compensation. *Liu, L.*, +, *TCSI Oct. 2019 3786-3796*
- A Resistorless High-Precision Compensated CMOS Bandgap Voltage Reference. *Zhou, Z.*, +, *TCSI Jan. 2019 428-437*
- Analysis and Design of Ultra-Large Dynamic Range CMOS Transimpedance Amplifier With Automatically-Controlled Multi-Current-Bleeding Paths. *Bi, X.*, +, *TCSI Sept. 2019 3266-3278*
- Compact Extended Industrial Range CMOS Current References. *Osipov, D.*, +, *TCSI June 2019 1998-2006*
- Low-Voltage Current and Voltage Reference Design Based on the MOSFET ZTC Effect. *Wenger, Y.*, +, *TCSI Sept. 2019 3445-3456*
- Variability-Aware Design Method for a Constant Inversion Level Bias Current Generator. *Antunez-Calistro, G.*, +, *TCSI June 2019 2027-2036*

Registers

- Digital Calibration of Elements Mismatch in Multirate Predictive SAR ADCs. *Mafi, H.*, +, *TCSI Dec. 2019 4571-4581*

Regulators

- FOPAC: Flexible On-Chip Power and Clock. *Kuttappa, R.*, +, *TCSI Dec. 2019 4628-4636*

Relaxation oscillators

- A 1-MHz Relaxation Oscillator Core Employing a Self-Compensating Chopped Comparator Pair. *Mikulic, J.*, +, *TCSI May 2019 1728-1736*

Resistive RAM

- A Robust Digital RRAM-Based Convolutional Block for Low-Power Image Processing and Learning Applications. *Giacomin, E.*, +, *TCSI Feb. 2019 643-654*
- Architectural Exploration to Address the Reliability Challenges for ReRAM-Based Buffer in SSD. *Zhao, X.*, +, *TCSI Jan. 2019 226-238*
- Nano-Intrinsic True Random Number Generation: A Device to Data Study. *Kim, J.*, +, *TCSI July 2019 2615-2626*
- Power and Area Efficient FPGA Building Blocks Based on Ferroelectric FETs. *Chen, X.*, +, *TCSI May 2019 1780-1793*
- Power Performance Tradeoffs Using Adaptive Bit Width Adjustments on Resistive Associative Processors. *Abdelaal, R.A.*, +, *TCSI Jan. 2019 302-312*

Resistors

- A 0.7-V 28-nW CMOS Subthreshold Voltage and Current Reference in One Simple Circuit. *Wang, L.*, +, *TCSI Sept. 2019 3457-3466*
- From Battery Enabled to Natural Harvesting: Enzymatic BioFuel Cell Assisted Integrated Analog Front-End in 130nm CMOS for Long-Term Monitoring. *Hu, H.*, +, *TCSI Feb. 2019 534-545*
- Generating Multi-Scroll Chua's Attractors via Simplified Piecewise-Linear Chua's Diode. *Wang, N.*, +, *TCSI Dec. 2019 4767-4779*
- Phase-Inversion Waves Propagating in an In-Phase Synchronization on Oscillators Coupled as a Cross. *Tanaka, M.*, +, *TCSI Dec. 2019 4807-4816*

Resonant power converters

- A Flexible Load-Independent Multi-Output Wireless Power Transfer System Based on Cascaded Double T-Resonant Circuits: Analysis, Design and Experimental Verification. *Li, Y.*, +, *TCSI July 2019 2803-2812*
- Nonlinear Dynamic Modeling and Analysis of Self-Oscillating H-Bridge Parallel Resonant Converter Under Zero Current Switching Control: Unveiling Coexistence of Attractors. *El Aroudi, A.*, +, *TCSI April 2019 1657-1667*

Resonator filters

- A Programmable Sustaining Amplifier for Flexible Multimode MEMS-Referenced Oscillators. *Islam, M.S.*, +, *TCSI April 2019 1405-1418*
- Design of Tunable Multi-Pole Multi-Zero Bandpass Filters and Diplexer With High Selectivity and Isolation. *Gao, L.*, +, *TCSI Oct. 2019 3831-3842*
- Optimization-Free Design Equations for Narrowband Equal-Division Filtering Power Divider With Pre-Specified Filtering Response and Wideband Isolation. *Lee, B.*, +, *TCSI July 2019 2496-2507*

Resonators

- A Second-Order Bandpass $\Sigma\Delta$ Time-to-Digital Converter With Negative Time-Mode Feedback. *Ziabakhsh, S.*, +, *TCSI April 2019 1355-1368*
- Differential Transmission Lines Loaded With Magnetic LC Resonators and Application in Common Mode Suppression. *Ebrahimi, A.*, +, *TCSI Oct. 2019 3811-3821*

Riccati equations

- Observer-Based Distributed Secure Consensus Control of a Class of Linear Multi-Agent Systems Subject to Random Attacks. *Yang, Y.*, +, *TCSI Aug. 2019 3089-3099*

RLC circuits

- FOPAC: Flexible On-Chip Power and Clock. *Kuttappa, R.*, +, *TCSI Dec. 2019 4628-4636*

Robust control

- Event-Based H_{∞} Fault Detection for Buck Converter With Multiplicative Noises Over Network. *Yan, H.*, +, *TCSI June 2019 2361-2370*
- Event-Triggered Finite-Time Robust Filtering for a Class of State-Dependent Uncertain Systems With Network Transmission Delay. *Sun, Y.*, +, *TCSI March 2019 1076-1089*
- Linear Consequence-Based Fuzzy Parallel Distributed Compensation Type L_1 Adaptive Controller for Two Link Robot Manipulator. *Mairi, R.*, +, *TCSI Oct. 2019 3978-3990*
- Robust Pinning Constrained Control and Adaptive Regulation of Coupled Chua's Circuit Networks. *Jin, X.*, +, *TCSI Oct. 2019 3928-3940*

Runtime

An Ultra-Low Power Binarized Convolutional Neural Network-Based Speech Recognition Processor With On-Chip Self-Learning. *Zheng, S., +, TCSI Dec. 2019 4648-4661*

S**S-parameters**

Analytical Equivalent Circuit Extraction Procedure for Broadband Scalable Modeling of Three-Port Center-Tapped Symmetric On-Chip Inductors. *Issakov, V., +, TCSI Sept. 2019 3557-3570*

Sample and hold circuits

A Low Power 12-bit 1-ks/s SAR ADC for Biomedical Signal Processing. *Mao, W., +, TCSI Feb. 2019 477-488*

Wide-Bandwidth, High-Linearity, 2.8-GS/s, 10-bit Accurate Sample and Hold Amplifier in 130-nm SiGe BiCMOS. *Tantawy, R., +, TCSI May 2019 1758-1768*

Sampled data circuits

Noise Filtering and Linearization of Single-Ended Sampled-Data Circuits. *He, T., +, TCSI April 2019 1331-1341*

Sampling methods

Nano-Intrinsic True Random Number Generation: A Device to Data Study. *Kim, J., +, TCSI July 2019 2615-2626*

Search problems

An Improved Gradient Descent Bit-Flipping Decoder for LDPC Codes. *Cui, H., +, TCSI Aug. 2019 3188-3200*

Design Methodology to Explore Hybrid Approximate Adders for Energy-Efficient Image and Video Processing Accelerators. *Soares, L.B., +, TCSI June 2019 2137-2150*

Improved Analog Filter Design by Random Search. *Pillans, J., TCSI June 2019 2350-2360*

Secondary cells

A 0.90–4.39-V Detection Voltage Range, 56-Level Programmable Voltage Detector Using Fine Voltage-Step Subtraction for Battery Management. *Someya, T., +, TCSI March 2019 1270-1279*

A 97% Maximum Efficiency Fully Automated Control Turbo Boost Topology for Battery Chargers. *Mumandi, B., +, TCSI Nov. 2019 4516-4527*

Security

Event-Based Security Control for State-Dependent Uncertain Systems Under Hybrid-Attacks and Its Application to Electronic Circuits. *Liu, J., +, TCSI Dec. 2019 4817-4828*

Security of data

A Secure Data-Toggling SRAM for Confidential Data Protection. *Ho, W., +, TCSI Nov. 2019 4186-4199*

Semiconductor device measurement

Design of Cryogenic LNAs for High Linearity in Space Applications. *Caglar, A., +, TCSI Dec. 2019 4619-4627*

Semiconductor device models

Charge-Based Distortion Analysis of Nanoscale MOSFETs. *Chicco, F., +, TCSI Feb. 2019 453-462*

Using Modified Bessel Functions for Analysis of Nonlinear Effects in a MOS Transistor Operating in Moderate Inversion. *Filanovsky, I.M., +, TCSI May 2019 1897-1907*

Semiconductor lasers

256×8 SPAD Array With 256 Column TDCs for a Line Profiling Laser Radar. *Keranen, P., +, TCSI Nov. 2019 4122-4133*

A Differential Push-Pull Voltage Mode VCSEL Driver in 65-nm CMOS. *Ramani, A.S., +, TCSI Nov. 2019 4147-4157*

Semiconductor materials

Analysis of SRAM Enhancements Through Sense Amplifier Capacitive Offset Correction and Replica Self-Timing. *Fragasse, R., +, TCSI June 2019 2037-2050*

Sensitivity analysis

Second-Order Trajectory Sensitivity Analysis of Hybrid Systems. *Geng, S., +, TCSI May 2019 1922-1934*

Sensor arrays

256×8 SPAD Array With 256 Column TDCs for a Line Profiling Laser Radar. *Keranen, P., +, TCSI Nov. 2019 4122-4133*

A DROIC Based on PFM ADCs Employing Over-Integration for Error Shaping. *Abbasi, S., +, TCSI Oct. 2019 3713-3722*

A Three-Phase, One-Tap High Background Light Subtraction Time-of-Flight Camera. *Anand, C., +, TCSI June 2019 2219-2229*

Sensors

Robust and Lightweight Ensemble Extreme Learning Machine Engine Based on Eigenspace Domain for Compressed Learning. *Li, H., +, TCSI Dec. 2019 4699-4712*

Sequences

A Switching Sequence for Unary Digital-to-Analog Converters Based on a Knight's Tour. *Yenuchenko, M.S., +, TCSI June 2019 2230-2239*

Shape measurement

Capacitive Touch Panel With Low Sensitivity to Water Drop Employing Mutual-Coupling Electrical Field Shaping Technique. *Zhong, L., +, TCSI April 2019 1393-1404*

Sigma-delta modulation

A 1-MHz-Bandwidth Gm-C-Based Quadrature Bandpass Sigma-Delta Modulator Achieving −153.7-dBFS/Hz NSD With Background Calibration. *Zhang, M., +, TCSI March 2019 909-919*

A 10-MHz BW 77.9 dB SNDR DT MASH $\Delta\Sigma$ ADC With NC-VCO-Based Quantizer and OPAMP Sharing. *Sadollahi, M., +, TCSI Sept. 2019 3384-3392*

A DROIC Based on PFM ADCs Employing Over-Integration for Error Shaping. *Abbasi, S., +, TCSI Oct. 2019 3713-3722*

A Systematic Design Methodology for Optimization of Sigma-Delta Modulators Based on an Evolutionary Algorithm. *de Melo, J.L.A., +, TCSI Sept. 2019 3544-3556*

Clock Jitter Analysis of Continuous-Time $\Sigma\Delta$ Modulators Based on a Relative Time-Base Projection. *Cardes, F., +, TCSI March 2019 920-929*

Low-Pass Filtering SC-DAC for Reduced Jitter and Slewing Requirements on CTSDMs. *Vercaemer, D., +, TCSI April 2019 1369-1381*

Signal conditioning circuits

Dual-Path and Dual-Chopper Amplifier Signal Conditioning Circuit With Improved SNR and Ultra-Low Power Consumption for MEMS. *Vejdani, P., +, TCSI June 2019 2253-2262*

Signal detection

A Spectrum-Sensing DPD Feedback Receiver With 30× Reduction in ADC Acquisition Bandwidth and Sample Rate. *Hammler, N., +, TCSI Sept. 2019 3340-3351*

An LDPC-Coded SCMA Receiver With Multi-User Iterative Detection and Decoding. *Sun, W., +, TCSI Sept. 2019 3571-3584*

Hardware-Efficient and Fast Sensing-Time Maximum-Minimum-Eigenvalue-Based Spectrum Sensor for Cognitive Radio Network. *Chaurasiya, R.B., +, TCSI Nov. 2019 4448-4461*

Joint Detection and Decoding of Polar-Coded OFDM-IDMA Systems. *Deng, X., +, TCSI Oct. 2019 4005-4017*

Low-Routing-Complexity Convolutional/Turbo Decoder Design for Iterative Detection and Decoding Receivers. *Lin, C., +, TCSI Nov. 2019 4476-4489*

Signal processing

Advantages of Second-Order Cartesian Feedback Linearizers for Radio Amplifiers. *Cavers, J.K., +, TCSI Nov. 2019 4134-4146*

Area-Time-Power Efficient FFT Architectures Based on Binary-Signed-Digit CORDIC. *Mahdavi, H., +, TCSI Oct. 2019 3874-3881*

CORDIC-SNN: On-FPGA STDP Learning With Izhikevich Neurons. *Heidarpar, M., +, TCSI July 2019 2651-2661*

Digitally Adaptive High-Fidelity Analog Array Signal Processing Resilient to Capacitive Multiplying DAC Inter-Stage Gain Error. *Joshi, S., +, TCSI Nov. 2019 4095-4107*

Fundamental Energy Limits of Digital Phased Arrays. *Bo Marr, H., TCSI July 2019 2775-2783*

Guest Editorial Special Issue on the 2019 International Symposium on Integrated Circuits and Systems. *Blokhina, E., TCSI Sept. 2019 3253*

Guest Editorial Special Issue on the IEEE International Symposium on Circuits and Systems 2018. *Blokhina, E., TCSI May 2019 1669*

Novel Data Pre-Distorter for APSK Signals in Solid-State Power Amplifiers. *Canavate Sanchez, M.J., +, TCSI Oct. 2019 4044-4054*

Signal processing algorithms

A Design of Input-Decimation Technique for Recursive DFT/IDFT Algorithm. *Wu, C., +, TCSI Dec. 2019 4713-4726*

Efficient Implementation of Iterative Polynomial Matrix EVD Algorithms Exploiting Structural Redundancy and Parallelisation. *Coutts, F.K., +, TCSI Dec. 2019 4753-4766*

Signal reconstruction

Analysis of Signals via Non-Maximally Decimated Non-Uniform Filter Banks. *Patel, S., +, TCSI Oct. 2019 3882-3895*

Real-Time Multi-User Detection Engine Design for IoT Applications via Modified Sparsity Adaptive Matching Pursuit. *Liao, C., +, TCSI Aug. 2019 2987-3000*

Signal Encoding and Processing in Continuous Time Using a Cascade of Digital Delays. *Patil, S., +, TCSI March 2019 1017-1030*

Under-Determined Convolutional Blind Source Separation Combining Density-Based Clustering and Sparse Reconstruction in Time-Frequency Domain. *Yang, J., +, TCSI Aug. 2019 3015-3027*

Signal representation

CAR-Lite: A Multi-Rate Cochlear Model on FPGA for Spike-Based Sound Encoding. *Singh, R.K., +, TCSI May 2019 1805-1817*

Quantum Implementation Circuits of Quantum Signal Representation and Type Conversion. *Li, H., +, TCSI Jan. 2019 341-354*

Signal Encoding and Processing in Continuous Time Using a Cascade of Digital Delays. *Patil, S., +, TCSI March 2019 1017-1030*

Signal resolution

Δ - Σ Noise-Shaping in 2-D Space-Time for Wideband Antenna Array Receivers. *Wang, Y., +, TCSI Feb. 2019 569-582*

Digital Calibration of Elements Mismatch in Multirate Predictive SAR ADCs. *Mafi, H., +, TCSI Dec. 2019 4571-4581*

Signal sampling

A Spectrum-Sensing DPD Feedback Receiver With $30\times$ Reduction in ADC Acquisition Bandwidth and Sample Rate. *Hammler, N., +, TCSI Sept. 2019 3340-3351*

CAR-Lite: A Multi-Rate Cochlear Model on FPGA for Spike-Based Sound Encoding. *Singh, R.K., +, TCSI May 2019 1805-1817*

Hardware-Efficient and Fast Sensing-Time Maximum-Minimum-Eigenvalue-Based Spectrum Sensor for Cognitive Radio Network. *Chaurasiya, R.B., +, TCSI Nov. 2019 4448-4461*

Subsampling Mismatch Noise Cancellation for High-Speed Continuous-Time DACs. *Kong, D., +, TCSI Aug. 2019 2843-2853*

Silicon

An Integrated Micromachined Thermopile Sensor With a Chopper Interface Circuit for Contact-Less Temperature Measurements. *Moisello, E., +, TCSI Sept. 2019 3402-3413*

An On-Chip Built-in Linearity Estimation Methodology and Hardware Implementation. *Shi, C., +, TCSI March 2019 897-908*

Design and Implementation of a 0.3-V Differential Difference Amplifier. *Khateb, F., +, TCSI Feb. 2019 513-523*

Silicon-on-insulator

A 28-nm FD-SOI 8T Dual-Port SRAM for Low-Energy Image Processor With Selective Sourceline Drive Scheme. *Mori, H., +, TCSI April 2019 1442-1453*

A Spectrum-Sensing DPD Feedback Receiver With $30\times$ Reduction in ADC Acquisition Bandwidth and Sample Rate. *Hammler, N., +, TCSI Sept. 2019 3340-3351*

Addressing Failure and Aging Degradation in MRAM/MeRAM-on-FDSOI Integration. *Cai, H., +, TCSI Jan. 2019 239-250*

An Area-Efficient On-Chip Memory System for Massive MIMO Using Channel Data Compression. *Liu, Y., +, TCSI Jan. 2019 417-427*

Design Methodology Based on the Inversion Coefficient and its Application to Inductorless LNA Implementations. *Guitton, G., +, TCSI Oct. 2019 3653-3663*

Harmonic Performance of Mixer-First Receivers With Circulant-Symmetric Basebands. *Wilson, C., +, TCSI Jan. 2019 161-174*

SIMO communication

An 86% Efficiency, Wide- V_{in} SIMO DC-DC Converter Embedded in a Car-Radio IC. *Salimath, A., +, TCSI Sept. 2019 3598-3609*

Output Control Techniques for Dual-Frequency SIMO Buck Converters. *Jiang, Y., +, TCSI Oct. 2019 4055-4067*

Simulated annealing

Efficient Post-Processors for Improving Error-Correcting Performance of LDPC Codes. *Tao, Y., +, TCSI Oct. 2019 4032-4043*

Singular value decomposition

An SVD Processor Based on Golub-Reinsch Algorithm for MIMO Precoding With Adjustable Precision. *Wu, C., +, TCSI July 2019 2572-2583*

Singularly perturbed systems

Network-Based Quantized Control for Fuzzy Singularly Perturbed Semi-Markov Jump Systems and its Application. *Shen, H., +, TCSI March 2019 1130-1140*

Reliable Sliding Mode Control of Fast Sampling Singularly Perturbed Systems: A Redundant Channel Transmission Protocol Approach. *Song, J., +, TCSI Nov. 2019 4490-4501*

Sleep

An Ultra-Low-Power Dual-Mode Automatic Sleep Staging Processor Using Neural-Network-Based Decision Tree. *Chang, S., +, TCSI Sept. 2019 3504-3516*

Software fault tolerance

Using Machine Learning Techniques to Evaluate Multicore Soft Error Reliability. *da Rosa, F.R., +, TCSI June 2019 2151-2164*

Solar cells

Complementarity Model of a Photovoltaic Power Electronic System With Model Predictive Control. *Morfin-Magana, R., +, TCSI Nov. 2019 4402-4414*

Solar Cell Photo-Luminescence Modulation for Optical Frequency Identification Devices. *Leon-Salas, W.D., +, TCSI May 2019 1981-1992*

Space division multiplexing

Multi-User Hybrid MIMO at 60 GHz Using 16-Antenna Transmitters. *Blandino, S., +, TCSI Feb. 2019 848-858*

Space vehicle electronics

Integrated Wide-Band CMOS Spectrometer Systems for Spaceborne Telescopic Sensing. *Zhang, Y., +, TCSI May 2019 1863-1873*

Spatiotemporal phenomena

Pattern Formation With Locally Active S-Type NbO_x Memristors. *Weiher, M., +, TCSI July 2019 2627-2638*

Special issues and sections

Guest Editorial Selected Papers From Regional Flagship Conferences of the IEEE Circuits and Systems Society (ICECS 2017, LASCAS 2018, and NEWCAS 2018). *Blokhina, E., TCSI June 2019 1997*

Guest Editorial Special Issue on the 2019 International Symposium on Integrated Circuits and Systems. *Blokhina, E., TCSI Sept. 2019 3253*

Guest Editorial Special Issue on the IEEE International Symposium on Circuits and Systems 2018. *Blokhina, E., TCSI May 2019 1669*

Spectral analysis

Energy-Efficient Spectral Analysis Method Using Autoregressive Model-Based Approach for Internet of Things. *Yoshida, S., +, TCSI Oct. 2019 3896-3905*

Speech processing

Voice Activity Detection Using Generalized Exponential Kernels for Time and Frequency Domains. *Soares, A.d.S.P., +, TCSI June 2019 2116-2123*

Speech recognition

An Ultra-Low Power Binarized Convolutional Neural Network-Based Speech Recognition Processor With On-Chip Self-Learning. *Zheng, S., +, TCSI Dec. 2019 4648-4661*

Approximate Designs for Fast Fourier Transform (FFT) With Application to Speech Recognition. *Liu, W., +, TCSI Dec. 2019 4727-4739*

SPICE

A Majority-Based Imprecise Multiplier for Ultra-Efficient Approximate Image Multiplication. *Sabetzadeh, F., +, TCSI Nov. 2019 4200-4208*

Leveraging Independent Double-Gate FinFET Devices for Machine Learning Classification. *Kenarangi, F., +, TCSI Nov. 2019 4356-4367*

Multiphysics Simulation of Biosensors Involving 3D Biological Reaction-Diffusion Phenomena in a Standard Circuit EDA Environment. *Madedc, M., +, TCSI June 2019 2188-2197*

Neuromodulation of Neuromorphic Circuits. *Ribar, L., +, TCSI Aug. 2019 3028-3040*

Spin-orbit interactions

Novel Radiation Hardening Read/Write Circuits Using Feedback Connections for Spin–Orbit Torque Magnetic Random Access Memory. *Wang, B.*, +, *TCSI May 2019 1853-1862*

Spintronics

MRAM-Enhanced Low Power Reconfigurable Fabric With Multi-Level Variation Tolerance. *Zand, R.*, +, *TCSI Dec. 2019 4662-4672*

SRAM chips

A 28-nm FD-SOI 8T Dual-Port SRAM for Low-Energy Image Processor With Selective Sourceline Drive Scheme. *Mori, H.*, +, *TCSI April 2019 1442-1453*

A Dual-Split 6T SRAM-Based Computing-in-Memory Unit-Macro With Fully Parallel Product-Sum Operation for Binarized DNN Edge Processors. *Si, X.*, +, *TCSI Nov. 2019 4172-4185*

A Secure Data-Toggling SRAM for Confidential Data Protection. *Ho, W.*, +, *TCSI Nov. 2019 4186-4199*

Analysis of SRAM Enhancements Through Sense Amplifier Capacitive Offset Correction and Replica Self-Timing. *Fragasse, R.*, +, *TCSI June 2019 2037-2050*

Hybrid Latch-Type Offset Tolerant Sense Amplifier for Low-Voltage SRAMs. *Patel, D.*, +, *TCSI July 2019 2519-2532*

Low-Power Near-Threshold 10T SRAM Bit Cells With Enhanced Data-Independent Read Port Leakage for Array Augmentation in 32-nm CMOS. *Gupta, S.*, +, *TCSI March 2019 978-988*

Physically Unclonable Functions Using Foundry SRAM Cells. *Clark, L.T.*, +, *TCSI March 2019 955-966*

Quadruple Cross-Coupled Latch-Based 10T and 12T SRAM Bit-Cell Designs for Highly Reliable Terrestrial Applications. *Jiang, J.*, +, *TCSI March 2019 967-977*

ROBIN: Monolithic-3D SRAM for Enhanced Robustness with In-Memory Computation Support. *Rangachar Srinivasa, S.*, +, *TCSI July 2019 2533-2545*

Synthesizable Memory Arrays Based on Logic Gates for Subthreshold Operation in IoT. *Fan, X.*, +, *TCSI March 2019 941-954*

Ultra-Dense Ring-Shaped Racetrack Memory Cache Design. *Wang, G.*, +, *TCSI Jan. 2019 215-225*

Xcel-RAM: Accelerating Binary Neural Networks in High-Throughput SRAM Compute Arrays. *Agrawal, A.*, +, *TCSI Aug. 2019 3064-3076*

Stability

Asynchronous Finite-Time Filtering of Networked Switched Systems and its Application: an Event-Driven Method. *Ren, H.*, +, *TCSI Jan. 2019 391-402*

Linear Consequence-Based Fuzzy Parallel Distributed Compensation Type L_1 Adaptive Controller for Two Link Robot Manipulator. *Maiti, R.*, +, *TCSI Oct. 2019 3978-3990*

Mitigating Line Frequency Instability of Boost PFC Converter Under Proportional Outer-Voltage Loop With Additional Third Current-Harmonic Feedforward Compensation. *Lu, W.*, +, *TCSI Nov. 2019 4528-4541*

Network-Based Quantized Control for Fuzzy Singularly Perturbed Semi-Markov Jump Systems and its Application. *Shen, H.*, +, *TCSI March 2019 1130-1140*

Observer-Based Distributed Secure Consensus Control of a Class of Linear Multi-Agent Systems Subject to Random Attacks. *Yang, Y.*, +, *TCSI Aug. 2019 3089-3099*

Pinning Synchronization of Complex Switching Networks With a Leader of Nonzero Control Inputs. *Wen, G.*, +, *TCSI Aug. 2019 3100-3112*

Reduced-Order Observer-Based Sliding Mode Control for Singular Markovian Jump System With Time-Varying Transition Rate. *Zhang, D.*, +, *TCSI Feb. 2019 796-809*

Synchronization of Multi-Agent Systems With Time-Varying Control and Delayed Communications. *Jia, Q.*, +, *TCSI Nov. 2019 4429-4438*

Synchronization of Multi-Layer Networks: From Node-to-Node Synchronization to Complete Synchronization. *Wang, P.*, +, *TCSI March 2019 1141-1152*

Standards

A Coupled Line-Based Coupler With Simultaneously Tunable Phase and Frequency. *Xu, B.W.*, +, *TCSI Dec. 2019 4637-4647*

Global High-Order Sliding Mode Controller Design Subject to Mismatched Terms: Application to Buck Converter. *Shi, S.*, +, *TCSI Dec. 2019 4840-4849*

State feedback

Almost Output Regulation for Switched Positive Systems With Different Coordinates Transformations and its Application to a Positive Circuit Model. *Wang, P.*, +, *TCSI Oct. 2019 3968-3977*

State-space methods

Neuromodulation of Neuromorphic Circuits. *Ribar, L.*, +, *TCSI Aug. 2019 3028-3040*

Synthesis and Realization of Two-Dimensional Separable Denominator Orthogonal Systems via Decomposition Into 1-D Systems. *Wirski, R.*, *TCSI Nov. 2019 4309-4322*

Static VAR compensators

ANOVA Kernel Kalman Filter for Multi-Objective Grid Integrated Solar Photovoltaic-Distribution Static Compensator. *Kumar, N.*, +, *TCSI Nov. 2019 4256-4264*

Statistical analysis

ANOVA Kernel Kalman Filter for Multi-Objective Grid Integrated Solar Photovoltaic-Distribution Static Compensator. *Kumar, N.*, +, *TCSI Nov. 2019 4256-4264*

Exploiting Machine Learning Against On-Chip Power Analysis Attacks: Tradeoffs and Design Considerations. *Kenarangi, F.*, +, *TCSI Feb. 2019 769-781*

Reconstructing of Networks With Binary-State Dynamics via Generalized Statistical Inference. *Zhang, H.*, +, *TCSI April 2019 1608-1619*

Static Delay Variation Models for Ripple-Carry and Borrow-Save Adders. *Papachatzopoulos, K.*, +, *TCSI July 2019 2546-2559*

Statistics-Based Approach for Blind Post-Compensation of Modulator's Imperfections and Power Amplifier Nonlinearity. *Aziz, M.*, +, *TCSI March 2019 1063-1075*

Statistical testing

Nano-Intrinsic True Random Number Generation: A Device to Data Study. *Kim, J.*, +, *TCSI July 2019 2615-2626*

Steady-state

A Non-Invasive Method for Estimating Circuit and Control Parameters of Voltage Source Converters. *Lin, B.H.*, +, *TCSI Dec. 2019 4911-4921*

Stochastic processes

Convergence Analysis of Deficient-Length Frequency-Domain Adaptive Filters. *Yang, F.*, +, *TCSI Nov. 2019 4242-4255*

Digitally Adaptive High-Fidelity Analog Array Signal Processing Resilient to Capacitive Multiplying DAC Inter-Stage Gain Error. *Joshi, S.*, +, *TCSI Nov. 2019 4095-4107*

Efficient CMOS Invertible Logic Using Stochastic Computing. *Smithson, S.C.*, +, *TCSI June 2019 2263-2274*

Numerical Jitter Minimization for PLL-Based FMCW Radar Systems. *Herzel, F.*, +, *TCSI July 2019 2478-2488*

Reconstructing of Networks With Binary-State Dynamics via Generalized Statistical Inference. *Zhang, H.*, +, *TCSI April 2019 1608-1619*

Reduced-Order Observer-Based Sliding Mode Control for Singular Markovian Jump System With Time-Varying Transition Rate. *Zhang, D.*, +, *TCSI Feb. 2019 796-809*

Synchronization of Stochastic Lévy Noise Systems on a Multi-Weights Network and Its Applications of Chua's Circuits. *Zhou, H.*, +, *TCSI July 2019 2709-2722*

Stochastic systems

Network-Based Quantized Control for Fuzzy Singularly Perturbed Semi-Markov Jump Systems and its Application. *Shen, H.*, +, *TCSI March 2019 1130-1140*

Reduced-Order Observer-Based Sliding Mode Control for Singular Markovian Jump System With Time-Varying Transition Rate. *Zhang, D.*, +, *TCSI Feb. 2019 796-809*

Synchronization of Stochastic Lévy Noise Systems on a Multi-Weights Network and Its Applications of Chua's Circuits. *Zhou, H.*, +, *TCSI July 2019 2709-2722*

Storage management chips

An Area-Efficient On-Chip Memory System for Massive MIMO Using Channel Data Compression. *Liu, Y.*, +, *TCSI Jan. 2019 417-427*

Sugar

From Battery Enabled to Natural Harvesting: Enzymatic BioFuel Cell Assisted Integrated Analog Front-End in 130nm CMOS for Long-Term Monitoring. *Hu, H.*, +, *TCSI Feb. 2019 534-545*

Support vector machines

A Fast On-Chip SVM-Training System With Dual-Mode Configurable Pipelines and MSMO Scheduler. *Feng, L.*, +, *TCSI Nov. 2019 4230-4241*

Surface acoustic wave resonators

An 18 nW $-47/-40$ dBm Sensitivity 3/100 kbps MEMS-Assisted CMOS Wake-Up Receiver. *Soliman, M.*, +, *TCSI Nov. 2019 4439-4447*

Surface emitting lasers

A Differential Push-Pull Voltage Mode VCSEL Driver in 65-nm CMOS. *Ramani, A.S.*, +, *TCSI Nov. 2019 4147-4157*

Switched capacitor filters

A -40 dB EVM, 77 MHz Dual-Band Tunable Gain Sub-Sampling Receiver Front End in 65-nm CMOS. *Kale, A.*, +, *TCSI March 2019 1166-1179*

A Third-Order Integrated Passive Switched-Capacitor Filter Obtained With a Continuous-Time Design Approach. *Lulec, S.Z.*, +, *TCSI Oct. 2019 3643-3652*

Switched capacitor networks

A Ripple Reduction Method for Switched-Capacitor DC-DC Voltage Converter Using Fully Digital Resistance Modulation. *Xie, F.*, +, *TCSI Sept. 2019 3631-3641*

A Third-Order Integrated Passive Switched-Capacitor Filter Obtained With a Continuous-Time Design Approach. *Lulec, S.Z.*, +, *TCSI Oct. 2019 3643-3652*

Analysis and Design of Cyclic Switched-Capacitor DC-DC Converters. *Datta, K.*, +, *TCSI Aug. 2019 3227-3237*

Design Optimization for Low-Power Reconfigurable Switched-Capacitor DC-DC Voltage Converter. *Mohey, A.M.*, +, *TCSI Oct. 2019 4079-4092*

From Battery Enabled to Natural Harvesting: Enzymatic BioFuel Cell Assisted Integrated Analog Front-End in 130nm CMOS for Long-Term Monitoring. *Hu, H.*, +, *TCSI Feb. 2019 534-545*

Low-Pass Filtering SC-DAC for Reduced Jitter and Slewing Requirements on CTSDMs. *Vercaemer, D.*, +, *TCSI April 2019 1369-1381*

Nonlinear Analytical Model for Switched-Capacitor Class-D RF Power Amplifiers. *Luo, W.*, +, *TCSI June 2019 2309-2321*

Switched mode power supplies

A New Design Technique for Sub-Nanosecond Delay and 200 V/ns Power Supply Slew-Tolerant Floating Voltage Level Shifters for GaN SMPS. *Liu, D.*, +, *TCSI March 2019 1280-1290*

A Power-Loss-Dependent Inductance Model for Ferrite-Core Power Inductors in Switch-Mode Power Supplies. *Oliveri, A.*, +, *TCSI June 2019 2394-2402*

Switches

A 40-Gb/s PAM-4 Transmitter Using a 0.16-pJ/bit SST-CML-Hybrid (SCH) Output Driver and a Hybrid-Path 3-Tap FFE Scheme in 28-nm CMOS. *Fan, C.*, +, *TCSI Dec. 2019 4850-4861*

A Dual-Stage Boost Converter Using Two-Dimensional Adaptive Input-Sampling MPPT for Thermoelectric Energy Harvesting. *Chandrarathna, S.C.*, +, *TCSI Dec. 2019 4888-4900*

A Switched Capacitor Multiple Input Single Output Energy Harvester (Solar + Piezo) Achieving 74.6% Efficiency With Simultaneous MPPT. *Devaraj, A.*, +, *TCSI Dec. 2019 4876-4887*

An LLC-Type Resonant Forward Converter With Adjustable Turning-Off Time Control. *Qian, C.*, +, *TCSI Dec. 2019 4901-4910*

Switching converters

A Single-Stage Dual-Output Tri-Mode AC-DC Regulator for Inductively Powered Application. *Low, Q.W.*, +, *TCSI Sept. 2019 3620-3630*

Analysis of Class-DE PA Using MOSFET Devices With Non-Equal Grading Coefficient. *Lotfi, A.*, +, *TCSI July 2019 2794-2802*

Low-Power/Low-Voltage Integrated CMOS Sense Resistor-Free Analog Power/Current Sensor Compatible With High-Voltage Switching DC-DC Converter. *Singh, S.*, +, *TCSI June 2019 2208-2218*

Output Control Techniques for Dual-Frequency SIMO Buck Converters. *Jiang, Y.*, +, *TCSI Oct. 2019 4055-4067*

Switching systems (control)

Almost Output Regulation for Switched Positive Systems With Different Coordinates Transformations and its Application to a Positive Circuit Model. *Wang, P.*, +, *TCSI Oct. 2019 3968-3977*

Asynchronous Finite-Time Filtering of Networked Switched Systems and its Application: an Event-Driven Method. *Ren, H.*, +, *TCSI Jan. 2019 391-402*

Fault Estimation Observer Design for Descriptor Switched Systems With Actuator and Sensor Failures. *Chen, L.*, +, *TCSI Feb. 2019 810-819*

Global Frequency Synchronization of Complex Power Networks Via Coordinating Switching Control. *Wu, J.*, +, *TCSI Aug. 2019 3123-3133*

Observer-Based Fault Estimation for Discrete-Time Nonlinear Systems and Its Application: A Weighted Switching Approach. *Xie, X.*, +, *TCSI Nov. 2019 4377-4387*

Pinning Synchronization of Complex Switching Networks With a Leader of Nonzero Control Inputs. *Wen, G.*, +, *TCSI Aug. 2019 3100-3112*

Symmetric matrices

Event-Based Security Control for State-Dependent Uncertain Systems Under Hybrid-Attacks and Its Application to Electronic Circuits. *Liu, J.*, +, *TCSI Dec. 2019 4817-4828*

Synchronization

A 0.34 mm² 1 Gb/s Non-Coherent UWB Receiver Architecture With Pulse Enhancement and Double PLL Clock/Data Packet Recovery. *Crepaldi, M.*, +, *TCSI July 2019 2735-2748*

Analysis of Timing Accuracy and Sensitivity in a RF Correlation-Based Impulse Radio Receiver With Phase Interpolation for Data Synchronization. *Fotoohi Piraghaj, S.*, +, *TCSI July 2019 2749-2762*

Global Frequency Synchronization of Complex Power Networks Via Coordinating Switching Control. *Wu, J.*, +, *TCSI Aug. 2019 3123-3133*

Phase-Inversion Waves Propagating in an In-Phase Synchronization on Oscillators Coupled as a Cross. *Tanaka, M.*, +, *TCSI Dec. 2019 4807-4816*

Pinning Synchronization of Complex Switching Networks With a Leader of Nonzero Control Inputs. *Wen, G.*, +, *TCSI Aug. 2019 3100-3112*

Robust Pinning Constrained Control and Adaptive Regulation of Coupled Chua's Circuit Networks. *Jin, X.*, +, *TCSI Oct. 2019 3928-3940*

RotaSYN: Rotary Traveling Wave Oscillator SYNthesizer. *Kuttappa, R.*, +, *TCSI July 2019 2685-2698*

Synchronization of Multi-Agent Systems With Time-Varying Control and Delayed Communications. *Jia, Q.*, +, *TCSI Nov. 2019 4429-4438*

Synchronization of Multi-Layer Networks: From Node-to-Node Synchronization to Complete Synchronization. *Wang, P.*, +, *TCSI March 2019 1141-1152*

Synchronization of Stochastic Lévy Noise Systems on a Multi-Weights Network and Its Applications of Chua's Circuits. *Zhou, H.*, +, *TCSI July 2019 2709-2722*

System-on-chip

FOPAC: Flexible On-Chip Power and Clock. *Kuttappa, R.*, +, *TCSI Dec. 2019 4628-4636*

A Broadband Multi-Mode Compressive Sensing Current Sensor SoC in 0.16 μ m CMOS. *Bellasi, D.*, +, *TCSI Jan. 2019 105-118*

A Single-Stage Dual-Output Tri-Mode AC-DC Regulator for Inductively Powered Application. *Low, Q.W.*, +, *TCSI Sept. 2019 3620-3630*

An All-Digital On-Chip Peak-to-Peak Jitter Measurement Circuit With Automatic Resolution Calibration for High PVT-Variation Resilience. *Chou, P.*, +, *TCSI July 2019 2508-2518*

An Ultra-Low Power Binarized Convolutional Neural Network-Based Speech Recognition Processor With On-Chip Self-Learning. *Zheng, S.*, +, *TCSI Dec. 2019 4648-4661*

Integrated Wide-Band CMOS Spectrometer Systems for Spaceborne Telescopic Sensing. *Zhang, Y.*, +, *TCSI May 2019 1863-1873*

OCTAN: An On-Chip Training Algorithm for Memristive Neuromorphic Circuits. *Ansari, M.*, +, *TCSI Dec. 2019 4687-4698*

Output Control Techniques for Dual-Frequency SIMO Buck Converters. *Jiang, Y.*, +, *TCSI Oct. 2019 4055-4067*

SensorNet: A Scalable and Low-Power Deep Convolutional Neural Network for Multimodal Data Classification. *Jafari, A.*, +, *TCSI Jan. 2019 274-287*

Systematics

Generating Multi-Scroll Chua's Attractors via Simplified Piecewise-Linear Chua's Diode. *Wang, N.*, +, *TCSI Dec. 2019 4767-4779*

T

Table lookup

- A Phase-Calibration Method for Vector-Sum Phase Shifters Using a Self-Generated LUT. *Kalyoncu, I.*, +, *TCSI April 2019 1632-1642*
- FPGA Implementation of the Fractional Order Integrator/Differentiator: Two Approaches and Applications. *Tolba, M.F.*, +, *TCSI April 2019 1484-1495*
- MRAM-Enhanced Low Power Reconfigurable Fabric With Multi-Level Variation Tolerance. *Zand, R.*, +, *TCSI Dec. 2019 4662-4672*
- Power and Area Efficient FPGA Building Blocks Based on Ferroelectric FETs. *Chen, X.*, +, *TCSI May 2019 1780-1793*

Tactile sensors

- Capacitive Touch Panel With Low Sensitivity to Water Drop Employing Mutual-Coupling Electrical Field Shaping Technique. *Zhong, L.*, +, *TCSI April 2019 1393-1404*

Tantalum compounds

- A Family of Stateful Memristor Gates for Complete Cascading Logic. *Kim, K.M.*, +, *TCSI Nov. 2019 4348-4355*

Task analysis

- An Ultra-Low Power Binarized Convolutional Neural Network-Based Speech Recognition Processor With On-Chip Self-Learning. *Zheng, S.*, +, *TCSI Dec. 2019 4648-4661*

Telecommunication control

- Reliable Sliding Mode Control of Fast Sampling Singularly Perturbed Systems: A Redundant Channel Transmission Protocol Approach. *Song, J.*, +, *TCSI Nov. 2019 4490-4501*

Telecommunication power management

- Energy-Efficient Spectral Analysis Method Using Autoregressive Model-Based Approach for Internet of Things. *Yoshida, S.*, +, *TCSI Oct. 2019 3896-3905*
- Solar Cell Photo-Luminescence Modulation for Optical Frequency Identification Devices. *Leon-Salas, W.D.*, +, *TCSI May 2019 1981-1992*

Telecommunication power supplies

- Bidirectional Single-Inductor Dual-Supply Converter With Automatic State-Transition for IoT Applications. *Wu, H.*, +, *TCSI Oct. 2019 4068-4078*

Telecommunication scheduling

- Layered LDPC Decoders With Efficient Memory Access Scheduling and Mapping and Built-In Support for Pipeline Hazards Mitigation. *Boncalo, O.*, +, *TCSI April 2019 1643-1656*

Telecommunication security

- Dynamic Analysis of Digital Chaotic Maps via State-Mapping Networks. *Li, C.*, +, *TCSI June 2019 2322-2335*

Telecommunication traffic

- Chaotic Encryption for 10-Gb Ethernet Optical Links. *Perez-Resca, A.*, +, *TCSI Feb. 2019 859-868*

Temperature measurement

- An Integrated Micromachined Thermopile Sensor With a Chopper Interface Circuit for Contact-Less Temperature Measurements. *Moisello, E.*, +, *TCSI Sept. 2019 3402-3413*

Temperature sensors

- An Integrated Micromachined Thermopile Sensor With a Chopper Interface Circuit for Contact-Less Temperature Measurements. *Moisello, E.*, +, *TCSI Sept. 2019 3402-3413*

Thermal management (packaging)

- Toward Designing Thermally-Aware Memristance Decoder. *Bunnam, T.*, +, *TCSI Nov. 2019 4337-4347*

Thermal noise

- A Systematic Design Methodology for Optimization of Sigma-Delta Modulators Based on an Evolutionary Algorithm. *de Melo, J.L.A.*, +, *TCSI Sept. 2019 3544-3556*
- Analysis of Timing Accuracy and Sensitivity in a RF Correlation-Based Impulse Radio Receiver With Phase Interpolation for Data Synchronization. *Fotoohi Piraghaj, S.*, +, *TCSI July 2019 2749-2762*

Thermometers

- Design and Analysis of a 12-b Current-Steering DAC in a 14-nm FinFET Technology for 2G/3G/4G Cellular Applications. *Kim, J.*, +, *TCSI Oct. 2019 3723-3732*

Thermopiles

- An Integrated Micromachined Thermopile Sensor With a Chopper Interface Circuit for Contact-Less Temperature Measurements. *Moisello, E.*, +, *TCSI Sept. 2019 3402-3413*

Three-dimensional integrated circuits

- 3-D-DAT: A Circuit-Level Three-Dimensional DRAM Area, Timing, and Energy Model. *Park, J.B.*, +, *TCSI Feb. 2019 756-768*
- A 5–10-Gb/s 12.5-mW Source Synchronous I/O Interface With 3-D Flip Chip Package. *Ma, S.*, +, *TCSI Feb. 2019 555-568*
- ROBIN: Monolithic-3D SRAM for Enhanced Robustness with In-Memory Computation Support. *Rangachar Srinivasa, S.*, +, *TCSI July 2019 2533-2545*

Threshold logic

- Practical Implementation of Memristor-Based Threshold Logic Gates. *Papandroulidakis, G.*, +, *TCSI Aug. 2019 3041-3051*

Threshold voltage

- A Novel Universal Interface for Constructing Memory Elements for Circuit Applications. *Zheng, C.*, +, *TCSI Dec. 2019 4793-4806*
- An RF-to-DC Rectifier With High Efficiency Over Wide Input Power Range for RF Energy Harvesting Applications. *Saffari, P.*, +, *TCSI Dec. 2019 4862-4875*

Time factors

- In-Depth Analysis of Pole-Zero Compensations in CMOS Operational Transconductance Amplifiers. *Giustolisi, G.*, +, *TCSI Dec. 2019 4557-4570*

Time series

- Kernel Kalman Filtering With Conditional Embedding and Maximum Correntropy Criterion. *Dang, L.*, +, *TCSI Nov. 2019 4265-4277*
- SensorNet: A Scalable and Low-Power Deep Convolutional Neural Network for Multimodal Data Classification. *Jafari, A.*, +, *TCSI Jan. 2019 274-287*

Time-digital conversion

- $256 \times$ TDC Array With Cyclic Interpolators Based on Calibration-Free $2 \times$ Time Amplifier. *Keranen, P.*, +, *TCSI Feb. 2019 524-533*
- 256×8 SPAD Array With 256 Column TDCs for a Line Profiling Laser Radar. *Keranen, P.*, +, *TCSI Nov. 2019 4122-4133*
- A 0.12-mm² 1.2-to-2.4-mW 1.3-to-2.65-GHz Fractional-N Bang-Bang Digital PLL With 8- μ s Settling Time for Multi-ISM-Band ULP Radios. *Un, K.*, +, *TCSI Sept. 2019 3307-3316*
- A 1- μ s Ramp Time 12-bit Column-Parallel Flash TDC-Interpolated Single-Slope ADC With Digital Delay-Element Calibration. *Levski, D.*, +, *TCSI Jan. 2019 54-67*
- A Second-Order Bandpass $\Sigma\Delta$ Time-to-Digital Converter With Negative Time-Mode Feedback. *Ziabakhsh, S.*, +, *TCSI April 2019 1355-1368*
- An 18–23 GHz 57.4-fs RMS Jitter –253.5-dB FoM Sub-Harmonically Injection-Locked All-Digital PLL With Single-Ended Injection Technique and ILFD Aided Adaptive Injection Timing Alignment Technique. *Zhang, Z.*, +, *TCSI Oct. 2019 3733-3746*

Time-domain analysis

- Analysis of Signals via Non-Maximally Decimated Non-Uniform Filter Banks. *Patel, S.*, +, *TCSI Oct. 2019 3882-3895*
- In-Depth Analysis of Pole-Zero Compensations in CMOS Operational Transconductance Amplifiers. *Giustolisi, G.*, +, *TCSI Dec. 2019 4557-4570*
- Low-Pass Filtering SC-DAC for Reduced Jitter and Slewing Requirements on CTSDMs. *Vercaemer, D.*, +, *TCSI April 2019 1369-1381*
- Numerical Jitter Minimization for PLL-Based FMCW Radar Systems. *Herzfel, F.*, +, *TCSI July 2019 2478-2488*
- Voice Activity Detection Using Generalized Exponential Kernels for Time and Frequency Domains. *Soares, A.d.S.P.*, +, *TCSI June 2019 2116-2123*

Time-varying channels

- Layered Decoding Algorithm and Two-Level Quasi-Cyclic Matrix Construction for Rate Compatible Modulation. *Lu, F.*, +, *TCSI Aug. 2019 3213-3226*

Time-varying systems

- Asynchronous Finite-Time Filtering of Networked Switched Systems and its Application: an Event-Driven Method. *Ren, H.*, +, *TCSI Jan. 2019 391-402*
- Fault Identifiability Analysis of Linear Discrete Time-Varying Systems. *Fu, F.*, +, *TCSI June 2019 2371-2381*

Global High-Order Sliding Mode Controller Design Subject to Mismatched Terms: Application to Buck Converter. *Shi, S., +, TCSI Dec. 2019 4840-4849*

Linear Consequence-Based Fuzzy Parallel Distributed Compensation Type L_1 Adaptive Controller for Two Link Robot Manipulator. *Maiti, R., +, TCSI Oct. 2019 3978-3990*

Robust Pinning Constrained Control and Adaptive Regulation of Coupled Chua's Circuit Networks. *Jin, X., +, TCSI Oct. 2019 3928-3940*

Synchronization of Multi-Agent Systems With Time-Varying Control and Delayed Communications. *Jia, Q., +, TCSI Nov. 2019 4429-4438*

Timing jitter

An All-Digital On-Chip Peak-to-Peak Jitter Measurement Circuit With Automatic Resolution Calibration for High PVT-Variation Resilience. *Chou, P., +, TCSI July 2019 2508-2518*

Analysis of Timing Accuracy and Sensitivity in a RF Correlation-Based Impulse Radio Receiver With Phase Interpolation for Data Synchronization. *Fotoohi Piraghaj, S., +, TCSI July 2019 2749-2762*

Topology

A 40-Gb/s PAM-4 Transmitter Using a 0.16-pJ/bit SST-CML-Hybrid (SCH) Output Driver and a Hybrid-Path 3-Tap FFE Scheme in 28-nm CMOS. *Fan, C., +, TCSI Dec. 2019 4850-4861*

An LLC-Type Resonant Forward Converter With Adjustable Turning-Off Time Control. *Qian, C., +, TCSI Dec. 2019 4901-4910*

Pinning Synchronization of Complex Switching Networks With a Leader of Nonzero Control Inputs. *Wen, G., +, TCSI Aug. 2019 3100-3112*

Reflectionless Filters for Generalized Elliptic Transmission Functions. *Guilabert, A., +, TCSI Dec. 2019 4606-4618*

Training

OCTAN: An On-Chip Training Algorithm for Memristive Neuromorphic Circuits. *Ansari, M., +, TCSI Dec. 2019 4687-4698*

Transceivers

Short-Range Quality-Factor Modulation (SQIR) for Low Power High Speed Inductive Data Transfer. *Schormans, M., +, TCSI Sept. 2019 3254-3265*

Transconductance

In-Depth Analysis of Pole-Zero Compensations in CMOS Operational Transconductance Amplifiers. *Giustolisi, G., +, TCSI Dec. 2019 4557-4570*

Transfer functions

FPGA Implementation of the Fractional Order Integrator/Differentiator: Two Approaches and Applications. *Tolba, M.F., +, TCSI April 2019 1484-1495*

Improved Analog Filter Design by Random Search. *Pillans, J., TCSI June 2019 2350-2360*

Low-Complexity 2-D Digital FIR Filters Using Polyphase Decomposition and Farrow Structure. *Bindima, T., +, TCSI June 2019 2298-2308*

Low-Pass Filtering SC-DAC for Reduced Jitter and Slewing Requirements on CTSDMs. *Vercaemer, D., +, TCSI April 2019 1369-1381*

Reflectionless Filter Topologies Supporting Arbitrary Low-Pass Ladder Prototypes. *Morgan, M.A., +, TCSI Feb. 2019 594-604*

Symbolic Distortion Analysis of Multistage Amplifiers. *Shi, G., TCSI Jan. 2019 369-382*

Transformers

Design of a 5.2-GHz CMOS Power Amplifier Using TF-Based 2-Stage Dual-Radial Power Splitting/Combining Architecture. *Tsai, J., TCSI Oct. 2019 3690-3699*

Transforms

An Area-Efficient On-Chip Memory System for Massive MIMO Using Channel Data Compression. *Liu, Y., +, TCSI Jan. 2019 417-427*

Transient response

A Fast-Transient-Response Fully-Integrated Digital LDO With Adaptive Current Step Size Control. *Cai, G., +, TCSI Sept. 2019 3610-3619*

Transistor circuits

A CMOS V-Band PLL With a Harmonic Positive Feedback VCO Leveraging Operation in Triode Region for Phase-Noise Improvement. *Abedi, R., +, TCSI May 2019 1818-1830*

A New Design Technique for Sub-Nanosecond Delay and 200 V/ns Power Supply Slew-Tolerant Floating Voltage Level Shifters for GaN SMPS. *Liu, D., +, TCSI March 2019 1280-1290*

A Wide-Voltage-Range Half-Path Timing Error-Detection System With a 9-Transistor Transition-Detector in 40-nm CMOS. *Shan, W., +, TCSI June 2019 2288-2297*

Transistor Count Reduction by Gate Merging. *Conceicao, C.M.D.O., +, TCSI June 2019 2175-2187*

Transistors

An RF-to-DC Rectifier With High Efficiency Over Wide Input Power Range for RF Energy Harvesting Applications. *Saffari, P., +, TCSI Dec. 2019 4862-4875*

Current Feedback Compensation Circuit for 2T1C LED Displays: Analysis and Evaluation. *Charisoulis, T., +, TCSI Jan. 2019 175-188*

Design of Cryogenic LNAs for High Linearity in Space Applications. *Cağlar, A., +, TCSI Dec. 2019 4619-4627*

Transmission lines

Differential Transmission Lines Loaded With Magnetic LC Resonators and Application in Common Mode Suppression. *Ebrahimi, A., +, TCSI Oct. 2019 3811-3821*

Transmission networks

Cascading Failure of Cyber-Coupled Power Systems Considering Interactions Between Attack and Defense. *Liu, D., +, TCSI Nov. 2019 4323-4336*

Transmitters

A 0.0071-mm² 10.8ps_{pp}-Jitter 4 to 10-Gb/s 5-Tap Current-Mode Transmitter Using a Hybrid Delay Line for Sub-1-UI Fractional De-Emphasis. *Chen, Y., +, TCSI Oct. 2019 3991-4004*

A 40-Gb/s PAM-4 Transmitter Using a 0.16-pJ/bit SST-CML-Hybrid (SCH) Output Driver and a Hybrid-Path 3-Tap FFE Scheme in 28-nm CMOS. *Fan, C., +, TCSI Dec. 2019 4850-4861*

Transmitting antennas

Multi-User Hybrid MIMO at 60 GHz Using 16-Antenna Transmitters. *Blandin, S., +, TCSI Feb. 2019 848-858*

Transport protocols

Reliable Sliding Mode Control of Fast Sampling Singularly Perturbed Systems: A Redundant Channel Transmission Protocol Approach. *Song, J., +, TCSI Nov. 2019 4490-4501*

Traveling wave tubes

RotaSYN: Rotary Traveling Wave Oscillator SYNthesizer. *Kuttappa, R., +, TCSI July 2019 2685-2698*

Trees (mathematics)

A 2.2-GHz Configurable Direct Digital Frequency Synthesizer Based on LUT and Rotation. *Yang, Y., +, TCSI May 2019 1970-1980*

A High-Performance and Energy-Efficient FIR Adaptive Filter Using Approximate Distributed Arithmetic Circuits. *Jiang, H., +, TCSI Jan. 2019 313-326*

Bipartite Synchronization and Convergence Analysis for Network of Harmonic Oscillator Systems With Signed Graph and Time Delay. *Song, Q., +, TCSI July 2019 2723-2734*

Circuit Theory in Projective Space and Homogeneous Circuit Models. *Riaza, R., TCSI Feb. 2019 463-476*

Synchronization of Multi-Layer Networks: From Node-to-Node Synchronization to Complete Synchronization. *Wang, P., +, TCSI March 2019 1141-1152*

Turbo codes

Low-Routing-Complexity Convolutional/Turbo Decoder Design for Iterative Detection and Decoding Receivers. *Lin, C., +, TCSI Nov. 2019 4476-4489*

Two dimensional displays

A Dual-Stage Boost Converter Using Two-Dimensional Adaptive Input-Sampling MPPT for Thermoelectric Energy Harvesting. *Chandrarathna, S.C., +, TCSI Dec. 2019 4888-4900*

Higher Dimensional Baker Map and its Digital Implementation With LSB-Extension Method. *Ozturk, I., +, TCSI Dec. 2019 4780-4792*

Two-port networks

On the Relationships Between Input and Output Stability in Two-Ports. *Lombardi, G., +, TCSI July 2019 2489-2495*

The Theory of Special Noise Invariants. *Spasaro, M., +, TCSI April 2019 1305-1318*

U

UHF amplifiers

A 50-MHz–1-GHz 2.3-dB NF Noise-Cancelling Balun-LNA Employing a Modified Current-Bleeding Technique and Balanced Loads. *Kim, S.*, +, *TCSI Feb. 2019 546-554*

Analytical Noise Optimization of Single-/Dual-Band MOS LNAs With Substrate and Metal Loss Effects of Inductors. *Chang, W.L.*, +, *TCSI July 2019 2454-2467*

Benefits of Using VCO-OTAs to Construct TIAs in Wideband Current-Mode Receivers Over Inverter-Based OTAs. *Kalani, S.*, +, *TCSI May 2019 1681-1691*

UHF integrated circuits

A 0.12-mm² 1.2-to-2.4-mW 1.3-to-2.65-GHz Fractional-N Bang-Bang Digital PLL With 8- μ s Settling Time for Multi-ISM-Band ULP Radios. *Un, K.*, +, *TCSI Sept. 2019 3307-3316*

A 2.2-GHz 3.2-mW DTC-Free Sampling $\Sigma\Delta$ Fractional-N PLL With –110-dBc/Hz In-Band Phase Noise and –246-dB FoM and –83-dBc Reference Spur. *Tao, J.*, +, *TCSI Sept. 2019 3317-3329*

A Low Power Receiver Front-End Design With Tunable Notch Filter for TX Leakage and Blocker Suppression. *Ozgun, M.T.*, +, *TCSI March 2019 1180-1191*

An Optically-Powered 432 MHz Wireless Tag for Batteryless Internet-of-Things Applications. *Cheng, H.*, +, *TCSI Sept. 2019 3288-3295*

Benefits of Using VCO-OTAs to Construct TIAs in Wideband Current-Mode Receivers Over Inverter-Based OTAs. *Kalani, S.*, +, *TCSI May 2019 1681-1691*

RotaSYN: Rotary Traveling Wave Oscillator SYNthesizer. *Kuttappa, R.*, +, *TCSI July 2019 2685-2698*

UHF measurement

Novel Outphasing Power Amplifiers Designed With an Analytic Generalized Doherty–Chireix Continuum Theory. *Liang, C.*, +, *TCSI Aug. 2019 2935-2948*

UHF mixers

Linearization of Active Downconversion Mixers at the IF Using Feedforward Cancellation. *Li, H.*, +, *TCSI April 2019 1620-1631*

UHF oscillators

A 0.12-mm² 1.2-to-2.4-mW 1.3-to-2.65-GHz Fractional-N Bang-Bang Digital PLL With 8- μ s Settling Time for Multi-ISM-Band ULP Radios. *Un, K.*, +, *TCSI Sept. 2019 3307-3316*

A Compact, Voltage-Mode Type-I PLL With Gain-Boosted Saturated PFD and Synchronous Peak Tracking Loop Filter. *Sharkia, A.*, +, *TCSI Jan. 2019 43-53*

A Supply-Noise-Insensitive Digitally-Controlled Oscillator. *Yuan, C.*, +, *TCSI Sept. 2019 3414-3422*

Benefits of Using VCO-OTAs to Construct TIAs in Wideband Current-Mode Receivers Over Inverter-Based OTAs. *Kalani, S.*, +, *TCSI May 2019 1681-1691*

Hardware-Efficient and Fast Sensing-Time Maximum-Minimum-Eigenvalue-Based Spectrum Sensor for Cognitive Radio Network. *Chaurasiya, R.B.*, +, *TCSI Nov. 2019 4448-4461*

RotaSYN: Rotary Traveling Wave Oscillator SYNthesizer. *Kuttappa, R.*, +, *TCSI July 2019 2685-2698*

UHF phase shifters

High-Resolution Wideband Phase Shifter With Current Limited Vector-Sum. *Qian, H.J.*, +, *TCSI Feb. 2019 820-833*

UHF power amplifiers

Integrated Output Matching Networks for Class-J/J⁻¹ Power Amplifiers. *Alizadeh, A.*, +, *TCSI Aug. 2019 2921-2934*

Novel Outphasing Power Amplifiers Designed With an Analytic Generalized Doherty–Chireix Continuum Theory. *Liang, C.*, +, *TCSI Aug. 2019 2935-2948*

Octave Bandwidth Doherty Power Amplifier Using Multiple Resonance Circuit for the Peaking Amplifier. *Kang, H.*, +, *TCSI Feb. 2019 583-593*

Ultra wideband communication

A 0.34 mm² 1 Gb/s Non-Coherent UWB Receiver Architecture With Pulse Enhancement and Double PLL Clock/Data Packet Recovery. *Crepaldi, M.*, +, *TCSI July 2019 2735-2748*

Analysis of Timing Accuracy and Sensitivity in a RF Correlation-Based Impulse Radio Receiver With Phase Interpolation for Data Synchronization. *Fotoohi Piraghaj, S.*, +, *TCSI July 2019 2749-2762*

Ultra wideband radar

Hardware-Efficient and Fast Sensing-Time Maximum-Minimum-Eigenvalue-Based Spectrum Sensor for Cognitive Radio Network. *Chaurasiya, R.B.*, +, *TCSI Nov. 2019 4448-4461*

Ultrasonic imaging

An IEEE Single Precision Floating Point Arithmetic-Based Apodization Architecture for Portable Ultrasound Imaging System. *Agarwal, M.*, +, *TCSI June 2019 2275-2287*

Uncertain systems

Event-Based Security Control for State-Dependent Uncertain Systems Under Hybrid-Attacks and Its Application to Electronic Circuits. *Liu, J.*, +, *TCSI Dec. 2019 4817-4828*

Event-Triggered Finite-Time Robust Filtering for a Class of State-Dependent Uncertain Systems With Network Transmission Delay. *Sun, Y.*, +, *TCSI March 2019 1076-1089*

Linear Consequence-Based Fuzzy Parallel Distributed Compensation Type L₁ Adaptive Controller for Two Link Robot Manipulator. *Maiti, R.*, +, *TCSI Oct. 2019 3978-3990*

Second-Order Trajectory Sensitivity Analysis of Hybrid Systems. *Geng, S.*, +, *TCSI May 2019 1922-1934*

Uncertainty

Event-Based Security Control for State-Dependent Uncertain Systems Under Hybrid-Attacks and Its Application to Electronic Circuits. *Liu, J.*, +, *TCSI Dec. 2019 4817-4828*

Global High-Order Sliding Mode Controller Design Subject to Mismatched Terms: Application to Buck Converter. *Shi, S.*, +, *TCSI Dec. 2019 4840-4849*

Upper bound

Global High-Order Sliding Mode Controller Design Subject to Mismatched Terms: Application to Buck Converter. *Shi, S.*, +, *TCSI Dec. 2019 4840-4849*

V

Varactors

A Coupled Line-Based Coupler With Simultaneously Tunable Phase and Frequency. *Xu, B.W.*, +, *TCSI Dec. 2019 4637-4647*

Variable structure systems

Reduced-Order Observer-Based Sliding Mode Control for Singular Markovian Jump System With Time-Varying Transition Rate. *Zhang, D.*, +, *TCSI Feb. 2019 796-809*

Reliable Sliding Mode Control of Fast Sampling Singularly Perturbed Systems: A Redundant Channel Transmission Protocol Approach. *Song, J.*, +, *TCSI Nov. 2019 4490-4501*

Vectors

A Fast On-Chip SVM-Training System With Dual-Mode Configurable Pipelines and MSMO Scheduler. *Feng, L.*, +, *TCSI Nov. 2019 4230-4241*

Almost Output Regulation for Switched Positive Systems With Different Coordinates Transformations and its Application to a Positive Circuit Model. *Wang, P.*, +, *TCSI Oct. 2019 3968-3977*

Very large scale integration

Guest Editorial Special Issue on the 2019 International Symposium on Integrated Circuits and Systems. *Blokhina, E.*, *TCSI Sept. 2019 3253*

Low Complexity Generic VLSI Architecture Design Methodology for Nth Root and Nth Power Computations. *Mopuri, S.*, +, *TCSI Dec. 2019 4673-4686*

Vibrations

Power-Efficient Hybrid Energy Harvesting System for Harnessing Ambient Vibrations. *Chamanian, S.*, +, *TCSI July 2019 2784-2793*

Video codecs

Power-, Area-, and Compression-Efficient Eight-Point Approximate 2-D Discrete Tchebichef Transform Hardware Design Combining Truncation Pruning and Efficient Transposition Buffers. *Paim, G.*, +, *TCSI Feb. 2019 680-693*

Video coding

Approximate DCT Design for Video Encoding Based on Novel Truncation Scheme. *Sun, H.*, +, *TCSI April 2019 1517-1530*

Approximated Core Transform Architectures for HEVC Using WHT-Based Decomposition Method. *Chatterjee, S.*, +, *TCSI Nov. 2019 4296-4308*

Energy-Efficient Hadamard-Based SATD Hardware Architectures Through Calculation Reuse. *Seidel, I.*, +, *TCSI June 2019 2102-2115*

Optimization and Hardware Implementation of Image and Video Watermarking for Low-Cost Applications. *Pexaras, K.*, +, *TCSI June 2019 2088-2101*

Power-, Area-, and Compression-Efficient Eight-Point Approximate 2-D Discrete Tchebichef Transform Hardware Design Combining Truncation Pruning and Efficient Transposition Buffers. *Paim, G.*, +, *TCSI Feb. 2019 680-693*

Quality and Energy-Aware HEVC Transrating Based on Machine Learning. *Bubolz, T.L.A.*, +, *TCSI June 2019 2124-2136*

Video streaming

Quality and Energy-Aware HEVC Transrating Based on Machine Learning. *Bubolz, T.L.A.*, +, *TCSI June 2019 2124-2136*

Video watermarking

Optimization and Hardware Implementation of Image and Video Watermarking for Low-Cost Applications. *Pexaras, K.*, +, *TCSI June 2019 2088-2101*

VLSI

A Ripple Reduction Method for Switched-Capacitor DC–DC Voltage Converter Using Fully Digital Resistance Modulation. *Xie, F.*, +, *TCSI Sept. 2019 3631-3641*

Area–Delay–Energy Efficient VLSI Architecture for Scalable In-Place Computation of FFT on Real Data. *Mohanty, B.K.*, +, *TCSI March 2019 1042-1050*

Design Methodology to Explore Hybrid Approximate Adders for Energy-Efficient Image and Video Processing Accelerators. *Soares, L.B.*, +, *TCSI June 2019 2137-2150*

Effective Resistance of Two-Dimensional Truncated Infinite Mesh Structures. *Bairamkulov, R.*, +, *TCSI Nov. 2019 4368-4376*

Modified Dual-CLCG Method and its VLSI Architecture for Pseudorandom Bit Generation. *Panda, A.K.*, +, *TCSI March 2019 989-1002*

Voltage control

FOPAC: Flexible On-Chip Power and Clock. *Kuttappa, R.*, +, *TCSI Dec. 2019 4628-4636*

A Quadrature RC Oscillator With Noise Reduction by Voltage Swing Control. *Koo, J.*, +, *TCSI Aug. 2019 3077-3088*

A Single-Stage Dual-Output Tri-Mode AC-DC Regulator for Inductively Powered Application. *Low, Q.W.*, +, *TCSI Sept. 2019 3620-3630*

An LLC-Type Resonant Forward Converter With Adjustable Turning-Off Time Control. *Qian, C.*, +, *TCSI Dec. 2019 4901-4910*

An RF-to-DC Rectifier With High Efficiency Over Wide Input Power Range for RF Energy Harvesting Applications. *Saffari, P.*, +, *TCSI Dec. 2019 4862-4875*

Enhancing Transient Stability of DC Microgrid by Enlarging the Region of Attraction Through Nonlinear Polynomial Droop Control. *Severino, B.*, +, *TCSI Nov. 2019 4388-4401*

Mitigating Line Frequency Instability of Boost PFC Converter Under Proportional Outer-Voltage Loop With Additional Third Current-Harmonic Feedforward Compensation. *Lu, W.*, +, *TCSI Nov. 2019 4528-4541*

Output Control Techniques for Dual-Frequency SIMO Buck Converters. *Jiang, Y.*, +, *TCSI Oct. 2019 4055-4067*

Voltage measurement

An RF-to-DC Rectifier With High Efficiency Over Wide Input Power Range for RF Energy Harvesting Applications. *Saffari, P.*, +, *TCSI Dec. 2019 4862-4875*

Voltage regulators

A 10-MHz Hysteretic-Controlled Buck Converter With Single On/Off Reference Tracking Using Turning-Point Prediction for DVFS Application. *Pan, S.*, +, *TCSI Nov. 2019 4502-4515*

A Fast-Transient-Response Fully-Integrated Digital LDO With Adaptive Current Step Size Control. *Cai, G.*, +, *TCSI Sept. 2019 3610-3619*

A Low-Noise, Positive-Input, Negative-Output Voltage Generator for Low-to-Moderate Driving Capacity Applications. *Khanna, D.*, +, *TCSI Sept. 2019 3423-3436*

A Single-Stage Dual-Output Tri-Mode AC-DC Regulator for Inductively Powered Application. *Low, Q.W.*, +, *TCSI Sept. 2019 3620-3630*

Fully-Integrated Charge Pump Design Optimization for Above-Breakdown Biasing of Single-Photon Avalanche Diodes in 0.13- μm CMOS. *Shen, B.*, +, *TCSI March 2019 1258-1269*

Voltage-controlled oscillators

A 0.12-mm² 1.2-to-2.4-mW 1.3-to-2.65-GHz Fractional-N Bang-Bang Digital PLL With 8- μs Settling Time for Multi-ISM-Band ULP Radios. *Un, K.*, +, *TCSI Sept. 2019 3307-3316*

A 10-MHz BW 77.9 dB SNDR DT MASH $\Delta\Sigma$ ADC With NC-VCO-Based Quantizer and OPAMP Sharing. *Sadollahi, M.*, +, *TCSI Sept. 2019 3384-3392*

A CMOS V-Band PLL With a Harmonic Positive Feedback VCO Leveraging Operation in Triode Region for Phase-Noise Improvement. *Abedi, R.*, +, *TCSI May 2019 1818-1830*

A Compact, Voltage-Mode Type-I PLL With Gain-Boosted Saturated PFD and Synchronous Peak Tracking Loop Filter. *Sharkia, A.*, +, *TCSI Jan. 2019 43-53*

A Highly Linear OTA-Free VCO-Based 1-1 MASH $\Sigma\Delta$ ADC. *Maghami, H.*, +, *TCSI July 2019 2440-2453*

A Study of Phase Noise and Frequency Error of a Fractional-N PLL in the Course of FMCW Chirp Generation. *Ergintav, A.*, +, *TCSI May 2019 1670-1680*

A System of Two Coupled Oscillators With a Continuously Controllable Phase Shift. *Pourahmad, V.*, +, *TCSI April 2019 1531-1543*

A Wide Tuning Range, Low Phase Noise, and Area Efficient Dual-Band Millimeter-Wave CMOS VCO Based on Switching Cores. *Basaligheh, A.*, +, *TCSI Aug. 2019 2888-2897*

Benefits of Using VCO-OTAs to Construct TIAs in Wideband Current-Mode Receivers Over Inverter-Based OTAs. *Kalani, S.*, +, *TCSI May 2019 1681-1691*

Highly Digital Second-Order $\Sigma\Delta$ VCO ADC. *Jayaraj, A.*, +, *TCSI July 2019 2415-2425*

Numerical Jitter Minimization for PLL-Based FMCW Radar Systems. *Herzel, F.*, +, *TCSI July 2019 2478-2488*

W**Walsh functions**

Approximated Core Transform Architectures for HEVC Using WHT-Based Decomposition Method. *Chatterjee, S.*, +, *TCSI Nov. 2019 4296-4308*

Wave digital filters

Generalized Wave Digital Filter Realizations of Arbitrary Reciprocal Connection Networks. *Bernardini, A.*, +, *TCSI Feb. 2019 694-707*

Wave equations

Continuous-Time Algorithms for Solving Maxwell's Equations Using Analog Circuits. *Udayanga, N.*, +, *TCSI Oct. 2019 3941-3954*

Wavelet transforms

Quantum Implementation Circuits of Quantum Signal Representation and Type Conversion. *Li, H.*, +, *TCSI Jan. 2019 341-354*

White noise

Colored Noise in Oscillators. Phase-Amplitude Analysis and a Method to Avoid the itô-Stratonovich Dilemma. *Bonnin, M.*, +, *TCSI Oct. 2019 3917-3927*

Low-Noise Broadband CMOS TIA Based on Multi-Stage Stagger-Tuned Amplifier for High-Speed High-Sensitivity Optical Communication. *Li, D.*, +, *TCSI Oct. 2019 3676-3689*

Wide band gap semiconductors

A Low-Noise, Positive-Input, Negative-Output Voltage Generator for Low-to-Moderate Driving Capacity Applications. *Khanna, D.*, +, *TCSI Sept. 2019 3423-3436*

A New Design Technique for Sub-Nanosecond Delay and 200 V/ns Power Supply Slew-Tolerant Floating Voltage Level Shifters for GaN SMPS. *Liu, D.*, +, *TCSI March 2019 1280-1290*

A Receiver-Controlled Coupler for Multiple Output Wireless Power Transfer Applications. *Chen, X.*, +, *TCSI Nov. 2019 4542-4552*

New Mixed-Mode Design Methodology for High-Efficiency Outphasing Chireix Amplifiers. *Chang, H.*, +, *TCSI April 2019 1594-1607*

Wideband amplifiers

- A 3–6-GHz Highly Linear I-Channel Receiver With Over +3.0-dBm In-Band P_{1dB} and 200-MHz Baseband Bandwidth Suitable for 5G Wireless and Cognitive Radio Applications. *Jiang, J.*, +, *TCSI Aug. 2019 3134-3147*
- A 50-MHz–1-GHz 2.3-dB NF Noise-Cancelling Balun-LNA Employing a Modified Current-Bleeding Technique and Balanced Loads. *Kim, S.*, +, *TCSI Feb. 2019 546-554*
- A Wideband dB-Linear VGA With Temperature Compensation and Active Load. *Song, X.*, +, *TCSI Sept. 2019 3279-3287*
- Octave Bandwidth Doherty Power Amplifier Using Multiple Resonance Circuit for the Peaking Amplifier. *Kang, H.*, +, *TCSI Feb. 2019 583-593*
- Sub-1-dB and Wideband SiGe BiCMOS Low-Noise Amplifiers for X-Band Applications. *Chliskan, C.*, +, *TCSI April 2019 1419-1430*

Wireless channels

- An Area-Efficient On-Chip Memory System for Massive MIMO Using Channel Data Compression. *Liu, Y.*, +, *TCSI Jan. 2019 417-427*

Wireless communication

- A Coupled Line-Based Coupler With Simultaneously Tunable Phase and Frequency. *Xu, B.W.*, +, *TCSI Dec. 2019 4637-4647*

Wireless LAN

- A –40 dB EVM, 77 MHz Dual-Band Tunable Gain Sub-Sampling Receiver Front End in 65-nm CMOS. *Kale, A.*, +, *TCSI March 2019 1166-1179*

- Design of a 5.2-GHz CMOS Power Amplifier Using TF-Based 2-Stage Dual-Radial Power Splitting/Combining Architecture. *Tsai, J.*, *TCSI Oct. 2019 3690-3699*

Wireless sensor networks

- An RF-to-DC Rectifier With High Efficiency Over Wide Input Power Range for RF Energy Harvesting Applications. *Saffari, P.*, +, *TCSI Dec. 2019 4862-4875*

Z**Zero current switching**

- A High-Efficiency Low-Profile Zero-Voltage Transition Synchronous Non-Inverting Buck-Boost Converter With Auxiliary-Component Sharing. *Cong, L.*, +, *TCSI Jan. 2019 438-449*
- Nonlinear Dynamic Modeling and Analysis of Self-Oscillating H-Bridge Parallel Resonant Converter Under Zero Current Switching Control: Unveiling Coexistence of Attractors. *El Aroudi, A.*, +, *TCSI April 2019 1657-1667*

Zero voltage switching

- A High-Efficiency Low-Profile Zero-Voltage Transition Synchronous Non-Inverting Buck-Boost Converter With Auxiliary-Component Sharing. *Cong, L.*, +, *TCSI Jan. 2019 438-449*
- Analysis of Class-DE PA Using MOSFET Devices With Non-Equally Grading Coefficient. *Lotfi, A.*, +, *TCSI July 2019 2794-2802*