

# 2020 Index

## IEEE Transactions on Circuits and Systems II: Express Briefs

### Vol. 67

This index covers all technical items—papers, correspondence, reviews, etc.—that appeared in this periodical during 2020, and items from previous years that were commented upon or corrected in 2020. Departments and other items may also be covered if they have been judged to have archival value.

The Author Index contains the primary entry for each item, listed under the first author's name. The primary entry includes the coauthors' names, the title of the paper or other item, and its location, specified by the publication abbreviation, year, month, and inclusive pagination. The Subject Index contains entries describing the item under all appropriate subject headings, plus the first author's name, the publication abbreviation, month, and year, and inclusive pages. Note that the item title is found only under the primary entry in the Author Index.

#### AUTHOR INDEX

##### A

- Ahadi, Y.,** *see* Alizadeh, B., *TCSII Dec. 2020* 3063-3067
- Abdel-Aty, M.,** *see* Lin, L., *TCSII July 2020* 1244-1248
- Abdipour, A.,** *see* Mazani, Z., *TCSII March 2020* 480-484
- Abdipour, A.,** *see* Sajadi, A., *TCSII Nov. 2020* 2487-2491
- Abdullah, S.,** and Rogers, J.W.M., Topographical Field Map Analysis Tool for Designing Linear LC DCOs; *TCSII July 2020* 1199-1203
- Abdulrazak, L.F.,** *see* Iqbal, A., *TCSII Nov. 2020* 2362-2366
- Abdzadeh-Ziabari, H.,** Zhu, W., and Swamy, M.N.S., Timing and Frequency Synchronization and Doubly Selective Channel Estimation for OFDMA Uplink; *TCSII Jan. 2020* 62-66
- Abolhassani, S.,** and Shaterian, M., A Digitally Programmable Wide Tuning-Range Active Transformer for Inductorless BPF and DCOs; *TCSII Dec. 2020* 2928-2932
- Aboudina, M.,** *see* Mamdouh, A., *TCSII Jan. 2020* 9-13
- Aboudina, M.,** *see* Gadel-Karim, A.G., *TCSII Dec. 2020* 2908-2912
- Aboushady, H.,** *see* Sayed, A., *TCSII Sept. 2020* 1559-1563
- Abouzied, M.A.,** *see* Zeng, Z., *TCSII Jan. 2020* 87-91
- Abu bakar, M.,** *see* Xiong, H., *TCSII Nov. 2020* 2667-2671
- Abusleme, A.,** *see* Gomez, J., *TCSII April 2020* 620-624
- Acar, B.,** and Ergun, S., A Reconfigurable Random Number Generator Based on the Transient Effects of Ring Oscillators; *TCSII Sept. 2020* 1609-1613
- Acharyya, A.,** *see* Mopuri, S., *TCSII Dec. 2020* 3532-3536
- Acharyya, A.,** *see* Reddy, R.P., *TCSII Nov. 2020* 2677-2681
- Adineh, B.,** *see* Keypour, R., *TCSII June 2020* 1084-1088
- Afonso, V.,** *see* Perleberg, M., *TCSII May 2020* 836-840
- Afrooz, K.,** *see* Mazani, Z., *TCSII March 2020* 480-484
- Afzali-Kusha, A.,** *see* Ebrahimi-Azandaryani, F., *TCSII Jan. 2020* 137-141
- Afzali-Kusha, A.,** *see* Vahdat, S., *TCSII Dec. 2020* 3442-3446
- Aggrawal, E.,** and Rawat, K., Reconfigurable Chireix Outphasing Power Amplifier Over Multiple Frequency Bands; *TCSII June 2020* 1019-1023
- Agnus, B.,** *see* Ravelo, B., *TCSII Jan. 2020* 27-31
- Agostini, L.,** *see* Perleberg, M., *TCSII May 2020* 836-840
- Agrawal, A.,** *see* Jaiswal, A., *TCSII Dec. 2020* 3347-3351
- Aguilar, E.,** Issakov, V., and Weigel, R., A 130 GHz Fully-Integrated Fundamental-Frequency D-Band Transmitter Module With > 4 dBm Single-Ended Output Power; *TCSII May 2020* 906-910
- Ahmad, A.,** and Pasha, M.A., Optimizing Hardware Accelerated General Matrix-Matrix Multiplication for CNNs on FPGAs; *TCSII Nov. 2020* 2692-2696
- Ahmad, A.W.,** *see* Iqbal, A., *TCSII July 2020* 1194-1198
- Ahmad, S.,** *see* Haider, M.F., *TCSII Dec. 2020* 3013-3017
- Ahmadi, A.,** *see* Haghiri, S., *TCSII Aug. 2020* 1444-1448
- Ahn, C.,** *see* Park, J., *TCSII Sept. 2020* 1544-1548
- Ahn, C.,** Hong, J., Shin, J., Kim, B., Park, H., and Sim, J., An 18-Gb/s NRZ Transceiver With a Channel-Included 2-UI Impulse-Response Filtering FFE and 1-Tap DFE Compensating up to 32-dB Loss; *TCSII Dec. 2020* 2863-2867
- Ahn, C.K.,** *see* Liang, H., *TCSII Feb. 2020* 335-339
- Ahn, C.K.,** *see* Kokil, P., *TCSII March 2020* 595-599
- Ahn, C.K.,** *see* Lee, C.R., *TCSII March 2020* 521-525
- Ahn, C.K.,** *see* Rehan, M., *TCSII April 2020* 745-749
- Ahn, C.K.,** *see* Lee, C.R., *TCSII July 2020* 1309-1313
- Ahn, C.K.,** *see* Liu, Z., *TCSII Jan. 2020* 112-116
- Ahn, C.K.,** *see* Razaq, M.A., *TCSII Dec. 2020* 3267-3271
- Ahn, C.K.,** *see* He, X., *TCSII Dec. 2020* 3497-3501
- Ahn, C.K.,** *see* Qi, W., *TCSII Nov. 2020* 2622-2626
- Ahn, H.,** and Tentzeris, M.M., A Novel Compact Isolation Circuit Suitable for Ultracompact and Wideband Marchand Baluns; *TCSII Oct. 2020* 2299-2303
- Ahn, H.,** and Kwon, O., A Driving and Compensation Method for AMLED Displays Using Adaptive Reference Generator for High Luminance Uniformity; *TCSII Oct. 2020* 1725-1729
- Akbari, O.,** *see* Ebrahimi-Azandaryani, F., *TCSII Jan. 2020* 137-141
- Akhlaghpasand, H.,** Bjornson, E., and Razavizadeh, S.M., Jamming Suppression in Massive MIMO Systems; *TCSII Jan. 2020* 182-186
- Aktan, M.,** *see* Rady, R., *TCSII Oct. 2020* 1899-1903
- Akter, M.S.,** Sehgal, R., and Bult, K., A Resistive Degeneration Technique for Linearizing Open-Loop Amplifiers; *TCSII Nov. 2020* 2322-2326
- Al Chawa, M.M.,** and Picos, R., A Simple Quasi-Static Compact Model of Bipolar ReRAM Memristive Devices; *TCSII Feb. 2020* 390-394
- Alcantara Souza, M.,** *see* Andrade Maciel, L., *TCSII Aug. 2020* 1459-1463
- Alex-Amor, A.,** *see* Palomares-Caballero, A., *TCSII Dec. 2020* 3058-3062
- Alexiou, N.,** *see* Papapanos, Y., *TCSII Nov. 2020* 2442-2446
- Algueta-Miguel, J.M.,** *see* Martincorena-Arraiza, M., *TCSII March 2020* 420-424
- Ali, E.,** Haddad, F., Rahajandraibe, W., Nizamani, N., Hangmann, C., and Hedayat, C., Autonomous Event Driven Model of Second Order Voltage Switched Charge Pump PLL; *TCSII Dec. 2020* 2903-2907
- Ali, J.S.M.,** *see* Siddique, M.D., *TCSII July 2020* 1294-1298
- Ali, J.S.M.,** *see* Siddique, M.D., *TCSII Dec. 2020* 3252-3256
- Ali, M.F.,** Andrawis, R., and Roy, K., Dynamic Read Current Sensing With Amplified Bit-Line Voltage for STT-MRAMs; *TCSII March 2020* 551-555
- Ali Shah, S.A.,** Arslan, S., Lee, J., Seo, B., and Kim, H., A Switched Capacitor Voltage Converter With Exponentially Sized Capacitor Banks for Wide Load Range; *TCSII Oct. 2020* 2049-2053
- Alioto, M.,** *see* Frustaci, F., *TCSII Dec. 2020* 3427-3431
- Alipour, A.,** *see* Sheikhi, A., *TCSII Feb. 2020* 265-269
- Alizadeh, B.,** *see* Azarmi Gilan, A., *TCSII April 2020* 755-759
- Alizadeh, B.,** and Abadi, Y., Incremental SAT-Based Correction of Gate Level Circuits by Reusing Partially Corrected Circuits; *TCSII Dec. 2020* 3063-3067
- Almakhles, D.,** *see* Siddique, M.D., *TCSII Dec. 2020* 3252-3256
- Almakhles, D.,** *see* Jagabar Sathik, M., *TCSII Dec. 2020* 3287-3291
- Almakhles, D.J.,** *see* Harshavarthini, S., *TCSII Nov. 2020* 2647-2651
- Amer, M.,** *see* Hassan, A., *TCSII Sept. 2020* 1579-1583
- Amini, A.,** *see* Zamani, H., *TCSII Dec. 2020* 3522-3526
- Amini, S.,** and Andrew Johns, D., A Normalized Figure of Merit for Capacitive Accelerometer Interface Circuits; *TCSII Jan. 2020* 19-22
- Amrouch, H.,** *see* Van Santen, V.M., *TCSII Oct. 2020* 1949-1953
- An, F.,** *see* Xiao, Z., *TCSII Sept. 2020* 1629-1633
- An, Q.,** *see* Zhao, C., *TCSII Oct. 2020* 1715-1719
- An, T.,** *see* Son, K., *TCSII June 2020* 974-978
- Anand, I.,** *see* Jha, C.K., *TCSII Feb. 2020* 385-389

- Ananda Mohan, P.V.**, On Actively Compensated Amplifiers Using Negative Impedance Converters; *TCSII April 2020* 640-644
- Andrade Maciel, L.**, Alcantara Souza, M., and Cota de Freitas, H., Reconfigurable FPGA-Based K-Means/K-Modes Architecture for Network Intrusion Detection; *TCSII Aug. 2020* 1459-1463
- Andrawis, R.**, *see* Ali, M.F., *TCSII March 2020* 551-555
- Andrawis, R.**, *see* Jaiswal, A., *TCSII Dec. 2020* 3347-3351
- Andreou, A.G.**, *see* Villemur, M., *TCSII July 2020* 1324-1328
- Andrew Johns, D.**, *see* Amini, S., *TCSII Jan. 2020* 19-22
- Angeli, N.**, and Hofmann, K., Fast Digital Clock Calibration of a Differential 6.4 Gb/s/spin Bidirectional Asymmetric Memory Interface; *TCSII Nov. 2020* 2387-2391
- Antonir, A.**, *see* Wijenayake, C., *TCSII Jan. 2020* 172-176
- Antoszczuk, P.**, *see* Cervellini, P., *TCSII July 2020* 1269-1273
- Aono, M.**, *see* Takeuchi, N., *TCSII Oct. 2020* 2139-2143
- Arain, S.**, Vryonides, P., Quddious, A., and Nikolaou, S., Reconfigurable BPF With Constant Center Frequency and Wide Tuning Range of Bandwidth; *TCSII Aug. 2020* 1374-1378
- Arecchi, F.T.**, *see* Euzzor, S., *TCSII Feb. 2020* 395-399
- Arigong, B.**, *see* Ren, H., *TCSII Oct. 2020* 1720-1724
- Arogbonlo, A.**, *see* Huynh, V.T., *TCSII Jan. 2020* 107-111
- Arslan, S.**, *see* Ali Shah, S.A., *TCSII Oct. 2020* 2049-2053
- Asadikouhanjani, M.**, and Ko, S., A Novel Architecture for Early Detection of Negative Output Features in Deep Neural Network Accelerators; *TCSII Dec. 2020* 3332-3336
- Asgari, H.**, Maybodi, B.M., Payvand, M., and Azghadi, M.R., Low-Energy and Fast Spiking Neural Network For Context-Dependent Learning on FPGA; *TCSII Nov. 2020* 2697-2701
- Astorga-Zaragoza, C.**, Observer-Based Monitoring of the Cardiovascular System; *TCSII March 2020* 501-505
- Astorga-Zaragoza, C.**, *see* Martinez-Garcia, C., *TCSII April 2020* 710-714
- Aunet, S.**, *see* Late, E., *TCSII Nov. 2020* 2687-2691
- Aviles, J.D.**, and Moreno, J.A., Observer Design for Discrete-Time Nonlinear Systems Using the Stability Radii Theory; *TCSII Oct. 2020* 1959-1963
- Avitabile, G.**, *see* Piccinni, G., *TCSII Aug. 2020* 1424-1428
- Avitabile, G.**, Florio, A., and Coviello, G., Angle of Arrival Estimation Through a Full-Hardware Approach for Adaptive Beamforming; *TCSII Dec. 2020* 3033-3037
- Avitabile, G.**, *see* Piccinni, G., *TCSII Oct. 2020* 2219-2223
- Ayala, C.L.**, *see* Takeuchi, N., *TCSII Oct. 2020* 2139-2143
- Azarmi Gilan, A.**, Emad, M., and Alizadeh, B., FPGA-Based Implementation of a Real-Time Object Recognition System Using Convolutional Neural Network; *TCSII April 2020* 755-759
- Azghadi, M.R.**, *see* Asgari, H., *TCSII Nov. 2020* 2697-2701
- Azizian, S.**, and Ehsanian, M., Generalized Method for Extraction of Offset, Gain, and Timing Skew Errors in Time-Interleaved ADCs; *TCSII July 2020* 1214-1218
- B**
- Badarla, V.**, *see* Pandey, P.K., *TCSII Aug. 2020* 1409-1413
- Badia, J.M.**, *see* Fabregat, G., *TCSII Dec. 2020* 3547-3551
- Badran, T.**, *see* Sayed, A., *TCSII Sept. 2020* 1559-1563
- Badri, V.**, and Tavazoei, M.S., Non-Uniform Reducing the Involved Differentiators' Orders and Lyapunov Stability Preservation Problem in Dynamic Systems; *TCSII April 2020* 735-739
- Bahar, A.N.**, and Wahid, K.A., Design of QCA-Serial Parallel Multiplier (QSPM) With Energy Dissipation Analysis; *TCSII Oct. 2020* 1939-1943
- Bahrami, H.R.**, *see* Zamani, H., *TCSII Dec. 2020* 3512-3516
- Bahrami, S.**, *see* Moloudian, G., *TCSII Dec. 2020* 2953-2957
- Bai, J.**, *see* Ding, T., *TCSII Nov. 2020* 2527-2531
- Bai, K.**, *see* Zhao, C., *TCSII Oct. 2020* 1715-1719
- Baldi, S.**, *see* Lu, P., *TCSII Dec. 2020* 3167-3171
- Ballo, A.**, Grasso, A.D., and Palumbo, G., A High-Performance Charge Pump Topology for Very-Low-Voltage Applications; *TCSII July 2020* 1304-1308
- Ballo, A.**, Grasso, A.D., and Palumbo, G., Charge Pump Improvement for Energy Harvesting Applications by Node Pre-Charging; *TCSII Dec. 2020* 3312-3316
- Bana, P.R.**, *see* Panda, K.P., *TCSII Dec. 2020* 3192-3196
- Bandziol, A.**, *see* Menin, D., *TCSII Aug. 2020* 1369-1373
- Banerjee, S.**, *see* Jana, B., *TCSII Oct. 2020* 2129-2133
- Bang, J.**, *see* Jeon, H., *TCSII Sept. 2020* 1539-1543
- Bao, H.**, *see* Wang, N., *TCSII Dec. 2020* 3502-3506
- Barile, G.**, Ferri, G., Safari, L., and Stornelli, V., A New High Drive Class-AB FVF-Based Second Generation Voltage Conveyor; *TCSII March 2020* 405-409
- Basaligheh, A.**, Saffari, P., Rasti Boroujeni, S., Filanovsky, I., and Moez, K., A 28–30 GHz CMOS Reflection-Type Phase Shifter With Full 360° Phase Shift Range; *TCSII Nov. 2020* 2452-2456
- Bass, O.**, and Shor, J., A Charge Balancing 1450  $\mu\text{m}^2$  PNP-Based Thermal Sensor for Dense Thermal Monitoring; *TCSII Dec. 2020* 2963-2967
- Basu, A.**, *see* Zhang, X., *TCSII May 2020* 816-820
- Bauer, H.**, *see* Hoppner, S., *TCSII Oct. 2020* 2159-2163
- Becker, J.**, *see* Mandry, H., *TCSII Dec. 2020* 3372-3376
- Beg, M.T.**, *see* Zaidi, A.M., *TCSII Feb. 2020* 275-279
- Beg, M.T.**, *see* Zaidi, A.M., *TCSII Dec. 2020* 2998-3002
- Bellaredj, M.L.F.**, *see* Chekuri, V.C.K., *TCSII Dec. 2020* 3083-3087
- Belloch, J.A.**, *see* Fabregat, G., *TCSII Dec. 2020* 3547-3551
- Benini, L.**, *see* Capotondi, A., *TCSII May 2020* 871-875
- Benvenuti, L.**, *see* Catania, A., *TCSII Sept. 2020* 1514-1518
- Bhatnagar, K.**, *see* Sathik, M.J., *TCSII Jan. 2020* 127-131
- Bhattacharjee, R.**, *see* Roy, A., *TCSII March 2020* 465-469
- Bhattacharjee, S.S.**, Ray, D., and George, N.V., Adaptive Modified Vorsoria Zero Attraction Least Mean Square Algorithms; *TCSII Dec. 2020* 3602-3606
- Bhattacharjee, S.S.**, and George, N.V., Nonlinear System Identification Using Exact and Approximate Improved Adaptive Exponential Functional Link Networks; *TCSII Dec. 2020* 3542-3546
- Bhattacharyya, T.K.**, *see* Som, I., *TCSII Nov. 2020* 2397-2401
- Bhavani Shankar, M.R.**, *see* Martins, W.A., *TCSII Nov. 2020* 2777-2781
- Bhuvaneswari, G.**, *see* Sharma, A., *TCSII Dec. 2020* 3093-3097
- Bi, X.**, *see* Wang, L., *TCSII March 2020* 475-479
- Bi, X.**, Zeng, X., and Xu, Q., Slotline-Based Balanced Filter With Ultra-Wide Stopband and High Selectivity; *TCSII March 2020* 460-464
- Bi, X.**, Zhang, X., Wong, S., Guo, S., and Yuan, T., Synthesis Design of Chebyshev Wideband Band-Pass Filters With Independently Reconfigurable Lower Passband Edge; *TCSII Dec. 2020* 2948-2952
- Bi, X.**, *see* Zeng, X., *TCSII Nov. 2020* 2447-2451
- Bi, X.**, Zhang, X., Wong, S., Yuan, T., and Guo, S., Design of Equal-Ripple Dual-Wideband Bandpass Filter With Minimum Design Parameters Based on Cross-Shaped Resonator; *TCSII Oct. 2020* 1780-1784
- Bien, F.**, *see* Choi, E., *TCSII July 2020* 1224-1228
- Bin Saeed, M.O.**, and Zerguine, A., An Incremental Variable Step-Size LMS Algorithm for Adaptive Networks; *TCSII Oct. 2020* 2264-2268
- Binazadeh, T.**, *see* Jafari, E., *TCSII Feb. 2020* 340-344
- Bizzarri, F.**, Giudice, D.d., Linaro, D., and Brambilla, A., Numerical Approach to Compute the Power Flow Solution of Hybrid Generation, Transmission and Distribution Systems; *TCSII May 2020* 936-940
- Bizzarri, F.**, *see* Callegari, S., *TCSII May 2020* 926-930
- Bjornson, E.**, *see* Akhlaghpasand, H., *TCSII Jan. 2020* 182-186
- Blaabjerg, F.**, *see* Ding, T., *TCSII March 2020* 536-540
- Blaabjerg, F.**, *see* Keypour, R., *TCSII June 2020* 1084-1088
- Blaabjerg, F.**, *see* Siddique, M.D., *TCSII July 2020* 1294-1298
- Blaabjerg, F.**, *see* Sathik, M.J., *TCSII Jan. 2020* 127-131
- Blaabjerg, F.**, *see* Jagabar Sathik, M., *TCSII Dec. 2020* 3287-3291
- Blaabjerg, F.**, *see* Sathik, M.J., *TCSII Nov. 2020* 2567-2571
- Boes, A.**, *see* Xu, X., *TCSII Dec. 2020* 3582-3586
- Boes, A.**, *see* Tan, M., *TCSII Nov. 2020* 2767-2771
- Bolic, M.**, *see* Sadrezaami, H., *TCSII Jan. 2020* 197-201
- Bonilla-Barragan, C.A.**, *see* Garcia-Moreno, S., *TCSII Nov. 2020* 2727-2731
- Bonizzoni, E.**, *see* Ha, Y., *TCSII May 2020* 805
- Bonizzoni, E.**, *see* de Aguirre, P.C.C., *TCSII Aug. 2020* 1384-1388
- Bonizzoni, E.**, *see* Zeng, W., *TCSII Sept. 2020* 1669-1673

- Bonizzoni, E.**, *see* Ha, Y., *TCSII Sept. 2020* 1493  
**Bonizzoni, E.**, *see* Siddharth, R.K., *TCSII Dec. 2020* 2918-2922  
**Borges, V.**, *see* Perleberg, M., *TCSII May 2020* 836-840  
**Boriskov, P.**, *see* Velichko, A., *TCSII Dec. 2020* 3477-3481  
**Boudjadar, J.**, *see* Rafiei, M., *TCSII Feb. 2020* 320-324  
**Boumaiza, S.**, *see* Liu, M., *TCSII Feb. 2020* 270-274  
**Boutat, D.**, *see* Zhang, X., *TCSII Dec. 2020* 3237-3241  
**Brambilla, A.**, *see* Bizzarri, F., *TCSII May 2020* 936-940  
**Breier, J.**, Khairallah, M., Hou, X., and Liu, Y., A Countermeasure Against Statistical Ineffective Fault Analysis; *TCSII Dec. 2020* 3322-3326  
**Bruschi, P.**, Catania, A., Del Cesta, S., and Piotto, M., A Two-Stage Switched-Capacitor Integrator for High Gain Inverter-Like Architectures; *TCSII Feb. 2020* 210-214  
**Bruschi, P.**, *see* Catania, A., *TCSII Sept. 2020* 1514-1518  
**Bu, X.**, Zhu, P., Hou, Z., and Liang, J., Finite-Time Consensus for Linear Multi-Agent Systems Using Data-Driven Terminal ILC; *TCSII Oct. 2020* 2029-2033  
**Bult, K.**, *see* Akter, M.S., *TCSII Nov. 2020* 2322-2326  
**Bulusu, A.**, *see* Mishra, N., *TCSII Nov. 2020* 2352-2356  
**Burak, A.**, *see* Davulcu, M., *TCSII April 2020* 665-669  
**Burak, A.**, *see* Kalyoncu, I., *TCSII Dec. 2020* 2938-2942  
**Burak, A.**, *see* Ustundag, B., *TCSII Nov. 2020* 2417-2421  
**Byeon, C.W.**, *see* Lee, H.S., *TCSII Oct. 2020* 1710-1714

## C

- Cabrera, F.L.**, Exploring the Advantages of Single-Ended-Input CMOS Self-Biased Amplifiers; *TCSII March 2020* 410-414  
**Cady, N.**, *see* Pannu, J.S., *TCSII May 2020* 961-965  
**Cai, H.**, *see* Zhou, Y., *TCSII Dec. 2020* 3352-3356  
**Cai, H.**, *see* Chen, Q., *TCSII Nov. 2020* 2722-2726  
**Cai, J.**, *see* Lu, Q., *TCSII Dec. 2020* 2983-2987  
**Cai, X.**, *see* Wu, H., *TCSII June 2020* 1024-1028  
**Cai, Y.**, *see* Yang, P., *TCSII Oct. 2020* 2074-2078  
**Caliskan, C.**, Yazici, M., Kaynak, M., and Gurbuz, Y., A Switchless SiGe BiCMOS Bidirectional Amplifier for Wideband Radar Applications; *TCSII Oct. 2020* 1844-1848  
**Callegari, S.**, Bizzarri, F., and Malaguti, E., Discrete Programming Entailing Circulant Quadratic Forms: Refinement of a Heuristic Approach Based on  $\Delta\Sigma$  Modulation; *TCSII May 2020* 926-930  
**Campello de Souza, R.M.**, *see* Lima, J.B., *TCSII April 2020* 775-779  
**Canelas, A.**, *see* Povoa, R., *TCSII Feb. 2020* 230-234  
**Cao, J.**, *see* Lin, L., *TCSII July 2020* 1244-1248  
**Cao, J.**, *see* Yang, J., *TCSII Dec. 2020* 3572-3576  
**Cao, J.**, *see* Wang, Z., *TCSII Dec. 2020* 3592-3596  
**Cao, J.**, *see* Chen, B., *TCSII Nov. 2020* 2537-2541  
**Cao, J.**, *see* Qi, W., *TCSII Nov. 2020* 2622-2626  
**Cao, J.**, *see* Yang, P., *TCSII Oct. 2020* 2074-2078  
**Cao, M.**, *see* Zhang, J., *TCSII Jan. 2020* 152-156  
**Cao, S.**, Zheng, H., Lin, T., Zhang, S., and Xu, S., An Unfolded Pipelined Polar Decoder With Hybrid Number Representations for Multi-User MIMO Systems; *TCSII Nov. 2020* 2472-2476  
**Cao, T.**, *see* Xiong, B., *TCSII June 2020* 1039-1043  
**Cao, W.**, *see* Chen, X., *TCSII Oct. 2020* 2254-2258  
**Cao, Z.**, *see* Zeng, X., *TCSII Nov. 2020* 2447-2451  
**Capotondi, A.**, Rusci, M., Fariselli, M., and Benini, L., CMix-NN: Mixed Low-Precision CNN Library for Memory-Constrained Edge Devices; *TCSII May 2020* 871-875  
**Cardarilli, G.C.**, Di Nunzio, L., Fazzolari, R., Re, M., and Spano, S., AW-SOM, an Algorithm for High-Speed Learning in Hardware Self-Organizing Maps; *TCSII Feb. 2020* 380-384  
**Cardarilli, G.C.**, Di Nunzio, L., Fazzolari, R., Nannarelli, A., Re, M., and Spano, S., N-Dimensional Approximation of Euclidean Distance; *TCSII March 2020* 565-569  
**Cardiff, B.**, *see* Salib, A., *TCSII Oct. 2020* 1809-1813  
**Carras, S.**, *see* Ravelo, B., *TCSII Jan. 2020* 27-31  
**Carro, L.**, *see* de Lima, J.P.C., *TCSII May 2020* 856-860

- Carta, C.**, *see* Rehman, S.U., *TCSII May 2020* 806-810  
**Carvajal, R.G.**, *see* Rico-Aniles, H.D., *TCSII Nov. 2020* 2332-2336  
**Castaneda, O.**, Jacobsson, S., Durisi, G., Goldstein, T., and Studer, C., High-Bandwidth Spatial Equalization for mmWave Massive MU-MIMO With Processing-in-Memory; *TCSII May 2020* 891-895  
**Casu, M.R.**, *see* Shan, J., *TCSII Dec. 2020* 3073-3077  
**Catania, A.**, *see* Bruschi, P., *TCSII Feb. 2020* 210-214  
**Catania, A.**, Benvenuti, L., Ria, A., Manfredini, G., Piotto, M., and Bruschi, P., A 2 nW 0.25 V 140 dB-FOM Inverter-Based First Order  $\Delta\Sigma$  Modulator; *TCSII Sept. 2020* 1514-1518  
**Cattani, A.F.**, *see* Matera, A., *TCSII Dec. 2020* 2988-2992  
**Cervellini, P.**, Antoszczuk, P., Retegui, R.G., and Funes, M., Current Ripple Characterization in DCM Interleaved Power Converters Under Inductance Mismatch; *TCSII July 2020* 1269-1273  
**Cetindogan, B.**, *see* Ustundag, B., *TCSII Nov. 2020* 2417-2421  
**Chadli, M.**, *see* Rehan, M., *TCSII April 2020* 745-749  
**Chae, J.**, Kim, M., Choi, S., and Kim, S., A 10.4-Gb/s 1-Tap Decision Feedback Equalizer With Different Pull-Up and Pull-Down Tap Weights for Asymmetric Memory Interfaces; *TCSII Feb. 2020* 220-224  
**Chae, J.**, *see* Jeong, Y., *TCSII Sept. 2020* 1589-1593  
**Chae, J.**, *see* Lee, S., *TCSII Oct. 2020* 1735-1739  
**Chairez, I.**, *see* Garcia-Gonzalez, A., *TCSII Dec. 2020* 3078-3082  
**Chakraborty, D.**, *see* Pannu, J.S., *TCSII May 2020* 961-965  
**Chakraborty, S.**, *see* Mishra, N., *TCSII Nov. 2020* 2352-2356  
**Chambers, J.**, *see* Wang, Z., *TCSII Oct. 2020* 2259-2263  
**Chan, C.**, *see* Zhang, J., *TCSII July 2020* 1174-1178  
**Chan, C.**, *see* Chincholkar, S.H., *TCSII Jan. 2020* 92-96  
**Chan, C.**, *see* Zhang, Y., *TCSII Oct. 2020* 1819-1823  
**Chan, C.**, Chincholkar, S., and Jiang, W., A Modified Fixed Current-Mode Controller for Improved Performance in Quadratic Boost Converters; *TCSII Oct. 2020* 2014-2018  
**Chan, C.H.**, *see* Zhang, Q.L., *TCSII Dec. 2020* 3038-3042  
**Chan, S.C.**, *see* Chu, Y.J., *TCSII Nov. 2020* 2787-2791  
**Chandra, A.**, *see* Roy, S., *TCSII Dec. 2020* 3527-3531  
**Chang, C.**, *see* Li, C., *TCSII Dec. 2020* 2878-2882  
**Chang, D.**, *see* Roh, Y., *TCSII Dec. 2020* 2833-2837  
**Chang, H.**, *see* Ni, T., *TCSII Nov. 2020* 2657-2661  
**Chang, J.**, *see* Zhou, L., *TCSII Dec. 2020* 3028-3032  
**Chang, M.**, and Liu, S., An Indoor Photovoltaic Energy Harvester Using Time-Based MPPT and On-Chip Photovoltaic Cell; *TCSII Nov. 2020* 2432-2436  
**Chang, M.F.**, *see* Du, L., *TCSII April 2020* 760-764  
**Chang, R.C.**, Chen, W., Liu, L., and Cheng, S., An AC-DC Rectifier With Active and Non-Overlapping Control for Piezoelectric Vibration Energy Harvesting; *TCSII June 2020* 969-973  
**Chang, R.C.**, Chen, W., and Huang, J.K., A 93.4% Efficiency 8-mV Offset Voltage Constant On-Time Buck Converter With an Offset Cancellation Technique; *TCSII Oct. 2020* 2069-2073  
**Chang, X.**, Liu, R., and Park, J.H., A Further Study on Output Feedback  $\mathcal{H}_\infty$  Control for Discrete-Time Systems; *TCSII Feb. 2020* 305-309  
**Chang, X.**, Huang, R., Wang, H., and Liu, L., Robust Design Strategy of Quantized Feedback Control; *TCSII April 2020* 730-734  
**Chang, Y.**, *see* Shih, H., *TCSII July 2020* 1234-1238  
**Chang, Y.**, and Lu, H., A V-Band Ultra Low Power Sub-Harmonic I/Q Down-Conversion Mixer Using Current Re-Used Technique; *TCSII Dec. 2020* 2893-2897  
**Chattopadhyay, S.**, *see* Karmakar, R., *TCSII March 2020* 546-550  
**Chaudhary, R.K.**, *see* Choudhary, D.K., *TCSII June 2020* 1044-1048  
**Chaves, D.P.B.**, *see* Souza, C.E.C., *TCSII Oct. 2020* 2189-2193  
**Chavet, C.**, *see* Harb, H., *TCSII Dec. 2020* 3412-3416  
**Che, H.**, *see* Huang, J., *TCSII Nov. 2020* 2542-2546  
**Che, W.**, *see* Shen, G., *TCSII June 2020* 1029-1033  
**Che, W.**, *see* Wang, Q., *TCSII Dec. 2020* 3023-3027  
**Che, W.**, *see* Feng, W., *TCSII Nov. 2020* 2497-2501  
**Che, W.**, *see* Shi, S., *TCSII Oct. 2020* 1909-1913  
**Chekuri, V.C.K.**, Kar, M., Singh, A., Davis, A.K., Bellaredj, M.L.F., Swaminathan, M., and Mukhopadhyay, S., An Inductive Voltage Regulator With

- Overdrive Tracking Across Input Voltage in Cascoded Power Stage; *TCSII Dec.* 2020 3083-3087
- Chen, B.,** *see* Chu, Z., *TCSII April 2020* 705-709
- Chen, B.,** *see* Gao, L., *TCSII Aug. 2020* 1487-1491
- Chen, B.,** *see* Sun, Q., *TCSII Dec. 2020* 3517-3521
- Chen, B.,** *see* Zhou, J., *TCSII Nov. 2020* 2762-2766
- Chen, B.,** Cao, J., Lu, G., and Rutkowski, L., Lyapunov Functions for the Set Stability and the Synchronization of Boolean Control Networks; *TCSII Nov. 2020* 2537-2541
- Chen, B.,** *see* Shi, W., *TCSII Nov. 2020* 2797-2801
- Chen, C.,** *see* Wu, B., *TCSII July 2020* 1219-1223
- Chen, C.,** *see* Shih, H., *TCSII July 2020* 1234-1238
- Chen, C.,** *see* Yu, O., *TCSII Nov. 2020* 2637-2641
- Chen, C.,** *see* Nguyen, A.D., *TCSII Nov. 2020* 2597-2601
- Chen, C.C.,** *see* Ting, C., *TCSII March 2020* 531-535
- Chen, D.,** Li, W., Liu, X., Yu, W., and Sun, Y., Effects of Measurement Noise on Flocking Dynamics of Cucker-Smale Systems; *TCSII Oct. 2020* 2064-2068
- Chen, F.,** *see* Xia, X., *TCSII Dec. 2020* 2873-2877
- Chen, F.,** *see* Chen, Q., *TCSII Nov. 2020* 2722-2726
- Chen, G.,** *see* Gao, Z., *TCSII June 2020* 1134-1138
- Chen, G.,** *see* Sun, J., *TCSII June 2020* 1054-1058
- Chen, G.,** *see* Yang, W., *TCSII July 2020* 1254-1258
- Chen, G.,** *see* van Wyk, M.A., *TCSII Aug. 2020* 1469-1471
- Chen, G.,** *see* Lu, P., *TCSII Dec. 2020* 3167-3171
- Chen, G.,** *see* Lu, P., *TCSII Dec. 2020* 3162-3166
- Chen, G.,** *see* Yao, L., *TCSII Dec. 2020* 3217-3221
- Chen, H.,** *see* Yen, M., *TCSII Dec. 2020* 3008-3012
- Chen, H.,** *see* Liang, W., *TCSII Nov. 2020* 2507-2511
- Chen, H.,** Cheng, K., Lu, Z., Fu, Y., and Li, L., Hyperbolic CORDIC-Based Architecture for Computing Logarithm and Its Implementation; *TCSII Nov. 2020* 2652-2656
- Chen, J.,** *see* Ye, Y., *TCSII Feb. 2020* 365-369
- Chen, J.,** *see* Sun, J., *TCSII June 2020* 1054-1058
- Chen, J.,** *see* Gao, W., *TCSII July 2020* 1354-1358
- Chen, J.,** *see* Lu, Q., *TCSII Dec. 2020* 2983-2987
- Chen, J.,** *see* Gao, W., *TCSII Dec. 2020* 3562-3566
- Chen, J.,** *see* Liang, W., *TCSII Nov. 2020* 2507-2511
- Chen, J.,** *see* Xiang, Y., *TCSII Nov. 2020* 2717-2721
- Chen, J.,** *see* Li, H., *TCSII Oct. 2020* 1839-1843
- Chen, J.,** *see* Chen, Y., *TCSII Oct. 2020* 1894-1898
- Chen, J.,** *see* Chen, S., *TCSII Oct. 2020* 1934-1938
- Chen, J.,** *see* Gao, W., *TCSII Oct. 2020* 2289-2293
- Chen, J.,** *see* Su, H., *TCSII Oct. 2020* 2019-2023
- Chen, K.,** *see* Dao, X., *TCSII Oct. 2020* 2294-2298
- Chen, L.,** Wu, R., Cheng, Y., and Chen, Y., Delay-Dependent and Order-Dependent Stability and Stabilization of Fractional-Order Linear Systems With Time-Varying Delay; *TCSII June 2020* 1064-1068
- Chen, L.,** *see* Xiao, Z., *TCSII Sept. 2020* 1629-1633
- Chen, M.,** Lam, H.K., Shi, Q., and Xiao, B., Reinforcement Learning-Based Control of Nonlinear Systems Using Lyapunov Stability Concept and Fuzzy Reward Scheme; *TCSII Oct. 2020* 2059-2063
- Chen, P.,** *see* Lin, I., *TCSII July 2020* 1329-1333
- Chen, P.,** and Cheng, H., A Fully Integrated Step-Down Switched-Capacitor DC-DC Converter With Dual Output Regulation Mechanisms; *TCSII Sept. 2020* 1649-1653
- Chen, P.,** *see* Chen, P., *TCSII Sept. 2020* 1649-1653
- Chen, P.,** *see* Yeh, L., *TCSII Sept. 2020* 1614-1618
- Chen, P.,** A Fully Synthesizable Ultra-*N* Audio Frequency Multiplier for HDMI Applications; *TCSII Oct. 2020* 2134-2138
- Chen, Q.,** Shi, G., Zhao, Y., and Wen, G., Design Fixed-Time Practical Distributed Average Tracking Algorithms for Nonlinear Signals With Bounded- and Lipschitz-Type Derivatives; *TCSII Dec. 2020* 3103-3107
- Chen, Q.,** Chen, X., Cai, H., and Chen, F., Schottky Diode Large-Signal Equivalent-Circuit Parameters Extraction for High-Efficiency Microwave Rectifying Circuit Design; *TCSII Nov. 2020* 2722-2726
- Chen, R.,** *see* Xu, Y., *TCSII Nov. 2020* 2367-2371
- Chen, R.T.,** *see* Xia, W., *TCSII April 2020* 795-799
- Chen, S.,** *see* Tian, Y., *TCSII Dec. 2020* 3147-3151
- Chen, S.,** Chen, J., Zhang, T., and Wei, S., Semi-Supervised Learning Based on Hybrid Neural Network for the Signal Integrity Analysis; *TCSII Oct. 2020* 1934-1938
- Chen, W.,** *see* Yao, Y., *TCSII April 2020* 740-744
- Chen, W.,** *see* Chang, R.C., *TCSII June 2020* 969-973
- Chen, W.,** *see* Lin, I., *TCSII July 2020* 1329-1333
- Chen, W.,** *see* Ma, D., *TCSII July 2020* 1284-1288
- Chen, W.,** Li, W., and Yu, F., A Hybrid Pipelined Architecture for High Performance Top-*K* Sorting on FPGA; *TCSII Aug. 2020* 1449-1453
- Chen, W.,** Li, W., and Yu, F., Modular Pipeline Architecture for Accelerating Join Operation in RDBMS; *TCSII Nov. 2020* 2662-2666
- Chen, W.,** *see* Shi, S., *TCSII Oct. 2020* 1909-1913
- Chen, W.,** Wu, Y., and Wang, W., Wideband Bandpass Filtering Balun With Perfect In-Band Matching and Isolation; *TCSII Oct. 2020* 1884-1888
- Chen, W.,** Wu, Y., and Wang, W., Planar Wideband High-Selectivity Impedance-Transforming Differential Bandpass Filter With Deep Common-Mode Suppression; *TCSII Oct. 2020* 1914-1918
- Chen, W.,** *see* Chang, R.C., *TCSII Oct. 2020* 2069-2073
- Chen, X.,** *see* Liu, G., *TCSII Feb. 2020* 350-354
- Chen, X.,** *see* Jiang, Z., *TCSII June 2020* 1139-1143
- Chen, X.,** *see* Zou, L., *TCSII Jan. 2020* 187-191
- Chen, X.,** *see* Chen, Q., *TCSII Nov. 2020* 2722-2726
- Chen, X.,** Cao, W., Gan, C., Hu, W., and Wu, M., A Hybrid Reducing Error Correcting Output Code for Lithology Identification; *TCSII Oct. 2020* 2254-2258
- Chen, X.,** *see* Jiang, Z., *TCSII Oct. 2020* 2214-2218
- Chen, Y.,** *see* Chen, L., *TCSII June 2020* 1064-1068
- Chen, Y.,** Cui, H., Lin, J., and Wang, Z., Fine-Grained Bit-Flipping Decoding for LDPC Codes; *TCSII May 2020* 896-900
- Chen, Y.,** *see* Gong, Y., *TCSII Jan. 2020* 82-86
- Chen, Y.,** *see* Chen, Z., *TCSII Dec. 2020* 3212-3216
- Chen, Y.,** and Wang, S., Low-Cost Implementation of Independent Component Analysis for Biomedical Signal Separation Using Very-Large-Scale Integration; *TCSII Dec. 2020* 3437-3441
- Chen, Y.,** *see* Liu, C., *TCSII Nov. 2020* 2642-2646
- Chen, Y.,** Wang, T., Lin, S., Chen, J., and Chen, Y.E., A Pulse-Modulated Polar Transmitter Using Direct Digital Synthesis for 5G NR Mobile Applications; *TCSII Oct. 2020* 1894-1898
- Chen, Y.E.,** *see* Chen, Y., *TCSII Oct. 2020* 1894-1898
- Chen, Y.Q.,** *see* Zhang, X., *TCSII Dec. 2020* 3237-3241
- Chen, Z.,** Deng, W., Jia, H., Liu, Y., Wu, J., Guan, P., Zhu, J., Mao, L., Wang, Z., and Chi, B., A U-Band PLL Using Implicit Distributed Resonators for Sub-THz Wireless Transceivers in 40 nm CMOS; *TCSII Sept. 2020* 1574-1578
- Chen, Z.,** Chen, Y., and Yan, Z., Simplified Hysteresis Sliding-Mode Control for Superbuck Converter; *TCSII Dec. 2020* 3212-3216
- Chen, Z.,** Zhao, H., Zeng, X., and Jiang, J., Bias-Compensated Minimum Error Entropy Algorithms With Polynomial Sparsity Penalty Constraints; *TCSII Dec. 2020* 3537-3541
- Chen, Z.,** Zhou, Y., Zhang, Z., and Liu, Z., Semi-Tensor Product of Matrices Approach to the Problem of Fault Detection for Discrete Event Systems (DESs); *TCSII Dec. 2020* 3098-3102
- Chen, Z.,** *see* Xiang, Y., *TCSII Nov. 2020* 2717-2721
- Chen, Z.,** *see* Xiang, Y., *TCSII Nov. 2020* 2717-2721
- Chen, Z.,** Zhang, L., and Wu, Z., High Data Rate Discrete-Cosine-Spread Aided M-Ary Differential Chaos Shift Keying Scheme With Low PAPR; *TCSII Nov. 2020* 2492-2496
- Cheng, B.,** Li, Z., and Wang, X., Cooperative Output Regulation of Heterogeneous Multi-Agent Systems With Adaptive Edge-Event-Triggered Strategies; *TCSII Oct. 2020* 2199-2203
- Cheng, C.,** Gao, J., and Lo, K., Hot-Swappable Grid-Connected Multilevel Converter for Battery Energy Storage System; *TCSII Oct. 2020* 2109-2113
- Cheng, H.,** *see* Chen, P., *TCSII Sept. 2020* 1649-1653
- Cheng, J.,** *see* Qi, W., *TCSII Nov. 2020* 2622-2626
- Cheng, J.,** *see* Liu, L., *TCSII Oct. 2020* 1680-1684
- Cheng, K.,** *see* Chen, H., *TCSII Nov. 2020* 2652-2656
- Cheng, S.,** *see* Chang, R.C., *TCSII June 2020* 969-973

- Cheng, X.,** see Li, Y., *TCSII Sept. 2020* 1619-1623  
**Cheng, X.,** see Xia, X., *TCSII Dec. 2020* 2873-2877  
**Cheng, X.,** see Song, Z., *TCSII Dec. 2020* 3397-3401  
**Cheng, X.Y.,** see Wei, F., *TCSII Nov. 2020* 2467-2471  
**Cheng, Y.,** see Chen, L., *TCSII June 2020* 1064-1068  
**Cheong, P.,** see Zhu, H., *TCSII July 2020* 1189-1193  
**Chi, B.,** see Chen, Z., *TCSII Sept. 2020* 1574-1578  
**Chincholkar, S.,** see Chan, C., *TCSII Oct. 2020* 2014-2018  
**Chincholkar, S.H.,** Jiang, W., and Chan, C., A Normalized Output Error-Based Sliding-Mode Controller for the DC-DC Cascade Boost Converter; *TCSII Jan. 2020* 92-96  
**Chio, U.,** see Zeng, W., *TCSII Sept. 2020* 1669-1673  
**Chiu, Y.,** see Li, Y., *TCSII Nov. 2020* 2327-2331  
**Cho, J.S.,** see Yang, Y., *TCSII Sept. 2020* 1509-1513  
**Cho, K.,** see Lee, S., *TCSII Dec. 2020* 3432-3436  
**Cho, M.,** see Lee, H., *TCSII Dec. 2020* 2993-2997  
**Cho, S.,** Kim, B., Sim, J., and Park, H., Low-Power Small-Area Inverter-Based DSM for MEMS Microphone; *TCSII Nov. 2020* 2392-2396  
**Cho, S.J.,** see Lee, H.S., *TCSII Oct. 2020* 1710-1714  
**Choi, E.,** Kim, S., Park, K., Heo, S., Ma, H., Namgoong, G., Kim, H., and Bien, F., A 32-dB SNR Readout IC With 20-Vpp Tx Using On-Chip DM-TISM in HV BCD Process for Mutual-Capacitive Fingerprint Sensor; *TCSII July 2020* 1224-1228  
**Choi, H.,** see Do, H., *TCSII Sept. 2020* 1569-1573  
**Choi, J.H.,** see Lee, J., *TCSII Oct. 2020* 1829-1833  
**Choi, M.,** see Moon, K., *TCSII Dec. 2020* 2843-2847  
**Choi, S.,** see Chae, J., *TCSII Feb. 2020* 220-224  
**Choi, S.,** see Lee, S., *TCSII Dec. 2020* 3432-3436  
**Choi, W.,** see Kwon, D., *TCSII March 2020* 430-434  
**Choi, W.,** see Zhu, H., *TCSII July 2020* 1189-1193  
**Choi, Y.,** Sim, J., and Kim, L., CREMON: Cryptography Embedded on the Convolutional Neural Network Accelerator; *TCSII Dec. 2020* 3337-3341  
**Cholachue, C.,** Ravelo, B., Simoens, A., Fathallah, A., Veronneau, M., and Maurice, O., Braid Shielding Effectiveness Kron's Model via Coupled Cables Configuration; *TCSII Aug. 2020* 1389-1393  
**Chou, Y.,** see Lin, I., *TCSII July 2020* 1329-1333  
**Choudhary, D.K.,** and Chaudhary, R.K., Compact Lowpass and Dual-Band Bandpass Filter With Controllable Transmission Zero/Center Frequencies/Passband Bandwidth; *TCSII June 2020* 1044-1048  
**Choudhury, M.,** see Loukrakpam, M., *TCSII May 2020* 851-855  
**Chu, S.,** see Hwang, J., *TCSII Oct. 2020* 1834-1838  
**Chu, S.-I.,** New Divider Design for Stochastic Computing; *TCSII Jan. 2020* 147-151  
**Chu, S.T.,** see Xu, X., *TCSII Dec. 2020* 3582-3586  
**Chu, S.T.,** see Tan, M., *TCSII Nov. 2020* 2767-2771  
**Chu, Y.J.,** Chan, S.C., Zhou, Y., and Wu, M., A New Parametric Adaptive Source Domain Method for Sound Field Synthesis; *TCSII Nov. 2020* 2787-2791  
**Chu, Z.,** Zhang, W., Zhu, M., Dong, X., and Chen, B., A Robust Adaptive Cancellation of Unknown Sinusoidal Disturbance; *TCSII April 2020* 705-709  
**Chung, Y.,** and Rih, W., A 3-mW 12b 160-MS/s 2-Way Time-Interleaved Subrange SAR ADC in 65-nm CMOS; *TCSII April 2020* 645-649  
**Ciarpi, G.,** and Saponara, S., Inductorless DC/DC Converter for Aerospace Applications With Insulation Features; *TCSII Sept. 2020* 1659-1663  
**Cobos, M.,** see Fabregat, G., *TCSII Dec. 2020* 3547-3551  
**Cohen, E.,** see Zolkov, E., *TCSII Oct. 2020* 1889-1893  
**Colalongo, L.,** Leu, D.I., Richelli, A., and Kovacs, Z., Ultra-Low Voltage Push-Pull Converter for Micro Energy Harvesting; *TCSII Dec. 2020* 3172-3176  
**Colamonico, A.,** see Matera, A., *TCSII Dec. 2020* 2988-2992  
**Condo, C.,** see Zheng, B., *TCSII April 2020* 670-674  
**Corcoran, B.,** see Xu, X., *TCSII Dec. 2020* 3582-3586  
**Corcoran, B.,** see Tan, M., *TCSII Nov. 2020* 2767-2771  
**Corsonello, P.,** see Frustaci, F., *TCSII Dec. 2020* 3427-3431  
**Cortadella, J.,** see Shan, J., *TCSII Dec. 2020* 3073-3077  
**Cota de Freitas, H.,** see Andrade Maciel, L., *TCSII Aug. 2020* 1459-1463  
**Coviello, G.,** see Avitabile, G., *TCSII Dec. 2020* 3033-3037  
**Cressler, J.D.,** see Frounchi, M., *TCSII Feb. 2020* 260-264
- Crovato, C.D.P.,** Goytia Mejia, R.I., Righi, R.d.R., Toward Identifying Consumer Responsibility on Voltage Distortion and Filtering Based on the Maclaurin Series; *TCSII Dec. 2020* 3467-3471  
**Cuevas, N.,** see Romero, J., *TCSII May 2020* 866-870  
**Cui, H.,** see Chen, Y., *TCSII May 2020* 896-900  
**Cui, H.,** see Song, S., *TCSII Aug. 2020* 1399-1403  
**Cui, Y.,** Wu, Q., Yang, H., Gao, J., Li, S., and Shi, C., A Method of Creating the High-Voltage Circuit Model of Metal-Oxide Varistor for the Simulation of Square Pulse Forming; *TCSII March 2020* 526-530  
**Cui, Y.,** see Shen, J., *TCSII Dec. 2020* 3262-3266

**D**

- Dai, R.,** see Liu, G., *TCSII Feb. 2020* 350-354  
**Dai, W.,** see Tian, Y., *TCSII Dec. 2020* 3147-3151  
**Danesh, M.,** and Sanyal, A., 0.13pW/Hz Ring VCO-Based Continuous-Time Read-Out ADC for Bio-Impedance Measurement; *TCSII Dec. 2020* 2823-2827  
**Dang, G.,** see Zou, L., *TCSII Jan. 2020* 187-191  
**Dang, W.,** see Gao, Z., *TCSII June 2020* 1134-1138  
**Dang, W.,** see Gao, Z., *TCSII Oct. 2020* 2179-2183  
**Dani, L.M.,** see Mishra, N., *TCSII Nov. 2020* 2352-2356  
**Dao, T.,** and Hueber, G., I/Q Imbalance Calibration Method for 5G Ultra-Wideband Transceivers; *TCSII Dec. 2020* 3048-3052  
**Dao, X.,** Gao, M., and Chen, K., Minimum Correlation Estimation of Leakage and Echo Signals for FMCW Radar; *TCSII Oct. 2020* 2294-2298  
**Das, A.,** see Mukherjee, S., *TCSII May 2020* 916-920  
**Das, R.L.,** and Trivedi, V., An Adaptive Upper Threshold Based Gain Function for the ZA-PNLMS Algorithm; *TCSII Oct. 2020* 2274-2278  
**Dasgupta, S.,** see Mishra, N., *TCSII Nov. 2020* 2352-2356  
**Davin, T.,** see Ravelo, B., *TCSII Jan. 2020* 27-31  
**Davis, A.K.,** see Chekuri, V.C.K., *TCSII Dec. 2020* 3083-3087  
**Davulcu, M.,** Burak, A., and Gurbuz, Y., A 7-Bit Reverse-Saturated SiGe HBT Discrete Gain Step Attenuator; *TCSII April 2020* 665-669  
**Dawa, M.,** Kaddoum, G., and Herceg, M., A Framework for the Lower Bound on the BER of DCSK Systems Over Multi-Path Nakagami-m Fading Channels; *TCSII Oct. 2020* 1859-1863  
**de Aguirre, P.C.C.,** Bonizzoni, E., Maloberti, F., and Susin, A.A., A 170.7-dB FoM-DR 0.45/0.6-V Inverter-Based Continuous-Time Sigma-Delta Modulator; *TCSII Aug. 2020* 1384-1388  
**de Godoy, D.,** see Shi, E., *TCSII March 2020* 445-449  
**De La Cruz Blas, C.A.,** see Martincorena-Arraiza, M., *TCSII March 2020* 420-424  
**de la Rosa, J.M.,** Incoming Editorial; *TCSII Jan. 2020* 1-3  
**de la Rosa, J.M.,** see Honarpvar, M., *TCSII Sept. 2020* 1519-1523  
**de Lamare, R.C.,** see Yu, Y., *TCSII July 2020* 1359-1363  
**de Lima, J.P.C.,** de Moura, R.F., and Carro, L., Analog Memristive CAMs for Area- and Energy-Efficient Reconfigurable Computing; *TCSII May 2020* 856-860  
**de Moura, R.F.,** see de Lima, J.P.C., *TCSII May 2020* 856-860  
**De Vita, A.,** Licciardo, G.D., Femia, A., Di Benedetto, L., Rubino, A., and Pau, D., Embeddable Circuit for Orientation Independent Processing in Ultra-Low-Power Tri-Axial Inertial Sensors; *TCSII June 2020* 1124-1128  
**Deb, T.,** Ray, D., and George, N.V., Design of Nonlinear Filters Using Affine Projection Algorithm Based Exact and Approximate Adaptive Exponential Functional Link Networks; *TCSII Nov. 2020* 2757-2761  
**Deepthi, P.P.,** see Unde, A.S., *TCSII Jan. 2020* 167-171  
**Dees, B.S.,** see Zhang, X., *TCSII July 2020* 1364-1368  
**Del Cesta, S.,** see Bruschi, P., *TCSII Feb. 2020* 210-214  
**Delgado-Frias, J.G.,** see Turi, M.A., *TCSII April 2020* 765-769  
**Delgado-Restituto, M.,** see Fiorelli, R., *TCSII Jan. 2020* 47-51  
**Demosthenous, A.,** see Jiang, D., *TCSII Sept. 2020* 1554-1558  
**Demosthenous, A.,** see Valente, V., *TCSII Oct. 2020* 1700-1704  
**Deng, C.,** Wang, B., Liu, L., Zhu, M., Wu, Y., Li, H., Yin, S., and Wei, S., A 60 Gb/s-Level Coarse-Grained Reconfigurable Cryptographic Processor With Less Than 1-W Power; *TCSII Feb. 2020* 375-379

- Deng, H.**, Lv, D., Zhang, Y., Zhang, D., and Zhou, D., Compact Analog Pre-distorter With Shape Tuning Capability Using Power-Dependent Impedance Matching Network; *TCSII Oct. 2020* 1705-1709
- Deng, Q.**, *see* Zhao, Z., *TCSII May 2020* 931-935
- Deng, Q.**, *see* Sun, H., *TCSII Sept. 2020* 1644-1648
- Deng, S.**, *see* Xu, Y., *TCSII Nov. 2020* 2367-2371
- Deng, W.**, *see* Chen, Z., *TCSII Sept. 2020* 1574-1578
- Dhar, A.S.**, *see* Sinha Roy, A., *TCSII Nov. 2020* 2702-2706
- Di Benedetto, L.**, *see* De Vita, A., *TCSII June 2020* 1124-1128
- Di Garbo, A.**, *see* Euzzor, S., *TCSII Feb. 2020* 395-399
- Di Nunzio, L.**, *see* Cardarilli, G.C., *TCSII Feb. 2020* 380-384
- Di Nunzio, L.**, *see* Cardarilli, G.C., *TCSII March 2020* 565-569
- Dielacher, F.**, *see* Papananos, Y., *TCSII Nov. 2020* 2442-2446
- Ding, J.**, and Li, S., A Low-Latency and Low-Cost Montgomery Modular Multiplier Based on NLP Multiplication; *TCSII July 2020* 1319-1323
- Ding, L.**, Li, W., Nie, S., and Hu, P., Topology Identification for Power Systems via Compressive Sensing Based on Transient Dynamics; *TCSII Dec. 2020* 3202-3206
- Ding, L.**, *see* Nie, S., *TCSII Oct. 2020* 1994-1998
- Ding, R.**, *see* Li, D., *TCSII Nov. 2020* 2307-2311
- Ding, T.**, Lu, R., Yang, Y., and Blaabjerg, F., A Condition of Equivalence Between Bus Injection and Branch Flow Models in Radial Networks; *TCSII March 2020* 536-540
- Ding, T.**, Qu, M., Bai, J., and Li, F., Negative Reactance Impacts Power Flow Convergence Using Conjugate Gradient Method; *TCSII Nov. 2020* 2527-2531
- Ding, X.**, Yan, C., Li, X., and Wu, J., A Low-Spur MASH Delta-Sigma Modulator With an Adaptive Length Extension Technique; *TCSII Dec. 2020* 2818-2822
- Ding, X.**, and Li, H., Finite-Time Time-Variant Feedback Stabilization of Logical Control Networks With Markov Jump Disturbances; *TCSII Oct. 2020* 2079-2083
- Divya, H.**, *see* Sakthivel, R., *TCSII Oct. 2020* 2004-2008
- Dizdar, O.**, A Complexity Reduction Method for Successive Cancellation List Decoding; *TCSII April 2020* 655-659
- Do, A.T.**, Zeinolabedin, S.M.A., and Kim, T.T., Energy-Efficient Data-Aware SRAM Design Utilizing Column-Based Data Encoding; *TCSII Oct. 2020* 2154-2158
- Do, H.**, Hwang, J., Choi, H., and Jeong, D., A 48 Gb/s PAM-4 Transmitter With 3-Tap FFE Based on Double-Shielded Coplanar Waveguide in 65-nm CMOS; *TCSII Sept. 2020* 1569-1573
- Dogan, H.**, *see* Rady, R., *TCSII Oct. 2020* 1899-1903
- Dogancay, K.**, *see* Wang, W., *TCSII June 2020* 1154-1158
- Donati, M.**, *see* Matera, A., *TCSII Dec. 2020* 2988-2992
- Dong, B.**, *see* Jiang, Z., *TCSII June 2020* 1139-1143
- Dong, F.**, Qian, G., and Wang, S., Bias-Compensated MCCC Algorithm for Widely Linear Adaptive Filtering With Noisy Data; *TCSII Dec. 2020* 3587-3591
- Dong, F.**, *see* Wang, Z., *TCSII Dec. 2020* 3592-3596
- Dong, H.**, *see* Gao, S., *TCSII Feb. 2020* 325-329
- Dong, L.**, Zhou, J., Sun, W., Yan, D., and Wang, R., First Steps Toward Concealing the Traces Left by Reversible Image Data Hiding; *TCSII May 2020* 951-955
- Dong, L.**, Yu, D., and Nguang, S.K., Novel Nonsingular Terminal Sliding Mode Control for Multi-Agent Tracking Systems With Application to Jerk Circuit; *TCSII Aug. 2020* 1429-1433
- Dong, X.**, *see* Chu, Z., *TCSII April 2020* 705-709
- Du, H.**, *see* Zhang, P., *TCSII Nov. 2020* 2632-2636
- Du, L.**, Du, Y., and Chang, M.F., A Reconfigurable 64-Dimension *K*-Means Clustering Accelerator With Adaptive Overflow Control; *TCSII April 2020* 760-764
- Du, Y.**, *see* Du, L., *TCSII April 2020* 760-764
- Duan, J.**, *see* Zhu, D., *TCSII Oct. 2020* 2194-2198
- Duan, X.**, *see* Feng, W., *TCSII Nov. 2020* 2497-2501
- Duan, Z.**, *see* Wang, J., *TCSII July 2020* 1289-1293
- Duan, Z.**, *see* Wang, Q., *TCSII Jan. 2020* 102-106
- Duan, Z.**, *see* Hao, Y., *TCSII Nov. 2020* 2582-2586

- Dufrene, K.**, *see* Gebhard, A., *TCSII July 2020* 1229-1233
- Durgin, G.D.**, *see* Kong, F., *TCSII Feb. 2020* 240-244
- Durisi, G.**, *see* Castaneda, O., *TCSII May 2020* 891-895
- Dutta, A.**, *see* Gupta, N., *TCSII March 2020* 491-495
- Dutta, A.**, *see* Regulagadda, S.S., *TCSII Sept. 2020* 1584-1588

**E**

- Ebrahimi-Azandaryani, F.**, Akbari, O., Kamal, M., Afzali-Kusha, A., and Pedram, M., Block-Based Carry Speculative Approximate Adder for Energy-Efficient Applications; *TCSII Jan. 2020* 137-141
- Effati, S.**, *see* Eshaghnezhad, M., *TCSII Nov. 2020* 2747-2751
- Ehsanian, M.**, *see* Azizian, S., *TCSII July 2020* 1214-1218
- Eisenreich, H.**, *see* Hoppner, S., *TCSII Oct. 2020* 2159-2163
- Ellinger, F.**, *see* Rehman, S.U., *TCSII May 2020* 806-810
- Emad, M.**, *see* Azarmi Gilan, A., *TCSII April 2020* 755-759
- Erfani, R.**, *see* Nag, S., *TCSII Oct. 2020* 1804-1808
- Ergun, S.**, *see* Acar, B., *TCSII Sept. 2020* 1609-1613
- Ergun, S.**, *see* Gunay, R., *TCSII Sept. 2020* 1634-1638
- Escobedo, P.**, *see* Palomares-Caballero, A., *TCSII Dec. 2020* 3058-3062
- Eshaghnezhad, M.**, Effati, S., and Rahbarnia, F., Projection Recurrent Neural Network Model: A New Strategy to Solve Maximum Flow Problem; *TCSII Nov. 2020* 2747-2751
- Eshraghian, J.K.**, Lin, Q., Wang, X., Iu, H.H.C., Hu, Q., and Tong, H., A Behavioral Model of Digital Resistive Switching for Systems Level DNN Acceleration; *TCSII May 2020* 956-960
- Estrada-Lopez, J.J.**, *see* Zeng, Z., *TCSII Jan. 2020* 87-91
- Euzzor, S.**, Di Garbo, A., Ginoux, J., Arecchi, F.T., and Meucci, R., Implementing Poincaré Sections for a Chaotic Relaxation Oscillator; *TCSII Feb. 2020* 395-399

**F**

- Fabregat, G.**, Belloch, J.A., Badia, J.M., and Cobos, M., Design and Implementation of Acoustic Source Localization on a Low-Cost IoT Edge Platform; *TCSII Dec. 2020* 3547-3551
- Fakharzadeh, M.**, *see* Zamani, H., *TCSII Dec. 2020* 3522-3526
- Fan, H.**, *see* Xu, Y., *TCSII Nov. 2020* 2367-2371
- Fan, J.**, *see* Huang, B., *TCSII Oct. 2020* 1790-1794
- Fan, S.**, *see* Yuan, Z., *TCSII Sept. 2020* 1664-1668
- Fang, S.**, *see* Liu, H., *TCSII March 2020* 485-490
- Fang, S.**, Jia, X., Liu, H., and Wang, Z., Design of Compact Coupled-Line Complex Impedance Transformers With the Series Susceptance Component; *TCSII Nov. 2020* 2482-2486
- Fang, X.**, *see* Liu, M., *TCSII Feb. 2020* 270-274
- Fang, X.**, Wen, G., Wu, Z., Jalili, M., and Hu, H., Designing Observer-Type Controller for Containment of Discrete-Time Linear MASs Over Signed Graph; *TCSII March 2020* 511-515
- Fang, Y.**, *see* Tang, Z., *TCSII Sept. 2020* 1504-1508
- Fang, Z.**, *see* Xiang, Y., *TCSII Nov. 2020* 2717-2721
- Fariselli, M.**, *see* Capotondi, A., *TCSII May 2020* 871-875
- Farsizadeh, H.**, Gheisarnejad, M., Mosayebi, M., Rafiei, M., and Khooban, M.H., An Intelligent and Fast Controller for DC/DC Converter Feeding CPL in a DC Microgrid; *TCSII June 2020* 1104-1108
- Fathallah, A.**, *see* Cholachue, C., *TCSII Aug. 2020* 1389-1393
- Fazzolari, R.**, *see* Cardarilli, G.C., *TCSII Feb. 2020* 380-384
- Fazzolari, R.**, *see* Cardarilli, G.C., *TCSII March 2020* 565-569
- Fei, J.**, and Wang, H., Experimental Investigation of Recurrent Neural Network Fractional-Order Sliding Mode Control of Active Power Filter; *TCSII Nov. 2020* 2522-2526
- Femia, A.**, *see* De Vita, A., *TCSII June 2020* 1124-1128
- Feng, C.**, *see* Xue, M., *TCSII Oct. 2020* 1919-1923
- Feng, L.**, *see* Luo, C., *TCSII Oct. 2020* 1849-1853
- Feng, T.**, Ma, K., and Wang, Y., A Self-Packaged Power Divider With Compact Size and Low Loss; *TCSII Nov. 2020* 2437-2441
- Feng, W.**, *see* Shen, G., *TCSII June 2020* 1029-1033
- Feng, W.**, *see* Wu, D., *TCSII Aug. 2020* 1404-1408

- Feng, W.,** see Shi, Y., *TCSII Dec. 2020* 3068-3072
- Feng, W.,** see Zhou, L., *TCSII Dec. 2020* 3028-3032
- Feng, W.,** see Yang, X., *TCSII Dec. 2020* 3187-3191
- Feng, W.,** Duan, X., Shi, Y., Zhou, X.Y., and Che, W., Dual-Band Branch-Line Couplers With Short/Open-Ended Stubs; *TCSII Nov. 2020* 2497-2501
- Feng, W.,** see Shi, Y., *TCSII Oct. 2020* 1944-1948
- Feng, W.,** see Shi, S., *TCSII Oct. 2020* 1909-1913
- Feng, X.,** Li, S., and Xu, S., RLWE-Oriented High-Speed Polynomial Multiplier Utilizing Multi-Lane Stockham NTT Algorithm; *TCSII March 2020* 556-559
- Fernandes, J.,** see Rabuske, F., *TCSII March 2020* 435-439
- Fernandes, S.L.,** see Pannu, J.S., *TCSII May 2020* 961-965
- Fernando, T.,** see Gong, H., *TCSII June 2020* 1074-1078
- Fernando, T.,** see Yu, D., *TCSII July 2020* 1334-1338
- Fernando, T.,** see Wang, L., *TCSII Oct. 2020* 2084-2088
- Ferri, G.,** see Barile, G., *TCSII March 2020* 405-409
- Ferschischi, A.,** see Rehman, S.U., *TCSII May 2020* 806-810
- Figliolia, T.,** see Villemur, M., *TCSII July 2020* 1324-1328
- Filanovsky, I.,** see Basaligheh, A., *TCSII Nov. 2020* 2452-2456
- Fiorelli, R.,** Delgado-Restituto, M., and Rodriguez-Vazquez, A., Offset-Calibration With Time-Domain Comparators Using Inversion-Mode Varactors; *TCSII Jan. 2020* 47-51
- Fischer, R.F.H.,** see Mandry, H., *TCSII Dec. 2020* 3372-3376
- Fish, A.,** see Stanger, I., *TCSII Sept. 2020* 1639-1643
- Flanagan, M.F.,** see Salib, A., *TCSII Oct. 2020* 1809-1813
- Florio, A.,** see Avitabile, G., *TCSII Dec. 2020* 3033-3037
- Font-Rosello, J.,** see Galen-Prado, F., *TCSII Nov. 2020* 2712-2716
- Frounchi, M.,** and Cressler, J.D., Dual-Band Millimeter-Wave Quadrature LO Generation With a Common-Centroid Floorplan; *TCSII Feb. 2020* 260-264
- Frustaci, F.,** Perri, S., Corsonello, P., and Alioto, M., Approximate Multipliers With Dynamic Truncation for Energy Reduction via Graceful Quality Degradation; *TCSII Dec. 2020* 3427-3431
- Fu, J.,** and Zhang, L., Reliable Domain Adaptation With Classifiers Competition for Image Classification; *TCSII Nov. 2020* 2802-2806
- Fu, S.,** see Liu, H., *TCSII March 2020* 485-490
- Fu, Y.,** see Chen, H., *TCSII Nov. 2020* 2652-2656
- Fujieda, N.,** Takeda, M., and Ichikawa, S., An Analysis of DCM-Based True Random Number Generator; *TCSII June 2020* 1109-1113
- Funes, M.,** see Cervellini, P., *TCSII July 2020* 1269-1273
- G**
- Gadel-Karim, A.G.,** Mohieldin, A.N., Hussien, F., and Aboudina, M., Linearity-Enhanced Ring Amplifier Using Adaptive Slew-Rate Feed-Forward Path; *TCSII Dec. 2020* 2908-2912
- Galanopoulos, K.,** see Papananos, Y., *TCSII Nov. 2020* 2442-2446
- Galen-Prado, F.,** Font-Rosello, J., and Rossello, J.L., Tropical Reservoir Computing Hardware; *TCSII Nov. 2020* 2712-2716
- Galup-Montoro, C.,** see Radin, R.L., *TCSII Aug. 2020* 1379-1383
- Gan, C.,** see Chen, X., *TCSII Oct. 2020* 2254-2258
- Gao, J.,** see Cui, Y., *TCSII March 2020* 526-530
- Gao, J.,** see Tan, F., *TCSII Sept. 2020* 1534-1538
- Gao, J.,** see Cheng, C., *TCSII Oct. 2020* 2109-2113
- Gao, L.,** Chen, B., and Yu, L., Fusion-Based FDI Attack Detection in Cyber-Physical Systems; *TCSII Aug. 2020* 1487-1491
- Gao, L.,** see Xu, J., *TCSII Dec. 2020* 2958-2962
- Gao, M.,** see Qi, W., *TCSII Nov. 2020* 2622-2626
- Gao, M.,** see Dao, X., *TCSII Oct. 2020* 2294-2298
- Gao, S.,** Hou, Y., Dong, H., Yue, Y., and Li, S., Global Nested PID Control of Strict-Feedback Nonlinear Systems With Prescribed Output and Virtual Tracking Performance; *TCSII Feb. 2020* 325-329
- Gao, S.,** see Zhou, W., *TCSII May 2020* 946-950
- Gao, S.,** see Yang, X., *TCSII Dec. 2020* 3187-3191
- Gao, W.,** Xu, Y., and Chen, J., Stochastic Analysis of Diffusion Dual Sign Algorithm for Cyclostationary White Gaussian Inputs and Nonstationary System; *TCSII July 2020* 1354-1358
- Gao, W.,** and Chen, J., Transient Analysis of Signed LMS Algorithms With Cyclostationary Colored Gaussian Inputs; *TCSII Dec. 2020* 3562-3566
- Gao, W.,** Song, M., and Chen, J., Tracking Analysis of Gaussian Kernel Signed Error Algorithm for Time-Variant Nonlinear Systems; *TCSII Oct. 2020* 2289-2293
- Gao, Y.,** see Zhou, W., *TCSII Oct. 2020* 1745-1749
- Gao, Z.,** Wang, H., Dang, W., Li, Y., Hong, X., Liu, M., and Chen, G., Complex Network Analysis of Wire-Mesh Sensor Measurements for Characterizing Vertical Gas-Liquid Two-Phase Flows; *TCSII June 2020* 1134-1138
- Gao, Z.,** Yuan, T., Zhou, X., Ma, C., Ma, K., and Hui, P., A Deep Learning Method for Improving the Classification Accuracy of SSMVEP-Based BCI; *TCSII Dec. 2020* 3447-3451
- Gao, Z.,** Hong, X., Dang, W., Hou, L., and Liu, M., Multiresolution Multiplex Network for Analyzing Multichannel Fluid Flow Signals; *TCSII Oct. 2020* 2179-2183
- Garcia-Gonzalez, A.,** Poznyak, A., Chairez, I., and Poznyak, T., Projectional Observers of Nonlinear Systems With Full-State Constraints; *TCSII Dec. 2020* 3078-3082
- Garcia-Herrero, F.,** Sanchez-Macian, A., and Maestro, J.A., Low-Latency and Low-Power Test-Vector Selector for Reed-Solomon's Low-Complexity Chase; *TCSII Dec. 2020* 3362-3366
- Garcia-Moreno, S.,** Gurrola-Navarro, M.A., Bonilla-Barragan, C.A., and Mejia, I., Design Method for RF Energy Harvesting Rectifiers; *TCSII Nov. 2020* 2727-2731
- Garcia-Ortiz, A.,** see Najafi, A., *TCSII May 2020* 841-845
- Garcia-Ortiz, A.,** see Najafi, A., *TCSII Oct. 2020* 2144-2148
- Garg, P.,** and Jain, P., Isolation Improvement of MIMO Antenna Using a Novel Flower Shaped Metamaterial Absorber at 5.5 GHz WiMAX Band; *TCSII April 2020* 675-679
- Garrido, V.M.,** see Montoya, O.D., *TCSII Feb. 2020* 300-304
- Garris, P.A.,** see Zamani, H., *TCSII Dec. 2020* 3512-3516
- Ge, J.,** see Wan, F., *TCSII Oct. 2020* 1795-1799
- Ge, S.S.,** see Ma, G., *TCSII June 2020* 1069-1073
- Gebhard, A.,** Sadjina, S., Tertinek, S., Dufrene, K., Pretl, H., and Huemer, M., A Harmonic Rejection Strategy for 25% Duty-Cycle IQ-Mixers Using Digital-to-Time Converters; *TCSII July 2020* 1229-1233
- Geng, L.,** see Yuan, Z., *TCSII Sept. 2020* 1664-1668
- Geng, L.,** see Shang, Z., *TCSII Sept. 2020* 1654-1658
- Geng, Z.,** see Peng, X., *TCSII Feb. 2020* 310-314
- Geng, Z.,** and Han, M., Fault Localization Strategy for Modular Multilevel Converters in Rectifier Mode Under Submodule Switch Open-Circuit Failure; *TCSII Dec. 2020* 3222-3226
- George, N.V.,** see Bhattacharjee, S.S., *TCSII Dec. 2020* 3602-3606
- George, N.V.,** see Bhattacharjee, S.S., *TCSII Dec. 2020* 3542-3546
- George, N.V.,** see Deb, T., *TCSII Nov. 2020* 2757-2761
- Ghafoor, A.,** see Toor, H.I., *TCSII Feb. 2020* 345-349
- Ghazisaeedi, H.R.,** and Tavazoei, M.S., Event-Triggered Control of a Class of Nonlinear Systems on the Basis of Indefinite Lyapunov Theory; *TCSII Oct. 2020* 2104-2108
- Gheisarnejad, M.,** see Khooban, M.H., *TCSII June 2020* 1099-1103
- Gheisarnejad, M.,** see Farsizadeh, H., *TCSII June 2020* 1104-1108
- Ghosh, D.,** see Singh, B., *TCSII Dec. 2020* 3282-3286
- Ghosh, N.N.,** see Gupta, N., *TCSII March 2020* 491-495
- Ghosh, S.,** see Goyal, J.K., *TCSII Feb. 2020* 295-299
- Ghosh, S.,** see Soni, S., *TCSII July 2020* 1259-1263
- Ghosh, S.,** see Singh, B., *TCSII Dec. 2020* 3282-3286
- Ghous, I.,** and Lu, J., Robust Observer Design for Two-Dimensional Discrete Positive Switched Systems With Delays; *TCSII Dec. 2020* 3297-3301
- Ghovanloo, M.,** see Kong, F., *TCSII Feb. 2020* 240-244
- Ghovanloo, M.,** see Guler, U., *TCSII April 2020* 615-619
- Gil-Gonzalez, W.,** see Montoya, O.D., *TCSII Feb. 2020* 300-304
- Gil-Gonzalez, W.,** see Montoya, O.D., *TCSII June 2020* 1094-1098
- Gil-Gonzalez, W.,** see Montoya, O.D., *TCSII Aug. 2020* 1439-1443
- Ginoux, J.,** see Euzzor, S., *TCSII Feb. 2020* 395-399
- Giudice, D.d.,** see Bizzarri, F., *TCSII May 2020* 936-940
- Goes, J.,** see Povoa, R., *TCSII Feb. 2020* 230-234
- Gogineni, V.C.,** Talebi, S.P., Werner, S., and Mandic, D.P., Fractional-Order Correntropy Filters for Tracking Dynamic Systems in  $\alpha$ -Stable Environments; *TCSII Dec. 2020* 3557-3561

- Goh, W.L.**, *see* Zhou, W., *TCSII Oct. 2020* 1745-1749
- Goldstein, T.**, *see* Castaneda, O., *TCSII May 2020* 891-895
- Gomez, J.**, Vourkas, I., Abusleme, A., Sirakoulis, G.C., and Rubio, A., Voltage Divider for Self-Limited Analog State Programming of Memristors; *TCSII April 2020* 620-624
- Goncalves, S.M.M.**, Rosa, L.S., and Marques, F.S., DRAPS: A Design Rule Aware Path Search Algorithm for Detailed Routing; *TCSII July 2020* 1239-1243
- Gong, H.**, Yu, Y., Zheng, L., Wang, B., Li, Z., Fernando, T., Iu, H.H.C., Liao, X., and Liu, X., Nonlinear  $H_\infty$  Filtering Based on Tensor Product Model Transformation; *TCSII June 2020* 1074-1078
- Gong, J.**, *see* Jiang, Z., *TCSII June 2020* 1139-1143
- Gong, L.**, Zhang, J., Sang, L., Liu, H., and Wang, Y., The Unpredictability Analysis of Boolean Chaos; *TCSII Oct. 2020* 1854-1858
- Gong, P.**, and Han, Q., Fixed-Time Bipartite Consensus Tracking of Fractional-Order Multi-Agent Systems With a Dynamic Leader; *TCSII Oct. 2020* 2054-2058
- Gong, Y.**, Wen, G., Peng, Z., Huang, T., and Chen, Y., Observer-Based Time-Varying Formation Control of Fractional-Order Multi-Agent Systems With General Linear Dynamics; *TCSII Jan. 2020* 82-86
- Gou, W.**, *see* Shang, Z., *TCSII Sept. 2020* 1654-1658
- Goyal, J.K.**, Kamal, S., Patel, R.B., Yu, X., Mishra, J.P., and Ghosh, S., Higher Order Sliding Mode Control-Based Finite-Time Constrained Stabilization; *TCSII Feb. 2020* 295-299
- Goytia Mejia, R.I.**, *see* Crovato, C.D.P., *TCSII Dec. 2020* 3467-3471
- Grasso, A.D.**, *see* Ballo, A., *TCSII July 2020* 1304-1308
- Grasso, A.D.**, *see* Ballo, A., *TCSII Dec. 2020* 3312-3316
- Grisales-Norena, L.F.**, *see* Montoya, O.D., *TCSII June 2020* 1094-1098
- Grisales-Norena, L.F.**, *see* Montoya, O.D., *TCSII Aug. 2020* 1439-1443
- Grollitsch, W.**, *see* Menin, D., *TCSII Aug. 2020* 1369-1373
- Gross, W.J.**, *see* Zheng, B., *TCSII April 2020* 670-674
- Grout, K.**, *see* Moallemi, S., *TCSII April 2020* 605-609
- Grout, K.**, and Kitchen, J., A Dividerless Ring Oscillator PLL With 250fs Integrated Jitter Using Sampled Lowpass Filter; *TCSII Nov. 2020* 2337-2341
- Gu, J.**, *see* Shi, S., *TCSII Aug. 2020* 1414-1418
- Gu, J.**, *see* Jiang, Z., *TCSII Oct. 2020* 2214-2218
- Gu, M.**, *see* Zhong, H., *TCSII Dec. 2020* 3402-3406
- Gu, Y.**, *see* Ren, H., *TCSII Oct. 2020* 1720-1724
- Guan, D.**, *see* Yang, Z., *TCSII Nov. 2020* 2377-2381
- Guan, J.**, *see* Sun, W., *TCSII July 2020* 1274-1278
- Guan, P.**, *see* Chen, Z., *TCSII Sept. 2020* 1574-1578
- Guan, Y.**, Tian, L., and Wang, L., Controllability of Switching Signed Networks; *TCSII June 2020* 1059-1063
- Guerrero, J.M.**, *see* Mosayebi, M., *TCSII Dec. 2020* 3108-3112
- Guler, U.**, Jia, Y., and Ghovanloo, M., A Reconfigurable Passive Voltage Multiplier for Wireless Mobile IoT Applications; *TCSII April 2020* 615-619
- Gunay, R.**, and Ergun, S., IC Random Number Generator Exploiting Two Simultaneous Metastable Events of Tetrahedral Oscillators; *TCSII Sept. 2020* 1634-1638
- Gungor, B.**, *see* Ustundag, B., *TCSII Nov. 2020* 2417-2421
- Guo, J.**, *see* Li, Y., *TCSII Feb. 2020* 355-359
- Guo, J.**, *see* Hung, C.H., *TCSII April 2020* 635-639
- Guo, J.**, *see* Zhuang, H., *TCSII July 2020* 1204-1208
- Guo, K.**, *see* Peng, X., *TCSII Feb. 2020* 310-314
- Guo, S.**, *see* Zhao, Z., *TCSII May 2020* 931-935
- Guo, S.**, *see* Zhang, Z., *TCSII Dec. 2020* 3342-3346
- Guo, S.**, *see* Bi, X., *TCSII Dec. 2020* 2948-2952
- Guo, S.**, *see* Bi, X., *TCSII Oct. 2020* 1780-1784
- Guo, X.**, *see* Huang, B., *TCSII Oct. 2020* 1790-1794
- Guo, Y.**, *see* Ngo, T., *TCSII April 2020* 770-774
- Guo, Y.**, *see* Zou, L., *TCSII Jan. 2020* 187-191
- Guo, Y.**, *see* Shi, Y., *TCSII Oct. 2020* 1944-1948
- Gupta, N.**, Ghosh, N.N., Kumar, D., and Dutta, A., A Sub-2 dB NF, 0.3-3 GHz Packaged Bandwidth Extended Wideband Receiver Front-End; *TCSII March 2020* 491-495
- Gupta, R.**, Hashmi, M.S., and Maktoomi, M.H., An Enhanced Frequency Ratio Dual Band Balun Augmented With High Impedance Transformation; *TCSII Dec. 2020* 2973-2977
- Gurbuz, Y.**, *see* Davulcu, M., *TCSII April 2020* 665-669
- Gurbuz, Y.**, *see* Kalyoncu, I., *TCSII Dec. 2020* 2938-2942
- Gurbuz, Y.**, *see* Ustundag, B., *TCSII Nov. 2020* 2417-2421
- Gurbuz, Y.**, *see* Caliskan, C., *TCSII Oct. 2020* 1844-1848
- Gurrola-Navarro, M.A.**, *see* Garcia-Moreno, S., *TCSII Nov. 2020* 2727-2731
- Gyanendra**, Raman, B., and Kaushik, B.K., Novel Bit-Reordering Circuit for Continuous-Flow Parallel FFT Architectures; *TCSII Dec. 2020* 3392-3396

**H**

- Ha, Y.**, and Bonizzoni, E., Guest Editorial Special Issue on the 2020 IEEE International Symposium on Circuits and Systems; *TCSII May 2020* 805
- Ha, Y.**, *see* Sun, H., *TCSII Sept. 2020* 1644-1648
- Ha, Y.**, and Bonizzoni, E., Guest Editorial Special Issue on the 2020 ISICAS: A CAS Journal Track Symposium; *TCSII Sept. 2020* 1493
- Haddad, F.**, *see* Ali, E., *TCSII Dec. 2020* 2903-2907
- Haghiri, S.**, and Ahmadi, A., A Novel Digital Realization of AdEx Neuron Model; *TCSII Aug. 2020* 1444-1448
- Haider, M.F.**, You, F., Qi, T., Li, C., and Ahmad, S., Co-Design of Second Harmonic-Tuned Power Amplifier and a Parallel-Coupled Stub Loaded Resonator; *TCSII Dec. 2020* 3013-3017
- Haider, M.F.**, *see* Li, C., *TCSII Oct. 2020* 1730-1734
- Han, D.**, *see* Kim, Y., *TCSII May 2020* 846-850
- Han, D.**, *see* Park, G., *TCSII Sept. 2020* 1594-1598
- Han, J.**, *see* Li, Y., *TCSII Sept. 2020* 1619-1623
- Han, J.**, *see* Xia, X., *TCSII Dec. 2020* 2873-2877
- Han, K.**, *see* Kim, H., *TCSII Nov. 2020* 2427-2431
- Han, M.**, *see* Geng, Z., *TCSII Dec. 2020* 3222-3226
- Han, Q.**, *see* Gong, P., *TCSII Oct. 2020* 2054-2058
- Han, X.**, *see* Zhao, D., *TCSII Nov. 2020* 2732-2736
- Han, Z.**, *see* Huang, J., *TCSII Nov. 2020* 2542-2546
- Hangmann, C.**, *see* Ali, E., *TCSII Dec. 2020* 2903-2907
- Hao, C.**, *see* Wang, L., *TCSII April 2020* 785-789
- Hao, H.**, *see* Xiang, Y., *TCSII Nov. 2020* 2717-2721
- Hao, Y.**, Wang, Q., and Duan, Z., Some Necessary and Sufficient Conditions on the Controllability of Star Networks; *TCSII Nov. 2020* 2582-2586
- Hara-Azumi, Y.**, *see* Takeuchi, N., *TCSII Oct. 2020* 2139-2143
- Harb, H.**, and Chavet, C., Fully Parallel Circular-Shift Rotation Network for Communication Standards; *TCSII Dec. 2020* 3412-3416
- Harshavarthini, S.**, Selvi, S., Sakthivel, R., and Almakhles, D.J., Non-Fragile Fault Alarm-Based Hybrid Control for the Attitude Quadrotor Model With Actuator Saturation; *TCSII Nov. 2020* 2647-2651
- Hasan, M.**, Hosseini, M.J., Hossain, M., Zaman, H.U., and Islam, S., Design of a Scalable Low-Power 1-Bit Hybrid Full Adder for Fast Computation; *TCSII Aug. 2020* 1464-1468
- Haselmayr, W.**, *see* Lunglmayr, M., *TCSII March 2020* 580-584
- Haselmayr, W.**, Wiesinger, D., and Lunglmayr, M., High-Accuracy and Fault Tolerant Stochastic Inner Product Design; *TCSII March 2020* 541-545
- Hashemian, R.**, UaL Decomposition, an Alternative to the LU Factorization of MNA Matrices; *TCSII April 2020* 630-634
- Hashmi, M.S.**, *see* Nalla Anandakumar, N., *TCSII March 2020* 570-574
- Hashmi, M.S.**, *see* Gupta, R., *TCSII Dec. 2020* 2973-2977
- Hashmi, R.M.**, *see* Moloudian, G., *TCSII Dec. 2020* 2953-2957
- Hassan, A.**, Amer, M., Savaria, Y., and Sawan, M., Fully Integrated Digital GaN-Based LSK Demodulator for High-Temperature Applications; *TCSII Sept. 2020* 1579-1583
- Hayati, M.**, *see* Zarghami, S., *TCSII Nov. 2020* 2407-2411
- He, F.**, *see* Zhang, T., *TCSII Nov. 2020* 2772-2776
- He, G.**, *see* Liang, W., *TCSII Nov. 2020* 2507-2511
- He, G.**, *see* Xiong, H., *TCSII Nov. 2020* 2667-2671
- He, S.**, *see* Li, C., *TCSII Oct. 2020* 1730-1734
- He, X.**, Ahn, C.K., and Shi, P., Periodically Intermittent Stabilization of Neural Networks Based on Discrete-Time Observations; *TCSII Dec. 2020* 3497-3501

- He, Y.,** see Zhang, C., *TCSII Oct. 2020* 2099-2103
- Hedayat, C.,** see Ali, E., *TCSII Dec. 2020* 2903-2907
- Hei, Y.,** see You, H., *TCSII Dec. 2020* 3357-3361
- Heng, C.,** see Tao, J., *TCSII June 2020* 1004-1008
- Heng, C.,** see Pan, J., *TCSII Sept. 2020* 1624-1628
- Henkel, J.,** see Van Santen, V.M., *TCSII Oct. 2020* 1949-1953
- Henker, S.,** see Hopfner, S., *TCSII Oct. 2020* 2159-2163
- Hensel, U.,** see Hopfner, S., *TCSII Oct. 2020* 2159-2163
- Henson, B.,** see Shen, L., *TCSII Jan. 2020* 192-196
- Heo, H.,** see Kim, H., *TCSII Nov. 2020* 2427-2431
- Heo, S.,** see Choi, E., *TCSII July 2020* 1224-1228
- Herceg, M.,** see Dawa, M., *TCSII Oct. 2020* 1859-1863
- Herkle, A.,** see Mandry, H., *TCSII Dec. 2020* 3372-3376
- Heydari, P.,** see Karimi-Bidhendi, A., *TCSII Dec. 2020* 2868-2872
- Hikihara, T.,** see Yoshida, N., *TCSII Dec. 2020* 3088-3092
- Hikihara, T.,** see Katayama, S., *TCSII Dec. 2020* 3242-3246
- Ho, D.W.C.,** see Zhu, S., *TCSII April 2020* 695-699
- Ho, D.W.C.,** see Li, F., *TCSII Oct. 2020* 1989-1993
- Ho, S.,** see Zhu, H., *TCSII July 2020* 1189-1193
- Hocker, T.,** see Hopfner, S., *TCSII Oct. 2020* 2159-2163
- Hofmann, K.,** see Angeli, N., *TCSII Nov. 2020* 2387-2391
- Holambe, R.S.,** see Nagare, M.B., *TCSII April 2020* 790-794
- Homma, N.,** see Sawataishi, S., *TCSII Sept. 2020* 1604-1608
- Honarpasvar, M.,** de la Rosa, J.M., and Sawan, M., A 10-MHz BW 77.3-dB SNDR 640-MS/s GRO-Based CT MASH  $\Delta\Sigma$  Modulator; *TCSII Sept. 2020* 1519-1523
- Hong, J.,** see Park, J., *TCSII Sept. 2020* 1544-1548
- Hong, J.,** see Ahn, C., *TCSII Dec. 2020* 2863-2867
- Hong, Q.,** see Lin, H., *TCSII Dec. 2020* 3472-3476
- Hong, S.,** see Jung, J., *TCSII Dec. 2020* 3272-3276
- Hong, S.,** see Na, J., *TCSII Nov. 2020* 2312-2316
- Hong, W.,** see Li, H., *TCSII Oct. 2020* 1839-1843
- Hong, X.,** see Gao, Z., *TCSII June 2020* 1134-1138
- Hong, X.,** see Gao, Z., *TCSII Oct. 2020* 2179-2183
- Hopfner, S.,** Eisenreich, H., Walter, D., Scharfe, A., Oefelein, A., Schraut, F., Schreiter, J., Riedel, T., Bauer, H., Niebsch, R., Scherzer, S., Hocker, T., Scholze, S., Henker, S., Nossmann, M., Hensel, U., and Prengel, H., Adaptive Body Bias Aware Implementation for Ultra-Low-Voltage Designs in 22FDX Technology; *TCSII Oct. 2020* 2159-2163
- Horta, N.,** see Povoa, R., *TCSII Feb. 2020* 230-234
- Hossain, M.,** see Hasan, M., *TCSII Aug. 2020* 1464-1468
- Hosseini, M.J.,** see Hasan, M., *TCSII Aug. 2020* 1464-1468
- Hou, D.,** see Li, H., *TCSII Oct. 2020* 1839-1843
- Hou, L.,** see Gao, Z., *TCSII Oct. 2020* 2179-2183
- Hou, X.,** see Breier, J., *TCSII Dec. 2020* 3322-3326
- Hou, Y.,** see Gao, S., *TCSII Feb. 2020* 325-329
- Hou, Z.,** see Bu, X., *TCSII Oct. 2020* 2029-2033
- Hsieh, H.,** Nguyen, A.D., and Lai, J., Low Noise ZVS Switch Sharing Multi-channel Switching Amplifier for Magnetic Bearing Applications; *TCSII Oct. 2020* 1999-2003
- Hsieh, J.,** and Lin, K., A 0.6-V Low-Power Variable-Gain LNA in 0.18- $\mu\text{m}$  CMOS Technology; *TCSII Jan. 2020* 23-26
- Hu, B.,** Event-Based Adaptive Power Control in Vehicular Networked Systems With State-Dependent Bursty Fading Channels; *TCSII March 2020* 506-510
- Hu, B.,** see Wu, D., *TCSII Aug. 2020* 1404-1408
- Hu, B.,** see Zhan, W., *TCSII Dec. 2020* 2858-2862
- Hu, C.,** see Yan, C., *TCSII March 2020* 455-459
- Hu, H.,** see Fang, X., *TCSII March 2020* 511-515
- Hu, H.,** Zhou, Q., Wen, G., Yu, W., and Kong, W., Robust Distributed Stabilization of Heterogeneous Agents Over Cooperation–Competition Networks; *TCSII Aug. 2020* 1419-1423
- Hu, J.,** Zhang, Z., and Pan, Q., A 15-Gb/s 0.0037-mm<sup>2</sup> 0.019-pJ/Bit Full-Rate Programmable Multi-Pattern Pseudo-Random Binary Sequence Generator; *TCSII Sept. 2020* 1499-1503
- Hu, P.,** see Ding, L., *TCSII Dec. 2020* 3202-3206
- Hu, Q.,** see Eshraghian, J.K., *TCSII May 2020* 956-960
- Hu, Q.,** see Zhou, G., *TCSII Dec. 2020* 3197-3201
- Hu, S.,** see Liu, H., *TCSII Oct. 2020* 1760-1764
- Hu, W.,** see Chen, X., *TCSII Oct. 2020* 2254-2258
- Hu, X.,** see Yao, Z., *TCSII Dec. 2020* 3257-3261
- Hu, Y.,** see Wu, F., *TCSII Feb. 2020* 400-404
- Hua, T.,** see Liu, L., *TCSII March 2020* 440-444
- Huang, B.,** Fan, J., Xu, X., and Guo, X., Displaying-Synchronous Open-Loop External Compensation for Active-Matrix Light Emitting Diode Displays; *TCSII Oct. 2020* 1790-1794
- Huang, C.,** Liu, F., Wang, Q., and Huo, Z., A Small Ripple Program Voltage Generator Without High-Voltage Regulator for 3D NAND Flash; *TCSII June 2020* 1049-1053
- Huang, C.,** see Liu, L., *TCSII Oct. 2020* 1680-1684
- Huang, D.,** Li, H., and Li, X., Formation of Generic UAVs-USVs System Under Distributed Model Predictive Control Scheme; *TCSII Dec. 2020* 3123-3127
- Huang, H.,** see Liu, M., *TCSII Feb. 2020* 270-274
- Huang, J.,** Ma, X., Che, H., and Han, Z., Further Result on Interval Observer Design for Discrete-Time Switched Systems and Application to Circuit Systems; *TCSII Nov. 2020* 2542-2546
- Huang, J.K.,** see Chang, R.C., *TCSII Oct. 2020* 2069-2073
- Huang, M.,** see Li, X., *TCSII Feb. 2020* 360-364
- Huang, M.,** see Zhao, J., *TCSII Nov. 2020* 2752-2756
- Huang, N.,** see Qian, J., *TCSII Dec. 2020* 3577-3581
- Huang, Q.,** Zhan, C., Wang, L., Li, Z., and Pan, Q., A -40 °C to 120 °C, 169 ppm/°C Nano-Ampere CMOS Current Reference; *TCSII Sept. 2020* 1494-1498
- Huang, R.,** see Chang, X., *TCSII April 2020* 730-734
- Huang, R.,** see Zhang, Z., *TCSII Dec. 2020* 3342-3346
- Huang, R.,** see Zhang, Y., *TCSII Dec. 2020* 3387-3391
- Huang, S.,** see Lee, T., *TCSII Nov. 2020* 2707-2711
- Huang, T.,** see Gong, Y., *TCSII Jan. 2020* 82-86
- Huang, X.,** see Song, Z., *TCSII Dec. 2020* 3152-3156
- Huang, X.,** see Yao, L., *TCSII Dec. 2020* 3217-3221
- Huang, X.,** see Yang, Z., *TCSII Nov. 2020* 2377-2381
- Huang, Y.,** see Wang, P., *TCSII Jan. 2020* 52-56
- Huang, Y.,** Zhu, F., Jia, G., and Zhang, Y., A Slide Window Variational Adaptive Kalman Filter; *TCSII Dec. 2020* 3552-3556
- Huang, Y.,** see Zhong, Z., *TCSII Dec. 2020* 3018-3022
- Huang, Y.,** see Wang, Z., *TCSII Oct. 2020* 2259-2263
- Huang, Z.,** see Ni, T., *TCSII Nov. 2020* 2657-2661
- Hueber, G.,** see Dao, T., *TCSII Dec. 2020* 3048-3052
- Huemer, M.,** see Gebhard, A., *TCSII July 2020* 1229-1233
- Huemer, M.,** see Lunglmayr, M., *TCSII Dec. 2020* 3507-3511
- Hui, P.,** see Gao, Z., *TCSII Dec. 2020* 3447-3451
- Hung, C.H.,** Zheng, Y., Guo, J., and Leung, K.N., Bandwidth and Slew Rate Enhanced OTA With Sustainable Dynamic Bias; *TCSII April 2020* 635-639
- Huo, Z.,** see Huang, C., *TCSII June 2020* 1049-1053
- Huong, D.C.,** Huynh, V.T., and Trinh, H., Dynamic Event-Triggered State Observers for a Class of Nonlinear Systems With Time Delays and Disturbances; *TCSII Dec. 2020* 3457-3461
- Hur, J.,** Lee, M., Kim, D., and Park, P., A Variable Step-Size Robust Saturation Algorithm Against Impulsive Noises; *TCSII Oct. 2020* 2279-2283
- Hussain, M.A.,** see Tsai, T., *TCSII Dec. 2020* 3317-3321
- Hussien, F.,** see Mamdouh, A., *TCSII Jan. 2020* 9-13
- Hussien, F.,** see Gadel-Karim, A.G., *TCSII Dec. 2020* 2908-2912
- Hyunh, V.T.,** Arogbonlo, A., Trinh, H., and Oo, A.M.T., Design of Observers for Positive Systems With Delayed Input and Output Information; *TCSII Jan. 2020* 107-111
- Hyunh, V.T.,** see Huong, D.C., *TCSII Dec. 2020* 3457-3461
- Hwang, J.,** see Do, H., *TCSII Sept. 2020* 1569-1573
- Hwang, J.,** Chu, S., Jeong, G., Youn, Y., Kim, W., Kim, T., and Jeong, D., A Programmable On-Chip Reference Oscillator With Slow-Wave Coplanar Waveguide in 14-nm FinFET CMOS; *TCSII Oct. 2020* 1834-1838

**I**

- Ignjatovic, A.**, *see* Wijenayake, C., *TCSII Jan. 2020* 172-176  
**Ilichenko, M.**, *see* Zakharov, A., *TCSII April 2020* 660-664  
**Ilichenko, M.**, *see* Zakharov, A., *TCSII Oct. 2020* 1874-1878  
**Im, D.**, *see* Park, G., *TCSII Sept. 2020* 1594-1598  
**Imran, M.**, *see* Toor, H.I., *TCSII Feb. 2020* 345-349  
**Iqbal, A.**, Tiang, J.J., Lee, C.K., Mallat, N.K., and Wong, S.W., Dual-Band Half Mode Substrate Integrated Waveguide Filter With Independently Tunable Bands; *TCSII Feb. 2020* 285-289  
**Iqbal, A.**, Ahmad, A.W., Smida, A., and Mallat, N.K., Tunable SIW Bandpass Filters With Improved Upper Stopband Performance; *TCSII July 2020* 1194-1198  
**Iqbal, A.**, Selmi, M.A., Abdulrazak, L.F., Saraereh, O.A., Mallat, N.K., and Smida, A., A Compact Substrate Integrated Waveguide Cavity-Backed Self-Triplexing Antenna; *TCSII Nov. 2020* 2362-2366  
**Islam, S.**, *see* Hasan, M., *TCSII Aug. 2020* 1464-1468  
**Ismail, A.**, and Sandell, M., A Novel Dynamic Detection for Flash Memory; *TCSII March 2020* 600-604  
**Issakov, V.**, *see* Aguilar, E., *TCSII May 2020* 906-910  
**Iu, H.H.**, *see* Lai, Q., *TCSII June 2020* 1129-1133  
**Iu, H.H.**, *see* Xu, G., *TCSII Dec. 2020* 3452-3456  
**Iu, H.H.C.**, *see* Gong, H., *TCSII June 2020* 1074-1078  
**Iu, H.H.C.**, *see* Eshraghian, J.K., *TCSII May 2020* 956-960  
**Iu, H.H.C.**, *see* Yu, D., *TCSII July 2020* 1334-1338  
**Iu, H.H.C.**, *see* Wang, L., *TCSII Oct. 2020* 2084-2088

**J**

- Jabavathi, J.D.**, and Sait, H., Design of a Single Chip PWM Driver Circuit for Inverter Welding Power Source; *TCSII April 2020* 720-724  
**Jacobsson, S.**, *see* Castaneda, O., *TCSII May 2020* 891-895  
**Jafari, E.**, and Binazadeh, T., Robust Output Regulation in Discrete-Time Singular Systems With Actuator Saturation and Uncertainties; *TCSII Feb. 2020* 340-344  
**Jagabar Sathik, M.**, Sandeep, N., Almakhles, D., and Blaabjerg, F., Cross Connected Compact Switched-Capacitor Multilevel Inverter (C<sup>3</sup>-SCMLI) Topology With Reduced Switch Count; *TCSII Dec. 2020* 3287-3291  
**Jain, P.**, *see* Garg, P., *TCSII April 2020* 675-679  
**Jain, S.**, *see* Sonti, V., *TCSII Dec. 2020* 3247-3251  
**Jaiswal, A.**, Andrawis, R., Agrawal, A., and Roy, K., Functional Read Enabling In-Memory Computations in 1Transistor—1Resistor Memory Arrays; *TCSII Dec. 2020* 3347-3351  
**Jalali, M.**, *see* Kabirpour, S., *TCSII Feb. 2020* 250-254  
**Jalali, M.**, *see* Kari Dolatabadi, A., *TCSII Oct. 2020* 1740-1744  
**Jalili, M.**, *see* Fang, X., *TCSII March 2020* 511-515  
**Jana, B.**, Roy, A.S., Saha, G., and Banerjee, S., A Low-Error, Memory-Based Fast Binary Logarithmic Converter; *TCSII Oct. 2020* 2129-2133  
**Jang, Y.**, *see* Lee, P., *TCSII Nov. 2020* 2672-2676  
**Javid-Hosseini, S.**, *see* Taleb-Alhagh Nia, H., *TCSII Nov. 2020* 2372-2376  
**Jaya Satyanarayana, Y.**, *see* Siddharth, R.K., *TCSII Dec. 2020* 2918-2922  
**Jayaraj, A.**, Nitin Gujarathi, N., Venkatesh, I., and Sanyal, A., 0.6–1.2 V, 0.22 pJ/bit True Random Number Generator Based on SAR ADC; *TCSII Oct. 2020* 1765-1769  
**Je, M.**, *see* Lee, T., *TCSII May 2020* 876-880  
**Je, M.**, *see* Jeon, H., *TCSII Sept. 2020* 1539-1543  
**Jena, D.**, *see* Reddivari, R., *TCSII Oct. 2020* 2009-2013  
**Jeon, H.**, *see* Lee, D., *TCSII Jan. 2020* 67-71  
**Jeon, H.**, Bang, J., and Je, M., A CMRR Enhancement Circuit Employing G<sub>m</sub>-Controllable Output Stages for Capacitively Coupled Instrumentation Amplifiers; *TCSII Sept. 2020* 1539-1543  
**Jeong, D.**, *see* Do, H., *TCSII Sept. 2020* 1569-1573  
**Jeong, D.**, *see* Hwang, J., *TCSII Oct. 2020* 1834-1838  
**Jeong, D.**, *see* Lee, S., *TCSII Oct. 2020* 1735-1739  
**Jeong, D.**, *see* Shin, S., *TCSII Oct. 2020* 1814-1818  
**Jeong, D.**, *see* Oh, J., *TCSII Oct. 2020* 2174-2178  
**Jeong, G.**, *see* Hwang, J., *TCSII Oct. 2020* 1834-1838  
**Jeong, Y.**, Park, J., Kim, M., Chae, J., Yun, J., Lee, H., and Kim, S., A 9Gb/s Wide Output Range Transmitter With 2D Binary-Segmented Driver and

- Dual-Loop Calibration for Intra-Panel Interfaces; *TCSII Sept. 2020* 1589-1593  
**Jha, C.K.**, Ved, S.N., Anand, I., and Mekie, J., Energy and Error Analysis Framework for Approximate Computing in Mobile Applications; *TCSII Feb. 2020* 385-389  
**Jha, S.K.**, *see* Pannu, J.S., *TCSII May 2020* 961-965  
**Ji, H.**, *see* Shen, Y., *TCSII May 2020* 901-905  
**Ji, J.**, *see* Liu, J., *TCSII Dec. 2020* 3292-3296  
**Ji, Y.**, *see* Park, B., *TCSII Sept. 2020* 1549-1553  
**Ji, Z.**, Wang, Q., Li, D., and Sun, Y., Fast DC-Bias Current Control of Dual Active Bridge Converters With Feedforward Compensation; *TCSII Nov. 2020* 2587-2591  
**Jia, B.**, and Xin, M., Data-Driven Enhanced Nonlinear Gaussian Filter; *TCSII June 2020* 1144-1148  
**Jia, G.**, *see* Huang, Y., *TCSII Dec. 2020* 3552-3556  
**Jia, G.**, *see* Wang, Z., *TCSII Oct. 2020* 2259-2263  
**Jia, H.**, *see* Chen, Z., *TCSII Sept. 2020* 1574-1578  
**Jia, Q.**, *see* Sun, W., *TCSII July 2020* 1274-1278  
**Jia, X.**, *see* Liu, W., *TCSII July 2020* 1249-1253  
**Jia, X.**, *see* Fang, S., *TCSII Nov. 2020* 2482-2486  
**Jia, Y.**, *see* Guler, U., *TCSII April 2020* 615-619  
**Jiang, A.**, Kwan, H.K., Tang, Y., and Zhu, Y., Sparse FIR Filter Design via Partial 1-Norm Optimization; *TCSII Aug. 2020* 1482-1486  
**Jiang, B.**, *see* Xie, M., *TCSII Dec. 2020* 3232-3236  
**Jiang, D.**, Wu, Y., and Demosthenous, A., Hand Gesture Recognition Using Three-Dimensional Electrical Impedance Tomography; *TCSII Sept. 2020* 1554-1558  
**Jiang, J.**, *see* Zhu, W., *TCSII Aug. 2020* 1454-1458  
**Jiang, J.**, *see* Chen, Z., *TCSII Dec. 2020* 3537-3541  
**Jiang, S.**, Zhang, P.W., Lau, F.C.M., and Sham, C., An Ultimate-Shannon-Limit-Approaching Gbps Throughput Encoder/Decoder System; *TCSII Oct. 2020* 2169-2173  
**Jiang, T.**, *see* Wang, Z., *TCSII Dec. 2020* 3592-3596  
**Jiang, W.**, *see* Chincholkar, S.H., *TCSII Jan. 2020* 92-96  
**Jiang, W.**, *see* Sun, H., *TCSII Sept. 2020* 1644-1648  
**Jiang, W.**, *see* Chan, C., *TCSII Oct. 2020* 2014-2018  
**Jiang, X.**, *see* Shi, Y., *TCSII Dec. 2020* 3068-3072  
**Jiang, Y.**, *see* Rong, C., *TCSII Oct. 2020* 1755-1759  
**Jiang, Y.**, and Zhang, B., Comparative Study of Riemann–Liouville and Caputo Derivative Definitions in Time-Domain Analysis of Fractional-Order Capacitor; *TCSII Oct. 2020* 2184-2188  
**Jiang, Z.**, Chen, X., Dong, B., Zhang, J., Gong, J., Yan, H., Zhang, Z., Ma, J., and Yu, P.S., Trajectory-Based Community Detection; *TCSII June 2020* 1139-1143  
**Jiang, Z.**, Li, J., Ma, J., and Yu, P.S., Similarity-Based and Sybil Attack Defended Community Detection for Social Networks; *TCSII Dec. 2020* 3487-3491  
**Jiang, Z.**, Chen, X., Ma, J., Zhang, Y., and Gu, J., Traffic Dynamics Evaluation for the Future NFV Deployment; *TCSII Oct. 2020* 2214-2218  
**Jimenez-Fernandez, C.J.**, *see* Mora-Gutierrez, J.M., *TCSII Nov. 2020* 2682-2686  
**Jin, J.**, *see* Yan, C., *TCSII March 2020* 455-459  
**Jin, J.**, *see* Liu, L., *TCSII Dec. 2020* 2848-2852  
**Jin, J.**, *see* Wang, X., *TCSII Dec. 2020* 2898-2902  
**Jin, S.**, *see* Xiong, X., *TCSII Nov. 2020* 2607-2611  
**Jo, D.**, Sung, B., Seo, M., Kim, W., and Ryu, S., A 40-nm CMOS 7-b 32-GS/s SAR ADC With Background Channel Mismatch Calibration; *TCSII April 2020* 610-614  
**Jogi, S.**, *see* Kokil, P., *TCSII March 2020* 595-599  
**Johansson, H.**, *see* Liu, X., *TCSII March 2020* 585-589  
**Julian, P.**, *see* Villemur, M., *TCSII July 2020* 1324-1328  
**Jun, J.**, *see* Song, J., *TCSII July 2020* 1184-1188  
**Jung, H.**, *see* Shin, S., *TCSII Oct. 2020* 1814-1818  
**Jung, J.**, Hong, S., and Kwon, O., A Fast Transient Response Hybrid LDO With Highly Accurate DC Voltage Using Countable Bidirectional Binary Search and Soft Swap Switching; *TCSII Dec. 2020* 3272-3276

**K**

- Kabir, E.,** *see* Monajati, M., *TCSII April 2020* 750-754
- Kabirpour, S.,** and Jalali, M., A Power-Delay and Area Efficient Voltage Level Shifter Based on a Reflected-Output Wilson Current Mirror Level Shifter; *TCSII Feb. 2020* 250-254
- Kaddoum, G.,** *see* Dawa, M., *TCSII Oct. 2020* 1859-1863
- Kalra, S.,** and Nabi, M., TPWL Simulation of Large Nonlinear Circuits Using Subspace Angle-Based Adaptive Sampling; *TCSII March 2020* 575-579
- Kalyoncu, I.,** Burak, A., and Gurbuz, Y., A K-Band 5G Phased Array RX Channel With 3.3-dB NF and 28.5-dB Gain in 130-nm SiGe; *TCSII Dec. 2020* 2938-2942
- Kamal, M.,** *see* Ebrahimi-Azandaryani, F., *TCSII Jan. 2020* 137-141
- Kamal, M.,** *see* Vahdat, S., *TCSII Dec. 2020* 3442-3446
- Kamal, S.,** *see* Goyal, J.K., *TCSII Feb. 2020* 295-299
- Kamal, S.,** *see* Soni, S., *TCSII July 2020* 1259-1263
- Kamal, S.,** *see* Singh, B., *TCSII Dec. 2020* 3282-3286
- Kamal, S.,** *see* Sachan, A., *TCSII Nov. 2020* 2547-2551
- Kamal, S.,** *see* Xiong, X., *TCSII Nov. 2020* 2607-2611
- Kamdem Kuate, P.D.,** *see* Lai, Q., *TCSII June 2020* 1129-1133
- Kanaujia, B.K.,** *see* Zaidi, A.M., *TCSII Feb. 2020* 275-279
- Kanaujia, B.K.,** *see* Zaidi, A.M., *TCSII Dec. 2020* 2998-3002
- Kandanvli, V.K.R.,** and Kar, H., Global Asymptotic Stability of 2-D Digital Filters With a Saturation Operator on the State-Space; *TCSII Nov. 2020* 2742-2746
- Kandis, H.,** *see* Ustundag, B., *TCSII Nov. 2020* 2417-2421
- Kang, D.M.,** *see* Lee, H.S., *TCSII Oct. 2020* 1710-1714
- Kang, H.,** *see* Woo, K., *TCSII Oct. 2020* 2119-2123
- Kang, J.,** *see* Son, K., *TCSII June 2020* 974-978
- Kang, S.,** *see* Lee, S., *TCSII Dec. 2020* 3432-3436
- Kang, Y.,** *see* Lv, W., *TCSII Dec. 2020* 3567-3571
- Kang, Z.,** *see* Zhao, Z., *TCSII May 2020* 931-935
- Kapur, R.,** *see* Karmakar, R., *TCSII March 2020* 546-550
- Kar, H.,** *see* Kokil, P., *TCSII March 2020* 595-599
- Kar, H.,** *see* Kandanvli, V.K.R., *TCSII Nov. 2020* 2742-2746
- Kar, I.N.,** *see* Rayguru, M.M., *TCSII Jan. 2020* 122-126
- Kar, M.,** *see* Chekuri, V.C.K., *TCSII Dec. 2020* 3083-3087
- Kari Dolatabadi, A.,** and Jalali, M., Power and Area Efficient Transimpedance Amplifier Driving Large Capacitive Loads Based on Modified RGC Structure; *TCSII Oct. 2020* 1740-1744
- Karimi, H.R.,** *see* Li, Y., *TCSII Dec. 2020* 3137-3141
- Karimi-Bidhendi, A.,** and Heydari, P., A Study of Multi-Phase Injection on Accelerating Crystal Oscillator Start-Up; *TCSII Dec. 2020* 2868-2872
- Karmakar, R.,** Chattopadhyay, S., and Kapur, R., A Scan Obfuscation Guided Design-for-Security Approach for Sequential Circuits; *TCSII March 2020* 546-550
- Katayama, S.,** and Hikihara, T., Power Packet Router With Power and Signal Switches for a Single Power Packet; *TCSII Dec. 2020* 3242-3246
- Kaushik, B.K.,** *see* Gyanendra, .., *TCSII Dec. 2020* 3392-3396
- Kaynak, M.,** *see* Ustundag, B., *TCSII Nov. 2020* 2417-2421
- Kaynak, M.,** *see* Caliskan, C., *TCSII Oct. 2020* 1844-1848
- Kazimierczuk, M.K.,** *see* Zarghami, S., *TCSII Nov. 2020* 2407-2411
- Keller, G.,** *see* Wijenayake, C., *TCSII Jan. 2020* 172-176
- Kello, J.,** Roch, M.R., Masera, G., and Martina, M., Low-Complexity Reconfigurable DCT-V Architecture; *TCSII Dec. 2020* 3417-3421
- Kennedy, M.P.,** *see* Mazzaro, V., *TCSII May 2020* 821-825
- Kennedy, M.P.,** *see* Mai, D., *TCSII Dec. 2020* 2968-2972
- Keren, O.,** *see* Neumeier, Y., *TCSII June 2020* 1119-1123
- Keypour, R.,** Adineh, B., Khooban, M.H., and Blaabjerg, F., A New Population-Based Optimization Method for Online Minimization of Voltage Harmonics in Islanded Microgrids; *TCSII June 2020* 1084-1088
- Khafaji, M.M.,** *see* Rehman, S.U., *TCSII May 2020* 806-810
- Khairallah, M.,** *see* Breier, J., *TCSII Dec. 2020* 3322-3326
- Khalid, A.,** *see* Zhang, Y., *TCSII May 2020* 886-890
- Khooban, M.,** *see* Rafiei, M., *TCSII Feb. 2020* 320-324
- Khooban, M.,** *see* Tashakor, N., *TCSII Jan. 2020* 132-136
- Khooban, M.,** *see* Mosayebi, M., *TCSII Dec. 2020* 3108-3112
- Khooban, M.H.,** *see* Keypour, R., *TCSII June 2020* 1084-1088
- Khooban, M.H.,** and Gheisarnejad, M., Islanded Microgrid Frequency Regulations Concerning the Integration of Tidal Power Units: Real-Time Implementation; *TCSII June 2020* 1099-1103
- Khooban, M.H.,** *see* Farsizadeh, H., *TCSII June 2020* 1104-1108
- Khooban, M.H.,** *see* Mosayebi, M., *TCSII Nov. 2020* 2612-2616
- Khursheed, S.,** *see* Reddy, R.P., *TCSII Nov. 2020* 2677-2681
- Kim, B.,** *see* Pal, S., *TCSII Dec. 2020* 3307-3311
- Kikuwe, R.,** *see* Xiong, X., *TCSII Nov. 2020* 2607-2611
- Kim, B.,** *see* Lee, D., *TCSII Jan. 2020* 67-71
- Kim, B.,** *see* Ahn, C., *TCSII Dec. 2020* 2863-2867
- Kim, B.,** *see* Cho, S., *TCSII Nov. 2020* 2392-2396
- Kim, C.,** *see* Kim, Y., *TCSII May 2020* 846-850
- Kim, C.,** *see* Song, J., *TCSII July 2020* 1184-1188
- Kim, C.,** *see* Yoon, Y., *TCSII Nov. 2020* 2342-2346
- Kim, C.,** *see* Kim, H., *TCSII Nov. 2020* 2427-2431
- Kim, C.,** *see* Yoon, Y., *TCSII Oct. 2020* 1775-1779
- Kim, C.,** *see* Lee, J., *TCSII Oct. 2020* 1829-1833
- Kim, D.,** *see* Hur, J., *TCSII Oct. 2020* 2279-2283
- Kim, H.,** *see* Choi, E., *TCSII July 2020* 1224-1228
- Kim, H.,** Han, K., Kim, J., You, D., Heo, H., Kwon, Y., Kim, C., Lee, H., and Ko, H., Chopper-Stabilized Low-Noise Multipath Operational Amplifier With Dual Ripple Rejection Loops; *TCSII Nov. 2020* 2427-2431
- Kim, H.,** *see* Ali Shah, S.A., *TCSII Oct. 2020* 2049-2053
- Kim, J.,** *see* Lee, H., *TCSII Dec. 2020* 2993-2997
- Kim, J.,** *see* Kim, H., *TCSII Nov. 2020* 2427-2431
- Kim, J.J.,** *see* Oh, B., *TCSII Oct. 2020* 1685-1689
- Kim, K.,** and Yoo, C., Time-Domain Operational Amplifier With Voltage-Controlled Oscillator and Its Application to Active-RC Analog Filter; *TCSII March 2020* 415-419
- Kim, K.S.,** *see* Lee, J., *TCSII Oct. 2020* 1829-1833
- Kim, L.,** *see* Lee, D., *TCSII Jan. 2020* 67-71
- Kim, L.,** *see* Choi, Y., *TCSII Dec. 2020* 3337-3341
- Kim, M.,** *see* Chae, J., *TCSII Feb. 2020* 220-224
- Kim, M.,** *see* Kwon, D., *TCSII March 2020* 430-434
- Kim, M.,** *see* Jeong, Y., *TCSII Sept. 2020* 1589-1593
- Kim, S.,** and Rhee, C., A Wide Dynamic Range Multi-Mode Band-Pass Continuous-Time Delta-Sigma Modulator Employing Single-Opamp Resonator With Positive Resistor-Feedback; *TCSII Feb. 2020* 235-239
- Kim, S.,** *see* Kim, S., *TCSII Feb. 2020* 235-239
- Kim, S.,** *see* Chae, J., *TCSII Feb. 2020* 220-224
- Kim, S.,** *see* Lee, C.R., *TCSII March 2020* 521-525
- Kim, S.,** *see* Kwon, D., *TCSII March 2020* 430-434
- Kim, S.,** *see* Choi, E., *TCSII July 2020* 1224-1228
- Kim, S.,** *see* Lee, C.R., *TCSII July 2020* 1309-1313
- Kim, S.,** *see* Jeong, Y., *TCSII Sept. 2020* 1589-1593
- Kim, S.,** *see* Yang, Y., *TCSII Sept. 2020* 1509-1513
- Kim, S.,** *see* Lee, H., *TCSII Dec. 2020* 3597-3601
- Kim, S.,** *see* Lee, S., *TCSII Oct. 2020* 1735-1739
- Kim, S.,** *see* Shin, S., *TCSII Oct. 2020* 1814-1818
- Kim, T.,** *see* Hwang, J., *TCSII Oct. 2020* 1834-1838
- Kim, T.T.,** *see* Do, A.T., *TCSII Oct. 2020* 2154-2158
- Kim, W.,** *see* Jo, D., *TCSII April 2020* 610-614
- Kim, W.,** *see* Hwang, J., *TCSII Oct. 2020* 1834-1838
- Kim, Y.,** Han, D., Kim, C., and Yoo, H., A 0.22-0.89 mW Low-Power and High-Secure Always-On Face Recognition Processor With Adversarial Attack Prevention; *TCSII May 2020* 846-850
- Kim, Y.,** *see* Lee, D., *TCSII Jan. 2020* 67-71
- Kinget, P.R.,** *see* Shi, E., *TCSII March 2020* 445-449
- Kitchen, P.R.,** *see* Moallemi, S., *TCSII April 2020* 605-609
- Kitchen, J.,** *see* Grout, K., *TCSII Nov. 2020* 2337-2341
- Klosowski, M.,** A Power-Efficient Digital Technique for Gain and Offset Correction in Slope ADCs; *TCSII June 2020* 979-983
- Klumperink, E.,** *see* Zanen, J., *TCSII Oct. 2020* 1904-1908
- Ko, H.,** *see* Kim, H., *TCSII Nov. 2020* 2427-2431
- Ko, H.,** *see* Lee, S., *TCSII Oct. 2020* 1735-1739
- Ko, H.,** *see* Shin, S., *TCSII Oct. 2020* 1814-1818

- Ko, S.,** see Zhang, H., *TCSII May 2020* 861-865
- Ko, S.,** see Asadikouhanjani, M., *TCSII Dec. 2020* 3332-3336
- Koizumi, H.,** see Ueda, H., *TCSII May 2020* 941-945
- Kokil, P.,** Jogi, S., Ahn, C.K., and Kar, H., An Improved Local Stability Criterion for Digital Filters With Interference and Overflow Nonlinearity; *TCSII March 2020* 595-599
- Kong, B.Y.,** and Park, I., A 120-mW 0.16-ms-Latency Connectivity-Scalable Multiuser Detector for Interleave Division Multiple Access; *TCSII March 2020* 470-474
- Kong, F.,** Ghovanloo, M., and Durgin, G.D., An Adaptive Impedance Matching Transmitter for a Wireless Intraoral Tongue-Controlled Assistive Technology; *TCSII Feb. 2020* 240-244
- Kong, L.,** see Wang, C., *TCSII July 2020* 1349-1353
- Kong, W.,** see Hu, H., *TCSII Aug. 2020* 1419-1423
- Koo, B.T.,** see Lee, J., *TCSII Oct. 2020* 1829-1833
- Koruprolu, A.,** see Nag, S., *TCSII Oct. 2020* 1804-1808
- Kovacs, Z.,** see Colalongo, L., *TCSII Dec. 2020* 3172-3176
- Kumar, A.,** Wang, Y., Raghuram, M., Naresh, P., Pan, X., and Xiong, X., An Ultra High Gain Quasi Z-Source Inverter Consisting Active Switched Network; *TCSII Dec. 2020* 3207-3211
- Kumar, D.,** see Toor, H.I., *TCSII Feb. 2020* 345-349
- Kumar, D.,** see Gupta, N., *TCSII March 2020* 491-495
- Kumari, P.,** see Van Santen, V.M., *TCSII Oct. 2020* 1949-1953
- Kumari, S.,** Pal, R., and Mondal, P., A Wideband Subharmonic Mixer With Low Conversion Loss and High Port-to-Port Isolations; *TCSII Oct. 2020* 1695-1699
- Kundi, D.E.S.,** see Zhang, Y., *TCSII May 2020* 886-890
- Kung, F.W.L.,** see Lee, S.S., *TCSII Oct. 2020* 1770-1774
- Kuo, C.,** and Liu, S., A 13.56 MHz Current-Mode Wireless Power Receiver With Energy-Investment Capability; *TCSII Feb. 2020* 205-209
- Kuo, T.,** see Wang, P., *TCSII Jan. 2020* 52-56
- Kwan, H.K.,** see Jiang, A., *TCSII Aug. 2020* 1482-1486
- Kwok, H.S.,** see Xu, Y., *TCSII Nov. 2020* 2367-2371
- Kwon, D.,** Kim, M., Kim, S., and Choi, W., A Low-Power 40-Gb/s Pre-Emphasis PAM-4 Transmitter With Toggling Serializers; *TCSII March 2020* 430-434
- Kwon, O.,** see Jung, J., *TCSII Dec. 2020* 3272-3276
- Kwon, O.,** see Na, J., *TCSII Nov. 2020* 2312-2316
- Kwon, O.,** see Ahn, H., *TCSII Oct. 2020* 1725-1729
- Kwon, Y.,** see Kim, H., *TCSII Nov. 2020* 2427-2431
- Kye, C.,** see Shin, S., *TCSII Oct. 2020* 1814-1818
- L**
- Lai, J.,** see Yu, O., *TCSII Nov. 2020* 2637-2641
- Lai, J.,** see Nguyen, A.D., *TCSII Nov. 2020* 2597-2601
- Lai, J.,** Lu, X., Monti, A., and Liu, G., Stochastic Distributed Pinning Control for Co-Multi-Inverter Networks With a Virtual Leader; *TCSII Oct. 2020* 2094-2098
- Lai, J.,** see Hsieh, H., *TCSII Oct. 2020* 1999-2003
- Lai, Q.,** Kamdem Kuate, P.D., Liu, F., and Iu, H.H., An Extremely Simple Chaotic System With Infinitely Many Coexisting Attractors; *TCSII June 2020* 1129-1133
- Lai, Q.,** see Xu, G., *TCSII Dec. 2020* 3452-3456
- Lai, Z.,** see Wu, H., *TCSII June 2020* 1024-1028
- Lall, B.,** see Venkatappareddy, P., *TCSII March 2020* 590-594
- Lam, C.,** see Zeng, W., *TCSII Sept. 2020* 1669-1673
- Lam, H.K.,** see Chen, M., *TCSII Oct. 2020* 2059-2063
- Lanuzza, M.,** see Stanger, I., *TCSII Sept. 2020* 1639-1643
- Late, E.,** Ytterdal, T., and Aunet, S., An Energy Efficient Level Shifter Capable of Logic Conversion From Sub-15 mV to 1.2 V; *TCSII Nov. 2020* 2687-2691
- Lau, F.C.M.,** see Wang, C., *TCSII July 2020* 1349-1353
- Lau, F.C.M.,** see Jiang, S., *TCSII Oct. 2020* 2169-2173
- Laukner, M.,** see Mass, S., *TCSII Oct. 2020* 2234-2238
- Lavagno, L.,** see Shan, J., *TCSII Dec. 2020* 3073-3077
- Lazarescu, M.T.,** see Shan, J., *TCSII Dec. 2020* 3073-3077
- Lee, B.,** see Yang, Y., *TCSII Sept. 2020* 1509-1513
- Lee, C.K.,** see Iqbal, A., *TCSII Feb. 2020* 285-289
- Lee, C.R.,** Kim, S., and Ahn, C.K., Auto-Tuning Proportional-Type Synchronization Algorithm for DC Motor Speed Control Applications; *TCSII March 2020* 521-525
- Lee, C.R.,** Park, J.K., Kim, S., and Ahn, C.K., Velocity Observer-Based Nonlinear Self-Tuning Position Stabilizer for Ball-Beam System Applications; *TCSII July 2020* 1309-1313
- Lee, D.,** Kim, Y., Jeon, H., Kim, B., and Kim, L., A 10.8 Gb/s Quarter-Rate 1 FIR 1 IIR Direct DFE With Non-Time-Overlapping Data Generation for 4:1 CMOS Clockless Multiplexer; *TCSII Jan. 2020* 67-71
- Lee, D.,** see Lee, D., *TCSII Jan. 2020* 67-71
- Lee, D.,** see Shin, S., *TCSII Oct. 2020* 1814-1818
- Lee, H.,** see Jeong, Y., *TCSII Sept. 2020* 1589-1593
- Lee, H.,** see Yang, Y., *TCSII Sept. 2020* 1509-1513
- Lee, H.,** Lee, J., Song, W., and Kim, S., Adaptive Algorithm for Sparse System Identification Based on Hard-Thresholding Techniques; *TCSII Dec. 2020* 3597-3601
- Lee, H.,** Cho, M., Oh, K., and Kim, J., Low-Latency Lattice Reduction Based on Dual-Basis Updates for High-Dimensional MIMO Streams; *TCSII Dec. 2020* 2993-2997
- Lee, H.,** see Kim, H., *TCSII Nov. 2020* 2427-2431
- Lee, H.S.,** Kang, D.M., Cho, S.J., Byeon, C.W., and Park, C.S., Low-Power, Low-Phase-Noise  $G_m$ -Boosted 10-GHz VCO With Center-Tap Transformer and Stacked Transistor; *TCSII Oct. 2020* 1710-1714
- Lee, J.,** see Lee, H., *TCSII Dec. 2020* 3597-3601
- Lee, J.,** see Ali Shah, S.A., *TCSII Oct. 2020* 2049-2053
- Lee, J.,** Kim, C., Choi, J.H., Kim, K.S., and Koo, B.T., Untrimmed BGR of 1.1%  $3\sigma$  Based on Dynamic-Biased Op Amp With Reduced  $V_{off}$ ; *TCSII Oct. 2020* 1829-1833
- Lee, K.,** see Lee, S.S., *TCSII Dec. 2020* 3133-3136
- Lee, K.,** see Lee, S.S., *TCSII Oct. 2020* 2044-2048
- Lee, L.,** see Lee, S.S., *TCSII Oct. 2020* 1770-1774
- Lee, M.,** see Hur, J., *TCSII Oct. 2020* 2279-2283
- Lee, P.,** and Jang, Y., A 6.84 Gbps/lane MIPI C-PHY Transceiver Bridge Chip With Level-Dependent Equalization; *TCSII Nov. 2020* 2672-2676
- Lee, S.,** Cho, K., Choi, S., and Kang, S., A New Logic Topology-Based Scan Chain Stitching for Test-Power Reduction; *TCSII Dec. 2020* 3432-3436
- Lee, S.,** Ko, H., Chae, J., Shin, S., Yun, J., Jeong, D., and Kim, S., A 0.83-pJ/Bit 6.4-Gb/s HBM Base Die Receiver Using a 45° Strobe Phase for Energy-Efficient Skew Compensation; *TCSII Oct. 2020* 1735-1739
- Lee, S.,** see Shin, S., *TCSII Oct. 2020* 1814-1818
- Lee, S.S.,** Siwakoti, Y.P., Lim, C.S., and Lee, K., An Improved PWM Technique to Achieve Continuous Input Current in Common-Ground Transformerless Boost Inverter; *TCSII Dec. 2020* 3133-3136
- Lee, S.S.,** Lee, L., Kung, F.W.L., Saad, A., Ramiah, H., and Tan, G.H., A Low Power High Precision Trim-Less Envelope Detector for Fail-Safe Circuit in LVDS Receiver; *TCSII Oct. 2020* 1770-1774
- Lee, S.S.,** Lim, C.S., Siwakoti, Y.P., and Lee, K., Hybrid 7-Level Boost Active-Neutral-Point- Clamped (H-7L-BANPC) Inverter; *TCSII Oct. 2020* 2044-2048
- Lee, T.,** and Je, M., Double-High-Pass-Filter-Based Electrical-Recording Front-Ends and Fluorescence-Recording Front-Ends for Monitoring Multimodal Neural Activity; *TCSII May 2020* 876-880
- Lee, T.,** Huang, S., and Wang, C., A Slew Rate Enhanced 2 x VDD I/O Buffer With Precharge Timing Technique; *TCSII Nov. 2020* 2707-2711
- Leigh, A.J.,** Mirhassani, M., and Muscedere, R., An Efficient Spiking Neuron Hardware System Based on the Hardware-Oriented Modified Izhikevich Neuron (HOMIN) Model; *TCSII Dec. 2020* 3377-3381
- Leng, M.,** see Zhou, G., *TCSII Oct. 2020* 2089-2093
- Leu, D.I.,** see Colalongo, L., *TCSII Dec. 2020* 3172-3176
- Leung, K.N.,** see Hung, C.H., *TCSII April 2020* 635-639
- Li, B.,** see Xu, Y., *TCSII Nov. 2020* 2367-2371
- Li, C.,** see Xu, Y., *TCSII April 2020* 700-704
- Li, C.,** see Zhang, X., *TCSII July 2020* 1364-1368
- Li, C.,** see Haider, M.F., *TCSII Dec. 2020* 3013-3017

- Li, C.**, Yuan, M., Lin, Y., Liao, C., Chang, C., and Staszewski, R.B., A 0.2-V Three-Winding Transformer-Based DCO in 16-nm FinFET CMOS; *TCSII Dec. 2020* 2878-2882
- Li, C.**, You, F., Peng, J., Wang, J., Haider, M.F., and He, S., Co-Design of Matching Sub-Networks to Realize Broadband Symmetrical Doherty With Configurable Back-Off Region; *TCSII Oct. 2020* 1730-1734
- Li, D.**, *see* Liu, M., *TCSII April 2020* 650-654
- Li, D.**, *see* Qian, L., *TCSII Dec. 2020* 2943-2947
- Li, D.**, Liu, M., Zhao, L., Mao, H., Ding, R., and Zhu, Z., An 8-Bit 2.1-mW 350-MS/s SAR ADC With 1.5 b/cycle Redundancy in 65-nm CMOS; *TCSII Nov. 2020* 2307-2311
- Li, D.**, *see* Ji, Z., *TCSII Nov. 2020* 2587-2591
- Li, F.**, *see* Wang, X., *TCSII Dec. 2020* 2838-2842
- Li, F.**, *see* Ding, T., *TCSII Nov. 2020* 2527-2531
- Li, F.**, and Ho, D.W.C., Observability of Boolean Networks With Redundant Channels; *TCSII Oct. 2020* 1989-1993
- Li, G.**, Zhang, H., and Zhao, J., Generalized Correntropy Induced Metric Memory-Improved Proportionate Affine Projection Sign Algorithm and Its Combination; *TCSII Oct. 2020* 2239-2243
- Li, H.**, *see* Deng, C., *TCSII Feb. 2020* 375-379
- Li, H.**, and Li, X., Distributed Consensus of Heterogeneous Linear Time-Varying Systems on UAVs-USVs Coordination; *TCSII July 2020* 1264-1268
- Li, H.**, *see* Lu, X., *TCSII Dec. 2020* 3277-3281
- Li, H.**, *see* Li, Y., *TCSII Dec. 2020* 3128-3132
- Li, H.**, *see* Huang, D., *TCSII Dec. 2020* 3123-3127
- Li, H.**, *see* Liu, J., *TCSII Dec. 2020* 3292-3296
- Li, H.**, Chen, J., Hou, D., and Hong, W., A W-Band 6-Bit Phase Shifter With 7 dB Gain and 1.35° RMS Phase Error in 130 nm SiGe BiCMOS; *TCSII Oct. 2020* 1839-1843
- Li, H.**, *see* Ding, X., *TCSII Oct. 2020* 2079-2083
- Li, J.**, *see* Yu, X., *TCSII April 2020* 780-784
- Li, J.**, *see* Wang, C., *TCSII July 2020* 1349-1353
- Li, J.**, *see* Jiang, Z., *TCSII Dec. 2020* 3487-3491
- Li, J.**, *see* Yu, X., *TCSII Dec. 2020* 3607-3611
- Li, J.**, Liu, X., Ru, X., and Xu, X., Disturbance Rejection Adaptive Fault-Tolerant Constrained Consensus for Multi-Agent Systems With Failures; *TCSII Dec. 2020* 3302-3306
- Li, J.**, *see* Xiong, Y., *TCSII Nov. 2020* 2412-2416
- Li, J.**, *see* Liu, C., *TCSII Nov. 2020* 2642-2646
- Li, J.**, *see* Xiong, Y., *TCSII Oct. 2020* 1824-1828
- Li, L.**, and Zhao, H., A Robust Total Least Mean M-Estimate Adaptive Algorithm for Impulsive Noise Suppression; *TCSII April 2020* 800-804
- Li, L.**, *see* Tan, F., *TCSII Sept. 2020* 1534-1538
- Li, L.**, *see* Zhao, Z., *TCSII Nov. 2020* 2517-2521
- Li, L.**, *see* Chen, H., *TCSII Nov. 2020* 2652-2656
- Li, L.**, *see* Ouyang, C., *TCSII Oct. 2020* 1969-1973
- Li, N.**, *see* Liu, X., *TCSII March 2020* 585-589
- Li, N.**, *see* Xu, Y., *TCSII April 2020* 700-704
- Li, N.**, *see* Zhao, Z., *TCSII May 2020* 931-935
- Li, N.**, *see* Wan, F., *TCSII Nov. 2020* 2477-2481
- Li, N.**, *see* Wan, F., *TCSII Oct. 2020* 1795-1799
- Li, P.**, *see* Riad, J., *TCSII April 2020* 680-684
- Li, P.**, *see* Liu, W., *TCSII July 2020* 1249-1253
- Li, P.**, *see* Song, Z., *TCSII Dec. 2020* 3152-3156
- Li, Q.**, Wang, X., and Liu, Y., A 60 nV/ $\sqrt{\text{Hz}}$  <0.01%-THD  $\pm 200$  mV-DC-Rejection Bio-Sensing Chopper Amplifier With Noise-Nonlinearity-Cancelling Loop; *TCSII Feb. 2020* 215-219
- Li, Q.**, *see* Ma, X., *TCSII April 2020* 725-729
- Li, Q.**, *see* Wang, Z., *TCSII Nov. 2020* 2552-2556
- Li, R.**, *see* Peng, C., *TCSII July 2020* 1299-1303
- Li, S.**, *see* Gao, S., *TCSII Feb. 2020* 325-329
- Li, S.**, *see* Cui, Y., *TCSII March 2020* 526-530
- Li, S.**, *see* Feng, X., *TCSII March 2020* 556-559
- Li, S.**, *see* Ding, J., *TCSII July 2020* 1319-1323
- Li, S.**, *see* Wang, Z., *TCSII Nov. 2020* 2552-2556
- Li, T.**, *see* Li, Y., *TCSII Sept. 2020* 1619-1623
- Li, W.**, *see* Chen, W., *TCSII Aug. 2020* 1449-1453
- Li, W.**, *see* Ding, L., *TCSII Dec. 2020* 3202-3206
- Li, W.**, *see* Chen, W., *TCSII Nov. 2020* 2662-2666
- Li, W.**, *see* Nie, S., *TCSII Oct. 2020* 1994-1998
- Li, W.**, *see* Chen, D., *TCSII Oct. 2020* 2064-2068
- Li, X.**, Lu, Y., Huang, M., and Martins, R.P., A 2.4-GHz Mid-Field CMOS Wireless Power Receiver Achieving 46% Maximum PCE and 163-mW Output Power; *TCSII Feb. 2020* 360-364
- Li, X.**, *see* Rao, P., *TCSII Feb. 2020* 315-319
- Li, X.**, *see* Li, H., *TCSII July 2020* 1264-1268
- Li, X.**, *see* Huang, D., *TCSII Dec. 2020* 3123-3127
- Li, X.**, *see* Ding, X., *TCSII Dec. 2020* 2818-2822
- Li, X.**, *see* Zhong, H., *TCSII Dec. 2020* 3402-3406
- Li, Y.**, Guo, J., Zhang, X., Wang, S., Ma, S., Zhao, B., Wu, G., and Wang, T., Over-Voltage Suppression Methods for the MMC-VSC-HVDC Wind Farm Integration System; *TCSII Feb. 2020* 355-359
- Li, Y.**, *see* Gao, Z., *TCSII June 2020* 1134-1138
- Li, Y.**, *see* Mao, Q., *TCSII May 2020* 921-925
- Li, Y.**, *see* Wang, P., *TCSII July 2020* 1209-1213
- Li, Y.**, *see* Zhang, C., *TCSII July 2020* 1169-1173
- Li, Y.**, *see* Reda Mohamed, A., *TCSII Sept. 2020* 1529-1533
- Li, Y.**, Cheng, X., Tan, C., Han, J., Zhao, Y., Wang, L., Li, T., Tahoori, M.B., and Zeng, X., A Robust Hardened Latch Featuring Tolerance to Double-Node-Upset in 28nm CMOS for Spaceborne Application; *TCSII Sept. 2020* 1619-1623
- Li, Y.**, *see* Pan, J., *TCSII Sept. 2020* 1624-1628
- Li, Y.**, Li, H., and Wang, S., Finite-Time Consensus of Finite Field Networks With Stochastic Time Delays; *TCSII Dec. 2020* 3128-3132
- Li, Y.**, Karimi, H.R., and Zhao, D., Fault Estimation for Discrete-Time Systems With Lipschitz Perturbation and Time-Variant Coefficients; *TCSII Dec. 2020* 3137-3141
- Li, Y.**, *see* Li, Y., *TCSII Dec. 2020* 3137-3141
- Li, Y.**, *see* Yao, L., *TCSII Dec. 2020* 3217-3221
- Li, Y.**, *see* Wu, Q., *TCSII Nov. 2020* 2792-2796
- Li, Y.**, Zhou, Y., and Chiu, Y., A Compact Calibration Model for Linearizing CMOS Sample-and-Hold Circuits; *TCSII Nov. 2020* 2327-2331
- Li, Y.**, *see* Zhao, Z., *TCSII Nov. 2020* 2517-2521
- Li, Y.**, *see* Shi, W., *TCSII Nov. 2020* 2797-2801
- Li, Y.**, *see* Luo, C., *TCSII Oct. 2020* 1849-1853
- Li, Y.**, *see* Shi, W., *TCSII Oct. 2020* 2224-2228
- Li, Y.**, *see* Wu, Q., *TCSII Oct. 2020* 2249-2253
- Li, Y.C.**, *see* Wu, D., *TCSII June 2020* 1034-1038
- Li, Y.C.**, *see* Wu, D., *TCSII Aug. 2020* 1404-1408
- Li, Z.**, *see* Gong, H., *TCSII June 2020* 1074-1078
- Li, Z.**, *see* Huang, Q., *TCSII Sept. 2020* 1494-1498
- Li, Z.**, *see* Lv, W., *TCSII Dec. 2020* 3567-3571
- Li, Z.**, *see* Wang, L., *TCSII Oct. 2020* 2084-2088
- Li, Z.**, *see* Zhou, G., *TCSII Oct. 2020* 2089-2093
- Li, Z.**, *see* Cheng, B., *TCSII Oct. 2020* 2199-2203
- Lian, J.**, and Qu, X., Design of a Double-Sided LC Compensated Capacitive Power Transfer System With Capacitor Voltage Stress Optimization; *TCSII April 2020* 715-719
- Lian, J.**, *see* Zhao, Y., *TCSII Dec. 2020* 3177-3181
- Lian, Y.**, *see* Shang, Z., *TCSII Sept. 2020* 1654-1658
- Liang, H.**, Zhang, Z., and Ahn, C.K., Event-Triggered Fault Detection and Isolation of Discrete-Time Systems Based on Geometric Technique; *TCSII Feb. 2020* 335-339
- Liang, H.**, *see* Ni, T., *TCSII Nov. 2020* 2657-2661
- Liang, J.**, *see* Bu, X., *TCSII Oct. 2020* 2029-2033
- Liang, W.**, Chen, H., He, G., and Chen, J., Model Order Reduction Based on Dynamic Relative Gain Array for MIMO Systems; *TCSII Nov. 2020* 2507-2511
- Liao, C.**, *see* Li, C., *TCSII Dec. 2020* 2878-2882
- Liao, X.**, *see* Gong, H., *TCSII June 2020* 1074-1078
- Liao, X.**, and Liu, L., A Low-Voltage Robust Class-C VCO With Dual Digital Feedback Loops; *TCSII Nov. 2020* 2347-2351
- Liboiron-Ladouceur, O.**, *see* Zheng, B., *TCSII April 2020* 670-674
- Liboiron-Ladouceur, O.**, *see* Radi, B., *TCSII Oct. 2020* 1864-1868

- Licciardo, G.D.,** see De Vita, A., *TCSII June 2020* 1124-1128
- Lim, C.,** see Liu, Y., *TCSII Oct. 2020* 1984-1988
- Lim, C.S.,** see Lee, S.S., *TCSII Dec. 2020* 3133-3136
- Lim, C.S.,** see Lee, S.S., *TCSII Oct. 2020* 2044-2048
- Lima, J.B.,** and Campello de Souza, R.M., Tangent Function and Chebyshev-Like Rational Maps Over Finite Fields; *TCSII April 2020* 775-779
- Lin, C.,** see Zhang, X., *TCSII Dec. 2020* 3237-3241
- Lin, D.,** Wu, J., Yuan, Q., and Zheng, Z., Modeling and Understanding Ethereum Transaction Records via a Complex Network Approach; *TCSII Nov. 2020* 2737-2741
- Lin, F.,** see Xi, N., *TCSII March 2020* 450-454
- Lin, H.,** Wang, C., Hong, Q., and Sun, Y., A Multi-Stable Memristor and its Application in a Neural Network; *TCSII Dec. 2020* 3472-3476
- Lin, I.,** Chen, W., Chou, Y., and Chen, P., A Novel Comparison-Free 1-D Median Filter; *TCSII July 2020* 1329-1333
- Lin, J.,** see Ting, C., *TCSII March 2020* 531-535
- Lin, J.,** see Chen, Y., *TCSII May 2020* 896-900
- Lin, J.,** see Song, S., *TCSII Aug. 2020* 1399-1403
- Lin, J.,** see Tian, J., *TCSII Jan. 2020* 57-61
- Lin, J.,** see Zhu, D., *TCSII Dec. 2020* 3382-3386
- Lin, J.,** see Luo, C., *TCSII Oct. 2020* 1849-1853
- Lin, K.,** see Hsieh, J., *TCSII Jan. 2020* 23-26
- Lin, L.,** Cao, J., Lu, G., and Abdel-Aty, M., Set Stabilization of Boolean Control Networks With Impulsive Effects: An Event-Triggered Approach; *TCSII July 2020* 1244-1248
- Lin, L.,** see Tang, Z., *TCSII Sept. 2020* 1504-1508
- Lin, Q.,** see Eshraghian, J.K., *TCSII May 2020* 956-960
- Lin, Q.,** see Song, S., *TCSII Sept. 2020* 1564-1568
- Lin, S.,** Zhang, W., and Wang, H., Controller Designed via an Adaptive Reaching Law for DSMC Systems; *TCSII Feb. 2020* 330-334
- Lin, S.,** see Zhao, Z., *TCSII March 2020* 516-520
- Lin, S.,** see Chen, Y., *TCSII Oct. 2020* 1894-1898
- Lin, T.,** see Cao, S., *TCSII Nov. 2020* 2472-2476
- Lin, Y.,** see Li, C., *TCSII Dec. 2020* 2878-2882
- Linaro, D.,** see Bizzarri, F., *TCSII May 2020* 936-940
- Little, B.E.,** see Xu, X., *TCSII Dec. 2020* 3582-3586
- Little, B.E.,** see Tan, M., *TCSII Nov. 2020* 2767-2771
- Litvintsev, S.,** see Zakharov, A., *TCSII April 2020* 660-664
- Litvintsev, S.,** see Zakharov, A., *TCSII Oct. 2020* 1874-1878
- Liu, B.,** see Zhou, Y., *TCSII Dec. 2020* 3352-3356
- Liu, B.,** see Zhao, H., *TCSII Nov. 2020* 2782-2786
- Liu, C.,** Analysis of Class-F Power Amplifiers With a Second-Harmonic Input Voltage Manipulation; *TCSII Feb. 2020* 225-229
- Liu, C.,** Shan, L., Zhang, Y., Chen, Y., and Li, J., Hierarchical Average-Tracking Algorithm for Multiagent Systems With Unmatched Constant References Signals; *TCSII Nov. 2020* 2642-2646
- Liu, C.,** see Zhu, D., *TCSII Oct. 2020* 2194-2198
- Liu, F.,** see Huang, C., *TCSII June 2020* 1049-1053
- Liu, F.,** see Lai, Q., *TCSII June 2020* 1129-1133
- Liu, G.,** Yuan, C., Chen, X., Wu, J., Dai, R., and Wang, Z., A High-Performance Energy Management System Based on Evolving Graph; *TCSII Feb. 2020* 350-354
- Liu, G.,** see Zhao, D., *TCSII Dec. 2020* 3492-3496
- Liu, G.,** see Lai, J., *TCSII Oct. 2020* 2094-2098
- Liu, H.,** Fang, S., Wang, Z., and Fu, S., Analysis and Implementation of a Dual-Band Coupled-Line Trans-Directional Coupler; *TCSII March 2020* 485-490
- Liu, H.,** see Tang, J., *TCSII Nov. 2020* 2357-2361
- Liu, H.,** see Fang, S., *TCSII Nov. 2020* 2482-2486
- Liu, H.,** see Gong, L., *TCSII Oct. 2020* 1854-1858
- Liu, H.,** Wang, Z., Hu, S., Xu, H., and Ren, B., Design of Tri-Band Balanced Filter With Wideband Common-Mode Suppression and Upper Stopband Using Square Ring Loaded Resonator; *TCSII Oct. 2020* 1760-1764
- Liu, H.W.,** see Su, Z.L., *TCSII Jan. 2020* 32-36
- Liu, J.,** Li, H., Ji, J., and Luo, J., Group-Bipartite Consensus in the Networks With Cooperative-Competitive Interactions; *TCSII Dec. 2020* 3292-3296
- Liu, J.,** see Wang, Z., *TCSII Dec. 2020* 3592-3596
- Liu, J.J.R.,** see Shen, J., *TCSII Dec. 2020* 3262-3266
- Liu, L.,** see Deng, C., *TCSII Feb. 2020* 375-379
- Liu, L.,** Hua, T., Zhang, Y., Mu, J., and Zhu, Z., A Robust Bio-IA With Digitally Controlled DC-Servo Loop and Improved Pseudo-Resistor; *TCSII March 2020* 440-444
- Liu, L.,** see Chang, X., *TCSII April 2020* 730-734
- Liu, L.,** see Xu, Y., *TCSII April 2020* 700-704
- Liu, L.,** see Chang, R.C., *TCSII June 2020* 969-973
- Liu, L.,** see Zhang, C., *TCSII July 2020* 1169-1173
- Liu, L.,** Jin, J., Liu, X., and Zhou, J., A Multi-Modulus Fractional Divider With TDC Free Calibration Scheme for Mitigation of TX-VCO Pulling; *TCSII Dec. 2020* 2848-2852
- Liu, L.,** see Yang, Z., *TCSII Nov. 2020* 2377-2381
- Liu, L.,** see Liao, X., *TCSII Nov. 2020* 2347-2351
- Liu, L.,** see Zhao, C., *TCSII Oct. 2020* 1715-1719
- Liu, L.,** Huang, C., Mu, J., Cheng, J., and Zhu, Z., A P&O MPPT With a Novel Analog Power-Detector for WSNs Applications; *TCSII Oct. 2020* 1680-1684
- Liu, M.,** Fang, X., Huang, H., and Boumaiza, S., Dual-Band 3-Way Doherty Power Amplifier With Extended Back-Off Power and Bandwidth; *TCSII Feb. 2020* 270-274
- Liu, M.,** Li, D., and Zhu, Z., A Dual-Supply Two-Stage CMOS Op-amp for High-Speed Pipeline ADCs Application; *TCSII April 2020* 650-654
- Liu, M.,** see Gao, Z., *TCSII June 2020* 1134-1138
- Liu, M.,** see Li, D., *TCSII Nov. 2020* 2307-2311
- Liu, M.,** see Gao, Z., *TCSII Oct. 2020* 2179-2183
- Liu, R.,** see Chang, X., *TCSII Feb. 2020* 305-309
- Liu, S.,** see Kuo, C., *TCSII Feb. 2020* 205-209
- Liu, S.,** see Rabuske, F., *TCSII March 2020* 435-439
- Liu, S.,** see Zhang, J., *TCSII July 2020* 1174-1178
- Liu, S.,** see Chang, M., *TCSII Nov. 2020* 2432-2436
- Liu, S.,** see Zhang, Y., *TCSII Oct. 2020* 1819-1823
- Liu, T.,** see Yeh, L., *TCSII Sept. 2020* 1614-1618
- Liu, W.,** see Zhang, Y., *TCSII May 2020* 886-890
- Liu, W.,** Qi, X., Lu, J., Jia, X., and Li, P., Finite-Time Fault-Tolerant Control for Nonlinear Systems With Input Quantization and Its Application; *TCSII July 2020* 1249-1253
- Liu, W.,** see Waris, H., *TCSII Dec. 2020* 3367-3371
- Liu, W.,** see Song, Z., *TCSII Dec. 2020* 3152-3156
- Liu, X.,** Xu, H., Johansson, H., Wang, Y., and Li, N., Correlation-Based Calibration for Nonlinearity Mismatches in Dual-Channel TIADCs; *TCSII March 2020* 585-589
- Liu, X.,** see Gong, H., *TCSII June 2020* 1074-1078
- Liu, X.,** see Ma, G., *TCSII June 2020* 1069-1073
- Liu, X.,** see Sun, H., *TCSII Sept. 2020* 1644-1648
- Liu, X.,** see Liu, L., *TCSII Dec. 2020* 2848-2852
- Liu, X.,** see Zhuang, H., *TCSII Dec. 2020* 2923-2927
- Liu, X.,** see Wang, X., *TCSII Dec. 2020* 2898-2902
- Liu, X.,** see Li, J., *TCSII Dec. 2020* 3302-3306
- Liu, X.,** see Sun, S., *TCSII Dec. 2020* 3157-3161
- Liu, X.,** see Wang, L., *TCSII Oct. 2020* 2084-2088
- Liu, X.,** see Chen, D., *TCSII Oct. 2020* 2064-2068
- Liu, Y.,** see Li, Q., *TCSII Feb. 2020* 215-219
- Liu, Y.,** see Tan, F., *TCSII Sept. 2020* 1534-1538
- Liu, Y.,** Tang, W., and Mitchell, D.G.M., Efficient Implementation of a Threshold-Modified Min-Sum Algorithm for LDPC Decoders; *TCSII Sept. 2020* 1599-1603
- Liu, Y.,** see Chen, Z., *TCSII Sept. 2020* 1574-1578
- Liu, Y.,** see Zhang, G., *TCSII Dec. 2020* 3003-3007
- Liu, Y.,** see Zhong, H., *TCSII Dec. 2020* 3402-3406
- Liu, Y.,** see Breier, J., *TCSII Dec. 2020* 3322-3326
- Liu, Y.,** see Xiang, Y., *TCSII Nov. 2020* 2717-2721
- Liu, Y.,** see Xu, Y., *TCSII Nov. 2020* 2367-2371
- Liu, Y.,** see Nguyen, A.D., *TCSII Nov. 2020* 2597-2601
- Liu, Y.,** Shi, P., and Lim, C., Collision-Free Formation Control for Multi-Agent Systems With Dynamic Mapping; *TCSII Oct. 2020* 1984-1988
- Liu, Y.,** see Sakthivel, R., *TCSII Oct. 2020* 2004-2008
- Liu, Y.X.,** see Wei, F., *TCSII Nov. 2020* 2467-2471
- Liu, Z.,** see Ma, D., *TCSII July 2020* 1284-1288

- Liu, Z.**, Zhao, Z., and Ahn, C.K., Boundary Constrained Control of Flexible String Systems Subject to Disturbances; *TCSII Jan. 2020* 112-116
- Liu, Z.**, see Chen, Z., *TCSII Dec. 2020* 3098-3102
- Liu, Z.**, see Zheng, Z., *TCSII Oct. 2020* 2244-2248
- Lo, K.**, see Cheng, C., *TCSII Oct. 2020* 2109-2113
- Lombardi, G.**, and Neri, B., Microwave Circuit Conditional Stability: Two-Parameter Criteria; *TCSII Dec. 2020* 2913-2917
- Long, Y.L.**, see Su, Z.L., *TCSII Jan. 2020* 32-36
- Lopez-Estrada, F.**, see Martinez-Garcia, C., *TCSII April 2020* 710-714
- Lopez-Martin, A.**, see Martincorena-Arraiza, M., *TCSII March 2020* 420-424
- Lopez-Martin, A.J.**, see Rico-Aniles, H.D., *TCSII Nov. 2020* 2332-2336
- Lotfi, R.**, see Rahiminejad, E., *TCSII Jan. 2020* 4-8
- Lou, X.**, see Zhou, W., *TCSII May 2020* 946-950
- Louerat, M.**, see Sayed, A., *TCSII Sept. 2020* 1559-1563
- Loukrakpam, M.**, and Choudhury, M., Error-Aware Design Procedure to Implement Hardware-Efficient Logarithmic Circuits; *TCSII May 2020* 851-855
- Lourenco, N.**, see Povoa, R., *TCSII Feb. 2020* 230-234
- Lu, D.**, see Reza, C.M.F.S., *TCSII Nov. 2020* 2617-2621
- Lu, G.**, see Lin, L., *TCSII July 2020* 1244-1248
- Lu, G.**, see Chen, B., *TCSII Nov. 2020* 2537-2541
- Lu, H.**, see Chang, Y., *TCSII Dec. 2020* 2893-2897
- Lu, J.**, see Zhao, X., *TCSII Feb. 2020* 290-294
- Lu, J.**, see Zhu, S., *TCSII April 2020* 695-699
- Lu, J.**, see Liu, W., *TCSII July 2020* 1249-1253
- Lu, J.**, see Ghous, I., *TCSII Dec. 2020* 3297-3301
- Lu, J.**, see Zhou, L., *TCSII Dec. 2020* 3028-3032
- Lu, L.**, see Yu, Y., *TCSII July 2020* 1359-1363
- Lu, M.**, see Qian, J., *TCSII Dec. 2020* 3577-3581
- Lu, P.**, Baldi, S., Chen, G., and Yu, W., Neuro-Adaptive Cooperative Tracking Rendezvous of Nonholonomic Mobile Robots; *TCSII Dec. 2020* 3167-3171
- Lu, P.**, Wang, H., Zhang, F., Yu, W., and Chen, G., Formation Control of Nonholonomic Mobile Robots Using Distributed Estimators; *TCSII Dec. 2020* 3162-3166
- Lu, Q.**, Zhang, Y., Cai, J., Qin, W., and Chen, J., Microstrip Tunable Diplexer With Separately-Designable Channels; *TCSII Dec. 2020* 2983-2987
- Lu, Q.**, see Shi, S., *TCSII Oct. 2020* 1909-1913
- Lu, R.**, see Ding, T., *TCSII March 2020* 536-540
- Lu, S.**, see Zhu, D., *TCSII Dec. 2020* 3382-3386
- Lu, X.**, and Li, H., An Improved Stability Theorem for Nonlinear Systems on Time Scales With Application to Multi-Agent Systems; *TCSII Dec. 2020* 3277-3281
- Lu, X.**, see Lai, J., *TCSII Oct. 2020* 2094-2098
- Lu, Y.**, see Li, X., *TCSII Feb. 2020* 360-364
- Lu, Y.**, see Ma, X., *TCSII April 2020* 725-729
- Lu, Y.**, Miao, M., Wang, L., and Xu, W., A Multilevel Code-Shifted Differential Chaos Shift Keying System With Reference Diversity; *TCSII Nov. 2020* 2462-2466
- Lu, Z.**, see Qin, Z., *TCSII Dec. 2020* 3422-3426
- Lu, Z.**, see Chen, H., *TCSII Nov. 2020* 2652-2656
- Lunglmayr, M.**, Wiesinger, D., and Haselmayr, W., A Stochastic Computing Architecture for Iterative Estimation; *TCSII March 2020* 580-584
- Lunglmayr, M.**, see Haselmayr, W., *TCSII March 2020* 541-545
- Lunglmayr, M.**, Paireder, T., and Huemer, M., Null Space Projection Enhanced LMS Filters; *TCSII Dec. 2020* 3507-3511
- Luo, C.**, Wong, S., Lin, J., Yang, Y., Li, Y., Yu, X., Feng, L., Tu, Z., and Zhu, L., Quasi-Reflectionless Microstrip Bandpass Filters Using Bandstop Filter for Out-of-Band Improvement; *TCSII Oct. 2020* 1849-1853
- Luo, J.**, see Liu, J., *TCSII Dec. 2020* 3292-3296
- Luo, S.**, see Sun, H., *TCSII Sept. 2020* 1644-1648
- Luo, X.**, see Xia, X., *TCSII Dec. 2020* 2873-2877
- Luo, Y.**, see Pan, J., *TCSII Sept. 2020* 1624-1628
- Lv, D.**, see Deng, H., *TCSII Oct. 2020* 1705-1709
- Lv, W.**, Kang, Y., Zheng, W.X., Wu, Y., and Li, Z., Feature-Temporal Semi-Supervised Extreme Learning Machine for Robotic Terrain Classification; *TCSII Dec. 2020* 3567-3571
- Lv, Y.**, see Yin, T., *TCSII April 2020* 690-694
- Lv, Y.**, see Zhou, J., *TCSII Nov. 2020* 2532-2536
- Lyu, L.**, Ye, D., Xu, R., Mu, G., Zhao, H., Xiang, Y., Tu, Y., Zhang, Y., and Richard Shi, C., A Fully-Integrated 64-Channel Wireless Neural Interfacing SoC Achieving 110 dB AFE PSRR and Supporting 54 Mb/s Symbol Rate, Meter-Range Wireless Data Transmission; *TCSII May 2020* 831-835

**M**

- Ma, C.**, see Zhao, X., *TCSII Feb. 2020* 290-294
- Ma, C.**, see Gao, Z., *TCSII Dec. 2020* 3447-3451
- Ma, D.**, Chen, W., Shu, L., Qu, X., Zhan, X., and Liu, Z., A Multiport Power Electronic Transformer Based on Modular Multilevel Converter and Mixed-Frequency Modulation; *TCSII July 2020* 1284-1288
- Ma, G.**, Liu, X., Pagilla, P.R., and Ge, S.S., Periodic Event-Triggered Dynamic Output Feedback Dissipative Control With Stochastic Detection; *TCSII June 2020* 1069-1073
- Ma, H.**, see Choi, E., *TCSII July 2020* 1224-1228
- Ma, H.**, see Zhao, L., *TCSII Jan. 2020* 97-101
- Ma, H.**, see Wang, X., *TCSII Dec. 2020* 3142-3146
- Ma, J.**, see Jiang, Z., *TCSII June 2020* 1139-1143
- Ma, J.**, see Jiang, Z., *TCSII Dec. 2020* 3487-3491
- Ma, J.**, see Jiang, Z., *TCSII Oct. 2020* 2214-2218
- Ma, K.**, see Gao, Z., *TCSII Dec. 2020* 3447-3451
- Ma, K.**, see Feng, T., *TCSII Nov. 2020* 2437-2441
- Ma, L.**, Sham, C., Sun, J., and Valencia Tenorio, R., A Real-Time Flexible Telecommunication Decoding Architecture Using FPGA Partial Reconfiguration; *TCSII Oct. 2020* 2149-2153
- Ma, S.**, see Li, Y., *TCSII Feb. 2020* 355-359
- Ma, W.**, see Sun, Q., *TCSII Dec. 2020* 3517-3521
- Ma, X.**, Lu, Y., and Li, Q., A Fully Integrated LDO With 50-mV Dropout for Power Efficiency Optimization; *TCSII April 2020* 725-729
- Ma, X.**, see Huang, J., *TCSII Nov. 2020* 2542-2546
- Ma, Z.**, see Wu, B., *TCSII July 2020* 1219-1223
- Ma, Z.**, see Wu, W., *TCSII Nov. 2020* 2502-2506
- Ma, Z.**, see Xue, M., *TCSII Oct. 2020* 1919-1923
- Maestro, J.A.**, see Garcia-Herrero, F., *TCSII Dec. 2020* 3362-3366
- Maghari, N.**, see Park, B., *TCSII Dec. 2020* 3407-3411
- Mahapatro, S.R.**, and Subudhi, B., A Robust Decentralized PID Controller Based on Complementary Sensitivity Function for a Multivariable System; *TCSII Oct. 2020* 2024-2028
- Mahboob, S.**, and Vaughan, R.G., Fiber-Fed Distributed Antenna System in an FPGA Software Defined Radio for 5G Demonstration; *TCSII Feb. 2020* 280-284
- Mahmud, M.A.**, see Roy, T.K., *TCSII Nov. 2020* 2557-2561
- Mai, D.**, and Kennedy, M.P., Influence of Initial Condition on Wandering Spur Pattern in a MASH-Based Fractional-N Frequency Synthesizer; *TCSII Dec. 2020* 2968-2972
- Mainuddin, see** Zaidi, A.M., *TCSII Dec. 2020* 2998-3002
- Maity, S.**, see Nath, M., *TCSII Oct. 2020* 1879-1883
- Majhi, S.**, see Pandey, S., *TCSII June 2020* 1089-1093
- Mak, P.**, see Un, K., *TCSII Jan. 2020* 37-41
- Mak, T.**, see Qian, L., *TCSII Dec. 2020* 2943-2947
- Maktoomi, M.H.**, see Gupta, R., *TCSII Dec. 2020* 2973-2977
- Malagutti, E.**, see Callegari, S., *TCSII May 2020* 926-930
- Mallat, N.K.**, see Iqbal, A., *TCSII Feb. 2020* 285-289
- Mallat, N.K.**, see Iqbal, A., *TCSII July 2020* 1194-1198
- Mallat, N.K.**, see Iqbal, A., *TCSII Nov. 2020* 2362-2366
- Maloberti, F.**, see de Aguirre, P.C.C., *TCSII Aug. 2020* 1384-1388
- Maloberti, F.**, see Zeng, W., *TCSII Sept. 2020* 1669-1673
- Mamdouh, A.**, Aboudina, M., Hussien, F., and Mohieldin, A.N., Efficient Supply Modulator for Wide-Band Envelope Elimination and Restoration Power Amplifiers; *TCSII Jan. 2020* 9-13
- Mandal, J.**, and Mandal, M.K., Reconfigurable RF Dispersive Delay Circuits by Stepped Impedance Shunt Stubs; *TCSII June 2020* 1014-1018
- Mandal, M.K.**, see Singh, A., *TCSII March 2020* 425-429
- Mandal, M.K.**, see Mandal, J., *TCSII June 2020* 1014-1018
- Mandal, S.**, see Shaik, S.M., *TCSII May 2020* 911-915
- Mandic, D.P.**, see Zhang, X., *TCSII July 2020* 1364-1368

- Mandic, D.P.**, *see* Gogineni, V.C., *TCSII Dec. 2020* 3557-3561
- Mandry, H.**, Herkle, A., Muelich, S., Becker, J., Fischer, R.F.H., and Ortmanns, M., Normalization and Multi-Valued Symbol Extraction From RO-PUFs for Enhanced Uniform Probability Distributions; *TCSII Dec. 2020* 3372-3376
- Manfredini, G.**, *see* Catania, A., *TCSII Sept. 2020* 1514-1518
- Mao, G.**, *see* Zhou, G., *TCSII Dec. 2020* 3197-3201
- Mao, G.**, *see* Zhou, G., *TCSII Oct. 2020* 2089-2093
- Mao, H.**, *see* Li, D., *TCSII Nov. 2020* 2307-2311
- Mao, L.**, *see* Chen, Z., *TCSII Sept. 2020* 1574-1578
- Mao, Q.**, Wang, C., Yu, S., Zheng, Y., and Li, Y., Zero-Shot Object Detection With Attributes-Based Category Similarity; *TCSII May 2020* 921-925
- Marques, F.S.**, *see* Goncalves, S.M.M., *TCSII July 2020* 1239-1243
- Martina, M.**, *see* Kello, J., *TCSII Dec. 2020* 3417-3421
- Martincorena-Arraiza, M.**, De La Cruz Blas, C.A., Algueta-Miguel, J.M., and Lopez-Martin, A., A 1.2-V Current-Mode RMS-to-DC Converter Based on a Novel Two-Quadrant Electronically Simulated MOS Translinear Loop; *TCSII March 2020* 420-424
- Martinez-Garcia, C.**, Astorga-Zaragoza, C., Puig, V., Reyes-Reyes, J., and Lopez-Estrada, F., A Simple Nonlinear Observer for State and Unknown Input Estimation: DC Motor Applications; *TCSII April 2020* 710-714
- Martins, R.**, *see* Povoa, R., *TCSII Feb. 2020* 230-234
- Martins, R.P.**, *see* Li, X., *TCSII Feb. 2020* 360-364
- Martins, R.P.**, *see* Un, K., *TCSII Jan. 2020* 37-41
- Martins, R.P.**, *see* Zeng, W., *TCSII Sept. 2020* 1669-1673
- Martins, W.A.**, Bhavani Shankar, M.R., and Ottersten, B., Oversampled DFT-Modulated Biorthogonal Filter Banks: Perfect Reconstruction Designs and Multiplierless Approximations; *TCSII Nov. 2020* 2777-2781
- Marvasti, F.**, *see* Zamani, H., *TCSII Dec. 2020* 3522-3526
- Masera, G.**, *see* Kello, J., *TCSII Dec. 2020* 3417-3421
- Masoumi, M.**, Novel Hybrid CMOS/Memristor Implementation of the AES Algorithm Robust Against Differential Power Analysis Attack; *TCSII July 2020* 1314-1318
- Mass, S.**, and Laukner, M., Ultrasonic Time Delay Difference Estimation With Analytic Signals and a Model System; *TCSII Oct. 2020* 2234-2238
- Matera, A.**, Rampa, V., Donati, M., Colamonicco, A., Cattoni, A.F., and Spagnolini, U., Analog MIMO RoC Passive Relay for Indoor Deployments of Wireless Networks; *TCSII Dec. 2020* 2988-2992
- Maurice, O.**, *see* Cholachue, C., *TCSII Aug. 2020* 1389-1393
- Maybodi, B.M.**, *see* Asgari, H., *TCSII Nov. 2020* 2697-2701
- Maymandi-Nejad, M.**, *see* Rostami, M.S., *TCSII Dec. 2020* 2853-2857
- Mazani, Z.**, Abdipour, A., and Afrooz, K., Active Dual-Band Power Divider and Active Quad-Plexer Based on Traveling Wave Amplification and D-CRLH Transmission Line; *TCSII March 2020* 480-484
- Mazzaro, V.**, and Kennedy, M.P., Mitigation of “Horn Spurs” in a MASH-Based Fractional-N CP-PLL; *TCSII May 2020* 821-825
- Mehr, P.**, *see* Moallemi, S., *TCSII April 2020* 605-609
- Mei, W.**, *see* Ogura, M., *TCSII March 2020* 496-500
- Mejia, I.**, *see* Garcia-Moreno, S., *TCSII Nov. 2020* 2727-2731
- Mekhilef, S.**, *see* Siddique, M.D., *TCSII July 2020* 1294-1298
- Mekhilef, S.**, *see* Siddique, M.D., *TCSII Dec. 2020* 3252-3256
- Mekie, J.**, *see* Jha, C.K., *TCSII Feb. 2020* 385-389
- Menard, M.**, *see* Radi, B., *TCSII Oct. 2020* 1864-1868
- Meng, D.**, *see* Wu, Y., *TCSII Nov. 2020* 2562-2566
- Menin, D.**, Bandiziol, A., Grollitsch, W., Nonis, R., and Palestri, P., Design and Simulation of a 12 Gb/s Transceiver With 8-Tap FFE, Offset-Compensated Samplers and Fully Adaptive 1-Tap Speculative/3-Tap DFE and Sampling Phase for MIPI A-PHY Applications; *TCSII Aug. 2020* 1369-1373
- Meucci, R.**, *see* Euzzor, S., *TCSII Feb. 2020* 395-399
- Miao, M.**, *see* Lu, Y., *TCSII Nov. 2020* 2462-2466
- Miki, T.**, Miura, N., Sonoda, H., Mizuta, K., and Nagata, M., A Random Inter-rupt Dithering SAR Technique for Secure ADC Against Reference-Charge Side-Channel Attack; *TCSII Jan. 2020* 14-18
- Min, H.**, *see* Shi, S., *TCSII Aug. 2020* 1414-1418
- Mir, A.**, *see* Sheikhi, A., *TCSII Feb. 2020* 265-269
- Mirhassani, M.**, *see* Leigh, A.J., *TCSII Dec. 2020* 3377-3381
- Mishra, J.P.**, *see* Goyal, J.K., *TCSII Feb. 2020* 295-299
- Mishra, N.**, Dani, L.M., Sanvaniya, K., Dasgupta, S., Chakraborty, S., and Bulusu, A., Design and Realization of High-Speed Low-Noise Multi-Loop Skew-Based ROs Optimized for Even/Odd Multi-Phase Signals; *TCSII Nov. 2020* 2352-2356
- Mishra, S.**, *see* Viswadev, R., *TCSII Nov. 2020* 2577-2581
- Mitchell, A.**, *see* Xu, X., *TCSII Dec. 2020* 3582-3586
- Mitchell, A.**, *see* Tan, M., *TCSII Nov. 2020* 2767-2771
- Mitchell, D.G.M.**, *see* Liu, Y., *TCSII Sept. 2020* 1599-1603
- Mitchell, P.**, *see* Shen, L., *TCSII Jan. 2020* 192-196
- Miura, N.**, *see* Miki, T., *TCSII Jan. 2020* 14-18
- Mizuta, K.**, *see* Miki, T., *TCSII Jan. 2020* 14-18
- Moallemi, S.**, Mehr, P., Grout, K., Thornton, T.J., and Kitchen, J., Adaptive Power Control Using Current Adjustment for Watt-Level Power Amplifiers in CMOS SOI; *TCSII April 2020* 605-609
- Moez, K.**, *see* Basaligheh, A., *TCSII Nov. 2020* 2452-2456
- Mohammed, S.A.**, *see* Rady, R., *TCSII Oct. 2020* 1899-1903
- Mohan, V.**, *see* Zhang, X., *TCSII May 2020* 816-820
- Mohieldin, A.N.**, *see* Mamdouh, A., *TCSII Jan. 2020* 9-13
- Mohieldin, A.N.**, *see* Gadel-Karim, A.G., *TCSII Dec. 2020* 2908-2912
- Mohseni, P.**, *see* Zamani, H., *TCSII Dec. 2020* 3512-3516
- Mohseni, P.**, *see* Nag, S., *TCSII Oct. 2020* 1804-1808
- Mok, P.K.T.**, *see* Wang, S., *TCSII Nov. 2020* 2382-2386
- Moloudian, G.**, Bahrami, S., and Hashmi, R.M., A Microstrip Lowpass Filter With Wide Tuning Range and Sharp Roll-Off Response; *TCSII Dec. 2020* 2953-2957
- Monajati, M.**, and Kabir, E., A Modified Inexact Arithmetic Median Filter for Removing Salt-and-Pepper Noise From Gray-Level Images; *TCSII April 2020* 750-754
- Mondal, P.**, *see* Kumari, S., *TCSII Oct. 2020* 1695-1699
- Mongiardo, M.**, *see* Wang, Q., *TCSII Dec. 2020* 3023-3027
- Monti, A.**, *see* Lai, J., *TCSII Oct. 2020* 2094-2098
- Monti, G.**, *see* Wang, Q., *TCSII Dec. 2020* 3023-3027
- Montoya, O.D.**, Gil-Gonzalez, W., and Garrido, V.M., Voltage Stability Margin in DC Grids With CPLs: A Recursive Newton–Raphson Approximation; *TCSII Feb. 2020* 300-304
- Montoya, O.D.**, Grisales-Norena, L.F., and Gil-Gonzalez, W., Triangular Matrix Formulation for Power Flow Analysis in Radial DC Resistive Grids With CPLs; *TCSII June 2020* 1094-1098
- Montoya, O.D.**, Gil-Gonzalez, W., and Grisales-Norena, L.F., Vortex Search Algorithm for Optimal Power Flow Analysis in DC Resistive Networks With CPLs; *TCSII Aug. 2020* 1439-1443
- Montoya, O.D.**, On the Existence of the Power Flow Solution in DC Grids With CPLs Through a Graph-Based Method; *TCSII Aug. 2020* 1434-1438
- Moon, K.**, Oh, D., Choi, M., and Ryu, S., A 28-nm CMOS 12-Bit 250-MS/s Voltage-Current-Time Domain 3-Stage Pipelined ADC; *TCSII Dec. 2020* 2843-2847
- Moon, Y.**, *see* Son, K., *TCSII June 2020* 974-978
- Mopuri, S.**, and Acharyya, A., Low Complexity VLSI Architecture Design Methodology for Wigner Ville Distribution; *TCSII Dec. 2020* 3532-3536
- Mora-Gutierrez, J.M.**, Jimenez-Fernandez, C.J., and Valencia-Barrero, M., ASIC Design and Power Characterization of Standard and Low Power Multi-Radix Trivium; *TCSII Nov. 2020* 2682-2686
- Morandotti, R.**, *see* Xu, X., *TCSII Dec. 2020* 3582-3586
- Morandotti, R.**, *see* Tan, M., *TCSII Nov. 2020* 2767-2771
- Moreno, J.A.**, *see* Aviles, J.D., *TCSII Oct. 2020* 1959-1963
- Moreno-Valenzuela, J.**, A Class of Proportional-Integral With Anti-Windup Controllers for DC–DC Buck Power Converters With Saturating Input; *TCSII Jan. 2020* 157-161
- Mosayebi, M.**, *see* Farsizadeh, H., *TCSII June 2020* 1104-1108
- Mosayebi, M.**, Sadeghzadeh, S.M., Guerrero, J.M., and Khooban, M., Stabilization of DC Nanogrids Based on Non-Integer General Type-II Fuzzy System; *TCSII Dec. 2020* 3108-3112
- Mosayebi, M.**, and Khooban, M.H., A Robust Shipboard DC–DC Power Converter Control: Concept Analysis and Experimental Results; *TCSII Nov. 2020* 2612-2616
- Moss, D.J.**, *see* Xu, X., *TCSII Dec. 2020* 3582-3586
- Moss, D.J.**, *see* Tan, M., *TCSII Nov. 2020* 2767-2771

- Mou, J.**, *see* Wu, D., *TCSII June 2020* 1034-1038  
**Mu, G.**, *see* Lyu, L., *TCSII May 2020* 831-835  
**Mu, J.**, *see* Liu, L., *TCSII March 2020* 440-444  
**Mu, J.**, *see* Liu, L., *TCSII Oct. 2020* 1680-1684  
**Mudlapur, A.**, *see* Viswadev, R., *TCSII Nov. 2020* 2577-2581  
**Muelich, S.**, *see* Mandry, H., *TCSII Dec. 2020* 3372-3376  
**Mukherjee, S.**, Das, A., Seth, S., and Saxena, S., An Energy-Efficient 3Gb/s PAM4 Full-Duplex Transmitter With 2-Tap Feed Forward Equalizer; *TCSII May 2020* 916-920  
**Mukhopadhyay, S.**, *see* Chekuri, V.C.K., *TCSII Dec. 2020* 3083-3087  
**Mullane, B.**, *see* O'Brien, V., *TCSII Jan. 2020* 42-46  
**Murad, N.M.**, *see* Wan, F., *TCSII Nov. 2020* 2477-2481  
**Muscedere, R.**, *see* Leigh, A.J., *TCSII Dec. 2020* 3377-3381  
**Mustafa, A.**, *see* Siddique, M.D., *TCSII Dec. 2020* 3252-3256

**N**

- Na, J.**, Hong, S., and Kwon, O., A Highly Linear 10-Bit DAC of Data Driver IC Using Source Degeneration Load for Active Matrix Flat-Panel Displays; *TCSII Nov. 2020* 2312-2316

**Nabi, M.**, *see* Kalra, S., *TCSII March 2020* 575-579

**Nabki, F.**, *see* Rahiminejad, E., *TCSII Jan. 2020* 4-8

**Nabki, F.**, *see* Radi, B., *TCSII Oct. 2020* 1864-1868

**Nag, S.**, Koruprolu, A., Saikh, S.M., Erfani, R., and Mohseni, P., Auto-Resonant Tuning for Capacitive Power and Data Telemetry Using Flexible Patches; *TCSII Oct. 2020* 1804-1808

**Nag, S.S.**, *see* Sharma, A., *TCSII Dec. 2020* 3093-3097

**Nagare, M.B.**, Patil, B.D., and Holambe, R.S., On the Design of Biorthogonal Halfband Filterbanks With Almost Tight Rational Coefficients; *TCSII April 2020* 790-794

**Nagata, M.**, *see* Miki, T., *TCSII Jan. 2020* 14-18

**Nagaveni, S.**, *see* Regulagadda, S.S., *TCSII Sept. 2020* 1584-1588

**Najafi, A.**, and Garcia-Ortiz, A., Stochastic Wave-Pipelined On-Chip Interconnect; *TCSII May 2020* 841-845

**Najafi, A.**, *see* Najafi, A., *TCSII May 2020* 841-845

**Najafi, A.**, and Garcia-Ortiz, A., Stochastic Mixed-PR: A Stochastically-Tunable Low-Error Adder; *TCSII Oct. 2020* 2144-2148

**Nalla Anandakumar, N.**, Sanadhya, S.K., and Hashmi, M.S., FPGA-Based True Random Number Generation Using Programmable Delays in Oscillator-Rings; *TCSII March 2020* 570-574

**Nallam, N.**, *see* Singh, G.D., *TCSII Nov. 2020* 2422-2426

**Namgoong, G.**, *see* Choi, E., *TCSII July 2020* 1224-1228

**Nannarelli, A.**, *see* Cardarilli, G.C., *TCSII March 2020* 565-569

**Narayanan, V.**, *see* Zhong, H., *TCSII Dec. 2020* 3402-3406

**Naresh, P.**, *see* Kumar, A., *TCSII Dec. 2020* 3207-3211

**Nath, M.**, Maity, S., and Sen, S., Toward Understanding the Return Path Capacitance in Capacitive Human Body Communication; *TCSII Oct. 2020* 1879-1883

**Nauta, B.**, *see* Zanen, J., *TCSII Oct. 2020* 1904-1908

**Nayyeri, V.**, *see* Rafati, S., *TCSII June 2020* 1009-1013

**Nayyeri, V.**, *see* Taleb-Alagh Nia, H., *TCSII Nov. 2020* 2372-2376

**Neihart, N.M.**, *see* Roy, S., *TCSII May 2020* 811-815

**Nemade, H.B.**, *see* Roy, A., *TCSII March 2020* 465-469

**Neri, B.**, *see* Lombardi, G., *TCSII Dec. 2020* 2913-2917

**Neshatvar, N.**, *see* Valente, V., *TCSII Oct. 2020* 1700-1704

**Neumeier, Y.**, and Keren, O., On the Existence of Security Enhancing Converter Designs for Multi-Level Memories; *TCSII June 2020* 1119-1123

**Nezami, M.S.**, *see* Radi, B., *TCSII Oct. 2020* 1864-1868

**Ngo, T.**, and Guo, Y., Harmonic-Recycling Rectifier for High-Efficiency Far-Field Wireless Power Transfer; *TCSII April 2020* 770-774

**Nguang, S.K.**, *see* Dong, L., *TCSII Aug. 2020* 1429-1433

**Nguyen, A.D.**, Chen, C., Lai, J., and Liu, Y., Matrix Inductor With DC-Bias Effect Reduction Capability for GaN-Based DC-DC Boost Converter; *TCSII Nov. 2020* 2597-2601

**Nguyen, A.D.**, *see* Hsieh, H., *TCSII Oct. 2020* 1999-2003

**Nguyen, T.G.**, *see* Xu, X., *TCSII Dec. 2020* 3582-3586

**Nguyen, T.G.**, *see* Tan, M., *TCSII Nov. 2020* 2767-2771

+ Check author entry for coauthors

**Nguyen, V.**, *see* Wang, H., *TCSII Dec. 2020* 2828-2832

**Ni, T.**, Chang, H., Song, T., Xu, Q., Huang, Z., Liang, H., Yan, A., and Wen, X., Non-Intrusive Online Distributed Pulse Shrinking-Based Interconnect Testing in 2.5D IC; *TCSII Nov. 2020* 2657-2661

**Nie, S.**, *see* Ding, L., *TCSII Dec. 2020* 3202-3206

**Nie, S.**, Ding, L., and Li, W., Multiple Line-Outage Detection in Power System With Load Stochastic Perturbations; *TCSII Oct. 2020* 1994-1998

**Niebsch, R.**, *see* Hoppner, S., *TCSII Oct. 2020* 2159-2163

**Nikolaou, S.**, *see* Arain, S., *TCSII Aug. 2020* 1374-1378

**Ning, S.**, Improving Resistive RAM Hard and Soft Decision Correctable BERs by Using Improved-LLR and Reset-Check-Reverse-Flag Concatenating LDPC Code; *TCSII Oct. 2020* 2164-2168

**Ning, X.**, *see* Qian, G., *TCSII Oct. 2020* 2229-2233

**Nithin Kumar, Y.B.**, *see* Siddharth, R.K., *TCSII Dec. 2020* 2918-2922

**Nitin Gujarathi, N.**, *see* Jayaraj, A., *TCSII Oct. 2020* 1765-1769

**Niu, Y.**, *see* Song, J., *TCSII June 2020* 1079-1083

**Nizamani, N.**, *see* Ali, E., *TCSII Dec. 2020* 2903-2907

**Nonis, R.**, *see* Menin, D., *TCSII Aug. 2020* 1369-1373

**Nossmann, M.**, *see* Hoppner, S., *TCSII Oct. 2020* 2159-2163

**O**

**O'Brien, V.**, and Mullane, B., High Order Mismatch Shaping for Low Oversampling Rates; *TCSII Jan. 2020* 42-46

**O'Neill, M.**, *see* Zhang, Y., *TCSII May 2020* 886-890

**Oefelein, A.**, *see* Hoppner, S., *TCSII Oct. 2020* 2159-2163

**Ogura, M.**, Mei, W., and Sugimoto, K., Synergistic Effects in Networked Epidemic Spreading Dynamics; *TCSII March 2020* 496-500

**Oh, B.**, and Kim, J.J., A Four-Step Incremental ADC Based on Double Extended Binary Counting With Capacitive DAC; *TCSII Oct. 2020* 1685-1689

**Oh, D.**, *see* Moon, K., *TCSII Dec. 2020* 2843-2847

**Oh, J.**, Park, J., and Jeong, D., A Highly Synthesizable 0.5-to-1.0-V Digital Low-Dropout Regulator With Adaptive Clocking and Incremental Regulation Scheme; *TCSII Oct. 2020* 2174-2178

**Oh, K.**, *see* Lee, H., *TCSII Dec. 2020* 2993-2997

**Olivera, F.**, and Petraglia, A., Closed-Form Analysis of Metastability Voltage in 28-nm UTBB FD-SOI CMOS Technology; *TCSII April 2020* 625-629

**Olivera, F.**, and Petraglia, A., Adjustable Output CMOS Voltage Reference Design; *TCSII Oct. 2020* 1690-1694

**Om, H.**, *see* Sutradhar, K., *TCSII Dec. 2020* 2978-2982

**Oo, A.M.T.**, *see* Huynh, V.T., *TCSII Jan. 2020* 107-111

**Oo, A.M.T.**, *see* Roy, T.K., *TCSII Nov. 2020* 2557-2561

**Ortmanns, M.**, *see* Mandry, H., *TCSII Dec. 2020* 3372-3376

**Ortmanns, M.**, *see* Wagner, J., *TCSII Dec. 2020* 2813-2817

**Ottersten, B.**, *see* Martins, W.A., *TCSII Nov. 2020* 2777-2781

**Ouyang, C.**, and Li, L., Event-Based Robust Synchronization of Boolean Control Networks; *TCSII Oct. 2020* 1969-1973

**Ozgun, M.T.**, *see* Rady, R., *TCSII Oct. 2020* 1899-1903

**P**

**Padilla, P.**, *see* Palomares-Caballero, A., *TCSII Dec. 2020* 3058-3062

**Pagilla, P.R.**, *see* Ma, G., *TCSII June 2020* 1069-1073

**Pai, C.**, *see* Yeh, L., *TCSII Sept. 2020* 1614-1618

**Paireder, T.**, *see* Lunglmayr, M., *TCSII Dec. 2020* 3507-3511

**Pal, R.**, *see* Kumari, S., *TCSII Oct. 2020* 1695-1699

**Pal, S.**, and Ki, W., 40.68 MHz Digital On-Off Delay-Compensated Active Rectifier for WPT of Biomedical Applications; *TCSII Dec. 2020* 3307-3311

**Palestri, P.**, *see* Menin, D., *TCSII Aug. 2020* 1369-1373

**Palomares-Caballero, A.**, Alex-Amor, A., Escobedo, P., Valenzuela-Valdes, J., and Padilla, P., Low-Loss Reconfigurable Phase Shifter in Gap-Waveguide Technology for mm-Wave Applications; *TCSII Dec. 2020* 3058-3062

**Palomino, D.**, *see* Perleberg, M., *TCSII May 2020* 836-840

**Palumbo, G.**, *see* Scotti, G., *TCSII March 2020* 560-564

**Palumbo, G.**, *see* Ballo, A., *TCSII July 2020* 1304-1308

**Palumbo, G.**, *see* Ballo, A., *TCSII Dec. 2020* 3312-3316

**Pan, H.**, *see* Qin, Z., *TCSII Dec. 2020* 3422-3426

- Pan, J.**, Luo, Y., Li, Y., Tham, C., Heng, C., and Thean, A.V., A Wireless Multi-Channel Capacitive Sensor System for Efficient Glove-Based Gesture Recognition With AI at the Edge; *TCSII Sept. 2020* 1624-1628
- Pan, Q.**, Wang, Y., and Yue, C.P., A 42-dBΩ 25-Gb/s CMOS Transimpedance Amplifier With Multiple-Peaking Scheme for Optical Communications; *TCSII Jan. 2020* 72-76
- Pan, Q.**, *see* Huang, Q., *TCSII Sept. 2020* 1494-1498
- Pan, Q.**, *see* Hu, J., *TCSII Sept. 2020* 1499-1503
- Pan, X.**, *see* Kumar, A., *TCSII Dec. 2020* 3207-3211
- Panda, G.**, *see* Panda, K.P., *TCSII Dec. 2020* 3192-3196
- Panda, K.P.**, Bana, P.R., and Panda, G., A Switched-Capacitor Self-Balanced High-Gain Multilevel Inverter Employing a Single DC Source; *TCSII Dec. 2020* 3192-3196
- Pandey, P.K.**, and Badarla, V., Small-World Regular Networks for Communication; *TCSII Aug. 2020* 1409-1413
- Pandey, S.**, and Majhi, S., System Identification Under Relay and PI Control; *TCSII June 2020* 1089-1093
- Pannu, J.S.**, Raj, S., Fernandes, S.L., Chakraborty, D., Rafiq, S., Cady, N., and Jha, S.K., Design and Fabrication of Flow-Based Edge Detection Memristor Crossbar Circuits<sup>1</sup>; *TCSII May 2020* 961-965
- Papananos, Y.**, Galanopoulos, K., Alexiou, N., and Dielacher, F., A Mixed-Signal RF Pulse Width Modulator With High Time Resolution Utilizing Passive Delay Lines; *TCSII Nov. 2020* 2442-2446
- Parekh, P.**, *see* Yuan, F., *TCSII June 2020* 994-998
- Park, B.**, Ji, Y., and Sim, J., A 490-pW SAR Temperature Sensor With a Leakage-Based Bandgap-Vth Reference; *TCSII Sept. 2020* 1549-1553
- Park, B.**, and Maghari, N., Logic Obfuscation Through Enhanced Threshold Voltage Defined Logic Family; *TCSII Dec. 2020* 3407-3411
- Park, C.S.**, *see* Lee, H.S., *TCSII Oct. 2020* 1710-1714
- Park, G.**, Im, D., Han, D., and Yoo, H., A 1.15 TOPS/W Energy-Efficient Capsule Network Accelerator for Real-Time 3D Point Cloud Segmentation in Mobile Environment; *TCSII Sept. 2020* 1594-1598
- Park, H.**, *see* Ahn, C., *TCSII Dec. 2020* 2863-2867
- Park, H.**, *see* Yoon, Y., *TCSII Nov. 2020* 2342-2346
- Park, H.**, *see* Cho, S., *TCSII Nov. 2020* 2392-2396
- Park, I.**, *see* Kong, B.Y., *TCSII March 2020* 470-474
- Park, J.**, *see* Jeong, Y., *TCSII Sept. 2020* 1589-1593
- Park, J.**, Ahn, C., Hong, J., and Sim, J., A Picosecond-Resolution Digital-ly-Controlled Timing Generator With One-Clock-Latency at Arbitrary Instantaneous Input; *TCSII Sept. 2020* 1544-1548
- Park, J.**, *see* Oh, J., *TCSII Oct. 2020* 2174-2178
- Park, J.H.**, *see* Chang, X., *TCSII Feb. 2020* 305-309
- Park, J.K.**, *see* Lee, C.R., *TCSII July 2020* 1309-1313
- Park, K.**, *see* Choi, E., *TCSII July 2020* 1224-1228
- Park, P.**, *see* Hur, J., *TCSII Oct. 2020* 2279-2283
- Parmar, Y.**, and Sridharan, K., A Resource-Efficient Multiplierless Systolic Array Architecture for Convolutions in Deep Networks; *TCSII Feb. 2020* 370-374
- Pasha, M.A.**, *see* Ahmad, A., *TCSII Nov. 2020* 2692-2696
- Patel, R.B.**, *see* Goyal, J.K., *TCSII Feb. 2020* 295-299
- Patil, B.D.**, *see* Nagare, M.B., *TCSII April 2020* 790-794
- Pau, D.**, *see* De Vita, A., *TCSII June 2020* 1124-1128
- Payvand, M.**, *see* Asgari, H., *TCSII Nov. 2020* 2697-2701
- Pedram, M.**, *see* Ebrahimi-Azandaryani, F., *TCSII Jan. 2020* 137-141
- Pedram, M.**, *see* Vahdat, S., *TCSII Dec. 2020* 3442-3446
- Peng, C.**, and Li, R., A Low Conduction Loss Modular Multilevel Converter Topology With DC Fault Blocking Capability and Reduced Capacitance; *TCSII July 2020* 1299-1303
- Peng, J.**, *see* Li, C., *TCSII Oct. 2020* 1730-1734
- Peng, X.**, Guo, K., and Geng, Z., Moving Target Circular Formation Control of Multiple Non-Holonomic Vehicles Without Global Position Measurements; *TCSII Feb. 2020* 310-314
- Peng, X.**, *see* Zhuang, H., *TCSII July 2020* 1204-1208
- Peng, Y.**, *see* Ye, Y., *TCSII Feb. 2020* 365-369
- Peng, Z.**, *see* Gong, Y., *TCSII Jan. 2020* 82-86
- Perleberg, M.**, Borges, V., Afonso, V., Palomino, D., Agostini, L., and Porto, M., 6WR: A Hardware Friendly 3D-HEVC DMM-1 Algorithm and its Energy-Aware and High-Throughput Design; *TCSII May 2020* 836-840
- Perri, S.**, *see* Frustaci, F., *TCSII Dec. 2020* 3427-3431
- Petraglia, A.**, *see* Olivera, F., *TCSII April 2020* 625-629
- Petraglia, A.**, *see* Olivera, F., *TCSII Oct. 2020* 1690-1694
- Piccinni, G.**, Torelli, F., and Avitabile, G., Chaos Suppression in Forced Chaotic Systems by Innovative Sliding Mode Control; *TCSII Aug. 2020* 1424-1428
- Piccinni, G.**, Torelli, F., and Avitabile, G., Innovative DOA Estimation Algorithm Based on Lyapunov Theory; *TCSII Oct. 2020* 2219-2223
- Picos, R.**, *see* Al Chawa, M.M., *TCSII Feb. 2020* 390-394
- Pilavaki, E.**, *see* Valente, V., *TCSII Oct. 2020* 1700-1704
- Pilipko, M.M.**, *see* Yenuchenko, M.S., *TCSII Nov. 2020* 2317-2321
- Pimentel, C.**, *see* Souza, C.E.C., *TCSII Oct. 2020* 2189-2193
- Piotti, M.**, *see* Bruschi, P., *TCSII Feb. 2020* 210-214
- Piotti, M.**, *see* Catania, A., *TCSII Sept. 2020* 1514-1518
- Porto, M.**, *see* Perleberg, M., *TCSII May 2020* 836-840
- Pothu, B.S.K.R.**, *see* Sonti, V., *TCSII Dec. 2020* 3247-3251
- Povoa, R.**, Lourenco, N., Martins, R., Canelas, A., Horta, N., and Goes, J., A Folded Voltage-Combiners Biased Amplifier for Low Voltage and High Energy-Efficiency Applications; *TCSII Feb. 2020* 230-234
- Poznyak, A.**, *see* Garcia-Gonzalez, A., *TCSII Dec. 2020* 3078-3082
- Poznyak, T.**, *see* Garcia-Gonzalez, A., *TCSII Dec. 2020* 3078-3082
- Preiser, P.**, *see* Wang, S., *TCSII May 2020* 881-885
- Prengel, H.**, *see* Hoppner, S., *TCSII Oct. 2020* 2159-2163
- Pretl, H.**, *see* Gebhard, A., *TCSII July 2020* 1229-1233
- Prouza, A.A.**, *see* Xie, S., *TCSII Feb. 2020* 255-259
- Pu, C.**, Wang, K., and Xia, Y., Robustness of Link Prediction Under Network Attacks; *TCSII Aug. 2020* 1472-1476
- Pu, C.**, Wu, P., and Xia, Y., Vulnerability Assessment of Power Grids Against Link-Based Attacks; *TCSII Oct. 2020* 2209-2213
- Pu, S.**, *see* Yu, X., *TCSII Dec. 2020* 3607-3611
- Puig, V.**, *see* Martinez-Garcia, C., *TCSII April 2020* 710-714
- Pun, K.**, *see* Shi, E., *TCSII March 2020* 445-449

**Q**

- Qi, F.**, *see* Xu, G., *TCSII Dec. 2020* 3452-3456
- Qi, L.**, *see* Reda Mohamed, A., *TCSII Sept. 2020* 1529-1533
- Qi, T.**, *see* Haider, M.F., *TCSII Dec. 2020* 3013-3017
- Qi, W.**, Gao, M., Ahn, C.K., Cao, J., Cheng, J., and Zhang, L., Quantized Fuzzy Finite-Time Control for Nonlinear Semi-Markov Switching Systems; *TCSII Nov. 2020* 2622-2626
- Qi, X.**, *see* Liu, W., *TCSII July 2020* 1249-1253
- Qian, G.**, *see* Dong, F., *TCSII Dec. 2020* 3587-3591
- Qian, G.**, Ning, X., and Wang, S., Recursive Constrained Maximum Correntropy Criterion Algorithm for Adaptive Filtering; *TCSII Oct. 2020* 2229-2233
- Qian, J.**, Lu, M., and Huang, N., Radar and Communication Co-Existence Design Based on Mutual Information Optimization; *TCSII Dec. 2020* 3577-3581
- Qian, K.**, *see* Zou, W., *TCSII July 2020* 1279-1283
- Qian, K.**, *see* Qian, L., *TCSII Dec. 2020* 2943-2947
- Qian, L.**, Li, D., Qian, K., Ye, Y., Xia, Y., and Mak, T., A Fast-Transient Response Digital Low-Dropout Regulator With Dual-Modes Tuning Technique; *TCSII Dec. 2020* 2943-2947
- Qian, X.**, *see* Yi, X., *TCSII Nov. 2020* 2402-2406
- Qiao, S.**, *see* You, H., *TCSII Dec. 2020* 3357-3361
- Qin, L.**, *see* Ruan, A., *TCSII Oct. 2020* 2124-2128
- Qin, S.**, *see* Zhao, D., *TCSII Dec. 2020* 3492-3496
- Qin, W.**, *see* Lu, Q., *TCSII Dec. 2020* 2983-2987
- Qin, Y.**, *see* Xu, Y., *TCSII Nov. 2020* 2367-2371
- Qin, Z.**, Qiu, Y., Sun, H., Lu, Z., Wang, Z., Shen, Q., and Pan, H., A Novel Approximation Methodology and Its Efficient VLSI Implementation for the Sigmoid Function; *TCSII Dec. 2020* 3422-3426
- Qiu, Y.**, *see* Qin, Z., *TCSII Dec. 2020* 3422-3426
- Qu, L.**, *see* Zhao, Z., *TCSII May 2020* 931-935

+ Check author entry for coauthors

- Qu, M.**, *see* Ding, T., *TCSII Nov. 2020* 2527-2531  
**Qu, X.**, *see* Yao, Y., *TCSII April 2020* 740-744  
**Qu, X.**, *see* Lian, J., *TCSII April 2020* 715-719  
**Qu, X.**, *see* Ma, D., *TCSII July 2020* 1284-1288  
**Quddious, A.**, *see* Arain, S., *TCSII Aug. 2020* 1374-1378

**R**

- Rabuske, F.**, Rabuske, T., Liu, S., and Fernandes, J., Calibrating Amplifiers Nonlinearity Using Comparator-Based ADCs; *TCSII March 2020* 435-439  
**Rabuske, T.**, *see* Rabuske, F., *TCSII March 2020* 435-439  
**Radi, B.**, Nezami, M.S., Menard, M., Nabki, F., and Liboiron-Ladouceur, O., A 12.5 Gb/s 1.93 pJ/Bit Optical Receiver Exploiting Silicon Photonic Delay Lines for Clock Phases Generation Replacement; *TCSII Oct. 2020* 1864-1868  
**Radin, R.L.**, Sawan, M., Galup-Montoro, C., and Schneider, M.C., A 7.5-mV-Input Boost Converter for Thermal Energy Harvesting With 11-mV Self-Startup; *TCSII Aug. 2020* 1379-1383  
**Rady, R.**, Dogan, H., Aktan, M., Mohammed, S.A., and Ozgun, M.T., An Ultra Low Power Integrated Radio TX Link Supplied From a Switched Capacitor DC-DC Converter in 65-nm CMOS Achieving 2 Mbps; *TCSII Oct. 2020* 1899-1903  
**Rafati, S.**, Nayyeri, V., and Soleimani, M., A 100-W Doherty Power Amplifier With Super-Octave Bandwidth; *TCSII June 2020* 1009-1013  
**Rafiei, M.**, Khooban, M., Igder, M.A., and Boudjadar, J., A Novel Approach to Overcome the Limitations of Reliability Centered Maintenance Implementation on the Smart Grid Distance Protection System; *TCSII Feb. 2020* 320-324  
**Rafiei, M.**, *see* Farsizadeh, H., *TCSII June 2020* 1104-1108  
**Rafiq, S.**, *see* Pannu, J.S., *TCSII May 2020* 961-965  
**Raghuram, M.**, *see* Kumar, A., *TCSII Dec. 2020* 3207-3211  
**Rahajandraibe, W.**, *see* Ali, E., *TCSII Dec. 2020* 2903-2907  
**Rahajandraibe, W.**, *see* Wan, F., *TCSII Nov. 2020* 2477-2481  
**Rahbarnia, F.**, *see* Eshaghnezhad, M., *TCSII Nov. 2020* 2747-2751  
**Rahiminejad, E.**, Saberi, M., Lotfi, R., Taherzadeh-Sani, M., and Nabki, F., A Low-Voltage High-Precision Time-Domain Winner-Take-All Circuit; *TCSII Jan. 2020* 4-8  
**Raj, S.**, *see* Pannu, J.S., *TCSII May 2020* 961-965  
**Rajan, S.**, *see* Sadreazami, H., *TCSII Jan. 2020* 197-201  
**Raman, B.**, *see* Gyanendra, ., *TCSII Dec. 2020* 3392-3396  
**Ramana, V.V.**, *see* Viswadev, R., *TCSII Nov. 2020* 2577-2581  
**Rambabu, K.**, *see* Zaidi, A.M., *TCSII Feb. 2020* 275-279  
**Rambabu, K.**, *see* Zaidi, A.M., *TCSII Dec. 2020* 2998-3002  
**Ramiah, H.**, *see* Lee, S.S., *TCSII Oct. 2020* 1770-1774  
**Ramirez-Angulo, J.**, *see* Rico-Aniles, H.D., *TCSII Nov. 2020* 2332-2336  
**Rampa, V.**, *see* Matera, A., *TCSII Dec. 2020* 2988-2992  
**Rao, P.**, and Li, X., Cooperative Formation of Self-Propelled Vehicles With Directed Communications; *TCSII Feb. 2020* 315-319  
**Rastegarnia, A.**, Reduced-Communication Diffusion RLS for Distributed Estimation Over Multi-Agent Networks; *TCSII Jan. 2020* 177-181  
**Rasti Boroujeni, S.**, *see* Basaligheh, A., *TCSII Nov. 2020* 2452-2456  
**Rauf, A.**, *see* Toor, H.I., *TCSII Feb. 2020* 345-349  
**Ravelo, B.**, *see* Cholachue, C., *TCSII Aug. 2020* 1389-1393  
**Ravelo, B.**, Agnus, B., Carras, S., and Davin, T., Cauer Ladder Inspired Kron-Branin Modeling of Thermal 1-D Diffusion; *TCSII Jan. 2020* 27-31  
**Ravelo, B.**, *see* Wan, F., *TCSII Nov. 2020* 2477-2481  
**Ravelo, B.**, *see* Wan, F., *TCSII Oct. 2020* 1795-1799  
**Rawat, K.**, *see* Aggrawal, E., *TCSII June 2020* 1019-1023  
**Ray, D.**, *see* Bhattacharjee, S.S., *TCSII Dec. 2020* 3602-3606  
**Ray, D.**, *see* Deb, T., *TCSII Nov. 2020* 2757-2761  
**Rayguru, M.M.**, and Kar, I.N., High Gain Observer-Based Saturated Controller for Feedback Linearizable System; *TCSII Jan. 2020* 122-126  
**Razaq, M.A.**, Rehan, M., Tufail, M., and Ahn, C.K., Multiple Lyapunov Functions Approach for Consensus of One-Sided Lipschitz Multi-Agents Over Switching Topologies and Input Saturation; *TCSII Dec. 2020* 3267-3271  
**Razavizadeh, S.M.**, *see* Akhlaghpasand, H., *TCSII Jan. 2020* 182-186  
**Re, M.**, *see* Cardarilli, G.C., *TCSII Feb. 2020* 380-384  
**Re, M.**, *see* Cardarilli, G.C., *TCSII March 2020* 565-569  
**Recski, A.**, Generalization of the Normal Tree Method for Networks Without Graphic Structures; *TCSII Oct. 2020* 1800-1803  
**Reda Mohamed, A.**, Qi, L., Li, Y., and Wang, G., A Generic Nano-Watt Power Fully Tunable 1-D Gaussian Kernel Circuit for Artificial Neural Network; *TCSII Sept. 2020* 1529-1533  
**Reddivari, R.**, and Jena, D., A Negative Embedded Differential Mode  $\Gamma$ -Source Inverter With Reduced Switching Spikes; *TCSII Oct. 2020* 2009-2013  
**Reddy, R.P.**, Acharyya, A., and Khursheed, S., A Cost-Aware Framework for Lifetime Reliability of TSV-Based 3D-IC Design; *TCSII Nov. 2020* 2677-2681  
**Regulagadda, S.S.**, Nagaveni, S., and Dutta, A., A Package Aware QLMVF Receiver Front End; *TCSII Sept. 2020* 1584-1588  
**Rehan, M.**, Ahn, C.K., and Chadli, M., Consensus of One-Sided Lipschitz Multi-Agents Under Input Saturation; *TCSII April 2020* 745-749  
**Rehan, M.**, *see* Razaq, M.A., *TCSII Dec. 2020* 3267-3271  
**Rehman, S.U.**, Khafaji, M.M., Ferschischi, A., Carta, C., and Ellinger, F., A 0.2-1.3 ns Range Delay-Control Scheme for a 25 Gb/s Data-Receiver Using a Replica Delay-Line-Based Delay-Locked-Loop in 45-nm CMOS; *TCSII May 2020* 806-810  
**Ren, B.**, *see* Liu, H., *TCSII Oct. 2020* 1760-1764  
**Ren, H.**, Zhou, M., Gu, Y., and Arigong, B., A Tunable Transmission Line With Controllable Phase Shifting and Characteristic Impedance; *TCSII Oct. 2020* 1720-1724  
**Ren, X.**, *see* Zhang, J., *TCSII July 2020* 1174-1178  
**Ren, Y.**, *see* Shen, Y., *TCSII May 2020* 901-905  
**Retegui, R.G.**, *see* Cervellini, P., *TCSII July 2020* 1269-1273  
**Reyes-Reyes, J.**, *see* Martinez-Garcia, C., *TCSII April 2020* 710-714  
**Reza, C.M.F.S.**, and Lu, D., Over-Current Protection for Power Packet Dispatching System; *TCSII Nov. 2020* 2617-2621  
**Rhee, C.**, *see* Kim, S., *TCSII Feb. 2020* 235-239  
**Ria, A.**, *see* Catania, A., *TCSII Sept. 2020* 1514-1518  
**Riad, J.**, Li, P., and Sanchez-Sinencio, E., A Stabilizing Centralized Controller for On-Chip Power Delivery Networks; *TCSII April 2020* 680-684  
**Richard Shi, C.**, *see* Lyu, L., *TCSII May 2020* 831-835  
**Richelli, A.**, *see* Colalongo, L., *TCSII Dec. 2020* 3172-3176  
**Rico-Aniles, H.D.**, Ramirez-Angulo, J., Lopez-Martin, A.J., and Carvajal, R.G., 360 nW Gate-Driven Ultra-Low Voltage CMOS Linear Transconductor With 1 MHz Bandwidth and Wide Input Range; *TCSII Nov. 2020* 2332-2336  
**Riedel, T.**, *see* Hoppner, S., *TCSII Oct. 2020* 2159-2163  
**Righi, R.d.R.**, *see* Crovato, C.D.P., *TCSII Dec. 2020* 3467-3471  
**Rih, W.**, *see* Chung, Y., *TCSII April 2020* 645-649  
**Roa, E.**, *see* Romero, J., *TCSII May 2020* 866-870  
**Roch, M.R.**, *see* Kello, J., *TCSII Dec. 2020* 3417-3421  
**Rodriguez-Vazquez, A.**, *see* Fiorelli, R., *TCSII Jan. 2020* 47-51  
**Rogers, J.W.M.**, *see* Abdullah, S., *TCSII July 2020* 1199-1203  
**Roh, Y.**, Chang, D., and Ryu, S., A 40-nm CMOS 12b 120-MS/s Nonbinary SAR-Assisted SAR ADC With Double Clock-Rate Coarse Decision; *TCSII Dec. 2020* 2833-2837  
**Romero, J.**, Cuevas, N., and Roa, E., Energy Efficient Peripheral and System Buses for Low-Area and Low-Power SoC Applications; *TCSII May 2020* 866-870  
**Rong, C.**, Zhang, B., and Jiang, Y., Analysis of a Fractional-Order Wireless Power Transfer System; *TCSII Oct. 2020* 1755-1759  
**Rong, Z.**, *see* Su, H., *TCSII Oct. 2020* 2019-2023  
**Rosa, L.S.**, *see* Goncalves, S.M.M., *TCSII July 2020* 1239-1243  
**Rossello, J.L.**, *see* Galen-Prado, F., *TCSII Nov. 2020* 2712-2716  
**Rostami, M.S.**, Saberi, M., Maymandi-Nejad, M., and Sawan, M., A Low-Power Time-to-Digital Converter for Sensor Interface Circuits; *TCSII Dec. 2020* 2853-2857  
**Roy, A.**, Nemade, H.B., and Bhattacharjee, R., Multiuser PSK-Chirp-BOK Communication System Under Co-Channel Interference; *TCSII March 2020* 465-469  
**Roy, A.S.**, *see* Jana, B., *TCSII Oct. 2020* 2129-2133  
**Roy, K.**, *see* Ali, M.F., *TCSII March 2020* 551-555  
**Roy, K.**, *see* Jaiswal, A., *TCSII Dec. 2020* 3347-3351

- Roy, S.**, and Neihart, N.M., Fourier Analysis of Signal Waveforms in An Ideal Concurrent Dual-Band Class-D Power Amplifier; *TCSII May 2020* 811-815
- Roy, S.**, and Chandra, A., A Triangular Common Subexpression Elimination Algorithm With Reduced Logic Operators in FIR Filter; *TCSII Dec. 2020* 3527-3531
- Roy, T.K.**, Mahmud, M.A., Shen, W.X., and Oo, A.M.T., An Adaptive Partial Feedback Linearizing Control Scheme: An Application to a Single Machine Infinite Bus System; *TCSII Nov. 2020* 2557-2561
- Rozenko, S.**, *see* Zakharov, A., *TCSII Oct. 2020* 1874-1878
- Ru, X.**, *see* Li, J., *TCSII Dec. 2020* 3302-3306
- Ruan, A.**, Shi, A., Qin, L., Xu, S., and Zhao, Y., A Reinforcement Learning-Based Markov-Decision Process (MDP) Implementation for SRAM FPGAs; *TCSII Oct. 2020* 2124-2128
- Rubino, A.**, *see* De Vita, A., *TCSII June 2020* 1124-1128
- Rubio, A.**, *see* Gomez, J., *TCSII April 2020* 620-624
- Rusci, M.**, *see* Capotondi, A., *TCSII May 2020* 871-875
- Rutkowski, L.**, *see* Chen, B., *TCSII Nov. 2020* 2537-2541
- Ryu, S.**, *see* Jo, D., *TCSII April 2020* 610-614
- Ryu, S.**, *see* Moon, K., *TCSII Dec. 2020* 2843-2847
- Ryu, S.**, *see* Roh, Y., *TCSII Dec. 2020* 2833-2837

**S**

- Saad, A.**, *see* Lee, S.S., *TCSII Oct. 2020* 1770-1774
- Saberi, M.**, *see* Shahsavari, S., *TCSII June 2020* 989-993
- Saberi, M.**, *see* Rahiminejad, E., *TCSII Jan. 2020* 4-8
- Saberi, M.**, *see* Rostami, M.S., *TCSII Dec. 2020* 2853-2857
- Sachan, A.**, Kamal, S., Yu, X., Singh, D., and Xiong, X., A Robust [K,KL] Sector for Nonlinear System; *TCSII Nov. 2020* 2547-2551
- Sadeghzadeh, S.M.**, *see* Mosayebi, M., *TCSII Dec. 2020* 3108-3112
- Sadjina, S.**, *see* Gebhard, A., *TCSII July 2020* 1229-1233
- Sadreazami, H.**, Bolic, M., and Rajan, S., Fall Detection Using Standoff Radar-Based Sensing and Deep Convolutional Neural Network; *TCSII Jan. 2020* 197-201
- Safari, L.**, *see* Barile, G., *TCSII March 2020* 405-409
- Saffari, P.**, *see* Basaligheh, A., *TCSII Nov. 2020* 2452-2456
- Saha, G.**, *see* Jana, B., *TCSII Oct. 2020* 2129-2133
- Saikh, S.M.**, *see* Nag, S., *TCSII Oct. 2020* 1804-1808
- Sait, H.**, *see* Jabavathi, J.D., *TCSII April 2020* 720-724
- Sajadi, A.**, Sheikhi, A., and Abdipour, A., Analysis, Simulation, and Implementation of Dual-Band Filtering Power Divider Based on Terminated Coupled Lines; *TCSII Nov. 2020* 2487-2491
- Sakthivel, R.**, *see* Harshavarthini, S., *TCSII Nov. 2020* 2647-2651
- Sakthivel, R.**, Divya, H., and Liu, Y., Robust Hybrid Control Design for Stochastic Markovian Jump System via Fault Alarm Approach; *TCSII Oct. 2020* 2004-2008
- Sakthivel, R.**, *see* Sakthivel, R., *TCSII Oct. 2020* 2004-2008
- Salib, A.**, Flanagan, M.F., and Cardiff, B., Time-Skew Estimation for Random Sampling Sequence Time-Interleaved ADCs; *TCSII Oct. 2020* 1809-1813
- Sanadhya, S.K.**, *see* Nalla Anandakumar, N., *TCSII March 2020* 570-574
- Sanchez-Macian, A.**, *see* Garcia-Herrero, F., *TCSII Dec. 2020* 3362-3366
- Sanchez-Sinencio, E.**, *see* Riad, J., *TCSII April 2020* 680-684
- Sanchez-Sinencio, E.**, *see* Zeng, Z., *TCSII Jan. 2020* 87-91
- Sandeep, N.**, *see* Sathik, M.J., *TCSII Jan. 2020* 127-131
- Sandeep, N.**, *see* Siddique, M.D., *TCSII Dec. 2020* 3252-3256
- Sandeep, N.**, *see* Jagabar Sathik, M., *TCSII Dec. 2020* 3287-3291
- Sandeep, N.**, *see* Sathik, M.J., *TCSII Nov. 2020* 2567-2571
- Sandell, M.**, *see* Ismail, A., *TCSII March 2020* 600-604
- Sang, L.**, *see* Gong, L., *TCSII Oct. 2020* 1854-1858
- Sanvaniya, K.**, *see* Mishra, N., *TCSII Nov. 2020* 2352-2356
- Sanyal, A.**, *see* Venkatesh, A., *TCSII Aug. 2020* 1394-1398
- Sanyal, A.**, *see* Danesh, M., *TCSII Dec. 2020* 2823-2827
- Sanyal, A.**, *see* Jayaraj, A., *TCSII Oct. 2020* 1765-1769
- Saponara, S.**, *see* Ciarpì, G., *TCSII Sept. 2020* 1659-1663
- Saraereh, O.A.**, *see* Iqbal, A., *TCSII Nov. 2020* 2362-2366
- Sarangi, S.**, *see* Som, I., *TCSII Nov. 2020* 2397-2401
- Sathik, M.J.**, Bhatnagar, K., Sandeep, N., and Blaabjerg, F., An Improved Seven-Level PUC Inverter Topology With Voltage Boosting; *TCSII Jan. 2020* 127-131
- Sathik, M.J.**, Sandeep, N., and Blaabjerg, F., High Gain Active Neutral Point Clamped Seven-Level Self-Voltage Balancing Inverter; *TCSII Nov. 2020* 2567-2571
- Savaria, Y.**, *see* Hassan, A., *TCSII Sept. 2020* 1579-1583
- Sawan, M.**, *see* Radin, R.L., *TCSII Aug. 2020* 1379-1383
- Sawan, M.**, *see* Hassan, A., *TCSII Sept. 2020* 1579-1583
- Sawan, M.**, *see* Honarpourvar, M., *TCSII Sept. 2020* 1519-1523
- Sawan, M.**, *see* Rostami, M.S., *TCSII Dec. 2020* 2853-2857
- Sawataishi, S.**, Ueno, R., and Homma, N., Unified Hardware for High-Throughput AES-Based Authenticated Encryptions; *TCSII Sept. 2020* 1604-1608
- Saxena, S.**, *see* Mukherjee, S., *TCSII May 2020* 916-920
- Sayed, A.**, Badran, T., Louerat, M., and Aboushady, H., A 1.5-to-3.0GHz Tunable RF Sigma-Delta ADC With a Fixed Set of Coefficients and a Programmable Loop Delay; *TCSII Sept. 2020* 1559-1563
- Scharfe, A.**, *see* Hoppner, S., *TCSII Oct. 2020* 2159-2163
- Schembari, F.**, *see* Wang, H., *TCSII Dec. 2020* 2828-2832
- Scherzer, S.**, *see* Hoppner, S., *TCSII Oct. 2020* 2159-2163
- Schneider, M.C.**, *see* Radin, R.L., *TCSII Aug. 2020* 1379-1383
- Scholze, S.**, *see* Hoppner, S., *TCSII Oct. 2020* 2159-2163
- Schormans, M.**, *see* Valente, V., *TCSII Oct. 2020* 1700-1704
- Schraut, F.**, *see* Hoppner, S., *TCSII Oct. 2020* 2159-2163
- Schreiter, J.**, *see* Hoppner, S., *TCSII Oct. 2020* 2159-2163
- Scotti, G.**, Trifiletti, A., and Palumbo, G., A Novel 0.5 V MCML D-Flip-Flop Topology Exploiting Forward Body Bias Threshold Lowering; *TCSII March 2020* 560-564
- Sehgal, R.**, *see* Akter, M.S., *TCSII Nov. 2020* 2322-2326
- Sekiya, H.**, *see* Zarghami, S., *TCSII Nov. 2020* 2407-2411
- Selmi, M.A.**, *see* Iqbal, A., *TCSII Nov. 2020* 2362-2366
- Selvi, S.**, *see* Harshavarthini, S., *TCSII Nov. 2020* 2647-2651
- Sen, S.**, *see* Nath, M., *TCSII Oct. 2020* 1879-1883
- Seo, B.**, *see* Ali Shah, S.A., *TCSII Oct. 2020* 2049-2053
- Seo, M.**, *see* Jo, D., *TCSII April 2020* 610-614
- Seth, S.**, *see* Mukherjee, S., *TCSII May 2020* 916-920
- Shah, N.M.**, *see* Siddique, M.D., *TCSII July 2020* 1294-1298
- Shahnovich, U.**, *see* Yang, J., *TCSII Jan. 2020* 142-146
- Shahsavari, S.**, and Saberi, M., A Highly Linear 8-Bit M-2M Digital-to-Analog Converter for Neurostimulators; *TCSII June 2020* 989-993
- Shaik, S.M.**, Tang, X., and Mandal, S., Self-Optimizing Wireless Networks on Structures; *TCSII May 2020* 911-915
- Shakoor, A.**, *see* Xie, M., *TCSII Dec. 2020* 3232-3236
- Shakya, J.R.**, and Temes, G.C., Efficient Calibration of Feedback DAC in Delta Sigma Modulators; *TCSII May 2020* 826-830
- Sham, C.**, *see* Ma, L., *TCSII Oct. 2020* 2149-2153
- Sham, C.**, *see* Jiang, S., *TCSII Oct. 2020* 2169-2173
- Shan, J.**, Lazarescu, M.T., Cortadella, J., Lavagno, L., and Casu, M.R., Power-Optimal Mapping of CNN Applications to Cloud-Based Multi-FPGA Platforms; *TCSII Dec. 2020* 3073-3077
- Shan, L.**, *see* Liu, C., *TCSII Nov. 2020* 2642-2646
- Shang, Y.**, Consensus of Hybrid Multi-Agent Systems With Malicious Nodes; *TCSII April 2020* 685-689
- Shang, Z.**, Zhao, Y., Gou, W., Geng, L., and Lian, Y., 83.9% Efficiency 100-mV Self-Startup Boost Converter for Thermoelectric Energy Harvester in IoT Applications; *TCSII Sept. 2020* 1654-1658
- Shang, Z.**, *see* Yang, P., *TCSII Oct. 2020* 2074-2078
- Shao, D.**, *see* Shi, Y., *TCSII Dec. 2020* 3068-3072
- Sharma, A.**, Nag, S.S., Bhuvaneswari, G., and Veerachary, M., An Improved Mode Transition Technique for a Non-Isolated Bidirectional DC-DC Converter; *TCSII Dec. 2020* 3093-3097
- Shaterian, M.**, *see* Abolhassani, S., *TCSII Dec. 2020* 2928-2932
- Shavit, N.**, *see* Stanger, I., *TCSII Sept. 2020* 1639-1643
- Sheikhi, A.**, Alipour, A., and Mir, A., Design and Fabrication of an Ultra-Wide Stopband Compact Bandpass Filter; *TCSII Feb. 2020* 265-269
- Sheikhi, A.**, *see* Sajadi, A., *TCSII Nov. 2020* 2487-2491
- Shen, C.**, *see* Zhang, M., *TCSII Oct. 2020* 2039-2043

- Shen, G.**, Che, W., Feng, W., and Wang, C., Realization of Multiple Transmission Zeroes for Bandpass Filters With Simple Inline Topology; *TCSII June 2020* 1029-1033
- Shen, H.**, *see* Xu, S., *TCSII Dec. 2020* 3482-3486
- Shen, H.**, *see* Yao, L., *TCSII Dec. 2020* 3217-3221
- Shen, J.**, Liu, J.J.R., and Cui, Y., An Exact Characterization of the  $L_1/L_\infty$ -Index of Positive Systems and Its Application to Fault Detection Filter Design; *TCSII Dec. 2020* 3262-3266
- Shen, L.**, Henson, B., Zakharov, Y., and Mitchell, P., Digital Self-Interference Cancellation for Full-Duplex Underwater Acoustic Systems; *TCSII Jan. 2020* 192-196
- Shen, Q.**, *see* Qin, Z., *TCSII Dec. 2020* 3422-3426
- Shen, W.X.**, *see* Roy, T.K., *TCSII Nov. 2020* 2557-2561
- Shen, Y.**, Song, W., Ren, Y., Ji, H., You, X., and Zhang, C., Enhanced Belief Propagation Decoder for 5G Polar Codes With Bit-Flipping; *TCSII May 2020* 901-905
- Shi, A.**, *see* Ruan, A., *TCSII Oct. 2020* 2124-2128
- Shi, C.**, *see* Cui, Y., *TCSII March 2020* 526-530
- Shi, E.**, de Godoy, D., Kinget, P.R., and Pun, K., A 9.6 nW, 8-Bit, 100 S/s Envelope-to-Digital Converter for Respiratory Monitoring; *TCSII March 2020* 445-449
- Shi, G.**, *see* Chen, Q., *TCSII Dec. 2020* 3103-3107
- Shi, L.**, Zhao, H., and Zakharov, Y., An Improved Variable Kernel Width for Maximum Correntropy Criterion Algorithm; *TCSII July 2020* 1339-1343
- Shi, L.**, Multi-Agent Bipartite Tracking Control Over General Cooperative-Hostile Networks; *TCSII Oct. 2020* 1964-1968
- Shi, P.**, *see* He, X., *TCSII Dec. 2020* 3497-3501
- Shi, P.**, *see* Liu, Y., *TCSII Oct. 2020* 1984-1988
- Shi, P.**, *see* Xu, D., *TCSII Oct. 2020* 2034-2038
- Shi, Q.**, *see* Chen, M., *TCSII Oct. 2020* 2059-2063
- Shi, S.**, Gu, J., Xu, S., and Min, H., Variable-Gain Second-Order Sliding Mode Controller With Globally Fixed-Time Stability Guarantees; *TCSII Aug. 2020* 1414-1418
- Shi, S.**, Yang, P., Feng, W., Zhou, L., Lu, Q., Chen, W., and Che, W., Wideband Planar Phased Array Antenna Based on Artificial Magnetic Conductor Surface; *TCSII Oct. 2020* 1909-1913
- Shi, W.**, *see* Xiong, K., *TCSII June 2020* 1159-1163
- Shi, W.**, Li, Y., and Chen, B., A Separable Maximum Correntropy Adaptive Algorithm; *TCSII Nov. 2020* 2797-2801
- Shi, W.**, Li, Y., and Wang, Y., Noise-Free Maximum Correntropy Criterion Algorithm in Non-Gaussian Environment; *TCSII Oct. 2020* 2224-2228
- Shi, W.**, *see* Wu, Q., *TCSII Oct. 2020* 2249-2253
- Shi, X.W.**, *see* Wei, F., *TCSII Dec. 2020* 3043-3047
- Shi, X.W.**, *see* Wei, F., *TCSII Nov. 2020* 2467-2471
- Shi, Y.**, *see* Tajima, S., *TCSII June 2020* 1114-1118
- Shi, Y.**, Feng, W., Wu, Y., Jiang, X., and Shao, D., Parallel Plate Cavity Mode Suppression by Miniaturized 2.5-D Electromagnetic Bandgap Structure for Low Frequency Microwave Circuit; *TCSII Dec. 2020* 3068-3072
- Shi, Y.**, *see* Feng, W., *TCSII Nov. 2020* 2497-2501
- Shi, Y.**, *see* Yi, X., *TCSII Nov. 2020* 2402-2406
- Shi, Y.**, Zhou, P., Feng, W., Guo, Y., and Tang, W., Quad-Mode LTCC Surface-Mounted Packaging Common-Mode Filter Based on the Asymmetric Short-Stub Loaded Resonator; *TCSII Oct. 2020* 1944-1948
- Shi, Z.**, *see* Tang, Z., *TCSII Sept. 2020* 1504-1508
- Shih, H.**, Chang, Y., Yang, C., and Chen, C., A Low-Power and Small Chip-Area Multi-Rate Human Body Communication DPFSK Transceiver for Wearable Devices; *TCSII July 2020* 1234-1238
- Shin, J.**, *see* Ahn, C., *TCSII Dec. 2020* 2863-2867
- Shin, S.**, *see* Lee, S., *TCSII Oct. 2020* 1735-1739
- Shin, S.**, Ko, H., Kye, C., Lee, S., Yun, J., Lee, D., Jung, H., Kim, S., and Jeong, D., A 0.45 pJ/b, 6.4 Gb/s Forwarded-Clock Receiver With DLL-Based Self-Tracking Loop for Unmatched Memory Interfaces; *TCSII Oct. 2020* 1814-1818
- Shor, J.**, *see* Bass, O., *TCSII Dec. 2020* 2963-2967
- Shu, F.**, *see* Wang, C., *TCSII July 2020* 1349-1353
- Shu, L.**, *see* Ma, D., *TCSII July 2020* 1284-1288
- Siddharth, R.K.**, Jaya Satyanarayana, Y., Nithin Kumar, Y.B., Vasantha, M.H., and Bonizzoni, E., A 1-V, 3-GHz Strong-Arm Latch Voltage Comparator for High Speed Applications; *TCSII Dec. 2020* 2918-2922
- Siddique, M.D.**, Mekhilef, S., Shah, N.M., Ali, J.S.M., and Blaabjerg, F., A New Switched Capacitor 7L Inverter With Triple Voltage Gain and Low Voltage Stress; *TCSII July 2020* 1294-1298
- Siddique, M.D.**, Ali, J.S.M., Mekhilef, S., Mustafa, A., Sandeep, N., and Almakhles, D., Reduced Switch Count Based Single Source 7L Boost Inverter Topology; *TCSII Dec. 2020* 3252-3256
- Sim, J.**, *see* Park, J., *TCSII Sept. 2020* 1544-1548
- Sim, J.**, *see* Park, B., *TCSII Sept. 2020* 1549-1553
- Sim, J.**, *see* Ahn, C., *TCSII Dec. 2020* 2863-2867
- Sim, J.**, *see* Choi, Y., *TCSII Dec. 2020* 3337-3341
- Sim, J.**, *see* Cho, S., *TCSII Nov. 2020* 2392-2396
- Simoens, A.**, *see* Cholachue, C., *TCSII Aug. 2020* 1389-1393
- Sin, S.**, *see* Zeng, W., *TCSII Sept. 2020* 1669-1673
- Singh, A.**, and Mandal, M.K., Electronically Tunable Reflection Type Phase Shifters; *TCSII March 2020* 425-429
- Singh, A.**, *see* Chekuri, V.C.K., *TCSII Dec. 2020* 3083-3087
- Singh, B.**, Kamal, S., Yu, X., Ghosh, D., and Ghosh, S., Controller and Observer design for Chaotic Systems: A Vector Based Contraction Approach; *TCSII Dec. 2020* 3282-3286
- Singh, D.**, *see* Sachan, A., *TCSII Nov. 2020* 2547-2551
- Singh, G.D.**, and Nallam, N., An RF Choke-Less Class E Power Amplifier; *TCSII Nov. 2020* 2422-2426
- Sinha Roy, A.**, and Dhar, A.S., SIBAM—Sign Inclusive Broken Array Multiplier Design for Error Tolerant Applications; *TCSII Nov. 2020* 2702-2706
- Sirakoulis, G.C.**, *see* Gomez, J., *TCSII April 2020* 620-624
- Siwakoti, Y.P.**, *see* Lee, S.S., *TCSII Dec. 2020* 3133-3136
- Siwakoti, Y.P.**, *see* Lee, S.S., *TCSII Oct. 2020* 2044-2048
- Smida, A.**, *see* Iqbal, A., *TCSII July 2020* 1194-1198
- Smida, A.**, *see* Iqbal, A., *TCSII Nov. 2020* 2362-2366
- Soleimani, M.**, *see* Rafati, S., *TCSII June 2020* 1009-1013
- Som, I.**, Sarangi, S., and Bhattacharyya, T.K., A 7.1-GHz 0.7-mW Programmable Counter With Fast EOC Generation in 65-nm CMOS; *TCSII Nov. 2020* 2397-2401
- Son, K.**, An, T., Moon, Y., and Kang, J., A 0.42–3.45 Gb/s Referenceless Clock and Data Recovery Circuit With Counter-Based Unrestricted Frequency Acquisition; *TCSII June 2020* 974-978
- Song, J.**, and Niu, Y., Dynamic Event-Triggered Sliding Mode Control: Dealing With Slow Sampling Singularly Perturbed Systems; *TCSII June 2020* 1079-1083
- Song, J.**, Jun, J., and Kim, C., A 0.5 V 10-bit 3 MS/s SAR ADC With Adaptive-Reset Switching Scheme and Near-Threshold Voltage-Optimized Design Technique; *TCSII July 2020* 1184-1188
- Song, M.**, *see* Gao, W., *TCSII Oct. 2020* 2289-2293
- Song, P.**, *see* Wang, G., *TCSII June 2020* 1149-1153
- Song, P.**, *see* Zhao, H., *TCSII Nov. 2020* 2782-2786
- Song, S.**, Cui, H., Tian, J., Lin, J., and Wang, Z., A Novel Iterative Reliability-Based Majority-Logic Decoder for NB-LDPC Codes; *TCSII Aug. 2020* 1399-1403
- Song, S.**, *see* Tian, J., *TCSII Jan. 2020* 57-61
- Song, S.**, Lin, Q., van Hoof, C., and van Helleputte, N., A 50 $\mu$ W Fully Differential Interface Amplifier With a Current Steering Class AB Output Stage for PPG and NIRS Recordings; *TCSII Sept. 2020* 1564-1568
- Song, T.**, *see* Ni, T., *TCSII Nov. 2020* 2657-2661
- Song, W.**, *see* Shen, Y., *TCSII May 2020* 901-905
- Song, W.**, *see* Lee, H., *TCSII Dec. 2020* 3597-3601
- Song, Z.**, Li, P., Wang, Z., Huang, X., and Liu, W., Adaptive Tracking Control for Switched Uncertain Nonlinear Systems With Input Saturation and Unmodeled Dynamics; *TCSII Dec. 2020* 3152-3156
- Song, Z.**, Xie, G., Cheng, X., Wang, L., and Zhang, Y., An Ultra-Low Cost Multilayer RAM in Quantum-Dot Cellular Automata; *TCSII Dec. 2020* 3397-3401
- Song, Z.**, *see* Wang, L., *TCSII Oct. 2020* 2084-2088

- Soni, S.**, Kamal, S., Yu, X., and Ghosh, S., Global Stabilization of Uncertain SISO Dynamical Systems Using a Multiple Delayed Partial State Feedback Sliding Mode Control; *TCSII July 2020* 1259-1263
- Sonoda, H.**, *see* Miki, T., *TCSII Jan. 2020* 14-18
- Sonti, V.**, Jain, S., and Pothu, B.S.K.R., Leakage Current Minimization Using NPC DC Decoupling Method for Three-Phase Cascaded Multilevel PV Inverter; *TCSII Dec. 2020* 3247-3251
- Souza, C.E.C.**, Pimentel, C., and Chaves, D.P.B., A Symbolic Dynamics Approach to Trellis-Coded Chaotic Modulation; *TCSII Oct. 2020* 2189-2193
- Spagnolini, U.**, *see* Matera, A., *TCSII Dec. 2020* 2988-2992
- Spano, S.**, *see* Cardarilli, G.C., *TCSII Feb. 2020* 380-384
- Spano, S.**, *see* Cardarilli, G.C., *TCSII March 2020* 565-569
- Sreelekha, G.**, *see* Unnikrishnan, S., *TCSII Oct. 2020* 2114-2118
- Sreeram, V.**, *see* Toor, H.I., *TCSII Feb. 2020* 345-349
- Sridharan, K.**, *see* Parmar, Y., *TCSII Feb. 2020* 370-374
- Stanger, I.**, Shavit, N., Taco, R., Lanuzza, M., and Fish, A., Silicon Evaluation of Multimode Dual Mode Logic for PVT-Aware Datapaths; *TCSII Sept. 2020* 1639-1643
- Staszewski, R.B.**, *see* Un, K., *TCSII Jan. 2020* 37-41
- Staszewski, R.B.**, *see* Wang, H., *TCSII Dec. 2020* 2828-2832
- Staszewski, R.B.**, *see* Li, C., *TCSII Dec. 2020* 2878-2882
- Stornelli, V.**, *see* Barile, G., *TCSII March 2020* 405-409
- Studer, C.**, *see* Castaneda, O., *TCSII May 2020* 891-895
- Su, H.**, *see* Ye, Y., *TCSII Feb. 2020* 365-369
- Su, H.**, *see* Wang, X., *TCSII Nov. 2020* 2627-2631
- Su, H.**, Chen, J., Yang, Y., and Rong, Z., The Bipartite Consensus for Multi-Agent Systems With Matrix-Weight-Based Signed Network; *TCSII Oct. 2020* 2019-2023
- Su, Y.**, and Zheng, C., Global Fixed-Time Output Feedback Stabilization for a Class of Double Integrator Systems; *TCSII Oct. 2020* 1954-1958
- Su, Z.L.**, Xu, B.W., Zheng, S.Y., Liu, H.W., and Long, Y.L., High-Isolation and Wide-Stopband SIW Diplexer Using Mixed Electric and Magnetic Coupling; *TCSII Jan. 2020* 32-36
- Subudhi, B.**, *see* Suryendu, C., *TCSII Dec. 2020* 3182-3186
- Subudhi, B.**, *see* Mahapatro, S.R., *TCSII Oct. 2020* 2024-2028
- Sugimoto, K.**, *see* Ogura, M., *TCSII March 2020* 496-500
- Sun, H.**, Liu, X., Deng, Q., Jiang, W., Luo, S., and Ha, Y., Efficient FPGA Implementation of K-Nearest-Neighbor Search Algorithm for 3D LIDAR Localization and Mapping in Smart Vehicles; *TCSII Sept. 2020* 1644-1648
- Sun, H.**, *see* Qin, Z., *TCSII Dec. 2020* 3422-3426
- Sun, J.**, *see* Yan, C., *TCSII March 2020* 455-459
- Sun, J.**, Chen, G., and Chen, J., Stability Analysis of Aperiodic Sampled-Data Systems: A Switched Polytopic System Method; *TCSII June 2020* 1054-1058
- Sun, J.**, *see* Wu, G., *TCSII Dec. 2020* 3113-3117
- Sun, J.**, *see* Ma, L., *TCSII Oct. 2020* 2149-2153
- Sun, M.**, *see* Sun, W., *TCSII July 2020* 1274-1278
- Sun, Q.**, Zhang, H., Wang, X., Ma, W., and Chen, B., Sparsity Constrained Recursive Generalized Maximum Correntropy Criterion With Variable Center Algorithm; *TCSII Dec. 2020* 3517-3521
- Sun, S.**, Liu, X., Wang, L., and Xia, C., New Link Attack Strategies of Complex Networks Based on  $k$ -Core Decomposition; *TCSII Dec. 2020* 3157-3161
- Sun, T.**, *see* Yu, D., *TCSII July 2020* 1334-1338
- Sun, W.**, *see* Dong, L., *TCSII May 2020* 951-955
- Sun, W.**, Sun, M., Guan, J., and Jia, Q., Robustness of Coherence in Noisy Scale-Free Networks and Applications to Identification of Influential Spreaders; *TCSII July 2020* 1274-1278
- Sun, Y.**, *see* Lin, H., *TCSII Dec. 2020* 3472-3476
- Sun, Y.**, *see* Ji, Z., *TCSII Nov. 2020* 2587-2591
- Sun, Y.**, *see* Chen, D., *TCSII Oct. 2020* 2064-2068
- Sun, Z.**, *see* Wu, B., *TCSII July 2020* 1219-1223
- Sung, B.**, *see* Jo, D., *TCSII April 2020* 610-614
- Suryendu, C.**, and Subudhi, B., Formation Control of Multiple Autonomous Underwater Vehicles Under Communication Delays; *TCSII Dec. 2020* 3182-3186
- Susin, A.A.**, *see* de Aguirre, P.C.C., *TCSII Aug. 2020* 1384-1388
- Sutradhar, K.**, and Om, H., A Generalized Quantum Protocol for Secure Multi-party Summation; *TCSII Dec. 2020* 2978-2982
- Swaminathan, M.**, *see* Chekuri, V.C.K., *TCSII Dec. 2020* 3083-3087
- Swamy, M.N.S.**, *see* Abdzadeh-Ziabari, H., *TCSII Jan. 2020* 62-66

**T**

- Taco, R.**, *see* Stanger, I., *TCSII Sept. 2020* 1639-1643
- Taherzadeh-Sani, M.**, *see* Rahiminejad, E., *TCSII Jan. 2020* 4-8
- Tahoori, M.B.**, *see* Li, Y., *TCSII Sept. 2020* 1619-1623
- Tajima, S.**, Yanagisawa, M., and Shi, Y., Transition Detector-Based Radiation-Hardenened Latch for Both Single- and Multiple-Node Upsets; *TCSII June 2020* 1114-1118
- Takahashi, R.**, *see* Yoshida, N., *TCSII Dec. 2020* 3088-3092
- Takeda, M.**, *see* Fujieda, N., *TCSII June 2020* 1109-1113
- Takeuchi, N.**, Aono, M., Hara-Azumi, Y., and Ayala, C.L., A Circuit-Level Amoeba-Inspired SAT Solver; *TCSII Oct. 2020* 2139-2143
- Taleb-Alhagh Nia, H.**, Javid-Hosseini, S., and Nayyeri, V., Design and Implementation of a Wideband, Highly-Efficient, High-Power Amplifier Using Load-Pull and X-Parameters Models; *TCSII Nov. 2020* 2372-2376
- Talebi, S.P.**, *see* Gogineni, V.C., *TCSII Dec. 2020* 3557-3561
- Tam, K.**, *see* Zhu, H., *TCSII July 2020* 1189-1193
- Tan, C.**, *see* Li, Y., *TCSII Sept. 2020* 1619-1623
- Tan, F.**, Wang, Y., Yang, Y., Li, L., Wang, T., Zhang, F., Wang, X., Gao, J., and Liu, Y., A ReRAM-Based Computing-in-Memory Convolutional-Macro With Customized 2T2R Bit-Cell for AIoT Chip IP Applications; *TCSII Sept. 2020* 1534-1538
- Tan, G.**, and Wang, Z., Further Result on  $H_\infty$  Performance State Estimation of Delayed Static Neural Networks Based on an Improved Reciprocally Convex Inequality; *TCSII Aug. 2020* 1477-1481
- Tan, G.H.**, *see* Lee, S.S., *TCSII Oct. 2020* 1770-1774
- Tan, M.**, *see* Xu, X., *TCSII Dec. 2020* 3582-3586
- Tan, M.**, Xu, X., Corcoran, B., Wu, J., Boes, A., Nguyen, T.G., Chu, S.T., Little, B.E., Morandotti, R., Mitchell, A., and Moss, D.J., RF and Microwave Fractional Differentiator Based on Photonics; *TCSII Nov. 2020* 2767-2771
- Tan, M.**, *see* Yang, C., *TCSII Oct. 2020* 1785-1789
- Tan, N.N.**, *see* Tang, Z., *TCSII Sept. 2020* 1504-1508
- Tan, X.**, Xu, W., Zhang, Y., Zhang, Z., You, X., and Zhang, C., Efficient Expectation Propagation Massive MIMO Detector With Neumann-Series Approximation; *TCSII Oct. 2020* 1924-1928
- Tang, C.**, Wu, L., Wen, G., and Zheng, Z., Incentivizing Honest Mining in Blockchain Networks: A Reputation Approach; *TCSII Jan. 2020* 117-121
- Tang, H.**, *see* Zhuang, H., *TCSII July 2020* 1204-1208
- Tang, H.**, *see* Zhuang, H., *TCSII Dec. 2020* 2923-2927
- Tang, J.**, Liu, H., and Yang, Y., Compact Wide-Stopband Dual-Band Balanced Filter Using an Electromagnetically Coupled SIR Pair With Controllable Transmission Zeros and Bandwidths; *TCSII Nov. 2020* 2357-2361
- Tang, W.**, *see* Liu, Y., *TCSII Sept. 2020* 1599-1603
- Tang, W.**, *see* You, H., *TCSII Dec. 2020* 3357-3361
- Tang, W.**, *see* Shi, Y., *TCSII Oct. 2020* 1944-1948
- Tang, X.**, *see* Shaik, S.M., *TCSII May 2020* 911-915
- Tang, Y.**, *see* Yang, W., *TCSII July 2020* 1254-1258
- Tang, Y.**, *see* Jiang, A., *TCSII Aug. 2020* 1482-1486
- Tang, Z.**, Fang, Y., Yu, X., Shi, Z., Lin, L., and Tan, N.N., A Dynamic-Biased Resistor-Based CMOS Temperature Sensor With a Duty-Cycle-Modulated Output; *TCSII Sept. 2020* 1504-1508
- Tao, J.**, and Heng, C.,  $\Delta\Sigma$  Fractional-N PLL With Hybrid IIR Noise Filtering; *TCSII June 2020* 1004-1008
- Tashakor, N.**, and Khooban, M., An Interleaved Bi-Directional AC-DC Converter With Reduced Switches and Reactive Power Control; *TCSII Jan. 2020* 132-136
- Tavazoei, M.S.**, *see* Badri, V., *TCSII April 2020* 735-739
- Tavazoei, M.S.**, Conditions on Polynomials Involved in Admittance Functions Passively Realizable by Using RLC and Two Fractional Elements; *TCSII June 2020* 999-1003
- Tavazoei, M.S.**, *see* Ghazisaeedi, H.R., *TCSII Oct. 2020* 2104-2108
- Temes, G.C.**, *see* Shakya, J.R., *TCSII May 2020* 826-830

- Tentzeris, M.M.**, *see* Ahn, H., *TCSII Oct. 2020* 2299-2303  
**Tertinek, S.**, *see* Gebhard, A., *TCSII July 2020* 1229-1233  
**Tham, C.**, *see* Pan, J., *TCSII Sept. 2020* 1624-1628  
**Thean, A.V.**, *see* Pan, J., *TCSII Sept. 2020* 1624-1628  
**Theuwissen, A.**, *see* Xie, S., *TCSII Feb. 2020* 255-259  
**Theuwissen, A.**, *see* Xie, S., *TCSII June 2020* 984-988  
**Thiem, C.**, *see* Zhao, C., *TCSII Oct. 2020* 1715-1719  
**Thornton, T.J.**, *see* Moallemi, S., *TCSII April 2020* 605-609  
**Tian, B.**, *see* Zhang, Y., *TCSII Oct. 2020* 1819-1823  
**Tian, J.**, *see* Song, S., *TCSII Aug. 2020* 1399-1403  
**Tian, J.**, Song, S., Lin, J., and Wang, Z., Optimized Trellis-Based Min-Max Decoder for NB-LDPC Codes; *TCSII Jan. 2020* 57-61  
**Tian, L.**, *see* Guan, Y., *TCSII June 2020* 1059-1063  
**Tian, Y.**, Yan, H., Dai, W., Chen, S., and Zhan, X., Observed-Based Asynchronous Control of Linear Semi-Markov Jump Systems With Time-Varying Mode Emission Probabilities; *TCSII Dec. 2020* 3147-3151  
**Tiang, J.J.**, *see* Iqbal, A., *TCSII Feb. 2020* 285-289  
**Ting, C.**, Lin, J., and Chen, C.C., A Quasi-V<sup>2</sup> Hysteretic Buck Converter With Adaptive COT Control for Fast DVS and Load-Transient Response in RF Applications; *TCSII March 2020* 531-535  
**Tong, C.**, *see* Zhuang, H., *TCSII July 2020* 1204-1208  
**Tong, H.**, *see* Eshraghian, J.K., *TCSII May 2020* 956-960  
**Toor, H.I.**, Imran, M., Ghafoor, A., Kumar, D., Sreeram, V., and Rauf, A., Frequency Limited Model Reduction Techniques for Discrete-Time Systems; *TCSII Feb. 2020* 345-349  
**Torelli, F.**, *see* Piccinni, G., *TCSII Aug. 2020* 1424-1428  
**Torelli, F.**, *see* Piccinni, G., *TCSII Oct. 2020* 2219-2223  
**Trifiletti, A.**, *see* Scotti, G., *TCSII March 2020* 560-564  
**Trinh, H.**, *see* Huynh, V.T., *TCSII Jan. 2020* 107-111  
**Trinh, H.**, *see* Huang, D.C., *TCSII Dec. 2020* 3457-3461  
**Trivedi, V.**, *see* Das, R.L., *TCSII Oct. 2020* 2274-2278  
**Tsai, T.**, and Hussain, M.A., VLSI Implementation of Lossless ECG Compression Algorithm for Low Power Devices; *TCSII Dec. 2020* 3317-3321  
**Tu, Y.**, *see* Lyu, L., *TCSII May 2020* 831-835  
**Tu, Z.**, *see* Luo, C., *TCSII Oct. 2020* 1849-1853  
**Tufail, M.**, *see* Razaq, M.A., *TCSII Dec. 2020* 3267-3271  
**Turi, M.A.**, and Delgado-Frias, J.G., Effective Low Leakage 6T and 8T FinFET SRAMs: Using Cells With Reverse-Biased FinFETs, Near-Threshold Operation, and Power Gating; *TCSII April 2020* 765-769  
**Turkmen, E.**, *see* Ustundag, B., *TCSII Nov. 2020* 2417-2421

**U**

- U, C.**, *see* Zeng, W., *TCSII Sept. 2020* 1669-1673  
**Ueda, H.**, and Koizumi, H., Class-E<sup>2</sup> DC-DC Converter With Basic Class-E Inverter and Class-E ZCS Rectifier for Capacitive Power Transfer; *TCSII May 2020* 941-945  
**Ueno, R.**, *see* Sawataishi, S., *TCSII Sept. 2020* 1604-1608  
**Umaz, R.**, A Single Inductor Self-Startup Energy Combiner Circuit With Bioturbation Resilience in Multiple Microbial Fuel Cells; *TCSII Dec. 2020* 3227-3231  
**Umaz, R.**, A Power Management System for Microbial Fuel Cells With 53.02% Peak End-to-End Efficiency; *TCSII Nov. 2020* 2592-2596  
**Un, K.**, Zhang, F., Mak, P., Martins, R.P., Zhu, A., and Staszewski, R.B., Design Considerations of the Interpolative Digital Transmitter for Quantization Noise and Replicas Rejection; *TCSII Jan. 2020* 37-41  
**Unde, A.S.**, and Deepthi, P.P., Design and Analysis of Compressive Sensing-Based Lightweight Encryption Scheme for Multimedia IoT; *TCSII Jan. 2020* 167-171  
**Unnikrishnan, S.**, and Sreelekha, G., Highly Parallel Vector Radix FFT for High Throughput Video Applications; *TCSII Oct. 2020* 2114-2118  
**Ustundag, B.**, Turkmen, E., Burak, A., Gungor, B., Kandis, H., Cetindogan, B., Yazici, M., Kaynak, M., and Gurbuz, Y., Front-End Blocks of a W-Band Dicke Radiometer in SiGe BiCMOS Technology; *TCSII Nov. 2020* 2417-2421

**V**

- Vahdat, S.**, Kamal, M., Afzali-Kusha, A., and Pedram, M., Offline Training Improvement of Inverter-Based Memristive Neural Networks Using Inverter Voltage Characteristic Smoothing; *TCSII Dec. 2020* 3442-3446  
**Valencia Tenorio, R.**, *see* Ma, L., *TCSII Oct. 2020* 2149-2153  
**Valencia-Barrero, M.**, *see* Mora-Gutierrez, J.M., *TCSII Nov. 2020* 2682-2686  
**Valente, V.**, Neshatvar, N., Pilavaki, E., Schormans, M., and Demosthenous, A., 1.2-V Energy-Efficient Wireless CMOS Potentiostat for Amperometric Measurements; *TCSII Oct. 2020* 1700-1704  
**Valenzuela-Valdes, J.**, *see* Palomares-Caballero, A., *TCSII Dec. 2020* 3058-3062  
**van Helleputte, N.**, *see* Song, S., *TCSII Sept. 2020* 1564-1568  
**van Hoof, C.**, *see* Song, S., *TCSII Sept. 2020* 1564-1568  
**Van Santen, V.M.**, Amrouch, H., Kumari, P., and Henkel, J., On the Workload Dependence of Self-Heating in FinFET Circuits; *TCSII Oct. 2020* 1949-1953  
**van Wyk, M.A.**, and Chen, G.,  $L_p$ -Stability of a Class of Volterra Systems; *TCSII Aug. 2020* 1469-1471  
**van Wyk, M.A.**, Multivaluedness in Networks: Theory; *TCSII Dec. 2020* 3462-3466  
**Vanukuru, V.N.R.**, and Velidi, V.K., CMOS Millimeter-Wave Ultra-Wideband Bandpass Filter With Three Reflection-Zeros Using Compact Single TFMS Coupled-Line Hairpin Unit; *TCSII Jan. 2020* 77-81  
**Vasantha, M.H.**, *see* Siddharth, R.K., *TCSII Dec. 2020* 2918-2922  
**Vaughan, R.G.**, *see* Mahboob, S., *TCSII Feb. 2020* 280-284  
**Ved, S.N.**, *see* Jha, C.K., *TCSII Feb. 2020* 385-389  
**Veerachary, M.**, *see* Sharma, A., *TCSII Dec. 2020* 3093-3097  
**Velichko, A.**, and Boriskov, P., Concept of LIF Neuron Circuit for Rate Coding in Spike Neural Networks; *TCSII Dec. 2020* 3477-3481  
**Velidi, V.K.**, *see* Vanukuru, V.N.R., *TCSII Jan. 2020* 77-81  
**Venkatasappareddy, P.**, and Lall, B., A Novel Thresholding Methodology Using WSI EMD and Adaptive Homomorphic Filter; *TCSII March 2020* 590-594  
**Venkatasubramaniyan, A.B.**, *see* Venkatesh, A., *TCSII Aug. 2020* 1394-1398  
**Venkatesaperumal, B.**, *see* Viswadev, R., *TCSII Nov. 2020* 2577-2581  
**Venkatesh, A.**, Venkatasubramaniyan, A.B., Xi, X., and Sanyal, A., 0.3 pJ/Bit Machine Learning Resistant Strong PUF Using Subthreshold Voltage Divider Array; *TCSII Aug. 2020* 1394-1398  
**Venkatesh, I.**, *see* Jayaraj, A., *TCSII Oct. 2020* 1765-1769  
**Veronneau, M.**, *see* Cholachue, C., *TCSII Aug. 2020* 1389-1393  
**Villemer, M.**, Julian, P., Figliolia, T., and Andreou, A.G., 7 TOPS/W Cellular Neural Network Processor Core for Intelligent Internet-of-Things; *TCSII July 2020* 1324-1328  
**Viswadev, R.**, Mudlapur, A., Ramana, V.V., Venkatesaperumal, B., and Mishra, S., A Novel AC Current Sensorless Hysteresis Control for Grid-Tie Inverters; *TCSII Nov. 2020* 2577-2581  
**Vo, T.M.**, Analysis of Frequency-Aid Technique for Fractional-N Digital BB-PLLs in Time-Domain; *TCSII Dec. 2020* 2888-2892  
**Vogelmann, P.**, *see* Wagner, J., *TCSII Dec. 2020* 2813-2817  
**Vourkas, I.**, *see* Gomez, J., *TCSII April 2020* 620-624  
**Vryonides, P.**, *see* Arain, S., *TCSII Aug. 2020* 1374-1378

**W**

- Wagner, J.**, Vogelmann, P., and Ortmanns, M., Performance Evaluation of Incremental Sigma-Delta ADCs Based on their NTF; *TCSII Dec. 2020* 2813-2817  
**Wahid, K.A.**, *see* Bahar, A.N., *TCSII Oct. 2020* 1939-1943  
**Walter, D.**, *see* Hoppner, S., *TCSII Oct. 2020* 2159-2163  
**Wan, F.**, Li, N., Ravelo, B., Murad, N.M., and Rahajandraibe, W., NGD Analysis of Turtle-Shape Microstrip Circuit; *TCSII Nov. 2020* 2477-2481  
**Wan, F.**, Li, N., Ravelo, B., and Ge, J., O=O Shape Low-Loss Negative Group Delay Microstrip Circuit; *TCSII Oct. 2020* 1795-1799  
**Wan, R.**, *see* Zeng, X., *TCSII Nov. 2020* 2447-2451  
**Wang, B.**, *see* Deng, C., *TCSII Feb. 2020* 375-379  
**Wang, B.**, *see* Gong, H., *TCSII June 2020* 1074-1078  
**Wang, C.**, *see* Shen, G., *TCSII June 2020* 1029-1033  
**Wang, C.**, *see* Zhang, Y., *TCSII May 2020* 886-890  
**Wang, C.**, *see* Mao, Q., *TCSII May 2020* 921-925

- Wang, C.**, Li, J., Kong, L., Shu, F., and Lau, F.C.M., Adaptive 2-D Scheduling-Based Nonbinary Majority-Logic Decoding for NAND Flash Memory; *TCSII July 2020* 1349-1353
- Wang, C.**, *see* Waris, H., *TCSII Dec. 2020* 3367-3371
- Wang, C.**, *see* Lin, H., *TCSII Dec. 2020* 3472-3476
- Wang, C.**, *see* Lee, T., *TCSII Nov. 2020* 2707-2711
- Wang, D.**, *see* Wang, L., *TCSII April 2020* 785-789
- Wang, E.**, *see* Zhang, G., *TCSII Dec. 2020* 3003-3007
- Wang, G.**, Zhao, H., and Song, P., Robust Variable Step-Size Reweighted Zero-Attracting Least Mean M-Estimate Algorithm for Sparse System Identification; *TCSII June 2020* 1149-1153
- Wang, G.**, *see* Reda Mohamed, A., *TCSII Sept. 2020* 1529-1533
- Wang, G.**, *see* Wu, G., *TCSII Dec. 2020* 3113-3117
- Wang, H.**, *see* Lin, S., *TCSII Feb. 2020* 330-334
- Wang, H.**, *see* Chang, X., *TCSII April 2020* 730-734
- Wang, H.**, *see* Gao, Z., *TCSII June 2020* 1134-1138
- Wang, H.**, *see* Lu, P., *TCSII Dec. 2020* 3162-3166
- Wang, H.**, Nguyen, V., Schembri, F., and Staszewski, R.B., An Adaptive-Resolution Quasi-Level-Crossing Delta Modulator With VCO-Based Residue Quantizer; *TCSII Dec. 2020* 2828-2832
- Wang, H.**, *see* Fei, J., *TCSII Nov. 2020* 2522-2526
- Wang, J.**, Duan, Z., and Zeng, J., A Performance-Region-Based Approach to the  $H_\infty$  Stochastic Consensus Problem; *TCSII July 2020* 1289-1293
- Wang, J.**, *see* Zhang, C., *TCSII July 2020* 1169-1173
- Wang, J.**, *see* Wang, Q., *TCSII Jan. 2020* 102-106
- Wang, J.**, Zhao, Y., and Zhang, Z., A 90-nm 640 MHz  $2 \times$  VDD Output Buffer With 41.5% Slew Rate Improvement Using PVT Compensation; *TCSII Sept. 2020* 1524-1528
- Wang, J.**, and Zhu, Z., A 0.6-V 9-bit 1-MS/s Charging Sharing SAR ADC With Judging-Window Switching Logic and Independent Reset Comparator for Power-Effective Applications; *TCSII Oct. 2020* 1750-1754
- Wang, J.**, *see* Li, C., *TCSII Oct. 2020* 1730-1734
- Wang, K.**, *see* Pu, C., *TCSII Aug. 2020* 1472-1476
- Wang, L.**, Bi, X., and Xu, Q., Octo-Band Bandpass Filter Based on Unequal-Width Cruciform Connected Resonator With Sharp Skirt; *TCSII March 2020* 475-479
- Wang, L.**, Wang, D., and Hao, C., A Multiple-Measurement Vectors Reconstruction Method for Low SNR Scenarios; *TCSII April 2020* 785-789
- Wang, L.**, *see* Guan, Y., *TCSII June 2020* 1059-1063
- Wang, L.**, *see* Zhao, Z., *TCSII May 2020* 931-935
- Wang, L.**, *see* Zhang, H., *TCSII July 2020* 1344-1348
- Wang, L.**, *see* Zhang, C., *TCSII July 2020* 1169-1173
- Wang, L.**, *see* Huang, Q., *TCSII Sept. 2020* 1494-1498
- Wang, L.**, *see* Li, Y., *TCSII Sept. 2020* 1619-1623
- Wang, L.**, and Xie, G., A Novel XOR/XNOR Structure for Modular Design of QCA Circuits; *TCSII Dec. 2020* 3327-3331
- Wang, L.**, *see* Yang, X., *TCSII Dec. 2020* 3187-3191
- Wang, L.**, *see* Sun, S., *TCSII Dec. 2020* 3157-3161
- Wang, L.**, *see* Song, Z., *TCSII Dec. 2020* 3397-3401
- Wang, L.**, *see* Lu, Y., *TCSII Nov. 2020* 2462-2466
- Wang, L.**, Song, Z., Liu, X., Li, Z., Fernando, T., and Iu, H.H.C., Continuous Finite-Time Integral Sliding Mode Control for Attitude Stabilization; *TCSII Oct. 2020* 2084-2088
- Wang, M.**, *see* Zhu, D., *TCSII Dec. 2020* 3382-3386
- Wang, N.**, Zhang, G., and Bao, H., A Simple Autonomous Chaotic Circuit With Dead-Zone Nonlinearity; *TCSII Dec. 2020* 3502-3506
- Wang, P.**, Ye, M., Xia, X., Zheng, X., Li, Y., and Zhao, Y., A Multi-Channel Low-Noise Analog Front End Circuit for Linear LADAR; *TCSII July 2020* 1209-1213
- Wang, P.**, Huang, Y., and Kuo, T., A Reconfigurable Transient Optimizer Applied to a Four-Phase Buck Converter for Optimizing Both DVS and Load Transient Responses; *TCSII Jan. 2020* 52-56
- Wang, P.**, and Zhao, J., Feedback Dissipativity and Stabilization for Switched Positive Systems With a Combined Switching Law; *TCSII Nov. 2020* 2572-2576
- Wang, Q.**, *see* Huang, C., *TCSII June 2020* 1049-1053
- Wang, Q.**, Duan, Z., and Wang, J., Distributed Optimal Consensus Control Algorithm for Continuous-Time Multi-Agent Systems; *TCSII Jan. 2020* 102-106
- Wang, Q.**, Che, W., Mongiardo, M., and Monti, G., Wireless Power Transfer System With High Misalignment Tolerance for Bio-Medical Implants; *TCSII Dec. 2020* 3023-3027
- Wang, Q.**, *see* Hao, Y., *TCSII Nov. 2020* 2582-2586
- Wang, Q.**, *see* Ji, Z., *TCSII Nov. 2020* 2587-2591
- Wang, Q.**, *see* Zhang, C., *TCSII Oct. 2020* 2099-2103
- Wang, R.**, *see* Dong, L., *TCSII May 2020* 951-955
- Wang, R.**, *see* Zhang, Z., *TCSII Dec. 2020* 3342-3346
- Wang, R.**, *see* Zhang, Y., *TCSII Dec. 2020* 3387-3391
- Wang, R.**, *see* Zhu, D., *TCSII Oct. 2020* 2194-2198
- Wang, S.**, *see* Li, Y., *TCSII Feb. 2020* 355-359
- Wang, S.**, *see* Xiong, K., *TCSII June 2020* 1159-1163
- Wang, S.**, Yang, C., Preiser, P., and Zheng, Y., A Photoacoustic-Surface-Acoustic-Wave Sensor for Ring-Stage Malaria Parasite Detection; *TCSII May 2020* 881-885
- Wang, S.**, *see* Zhang, H., *TCSII July 2020* 1344-1348
- Wang, S.**, *see* Dong, F., *TCSII Dec. 2020* 3587-3591
- Wang, S.**, *see* Li, Y., *TCSII Dec. 2020* 3128-3132
- Wang, S.**, *see* Chen, Y., *TCSII Dec. 2020* 3437-3441
- Wang, S.**, *see* Zhang, T., *TCSII Nov. 2020* 2772-2776
- Wang, S.**, and Mok, P.K.T., An 18-nA Ultra-Low-Current Resistor-Less Bandgap Reference for 2.8 V-4.5 V High Voltage Supply Li-Ion-Battery-Based LSIs; *TCSII Nov. 2020* 2382-2386
- Wang, S.**, *see* Xiong, K., *TCSII Oct. 2020* 2284-2288
- Wang, S.**, *see* Qian, G., *TCSII Oct. 2020* 2229-2233
- Wang, S.**, and Zhang, L., Regularized Deep Transfer Learning: When CNN Meets kNN; *TCSII Oct. 2020* 2269-2273
- Wang, T.**, *see* Li, Y., *TCSII Feb. 2020* 355-359
- Wang, T.**, *see* Tan, F., *TCSII Sept. 2020* 1534-1538
- Wang, T.**, *see* Chen, Y., *TCSII Oct. 2020* 1894-1898
- Wang, W.**, *see* Wu, H., *TCSII June 2020* 1024-1028
- Wang, W.**, Zhao, H., Zeng, X., and Dogancay, K., Steady-State Performance Analysis of Nonlinear Spline Adaptive Filter Under Maximum Correntropy Criterion; *TCSII June 2020* 1154-1158
- Wang, W.**, Zhao, H., and Zeng, X., Geometric Algebra Correntropy: Definition and Application to Robust Adaptive Filtering; *TCSII June 2020* 1164-1168
- Wang, W.**, *see* Yu, Y., *TCSII July 2020* 1359-1363
- Wang, W.**, *see* Zheng, Y., *TCSII Dec. 2020* 3053-3057
- Wang, W.**, Zheng, Y., and Wu, Y., Miniaturized Single-Ended-to-Balanced Arbitrary Four-Section Coupled-Line Coupler With Inherent Impedance Matching; *TCSII Oct. 2020* 1929-1933
- Wang, W.**, *see* Chen, W., *TCSII Oct. 2020* 1884-1888
- Wang, W.**, *see* Chen, W., *TCSII Oct. 2020* 1914-1918
- Wang, X.**, *see* Li, Q., *TCSII Feb. 2020* 215-219
- Wang, X.**, *see* Eshraghian, J.K., *TCSII May 2020* 956-960
- Wang, X.**, *see* Wu, B., *TCSII July 2020* 1219-1223
- Wang, X.**, *see* Yang, W., *TCSII July 2020* 1254-1258
- Wang, X.**, *see* Zhao, L., *TCSII Jan. 2020* 97-101
- Wang, X.**, *see* Tan, F., *TCSII Sept. 2020* 1534-1538
- Wang, X.**, *see* Xiao, Z., *TCSII Sept. 2020* 1629-1633
- Wang, X.**, Xu, J., Ma, H., and Yang, P., A High Efficiency LCC-S Compensated WPT System With Dual Decoupled Receive Coils and Cascaded PWM Regulator; *TCSII Dec. 2020* 3142-3146
- Wang, X.**, Jin, J., Liu, X., and Zhou, J., An ISM Band High-Linear Current-Reuse Up-Conversion Mixer With Built-in-Self-Calibration for LOFT and I/Q Imbalance; *TCSII Dec. 2020* 2898-2902
- Wang, X.**, *see* Sun, Q., *TCSII Dec. 2020* 3517-3521
- Wang, X.**, Li, F., and Wang, Z., A Simple Histogram-Based Capacitor Mismatch Calibration in SAR ADCs; *TCSII Dec. 2020* 2838-2842
- Wang, X.**, and Su, H., The Infimum on Laplacian Eigenvalues of a Connected Extended Graph: An Edge-Grafting Perspective; *TCSII Nov. 2020* 2627-2631
- Wang, X.**, *see* Wang, X., *TCSII Nov. 2020* 2627-2631
- Wang, X.**, *see* Cheng, B., *TCSII Oct. 2020* 2199-2203

- Wang, Y.,** see Liu, X., *TCSII March 2020* 585-589
- Wang, Y.,** see Pan, Q., *TCSII Jan. 2020* 72-76
- Wang, Y.,** see Tan, F., *TCSII Sept. 2020* 1534-1538
- Wang, Y.,** see Kumar, A., *TCSII Dec. 2020* 3207-3211
- Wang, Y.,** see Zhang, Y., *TCSII Dec. 2020* 3387-3391
- Wang, Y.,** see Zhong, H., *TCSII Dec. 2020* 3402-3406
- Wang, Y.,** see Feng, T., *TCSII Nov. 2020* 2437-2441
- Wang, Y.,** see Gong, L., *TCSII Oct. 2020* 1854-1858
- Wang, Y.,** see Shi, W., *TCSII Oct. 2020* 2224-2228
- Wang, Z.,** see Liu, G., *TCSII Feb. 2020* 350-354
- Wang, Z.,** see Liu, H., *TCSII March 2020* 485-490
- Wang, Z.,** see Chen, Y., *TCSII May 2020* 896-900
- Wang, Z.,** see Tan, G., *TCSII Aug. 2020* 1477-1481
- Wang, Z.,** see Song, S., *TCSII Aug. 2020* 1399-1403
- Wang, Z.,** see Tian, J., *TCSII Jan. 2020* 57-61
- Wang, Z.,** see Chen, Z., *TCSII Sept. 2020* 1574-1578
- Wang, Z.,** see Qin, Z., *TCSII Dec. 2020* 3422-3426
- Wang, Z.,** see Zhu, D., *TCSII Dec. 2020* 3382-3386
- Wang, Z.,** see Song, Z., *TCSII Dec. 2020* 3152-3156
- Wang, Z.,** see Wang, X., *TCSII Dec. 2020* 2838-2842
- Wang, Z.,** see Yao, L., *TCSII Dec. 2020* 3217-3221
- Wang, Z.,** see Zhao, D., *TCSII Dec. 2020* 3492-3496
- Wang, Z.,** Wu, D., Dong, F., Cao, J., Jiang, T., and Liu, J., A Novel Spike Detection Algorithm Based on Multi-Channel of BECT EEG Signals; *TCSII Dec. 2020* 3592-3596
- Wang, Z.,** see Fang, S., *TCSII Nov. 2020* 2482-2486
- Wang, Z.,** Li, S., and Li, Q., Continuous Nonsingular Terminal Sliding Mode Control of DC-DC Boost Converters Subject to Time-Varying Disturbances; *TCSII Nov. 2020* 2552-2556
- Wang, Z.,** see Zhao, D., *TCSII Nov. 2020* 2732-2736
- Wang, Z.,** Huang, Y., Zhang, Y., Jia, G., and Chambers, J., An Improved Kalman Filter With Adaptive Estimate of Latency Probability; *TCSII Oct. 2020* 2259-2263
- Wang, Z.,** see Liu, H., *TCSII Oct. 2020* 1760-1764
- Wang, Z.,** see Zhang, H., *TCSII Oct. 2020* 1979-1983
- Wang, Z.J.,** see Zou, L., *TCSII Jan. 2020* 187-191
- Waris, H.,** Wang, C., and Liu, W., Hybrid Low Radix Encoding-Based Approximate Booth Multipliers; *TCSII Dec. 2020* 3367-3371
- Wei, F.,** Yu, J.H., Zhang, C.Y., Zeng, C., and Shi, X.W., Compact Balanced Dual-Band BPFs Based on Short and Open Stub Loaded Resonators With Wide Common-Mode Suppression; *TCSII Dec. 2020* 3043-3047
- Wei, F.,** Cheng, X.Y., Liu, Y.X., and Shi, X.W., Balanced-to-Balanced Diplexer and Quadruplexer With High Selectivity and Wide CM Suppression; *TCSII Nov. 2020* 2467-2471
- Wei, S.,** see Deng, C., *TCSII Feb. 2020* 375-379
- Wei, S.,** see Chen, S., *TCSII Oct. 2020* 1934-1938
- Weigel, R.,** see Aguilar, E., *TCSII May 2020* 906-910
- Wen, G.,** see Zhao, Z., *TCSII March 2020* 516-520
- Wen, G.,** see Fang, X., *TCSII March 2020* 511-515
- Wen, G.,** see Hu, H., *TCSII Aug. 2020* 1419-1423
- Wen, G.,** see Gong, Y., *TCSII Jan. 2020* 82-86
- Wen, G.,** see Tang, C., *TCSII Jan. 2020* 117-121
- Wen, G.,** see Chen, Q., *TCSII Dec. 2020* 3103-3107
- Wen, G.,** see Zhou, J., *TCSII Nov. 2020* 2532-2536
- Wen, X.,** see Ni, T., *TCSII Nov. 2020* 2657-2661
- Werner, S.,** see Gogineni, V.C., *TCSII Dec. 2020* 3557-3561
- Wiesinger, D.,** see Lunglmayr, M., *TCSII March 2020* 580-584
- Wiesinger, D.,** see Haselmayr, W., *TCSII March 2020* 541-545
- Wijenayake, C.,** Antonir, A., Keller, G., and Ignjatovic, A., An Adaptive Denoising Algorithm for Improving Frequency Estimation and Tracking; *TCSII Jan. 2020* 172-176
- Wong, M.,** see Xu, Y., *TCSII Nov. 2020* 2367-2371
- Wong, S.,** see Bi, X., *TCSII Dec. 2020* 2948-2952
- Wong, S.,** see Luo, C., *TCSII Oct. 2020* 1849-1853
- Wong, S.,** see Bi, X., *TCSII Oct. 2020* 1780-1784
- Wong, S.W.,** see Iqbal, A., *TCSII Feb. 2020* 285-289
- Woo, K.,** and Yang, B., 0.3-V RC -to-Digital Converter Using a Negative Charge-Pump Switch; *TCSII Feb. 2020* 245-249
- Woo, K.,** and Yang, B., A 0.25-V Rail-to-Rail Three-Stage OTA With an Enhanced DC Gain; *TCSII July 2020* 1179-1183
- Woo, K.,** and Yang, B., A 0.35V 90nA Quiescent Current Output-Capacitor-Less NMOS Low-Dropout Regulator Using a Coarse-Fine Charge-Pump Circuit; *TCSII Dec. 2020* 3118-3122
- Woo, K.,** Kang, H., and Yang, B., Low-Area and Low-Power Latch-Based Thermometer-Code Shift-Register; *TCSII Oct. 2020* 2119-2123
- Wu, B.,** Sun, Z., Wang, X., Ma, Z., and Chen, C., A Reconfigurable Wilkinson Power Divider With Flexible Tuning Range Configuration; *TCSII July 2020* 1219-1223
- Wu, D.,** Li, Y.C., Xue, Q., and Mou, J., LTCC Bandstop Filters With Controllable Bandwidths Using Transmission Zeros Pair; *TCSII June 2020* 1034-1038
- Wu, D.,** Li, Y.C., Xue, Q., Feng, W., and Hu, B., Synthesis and Design of LTCC Filtering Balun With Wide Stopband; *TCSII Aug. 2020* 1404-1408
- Wu, D.,** see Wang, Z., *TCSII Dec. 2020* 3592-3596
- Wu, F.,** Yang, K., and Hu, Y., Sparse Estimator With  $\ell_0$ -Norm Constraint Kernel Maximum-Correntropy-Criterion; *TCSII Feb. 2020* 400-404
- Wu, G.,** see Li, Y., *TCSII Feb. 2020* 355-359
- Wu, G.,** Xiong, L., Wang, G., and Sun, J., Linear Quadratic Regulator of Discrete-Time Switched Linear Systems; *TCSII Dec. 2020* 3113-3117
- Wu, H.,** Cai, X., Wu, Y., Lai, Z., Yang, Q., and Wang, W., An Investigation on Extraction of Material Parameters in Longitudinal Mode of FBAR; *TCSII June 2020* 1024-1028
- Wu, J.,** see Liu, G., *TCSII Feb. 2020* 350-354
- Wu, J.,** see Yan, C., *TCSII March 2020* 455-459
- Wu, J.,** see Chen, Z., *TCSII Sept. 2020* 1574-1578
- Wu, J.,** see Xu, X., *TCSII Dec. 2020* 3582-3586
- Wu, J.,** see Ding, X., *TCSII Dec. 2020* 2818-2822
- Wu, J.,** see Lin, D., *TCSII Nov. 2020* 2737-2741
- Wu, J.,** see Tan, M., *TCSII Nov. 2020* 2767-2771
- Wu, L.,** see Tang, C., *TCSII Jan. 2020* 117-121
- Wu, M.,** see Chu, Y.J., *TCSII Nov. 2020* 2787-2791
- Wu, M.,** see Zhang, C., *TCSII Oct. 2020* 2099-2103
- Wu, M.,** see Chen, X., *TCSII Oct. 2020* 2254-2258
- Wu, P.,** see Pu, C., *TCSII Oct. 2020* 2209-2213
- Wu, Q.,** see Cui, Y., *TCSII March 2020* 526-530
- Wu, Q.,** Li, Y., and Xue, W., A Parallel Kernelized Data-Reusing Maximum Correntropy Algorithm; *TCSII Nov. 2020* 2792-2796
- Wu, Q.,** Li, Y., Zakharov, Y.V., Xue, W., and Shi, W., A Kernel Affine Projection-Like Algorithm in Reproducing Kernel Hilbert Space; *TCSII Oct. 2020* 2249-2253
- Wu, R.,** see Chen, L., *TCSII June 2020* 1064-1068
- Wu, W.,** see Xie, H., *TCSII Dec. 2020* 2933-2937
- Wu, W.,** see Xie, H., *TCSII Dec. 2020* 2883-2887
- Wu, W.,** Xue, M., Zhu, T., Ma, Z., and Yu, F., High-Throughput Parallel SRAM-Based Hash Join Architecture on FPGA; *TCSII Nov. 2020* 2502-2506
- Wu, X.,** see Xu, Y., *TCSII April 2020* 700-704
- Wu, X.,** see Zhou, J., *TCSII Nov. 2020* 2532-2536
- Wu, Y.,** see Deng, C., *TCSII Feb. 2020* 375-379
- Wu, Y.,** see Wu, H., *TCSII June 2020* 1024-1028
- Wu, Y.,** see Jiang, D., *TCSII Sept. 2020* 1554-1558
- Wu, Y.,** see Shi, Y., *TCSII Dec. 2020* 3068-3072
- Wu, Y.,** see Zheng, Y., *TCSII Dec. 2020* 3053-3057
- Wu, Y.,** see Lv, W., *TCSII Dec. 2020* 3567-3571
- Wu, Y.,** and Meng, D., Behavior Analysis of Directed Signed Networks Under Dynamic Protocols; *TCSII Nov. 2020* 2562-2566
- Wu, Y.,** see Wang, W., *TCSII Oct. 2020* 1929-1933
- Wu, Y.,** see Chen, W., *TCSII Oct. 2020* 1884-1888
- Wu, Y.,** see Chen, W., *TCSII Oct. 2020* 1914-1918
- Wu, Z.,** see Fang, X., *TCSII March 2020* 511-515
- Wu, Z.,** see Xie, M., *TCSII Dec. 2020* 3232-3236
- Wu, Z.,** see Xiang, Y., *TCSII Nov. 2020* 2717-2721
- Wu, Z.,** see Xu, Y., *TCSII Nov. 2020* 2367-2371
- Wu, Z.,** see Chen, Z., *TCSII Nov. 2020* 2492-2496
- Wu, Z.,** see Zhang, M., *TCSII Oct. 2020* 2039-2043

**Wysocki, B.**, *see* Zhao, C., *TCSII Oct. 2020* 1715-1719

## X

- Xi, N.**, Lin, F., and Ye, T., A Low Phase Noise, High Phase Accuracy Quadrature LC-VCO With Dual-Tail Current Biasing to Insert Reconfigurable Phase Delay; *TCSII March 2020* 450-454
- Xi, X.**, *see* Venkatesh, A., *TCSII Aug. 2020* 1394-1398
- Xia, C.**, *see* Sun, S., *TCSII Dec. 2020* 3157-3161
- Xia, W.**, Zhou, Y., Yang, G., and Chen, R.T., Power-Balanced Non-Orthogonal Multiple Access Based on Virtual Channel Optimization; *TCSII April 2020* 795-799
- Xia, X.**, *see* Wang, P., *TCSII July 2020* 1209-1213
- Xia, X.**, Chen, F., Cheng, X., Han, J., and Luo, X., A GaAs Colpitts VCO Using  $g_m$ -Boosting and Collector-Emitter Cross-Coupling Techniques; *TCSII Dec. 2020* 2873-2877
- Xia, Y.**, *see* Zhang, X., *TCSII July 2020* 1364-1368
- Xia, Y.**, *see* Pu, C., *TCSII Aug. 2020* 1472-1476
- Xia, Y.**, *see* Qian, L., *TCSII Dec. 2020* 2943-2947
- Xia, Y.**, *see* Xu, S., *TCSII Dec. 2020* 3482-3486
- Xia, Y.**, *see* Yang, X., *TCSII Dec. 2020* 3187-3191
- Xia, Y.**, *see* Pu, C., *TCSII Oct. 2020* 2209-2213
- Xiang, Y.**, *see* Lyu, L., *TCSII May 2020* 831-835
- Xiang, Y.**, Chen, Z., Chen, Z., Fang, Z., Hao, H., Chen, J., Liu, Y., Wu, Z., Xuan, Q., and Yang, X., Open DNN Box by Power Side-Channel Attack; *TCSII Nov. 2020* 2717-2721
- Xiang, Z.**, *see* Zou, W., *TCSII July 2020* 1279-1283
- Xiao, B.**, *see* Chen, M., *TCSII Oct. 2020* 2059-2063
- Xiao, J.**, *see* Zhu, W., *TCSII Aug. 2020* 1454-1458
- Xiao, J.**, *see* Yang, X., *TCSII Dec. 2020* 3187-3191
- Xiao, Z.**, Xu, P., Wang, X., Chen, L., and An, F., A Multi-Class Objects Detection Coprocessor With Dual Feature Space and Weighted Softmax; *TCSII Sept. 2020* 1629-1633
- Xie, C.**, *see* Xu, Y., *TCSII April 2020* 700-704
- Xie, G.**, *see* Wang, L., *TCSII Dec. 2020* 3327-3331
- Xie, G.**, *see* Song, Z., *TCSII Dec. 2020* 3397-3401
- Xie, H.**, Zhou, K., Zhou, C., and Wu, W., Compact SIW Diplexers and Dual-Band Bandpass Filter With Wide-Stopband Performances; *TCSII Dec. 2020* 2933-2937
- Xie, H.**, Zhou, K., Zhou, C., and Wu, W., Wide-Stopband SIW Filters Using Modified Multi-Spurious Modes Suppression Technique; *TCSII Dec. 2020* 2883-2887
- Xie, K.**, *see* Zhang, C., *TCSII Oct. 2020* 2099-2103
- Xie, M.**, Shakoob, A., Wu, Z., and Jiang, B., Optical Manipulation of Biological Cells With a Robot-Tweezers System: A Stochastic Control Approach; *TCSII Dec. 2020* 3232-3236
- Xie, S.**, Prouza, A.A., and Theuwissen, A., A CMOS-Imager-Pixel-Based Temperature Sensor for Dark Current Compensation; *TCSII Feb. 2020* 255-259
- Xie, S.**, and Theuwissen, A., A 10 Bit 5 MS/s Column SAR ADC With Digital Error Correction for CMOS Image Sensors; *TCSII June 2020* 984-988
- Xie, Z.**, and Zhang, X., Scaled Nested Key Equation Solver for Generalized Integrated Interleaved Decoder; *TCSII Nov. 2020* 2457-2461
- Xie, Z.**, *see* Zhang, X., *TCSII Oct. 2020* 1869-1873
- Xin, M.**, *see* Jia, B., *TCSII June 2020* 1144-1148
- Xing, Q.**, *see* Xue, M., *TCSII Oct. 2020* 1919-1923
- Xiong, B.**, Yang, L., and Cao, T., A Novel Tuning Method for Impedance Matching Network Based on Linear Fractional Transformation; *TCSII June 2020* 1039-1043
- Xiong, H.**, Abu bakar, M., and He, G., Hardware Implementation of an Improved Stochastic Computing Based Deep Neural Network Using Short Sequence Length; *TCSII Nov. 2020* 2667-2671
- Xiong, K.**, Shi, W., and Wang, S., Robust Multikernel Maximum Correntropy Filters; *TCSII June 2020* 1159-1163
- Xiong, K.**, Zhang, Y., and Wang, S., Complex-Valued Adaptive Filtering Based on the Random Fourier Features Method; *TCSII Oct. 2020* 2284-2288
- Xiong, L.**, *see* Wu, G., *TCSII Dec. 2020* 3113-3117
- Xiong, X.**, *see* Kumar, A., *TCSII Dec. 2020* 3207-3211

- Xiong, X.**, *see* Sachan, A., *TCSII Nov. 2020* 2547-2551
- Xiong, X.**, Kikuwe, R., Kamal, S., and Jin, S., Implicit-Euler Implementation of Super-Twisting Observer and Twisting Controller for Second-Order Systems; *TCSII Nov. 2020* 2607-2611
- Xiong, Y.**, Zeng, X., and Li, J., A Tunable Concurrent Dual-Band Phase Shifter MMIC for Beam Steering Applications; *TCSII Nov. 2020* 2412-2416
- Xiong, Y.**, Zeng, X., and Li, J., A Frequency-Reconfigurable CMOS Active Phase Shifter for 5G mm-Wave Applications; *TCSII Oct. 2020* 1824-1828
- Xu, A.**, *see* Xu, D., *TCSII Oct. 2020* 2034-2038
- Xu, B.W.**, *see* Su, Z.L., *TCSII Jan. 2020* 32-36
- Xu, D.**, Xu, A., Yang, C., and Shi, P., A Novel Double-Quadrant SoC Consistent Adaptive Droop Control in DC Microgrids; *TCSII Oct. 2020* 2034-2038
- Xu, G.**, Qi, F., Lai, Q., and Iu, H.H., Fixed Time Synchronization Control for Bilateral Teleoperation Mobile Manipulator With Nonholonomic Constraint and Time Delay; *TCSII Dec. 2020* 3452-3456
- Xu, H.**, *see* Liu, X., *TCSII March 2020* 585-589
- Xu, H.**, *see* Liu, H., *TCSII Oct. 2020* 1760-1764
- Xu, J.**, Xue, Y., Gao, L., and Zhang, X.Y., Switchable Filtering Circuit With Single- and Multi-Channel Operations; *TCSII Dec. 2020* 2958-2962
- Xu, J.**, *see* Wang, X., *TCSII Dec. 2020* 3142-3146
- Xu, J.**, *see* Zhan, W., *TCSII Dec. 2020* 2858-2862
- Xu, J.**, *see* Yang, P., *TCSII Oct. 2020* 2074-2078
- Xu, L.**, *see* Zhao, L., *TCSII Jan. 2020* 97-101
- Xu, L.**, *see* Zhao, D., *TCSII Dec. 2020* 3492-3496
- Xu, P.**, *see* Xiao, Z., *TCSII Sept. 2020* 1629-1633
- Xu, Q.**, *see* Wang, L., *TCSII March 2020* 475-479
- Xu, Q.**, *see* Bi, X., *TCSII March 2020* 460-464
- Xu, Q.**, *see* Ni, T., *TCSII Nov. 2020* 2657-2661
- Xu, Q.**, *see* Zeng, X., *TCSII Nov. 2020* 2447-2451
- Xu, R.**, *see* Lyu, L., *TCSII May 2020* 831-835
- Xu, S.**, *see* Feng, X., *TCSII March 2020* 556-559
- Xu, S.**, *see* Shi, S., *TCSII Aug. 2020* 1414-1418
- Xu, S.**, Xia, Y., and Shen, H., Analysis of Malware-Induced Cyber Attacks in Cyber-Physical Power Systems; *TCSII Dec. 2020* 3482-3486
- Xu, S.**, *see* Yang, Z., *TCSII Nov. 2020* 2377-2381
- Xu, S.**, *see* Cao, S., *TCSII Nov. 2020* 2472-2476
- Xu, S.**, *see* Ruan, A., *TCSII Oct. 2020* 2124-2128
- Xu, W.**, *see* Zhao, Z., *TCSII May 2020* 931-935
- Xu, W.**, *see* Lu, Y., *TCSII Nov. 2020* 2462-2466
- Xu, W.**, *see* Tan, X., *TCSII Oct. 2020* 1924-1928
- Xu, X.**, Tan, M., Wu, J., Boes, A., Corcoran, B., Nguyen, T.G., Chu, S.T., Little, B.E., Morandotti, R., Mitchell, A., and Moss, D.J., Photonic RF and Microwave Integrator Based on a Transversal Filter With Soliton Crystal Microcombs; *TCSII Dec. 2020* 3582-3586
- Xu, X.**, *see* Li, J., *TCSII Dec. 2020* 3302-3306
- Xu, X.**, *see* Tan, M., *TCSII Nov. 2020* 2767-2771
- Xu, X.**, *see* Huang, B., *TCSII Oct. 2020* 1790-1794
- Xu, Y.**, Wu, X., Li, N., Liu, L., Xie, C., and Li, C., Fixed-Time Synchronization of Complex Networks With a Simpler Nonchattering Controller; *TCSII April 2020* 700-704
- Xu, Y.**, *see* Gao, W., *TCSII July 2020* 1354-1358
- Xu, Y.**, *see* Zhu, W., *TCSII Aug. 2020* 1454-1458
- Xu, Y.**, Li, B., Deng, S., Qin, Y., Fan, H., Zhong, W., Liu, Y., Wu, Z., Yeung, F.S.Y., Wong, M., Kwok, H.S., and Chen, R., A Novel Envelope Detector Based on Unipolar Metal-Oxide TFTs; *TCSII Nov. 2020* 2367-2371
- Xu, Y.**, *see* Zhao, Z., *TCSII Nov. 2020* 2517-2521
- Xuan, Q.**, *see* Xiang, Y., *TCSII Nov. 2020* 2717-2721
- Xue, A.**, *see* Yang, J., *TCSII Dec. 2020* 3572-3576
- Xue, M.**, *see* Wu, W., *TCSII Nov. 2020* 2502-2506
- Xue, M.**, Xing, Q., Feng, C., Yu, F., and Ma, Z., FPGA-Accelerated Hash Join Operation for Relational Databases; *TCSII Oct. 2020* 1919-1923
- Xue, Q.**, *see* Wu, D., *TCSII June 2020* 1034-1038
- Xue, Q.**, *see* Wu, D., *TCSII Aug. 2020* 1404-1408
- Xue, W.**, *see* Wu, Q., *TCSII Nov. 2020* 2792-2796
- Xue, W.**, *see* Wu, Q., *TCSII Oct. 2020* 2249-2253
- Xue, Y.**, *see* Xu, J., *TCSII Dec. 2020* 2958-2962

## Y

- Yadid-Pecht, O.**, *see* Yang, J., *TCSII Jan. 2020* 142-146
- Yan, A.**, *see* Ni, T., *TCSII Nov. 2020* 2657-2661
- Yan, C.**, Wu, J., Sun, J., Jin, J., and Hu, C., A Low Phase Noise Open Loop Fractional-N Frequency Synthesizer With Injection Locking Digital Phase Modulator; *TCSII March 2020* 455-459
- Yan, C.**, *see* Ding, X., *TCSII Dec. 2020* 2818-2822
- Yan, D.**, *see* Dong, L., *TCSII May 2020* 951-955
- Yan, H.**, *see* Jiang, Z., *TCSII June 2020* 1139-1143
- Yan, H.**, *see* Tian, Y., *TCSII Dec. 2020* 3147-3151
- Yan, Z.**, *see* Chen, Z., *TCSII Dec. 2020* 3212-3216
- Yanagisawa, M.**, *see* Tajima, S., *TCSII June 2020* 1114-1118
- Yang, B.**, *see* Woo, K., *TCSII Feb. 2020* 245-249
- Yang, B.**, *see* Woo, K., *TCSII July 2020* 1179-1183
- Yang, B.**, *see* Woo, K., *TCSII Dec. 2020* 3118-3122
- Yang, B.**, *see* Woo, K., *TCSII Oct. 2020* 2119-2123
- Yang, C.**, *see* Wang, S., *TCSII May 2020* 881-885
- Yang, C.**, *see* Shih, H., *TCSII July 2020* 1234-1238
- Yang, C.**, Ye, K., and Tan, M., A 0.5-V Capless LDO With 30-dB PSRR at 10-kHz Using a Lightweight Local Generated Supply; *TCSII Oct. 2020* 1785-1789
- Yang, C.**, *see* Xu, D., *TCSII Oct. 2020* 2034-2038
- Yang, G.**, *see* Xia, W., *TCSII April 2020* 795-799
- Yang, G.**, *see* Zhu, W., *TCSII Aug. 2020* 1454-1458
- Yang, H.**, *see* Cui, Y., *TCSII March 2020* 526-530
- Yang, H.**, *see* Zhong, H., *TCSII Dec. 2020* 3402-3406
- Yang, J.**, Shahnovich, U., and Yadid-Pecht, O., Mantissa-Exponent-Based Tone Mapping for Wide Dynamic Range Image Sensors; *TCSII Jan. 2020* 142-146
- Yang, J.**, Cao, J., and Xue, A., Robust Maximum Mixture Correntropy Criterion-Based Semi-Supervised ELM With Variable Center; *TCSII Dec. 2020* 3572-3576
- Yang, J.**, *see* Zhou, Y., *TCSII Dec. 2020* 3352-3356
- Yang, J.**, *see* Zhang, G., *TCSII Dec. 2020* 3003-3007
- Yang, K.**, *see* Wu, F., *TCSII Feb. 2020* 400-404
- Yang, L.**, *see* Xiong, B., *TCSII June 2020* 1039-1043
- Yang, L.**, *see* Zhang, X., *TCSII July 2020* 1364-1368
- Yang, P.**, *see* Wang, X., *TCSII Dec. 2020* 3142-3146
- Yang, P.**, *see* Shi, S., *TCSII Oct. 2020* 1909-1913
- Yang, P.**, Cao, J., Shang, Z., Cai, Y., and Xu, J., Double-Line Frequency Ripple Suppression of a Quasi-Single Stage AC-DC Converter; *TCSII Oct. 2020* 2074-2078
- Yang, Q.**, *see* Wu, H., *TCSII June 2020* 1024-1028
- Yang, S.**, *see* Zhao, D., *TCSII Nov. 2020* 2732-2736
- Yang, W.**, Zheng, Z., Chen, G., Tang, Y., and Wang, X., Security Analysis of a Distributed Networked System Under Eavesdropping Attacks; *TCSII July 2020* 1254-1258
- Yang, X.**, Feng, W., Xia, Y., Wang, L., Xiao, J., and Gao, S., Improving Robustness of Interdependent Networks by Reducing Key Unbalanced Dependency Links; *TCSII Dec. 2020* 3187-3191
- Yang, X.**, *see* Xiang, Y., *TCSII Nov. 2020* 2717-2721
- Yang, Y.**, *see* Ding, T., *TCSII March 2020* 536-540
- Yang, Y.**, *see* Tan, F., *TCSII Sept. 2020* 1534-1538
- Yang, Y.**, Lee, B., Cho, J.S., Kim, S., and Lee, H., A Digital Capacitive MEMS Microphone for Speech Recognition With Fast Wake-Up Feature Using a Sound Activity Detector; *TCSII Sept. 2020* 1509-1513
- Yang, Y.**, *see* Zheng, Y., *TCSII Dec. 2020* 3053-3057
- Yang, Y.**, *see* Tang, J., *TCSII Nov. 2020* 2357-2361
- Yang, Y.**, *see* Zhao, Z., *TCSII Nov. 2020* 2517-2521
- Yang, Y.**, *see* Luo, C., *TCSII Oct. 2020* 1849-1853
- Yang, Y.**, *see* Su, H., *TCSII Oct. 2020* 2019-2023
- Yang, Z.**, Guan, D., Huang, X., Zhang, H.C., You, P., Xu, S., Liu, L., and Yong, S., Compact and Wideband Octuple-Mode Filter Based on Hybrid Substrate Integrated Waveguide and Spoof Localized Surface Plasmon Structure; *TCSII Nov. 2020* 2377-2381
- Yao, L.**, Wang, Z., Huang, X., Li, Y., Shen, H., and Chen, G., Aperiodic Sampled-Data Control for Exponential Stabilization of Delayed Neural Networks: A Refined Two-Sided Looped-Functional Approach; *TCSII Dec. 2020* 3217-3221
- Yao, Y.**, Zhang, Y., Qu, X., and Chen, W., A Modular Multilevel Converter With Novel Double Reverse Blocking Sub-Modules for DC Fault Current Blocking Capability; *TCSII April 2020* 740-744
- Yao, Z.**, Zhang, Y., and Hu, X., Transformerless Grid-Connected PV Inverter Without Common Mode Leakage Current and Shoot-Through Problems; *TCSII Dec. 2020* 3257-3261
- Yazici, M.**, *see* Ustundag, B., *TCSII Nov. 2020* 2417-2421
- Yazici, M.**, *see* Caliskan, C., *TCSII Oct. 2020* 1844-1848
- Ye, D.**, *see* Lyu, L., *TCSII May 2020* 831-835
- Ye, K.**, *see* Yang, C., *TCSII Oct. 2020* 1785-1789
- Ye, M.**, *see* Wang, P., *TCSII July 2020* 1209-1213
- Ye, T.**, *see* Xi, N., *TCSII March 2020* 450-454
- Ye, Y.**, Su, H., Chen, J., and Peng, Y., Consensus in Fractional-Order Multi-Agent Systems With Intermittence Sampled Data Over Directed Networks; *TCSII Feb. 2020* 365-369
- Ye, Y.**, *see* Qian, L., *TCSII Dec. 2020* 2943-2947
- Ye, Z.**, *see* Yin, M., *TCSII Jan. 2020* 162-166
- Yeh, C.**, *see* Yu, O., *TCSII Nov. 2020* 2637-2641
- Yeh, L.**, Chen, P., Pai, C., and Liu, T., An Energy-Efficient Dual-Field Elliptic Curve Cryptography Processor for Internet of Things Applications; *TCSII Sept. 2020* 1614-1618
- Yen, M.**, and Chen, H., A Highly Integrated 400-800 MHz Spectrum Sensing System Based on Envelope Detection; *TCSII Dec. 2020* 3008-3012
- Yenuchenko, M.S.**, and Pilipko, M.M., Reshuffled Diagonal Rotated Walk Switching Scheme for DAC INL Reduction; *TCSII Nov. 2020* 2317-2321
- Yeung, F.S.Y.**, *see* Xu, Y., *TCSII Nov. 2020* 2367-2371
- Yi, X.**, Shi, Y., Yu, Z., and Qian, X., Wideband and Miniaturized Forward-Wave Directional Coupler Using Periodical Parallel Plates and Vertical Meander Lines; *TCSII Nov. 2020* 2402-2406
- Yi, Y.**, *see* Zhao, C., *TCSII Oct. 2020* 1715-1719
- Yin, M.**, and Ye, Z., First Order Statistic Based Fast Blind Calibration of Time Skews for Time-Interleaved ADCs; *TCSII Jan. 2020* 162-166
- Yin, S.**, *see* Deng, C., *TCSII Feb. 2020* 375-379
- Yin, T.**, Lv, Y., and Yu, W., Accurate Privacy Preserving Average Consensus; *TCSII April 2020* 690-694
- Yong, S.**, *see* Yang, Z., *TCSII Nov. 2020* 2377-2381
- Yoo, C.**, *see* Kim, K., *TCSII March 2020* 415-419
- Yoo, H.**, *see* Kim, Y., *TCSII May 2020* 846-850
- Yoo, H.**, *see* Park, G., *TCSII Sept. 2020* 1594-1598
- Yoon, Y.**, Park, H., and Kim, C., A DLL-Based Quadrature Clock Generator With a 3-Stage Quad Delay Unit Using the Sub-Range Phase Interpolator for Low-Jitter and High-Phase Accuracy DRAM Applications; *TCSII Nov. 2020* 2342-2346
- Yoon, Y.**, and Kim, C., An Area-Efficient and Wide-Range Inter-Signal Skew Compensation Scheme With the Embedded Bypass Control Register Operating as a Binary Search Algorithm for DRAM Applications; *TCSII Oct. 2020* 1775-1779
- Yoshida, N.**, Takahashi, R., and Hikihara, T., Power Regeneration From DC Motor With Bidirectional Router in Power Packet Dispatching System; *TCSII Dec. 2020* 3088-3092
- Yoshioka, D.**, Security of Public-Key Cryptosystems Based on Chebyshev Polynomials Over  $\mathbb{Z}/p^k\mathbb{Z}$ ; *TCSII Oct. 2020* 2204-2208
- You, D.**, *see* Kim, H., *TCSII Nov. 2020* 2427-2431
- You, F.**, *see* Haider, M.F., *TCSII Dec. 2020* 3013-3017
- You, F.**, *see* Li, C., *TCSII Oct. 2020* 1730-1734
- You, H.**, Yuan, J., Tang, W., Qiao, S., and Hei, Y., An Energy-Efficient Level Shifter for Ultra Low-Voltage Digital LSIs; *TCSII Dec. 2020* 3357-3361
- You, P.**, *see* Yang, Z., *TCSII Nov. 2020* 2377-2381
- You, X.**, *see* Shen, Y., *TCSII May 2020* 901-905
- You, X.**, *see* Zhong, Z., *TCSII Dec. 2020* 3018-3022
- You, X.**, *see* Tan, X., *TCSII Oct. 2020* 1924-1928
- Youn, Y.**, *see* Hwang, J., *TCSII Oct. 2020* 1834-1838
- Ytterdal, T.**, *see* Late, E., *TCSII Nov. 2020* 2687-2691

- Yu, D.**, Zhao, X., Sun, T., Iu, H.H.C., and Fernando, T., A Simple Floating Mutator for Emulating Memristor, Memcapacitor, and Meminductor; *TCSII July 2020* 1334-1338
- Yu, D.**, see Dong, L., *TCSII Aug. 2020* 1429-1433
- Yu, F.**, see Chen, W., *TCSII Aug. 2020* 1449-1453
- Yu, F.**, see Wu, W., *TCSII Nov. 2020* 2502-2506
- Yu, F.**, see Chen, W., *TCSII Nov. 2020* 2662-2666
- Yu, F.**, see Xue, M., *TCSII Oct. 2020* 1919-1923
- Yu, J.H.**, see Wei, F., *TCSII Dec. 2020* 3043-3047
- Yu, L.**, see Gao, L., *TCSII Aug. 2020* 1487-1491
- Yu, L.**, see Zhou, J., *TCSII Nov. 2020* 2762-2766
- Yu, O.**, Chen, C., Yeh, C., and Lai, J., Sequential Parallel Switching for Drain-Source Synchronous Rectification Efficiency Boost in Parallel Switch Rectifiers; *TCSII Nov. 2020* 2637-2641
- Yu, P.S.**, see Jiang, Z., *TCSII June 2020* 1139-1143
- Yu, P.S.**, see Jiang, Z., *TCSII Dec. 2020* 3487-3491
- Yu, S.**, see Mao, Q., *TCSII May 2020* 921-925
- Yu, S.**, see Zhao, Y., *TCSII Dec. 2020* 3177-3181
- Yu, W.**, see Yin, T., *TCSII April 2020* 690-694
- Yu, W.**, see Hu, H., *TCSII Aug. 2020* 1419-1423
- Yu, W.**, see Lu, P., *TCSII Dec. 2020* 3167-3171
- Yu, W.**, see Lu, P., *TCSII Dec. 2020* 3162-3166
- Yu, W.**, Optimization of Combined Power and Modeling Attacks on VR PUFs With Lagrange Multipliers; *TCSII Nov. 2020* 2512-2516
- Yu, W.**, see Chen, D., *TCSII Oct. 2020* 2064-2068
- Yu, X.**, see Goyal, J.K., *TCSII Feb. 2020* 295-299
- Yu, X.**, and Li, J., Optimal Filtering and a Smoothing Algorithm for a Singular System With a Complex Stochastic Uncertain Parameter Matrix; *TCSII April 2020* 780-784
- Yu, X.**, see Soni, S., *TCSII July 2020* 1259-1263
- Yu, X.**, see Tang, Z., *TCSII Sept. 2020* 1504-1508
- Yu, X.**, Pu, S., and Li, J., An Optimal Filter for Singular Systems With Stochastic Multiplicative Disturbance; *TCSII Dec. 2020* 3607-3611
- Yu, X.**, see Singh, B., *TCSII Dec. 2020* 3282-3286
- Yu, X.**, see Sachan, A., *TCSII Nov. 2020* 2547-2551
- Yu, X.**, see Luo, C., *TCSII Oct. 2020* 1849-1853
- Yu, Y.**, see Gong, H., *TCSII June 2020* 1074-1078
- Yu, Y.**, Lu, L., Zheng, Z., Wang, W., Zakharov, Y., and de Lamare, R.C., DCD-Based Recursive Adaptive Algorithms Robust Against Impulsive Noise; *TCSII July 2020* 1359-1363
- Yu, Z.**, see Yi, X., *TCSII Nov. 2020* 2402-2406
- Yuan, C.**, see Liu, G., *TCSII Feb. 2020* 350-354
- Yuan, C.**, see Yuan, Z., *TCSII Sept. 2020* 1664-1668
- Yuan, F.**, and Parekh, P., Analysis and Design of an All-Digital  $\Delta\Sigma$  TDC via Time-Mode Signal Processing; *TCSII June 2020* 994-998
- Yuan, J.**, see You, H., *TCSII Dec. 2020* 3357-3361
- Yuan, M.**, see Li, C., *TCSII Dec. 2020* 2878-2882
- Yuan, Q.**, see Lin, D., *TCSII Nov. 2020* 2737-2741
- Yuan, T.**, see Gao, Z., *TCSII Dec. 2020* 3447-3451
- Yuan, T.**, see Bi, X., *TCSII Dec. 2020* 2948-2952
- Yuan, T.**, see Bi, X., *TCSII Oct. 2020* 1780-1784
- Yuan, Z.**, Fan, S., Yuan, C., and Geng, L., A 100 MHz, 0.8-to-1.1 V, 170 mA Digital LDO With 8-Cycles Mean Settling Time and 9-Bit Regulating Resolution in 180-nm CMOS; *TCSII Sept. 2020* 1664-1668
- Yue, C.P.**, see Pan, Q., *TCSII Jan. 2020* 72-76
- Yue, Y.**, see Gao, S., *TCSII Feb. 2020* 325-329
- Yun, J.**, see Jeong, Y., *TCSII Sept. 2020* 1589-1593
- Yun, J.**, see Lee, S., *TCSII Oct. 2020* 1735-1739
- Yun, J.**, see Shin, S., *TCSII Oct. 2020* 1814-1818
- Z**
- Zaidi, A.M.**, Beg, M.T., Kanaujia, B.K., and Rambabu, K., Hexa-Band Branch Line Coupler and Wilkinson Power Divider for LTE 0.7 GHz, LTE 1.7 GHz, LTE 2.6 GHz, 3.9 GHz, Public Safety Band 4.9 GHz, and WLAN 5.8 GHz Frequencies; *TCSII Feb. 2020* 275-279
- Zaidi, A.M.**, Beg, M.T., Kanaujia, B.K., Mainuddin, and Rambabu, K., A Compact Dual-Band Out of Phase Power Divider Having Microstrip Compatibility; *TCSII Dec. 2020* 2998-3002
- Zakharov, A.**, Litvintsev, S., and Ilchenko, M., Transmission Line Tunable Resonators With Intersecting Resonance Regions; *TCSII April 2020* 660-664
- Zakharov, A.**, Rozenko, S., Litvintsev, S., and Ilchenko, M., Hairpin Resonators in Varactor-Tuned Microstrip Bandpass Filters; *TCSII Oct. 2020* 1874-1878
- Zakharov, Y.**, see Yu, Y., *TCSII July 2020* 1359-1363
- Zakharov, Y.**, see Shi, L., *TCSII July 2020* 1339-1343
- Zakharov, Y.**, see Shen, L., *TCSII Jan. 2020* 192-196
- Zakharov, Y.V.**, see Wu, Q., *TCSII Oct. 2020* 2249-2253
- Zaman, H.U.**, see Hasan, M., *TCSII Aug. 2020* 1464-1468
- Zamani, H.**, Bahrami, H.R., Garris, P.A., and Mohseni, P., Compressed Principal Component Regression (C-PCR) Algorithm and FPGA Validation; *TCSII Dec. 2020* 3512-3516
- Zamani, H.**, Fakharzadeh, M., Amini, A., and Marvasti, F., Random Sampling With Iterative Recovery for Millimeter-Wave Imaging Systems; *TCSII Dec. 2020* 3522-3526
- Zanen, J.**, Klumperink, E., and Nauta, B., Analysis of Switched Capacitor Losses in Polar and Quadrature Switched Capacitor PAs; *TCSII Oct. 2020* 1904-1908
- Zarghami, S.**, Hayati, M., Kazimierczuk, M.K., and Sekiya, H., Continuous Class-F Power Amplifier Using Quasi-Elliptic Low-Pass Filtering Matching Network; *TCSII Nov. 2020* 2407-2411
- Zeinolabedin, S.M.A.**, see Do, A.T., *TCSII Oct. 2020* 2154-2158
- Zeng, C.**, see Wei, F., *TCSII Dec. 2020* 3043-3047
- Zeng, J.**, see Wang, J., *TCSII July 2020* 1289-1293
- Zeng, W.**, Bonizzoni, E., U, C., Lam, C., Sin, S., Chio, U., Maloberti, F., and Martins, R.P., A SAR-ADC-Assisted DC-DC Buck Converter With Fast Transient Recovery; *TCSII Sept. 2020* 1669-1673
- Zeng, X.**, see Bi, X., *TCSII March 2020* 460-464
- Zeng, X.**, see Wang, W., *TCSII June 2020* 1154-1158
- Zeng, X.**, see Wang, W., *TCSII June 2020* 1164-1168
- Zeng, X.**, see Li, Y., *TCSII Sept. 2020* 1619-1623
- Zeng, X.**, see Chen, Z., *TCSII Dec. 2020* 3537-3541
- Zeng, X.**, Bi, X., Cao, Z., Wan, R., and Xu, Q., High Selectivity Dual-Wideband Balun Filter Utilizing a Multimode T-line Loaded Middle-Shorted CSRR; *TCSII Nov. 2020* 2447-2451
- Zeng, X.**, see Xiong, Y., *TCSII Nov. 2020* 2412-2416
- Zeng, X.**, see Xiong, Y., *TCSII Oct. 2020* 1824-1828
- Zeng, Z.**, Estrada-Lopez, J.J., Abouzied, M.A., and Sanchez-Sinencio, E., A Reconfigurable Rectifier With Optimal Loading Point Determination for RF Energy Harvesting From -22 dBm to -2 dBm; *TCSII Jan. 2020* 87-91
- Zerguine, A.**, see Bin Saeed, M.O., *TCSII Oct. 2020* 2264-2268
- Zha, X.**, see Zhao, J., *TCSII Nov. 2020* 2752-2756
- Zhai, J.**, Adaptive Control for Nonlinear Systems With Uncertain Output Function and Unknown Homogenous Growth Rate; *TCSII Oct. 2020* 1974-1978
- Zhan, C.**, see Huang, Q., *TCSII Sept. 2020* 1494-1498
- Zhan, W.**, Xu, J., Zhao, X., Hu, B., and Zhang, X.Y., Substrate Integrated Waveguide Multi-Channel Filtering Crossover With Extended Channel Number and Controllable Frequencies; *TCSII Dec. 2020* 2858-2862
- Zhan, X.**, see Ma, D., *TCSII July 2020* 1284-1288
- Zhan, X.**, see Tian, Y., *TCSII Dec. 2020* 3147-3151
- Zhang, B.**, see Rong, C., *TCSII Oct. 2020* 1755-1759
- Zhang, B.**, see Jiang, Y., *TCSII Oct. 2020* 2184-2188
- Zhang, C.**, see Shen, Y., *TCSII May 2020* 901-905
- Zhang, C.**, Wang, J., Wang, L., Liu, L., Li, Y., and Zhu, Z., High Input Impedance Low-Noise CMOS Analog Frontend IC for Wearable Electrocardiogram Monitoring; *TCSII July 2020* 1169-1173
- Zhang, C.**, see Zhong, Z., *TCSII Dec. 2020* 3018-3022
- Zhang, C.**, Xie, K., He, Y., Wang, Q., and Wu, M., An Improved Stability Criterion for Digital Filters With Generalized Overflow Arithmetic and Time-Varying Delay; *TCSII Oct. 2020* 2099-2103
- Zhang, C.**, see Tan, X., *TCSII Oct. 2020* 1924-1928
- Zhang, C.Y.**, see Wei, F., *TCSII Dec. 2020* 3043-3047
- Zhang, D.**, see Deng, H., *TCSII Oct. 2020* 1705-1709
- Zhang, F.**, see Un, K., *TCSII Jan. 2020* 37-41

- Zhang, F.**, *see* Tan, F., *TCSII Sept. 2020* 1534-1538
- Zhang, F.**, *see* Lu, P., *TCSII Dec. 2020* 3162-3166
- Zhang, G.**, *see* Wang, N., *TCSII Dec. 2020* 3502-3506
- Zhang, G.**, Liu, Y., Wang, E., and Yang, J., Multilayer Packaging SIW Three-Way Filtering Power Divider With Adjustable Power Division; *TCSII Dec. 2020* 3003-3007
- Zhang, G.**, *see* Zhang, L., *TCSII Nov. 2020* 2602-2606
- Zhang, G.**, *see* Zhang, P., *TCSII Nov. 2020* 2632-2636
- Zhang, H.**, and Ko, S., Design of Power Efficient Posit Multiplier; *TCSII May 2020* 861-865
- Zhang, H.**, Wang, L., Zhang, T., and Wang, S., The Nearest-Instance-Centroid-Estimation Kernel Recursive Least Squares Algorithms; *TCSII July 2020* 1344-1348
- Zhang, H.**, *see* Zhu, W., *TCSII Aug. 2020* 1454-1458
- Zhang, H.**, *see* Sun, Q., *TCSII Dec. 2020* 3517-3521
- Zhang, H.**, and Wang, Z., Suppressing Epidemic Spreading by Imitating Hub Nodes' Strategy; *TCSII Oct. 2020* 1979-1983
- Zhang, H.**, *see* Li, G., *TCSII Oct. 2020* 2239-2243
- Zhang, H.C.**, *see* Yang, Z., *TCSII Nov. 2020* 2377-2381
- Zhang, J.**, *see* Jiang, Z., *TCSII June 2020* 1139-1143
- Zhang, J.**, Ren, X., Liu, S., Chan, C., and Zhu, Z., An 11-bit 100-MS/s Pipelined-SAR ADC Reusing PVT-Stabilized Dynamic Comparator in 65-nm CMOS; *TCSII July 2020* 1174-1178
- Zhang, J.**, and Cao, M., Strategy Competition Dynamics of Multi-Agent Systems in the Framework of Evolutionary Game Theory; *TCSII Jan. 2020* 152-156
- Zhang, J.**, *see* Gong, L., *TCSII Oct. 2020* 1854-1858
- Zhang, L.**, *see* Zhou, W., *TCSII May 2020* 946-950
- Zhang, L.**, and Zhang, G., Bipartite Consensus for Descriptor Multiagent Systems With Antagonistic Interactions; *TCSII Nov. 2020* 2602-2606
- Zhang, L.**, *see* Chen, Z., *TCSII Nov. 2020* 2492-2496
- Zhang, L.**, *see* Qi, W., *TCSII Nov. 2020* 2622-2626
- Zhang, L.**, *see* Fu, J., *TCSII Nov. 2020* 2802-2806
- Zhang, L.**, *see* Wang, S., *TCSII Oct. 2020* 2269-2273
- Zhang, M.**, Shen, C., and Wu, Z., Asynchronous Observer-Based Control for Exponential Stabilization of Markov Jump Systems; *TCSII Oct. 2020* 2039-2043
- Zhang, N.**, *see* Zhou, L., *TCSII Dec. 2020* 3028-3032
- Zhang, P.**, Zhang, G., and Du, H., Finite-Time Consensus for Power Regulation of Parallel PV Grid-Connected Inverters; *TCSII Nov. 2020* 2632-2636
- Zhang, P.W.**, *see* Jiang, S., *TCSII Oct. 2020* 2169-2173
- Zhang, Q.L.**, and Chan, C.H., Compact Spoof Surface Plasmon Polaritons Waveguide Integrated With Blind Vias and Its Applications; *TCSII Dec. 2020* 3038-3042
- Zhang, S.**, *see* Zhao, D., *TCSII Nov. 2020* 2732-2736
- Zhang, S.**, *see* Cao, S., *TCSII Nov. 2020* 2472-2476
- Zhang, T.**, *see* Zhang, H., *TCSII July 2020* 1344-1348
- Zhang, T.**, He, F., Zheng, Z., and Wang, S., Recursive Minimum Kernel Mixture Mean p-Power Error Algorithm Based on the Nyström Method; *TCSII Nov. 2020* 2772-2776
- Zhang, T.**, *see* Chen, S., *TCSII Oct. 2020* 1934-1938
- Zhang, W.**, *see* Lin, S., *TCSII Feb. 2020* 330-334
- Zhang, W.**, *see* Chu, Z., *TCSII April 2020* 705-709
- Zhang, W.**, *see* Zhou, G., *TCSII Dec. 2020* 3197-3201
- Zhang, X.**, *see* Li, Y., *TCSII Feb. 2020* 355-359
- Zhang, X.**, Mohan, V., and Basu, A., CRAM: Collocated SRAM and DRAM With In-Memory Computing-Based Denoising and Filling for Neuromorphic Vision Sensors in 65 nm CMOS; *TCSII May 2020* 816-820
- Zhang, X.**, Dees, B.S., Li, C., Xia, Y., Yang, L., and Mandic, D.P., Analysis of Least Stochastic Entropy Adaptive Filters for Noncircular Gaussian Signals; *TCSII July 2020* 1364-1368
- Zhang, X.**, Lin, C., Chen, Y.Q., and Boutat, D., A Unified Framework of Stability Theorems for LTI Fractional Order Systems With  $0 < \alpha < 2$ ; *TCSII Dec. 2020* 3237-3241
- Zhang, X.**, *see* Zhang, Y., *TCSII Dec. 2020* 3387-3391
- Zhang, X.**, *see* Bi, X., *TCSII Dec. 2020* 2948-2952
- Zhang, X.**, *see* Xie, Z., *TCSII Nov. 2020* 2457-2461
- Zhang, X.**, and Xie, Z., Efficient VLSI Architectures for Coupled-Layered Regenerating Codes; *TCSII Oct. 2020* 1869-1873
- Zhang, X.**, *see* Bi, X., *TCSII Oct. 2020* 1780-1784
- Zhang, X.Y.**, *see* Xu, J., *TCSII Dec. 2020* 2958-2962
- Zhang, X.Y.**, *see* Zhan, W., *TCSII Dec. 2020* 2858-2862
- Zhang, Y.**, *see* Liu, L., *TCSII March 2020* 440-444
- Zhang, Y.**, *see* Yao, Y., *TCSII April 2020* 740-744
- Zhang, Y.**, *see* Lyu, L., *TCSII May 2020* 831-835
- Zhang, Y.**, Wang, C., Kundi, D.E.S., Khalid, A., O'Neill, M., and Liu, W., An Efficient and Parallel R-LWE Cryptoprocessor; *TCSII May 2020* 886-890
- Zhang, Y.**, *see* Zhang, Z., *TCSII Dec. 2020* 3342-3346
- Zhang, Y.**, *see* Yao, Z., *TCSII Dec. 2020* 3257-3261
- Zhang, Y.**, *see* Lu, Q., *TCSII Dec. 2020* 2983-2987
- Zhang, Y.**, *see* Huang, Y., *TCSII Dec. 2020* 3552-3556
- Zhang, Y.**, Wang, R., Zhang, X., Wang, Y., and Huang, R., Parallel Hybrid Stochastic-Binary-Based Neural Network Accelerators; *TCSII Dec. 2020* 3387-3391
- Zhang, Y.**, *see* Song, Z., *TCSII Dec. 2020* 3397-3401
- Zhang, Y.**, *see* Liu, C., *TCSII Nov. 2020* 2642-2646
- Zhang, Y.**, *see* Deng, H., *TCSII Oct. 2020* 1705-1709
- Zhang, Y.**, *see* Xiong, K., *TCSII Oct. 2020* 2284-2288
- Zhang, Y.**, *see* Tan, X., *TCSII Oct. 2020* 1924-1928
- Zhang, Y.**, Liu, S., Tian, B., Zhu, Y., Chan, C., and Zhu, Z., A 2nd-Order Noise-Shaping SAR ADC With Lossless Dynamic Amplifier Assisted Integrator; *TCSII Oct. 2020* 1819-1823
- Zhang, Y.**, *see* Jiang, Z., *TCSII Oct. 2020* 2214-2218
- Zhang, Y.**, *see* Wang, Z., *TCSII Oct. 2020* 2259-2263
- Zhang, Z.**, *see* Liang, H., *TCSII Feb. 2020* 335-339
- Zhang, Z.**, *see* Jiang, Z., *TCSII June 2020* 1139-1143
- Zhang, Z.**, *see* Hu, J., *TCSII Sept. 2020* 1499-1503
- Zhang, Z.**, *see* Wang, J., *TCSII Sept. 2020* 1524-1528
- Zhang, Z.**, Wang, R., Zhang, Y., Guo, S., and Huang, R., Circuit Reliability Comparison Between Stochastic Computing and Binary Computing; *TCSII Dec. 2020* 3342-3346
- Zhang, Z.**, *see* Zhang, Z., *TCSII Dec. 2020* 3342-3346
- Zhang, Z.**, *see* Zhong, Z., *TCSII Dec. 2020* 3018-3022
- Zhang, Z.**, *see* Chen, Z., *TCSII Dec. 2020* 3098-3102
- Zhang, Z.**, *see* Tan, X., *TCSII Oct. 2020* 1924-1928
- Zhao, B.**, *see* Li, Y., *TCSII Feb. 2020* 355-359
- Zhao, C.**, An, Q., Bai, K., Wysocki, B., Thiem, C., Liu, L., and Yi, Y., Energy Efficient Temporal Spatial Information Processing Circuits Based on STDP and Spike Iteration; *TCSII Oct. 2020* 1715-1719
- Zhao, D.**, *see* Li, Y., *TCSII Dec. 2020* 3137-3141
- Zhao, D.**, Xu, L., Qin, S., Liu, G., and Wang, Z., The Feedback Vertex Set Problem of Multiplex Networks; *TCSII Dec. 2020* 3492-3496
- Zhao, D.**, Yang, S., Han, X., Zhang, S., and Wang, Z., Dismantling and Vertex Cover of Network Through Message Passing; *TCSII Nov. 2020* 2732-2736
- Zhao, H.**, *see* Li, L., *TCSII April 2020* 800-804
- Zhao, H.**, *see* Wang, W., *TCSII June 2020* 1154-1158
- Zhao, H.**, *see* Wang, G., *TCSII June 2020* 1149-1153
- Zhao, H.**, *see* Wang, W., *TCSII June 2020* 1164-1168
- Zhao, H.**, *see* Lyu, L., *TCSII May 2020* 831-835
- Zhao, H.**, *see* Shi, L., *TCSII July 2020* 1339-1343
- Zhao, H.**, *see* Chen, Z., *TCSII Dec. 2020* 3537-3541
- Zhao, H.**, Liu, B., and Song, P., Variable Step-Size Affine Projection Maximum Correntropy Criterion Adaptive Filter With Correntropy Induced Metric for Sparse System Identification; *TCSII Nov. 2020* 2782-2786
- Zhao, J.**, *see* Wang, P., *TCSII Nov. 2020* 2572-2576
- Zhao, J.**, Huang, M., and Zha, X., Nonlinear Analysis of PLL Damping Characteristics in Weak-Grid-Tied Inverters; *TCSII Nov. 2020* 2752-2756
- Zhao, J.**, *see* Li, G., *TCSII Oct. 2020* 2239-2243
- Zhao, L.**, Ma, H., Xu, L., and Wang, X., Observer-Based Adaptive Sampled-Data Event-Triggered Distributed Control for Multi-Agent Systems; *TCSII Jan. 2020* 97-101
- Zhao, L.**, *see* Li, D., *TCSII Nov. 2020* 2307-2311
- Zhao, W.**, *see* Zhou, Y., *TCSII Dec. 2020* 3352-3356

- Zhao, X.**, Zhou, J., Zhu, S., Ma, C., and Lu, J., Topology Identification of Multiplex Delayed Networks; *TCSII Feb. 2020* 290-294
- Zhao, X.**, *see* Yu, D., *TCSII July 2020* 1334-1338
- Zhao, X.**, *see* Zhan, W., *TCSII Dec. 2020* 2858-2862
- Zhao, Y.**, *see* Wang, P., *TCSII July 2020* 1209-1213
- Zhao, Y.**, *see* Li, Y., *TCSII Sept. 2020* 1619-1623
- Zhao, Y.**, *see* Wang, J., *TCSII Sept. 2020* 1524-1528
- Zhao, Y.**, *see* Shang, Z., *TCSII Sept. 2020* 1654-1658
- Zhao, Y.**, Yu, S., and Lian, J., Anti-Disturbance Bumpless Transfer Control for Switched Systems With its Application to Switched Circuit Model; *TCSII Dec. 2020* 3177-3181
- Zhao, Y.**, *see* Chen, Q., *TCSII Dec. 2020* 3103-3107
- Zhao, Y.**, *see* Ruan, A., *TCSII Oct. 2020* 2124-2128
- Zhao, Z.**, Lin, S., Zhu, D., and Wen, G., Vibration Control of a Riser-Vessel System Subject to Input Backlash and Extraneous Disturbances; *TCSII March 2020* 516-520
- Zhao, Z.**, Qu, L., Wang, L., Deng, Q., Li, N., Kang, Z., Guo, S., and Xu, W., A Memristor-Based Spiking Neural Network With High Scalability and Learning Efficiency; *TCSII May 2020* 931-935
- Zhao, Z.**, *see* Liu, Z., *TCSII Jan. 2020* 112-116
- Zhao, Z.**, Li, Y., Yang, Y., Li, L., Xu, Y., and Zhou, J., Sparse Undetectable Sensor Attacks Against Cyber-Physical Systems: A Subspace Approach; *TCSII Nov. 2020* 2517-2521
- Zheng, B.**, Condo, C., Gross, W.J., and Liboiron-Ladouceur, O., High-Throughput Low-Latency Encoder and Decoder for a Class of Generalized Reed-Solomon Codes for Short-Reach Optical Communications; *TCSII April 2020* 670-674
- Zheng, C.**, *see* Su, Y., *TCSII Oct. 2020* 1954-1958
- Zheng, H.**, *see* Cao, S., *TCSII Nov. 2020* 2472-2476
- Zheng, L.**, *see* Gong, H., *TCSII June 2020* 1074-1078
- Zheng, S.Y.**, *see* Su, Z.L., *TCSII Jan. 2020* 32-36
- Zheng, W.X.**, *see* Lv, W., *TCSII Dec. 2020* 3567-3571
- Zheng, X.**, *see* Wang, P., *TCSII July 2020* 1209-1213
- Zheng, Y.**, *see* Hung, C.H., *TCSII April 2020* 635-639
- Zheng, Y.**, *see* Mao, Q., *TCSII May 2020* 921-925
- Zheng, Y.**, *see* Wang, S., *TCSII May 2020* 881-885
- Zheng, Y.**, Wang, W., Yang, Y., and Wu, Y., Single-Layer Planar Wideband Rat-Race Coupler Using a Shorted Parallel-Coupled Multi-Line Section; *TCSII Dec. 2020* 3053-3057
- Zheng, Y.**, *see* Wang, W., *TCSII Oct. 2020* 1929-1933
- Zheng, Z.**, *see* Yu, Y., *TCSII July 2020* 1359-1363
- Zheng, Z.**, *see* Yang, W., *TCSII July 2020* 1254-1258
- Zheng, Z.**, *see* Tang, C., *TCSII Jan. 2020* 117-121
- Zheng, Z.**, *see* Zhang, T., *TCSII Nov. 2020* 2772-2776
- Zheng, Z.**, *see* Lin, D., *TCSII Nov. 2020* 2737-2741
- Zheng, Z.**, and Liu, Z., Steady-State Mean-Square Performance Analysis of the Affine Projection Sign Algorithm; *TCSII Oct. 2020* 2244-2248
- Zhong, H.**, Gu, M., Wang, Y., Liu, Y., Narayanan, V., Yang, H., and Li, X., One-Shot Refresh: A Low-Power Low-Congestion Approach for Dynamic Memories; *TCSII Dec. 2020* 3402-3406
- Zhong, W.**, *see* Xu, Y., *TCSII Nov. 2020* 2367-2371
- Zhong, Z.**, Huang, Y., Zhang, Z., You, X., and Zhang, C., A Flexible and High Parallel Permutation Network for 5G LDPC Decoders; *TCSII Dec. 2020* 3018-3022
- Zhou, C.**, *see* Xie, H., *TCSII Dec. 2020* 2933-2937
- Zhou, C.**, *see* Xie, H., *TCSII Dec. 2020* 2883-2887
- Zhou, D.**, *see* Deng, H., *TCSII Oct. 2020* 1705-1709
- Zhou, G.**, Mao, G., Zhang, W., and Hu, Q., Improved Digital Average Voltage Control for Switching Converter With Capacitor Current Compensation; *TCSII Dec. 2020* 3197-3201
- Zhou, G.**, Mao, G., Zhou, S., Li, Z., and Leng, M., Digital Valley V<sup>2</sup> Control for Boost Converter With Fast Load-Transient Performance; *TCSII Oct. 2020* 2089-2093
- Zhou, J.**, *see* Zhao, X., *TCSII Feb. 2020* 290-294
- Zhou, J.**, *see* Dong, L., *TCSII May 2020* 951-955
- Zhou, J.**, *see* Liu, L., *TCSII Dec. 2020* 2848-2852
- Zhou, J.**, *see* Wang, X., *TCSII Dec. 2020* 2898-2902
- Zhou, J.**, Chen, B., and Yu, L., Intermediate-Variable-Based Estimation for FDI Attacks in Cyber-Physical Systems; *TCSII Nov. 2020* 2762-2766
- Zhou, J.**, *see* Zhao, Z., *TCSII Nov. 2020* 2517-2521
- Zhou, J.**, Wu, X., Lv, Y., and Wen, G., Terminal-Time Synchronization of Multiple Vehicles Under Discrete-Time Communication Networks With Directed Switching Topologies; *TCSII Nov. 2020* 2532-2536
- Zhou, K.**, *see* Xie, H., *TCSII Dec. 2020* 2933-2937
- Zhou, K.**, *see* Xie, H., *TCSII Dec. 2020* 2883-2887
- Zhou, L.**, Feng, W., Zhang, N., Chang, J., and Lu, J., A Millimeter-Wave Wideband Frequency Conversion Module Based on Waveguide Switched Filters; *TCSII Dec. 2020* 3028-3032
- Zhou, L.**, *see* Shi, S., *TCSII Oct. 2020* 1909-1913
- Zhou, M.**, *see* Ren, H., *TCSII Oct. 2020* 1720-1724
- Zhou, P.**, *see* Shi, Y., *TCSII Oct. 2020* 1944-1948
- Zhou, Q.**, *see* Hu, H., *TCSII Aug. 2020* 1419-1423
- Zhou, S.**, *see* Zhou, G., *TCSII Oct. 2020* 2089-2093
- Zhou, W.**, Gao, S., Zhang, L., and Lou, X., Histogram of Oriented Gradients Feature Extraction From Raw Bayer Pattern Images; *TCSII May 2020* 946-950
- Zhou, W.**, Goh, W.L., and Gao, Y., A 3-MHz 17.3- $\mu$ W 0.015% Period Jitter Relaxation Oscillator With Energy Efficient Swing Boosting; *TCSII Oct. 2020* 1745-1749
- Zhou, X.**, *see* Gao, Z., *TCSII Dec. 2020* 3447-3451
- Zhou, X.Y.**, *see* Feng, W., *TCSII Nov. 2020* 2497-2501
- Zhou, Y.**, *see* Xia, W., *TCSII April 2020* 795-799
- Zhou, Y.**, Cai, H., Liu, B., Zhao, W., and Yang, J., MTJ-LRB: Proposal of MTJ-Based Loop Replica Bitline as MRAM Device-Circuit Interaction for PVT-Robust Sensing; *TCSII Dec. 2020* 3352-3356
- Zhou, Y.**, *see* Chen, Z., *TCSII Dec. 2020* 3098-3102
- Zhou, Y.**, *see* Li, Y., *TCSII Nov. 2020* 2327-2331
- Zhou, Y.**, *see* Chu, Y.J., *TCSII Nov. 2020* 2787-2791
- Zhu, A.**, *see* Un, K., *TCSII Jan. 2020* 37-41
- Zhu, D.**, *see* Zhao, Z., *TCSII March 2020* 516-520
- Zhu, D.**, Lu, S., Wang, M., Lin, J., and Wang, Z., Efficient Precision-Adjustable Architecture for Softmax Function in Deep Learning; *TCSII Dec. 2020* 3382-3386
- Zhu, D.**, Wang, R., Liu, C., and Duan, J., Synchronization of Chaotic-Oscillation Permanent Magnet Synchronous Generators Networks via Adaptive Impulsive Control; *TCSII Oct. 2020* 2194-2198
- Zhu, F.**, *see* Huang, Y., *TCSII Dec. 2020* 3552-3556
- Zhu, H.**, Cheong, P., Ho, S., Tam, K., and Choi, W., Realization of Extremely High and Low Impedance Transforming Ratios Using Cross-Shaped Impedance Transformer; *TCSII July 2020* 1189-1193
- Zhu, J.**, *see* Chen, Z., *TCSII Sept. 2020* 1574-1578
- Zhu, L.**, *see* Luo, C., *TCSII Oct. 2020* 1849-1853
- Zhu, M.**, *see* Deng, C., *TCSII Feb. 2020* 375-379
- Zhu, M.**, *see* Chu, Z., *TCSII April 2020* 705-709
- Zhu, P.**, *see* Bu, X., *TCSII Oct. 2020* 2029-2033
- Zhu, S.**, *see* Zhao, X., *TCSII Feb. 2020* 290-294
- Zhu, S.**, Lu, J., and Ho, D.W.C., Finite-Time Stability of Probabilistic Logical Networks: A Topological Sorting Approach; *TCSII April 2020* 695-699
- Zhu, T.**, *see* Wu, W., *TCSII Nov. 2020* 2502-2506
- Zhu, W.**, Jiang, J., Zhang, H., Xu, Y., Xiao, J., Yang, G., and Zou, S., A Wide-Range-Supply-Voltage Sense Amplifier Circuit for Embedded Flash Memory; *TCSII Aug. 2020* 1454-1458
- Zhu, W.**, *see* Abdzadeh-Ziabari, H., *TCSII Jan. 2020* 62-66
- Zhu, Y.**, *see* Jiang, A., *TCSII Aug. 2020* 1482-1486
- Zhu, Y.**, *see* Zhang, Y., *TCSII Oct. 2020* 1819-1823
- Zhu, Z.**, *see* Liu, L., *TCSII March 2020* 440-444
- Zhu, Z.**, *see* Liu, M., *TCSII April 2020* 650-654
- Zhu, Z.**, *see* Zhang, J., *TCSII July 2020* 1174-1178
- Zhu, Z.**, *see* Zhang, C., *TCSII July 2020* 1169-1173
- Zhu, Z.**, *see* Li, D., *TCSII Nov. 2020* 2307-2311
- Zhu, Z.**, *see* Wang, J., *TCSII Oct. 2020* 1750-1754
- Zhu, Z.**, *see* Zhang, Y., *TCSII Oct. 2020* 1819-1823
- Zhu, Z.**, *see* Liu, L., *TCSII Oct. 2020* 1680-1684

- Zhuang, H.**, Guo, J., Tong, C., Peng, X., and Tang, H., A 8.2-pW 2.4-pA Current Reference Operating at 0.5 V With No Amplifiers or Resistors; *TCSII July 2020* 1204-1208
- Zhuang, H.**, Tang, H., and Liu, X., Voltage Comparator With 60% Faster Speed by Using Charge Pump; *TCSII Dec. 2020* 2923-2927
- Zolkov, E.**, and Cohen, E., Analysis of the Effect of Switch Parasitic Resistance and Capacitance on N-Path Filters Using State Space Representation; *TCSII Oct. 2020* 1889-1893
- Zou, L.**, Chen, X., Dang, G., Guo, Y., and Wang, Z.J., Removing Muscle Artifacts From EEG Data via Underdetermined Joint Blind Source Separation: A Simulation Study; *TCSII Jan. 2020* 187-191
- Zou, S.**, see Zhu, W., *TCSII Aug. 2020* 1454-1458
- Zou, W.**, Qian, K., and Xiang, Z., Fixed-Time Consensus for a Class of Heterogeneous Nonlinear Multiagent Systems; *TCSII July 2020* 1279-1283

## SUBJECT INDEX

### Numeric

#### 5G mobile communication

- A Compact Substrate Integrated Waveguide Cavity-Backed Self-Triplexing Antenna. *Iqbal, A., +, TCSII Nov. 2020* 2362-2366
- A Flexible and High Parallel Permutation Network for 5G LDPC Decoders. *Zhong, Z., +, TCSII Dec. 2020* 3018-3022
- A Frequency-Reconfigurable CMOS Active Phase Shifter for 5G mm-Wave Applications. *Xiong, Y., +, TCSII Oct. 2020* 1824-1828
- A K-Band 5G Phased Array RX Channel With 3.3-dB NF and 28.5-dB Gain in 130-nm SiGe. *Kalyoncu, I., +, TCSII Dec. 2020* 2938-2942
- A Pulse-Modulated Polar Transmitter Using Direct Digital Synthesis for 5G NR Mobile Applications. *Chen, Y., +, TCSII Oct. 2020* 1894-1898
- A Tunable Transmission Line With Controllable Phase Shifting and Characteristic Impedance. *Ren, H., +, TCSII Oct. 2020* 1720-1724
- An Unfolded Pipelined Polar Decoder With Hybrid Number Representations for Multi-User MIMO Systems. *Cao, S., +, TCSII Nov. 2020* 2472-2476
- Analog MIMO RoC Passive Relay for Indoor Deployments of Wireless Networks. *Matera, A., +, TCSII Dec. 2020* 2988-2992
- Enhanced Belief Propagation Decoder for 5G Polar Codes With Bit-Flipping. *Shen, Y., +, TCSII May 2020* 901-905
- Fiber-Fed Distributed Antenna System in an FPGA Software Defined Radio for 5G Demonstration. *Mahboob, S., +, TCSII Feb. 2020* 280-284
- Fully Parallel Circular-Shift Rotation Network for Communication Standards. *Harb, H., +, TCSII Dec. 2020* 3412-3416
- I/Q Imbalance Calibration Method for 5G Ultra-Wideband Transceivers. *Dao, T., +, TCSII Dec. 2020* 3048-3052

#### III-V semiconductors

- A Tunable Concurrent Dual-Band Phase Shifter MMIC for Beam Steering Applications. *Xiong, Y., +, TCSII Nov. 2020* 2412-2416
- Analysis of Class-F Power Amplifiers With a Second-Harmonic Input Voltage Manipulation. *Liu, C., TCSII Feb. 2020* 225-229
- Fully Integrated Digital GaN-Based LSK Demodulator for High-Temperature Applications. *Hassan, A., +, TCSII Sept. 2020* 1579-1583
- Matrix Inductor With DC-Bias Effect Reduction Capability for GaN-Based DC-DC Boost Converter. *Nguyen, A.D., +, TCSII Nov. 2020* 2597-2601

## A

#### AC-DC power converters

- A 1.2-V Current-Mode RMS-to-DC Converter Based on a Novel Two-Quadrant Electronically Simulated MOS Translinear Loop. *Martincorena-Araiza, M., +, TCSII March 2020* 420-424
- A Multiport Power Electronic Transformer Based on Modular Multilevel Converter and Mixed-Frequency Modulation. *Ma, D., +, TCSII July 2020* 1284-1288
- An AC-DC Rectifier With Active and Non-Overlapping Control for Piezoelectric Vibration Energy Harvesting. *Chang, R.C., +, TCSII June 2020* 969-973

- An Interleaved Bi-Directional AC-DC Converter With Reduced Switches and Reactive Power Control. *Tashakor, N., +, TCSII Jan. 2020* 132-136
- Double-Line Frequency Ripple Suppression of a Quasi-Single Stage AC-DC Converter. *Yang, P., +, TCSII Oct. 2020* 2074-2078

#### Acceleration control

- Terminal-Time Synchronization of Multiple Vehicles Under Discrete-Time Communication Networks With Directed Switching Topologies. *Zhou, J., +, TCSII Nov. 2020* 2532-2536

#### Accelerometers

- A Normalized Figure of Merit for Capacitive Accelerometer Interface Circuits. *Amini, S., +, TCSII Jan. 2020* 19-22

- Embeddable Circuit for Orientation Independent Processing in Ultra Low-Power Tri-Axial Inertial Sensors. *De Vita, A., +, TCSII June 2020* 1124-1128

#### Acoustic resonators

- An Investigation on Extraction of Material Parameters in Longitudinal Mode of FBAR. *Wu, H., +, TCSII June 2020* 1024-1028

- An Ultra Low Power Integrated Radio TX Link Supplied From a Switched Capacitor DC-DC Converter in 65-nm CMOS Achieving 2 Mbps. *Rady, R., +, TCSII Oct. 2020* 1899-1903

#### Acoustic signal processing

- A New Parametric Adaptive Source Domain Method for Sound Field Synthesis. *Chu, Y.J., +, TCSII Nov. 2020* 2787-2791

- Ultrasonic Time Delay Difference Estimation With Analytic Signals and a Model System. *Mass, S., +, TCSII Oct. 2020* 2234-2238

#### Acoustics

- Feature-Temporal Semi-Supervised Extreme Learning Machine for Robotic Terrain Classification. *Lv, W., +, TCSII Dec. 2020* 3567-3571

- Formation Control of Multiple Autonomous Underwater Vehicles Under Communication Delays. *Suryendu, C., +, TCSII Dec. 2020* 3182-3186

#### Active filters

- Experimental Investigation of Recurrent Neural Network Fractional-Order Sliding Mode Control of Active Power Filter. *Fei, J., +, TCSII Nov. 2020* 2522-2526

- Time-Domain Operational Amplifier With Voltage-Controlled Oscillator and Its Application to Active-RC Analog Filter. *Kim, K., +, TCSII March 2020* 415-419

#### Active inductors

- A Digitally Programmable Wide Tuning-Range Active Transformer for Inductorless BPF and DCOs. *Abolhassani, S., +, TCSII Dec. 2020* 2928-2932

#### Active networks

- On the Existence of the Power Flow Solution in DC Grids With CPLs Through a Graph-Based Method. *Montoya, O.D., TCSII Aug. 2020* 1434-1438

#### Active noise control

- Design of Nonlinear Filters Using Affine Projection Algorithm Based Exact and Approximate Adaptive Exponential Functional Link Networks. *Deb, T., +, TCSII Nov. 2020* 2757-2761

#### Actuators

- Disturbance Rejection Adaptive Fault-Tolerant Constrained Consensus for Multi-Agent Systems With Failures. *Li, J., +, TCSII Dec. 2020* 3302-3306

- Finite-Time Fault-Tolerant Control for Nonlinear Systems With Input Quantization and Its Application. *Liu, W., +, TCSII July 2020* 1249-1253

- Non-Fragile Fault Alarm-Based Hybrid Control for the Attitude Quadrotor Model With Actuator Saturation. *Harshavarthini, S., +, TCSII Nov. 2020* 2647-2651

- Robust Hybrid Control Design for Stochastic Markovian Jump System via Fault Alarm Approach. *Sakthivel, R., +, TCSII Oct. 2020* 2004-2008

- Robust Output Regulation in Discrete-Time Singular Systems With Actuator Saturation and Uncertainties. *Jafari, E., +, TCSII Feb. 2020* 340-344

#### Adaptation models

- Adaptive Modified Versoria Zero Attraction Least Mean Square Algorithms. *Bhattacharjee, S.S., +, TCSII Dec. 2020* 3602-3606

- Fractional-Order Correntropy Filters for Tracking Dynamic Systems in  $\alpha$ -Stable Environments. *Gogineni, V.C., +, TCSII Dec. 2020* 3557-3561

- Nonlinear System Identification Using Exact and Approximate Improved Adaptive Exponential Functional Link Networks. *Bhattacharjee, S.S., +, TCSII Dec. 2020 3542-3546*
- Adaptive algorithms**
- Adaptive Algorithm for Sparse System Identification Based on Hard-Thresholding Techniques. *Lee, H., +, TCSII Dec. 2020 3597-3601*
  - Adaptive control**
    - A Novel Double-Quadrant SoC Consistent Adaptive Droop Control in DC Microgrids. *Xu, D., +, TCSII Oct. 2020 2034-2038*
    - A Quasi-V<sup>2</sup> Hysteretic Buck Converter With Adaptive COT Control for Fast DVS and Load-T transient Response in RF Applications. *Ting, C., +, TCSII March 2020 531-535*
    - A Robust Adaptive Cancellation of Unknown Sinusoidal Disturbance. *Chu, Z., +, TCSII April 2020 705-709*
    - Adaptive Control for Nonlinear Systems With Uncertain Output Function and Unknown Homogenous Growth Rate. *Zhai, J., TCSII Oct. 2020 1974-1978*
    - Adaptive Power Control Using Current Adjustment for Watt-Level Power Amplifiers in CMOS SOI. *Moallemi, S., +, TCSII April 2020 605-609*
    - An Adaptive Partial Feedback Linearizing Control Scheme: An Application to a Single Machine Infinite Bus System. *Roy, T.K., +, TCSII Nov. 2020 2557-2561*
    - Auto-Tuning Proportional-Type Synchronization Algorithm for DC Motor Speed Control Applications. *Lee, C.R., +, TCSII March 2020 521-525*
    - Boundary Constrained Control of Flexible String Systems Subject to Disturbances. *Liu, Z., +, TCSII Jan. 2020 112-116*
    - Cooperative Output Regulation of Heterogeneous Multi-Agent Systems With Adaptive Edge-Event-Triggered Strategies. *Cheng, B., +, TCSII Oct. 2020 2199-2203*
    - Event-Based Adaptive Power Control in Vehicular Networked Systems With State-Dependent Bursty Fading Channels. *Hu, B., TCSII March 2020 506-510*
    - Finite-Time Fault-Tolerant Control for Nonlinear Systems With Input Quantization and Its Application. *Liu, W., +, TCSII July 2020 1249-1253*
    - Multi-Agent Bipartite Tracking Control Over General Cooperative-Hostile Networks. *Shi, L., TCSII Oct. 2020 1964-1968*
    - Observer-Based Adaptive Sampled-Data Event-Triggered Distributed Control for Multi-Agent Systems. *Zhao, L., +, TCSII Jan. 2020 97-101*
    - Periodically Intermittent Stabilization of Neural Networks Based on Discrete-Time Observations. *He, X., +, TCSII Dec. 2020 3497-3501*
    - Robust Distributed Stabilization of Heterogeneous Agents Over Cooperation-Competition Networks. *Hu, H., +, TCSII Aug. 2020 1419-1423*
    - Synchronization of Chaotic-Oscillation Permanent Magnet Synchronous Generators Networks via Adaptive Impulsive Control. *Zhu, D., +, TCSII Oct. 2020 2194-2198*
    - Velocity Observer-Based Nonlinear Self-Tuning Position Stabilizer for Ball-Beam System Applications. *Lee, C.R., +, TCSII July 2020 1309-1313*
    - Vibration Control of a Riser-Vessel System Subject to Input Backlash and Extraneous Disturbances. *Zhao, Z., +, TCSII March 2020 516-520*

**Adaptive estimation**

    - An Improved Kalman Filter With Adaptive Estimate of Latency Probability. *Wang, Z., +, TCSII Oct. 2020 2259-2263*

**Adaptive filters**

    - A Novel Thresholding Methodology Using WSI EMD and Adaptive Homomorphic Filter. *Venkatappareddy, P., +, TCSII March 2020 590-594*
    - A Parallel Kernelized Data-Reusing Maximum Correntropy Algorithm. *Wu, Q., +, TCSII Nov. 2020 2792-2796*
    - A Robust Total Least Mean M-Estimate Adaptive Algorithm for Impulsive Noise Suppression. *Li, L., +, TCSII April 2020 800-804*
    - A Variable Step-Size Robust Saturation Algorithm Against Impulsive Noises. *Hur, J., +, TCSII Oct. 2020 2279-2283*
    - An Adaptive Upper Threshold Based Gain Function for the ZA-PNLMS Algorithm. *Das, R.L., +, TCSII Oct. 2020 2274-2278*
    - Analysis of Least Stochastic Entropy Adaptive Filters for Noncircular Gaussian Signals. *Zhang, X., +, TCSII July 2020 1364-1368*
    - Bias-Compensated Minimum Error Entropy Algorithms With Polynomial Sparsity Penalty Constraints. *Chen, Z., +, TCSII Dec. 2020 3537-3541*
    - Complex-Valued Adaptive Filtering Based on the Random Fourier Features Method. *Xiong, K., +, TCSII Oct. 2020 2284-2288*
    - DCD-Based Recursive Adaptive Algorithms Robust Against Impulsive Noise. *Yu, Y., +, TCSII July 2020 1359-1363*
    - Design of Nonlinear Filters Using Affine Projection Algorithm Based Exact and Approximate Adaptive Exponential Functional Link Networks. *Deb, T., +, TCSII Nov. 2020 2757-2761*
    - Digital Self-Interference Cancellation for Full-Duplex Underwater Acoustic Systems. *Shen, L., +, TCSII Jan. 2020 192-196*
    - Generalized Correntropy Induced Metric Memory-Improved Proportionate Affine Projection Sign Algorithm and Its Combination. *Li, G., +, TCSII Oct. 2020 2239-2243*
    - Geometric Algebra Correntropy: Definition and Application to Robust Adaptive Filtering. *Wang, W., +, TCSII June 2020 1164-1168*
    - Recursive Constrained Maximum Correntropy Criterion Algorithm for Adaptive Filtering. *Qian, G., +, TCSII Oct. 2020 2229-2233*
    - Recursive Minimum Kernel Mixture Mean p-Power Error Algorithm Based on the Nyström Method. *Zhang, T., +, TCSII Nov. 2020 2772-2776*
    - Reduced-Communication Diffusion RLS for Distributed Estimation Over Multi-Agent Networks. *Rastegarnia, A., TCSII Jan. 2020 177-181*
    - Robust Multikernel Maximum Correntropy Filters. *Xiong, K., +, TCSII June 2020 1159-1163*
    - Robust Variable Step-Size Reweighted Zero-Attracting Least Mean M-Estimate Algorithm for Sparse System Identification. *Wang, G., +, TCSII June 2020 1149-1153*
    - Sparsity Constrained Recursive Generalized Maximum Correntropy Criterion With Variable Center Algorithm. *Sun, Q., +, TCSII Dec. 2020 3517-3521*
    - Steady-State Mean-Square Performance Analysis of the Affine Projection Sign Algorithm. *Zheng, Z., +, TCSII Oct. 2020 2244-2248*
    - Steady-State Performance Analysis of Nonlinear Spline Adaptive Filter Under Maximum Correntropy Criterion. *Wang, W., +, TCSII June 2020 1154-1158*
    - The Nearest-Instance-Centroid-Estimation Kernel Recursive Least Squares Algorithms. *Zhang, H., +, TCSII July 2020 1344-1348*
    - Tracking Analysis of Gaussian Kernel Signed Error Algorithm for Time-Variant Nonlinear Systems. *Gao, W., +, TCSII Oct. 2020 2289-2293*
    - Variable Step-Size Affine Projection Maximum Correntropy Criterion Adaptive Filter With Correntropy Induced Metric for Sparse System Identification. *Zhao, H., +, TCSII Nov. 2020 2782-2786*

**Adaptive systems**

    - Adaptive Modified Versoria Zero Attraction Least Mean Square Algorithms. *Bhattacharjee, S.S., +, TCSII Dec. 2020 3602-3606*
    - Adaptive Tracking Control for Switched Uncertain Nonlinear Systems With Input Saturation and Unmodeled Dynamics. *Song, Z., +, TCSII Dec. 2020 3152-3156*

**Adders**

    - A Fast-Transient Response Digital Low-Dropout Regulator With Dual-Modes Tuning Technique. *Qian, L., +, TCSII Dec. 2020 2943-2947*
    - A Triangular Common Subexpression Elimination Algorithm With Reduced Logic Operators in FIR Filter. *Roy, S., +, TCSII Dec. 2020 3527-3531*
    - Block-Based Carry Speculative Approximate Adder for Energy-Efficient Applications. *Ebrahimi-Azandaryani, F., +, TCSII Jan. 2020 137-141*
    - Design of a Scalable Low-Power 1-Bit Hybrid Full Adder for Fast Computation. *Hasan, M., +, TCSII Aug. 2020 1464-1468*
    - Design of QCA-Serial Parallel Multiplier (QSPM) With Energy Dissipation Analysis. *Bahar, A.N., +, TCSII Oct. 2020 1939-1943*
    - Energy and Error Analysis Framework for Approximate Computing in Mobile Applications. *Jha, C.K., +, TCSII Feb. 2020 385-389*
    - Error-Aware Design Procedure to Implement Hardware-Efficient Logarithmic Circuits. *Loukrakpam, M., +, TCSII May 2020 851-855*
    - Hybrid Low Radix Encoding-Based Approximate Booth Multipliers. *Waris, H., +, TCSII Dec. 2020 3367-3371*
    - Hyperbolic CORDIC-Based Architecture for Computing Logarithm and Its Implementation. *Chen, H., +, TCSII Nov. 2020 2652-2656*
    - Low-Complexity Reconfigurable DCT-V Architecture. *Kello, J., +, TCSII Dec. 2020 3417-3421*

- On the Design of Biorthogonal Halfband Filterbanks With Almost Tight Rational Coefficients. *Nagare, M.B., +, TCSII April 2020 790-794*
- Stochastic Mixed-PR: A Stochastically-Tunable Low-Error Adder. *Najafi, A., +, TCSII Oct. 2020 2144-2148*
- Adjacent channel interference**
- Efficient Supply Modulator for Wide-Band Envelope Elimination and Restoration Power Amplifiers. *Mamdouh, A., +, TCSII Jan. 2020 9-13*
- Aerospace electronics**
- Anti-Disturbance Bumpless Transfer Control for Switched Systems With its Application to Switched Circuit Model. *Zhao, Y., +, TCSII Dec. 2020 3177-3181*
- Affine transforms**
- Design of Nonlinear Filters Using Affine Projection Algorithm Based Exact and Approximate Adaptive Exponential Functional Link Networks. *Deb, T., +, TCSII Nov. 2020 2757-2761*
- Steady-State Mean-Square Performance Analysis of the Affine Projection Sign Algorithm. *Zheng, Z., +, TCSII Oct. 2020 2244-2248*
- Aging**
- Circuit Reliability Comparison Between Stochastic Computing and Binary Computing. *Zhang, Z., +, TCSII Dec. 2020 3342-3346*
- Algebra**
- Geometric Algebra Correntropy: Definition and Application to Robust Adaptive Filtering. *Wang, W., +, TCSII June 2020 1164-1168*
- Microwave Circuit Conditional Stability: Two-Parameter Criteria. *Lombardi, G., +, TCSII Dec. 2020 2913-2917*
- Tropical Reservoir Computing Hardware. *Galen-Prado, F., +, TCSII Nov. 2020 2712-2716*
- Algebraic codes**
- Scaled Nested Key Equation Solver for Generalized Integrated Interleaved Decoder. *Xie, Z., +, TCSII Nov. 2020 2457-2461*
- Aluminum compounds**
- An Investigation on Extraction of Material Parameters in Longitudinal Mode of FBAR. *Wu, H., +, TCSII June 2020 1024-1028*
- Fully Integrated Digital GaN-Based LSK Demodulator for High-Temperature Applications. *Hassan, A., +, TCSII Sept. 2020 1579-1583*
- Amperometric sensors**
- 1.2-V Energy-Efficient Wireless CMOS Potentiostat for Amperometric Measurements. *Valente, V., +, TCSII Oct. 2020 1700-1704*
- Amplifiers**
- 1.2-V Energy-Efficient Wireless CMOS Potentiostat for Amperometric Measurements. *Valente, V., +, TCSII Oct. 2020 1700-1704*
- A 0.5-V Capless LDO With 30-dB PSRR at 10-kHz Using a Lightweight Local Generated Supply. *Yang, C., +, TCSII Oct. 2020 1785-1789*
- A 2nd-Order Noise-Shaping SAR ADC With Lossless Dynamic Amplifier Assisted Integrator. *Zhang, Y., +, TCSII Oct. 2020 1819-1823*
- A Frequency-Reconfigurable CMOS Active Phase Shifter for 5G mm-Wave Applications. *Xiong, Y., +, TCSII Oct. 2020 1824-1828*
- A Resistive Degeneration Technique for Linearizing Open-Loop Amplifiers. *Akter, M.S., +, TCSII Nov. 2020 2322-2326*
- A W-Band 6-Bit Phase Shifter With 7 dB Gain and 1.35° RMS Phase Error in 130 nm SiGe BiCMOS. *Li, H., +, TCSII Oct. 2020 1839-1843*
- A Wide-Range-Supply-Voltage Sense Amplifier Circuit for Embedded Flash Memory. *Zhu, W., +, TCSII Aug. 2020 1454-1458*
- An 11-bit 100-MS/s Pipelined-SAR ADC Reusing PVT-Stabilized Dynamic Comparator in 65-nm CMOS. *Zhang, J., +, TCSII July 2020 1174-1178*
- Calibrating Amplifiers Nonlinearity Using Comparator-Based ADCs. *Rabuske, F., +, TCSII March 2020 435-439*
- Double-High-Pass-Filter-Based Electrical-Recording Front-Ends and Fluorescence-Recording Front-Ends for Monitoring Multimodal Neural Activity. *Lee, T., +, TCSII May 2020 876-880*
- On Actively Compensated Amplifiers Using Negative Impedance Converters. *Ananda Mohan, P.V., TCSII April 2020 640-644*
- Amplitude shift keying**
- A Fully-Integrated 64-Channel Wireless Neural Interfacing SoC Achieving 110 dB AFE PSRR and Supporting 54 Mb/s Symbol Rate, Meter-Range Wireless Data Transmission. *Lyu, L., +, TCSII May 2020 831-835*
- A Novel Envelope Detector Based on Unipolar Metal-Oxide TFTs. *Xu, Y., +, TCSII Nov. 2020 2367-2371*
- Analog circuits**
- UaL Decomposition, an Alternative to the LU Factorization of MNA Matrices. *Hashemian, R., TCSII April 2020 630-634*
- Analog-digital conversion**
- 0.3-V RC -to-Digital Converter Using a Negative Charge-Pump Switch. *Woo, K., +, TCSII Feb. 2020 245-249*
- 0.6–1.2 V, 0.22 pJ/bit True Random Number Generator Based on SAR ADC. *Jayaraj, A., +, TCSII Oct. 2020 1765-1769*
- 1.2-V Energy-Efficient Wireless CMOS Potentiostat for Amperometric Measurements. *Valente, V., +, TCSII Oct. 2020 1700-1704*
- A 0.5 V 10-bit 3 MS/s SAR ADC With Adaptive-Reset Switching Scheme and Near-Threshold Voltage-Optimized Design Technique. *Song, J., +, TCSII July 2020 1184-1188*
- A 0.6-V 9-bit 1-MS/s Charging Sharing SAR ADC With Judging-Window Switching Logic and Independent Reset Comparator for Power-Effective Applications. *Wang, J., +, TCSII Oct. 2020 1750-1754*
- A 10 Bit 5 MS/s Column SAR ADC With Digital Error Correction for CMOS Image Sensors. *Xie, S., +, TCSII June 2020 984-988*
- A 2 nW 0.25 V 140 dB-FOM Inverter-Based First Order  $\Delta\Sigma$  Modulator. *Catania, A., +, TCSII Sept. 2020 1514-1518*
- A 28-nm CMOS 12-Bit 250-MS/s Voltage-Current-Time Domain 3-Stage Pipelined ADC. *Moon, K., +, TCSII Dec. 2020 2843-2847*
- A 2nd-Order Noise-Shaping SAR ADC With Lossless Dynamic Amplifier Assisted Integrator. *Zhang, Y., +, TCSII Oct. 2020 1819-1823*
- A 3-mW 12b 160-MS/s 2-Way Time-Interleaved Subrange SAR ADC in 65-nm CMOS. *Chung, Y., +, TCSII April 2020 645-649*
- A 40-nm CMOS 7-b 32-GS/s SAR ADC With Background Channel Mismatch Calibration. *Jo, D., +, TCSII April 2020 610-614*
- A 490-pW SAR Temperature Sensor With a Leakage-Based Bandgap-V<sub>th</sub> Reference. *Park, B., +, TCSII Sept. 2020 1549-1553*
- A 9.6 nW, 8-Bit, 100 S/s Envelope-to-Digital Converter for Respiratory Monitoring. *Shi, E., +, TCSII March 2020 445-449*
- A Compact Calibration Model for Linearizing CMOS Sample-and-Hold Circuits. *Li, Y., +, TCSII Nov. 2020 2327-2331*
- A Dual-Supply Two-Stage CMOS Op-amp for High-Speed Pipeline ADCs Application. *Liu, M., +, TCSII April 2020 650-654*
- A Four-Step Incremental ADC Based on Double Extended Binary Counting With Capacitive DAC. *Oh, B., +, TCSII Oct. 2020 1685-1689*
- A Multi-Channel Low-Noise Analog Front End Circuit for Linear LADAR. *Wang, P., +, TCSII July 2020 1209-1213*
- A Power-Efficient Digital Technique for Gain and Offset Correction in Slope ADCs. *Kłosowski, M., TCSII June 2020 979-983*
- A Random Interrupt Dithering SAR Technique for Secure ADC Against Reference-Charge Side-Channel Attack. *Miki, T., +, TCSII Jan. 2020 14-18*
- A SAR-ADC-Assisted DC-DC Buck Converter With Fast Transient Recovery. *Zeng, W., +, TCSII Sept. 2020 1669-1673*
- An 11-bit 100-MS/s Pipelined-SAR ADC Reusing PVT-Stabilized Dynamic Comparator in 65-nm CMOS. *Zhang, J., +, TCSII July 2020 1174-1178*
- An 8-Bit 2.1-mW 350-MS/s SAR ADC With 1.5 b/cycle Redundancy in 65-nm CMOS. *Li, D., +, TCSII Nov. 2020 2307-2311*
- Calibrating Amplifiers Nonlinearity Using Comparator-Based ADCs. *Rabuske, F., +, TCSII March 2020 435-439*
- Correlation-Based Calibration for Nonlinearity Mismatches in Dual-Channel TIADCs. *Liu, X., +, TCSII March 2020 585-589*
- Digital Self-Interference Cancellation for Full-Duplex Underwater Acoustic Systems. *Shen, L., +, TCSII Jan. 2020 192-196*
- Fast Digital Clock Calibration of a Differential 6.4 Gb/s/pin Bidirectional Asymmetric Memory Interface. *Angeli, N., +, TCSII Nov. 2020 2387-2391*
- First Order Statistic Based Fast Blind Calibration of Time Skews for Time-Interleaved ADCs. *Yin, M., +, TCSII Jan. 2020 162-166*
- Generalized Method for Extraction of Offset, Gain, and Timing Skew Errors in Time-Interleaved ADCs. *Azizian, S., +, TCSII July 2020 1214-1218*
- Low-Power Small-Area Inverter-Based DSM for MEMS Microphone. *Cho, S., +, TCSII Nov. 2020 2392-2396*
- Offset-Calibration With Time-Domain Comparators Using Inversion-Mode Varactors. *Fiorelli, R., +, TCSII Jan. 2020 47-51*

- Time-Skew Estimation for Random Sampling Sequence Time-Interleaved ADCs. *Salib, A., +, TCSII Oct. 2020 1809-1813*
- Analytical models**
- Transient Analysis of Signed LMS Algorithms With Cyclostationary Colored Gaussian Inputs. *Gao, W., +, TCSII Dec. 2020 3562-3566*
- Angular velocity control**
- Auto-Tuning Proportional-Type Synchronization Algorithm for DC Motor Speed Control Applications. *Lee, C.R., +, TCSII March 2020 521-525*
- Anodes**
- A Single Inductor Self-Startup Energy Combiner Circuit With Bioturbation Resilience in Multiple Microbial Fuel Cells. *Umaz, R., TCSII Dec. 2020 3227-3231*
- Antenna arrays**
- Isolation Improvement of MIMO Antenna Using a Novel Flower Shaped Metamaterial Absorber at 5.5 GHz WiMAX Band. *Garg, P., +, TCSII April 2020 675-679*
- Jammer Suppression in Massive MIMO Systems. *Akhlaghpasand, H., +, TCSII Jan. 2020 182-186*
- Antenna feeds**
- A Compact Substrate Integrated Waveguide Cavity-Backed Self-Triplexing Antenna. *Iqbal, A., +, TCSII Nov. 2020 2362-2366*
- Antenna phased arrays**
- A Tunable Concurrent Dual-Band Phase Shifter MMIC for Beam Steering Applications. *Xiong, Y., +, TCSII Nov. 2020 2412-2416*
- Wideband Planar Phased Array Antenna Based on Artificial Magnetic Conductor Surface. *Shi, S., +, TCSII Oct. 2020 1909-1913*
- Antenna radiation patterns**
- A Compact Substrate Integrated Waveguide Cavity-Backed Self-Triplexing Antenna. *Iqbal, A., +, TCSII Nov. 2020 2362-2366*
- Isolation Improvement of MIMO Antenna Using a Novel Flower Shaped Metamaterial Absorber at 5.5 GHz WiMAX Band. *Garg, P., +, TCSII April 2020 675-679*
- Wideband Planar Phased Array Antenna Based on Artificial Magnetic Conductor Surface. *Shi, S., +, TCSII Oct. 2020 1909-1913*
- Antennas**
- Analog MIMO RoC Passive Relay for Indoor Deployments of Wireless Networks. *Matera, A., +, TCSII Dec. 2020 2988-2992*
- Application specific integrated circuits**
- A Power-Efficient Digital Technique for Gain and Offset Correction in Slope ADCs. *Kłosowski, M., TCSII June 2020 979-983*
- A Reconfigurable Random Number Generator Based on the Transient Effects of Ring Oscillators. *Acar, B., +, TCSII Sept. 2020 1609-1613*
- ASIC Design and Power Characterization of Standard and Low Power Multi-Radix Trivium. *Mora-Gutierrez, J.M., +, TCSII Nov. 2020 2682-2686*
- Fast Digital Clock Calibration of a Differential 6.4 Gb/s/pin Bidirectional Asymmetric Memory Interface. *Angeli, N., +, TCSII Nov. 2020 2387-2391*
- Hardware Implementation of an Improved Stochastic Computing Based Deep Neural Network Using Short Sequence Length. *Xiong, H., +, TCSII Nov. 2020 2667-2671*
- IC Random Number Generator Exploiting Two Simultaneous Metastable Events of Tetrahedral Oscillators. *Gunay, R., +, TCSII Sept. 2020 1634-1638*
- Approximation algorithms**
- Adaptive Algorithm for Sparse System Identification Based on Hard-Thresholding Techniques. *Lee, H., +, TCSII Dec. 2020 3597-3601*
- Nonlinear System Identification Using Exact and Approximate Improved Adaptive Exponential Functional Link Networks. *Bhattacharjee, S.S., +, TCSII Dec. 2020 3542-3546*
- Approximation methods**
- A Novel Approximation Methodology and Its Efficient VLSI Implementation for the Sigmoid Function. *Qin, Z., +, TCSII Dec. 2020 3422-3426*
- Approximation theory**
- 7 TOPS/W Cellular Neural Network Processor Core for Intelligent Internet-of-Things. *Villemin, M., +, TCSII July 2020 1324-1328*
- N-Dimensional Approximation of Euclidean Distance. *Cardarilli, G.C., +, TCSII March 2020 565-569*
- A 1.15 TOPS/W Energy-Efficient Capsule Network Accelerator for Real-Time 3D Point Cloud Segmentation in Mobile Environment. *Park, G., +, TCSII Sept. 2020 1594-1598*
- A Low-Error, Memory-Based Fast Binary Logarithmic Converter. *Jana, B., +, TCSII Oct. 2020 2129-2133*
- Design and Fabrication of Flow-Based Edge Detection Memristor Crossbar Circuits<sup>1</sup>. *Pannu, J.S., +, TCSII May 2020 961-965*
- Dismantling and Vertex Cover of Network Through Message Passing. *Zhao, D., +, TCSII Nov. 2020 2732-2736*
- Efficient Expectation Propagation Massive MIMO Detector With Neumann-Series Approximation. *Tan, X., +, TCSII Oct. 2020 1924-1928*
- Energy and Error Analysis Framework for Approximate Computing in Mobile Applications. *Jha, C.K., +, TCSII Feb. 2020 385-389*
- Error-Aware Design Procedure to Implement Hardware-Efficient Logarithmic Circuits. *Loukrakpam, M., +, TCSII May 2020 851-855*
- Experimental Investigation of Recurrent Neural Network Fractional-Order Sliding Mode Control of Active Power Filter. *Fei, J., +, TCSII Nov. 2020 2522-2526*
- Frequency Limited Model Reduction Techniques for Discrete-Time Systems. *Toor, H.I., +, TCSII Feb. 2020 345-349*
- Oversampled DFT-Modulated Biorthogonal Filter Banks: Perfect Reconstruction Designs and Multiplierless Approximations. *Martins, W.A., +, TCSII Nov. 2020 2777-2781*
- Stochastic Mixed-PR: A Stochastically-Tunable Low-Error Adder. *Najafi, A., +, TCSII Oct. 2020 2144-2148*
- TPWL Simulation of Large Nonlinear Circuits Using Subspace Angle-Based Adaptive Sampling. *Kalra, S., +, TCSII March 2020 575-579*
- Voltage Stability Margin in DC Grids With CPLs: A Recursive Newton-Raphson Approximation. *Montoya, O.D., +, TCSII Feb. 2020 300-304*
- Arc welding**
- Design of a Single Chip PWM Driver Circuit for Inverter Welding Power Source. *Jabavathi, J.D., +, TCSII April 2020 720-724*
- Array signal processing**
- A K-Band 5G Phased Array RX Channel With 3.3-dB NF and 28.5-dB Gain in 130-nm SiGe. *Kalyoncu, I., +, TCSII Dec. 2020 2938-2942*
- Angle of Arrival Estimation Through a Full-Hardware Approach for Adaptive Beamforming. *Avitabile, G., +, TCSII Dec. 2020 3033-3037*
- Innovative DOA Estimation Algorithm Based on Lyapunov Theory. *Piccinini, G., +, TCSII Oct. 2020 2219-2223*
- Artificial neural networks**
- Offline Training Improvement of Inverter-Based Memristive Neural Networks Using Inverter Voltage Characteristic Smoothing. *Vahdat, S., +, TCSII Dec. 2020 3442-3446*
- Parallel Hybrid Stochastic-Binary-Based Neural Network Accelerators. *Zhang, Y., +, TCSII Dec. 2020 3387-3391*
- Asymptotic stability**
- A Class of Proportional-Integral With Anti-Windup Controllers for DC-DC Buck Power Converters With Saturating Input. *Moreno-Valenzuela, J., TCSII Jan. 2020 157-161*
- A Robust [K,KL] Sector for Nonlinear System. *Sachan, A., +, TCSII Nov. 2020 2547-2551*
- A Robust Adaptive Cancellation of Unknown Sinusoidal Disturbance. *Chu, Z., +, TCSII April 2020 705-709*
- A Unified Framework of Stability Theorems for LTI Fractional Order Systems With  $0 < \alpha < 2$ . *Zhang, X., +, TCSII Dec. 2020 3237-3241*
- An Improved Local Stability Criterion for Digital Filters With Interference and Overflow Nonlinearity. *Kokil, P., +, TCSII March 2020 595-599*
- An Improved Stability Theorem for Nonlinear Systems on Time Scales With Application to Multi-Agent Systems. *Lu, X., +, TCSII Dec. 2020 3277-3281*
- Asynchronous Observer-Based Control for Exponential Stabilization of Markov Jump Systems. *Zhang, M., +, TCSII Oct. 2020 2039-2043*
- Boundary Constrained Control of Flexible String Systems Subject to Disturbances. *Liu, Z., +, TCSII Jan. 2020 112-116*
- Delay-Dependent and Order-Dependent Stability and Stabilization of Fractional-Order Linear Systems With Time-Varying Delay. *Chen, L., +, TCSII June 2020 1064-1068*

<sup>1</sup> Check author entry for coauthors

- Dynamic Event-Triggered Sliding Mode Control: Dealing With Slow Sampling Singularly Perturbed Systems.** *Song, J., +, TCSII June 2020 1079-1083*
- Event-Based Adaptive Power Control in Vehicular Networked Systems With State-Dependent Bursty Fading Channels.** *Hu, B., TCSII March 2020 506-510*
- Feedback Dissipativity and Stabilization for Switched Positive Systems With a Combined Switching Law.** *Wang, P., +, TCSII Nov. 2020 2572-2576*
- Further Result on  $H_\infty$  Performance State Estimation of Delayed Static Neural Networks Based on an Improved Reciprocally Convex Inequality.** *Tan, G., +, TCSII Aug. 2020 1477-1481*
- Global Asymptotic Stability of 2-D Digital Filters With a Saturation Operator on the State-Space.** *Kandanli, V.K.R., +, TCSII Nov. 2020 2742-2746*
- Global Stabilization of Uncertain SISO Dynamical Systems Using a Multiple Delayed Partial State Feedback Sliding Mode Control.** *Soni, S., +, TCSII July 2020 1259-1263*
- Observer-Based Time-Varying Formation Control of Fractional-Order Multi-Agent Systems With General Linear Dynamics.** *Gong, Y., +, TCSII Jan. 2020 82-86*
- Robust Distributed Stabilization of Heterogeneous Agents Over Cooperation–Competition Networks.** *Hu, H., +, TCSII Aug. 2020 1419-1423*
- Asynchronous circuits**
- A 490-pW SAR Temperature Sensor With a Leakage-Based Bandgap-Vth Reference. *Park, B., +, TCSII Sept. 2020 1549-1553*
- Atmospheric measurements**
- A Generalized Quantum Protocol for Secure Multiparty Summation. *Sutradhar, K., +, TCSII Dec. 2020 2978-2982*
- Attenuators**
- A 7-Bit Reverse-Saturated SiGe HBT Discrete Gain Step Attenuator. *Davulcu, M., +, TCSII April 2020 665-669*
- Attitude control**
- Continuous Finite-Time Integral Sliding Mode Control for Attitude Stabilization. *Wang, L., +, TCSII Oct. 2020 2084-2088*
- Non-Fragile Fault Alarm-Based Hybrid Control for the Attitude Quadrotor Model With Actuator Saturation. *Harshavarthini, S., +, TCSII Nov. 2020 2647-2651*
- Audio-visual systems**
- A Fully Synthesizable Ultra- $N$  Audio Frequency Multiplier for HDMI Applications. *Chen, P., TCSII Oct. 2020 2134-2138*
- Automation**
- Design Fixed-Time Practical Distributed Average Tracking Algorithms for Nonlinear Signals With Bounded- and Lipschitz-Type Derivatives. *Chen, Q., +, TCSII Dec. 2020 3103-3107*
- Automotive electric vehicles**
- Efficient FPGA Implementation of K-Nearest-Neighbor Search Algorithm for 3D LIDAR Localization and Mapping in Smart Vehicles. *Sun, H., +, TCSII Sept. 2020 1644-1648*
- Automotive electronics**
- Design and Simulation of a 12 Gb/s Transceiver With 8-Tap FFE, Offset-Compensated Samplers and Fully Adaptive 1-Tap Speculative/3-Tap DFE and Sampling Phase for MIPI A-PHY Applications. *Menin, D., +, TCSII Aug. 2020 1369-1373*
- Autonomous aerial vehicles**
- Distributed Consensus of Heterogeneous Linear Time-Varying Systems on UAVs-USVs Coordination. *Li, H., +, TCSII July 2020 1264-1268*
- AWGN channels**
- A Multilevel Code-Shifted Differential Chaos Shift Keying System With Reference Diversity. *Lu, Y., +, TCSII Nov. 2020 2462-2466*
- High Data Rate Discrete-Cosine-Spread Aided  $M$ -Ary Differential Chaos Shift Keying Scheme With Low PAPR. *Chen, Z., +, TCSII Nov. 2020 2492-2496*
- B**
- Backpropagation**
- Regularized Deep Transfer Learning: When CNN Meets kNN. *Wang, S., +, TCSII Oct. 2020 2269-2273*
- Backstepping**
- Formation Control of Multiple Autonomous Underwater Vehicles Under Communication Delays. *Suryendu, C., +, TCSII Dec. 2020 3182-3186*
- Baluns**
- A 2.4-GHz Mid-Field CMOS Wireless Power Receiver Achieving 46% Maximum PCE and 163-mW Output Power. *Li, X., +, TCSII Feb. 2020 360-364*
- A Novel Compact Isolation Circuit Suitable for Ultracompact and Wideband Marchand Baluns. *Ahn, H., +, TCSII Oct. 2020 2299-2303*
- A W-Band 6-Bit Phase Shifter With 7 dB Gain and 1.35° RMS Phase Error in 130 nm SiGe BiCMOS. *Li, H., +, TCSII Oct. 2020 1839-1843*
- An Enhanced Frequency Ratio Dual Band Balun Augmented With High Impedance Transformation. *Gupta, R., +, TCSII Dec. 2020 2973-2977*
- High Selectivity Dual-Wideband Balun Filter Utilizing a Multimode T-line Loaded Middle-Shorted CSRR. *Zeng, X., +, TCSII Nov. 2020 2447-2451*
- Synthesis and Design of LTCC Filtering Balun With Wide Stopband. *Wu, D., +, TCSII Aug. 2020 1404-1408*
- Wideband Bandpass Filtering Balun With Perfect In-Band Matching and Isolation. *Chen, W., +, TCSII Oct. 2020 1884-1888*
- Banach spaces**
- On the Existence of the Power Flow Solution in DC Grids With CPLs Through a Graph-Based Method. *Montoya, O.D., TCSII Aug. 2020 1434-1438*
- Band-pass filters**
- A Digitally Programmable Wide Tuning-Range Active Transformer for Inductorless BPF and DCOs. *Abolhassani, S., +, TCSII Dec. 2020 2928-2932*
- A Millimeter-Wave Wideband Frequency Conversion Module Based on Waveguide Switched Filters. *Zhou, L., +, TCSII Dec. 2020 3028-3032*
- Analysis, Simulation, and Implementation of Dual-Band Filtering Power Divider Based on Terminated Coupled Lines. *Sajadi, A., +, TCSII Nov. 2020 2487-2491*
- Balanced-to-Balanced Diplexer and Quadruplexer With High Selectivity and Wide CM Suppression. *Wei, F., +, TCSII Nov. 2020 2467-2471*
- CMOS Millimeter-Wave Ultra-Wideband Bandpass Filter With Three Reflection-Zeros Using Compact Single TFMS Coupled-Line Hairpin Unit. *Vanukuru, V.N.R., +, TCSII Jan. 2020 77-81*
- Co-Design of Second Harmonic-Tuned Power Amplifier and a Parallel-Coupled Stub Loaded Resonator. *Haider, M.F., +, TCSII Dec. 2020 3013-3017*
- Compact and Wideband Octuple-Mode Filter Based on Hybrid Substrate Integrated Waveguide and Spoof Localized Surface Plasmon Structure. *Yang, Z., +, TCSII Nov. 2020 2377-2381*
- Compact Balanced Dual-Band BPFs Based on Short and Open Stub Loaded Resonators With Wide Common-Mode Suppression. *Wei, F., +, TCSII Dec. 2020 3043-3047*
- Compact Lowpass and Dual-Band Bandpass Filter With Controllable Transmission Zero/Center Frequencies/Passband Bandwidth. *Choudhary, D.K., +, TCSII June 2020 1044-1048*
- Compact SIW Diplexers and Dual-Band Bandpass Filter With Wide-Stopband Performances. *Xie, H., +, TCSII Dec. 2020 2933-2937*
- Compact Wide-Stopband Dual-Band Balanced Filter Using an Electromagnetically Coupled SIR Pair With Controllable Transmission Zeros and Bandwidths. *Tang, J., +, TCSII Nov. 2020 2357-2361*
- Design and Fabrication of an Ultra-Wide Stopband Compact Bandpass Filter. *Sheikhi, A., +, TCSII Feb. 2020 265-269*
- Design of Equal-Ripple Dual-Wideband Bandpass Filter With Minimum Design Parameters Based on Cross-Shaped Resonator. *Bi, X., +, TCSII Oct. 2020 1780-1784*
- Design of Tri-Band Balanced Filter With Wideband Common-Mode Suppression and Upper Stopband Using Square Ring Loaded Resonator. *Liu, H., +, TCSII Oct. 2020 1760-1764*
- Dual-Band Half Mode Substrate Integrated Waveguide Filter With Independently Tunable Bands. *Iqbal, A., +, TCSII Feb. 2020 285-289*
- Hairpin Resonators in Varactor-Tuned Microstrip Bandpass Filters. *Zakharov, A., +, TCSII Oct. 2020 1874-1878*
- High Selectivity Dual-Wideband Balun Filter Utilizing a Multimode T-line Loaded Middle-Shorted CSRR. *Zeng, X., +, TCSII Nov. 2020 2447-2451*

- LTCC Bandstop Filters With Controllable Bandwidths Using Transmission Zeros Pair.** *Wu, D., +, TCSII June 2020 1034-1038*
- Microstrip Tunable Diplexer With Separately-Designable Channels.** *Lu, Q., +, TCSII Dec. 2020 2983-2987*
- NGD Analysis of Turtle-Shape Microstrip Circuit.** *Wan, F., +, TCSII Nov. 2020 2477-2481*
- Octo-Band Bandpass Filter Based on Unequal-Width Cruciform Connected Resonator With Sharp Skirt.** *Wang, L., +, TCSII March 2020 475-479*
- Planar Wideband High-Selectivity Impedance-Transforming Differential Bandpass Filter With Deep Common-Mode Suppression.** *Chen, W., +, TCSII Oct. 2020 1914-1918*
- Quad-Mode LTCC Surface Mounted Packaging Common-Mode Filter Based on the Asymmetric Short-Stub Loaded Resonator.** *Shi, Y., +, TCSII Oct. 2020 1944-1948*
- Quasi-Reflectionless Microstrip Bandpass Filters Using Bandstop Filter for Out-of-Band Improvement.** *Luo, C., +, TCSII Oct. 2020 1849-1853*
- Realization of Multiple Transmission Zeroes for Bandpass Filters With Simple Inline Topology.** *Shen, G., +, TCSII June 2020 1029-1033*
- Reconfigurable BPF With Constant Center Frequency and Wide Tuning Range of Bandwidth.** *Arain, S., +, TCSII Aug. 2020 1374-1378*
- Slotline-Based Balanced Filter With Ultra-Wide Stopband and High Selectivity.** *Bi, X., +, TCSII March 2020 460-464*
- Substrate Integrated Waveguide Multi-Channel Filtering Crossover With Extended Channel Number and Controllable Frequencies.** *Zhan, W., +, TCSII Dec. 2020 2858-2862*
- Switchable Filtering Circuit With Single- and Multi-Channel Operations.** *Xu, J., +, TCSII Dec. 2020 2958-2962*
- Synthesis and Design of LTCC Filtering Balun With Wide Stopband.** *Wu, D., +, TCSII Aug. 2020 1404-1408*
- Synthesis Design of Chebyshev Wideband Band-Pass Filters With Independently Reconfigurable Lower Passband Edge.** *Bi, X., +, TCSII Dec. 2020 2948-2952*
- Tunable SIW Bandpass Filters With Improved Upper Stopband Performance.** *Iqbal, A., +, TCSII July 2020 1194-1198*
- Wide-Stopband SIW Filters Using Modified Multi-Spurious Modes Suppression Technique.** *Xie, H., +, TCSII Dec. 2020 2883-2887*
- Wideband Bandpass Filtering Balun With Perfect In-Band Matching and Isolation.** *Chen, W., +, TCSII Oct. 2020 1884-1888*
- Band-stop filters**
- A Wideband Subharmonic Mixer With Low Conversion Loss and High Port-to-Port Isolations.** *Kumari, S., +, TCSII Oct. 2020 1695-1699*
- Compact Wide-Stopband Dual-Band Balanced Filter Using an Electromagnetically Coupled SIR Pair With Controllable Transmission Zeros and Bandwidths.** *Tang, J., +, TCSII Nov. 2020 2357-2361*
- Design and Fabrication of an Ultra-Wide Stopband Compact Bandpass Filter.** *Sheikhi, A., +, TCSII Feb. 2020 265-269*
- LTCC Bandstop Filters With Controllable Bandwidths Using Transmission Zeros Pair.** *Wu, D., +, TCSII June 2020 1034-1038*
- Oversampled DFT-Modulated Biorthogonal Filter Banks: Perfect Reconstruction Designs and Multiplierless Approximations.** *Martins, W.A., +, TCSII Nov. 2020 2777-2781*
- Quad-Mode LTCC Surface Mounted Packaging Common-Mode Filter Based on the Asymmetric Short-Stub Loaded Resonator.** *Shi, Y., +, TCSII Oct. 2020 1944-1948*
- Quasi-Reflectionless Microstrip Bandpass Filters Using Bandstop Filter for Out-of-Band Improvement.** *Luo, C., +, TCSII Oct. 2020 1849-1853*
- Realization of Multiple Transmission Zeroes for Bandpass Filters With Simple Inline Topology.** *Shen, G., +, TCSII June 2020 1029-1033*
- Slotline-Based Balanced Filter With Ultra-Wide Stopband and High Selectivity.** *Bi, X., +, TCSII March 2020 460-464*
- Synthesis and Design of LTCC Filtering Balun With Wide Stopband.** *Wu, D., +, TCSII Aug. 2020 1404-1408*
- Bandwidth**
- An Adaptive-Resolution Quasi-Level-Crossing Delta Modulator With VCO-Based Residue Quantizer.** *Wang, H., +, TCSII Dec. 2020 2828-2832*
- Analog MIMO RoC Passive Relay for Indoor Deployments of Wireless Networks.** *Matera, A., +, TCSII Dec. 2020 2988-2992*
- Compact SIW Diplexers and Dual-Band Bandpass Filter With Wide-Stopband Performances.** *Xie, H., +, TCSII Dec. 2020 2933-2937*
- Photonic RF and Microwave Integrator Based on a Transversal Filter With Soliton Crystal Microcombs.** *Xu, X., +, TCSII Dec. 2020 3582-3586*
- Bars**
- A Flexible and High Parallel Permutation Network for 5G LDPC Decoders.** *Zhong, Z., +, TCSII Dec. 2020 3018-3022*
- Baseband**
- An ISM Band High-Linear Current-Reuse Up-Conversion Mixer With Built-in-Self-Calibration for LOFT and I/Q Imbalance.** *Wang, X., +, TCSII Dec. 2020 2898-2902*
- Batteries**
- An Improved Mode Transition Technique for a Non-Isolated Bidirectional DC-DC Converter.** *Sharma, A., +, TCSII Dec. 2020 3093-3097*
- Battery storage plants**
- Hot-Swappable Grid-Connected Multilevel Converter for Battery Energy Storage System.** *Cheng, C., +, TCSII Oct. 2020 2109-2113*
- Bayes methods**
- A Slide Window Variational Adaptive Kalman Filter.** *Huang, Y., +, TCSII Dec. 2020 3552-3556*
- An Improved Kalman Filter With Adaptive Estimate of Latency Probability.** *Wang, Z., +, TCSII Oct. 2020 2259-2263*
- Beam steering**
- A Tunable Concurrent Dual-Band Phase Shifter MMIC for Beam Steering Applications.** *Xiong, Y., +, TCSII Nov. 2020 2412-2416*
- Belief propagation**
- Enhanced Belief Propagation Decoder for 5G Polar Codes With Bit-Flipping.** *Shen, Y., +, TCSII May 2020 901-905*
- Benchmark testing**
- A Novel Architecture for Early Detection of Negative Output Features in Deep Neural Network Accelerators.** *Asadikouhanjani, M., +, TCSII Dec. 2020 3332-3336*
- BiCMOS analog integrated circuits**
- A Switchless SiGe BiCMOS Bidirectional Amplifier for Wideband Radar Applications.** *Caliskan, C., +, TCSII Oct. 2020 1844-1848*
- A W-Band 6-Bit Phase Shifter With 7 dB Gain and 1.35° RMS Phase Error in 130 nm SiGe BiCMOS.** *Li, H., +, TCSII Oct. 2020 1839-1843*
- BiCMOS integrated circuits**
- A 7-Bit Reverse-Saturated SiGe HBT Discrete Gain Step Attenuator.** *Davulcu, M., +, TCSII April 2020 665-669*
- Front-End Blocks of a W-Band Dicke Radiometer in SiGe BiCMOS Technology.** *Ustundag, B., +, TCSII Nov. 2020 2417-2421*
- Bidirectional control**
- Power Regeneration From DC Motor With Bidirectional Router in Power Packet Dispatching System.** *Yoshida, N., +, TCSII Dec. 2020 3088-3092*
- Bifurcation**
- A Simple Autonomous Chaotic Circuit With Dead-Zone Nonlinearity.** *Wang, N., +, TCSII Dec. 2020 3502-3506*
- Binary codes**
- On the Existence of Security Enhancing Converter Designs for Multi-Level Memories.** *Neumeier, Y., +, TCSII June 2020 1119-1123*
- Binary sequences**
- A 15-Gb/s 0.0037-mm<sup>2</sup> 0.019-pJ/Bit Full-Rate Programmable Multi-Pattern Pseudo-Random Binary Sequence Generator.** *Hu, J., +, TCSII Sept. 2020 1499-1503*
- A Symbolic Dynamics Approach to Trellis-Coded Chaotic Modulation.** *Souza, C.E.C., +, TCSII Oct. 2020 2189-2193*
- Design and Analysis of Compressive Sensing-Based Lightweight Encryption Scheme for Multimedia IoT.** *Unde, A.S., +, TCSII Jan. 2020 167-171*
- Bioelectric potentials**
- A CMRR Enhancement Circuit Employing G<sub>m</sub>-Controllable Output Stages for Capacitively Coupled Instrumentation Amplifiers.** *Jeon, H., +, TCSII Sept. 2020 1539-1543*
- Double-High-Pass-Filter-Based Electrical-Recording Front-Ends and Fluorescence-Recording Front-Ends for Monitoring Multimodal Neural Activity.** *Lee, T., +, TCSII May 2020 876-880*
- Biological cells**
- Optical Manipulation of Biological Cells With a Robot-Tweezers System: A Stochastic Control Approach.** *Xie, M., +, TCSII Dec. 2020 3232-3236*

**Biological neural networks**

An Efficient Spiking Neuron Hardware System Based on the Hardware-Oriented Modified Izhikevich Neuron (HOMIN) Model. *Leigh, A.J., +, TCSII Dec. 2020 3377-3381*

**Biological system modeling**

An Efficient Spiking Neuron Hardware System Based on the Hardware-Oriented Modified Izhikevich Neuron (HOMIN) Model. *Leigh, A.J., +, TCSII Dec. 2020 3377-3381*

Improving Robustness of Interdependent Networks by Reducing Key Unbalanced Dependency Links. *Yang, X., +, TCSII Dec. 2020 3187-3191*

**Biological tissues**

Auto-Resonant Tuning for Capacitive Power and Data Telemetry Using Flexible Patches. *Nag, S., +, TCSII Oct. 2020 1804-1808*

**Biomedical communication**

Toward Understanding the Return Path Capacitance in Capacitive Human Body Communication. *Nath, M., +, TCSII Oct. 2020 1879-1883*

**Biomedical electrodes**

Hand Gesture Recognition Using Three-Dimensional Electrical Impedance Tomography. *Jiang, D., +, TCSII Sept. 2020 1554-1558*

High Input Impedance Low-Noise CMOS Analog Frontend IC for Wearable Electrocardiogram Monitoring. *Zhang, C., +, TCSII July 2020 1169-1173*

**Biomedical electronics**

A CMRR Enhancement Circuit Employing  $G_m$ -Controllable Output Stages for Capacitively Coupled Instrumentation Amplifiers. *Jeon, H., +, TCSII Sept. 2020 1539-1543*

A Robust Bio-IA With Digitally Controlled DC-Servo Loop and Improved Pseudo-Resistor. *Liu, L., +, TCSII March 2020 440-444*

High Input Impedance Low-Noise CMOS Analog Frontend IC for Wearable Electrocardiogram Monitoring. *Zhang, C., +, TCSII July 2020 1169-1173*

**Biomedical equipment**

A Photoacoustic-Surface-Acoustic-Wave Sensor for Ring-Stage Malaria Parasite Detection. *Wang, S., +, TCSII May 2020 881-885*

**Biomedical measurement**

A 9.6 nW, 8-Bit, 100 S/s Envelope-to-Digital Converter for Respiratory Monitoring. *Shi, E., +, TCSII March 2020 445-449*

**Biomedical optical imaging**

Optical Manipulation of Biological Cells With a Robot-Tweezers System: A Stochastic Control Approach. *Xie, M., +, TCSII Dec. 2020 3232-3236*

**Biomedical telemetry**

Auto-Resonant Tuning for Capacitive Power and Data Telemetry Using Flexible Patches. *Nag, S., +, TCSII Oct. 2020 1804-1808*

**Bipolar memory circuits**

A Simple Quasi-Static Compact Model of Bipolar ReRAM Memristive Devices. *Al Chawa, M.M., +, TCSII Feb. 2020 390-394*

**Bipolar MMIC**

A 7-Bit Reverse-Saturated SiGe HBT Discrete Gain Step Attenuator. *Davulcu, M., +, TCSII April 2020 665-669*

**Bipolar transistor circuits**

A 7-Bit Reverse-Saturated SiGe HBT Discrete Gain Step Attenuator. *Davulcu, M., +, TCSII April 2020 665-669*

Design of a Single Chip PWM Driver Circuit for Inverter Welding Power Source. *Jabavathi, J.D., +, TCSII April 2020 720-724*

**Blind source separation**

Removing Muscle Artifacts From EEG Data via Underdetermined Joint Blind Source Separation: A Simulation Study. *Zou, L., +, TCSII Jan. 2020 187-191*

**Blood**

A Photoacoustic-Surface-Acoustic-Wave Sensor for Ring-Stage Malaria Parasite Detection. *Wang, S., +, TCSII May 2020 881-885*

**Blood vessels**

Observer-Based Monitoring of the Cardiovascular System. *Astorga-Zaragoza, C., TCSII March 2020 501-505*

**Body area networks**

An Ultra Low Power Integrated Radio TX Link Supplied From a Switched Capacitor DC–DC Converter in 65-nm CMOS Achieving 2 Mbps. *Rady, R., +, TCSII Oct. 2020 1899-1903*

**Body sensor networks**

A Low-Power and Small Chip-Area Multi-Rate Human Body Communication DPFSK Transceiver for Wearable Devices. *Shih, H., +, TCSII July 2020 1234-1238*

**Boolean algebra**

Design and Fabrication of Flow-Based Edge Detection Memristor Crossbar Circuits<sup>1</sup>. *Pannu, J.S., +, TCSII May 2020 961-965*

Observability of Boolean Networks With Redundant Channels. *Li, F., +, TCSII Oct. 2020 1989-1993*

Set Stabilization of Boolean Control Networks With Impulsive Effects: An Event-Triggered Approach. *Lin, L., +, TCSII July 2020 1244-1248*

The Unpredictability Analysis of Boolean Chaos. *Gong, L., +, TCSII Oct. 2020 1854-1858*

**Boolean functions**

Logic Obfuscation Through Enhanced Threshold Voltage Defined Logic Family. *Park, B., +, TCSII Dec. 2020 3407-3411*

Lyapunov Functions for the Set Stability and the Synchronization of Boolean Control Networks. *Chen, B., +, TCSII Nov. 2020 2537-2541*

Observability of Boolean Networks With Redundant Channels. *Li, F., +, TCSII Oct. 2020 1989-1993*

Set Stabilization of Boolean Control Networks With Impulsive Effects: An Event-Triggered Approach. *Lin, L., +, TCSII July 2020 1244-1248*

**Boosting**

A Switched-Capacitor Self-Balanced High-Gain Multilevel Inverter Employing a Single DC Source. *Panda, K.P., +, TCSII Dec. 2020 3192-3196*

Cross Connected Compact Switched-Capacitor Multilevel Inverter (C<sup>3</sup>-SC-MLI) Topology With Reduced Switch Count. *Jagabar Sathik, M., +, TCSII Dec. 2020 3287-3291*

Reduced Switch Count Based Single Source 7L Boost Inverter Topology. *Siddique, M.D., +, TCSII Dec. 2020 3252-3256*

**Bootstrap circuits**

A 0.5 V 10-bit 3 MS/s SAR ADC With Adaptive-Reset Switching Scheme and Near-Threshold Voltage-Optimized Design Technique. *Song, J., +, TCSII July 2020 1184-1188*

A 3-mW 12b 160-MS/s 2-Way Time-Interleaved Subrange SAR ADC in 65-nm CMOS. *Chung, Y., +, TCSII April 2020 645-649*

**Brain modeling**

A Deep Learning Method for Improving the Classification Accuracy of SSMVEP-Based BCI. *Gao, Z., +, TCSII Dec. 2020 3447-3451*

**Brain-computer interfaces**

A Deep Learning Method for Improving the Classification Accuracy of SSMVEP-Based BCI. *Gao, Z., +, TCSII Dec. 2020 3447-3451*

**Bridge circuits**

A 6.84 Gbps/lane MIPI C-PHY Transceiver Bridge Chip With Level-Dependent Equalization. *Lee, P., +, TCSII Nov. 2020 2672-2676*

A Modular Multilevel Converter With Novel Double Reverse Blocking Sub-Modules for DC Fault Current Blocking Capability. *Yao, Y., +, TCSII April 2020 740-744*

Fast DC-Bias Current Control of Dual Active Bridge Converters With Feed-forward Compensation. *Ji, Z., +, TCSII Nov. 2020 2587-2591*

Hybrid 7-Level Boost Active-Neutral-Point-Clamped (H-7L-BANPC) Inverter. *Lee, S.S., +, TCSII Oct. 2020 2044-2048*

Low Noise ZVS Switch Sharing Multichannel Switching Amplifier for Magnetic Bearing Applications. *Hsieh, H., +, TCSII Oct. 2020 1999-2003*

**Broadband antennas**

Wideband Planar Phased Array Antenna Based on Artificial Magnetic Conductor Surface. *Shi, S., +, TCSII Oct. 2020 1909-1913*

**Broadband networks**

Planar Wideband High-Selectivity Impedance-Transforming Differential Bandpass Filter With Deep Common-Mode Suppression. *Chen, W., +, TCSII Oct. 2020 1914-1918*

**Bubbles**

Complex Network Analysis of Wire-Mesh Sensor Measurements for Characterizing Vertical Gas-Liquid Two-Phase Flows. *Gao, Z., +, TCSII June 2020 1134-1138*

Multiresolution Multiplex Network for Analyzing Multichannel Fluid Flow Signals. *Gao, Z., +, TCSII Oct. 2020 2179-2183*

<sup>1</sup>Check author entry for coauthors

**Buck converters**

Simplified Hysteresis Sliding-Mode Control for Superbuck Converter. *Chen, Z., +, TCSII Dec. 2020 3212-3216*

**Buffer circuits**

A 90-nm 640 MHz  $2 \times$  VDD Output Buffer With 41.5% Slew Rate Improvement Using PVT Compensation. *Wang, J., +, TCSII Sept. 2020 1524-1528*

A Slew Rate Enhanced  $2 \times$  VDD I/O Buffer With Precharge Timing Technique. *Lee, T., +, TCSII Nov. 2020 2707-2711*

**Buffer storage**

A Reconfigurable 64-Dimension K-Means Clustering Accelerator With Adaptive Overflow Control. *Du, L., +, TCSII April 2020 760-764*

**Bulk acoustic wave devices**

An Investigation on Extraction of Material Parameters in Longitudinal Mode of FBAR. *Wu, H., +, TCSII June 2020 1024-1028*

**C****Cable shielding**

Braid Shielding Effectiveness Kron's Model via Coupled Cables Configuration. *Cholachue, C., +, TCSII Aug. 2020 1389-1393*

**Calibration**

83.9% Efficiency 100-mV Self-Startup Boost Converter for Thermoelectric Energy Harvester in IoT Applications. *Shang, Z., +, TCSII Sept. 2020 1654-1658*

A 10 Bit 5 MS/s Column SAR ADC With Digital Error Correction for CMOS Image Sensors. *Xie, S., +, TCSII June 2020 984-988*

A 28-nm CMOS 12-Bit 250-MS/s Voltage-Current-Time Domain 3-Stage Pipelined ADC. *Moon, K., +, TCSII Dec. 2020 2843-2847*

A 40-nm CMOS 12b 120-MS/s Nonbinary SAR-Assisted SAR ADC With Double Clock-Rate Coarse Decision. *Roh, Y., +, TCSII Dec. 2020 2833-2837*

A 490-pW SAR Temperature Sensor With a Leakage-Based Bandgap-Vth Reference. *Park, B., +, TCSII Sept. 2020 1549-1553*

A 9Gb/s Wide Output Range Transmitter With 2D Binary-Segmented Driver and Dual-Loop Calibration for Intra-Panel Interfaces. *Jeong, Y., +, TCSII Sept. 2020 1589-1593*

A Charge Balancing  $1450 \text{ } \mu\text{m}^2$  PNP-Based Thermal Sensor for Dense Thermal Monitoring. *Bass, O., +, TCSII Dec. 2020 2963-2967*

A Compact Calibration Model for Linearizing CMOS Sample-and-Hold Circuits. *Li, Y., +, TCSII Nov. 2020 2327-2331*

A Multi-Modulus Fractional Divider With TDC Free Calibration Scheme for Mitigation of TX-VCO Pulling. *Liu, L., +, TCSII Dec. 2020 2848-2852*

A Photoacoustic-Surface-Acoustic-Wave Sensor for Ring-Stage Malaria Parasite Detection. *Wang, S., +, TCSII May 2020 881-885*

A Simple Histogram-Based Capacitor Mismatch Calibration in SAR ADCs. *Wang, X., +, TCSII Dec. 2020 2838-2842*

An ISM Band High-Linear Current-Reuse Up-Conversion Mixer With Built-in-Self-Calibration for LOFT and I/Q Imbalance. *Wang, X., +, TCSII Dec. 2020 2898-2902*

Auto-Resonant Tuning for Capacitive Power and Data Telemetry Using Flexible Patches. *Nag, S., +, TCSII Oct. 2020 1804-1808*

Calibrating Amplifiers Nonlinearity Using Comparator-Based ADCs. *Rabuske, F., +, TCSII March 2020 435-439*

Correlation-Based Calibration for Nonlinearity Mismatches in Dual-Channel TIADCs. *Liu, X., +, TCSII March 2020 585-589*

Efficient Calibration of Feedback DAC in Delta Sigma Modulators. *Shakya, J.R., +, TCSII May 2020 826-830*

Fast Digital Clock Calibration of a Differential 6.4 Gb/s/pin Bidirectional Asymmetric Memory Interface. *Angeli, N., +, TCSII Nov. 2020 2387-2391*

First Order Statistic Based Fast Blind Calibration of Time Skews for Time-Interleaved ADCs. *Yin, M., +, TCSII Jan. 2020 162-166*

Generalized Method for Extraction of Offset, Gain, and Timing Skew Errors in Time-Interleaved ADCs. *Azizian, S., +, TCSII July 2020 1214-1218*

I/Q Imbalance Calibration Method for 5G Ultra-Wideband Transceivers. *Dao, T., +, TCSII Dec. 2020 3048-3052*

Offset-Calibration With Time-Domain Comparators Using Inversion-Mode Varactors. *Fiorelli, R., +, TCSII Jan. 2020 47-51*

Schottky Diode Large-Signal Equivalent-Circuit Parameters Extraction for High-Efficiency Microwave Rectifying Circuit Design. *Chen, Q., +, TCSII Nov. 2020 2722-2726*

Time-Skew Estimation for Random Sampling Sequence Time-Interleaved ADCs. *Salib, A., +, TCSII Oct. 2020 1809-1813*

**Capacitance**

A Low-Power Time-to-Digital Converter for Sensor Interface Circuits. *Rostami, M.S., +, TCSII Dec. 2020 2853-2857*

A Simple Histogram-Based Capacitor Mismatch Calibration in SAR ADCs. *Wang, X., +, TCSII Dec. 2020 2838-2842*

A Switched-Capacitor Self-Balanced High-Gain Multilevel Inverter Employing a Single DC Source. *Panda, K.P., +, TCSII Dec. 2020 3192-3196*

Charge Pump Improvement for Energy Harvesting Applications by Node Pre-Charging. *Ballo, A., +, TCSII Dec. 2020 3312-3316*

Design of a Double-Sided LC Compensated Capacitive Power Transfer System With Capacitor Voltage Stress Optimization. *Lian, J., +, TCSII April 2020 715-719*

Parallel Plate Cavity Mode Suppression by Miniaturized 2.5-D Electromagnetic Bandgap Structure for Low Frequency Microwave Circuit. *Shi, Y., +, TCSII Dec. 2020 3068-3072*

Ultra-Low Voltage Push-Pull Converter for Micro Energy Harvesting. *Colalongo, L., +, TCSII Dec. 2020 3172-3176*

**Capacitance measurement**

A Normalized Figure of Merit for Capacitive Accelerometer Interface Circuits. *Amini, S., +, TCSII Jan. 2020 19-22*

**Capacitive sensors**

A 32-dB SNR Readout IC With 20-Vpp Tx Using On-Chip DM-TISM in HV BCD Process for Mutual-Capacitive Fingerprint Sensor. *Choi, E., +, TCSII July 2020 1224-1228*

A Normalized Figure of Merit for Capacitive Accelerometer Interface Circuits. *Amini, S., +, TCSII Jan. 2020 19-22*

A Wireless Multi-Channel Capacitive Sensor System for Efficient Glove-Based Gesture Recognition With AI at the Edge. *Pan, J., +, TCSII Sept. 2020 1624-1628*

**Capacitors**

40.68 MHz Digital On-Off Delay-Compensated Active Rectifier for WPT of Biomedical Applications. *Pal, S., +, TCSII Dec. 2020 3307-3311*

A 0.25-V Rail-to-Rail Three-Stage OTA With an Enhanced DC Gain. *Woo, K., +, TCSII July 2020 1179-1183*

A 0.35V 90nA Quiescent Current Output-Capacitor-Less NMOS Low-Dropout Regulator Using a Coarse-Fine Charge-Pump Circuit. *Woo, K., +, TCSII Dec. 2020 3118-3122*

A 1-V, 3-GHz Strong-Arm Latch Voltage Comparator for High Speed Applications. *Siddharth, R.K., +, TCSII Dec. 2020 2918-2922*

A 10 Bit 5 MS/s Column SAR ADC With Digital Error Correction for CMOS Image Sensors. *Xie, S., +, TCSII June 2020 984-988*

A 40-nm CMOS 12b 120-MS/s Nonbinary SAR-Assisted SAR ADC With Double Clock-Rate Coarse Decision. *Roh, Y., +, TCSII Dec. 2020 2833-2837*

A V-Band Ultra Low Power Sub-Harmonic I/Q Down-Conversion Mixer Using Current Re-Used Technique. *Chang, Y., +, TCSII Dec. 2020 2893-2897*

A Charge Balancing  $1450 \text{ } \mu\text{m}^2$  PNP-Based Thermal Sensor for Dense Thermal Monitoring. *Bass, O., +, TCSII Dec. 2020 2963-2967*

A CMRR Enhancement Circuit Employing  $\text{g}_m$ -Controllable Output Stages for Capacitively Coupled Instrumentation Amplifiers. *Jeon, H., +, TCSII Sept. 2020 1539-1543*

A GaAs Colpitts VCO Using  $\text{g}_m$ -Boosting and Collector-Emitter Cross-Coupling Techniques. *Xia, X., +, TCSII Dec. 2020 2873-2877*

A Mixed-Signal RF Pulse Width Modulator With High Time Resolution Utilizing Passive Delay Lines. *Papananos, Y., +, TCSII Nov. 2020 2442-2446*

A Simple Floating Mutator for Emulating Memristor, Memcapacitor, and Meminductor. *Yu, D., +, TCSII July 2020 1334-1338*

A Simple Histogram-Based Capacitor Mismatch Calibration in SAR ADCs. *Wang, X., +, TCSII Dec. 2020 2838-2842*

A Study of Multi-Phase Injection on Accelerating Crystal Oscillator Start-Up. *Karimi-Bidhendi, A., +, TCSII Dec. 2020 2868-2872*

- A Switched-Capacitor Self-Balanced High-Gain Multilevel Inverter Employing a Single DC Source. *Panda, K.P., +, TCSII Dec. 2020 3192-3196*
- An Improved PWM Technique to Achieve Continuous Input Current in Common-Ground Transformerless Boost Inverter. *Lee, S.S., +, TCSII Dec. 2020 3133-3136*
- An Ultra High Gain Quasi Z-Source Inverter Consisting Active Switched Network. *Kumar, A., +, TCSII Dec. 2020 3207-3211*
- Analysis and Implementation of a Dual-Band Coupled-Line Trans-Directional Coupler. *Liu, H., +, TCSII March 2020 485-490*
- Charge Pump Improvement for Energy Harvesting Applications by Node Pre-Charging. *Ballo, A., +, TCSII Dec. 2020 3312-3316*
- Comparative Study of Riemann–Liouville and Caputo Derivative Definitions in Time-Domain Analysis of Fractional-Order Capacitor. *Jiang, Y., +, TCSII Oct. 2020 2184-2188*
- Concept of LIF Neuron Circuit for Rate Coding in Spike Neural Networks. *Velichko, A., +, TCSII Dec. 2020 3477-3481*
- Cross Connected Compact Switched-Capacitor Multilevel Inverter (C<sup>3</sup>-SC-MLI) Topology With Reduced Switch Count. *Jagabar Sathik, M., +, TCSII Dec. 2020 3287-3291*
- Fault Localization Strategy for Modular Multilevel Converters in Rectifier Mode Under Submodule Switch Open-Circuit Failure. *Geng, Z., +, TCSII Dec. 2020 3222-3226*
- Improved Digital Average Voltage Control for Switching Converter With Capacitor Current Compensation. *Zhou, G., +, TCSII Dec. 2020 3197-3201*
- Leakage Current Minimization Using NPC DC Decoupling Method for Three-Phase Cascaded Multilevel PV Inverter. *Sonti, V., +, TCSII Dec. 2020 3247-3251*
- Reduced Switch Count Based Single Source 7L Boost Inverter Topology. *Siddique, M.D., +, TCSII Dec. 2020 3252-3256*
- Cardiovascular system**
- Observer-Based Monitoring of the Cardiovascular System. *Astorga-Zaragoza, C., TCSII March 2020 501-505*
- Carry logic**
- Block-Based Carry Speculative Approximate Adder for Energy-Efficient Applications. *Ebrahimi-Azandaryani, F., +, TCSII Jan. 2020 137-141*
- Energy and Error Analysis Framework for Approximate Computing in Mobile Applications. *Jha, C.K., +, TCSII Feb. 2020 385-389*
- Cascading style sheets**
- A Triangular Common Subexpression Elimination Algorithm With Reduced Logic Operators in FIR Filter. *Roy, S., +, TCSII Dec. 2020 3527-3531*
- Cathodes**
- A Single Inductor Self-Startup Energy Combiner Circuit With Bioturbation Resilience in Multiple Microbial Fuel Cells. *Umaz, R., TCSII Dec. 2020 3227-3231*
- Cavity resonator filters**
- Compact and Wideband Octuple-Mode Filter Based on Hybrid Substrate Integrated Waveguide and Spoof Localized Surface Plasmon Structure. *Yang, Z., +, TCSII Nov. 2020 2377-2381*
- Cavity resonators**
- Multilayer Packaging SIW Three-Way Filtering Power Divider With Adjustable Power Division. *Zhang, G., +, TCSII Dec. 2020 3003-3007*
- Parallel Plate Cavity Mode Suppression by Miniaturized 2.5-D Electromagnetic Bandgap Structure for Low Frequency Microwave Circuit. *Shi, Y., +, TCSII Dec. 2020 3068-3072*
- Cellular automata**
- Design of QCA-Serial Parallel Multiplier (QSPM) With Energy Dissipation Analysis. *Bahar, A.N., +, TCSII Oct. 2020 1939-1943*
- Cellular biophysics**
- A Photoacoustic-Surface-Acoustic-Wave Sensor for Ring-Stage Malaria Parasite Detection. *Wang, S., +, TCSII May 2020 881-885*
- Cellular neural networks**
- 7 TOPS/W Cellular Neural Network Processor Core for Intelligent Internet-of-Things. *Villemur, M., +, TCSII July 2020 1324-1328*
- Ceramic packaging**
- Quad-Mode LTCC Surface Mounted Packaging Common-Mode Filter Based on the Asymmetric Short-Stub Loaded Resonator. *Shi, Y., +, TCSII Oct. 2020 1944-1948*
- Wideband and Miniaturized Forward-Wave Directional Coupler Using Periodical Parallel Plates and Vertical Meander Lines. *Yi, X., +, TCSII Nov. 2020 2402-2406*
- Channel bank filters**
- On the Design of Biorthogonal Halfband Filterbanks With Almost Tight Rational Coefficients. *Nagare, M.B., +, TCSII April 2020 790-794*
- Oversampled DFT-Modulated Biorthogonal Filter Banks: Perfect Reconstruction Designs and Multiplierless Approximations. *Martins, W.A., +, TCSII Nov. 2020 2777-2781*
- Channel capacity**
- Small-World Regular Networks for Communication. *Pandey, P.K., +, TCSII Aug. 2020 1409-1413*
- Channel coding**
- An Ultimate-Shannon-Limit-Approaching Gbps Throughput Encoder/Decoder System. *Jiang, S., +, TCSII Oct. 2020 2169-2173*
- An Unfolded Pipelined Polar Decoder With Hybrid Number Representations for Multi-User MIMO Systems. *Cao, S., +, TCSII Nov. 2020 2472-2476*
- Fine-Grained Bit-Flipping Decoding for LDPC Codes. *Chen, Y., +, TCSII May 2020 896-900*
- High Data Rate Discrete-Cosine-Spreading Aided M-Ary Differential Chaos Shift Keying Scheme With Low PAPR. *Chen, Z., +, TCSII Nov. 2020 2492-2496*
- High-Throughput Low-Latency Encoder and Decoder for a Class of Generalized Reed–Solomon Codes for Short-Reach Optical Communications. *Zheng, B., +, TCSII April 2020 670-674*
- Channel estimation**
- A Kernel Affine Projection-Like Algorithm in Reproducing Kernel Hilbert Space. *Wu, Q., +, TCSII Oct. 2020 2249-2253*
- Fiber-Fed Distributed Antenna System in an FPGA Software Defined Radio for 5G Demonstration. *Mahboob, S., +, TCSII Feb. 2020 280-284*
- Jamming Suppression in Massive MIMO Systems. *Akhlaghpasand, H., +, TCSII Jan. 2020 182-186*
- Timing and Frequency Synchronization and Doubly Selective Channel Estimation for OFDMA Uplink. *Abdzadeh-Ziabari, H., +, TCSII Jan. 2020 62-66*
- Chaos**
- A Multilevel Code-Shifted Differential Chaos Shift Keying System With Reference Diversity. *Lu, Y., +, TCSII Nov. 2020 2462-2466*
- A Simple Autonomous Chaotic Circuit With Dead-Zone Nonlinearity. *Wang, N., +, TCSII Dec. 2020 3502-3506*
- An Extremely Simple Chaotic System With Infinitely Many Coexisting Attractors. *Lai, Q., +, TCSII June 2020 1129-1133*
- Chaos Suppression in Forced Chaotic Systems by Innovative Sliding Mode Control. *Piccinni, G., +, TCSII Aug. 2020 1424-1428*
- High Data Rate Discrete-Cosine-Spreading Aided M-Ary Differential Chaos Shift Keying Scheme With Low PAPR. *Chen, Z., +, TCSII Nov. 2020 2492-2496*
- Implementing Poincaré Sections for a Chaotic Relaxation Oscillator. *Euzzor, S., +, TCSII Feb. 2020 395-399*
- Recursive Minimum Kernel Mixture Mean p-Power Error Algorithm Based on the Nyström Method. *Zhang, T., +, TCSII Nov. 2020 2772-2776*
- Security of Public-Key Cryptosystems Based on Chebyshev Polynomials Over  $\mathbb{Z}/p^k\mathbb{Z}$ . *Yoshioka, D., TCSII Oct. 2020 2204-2208*
- Synchronization of Chaotic-Oscillation Permanent Magnet Synchronous Generators Networks via Adaptive Impulsive Control. *Zhu, D., +, TCSII Oct. 2020 2194-2198*
- The Unpredictability Analysis of Boolean Chaos. *Gong, L., +, TCSII Oct. 2020 1854-1858*
- Chaotic communication**
- A Framework for the Lower Bound on the BER of DCSK Systems Over Multi-Path Nakagami-m Fading Channels. *Dawa, M., +, TCSII Oct. 2020 1859-1863*
- A Multilevel Code-Shifted Differential Chaos Shift Keying System With Reference Diversity. *Lu, Y., +, TCSII Nov. 2020 2462-2466*
- A Symbolic Dynamics Approach to Trellis-Coded Chaotic Modulation. *Souza, C.E.C., +, TCSII Oct. 2020 2189-2193*

- High Data Rate Discrete-Cosine-Spreading Aided M-Ary Differential Chaos Shift Keying Scheme With Low PAPR. *Chen, Z., +, TCSII Nov. 2020 2492-2496*
- Charge carrier processes**  
Optical Manipulation of Biological Cells With a Robot-Tweezers System: A Stochastic Control Approach. *Xie, M., +, TCSII Dec. 2020 3232-3236*
- Charge pump circuits**  
0.3-V RC -to-Digital Converter Using a Negative Charge-Pump Switch. *Woo, K., +, TCSII Feb. 2020 245-249*  
A 0.2-1.3 ns Range Delay-Control Scheme for a 25 Gb/s Data-Receiver Using a Replica Delay-Line-Based Delay-Locked-Loop in 45-nm CMOS. *Rehman, S.U., +, TCSII May 2020 806-810*  
A High-Performance Charge Pump Topology for Very-Low-Voltage Applications. *Ballo, A., +, TCSII July 2020 1304-1308*  
Mitigation of “Horn Spurs” in a MASH-Based Fractional-N CP-PLL. *Mazzaro, V., +, TCSII May 2020 821-825*
- Charge pumps**  
A 0.35V 90nA Quiescent Current Output-Capacitor-Less NMOS Low-Dropout Regulator Using a Coarse-Fine Charge-Pump Circuit. *Woo, K., +, TCSII Dec. 2020 3118-3122*  
A Single Inductor Self-Startup Energy Combiner Circuit With Bioturbation Resilience in Multiple Microbial Fuel Cells. *Umaz, R., TCSII Dec. 2020 3227-3231*  
Autonomous Event Driven Model of Second Order Voltage Switched Charge Pump PLL. *Ali, E., +, TCSII Dec. 2020 2903-2907*  
Charge Pump Improvement for Energy Harvesting Applications by Node Pre-Charging. *Ballo, A., +, TCSII Dec. 2020 3312-3316*  
Voltage Comparator With 60% Faster Speed by Using Charge Pump. *Zhuang, H., +, TCSII Dec. 2020 2923-2927*
- Chebyshev approximation**  
Security of Public-Key Cryptosystems Based on Chebyshev Polynomials Over  $\mathbb{Z}/p^k\mathbb{Z}$ . *Yoshioka, D., TCSII Oct. 2020 2204-2208*  
Synthesis Design of Chebyshev Wideband Band-Pass Filters With Independently Reconfigurable Lower Passband Edge. *Bi, X., +, TCSII Dec. 2020 2948-2952*  
Tangent Function and Chebyshev-Like Rational Maps Over Finite Fields. *Lima, J.B., +, TCSII April 2020 775-779*
- Chebyshev filters**  
Wideband Bandpass Filtering Balun With Perfect In-Band Matching and Isolation. *Chen, W., +, TCSII Oct. 2020 1884-1888*
- Chemical industry**  
Multiresolution Multiplex Network for Analyzing Multichannel Fluid Flow Signals. *Gao, Z., +, TCSII Oct. 2020 2179-2183*
- Choppers (circuits)**  
A 60 nV/ $\sqrt{\text{Hz}}$  <0.01%-THD  $\pm 200$  mV-DC-Rejection Bio-Sensing Chopper Amplifier With Noise-Nonlinearity-Cancelling Loop. *Li, Q., +, TCSII Feb. 2020 215-219*  
Chopper-Stabilized Low-Noise Multipath Operational Amplifier With Dual Ripple Rejection Loops. *Kim, H., +, TCSII Nov. 2020 2427-2431*  
High Input Impedance Low-Noise CMOS Analog Frontend IC for Wearable Electrocardiogram Monitoring. *Zhang, C., +, TCSII July 2020 1169-1173*
- Ciphers**  
A Countermeasure Against Statistical Ineffective Fault Analysis. *Breier, J., +, TCSII Dec. 2020 3322-3326*
- Circuit complexity**  
Design of Nonlinear Filters Using Affine Projection Algorithm Based Exact and Approximate Adaptive Exponential Functional Link Networks. *Deb, T., +, TCSII Nov. 2020 2757-2761*
- Circuit faults**  
A Countermeasure Against Statistical Ineffective Fault Analysis. *Breier, J., +, TCSII Dec. 2020 3322-3326*  
Fault Estimation for Discrete-Time Systems With Lipschitz Perturbation and Time-Variant Coefficients. *Li, Y., +, TCSII Dec. 2020 3137-3141*  
Fault Localization Strategy for Modular Multilevel Converters in Rectifier Mode Under Submodule Switch Open-Circuit Failure. *Geng, Z., +, TCSII Dec. 2020 3222-3226*
- Circuit feedback**  
A 0.25-V Rail-to-Rail Three-Stage OTA With an Enhanced DC Gain. *Woo, K., +, TCSII July 2020 1179-1183*  
A Low-Voltage High-Precision Time-Domain Winner-Take-All Circuit. *Rahiminejad, E., +, TCSII Jan. 2020 4-8*  
A Multi-Channel Low-Noise Analog Front End Circuit for Linear LADAR. *Wang, P., +, TCSII July 2020 1209-1213*  
A Novel Tuning Method for Impedance Matching Network Based on Linear Fractional Transformation. *Xiong, B., +, TCSII June 2020 1039-1043*  
Efficient Calibration of Feedback DAC in Delta Sigma Modulators. *Shakya, J.R., +, TCSII May 2020 826-830*
- Circuit optimization**  
A Folded Voltage-Combiners Biased Amplifier for Low Voltage and High Energy-Efficiency Applications. *Povoa, R., +, TCSII Feb. 2020 230-234*  
Discrete Programming Entailing Circulant Quadratic Forms: Refinement of a Heuristic Approach Based on  $\Delta\Sigma$  Modulation. *Callegari, S., +, TCSII May 2020 926-930*  
Optimizing Hardware Accelerated General Matrix-Matrix Multiplication for CNNs on FPGAs. *Ahmad, A., +, TCSII Nov. 2020 2692-2696*
- Circuit reliability**  
SIBAM—Sign Inclusive Broken Array Multiplier Design for Error Tolerant Applications. *Sinha Roy, A., +, TCSII Nov. 2020 2702-2706*
- Circuit simulation**  
A Harmonic Rejection Strategy for 25% Duty-Cycle IQ-Mixers Using Digital-to-Time Converters. *Gebhard, A., +, TCSII July 2020 1229-1233*  
A Method of Creating the High-Voltage Circuit Model of Metal-Oxide Varistor for the Simulation of Square Pulse Forming. *Cui, Y., +, TCSII March 2020 526-530*  
Analysis, Simulation, and Implementation of Dual-Band Filtering Power Divider Based on Terminated Coupled Lines. *Sajadi, A., +, TCSII Nov. 2020 2487-2491*
- Circuit stability**  
A Unified Framework of Stability Theorems for LTI Fractional Order Systems With  $0 < \alpha < 2$ . *Zhang, X., +, TCSII Dec. 2020 3237-3241*  
Adaptive Algorithm for Sparse System Identification Based on Hard-Thresholding Techniques. *Lee, H., +, TCSII Dec. 2020 3597-3601*  
An Improved Stability Theorem for Nonlinear Systems on Time Scales With Application to Multi-Agent Systems. *Lu, X., +, TCSII Dec. 2020 3277-3281*  
Aperiodic Sampled-Data Control for Exponential Stabilization of Delayed Neural Networks: A Refined Two-Sided Looped-Functional Approach. *Yao, L., +, TCSII Dec. 2020 3217-3221*  
Fixed Time Synchronization Control for Bilateral Teleoperation Mobile Manipulator With Nonholonomic Constraint and Time Delay. *Xu, G., +, TCSII Dec. 2020 3452-3456*  
Improved Digital Average Voltage Control for Switching Converter With Capacitor Current Compensation. *Zhou, G., +, TCSII Dec. 2020 3197-3201*  
Linearity-Enhanced Ring Amplifier Using Adaptive Slew-Rate Feed-Forward Path. *Gadel-Karim, A.G., +, TCSII Dec. 2020 2908-2912*  
Microwave Circuit Conditional Stability: Two-Parameter Criteria. *Lombardi, G., +, TCSII Dec. 2020 2913-2917*  
Multiple Lyapunov Functions Approach for Consensus of One-Sided Lipschitz Multi-Agents Over Switching Topologies and Input Saturation. *Razaq, M.A., +, TCSII Dec. 2020 3267-3271*
- Circuit tuning**  
A 0.2-1.3 ns Range Delay-Control Scheme for a 25 Gb/s Data-Receiver Using a Replica Delay-Line-Based Delay-Locked-Loop in 45-nm CMOS. *Rehman, S.U., +, TCSII May 2020 806-810*  
A Low Phase Noise, High Phase Accuracy Quadrature LC-VCO With Dual-Tail Current Biasing to Insert Reconfigurable Phase Delay. *Xi, N., +, TCSII March 2020 450-454*  
A Tunable Transmission Line With Controllable Phase Shifting and Characteristic Impedance. *Ren, H., +, TCSII Oct. 2020 1720-1724*
- Circuits and systems**  
A 10-MHz BW 77.3-dB SNDR 640-MS/s GRO-Based CT MASH  $\Delta\Sigma$  Modulator. *Honarpvar, M., +, TCSII Sept. 2020 1519-1523*  
A 28-nm CMOS 12-Bit 250-MS/s Voltage-Current-Time Domain 3-Stage Pipelined ADC. *Moon, K., +, TCSII Dec. 2020 2843-2847*

- A Compact Dual-Band Out of Phase Power Divider Having Microstrip Compatibility. *Zaidi, A.M., +, TCSII Dec. 2020 2998-3002*
- A Deep Learning Method for Improving the Classification Accuracy of SSMVEP-Based BCI. *Gao, Z., +, TCSII Dec. 2020 3447-3451*
- A Generalized Quantum Protocol for Secure Multiparty Summation. *Sutradhar, K., +, TCSII Dec. 2020 2978-2982*
- A Low-Power Time-to-Digital Converter for Sensor Interface Circuits. *Rostami, M.S., +, TCSII Dec. 2020 2853-2857*
- A Multi-Modulus Fractional Divider With TDC Free Calibration Scheme for Mitigation of TX-VCO Pulling. *Liu, L., +, TCSII Dec. 2020 2848-2852*
- A Novel Approximation Methodology and Its Efficient VLSI Implementation for the Sigmoid Function. *Qin, Z., +, TCSII Dec. 2020 3422-3426*
- Adaptive Algorithm for Sparse System Identification Based on Hard-Thresholding Techniques. *Lee, H., +, TCSII Dec. 2020 3597-3601*
- Adaptive Modified Versoria Zero Attraction Least Mean Square Algorithms. *Bhattacharjee, S.S., +, TCSII Dec. 2020 3602-3606*
- Adaptive Tracking Control for Switched Uncertain Nonlinear Systems With Input Saturation and Unmodeled Dynamics. *Song, Z., +, TCSII Dec. 2020 3152-3156*
- An Improved Stability Theorem for Nonlinear Systems on Time Scales With Application to Multi-Agent Systems. *Lu, X., +, TCSII Dec. 2020 3277-3281*
- An Optimal Filter for Singular Systems With Stochastic Multiplicative Disturbance. *Yu, X., +, TCSII Dec. 2020 3607-3611*
- Analysis of Frequency-Aid Technique for Fractional-N Digital BB-PLLs in Time-Domain. *Vo, T.M., TCSII Dec. 2020 2888-2892*
- Angle of Arrival Estimation Through a Full-Hardware Approach for Adaptive Beamforming. *Avitabile, G., +, TCSII Dec. 2020 3033-3037*
- Aperiodic Sampled-Data Control for Exponential Stabilization of Delayed Neural Networks: A Refined Two-Sided Looped-Functional Approach. *Yao, L., +, TCSII Dec. 2020 3217-3221*
- Bias-Compensated Minimum Error Entropy Algorithms With Polynomial Sparsity Penalty Constraints. *Chen, Z., +, TCSII Dec. 2020 3537-3541*
- Compressed Principal Component Regression (C-PCR) Algorithm and FPGA Validation. *Zamani, H., +, TCSII Dec. 2020 3512-3516*
- Controller and Observer design for Chaotic Systems: A Vector Based Contraction Approach. *Singh, B., +, TCSII Dec. 2020 3282-3286*
- Design Fixed-Time Practical Distributed Average Tracking Algorithms for Nonlinear Signals With Bounded- and Lipschitz-Type Derivatives. *Chen, Q., +, TCSII Dec. 2020 3103-3107*
- Dynamic Event-Triggered State Observers for a Class of Nonlinear Systems With Time Delays and Disturbances. *Huong, D.C., +, TCSII Dec. 2020 3457-3461*
- Efficient Precision-Adjustable Architecture for Softmax Function in Deep Learning. *Zhu, D., +, TCSII Dec. 2020 3382-3386*
- Feature-Temporal Semi-Supervised Extreme Learning Machine for Robotic Terrain Classification. *Lv, W., +, TCSII Dec. 2020 3567-3571*
- Finite-Time Consensus of Finite Field Networks With Stochastic Time Delays. *Li, Y., +, TCSII Dec. 2020 3128-3132*
- Formation Control of Multiple Autonomous Underwater Vehicles Under Communication Delays. *Suryendu, C., +, TCSII Dec. 2020 3182-3186*
- Formation Control of Nonholonomic Mobile Robots Using Distributed Estimators. *Lu, P., +, TCSII Dec. 2020 3162-3166*
- Formation of Generic UAVs-USVs System Under Distributed Model Predictive Control Scheme. *Huang, D., +, TCSII Dec. 2020 3123-3127*
- Group-Bipartite Consensus in the Networks With Cooperative-Competitive Interactions. *Liu, J., +, TCSII Dec. 2020 3292-3296*
- Guest Editorial Special Issue on the 2020 IEEE International Symposium on Circuits and Systems. *Ha, Y., +, TCSII May 2020 805*
- Guest Editorial Special Issue on the 2020 ISICAS: A CAS Journal Track Symposium. *Ha, Y., +, TCSII Sept. 2020 1493*
- Linear Quadratic Regulator of Discrete-Time Switched Linear Systems. *Wu, G., +, TCSII Dec. 2020 3113-3117*
- Low-Latency and Low-Power Test-Vector Selector for Reed-Solomon's Low-Complexity Chase. *Garcia-Herrero, F., +, TCSII Dec. 2020 3362-3366*
- Multiple Lyapunov Functions Approach for Consensus of One-Sided Lipschitz Multi-Agents Over Switching Topologies and Input Saturation. *Razaq, M.A., +, TCSII Dec. 2020 3267-3271*
- Multivaluedness in Networks: Theory. *van Wyk, M.A., TCSII Dec. 2020 3462-3466*
- Neuro-Adaptive Cooperative Tracking Rendezvous of Nonholonomic Mobile Robots. *Lu, P., +, TCSII Dec. 2020 3167-3171*
- New Link Attack Strategies of Complex Networks Based on  $k$ -Core Decomposition. *Sun, S., +, TCSII Dec. 2020 3157-3161*
- Nonlinear System Identification Using Exact and Approximate Improved Adaptive Exponential Functional Link Networks. *Bhattacharjee, S.S., +, TCSII Dec. 2020 3542-3546*
- Null Space Projection Enhanced LMS Filters. *Lunglmayr, M., +, TCSII Dec. 2020 3507-3511*
- One-Shot Refresh: A Low-Power Low-Congestion Approach for Dynamic Memories. *Zhong, H., +, TCSII Dec. 2020 3402-3406*
- Periodically Intermittent Stabilization of Neural Networks Based on Discrete-Time Observations. *He, X., +, TCSII Dec. 2020 3497-3501*
- Projectional Observers of Nonlinear Systems With Full-State Constraints. *Garcia-Gonzalez, A., +, TCSII Dec. 2020 3078-3082*
- Similarity-Based and Sybil Attack Defended Community Detection for Social Networks. *Jiang, Z., +, TCSII Dec. 2020 3487-3491*
- Sparsity Constrained Recursive Generalized Maximum Correntropy Criterion With Variable Center Algorithm. *Sun, Q., +, TCSII Dec. 2020 3517-3521*
- Stabilization of DC Nanogrids Based on Non-Integer General Type-II Fuzzy System. *Mosayebi, M., +, TCSII Dec. 2020 3108-3112*
- Transient Analysis of Signed LMS Algorithms With Cyclostationary Colored Gaussian Inputs. *Gao, W., +, TCSII Dec. 2020 3562-3566*
- Clamps**  
Leakage Current Minimization Using NPC DC Decoupling Method for Three-Phase Cascaded Multilevel PV Inverter. *Sonti, V., +, TCSII Dec. 2020 3247-3251*
- Clock and data recovery circuits**  
A 0.42–3.45 Gb/s Referenceless Clock and Data Recovery Circuit With Counter-Based Unrestricted Frequency Acquisition. *Son, K., +, TCSII June 2020 974-978*
- A 6.84 Gbps/lane MIPI C-PHY Transceiver Bridge Chip With Level-Dependent Equalization. *Lee, P., +, TCSII Nov. 2020 2672-2676*
- Clocks**  
A 0.2-1.3 ns Range Delay-Control Scheme for a 25 Gb/s Data-Receiver Using a Replica Delay-Line-Based Delay-Locked-Loop in 45-nm CMOS. *Rehman, S.U., +, TCSII May 2020 806-810*
- A 0.45 pJ/b, 6.4 Gb/s Forwarded-Clock Receiver With DLL-Based Self-Tracking Loop for Unmatched Memory Interfaces. *Shin, S., +, TCSII Oct. 2020 1814-1818*
- A 12.5 Gb/s 1.93 pJ/Bit Optical Receiver Exploiting Silicon Photonic Delay Lines for Clock Phases Generation Replacement. *Radi, B., +, TCSII Oct. 2020 1864-1868*
- A 40-nm CMOS 12b 120-MS/s Nonbinary SAR-Assisted SAR ADC With Double Clock-Rate Coarse Decision. *Roh, Y., +, TCSII Dec. 2020 2833-2837*
- A 40-nm CMOS 7-b 32-GS/s SAR ADC With Background Channel Mis-match Calibration. *Jo, D., +, TCSII April 2020 610-614*
- A 48 Gb/s PAM-4 Transmitter With 3-Tap FFE Based on Double-Shielded Coplanar Waveguide in 65-nm CMOS. *Do, H., +, TCSII Sept. 2020 1569-1573*
- A DLL-Based Quadrature Clock Generator With a 3-Stage Quad Delay Unit Using the Sub-Range Phase Interpolator for Low-Jitter and High-Phase Accuracy DRAM Applications. *Yoon, Y., +, TCSII Nov. 2020 2342-2346*
- A Fast-Transient Response Digital Low-Dropout Regulator With Dual-Modes Tuning Technique. *Qian, L., +, TCSII Dec. 2020 2943-2947*
- A Highly Integrated 400–800 MHz Spectrum Sensing System Based on Envelope Detection. *Yen, M., +, TCSII Dec. 2020 3008-3012*
- A Low-Spur MASH Delta-Sigma Modulator With an Adaptive Length Extension Technique. *Ding, X., +, TCSII Dec. 2020 2818-2822*

- A Novel XOR/XNOR Structure for Modular Design of QCA Circuits. *Wang, L., +, TCSII Dec. 2020 3327-3331*
- A Power-Efficient Digital Technique for Gain and Offset Correction in Slope ADCs. *Kłosowski, M., TCSII June 2020 979-983*
- A Slew Rate Enhanced 2 x VDD I/O Buffer With Precharge Timing Technique. *Lee, T., +, TCSII Nov. 2020 2707-2711*
- An Analysis of DCM-Based True Random Number Generator. *Fujieda, N., +, TCSII June 2020 1109-1113*
- An Ultra-Low Cost Multilayer RAM in Quantum-Dot Cellular Automata. *Song, Z., +, TCSII Dec. 2020 3397-3401*
- ASIC Design and Power Characterization of Standard and Low Power Multi-Radix Trivium. *Mora-Gutierrez, J.M., +, TCSII Nov. 2020 2682-2686*
- Fast Digital Clock Calibration of a Differential 6.4 Gb/s/pin Bidirectional Asymmetric Memory Interface. *Angeli, N., +, TCSII Nov. 2020 2387-2391*
- Incremental SAT-Based Correction of Gate Level Circuits by Reusing Partially Corrected Circuits. *Alizadeh, B., +, TCSII Dec. 2020 3063-3067*
- Closed loop systems**
- A Class of Proportional-Integral With Anti-Windup Controllers for DC–DC Buck Power Converters With Saturating Input. *Moreno-Valenzuela, J., TCSII Jan. 2020 157-161*
- A Unified Framework of Stability Theorems for LTI Fractional Order Systems With  $0 < \alpha < 2$ . *Zhang, X., +, TCSII Dec. 2020 3237-3241*
- Adaptive Body Bias Aware Implementation for Ultra-Low-Voltage Designs in 22FDX Technology. *Hoppner, S., +, TCSII Oct. 2020 2159-2163*
- Adaptive Control for Nonlinear Systems With Uncertain Output Function and Unknown Homogenous Growth Rate. *Zhai, J., TCSII Oct. 2020 1974-1978*
- Asynchronous Observer-Based Control for Exponential Stabilization of Markov Jump Systems. *Zhang, M., +, TCSII Oct. 2020 2039-2043*
- Boundary Constrained Control of Flexible String Systems Subject to Disturbances. *Liu, Z., +, TCSII Jan. 2020 112-116*
- Continuous Finite-Time Integral Sliding Mode Control for Attitude Stabilization. *Wang, L., +, TCSII Oct. 2020 2084-2088*
- Event-Based Robust Synchronization of Boolean Control Networks. *Ouyang, C., +, TCSII Oct. 2020 1969-1973*
- Finite-Time Fault-Tolerant Control for Nonlinear Systems With Input Quantization and Its Application. *Liu, W., +, TCSII July 2020 1249-1253*
- Global Fixed-Time Output Feedback Stabilization for a Class of Double Integrator Systems. *Su, Y., +, TCSII Oct. 2020 1954-1958*
- Global Nested PID Control of Strict-Feedback Nonlinear Systems With Prescribed Output and Virtual Tracking Performance. *Gao, S., +, TCSII Feb. 2020 325-329*
- High Gain Observer-Based Saturated Controller for Feedback Linearizable System. *Rayguru, M.M., +, TCSII Jan. 2020 122-126*
- Periodic Event-Triggered Dynamic Output Feedback Dissipative Control With Stochastic Detection. *Ma, G., +, TCSII June 2020 1069-1073*
- Robust Design Strategy of Quantized Feedback Control. *Chang, X., +, TCSII April 2020 730-734*
- Robust Hybrid Control Design for Stochastic Markovian Jump System via Fault Alarm Approach. *Sakthivel, R., +, TCSII Oct. 2020 2004-2008*
- Robust Output Regulation in Discrete-Time Singular Systems With Actuator Saturation and Uncertainties. *Jafari, E., +, TCSII Feb. 2020 340-344*
- Variable-Gain Second-Order Sliding Mode Controller With Globally Fixed-Time Stability Guarantees. *Shi, S., +, TCSII Aug. 2020 1414-1418*
- Cloud computing**
- A 60 Gb/s-Level Coarse-Grained Reconfigurable Cryptographic Processor With Less Than 1-W Power. *Deng, C., +, TCSII Feb. 2020 375-379*
- Clutter**
- Radar and Communication Co-Existence Design Based on Mutual Information Optimization. *Qian, J., +, TCSII Dec. 2020 3577-3581*
- CMOS analog integrated circuits**
- 1.2-V Energy-Efficient Wireless CMOS Potentiostat for Amperometric Measurements. *Valente, V., +, TCSII Oct. 2020 1700-1704*
- 360 nW Gate-Driven Ultra-Low Voltage CMOS Linear Transconductor With 1 MHz Bandwidth and Wide Input Range. *Rico-Aniles, H.D., +, TCSII Nov. 2020 2332-2336*
- A 0.25-V Rail-to-Rail Three-Stage OTA With an Enhanced DC Gain. *Woo, K., +, TCSII July 2020 1179-1183*
- A 0.5-V Capless LDO With 30-dB PSRR at 10-kHz Using a Lightweight Local Generated Supply. *Yang, C., +, TCSII Oct. 2020 1785-1789*
- A 0.6-V Low-Power Variable-Gain LNA in 0.18- $\mu$ m CMOS Technology. *Hsieh, J., +, TCSII Jan. 2020 23-26*
- A 42-dBQ 25-Gb/s CMOS Transimpedance Amplifier With Multiple-Peaking Scheme for Optical Communications. *Pan, Q., +, TCSII Jan. 2020 72-76*
- A 50 $\mu$ W Fully Differential Interface Amplifier With a Current Steering Class AB Output Stage for PPG and NIRS Recordings. *Song, S., +, TCSII Sept. 2020 1564-1568*
- A 60 nV/ $\sqrt{\text{Hz}}$  <0.01%-THD  $\pm 200$  mV-DC-Rejection Bio-Sensing Chopper Amplifier With Noise-Nonlinearity-Cancelling Loop. *Li, Q., +, TCSII Feb. 2020 215-219*
- A CMRR Enhancement Circuit Employing  $G_m$ -Controllable Output Stages for Capacitively Coupled Instrumentation Amplifiers. *Jeon, H., +, TCSII Sept. 2020 1539-1543*
- A Frequency-Reconfigurable CMOS Active Phase Shifter for 5G mm-Wave Applications. *Xiong, Y., +, TCSII Oct. 2020 1824-1828*
- A Low Power High Precision Trim-Less Envelope Detector for Fail-Safe Circuit in LVDS Receiver. *Lee, S.S., +, TCSII Oct. 2020 1770-1774*
- A Low-Voltage Robust Class-C VCO With Dual Digital Feedback Loops. *Liao, X., +, TCSII Nov. 2020 2347-2351*
- A Multi-Channel Low-Noise Analog Front End Circuit for Linear LADAR. *Wang, P., +, TCSII July 2020 1209-1213*
- A New High Drive Class-AB FVF-Based Second Generation Voltage Conveyor. *Barile, G., +, TCSII March 2020 405-409*
- A Sub-2 dB NF, 0.3–3 GHz Packaged Bandwidth Extended Wideband Receiver Front-End. *Gupta, N., +, TCSII March 2020 491-495*
- A U-Band PLL Using Implicit Distributed Resonators for Sub-THz Wireless Transceivers in 40 nm CMOS. *Chen, Z., +, TCSII Sept. 2020 1574-1578*
- Analysis of Switched Capacitor Losses in Polar and Quadrature Switched Capacitor PAs. *Zanen, J., +, TCSII Oct. 2020 1904-1908*
- Bandwidth and Slew Rate Enhanced OTA With Sustainable Dynamic Bias. *Hung, C.H., +, TCSII April 2020 635-639*
- Chopper-Stabilized Low-Noise Multipath Operational Amplifier With Dual Ripple Rejection Loops. *Kim, H., +, TCSII Nov. 2020 2427-2431*
- High Input Impedance Low-Noise CMOS Analog Frontend IC for Wearable Electrocardiogram Monitoring. *Zhang, C., +, TCSII July 2020 1169-1173*
- Low-Power, Low-Phase-Noise  $G_m$ -Boosted 10-GHz VCO With Center-Tap Transformer and Stacked Transistor. *Lee, H.S., +, TCSII Oct. 2020 1710-1714*
- Power and Area Efficient Transimpedance Amplifier Driving Large Capacitive Loads Based on Modified RGC Structure. *Kari Dolatabadi, A., +, TCSII Oct. 2020 1740-1744*
- Untrimmed BGR of 1.1%  $3\sigma$  Based on Dynamic-Biased Op Amp With Reduced  $V_{off}$ . *Lee, J., +, TCSII Oct. 2020 1829-1833*
- CMOS digital integrated circuits**
- 0.3-V RC -to-Digital Converter Using a Negative Charge-Pump Switch. *Woo, K., +, TCSII Feb. 2020 245-249*
- 7 TOPS/W Cellular Neural Network Processor Core for Intelligent Internet-of-Things. *Villemur, M., +, TCSII July 2020 1324-1328*
- A 1.5-to-3.0GHz Tunable RF Sigma-Delta ADC With a Fixed Set of Coefficients and a Programmable Loop Delay. *Sayed, A., +, TCSII Sept. 2020 1559-1563*
- A 10.8 Gb/s Quarter-Rate 1 FIR 1 IIR Direct DFE With Non-Time-Overlapping Data Generation for 4:1 CMOS Clockless Multiplexer. *Lee, D., +, TCSII Jan. 2020 67-71*
- A 100 MHz, 0.8-to-1.1 V, 170 mA Digital LDO With 8-Cycles Mean Settling Time and 9-Bit Regulating Resolution in 180-nm CMOS. *Yuan, Z., +, TCSII Sept. 2020 1664-1668*
- A 6.84 Gbps/lane MIPI C-PHY Transceiver Bridge Chip With Level-Dependent Equalization. *Lee, P., +, TCSII Nov. 2020 2672-2676*
- A Fully-Integrated 64-Channel Wireless Neural Interfacing SoC Achieving 110 dB AFE PSRR and Supporting 54 Mb/s Symbol Rate, Meter-Range Wireless Data Transmission. *Lyu, L., +, TCSII May 2020 831-835*

- A Highly Linear 10-Bit DAC of Data Driver IC Using Source Degeneration Load for Active Matrix Flat-Panel Displays. *Na, J., +, TCSII Nov. 2020 2312-2316*
- A Highly Synthesizable 0.5-to-1.0-V Digital Low-Dropout Regulator With Adaptive Clocking and Incremental Regulation Scheme. *Oh, J., +, TCSII Oct. 2020 2174-2178*
- A Reconfigurable Random Number Generator Based on the Transient Effects of Ring Oscillators. *Acar, B., +, TCSII Sept. 2020 1609-1613*
- A Slew Rate Enhanced 2 x VDD I/O Buffer With Precharge Timing Technique. *Lee, T., +, TCSII Nov. 2020 2707-2711*
- A Wide Dynamic Range Multi-Mode Band-Pass Continuous-Time Delta-Sigma Modulator Employing Single-Opamp Resonator With Positive Resistor-Feedback. *Kim, S., +, TCSII Feb. 2020 235-239*
- An Energy-Efficient 3Gb/s PAM4 Full-Duplex Transmitter With 2-Tap Feed Forward Equalizer. *Mukherjee, S., +, TCSII May 2020 916-920*
- Analysis and Design of an All-Digital  $\Delta\Sigma$  TDC via Time-Mode Signal Processing. *Yuan, F., +, TCSII June 2020 994-998*
- Energy Efficient Temporal Spatial Information Processing Circuits Based on STDP and Spike Iteration. *Zhao, C., +, TCSII Oct. 2020 1715-1719*
- CMOS image sensors**
- A 10 Bit 5 MS/s Column SAR ADC With Digital Error Correction for CMOS Image Sensors. *Xie, S., +, TCSII June 2020 984-988*
- A CMOS-Imager-Pixel-Based Temperature Sensor for Dark Current Compensation. *Xie, S., +, TCSII Feb. 2020 255-259*
- CRAM: Collocated SRAM and DRAM With In-Memory Computing-Based Denoising and Filling for Neuromorphic Vision Sensors in 65 nm CMOS. *Zhang, X., +, TCSII May 2020 816-820*
- High-Bandwidth Spatial Equalization for mmWave Massive MU-MIMO With Processing-in-Memory. *Castaneda, O., +, TCSII May 2020 891-895*
- CMOS integrated circuits**
- $\Delta\Sigma$  Fractional-N PLL With Hybrid IIR Noise Filtering. *Tao, J., +, TCSII June 2020 1004-1008*
- 0.6–1.2 V, 0.22 pJ/bit True Random Number Generator Based on SAR ADC. *Jayaram, A., +, TCSII Oct. 2020 1765-1769*
- 83.9% Efficiency 100-mV Self-Startup Boost Converter for Thermoelectric Energy Harvester in IoT Applications. *Shang, Z., +, TCSII Sept. 2020 1654-1658*
- A  $-40^{\circ}\text{C}$  to  $120^{\circ}\text{C}$ , 169 ppm/ $^{\circ}\text{C}$  Nano-Ampere CMOS Current Reference. *Huang, Q., +, TCSII Sept. 2020 1494-1498*
- A 0.2–1.3 ns Range Delay-Control Scheme for a 25 Gb/s Data-Receiver Using a Replica Delay-Line-Based Delay-Locked-Loop in 45-nm CMOS. *Rehman, S.U., +, TCSII May 2020 806-810*
- A 0.22–0.89 mW Low-Power and Highly-Secure Always-On Face Recognition Processor With Adversarial Attack Prevention. *Kim, Y., +, TCSII May 2020 846-850*
- A 0.42–3.45 Gb/s Referenceless Clock and Data Recovery Circuit With Counter-Based Unrestricted Frequency Acquisition. *Son, K., +, TCSII June 2020 974-978*
- A 0.5 V 10-bit 3 MS/s SAR ADC With Adaptive-Reset Switching Scheme and Near-Threshold Voltage-Optimized Design Technique. *Song, J., +, TCSII July 2020 1184-1188*
- A 0.83-pJ/Bit 6.4-Gb/s HBM Base Die Receiver Using a  $45^{\circ}$  Strobe Phase for Energy-Efficient Skew Compensation. *Lee, S., +, TCSII Oct. 2020 1735-1739*
- A 1.2-V Current-Mode RMS-to-DC Converter Based on a Novel Two-Quadrant Electronically Simulated MOS Translinear Loop. *Martincorena-Arraiza, M., +, TCSII March 2020 420-424*
- A 12.5 Gb/s 1.93 pJ/Bit Optical Receiver Exploiting Silicon Photonic Delay Lines for Clock Phases Generation Replacement. *Radi, B., +, TCSII Oct. 2020 1864-1868*
- A 120-mW 0.16-ms-Latency Connectivity-Scalable Multiuser Detector for Interleave Division Multiple Access. *Kong, B.Y., +, TCSII March 2020 470-474*
- A 13.56 MHz Current-Mode Wireless Power Receiver With Energy-Investment Capability. *Kuo, C., +, TCSII Feb. 2020 205-209*
- A 170.7-dB FoM-DR 0.45/0.6-V Inverter-Based Continuous-Time Sigma-Delta Modulator. *de Aguirre, P.C.C., +, TCSII Aug. 2020 1384-1388*
- A 2 nW 0.25 V 140 dB-FOM Inverter-Based First Order  $\Delta\Sigma$  Modulator. *Catania, A., +, TCSII Sept. 2020 1514-1518*
- A 2.4-GHz Mid-Field CMOS Wireless Power Receiver Achieving 46% Maximum PCE and 163-mW Output Power. *Li, X., +, TCSII Feb. 2020 360-364*
- A 28–30 GHz CMOS Reflection-Type Phase Shifter With Full  $360^{\circ}$  Phase Shift Range. *Basalgheh, A., +, TCSII Nov. 2020 2452-2456*
- A 2nd-Order Noise-Shaping SAR ADC With Lossless Dynamic Amplifier Assisted Integrator. *Zhang, Y., +, TCSII Oct. 2020 1819-1823*
- A 3-MHz  $17.3\text{-}\mu\text{W}$  0.015% Period Jitter Relaxation Oscillator With Energy Efficient Swing Boosting. *Zhou, W., +, TCSII Oct. 2020 1745-1749*
- A 3-mW 12b 160-MS/s 2-Way Time-Interleaved Subrange SAR ADC in 65-nm CMOS. *Chung, Y., +, TCSII April 2020 645-649*
- A 32-dB SNR Readout IC With 20-Vpp Tx Using On-Chip DM-TISM in HV BCD Process for Mutual-Capacitive Fingerprint Sensor. *Choi, E., +, TCSII July 2020 1224-1228*
- A 40-nm CMOS 7-b 32-GS/s SAR ADC With Background Channel Mismatch Calibration. *Jo, D., +, TCSII April 2020 610-614*
- A 48 Gb/s PAM-4 Transmitter With 3-Tap FFE Based on Double-Shielded Coplanar Waveguide in 65-nm CMOS. *Do, H., +, TCSII Sept. 2020 1569-1573*
- A 490-pW SAR Temperature Sensor With a Leakage-Based Bandgap-V<sub>th</sub> Reference. *Park, B., +, TCSII Sept. 2020 1549-1553*
- A 7.5-mV-Input Boost Converter for Thermal Energy Harvesting With 11-mV Self-Startup. *Radin, R.L., +, TCSII Aug. 2020 1379-1383*
- A 8.2-pW 2.4-pA Current Reference Operating at 0.5 V With No Amplifiers or Resistors. *Zhuang, H., +, TCSII July 2020 1204-1208*
- A 9.6 nW, 8-Bit, 100 S/s Envelope-to-Digital Converter for Respiratory Monitoring. *Shi, E., +, TCSII March 2020 445-449*
- A 93.4% Efficiency 8-mV Offset Voltage Constant On-Time Buck Converter With an Offset Cancellation Technique. *Chang, R.C., +, TCSII Oct. 2020 2069-2073*
- A 9Gb/s Wide Output Range Transmitter With 2D Binary-Segmented Driver and Dual-Loop Calibration for Intra-Panel Interfaces. *Jeong, Y., +, TCSII Sept. 2020 1589-1593*
- A Compact Calibration Model for Linearizing CMOS Sample-and-Hold Circuits. *Li, Y., +, TCSII Nov. 2020 2327-2331*
- A Dividerless Ring Oscillator PLL With 250fs Integrated Jitter Using Sampled Lowpass Filter. *Grout, K., +, TCSII Nov. 2020 2337-2341*
- A Driving and Compensation Method for AMLED Displays Using Adaptive Reference Generator for High Luminance Uniformity. *Ahn, H., +, TCSII Oct. 2020 1725-1729*
- A Dual-Supply Two-Stage CMOS Op-amp for High-Speed Pipeline ADCs Application. *Liu, M., +, TCSII April 2020 650-654*
- A Dynamic-Biased Resistor-Based CMOS Temperature Sensor With a Duty-Cycle-Modulated Output. *Tang, Z., +, TCSII Sept. 2020 1504-1508*
- A Four-Step Incremental ADC Based on Double Extended Binary Counting With Capacitive DAC. *Oh, B., +, TCSII Oct. 2020 1685-1689*
- A Fully Integrated LDO With 50-mV Dropout for Power Efficiency Optimization. *Ma, X., +, TCSII April 2020 725-729*
- A Fully Integrated Step-Down Switched-Capacitor DC-DC Converter With Dual Output Regulation Mechanisms. *Chen, P., +, TCSII Sept. 2020 1649-1653*
- A Fully Synthesizable Ultra- N Audio Frequency Multiplier for HDMI Applications. *Chen, P., TCSII Oct. 2020 2134-2138*
- A Generic Nano-Watt Power Fully Tunable 1-D Gaussian Kernel Circuit for Artificial Neural Network. *Reda Mohamed, A., +, TCSII Sept. 2020 1529-1533*
- A Harmonic Rejection Strategy for 25% Duty-Cycle IQ-Mixers Using Digital-to-Time Converters. *Gebhard, A., +, TCSII July 2020 1229-1233*
- A High-Performance Charge Pump Topology for Very-Low-Voltage Applications. *Ballo, A., +, TCSII July 2020 1304-1308*
- A Highly Linear 8-Bit M–2M Digital-to-Analog Converter for Neurostimulators. *Shahsavari, S., +, TCSII June 2020 989-993*
- A Low Phase Noise Open Loop Fractional-N Frequency Synthesizer With Injection Locking Digital Phase Modulator. *Yan, C., +, TCSII March 2020 455-459*

- A Low Phase Noise, High Phase Accuracy Quadrature LC-VCO With Dual-Tail Current Biasing to Insert Reconfigurable Phase Delay. *Xi, N., +, TCSII March 2020 450-454*
- A Low-Power 40-Gb/s Pre-Emphasis PAM-4 Transmitter With Toggling Serializers. *Kwon, D., +, TCSII March 2020 430-434*
- A Low-Power and Small Chip-Area Multi-Rate Human Body Communication DPFSK Transceiver for Wearable Devices. *Shih, H., +, TCSII July 2020 1234-1238*
- A Mixed-Signal RF Pulse Width Modulator With High Time Resolution Utilizing Passive Delay Lines. *Papananos, Y., +, TCSII Nov. 2020 2442-2446*
- A Novel Comparison-Free 1-D Median Filter. *Lin, I., +, TCSII July 2020 1329-1333*
- A P&O MPPT With a Novel Analog Power-Detector for WSNs Applications. *Liu, L., +, TCSII Oct. 2020 1680-1684*
- A Package Aware QLMVF Receiver Front End. *Regulagadda, S.S., +, TCSII Sept. 2020 1584-1588*
- A Picosecond-Resolution Digitally-Controlled Timing Generator With One-Clock-Latency at Arbitrary Instantaneous Input. *Park, J., +, TCSII Sept. 2020 1544-1548*
- A Power-Delay and Area Efficient Voltage Level Shifter Based on a Reflect-ed-Output Wilson Current Mirror Level Shifter. *Kabirpour, S., +, TCSII Feb. 2020 250-254*
- A Programmable On-Chip Reference Oscillator With Slow-Wave Coplanar Waveguide in 14-nm FinFET CMOS. *Hwang, J., +, TCSII Oct. 2020 1834-1838*
- A Quasi-V<sup>2</sup> Hysteretic Buck Converter With Adaptive COT Control for Fast DVS and Load-Transient Response in RF Applications. *Ting, C., +, TCSII March 2020 531-535*
- A Random Interrupt Dithering SAR Technique for Secure ADC Against Reference-Charge Side-Channel Attack. *Miki, T., +, TCSII Jan. 2020 14-18*
- A Reconfigurable Passive Voltage Multiplier for Wireless Mobile IoT Applications. *Guler, U., +, TCSII April 2020 615-619*
- A Robust Bio-IA With Digitally Controlled DC-Servo Loop and Improved Pseudo-Resistor. *Liu, L., +, TCSII March 2020 440-444*
- A Robust Hardened Latch Featuring Tolerance to Double-Node-Upset in 28nm CMOS for Spaceborne Application. *Li, Y., +, TCSII Sept. 2020 1619-1623*
- A SAR-ADC-Assisted DC-DC Buck Converter With Fast Transient Recovery. *Zeng, W., +, TCSII Sept. 2020 1669-1673*
- A Small Ripple Program Voltage Generator Without High-Voltage Regulator for 3D NAND Flash. *Huang, C., +, TCSII June 2020 1049-1053*
- A Switched Capacitor Voltage Converter With Exponentially Sized Capacitor Banks for Wide Load Range. *Ali Shah, S.A., +, TCSII Oct. 2020 2049-2053*
- A Two-Stage Switched-Capacitor Integrator for High Gain Inverter-Like Architectures. *Bruschi, P., +, TCSII Feb. 2020 210-214*
- Adaptive Power Control Using Current Adjustment for Watt-Level Power Amplifiers in CMOS SOI. *Moallemi, S., +, TCSII April 2020 605-609*
- Adjustable Output CMOS Voltage Reference Design. *Olivera, F., +, TCSII Oct. 2020 1690-1694*
- An 11-bit 100-MS/s Pipelined-SAR ADC Reusing PVT-Stabilized Dynamic Comparator in 65-nm CMOS. *Zhang, J., +, TCSII July 2020 1174-1178*
- An 18-nA Ultra-Low-Current Resistor-Less Bandgap Reference for 2.8 V-4.5 V High Voltage Supply Li-Ion-Battery-Based LSIs. *Wang, S., +, TCSII Nov. 2020 2382-2386*
- An 8-Bit 2.1-mW 350-MS/s SAR ADC With 1.5 b/cycle Redundancy in 65-nm CMOS. *Li, D., +, TCSII Nov. 2020 2307-2311*
- An AC-DC Rectifier With Active and Non-Overlapping Control for Piezoelectric Vibration Energy Harvesting. *Chang, R.C., +, TCSII June 2020 969-973*
- An Adaptive Impedance Matching Transmitter for a Wireless Intraoral Tongue-Controlled Assistive Technology. *Kong, F., +, TCSII Feb. 2020 240-244*
- An Area-Efficient and Wide-Range Inter-Signal Skew Compensation Scheme With the Embedded Bypass Control Register Operating as a Binary Search Algorithm for DRAM Applications. *Yoon, Y., +, TCSII Oct. 2020 1775-1779*
- An Energy Efficient Level Shifter Capable of Logic Conversion From Sub-15 mV to 1.2 V. *Late, E., +, TCSII Nov. 2020 2687-2691*
- An Indoor Photovoltaic Energy Harvester Using Time-Based MPPT and On-Chip Photovoltaic Cell. *Chang, M., +, TCSII Nov. 2020 2432-2436*
- An RF Choke-Less Class E Power Amplifier. *Singh, G.D., +, TCSII Nov. 2020 2422-2426*
- An Ultra Low Power Integrated Radio TX Link Supplied From a Switched Capacitor DC-DC Converter in 65-nm CMOS Achieving 2 Mbps. *Rady, R., +, TCSII Oct. 2020 1899-1903*
- Analysis of the Effect of Switch Parasitic Resistance and Capacitance on N-Path Filters Using State Space Representation. *Zolkov, E., +, TCSII Oct. 2020 1889-1893*
- ASIC Design and Power Characterization of Standard and Low Power Multi-Radix Trivium. *Mora-Gutierrez, J.M., +, TCSII Nov. 2020 2682-2686*
- CMOS Millimeter-Wave Ultra-Wideband Bandpass Filter With Three Reflection-Zeros Using Compact Single TFMS Coupled-Line Hairpin Unit. *Vanukuru, V.N.R., +, TCSII Jan. 2020 77-81*
- Design and Realization of High-Speed Low-Noise Multi-Loop Skew-Based ROs Optimized for Even/Odd Multi-Phase Signals. *Mishra, N., +, TCSII Nov. 2020 2352-2356*
- Design and Simulation of a 12 Gb/s Transceiver With 8-Tap FFE, Offset-Compensated Samplers and Fully Adaptive 1-Tap Speculative/3-Tap DFE and Sampling Phase for MIPI A-PHY Applications. *Menin, D., +, TCSII Aug. 2020 1369-1373*
- Efficient Supply Modulator for Wide-Band Envelope Elimination and Restoration Power Amplifiers. *Mamdouh, A., +, TCSII Jan. 2020 9-13*
- Embeddable Circuit for Orientation Independent Processing in Ultra Low-Power Tri-Axial Inertial Sensors. *De Vita, A., +, TCSII June 2020 1124-1128*
- Energy Efficient Temporal Spatial Information Processing Circuits Based on STDP and Spike Iteration. *Zhao, C., +, TCSII Oct. 2020 1715-1719*
- Enhanced Belief Propagation Decoder for 5G Polar Codes With Bit-Flipping. *Shen, Y., +, TCSII May 2020 901-905*
- Exploring the Advantages of Single-Ended-Input CMOS Self-Biased Amplifiers. *Cabrera, F.L., TCSII March 2020 410-414*
- Hand Gesture Recognition Using Three-Dimensional Electrical Impedance Tomography. *Jiang, D., +, TCSII Sept. 2020 1554-1558*
- High-Throughput Low-Latency Encoder and Decoder for a Class of Generalized Reed-Solomon Codes for Short-Reach Optical Communications. *Zheng, B., +, TCSII April 2020 670-674*
- Inductorless DC/DC Converter for Aerospace Applications With Insulation Features. *Ciarpi, G., +, TCSII Sept. 2020 1659-1663*
- Low-Power Small-Area Inverter-Based DSM for MEMS Microphone. *Cho, S., +, TCSII Nov. 2020 2392-2396*
- Novel Hybrid CMOS/Memristor Implementation of the AES Algorithm Robust Against Differential Power Analysis Attack. *Masoumi, M., TCSII July 2020 1314-1318*
- Offset-Calibration With Time-Domain Comparators Using Inversion-Mode Varactors. *Fiorelli, R., +, TCSII Jan. 2020 47-51*
- Time-Domain Operational Amplifier With Voltage-Controlled Oscillator and Its Application to Active-RC Analog Filter. *Kim, K., +, TCSII March 2020 415-419*
- CMOS logic circuits**
- A 15-Gb/s 0.0037-mm<sup>2</sup> 0.019-pJ/Bit Full-Rate Programmable Multi-Pattern Pseudo-Random Binary Sequence Generator. *Hu, J., +, TCSII Sept. 2020 1499-1503*
- A 7.1-GHz 0.7-mW Programmable Counter With Fast EOC Generation in 65-nm CMOS. *Som, I., +, TCSII Nov. 2020 2397-2401*
- A 90-nm 640 MHz 2 × VDD Output Buffer With 41.5% Slew Rate Improvement Using PVT Compensation. *Wang, J., +, TCSII Sept. 2020 1524-1528*
- A Low-Voltage High-Precision Time-Domain Winner-Take-All Circuit. *Rahiminejad, E., +, TCSII Jan. 2020 4-8*
- A Novel 0.5 V MCML D-Flip-Flop Topology Exploiting Forward Body Bias Threshold Lowering. *Scotti, G., +, TCSII March 2020 560-564*
- Closed-Form Analysis of Metastability Voltage in 28-nm UTBB FD-SOI CMOS Technology. *Olivera, F., +, TCSII April 2020 625-629*

- Design of a Scalable Low-Power 1-Bit Hybrid Full Adder for Fast Computation. *Hasan, M., +, TCSII Aug. 2020 1464-1468*
- Effective Low Leakage 6T and 8T FinFET SRAMs: Using Cells With Reverse-Biased FinFETs, Near-Threshold Operation, and Power Gating. *Turi, M.A., +, TCSII April 2020 765-769*
- Energy and Error Analysis Framework for Approximate Computing in Mobile Applications. *Jha, C.K., +, TCSII Feb. 2020 385-389*
- Error-Aware Design Procedure to Implement Hardware-Efficient Logarithmic Circuits. *Loukrakpam, M., +, TCSII May 2020 851-855*
- Hyperbolic CORDIC-Based Architecture for Computing Logarithm and Its Implementation. *Chen, H., +, TCSII Nov. 2020 2652-2656*
- Low-Area and Low-Power Latch-Based Thermometer-Code Shift-Register. *Woo, K., +, TCSII Oct. 2020 2119-2123*
- CMOS memory circuits**
- A 0.45 pJ/b, 6.4 Gb/s Forwarded-Clock Receiver With DLL-Based Self-Tracking Loop for Unmatched Memory Interfaces. *Shin, S., +, TCSII Oct. 2020 1814-1818*
- A 10.4-Gb/s 1-Tap Decision Feedback Equalizer With Different Pull-Up and Pull-Down Tap Weights for Asymmetric Memory Interfaces. *Chae, J., +, TCSII Feb. 2020 220-224*
- A DLL-Based Quadrature Clock Generator With a 3-Stage Quad Delay Unit Using the Sub-Range Phase Interpolator for Low-Jitter and High-Phase Accuracy DRAM Applications. *Yoon, Y., +, TCSII Nov. 2020 2342-2346*
- A Wide-Range-Supply-Voltage Sense Amplifier Circuit for Embedded Flash Memory. *Zhu, W., +, TCSII Aug. 2020 1454-1458*
- CRAM: Collocated SRAM and DRAM With In-Memory Computing-Based Denoising and Filling for Neuromorphic Vision Sensors in 65 nm CMOS. *Zhang, X., +, TCSII May 2020 816-820*
- Design and Fabrication of Flow-Based Edge Detection Memristor Crossbar Circuits<sup>1</sup>. *Pannu, J.S., +, TCSII May 2020 961-965*
- Effective Low Leakage 6T and 8T FinFET SRAMs: Using Cells With Reverse-Biased FinFETs, Near-Threshold Operation, and Power Gating. *Turi, M.A., +, TCSII April 2020 765-769*
- Energy-Efficient Data-Aware SRAM Design Utilizing Column-Based Data Encoding. *Do, A.T., +, TCSII Oct. 2020 2154-2158*
- Fast Digital Clock Calibration of a Differential 6.4 Gb/s/pin Bidirectional Asymmetric Memory Interface. *Angeli, N., +, TCSII Nov. 2020 2387-2391*
- CMOS technology**
- An 18-Gb/s NRZ Transceiver With a Channel-Included 2-UI Impulse-Response Filtering FFE and 1-Tap DFE Compensating up to 32-dB Loss. *Ahn, C., +, TCSII Dec. 2020 2863-2867*
- Coaxial cables**
- Braid Shielding Effectiveness Kron's Model via Coupled Cables Configuration. *Cholachue, C., +, TCSII Aug. 2020 1389-1393*
- Cochannel interference**
- Multiuser PSK-Chirp-BOK Communication System Under Co-Channel Interference. *Roy, A., +, TCSII March 2020 465-469*
- Code division multiple access**
- A Wireless Multi-Channel Capacitive Sensor System for Efficient Glove-Based Gesture Recognition With AI at the Edge. *Pan, J., +, TCSII Sept. 2020 1624-1628*
- Codecs**
- A Novel Iterative Reliability-Based Majority-Logic Decoder for NB-LDPC Codes. *Song, S., +, TCSII Aug. 2020 1399-1403*
- A Real-Time Flexible Telecommunication Decoding Architecture Using FPGA Partial Reconfiguration. *Ma, L., +, TCSII Oct. 2020 2149-2153*
- An Ultimate-Shannon-Limit-Approaching Gbps Throughput Encoder/Decoder System. *Jiang, S., +, TCSII Oct. 2020 2169-2173*
- Efficient Implementation of a Threshold Modified Min-Sum Algorithm for LDPC Decoders. *Liu, Y., +, TCSII Sept. 2020 1599-1603*
- Coils**
- A High Efficiency LCC-S Compensated WPT System With Dual Decoupled Receive Coils and Cascaded PWM Regulator. *Wang, X., +, TCSII Dec. 2020 3142-3146*
- Low Noise ZVS Switch Sharing Multichannel Switching Amplifier for Magnetic Bearing Applications. *Hsieh, H., +, TCSII Oct. 2020 1999-2003*
- Wireless Power Transfer System With High Misalignment Tolerance for Bio-Medical Implants. *Wang, Q., +, TCSII Dec. 2020 3023-3027*
- Collision avoidance**
- Collision-Free Formation Control for Multi-Agent Systems With Dynamic Mapping. *Liu, Y., +, TCSII Oct. 2020 1984-1988*
- Communication networks**
- Analysis of Malware-Induced Cyber Attacks in Cyber-Physical Power Systems. *Xu, S., +, TCSII Dec. 2020 3482-3486*
- Communication systems**
- Radar and Communication Co-Existence Design Based on Mutual Information Optimization. *Qian, J., +, TCSII Dec. 2020 3577-3581*
- Comparators (circuits)**
- A 0.6-V 9-bit 1-MS/s Charging Sharing SAR ADC With Judging-Window Switching Logic and Independent Reset Comparator for Power-Effective Applications. *Wang, J., +, TCSII Oct. 2020 1750-1754*
- A 3-MHz 17.3- $\mu$ W 0.015% Period Jitter Relaxation Oscillator With Energy Efficient Swing Boosting. *Zhou, W., +, TCSII Oct. 2020 1745-1749*
- A Random Interrupt Dithering SAR Technique for Secure ADC Against Reference-Charge Side-Channel Attack. *Miki, T., +, TCSII Jan. 2020 14-18*
- A Reconfigurable 64-Dimension K-Means Clustering Accelerator With Adaptive Overflow Control. *Du, L., +, TCSII April 2020 760-764*
- An 11-bit 100-MS/s Pipelined-SAR ADC Reusing PVT-Stabilized Dynamic Comparator in 65-nm CMOS. *Zhang, J., +, TCSII July 2020 1174-1178*
- Calibrating Amplifiers Nonlinearity Using Comparator-Based ADCs. *Rabuske, F., +, TCSII March 2020 435-439*
- Closed-Form Analysis of Metastability Voltage in 28-nm UTBB FD-SOI CMOS Technology. *Olivera, F., +, TCSII April 2020 625-629*
- Compensation**
- A 0.25-V Rail-to-Rail Three-Stage OTA With an Enhanced DC Gain. *Woo, K., +, TCSII July 2020 1179-1183*
- A 0.83-pJ/Bit 6.4-Gb/s HBM Base Die Receiver Using a 45° Strobe Phase for Energy-Efficient Skew Compensation. *Lee, S., +, TCSII Oct. 2020 1735-1739*
- A 90-nm 640 MHz 2  $\times$  VDD Output Buffer With 41.5% Slew Rate Improvement Using PVT Compensation. *Wang, J., +, TCSII Sept. 2020 1524-1528*
- Adjustable Output CMOS Voltage Reference Design. *Olivera, F., +, TCSII Oct. 2020 1690-1694*
- An Area-Efficient and Wide-Range Inter-Signal Skew Compensation Scheme With the Embedded Bypass Control Register Operating as a Binary Search Algorithm for DRAM Applications. *Yoon, Y., +, TCSII Oct. 2020 1775-1779*
- Fast DC-Bias Current Control of Dual Active Bridge Converters With Feed-forward Compensation. *Ji, Z., +, TCSII Nov. 2020 2587-2591*
- On Actively Compensated Amplifiers Using Negative Impedance Converters. *Ananda Mohan, P.V., TCSII April 2020 640-644*
- Complex networks**
- Complex Network Analysis of Wire-Mesh Sensor Measurements for Characterizing Vertical Gas–Liquid Two-Phase Flows. *Gao, Z., +, TCSII June 2020 1134-1138*
- Controllability of Switching Signed Networks. *Guan, Y., +, TCSII June 2020 1059-1063*
- Fixed-Time Synchronization of Complex Networks With a Simpler Non-chattering Controller. *Xu, Y., +, TCSII April 2020 700-704*
- Modeling and Understanding Ethereum Transaction Records via a Complex Network Approach. *Lin, D., +, TCSII Nov. 2020 2737-2741*
- New Link Attack Strategies of Complex Networks Based on  $k$ -Core Decomposition. *Sun, S., +, TCSII Dec. 2020 3157-3161*
- Robustness of Coherence in Noisy Scale-Free Networks and Applications to Identification of Influential Spreaders. *Sun, W., +, TCSII July 2020 1274-1278*
- Robustness of Link Prediction Under Network Attacks. *Pu, C., +, TCSII Aug. 2020 1472-1476*
- Strategy Competition Dynamics of Multi-Agent Systems in the Framework of Evolutionary Game Theory. *Zhang, J., +, TCSII Jan. 2020 152-156*
- Suppressing Epidemic Spreading by Imitating Hub Nodes' Strategy. *Zhang, H., +, TCSII Oct. 2020 1979-1983*
- Synchronization of Chaotic-Oscillation Permanent Magnet Synchronous Generators Networks via Adaptive Impulsive Control. *Zhu, D., +, TCSII Oct. 2020 2194-2198*

+ Check author entry for coauthors

- Synergistic Effects in Networked Epidemic Spreading Dynamics. *Ogura, M., +, TCSII March 2020 496-500*
- The Feedback Vertex Set Problem of Multiplex Networks. *Zhao, D., +, TCSII Dec. 2020 3492-3496*
- Topology Identification of Multiplex Delayed Networks. *Zhao, X., +, TCSII Feb. 2020 290-294*
- Complexity theory**
- A Novel Approximation Methodology and Its Efficient VLSI Implementation for the Sigmoid Function. *Qin, Z., +, TCSII Dec. 2020 3422-3426*
  - A Triangular Common Subexpression Elimination Algorithm With Reduced Logic Operators in FIR Filter. *Roy, S., +, TCSII Dec. 2020 3527-3531*
  - Efficient Precision-Adjustable Architecture for Softmax Function in Deep Learning. *Zhu, D., +, TCSII Dec. 2020 3382-3386*
  - Linear Quadratic Regulator of Discrete-Time Switched Linear Systems. *Wu, G., +, TCSII Dec. 2020 3113-3117*
  - Low Complexity VLSI Architecture Design Methodology for Wigner Ville Distribution. *Mopuri, S., +, TCSII Dec. 2020 3532-3536*
  - Low-Latency Lattice Reduction Based on Dual-Basis Updates for High-Dimensional MIMO Streams. *Lee, H., +, TCSII Dec. 2020 2993-2997*
  - Multivaluedness in Networks: Theory. *van Wyk, M.A., TCSII Dec. 2020 3462-3466*
  - Normalization and Multi-Valued Symbol Extraction From RO-PUFs for Enhanced Uniform Probability Distributions. *Mandry, H., +, TCSII Dec. 2020 3372-3376*
  - Novel Bit-Reordering Circuit for Continuous-Flow Parallel FFT Architectures. *Gyanendra, ., +, TCSII Dec. 2020 3392-3396*
  - Null Space Projection Enhanced LMS Filters. *Lunglmayr, M., +, TCSII Dec. 2020 3507-3511*
- Compressed sensing**
- A Multiple-Measurement Vectors Reconstruction Method for Low SNR Scenarios. *Wang, L., +, TCSII April 2020 785-789*
  - A New Parametric Adaptive Source Domain Method for Sound Field Synthesis. *Chu, Y.J., +, TCSII Nov. 2020 2787-2791*
  - Design and Analysis of Compressive Sensing-Based Lightweight Encryption Scheme for Multimedia IoT. *Unde, A.S., +, TCSII Jan. 2020 167-171*
  - Sparse Estimator With  $\ell_{>0}$ -Norm Constraint Kernel Maximum-Correntropy-Criterion. *Wu, F., +, TCSII Feb. 2020 400-404*
- Compression algorithms**
- VLSI Implementation of Lossless ECG Compression Algorithm for Low Power Devices. *Tsai, T., +, TCSII Dec. 2020 3317-3321*
- Computability**
- A Circuit-Level Amoeba-Inspired SAT Solver. *Takeuchi, N., +, TCSII Oct. 2020 2139-2143*
- Computational complexity**
- A Multiple-Measurement Vectors Reconstruction Method for Low SNR Scenarios. *Wang, L., +, TCSII April 2020 785-789*
  - A Novel AC Current Sensorless Hysteresis Control for Grid-Tie Inverters. *Viswadev, R., +, TCSII Nov. 2020 2577-2581*
  - A Novel Iterative Reliability-Based Majority-Logic Decoder for NB-LDPC Codes. *Song, S., +, TCSII Aug. 2020 1399-1403*
  - A Novel Tuning Method for Impedance Matching Network Based on Linear Fractional Transformation. *Xiong, B., +, TCSII June 2020 1039-1043*
  - A Reinforcement Learning-Based Markov-Decision Process (MDP) Implementation for SRAM FPGAs. *Ruan, A., +, TCSII Oct. 2020 2124-2128*
  - A Robust Total Least Mean M-Estimate Adaptive Algorithm for Impulsive Noise Suppression. *Li, L., +, TCSII April 2020 800-804*
  - A Separable Maximum Correntropy Adaptive Algorithm. *Shi, W., +, TCSII Nov. 2020 2797-2801*
  - Adaptive Modified Versorria Zero Attraction Least Mean Square Algorithms. *Bhattacharjee, S.S., +, TCSII Dec. 2020 3602-3606*
  - Complex-Valued Adaptive Filtering Based on the Random Fourier Features Method. *Xiong, K., +, TCSII Oct. 2020 2284-2288*
  - Compressed Principal Component Regression (C-PCR) Algorithm and FPGA Validation. *Zamani, H., +, TCSII Dec. 2020 3512-3516*
  - Dismantling and Vertex Cover of Network Through Message Passing. *Zhao, D., +, TCSII Nov. 2020 2732-2736*
  - Generalization of the Normal Tree Method for Networks Without Graphic Structures. *Recski, A., TCSII Oct. 2020 1800-1803*
- Generalized Correntropy Induced Metric Memory-Improved Proportionate Affine Projection Sign Algorithm and Its Combination. *Li, G., +, TCSII Oct. 2020 2239-2243*
- Histogram of Oriented Gradients Feature Extraction From Raw Bayer Pattern Images. *Zhou, W., +, TCSII May 2020 946-950*
- Intermediate-Variable-Based Estimation for FDI Attacks in Cyber-Physical Systems. *Zhou, J., +, TCSII Nov. 2020 2762-2766*
- New Link Attack Strategies of Complex Networks Based on  $k$ -Core Decomposition. *Sun, S., +, TCSII Dec. 2020 3157-3161*
- Nonlinear System Identification Using Exact and Approximate Improved Adaptive Exponential Functional Link Networks. *Bhattacharjee, S.S., +, TCSII Dec. 2020 3542-3546*
- Power-Balanced Non-Orthogonal Multiple Access Based on Virtual Channel Optimization. *Xia, W., +, TCSII April 2020 795-799*
- RLWE-Oriented High-Speed Polynomial Multiplier Utilizing Multi-Lane Stockham NTT Algorithm. *Feng, X., +, TCSII March 2020 556-559*
- Robust Multikernel Maximum Correntropy Filters. *Xiong, K., +, TCSII June 2020 1159-1163*
- Security of Public-Key Cryptosystems Based on Chebyshev Polynomials Over  $\mathbb{Z}/p^k\mathbb{Z}$ . *Yoshioka, D., TCSII Oct. 2020 2204-2208*
- Sparse Estimator With  $\ell_{>0}$ -Norm Constraint Kernel Maximum-Correntropy-Criterion. *Wu, F., +, TCSII Feb. 2020 400-404*
- Timing and Frequency Synchronization and Doubly Selective Channel Estimation for OFDMA Uplink. *Abdzadeh-Ziabari, H., +, TCSII Jan. 2020 62-66*
- Variable Step-Size Affine Projection Maximum Correntropy Criterion Adaptive Filter With Correntropy Induced Metric for Sparse System Identification. *Zhao, H., +, TCSII Nov. 2020 2782-2786*
- Computational geometry**
- A 1.15 TOPS/W Energy-Efficient Capsule Network Accelerator for Real-Time 3D Point Cloud Segmentation in Mobile Environment. *Park, G., +, TCSII Sept. 2020 1594-1598*
- Computational modeling**
- An Efficient Spiking Neuron Hardware System Based on the Hardware-Oriented Modified Izhikevich Neuron (HOMIN) Model. *Leigh, A.J., +, TCSII Dec. 2020 3377-3381*
  - Circuit Reliability Comparison Between Stochastic Computing and Binary Computing. *Zhang, Z., +, TCSII Dec. 2020 3342-3346*
  - Low-Complexity Reconfigurable DCT-V Architecture. *Kello, J., +, TCSII Dec. 2020 3417-3421*
  - Power-Optimal Mapping of CNN Applications to Cloud-Based Multi-FPGA Platforms. *Shan, J., +, TCSII Dec. 2020 3073-3077*
- Computer architecture**
- A New Logic Topology-Based Scan Chain Stitching for Test-Power Reduction. *Lee, S., +, TCSII Dec. 2020 3432-3436*
  - A Novel Architecture for Early Detection of Negative Output Features in Deep Neural Network Accelerators. *Asadikouhanjani, M., +, TCSII Dec. 2020 3332-3336*
  - Efficient Precision-Adjustable Architecture for Softmax Function in Deep Learning. *Zhu, D., +, TCSII Dec. 2020 3382-3386*
  - Low Complexity VLSI Architecture Design Methodology for Wigner Ville Distribution. *Mopuri, S., +, TCSII Dec. 2020 3532-3536*
  - Low-Complexity Reconfigurable DCT-V Architecture. *Kello, J., +, TCSII Dec. 2020 3417-3421*
  - Low-Latency and Low-Power Test-Vector Selector for Reed-Solomon's Low-Complexity Chase. *Garcia-Herrero, F., +, TCSII Dec. 2020 3362-3366*
  - Parallel Hybrid Stochastic-Binary-Based Neural Network Accelerators. *Zhang, Y., +, TCSII Dec. 2020 3387-3391*
  - VLSI Implementation of Lossless ECG Compression Algorithm for Low Power Devices. *Tsai, T., +, TCSII Dec. 2020 3317-3321*
- Computer bugs**
- Incremental SAT-Based Correction of Gate Level Circuits by Reusing Partially Corrected Circuits. *Alizadeh, B., +, TCSII Dec. 2020 3063-3067*
- Computer network performance evaluation**
- Traffic Dynamics Evaluation for the Future NFV Deployment. *Jiang, Z., +, TCSII Oct. 2020 2214-2218*

**Computer network security**

- A 60 Gb/s-Level Coarse-Grained Reconfigurable Cryptographic Processor With Less Than 1-W Power. *Deng, C., +, TCSII Feb. 2020* 375-379
- Reconfigurable FPGA-Based K-Means/K-Modes Architecture for Network Intrusion Detection. *Andrade Maciel, L., +, TCSII Aug. 2020* 1459-1463
- Robustness of Link Prediction Under Network Attacks. *Pu, C., +, TCSII Aug. 2020* 1472-1476
- Security Analysis of a Distributed Networked System Under Eavesdropping Attacks. *Yang, W., +, TCSII July 2020* 1254-1258

**Computer simulation**

- A Novel Approach to Overcome the Limitations of Reliability Centered Maintenance Implementation on the Smart Grid Distance Protection System. *Rafiei, M., +, TCSII Feb. 2020* 320-324

**Condition monitoring**

- Self-Optimizing Wireless Networks on Structures. *Shaik, S.M., +, TCSII May 2020* 911-915

**Conjugate gradient methods**

- Negative Reactance Impacts Power Flow Convergence Using Conjugate Gradient Method. *Ding, T., +, TCSII Nov. 2020* 2527-2531

**Consensus algorithm**

- Stabilization of DC Nanogrids Based on Non-Integer General Type-II Fuzzy System. *Mosayebi, M., +, TCSII Dec. 2020* 3108-3112

**Content-addressable storage**

- Analog Memristive CAMs for Area- and Energy-Efficient Reconfigurable Computing. *de Lima, J.P.C., +, TCSII May 2020* 856-860

- High-Throughput Parallel SRAM-Based Hash Join Architecture on FPGA. *Wu, W., +, TCSII Nov. 2020* 2502-2506

**Continuous systems**

- Chaos Suppression in Forced Chaotic Systems by Innovative Sliding Mode Control. *Piccinni, G., +, TCSII Aug. 2020* 1424-1428

- Continuous Finite-Time Integral Sliding Mode Control for Attitude Stabilization. *Wang, L., +, TCSII Oct. 2020* 2084-2088

- Novel Nonsingular Terminal Sliding Mode Control for Multi-Agent Tracking Systems With Application to Jerk Circuit. *Dong, L., +, TCSII Aug. 2020* 1429-1433

**Continuous time filters**

- A 170.7-dB FoM-DR 0.45/0.6-V Inverter-Based Continuous-Time Sigma-Delta Modulator. *de Aguirre, P.C.C., +, TCSII Aug. 2020* 1384-1388

**Continuous time systems**

- Consensus of Hybrid Multi-Agent Systems With Malicious Nodes. *Shang, Y., TCSII April 2020* 685-689

- Designing Observer-Type Controller for Containment of Discrete-Time Linear MASs Over Signed Graph. *Fang, X., +, TCSII March 2020* 511-515

- Distributed Optimal Consensus Control Algorithm for Continuous-Time Multi-Agent Systems. *Wang, Q., +, TCSII Jan. 2020* 102-106

- Observer Design for Discrete-Time Nonlinear Systems Using the Stability Radii Theory. *Aviles, J.D., +, TCSII Oct. 2020* 1959-1963

**Control nonlinearities**

- $L_p$ -Stability of a Class of Volterra Systems. *van Wyk, M.A., +, TCSII Aug. 2020* 1469-1471

- A Class of Proportional-Integral With Anti-Windup Controllers for DC–DC Buck Power Converters With Saturating Input. *Moreno-Valenzuela, J., TCSII Jan. 2020* 157-161

- An Improved Local Stability Criterion for Digital Filters With Interference and Overflow Nonlinearity. *Kokil, P., +, TCSII March 2020* 595-599

- Finite-Time Fault-Tolerant Control for Nonlinear Systems With Input Quantization and Its Application. *Liu, W., +, TCSII July 2020* 1249-1253

- Global Asymptotic Stability of 2-D Digital Filters With a Saturation Operator on the State-Space. *Kandanvli, V.K.R., +, TCSII Nov. 2020* 2742-2746

**Control system synthesis**

- A Class of Proportional-Integral With Anti-Windup Controllers for DC–DC Buck Power Converters With Saturating Input. *Moreno-Valenzuela, J., TCSII Jan. 2020* 157-161

- A Further Study on Output Feedback  $\mathcal{H}_{\infty}$  Control for Discrete-Time Systems. *Chang, X., +, TCSII Feb. 2020* 305-309

- A Modified Fixed Current-Mode Controller for Improved Performance in Quadratic Boost Converters. *Chan, C., +, TCSII Oct. 2020* 2014-2018

- A Novel Double-Quadrant SoC Consistent Adaptive Droop Control in DC Microgrids. *Xu, D., +, TCSII Oct. 2020* 2034-2038

- A Robust [K,KL] Sector for Nonlinear System. *Sachan, A., +, TCSII Nov. 2020* 2547-2551

- A Robust Decentralized PID Controller Based on Complementary Sensitivity Function for a Multivariable System. *Mahapatro, S.R., +, TCSII Oct. 2020* 2024-2028

- Adaptive Control for Nonlinear Systems With Uncertain Output Function and Unknown Homogenous Growth Rate. *Zhai, J., TCSII Oct. 2020* 1974-1978

- An Adaptive Partial Feedback Linearizing Control Scheme: An Application to a Single Machine Infinite Bus System. *Roy, T.K., +, TCSII Nov. 2020* 2557-2561

- Asynchronous Observer-Based Control for Exponential Stabilization of Markov Jump Systems. *Zhang, M., +, TCSII Oct. 2020* 2039-2043

- Auto-Tuning Proportional-Type Synchronization Algorithm for DC Motor Speed Control Applications. *Lee, C.R., +, TCSII March 2020* 521-525

- Bipartite Consensus for Descriptor Multiagent Systems With Antagonistic Interactions. *Zhang, L., +, TCSII Nov. 2020* 2602-2606

- Boundary Constrained Control of Flexible String Systems Subject to Disturbances. *Liu, Z., +, TCSII Jan. 2020* 112-116

- Consensus of One-Sided Lipschitz Multi-Agents Under Input Saturation. *Rehan, M., +, TCSII April 2020* 745-749

- Continuous Finite-Time Integral Sliding Mode Control for Attitude Stabilization. *Wang, L., +, TCSII Oct. 2020* 2084-2088

- Continuous Nonsingular Terminal Sliding Mode Control of DC–DC Boost Converters Subject to Time-Varying Disturbances. *Wang, Z., +, TCSII Nov. 2020* 2552-2556

- Controller Designed via an Adaptive Reaching Law for DSMC Systems. *Lin, S., +, TCSII Feb. 2020* 330-334

- Cooperative Output Regulation of Heterogeneous Multi-Agent Systems With Adaptive Edge-Event-Triggered Strategies. *Cheng, B., +, TCSII Oct. 2020* 2199-2203

- Design of Observers for Positive Systems With Delayed Input and Output Information. *Huynh, V.T., +, TCSII Jan. 2020* 107-111

- Dynamic Event-Triggered Sliding Mode Control: Dealing With Slow Sampling Singularly Perturbed Systems. *Song, J., +, TCSII June 2020* 1079-1083

- Event-Based Robust Synchronization of Boolean Control Networks. *Ouyang, C., +, TCSII Oct. 2020* 1969-1973

- Event-Triggered Control of a Class of Nonlinear Systems on the Basis of Indefinite Lyapunov Theory. *Ghazisaeedi, H.R., +, TCSII Oct. 2020* 2104-2108

- Feedback Dissipativity and Stabilization for Switched Positive Systems With a Combined Switching Law. *Wang, P., +, TCSII Nov. 2020* 2572-2576

- Finite-Time Fault-Tolerant Control for Nonlinear Systems With Input Quantization and Its Application. *Liu, W., +, TCSII July 2020* 1249-1253

- Finite-Time Time-Variant Feedback Stabilization of Logical Control Networks With Markov Jump Disturbances. *Ding, X., +, TCSII Oct. 2020* 2079-2083

- Further Result on Interval Observer Design for Discrete-Time Switched Systems and Application to Circuit Systems. *Huang, J., +, TCSII Nov. 2020* 2542-2546

- Global Fixed-Time Output Feedback Stabilization for a Class of Double Integrator Systems. *Su, Y., +, TCSII Oct. 2020* 1954-1958

- Global Nested PID Control of Strict-Feedback Nonlinear Systems With Prescribed Output and Virtual Tracking Performance. *Gao, S., +, TCSII Feb. 2020* 325-329

- Global Stabilization of Uncertain SISO Dynamical Systems Using a Multiple Delayed Partial State Feedback Sliding Mode Control. *Soni, S., +, TCSII July 2020* 1259-1263

- Hierarchical Average-Tracking Algorithm for Multiagent Systems With Unmatched Constant References Signals. *Liu, C., +, TCSII Nov. 2020* 2642-2646

- High Gain Active Neutral Point Clamped Seven-Level Self-Voltage Balancing Inverter. *Sathik, M.J., +, TCSII Nov. 2020* 2567-2571

- High Gain Observer-Based Saturated Controller for Feedback Linearizable System. *Rayguru, M.M., +, TCSII Jan. 2020 122-126*
- Higher Order Sliding Mode Control-Based Finite-Time Constrained Stabilization. *Goyal, J.K., +, TCSII Feb. 2020 295-299*
- Islanded Microgrid Frequency Regulations Concerning the Integration of Tidal Power Units: Real-Time Implementation. *Khooban, M.H., +, TCSII June 2020 1099-1103*
- Lyapunov Functions for the Set Stability and the Synchronization of Boolean Control Networks. *Chen, B., +, TCSII Nov. 2020 2537-2541*
- Moving Target Circular Formation Control of Multiple Non-Holonomic Vehicles Without Global Position Measurements. *Peng, X., +, TCSII Feb. 2020 310-314*
- Non-Fragile Fault Alarm-Based Hybrid Control for the Attitude Quadrotor Model With Actuator Saturation. *Harshavarthini, S., +, TCSII Nov. 2020 2647-2651*
- Novel Nonsingular Terminal Sliding Mode Control for Multi-Agent Tracking Systems With Application to Jerk Circuit. *Dong, L., +, TCSII Aug. 2020 1429-1433*
- Observer Design for Discrete-Time Nonlinear Systems Using the Stability Radii Theory. *Aviles, J.D., +, TCSII Oct. 2020 1959-1963*
- Observer-Based Adaptive Sampled-Data Event-Triggered Distributed Control for Multi-Agent Systems. *Zhao, L., +, TCSII Jan. 2020 97-101*
- Periodic Event-Triggered Dynamic Output Feedback Dissipative Control With Stochastic Detection. *Ma, G., +, TCSII June 2020 1069-1073*
- Quantized Fuzzy Finite-Time Control for Nonlinear Semi-Markov Switching Systems. *Qi, W., +, TCSII Nov. 2020 2622-2626*
- Reinforcement Learning-Based Control of Nonlinear Systems Using Lyapunov Stability Concept and Fuzzy Reward Scheme. *Chen, M., +, TCSII Oct. 2020 2059-2063*
- Robust Design Strategy of Quantized Feedback Control. *Chang, X., +, TCSII April 2020 730-734*
- Robust Distributed Stabilization of Heterogeneous Agents Over Cooperation–Competition Networks. *Hu, H., +, TCSII Aug. 2020 1419-1423*
- Robust Hybrid Control Design for Stochastic Markovian Jump System via Fault Alarm Approach. *Sakthivel, R., +, TCSII Oct. 2020 2004-2008*
- Robust Output Regulation in Discrete-Time Singular Systems With Actuator Saturation and Uncertainties. *Jafari, E., +, TCSII Feb. 2020 340-344*
- Stability Analysis of Aperiodic Sampled-Data Systems: A Switched Polytopic System Method. *Sun, J., +, TCSII June 2020 1054-1058*
- Stochastic Distributed Pinning Control for Co-Multi-Inverter Networks With a Virtual Leader. *Lai, J., +, TCSII Oct. 2020 2094-2098*
- Terminal-Time Synchronization of Multiple Vehicles Under Discrete-Time Communication Networks With Directed Switching Topologies. *Zhou, J., +, TCSII Nov. 2020 2532-2536*
- Velocity Observer-Based Nonlinear Self-Tuning Position Stabilizer for Ball-Beam System Applications. *Lee, C.R., +, TCSII July 2020 1309-1313*
- Vibration Control of a Riser-Vessel System Subject to Input Backlash and Extraneous Disturbances. *Zhao, Z., +, TCSII March 2020 516-520*
- Vortex Search Algorithm for Optimal Power Flow Analysis in DC Resistive Networks With CPLs. *Montoya, O.D., +, TCSII Aug. 2020 1439-1443*
- Control systems**
- Formation Control of Nonholonomic Mobile Robots Using Distributed Estimators. *Lu, P., +, TCSII Dec. 2020 3162-3166*
- Controllability**
- A New Logic Topology-Based Scan Chain Stitching for Test-Power Reduction. *Lee, S., +, TCSII Dec. 2020 3432-3436*
- Controllability of Switching Signed Networks. *Guan, Y., +, TCSII June 2020 1059-1063*
- Set Stabilization of Boolean Control Networks With Impulsive Effects: An Event-Triggered Approach. *Lin, L., +, TCSII July 2020 1244-1248*
- Some Necessary and Sufficient Conditions on the Controllability of Star Networks. *Hao, Y., +, TCSII Nov. 2020 2582-2586*
- Convergence**
- A Multi-Modulus Fractional Divider With TDC Free Calibration Scheme for Mitigation of TX-VCO Pulling. *Liu, L., +, TCSII Dec. 2020 2848-2852*
- A Separable Maximum Correntropy Adaptive Algorithm. *Shi, W., +, TCSII Nov. 2020 2797-2801*
- A Variable Step-Size Robust Saturation Algorithm Against Impulsive Noises. *Hur, J., +, TCSII Oct. 2020 2279-2283*
- Adaptive Algorithm for Sparse System Identification Based on Hard-Thresholding Techniques. *Lee, H., +, TCSII Dec. 2020 3597-3601*
- Adaptive Modified Versoria Zero Attraction Least Mean Square Algorithms. *Bhattacharjee, S.S., +, TCSII Dec. 2020 3602-3606*
- Continuous Finite-Time Integral Sliding Mode Control for Attitude Stabilization. *Wang, L., +, TCSII Oct. 2020 2084-2088*
- Controller and Observer design for Chaotic Systems: A Vector Based Contraction Approach. *Singh, B., +, TCSII Dec. 2020 3282-3286*
- Design Fixed-Time Practical Distributed Average Tracking Algorithms for Nonlinear Signals With Bounded- and Lipschitz-Type Derivatives. *Chen, Q., +, TCSII Dec. 2020 3103-3107*
- Distributed Optimal Consensus Control Algorithm for Continuous-Time Multi-Agent Systems. *Wang, Q., +, TCSII Jan. 2020 102-106*
- Effects of Measurement Noise on Flocking Dynamics of Cucker–Smale Systems. *Chen, D., +, TCSII Oct. 2020 2064-2068*
- First Order Statistic Based Fast Blind Calibration of Time Skews for Time-Interleaved ADCs. *Yin, M., +, TCSII Jan. 2020 162-166*
- Fractional-Order Correntropy Filters for Tracking Dynamic Systems in  $\alpha$ -Stable Environments. *Gogineni, V.C., +, TCSII Dec. 2020 3557-3561*
- Group-Bipartite Consensus in the Networks With Cooperative-Competitive Interactions. *Liu, J., +, TCSII Dec. 2020 3292-3296*
- Hierarchical Average-Tracking Algorithm for Multiagent Systems With Unmatched Constant References Signals. *Liu, C., +, TCSII Nov. 2020 2642-2646*
- Projection Recurrent Neural Network Model: A New Strategy to Solve Maximum Flow Problem. *Eshaghnezhad, M., +, TCSII Nov. 2020 2747-2751*
- Stochastic Analysis of Diffusion Dual Sign Algorithm for Cyclostationary White Gaussian Inputs and Nonstationary System. *Gao, W., +, TCSII July 2020 1354-1358*
- Variable Step-Size Affine Projection Maximum Correntropy Criterion Adaptive Filter With Correntropy Induced Metric for Sparse System Identification. *Zhao, H., +, TCSII Nov. 2020 2782-2786*
- Convergence of numerical methods**
- Recursive Constrained Maximum Correntropy Criterion Algorithm for Adaptive Filtering. *Qian, G., +, TCSII Oct. 2020 2229-2233*
- Robust Variable Step-Size Reweighted Zero-Attracting Least Mean M-Estimate Algorithm for Sparse System Identification. *Wang, G., +, TCSII June 2020 1149-1153*
- Converters**
- A Low-Error, Memory-Based Fast Binary Logarithmic Converter. *Jana, B., +, TCSII Oct. 2020 2129-2133*
- Power and Area Efficient Transimpedance Amplifier Driving Large Capacitive Loads Based on Modified RGC Structure. *Kari Dolatabadi, A., +, TCSII Oct. 2020 1740-1744*
- Convex programming**
- Conditions on Polynomials Involved in Admittance Functions Passively Realizable by Using RLC and Two Fractional Elements. *Tavazoei, M.S., TCSII June 2020 999-1003*
- Design of Observers for Positive Systems With Delayed Input and Output Information. *Huynh, V.T., +, TCSII Jan. 2020 107-111*
- Dynamic Event-Triggered Sliding Mode Control: Dealing With Slow Sampling Singularly Perturbed Systems. *Song, J., +, TCSII June 2020 1079-1083*
- Further Result on  $H_\infty$  Performance State Estimation of Delayed Static Neural Networks Based on an Improved Reciprocally Convex Inequality. *Tan, G., +, TCSII Aug. 2020 1477-1481*
- Fusion-Based FDI Attack Detection in Cyber-Physical Systems. *Gao, L., +, TCSII Aug. 2020 1487-1491*
- Generalized Correntropy Induced Metric Memory-Improved Proportionate Affine Projection Sign Algorithm and Its Combination. *Li, G., +, TCSII Oct. 2020 2239-2243*
- Intermediate-Variable-Based Estimation for FDI Attacks in Cyber-Physical Systems. *Zhou, J., +, TCSII Nov. 2020 2762-2766*

- Oversampled DFT-Modulated Biorthogonal Filter Banks: Perfect Reconstruction Designs and Multiplierless Approximations. *Martins, W.A., +, TCSII Nov. 2020 2777-2781*
- Stability Analysis of Aperiodic Sampled-Data Systems: A Switched Polytopic System Method. *Sun, J., +, TCSII June 2020 1054-1058*
- Convolution**
- CREMON: Cryptography Embedded on the Convolutional Neural Network Accelerator. *Choi, Y., +, TCSII Dec. 2020 3337-3341*
- Convolutional codes**
- A Fully-Integrated 64-Channel Wireless Neural Interfacing SoC Achieving 110 dB AFE PSRR and Supporting 54 Mb/s Symbol Rate, Meter-Range Wireless Data Transmission. *Lyu, L., +, TCSII May 2020 831-835*
- Convolutional neural networks**
- A ReRAM-Based Computing-in-Memory Convolutional-Macro With Customized 2T2R Bit-Cell for AIoT Chip IP Applications. *Tan, F., +, TCSII Sept. 2020 1534-1538*
- A Resource-Efficient Multiplierless Systolic Array Architecture for Convolutions in Deep Networks. *Parmar, Y., +, TCSII Feb. 2020 370-374*
- CMix-NN: Mixed Low-Precision CNN Library for Memory-Constrained Edge Devices. *Capotondi, A., +, TCSII May 2020 871-875*
- Fall Detection Using Standoff Radar-Based Sensing and Deep Convolutional Neural Network. *Sadreazami, H., +, TCSII Jan. 2020 197-201*
- FPGA-Based Implementation of a Real-Time Object Recognition System Using Convolutional Neural Network. *Azarmi Gilan, A., +, TCSII April 2020 755-759*
- Optimizing Hardware Accelerated General Matrix-Matrix Multiplication for CNNs on FPGAs. *Ahmad, A., +, TCSII Nov. 2020 2692-2696*
- Regularized Deep Transfer Learning: When CNN Meets kNN. *Wang, S., +, TCSII Oct. 2020 2269-2273*
- Zero-Shot Object Detection With Attributes-Based Category Similarity. *Mao, Q., +, TCSII May 2020 921-925*
- Coplanar waveguides**
- A 48 Gb/s PAM-4 Transmitter With 3-Tap FFE Based on Double-Shielded Coplanar Waveguide in 65-nm CMOS. *Do, H., +, TCSII Sept. 2020 1569-1573*
- A Programmable On-Chip Reference Oscillator With Slow-Wave Coplanar Waveguide in 14-nm FinFET CMOS. *Hwang, J., +, TCSII Oct. 2020 1834-1838*
- Copper**
- Power-Optimal Mapping of CNN Applications to Cloud-Based Multi-FPGA Platforms. *Shan, J., +, TCSII Dec. 2020 3073-3077*
- Coprocessors**
- A Multi-Class Objects Detection Coprocessor With Dual Feature Space and Weighted Softmax. *Xiao, Z., +, TCSII Sept. 2020 1629-1633*
- Correlation methods**
- Energy Efficient Temporal Spatial Information Processing Circuits Based on STDP and Spike Iteration. *Zhao, C., +, TCSII Oct. 2020 1715-1719*
- Minimum Correlation Estimation of Leakage and Echo Signals for FMCW Radar. *Dao, X., +, TCSII Oct. 2020 2294-2298*
- Cost reduction**
- A Novel Approach to Overcome the Limitations of Reliability Centered Maintenance Implementation on the Smart Grid Distance Protection System. *Rafiei, M., +, TCSII Feb. 2020 320-324*
- Island Microgrid Frequency Regulations Concerning the Integration of Tidal Power Units: Real-Time Implementation. *Khooban, M.H., +, TCSII June 2020 1099-1103*
- Cost-benefit analysis**
- Design of a Single Chip PWM Driver Circuit for Inverter Welding Power Source. *Jabavathi, J.D., +, TCSII April 2020 720-724*
- Coupled circuits**
- Compact Wide-Stopband Dual-Band Balanced Filter Using an Electromagnetically Coupled SIR Pair With Controllable Transmission Zeros and Bandwidths. *Tang, J., +, TCSII Nov. 2020 2357-2361*
- Coupled mode analysis**
- Analysis of a Fractional-Order Wireless Power Transfer System. *Rong, C., +, TCSII Oct. 2020 1755-1759*
- Coupled transmission lines**
- A Novel Compact Isolation Circuit Suitable for Ultracompact and Wideband Marchand Baluns. *Ahn, H., +, TCSII Oct. 2020 2299-2303*
- CMOS Millimeter-Wave Ultra-Wideband Bandpass Filter With Three Reflection-Zeros Using Compact Single TFMS Coupled-Line Hairpin Unit. *Vanukuru, V.N.R., +, TCSII Jan. 2020 77-81*
- LTCC Bandstop Filters With Controllable Bandwidths Using Transmission Zeros Pair. *Wu, D., +, TCSII June 2020 1034-1038*
- NGD Analysis of Turtle-Shape Microstrip Circuit. *Wan, F., +, TCSII Nov. 2020 2477-2481*
- Couplers**
- A V-Band Ultra Low Power Sub-Harmonic I/Q Down-Conversion Mixer Using Current Re-Used Technique. *Chang, Y., +, TCSII Dec. 2020 2893-2897*
- Single-Layer Planar Wideband Rat-Race Coupler Using a Shorted Parallel-Coupled Multi-Line Section. *Zheng, Y., +, TCSII Dec. 2020 3053-3057*
- Couplings**
- Compact Balanced Dual-Band BPFs Based on Short and Open Stub Loaded Resonators With Wide Common-Mode Suppression. *Wei, F., +, TCSII Dec. 2020 3043-3047*
- Compact SIW Diplexers and Dual-Band Bandpass Filter With Wide-Stopband Performances. *Xie, H., +, TCSII Dec. 2020 2933-2937*
- Improving Robustness of Interdependent Networks by Reducing Key Unbalanced Dependency Links. *Yang, X., +, TCSII Dec. 2020 3187-3191*
- Microstrip Tunable Diplexer With Separately-Designable Channels. *Lu, Q., +, TCSII Dec. 2020 2983-2987*
- Multilayer Packaging SIW Three-Way Filtering Power Divider With Adjustable Power Division. *Zhang, G., +, TCSII Dec. 2020 3003-3007*
- Single-Layer Planar Wideband Rat-Race Coupler Using a Shorted Parallel-Coupled Multi-Line Section. *Zheng, Y., +, TCSII Dec. 2020 3053-3057*
- Substrate Integrated Waveguide Multi-Channel Filtering Crossover With Extended Channel Number and Controllable Frequencies. *Zhan, W., +, TCSII Dec. 2020 2858-2862*
- Wide-Stopband SIW Filters Using Modified Multi-Spurious Modes Suppression Technique. *Xie, H., +, TCSII Dec. 2020 2883-2887*
- Covariance matrices**
- A Slide Window Variational Adaptive Kalman Filter. *Huang, Y., +, TCSII Dec. 2020 3552-3556*
- Analysis of Least Stochastic Entropy Adaptive Filters for Noncircular Gaussian Signals. *Zhang, X., +, TCSII July 2020 1364-1368*
- Radar and Communication Co-Existence Design Based on Mutual Information Optimization. *Qian, J., +, TCSII Dec. 2020 3577-3581*
- Crosstalk**
- Compact Spoof Surface Plasmon Polaritons Waveguide Integrated With Blind Vias and Its Applications. *Zhang, Q.L., +, TCSII Dec. 2020 3038-3042*
- Cryptocurrencies**
- Modeling and Understanding Ethereum Transaction Records via a Complex Network Approach. *Lin, D., +, TCSII Nov. 2020 2737-2741*
- Cryptography**
- A 60 Gb/s-Level Coarse-Grained Reconfigurable Cryptographic Processor With Less Than 1-W Power. *Deng, C., +, TCSII Feb. 2020 375-379*
- A Generalized Quantum Protocol for Secure Multiparty Summation. *Sutradhar, K., +, TCSII Dec. 2020 2978-2982*
- A Random Interrupt Dithering SAR Technique for Secure ADC Against Reference-Charge Side-Channel Attack. *Miki, T., +, TCSII Jan. 2020 14-18*
- A Scan Obfuscation Guided Design-for-Security Approach for Sequential Circuits. *Karmakar, R., +, TCSII March 2020 546-550*
- ASIC Design and Power Characterization of Standard and Low Power Multi-Radix Trivium. *Mora-Gutierrez, J.M., +, TCSII Nov. 2020 2682-2686*
- CREMON: Cryptography Embedded on the Convolutional Neural Network Accelerator. *Choi, Y., +, TCSII Dec. 2020 3337-3341*
- Design and Analysis of Compressive Sensing-Based Lightweight Encryption Scheme for Multimedia IoT. *Unde, A.S., +, TCSII Jan. 2020 167-171*
- IC Random Number Generator Exploiting Two Simultaneous Metastable Events of Tetrahedral Oscillators. *Gunay, R., +, TCSII Sept. 2020 1634-1638*

- Incentivizing Honest Mining in Blockchain Networks: A Reputation Approach. *Tang, C., +, TCSII Jan. 2020 117-121*
- Novel Hybrid CMOS/Memristor Implementation of the AES Algorithm Robust Against Differential Power Analysis Attack. *Masoumi, M., TCSII July 2020 1314-1318*
- Open DNN Box by Power Side-Channel Attack. *Xiang, Y., +, TCSII Nov. 2020 2717-2721*
- RLWE-Oriented High-Speed Polynomial Multiplier Utilizing Multi-Lane Stockham NTT Algorithm. *Feng, X., +, TCSII March 2020 556-559*
- Unified Hardware for High-Throughput AES-Based Authenticated Encryptions. *Sawataishi, S., +, TCSII Sept. 2020 1604-1608*
- Crystals**
- A Study of Multi-Phase Injection on Accelerating Crystal Oscillator Start-Up. *Karimi-Bidhendi, A., +, TCSII Dec. 2020 2868-2872*
- Current measurement**
- 40.68 MHz Digital On-Off Delay-Compensated Active Rectifier for WPT of Biomedical Applications. *Pal, S., +, TCSII Dec. 2020 3307-3311*
- Current mirrors**
- A 170.7-dB FoM-DR 0.45/0.6-V Inverter-Based Continuous-Time Sigma-Delta Modulator. *de Aguirre, P.C.C., +, TCSII Aug. 2020 1384-1388*
- A Power-Delay and Area Efficient Voltage Level Shifter Based on a Reflect-Ed-Output Wilson Current Mirror Level Shifter. *Kabirpour, S., +, TCSII Feb. 2020 250-254*
- An Energy-Efficient Level Shifter for Ultra Low-Voltage Digital LSIs. *You, H., +, TCSII Dec. 2020 3357-3361*
- An ISM Band High-Linear Current-Reuse Up-Conversion Mixer With Built-in-Self-Calibration for LOFT and I/Q Imbalance. *Wang, X., +, TCSII Dec. 2020 2898-2902*
- Current-mode circuits**
- A 1.2-V Current-Mode RMS-to-DC Converter Based on a Novel Two-Quadrant Electronically Simulated MOS Translinear Loop. *Martincorena-Arraiza, M., +, TCSII March 2020 420-424*
- A 13.56 MHz Current-Mode Wireless Power Receiver With Energy-Investment Capability. *Kuo, C., +, TCSII Feb. 2020 205-209*
- A Multi-Channel Low-Noise Analog Front End Circuit for Linear LADAR. *Wang, P., +, TCSII July 2020 1209-1213*
- Current-mode logic**
- A Novel 0.5 V MCML D-Flip-Flop Topology Exploiting Forward Body Bias Threshold Lowering. *Scotti, G., +, TCSII March 2020 560-564*
- Cutoff frequency**
- A Microstrip Lowpass Filter With Wide Tuning Range and Sharp Roll-Off Response. *Moloudian, G., +, TCSII Dec. 2020 2953-2957*
- Compact Spoof Surface Plasmon Polaritons Waveguide Integrated With Blind Vias and Its Applications. *Zhang, Q.L., +, TCSII Dec. 2020 3038-3042*
- CW radar**
- Minimum Correlation Estimation of Leakage and Echo Signals for FMCW Radar. *Dao, X., +, TCSII Oct. 2020 2294-2298*
- Cyber-physical systems**
- Fusion-Based FDI Attack Detection in Cyber-Physical Systems. *Gao, L., +, TCSII Aug. 2020 1487-1491*
- Intermediate-Variable-Based Estimation for FDI Attacks in Cyber-Physical Systems. *Zhou, J., +, TCSII Nov. 2020 2762-2766*
- Sparse Undetectable Sensor Attacks Against Cyber-Physical Systems: A Subspace Approach. *Zhao, Z., +, TCSII Nov. 2020 2517-2521*
- Cyberattack**
- Analysis of Malware-Induced Cyber Attacks in Cyber-Physical Power Systems. *Xu, S., +, TCSII Dec. 2020 3482-3486*
- Cyclic codes**
- Improving Resistive RAM Hard and Soft Decision Correctable BERs by Using Improved-LLR and Reset-Check-Reverse-Flag Concatenating LDPC Code. *Ning, S., TCSII Oct. 2020 2164-2168*
- Cyclic redundancy check codes**
- A Fully-Integrated 64-Channel Wireless Neural Interfacing SoC Achieving 110 dB AFE PSRR and Supporting 54 Mb/s Symbol Rate, Meter-Range Wireless Data Transmission. *Lyu, L., +, TCSII May 2020 831-835*
- Enhanced Belief Propagation Decoder for 5G Polar Codes With Bit-Flipping. *Shen, Y., +, TCSII May 2020 901-905*
- D**
- Damping**
- Nonlinear Analysis of PLL Damping Characteristics in Weak-Grid-Tied Inverters. *Zhao, J., +, TCSII Nov. 2020 2752-2756*
- Data acquisition**
- Multiple Line-Outage Detection in Power System With Load Stochastic Perturbations. *Nie, S., +, TCSII Oct. 2020 1994-1998*
- Data analysis**
- Modeling and Understanding Ethereum Transaction Records via a Complex Network Approach. *Lin, D., +, TCSII Nov. 2020 2737-2741*
- Trajectory-Based Community Detection. *Jiang, Z., +, TCSII June 2020 1139-1143*
- Data compression**
- Histogram of Oriented Gradients Feature Extraction From Raw Bayer Pattern Images. *Zhou, W., +, TCSII May 2020 946-950*
- Mantissa-Exponent-Based Tone Mapping for Wide Dynamic Range Image Sensors. *Yang, J., +, TCSII Jan. 2020 142-146*
- Data encapsulation**
- First Steps Toward Concealing the Traces Left by Reversible Image Data Hiding. *Dong, L., +, TCSII May 2020 951-955*
- Data flow computing**
- A Resource-Efficient Multiplierless Systolic Array Architecture for Convolutions in Deep Networks. *Parmar, Y., +, TCSII Feb. 2020 370-374*
- Data gloves**
- A Wireless Multi-Channel Capacitive Sensor System for Efficient Glove-Based Gesture Recognition With AI at the Edge. *Pan, J., +, TCSII Sept. 2020 1624-1628*
- Data mining**
- Incentivizing Honest Mining in Blockchain Networks: A Reputation Approach. *Tang, C., +, TCSII Jan. 2020 117-121*
- Data models**
- Power-Optimal Mapping of CNN Applications to Cloud-Based Multi-FPGA Platforms. *Shan, J., +, TCSII Dec. 2020 3073-3077*
- Data privacy**
- Accurate Privacy Preserving Average Consensus. *Yin, T., +, TCSII April 2020 690-694*
- Data transfer**
- Power-Optimal Mapping of CNN Applications to Cloud-Based Multi-FPGA Platforms. *Shan, J., +, TCSII Dec. 2020 3073-3077*
- DC amplifiers**
- A 60 nV/ $\sqrt{\text{Hz}}$  <0.01%-THD  $\pm 200$  mV-DC-Rejection Bio-Sensing Chopper Amplifier With Noise-Nonlinearity-Cancelling Loop. *Li, Q., +, TCSII Feb. 2020 215-219*
- DC distribution systems**
- On the Existence of the Power Flow Solution in DC Grids With CPLs Through a Graph-Based Method. *Montoya, O.D., TCSII Aug. 2020 1434-1438*
- DC motor drives**
- Auto-Tuning Proportional-Type Synchronization Algorithm for DC Motor Speed Control Applications. *Lee, C.R., +, TCSII March 2020 521-525*
- DC motors**
- A Simple Nonlinear Observer for State and Unknown Input Estimation: DC Motor Applications. *Martinez-Garcia, C., +, TCSII April 2020 710-714*
- Auto-Tuning Proportional-Type Synchronization Algorithm for DC Motor Speed Control Applications. *Lee, C.R., +, TCSII March 2020 521-525*
- Power Regeneration From DC Motor With Bidirectional Router in Power Packet Dispatching System. *Yoshida, N., +, TCSII Dec. 2020 3088-3092*
- DC transmission networks**
- On the Existence of the Power Flow Solution in DC Grids With CPLs Through a Graph-Based Method. *Montoya, O.D., TCSII Aug. 2020 1434-1438*
- DC-AC power converters**
- Hybrid 7-Level Boost Active-Neutral-Point- Clamped (H-7L-BANPC) Inverter. *Lee, S.S., +, TCSII Oct. 2020 2044-2048*
- DC-DC power converters**
- A 7.5-mV-Input Boost Converter for Thermal Energy Harvesting With 11-mV Self-Startup. *Radin, R.L., +, TCSII Aug. 2020 1379-1383*

- A Class of Proportional-Integral With Anti-Windup Controllers for DC–DC Buck Power Converters With Saturating Input. *Moreno-Valenzuela, J., TCSII Jan. 2020 157-161*
- A Fully Integrated Step-Down Switched-Capacitor DC–DC Converter With Dual Output Regulation Mechanisms. *Chen, P., +, TCSII Sept. 2020 1649-1653*
- A Modified Fixed Current-Mode Controller for Improved Performance in Quadratic Boost Converters. *Chan, C., +, TCSII Oct. 2020 2014-2018*
- A Multiport Power Electronic Transformer Based on Modular Multilevel Converter and Mixed-Frequency Modulation. *Ma, D., +, TCSII July 2020 1284-1288*
- A Negative Embedded Differential Mode  $\Gamma$ -Source Inverter With Reduced Switching Spikes. *Reddivari, R., +, TCSII Oct. 2020 2009-2013*
- A Normalized Output Error-Based Sliding-Mode Controller for the DC–DC Cascade Boost Converter. *Chincholkar, S.H., +, TCSII Jan. 2020 92-96*
- A Reconfigurable Passive Voltage Multiplier for Wireless Mobile IoT Applications. *Guler, U., +, TCSII April 2020 615-619*
- A Robust Shipboard DC–DC Power Converter Control: Concept Analysis and Experimental Results. *Mosayebi, M., +, TCSII Nov. 2020 2612-2616*
- A SAR-ADC-Assisted DC–DC Buck Converter With Fast Transient Recovery. *Zeng, W., +, TCSII Sept. 2020 1669-1673*
- An Intelligent and Fast Controller for DC/DC Converter Feeding CPL in a DC Microgrid. *Farsizadeh, H., +, TCSII June 2020 1104-1108*
- An Ultra Low Power Integrated Radio TX Link Supplied From a Switched Capacitor DC–DC Converter in 65-nm CMOS Achieving 2 Mbps. *Rady, R., +, TCSII Oct. 2020 1899-1903*
- Charge Pump Improvement for Energy Harvesting Applications by Node Pre-Charging. *Ballo, A., +, TCSII Dec. 2020 3312-3316*
- Class-E<sup>2</sup> DC–DC Converter With Basic Class-E Inverter and Class-E ZCS Rectifier for Capacitive Power Transfer. *Ueda, H., +, TCSII May 2020 941-945*
- Continuous Nonsingular Terminal Sliding Mode Control of DC–DC Boost Converters Subject to Time-Varying Disturbances. *Wang, Z., +, TCSII Nov. 2020 2552-2556*
- Digital Valley V<sup>2</sup> Control for Boost Converter With Fast Load-Transient Performance. *Zhou, G., +, TCSII Oct. 2020 2089-2093*
- Fast DC-Bias Current Control of Dual Active Bridge Converters With Feed-forward Compensation. *Ji, Z., +, TCSII Nov. 2020 2587-2591*
- Inductorless DC/DC Converter for Aerospace Applications With Insulation Features. *Ciarpi, G., +, TCSII Sept. 2020 1659-1663*
- Matrix Inductor With DC-Bias Effect Reduction Capability for GaN-Based DC–DC Boost Converter. *Nguyen, A.D., +, TCSII Nov. 2020 2597-2601*
- Debugging**
- Incremental SAT-Based Correction of Gate Level Circuits by Reusing Partially Corrected Circuits. *Alizadeh, B., +, TCSII Dec. 2020 3063-3067*
- Decentralized control**
- A Robust Decentralized PID Controller Based on Complementary Sensitivity Function for a Multivariable System. *Mahapatro, S.R., +, TCSII Oct. 2020 2024-2028*
- Hierarchical Average-Tracking Algorithm for Multiagent Systems With Unmatched Constant References Signals. *Liu, C., +, TCSII Nov. 2020 2642-2646*
- Model Order Reduction Based on Dynamic Relative Gain Array for MIMO Systems. *Liang, W., +, TCSII Nov. 2020 2507-2511*
- Decision feedback equalizers**
- A 10.4-Gb/s 1-Tap Decision Feedback Equalizer With Different Pull-Up and Pull-Down Tap Weights for Asymmetric Memory Interfaces. *Chae, J., +, TCSII Feb. 2020 220-224*
- A 10.8-Gb/s Quarter-Rate 1 FIR 1 IIR Direct DFE With Non-Time-Overlapping Data Generation for 4:1 CMOS Clockless Multiplexer. *Lee, D., +, TCSII Jan. 2020 67-71*
- An 18-Gb/s NRZ Transceiver With a Channel-Included 2-UI Impulse-Response Filtering FFE and 1-Tap DFE Compensating up to 32-dB Loss. *Ahn, C., +, TCSII Dec. 2020 2863-2867*
- Design and Simulation of a 12 Gb/s Transceiver With 8-Tap FFE, Offset-Compensated Samplers and Fully Adaptive 1-Tap Speculative/3-Tap DFE and Sampling Phase for MIPI A-PHY Applications. *Menin, D., +, TCSII Aug. 2020 1369-1373*
- Decision making**
- A Wireless Multi-Channel Capacitive Sensor System for Efficient Glove-Based Gesture Recognition With AI at the Edge. *Pan, J., +, TCSII Sept. 2020 1624-1628*
- Decoding**
- A Complexity Reduction Method for Successive Cancellation List Decoding. *Dizdar, O., TCSII April 2020 655-659*
- A Flexible and High Parallel Permutation Network for 5G LDPC Decoders. *Zhong, Z., +, TCSII Dec. 2020 3018-3022*
- A Highly Linear 10-Bit DAC of Data Driver IC Using Source Degeneration Load for Active Matrix Flat-Panel Displays. *Na, J., +, TCSII Nov. 2020 2312-2316*
- A Novel Architecture for Early Detection of Negative Output Features in Deep Neural Network Accelerators. *Asadikouhanjani, M., +, TCSII Dec. 2020 3332-3336*
- A Real-Time Flexible Telecommunication Decoding Architecture Using FPGA Partial Reconfiguration. *Ma, L., +, TCSII Oct. 2020 2149-2153*
- Adaptive 2-D Scheduling-Based Nonbinary Majority-Logic Decoding for NAND Flash Memory. *Wang, C., +, TCSII July 2020 1349-1353*
- An Ultimate-Shannon-Limit-Approaching Gbps Throughput Encoder/Decoder System. *Jiang, S., +, TCSII Oct. 2020 2169-2173*
- An Ultra-Low Cost Multilayer RAM in Quantum-Dot Cellular Automata. *Song, Z., +, TCSII Dec. 2020 3397-3401*
- An Unfolded Pipelined Polar Decoder With Hybrid Number Representations for Multi-User MIMO Systems. *Cao, S., +, TCSII Nov. 2020 2472-2476*
- Efficient VLSI Architectures for Coupled-Layered Regenerating Codes. *Zhang, X., +, TCSII Oct. 2020 1869-1873*
- Energy Efficient Temporal Spatial Information Processing Circuits Based on STDP and Spike Iteration. *Zhao, C., +, TCSII Oct. 2020 1715-1719*
- Enhanced Belief Propagation Decoder for 5G Polar Codes With Bit-Flipping. *Shen, Y., +, TCSII May 2020 901-905*
- Fine-Grained Bit-Flipping Decoding for LDPC Codes. *Chen, Y., +, TCSII May 2020 896-900*
- Fully Parallel Circular-Shift Rotation Network for Communication Standards. *Harb, H., +, TCSII Dec. 2020 3412-3416*
- High Order Mismatch Shaping for Low Oversampling Rates. *O'Brien, V., +, TCSII Jan. 2020 42-46*
- High-Throughput Low-Latency Encoder and Decoder for a Class of Generalized Reed–Solomon Codes for Short-Reach Optical Communications. *Zheng, B., +, TCSII April 2020 670-674*
- Low-Latency and Low-Power Test-Vector Selector for Reed-Solomon's Low-Complexity Chase. *Garcia-Herrero, F., +, TCSII Dec. 2020 3362-3366*
- Optimized Trellis-Based Min-Max Decoder for NB-LDPC Codes. *Tian, J., +, TCSII Jan. 2020 57-61*
- Scaled Nested Key Equation Solver for Generalized Integrated Interleaved Decoder. *Xie, Z., +, TCSII Nov. 2020 2457-2461*
- Self-Optimizing Wireless Networks on Structures. *Shaik, S.M., +, TCSII May 2020 911-915*
- Deep learning**
- A Deep Learning Method for Improving the Classification Accuracy of SSMVEP-Based BCI. *Gao, Z., +, TCSII Dec. 2020 3447-3451*
- Degradation**
- Approximate Multipliers With Dynamic Truncation for Energy Reduction via Graceful Quality Degradation. *Frustaci, F., +, TCSII Dec. 2020 3427-3431*
- Delay circuits**
- O=O Shape Low-Loss Negative Group Delay Microstrip Circuit. *Wan, F., +, TCSII Oct. 2020 1795-1799*
- Delay effects**
- Angle of Arrival Estimation Through a Full-Hardware Approach for Adaptive Beamforming. *Avitabile, G., +, TCSII Dec. 2020 3033-3037*
- Dynamic Event-Triggered State Observers for a Class of Nonlinear Systems With Time Delays and Disturbances. *Huong, D.C., +, TCSII Dec. 2020 3457-3461*

- Finite-Time Consensus of Finite Field Networks With Stochastic Time Delays. *Li, Y., +, TCSII Dec. 2020 3128-3132*
- Fixed Time Synchronization Control for Bilateral Teleoperation Mobile Manipulator With Nonholonomic Constraint and Time Delay. *Xu, G., +, TCSII Dec. 2020 3452-3456*
- Delay estimation**
- Ultrasonic Time Delay Difference Estimation With Analytic Signals and a Model System. *Mass, S., +, TCSII Oct. 2020 2234-2238*
- Delay lines**
- A 0.2-1.3 ns Range Delay-Control Scheme for a 25 Gb/s Data-Receiver Using a Replica Delay-Line-Based Delay-Locked-Loop in 45-nm CMOS. *Rehman, S.U., +, TCSII May 2020 806-810*
- A 13.56 MHz Current-Mode Wireless Power Receiver With Energy-Investment Capability. *Kuo, C., +, TCSII Feb. 2020 205-209*
- A 48 Gb/s PAM-4 Transmitter With 3-Tap FFE Based on Double-Shielded Coplanar Waveguide in 65-nm CMOS. *Do, H., +, TCSII Sept. 2020 1569-1573*
- A DLL-Based Quadrature Clock Generator With a 3-Stage Quad Delay Unit Using the Sub-Range Phase Interpolator for Low-Jitter and High-Phase Accuracy DRAM Applications. *Yoon, Y., +, TCSII Nov. 2020 2342-2346*
- A Low-Power Time-to-Digital Converter for Sensor Interface Circuits. *Rostami, M.S., +, TCSII Dec. 2020 2853-2857*
- A Mixed-Signal RF Pulse Width Modulator With High Time Resolution Utilizing Passive Delay Lines. *Papananos, Y., +, TCSII Nov. 2020 2442-2446*
- An Area-Efficient and Wide-Range Inter-Signal Skew Compensation Scheme With the Embedded Bypass Control Register Operating as a Binary Search Algorithm for DRAM Applications. *Yoon, Y., +, TCSII Oct. 2020 1775-1779*
- Analysis and Design of an All-Digital  $\Delta\Sigma$  TDC via Time-Mode Signal Processing. *Yuan, F., +, TCSII June 2020 994-998*
- FPGA-Based True Random Number Generation Using Programmable Delays in Oscillator-Rings. *Nalla Anandakumar, N., +, TCSII March 2020 570-574*
- Offset-Calibration With Time-Domain Comparators Using Inversion-Mode Varactors. *Fiorelli, R., +, TCSII Jan. 2020 47-51*
- Reconfigurable RF Dispersive Delay Circuits by Stepped Impedance Shunt Stubs. *Mandal, J., +, TCSII June 2020 1014-1018*
- Time-Domain Operational Amplifier With Voltage-Controlled Oscillator and Its Application to Active-RC Analog Filter. *Kim, K., +, TCSII March 2020 415-419*
- Delay lock loops**
- A 0.2-1.3 ns Range Delay-Control Scheme for a 25 Gb/s Data-Receiver Using a Replica Delay-Line-Based Delay-Locked-Loop in 45-nm CMOS. *Rehman, S.U., +, TCSII May 2020 806-810*
- A 0.45 pJ/b, 6.4 Gb/s Forwarded-Clock Receiver With DLL-Based Self-Tracking Loop for Unmatched Memory Interfaces. *Shin, S., +, TCSII Oct. 2020 1814-1818*
- A 40-nm CMOS 7-b 32-GS/s SAR ADC With Background Channel Mismatch Calibration. *Jo, D., +, TCSII April 2020 610-614*
- A DLL-Based Quadrature Clock Generator With a 3-Stage Quad Delay Unit Using the Sub-Range Phase Interpolator for Low-Jitter and High-Phase Accuracy DRAM Applications. *Yoon, Y., +, TCSII Nov. 2020 2342-2346*
- An Area-Efficient and Wide-Range Inter-Signal Skew Compensation Scheme With the Embedded Bypass Control Register Operating as a Binary Search Algorithm for DRAM Applications. *Yoon, Y., +, TCSII Oct. 2020 1775-1779*
- Delay systems**
- A 0.2-1.3 ns Range Delay-Control Scheme for a 25 Gb/s Data-Receiver Using a Replica Delay-Line-Based Delay-Locked-Loop in 45-nm CMOS. *Rehman, S.U., +, TCSII May 2020 806-810*
- Delay-Dependent and Order-Dependent Stability and Stabilization of Fractional-Order Linear Systems With Time-Varying Delay. *Chen, L., +, TCSII June 2020 1064-1068*
- Delays**
- 40.68 MHz Digital On-Off Delay-Compensated Active Rectifier for WPT of Biomedical Applications. *Pal, S., +, TCSII Dec. 2020 3307-3311*
- A 1-V, 3-GHz Strong-Arm Latch Voltage Comparator for High Speed Applications. *Siddharth, R.K., +, TCSII Dec. 2020 2918-2922*
- A Low-Power Time-to-Digital Converter for Sensor Interface Circuits. *Rostami, M.S., +, TCSII Dec. 2020 2853-2857*
- A Multi-Modulus Fractional Divider With TDC Free Calibration Scheme for Mitigation of TX-VCO Pulling. *Liu, L., +, TCSII Dec. 2020 2848-2852*
- A Triangular Common Subexpression Elimination Algorithm With Reduced Logic Operators in FIR Filter. *Roy, S., +, TCSII Dec. 2020 3527-3531*
- An Adaptive-Resolution Quasi-Level-Crossing Delta Modulator With VCO-Based Residue Quantizer. *Wang, H., +, TCSII Dec. 2020 2828-2832*
- An Energy-Efficient Level Shifter for Ultra Low-Voltage Digital LSIs. *You, H., +, TCSII Dec. 2020 3357-3361*
- Analysis of Frequency-Aid Technique for Fractional-N Digital BB-PLLs in Time-Domain. *Vo, T.M., TCSII Dec. 2020 2888-2892*
- Delay-Dependent and Order-Dependent Stability and Stabilization of Fractional-Order Linear Systems With Time-Varying Delay. *Chen, L., +, TCSII June 2020 1064-1068*
- Design of Observers for Positive Systems With Delayed Input and Output Information. *Huynh, V.T., +, TCSII Jan. 2020 107-111*
- Formation Control of Multiple Autonomous Underwater Vehicles Under Communication Delays. *Suryendu, C., +, TCSII Dec. 2020 3182-3186*
- Further Result on  $H_\infty$  Performance State Estimation of Delayed Static Neural Networks Based on an Improved Reciprocally Convex Inequality. *Tan, G., +, TCSII Aug. 2020 1477-1481*
- Global Stabilization of Uncertain SISO Dynamical Systems Using a Multiple Delayed Partial State Feedback Sliding Mode Control. *Soni, S., +, TCSII July 2020 1259-1263*
- Linearity-Enhanced Ring Amplifier Using Adaptive Slew-Rate Feed-Forward Path. *Gadel-Karim, A.G., +, TCSII Dec. 2020 2908-2912*
- MTJ-LRB: Proposal of MTJ-Based Loop Replica Bitline as MRAM Device-Circuit Interaction for PVT-Robust Sensing. *Zhou, Y., +, TCSII Dec. 2020 3352-3356*
- Non-Fragile Fault Alarm-Based Hybrid Control for the Attitude Quadrotor Model With Actuator Saturation. *Harshavarthini, S., +, TCSII Nov. 2020 2647-2651*
- Non-Uniform Reducing the Involved Differentiators' Orders and Lyapunov Stability Preservation Problem in Dynamic Systems. *Badri, V., +, TCSII April 2020 735-739*
- Observer-Based Adaptive Sampled-Data Event-Triggered Distributed Control for Multi-Agent Systems. *Zhao, L., +, TCSII Jan. 2020 97-101*
- Periodic Event-Triggered Dynamic Output Feedback Dissipative Control With Stochastic Detection. *Ma, G., +, TCSII June 2020 1069-1073*
- Robust Hybrid Control Design for Stochastic Markovian Jump System via Fault Alarm Approach. *Sakthivel, R., +, TCSII Oct. 2020 2004-2008*
- Robust Observer Design for Two-Dimensional Discrete Positive Switched Systems With Delays. *Ghous, I., +, TCSII Dec. 2020 3297-3301*
- Stochastic Distributed Pinning Control for Co-Multi-Inverter Networks With a Virtual Leader. *Lai, J., +, TCSII Oct. 2020 2094-2098*
- System Identification Under Relay and PI Control. *Pandey, S., +, TCSII June 2020 1089-1093*
- Delta-sigma modulation**
- $\Delta\Sigma$  Fractional-N PLL With Hybrid IIR Noise Filtering. *Tao, J., +, TCSII June 2020 1004-1008*
- A 2 nW 0.25 V 140 dB-FOM Inverter-Based First Order  $\Delta\Sigma$  Modulator. *Catania, A., +, TCSII Sept. 2020 1514-1518*
- A CMOS-Imager-Pixel-Based Temperature Sensor for Dark Current Compensation. *Xie, S., +, TCSII Feb. 2020 255-259*
- A Wide Dynamic Range Multi-Mode Band-Pass Continuous-Time Delta-Sigma Modulator Employing Single-Opamp Resonator With Positive Resistor-Feedback. *Kim, S., +, TCSII Feb. 2020 235-239*
- Analysis and Design of an All-Digital  $\Delta\Sigma$  TDC via Time-Mode Signal Processing. *Yuan, F., +, TCSII June 2020 994-998*
- Discrete Programming Entailing Circulant Quadratic Forms: Refinement of a Heuristic Approach Based on  $\Delta\Sigma$  Modulation. *Callegari, S., +, TCSII May 2020 926-930*
- Efficient Calibration of Feedback DAC in Delta Sigma Modulators. *Shakya, J.R., +, TCSII May 2020 826-830*
- High Order Mismatch Shaping for Low Oversampling Rates. *O'Brien, V., +, TCSII Jan. 2020 42-46*

- Influence of Initial Condition on Wandering Spur Pattern in a MASH-Based Fractional-N Frequency Synthesizer. *Mai, D., +, TCSII Dec. 2020* 2968-2972
- Low-Power Small-Area Inverter-Based DSM for MEMS Microphone. *Cho, S., +, TCSII Nov. 2020* 2392-2396
- Mitigation of “Horn Spurs” in a MASH-Based Fractional-N CP-PLL. *Mazzaro, V., +, TCSII May 2020* 821-825
- Demodulation**
- A Multilevel Code-Shifted Differential Chaos Shift Keying System With Reference Diversity. *Lu, Y., +, TCSII Nov. 2020* 2462-2466
- Demodulators**
- Fully Integrated Digital GaN-Based LSK Demodulator for High-Temperature Applications. *Hassan, A., +, TCSII Sept. 2020* 1579-1583
- Design methodology**
- Approximate Multipliers With Dynamic Truncation for Energy Reduction via Graceful Quality Degradation. *Frustaci, F., +, TCSII Dec. 2020* 3427-3431
- Low Complexity VLSI Architecture Design Methodology for Wigner Ville Distribution. *Mopuri, S., +, TCSII Dec. 2020* 3532-3536
- Detection algorithms**
- A Novel Spike Detection Algorithm Based on Multi-Channel of BECT EEG Signals. *Wang, Z., +, TCSII Dec. 2020* 3592-3596
- Detector circuits**
- A 0.42-3.45 Gb/s Referenceless Clock and Data Recovery Circuit With Counter-Based Unrestricted Frequency Acquisition. *Son, K., +, TCSII June 2020* 974-978
- Detectors**
- A 28-nm CMOS 12-Bit 250-MS/s Voltage-Current-Time Domain 3-Stage Pipelined ADC. *Moon, K., +, TCSII Dec. 2020* 2843-2847
- A Digital Capacitive MEMS Microphone for Speech Recognition With Fast Wake-Up Feature Using a Sound Activity Detector. *Yang, Y., +, TCSII Sept. 2020* 1509-1513
- Differential amplifiers**
- A 50 $\mu$ W Fully Differential Interface Amplifier With a Current Steering Class AB Output Stage for PPG and NIRS Recordings. *Song, S., +, TCSII Sept. 2020* 1564-1568
- A Fully Integrated LDO With 50-mV Dropout for Power Efficiency Optimization. *Ma, X., +, TCSII April 2020* 725-729
- A Highly Linear 10-Bit DAC of Data Driver IC Using Source Degeneration Load for Active Matrix Flat-Panel Displays. *Na, J., +, TCSII Nov. 2020* 2312-2316
- A Multi-Channel Low-Noise Analog Front End Circuit for Linear LADAR. *Wang, P., +, TCSII July 2020* 1209-1213
- Differential equations**
- Chaos Suppression in Forced Chaotic Systems by Innovative Sliding Mode Control. *Piccinni, G., +, TCSII Aug. 2020* 1424-1428
- Comparative Study of Riemann-Liouville and Caputo Derivative Definitions in Time-Domain Analysis of Fractional-Order Capacitor. *Jiang, Y., +, TCSII Oct. 2020* 2184-2188
- Innovative DOA Estimation Algorithm Based on Lyapunov Theory. *Piccinni, G., +, TCSII Oct. 2020* 2219-2223
- Differential phase shift keying**
- High Data Rate Discrete-Cosine-Spread Aided M-Ary Differential Chaos Shift Keying Scheme With Low PAPR. *Chen, Z., +, TCSII Nov. 2020* 2492-2496
- Digital arithmetic**
- A Low-Latency and Low-Cost Montgomery Modular Multiplier Based on NLP Multiplication. *Ding, J., +, TCSII July 2020* 1319-1323
- A Resource-Efficient Multiplierless Systolic Array Architecture for Convolutions in Deep Networks. *Parmar, Y., +, TCSII Feb. 2020* 370-374
- Error-Aware Design Procedure to Implement Hardware-Efficient Logarithmic Circuits. *Loukrakpam, M., +, TCSII May 2020* 851-855
- Hyperbolic CORDIC-Based Architecture for Computing Logarithm and Its Implementation. *Chen, H., +, TCSII Nov. 2020* 2652-2656
- New Divider Design for Stochastic Computing. *Chu, S.-I., TCSII Jan. 2020* 147-151
- SIBAM—Sign Inclusive Broken Array Multiplier Design for Error Tolerant Applications. *Sinha Roy, A., +, TCSII Nov. 2020* 2702-2706
- Digital audio players**
- An Energy-Efficient Level Shifter for Ultra Low-Voltage Digital LSIs. *You, H., +, TCSII Dec. 2020* 3357-3361
- Digital circuits**
- A Stochastic Computing Architecture for Iterative Estimation. *Lunglmayr, M., +, TCSII March 2020* 580-584
- Digital control**
- A 13.56 MHz Current-Mode Wireless Power Receiver With Energy-Investment Capability. *Kuo, C., +, TCSII Feb. 2020* 205-209
- A Robust Bio-IA With Digitally Controlled DC-Servo Loop and Improved Pseudo-Resistor. *Liu, L., +, TCSII March 2020* 440-444
- An Area-Efficient and Wide-Range Inter-Signal Skew Compensation Scheme With the Embedded Bypass Control Register Operating as a Binary Search Algorithm for DRAM Applications. *Yoon, Y., +, TCSII Oct. 2020* 1775-1779
- Digital Valley V<sup>2</sup> Control for Boost Converter With Fast Load-Transient Performance. *Zhou, G., +, TCSII Oct. 2020* 2089-2093
- Offset-Calibration With Time-Domain Comparators Using Inversion-Mode Varactors. *Fiorelli, R., +, TCSII Jan. 2020* 47-51
- Digital filters**
- An Improved Local Stability Criterion for Digital Filters With Interference and Overflow Nonlinearity. *Kokil, P., +, TCSII March 2020* 595-599
- An Improved Stability Criterion for Digital Filters With Generalized Overflow Arithmetic and Time-Varying Delay. *Zhang, C., +, TCSII Oct. 2020* 2099-2103
- Global Asymptotic Stability of 2-D Digital Filters With a Saturation Operator on the State-Space. *Kandanyli, V.K.R., +, TCSII Nov. 2020* 2742-2746
- Digital phase locked loops**
- A Low Phase Noise Open Loop Fractional-N Frequency Synthesizer With Injection Locking Digital Phase Modulator. *Yan, C., +, TCSII March 2020* 455-459
- Digital signal processing chips**
- A Low-Latency and Low-Cost Montgomery Modular Multiplier Based on NLP Multiplication. *Ding, J., +, TCSII July 2020* 1319-1323
- A Reconfigurable 64-Dimension K-Means Clustering Accelerator With Adaptive Overflow Control. *Du, L., +, TCSII April 2020* 760-764
- ASIC Design and Power Characterization of Standard and Low Power Multi-Radix Trivium. *Mora-Gutierrez, J.M., +, TCSII Nov. 2020* 2682-2686
- Highly Parallel Vector Radix FFT for High Throughput Video Applications. *Unnikrishnan, S., +, TCSII Oct. 2020* 2114-2118
- Reconfigurable Chireix Outphasing Power Amplifier Over Multiple Frequency Bands. *Aggrawal, E., +, TCSII June 2020* 1019-1023
- Digital-analog conversion**
- A 0.5 V 10-bit 3 MS/s SAR ADC With Adaptive-Reset Switching Scheme and Near-Threshold Voltage-Optimized Design Technique. *Song, J., +, TCSII July 2020* 1184-1188
- A 0.6-V 9-bit 1-MS/s Charging Sharing SAR ADC With Judging-Window Switching Logic and Independent Reset Comparator for Power-Effective Applications. *Wang, J., +, TCSII Oct. 2020* 1750-1754
- A 1.5-to-3.0GHz Tunable RF Sigma-Delta ADC With a Fixed Set of Coefficients and a Programmable Loop Delay. *Sayed, A., +, TCSII Sept. 2020* 1559-1563
- A Four-Step Incremental ADC Based on Double Extended Binary Counting With Capacitive DAC. *Oh, B., +, TCSII Oct. 2020* 1685-1689
- A Harmonic Rejection Strategy for 25% Duty-Cycle IQ-Mixers Using Digital-to-Time Converters. *Gebhard, A., +, TCSII July 2020* 1229-1233
- A Highly Linear 10-Bit DAC of Data Driver IC Using Source Degeneration Load for Active Matrix Flat-Panel Displays. *Na, J., +, TCSII Nov. 2020* 2312-2316
- A Highly Linear 8-Bit M-2M Digital-to-Analog Converter for Neurostimulators. *Shahsavari, S., +, TCSII June 2020* 989-993
- A Multi-Channel Low-Noise Analog Front End Circuit for Linear LADAR. *Wang, P., +, TCSII July 2020* 1209-1213
- A Pulse-Modulated Polar Transmitter Using Direct Digital Synthesis for 5G NR Mobile Applications. *Chen, Y., +, TCSII Oct. 2020* 1894-1898
- Adaptive Power Control Using Current Adjustment for Watt-Level Power Amplifiers in CMOS SOI. *Moallemi, S., +, TCSII April 2020* 605-609

- An 8-Bit 2.1-mW 350-MS/s SAR ADC With 1.5 b/cycle Redundancy in 65-nm CMOS. *Li, D., +, TCSII Nov. 2020 2307-2311*
- Hand Gesture Recognition Using Three-Dimensional Electrical Impedance Tomography. *Jiang, D., +, TCSII Sept. 2020 1554-1558*
- Reshuffled Diagonal Rotated Walk Switching Scheme for DAC INL Reduction. *Yenuchenko, M.S., +, TCSII Nov. 2020 2317-2321*
- Diodes**
- A Modular Multilevel Converter With Novel Double Reverse Blocking Sub-Modules for DC Fault Current Blocking Capability. *Yao, Y., +, TCSII April 2020 740-744*
- Harmonic-Recycling Rectifier for High-Efficiency Far-Field Wireless Power Transfer. *Ngo, T., +, TCSII April 2020 770-774*
- Dipole antenna arrays**
- Wideband Planar Phased Array Antenna Based on Artificial Magnetic Conductor Surface. *Shi, S., +, TCSII Oct. 2020 1909-1913*
- Direct digital synthesis**
- A Pulse-Modulated Polar Transmitter Using Direct Digital Synthesis for 5G NR Mobile Applications. *Chen, Y., +, TCSII Oct. 2020 1894-1898*
- Directed graphs**
- Controllability of Switching Signed Networks. *Guan, Y., +, TCSII June 2020 1059-1063*
- Cooperative Formation of Self-Propelled Vehicles With Directed Communications. *Rao, P., +, TCSII Feb. 2020 315-319*
- Designing Observer-Type Controller for Containment of Discrete-Time Linear MASs Over Signed Graph. *Fang, X., +, TCSII March 2020 511-515*
- Moving Target Circular Formation Control of Multiple Non-Holonomic Vehicles Without Global Position Measurements. *Peng, X., +, TCSII Feb. 2020 310-314*
- Multi-Agent Bipartite Tracking Control Over General Cooperative-Hostile Networks. *Shi, L., TCSII Oct. 2020 1964-1968*
- Direction-of-arrival estimation**
- Design and Implementation of Acoustic Source Localization on a Low-Cost IoT Edge Platform. *Fabregat, G., +, TCSII Dec. 2020 3547-3551*
- Innovative DOA Estimation Algorithm Based on Lyapunov Theory. *Piccinni, G., +, TCSII Oct. 2020 2219-2223*
- Directional couplers**
- Analysis and Implementation of a Dual-Band Coupled-Line Trans-Directional Coupler. *Liu, H., +, TCSII March 2020 485-490*
- Wideband and Miniaturized Forward-Wave Directional Coupler Using Periodical Parallel Plates and Vertical Meander Lines. *Yi, X., +, TCSII Nov. 2020 2402-2406*
- Discharges (electric)**
- A Novel Spike Detection Algorithm Based on Multi-Channel of BECT EEG Signals. *Wang, Z., +, TCSII Dec. 2020 3592-3596*
- Fault Localization Strategy for Modular Multilevel Converters in Rectifier Mode Under Submodule Switch Open-Circuit Failure. *Geng, Z., +, TCSII Dec. 2020 3222-3226*
- MTJ-LRB: Proposal of MTJ-Based Loop Replica Bitline as MRAM Device-Circuit Interaction for PVT-Robust Sensing. *Zhou, Y., +, TCSII Dec. 2020 3352-3356*
- Reduced Switch Count Based Single Source 7L Boost Inverter Topology. *Siddique, M.D., +, TCSII Dec. 2020 3252-3256*
- Discrete cosine transforms**
- Low-Complexity Reconfigurable DCT-V Architecture. *Kello, J., +, TCSII Dec. 2020 3417-3421*
- Discrete Fourier transforms**
- A New Logic Topology-Based Scan Chain Stitching for Test-Power Reduction. *Lee, S., +, TCSII Dec. 2020 3432-3436*
- Oversampled DFT-Modulated Biorthogonal Filter Banks: Perfect Reconstruction Designs and Multiplierless Approximations. *Martins, W.A., +, TCSII Nov. 2020 2777-2781*
- Discrete systems**
- Vortex Search Algorithm for Optimal Power Flow Analysis in DC Resistive Networks With CPLs. *Montoya, O.D., +, TCSII Aug. 2020 1439-1443*
- Discrete time systems**
- A Further Study on Output Feedback  $H_\infty$  Control for Discrete-Time Systems. *Chang, X., +, TCSII Feb. 2020 305-309*
- Asynchronous Observer-Based Control for Exponential Stabilization of Markov Jump Systems. *Zhang, M., +, TCSII Oct. 2020 2039-2043*
- Consensus of Hybrid Multi-Agent Systems With Malicious Nodes. *Shang, Y., TCSII April 2020 685-689*
- Controller Designed via an Adaptive Reaching Law for DSMC Systems. *Lin, S., +, TCSII Feb. 2020 330-334*
- Designing Observer-Type Controller for Containment of Discrete-Time Linear MASs Over Signed Graph. *Fang, X., +, TCSII March 2020 511-515*
- Event-Triggered Fault Detection and Isolation of Discrete-Time Systems Based on Geometric Technique. *Liang, H., +, TCSII Feb. 2020 335-339*
- Finite-Time Consensus for Linear Multi-Agent Systems Using Data-Driven Terminal ILC. *Bu, X., +, TCSII Oct. 2020 2029-2033*
- Frequency Limited Model Reduction Techniques for Discrete-Time Systems. *Toor, H.I., +, TCSII Feb. 2020 345-349*
- Further Result on Interval Observer Design for Discrete-Time Switched Systems and Application to Circuit Systems. *Huang, J., +, TCSII Nov. 2020 2542-2546*
- Implicit-Euler Implementation of Super-Twisting Observer and Twisting Controller for Second-Order Systems. *Xiong, X., +, TCSII Nov. 2020 2607-2611*
- Observer Design for Discrete-Time Nonlinear Systems Using the Stability Radii Theory. *Aviles, J.D., +, TCSII Oct. 2020 1959-1963*
- Robust Output Regulation in Discrete-Time Singular Systems With Actuator Saturation and Uncertainties. *Jafari, E., +, TCSII Feb. 2020 340-344*
- Set Stabilization of Boolean Control Networks With Impulsive Effects: An Event-Triggered Approach. *Lin, L., +, TCSII July 2020 1244-1248*
- Stability Analysis of Aperiodic Sampled-Data Systems: A Switched Polytopic System Method. *Sun, J., +, TCSII June 2020 1054-1058*
- Terminal-Time Synchronization of Multiple Vehicles Under Discrete-Time Communication Networks With Directed Switching Topologies. *Zhou, J., +, TCSII Nov. 2020 2532-2536*
- Discrete-event systems**
- Semi-Tensor Product of Matrices Approach to the Problem of Fault Detection for Discrete Event Systems (DESSs). *Chen, Z., +, TCSII Dec. 2020 3098-3102*
- Discrete-time systems**
- Fault Estimation for Discrete-Time Systems With Lipschitz Perturbation and Time-Variant Coefficients. *Li, Y., +, TCSII Dec. 2020 3137-3141*
- Diseases**
- A Photoacoustic-Surface-Acoustic-Wave Sensor for Ring-Stage Malaria Parasite Detection. *Wang, S., +, TCSII May 2020 881-885*
- Suppressing Epidemic Spreading by Imitating Hub Nodes' Strategy. *Zhang, H., +, TCSII Oct. 2020 1979-1983*
- Synergistic Effects in Networked Epidemic Spreading Dynamics. *Ogura, M., +, TCSII March 2020 496-500*
- Dispatching**
- Power Packet Router With Power and Signal Switches for a Single Power Packet. *Katayama, S., +, TCSII Dec. 2020 3242-3246*
- Power Regeneration From DC Motor With Bidirectional Router in Power Packet Dispatching System. *Yoshida, N., +, TCSII Dec. 2020 3088-3092*
- Dispersion**
- Compact Spoof Surface Plasmon Polaritons Waveguide Integrated With Blind Vias and Its Applications. *Zhang, Q.L., +, TCSII Dec. 2020 3038-3042*
- Distributed algorithms**
- Distributed Optimal Consensus Control Algorithm for Continuous-Time Multi-Agent Systems. *Wang, Q., +, TCSII Jan. 2020 102-106*
- Distributed amplifiers**
- Active Dual-Band Power Divider and Active Quad-Plexer Based on Traveling Wave Amplification and D-CRLH Transmission Line. *Mazani, Z., +, TCSII March 2020 480-484*
- Distributed antenna systems**
- Fiber-Fed Distributed Antenna System in an FPGA Software Defined Radio for 5G Demonstration. *Mahboob, S., +, TCSII Feb. 2020 280-284*
- Distributed control**
- A Performance-Region-Based Approach to the  $H_\infty$  Stochastic Consensus Problem. *Wang, J., +, TCSII July 2020 1289-1293*

- Behavior Analysis of Directed Signed Networks Under Dynamic Protocols. *Wu, Y., +, TCSII Nov. 2020 2562-2566*
- Bipartite Consensus for Descriptor Multiagent Systems With Antagonistic Interactions. *Zhang, L., +, TCSII Nov. 2020 2602-2606*
- Cooperative Output Regulation of Heterogeneous Multi-Agent Systems With Adaptive Edge-Event-Triggered Strategies. *Cheng, B., +, TCSII Oct. 2020 2199-2203*
- Designing Observer-Type Controller for Containment of Discrete-Time Linear MASs Over Signed Graph. *Fang, X., +, TCSII March 2020 511-515*
- Distributed Consensus of Heterogeneous Linear Time-Varying Systems on UAVs-USVs Coordination. *Li, H., +, TCSII July 2020 1264-1268*
- Distributed Optimal Consensus Control Algorithm for Continuous-Time Multi-Agent Systems. *Wang, Q., +, TCSII Jan. 2020 102-106*
- Finite-Time Consensus for Linear Multi-Agent Systems Using Data-Driven Terminal ILC. *Bu, X., +, TCSII Oct. 2020 2029-2033*
- Fixed-Time Bipartite Consensus Tracking of Fractional-Order Multi-Agent Systems With a Dynamic Leader. *Gong, P., +, TCSII Oct. 2020 2054-2058*
- Hierarchical Average-Tracking Algorithm for Multiagent Systems With Unmatched Constant References Signals. *Liu, C., +, TCSII Nov. 2020 2642-2646*
- Moving Target Circular Formation Control of Multiple Non-Holonomic Vehicles Without Global Position Measurements. *Peng, X., +, TCSII Feb. 2020 310-314*
- Observer-Based Adaptive Sampled-Data Event-Triggered Distributed Control for Multi-Agent Systems. *Zhao, L., +, TCSII Jan. 2020 97-101*
- Observer-Based Time-Varying Formation Control of Fractional-Order Multi-Agent Systems With General Linear Dynamics. *Gong, Y., +, TCSII Jan. 2020 82-86*
- Stochastic Distributed Pinning Control for Co-Multi-Inverter Networks With a Virtual Leader. *Lai, J., +, TCSII Oct. 2020 2094-2098*
- Terminal-Time Synchronization of Multiple Vehicles Under Discrete-Time Communication Networks With Directed Switching Topologies. *Zhou, J., +, TCSII Nov. 2020 2532-2536*
- Distributed databases**
- Modeling and Understanding Ethereum Transaction Records via a Complex Network Approach. *Lin, D., +, TCSII Nov. 2020 2737-2741*
- Multivaluedness in Networks: Theory. *van Wyk, M.A., TCSII Dec. 2020 3462-3466*
- Distributed power generation**
- A High-Performance Energy Management System Based on Evolving Graph. *Liu, G., +, TCSII Feb. 2020 350-354*
- A New Population-Based Optimization Method for Online Minimization of Voltage Harmonics in Islanded Microgrids. *Keypour, R., +, TCSII June 2020 1084-1088*
- A Novel Double-Quadrant SoC Consistent Adaptive Droop Control in DC Microgrids. *Xu, D., +, TCSII Oct. 2020 2034-2038*
- An Intelligent and Fast Controller for DC/DC Converter Feeding CPL in a DC Microgrid. *Farsizadeh, H., +, TCSII June 2020 1104-1108*
- Continuous Nonsingular Terminal Sliding Mode Control of DC–DC Boost Converters Subject to Time-Varying Disturbances. *Wang, Z., +, TCSII Nov. 2020 2552-2556*
- Islanded Microgrid Frequency Regulations Concerning the Integration of Tidal Power Units: Real-Time Implementation. *Khooban, M.H., +, TCSII June 2020 1099-1103*
- Distribution networks**
- Numerical Approach to Compute the Power Flow Solution of Hybrid Generation, Transmission and Distribution Systems. *Bizzarri, F., +, TCSII May 2020 936-940*
- Disturbance observers**
- Disturbance Rejection Adaptive Fault-Tolerant Constrained Consensus for Multi-Agent Systems With Failures. *Li, J., +, TCSII Dec. 2020 3302-3306*
- Diversity reception**
- A Multilevel Code-Shifted Differential Chaos Shift Keying System With Reference Diversity. *Lu, Y., +, TCSII Nov. 2020 2462-2466*
- Dividing circuits**
- A 7.1-GHz 0.7-mW Programmable Counter With Fast EOC Generation in 65-nm CMOS. *Som, I., +, TCSII Nov. 2020 2397-2401*
- New Divider Design for Stochastic Computing. *Chu, S.-I., TCSII Jan. 2020 147-151*
- DRAM chips**
- A DLL-Based Quadrature Clock Generator With a 3-Stage Quad Delay Unit Using the Sub-Range Phase Interpolator for Low-Jitter and High-Phase Accuracy DRAM Applications. *Yoon, Y., +, TCSII Nov. 2020 2342-2346*
- An Area-Efficient and Wide-Range Inter-Signal Skew Compensation Scheme With the Embedded Bypass Control Register Operating as a Binary Search Algorithm for DRAM Applications. *Yoon, Y., +, TCSII Oct. 2020 1775-1779*
- CRAM: Collocated SRAM and DRAM With In-Memory Computing-Based Denoising and Filling for Neuromorphic Vision Sensors in 65 nm CMOS. *Zhang, X., +, TCSII May 2020 816-820*
- Driver circuits**
- A 9Gb/s Wide Output Range Transmitter With 2D Binary-Segmented Driver and Dual-Loop Calibration for Intra-Panel Interfaces. *Jeong, Y., +, TCSII Sept. 2020 1589-1593*
- A Driving and Compensation Method for AMLED Displays Using Adaptive Reference Generator for High Luminance Uniformity. *Ahn, H., +, TCSII Oct. 2020 1725-1729*
- A Highly Linear 10-Bit DAC of Data Driver IC Using Source Degeneration Load for Active Matrix Flat-Panel Displays. *Na, J., +, TCSII Nov. 2020 2312-2316*
- A Low-Power 40-Gb/s Pre-Emphasis PAM-4 Transmitter With Toggling Serializers. *Kwon, D., +, TCSII March 2020 430-434*
- An Energy Efficient Level Shifter Capable of Logic Conversion From Sub-15 mV to 1.2 V. *Late, E., +, TCSII Nov. 2020 2687-2691*
- An Improved Seven-Level PUC Inverter Topology With Voltage Boosting. *Sathik, M.J., +, TCSII Jan. 2020 127-131*
- Design of a Single Chip PWM Driver Circuit for Inverter Welding Power Source. *Jabavathi, J.D., +, TCSII April 2020 720-724*
- Displaying-Synchronous Open-Loop External Compensation for Active-Matrix Light Emitting Diode Displays. *Huang, B., +, TCSII Oct. 2020 1790-1794*
- Dual band**
- A Compact Dual-Band Out of Phase Power Divider Having Microstrip Compatibility. *Zaidi, A.M., +, TCSII Dec. 2020 2998-3002*
- An Enhanced Frequency Ratio Dual Band Balun Augmented With High Impedance Transformation. *Gupta, R., +, TCSII Dec. 2020 2973-2977*
- Compact Balanced Dual-Band BPFs Based on Short and Open Stub Loaded Resonators With Wide Common-Mode Suppression. *Wei, F., +, TCSII Dec. 2020 3043-3047*
- Compact SIW Diplexers and Dual-Band Bandpass Filter With Wide-Stopband Performances. *Xie, H., +, TCSII Dec. 2020 2933-2937*
- Dynamic programming**
- A Reinforcement Learning-Based Markov-Decision Process (MDP) Implementation for SRAM FPGAs. *Ruan, A., +, TCSII Oct. 2020 2124-2128*
- Linear Quadratic Regulator of Discrete-Time Switched Linear Systems. *Wu, G., +, TCSII Dec. 2020 3113-3117*
- Dynamic response**
- A Novel AC Current Sensorless Hysteresis Control for Grid-Tie Inverters. *Viswadev, R., +, TCSII Nov. 2020 2577-2581*
- Double-Line Frequency Ripple Suppression of a Quasi-Single Stage AC–DC Converter. *Yang, P., +, TCSII Oct. 2020 2074-2078*
- Dynamics**
- Optical Manipulation of Biological Cells With a Robot-Tweezers System: A Stochastic Control Approach. *Xie, M., +, TCSII Dec. 2020 3232-3236*
- E**
- Echo suppression**
- An Improved Variable Kernel Width for Maximum Correntropy Criterion Algorithm. *Shi, L., +, TCSII July 2020 1339-1343*
- Variable Step-Size Affine Projection Maximum Correntropy Criterion Adaptive Filter With Correntropy Induced Metric for Sparse System Identification. *Zhao, H., +, TCSII Nov. 2020 2782-2786*

**Edge detection**

Design and Fabrication of Flow-Based Edge Detection Memristor Crossbar Circuits<sup>1</sup>. *Pannu, J.S., +, TCSII May 2020 961-965*

**Eigenvalues and eigenfunctions**

Multi-Agent Bipartite Tracking Control Over General Cooperative-Hostile Networks. *Shi, L., TCSII Oct. 2020 1964-1968*

Negative Reactance Impacts Power Flow Convergence Using Conjugate Gradient Method. *Ding, T., +, TCSII Nov. 2020 2527-2531*

Robustness of Coherence in Noisy Scale-Free Networks and Applications to Identification of Influential Spreaders. *Sun, W., +, TCSII July 2020 1274-1278*

Synergistic Effects in Networked Epidemic Spreading Dynamics. *Ogura, M., +, TCSII March 2020 496-500*

The Infimum on Laplacian Eigenvalues of a Connected Extended Graph: An Edge-Grafting Perspective. *Wang, X., +, TCSII Nov. 2020 2627-2631*

**Electric current control**

A 13.56 MHz Current-Mode Wireless Power Receiver With Energy-Investment Capability. *Kuo, C., +, TCSII Feb. 2020 205-209*

A Modified Fixed Current-Mode Controller for Improved Performance in Quadratic Boost Converters. *Chan, C., +, TCSII Oct. 2020 2014-2018*

A Novel AC Current Sensorless Hysteresis Control for Grid-Tie Inverters. *Viswadev, R., +, TCSII Nov. 2020 2577-2581*

A Novel Double-Quadrant SoC Consistent Adaptive Droop Control in DC Microgrids. *Xu, D., +, TCSII Oct. 2020 2034-2038*

A Reconfigurable Transient Optimizer Applied to a Four-Phase Buck Converter for Optimizing Both DVS and Load Transient Responses. *Wang, P., +, TCSII Jan. 2020 52-56*

Adaptive Power Control Using Current Adjustment for Watt-Level Power Amplifiers in CMOS SOI. *Moallemi, S., +, TCSII April 2020 605-609*

Digital Valley V<sup>2</sup> Control for Boost Converter With Fast Load-Transient Performance. *Zhou, G., +, TCSII Oct. 2020 2089-2093*

Fast DC-Bias Current Control of Dual Active Bridge Converters With Feed-forward Compensation. *Ji, Z., +, TCSII Nov. 2020 2587-2591*

Hot-Swappable Grid-Connected Multilevel Converter for Battery Energy Storage System. *Cheng, C., +, TCSII Oct. 2020 2109-2113*

**Electric current measurement**

1.2-V Energy-Efficient Wireless CMOS Potentiostat for Amperometric Measurements. *Valente, V., +, TCSII Oct. 2020 1700-1704*

A P&O MPPT With a Novel Analog Power-Detector for WSNs Applications. *Liu, L., +, TCSII Oct. 2020 1680-1684*

**Electric fields**

Compact SIW Diplexers and Dual-Band Bandpass Filter With Wide-Stopband Performances. *Xie, H., +, TCSII Dec. 2020 2933-2937*

Design of a Double-Sided LC Compensated Capacitive Power Transfer System With Capacitor Voltage Stress Optimization. *Lian, J., +, TCSII April 2020 715-719*

Wide-Stopband SIW Filters Using Modified Multi-Spurious Modes Suppression Technique. *Xie, H., +, TCSII Dec. 2020 2883-2887*

**Electric impedance**

A Negative Embedded Differential Mode Γ-Source Inverter With Reduced Switching Spikes. *Reddivari, R., +, TCSII Oct. 2020 2009-2013*

Double-Line Frequency Ripple Suppression of a Quasi-Single Stage AC-DC Converter. *Yang, P., +, TCSII Oct. 2020 2074-2078*

Triangular Matrix Formulation for Power Flow Analysis in Radial DC Resistive Grids With CPLs. *Montoya, O.D., +, TCSII June 2020 1094-1098*

**Electric impedance imaging**

Hand Gesture Recognition Using Three-Dimensional Electrical Impedance Tomography. *Jiang, D., +, TCSII Sept. 2020 1554-1558*

**Electric impedance measurement**

A Novel Tuning Method for Impedance Matching Network Based on Linear Fractional Transformation. *Xiong, B., +, TCSII June 2020 1039-1043*

**Electric sensing devices**

A Novel Tuning Method for Impedance Matching Network Based on Linear Fractional Transformation. *Xiong, B., +, TCSII June 2020 1039-1043*

**Electrical engineering computing**

A Stochastic Computing Architecture for Iterative Estimation. *Lunglmayr, M., +, TCSII March 2020 580-584*

**Electrical fault detection**

An Exact Characterization of the  $L_1/L_\infty$  Index of Positive Systems and Its Application to Fault Detection Filter Design. *Shen, J., +, TCSII Dec. 2020 3262-3266*

Semi-Tensor Product of Matrices Approach to the Problem of Fault Detection for Discrete Event Systems (DESs). *Chen, Z., +, TCSII Dec. 2020 3098-3102*

**Electrical resistance measurement**

40.68 MHz Digital On-Off Delay-Compensated Active Rectifier for WPT of Biomedical Applications. *Pal, S., +, TCSII Dec. 2020 3307-3311*

**Electrocardiography**

High Input Impedance Low-Noise CMOS Analog Frontend IC for Wearable Electrocardiogram Monitoring. *Zhang, C., +, TCSII July 2020 1169-1173*  
Low-Cost Implementation of Independent Component Analysis for Biomedical Signal Separation Using Very-Large-Scale Integration. *Chen, Y., +, TCSII Dec. 2020 3437-3441*

VLSI Implementation of Lossless ECG Compression Algorithm for Low Power Devices. *Tsai, T., +, TCSII Dec. 2020 3317-3321*

**Electroencephalography**

A Deep Learning Method for Improving the Classification Accuracy of SSMVEP-Based BCI. *Gao, Z., +, TCSII Dec. 2020 3447-3451*

A Novel Spike Detection Algorithm Based on Multi-Channel of BECT EEG Signals. *Wang, Z., +, TCSII Dec. 2020 3592-3596*

Low-Cost Implementation of Independent Component Analysis for Biomedical Signal Separation Using Very-Large-Scale Integration. *Chen, Y., +, TCSII Dec. 2020 3437-3441*

Removing Muscle Artifacts From EEG Data via Underdetermined Joint Blind Source Separation: A Simulation Study. *Zou, L., +, TCSII Jan. 2020 187-191*

**Electromagnetic coupling**

Compact Wide-Stopband Dual-Band Balanced Filter Using an Electromagnetically Coupled SIR Pair With Controllable Transmission Zeros and Bandwidths. *Tang, J., +, TCSII Nov. 2020 2357-2361*

High-Isolation and Wide-Stopband SIW Diplexer Using Mixed Electric and Magnetic Coupling. *Su, Z.L., +, TCSII Jan. 2020 32-36*

**Electromagnetic interference**

Inductorless DC/DC Converter for Aerospace Applications With Insulation Features. *Ciarpi, G., +, TCSII Sept. 2020 1659-1663*

**Electromagnetic shielding**

Braid Shielding Effectiveness Kron's Model via Coupled Cables Configuration. *Cholachue, C., +, TCSII Aug. 2020 1389-1393*

**Electromagnetic wave propagation**

Isolation Improvement of MIMO Antenna Using a Novel Flower Shaped Metamaterial Absorber at 5.5 GHz WiMAX Band. *Garg, P., +, TCSII April 2020 675-679*

**Electromagnetic waveguides**

Low-Loss Reconfigurable Phase Shifter in Gap-Waveguide Technology for mm-Wave Applications. *Palomares-Caballero, A., +, TCSII Dec. 2020 3058-3062*

**Electromyography**

Removing Muscle Artifacts From EEG Data via Underdetermined Joint Blind Source Separation: A Simulation Study. *Zou, L., +, TCSII Jan. 2020 187-191*

**Electronic engineering computing**

0.3 pJ/Bit Machine Learning Resistant Strong PUF Using Subthreshold Voltage Divider Array. *Venkatesh, A., +, TCSII Aug. 2020 1394-1398*

A Generic Nano-Watt Power Fully Tunable 1-D Gaussian Kernel Circuit for Artificial Neural Network. *Reda Mohamed, A., +, TCSII Sept. 2020 1529-1533*

A Low-Error, Memory-Based Fast Binary Logarithmic Converter. *Jana, B., +, TCSII Oct. 2020 2129-2133*

A ReRAM-Based Computing-in-Memory Convolutional-Macro With Customized 2T2R Bit-Cell for AIoT Chip IP Applications. *Tan, F., +, TCSII Sept. 2020 1534-1538*

Tropical Reservoir Computing Hardware. *Galen-Prado, F., +, TCSII Nov. 2020 2712-2716*

**Electronics packaging**

- A Self-Packaged Power Divider With Compact Size and Low Loss. *Feng, T., +, TCSII Nov. 2020* 2437-2441  
 Voltage Comparator With 60% Faster Speed by Using Charge Pump. *Zhuang, H., +, TCSII Dec. 2020* 2923-2927

**Electrostatics**

- A Novel XOR/XNOR Structure for Modular Design of QCA Circuits. *Wang, L., +, TCSII Dec. 2020* 3327-3331

**Elemental semiconductors**

- A 120-mW 0.16-ms-Latency Connectivity-Scalable Multiuser Detector for Interleave Division Multiple Access. *Kong, B.Y., +, TCSII March 2020* 470-474

- A Four-Step Incremental ADC Based on Double Extended Binary Counting With Capacitive DAC. *Oh, B., +, TCSII Oct. 2020* 1685-1689

- Silicon Evaluation of Multimode Dual Mode Logic for PVT-Aware Datapaths. *Stanger, I., +, TCSII Sept. 2020* 1639-1643

**Elliptic filters**

- Continuous Class-F Power Amplifier Using Quasi-Elliptic Low-Pass Filtering Matching Network. *Zarghami, S., +, TCSII Nov. 2020* 2407-2411

**Embedded systems**

- A 0.22–0.89 mW Low-Power and Highly-Secure Always-On Face Recognition Processor With Adversarial Attack Prevention. *Kim, Y., +, TCSII May 2020* 846-850

- Novel Hybrid CMOS/Memristor Implementation of the AES Algorithm Robust Against Differential Power Analysis Attack. *Masoumi, M., TCSII July 2020* 1314-1318

**Encoding**

- An 18-Gb/s NRZ Transceiver With a Channel-Included 2-UI Impulse-Response Filtering FFE and 1-Tap DFE Compensating up to 32-dB Loss. *Ahn, C., +, TCSII Dec. 2020* 2863-2867

- Concept of LIF Neuron Circuit for Rate Coding in Spike Neural Networks. *Velichko, A., +, TCSII Dec. 2020* 3477-3481

- Efficient VLSI Architectures for Coupled-Layered Regenerating Codes. *Zhang, X., +, TCSII Oct. 2020* 1869-1873

- Energy Efficient Temporal Spatial Information Processing Circuits Based on STDP and Spike Iteration. *Zhao, C., +, TCSII Oct. 2020* 1715-1719

- Energy-Efficient Data-Aware SRAM Design Utilizing Column-Based Data Encoding. *Do, A.T., +, TCSII Oct. 2020* 2154-2158

- Hybrid Low Radix Encoding-Based Approximate Booth Multipliers. *Waris, H., +, TCSII Dec. 2020* 3367-3371

- Low-Latency and Low-Power Test-Vector Selector for Reed-Solomon's Low-Complexity Chase. *Garcia-Herrero, F., +, TCSII Dec. 2020* 3362-3366

- Parallel Hybrid Stochastic-Binary-Based Neural Network Accelerators. *Zhang, Y., +, TCSII Dec. 2020* 3387-3391

- VLSI Implementation of Lossless ECG Compression Algorithm for Low Power Devices. *Tsai, T., +, TCSII Dec. 2020* 3317-3321

**Energy conservation**

- 1.2-V Energy-Efficient Wireless CMOS Potentiostat for Amperometric Measurements. *Valente, V., +, TCSII Oct. 2020* 1700-1704

- A Folded Voltage-Combiners Biased Amplifier for Low Voltage and High Energy-Efficiency Applications. *Povoa, R., +, TCSII Feb. 2020* 230-234

- An Energy-Efficient 3Gb/s PAM4 Full-Duplex Transmitter With 2-Tap Feed Forward Equalizer. *Mukherjee, S., +, TCSII May 2020* 916-920

- Block-Based Carry Speculative Approximate Adder for Energy-Efficient Applications. *Ebrahimi-Azandaryani, F., +, TCSII Jan. 2020* 137-141

- CRAM: Collocated SRAM and DRAM With In-Memory Computing-Based Denoising and Filling for Neuromorphic Vision Sensors in 65 nm CMOS. *Zhang, X., +, TCSII May 2020* 816-820

- Efficient FPGA Implementation of K-Nearest-Neighbor Search Algorithm for 3D LIDAR Localization and Mapping in Smart Vehicles. *Sun, H., +, TCSII Sept. 2020* 1644-1648

- SIBAM—Sign Inclusive Broken Array Multiplier Design for Error Tolerant Applications. *Sinha Roy, A., +, TCSII Nov. 2020* 2702-2706

- Stochastic Wave-Pipelined On-Chip Interconnect. *Najafi, A., +, TCSII May 2020* 841-845

- Voltage Divider for Self-Limited Analog State Programming of Memristors. *Gomez, J., +, TCSII April 2020* 620-624

**Energy consumption**

- Approximate Multipliers With Dynamic Truncation for Energy Reduction via Graceful Quality Degradation. *Frustaci, F., +, TCSII Dec. 2020* 3427-3431

**Energy efficiency**

- An Energy-Efficient Level Shifter for Ultra Low-Voltage Digital LSIs. *You, H., +, TCSII Dec. 2020* 3357-3361

**Energy harvesting**

- 83.9% Efficiency 100-mV Self-Startup Boost Converter for Thermoelectric Energy Harvester in IoT Applications. *Shang, Z., +, TCSII Sept. 2020* 1654-1658

- A 7.5-mV-Input Boost Converter for Thermal Energy Harvesting With 11-mV Self-Startup. *Radin, R.L., +, TCSII Aug. 2020* 1379-1383

- A Reconfigurable Rectifier With Optimal Loading Point Determination for RF Energy Harvesting From -22 dBm to -2 dBm. *Zeng, Z., +, TCSII Jan. 2020* 87-91

- An 18-nA Ultra-Low-Current Resistor-Less Bandgap Reference for 2.8 V-4.5 V High Voltage Supply Li-Ion-Battery-Based LSIs. *Wang, S., +, TCSII Nov. 2020* 2382-2386

- An AC-DC Rectifier With Active and Non-Overlapping Control for Piezoelectric Vibration Energy Harvesting. *Chang, R.C., +, TCSII June 2020* 969-973

- An Indoor Photovoltaic Energy Harvester Using Time-Based MPPT and On-Chip Photovoltaic Cell. *Chang, M., +, TCSII Nov. 2020* 2432-2436

- Charge Pump Improvement for Energy Harvesting Applications by Node Pre-Charging. *Ballo, A., +, TCSII Dec. 2020* 3312-3316

- Design Method for RF Energy Harvesting Rectifiers. *Garcia-Moreno, S., +, TCSII Nov. 2020* 2727-2731

**Energy management systems**

- A High-Performance Energy Management System Based on Evolving Graph. *Liu, G., +, TCSII Feb. 2020* 350-354

**Energy storage**

- A High-Performance Energy Management System Based on Evolving Graph. *Liu, G., +, TCSII Feb. 2020* 350-354

- A Novel Double-Quadrant SoC Consistent Adaptive Droop Control in DC Microgrids. *Xu, D., +, TCSII Oct. 2020* 2034-2038

- An Interleaved Bi-Directional AC-DC Converter With Reduced Switches and Reactive Power Control. *Tashakor, N., +, TCSII Jan. 2020* 132-136

- Hot-Swappable Grid-Connected Multilevel Converter for Battery Energy Storage System. *Cheng, C., +, TCSII Oct. 2020* 2109-2113

- Islanded Microgrid Frequency Regulations Concerning the Integration of Tidal Power Units: Real-Time Implementation. *Khooban, M.H., +, TCSII June 2020* 1099-1103

**Engines**

- A Novel Architecture for Early Detection of Negative Output Features in Deep Neural Network Accelerators. *Asadikouhanjani, M., +, TCSII Dec. 2020* 3332-3336

- CREMON: Cryptography Embedded on the Convolutional Neural Network Accelerator. *Choi, Y., +, TCSII Dec. 2020* 3337-3341

**Entropy**

- A Kernel Affine Projection-Like Algorithm in Reproducing Kernel Hilbert Space. *Wu, Q., +, TCSII Oct. 2020* 2249-2253

- A Parallel Kernelized Data-Reusing Maximum Correntropy Algorithm. *Wu, Q., +, TCSII Nov. 2020* 2792-2796

- Bias-Compensated Minimum Error Entropy Algorithms With Polynomial Sparsity Penalty Constraints. *Chen, Z., +, TCSII Dec. 2020* 3537-3541

- IC Random Number Generator Exploiting Two Simultaneous Metastable Events of Tetrahedral Oscillators. *Gunay, R., +, TCSII Sept. 2020* 1634-1638

- Multiresolution Multiplex Network for Analyzing Multichannel Fluid Flow Signals. *Gao, Z., +, TCSII Oct. 2020* 2179-2183

- Recursive Constrained Maximum Correntropy Criterion Algorithm for Adaptive Filtering. *Qian, G., +, TCSII Oct. 2020* 2229-2233

- Recursive Minimum Kernel Mixture Mean p-Power Error Algorithm Based on the Nyström Method. *Zhang, T., +, TCSII Nov. 2020* 2772-2776

- Regularized Deep Transfer Learning: When CNN Meets kNN. *Wang, S., +, TCSII Oct. 2020* 2269-2273

- The Unpredictability Analysis of Boolean Chaos. *Gong, L., +, TCSII Oct. 2020 1854-1858*
- Epidemics**
- Robustness of Coherence in Noisy Scale-Free Networks and Applications to Identification of Influential Spreaders. *Sun, W., +, TCSII July 2020 1274-1278*
- Suppressing Epidemic Spreading by Imitating Hub Nodes' Strategy. *Zhang, H., +, TCSII Oct. 2020 1979-1983*
- Synergistic Effects in Networked Epidemic Spreading Dynamics. *Ogura, M., +, TCSII March 2020 496-500*
- Epilepsy**
- A Novel Spike Detection Algorithm Based on Multi-Channel of BECT EEG Signals. *Wang, Z., +, TCSII Dec. 2020 3592-3596*
- Equalizers**
- A 48 Gb/s PAM-4 Transmitter With 3-Tap FFE Based on Double-Shielded Coplanar Waveguide in 65-nm CMOS. *Do, H., +, TCSII Sept. 2020 1569-1573*
- A 6.84 Gbps/lane MIPI C-PHY Transceiver Bridge Chip With Level-Dependent Equalization. *Lee, P., +, TCSII Nov. 2020 2672-2676*
- A Kernel Affine Projection-Like Algorithm in Reproducing Kernel Hilbert Space. *Wu, Q., +, TCSII Oct. 2020 2249-2253*
- An Energy-Efficient 3Gb/s PAM4 Full-Duplex Transmitter With 2-Tap Feed Forward Equalizer. *Mukherjee, S., +, TCSII May 2020 916-920*
- High-Bandwidth Spatial Equalization for mmWave Massive MU-MIMO With Processing-in-Memory. *Castaneda, O., +, TCSII May 2020 891-895*
- Equivalent circuits**
- A Method of Creating the High-Voltage Circuit Model of Metal-Oxide Varistor for the Simulation of Square Pulse Forming. *Cui, Y., +, TCSII March 2020 526-530*
- A Microstrip Lowpass Filter With Wide Tuning Range and Sharp Roll-Off Response. *Moloudian, G., +, TCSII Dec. 2020 2953-2957*
- An Enhanced Frequency Ratio Dual Band Balun Augmented With High Impedance Transformation. *Gupta, R., +, TCSII Dec. 2020 2973-2977*
- An Investigation on Extraction of Material Parameters in Longitudinal Mode of FBAR. *Wu, H., +, TCSII June 2020 1024-1028*
- Braid Shielding Effectiveness Kron's Model via Coupled Cables Configuration. *Cholachue, C., +, TCSII Aug. 2020 1389-1393*
- Miniaturized Single-Ended-to-Balanced Arbitrary Four-Section Coupled-Line Coupler With Inherent Impedance Matching. *Wang, W., +, TCSII Oct. 2020 1929-1933*
- Planar Wideband High-Selectivity Impedance-Transforming Differential Bandpass Filter With Deep Common-Mode Suppression. *Chen, W., +, TCSII Oct. 2020 1914-1918*
- Schottky Diode Large-Signal Equivalent-Circuit Parameters Extraction for High-Efficiency Microwave Rectifying Circuit Design. *Chen, Q., +, TCSII Nov. 2020 2722-2726*
- Single-Layer Planar Wideband Rat-Race Coupler Using a Shorted Parallel-Coupled Multi-Line Section. *Zheng, Y., +, TCSII Dec. 2020 3053-3057*
- Transformerless Grid-Connected PV Inverter Without Common Mode Leakage Current and Shoot-Through Problems. *Yao, Z., +, TCSII Dec. 2020 3257-3261*
- Error analysis**
- Stochastic Mixed-PR: A Stochastically-Tunable Low-Error Adder. *Najafi, A., +, TCSII Oct. 2020 2144-2148*
- Error correction**
- A 10 Bit 5 MS/s Column SAR ADC With Digital Error Correction for CMOS Image Sensors. *Xie, S., +, TCSII June 2020 984-988*
- A 40-nm CMOS 12b 120-MS/s Nonbinary SAR-Assisted SAR ADC With Double Clock-Rate Coarse Decision. *Roh, Y., +, TCSII Dec. 2020 2833-2837*
- Low-Latency and Low-Power Test-Vector Selector for Reed-Solomon's Low-Complexity Chase. *Garcia-Herrero, F., +, TCSII Dec. 2020 3362-3366*
- Error correction codes**
- A Countermeasure Against Statistical Ineffective Fault Analysis. *Breier, J., +, TCSII Dec. 2020 3322-3326*
- A Hybrid Reducing Error Correcting Output Code for Lithology Identification. *Chen, X., +, TCSII Oct. 2020 2254-2258*
- A Novel Dynamic Detection for Flash Memory. *Ismail, A., +, TCSII March 2020 600-604*
- Adaptive 2-D Scheduling-Based Nonbinary Majority-Logic Decoding for NAND Flash Memory. *Wang, C., +, TCSII July 2020 1349-1353*
- Enhanced Belief Propagation Decoder for 5G Polar Codes With Bit-Flipping. *Shen, Y., +, TCSII May 2020 901-905*
- Improving Resistive RAM Hard and Soft Decision Correctable BERs by Using Improved-LLR and Reset-Check-Reverse-Flag Concatenating LDPC Code. *Ning, S., TCSII Oct. 2020 2164-2168*
- Scaled Nested Key Equation Solver for Generalized Integrated Interleaved Decoder. *Xie, Z., +, TCSII Nov. 2020 2457-2461*
- Error detection codes**
- On the Existence of Security Enhancing Converter Designs for Multi-Level Memories. *Neumeier, Y., +, TCSII June 2020 1119-1123*
- Error statistics**
- A 10.8 Gb/s Quarter-Rate 1 FIR 1 IIR Direct DFE With Non-Time-Overlapping Data Generation for 4:1 CMOS Clockless Multiplexer. *Lee, D., +, TCSII Jan. 2020 67-71*
- A 12.5 Gb/s 1.93 pJ/Bit Optical Receiver Exploiting Silicon Photonic Delay Lines for Clock Phases Generation Replacement. *Radi, B., +, TCSII Oct. 2020 1864-1868*
- A Framework for the Lower Bound on the BER of DCSK Systems Over Multi-Path Nakagami-m Fading Channels. *Dawa, M., +, TCSII Oct. 2020 1859-1863*
- A Fully-Integrated 64-Channel Wireless Neural Interfacing SoC Achieving 110 dB AFE PSRR and Supporting 54 Mb/s Symbol Rate, Meter-Range Wireless Data Transmission. *Lyu, L., +, TCSII May 2020 831-835*
- A Multilevel Code-Shifted Differential Chaos Shift Keying System With Reference Diversity. *Lu, Y., +, TCSII Nov. 2020 2462-2466*
- An Ultimate-Shannon-Limit-Approaching Gbps Throughput Encoder/Decoder System. *Jiang, S., +, TCSII Oct. 2020 2169-2173*
- Dynamic Read Current Sensing With Amplified Bit-Line Voltage for STT-MRAMs. *Ali, M.F., +, TCSII March 2020 551-555*
- Efficient Implementation of a Threshold Modified Min-Sum Algorithm for LDPC Decoders. *Liu, Y., +, TCSII Sept. 2020 1599-1603*
- High Data Rate Discrete-Cosine-Spread Aided M-Ary Differential Chaos Shift Keying Scheme With Low PAPR. *Chen, Z., +, TCSII Nov. 2020 2492-2496*
- Improving Resistive RAM Hard and Soft Decision Correctable BERs by Using Improved-LLR and Reset-Check-Reverse-Flag Concatenating LDPC Code. *Ning, S., TCSII Oct. 2020 2164-2168*
- Multiuser PSK-Chirp-BOK Communication System Under Co-Channel Interference. *Roy, A., +, TCSII March 2020 465-469*
- Self-Optimizing Wireless Networks on Structures. *Shaik, S.M., +, TCSII May 2020 911-915*
- Estimation**
- A New Logic Topology-Based Scan Chain Stitching for Test-Power Reduction. *Lee, S., +, TCSII Dec. 2020 3432-3436*
- Angle of Arrival Estimation Through a Full-Hardware Approach for Adaptive Beamforming. *Avitabile, G., +, TCSII Dec. 2020 3033-3037*
- Bias-Compensated MCCC Algorithm for Widely Linear Adaptive Filtering With Noisy Data. *Dong, F., +, TCSII Dec. 2020 3587-3591*
- Design and Implementation of Acoustic Source Localization on a Low-Cost IoT Edge Platform. *Fabregat, G., +, TCSII Dec. 2020 3547-3551*
- Fault Estimation for Discrete-Time Systems With Lipschitz Perturbation and Time-Variant Coefficients. *Li, Y., +, TCSII Dec. 2020 3137-3141*
- Null Space Projection Enhanced LMS Filters. *Lunglmayr, M., +, TCSII Dec. 2020 3507-3511*
- Estimation error**
- Projectional Observers of Nonlinear Systems With Full-State Constraints. *Garcia-Gonzalez, A., +, TCSII Dec. 2020 3078-3082*
- Transient Analysis of Signed LMS Algorithms With Cyclostationary Colored Gaussian Inputs. *Gao, W., +, TCSII Dec. 2020 3562-3566*
- Estimation theory**
- Intermediate-Variable-Based Estimation for FDI Attacks in Cyber-Physical Systems. *Zhou, J., +, TCSII Nov. 2020 2762-2766*

**Etching**

Compact and Wideband Octuple-Mode Filter Based on Hybrid Substrate Integrated Waveguide and Spoof Localized Surface Plasmon Structure. *Yang, Z., +, TCSII Nov. 2020 2377-2381*

**Expectation-maximization algorithms**

Timing and Frequency Synchronization and Doubly Selective Channel Estimation for OFDMA Uplink. *Abdzadeh-Ziabari, H., +, TCSII Jan. 2020 62-66*

**Extrapolation**

UaL Decomposition, an Alternative to the LU Factorization of MNA Matrices. *Hashemian, R., TCSII April 2020 630-634*

**F****Face recognition**

A 0.22–0.89 mW Low-Power and Highly-Secure Always-On Face Recognition Processor With Adversarial Attack Prevention. *Kim, Y., +, TCSII May 2020 846-850*

**Fading channels**

Event-Based Adaptive Power Control in Vehicular Networked Systems With State-Dependent Bursty Fading Channels. *Hu, B., TCSII March 2020 506-510*

High Data Rate Discrete-Cosine-Spreading Aided  $M$ -Ary Differential Chaos Shift Keying Scheme With Low PAPR. *Chen, Z., +, TCSII Nov. 2020 2492-2496*

**Failure analysis**

A Cost-Aware Framework for Lifetime Reliability of TSV-Based 3D-IC Design. *Reddy, R.P., +, TCSII Nov. 2020 2677-2681*

Efficient VLSI Architectures for Coupled-Layered Regenerating Codes. *Zhang, X., +, TCSII Oct. 2020 1869-1873*

Over-Voltage Suppression Methods for the MMC-VSC-HVDC Wind Farm Integration System. *Li, Y., +, TCSII Feb. 2020 355-359*

**Fast Fourier transforms**

Highly Parallel Vector Radix FFT for High Throughput Video Applications. *Unnikrishnan, S., +, TCSII Oct. 2020 2114-2118*

RLWE-Oriented High-Speed Polynomial Multiplier Utilizing Multi-Lane Stockham NTT Algorithm. *Feng, X., +, TCSII March 2020 556-559*

**Fasteners**

Low-Loss Reconfigurable Phase Shifter in Gap-Waveguide Technology for mm-Wave Applications. *Palomares-Caballero, A., +, TCSII Dec. 2020 3058-3062*

**Fault currents**

A Modular Multilevel Converter With Novel Double Reverse Blocking Sub-Modules for DC Fault Current Blocking Capability. *Yao, Y., +, TCSII April 2020 740-744*

**Fault detection**

An Exact Characterization of the  $L_1/L_-$  Index of Positive Systems and Its Application to Fault Detection Filter Design. *Shen, J., +, TCSII Dec. 2020 3262-3266*

Semi-Tensor Product of Matrices Approach to the Problem of Fault Detection for Discrete Event Systems (DESSs). *Chen, Z., +, TCSII Dec. 2020 3098-3102*

**Fault diagnosis**

Event-Triggered Fault Detection and Isolation of Discrete-Time Systems Based on Geometric Technique. *Liang, H., +, TCSII Feb. 2020 335-339*

Fault Localization Strategy for Modular Multilevel Converters in Rectifier Mode Under Submodule Switch Open-Circuit Failure. *Geng, Z., +, TCSII Dec. 2020 3222-3226*

Non-Intrusive Online Distributed Pulse Shrinking-Based Interconnect Testing in 2.5D IC. *Ni, T., +, TCSII Nov. 2020 2657-2661*

Semi-Tensor Product of Matrices Approach to the Problem of Fault Detection for Discrete Event Systems (DESSs). *Chen, Z., +, TCSII Dec. 2020 3098-3102*

**Fault tolerance**

A Cost-Aware Framework for Lifetime Reliability of TSV-Based 3D-IC Design. *Reddy, R.P., +, TCSII Nov. 2020 2677-2681*

A Reinforcement Learning-Based Markov-Decision Process (MDP) Implementation for SRAM FPGAs. *Ruan, A., +, TCSII Oct. 2020 2124-2128*

Disturbance Rejection Adaptive Fault-Tolerant Constrained Consensus for Multi-Agent Systems With Failures. *Li, J., +, TCSII Dec. 2020 3302-3306*  
High-Accuracy and Fault Tolerant Stochastic Inner Product Design. *Haselmayr, W., +, TCSII March 2020 541-545*

**Fault tolerant computing**

A Stochastic Computing Architecture for Iterative Estimation. *Lunglmayr, M., +, TCSII March 2020 580-584*

**Fault tolerant control**

Finite-Time Fault-Tolerant Control for Nonlinear Systems With Input Quantization and Its Application. *Liu, W., +, TCSII July 2020 1249-1253*

Non-Fragile Fault Alarm-Based Hybrid Control for the Attitude Quadrotor Model With Actuator Saturation. *Harshavarthini, S., +, TCSII Nov. 2020 2647-2651*

**Fault tolerant systems**

Disturbance Rejection Adaptive Fault-Tolerant Constrained Consensus for Multi-Agent Systems With Failures. *Li, J., +, TCSII Dec. 2020 3302-3306*

**Feature extraction**

A 9.6 nW, 8-Bit, 100 S/s Envelope-to-Digital Converter for Respiratory Monitoring. *Shi, E., +, TCSII March 2020 445-449*

A Deep Learning Method for Improving the Classification Accuracy of SSMVEP-Based BCI. *Gao, Z., +, TCSII Dec. 2020 3447-3451*

A Multi-Class Objects Detection Coprocessor With Dual Feature Space and Weighted Softmax. *Xiao, Z., +, TCSII Sept. 2020 1629-1633*

A Novel Architecture for Early Detection of Negative Output Features in Deep Neural Network Accelerators. *Asadikouhanjani, M., +, TCSII Dec. 2020 3332-3336*

A Novel Spike Detection Algorithm Based on Multi-Channel of BECT EEG Signals. *Wang, Z., +, TCSII Dec. 2020 3592-3596*

Fall Detection Using Standoff Radar-Based Sensing and Deep Convolutional Neural Network. *Sadreazami, H., +, TCSII Jan. 2020 197-201*

First Steps Toward Concealing the Traces Left by Reversible Image Data Hiding. *Dong, L., +, TCSII May 2020 951-955*

Histogram of Oriented Gradients Feature Extraction From Raw Bayer Pattern Images. *Zhou, W., +, TCSII May 2020 946-950*

Regularized Deep Transfer Learning: When CNN Meets kNN. *Wang, S., +, TCSII Oct. 2020 2269-2273*

Zero-Shot Object Detection With Attributes-Based Category Similarity. *Mao, Q., +, TCSII May 2020 921-925*

**Feedback**

A Further Study on Output Feedback  $\mathcal{H}_\infty$  Control for Discrete-Time Systems. *Chang, X., +, TCSII Feb. 2020 305-309*

A Robust Adaptive Cancellation of Unknown Sinusoidal Disturbance. *Chu, Z., +, TCSII April 2020 705-709*

A Wide Dynamic Range Multi-Mode Band-Pass Continuous-Time Delta-Sigma Modulator Employing Single-Opamp Resonator With Positive Resistor-Feedback. *Kim, S., +, TCSII Feb. 2020 235-239*

Adaptive Control for Nonlinear Systems With Uncertain Output Function and Unknown Homogenous Growth Rate. *Zhai, J., TCSII Oct. 2020 1974-1978*

An Adaptive Partial Feedback Linearizing Control Scheme: An Application to a Single Machine Infinite Bus System. *Roy, T.K., +, TCSII Nov. 2020 2557-2561*

Design and Analysis of Compressive Sensing-Based Lightweight Encryption Scheme for Multimedia IoT. *Unde, A.S., +, TCSII Jan. 2020 167-171*

Design and Realization of High-Speed Low-Noise Multi-Loop Skew-Based ROs Optimized for Even/Odd Multi-Phase Signals. *Mishra, N., +, TCSII Nov. 2020 2352-2356*

Event-Based Robust Synchronization of Boolean Control Networks. *Ouyang, C., +, TCSII Oct. 2020 1969-1973*

Global Fixed-Time Output Feedback Stabilization for a Class of Double Integrator Systems. *Su, Y., +, TCSII Oct. 2020 1954-1958*

Global Nested PID Control of Strict-Feedback Nonlinear Systems With Prescribed Output and Virtual Tracking Performance. *Gao, S., +, TCSII Feb. 2020 325-329*

High Gain Observer-Based Saturated Controller for Feedback Linearizable System. *Rayguru, M.M., +, TCSII Jan. 2020 122-126*

Periodic Event-Triggered Dynamic Output Feedback Dissipative Control With Stochastic Detection. *Ma, G., +, TCSII June 2020 1069-1073*

- Robust Design Strategy of Quantized Feedback Control. *Chang, X., +, TCSII April 2020 730-734*
- Robust Output Regulation in Discrete-Time Singular Systems With Actuator Saturation and Uncertainties. *Jafari, E., +, TCSII Feb. 2020 340-344*
- Synchronization of Chaotic-Oscillation Permanent Magnet Synchronous Generators Networks via Adaptive Impulsive Control. *Zhu, D., +, TCSII Oct. 2020 2194-2198*
- Untrimmed BGR of 1.1%  $3\sigma$  Based on Dynamic-Biased Op Amp With Reduced  $V_{off}$ . *Lee, J., +, TCSII Oct. 2020 1829-1833*
- Velocity Observer-Based Nonlinear Self-Tuning Position Stabilizer for Ball-Beam System Applications. *Lee, C.R., +, TCSII July 2020 1309-1313*
- Feedforward**
- Fast DC-Bias Current Control of Dual Active Bridge Converters With Feed-forward Compensation. *Ji, Z., +, TCSII Nov. 2020 2587-2591*
- Feedforward systems**
- A Low-Spur MASH Delta-Sigma Modulator With an Adaptive Length Extension Technique. *Ding, X., +, TCSII Dec. 2020 2818-2822*
- Feeds**
- Substrate Integrated Waveguide Multi-Channel Filtering Crossover With Extended Channel Number and Controllable Frequencies. *Zhan, W., +, TCSII Dec. 2020 2858-2862*
- Field effect MIMIC**
- A Frequency-Reconfigurable CMOS Active Phase Shifter for 5G mm-Wave Applications. *Xiong, Y., +, TCSII Oct. 2020 1824-1828*
- Front-End Blocks of a W-Band Dicke Radiometer in SiGe BiCMOS Technology. *Ustundag, B., +, TCSII Nov. 2020 2417-2421*
- Field effect MMIC**
- A 0.2-1.3 ns Range Delay-Control Scheme for a 25 Gb/s Data-Receiver Using a Replica Delay-Line-Based Delay-Locked-Loop in 45-nm CMOS. *Rehman, S.U., +, TCSII May 2020 806-810*
- A Frequency-Reconfigurable CMOS Active Phase Shifter for 5G mm-Wave Applications. *Xiong, Y., +, TCSII Oct. 2020 1824-1828*
- A Fully-Integrated 64-Channel Wireless Neural Interfacing SoC Achieving 110 dB AFE PSRR and Supporting 54 Mb/s Symbol Rate, Meter-Range Wireless Data Transmission. *Lyu, L., +, TCSII May 2020 831-835*
- A Low-Voltage Robust Class-C VCO With Dual Digital Feedback Loops. *Liao, X., +, TCSII Nov. 2020 2347-2351*
- A Sub-2 dB NF, 0.3–3 GHz Packaged Bandwidth Extended Wideband Receiver Front-End. *Gupta, N., +, TCSII March 2020 491-495*
- Low-Power, Low-Phase-Noise  $G_m$ -Boosted 10-GHz VCO With Center-Tap Transformer and Stacked Transistor. *Lee, H.S., +, TCSII Oct. 2020 1710-1714*
- Field effect transistor switches**
- 0.3-V RC -to-Digital Converter Using a Negative Charge-Pump Switch. *Woo, K., +, TCSII Feb. 2020 245-249*
- Field effect transistors**
- An Inductive Voltage Regulator With Overdrive Tracking Across Input Voltage in Cascoded Power Stage. *Chekuri, V.C.K., +, TCSII Dec. 2020 3083-3087*
- Field programmable gate arrays**
- A 6.84 Gbps/lane MIPI C-PHY Transceiver Bridge Chip With Level-Dependent Equalization. *Lee, P., +, TCSII Nov. 2020 2672-2676*
- A Complexity Reduction Method for Successive Cancellation List Decoding. *Dizdar, O., TCSII April 2020 655-659*
- A Hybrid Pipelined Architecture for High Performance Top-K Sorting on FPGA. *Chen, W., +, TCSII Aug. 2020 1449-1453*
- A Low-Error Memory-Based Fast Binary Logarithmic Converter. *Jana, B., +, TCSII Oct. 2020 2129-2133*
- A Low-Latency and Low-Cost Montgomery Modular Multiplier Based on NLP Multiplication. *Ding, J., +, TCSII July 2020 1319-1323*
- A Multi-Class Objects Detection Coprocessor With Dual Feature Space and Weighted Softmax. *Xiao, Z., +, TCSII Sept. 2020 1629-1633*
- A Novel Digital Realization of AdEx Neuron Model. *Haghiri, S., +, TCSII Aug. 2020 1444-1448*
- A Real-Time Flexible Telecommunication Decoding Architecture Using FPGA Partial Reconfiguration. *Ma, L., +, TCSII Oct. 2020 2149-2153*
- A Reconfigurable Random Number Generator Based on the Transient Effects of Ring Oscillators. *Acar, B., +, TCSII Sept. 2020 1609-1613*
- A Reinforcement Learning-Based Markov-Decision Process (MDP) Implementation for SRAM FPGAs. *Ruan, A., +, TCSII Oct. 2020 2124-2128*
- A Resource-Efficient Multiplierless Systolic Array Architecture for Convolutions in Deep Networks. *Parmar, Y., +, TCSII Feb. 2020 370-374*
- An Analysis of DCM-Based True Random Number Generator. *Fujieda, N., +, TCSII June 2020 1109-1113*
- An Ultimate-Shannon-Limit-Approaching Gbps Throughput Encoder/Decoder System. *Jiang, S., +, TCSII Oct. 2020 2169-2173*
- Analog Memristive CAMs for Area- and Energy-Efficient Reconfigurable Computing. *de Lima, J.P.C., +, TCSII May 2020 856-860*
- Efficient FPGA Implementation of K-Nearest-Neighbor Search Algorithm for 3D LIDAR Localization and Mapping in Smart Vehicles. *Sun, H., +, TCSII Sept. 2020 1644-1648*
- Efficient Implementation of a Threshold Modified Min-Sum Algorithm for LDPC Decoders. *Liu, Y., +, TCSII Sept. 2020 1599-1603*
- Embeddable Circuit for Orientation Independent Processing in Ultra Low-Power Tri-Axial Inertial Sensors. *De Vita, A., +, TCSII June 2020 1124-1128*
- Fiber-Fed Distributed Antenna System in an FPGA Software Defined Radio for 5G Demonstration. *Mahboob, S., +, TCSII Feb. 2020 280-284*
- FPGA-Accelerated Hash Join Operation for Relational Databases. *Xue, M., +, TCSII Oct. 2020 1919-1923*
- FPGA-Based Implementation of a Real-Time Object Recognition System Using Convolutional Neural Network. *Azarmi Gilan, A., +, TCSII April 2020 755-759*
- FPGA-Based True Random Number Generation Using Programmable Delays in Oscillator-Rings. *Nalla Anandakumar, N., +, TCSII March 2020 570-574*
- High-Throughput Parallel SRAM-Based Hash Join Architecture on FPGA. *Wu, W., +, TCSII Nov. 2020 2502-2506*
- Highly Parallel Vector Radix FFT for High Throughput Video Applications. *Unnikrishnan, S., +, TCSII Oct. 2020 2114-2118*
- IC Random Number Generator Exploiting Two Simultaneous Metastable Events of Tetrahedral Oscillators. *Gunay, R., +, TCSII Sept. 2020 1634-1638*
- Low Complexity VLSI Architecture Design Methodology for Wigner Ville Distribution. *Mopuri, S., +, TCSII Dec. 2020 3532-3536*
- Low-Energy and Fast Spiking Neural Network For Context-Dependent Learning on FPGA. *Asgari, H., +, TCSII Nov. 2020 2697-2701*
- Normalization and Multi-Valued Symbol Extraction From RO-PUFs for Enhanced Uniform Probability Distributions. *Mandry, H., +, TCSII Dec. 2020 3372-3376*
- Optimizing Hardware Accelerated General Matrix-Matrix Multiplication for CNNs on FPGAs. *Ahmad, A., +, TCSII Nov. 2020 2692-2696*
- Power-Optimal Mapping of CNN Applications to Cloud-Based Multi-FPGA Platforms. *Shan, J., +, TCSII Dec. 2020 3073-3077*
- Reconfigurable Chireix Outphasing Power Amplifier Over Multiple Frequency Bands. *Aggrawal, E., +, TCSII June 2020 1019-1023*
- Reconfigurable FPGA-Based K-Means/K-Modes Architecture for Network Intrusion Detection. *Andrade Maciel, L., +, TCSII Aug. 2020 1459-1463*
- RLWE-Oriented High-Speed Polynomial Multiplier Utilizing Multi-Lane Stockham NTT Algorithm. *Feng, X., +, TCSII March 2020 556-559*
- Sequential Parallel Switching for Drain-Source Synchronous Rectification Efficiency Boost in Parallel Switch Rectifiers. *Yu, O., +, TCSII Nov. 2020 2637-2641*
- Tropical Reservoir Computing Hardware. *Galen-Prado, F., +, TCSII Nov. 2020 2712-2716*
- File organization**
- FPGA-Accelerated Hash Join Operation for Relational Databases. *Xue, M., +, TCSII Oct. 2020 1919-1923*
- Filtering**
- Bias-Compensated MCCC Algorithm for Widely Linear Adaptive Filtering With Noisy Data. *Dong, F., +, TCSII Dec. 2020 3587-3591*
- Multilayer Packaging SIW Three-Way Filtering Power Divider With Adjustable Power Division. *Zhang, G., +, TCSII Dec. 2020 3003-3007*

**Filtering algorithms**

An Optimal Filter for Singular Systems With Stochastic Multiplicative Disturbance. *Yu, X., +, TCSII Dec. 2020 3607-3611*

Bias-Compensated Minimum Error Entropy Algorithms With Polynomial Sparsity Penalty Constraints. *Chen, Z., +, TCSII Dec. 2020 3537-3541*

Sparsity Constrained Recursive Generalized Maximum Correntropy Criterion With Variable Center Algorithm. *Sun, Q., +, TCSII Dec. 2020 3517-3521*

**Filtering theory**

A Robust Total Least Mean M-Estimate Adaptive Algorithm for Impulsive Noise Suppression. *Li, L., +, TCSII April 2020 800-804*

An Improved Kalman Filter With Adaptive Estimate of Latency Probability. *Wang, Z., +, TCSII Oct. 2020 2259-2263*

DDC-Based Recursive Adaptive Algorithms Robust Against Impulsive Noise. *Yu, Y., +, TCSII July 2020 1359-1363*

Multiuser PSK-Chirp-BOK Communication System Under Co-Channel Interference. *Roy, A., +, TCSII March 2020 465-469*

Nonlinear  $H_\infty$  Filtering Based on Tensor Product Model Transformation. *Gong, H., +, TCSII June 2020 1074-1078*

Optimal Filtering and a Smoothing Algorithm for a Singular System With a Complex Stochastic Uncertain Parameter Matrix. *Yu, X., +, TCSII April 2020 780-784*

Synthesis Design of Chebyshev Wideband Band-Pass Filters With Independently Reconfigurable Lower Passband Edge. *Bi, X., +, TCSII Dec. 2020 2948-2952*

**Finite element analysis**

Cauer Ladder Inspired Kron–Brannin Modeling of Thermal 1-D Diffusion. *Ravelo, B., +, TCSII Jan. 2020 27-31*

Toward Understanding the Return Path Capacitance in Capacitive Human Body Communication. *Nath, M., +, TCSII Oct. 2020 1879-1883*

**Finite impulse response filters**

A Triangular Common Subexpression Elimination Algorithm With Reduced Logic Operators in FIR Filter. *Roy, S., +, TCSII Dec. 2020 3527-3531*

**Finite state machines**

A Symbolic Dynamics Approach to Trellis-Coded Chaotic Modulation. *Souza, C.E.C., +, TCSII Oct. 2020 2189-2193*

**FIR filters**

$\Delta\Sigma$  Fractional-N PLL With Hybrid IIR Noise Filtering. *Tao, J., +, TCSII June 2020 1004-1008*

A 10.8 Gb/s Quarter-Rate 1 FIR 1 IIR Direct DFE With Non-Time-Overlapping Data Generation for 4:1 CMOS Clockless Multiplexer. *Lee, D., +, TCSII Jan. 2020 67-71*

Sparse FIR Filter Design via Partial 1-Norm Optimization. *Jiang, A., +, TCSII Aug. 2020 1482-1486*

**Fixed point arithmetic**

A Reconfigurable 64-Dimension  $K$ -Means Clustering Accelerator With Adaptive Overflow Control. *Du, L., +, TCSII April 2020 760-764*

**Flash memories**

A Novel Dynamic Detection for Flash Memory. *Ismail, A., +, TCSII March 2020 600-604*

A Small Ripple Program Voltage Generator Without High-Voltage Regulator for 3D NAND Flash. *Huang, C., +, TCSII June 2020 1049-1053*

A Wide-Range-Supply-Voltage Sense Amplifier Circuit for Embedded Flash Memory. *Zhu, W., +, TCSII Aug. 2020 1454-1458*

Adaptive 2-D Scheduling-Based Nonbinary Majority-Logic Decoding for NAND Flash Memory. *Wang, C., +, TCSII July 2020 1349-1353*

**Flat panel displays**

A 9Gb/s Wide Output Range Transmitter With 2D Binary-Segmented Driver and Dual-Loop Calibration for Intra-Panel Interfaces. *Jeong, Y., +, TCSII Sept. 2020 1589-1593*

A Highly Linear 10-Bit DAC of Data Driver IC Using Source Degeneration Load for Active Matrix Flat-Panel Displays. *Na, J., +, TCSII Nov. 2020 2312-2316*

**Flicker noise**

A Package Aware QLMVF Receiver Front End. *Regulagadda, S.S., +, TCSII Sept. 2020 1584-1588*

**Flip-flops**

A 15-Gb/s 0.0037-mm<sup>2</sup> 0.019-pJ/Bit Full-Rate Programmable Multi-Pattern Pseudo-Random Binary Sequence Generator. *Hu, J., +, TCSII Sept. 2020 1499-1503*

A 490-pW SAR Temperature Sensor With a Leakage-Based Bandgap-Vth Reference. *Park, B., +, TCSII Sept. 2020 1549-1553*

A 9.6 nW, 8-Bit, 100 S/s Envelope-to-Digital Converter for Respiratory Monitoring. *Shi, E., +, TCSII March 2020 445-449*

A New Logic Topology-Based Scan Chain Stitching for Test-Power Reduction. *Lee, S., +, TCSII Dec. 2020 3432-3436*

A Novel 0.5 V MCML D-Flip-Flop Topology Exploiting Forward Body Bias Threshold Lowering. *Scotti, G., +, TCSII March 2020 560-564*

A Robust Hardened Latch Featuring Tolerance to Double-Node-Upset in 28nm CMOS for Spaceborne Application. *Li, Y., +, TCSII Sept. 2020 1619-1623*

A Scan Obfuscation Guided Design-for-Security Approach for Sequential Circuits. *Karmakar, R., +, TCSII March 2020 546-550*

An Analysis of DCM-Based True Random Number Generator. *Fujieda, N., +, TCSII June 2020 1109-1113*

Closed-Form Analysis of Metastability Voltage in 28-nm UTBB FD-SOI CMOS Technology. *Olivera, F., +, TCSII April 2020 625-629*

Dynamic Read Current Sensing With Amplified Bit-Line Voltage for STT-MRAMs. *Ali, M.F., +, TCSII March 2020 551-555*

Fully Integrated Digital GaN-Based LSK Demodulator for High-Temperature Applications. *Hassan, A., +, TCSII Sept. 2020 1579-1583*

Low-Area and Low-Power Latch-Based Thermometer-Code Shift-Register. *Woo, K., +, TCSII Oct. 2020 2119-2123*

New Divider Design for Stochastic Computing. *Chu, S.-I., TCSII Jan. 2020 147-151*

Transition Detector-Based Radiation-Hardened Latch for Both Single- and Multiple-Node Upsets. *Tajima, S., +, TCSII June 2020 1114-1118*

**Floating point arithmetic**

Design of Power Efficient Posit Multiplier. *Zhang, H., +, TCSII May 2020 861-865*

**Flow sensors**

Complex Network Analysis of Wire-Mesh Sensor Measurements for Characterizing Vertical Gas–Liquid Two-Phase Flows. *Gao, Z., +, TCSII June 2020 1134-1138*

**Flow visualization**

Complex Network Analysis of Wire-Mesh Sensor Measurements for Characterizing Vertical Gas–Liquid Two-Phase Flows. *Gao, Z., +, TCSII June 2020 1134-1138*

Multiresolution Multiplex Network for Analyzing Multichannel Fluid Flow Signals. *Gao, Z., +, TCSII Oct. 2020 2179-2183*

**Flowmeters**

Ultrasonic Time Delay Difference Estimation With Analytic Signals and a Model System. *Mass, S., +, TCSII Oct. 2020 2234-2238*

**FM radar**

Minimum Correlation Estimation of Leakage and Echo Signals for FMCW Radar. *Dao, X., +, TCSII Oct. 2020 2294-2298*

**Forward error correction**

A Fully-Integrated 64-Channel Wireless Neural Interfacing SoC Achieving 110 dB AFE PSRR and Supporting 54 Mb/s Symbol Rate, Meter-Range Wireless Data Transmission. *Lyu, L., +, TCSII May 2020 831-835*

High-Throughput Low-Latency Encoder and Decoder for a Class of Generalized Reed–Solomon Codes for Short-Reach Optical Communications. *Zheng, B., +, TCSII April 2020 670-674*

**Fourier analysis**

Fourier Analysis of Signal Waveforms in An Ideal Concurrent Dual-Band Class-D Power Amplifier. *Roy, S., +, TCSII May 2020 811-815*

**Fourier series**

Fourier Analysis of Signal Waveforms in An Ideal Concurrent Dual-Band Class-D Power Amplifier. *Roy, S., +, TCSII May 2020 811-815*

**Fourier transforms**

Multiuser PSK-Chirp-BOK Communication System Under Co-Channel Interference. *Roy, A., +, TCSII March 2020 465-469*

**Free-space optical communication**

High-Throughput Low-Latency Encoder and Decoder for a Class of Generalized Reed–Solomon Codes for Short-Reach Optical Communications. *Zheng, B., +, TCSII April 2020 670-674*

**Frequency control**

A Fully Synthesizable Ultra- $N$  Audio Frequency Multiplier for HDMI Applications. *Chen, P., TCSII Oct. 2020 2134-2138*

Compact Wide-Stopband Dual-Band Balanced Filter Using an Electromagnetically Coupled SIR Pair With Controllable Transmission Zeros and Bandwidths. *Tang, J., +, TCSII Nov. 2020 2357-2361*

Double-Line Frequency Ripple Suppression of a Quasi-Single Stage AC–DC Converter. *Yang, P., +, TCSII Oct. 2020 2074-2078*

Islanded Microgrid Frequency Regulations Concerning the Integration of Tidal Power Units: Real-Time Implementation. *Khooban, M.H., +, TCSII June 2020 1099-1103*

Periodically Intermittent Stabilization of Neural Networks Based on Discrete-Time Observations. *He, X., +, TCSII Dec. 2020 3497-3501*

Substrate Integrated Waveguide Multi-Channel Filtering Crossover With Extended Channel Number and Controllable Frequencies. *Zhan, W., +, TCSII Dec. 2020 2858-2862*

**Frequency conversion**

A Compact Dual-Band Out of Phase Power Divider Having Microstrip Compatibility. *Zaidi, A.M., +, TCSII Dec. 2020 2998-3002*

Normalization and Multi-Valued Symbol Extraction From RO-PUFs for Enhanced Uniform Probability Distributions. *Mandry, H., +, TCSII Dec. 2020 3372-3376*

**Frequency dividers**

A 7.1-GHz 0.7-mW Programmable Counter With Fast EOC Generation in 65-nm CMOS. *Som, I., +, TCSII Nov. 2020 2397-2401*

A U-Band PLL Using Implicit Distributed Resonators for Sub-THz Wireless Transceivers in 40 nm CMOS. *Chen, Z., +, TCSII Sept. 2020 1574-1578*

**Frequency division multiple access**

Timing and Frequency Synchronization and Doubly Selective Channel Estimation for OFDMA Uplink. *Abdzadeh-Ziabari, H., +, TCSII Jan. 2020 62-66*

**Frequency estimation**

A Robust Adaptive Cancellation of Unknown Sinusoidal Disturbance. *Chu, Z., +, TCSII April 2020 705-709*

An Adaptive Denoising Algorithm for Improving Frequency Estimation and Tracking. *Wijenayake, C., +, TCSII Jan. 2020 172-176*

Fiber-Fed Distributed Antenna System in an FPGA Software Defined Radio for 5G Demonstration. *Mahboob, S., +, TCSII Feb. 2020 280-284*

I/Q Imbalance Calibration Method for 5G Ultra-Wideband Transceivers. *Dao, T., +, TCSII Dec. 2020 3048-3052*

**Frequency measurement**

0.13pW/Hz Ring VCO-Based Continuous-Time Read-Out ADC for Bio-Impedance Measurement. *Danesh, M., +, TCSII Dec. 2020 2823-2827*

A Fully Synthesizable Ultra- $N$  Audio Frequency Multiplier for HDMI Applications. *Chen, P., TCSII Oct. 2020 2134-2138*

A Highly Integrated 400–800 MHz Spectrum Sensing System Based on Envelope Detection. *Yen, M., +, TCSII Dec. 2020 3008-3012*

**Frequency multipliers**

A Fully Synthesizable Ultra- $N$  Audio Frequency Multiplier for HDMI Applications. *Chen, P., TCSII Oct. 2020 2134-2138*

**Frequency response**

A Novel Compact Isolation Circuit Suitable for Ultracompact and Wideband Marchand Baluns. *Ahn, H., +, TCSII Oct. 2020 2299-2303*

Frequency Limited Model Reduction Techniques for Discrete-Time Systems. *Toor, H.I., +, TCSII Feb. 2020 345-349*

**Frequency selective surfaces**

Wideband Planar Phased Array Antenna Based on Artificial Magnetic Conductor Surface. *Shi, S., +, TCSII Oct. 2020 1909-1913*

**Frequency shift keying**

A Low-Power and Small Chip-Area Multi-Rate Human Body Communication DPFSK Transceiver for Wearable Devices. *Shih, H., +, TCSII July 2020 1234-1238*

Self-Optimizing Wireless Networks on Structures. *Shaik, S.M., +, TCSII May 2020 911-915*

**Frequency synthesizers**

A 7.1-GHz 0.7-mW Programmable Counter With Fast EOC Generation in 65-nm CMOS. *Som, I., +, TCSII Nov. 2020 2397-2401*

A Low Phase Noise Open Loop Fractional-N Frequency Synthesizer With Injection Locking Digital Phase Modulator. *Yan, C., +, TCSII March 2020 455-459*

Autonomous Event Driven Model of Second Order Voltage Switched Charge Pump PLL. *Ali, E., +, TCSII Dec. 2020 2903-2907*

Influence of Initial Condition on Wandering Spur Pattern in a MASH-Based Fractional-N Frequency Synthesizer. *Mai, D., +, TCSII Dec. 2020 2968-2972*

Mitigation of “Horn Spurs” in a MASH-Based Fractional-N CP-PLL. *Mazzaro, V., +, TCSII May 2020 821-825*

**Frequency-domain analysis**

A New Parametric Adaptive Source Domain Method for Sound Field Synthesis. *Chu, Y.J., +, TCSII Nov. 2020 2787-2791*

Behavior Analysis of Directed Signed Networks Under Dynamic Protocols. *Wu, Y., +, TCSII Nov. 2020 2562-2566*

Cauer Ladder Inspired Kron–Branin Modeling of Thermal 1-D Diffusion. *Ravelo, B., +, TCSII Jan. 2020 27-31*

Fixed-Time Synchronization of Complex Networks With a Simpler Non-chattering Controller. *Xu, Y., +, TCSII April 2020 700-704*

I/Q Imbalance Calibration Method for 5G Ultra-Wideband Transceivers. *Dao, T., +, TCSII Dec. 2020 3048-3052*

Performance Evaluation of Incremental Sigma-Delta ADCs Based on their NTF. *Wagner, J., +, TCSII Dec. 2020 2813-2817*

System Identification Under Relay and PI Control. *Pandey, S., +, TCSII June 2020 1089-1093*

**Fuel cells**

A Single Inductor Self-Startup Energy Combiner Circuit With Bioturbation Resilience in Multiple Microbial Fuel Cells. *Umaz, R., TCSII Dec. 2020 3227-3231*

**Fuzzy control**

A Robust Shipboard DC-DC Power Converter Control: Concept Analysis and Experimental Results. *Mosayebi, M., +, TCSII Nov. 2020 2612-2616*

An Intelligent and Fast Controller for DC/DC Converter Feeding CPL in a DC Microgrid. *Farsizadeh, H., +, TCSII June 2020 1104-1108*

Auto-Tuning Proportional-Type Synchronization Algorithm for DC Motor Speed Control Applications. *Lee, C.R., +, TCSII March 2020 521-525*

Islanded Microgrid Frequency Regulations Concerning the Integration of Tidal Power Units: Real-Time Implementation. *Khooban, M.H., +, TCSII June 2020 1099-1103*

Quantized Fuzzy Finite-Time Control for Nonlinear Semi-Markov Switching Systems. *Qi, W., +, TCSII Nov. 2020 2622-2626*

Reinforcement Learning-Based Control of Nonlinear Systems Using Lyapunov Stability Concept and Fuzzy Reward Scheme. *Chen, M., +, TCSII Oct. 2020 2059-2063*

**Fuzzy set theory**

Reinforcement Learning-Based Control of Nonlinear Systems Using Lyapunov Stability Concept and Fuzzy Reward Scheme. *Chen, M., +, TCSII Oct. 2020 2059-2063*

**G****Gain control**

A Highly Integrated 400–800 MHz Spectrum Sensing System Based on Envelope Detection. *Yen, M., +, TCSII Dec. 2020 3008-3012*

A K-Band 5G Phased Array RX Channel With 3.3-dB NF and 28.5-dB Gain in 130-nm SiGe. *Kalyoncu, I., +, TCSII Dec. 2020 2938-294*

A Low-Power 40-Gb/s Pre-Emphasis PAM-4 Transmitter With Toggling Serializers. *Kwon, D., +, TCSII March 2020 430-434*

Performance Evaluation of Incremental Sigma-Delta ADCs Based on their NTF. *Wagner, J., +, TCSII Dec. 2020 2813-2817*

**Gallium arsenide**

A GaAs Colpitts VCO Using  $g_m$ -Boosting and Collector-Emitter Cross-Coupling Techniques. *Xia, X., +, TCSII Dec. 2020 2873-2877*

A Tunable Concurrent Dual-Band Phase Shifter MMIC for Beam Steering Applications. *Xiong, Y., +, TCSII Nov. 2020 2412-2416*

**Gallium compounds**

- Analysis of Class-F Power Amplifiers With a Second-Harmonic Input Voltage Manipulation. *Liu, C.*, *TCSII Feb. 2020* 225-229  
 Fully Integrated Digital GaN-Based LSK Demodulator for High-Temperature Applications. *Hassan, A.*, *+ TCSII Sept. 2020* 1579-1583  
 Matrix Inductor With DC-Bias Effect Reduction Capability for GaN-Based DC-DC Boost Converter. *Nguyen, A.D.*, *+ TCSII Nov. 2020* 2597-2601

**Game theory**

- Incentivizing Honest Mining in Blockchain Networks: A Reputation Approach. *Tang, C.*, *+ TCSII Jan. 2020* 117-121  
 Strategy Competition Dynamics of Multi-Agent Systems in the Framework of Evolutionary Game Theory. *Zhang, J.*, *+ TCSII Jan. 2020* 152-156  
 Suppressing Epidemic Spreading by Imitating Hub Nodes' Strategy. *Zhang, H.*, *+ TCSII Oct. 2020* 1979-1983

**Gas industry**

- Multiresolution Multiplex Network for Analyzing Multichannel Fluid Flow Signals. *Gao, Z.*, *+ TCSII Oct. 2020* 2179-2183

**Gaussian distribution**

- Generic Nano-Watt Power Fully Tunable 1-D Gaussian Kernel Circuit for Artificial Neural Network. *Reda Mohamed, A.*, *+ TCSII Sept. 2020* 1529-1533  
 An Improved Kalman Filter With Adaptive Estimate of Latency Probability. *Wang, Z.*, *+ TCSII Oct. 2020* 2259-2263  
 Data-Driven Enhanced Nonlinear Gaussian Filter. *Jia, B.*, *+ TCSII June 2020* 1144-1148  
 Vortex Search Algorithm for Optimal Power Flow Analysis in DC Resistive Networks With CPLs. *Montoya, O.D.*, *+ TCSII Aug. 2020* 1439-1443

**Gaussian noise**

- A Separable Maximum Correntropy Adaptive Algorithm. *Shi, W.*, *+ TCSII Nov. 2020* 2797-2801  
 Complex-Valued Adaptive Filtering Based on the Random Fourier Features Method. *Xiong, K.*, *+ TCSII Oct. 2020* 2284-2288  
 Recursive Constrained Maximum Correntropy Criterion Algorithm for Adaptive Filtering. *Qian, G.*, *+ TCSII Oct. 2020* 2229-2233  
 Steady-State Performance Analysis of Nonlinear Spline Adaptive Filter Under Maximum Correntropy Criterion. *Wang, W.*, *+ TCSII June 2020* 1154-1158  
 Stochastic Analysis of Diffusion Dual Sign Algorithm for Cyclostationary White Gaussian Inputs and Nonstationary System. *Gao, W.*, *+ TCSII July 2020* 1354-1358

**Gaussian processes**

- A Framework for the Lower Bound on the BER of DCSK Systems Over Multi-Path Nakagami-m Fading Channels. *Dawa, M.*, *+ TCSII Oct. 2020* 1859-1863  
 A Kernel Affine Projection-Like Algorithm in Reproducing Kernel Hilbert Space. *Wu, Q.*, *+ TCSII Oct. 2020* 2249-2253  
 A Parallel Kernelized Data-Reusing Maximum Correntropy Algorithm. *Wu, Q.*, *+ TCSII Nov. 2020* 2792-2796  
 A Separable Maximum Correntropy Adaptive Algorithm. *Shi, W.*, *+ TCSII Nov. 2020* 2797-2801  
 An Improved Kalman Filter With Adaptive Estimate of Latency Probability. *Wang, Z.*, *+ TCSII Oct. 2020* 2259-2263  
 Noise-Free Maximum Correntropy Criterion Algorithm in Non-Gaussian Environment. *Shi, W.*, *+ TCSII Oct. 2020* 2224-2228  
 Recursive Minimum Kernel Mixture Mean p-Power Error Algorithm Based on the Nyström Method. *Zhang, T.*, *+ TCSII Nov. 2020* 2772-2776  
 Stochastic Analysis of Diffusion Dual Sign Algorithm for Cyclostationary White Gaussian Inputs and Nonstationary System. *Gao, W.*, *+ TCSII July 2020* 1354-1358  
 Tracking Analysis of Gaussian Kernel Signed Error Algorithm for Time-Variant Nonlinear Systems. *Gao, W.*, *+ TCSII Oct. 2020* 2289-2293

**Ge-Si alloys**

- A 130 GHz Fully-Integrated Fundamental-Frequency D-Band Transmitter Module With > 4 dBm Single-Ended Output Power. *Aguilar, E.*, *+ TCSII May 2020* 906-910  
 A 7-Bit Reverse-Saturated SiGe HBT Discrete Gain Step Attenuator. *Davulcu, M.*, *+ TCSII April 2020* 665-669

A Switchless SiGe BiCMOS Bidirectional Amplifier for Wideband Radar Applications. *Caliskan, C.*, *+ TCSII Oct. 2020* 1844-1848

A W-Band 6-Bit Phase Shifter With 7 dB Gain and 1.35° RMS Phase Error in 130 nm SiGe BiCMOS. *Li, H.*, *+ TCSII Oct. 2020* 1839-1843  
 Front-End Blocks of a W-Band Dicke Radiometer in SiGe BiCMOS Technology. *Ustundag, B.*, *+ TCSII Nov. 2020* 2417-2421

**Generators**

- Analysis of Malware-Induced Cyber Attacks in Cyber-Physical Power Systems. *Xu, S.*, *+ TCSII Dec. 2020* 3482-3486  
 Design Fixed-Time Practical Distributed Average Tracking Algorithms for Nonlinear Signals With Bounded- and Lipschitz-Type Derivatives. *Chen, Q.*, *+ TCSII Dec. 2020* 3103-3107  
 Hybrid Low Radix Encoding-Based Approximate Booth Multipliers. *Waris, H.*, *+ TCSII Dec. 2020* 3367-3371  
 Linearity-Enhanced Ring Amplifier Using Adaptive Slew-Rate Feed-Forward Path. *Gadel-Karim, A.G.*, *+ TCSII Dec. 2020* 2908-2912  
 Parallel Hybrid Stochastic-Binary-Based Neural Network Accelerators. *Zhang, Y.*, *+ TCSII Dec. 2020* 3387-3391

**Gesture recognition**

- Hand Gesture Recognition Using Three-Dimensional Electrical Impedance Tomography. *Jiang, D.*, *+ TCSII Sept. 2020* 1554-1558

**Gradient methods**

- A Robust Total Least Mean M-Estimate Adaptive Algorithm for Impulsive Noise Suppression. *Li, L.*, *+ TCSII April 2020* 800-804  
 Histogram of Oriented Gradients Feature Extraction From Raw Bayer Pattern Images. *Zhou, W.*, *+ TCSII May 2020* 946-950  
 Sparse Estimator With  $\ell_{\infty}$ -Norm Constraint Kernel Maximum-Correntropy-Criterion. *Wu, F.*, *+ TCSII Feb. 2020* 400-404

**Graph theory**

- A Symbolic Dynamics Approach to Trellis-Coded Chaotic Modulation. *Souza, C.E.C.*, *+ TCSII Oct. 2020* 2189-2193  
 Bipartite Consensus for Descriptor Multiagent Systems With Antagonistic Interactions. *Zhang, L.*, *+ TCSII Nov. 2020* 2602-2606  
 Finite-Time Stability of Probabilistic Logical Networks: A Topological Sorting Approach. *Zhu, S.*, *+ TCSII April 2020* 695-699  
 Fixed-Time Consensus for a Class of Heterogeneous Nonlinear Multiagent Systems. *Zou, W.*, *+ TCSII July 2020* 1279-1283  
 Hierarchical Average-Tracking Algorithm for Multiagent Systems With Unmatched Constant References Signals. *Liu, C.*, *+ TCSII Nov. 2020* 2642-2646  
 Modeling and Understanding Ethereum Transaction Records via a Complex Network Approach. *Lin, D.*, *+ TCSII Nov. 2020* 2737-2741  
 Observer-Based Time-Varying Formation Control of Fractional-Order Multi-Agent Systems With General Linear Dynamics. *Gong, Y.*, *+ TCSII Jan. 2020* 82-86  
 On the Existence of the Power Flow Solution in DC Grids With CPLs Through a Graph-Based Method. *Montoya, O.D.*, *+ TCSII Aug. 2020* 1434-1438  
 Robustness of Coherence in Noisy Scale-Free Networks and Applications to Identification of Influential Spreaders. *Sun, W.*, *+ TCSII July 2020* 1274-1278  
 Stochastic Distributed Pinning Control for Co-Multi-Inverter Networks With a Virtual Leader. *Lai, J.*, *+ TCSII Oct. 2020* 2094-2098  
 The Bipartite Consensus for Multi-Agent Systems With Matrix-Weight-Based Signed Network. *Su, H.*, *+ TCSII Oct. 2020* 2019-2023  
 The Infimum on Laplacian Eigenvalues of a Connected Extended Graph: An Edge-Grafting Perspective. *Wang, X.*, *+ TCSII Nov. 2020* 2627-2631

**Graphics processing units**

- Optimizing Hardware Accelerated General Matrix-Matrix Multiplication for CNNs on FPGAs. *Ahmad, A.*, *+ TCSII Nov. 2020* 2692-2696

**H** **$H^\infty$  control**

- A Further Study on Output Feedback  $H^\infty$  Control for Discrete-Time Systems. *Chang, X.*, *+ TCSII Feb. 2020* 305-309  
 A Performance-Region-Based Approach to the  $H_\infty$  Stochastic Consensus Problem. *Wang, J.*, *+ TCSII July 2020* 1289-1293

A Robust Decentralized PID Controller Based on Complementary Sensitivity Function for a Multivariable System. *Mahapatro, S.R., +, TCSII Oct. 2020 2024-2028*

An Improved Local Stability Criterion for Digital Filters With Interference and Overflow Nonlinearity. *Kokil, P., +, TCSII March 2020 595-599*

Event-Triggered Fault Detection and Isolation of Discrete-Time Systems Based on Geometric Technique. *Liang, H., +, TCSII Feb. 2020 335-339*

Further Result on Interval Observer Design for Discrete-Time Switched Systems and Application to Circuit Systems. *Huang, J., +, TCSII Nov. 2020 2542-2546*

#### **H<sub>∞</sub> filters**

Nonlinear H<sub>∞</sub> Filtering Based on Tensor Product Model Transformation. *Gong, H., +, TCSII June 2020 1074-1078*

#### **Hadamard codes**

An Ultimate-Shannon-Limit-Approaching Gbps Throughput Encoder/Decoder System. *Jiang, S., +, TCSII Oct. 2020 2169-2173*

#### **Hardware**

A Flexible and High Parallel Permutation Network for 5G LDPC Decoders. *Zhong, Z., +, TCSII Dec. 2020 3018-3022*

A Low-Spur MASH Delta-Sigma Modulator With an Adaptive Length Extension Technique. *Ding, X., +, TCSII Dec. 2020 2818-2822*

A Novel Approximation Methodology and Its Efficient VLSI Implementation for the Sigmoid Function. *Qin, Z., +, TCSII Dec. 2020 3422-3426*

A Triangular Common Subexpression Elimination Algorithm With Reduced Logic Operators in FIR Filter. *Roy, S., +, TCSII Dec. 2020 3527-3531*

An Efficient Spiking Neuron Hardware System Based on the Hardware-Oriented Modified Izhikevich Neuron (HOMIN) Model. *Leigh, A.J., +, TCSII Dec. 2020 3377-3381*

Approximate Multipliers With Dynamic Truncation for Energy Reduction via Graceful Quality Degradation. *Frustaci, F., +, TCSII Dec. 2020 3427-3431*

Compressed Principal Component Regression (C-PCR) Algorithm and FPGA Validation. *Zamani, H., +, TCSII Dec. 2020 3512-3516*

CREMON: Cryptography Embedded on the Convolutional Neural Network Accelerator. *Choi, Y., +, TCSII Dec. 2020 3337-3341*

Design and Implementation of Acoustic Source Localization on a Low-Cost IoT Edge Platform. *Fabregat, G., +, TCSII Dec. 2020 3547-3551*

Efficient Precision-Adjustable Architecture for Softmax Function in Deep Learning. *Zhu, D., +, TCSII Dec. 2020 3382-3386*

Hybrid Low Radix Encoding-Based Approximate Booth Multipliers. *Waris, H., +, TCSII Dec. 2020 3367-3371*

Low-Latency and Low-Power Test-Vector Selector for Reed-Solomon's Low-Complexity Chase. *Garcia-Herrero, F., +, TCSII Dec. 2020 3362-3366*

Novel Bit-Reordering Circuit for Continuous-Flow Parallel FFT Architectures. *Gyanendra, , +, TCSII Dec. 2020 3392-3396*

Parallel Hybrid Stochastic-Binary-Based Neural Network Accelerators. *Zhang, Y., +, TCSII Dec. 2020 3387-3391*

VLSI Implementation of Lossless ECG Compression Algorithm for Low Power Devices. *Tsai, T., +, TCSII Dec. 2020 3317-3321*

#### **Hardware-in-the loop simulation**

A Novel Approach to Overcome the Limitations of Reliability Centered Maintenance Implementation on the Smart Grid Distance Protection System. *Rafiei, M., +, TCSII Feb. 2020 320-324*

A Robust Shipboard DC-DC Power Converter Control: Concept Analysis and Experimental Results. *Mosayebi, M., +, TCSII Nov. 2020 2612-2616*

#### **Harmonic analysis**

A 0.2-V Three-Winding Transformer-Based DCO in 16-nm FinFET CMOS. *Li, C., +, TCSII Dec. 2020 2878-2882*

A Millimeter-Wave Wideband Frequency Conversion Module Based on Waveguide Switched Filters. *Zhou, L., +, TCSII Dec. 2020 3028-3032*

Co-Design of Second Harmonic-Tuned Power Amplifier and a Parallel-Coupled Stub Loaded Resonator. *Haider, M.F., +, TCSII Dec. 2020 3013-3017*

Toward Identifying Consumer Responsibility on Voltage Distortion and Filtering Based on the Maclaurin Series. *Crovato, C.D.P., +, TCSII Dec. 2020 3467-3471*

#### **Harmonic distortion**

360 nW Gate-Driven Ultra-Low Voltage CMOS Linear Transconductor With 1 MHz Bandwidth and Wide Input Range. *Rico-Aniles, H.D., +, TCSII Nov. 2020 2332-2336*

A New Population-Based Optimization Method for Online Minimization of Voltage Harmonics in Islanded Microgrids. *Keypour, R., +, TCSII June 2020 1084-1088*

A Novel AC Current Sensorless Hysteresis Control for Grid-Tie Inverters. *Viswadev, R., +, TCSII Nov. 2020 2577-2581*

An RF Choke-Less Class E Power Amplifier. *Singh, G.D., +, TCSII Nov. 2020 2422-2426*

Toward Identifying Consumer Responsibility on Voltage Distortion and Filtering Based on the Maclaurin Series. *Crovato, C.D.P., +, TCSII Dec. 2020 3467-3471*

#### **Harmonics suppression**

A Harmonic Rejection Strategy for 25% Duty-Cycle IQ-Mixers Using Digital-to-Time Converters. *Gebhard, A., +, TCSII July 2020 1229-1233*

Harmonic-Recycling Rectifier for High-Efficiency Far-Field Wireless Power Transfer. *Ngo, T., +, TCSII April 2020 770-774*

Schottky Diode Large-Signal Equivalent-Circuit Parameters Extraction for High-Efficiency Microwave Rectifying Circuit Design. *Chen, Q., +, TCSII Nov. 2020 2722-2726*

Synthesis and Design of LTCC Filtering Balun With Wide Stopband. *Wu, D., +, TCSII Aug. 2020 1404-1408*

#### **Health care**

Fall Detection Using Standoff Radar-Based Sensing and Deep Convolutional Neural Network. *Sadreazami, H., +, TCSII Jan. 2020 197-201*

#### **Helicopters**

Non-Fragile Fault Alarm-Based Hybrid Control for the Attitude Quadrotor Model With Actuator Saturation. *Harshavarthini, S., +, TCSII Nov. 2020 2647-2651*

#### **Hemodynamics**

Observer-Based Monitoring of the Cardiovascular System. *Astorga-Zaragoza, C., TCSII March 2020 501-505*

#### **Heterojunction bipolar transistors**

A 7-Bit Reverse-Saturated SiGe HBT Discrete Gain Step Attenuator. *Davulcu, M., +, TCSII April 2020 665-669*

A GaAs Colpitts VCO Using g<sub>m</sub>-Boosting and Collector-Emitter Cross-Coupling Techniques. *Xia, X., +, TCSII Dec. 2020 2873-2877*

#### **Heuristic algorithms**

Dynamic Event-Triggered State Observers for a Class of Nonlinear Systems With Time Delays and Disturbances. *Huong, D.C., +, TCSII Dec. 2020 3457-3461*

Stabilization of DC Nanogrids Based on Non-Integer General Type-II Fuzzy System. *Mosayebi, M., +, TCSII Dec. 2020 3108-3112*

#### **HF amplifiers**

Efficient Supply Modulator for Wide-Band Envelope Elimination and Restoration Power Amplifiers. *Mamdouh, A., +, TCSII Jan. 2020 9-13*

Exploring the Advantages of Single-Ended-Input CMOS Self-Biased Amplifiers. *Cabrera, F.L., TCSII March 2020 410-414*

#### **Hierarchical systems**

Hierarchical Average-Tracking Algorithm for Multiagent Systems With Unmatched Constant References Signals. *Liu, C., +, TCSII Nov. 2020 2642-2646*

#### **High electron mobility transistors**

Fully Integrated Digital GaN-Based LSK Demodulator for High-Temperature Applications. *Hassan, A., +, TCSII Sept. 2020 1579-1583*

#### **High frequency**

An Inductive Voltage Regulator With Overdrive Tracking Across Input Voltage in Cascoded Power Stage. *Chekuri, V.C.K., +, TCSII Dec. 2020 3083-3087*

#### **High-frequency transformers**

Fast DC-Bias Current Control of Dual Active Bridge Converters With Feed-forward Compensation. *Ji, Z., +, TCSII Nov. 2020 2587-2591*

#### **High-k dielectric materials**

An Enhanced Frequency Ratio Dual Band Balun Augmented With High Impedance Transformation. *Gupta, R., +, TCSII Dec. 2020 2973-2977*

**High-pass filters**

Bandwidth and Slew Rate Enhanced OTA With Sustainable Dynamic Bias.

*Hung, C.H., +, TCSII April 2020 635-639*

Chopper-Stabilized Low-Noise Multipath Operational Amplifier With Dual Ripple Rejection Loops. *Kim, H., +, TCSII Nov. 2020 2427-2431*

Double-High-Pass-Filter-Based Electrical-Recording Front-Ends and Fluorescence-Recording Front-Ends for Monitoring Multimodal Neural Activity. *Lee, T., +, TCSII May 2020 876-880*

**Higher order statistics**

Data-Driven Enhanced Nonlinear Gaussian Filter. *Jia, B., +, TCSII June 2020 1144-1148*

Geometric Algebra Correntropy: Definition and Application to Robust Adaptive Filtering. *Wang, W., +, TCSII June 2020 1164-1168*

**Hilbert spaces**

A Kernel Affine Projection-Like Algorithm in Reproducing Kernel Hilbert Space. *Wu, Q., +, TCSII Oct. 2020 2249-2253*

Complex-Valued Adaptive Filtering Based on the Random Fourier Features Method. *Xiong, K., +, TCSII Oct. 2020 2284-2288*

**Hilbert transforms**

Ultrasonic Time Delay Difference Estimation With Analytic Signals and a Model System. *Mass, S., +, TCSII Oct. 2020 2234-2238*

**Histograms**

A Simple Histogram-Based Capacitor Mismatch Calibration in SAR ADCs. *Wang, X., +, TCSII Dec. 2020 2838-2842*

**Hot carriers**

A Slew Rate Enhanced 2 x VDD I/O Buffer With Precharge Timing Technique. *Lee, T., +, TCSII Nov. 2020 2707-2711*

**HVDC power converters**

A Low Conduction Loss Modular Multilevel Converter Topology With DC Fault Blocking Capability and Reduced Capacitance. *Peng, C., +, TCSII July 2020 1299-1303*

A Modular Multilevel Converter With Novel Double Reverse Blocking Sub-Modules for DC Fault Current Blocking Capability. *Yao, Y., +, TCSII April 2020 740-744*

A Multiport Power Electronic Transformer Based on Modular Multilevel Converter and Mixed-Frequency Modulation. *Ma, D., +, TCSII July 2020 1284-1288*

Over-Voltage Suppression Methods for the MMC-VSC-HVDC Wind Farm Integration System. *Li, Y., +, TCSII Feb. 2020 355-359*

**HVDC power transmission**

A Modular Multilevel Converter With Novel Double Reverse Blocking Sub-Modules for DC Fault Current Blocking Capability. *Yao, Y., +, TCSII April 2020 740-744*

**Hybrid power systems**

Hybrid Low Radix Encoding-Based Approximate Booth Multipliers. *Waris, H., +, TCSII Dec. 2020 3367-3371*

Numerical Approach to Compute the Power Flow Solution of Hybrid Generation, Transmission and Distribution Systems. *Bizzarri, F., +, TCSII May 2020 936-940*

**Hysteresis**

A Multi-Stable Memristor and its Application in a Neural Network. *Lin, H., +, TCSII Dec. 2020 3472-3476*

Simplified Hysteresis Sliding-Mode Control for Superbuck Converter. *Chen, Z., +, TCSII Dec. 2020 3212-3216*

Transformerless Grid-Connected PV Inverter Without Common Mode Leakage Current and Shoot-Through Problems. *Yao, Z., +, TCSII Dec. 2020 3257-3261*

**I****Identification**

Noise-Free Maximum Correntropy Criterion Algorithm in Non-Gaussian Environment. *Shi, W., +, TCSII Oct. 2020 2224-2228*

Sparse Estimator With  $\ell_{\geq 0}$ -Norm Constraint Kernel Maximum-Correntropy-Criterion. *Wu, F., +, TCSII Feb. 2020 400-404*

**IEEE standards**

An Ultra Low Power Integrated Radio TX Link Supplied From a Switched Capacitor DC–DC Converter in 65-nm CMOS Achieving 2 Mbps. *Rady, R., +, TCSII Oct. 2020 1899-1903*

+ Check author entry for coauthors

**IIR filters**

$\Delta\Sigma$  Fractional-N PLL With Hybrid IIR Noise Filtering. *Tao, J., +, TCSII June 2020 1004-1008*

A 10.8 Gb/s Quarter-Rate 1 FIR 1 IIR Direct DFE With Non-Time-Overlapping Data Generation for 4:1 CMOS Clockless Multiplexer. *Lee, D., +, TCSII Jan. 2020 67-71*

**Image classification**

A Multi-Class Objects Detection Coprocessor With Dual Feature Space and Weighted Softmax. *Xiao, Z., +, TCSII Sept. 2020 1629-1633*

Reliable Domain Adaptation With Classifiers Competition for Image Classification. *Fu, J., +, TCSII Nov. 2020 2802-2806*

**Image coding**

Approximate Multipliers With Dynamic Truncation for Energy Reduction via Graceful Quality Degradation. *Frustaci, F., +, TCSII Dec. 2020 3427-3431*

Compressed Principal Component Regression (C-PCR) Algorithm and FPGA Validation. *Zamani, H., +, TCSII Dec. 2020 3512-3516*

Histogram of Oriented Gradients Feature Extraction From Raw Bayer Pattern Images. *Zhou, W., +, TCSII May 2020 946-950*

**Image color analysis**

A Modified Inexact Arithmetic Median Filter for Removing Salt-and-Pepper Noise From Gray-Level Images. *Monajati, M., +, TCSII April 2020 750-754*

**Image denoising**

A Modified Inexact Arithmetic Median Filter for Removing Salt-and-Pepper Noise From Gray-Level Images. *Monajati, M., +, TCSII April 2020 750-754*

CRAM: Collocated SRAM and DRAM With In-Memory Computing-Based Denoising and Filling for Neuromorphic Vision Sensors in 65 nm CMOS. *Zhang, X., +, TCSII May 2020 816-820*

Geometric Algebra Correntropy: Definition and Application to Robust Adaptive Filtering. *Wang, W., +, TCSII June 2020 1164-1168*

**Image edge detection**

Similarity-Based and Sybil Attack Defended Community Detection for Social Networks. *Jiang, Z., +, TCSII Dec. 2020 3487-3491*

**Image enhancement**

A Novel Thresholding Methodology Using WSI EMD and Adaptive Homomorphic Filter. *Venkatappareddy, P., +, TCSII March 2020 590-594*

**Image filtering**

CRAM: Collocated SRAM and DRAM With In-Memory Computing-Based Denoising and Filling for Neuromorphic Vision Sensors in 65 nm CMOS. *Zhang, X., +, TCSII May 2020 816-820*

Geometric Algebra Correntropy: Definition and Application to Robust Adaptive Filtering. *Wang, W., +, TCSII June 2020 1164-1168*

**Image processing**

A Resource-Efficient Multiplierless Systolic Array Architecture for Convolutions in Deep Networks. *Parmar, Y., +, TCSII Feb. 2020 370-374*

Design and Analysis of Compressive Sensing-Based Lightweight Encryption Scheme for Multimedia IoT. *Unde, A.S., +, TCSII Jan. 2020 167-171*

**Image reconstruction**

First Steps Toward Concealing the Traces Left by Reversible Image Data Hiding. *Dong, L., +, TCSII May 2020 951-955*

Random Sampling With Iterative Recovery for Millimeter-Wave Imaging Systems. *Zamani, H., +, TCSII Dec. 2020 3522-3526*

**Image segmentation**

A Low-Error, Memory-Based Fast Binary Logarithmic Converter. *Jana, B., +, TCSII Oct. 2020 2129-2133*

A Novel Thresholding Methodology Using WSI EMD and Adaptive Homomorphic Filter. *Venkatappareddy, P., +, TCSII March 2020 590-594*

**Image sensors**

A Power-Efficient Digital Technique for Gain and Offset Correction in Slope ADCs. *Kłosowski, M., TCSII June 2020 979-983*

Mantissa-Exponent-Based Tone Mapping for Wide Dynamic Range Image Sensors. *Yang, J., +, TCSII Jan. 2020 142-146*

**Imaging**

Random Sampling With Iterative Recovery for Millimeter-Wave Imaging Systems. *Zamani, H., +, TCSII Dec. 2020 3522-3526*

**Impedance**

0.13pW/Hz Ring VCO-Based Continuous-Time Read-Out ADC for Bio-Impedance Measurement. *Danesh, M., +, TCSII Dec. 2020 2823-2827*

A 0.2-V Three-Winding Transformer-Based DCO in 16-nm FinFET CMOS. *Li, C., +, TCSII Dec. 2020 2878-2882*

A Compact Dual-Band Out of Phase Power Divider Having Microstrip Compatibility. *Zaidi, A.M., +, TCSII Dec. 2020 2998-3002*

An Enhanced Frequency Ratio Dual Band Balun Augmented With High Impedance Transformation. *Gupta, R., +, TCSII Dec. 2020 2973-2977*

Co-Design of Second Harmonic-Tuned Power Amplifier and a Parallel-Coupled Stub Loaded Resonator. *Haider, M.F., +, TCSII Dec. 2020 3013-3017*

Microstrip Tunable Diplexer With Separately-Designable Channels. *Lu, Q., +, TCSII Dec. 2020 2983-2987*

**Impedance converters**

Design of Compact Coupled-Line Complex Impedance Transformers With the Series Susceptance Component. *Fang, S., +, TCSII Nov. 2020 2482-2486*

Planar Wideband High-Selectivity Impedance-Transforming Differential Bandpass Filter With Deep Common-Mode Suppression. *Chen, W., +, TCSII Oct. 2020 1914-1918*

Realization of Extremely High and Low Impedance Transforming Ratios Using Cross-Shaped Impedance Transformer. *Zhu, H., +, TCSII July 2020 1189-1193*

**Impedance matching**

A 100-W Doherty Power Amplifier With Super-Octave Bandwidth. *Rafati, S., +, TCSII June 2020 1009-1013*

A Low-Power 40-Gb/s Pre-Emphasis PAM-4 Transmitter With Toggling Serializers. *Kwon, D., +, TCSII March 2020 430-434*

A Novel Tuning Method for Impedance Matching Network Based on Linear Fractional Transformation. *Xiong, B., +, TCSII June 2020 1039-1043*

A Switchless SiGe BiCMOS Bidirectional Amplifier for Wideband Radar Applications. *Caliskan, C., +, TCSII Oct. 2020 1844-1848*

An Adaptive Impedance Matching Transmitter for a Wireless Intraoral Tongue-Controlled Assistive Technology. *Kong, F., +, TCSII Feb. 2020 240-244*

Class-E<sup>2</sup> DC-DC Converter With Basic Class-E Inverter and Class-E ZCS Rectifier for Capacitive Power Transfer. *Ueda, H., +, TCSII May 2020 941-945*

Co-Design of Second Harmonic-Tuned Power Amplifier and a Parallel-Coupled Stub Loaded Resonator. *Haider, M.F., +, TCSII Dec. 2020 3013-3017*

Compact Analog Predistorter With Shape Tuning Capability Using Power-Dependent Impedance Matching Network. *Deng, H., +, TCSII Oct. 2020 1705-1709*

Compact Lowpass and Dual-Band Bandpass Filter With Controllable Transmission Zero/Center Frequencies/Passband Bandwidth. *Choudhary, D.K., +, TCSII June 2020 1044-1048*

Design of Compact Coupled-Line Complex Impedance Transformers With the Series Susceptance Component. *Fang, S., +, TCSII Nov. 2020 2482-2486*

Miniaturized Single-Ended-to-Balanced Arbitrary Four-Section Coupled-Line Coupler With Inherent Impedance Matching. *Wang, W., +, TCSII Oct. 2020 1929-1933*

Realization of Extremely High and Low Impedance Transforming Ratios Using Cross-Shaped Impedance Transformer. *Zhu, H., +, TCSII July 2020 1189-1193*

Wideband and Miniaturized Forward-Wave Directional Coupler Using Periodical Parallel Plates and Vertical Meander Lines. *Yi, X., +, TCSII Nov. 2020 2402-2406*

**Impedance measurement**

0.13pW/Hz Ring VCO-Based Continuous-Time Read-Out ADC for Bio-Impedance Measurement. *Danesh, M., +, TCSII Dec. 2020 2823-2827*

**Implants**

Wireless Power Transfer System With High Misalignment Tolerance for Bio-Medical Implants. *Wang, Q., +, TCSII Dec. 2020 3023-3027*

**Impulse noise**

A Kernel Affine Projection-Like Algorithm in Reproducing Kernel Hilbert Space. *Wu, Q., +, TCSII Oct. 2020 2249-2253*

A Parallel Kernelized Data-Reusing Maximum Correntropy Algorithm. *Wu, Q., +, TCSII Nov. 2020 2792-2796*

A Robust Total Least Mean M-Estimate Adaptive Algorithm for Impulsive Noise Suppression. *Li, L., +, TCSII April 2020 800-804*

A Separable Maximum Correntropy Adaptive Algorithm. *Shi, W., +, TCSII Nov. 2020 2797-2801*

A Variable Step-Size Robust Saturation Algorithm Against Impulsive Noises. *Hur, J., +, TCSII Oct. 2020 2279-2283*

An Improved Variable Kernel Width for Maximum Correntropy Criterion Algorithm. *Shi, L., +, TCSII July 2020 1339-1343*

DCD-Based Recursive Adaptive Algorithms Robust Against Impulsive Noise. *Yu, Y., +, TCSII July 2020 1359-1363*

Generalized Correntropy Induced Metric Memory-Improved Proportionate Affine Projection Sign Algorithm and Its Combination. *Li, G., +, TCSII Oct. 2020 2239-2243*

Noise-Free Maximum Correntropy Criterion Algorithm in Non-Gaussian Environment. *Shi, W., +, TCSII Oct. 2020 2224-2228*

Robust Multikernel Maximum Correntropy Filters. *Xiong, K., +, TCSII June 2020 1159-1163*

Robust Variable Step-Size Reweighted Zero-Attracting Least Mean M-Estimate Algorithm for Sparse System Identification. *Wang, G., +, TCSII June 2020 1149-1153*

Steady-State Mean-Square Performance Analysis of the Affine Projection Sign Algorithm. *Zheng, Z., +, TCSII Oct. 2020 2244-2248*

Stochastic Analysis of Diffusion Dual Sign Algorithm for Cyclostationary White Gaussian Inputs and Nonstationary System. *Gao, W., +, TCSII July 2020 1354-1358*

Tracking Analysis of Gaussian Kernel Signed Error Algorithm for Time-Variant Nonlinear Systems. *Gao, W., +, TCSII Oct. 2020 2289-2293*

Variable Step-Size Affine Projection Maximum Correntropy Criterion Adaptive Filter With Correntropy Induced Metric for Sparse System Identification. *Zhao, H., +, TCSII Nov. 2020 2782-2786*

**Independent component analysis**

Removing Muscle Artifacts From EEG Data via Underdetermined Joint Blind Source Separation: A Simulation Study. *Zou, L., +, TCSII Jan. 2020 187-191*

**Indexes**

An Exact Characterization of the  $L_1/L_\infty$  Index of Positive Systems and Its Application to Fault Detection Filter Design. *Shen, J., +, TCSII Dec. 2020 3262-3266*

Fractional-Order Correntropy Filters for Tracking Dynamic Systems in  $\alpha$ -Stable Environments. *Gogineni, V.C., +, TCSII Dec. 2020 3557-3561*

Improving Robustness of Interdependent Networks by Reducing Key Unbalanced Dependency Links. *Yang, X., +, TCSII Dec. 2020 3187-3191*

Low-Latency Lattice Reduction Based on Dual-Basis Updates for High-Dimensional MIMO Streams. *Lee, H., +, TCSII Dec. 2020 2993-2997*

Multivaluedness in Networks: Theory. *van Wyk, M.A., TCSII Dec. 2020 3462-3466*

Novel Bit-Reordering Circuit for Continuous-Flow Parallel FFT Architectures. *Gyanendra, ., +, TCSII Dec. 2020 3392-3396*

**Inductance**

A Digitally Programmable Wide Tuning-Range Active Transformer for Inductorless BPF and DCOs. *Abolhassani, S., +, TCSII Dec. 2020 2928-2932*

Class-E<sup>2</sup> DC-DC Converter With Basic Class-E Inverter and Class-E ZCS Rectifier for Capacitive Power Transfer. *Ueda, H., +, TCSII May 2020 941-945*

Current Ripple Characterization in DCM Interleaved Power Converters Under Inductance Mismatch. *Cervellini, P., +, TCSII July 2020 1269-1273*

**Inductance measurement**

1.2-V Energy-Efficient Wireless CMOS Potentiostat for Amperometric Measurements. *Valente, V., +, TCSII Oct. 2020 1700-1704*

**Inductive power transmission**

Analysis of a Fractional-Order Wireless Power Transfer System. *Rong, C., +, TCSII Oct. 2020 1755-1759*

Auto-Resonant Tuning for Capacitive Power and Data Telemetry Using Flexible Patches. *Nag, S., +, TCSII Oct. 2020 1804-1808*

- Class-E<sup>2</sup> DC-DC Converter With Basic Class-E Inverter and Class-E ZCS Rectifier for Capacitive Power Transfer.** *Ueda, H., +, TCSII May 2020 941-945*
- Design of a Double-Sided LC Compensated Capacitive Power Transfer System With Capacitor Voltage Stress Optimization.** *Lian, J., +, TCSII April 2020 715-719*
- Harmonic-Recycling Rectifier for High-Efficiency Far-Field Wireless Power Transfer.** *Ngo, T., +, TCSII April 2020 770-774*
- Inductive sensors**
- 1.2-V Energy-Efficient Wireless CMOS Potentiostat for Amperometric Measurements.** *Valente, V., +, TCSII Oct. 2020 1700-1704*
- Inductors**
- A 28–30 GHz CMOS Reflection-Type Phase Shifter With Full 360° Phase Shift Range. *Basaligheh, A., +, TCSII Nov. 2020 2452-2456*
- A GaAs Colpitts VCO Using  $g_m$ -Boosting and Collector-Emitter Cross-Coupling Techniques. *Xia, X., +, TCSII Dec. 2020 2873-2877*
- A K-Band 5G Phased Array RX Channel With 3.3-dB NF and 28.5-dB Gain in 130-nm SiGe. *Kalyoncu, I., +, TCSII Dec. 2020 2938-2942*
- A Mixed-Signal RF Pulse Width Modulator With High Time Resolution Utilizing Passive Delay Lines. *Papananos, Y., +, TCSII Nov. 2020 2442-2446*
- An Improved Mode Transition Technique for a Non-Isolated Bidirectional DC-DC Converter. *Sharma, A., +, TCSII Dec. 2020 3093-3097*
- An Improved PWM Technique to Achieve Continuous Input Current in Common-Ground Transformerless Boost Inverter. *Lee, S.S., +, TCSII Dec. 2020 3133-3136*
- An Ultra High Gain Quasi Z-Source Inverter Consisting Active Switched Network. *Kumar, A., +, TCSII Dec. 2020 3207-3211*
- Simplified Hysteresis Sliding-Mode Control for Superbuck Converter. *Chen, Z., +, TCSII Dec. 2020 3212-3216*
- Infrared spectroscopy**
- A 50 $\mu$ W Fully Differential Interface Amplifier With a Current Steering Class AB Output Stage for PPG and NIRS Recordings. *Song, S., +, TCSII Sept. 2020 1564-1568*
- Injection locked oscillators**
- A Low Phase Noise Open Loop Fractional-N Frequency Synthesizer With Injection Locking Digital Phase Modulator. *Yan, C., +, TCSII March 2020 455-459*
- Insertion loss**
- Low-Loss Reconfigurable Phase Shifter in Gap-Waveguide Technology for mm-Wave Applications. *Palomares-Caballero, A., +, TCSII Dec. 2020 3058-3062*
- Instrumentation amplifiers**
- A 60 nV/ $\sqrt{\text{Hz}}$  <0.01%-THD  $\pm$ 200 mV-DC-Rejection Bio-Sensing Chopper Amplifier With Noise-Nonlinearity-Cancelling Loop. *Li, Q., +, TCSII Feb. 2020 215-219*
- A CMRR Enhancement Circuit Employing  $G_m$ -Controllable Output Stages for Capacitively Coupled Instrumentation Amplifiers. *Jeon, H., +, TCSII Sept. 2020 1539-1543*
- A Robust Bio-IA With Digitally Controlled DC-Servo Loop and Improved Pseudo-Resistor. *Liu, L., +, TCSII March 2020 440-444*
- High Input Impedance Low-Noise CMOS Analog Frontend IC for Wearable Electrocardiogram Monitoring. *Zhang, C., +, TCSII July 2020 1169-1173*
- Insulated gate bipolar transistors**
- A Low Conduction Loss Modular Multilevel Converter Topology With DC Fault Blocking Capability and Reduced Capacitance. *Peng, C., +, TCSII July 2020 1299-1303*
- A Modular Multilevel Converter With Novel Double Reverse Blocking Sub-Modules for DC Fault Current Blocking Capability. *Yao, Y., +, TCSII April 2020 740-744*
- An Improved Seven-Level PUC Inverter Topology With Voltage Boosting. *Sathik, M.J., +, TCSII Jan. 2020 127-131*
- Design of a Single Chip PWM Driver Circuit for Inverter Welding Power Source. *Jabavathi, J.D., +, TCSII April 2020 720-724*
- Integrated circuit bonding**
- A 2.4-GHz Mid-Field CMOS Wireless Power Receiver Achieving 46% Maximum PCE and 163-mW Output Power. *Li, X., +, TCSII Feb. 2020 360-364*
- Integrated circuit design**
- 0.3-V RC -to-Digital Converter Using a Negative Charge-Pump Switch. *Woo, K., +, TCSII Feb. 2020 245-249*
- 360 nW Gate-Driven Ultra-Low Voltage CMOS Linear Transconductor With 1 MHz Bandwidth and Wide Input Range. *Rico-Aniles, H.D., +, TCSII Nov. 2020 2332-2336*
- A 0.2-1.3 ns Range Delay-Control Scheme for a 25 Gb/s Data-Receiver Using a Replica Delay-Line-Based Delay-Locked-Loop in 45-nm CMOS. *Rehman, S.U., +, TCSII May 2020 806-810*
- A 0.5 V 10-bit 3 MS/s SAR ADC With Adaptive-Reset Switching Scheme and Near-Threshold Voltage-Optimized Design Technique. *Song, J., +, TCSII July 2020 1184-1188*
- A 0.6-V Low-Power Variable-Gain LNA in 0.18- $\mu$ m CMOS Technology. *Hsieh, J., +, TCSII Jan. 2020 23-26*
- A 0.83-pJ/Bit 6.4-Gb/s HBM Base Die Receiver Using a 45° Strobe Phase for Energy-Efficient Skew Compensation. *Lee, S., +, TCSII Oct. 2020 1735-1739*
- A 1.2-V Current-Mode RMS-to-DC Converter Based on a Novel Two-Quadrant Electronically Simulated MOS Translinear Loop. *Martincorena-Araiza, M., +, TCSII March 2020 420-424*
- A 2.4-GHz Mid-Field CMOS Wireless Power Receiver Achieving 46% Maximum PCE and 163-mW Output Power. *Li, X., +, TCSII Feb. 2020 360-364*
- A 50 $\mu$ W Fully Differential Interface Amplifier With a Current Steering Class AB Output Stage for PPG and NIRS Recordings. *Song, S., +, TCSII Sept. 2020 1564-1568*
- A 7-Bit Reverse-Saturated SiGe HBT Discrete Gain Step Attenuator. *Davulcu, M., +, TCSII April 2020 665-669*
- A Cost-Aware Framework for Lifetime Reliability of TSV-Based 3D-IC Design. *Reddy, R.P., +, TCSII Nov. 2020 2677-2681*
- A Dividerless Ring Oscillator PLL With 250fs Integrated Jitter Using Sampled Lowpass Filter. *Grout, K., +, TCSII Nov. 2020 2337-2341*
- A Folded Voltage-Combiners Biased Amplifier for Low Voltage and High Energy-Efficiency Applications. *Povoa, R., +, TCSII Feb. 2020 230-234*
- A Frequency-Reconfigurable CMOS Active Phase Shifter for 5G mm-Wave Applications. *Xiong, Y., +, TCSII Oct. 2020 1824-1828*
- A Highly Linear 8-Bit M-2M Digital-to-Analog Converter for Neurostimulators. *Shahsavar, S., +, TCSII June 2020 989-993*
- A Low Phase Noise, High Phase Accuracy Quadrature LC-VCO With Dual-Tail Current Biasing to Insert Reconfigurable Phase Delay. *Xi, N., +, TCSII March 2020 450-454*
- A Multi-Channel Low-Noise Analog Front End Circuit for Linear LADAR. *Wang, P., +, TCSII July 2020 1209-1213*
- A New High Drive Class-AB FVF-Based Second Generation Voltage Conveyor. *Barile, G., +, TCSII March 2020 405-409*
- A Novel 0.5 V MCML D-Flip-Flop Topology Exploiting Forward Body Bias Threshold Lowering. *Scotti, G., +, TCSII March 2020 560-564*
- A Programmable On-Chip Reference Oscillator With Slow-Wave Coplanar Waveguide in 14-nm FinFET CMOS. *Hwang, J., +, TCSII Oct. 2020 1834-1838*
- A Simple Floating Mutator for Emulating Memristor, Memcapacitor, and Meminductor. *Yu, D., +, TCSII July 2020 1334-1338*
- A Slew Rate Enhanced 2 x VDD I/O Buffer With Precharge Timing Technique. *Lee, T., +, TCSII Nov. 2020 2707-2711*
- A Stabilizing Centralized Controller for On-Chip Power Delivery Networks. *Riad, J., +, TCSII April 2020 680-684*
- A Sub-2 dB NF, 0.3–3 GHz Packaged Bandwidth Extended Wideband Receiver Front-End. *Gupta, N., +, TCSII March 2020 491-495*
- A Tunable Concurrent Dual-Band Phase Shifter MMIC for Beam Steering Applications. *Xiong, Y., +, TCSII Nov. 2020 2412-2416*
- A Two-Stage Switched-Capacitor Integrator for High Gain Inverter-Like Architectures. *Bruschi, P., +, TCSII Feb. 2020 210-214*
- Adaptive Body Bias Aware Implementation for Ultra-Low-Voltage Designs in 22FDX Technology. *Hoppner, S., +, TCSII Oct. 2020 2159-2163*
- Adaptive Power Control Using Current Adjustment for Watt-Level Power Amplifiers in CMOS SOI. *Moallemi, S., +, TCSII April 2020 605-609*

- Adjustable Output CMOS Voltage Reference Design. *Olivera, F., +, TCSII Oct. 2020 1690-1694*
- Analysis and Design of an All-Digital  $\Delta\Sigma$  TDC via Time-Mode Signal Processing. *Yuan, F., +, TCSII June 2020 994-998*
- ASIC Design and Power Characterization of Standard and Low Power Multi-Radix Trivium. *Mora-Gutierrez, J.M., +, TCSII Nov. 2020 2682-2686*
- Bandwidth and Slew Rate Enhanced OTA With Sustainable Dynamic Bias. *Hung, C.H., +, TCSII April 2020 635-639*
- CMOS Millimeter-Wave Ultra-Wideband Bandpass Filter With Three Reflection-Zeros Using Compact Single TFMS Coupled-Line Hairpin Unit. *Vanukuru, V.N.R., +, TCSII Jan. 2020 77-81*
- Co-Design of Matching Sub-Networks to Realize Broadband Symmetrical Doherty With Configurable Back-Off Region. *Li, C., +, TCSII Oct. 2020 1730-1734*
- Design and Fabrication of Flow-Based Edge Detection Memristor Crossbar Circuits<sup>1</sup>. *Pannu, J.S., +, TCSII May 2020 961-965*
- Design of a Single Chip PWM Driver Circuit for Inverter Welding Power Source. *Jabavathi, J.D., +, TCSII April 2020 720-724*
- DRAPS: A Design Rule Aware Path Search Algorithm for Detailed Routing. *Goncalves, S.M.M., +, TCSII July 2020 1239-1243*
- Dynamic Read Current Sensing With Amplified Bit-Line Voltage for STT-MRAMs. *Ali, M.F., +, TCSII March 2020 551-555*
- Effective Low Leakage 6T and 8T FinFET SRAMs: Using Cells With Reverse-Biased FinFETs, Near-Threshold Operation, and Power Gating. *Turi, M.A., +, TCSII April 2020 765-769*
- Efficient Supply Modulator for Wide-Band Envelope Elimination and Restoration Power Amplifiers. *Mamdouh, A., +, TCSII Jan. 2020 9-13*
- Energy Efficient Temporal Spatial Information Processing Circuits Based on STDP and Spike Iteration. *Zhao, C., +, TCSII Oct. 2020 1715-1719*
- Energy-Efficient Data-Aware SRAM Design Utilizing Column-Based Data Encoding. *Do, A.T., +, TCSII Oct. 2020 2154-2158*
- Exploring the Advantages of Single-Ended-Input CMOS Self-Biased Amplifiers. *Cabrera, F.L., TCSII March 2020 410-414*
- Fully Integrated Digital GaN-Based LSK Demodulator for High-Temperature Applications. *Hassan, A., +, TCSII Sept. 2020 1579-1583*
- O=O Shape Low-Loss Negative Group Delay Microstrip Circuit. *Wan, F., +, TCSII Oct. 2020 1795-1799*
- Integrated circuit interconnections**
- A 0.83-pJ/Bit 6.4-Gb/s HBM Base Die Receiver Using a 45° Strobe Phase for Energy-Efficient Skew Compensation. *Lee, S., +, TCSII Oct. 2020 1735-1739*
- A Reinforcement Learning-Based Markov-Decision Process (MDP) Implementation for SRAM FPGAs. *Ruan, A., +, TCSII Oct. 2020 2124-2128*
- Non-Intrusive Online Distributed Pulse Shrinking-Based Interconnect Testing in 2.5D IC. *Ni, T., +, TCSII Nov. 2020 2657-2661*
- Stochastic Wave-Pipelined On-Chip Interconnect. *Najafi, A., +, TCSII May 2020 841-845*
- Integrated circuit layout**
- A 8.2-pW 2.4-pA Current Reference Operating at 0.5 V With No Amplifiers or Resistors. *Zhuang, H., +, TCSII July 2020 1204-1208*
- Integrated circuit manufacture**
- A 1.5-to-3.0GHz Tunable RF Sigma-Delta ADC With a Fixed Set of Coefficients and a Programmable Loop Delay. *Sayed, A., +, TCSII Sept. 2020 1559-1563*
- A Wide Dynamic Range Multi-Mode Band-Pass Continuous-Time Delta-Sigma Modulator Employing Single-Opamp Resonator With Positive Resistor-Feedback. *Kim, S., +, TCSII Feb. 2020 235-239*
- CMOS Millimeter-Wave Ultra-Wideband Bandpass Filter With Three Reflection-Zeros Using Compact Single TFMS Coupled-Line Hairpin Unit. *Vanukuru, V.N.R., +, TCSII Jan. 2020 77-81*
- Silicon Evaluation of Multimode Dual Mode Logic for PVT-Aware Datapaths. *Stanger, I., +, TCSII Sept. 2020 1639-1643*
- Integrated circuit modeling**
- A 130 GHz Fully-Integrated Fundamental-Frequency D-Band Transmitter Module With > 4 dBm Single-Ended Output Power. *Aguilar, E., +, TCSII May 2020 906-910*
- A Behavioral Model of Digital Resistive Switching for Systems Level DNN Acceleration. *Eshraghian, J.K., +, TCSII May 2020 956-960*
- A Compact Calibration Model for Linearizing CMOS Sample-and-Hold Circuits. *Li, Y., +, TCSII Nov. 2020 2327-2331*
- A Generic Nano-Watt Power Fully Tunable 1-D Gaussian Kernel Circuit for Artificial Neural Network. *Reda Mohamed, A., +, TCSII Sept. 2020 1529-1533*
- A Multi-Stable Memristor and its Application in a Neural Network. *Lin, H., +, TCSII Dec. 2020 3472-3476*
- A Simple Quasi-Static Compact Model of Bipolar ReRAM Memristive Devices. *Al Chawa, M.M., +, TCSII Feb. 2020 390-394*
- A Two-Stage Switched-Capacitor Integrator for High Gain Inverter-Like Architectures. *Bruschi, P., +, TCSII Feb. 2020 210-214*
- An Efficient Spiking Neuron Hardware System Based on the Hardware-Oriented Modified Izhikevich Neuron (HOMIN) Model. *Leigh, A.J., +, TCSII Dec. 2020 3377-3381*
- Analysis of Switched Capacitor Losses in Polar and Quadrature Switched Capacitor PAs. *Zanen, J., +, TCSII Oct. 2020 1904-1908*
- Anti-Disturbance Bumpless Transfer Control for Switched Systems With its Application to Switched Circuit Model. *Zhao, Y., +, TCSII Dec. 2020 3177-3181*
- Circuit Reliability Comparison Between Stochastic Computing and Binary Computing. *Zhang, Z., +, TCSII Dec. 2020 3342-3346*
- Closed-Form Analysis of Metastability Voltage in 28-nm UTBB FD-SOI CMOS Technology. *Olivera, F., +, TCSII April 2020 625-629*
- Low-Area and Low-Power Latch-Based Thermometer-Code Shift-Register. *Woo, K., +, TCSII Oct. 2020 2119-2123*
- O=O Shape Low-Loss Negative Group Delay Microstrip Circuit. *Wan, F., +, TCSII Oct. 2020 1795-1799*
- On the Workload Dependence of Self-Heating in FinFET Circuits. *Van Santen, V.M., +, TCSII Oct. 2020 1949-1953*
- The Unpredictability Analysis of Boolean Chaos. *Gong, L., +, TCSII Oct. 2020 1854-1858*
- Untrimmed BGR of 1.1%  $3\sigma$  Based on Dynamic-Biased Op Amp With Reduced  $V_{off}$ . *Lee, J., +, TCSII Oct. 2020 1829-1833*
- Integrated circuit packaging**
- A Package Aware QLMVF Receiver Front End. *Regulagadda, S.S., +, TCSII Sept. 2020 1584-1588*
- A Sub-2 dB NF, 0.3–3 GHz Packaged Bandwidth Extended Wideband Receiver Front-End. *Gupta, N., +, TCSII March 2020 491-495*
- Integrated circuit reliability**
- A Cost-Aware Framework for Lifetime Reliability of TSV-Based 3D-IC Design. *Reddy, R.P., +, TCSII Nov. 2020 2677-2681*
- A Novel Dynamic Detection for Flash Memory. *Ismail, A., +, TCSII March 2020 600-604*
- A Stabilizing Centralized Controller for On-Chip Power Delivery Networks. *Riad, J., +, TCSII April 2020 680-684*
- Circuit Reliability Comparison Between Stochastic Computing and Binary Computing. *Zhang, Z., +, TCSII Dec. 2020 3342-3346*
- Dynamic Read Current Sensing With Amplified Bit-Line Voltage for STT-MRAMs. *Ali, M.F., +, TCSII March 2020 551-555*
- On the Existence of Security Enhancing Converter Designs for Multi-Level Memories. *Neumeier, Y., +, TCSII June 2020 1119-1123*
- On the Workload Dependence of Self-Heating in FinFET Circuits. *Van Santen, V.M., +, TCSII Oct. 2020 1949-1953*
- Transition Detector-Based Radiation-Hardenied Latch for Both Single- and Multiple-Node Upsets. *Tajima, S., +, TCSII June 2020 1114-1118*
- Integrated circuit testing**
- A Novel Compact Isolation Circuit Suitable for Ultracompact and Wideband Marchand Baluns. *Ahn, H., +, TCSII Oct. 2020 2299-2303*
- A Reconfigurable Random Number Generator Based on the Transient Effects of Ring Oscillators. *Acar, B., +, TCSII Sept. 2020 1609-1613*
- A Scan Obfuscation Guided Design-for-Security Approach for Sequential Circuits. *Karmakar, R., +, TCSII March 2020 546-550*
- Non-Intrusive Online Distributed Pulse Shrinking-Based Interconnect Testing in 2.5D IC. *Ni, T., +, TCSII Nov. 2020 2657-2661*

<sup>1</sup> Check author entry for coauthors

- Silicon Evaluation of Multimode Dual Mode Logic for PVT-Aware DataPaths. *Stanger, I., +, TCSII Sept. 2020 1639-1643*
- Integrated circuit yield**
- Time-Skew Estimation for Random Sampling Sequence Time-Interleaved ADCs. *Salib, A., +, TCSII Oct. 2020 1809-1813*
- Integrated circuits**
- Logic Obfuscation Through Enhanced Threshold Voltage Defined Logic Family. *Park, B., +, TCSII Dec. 2020 3407-3411*
- Integrated memory circuits**
- A 0.45 pJ/b, 6.4 Gb/s Forwarded-Clock Receiver With DLL-Based Self-Tracking Loop for Unmatched Memory Interfaces. *Shin, S., +, TCSII Oct. 2020 1814-1818*
- On the Existence of Security Enhancing Converter Designs for Multi-Level Memories. *Neumeier, Y., +, TCSII June 2020 1119-1123*
- Integrated optoelectronics**
- A 12.5 Gb/s 1.93 pJ/Bit Optical Receiver Exploiting Silicon Photonic Delay Lines for Clock Phases Generation Replacement. *Radi, B., +, TCSII Oct. 2020 1864-1868*
- Integrating circuits**
- A 2 nW 0.25 V 140 dB-FOM Inverter-Based First Order  $\Delta\Sigma$  Modulator. *Catania, A., +, TCSII Sept. 2020 1514-1518*
- Low-Power Small-Area Inverter-Based DSM for MEMS Microphone. *Cho, S., +, TCSII Nov. 2020 2392-2396*
- Integration**
- A Framework for the Lower Bound on the BER of DCSK Systems Over Multi-Path Nakagami-m Fading Channels. *Dawa, M., +, TCSII Oct. 2020 1859-1863*
- Intelligent control**
- A New Population-Based Optimization Method for Online Minimization of Voltage Harmonics in Islanded Microgrids. *Keypour, R., +, TCSII June 2020 1084-1088*
- An Intelligent and Fast Controller for DC/DC Converter Feeding CPL in a DC Microgrid. *Farsizadeh, H., +, TCSII June 2020 1104-1108*
- Islanded Microgrid Frequency Regulations Concerning the Integration of Tidal Power Units: Real-Time Implementation. *Khooban, M.H., +, TCSII June 2020 1099-1103*
- Intelligent sensors**
- Self-Optimizing Wireless Networks on Structures. *Shaik, S.M., +, TCSII May 2020 911-915*
- Interference (signal)**
- A Multiple-Measurement Vectors Reconstruction Method for Low SNR Scenarios. *Wang, L., +, TCSII April 2020 785-789*
- Interference suppression**
- A 60 nV/ $\sqrt{\text{Hz}}$  <0.01%-THD  $\pm 200$  mV-DC-Rejection Bio-Sensing Chopper Amplifier With Noise-Nonlinearity-Cancelling Loop. *Li, Q., +, TCSII Feb. 2020 215-219*
- Digital Self-Interference Cancellation for Full-Duplex Underwater Acoustic Systems. *Shen, L., +, TCSII Jan. 2020 192-196*
- Jammer Suppression in Massive MIMO Systems. *Akhlaghpasand, H., +, TCSII Jan. 2020 182-186*
- Power-Balanced Non-Orthogonal Multiple Access Based on Virtual Channel Optimization. *Xia, W., +, TCSII April 2020 795-799*
- Quad-Mode LTCC Surface Mounted Packaging Common-Mode Filter Based on the Asymmetric Short-Stub Loaded Resonator. *Shi, Y., +, TCSII Oct. 2020 1944-1948*
- Internet of Things**
- 7 TOPS/W Cellular Neural Network Processor Core for Intelligent Internet-of-Things. *Villemur, M., +, TCSII July 2020 1324-1328*
- 83.9% Efficiency 100-mV Self-Startup Boost Converter for Thermoelectric Energy Harvester in IoT Applications. *Shang, Z., +, TCSII Sept. 2020 1654-1658*
- A Reconfigurable Passive Voltage Multiplier for Wireless Mobile IoT Applications. *Guler, U., +, TCSII April 2020 615-619*
- An Energy-Efficient Dual-Field Elliptic Curve Cryptography Processor for Internet of Things Applications. *Yeh, L., +, TCSII Sept. 2020 1614-1618*
- CMix-NN: Mixed Low-Precision CNN Library for Memory-Constrained Edge Devices. *Capotondi, A., +, TCSII May 2020 871-875*
- Design and Analysis of Compressive Sensing-Based Lightweight Encryption Scheme for Multimedia IoT. *Unde, A.S., +, TCSII Jan. 2020 167-171*
- Interpolation**
- A 0.83-pJ/Bit 6.4-Gb/s HBM Base Die Receiver Using a 45° Strobe Phase for Energy-Efficient Skew Compensation. *Lee, S., +, TCSII Oct. 2020 1735-1739*
- A Low-Power and Small Chip-Area Multi-Rate Human Body Communication DPFSK Transceiver for Wearable Devices. *Shih, H., +, TCSII July 2020 1234-1238*
- A Novel Thresholding Methodology Using WSI EMD and Adaptive Homomorphic Filter. *Venkatappareddy, P., +, TCSII March 2020 590-594*
- A Picosecond-Resolution Digitally-Controlled Timing Generator With One-Clock-Latency at Arbitrary Instantaneous Input. *Park, J., +, TCSII Sept. 2020 1544-1548*
- Design Considerations of the Interpolative Digital Transmitter for Quantization Noise and Replicas Rejection. *Un, K., +, TCSII Jan. 2020 37-41*
- Intersymbol interference**
- A 10.4-Gb/s 1-Tap Decision Feedback Equalizer With Different Pull-Up and Pull-Down Tap Weights for Asymmetric Memory Interfaces. *Chae, J., +, TCSII Feb. 2020 220-224*
- Invariance**
- A Robust [K,KL] Sector for Nonlinear System. *Sachan, A., +, TCSII Nov. 2020 2547-2551*
- Inverters**
- 0.3 pJ/Bit Machine Learning Resistant Strong PUF Using Subthreshold Voltage Divider Array. *Venkatesh, A., +, TCSII Aug. 2020 1394-1398*
- A 170.7-dB FoM-DR 0.45/0.6-V Inverter-Based Continuous-Time Sigma-Delta Modulator. *de Aguirre, P.C.C., +, TCSII Aug. 2020 1384-1388*
- A 42-dBQ 25-Gb/s CMOS Transimpedance Amplifier With Multiple-Peaking Scheme for Optical Communications. *Pan, Q., +, TCSII Jan. 2020 72-76*
- A High Efficiency LCC-S Compensated WPT System With Dual Decoupled Receive Coils and Cascaded PWM Regulator. *Wang, X., +, TCSII Dec. 2020 3142-3146*
- A Negative Embedded Differential Mode  $\Gamma$ -Source Inverter With Reduced Switching Spikes. *Reddivari, R., +, TCSII Oct. 2020 2009-2013*
- A New Switched Capacitor 7L Inverter With Triple Voltage Gain and Low Voltage Stress. *Siddique, M.D., +, TCSII July 2020 1294-1298*
- A Novel AC Current Sensorless Hysteresis Control for Grid-Tie Inverters. *Viswadev, R., +, TCSII Nov. 2020 2577-2581*
- A Novel XOR/XNOR Structure for Modular Design of QCA Circuits. *Wang, L., +, TCSII Dec. 2020 3327-3331*
- An Improved PWM Technique to Achieve Continuous Input Current in Common-Ground Transformerless Boost Inverter. *Lee, S.S., +, TCSII Dec. 2020 3133-3136*
- An Improved Seven-Level PUC Inverter Topology With Voltage Boosting. *Sathik, M.J., +, TCSII Jan. 2020 127-131*
- An Ultra High Gain Quasi Z-Source Inverter Consisting Active Switched Network. *Kumar, A., +, TCSII Dec. 2020 3207-3211*
- Class-E<sup>2</sup> DC-DC Converter With Basic Class-E Inverter and Class-E ZCS Rectifier for Capacitive Power Transfer. *Ueda, H., +, TCSII May 2020 941-945*
- Cross Connected Compact Switched-Capacitor Multilevel Inverter (C<sup>3</sup>-SC-MLI) Topology With Reduced Switch Count. *Jagabar Sathik, M., +, TCSII Dec. 2020 3287-3291*
- Fault Localization Strategy for Modular Multilevel Converters in Rectifier Mode Under Submodule Switch Open-Circuit Failure. *Geng, Z., +, TCSII Dec. 2020 3222-3226*
- Finite-Time Consensus for Power Regulation of Parallel PV Grid-Connected Inverters. *Zhang, P., +, TCSII Nov. 2020 2632-2636*
- High Gain Active Neutral Point Clamped Seven-Level Self-Voltage Balancing Inverter. *Sathik, M.J., +, TCSII Nov. 2020 2567-2571*
- Hybrid 7-Level Boost Active-Neutral-Point-Clamped (H-7L-BANPC) Inverter. *Lee, S.S., +, TCSII Oct. 2020 2044-2048*
- Leakage Current Minimization Using NPC DC Decoupling Method for Three-Phase Cascaded Multilevel PV Inverter. *Sonti, V., +, TCSII Dec. 2020 3247-3251*

- Linearity-Enhanced Ring Amplifier Using Adaptive Slew-Rate Feed-Forward Path. *Gadel-Karim, A.G., +, TCSII Dec. 2020* 2908-2912
- Low-Power Small-Area Inverter-Based DSM for MEMS Microphone. *Cho, S., +, TCSII Nov. 2020* 2392-2396
- MTJ-LRB: Proposal of MTJ-Based Loop Replica Bitline as MRAM Device-Circuit Interaction for PVT-Robust Sensing. *Zhou, Y., +, TCSII Dec. 2020* 3352-3356
- Nonlinear Analysis of PLL Damping Characteristics in Weak-Grid-Tied Inverters. *Zhao, J., +, TCSII Nov. 2020* 2752-2756
- Offline Training Improvement of Inverter-Based Memristive Neural Networks Using Inverter Voltage Characteristic Smoothing. *Vahdat, S., +, TCSII Dec. 2020* 3442-3446
- Reduced Switch Count Based Single Source 7L Boost Inverter Topology. *Siddique, M.D., +, TCSII Dec. 2020* 3252-3256
- Single-Layer Planar Wideband Rat-Race Coupler Using a Shorted Parallel-Coupled Multi-Line Section. *Zheng, Y., +, TCSII Dec. 2020* 3053-3057
- Stochastic Distributed Pinning Control for Co-Multi-Inverter Networks With a Virtual Leader. *Lai, J., +, TCSII Oct. 2020* 2094-2098
- TPWL Simulation of Large Nonlinear Circuits Using Subspace Angle-Based Adaptive Sampling. *Kalra, S., +, TCSII March 2020* 575-579
- Transformerless Grid-Connected PV Inverter Without Common Mode Leakage Current and Shoot-Through Problems. *Yao, Z., +, TCSII Dec. 2020* 3257-3261

**Iris**

Substrate Integrated Waveguide Multi-Channel Filtering Crossover With Extended Channel Number and Controllable Frequencies. *Zhan, W., +, TCSII Dec. 2020* 2858-2862

**Iron**

Fault Estimation for Discrete-Time Systems With Lipschitz Perturbation and Time-Variant Coefficients. *Li, Y., +, TCSII Dec. 2020* 3137-3141

Nonlinear System Identification Using Exact and Approximate Improved Adaptive Exponential Functional Link Networks. *Bhattacharjee, S.S., +, TCSII Dec. 2020* 3542-3546

**Iterative decoding**

A Novel Iterative Reliability-Based Majority-Logic Decoder for NB-LDPC Codes. *Song, S., +, TCSII Aug. 2020* 1399-1403

Improving Resistive RAM Hard and Soft Decision Correctable BERs by Using Improved-LLR and Reset-Check-Reverse-Flag Concatenating LDPC Code. *Ning, S., TCSII Oct. 2020* 2164-2168

**Iterative methods**

A Circuit-Level Amoeba-Inspired SAT Solver. *Takeuchi, N., +, TCSII Oct. 2020* 2139-2143

A Stochastic Computing Architecture for Iterative Estimation. *Lunglmayr, M., +, TCSII March 2020* 580-584

Digital Self-Interference Cancellation for Full-Duplex Underwater Acoustic Systems. *Shen, L., +, TCSII Jan. 2020* 192-196

Efficient Expectation Propagation Massive MIMO Detector With Neumann-Series Approximation. *Tan, X., +, TCSII Oct. 2020* 1924-1928

Fine-Grained Bit-Flipping Decoding for LDPC Codes. *Chen, Y., +, TCSII May 2020* 896-900

Finite-Time Consensus for Linear Multi-Agent Systems Using Data-Driven Terminal ILC. *Bu, X., +, TCSII Oct. 2020* 2029-2033

First Order Statistic Based Fast Blind Calibration of Time Skews for Time-Interleaved ADCs. *Yin, M., +, TCSII Jan. 2020* 162-166

Hyperbolic CORDIC-Based Architecture for Computing Logarithm and Its Implementation. *Chen, H., +, TCSII Nov. 2020* 2652-2656

Random Sampling With Iterative Recovery for Millimeter-Wave Imaging Systems. *Zamani, H., +, TCSII Dec. 2020* 3522-3526

Timing and Frequency Synchronization and Doubly Selective Channel Estimation for OFDMA Uplink. *Abdzadeh-Ziabari, H., +, TCSII Jan. 2020* 62-66

**J****Jacobian matrices**

Controller and Observer design for Chaotic Systems: A Vector Based Contraction Approach. *Singh, B., +, TCSII Dec. 2020* 3282-3286

Fixed Time Synchronization Control for Bilateral Teleoperation Mobile Manipulator With Nonholonomic Constraint and Time Delay. *Xu, G., +, TCSII Dec. 2020* 3452-3456

Voltage Stability Margin in DC Grids With CPLs: A Recursive Newton-Raphson Approximation. *Montoya, O.D., +, TCSII Feb. 2020* 300-304

**Jammering**

Jammering Suppression in Massive MIMO Systems. *Akhlaghpasand, H., +, TCSII Jan. 2020* 182-186

**JFETs**

Ultra-Low Voltage Push-Pull Converter for Micro Energy Harvesting. *Colalongo, L., +, TCSII Dec. 2020* 3172-3176

**Jitter**

A 0.42–3.45 Gb/s Referenceless Clock and Data Recovery Circuit With Counter-Based Unrestricted Frequency Acquisition. *Son, K., +, TCSII June 2020* 974-978

A 3-MHz 17.3- $\mu$ W 0.015% Period Jitter Relaxation Oscillator With Energy Efficient Swing Boosting. *Zhou, W., +, TCSII Oct. 2020* 1745-1749

A 42-dB $\Omega$  25-Gb/s CMOS Transimpedance Amplifier With Multiple-Peaking Scheme for Optical Communications. *Pan, Q., +, TCSII Jan. 2020* 72-76

A DLL-Based Quadrature Clock Generator With a 3-Stage Quad Delay Unit Using the Sub-Range Phase Interpolator for Low-Jitter and High-Phase Accuracy DRAM Applications. *Yoon, Y., +, TCSII Nov. 2020* 2342-2346

**Joining processes**

Similarity-Based and Sybil Attack Defended Community Detection for Social Networks. *Jiang, Z., +, TCSII Dec. 2020* 3487-3491

**K****Kalman filters**

A Slide Window Variational Adaptive Kalman Filter. *Huang, Y., +, TCSII Dec. 2020* 3552-3556

An Improved Kalman Filter With Adaptive Estimate of Latency Probability. *Wang, Z., +, TCSII Oct. 2020* 2259-2263

**Kernel**

CREMON: Cryptography Embedded on the Convolutional Neural Network Accelerator. *Choi, Y., +, TCSII Dec. 2020* 3337-3341

Low Complexity VLSI Architecture Design Methodology for Wigner Ville Distribution. *Mopuri, S., +, TCSII Dec. 2020* 3532-3536

Power-Optimal Mapping of CNN Applications to Cloud-Based Multi-FPGA Platforms. *Shan, J., +, TCSII Dec. 2020* 3073-3077

Robust Maximum Mixture Correntropy Criterion-Based Semi-Supervised ELM With Variable Center. *Yang, J., +, TCSII Dec. 2020* 3572-3576

Sparsity Constrained Recursive Generalized Maximum Correntropy Criterion With Variable Center Algorithm. *Sun, Q., +, TCSII Dec. 2020* 3517-3521

**L****Ladder networks**

TPWL Simulation of Large Nonlinear Circuits Using Subspace Angle-Based Adaptive Sampling. *Kalra, S., +, TCSII March 2020* 575-579

**Laplace equations**

Design Fixed-Time Practical Distributed Average Tracking Algorithms for Nonlinear Signals With Bounded- and Lipschitz-Type Derivatives. *Chen, Q., +, TCSII Dec. 2020* 3103-3107

Feature-Temporal Semi-Supervised Extreme Learning Machine for Robotic Terrain Classification. *Lv, W., +, TCSII Dec. 2020* 3567-3571

Group-Bipartite Consensus in the Networks With Cooperative-Competitive Interactions. *Liu, J., +, TCSII Dec. 2020* 3292-3296

Robust Maximum Mixture Correntropy Criterion-Based Semi-Supervised ELM With Variable Center. *Yang, J., +, TCSII Dec. 2020* 3572-3576

The Infimum on Laplacian Eigenvalues of a Connected Extended Graph: An Edge-Grafting Perspective. *Wang, X., +, TCSII Nov. 2020* 2627-2631

**Laplace transforms**

Consensus in Fractional-Order Multi-Agent Systems With Intermittence Sampled Data Over Directed Networks. *Ye, Y., +, TCSII Feb. 2020* 365-369

- Observer-Based Time-Varying Formation Control of Fractional-Order Multi-Agent Systems With General Linear Dynamics. *Gong, Y., +, TCSII Jan. 2020 82-86*
- Laser tuning**  
A Reconfigurable Wilkinson Power Divider With Flexible Tuning Range Configuration. *Wu, B., +, TCSII July 2020 1219-1223*
- Latches**  
A 1-V, 3-GHz Strong-Arm Latch Voltage Comparator for High Speed Applications. *Siddharth, R.K., +, TCSII Dec. 2020 2918-2922*
- Lattices**  
Low-Latency Lattice Reduction Based on Dual-Basis Updates for High-Dimensional MIMO Streams. *Lee, H., +, TCSII Dec. 2020 2993-2997*
- Layout**  
A Multi-Modulus Fractional Divider With TDC Free Calibration Scheme for Mitigation of TX-VCO Pulling. *Liu, L., +, TCSII Dec. 2020 2848-2852*  
A Novel XOR/XNOR Structure for Modular Design of QCA Circuits. *Wang, L., +, TCSII Dec. 2020 3327-3331*
- LC circuits**  
A Low Phase Noise, High Phase Accuracy Quadrature LC-VCO With Dual-Tail Current Biasing to Insert Reconfigurable Phase Delay. *Xi, N., +, TCSII March 2020 450-454*  
Compact Lowpass and Dual-Band Bandpass Filter With Controllable Transmission Zero/Center Frequencies/Passband Bandwidth. *Choudhary, D.K., +, TCSII June 2020 1044-1048*  
Design of a Double-Sided LC Compensated Capacitive Power Transfer System With Capacitor Voltage Stress Optimization. *Lian, J., +, TCSII April 2020 715-719*  
Wideband and Miniaturized Forward-Wave Directional Coupler Using Periodical Parallel Plates and Vertical Meander Lines. *Yi, X., +, TCSII Nov. 2020 2402-2406*
- Lead bonding**  
A 2.4-GHz Mid-Field CMOS Wireless Power Receiver Achieving 46% Maximum PCE and 163-mW Output Power. *Li, X., +, TCSII Feb. 2020 360-364*
- Leakage currents**  
An Energy Efficient Level Shifter Capable of Logic Conversion From Sub-15 mV to 1.2 V. *Late, E., +, TCSII Nov. 2020 2687-2691*  
An Improved PWM Technique to Achieve Continuous Input Current in Common-Ground Transformerless Boost Inverter. *Lee, S.S., +, TCSII Dec. 2020 3133-3136*  
Effective Low Leakage 6T and 8T FinFET SRAMs: Using Cells With Reverse-Biased FinFETs, Near-Threshold Operation, and Power Gating. *Turi, M.A., +, TCSII April 2020 765-769*  
Leakage Current Minimization Using NPC DC Decoupling Method for Three-Phase Cascaded Multilevel PV Inverter. *Sonti, V., +, TCSII Dec. 2020 3247-3251*  
Transformerless Grid-Connected PV Inverter Without Common Mode Leakage Current and Shoot-Through Problems. *Yao, Z., +, TCSII Dec. 2020 3257-3261*
- Learning (artificial intelligence)**  
0.3 pJ/Bit Machine Learning Resistant Strong PUF Using Subthreshold Voltage Divider Array. *Venkatesh, A., +, TCSII Aug. 2020 1394-1398*  
A 1.15 TOPS/W Energy-Efficient Capsule Network Accelerator for Real-Time 3D Point Cloud Segmentation in Mobile Environment. *Park, G., +, TCSII Sept. 2020 1594-1598*  
A Hybrid Reducing Error Correcting Output Code for Lithology Identification. *Chen, X., +, TCSII Oct. 2020 2254-2258*  
A Reinforcement Learning-Based Markov-Decision Process (MDP) Implementation for SRAM FPGAs. *Ruan, A., +, TCSII Oct. 2020 2124-2128*  
A Separable Maximum Correntropy Adaptive Algorithm. *Shi, W., +, TCSII Nov. 2020 2797-2801*  
A Wireless Multi-Channel Capacitive Sensor System for Efficient Glove-Based Gesture Recognition With AI at the Edge. *Pan, J., +, TCSII Sept. 2020 1624-1628*  
CMix-NN: Mixed Low-Precision CNN Library for Memory-Constrained Edge Devices. *Capotondi, A., +, TCSII May 2020 871-875*  
Design and Fabrication of Flow-Based Edge Detection Memristor Crossbar Circuits<sup>1</sup>. *Pannu, J.S., +, TCSII May 2020 961-965*
- Design of Power Efficient Posit Multiplier. *Zhang, H., +, TCSII May 2020 861-865*  
Fall Detection Using Standoff Radar-Based Sensing and Deep Convolutional Neural Network. *Sadreazami, H., +, TCSII Jan. 2020 197-201*  
Low-Energy and Fast Spiking Neural Network For Context-Dependent Learning on FPGA. *Asgari, H., +, TCSII Nov. 2020 2697-2701*  
Optimization of Combined Power and Modeling Attacks on VR PUFs With Lagrange Multipliers. *Yu, W., TCSII Nov. 2020 2512-2516*  
Reconfigurable FPGA-Based K-Means/K-Modes Architecture for Network Intrusion Detection. *Andrade Maciel, L., +, TCSII Aug. 2020 1459-1463*  
Semi-Supervised Learning Based on Hybrid Neural Network for the Signal Integrity Analysis. *Chen, S., +, TCSII Oct. 2020 1934-1938*  
Sparse Estimator With  $\ell_{>0}$ -Norm Constraint Kernel Maximum-Correntropy-Criterion. *Wu, F., +, TCSII Feb. 2020 400-404*  
Tropical Reservoir Computing Hardware. *Galen-Prado, F., +, TCSII Nov. 2020 2712-2716*  
Zero-Shot Object Detection With Attributes-Based Category Similarity. *Mao, Q., +, TCSII May 2020 921-925*
- Learning systems**  
Finite-Time Consensus for Linear Multi-Agent Systems Using Data-Driven Terminal ILC. *Bu, X., +, TCSII Oct. 2020 2029-2033*  
Reinforcement Learning-Based Control of Nonlinear Systems Using Lyapunov Stability Concept and Fuzzy Reward Scheme. *Chen, M., +, TCSII Oct. 2020 2059-2063*
- Least mean squares methods**  
A Robust Total Least Mean M-Estimate Adaptive Algorithm for Impulsive Noise Suppression. *Li, L., +, TCSII April 2020 800-804*  
A Variable Step-Size Robust Saturation Algorithm Against Impulsive Noises. *Hur, J., +, TCSII Oct. 2020 2279-2283*  
A W-Band 6-Bit Phase Shifter With 7 dB Gain and 1.35° RMS Phase Error in 130 nm SiGe BiCMOS. *Li, H., +, TCSII Oct. 2020 1839-1843*  
An Incremental Variable Step-Size LMS Algorithm for Adaptive Networks. *Bin Saeed, M.O., +, TCSII Oct. 2020 2264-2268*  
Design and Simulation of a 12 Gb/s Transceiver With 8-Tap FFE, Offset-Compensated Samplers and Fully Adaptive 1-Tap Speculative/3-Tap DFE and Sampling Phase for MIPI A-PHY Applications. *Menin, D., +, TCSII Aug. 2020 1369-1373*  
Geometric Algebra Correntropy: Definition and Application to Robust Adaptive Filtering. *Wang, W., +, TCSII June 2020 1164-1168*  
Reduced-Communication Diffusion RLS for Distributed Estimation Over Multi-Agent Networks. *Rastegarnia, A., TCSII Jan. 2020 177-181*  
Robust Multikernel Maximum Correntropy Filters. *Xiong, K., +, TCSII June 2020 1159-1163*  
Robust Variable Step-Size Reweighted Zero-Attracting Least Mean M-Estimate Algorithm for Sparse System Identification. *Wang, G., +, TCSII June 2020 1149-1153*  
Steady-State Mean-Square Performance Analysis of the Affine Projection Sign Algorithm. *Zheng, Z., +, TCSII Oct. 2020 2244-2248*  
The Nearest-Instance-Centroid-Estimation Kernel Recursive Least Squares Algorithms. *Zhang, H., +, TCSII July 2020 1344-1348*  
Tracking Analysis of Gaussian Kernel Signed Error Algorithm for Time-Variant Nonlinear Systems. *Gao, W., +, TCSII Oct. 2020 2289-2293*
- Least squares approximations**  
A Stochastic Computing Architecture for Iterative Estimation. *Lunglmayr, M., +, TCSII March 2020 580-584*  
DCD-Based Recursive Adaptive Algorithms Robust Against Impulsive Noise. *Yu, Y., +, TCSII July 2020 1359-1363*  
Digital Self-Interference Cancellation for Full-Duplex Underwater Acoustic Systems. *Shen, L., +, TCSII Jan. 2020 192-196*  
Noise-Free Maximum Correntropy Criterion Algorithm in Non-Gaussian Environment. *Shi, W., +, TCSII Oct. 2020 2224-2228*  
Reduced-Communication Diffusion RLS for Distributed Estimation Over Multi-Agent Networks. *Rastegarnia, A., TCSII Jan. 2020 177-181*
- LED displays**  
A Driving and Compensation Method for AMLED Displays Using Adaptive Reference Generator for High Luminance Uniformity. *Ahn, H., +, TCSII Oct. 2020 1725-1729*

<sup>1</sup>Check author entry for coauthors

- Displaying-Synchronous Open-Loop External Compensation for Active-Matrix Light Emitting Diode Displays. *Huang, B., +, TCSII Oct. 2020 1790-1794*
- Legged locomotion**  
Feature-Temporal Semi-Supervised Extreme Learning Machine for Robotic Terrain Classification. *Lv, W., +, TCSII Dec. 2020 3567-3571*
- Level control**  
A Robust Decentralized PID Controller Based on Complementary Sensitivity Function for a Multivariable System. *Mahapatro, S.R., +, TCSII Oct. 2020 2024-2028*
- Limit cycles**  
System Identification Under Relay and PI Control. *Pandey, S., +, TCSII June 2020 1089-1093*
- Limit-cycles**  
Analysis of Frequency-Aid Technique for Fractional-N Digital BB-PLLs in Time-Domain. *Vo, T.M., TCSII Dec. 2020 2888-2892*
- Linear codes**  
A Countermeasure Against Statistical Ineffective Fault Analysis. *Breier, J., +, TCSII Dec. 2020 3322-3326*
- Linear matrix inequalities**  
A Further Study on Output Feedback  $\mathcal{H}_\infty$  Control for Discrete-Time Systems. *Chang, X., +, TCSII Feb. 2020 305-309*
- A Unified Framework of Stability Theorems for LTI Fractional Order Systems With  $0 < \alpha < 2$ . *Zhang, X., +, TCSII Dec. 2020 3237-3241*
- Aperiodic Sampled-Data Control for Exponential Stabilization of Delayed Neural Networks: A Refined Two-Sided Looped-Functional Approach. *Yao, L., +, TCSII Dec. 2020 3217-3221*
- Asynchronous Observer-Based Control for Exponential Stabilization of Markov Jump Systems. *Zhang, M., +, TCSII Oct. 2020 2039-2043*
- Delay-Dependent and Order-Dependent Stability and Stabilization of Fractional-Order Linear Systems With Time-Varying Delay. *Chen, L., +, TCSII June 2020 1064-1068*
- Dynamic Event-Triggered State Observers for a Class of Nonlinear Systems With Time Delays and Disturbances. *Huong, D.C., +, TCSII Dec. 2020 3457-3461*
- Non-Fragile Fault Alarm-Based Hybrid Control for the Attitude Quadrotor Model With Actuator Saturation. *Harshavarthini, S., +, TCSII Nov. 2020 2647-2651*
- Nonlinear  $H_\infty$  Filtering Based on Tensor Product Model Transformation. *Gong, H., +, TCSII June 2020 1074-1078*
- Observer Design for Discrete-Time Nonlinear Systems Using the Stability Radii Theory. *Aviles, J.D., +, TCSII Oct. 2020 1959-1963*
- Periodic Event-Triggered Dynamic Output Feedback Dissipative Control With Stochastic Detection. *Ma, G., +, TCSII June 2020 1069-1073*
- Quantized Fuzzy Finite-Time Control for Nonlinear Semi-Markov Switching Systems. *Qi, W., +, TCSII Nov. 2020 2622-2626*
- Robust Design Strategy of Quantized Feedback Control. *Chang, X., +, TCSII April 2020 730-734*
- Robust Hybrid Control Design for Stochastic Markovian Jump System via Fault Alarm Approach. *Sakthivel, R., +, TCSII Oct. 2020 2004-2008*
- Stability Analysis of Aperiodic Sampled-Data Systems: A Switched Polytopic System Method. *Sun, J., +, TCSII June 2020 1054-1058*
- Linear programming**  
An Exact Characterization of the  $L_1/L_-$  Index of Positive Systems and Its Application to Fault Detection Filter Design. *Shen, J., +, TCSII Dec. 2020 3262-3266*
- Robust Maximum Mixture Correntropy Criterion-Based Semi-Supervised ELM With Variable Center. *Yang, J., +, TCSII Dec. 2020 3572-3576*
- Linear quadratic control**  
Bipartite Consensus for Descriptor Multiagent Systems With Antagonistic Interactions. *Zhang, L., +, TCSII Nov. 2020 2602-2606*
- Linear systems**  
A Performance-Region-Based Approach to the  $H_\infty$  Stochastic Consensus Problem. *Wang, J., +, TCSII July 2020 1289-1293*
- A Robust Adaptive Cancellation of Unknown Sinusoidal Disturbance. *Chu, Z., +, TCSII April 2020 705-709*
- Analysis of the Effect of Switch Parasitic Resistance and Capacitance on N-Path Filters Using State Space Representation. *Zolkov, E., +, TCSII Oct. 2020 1889-1893*
- Asynchronous Observer-Based Control for Exponential Stabilization of Markov Jump Systems. *Zhang, M., +, TCSII Oct. 2020 2039-2043*
- Cooperative Output Regulation of Heterogeneous Multi-Agent Systems With Adaptive Edge-Event-Triggered Strategies. *Cheng, B., +, TCSII Oct. 2020 2199-2203*
- Delay-Dependent and Order-Dependent Stability and Stabilization of Fractional-Order Linear Systems With Time-Varying Delay. *Chen, L., +, TCSII June 2020 1064-1068*
- Design of Observers for Positive Systems With Delayed Input and Output Information. *Huynh, V.T., +, TCSII Jan. 2020 107-111*
- Designing Observer-Type Controller for Containment of Discrete-Time Linear MASs Over Signed Graph. *Fang, X., +, TCSII March 2020 511-515*
- Distributed Consensus of Heterogeneous Linear Time-Varying Systems on UAVs-USVs Coordination. *Li, H., +, TCSII July 2020 1264-1268*
- Event-Based Robust Synchronization of Boolean Control Networks. *Ouyang, C., +, TCSII Oct. 2020 1969-1973*
- Feedback Dissipativity and Stabilization for Switched Positive Systems With a Combined Switching Law. *Wang, P., +, TCSII Nov. 2020 2572-2576*
- Hierarchical Average-Tracking Algorithm for Multiagent Systems With Unmatched Constant References Signals. *Liu, C., +, TCSII Nov. 2020 2642-2646*
- Linear Quadratic Regulator of Discrete-Time Switched Linear Systems. *Wu, G., +, TCSII Dec. 2020 3113-3117*
- Non-Uniform Reducing the Involved Differentiators' Orders and Lyapunov Stability Preservation Problem in Dynamic Systems. *Badri, V., +, TCSII April 2020 735-739*
- Observer-Based Adaptive Sampled-Data Event-Triggered Distributed Control for Multi-Agent Systems. *Zhao, L., +, TCSII Jan. 2020 97-101*
- Observer-Based Time-Varying Formation Control of Fractional-Order Multi-Agent Systems With General Linear Dynamics. *Gong, Y., +, TCSII Jan. 2020 82-86*
- Optimal Filtering and a Smoothing Algorithm for a Singular System With a Complex Stochastic Uncertain Parameter Matrix. *Yu, X., +, TCSII April 2020 780-784*
- Performance Evaluation of Incremental Sigma-Delta ADCs Based on their NTF. *Wagner, J., +, TCSII Dec. 2020 2813-2817*
- Security Analysis of a Distributed Networked System Under Eavesdropping Attacks. *Yang, W., +, TCSII July 2020 1254-1258*
- Set Stabilization of Boolean Control Networks With Impulsive Effects: An Event-Triggered Approach. *Lin, L., +, TCSII July 2020 1244-1248*
- Some Necessary and Sufficient Conditions on the Controllability of Star Networks. *Hao, Y., +, TCSII Nov. 2020 2582-2586*
- System Identification Under Relay and PI Control. *Pandey, S., +, TCSII June 2020 1089-1093*
- Linearity**  
A 28-nm CMOS 12-Bit 250-MS/s Voltage-Current-Time Domain 3-Stage Pipelined ADC. *Moon, K., +, TCSII Dec. 2020 2843-2847*
- Linearity-Enhanced Ring Amplifier Using Adaptive Slew-Rate Feed-Forward Path. *Gadel-Karim, A.G., +, TCSII Dec. 2020 2908-2912*
- Linearization techniques**  
A Resistive Degeneration Technique for Linearizing Open-Loop Amplifiers. *Akter, M.S., +, TCSII Nov. 2020 2322-2326*
- An Adaptive Partial Feedback Linearizing Control Scheme: An Application to a Single Machine Infinite Bus System. *Roy, T.K., +, TCSII Nov. 2020 2557-2561*
- Compact Analog Predistorter With Shape Tuning Capability Using Power-Dependent Impedance Matching Network. *Deng, H., +, TCSII Oct. 2020 1705-1709*
- Nonlinear  $H_\infty$  Filtering Based on Tensor Product Model Transformation. *Gong, H., +, TCSII June 2020 1074-1078*
- TPWL Simulation of Large Nonlinear Circuits Using Subspace Angle-Based Adaptive Sampling. *Kalra, S., +, TCSII March 2020 575-579*

**Lithium compounds**

An 18-nA Ultra-Low-Current Resistor-Less Bandgap Reference for 2.8 V–4.5 V High Voltage Supply Li-Ion-Battery-Based LSIs. *Wang, S., +, TCSII Nov. 2020* 2382–2386

**Load (electric)**

Multiple Line-Outage Detection in Power System With Load Stochastic Perturbations. *Nie, S., +, TCSII Oct. 2020* 1994–1998

**Load flow**

A Condition of Equivalence Between Bus Injection and Branch Flow Models in Radial Networks. *Ding, T., +, TCSII March 2020* 536–540

A High-Performance Energy Management System Based on Evolving Graph. *Liu, G., +, TCSII Feb. 2020* 350–354

An Improved Mode Transition Technique for a Non-Isolated Bidirectional DC-DC Converter. *Sharma, A., +, TCSII Dec. 2020* 3093–3097

Negative Reactance Impacts Power Flow Convergence Using Conjugate Gradient Method. *Ding, T., +, TCSII Nov. 2020* 2527–2531

Numerical Approach to Compute the Power Flow Solution of Hybrid Generation, Transmission and Distribution Systems. *Bizzarri, F., +, TCSII May 2020* 936–940

Triangular Matrix Formulation for Power Flow Analysis in Radial DC Resistive Grids With CPLs. *Montoya, O.D., +, TCSII June 2020* 1094–1098

Voltage Stability Margin in DC Grids With CPLs: A Recursive Newton-Raphson Approximation. *Montoya, O.D., +, TCSII Feb. 2020* 300–304

Vortex Search Algorithm for Optimal Power Flow Analysis in DC Resistive Networks With CPLs. *Montoya, O.D., +, TCSII Aug. 2020* 1439–1443

**Load flow control**

An Interleaved Bi-Directional AC–DC Converter With Reduced Switches and Reactive Power Control. *Tashakor, N., +, TCSII Jan. 2020* 132–136

On the Existence of the Power Flow Solution in DC Grids With CPLs Through a Graph-Based Method. *Montoya, O.D., TCSII Aug. 2020* 1434–1438

**Load modeling**

Toward Identifying Consumer Responsibility on Voltage Distortion and Filtering Based on the Maclaurin Series. *Crovato, C.D.P., +, TCSII Dec. 2020* 3467–3471

**Load regulation**

A 100 MHz, 0.8-to-1.1 V, 170 mA Digital LDO With 8-Cycles Mean Settling Time and 9-Bit Regulating Resolution in 180-nm CMOS. *Yuan, Z., +, TCSII Sept. 2020* 1664–1668

A Fully Integrated LDO With 50-mV Dropout for Power Efficiency Optimization. *Ma, X., +, TCSII April 2020* 725–729

A Reconfigurable Transient Optimizer Applied to a Four-Phase Buck Converter for Optimizing Both DVS and Load Transient Responses. *Wang, P., +, TCSII Jan. 2020* 52–56

Islanded Microgrid Frequency Regulations Concerning the Integration of Tidal Power Units: Real-Time Implementation. *Khooban, M.H., +, TCSII June 2020* 1099–1103

**Loading**

A Novel Architecture for Early Detection of Negative Output Features in Deep Neural Network Accelerators. *Asadikouhanjani, M., +, TCSII Dec. 2020* 3332–3336

A Switched-Capacitor Self-Balanced High-Gain Multilevel Inverter Employing a Single DC Source. *Panda, K.P., +, TCSII Dec. 2020* 3192–3196

Offline Training Improvement of Inverter-Based Memristive Neural Networks Using Inverter Voltage Characteristic Smoothing. *Vahdat, S., +, TCSII Dec. 2020* 3442–3446

**Local area networks**

Analog MIMO RoC Passive Relay for Indoor Deployments of Wireless Networks. *Matera, A., +, TCSII Dec. 2020* 2988–2992

**Logic circuits**

A Modular Multilevel Converter With Novel Double Reverse Blocking Sub-Modules for DC Fault Current Blocking Capability. *Yao, Y., +, TCSII April 2020* 740–744

An Improved Seven-Level PUC Inverter Topology With Voltage Boosting. *Sathik, M.J., +, TCSII Jan. 2020* 127–131

SIBAM—Sign Inclusive Broken Array Multiplier Design for Error Tolerant Applications. *Sinha Roy, A., +, TCSII Nov. 2020* 2702–2706

Silicon Evaluation of Multimode Dual Mode Logic for PVT-Aware Datapaths. *Stanger, I., +, TCSII Sept. 2020* 1639–1643

**Logic design**

A 90-nm 640 MHz 2 × VDD Output Buffer With 41.5% Slew Rate Improvement Using PVT Compensation. *Wang, J., +, TCSII Sept. 2020* 1524–1528

A Hybrid Pipelined Architecture for High Performance Top-K Sorting on FPGA. *Chen, W., +, TCSII Aug. 2020* 1449–1453

A Novel 0.5 V MCML D-Flip-Flop Topology Exploiting Forward Body Bias Threshold Lowering. *Scotti, G., +, TCSII March 2020* 560–564

A Novel Digital Realization of AdEx Neuron Model. *Haghiri, S., +, TCSII Aug. 2020* 1444–1448

A Real-Time Flexible Telecommunication Decoding Architecture Using FPGA Partial Reconfiguration. *Ma, L., +, TCSII Oct. 2020* 2149–2153

A Reinforcement Learning-Based Markov-Decision Process (MDP) Implementation for SRAM FPGAs. *Ruan, A., +, TCSII Oct. 2020* 2124–2128

A Robust Hardened Latch Featuring Tolerance to Double-Node-Upset in 28nm CMOS for Spaceborne Application. *Li, Y., +, TCSII Sept. 2020* 1619–1623

A Scan Obfuscation Guided Design-for-Security Approach for Sequential Circuits. *Karmakar, R., +, TCSII March 2020* 546–550

An Ultimate-Shannon-Limit-Approaching Gbps Throughput Encoder/Decoder System. *Jiang, S., +, TCSII Oct. 2020* 2169–2173

Block-Based Carry Speculative Approximate Adder for Energy-Efficient Applications. *Ebrahimi-Azandaryani, F., +, TCSII Jan. 2020* 137–141

Conditions on Polynomials Involved in Admittance Functions Passively Realizable by Using RLC and Two Fractional Elements. *Tavazoei, M.S., TCSII June 2020* 999–1003

Design of a Scalable Low-Power 1-Bit Hybrid Full Adder for Fast Computation. *Hasan, M., +, TCSII Aug. 2020* 1464–1468

Design of QCA-Serial Parallel Multiplier (QSPM) With Energy Dissipation Analysis. *Bahar, A.N., +, TCSII Oct. 2020* 1939–1943

Efficient VLSI Architectures for Coupled-Layered Regenerating Codes. *Zhang, X., +, TCSII Oct. 2020* 1869–1873

Energy and Error Analysis Framework for Approximate Computing in Mobile Applications. *Jha, C.K., +, TCSII Feb. 2020* 385–389

Error-Aware Design Procedure to Implement Hardware-Efficient Logarithmic Circuits. *Loukrakpam, M., +, TCSII May 2020* 851–855

High-Accuracy and Fault Tolerant Stochastic Inner Product Design. *Haselmayr, W., +, TCSII March 2020* 541–545

Low-Energy and Fast Spiking Neural Network For Context-Dependent Learning on FPGA. *Asgari, H., +, TCSII Nov. 2020* 2697–2701

New Divider Design for Stochastic Computing. *Chu, S.-I., TCSII Jan. 2020* 147–151

SIBAM—Sign Inclusive Broken Array Multiplier Design for Error Tolerant Applications. *Sinha Roy, A., +, TCSII Nov. 2020* 2702–2706

Silicon Evaluation of Multimode Dual Mode Logic for PVT-Aware Datapaths. *Stanger, I., +, TCSII Sept. 2020* 1639–1643

Stochastic Mixed-PR: A Stochastically-Tunable Low-Error Adder. *Najafi, A., +, TCSII Oct. 2020* 2144–2148

Transition Detector-Based Radiation-Hardened Latch for Both Single- and Multiple-Node Upsets. *Tajima, S., +, TCSII June 2020* 1114–1118

**Logic functions**

A Novel XOR/XNOR Structure for Modular Design of QCA Circuits. *Wang, L., +, TCSII Dec. 2020* 3327–3331

**Logic gates**

A 0.2-V Three-Winding Transformer-Based DCO in 16-nm FinFET CMOS. *Li, C., +, TCSII Dec. 2020* 2878–2882

A 0.35V 90nA Quiescent Current Output-Capacitor-Less NMOS Low-Dropout Regulator Using a Coarse-Fine Charge-Pump Circuit. *Woo, K., +, TCSII Dec. 2020* 3118–3122

A 90-nm 640 MHz 2 × VDD Output Buffer With 41.5% Slew Rate Improvement Using PVT Compensation. *Wang, J., +, TCSII Sept. 2020* 1524–1528

A Countermeasure Against Statistical Ineffective Fault Analysis. *Breier, J., +, TCSII Dec. 2020* 3322–3326

A Novel XOR/XNOR Structure for Modular Design of QCA Circuits. *Wang, L., +, TCSII Dec. 2020* 3327–3331

A Simple Histogram-Based Capacitor Mismatch Calibration in SAR ADCs.

*Wang, X., +, TCSII Dec. 2020 2838-2842*

An Ultra-Low Cost Multilayer RAM in Quantum-Dot Cellular Automata.

*Song, Z., +, TCSII Dec. 2020 3397-3401*

Approximate Multipliers With Dynamic Truncation for Energy Reduction via Graceful Quality Degradation. *Frustaci, F., +, TCSII Dec. 2020 3427-3431*

Effective Low Leakage 6T and 8T FinFET SRAMs: Using Cells With Reverse-Biased FinFETs, Near-Threshold Operation, and Power Gating. *Turi, M.A., +, TCSII April 2020 765-769*

Fully Integrated Digital GaN-Based LSK Demodulator for High-Temperature Applications. *Hassan, A., +, TCSII Sept. 2020 1579-1583*

Functional Read Enabling In-Memory Computations in 1Transistor—1Resistor Memory Arrays. *Jaiswal, A., +, TCSII Dec. 2020 3347-3351*

Incremental SAT-Based Correction of Gate Level Circuits by Reusing Partially Corrected Circuits. *Alizadeh, B., +, TCSII Dec. 2020 3063-3067*

Linearity-Enhanced Ring Amplifier Using Adaptive Slew-Rate Feed-Forward Path. *Gadel-Karim, A.G., +, TCSII Dec. 2020 2908-2912*

Logic Obfuscation Through Enhanced Threshold Voltage Defined Logic Family. *Park, B., +, TCSII Dec. 2020 3407-3411*

Parallel Hybrid Stochastic-Binary-Based Neural Network Accelerators. *Zhang, Y., +, TCSII Dec. 2020 3387-3391*

Ultra-Low Voltage Push-Pull Converter for Micro Energy Harvesting. *Colalongo, L., +, TCSII Dec. 2020 3172-3176*

Voltage Comparator With 60% Faster Speed by Using Charge Pump. *Zhuang, H., +, TCSII Dec. 2020 2923-2927*

### Logic testing

A Scan Obfuscation Guided Design-for-Security Approach for Sequential Circuits. *Karmakar, R., +, TCSII March 2020 546-550*

An Analysis of DCM-Based True Random Number Generator. *Fujieda, N., +, TCSII June 2020 1109-1113*

Design of a Scalable Low-Power 1-Bit Hybrid Full Adder for Fast Computation. *Hasan, M., +, TCSII Aug. 2020 1464-1468*

### Long Term Evolution

Efficient Supply Modulator for Wide-Band Envelope Elimination and Restoration Power Amplifiers. *Mamdouh, A., +, TCSII Jan. 2020 9-13*

Hexa-Band Branch Line Coupler and Wilkinson Power Divider for LTE 0.7 GHz, LTE 1.7 GHz, LTE 2.6 GHz, 3.9 GHz, Public Safety Band 4.9 GHz, and WLAN 5.8 GHz Frequencies. *Zaidi, A.M., +, TCSII Feb. 2020 275-279*

### Loss measurement

An 18-Gb/s NRZ Transceiver With a Channel-Included 2-UI Impulse-Response Filtering FFE and 1-Tap DFE Compensating up to 32-dB Loss. *Ahn, C., +, TCSII Dec. 2020 2863-2867*

### Low noise amplifiers

A 0.6-V Low-Power Variable-Gain LNA in 0.18- $\mu$ m CMOS Technology. *Hsieh, J., +, TCSII Jan. 2020 23-26*

A Fully-Integrated 64-Channel Wireless Neural Interfacing SoC Achieving 110 dB AFE PSRR and Supporting 54 Mb/s Symbol Rate, Meter-Range Wireless Data Transmission. *Lyu, L., +, TCSII May 2020 831-835*

A Harmonic Rejection Strategy for 25% Duty-Cycle IQ-Mixers Using Digital-to-Time Converters. *Gebhard, A., +, TCSII July 2020 1229-1233*

A Multi-Channel Low-Noise Analog Front End Circuit for Linear LADAR. *Wang, P., +, TCSII July 2020 1209-1213*

A Package Aware QLMVF Receiver Front End. *Regulagadda, S.S., +, TCSII Sept. 2020 1584-1588*

A Sub-2 dB NF, 0.3–3 GHz Packaged Bandwidth Extended Wideband Receiver Front-End. *Gupta, N., +, TCSII March 2020 491-495*

Chopper-Stabilized Low-Noise Multipath Operational Amplifier With Dual Ripple Rejection Loops. *Kim, H., +, TCSII Nov. 2020 2427-2431*

Front-End Blocks of a W-Band Dicke Radiometer in SiGe BiCMOS Technology. *Ustundag, B., +, TCSII Nov. 2020 2417-2421*

### Low-pass filters

A Dividerless Ring Oscillator PLL With 250fs Integrated Jitter Using Sampled Lowpass Filter. *Grout, K., +, TCSII Nov. 2020 2337-2341*

Chopper-Stabilized Low-Noise Multipath Operational Amplifier With Dual Ripple Rejection Loops. *Kim, H., +, TCSII Nov. 2020 2427-2431*

Compact Lowpass and Dual-Band Bandpass Filter With Controllable Transmission Zero/Center Frequencies/Passband Bandwidth. *Choudhary, D.K., +, TCSII June 2020 1044-1048*

Continuous Class-F Power Amplifier Using Quasi-Elliptic Low-Pass Filtering Matching Network. *Zarghami, S., +, TCSII Nov. 2020 2407-2411*

Wide-Stopband SIW Filters Using Modified Multi-Spurious Modes Suppression Technique. *Xie, H., +, TCSII Dec. 2020 2883-2887*

### Low-power electronics

360 nW Gate-Driven Ultra-Low Voltage CMOS Linear Transconductor With 1 MHz Bandwidth and Wide Input Range. *Rico-Aniles, H.D., +, TCSII Nov. 2020 2332-2336*

7 TOPS/W Cellular Neural Network Processor Core for Intelligent Internet-of-Things. *Villelum, M., +, TCSII July 2020 1324-1328*

A -40 °C to 120 °C, 169 ppm/°C Nano-Ampere CMOS Current Reference. *Huang, Q., +, TCSII Sept. 2020 1494-1498*

A 0.22–0.89 mW Low-Power and Highly-Secure Always-On Face Recognition Processor With Adversarial Attack Prevention. *Kim, Y., +, TCSII May 2020 846-850*

A 0.25-V Rail-to-Rail Three-Stage OTA With an Enhanced DC Gain. *Woo, K., +, TCSII July 2020 1179-1183*

A 0.5 V 10-bit 3 MS/s SAR ADC With Adaptive-Reset Switching Scheme and Near-Threshold Voltage-Optimized Design Technique. *Song, J., +, TCSII July 2020 1184-1188*

A 0.5-V Capless LDO With 30-dB PSRR at 10-kHz Using a Lightweight Local Generated Supply. *Yang, C., +, TCSII Oct. 2020 1785-1789*

A 0.6-V 9-bit 1-MS/s Charging Sharing SAR ADC With Judging-Window Switching Logic and Independent Reset Comparator for Power-Effective Applications. *Wang, J., +, TCSII Oct. 2020 1750-1754*

A 0.6-V Low-Power Variable-Gain LNA in 0.18- $\mu$ m CMOS Technology. *Hsieh, J., +, TCSII Jan. 2020 23-26*

A 1.2-V Current-Mode RMS-to-DC Converter Based on a Novel Two-Quadrant Electronically Simulated MOS Translinear Loop. *Martincorena-Arraiza, M., +, TCSII March 2020 420-424*

A 130 GHz Fully-Integrated Fundamental-Frequency D-Band Transmitter Module With > 4 dBm Single-Ended Output Power. *Aguilar, E., +, TCSII May 2020 906-910*

A 15-Gb/s 0.0037-mm<sup>2</sup> 0.019-pJ/Bit Full-Rate Programmable Multi-Pattern Pseudo-Random Binary Sequence Generator. *Hu, J., +, TCSII Sept. 2020 1499-1503*

A 170.7-dB FoM-DR 0.45/0.6-V Inverter-Based Continuous-Time Sigma-Delta Modulator. *de Aguirre, P.C.C., +, TCSII Aug. 2020 1384-1388*

A 2 nW 0.25 V 140 dB-FOM Inverter-Based First Order  $\Delta\Delta$  Modulator. *Catania, A., +, TCSII Sept. 2020 1514-1518*

A 2.4-GHz Mid-Field CMOS Wireless Power Receiver Achieving 46% Maximum PCE and 163-mW Output Power. *Li, X., +, TCSII Feb. 2020 360-364*

A 2nd-Order Noise-Shaping SAR ADC With Lossless Dynamic Amplifier Assisted Integrator. *Zhang, Y., +, TCSII Oct. 2020 1819-1823*

A 3-MHz 17.3- $\mu$ W 0.015% Period Jitter Relaxation Oscillator With Energy Efficient Swing Boosting. *Zhou, W., +, TCSII Oct. 2020 1745-1749*

A 490-pW SAR Temperature Sensor With a Leakage-Based Bandgap-V<sub>th</sub> Reference. *Park, B., +, TCSII Sept. 2020 1549-1553*

A 50 $\mu$ W Fully Differential Interface Amplifier With a Current Steering Class AB Output Stage for PPG and NIRS Recordings. *Song, S., +, TCSII Sept. 2020 1564-1568*

A 6.84 Gbps/lane MIPI C-PHY Transceiver Bridge Chip With Level-Dependent Equalization. *Lee, P., +, TCSII Nov. 2020 2672-2676*

A 7.1-GHz 0.7-mW Programmable Counter With Fast EOC Generation in 65-nm CMOS. *Som, I., +, TCSII Nov. 2020 2397-2401*

A 7.5-mV-Input Boost Converter for Thermal Energy Harvesting With 11-mV Self-Startup. *Radin, R.L., +, TCSII Aug. 2020 1379-1383*

A 8.2-pW 2.4-pA Current Reference Operating at 0.5 V With No Amplifiers or Resistors. *Zhuang, H., +, TCSII July 2020 1204-1208*

A 9.6 nW, 8-Bit, 100 S/s Envelope-to-Digital Converter for Respiratory Monitoring. *Shi, E., +, TCSII March 2020 445-449*

- A 9Gb/s Wide Output Range Transmitter With 2D Binary-Segmented Driver and Dual-Loop Calibration for Intra-Panel Interfaces. *Jeong, Y., +, TCSII Sept. 2020 1589-1593*
- A CMRR Enhancement Circuit Employing  $G_m$ -Controllable Output Stages for Capacitively Coupled Instrumentation Amplifiers. *Jeon, H., +, TCSII Sept. 2020 1539-1543*
- A Compact Calibration Model for Linearizing CMOS Sample-and-Hold Circuits. *Li, Y., +, TCSII Nov. 2020 2327-2331*
- A Dividerless Ring Oscillator PLL With 250fs Integrated Jitter Using Sampled Lowpass Filter. *Grout, K., +, TCSII Nov. 2020 2337-2341*
- A DLL-Based Quadrature Clock Generator With a 3-Stage Quad Delay Unit Using the Sub-Range Phase Interpolator for Low-Jitter and High-Phase Accuracy DRAM Applications. *Yoon, Y., +, TCSII Nov. 2020 2342-2346*
- A Folded Voltage-Combiners Biased Amplifier for Low Voltage and High Energy-Efficiency Applications. *Povoa, R., +, TCSII Feb. 2020 230-234*
- A Four-Step Incremental ADC Based on Double Extended Binary Counting With Capacitive DAC. *Oh, B., +, TCSII Oct. 2020 1685-1689*
- A Generic Nano-Watt Power Fully Tunable 1-D Gaussian Kernel Circuit for Artificial Neural Network. *Reda Mohamed, A., +, TCSII Sept. 2020 1529-1533*
- A High-Performance Charge Pump Topology for Very-Low-Voltage Applications. *Ballo, A., +, TCSII July 2020 1304-1308*
- A Low Phase Noise Open Loop Fractional-N Frequency Synthesizer With Injection Locking Digital Phase Modulator. *Yan, C., +, TCSII March 2020 455-459*
- A Low Phase Noise, High Phase Accuracy Quadrature LC-VCO With Dual-Tail Current Biasing to Insert Reconfigurable Phase Delay. *Xi, N., +, TCSII March 2020 450-454*
- A Low Power High Precision Trim-Less Envelope Detector for Fail-Safe Circuit in LVDS Receiver. *Lee, S.S., +, TCSII Oct. 2020 1770-1774*
- A Low-Power 40-Gb/s Pre-Emphasis PAM-4 Transmitter With Toggling Serializers. *Kwon, D., +, TCSII March 2020 430-434*
- A Low-Power and Small Chip-Area Multi-Rate Human Body Communication DPFSK Transceiver for Wearable Devices. *Shih, H., +, TCSII July 2020 1234-1238*
- A Low-Voltage High-Precision Time-Domain Winner-Take-All Circuit. *Rahiminejad, E., +, TCSII Jan. 2020 4-8*
- A Low-Voltage Robust Class-C VCO With Dual Digital Feedback Loops. *Liao, X., +, TCSII Nov. 2020 2347-2351*
- A New High Drive Class-AB FVF-Based Second Generation Voltage Conveyor. *Barile, G., +, TCSII March 2020 405-409*
- A Novel 0.5 V MCML D-Flip-Flop Topology Exploiting Forward Body Bias Threshold Lowering. *Scotti, G., +, TCSII March 2020 560-564*
- A Package Aware QLMVF Receiver Front End. *Regulagadda, S.S., +, TCSII Sept. 2020 1584-1588*
- A Power-Delay and Area Efficient Voltage Level Shifter Based on a Reflected-Output Wilson Current Mirror Level Shifter. *Kabirpour, S., +, TCSII Feb. 2020 250-254*
- A Reconfigurable 64-Dimension  $K$ -Means Clustering Accelerator With Adaptive Overflow Control. *Du, L., +, TCSII April 2020 760-764*
- A ReRAM-Based Computing-in-Memory Convolutional-Macro With Customized 2T2R Bit-Cell for AIoT Chip IP Applications. *Tan, F., +, TCSII Sept. 2020 1534-1538*
- A Resistive Degeneration Technique for Linearizing Open-Loop Amplifiers. *Akter, M.S., +, TCSII Nov. 2020 2322-2326*
- A Robust Bio-IA With Digitally Controlled DC-Servo Loop and Improved Pseudo-Resistor. *Liu, L., +, TCSII March 2020 440-444*
- A Small Ripple Program Voltage Generator Without High-Voltage Regulator for 3D NAND Flash. *Huang, C., +, TCSII June 2020 1049-1053*
- A Switchless SiGe BiCMOS Bidirectional Amplifier for Wideband Radar Applications. *Caliskan, C., +, TCSII Oct. 2020 1844-1848*
- Adaptive Body Bias Aware Implementation for Ultra-Low-Voltage Designs in 22FDX Technology. *Hoppner, S., +, TCSII Oct. 2020 2159-2163*
- Adjustable Output CMOS Voltage Reference Design. *Olivera, F., +, TCSII Oct. 2020 1690-1694*
- An 18-nA Ultra-Low-Current Resistor-Less Bandgap Reference for 2.8 V-4.5 V High Voltage Supply Li-Ion-Battery-Based LSIs. *Wang, S., +, TCSII Nov. 2020 2382-2386*
- An AC-DC Rectifier With Active and Non-Overlapping Control for Piezoelectric Vibration Energy Harvesting. *Chang, R.C., +, TCSII June 2020 969-973*
- An Energy Efficient Level Shifter Capable of Logic Conversion From Sub-15 mV to 1.2 V. *Late, E., +, TCSII Nov. 2020 2687-2691*
- An Energy-Efficient 3Gb/s PAM4 Full-Duplex Transmitter With 2-Tap Feed Forward Equalizer. *Mukherjee, S., +, TCSII May 2020 916-920*
- Analog Memristive CAMs for Area- and Energy-Efficient Reconfigurable Computing. *de Lima, J.P.C., +, TCSII May 2020 856-860*
- ASIC Design and Power Characterization of Standard and Low Power Multi-Radix Trivium. *Mora-Gutierrez, J.M., +, TCSII Nov. 2020 2682-2686*
- Block-Based Carry Speculative Approximate Adder for Energy-Efficient Applications. *Ebrahimi-Azandaryani, F., +, TCSII Jan. 2020 137-141*
- Calibrating Amplifiers Nonlinearity Using Comparator-Based ADCs. *Rabuske, F., +, TCSII March 2020 435-439*
- CRAM: Collocated SRAM and DRAM With In-Memory Computing-Based Denoising and Filling for Neuromorphic Vision Sensors in 65 nm CMOS. *Zhang, X., +, TCSII May 2020 816-820*
- Design and Realization of High-Speed Low-Noise Multi-Loop Skew-Based ROs Optimized for Even/Odd Multi-Phase Signals. *Mishra, N., +, TCSII Nov. 2020 2352-2356*
- Design of a Scalable Low-Power 1-Bit Hybrid Full Adder for Fast Computation. *Hasan, M., +, TCSII Aug. 2020 1464-1468*
- Dynamic Read Current Sensing With Amplified Bit-Line Voltage for STT-MRAMs. *Ali, M.F., +, TCSII March 2020 551-555*
- Effective Low Leakage 6T and 8T FinFET SRAMs: Using Cells With Reverse-Biased FinFETs, Near-Threshold Operation, and Power Gating. *Turi, M.A., +, TCSII April 2020 765-769*
- Embeddable Circuit for Orientation Independent Processing in Ultra Low-Power Tri-Axial Inertial Sensors. *De Vita, A., +, TCSII June 2020 1124-1128*
- Energy and Error Analysis Framework for Approximate Computing in Mobile Applications. *Jha, C.K., +, TCSII Feb. 2020 385-389*
- Energy Efficient Peripheral and System Buses for Low-Area and Low-Power SoC Applications. *Romero, J., +, TCSII May 2020 866-870*
- Energy-Efficient Data-Aware SRAM Design Utilizing Column-Based Data Encoding. *Do, A.T., +, TCSII Oct. 2020 2154-2158*
- Error-Aware Design Procedure to Implement Hardware-Efficient Logarithmic Circuits. *Loukrakpam, M., +, TCSII May 2020 851-855*
- Exploring the Advantages of Single-Ended-Input CMOS Self-Biased Amplifiers. *Cabrera, F.L., TCSII March 2020 410-414*
- High Input Impedance Low-Noise CMOS Analog Frontend IC for Wearable Electrocardiogram Monitoring. *Zhang, C., +, TCSII July 2020 1169-1173*
- Low-Area and Low-Power Latch-Based Thermometer-Code Shift-Register. *Woo, K., +, TCSII Oct. 2020 2119-2123*
- Low-Power Small-Area Inverter-Based DSM for MEMS Microphone. *Cho, S., +, TCSII Nov. 2020 2392-2396*
- Low-Power, Low-Phase-Noise  $G_m$ -Boosted 10-GHz VCO With Center-Tap Transformer and Stacked Transistor. *Lee, H.S., +, TCSII Oct. 2020 1710-1714*
- SIBAM—Sign Inclusive Broken Array Multiplier Design for Error Tolerant Applications. *Sinha Roy, A., +, TCSII Nov. 2020 2702-2706*
- Stochastic Mixed-PR: A Stochastically-Tunable Low-Error Adder. *Najafi, A., +, TCSII Oct. 2020 2144-2148*
- Stochastic Wave-Pipelined On-Chip Interconnect. *Najafi, A., +, TCSII May 2020 841-845*
- Voltage Divider for Self-Limited Analog State Programming of Memristors. *Gomez, J., +, TCSII April 2020 620-624*
- Lyapunov methods**
- A Class of Proportional-Integral With Anti-Windup Controllers for DC-DC Buck Power Converters With Saturating Input. *Moreno-Valenzuela, J., TCSII Jan. 2020 157-161*

- A Robust [K,KL] Sector for Nonlinear System. *Sachan, A., +, TCSII Nov. 2020 2547-2551*
- A Simple Autonomous Chaotic Circuit With Dead-Zone Nonlinearity. *Wang, N., +, TCSII Dec. 2020 3502-3506*
- Adaptive Control for Nonlinear Systems With Uncertain Output Function and Unknown Homogenous Growth Rate. *Zhai, J., TCSII Oct. 2020 1974-1978*
- Adaptive Tracking Control for Switched Uncertain Nonlinear Systems With Input Saturation and Unmodeled Dynamics. *Song, Z., +, TCSII Dec. 2020 3152-3156*
- An Adaptive Partial Feedback Linearizing Control Scheme: An Application to a Single Machine Infinite Bus System. *Roy, T.K., +, TCSII Nov. 2020 2557-2561*
- An Improved Stability Criterion for Digital Filters With Generalized Overflow Arithmetic and Time-Varying Delay. *Zhang, C., +, TCSII Oct. 2020 2099-2103*
- Asynchronous Observer-Based Control for Exponential Stabilization of Markov Jump Systems. *Zhang, M., +, TCSII Oct. 2020 2039-2043*
- Boundary Constrained Control of Flexible String Systems Subject to Disturbances. *Liu, Z., +, TCSII Jan. 2020 112-116*
- Chaos Suppression in Forced Chaotic Systems by Innovative Sliding Mode Control. *Piccinni, G., +, TCSII Aug. 2020 1424-1428*
- Controller and Observer design for Chaotic Systems: A Vector Based Contraction Approach. *Singh, B., +, TCSII Dec. 2020 3282-3286*
- Dynamic Event-Triggered Sliding Mode Control: Dealing With Slow Sampling Singularly Perturbed Systems. *Song, J., +, TCSII June 2020 1079-1083*
- Event-Triggered Control of a Class of Nonlinear Systems on the Basis of Indefinite Lyapunov Theory. *Ghazisaeedi, H.R., +, TCSII Oct. 2020 2104-2108*
- Feedback Dissipativity and Stabilization for Switched Positive Systems With a Combined Switching Law. *Wang, P., +, TCSII Nov. 2020 2572-2576*
- Formation Control of Nonholonomic Mobile Robots Using Distributed Estimators. *Lu, P., +, TCSII Dec. 2020 3162-3166*
- Further Result on  $H_\infty$  Performance State Estimation of Delayed Static Neural Networks Based on an Improved Reciprocally Convex Inequality. *Tan, G., +, TCSII Aug. 2020 1477-1481*
- Global Fixed-Time Output Feedback Stabilization for a Class of Double Integrator Systems. *Su, Y., +, TCSII Oct. 2020 1954-1958*
- High Gain Observer-Based Saturated Controller for Feedback Linearizable System. *Rayguru, M.M., +, TCSII Jan. 2020 122-126*
- Innovative DOA Estimation Algorithm Based on Lyapunov Theory. *Piccinni, G., +, TCSII Oct. 2020 2219-2223*
- Lyapunov Functions for the Set Stability and the Synchronization of Boolean Control Networks. *Chen, B., +, TCSII Nov. 2020 2537-2541*
- Multiple Lyapunov Functions Approach for Consensus of One-Sided Lipschitz Multi-Agents Over Switching Topologies and Input Saturation. *Razaq, M.A., +, TCSII Dec. 2020 3267-3271*
- Neuro-Adaptive Cooperative Tracking Rendezvous of Nonholonomic Mobile Robots. *Lu, P., +, TCSII Dec. 2020 3167-3171*
- Non-Uniform Reducing the Involved Differentiators' Orders and Lyapunov Stability Preservation Problem in Dynamic Systems. *Badri, V., +, TCSII April 2020 735-739*
- Novel Nonsingular Terminal Sliding Mode Control for Multi-Agent Tracking Systems With Application to Jerk Circuit. *Dong, L., +, TCSII Aug. 2020 1429-1433*
- Periodic Event-Triggered Dynamic Output Feedback Dissipative Control With Stochastic Detection. *Ma, G., +, TCSII June 2020 1069-1073*
- Quantized Fuzzy Finite-Time Control for Nonlinear Semi-Markov Switching Systems. *Qi, W., +, TCSII Nov. 2020 2622-2626*
- Reinforcement Learning-Based Control of Nonlinear Systems Using Lyapunov Stability Concept and Fuzzy Reward Scheme. *Chen, M., +, TCSII Oct. 2020 2059-2063*
- Robust Distributed Stabilization of Heterogeneous Agents Over Cooperation–Competition Networks. *Hu, H., +, TCSII Aug. 2020 1419-1423*
- Robust Hybrid Control Design for Stochastic Markovian Jump System via Fault Alarm Approach. *Sakthivel, R., +, TCSII Oct. 2020 2004-2008*

- Stability Analysis of Aperiodic Sampled-Data Systems: A Switched Polytopic System Method. *Sun, J., +, TCSII June 2020 1054-1058*
- Variable-Gain Second-Order Sliding Mode Controller With Globally Fixed-Time Stability Guarantees. *Shi, S., +, TCSII Aug. 2020 1414-1418*
- Vibration Control of a Riser-Vessel System Subject to Input Backlash and Extraneous Disturbances. *Zhao, Z., +, TCSII March 2020 516-520*

## M

### Machine control

- A Simple Nonlinear Observer for State and Unknown Input Estimation: DC Motor Applications. *Martinez-Garcia, C., +, TCSII April 2020 710-714*
- An Adaptive Partial Feedback Linearizing Control Scheme: An Application to a Single Machine Infinite Bus System. *Roy, T.K., +, TCSII Nov. 2020 2557-2561*

- Auto-Tuning Proportional-Type Synchronization Algorithm for DC Motor Speed Control Applications. *Lee, C.R., +, TCSII March 2020 521-525*

- Synchronization of Chaotic-Oscillation Permanent Magnet Synchronous Generators Networks via Adaptive Impulsive Control. *Zhu, D., +, TCSII Oct. 2020 2194-2198*

### Machine learning algorithms

- Robust Maximum Mixture Correntropy Criterion-Based Semi-Supervised ELM With Variable Center. *Yang, J., +, TCSII Dec. 2020 3572-3576*

### Magnetic bearings

- Low Noise ZVS Switch Sharing Multichannel Switching Amplifier for Magnetic Bearing Applications. *Hsieh, H., +, TCSII Oct. 2020 1999-2003*

### Magnetic levitation

- Low Noise ZVS Switch Sharing Multichannel Switching Amplifier for Magnetic Bearing Applications. *Hsieh, H., +, TCSII Oct. 2020 1999-2003*

### Magnetic separation

- Wireless Power Transfer System With High Misalignment Tolerance for Bio-Medical Implants. *Wang, Q., +, TCSII Dec. 2020 3023-3027*

### Magnetic tunneling

- MTJ-LRB: Proposal of MTJ-Based Loop Replica Bitline as MRAM Device-Circuit Interaction for PVT-Robust Sensing. *Zhou, Y., +, TCSII Dec. 2020 3352-3356*

### Maintenance engineering

- A Novel Approach to Overcome the Limitations of Reliability Centered Maintenance Implementation on the Smart Grid Distance Protection System. *Rafiei, M., +, TCSII Feb. 2020 320-324*

### Majority logic

- Adaptive 2-D Scheduling-Based Nonbinary Majority-Logic Decoding for NAND Flash Memory. *Wang, C., +, TCSII July 2020 1349-1353*

### Malware

- Analysis of Malware-Induced Cyber Attacks in Cyber-Physical Power Systems. *Xu, S., +, TCSII Dec. 2020 3482-3486*

### Manipulator dynamics

- Fixed Time Synchronization Control for Bilateral Teleoperation Mobile Manipulator With Nonholonomic Constraint and Time Delay. *Xu, G., +, TCSII Dec. 2020 3452-3456*

### Marine control

- Vibration Control of a Riser-Vessel System Subject to Input Backlash and Extraneous Disturbances. *Zhao, Z., +, TCSII March 2020 516-520*

### Marine power systems

- A Robust Shipboard DC-DC Power Converter Control: Concept Analysis and Experimental Results. *Mosayebi, M., +, TCSII Nov. 2020 2612-2616*

### Marine propulsion

- A Robust Shipboard DC-DC Power Converter Control: Concept Analysis and Experimental Results. *Mosayebi, M., +, TCSII Nov. 2020 2612-2616*

### Marine vehicles

- Distributed Consensus of Heterogeneous Linear Time-Varying Systems on UAVs-USVs Coordination. *Li, H., +, TCSII July 2020 1264-1268*

### Markov processes

- A Novel Approach to Overcome the Limitations of Reliability Centered Maintenance Implementation on the Smart Grid Distance Protection System. *Rafiei, M., +, TCSII Feb. 2020 320-324*

- A Performance-Region-Based Approach to the  $H_\infty$  Stochastic Consensus Problem. *Wang, J., +, TCSII July 2020 1289-1293*

- A Reinforcement Learning-Based Markov-Decision Process (MDP) Implementation for SRAM FPGAs. *Ruan, A., +, TCSII Oct. 2020 2124-2128*
- Asynchronous Observer-Based Control for Exponential Stabilization of Markov Jump Systems. *Zhang, M., +, TCSII Oct. 2020 2039-2043*
- Finite-Time Consensus of Finite Field Networks With Stochastic Time Delays. *Li, Y., +, TCSII Dec. 2020 3128-3132*
- Finite-Time Time-Variant Feedback Stabilization of Logical Control Networks With Markov Jump Disturbances. *Ding, X., +, TCSII Oct. 2020 2079-2083*
- Observed-Based Asynchronous Control of Linear Semi-Markov Jump Systems With Time-Varying Mode Emission Probabilities. *Tian, Y., +, TCSII Dec. 2020 3147-3151*
- Quantized Fuzzy Finite-Time Control for Nonlinear Semi-Markov Switching Systems. *Qi, W., +, TCSII Nov. 2020 2622-2626*
- Robust Hybrid Control Design for Stochastic Markovian Jump System via Fault Alarm Approach. *Sakthivel, R., +, TCSII Oct. 2020 2004-2008*
- Matching pursuit algorithms**
- Topology Identification for Power Systems via Compressive Sensing Based on Transient Dynamics. *Ding, L., +, TCSII Dec. 2020 3202-3206*
- Mathematical model**
- A 1-V, 3-GHz Strong-Arm Latch Voltage Comparator for High Speed Applications. *Siddharth, R.K., +, TCSII Dec. 2020 2918-2922*
- A Microstrip Lowpass Filter With Wide Tuning Range and Sharp Roll-Off Response. *Moloudian, G., +, TCSII Dec. 2020 2953-2957*
- A Multi-Stable Memristor and its Application in a Neural Network. *Lin, H., +, TCSII Dec. 2020 3472-3476*
- A Novel Approximation Methodology and Its Efficient VLSI Implementation for the Sigmoid Function. *Qin, Z., +, TCSII Dec. 2020 3422-3426*
- An Efficient Spiking Neuron Hardware System Based on the Hardware-Oriented Modified Izhikevich Neuron (HOMIN) Model. *Leigh, A.J., +, TCSII Dec. 2020 3377-3381*
- An Optimal Filter for Singular Systems With Stochastic Multiplicative Disturbance. *Yu, X., +, TCSII Dec. 2020 3607-3611*
- Autonomous Event Driven Model of Second Order Voltage Switched Charge Pump PLL. *Ali, E., +, TCSII Dec. 2020 2903-2907*
- Efficient Precision-Adjustable Architecture for Softmax Function in Deep Learning. *Zhu, D., +, TCSII Dec. 2020 3382-3386*
- Formation Control of Multiple Autonomous Underwater Vehicles Under Communication Delays. *Suryendu, C., +, TCSII Dec. 2020 3182-3186*
- Formation of Generic UAVs-USVs System Under Distributed Model Predictive Control Scheme. *Huang, D., +, TCSII Dec. 2020 3123-3127*
- Fractional-Order Correntropy Filters for Tracking Dynamic Systems in  $\alpha$ -Stable Environments. *Gogineni, V.C., +, TCSII Dec. 2020 3557-3561*
- Offline Training Improvement of Inverter-Based Memristive Neural Networks Using Inverter Voltage Characteristic Smoothing. *Vahdat, S., +, TCSII Dec. 2020 3442-3446*
- Mathematics computing**
- Projection Recurrent Neural Network Model: A New Strategy to Solve Maximum Flow Problem. *Eshaghnezhad, M., +, TCSII Nov. 2020 2747-2751*
- Matlab**
- An Interleaved Bi-Directional AC-DC Converter With Reduced Switches and Reactive Power Control. *Tashakor, N., +, TCSII Jan. 2020 132-136*
- Voltage Stability Margin in DC Grids With CPLs: A Recursive Newton-Raphson Approximation. *Montoya, O.D., +, TCSII Feb. 2020 300-304*
- Matrix algebra**
- A Separable Maximum Correntropy Adaptive Algorithm. *Shi, W., +, TCSII Nov. 2020 2797-2801*
- A Tunable Transmission Line With Controllable Phase Shifting and Characteristic Impedance. *Ren, H., +, TCSII Oct. 2020 1720-1724*
- Cooperative Formation of Self-Propelled Vehicles With Directed Communications. *Rao, P., +, TCSII Feb. 2020 315-319*
- Design and Analysis of Compressive Sensing-Based Lightweight Encryption Scheme for Multimedia IoT. *Unde, A.S., +, TCSII Jan. 2020 167-171*
- Design of Equal-Ripple Dual-Wideband Bandpass Filter With Minimum Design Parameters Based on Cross-Shaped Resonator. *Bi, X., +, TCSII Oct. 2020 1780-1784*
- Designing Observer-Type Controller for Containment of Discrete-Time Linear MASs Over Signed Graph. *Fang, X., +, TCSII March 2020 511-515*
- Finite-Time Stability of Probabilistic Logical Networks: A Topological Sorting Approach. *Zhu, S., +, TCSII April 2020 695-699*
- Further Result on  $H_\infty$  Performance State Estimation of Delayed Static Neural Networks Based on an Improved Reciprocally Convex Inequality. *Tan, G., +, TCSII Aug. 2020 1477-1481*
- Generalization of the Normal Tree Method for Networks Without Graphic Structures. *Recski, A., TCSII Oct. 2020 1800-1803*
- Hierarchical Average-Tracking Algorithm for Multiagent Systems With Unmatched Constant References Signals. *Liu, C., +, TCSII Nov. 2020 2642-2646*
- High-Bandwidth Spatial Equalization for mmWave Massive MU-MIMO With Processing-in-Memory. *Castaneda, O., +, TCSII May 2020 891-895*
- Multi-Agent Bipartite Tracking Control Over General Cooperative-Hostile Networks. *Shi, L., TCSII Oct. 2020 1964-1968*
- Negative Reactance Impacts Power Flow Convergence Using Conjugate Gradient Method. *Ding, T., +, TCSII Nov. 2020 2527-2531*
- O=O Shape Low-Loss Negative Group Delay Microstrip Circuit. *Wan, F., +, TCSII Oct. 2020 1795-1799*
- Observability of Boolean Networks With Redundant Channels. *Li, F., +, TCSII Oct. 2020 1989-1993*
- Observer-Based Time-Varying Formation Control of Fractional-Order Multi-Agent Systems With General Linear Dynamics. *Gong, Y., +, TCSII Jan. 2020 82-86*
- On the Existence of the Power Flow Solution in DC Grids With CPLs Through a Graph-Based Method. *Montoya, O.D., TCSII Aug. 2020 1434-1438*
- Optimal Filtering and a Smoothing Algorithm for a Singular System With a Complex Stochastic Uncertain Parameter Matrix. *Yu, X., +, TCSII April 2020 780-784*
- Synthesis and Design of LTCC Filtering Balun With Wide Stopband. *Wu, D., +, TCSII Aug. 2020 1404-1408*
- The Bipartite Consensus for Multi-Agent Systems With Matrix-Weight-Based Signed Network. *Su, H., +, TCSII Oct. 2020 2019-2023*
- The Infimum on Laplacian Eigenvalues of a Connected Extended Graph: An Edge-Grafting Perspective. *Wang, X., +, TCSII Nov. 2020 2627-2631*
- Triangular Matrix Formulation for Power Flow Analysis in Radial DC Resistive Grids With CPLs. *Montoya, O.D., +, TCSII June 2020 1094-1098*
- UaL Decomposition, an Alternative to the LU Factorization of MNA Matrices. *Hashemian, R., TCSII April 2020 630-634*
- Matrix converters**
- Semi-Tensor Product of Matrices Approach to the Problem of Fault Detection for Discrete Event Systems (DESSs). *Chen, Z., +, TCSII Dec. 2020 3098-3102*
- Matrix decomposition**
- An Optimal Filter for Singular Systems With Stochastic Multiplicative Disturbance. *Yu, X., +, TCSII Dec. 2020 3607-3611*
- UaL Decomposition, an Alternative to the LU Factorization of MNA Matrices. *Hashemian, R., TCSII April 2020 630-634*
- Matrix inversion**
- Efficient Expectation Propagation Massive MIMO Detector With Neumann-Series Approximation. *Tan, X., +, TCSII Oct. 2020 1924-1928*
- Recursive Constrained Maximum Correntropy Criterion Algorithm for Adaptive Filtering. *Qian, G., +, TCSII Oct. 2020 2229-2233*
- Matrix multiplication**
- Optimizing Hardware Accelerated General Matrix-Matrix Multiplication for CNNs on FPGAs. *Ahmad, A., +, TCSII Nov. 2020 2692-2696*
- Maximum entropy methods**
- An Improved Variable Kernel Width for Maximum Correntropy Criterion Algorithm. *Shi, L., +, TCSII July 2020 1339-1343*
- Sparse Estimator With  $\ell_0$ -Norm Constraint Kernel Maximum-Correntropy-Criterion. *Wu, F., +, TCSII Feb. 2020 400-404*
- Variable Step-Size Affine Projection Maximum Correntropy Criterion Adaptive Filter With Correntropy Induced Metric for Sparse System Identification. *Zhao, H., +, TCSII Nov. 2020 2782-2786*
- Maximum likelihood detection**
- Power-Balanced Non-Orthogonal Multiple Access Based on Virtual Channel Optimization. *Xia, W., +, TCSII April 2020 795-799*

**Maximum likelihood estimation**

Noise-Free Maximum Correntropy Criterion Algorithm in Non-Gaussian Environment. *Shi, W., +, TCSII Oct. 2020* 2224-2228

Timing and Frequency Synchronization and Doubly Selective Channel Estimation for OFDMA Uplink. *Abdzadeh-Ziabari, H., +, TCSII Jan. 2020* 62-66

**Maximum power point trackers**

83.9% Efficiency 100-mV Self-Startup Boost Converter for Thermoelectric Energy Harvester in IoT Applications. *Shang, Z., +, TCSII Sept. 2020* 1654-1658

A P&O MPPT With a Novel Analog Power-Detector for WSNs Applications. *Liu, L., +, TCSII Oct. 2020* 1680-1684

A Reconfigurable Rectifier With Optimal Loading Point Determination for RF Energy Harvesting From -22 dBm to -2 dBm. *Zeng, Z., +, TCSII Jan. 2020* 87-91

An Indoor Photovoltaic Energy Harvester Using Time-Based MPPT and On-Chip Photovoltaic Cell. *Chang, M., +, TCSII Nov. 2020* 2432-2436

**Mean square error methods**

An Adaptive Upper Threshold Based Gain Function for the ZA-PNLMS Algorithm. *Das, R.L., +, TCSII Oct. 2020* 2274-2278

Analysis of Least Stochastic Entropy Adaptive Filters for Noncircular Gaussian Signals. *Zhang, X., +, TCSII July 2020* 1364-1368

Bias-Compensated MCCC Algorithm for Widely Linear Adaptive Filtering With Noisy Data. *Dong, F., +, TCSII Dec. 2020* 3587-3591

Jammer Suppression in Massive MIMO Systems. *Akhlaghpasand, H., +, TCSII Jan. 2020* 182-186

Recursive Constrained Maximum Correntropy Criterion Algorithm for Adaptive Filtering. *Qian, G., +, TCSII Oct. 2020* 2229-2233

Reduced-Communication Diffusion RLS for Distributed Estimation Over Multi-Agent Networks. *Rastegaria, A., TCSII Jan. 2020* 177-181

Robust Multikernel Maximum Correntropy Filters. *Xiong, K., +, TCSII June 2020* 1159-1163

Steady-State Mean-Square Performance Analysis of the Affine Projection Sign Algorithm. *Zheng, Z., +, TCSII Oct. 2020* 2244-2248

Steady-State Performance Analysis of Nonlinear Spline Adaptive Filter Under Maximum Correntropy Criterion. *Wang, W., +, TCSII June 2020* 1154-1158

Timing and Frequency Synchronization and Doubly Selective Channel Estimation for OFDMA Uplink. *Abdzadeh-Ziabari, H., +, TCSII Jan. 2020* 62-66

**Measurement**

Fault Estimation for Discrete-Time Systems With Lipschitz Perturbation and Time-Variant Coefficients. *Li, Y., +, TCSII Dec. 2020* 3137-3141

Low-Latency Lattice Reduction Based on Dual-Basis Updates for High-Dimensional MIMO Streams. *Lee, H., +, TCSII Dec. 2020* 2993-2997

Similarity-Based and Sybil Attack Defended Community Detection for Social Networks. *Jiang, Z., +, TCSII Dec. 2020* 3487-3491

**Measurement errors**

Effects of Measurement Noise on Flocking Dynamics of Cucker-Smale Systems. *Chen, D., +, TCSII Oct. 2020* 2064-2068

**Measurement uncertainty**

Fractional-Order Correntropy Filters for Tracking Dynamic Systems in  $\alpha$ -Stable Environments. *Gogineni, V.C., +, TCSII Dec. 2020* 3557-3561

**Median filters**

A Modified Inexact Arithmetic Median Filter for Removing Salt-and-Pepper Noise From Gray-Level Images. *Monajati, M., +, TCSII April 2020* 750-754

A Novel Comparison-Free 1-D Median Filter. *Lin, I., +, TCSII July 2020* 1329-1333

**Medical signal processing**

Hand Gesture Recognition Using Three-Dimensional Electrical Impedance Tomography. *Jiang, D., +, TCSII Sept. 2020* 1554-1558

High Input Impedance Low-Noise CMOS Analog Frontend IC for Wearable Electrocardiogram Monitoring. *Zhang, C., +, TCSII July 2020* 1169-1173

Removing Muscle Artifacts From EEG Data via Underdetermined Joint Blind Source Separation: A Simulation Study. *Zou, L., +, TCSII Jan. 2020* 187-191

**Meetings**

Guest Editorial Special Issue on the 2020 IEEE International Symposium on Circuits and Systems. *Ha, Y., +, TCSII May 2020* 805

Guest Editorial Special Issue on the 2020 ISICAS: A CAS Journal Track Symposium. *Ha, Y., +, TCSII Sept. 2020* 1493

**Memory architecture**

Analog Memristive CAMs for Area- and Energy-Efficient Reconfigurable Computing. *de Lima, J.P.C., +, TCSII May 2020* 856-860

**Memory management**

Nonlinear System Identification Using Exact and Approximate Improved Adaptive Exponential Functional Link Networks. *Bhattacharjee, S.S., +, TCSII Dec. 2020* 3542-3546

Novel Bit-Reordering Circuit for Continuous-Flow Parallel FFT Architectures. *Gyanendra, ., +, TCSII Dec. 2020* 3392-3396

**Memoryless systems**

$L_p$ -Stability of a Class of Volterra Systems. *van Wyk, M.A., +, TCSII Aug. 2020* 1469-1471

**Memristor circuits**

Design and Fabrication of Flow-Based Edge Detection Memristor Crossbar Circuits<sup>1</sup>. *Pannu, J.S., +, TCSII May 2020* 961-965

**Memristors**

A Behavioral Model of Digital Resistive Switching for Systems Level DNN Acceleration. *Eshraghian, J.K., +, TCSII May 2020* 956-960

A Memristor-Based Spiking Neural Network With High Scalability and Learning Efficiency. *Zhao, Z., +, TCSII May 2020* 931-935

A Multi-Stable Memristor and its Application in a Neural Network. *Lin, H., +, TCSII Dec. 2020* 3472-3476

A Simple Floating Mutator for Emulating Memristor, Memcapacitor, and Meminductor. *Yu, D., +, TCSII July 2020* 1334-1338

Novel Hybrid CMOS/Memristor Implementation of the AES Algorithm Robust Against Differential Power Analysis Attack. *Masoumi, M., TCSII July 2020* 1314-1318

Offline Training Improvement of Inverter-Based Memristive Neural Networks Using Inverter Voltage Characteristic Smoothing. *Vahdat, S., +, TCSII Dec. 2020* 3442-3446

Voltage Divider for Self-Limited Analog State Programming of Memristors. *Gomez, J., +, TCSII April 2020* 620-624

**MESFET integrated circuits**

Adaptive Power Control Using Current Adjustment for Watt-Level Power Amplifiers in CMOS SOI. *Moallemi, S., +, TCSII April 2020* 605-609

**Message passing**

Dismantling and Vertex Cover of Network Through Message Passing. *Zhao, D., +, TCSII Nov. 2020* 2732-2736

**Metals**

Parallel Plate Cavity Mode Suppression by Miniaturized 2.5-D Electromagnetic Bandgap Structure for Low Frequency Microwave Circuit. *Shi, Y., +, TCSII Dec. 2020* 3068-3072

**Metamaterial antennas**

Isolation Improvement of MIMO Antenna Using a Novel Flower Shaped Metamaterial Absorber at 5.5 GHz WiMAX Band. *Garg, P., +, TCSII April 2020* 675-679

Wideband Planar Phased Array Antenna Based on Artificial Magnetic Conductor Surface. *Shi, S., +, TCSII Oct. 2020* 1909-1913

**Metamaterials**

Parallel Plate Cavity Mode Suppression by Miniaturized 2.5-D Electromagnetic Bandgap Structure for Low Frequency Microwave Circuit. *Shi, Y., +, TCSII Dec. 2020* 3068-3072

**Microbial fuel cells**

A Power Management System for Microbial Fuel Cells With 53.02% Peak End-to-End Efficiency. *Umez, R., TCSII Nov. 2020* 2592-2596

**Microcontrollers**

A P&O MPPT With a Novel Analog Power-Detector for WSNs Applications. *Liu, L., +, TCSII Oct. 2020* 1680-1684

Adaptive Body Bias Aware Implementation for Ultra-Low-Voltage Designs in 22FDX Technology. *Hopner, S., +, TCSII Oct. 2020* 2159-2163

An Extremely Simple Chaotic System With Infinitely Many Coexisting Attractors. *Lai, Q., +, TCSII June 2020* 1129-1133

+ Check author entry for coauthors

- CMix-NN: Mixed Low-Precision CNN Library for Memory-Constrained Edge Devices.** *Capotondi, A., +, TCSII May 2020 871-875*
- Design and Simulation of a 12 Gb/s Transceiver With 8-Tap FFE, Offset-Compensated Samplers and Fully Adaptive 1-Tap Speculative/3-Tap DFE and Sampling Phase for MIPI A-PHY Applications. *Menin, D., +, TCSII Aug. 2020 1369-1373***
- Micromechanical devices**
- A Digital Capacitive MEMS Microphone for Speech Recognition With Fast Wake-Up Feature Using a Sound Activity Detector. *Yang, Y., +, TCSII Sept. 2020 1509-1513*
- A Simple Floating Mutator for Emulating Memristor, Memcapacitor, and Meminductor. *Yu, D., +, TCSII July 2020 1334-1338*
- Low-Power Small-Area Inverter-Based DSM for MEMS Microphone. *Cho, S., +, TCSII Nov. 2020 2392-2396*
- Microorganisms**
- A Photoacoustic-Surface-Acoustic-Wave Sensor for Ring-Stage Malaria Parasite Detection. *Wang, S., +, TCSII May 2020 881-885*
- Microphone arrays**
- A New Parametric Adaptive Source Domain Method for Sound Field Synthesis. *Chu, Y.J., +, TCSII Nov. 2020 2787-2791*
- Microphones**
- A Digital Capacitive MEMS Microphone for Speech Recognition With Fast Wake-Up Feature Using a Sound Activity Detector. *Yang, Y., +, TCSII Sept. 2020 1509-1513*
- Design and Implementation of Acoustic Source Localization on a Low-Cost IoT Edge Platform. *Fabregat, G., +, TCSII Dec. 2020 3547-3551*
- Low-Power Small-Area Inverter-Based DSM for MEMS Microphone. *Cho, S., +, TCSII Nov. 2020 2392-2396*
- Microprocessor chips**
- 7 TOPS/W Cellular Neural Network Processor Core for Intelligent Internet-of-Things. *Villemur, M., +, TCSII July 2020 1324-1328*
- A 6.84 Gbps/lane MIPI C-PHY Transceiver Bridge Chip With Level-Dependent Equalization. *Lee, P., +, TCSII Nov. 2020 2672-2676*
- A Reconfigurable 64-Dimension K-Means Clustering Accelerator With Adaptive Overflow Control. *Du, L., +, TCSII April 2020 760-764*
- A Stabilizing Centralized Controller for On-Chip Power Delivery Networks. *Riad, J., +, TCSII April 2020 680-684*
- Novel Hybrid CMOS/Memristor Implementation of the AES Algorithm Robust Against Differential Power Analysis Attack. *Masoumi, M., TCSII July 2020 1314-1318*
- On the Workload Dependence of Self-Heating in FinFET Circuits. *Van Santen, V.M., +, TCSII Oct. 2020 1949-1953*
- Microsoft Windows**
- A Slide Window Variational Adaptive Kalman Filter. *Huang, Y., +, TCSII Dec. 2020 3552-3556*
- Microstrip**
- A Compact Dual-Band Out of Phase Power Divider Having Microstrip Compatibility. *Zaidi, A.M., +, TCSII Dec. 2020 2998-3002*
- Compact Balanced Dual-Band BPFs Based on Short and Open Stub Loaded Resonators With Wide Common-Mode Suppression. *Wei, F., +, TCSII Dec. 2020 3043-3047*
- Compact Spoof Surface Plasmon Polaritons Waveguide Integrated With Blind Vias and Its Applications. *Zhang, Q.L., +, TCSII Dec. 2020 3038-3042*
- Microstrip Tunable Diplexer With Separately-Designable Channels. *Lu, Q., +, TCSII Dec. 2020 2983-2987*
- Multilayer Packaging SIW Three-Way Filtering Power Divider With Adjustable Power Division. *Zhang, G., +, TCSII Dec. 2020 3003-3007*
- Single-Layer Planar Wideband Rat-Race Coupler Using a Shorted Parallel-Coupled Multi-Line Section. *Zheng, Y., +, TCSII Dec. 2020 3053-3057*
- Microstrip antenna arrays**
- Isolation Improvement of MIMO Antenna Using a Novel Flower Shaped Metamaterial Absorber at 5.5 GHz WiMAX Band. *Garg, P., +, TCSII April 2020 675-679*
- Wideband Planar Phased Array Antenna Based on Artificial Magnetic Conductor Surface. *Shi, S., +, TCSII Oct. 2020 1909-1913*
- Microstrip antennas**
- A Compact Substrate Integrated Waveguide Cavity-Backed Self-Triplexing Antenna. *Iqbal, A., +, TCSII Nov. 2020 2362-2366*
- Microstrip circuits**
- O=O Shape Low-Loss Negative Group Delay Microstrip Circuit. *Wan, F., +, TCSII Oct. 2020 1795-1799*
- Realization of Extremely High and Low Impedance Transforming Ratios Using Cross-Shaped Impedance Transformer. *Zhu, H., +, TCSII July 2020 1189-1193*
- Microstrip couplers**
- Dual-Band Branch-Line Couplers With Short/Open-Ended Stubs. *Feng, W., +, TCSII Nov. 2020 2497-2501*
- High-Isolation and Wide-Stopband SIW Diplexer Using Mixed Electric and Magnetic Coupling. *Su, Z.L., +, TCSII Jan. 2020 32-36*
- Miniaturized Single-Ended-to-Balanced Arbitrary Four-Section Coupled-Line Coupler With Inherent Impedance Matching. *Wang, W., +, TCSII Oct. 2020 1929-1933*
- Microstrip filters**
- Balanced-to-Balanced Diplexer and Quadruplexer With High Selectivity and Wide CM Suppression. *Wei, F., +, TCSII Nov. 2020 2467-2471*
- Compact Wide-Stopband Dual-Band Balanced Filter Using an Electromagnetically Coupled SIR Pair With Controllable Transmission Zeros and Bandwidths. *Tang, J., +, TCSII Nov. 2020 2357-2361*
- Design and Fabrication of an Ultra-Wide Stopband Compact Bandpass Filter. *Sheikhi, A., +, TCSII Feb. 2020 265-269*
- Hairpin Resonators in Varactor-Tuned Microstrip Bandpass Filters. *Zakharov, A., +, TCSII Oct. 2020 1874-1878*
- LTCC Bandstop Filters With Controllable Bandwidths Using Transmission Zeros Pair. *Wu, D., +, TCSII June 2020 1034-1038*
- NGD Analysis of Turtle-Shape Microstrip Circuit. *Wan, F., +, TCSII Nov. 2020 2477-2481*
- Octo-Band Bandpass Filter Based on Unequal-Width Cruciform Connected Resonator With Sharp Skirt. *Wang, L., +, TCSII March 2020 475-479*
- Quasi-Reflectionless Microstrip Bandpass Filters Using Bandstop Filter for Out-of-Band Improvement. *Luo, C., +, TCSII Oct. 2020 1849-1853*
- Slotline-Based Balanced Filter With Ultra-Wide Stopband and High Selectivity. *Bi, X., +, TCSII March 2020 460-464*
- Transmission Line Tunable Resonators With Intersecting Resonance Regions. *Zakharov, A., +, TCSII April 2020 660-664*
- Microstrip lines**
- A 2.4-GHz Mid-Field CMOS Wireless Power Receiver Achieving 46% Maximum PCE and 163-mW Output Power. *Li, X., +, TCSII Feb. 2020 360-364*
- A Compact Substrate Integrated Waveguide Cavity-Backed Self-Triplexing Antenna. *Iqbal, A., +, TCSII Nov. 2020 2362-2366*
- Active Dual-Band Power Divider and Active Quad-Plexer Based on Traveling Wave Amplification and D-CRLH Transmission Line. *Mazani, Z., +, TCSII March 2020 480-484*
- Dual-Band Branch-Line Couplers With Short/Open-Ended Stubs. *Feng, W., +, TCSII Nov. 2020 2497-2501*
- High Selectivity Dual-Wideband Balun Filter Utilizing a Multimode T-line Loaded Middle-Shorted CSRR. *Zeng, X., +, TCSII Nov. 2020 2447-2451*
- O=O Shape Low-Loss Negative Group Delay Microstrip Circuit. *Wan, F., +, TCSII Oct. 2020 1795-1799*
- Microstrip resonators**
- Hairpin Resonators in Varactor-Tuned Microstrip Bandpass Filters. *Zakharov, A., +, TCSII Oct. 2020 1874-1878*
- Slotline-Based Balanced Filter With Ultra-Wide Stopband and High Selectivity. *Bi, X., +, TCSII March 2020 460-464*
- Transmission Line Tunable Resonators With Intersecting Resonance Regions. *Zakharov, A., +, TCSII April 2020 660-664*
- Microwave amplifiers**
- A Dual-Supply Two-Stage CMOS Op-amp for High-Speed Pipeline ADCs Application. *Liu, M., +, TCSII April 2020 650-654*
- A Switchless SiGe BiCMOS Bidirectional Amplifier for Wideband Radar Applications. *Caliskan, C., +, TCSII Oct. 2020 1844-1848*

**Microwave antenna arrays**

Isolation Improvement of MIMO Antenna Using a Novel Flower Shaped Metamaterial Absorber at 5.5 GHz WiMAX Band. *Garg, P., +, TCSII April 2020 675-679*

**Microwave circuits**

Microwave Circuit Conditional Stability: Two-Parameter Criteria. *Lombardi, G., +, TCSII Dec. 2020 2913-2917*

Parallel Plate Cavity Mode Suppression by Miniaturized 2.5-D Electromagnetic Bandgap Structure for Low Frequency Microwave Circuit. *Shi, Y., +, TCSII Dec. 2020 3068-3072*

Reconfigurable RF Dispersive Delay Circuits by Stepped Impedance Shunt Stubs. *Mandal, J., +, TCSII June 2020 1014-1018*

Schottky Diode Large-Signal Equivalent-Circuit Parameters Extraction for High-Efficiency Microwave Rectifying Circuit Design. *Chen, Q., +, TCSII Nov. 2020 2722-2726*

Slotline-Based Balanced Filter With Ultra-Wide Stopband and High Selectivity. *Bi, X., +, TCSII March 2020 460-464*

**Microwave diodes**

Compact Analog Predistorter With Shape Tuning Capability Using Power-Dependent Impedance Matching Network. *Deng, H., +, TCSII Oct. 2020 1705-1709*

**Microwave filters**

A Compact Dual-Band Out of Phase Power Divider Having Microstrip Compatibility. *Zaidi, A.M., +, TCSII Dec. 2020 2998-3002*

A Wideband Subharmonic Mixer With Low Conversion Loss and High Port-to-Port Isolations. *Kumari, S., +, TCSII Oct. 2020 1695-1699*

Analysis, Simulation, and Implementation of Dual-Band Filtering Power Divider Based on Terminated Coupled Lines. *Sajadi, A., +, TCSII Nov. 2020 2487-2491*

Compact and Wideband Octuple-Mode Filter Based on Hybrid Substrate Integrated Waveguide and Spoof Localized Surface Plasmon Structure. *Yang, Z., +, TCSII Nov. 2020 2377-2381*

Compact Wide-Stopband Dual-Band Balanced Filter Using an Electromagnetically Coupled SIR Pair With Controllable Transmission Zeros and Bandwidths. *Tang, J., +, TCSII Nov. 2020 2357-2361*

Design of Tri-Band Balanced Filter With Wideband Common-Mode Suppression and Upper Stopband Using Square Ring Loaded Resonator. *Liu, H., +, TCSII Oct. 2020 1760-1764*

Dual-Band Half Mode Substrate Integrated Waveguide Filter With Independently Tunable Bands. *Iqbal, A., +, TCSII Feb. 2020 285-289*

High Selectivity Dual-Wideband Balun Filter Utilizing a Multimode T-line Loaded Middle-Shorted CSRR. *Zeng, X., +, TCSII Nov. 2020 2447-2451*

Quad-Mode LTCC Surface Mounted Packaging Common-Mode Filter Based on the Asymmetric Short-Stub Loaded Resonator. *Shi, Y., +, TCSII Oct. 2020 1944-1948*

Reconfigurable BPF With Constant Center Frequency and Wide Tuning Range of Bandwidth. *Arain, S., +, TCSII Aug. 2020 1374-1378*

Slotline-Based Balanced Filter With Ultra-Wide Stopband and High Selectivity. *Bi, X., +, TCSII March 2020 460-464*

Tunable SIW Bandpass Filters With Improved Upper Stopband Performance. *Iqbal, A., +, TCSII July 2020 1194-1198*

Wide-Stopband SIW Filters Using Modified Multi-Spurious Modes Suppression Technique. *Xie, H., +, TCSII Dec. 2020 2883-2887*

Wideband Bandpass Filtering Balun With Perfect In-Band Matching and Isolation. *Chen, W., +, TCSII Oct. 2020 1884-1888*

**Microwave integrated circuits**

A 2.4-GHz Mid-Field CMOS Wireless Power Receiver Achieving 46% Maximum PCE and 163-mW Output Power. *Li, X., +, TCSII Feb. 2020 360-364*

**Microwave metamaterials**

Active Dual-Band Power Divider and Active Quad-Plexer Based on Traveling Wave Amplification and D-CRLH Transmission Line. *Mazani, Z., +, TCSII March 2020 480-484*

**Microwave phase shifters**

A Tunable Transmission Line With Controllable Phase Shifting and Characteristic Impedance. *Ren, H., +, TCSII Oct. 2020 1720-1724*

Electronically Tunable Reflection Type Phase Shifters. *Singh, A., +, TCSII March 2020 425-429*

**Microwave photonics**

RF and Microwave Fractional Differentiator Based on Photonics. *Tan, M., +, TCSII Nov. 2020 2767-2771*

**Microwave power amplifiers**

Compact Analog Predistorter With Shape Tuning Capability Using Power-Dependent Impedance Matching Network. *Deng, H., +, TCSII Oct. 2020 1705-1709*

Design and Implementation of a Wideband, Highly-Efficient, High-Power Amplifier Using Load-Pull and X-Parameters Models. *Taleb-Alhagh Nia, H., +, TCSII Nov. 2020 2372-2376*

Dual-Band 3-Way Doherty Power Amplifier With Extended Back-Off Power and Bandwidth. *Liu, M., +, TCSII Feb. 2020 270-274*

**Microwave resonators**

Quad-Mode LTCC Surface Mounted Packaging Common-Mode Filter Based on the Asymmetric Short-Stub Loaded Resonator. *Shi, Y., +, TCSII Oct. 2020 1944-1948*

**Millimeter wave circuits**

Dual-Band Millimeter-Wave Quadrature LO Generation With a Common-Centroid Floorplan. *Frounchi, M., +, TCSII Feb. 2020 260-264*

**Millimeter wave communication**

High-Bandwidth Spatial Equalization for mmWave Massive MU-MIMO With Processing-in-Memory. *Castaneda, O., +, TCSII May 2020 891-895*

**Millimeter wave filters**

CMOS Millimeter-Wave Ultra-Wideband Bandpass Filter With Three Reflection-Zeros Using Compact Single TFMS Coupled-Line Hairpin Unit. *Vanukuru, V.N.R., +, TCSII Jan. 2020 77-81*

**Millimeter wave mixers**

Dual-Band Millimeter-Wave Quadrature LO Generation With a Common-Centroid Floorplan. *Frounchi, M., +, TCSII Feb. 2020 260-264*

**Millimeter wave oscillators**

A U-Band PLL Using Implicit Distributed Resonators for Sub-THz Wireless Transceivers in 40 nm CMOS. *Chen, Z., +, TCSII Sept. 2020 1574-1578*

**Millimeter wave phase shifters**

A 28–30 GHz CMOS Reflection-Type Phase Shifter With Full 360° Phase Shift Range. *Basalgheh, A., +, TCSII Nov. 2020 2452-2456*

A Frequency-Reconfigurable CMOS Active Phase Shifter for 5G mm-Wave Applications. *Xiong, Y., +, TCSII Oct. 2020 1824-1828*

A W-Band 6-Bit Phase Shifter With 7 dB Gain and 1.35° RMS Phase Error in 130 nm SiGe BiCMOS. *Li, H., +, TCSII Oct. 2020 1839-1843*

**Millimeter wave technology**

Random Sampling With Iterative Recovery for Millimeter-Wave Imaging Systems. *Zamani, H., +, TCSII Dec. 2020 3522-3526*

**MIMIC**

A 130 GHz Fully-Integrated Fundamental-Frequency D-Band Transmitter Module With > 4 dBm Single-Ended Output Power. *Aguilar, E., +, TCSII May 2020 906-910*

A U-Band PLL Using Implicit Distributed Resonators for Sub-THz Wireless Transceivers in 40 nm CMOS. *Chen, Z., +, TCSII Sept. 2020 1574-1578*

**MIMO communication**

An Unfolded Pipelined Polar Decoder With Hybrid Number Representations for Multi-User MIMO Systems. *Cao, S., +, TCSII Nov. 2020 2472-2476*

Analog MIMO RoC Passive Relay for Indoor Deployments of Wireless Networks. *Matera, A., +, TCSII Dec. 2020 2988-2992*

Efficient Expectation Propagation Massive MIMO Detector With Neumann-Series Approximation. *Tan, X., +, TCSII Oct. 2020 1924-1928*

High-Bandwidth Spatial Equalization for mmWave Massive MU-MIMO With Processing-in-Memory. *Castaneda, O., +, TCSII May 2020 891-895*

Isolation Improvement of MIMO Antenna Using a Novel Flower Shaped Metamaterial Absorber at 5.5 GHz WiMAX Band. *Garg, P., +, TCSII April 2020 675-679*

Jammer Suppression in Massive MIMO Systems. *Akhlaghpasand, H., +, TCSII Jan. 2020 182-186*

Low-Latency Lattice Reduction Based on Dual-Basis Updates for High-Dimensional MIMO Streams. *Lee, H., +, TCSII Dec. 2020 2993-2997*

**MIMO systems**

Model Order Reduction Based on Dynamic Relative Gain Array for MIMO Systems. *Liang, W., +, TCSII Nov. 2020 2507-2511*

- Some Necessary and Sufficient Conditions on the Controllability of Star Networks. *Hao, Y., +, TCSII Nov. 2020* 2582-2586
- Minimax techniques**
- Optimized Trellis-Based Min-Max Decoder for NB-LDPC Codes. *Tian, J., +, TCSII Jan. 2020* 57-61
- Minimization**
- An Improved Variable Kernel Width for Maximum Correntropy Criterion Algorithm. *Shi, L., +, TCSII July 2020* 1339-1343
- Leakage Current Minimization Using NPC DC Decoupling Method for Three-Phase Cascaded Multilevel PV Inverter. *Sonti, V., +, TCSII Dec. 2020* 3247-3251
- Oversampled DFT-Modulated Biorthogonal Filter Banks: Perfect Reconstruction Designs and Multiplierless Approximations. *Martins, W.A., +, TCSII Nov. 2020* 2777-2781
- Robust Variable Step-Size Reweighted Zero-Attracting Least Mean M-Estimate Algorithm for Sparse System Identification. *Wang, G., +, TCSII June 2020* 1149-1153
- Minimum entropy methods**
- Analysis of Least Stochastic Entropy Adaptive Filters for Noncircular Gaussian Signals. *Zhang, X., +, TCSII July 2020* 1364-1368
- MIS devices**
- Continuous Class-F Power Amplifier Using Quasi-Elliptic Low-Pass Filtering Matching Network. *Zarghami, S., +, TCSII Nov. 2020* 2407-2411
- Mixed analog digital integrated circuits**
- A Mixed-Signal RF Pulse Width Modulator With High Time Resolution Utilizing Passive Delay Lines. *Papananos, Y., +, TCSII Nov. 2020* 2442-2446
- Mixers**
- A V-Band Ultra Low Power Sub-Harmonic I/Q Down-Conversion Mixer Using Current Re-Used Technique. *Chang, Y., +, TCSII Dec. 2020* 2893-2897
- A Highly Integrated 400–800 MHz Spectrum Sensing System Based on Envelope Detection. *Yen, M., +, TCSII Dec. 2020* 3008-3012
- A Millimeter-Wave Wideband Frequency Conversion Module Based on Waveguide Switched Filters. *Zhou, L., +, TCSII Dec. 2020* 3028-3032
- An ISM Band High-Linear Current-Reuse Up-Conversion Mixer With Built-in-Self-Calibration for LOFT and I/Q Imbalance. *Wang, X., +, TCSII Dec. 2020* 2898-2902
- Power Packet Router With Power and Signal Switches for a Single Power Packet. *Katayama, S., +, TCSII Dec. 2020* 3242-3246
- Power Regeneration From DC Motor With Bidirectional Router in Power Packet Dispatching System. *Yoshida, N., +, TCSII Dec. 2020* 3088-3092
- Mixers (circuits)**
- A Harmonic Rejection Strategy for 25% Duty-Cycle IQ-Mixers Using Digital-to-Time Converters. *Gebhard, A., +, TCSII July 2020* 1229-1233
- Mixture models**
- A Separable Maximum Correntropy Adaptive Algorithm. *Shi, W., +, TCSII Nov. 2020* 2797-2801
- MMIC**
- A 1.5-to-3.0GHz Tunable RF Sigma-Delta ADC With a Fixed Set of Coefficients and a Programmable Loop Delay. *Sayed, A., +, TCSII Sept. 2020* 1559-1563
- MMIC amplifiers**
- A Fully-Integrated 64-Channel Wireless Neural Interfacing SoC Achieving 110 dB AFE PSRR and Supporting 54 Mb/s Symbol Rate, Meter-Range Wireless Data Transmission. *Lyu, L., +, TCSII May 2020* 831-835
- A Sub-2 dB NF, 0.3–3 GHz Packaged Bandwidth Extended Wideband Receiver Front-End. *Gupta, N., +, TCSII March 2020* 491-495
- MMIC mixers**
- A Sub-2 dB NF, 0.3–3 GHz Packaged Bandwidth Extended Wideband Receiver Front-End. *Gupta, N., +, TCSII March 2020* 491-495
- A Wideband Subharmonic Mixer With Low Conversion Loss and High Port-to-Port Isolations. *Kumari, S., +, TCSII Oct. 2020* 1695-1699
- MMIC oscillators**
- A Low-Voltage Robust Class-C VCO With Dual Digital Feedback Loops. *Liao, X., +, TCSII Nov. 2020* 2347-2351
- MMIC phase shifters**
- A 28–30 GHz CMOS Reflection-Type Phase Shifter With Full 360° Phase Shift Range. *Basaligheh, A., +, TCSII Nov. 2020* 2452-2456
- A Frequency-Reconfigurable CMOS Active Phase Shifter for 5G mm-Wave Applications. *Xiong, Y., +, TCSII Oct. 2020* 1824-1828
- A Tunable Concurrent Dual-Band Phase Shifter MMIC for Beam Steering Applications. *Xiong, Y., +, TCSII Nov. 2020* 2412-2416
- A W-Band 6-Bit Phase Shifter With 7 dB Gain and 1.35° RMS Phase Error in 130 nm SiGe BiCMOS. *Li, H., +, TCSII Oct. 2020* 1839-1843
- Mobile computing**
- A 1.15 TOPS/W Energy-Efficient Capsule Network Accelerator for Real-Time 3D Point Cloud Segmentation in Mobile Environment. *Park, G., +, TCSII Sept. 2020* 1594-1598
- Energy and Error Analysis Framework for Approximate Computing in Mobile Applications. *Jha, C.K., +, TCSII Feb. 2020* 385-389
- Mobile handsets**
- A Pulse-Modulated Polar Transmitter Using Direct Digital Synthesis for 5G NR Mobile Applications. *Chen, Y., +, TCSII Oct. 2020* 1894-1898
- Mobile robots**
- Collision-Free Formation Control for Multi-Agent Systems With Dynamic Mapping. *Liu, Y., +, TCSII Oct. 2020* 1984-1988
- Formation Control of Nonholonomic Mobile Robots Using Distributed Estimators. *Lu, P., +, TCSII Dec. 2020* 3162-3166
- Moving Target Circular Formation Control of Multiple Non-Holonomic Vehicles Without Global Position Measurements. *Peng, X., +, TCSII Feb. 2020* 310-314
- Neuro-Adaptive Cooperative Tracking Rendezvous of Nonholonomic Mobile Robots. *Lu, P., +, TCSII Dec. 2020* 3167-3171
- Observer-Based Time-Varying Formation Control of Fractional-Order Multi-Agent Systems With General Linear Dynamics. *Gong, Y., +, TCSII Jan. 2020* 82-86
- Modems**
- Formation Control of Multiple Autonomous Underwater Vehicles Under Communication Delays. *Suryendu, C., +, TCSII Dec. 2020* 3182-3186
- Modulation**
- 1.2-V Energy-Efficient Wireless CMOS Potentiostat for Amperometric Measurements. *Valente, V., +, TCSII Oct. 2020* 1700-1704
- A Low-Spur MASH Delta-Sigma Modulator With an Adaptive Length Extension Technique. *Ding, X., +, TCSII Dec. 2020* 2818-2822
- An Adaptive-Resolution Quasi-Level-Crossing Delta Modulator With VCO-Based Residue Quantizer. *Wang, H., +, TCSII Dec. 2020* 2828-2832
- Dual-Band 3-Way Doherty Power Amplifier With Extended Back-Off Power and Bandwidth. *Liu, M., +, TCSII Feb. 2020* 270-274
- High Data Rate Discrete-Cosine-Spreading Aided M-Ary Differential Chaos Shift Keying Scheme With Low PAPR. *Chen, Z., +, TCSII Nov. 2020* 2492-2496
- Influence of Initial Condition on Wandering Spur Pattern in a MASH-Based Fractional-N Frequency Synthesizer. *Mai, D., +, TCSII Dec. 2020* 2968-2972
- Oversampled DFT-Modulated Biorthogonal Filter Banks: Perfect Reconstruction Designs and Multiplierless Approximations. *Martins, W.A., +, TCSII Nov. 2020* 2777-2781
- Performance Evaluation of Incremental Sigma-Delta ADCs Based on their NTF. *Wagner, J., +, TCSII Dec. 2020* 2813-2817
- Modulation coding**
- High Data Rate Discrete-Cosine-Spreading Aided M-Ary Differential Chaos Shift Keying Scheme With Low PAPR. *Chen, Z., +, TCSII Nov. 2020* 2492-2496
- Modulators**
- Efficient Supply Modulator for Wide-Band Envelope Elimination and Restoration Power Amplifiers. *Mamdouh, A., +, TCSII Jan. 2020* 9-13
- Monitoring**
- A Fast Transient Response Hybrid LDO With Highly Accurate DC Voltage Using Countable Bidirectional Binary Search and Soft Swap Switching. *Jung, J., +, TCSII Dec. 2020* 3272-3276
- VLSI Implementation of Lossless ECG Compression Algorithm for Low Power Devices. *Tsai, T., +, TCSII Dec. 2020* 3317-3321
- Monte Carlo methods**
- A 8.2-pW 2.4-pA Current Reference Operating at 0.5 V With No Amplifiers or Resistors. *Zhuang, H., +, TCSII July 2020* 1204-1208

- Complex-Valued Adaptive Filtering Based on the Random Fourier Features Method. *Xiong, K., +, TCSII Oct. 2020* 2284-2288
- Data-Driven Enhanced Nonlinear Gaussian Filter. *Jia, B., +, TCSII June 2020* 1144-1148
- Dynamic Read Current Sensing With Amplified Bit-Line Voltage for STT-MRAMs. *Ali, M.F., +, TCSII March 2020* 551-555
- Recursive Minimum Kernel Mixture Mean p-Power Error Algorithm Based on the Nyström Method. *Zhang, T., +, TCSII Nov. 2020* 2772-2776
- Robust Multikernel Maximum Correntropy Filters. *Xiong, K., +, TCSII June 2020* 1159-1163
- Steady-State Performance Analysis of Nonlinear Spline Adaptive Filter Under Maximum Correntropy Criterion. *Wang, W., +, TCSII June 2020* 1154-1158
- MOS devices**
- A 0.35V 90nA Quiescent Current Output-Capacitor-Less NMOS Low-Drop-out Regulator Using a Coarse-Fine Charge-Pump Circuit. *Woo, K., +, TCSII Dec. 2020* 3118-3122
- MOSFET**
- A -40 °C to 120 °C, 169 ppm/°C Nano-Ampere CMOS Current Reference. *Huang, Q., +, TCSII Sept. 2020* 1494-1498
- A 1.2-V Current-Mode RMS-to-DC Converter Based on a Novel Two-Quadrant Electronically Simulated MOS Translinear Loop. *Martincorena-Arraiza, M., +, TCSII March 2020* 420-424
- A CMOS-Imager-Pixel-Based Temperature Sensor for Dark Current Compensation. *Xie, S., +, TCSII Feb. 2020* 255-259
- A Programmable On-Chip Reference Oscillator With Slow-Wave Coplanar Waveguide in 14-nm FinFET CMOS. *Hwang, J., +, TCSII Oct. 2020* 1834-1838
- A Single Inductor Self-Startup Energy Combiner Circuit With Bioturbation Resilience in Multiple Microbial Fuel Cells. *Umaz, R., TCSII Dec. 2020* 3227-3231
- An Energy Efficient Level Shifter Capable of Logic Conversion From Sub-15 mV to 1.2 V. *Late, E., +, TCSII Nov. 2020* 2687-2691
- Effective Low Leakage 6T and 8T FinFET SRAMs: Using Cells With Reverse-Biased FinFETs, Near-Threshold Operation, and Power Gating. *Turi, M.A., +, TCSII April 2020* 765-769
- Power Packet Router With Power and Signal Switches for a Single Power Packet. *Katayama, S., +, TCSII Dec. 2020* 3242-3246
- Power Regeneration From DC Motor With Bidirectional Router in Power Packet Dispatching System. *Yoshida, N., +, TCSII Dec. 2020* 3088-3092
- Voltage Comparator With 60% Faster Speed by Using Charge Pump. *Zhuang, H., +, TCSII Dec. 2020* 2923-2927
- MOSFET circuits**
- A 8.2-pW 2.4-pA Current Reference Operating at 0.5 V With No Amplifiers or Resistors. *Zhuang, H., +, TCSII July 2020* 1204-1208
- A High-Performance Charge Pump Topology for Very-Low-Voltage Applications. *Ballo, A., +, TCSII July 2020* 1304-1308
- A Resistive Degeneration Technique for Linearizing Open-Loop Amplifiers. *Akter, M.S., +, TCSII Nov. 2020* 2322-2326
- A Sub-2 dB NF, 0.3–3 GHz Packaged Bandwidth Extended Wideband Receiver Front-End. *Gupta, N., +, TCSII March 2020* 491-495
- On the Workload Dependence of Self-Heating in FinFET Circuits. *Van Santen, V.M., +, TCSII Oct. 2020* 1949-1953
- Motion sensors**
- Embeddable Circuit for Orientation Independent Processing in Ultra Low-Power Tri-Axial Inertial Sensors. *De Vita, A., +, TCSII June 2020* 1124-1128
- MRAM devices**
- Dynamic Read Current Sensing With Amplified Bit-Line Voltage for STT-MRAMs. *Ali, M.F., +, TCSII March 2020* 551-555
- Multi-access systems**
- A 120-mW 0.16-ms-Latency Connectivity-Scalable Multiuser Detector for Interleave Division Multiple Access. *Kong, B.Y., +, TCSII March 2020* 470-474
- An Unfolded Pipelined Polar Decoder With Hybrid Number Representations for Multi-User MIMO Systems. *Cao, S., +, TCSII Nov. 2020* 2472-2476
- High-Bandwidth Spatial Equalization for mmWave Massive MU-MIMO With Processing-in-Memory. *Castaneda, O., +, TCSII May 2020* 891-895
- Power-Balanced Non-Orthogonal Multiple Access Based on Virtual Channel Optimization. *Xia, W., +, TCSII April 2020* 795-799
- Multi-agent systems**
- A Novel Double-Quadrant SoC Consistent Adaptive Droop Control in DC Microgrids. *Xu, D., +, TCSII Oct. 2020* 2034-2038
- A Performance-Region-Based Approach to the  $H_\infty$  Stochastic Consensus Problem. *Wang, J., +, TCSII July 2020* 1289-1293
- Accurate Privacy Preserving Average Consensus. *Yin, T., +, TCSII April 2020* 690-694
- Behavior Analysis of Directed Signed Networks Under Dynamic Protocols. *Wu, Y., +, TCSII Nov. 2020* 2562-2566
- Bipartite Consensus for Descriptor Multiagent Systems With Antagonistic Interactions. *Zhang, L., +, TCSII Nov. 2020* 2602-2606
- Collision-Free Formation Control for Multi-Agent Systems With Dynamic Mapping. *Liu, Y., +, TCSII Oct. 2020* 1984-1988
- Consensus in Fractional-Order Multi-Agent Systems With Intermittent Sampled Data Over Directed Networks. *Ye, Y., +, TCSII Feb. 2020* 365-369
- Consensus of Hybrid Multi-Agent Systems With Malicious Nodes. *Shang, Y., TCSII April 2020* 685-689
- Consensus of One-Sided Lipschitz Multi-Agents Under Input Saturation. *Rehan, M., +, TCSII April 2020* 745-749
- Cooperative Output Regulation of Heterogeneous Multi-Agent Systems With Adaptive Edge-Event-Triggered Strategies. *Cheng, B., +, TCSII Oct. 2020* 2199-2203
- Design Fixed-Time Practical Distributed Average Tracking Algorithms for Nonlinear Signals With Bounded- and Lipschitz-Type Derivatives. *Chen, Q., +, TCSII Dec. 2020* 3103-3107
- Designing Observer-Type Controller for Containment of Discrete-Time Linear MASs Over Signed Graph. *Fang, X., +, TCSII March 2020* 511-515
- Distributed Optimal Consensus Control Algorithm for Continuous-Time Multi-Agent Systems. *Wang, Q., +, TCSII Jan. 2020* 102-106
- Disturbance Rejection Adaptive Fault-Tolerant Constrained Consensus for Multi-Agent Systems With Failures. *Li, J., +, TCSII Dec. 2020* 3302-3306
- Effects of Measurement Noise on Flocking Dynamics of Cucker-Smale Systems. *Chen, D., +, TCSII Oct. 2020* 2064-2068
- Finite-Time Consensus for Linear Multi-Agent Systems Using Data-Driven Terminal ILC. *Bu, X., +, TCSII Oct. 2020* 2029-2033
- Fixed-Time Bipartite Consensus Tracking of Fractional-Order Multi-Agent Systems With a Dynamic Leader. *Gong, P., +, TCSII Oct. 2020* 2054-2058
- Fixed-Time Consensus for a Class of Heterogeneous Nonlinear Multiagent Systems. *Zou, W., +, TCSII July 2020* 1279-1283
- Formation of Generic UAVs-USVs System Under Distributed Model Predictive Control Scheme. *Huang, D., +, TCSII Dec. 2020* 3123-3127
- Group-Bipartite Consensus in the Networks With Cooperative-Competitive Interactions. *Liu, J., +, TCSII Dec. 2020* 3292-3296
- Hierarchical Average-Tracking Algorithm for Multiagent Systems With Unmatched Constant References Signals. *Liu, C., +, TCSII Nov. 2020* 2642-2646
- Multi-Agent Bipartite Tracking Control Over General Cooperative-Hostile Networks. *Shi, L., TCSII Oct. 2020* 1964-1968
- Novel Nonsingular Terminal Sliding Mode Control for Multi-Agent Tracking Systems With Application to Jerk Circuit. *Dong, L., +, TCSII Aug. 2020* 1429-1433
- Observer-Based Adaptive Sampled-Data Event-Triggered Distributed Control for Multi-Agent Systems. *Zhao, L., +, TCSII Jan. 2020* 97-101
- Observer-Based Time-Varying Formation Control of Fractional-Order Multi-Agent Systems With General Linear Dynamics. *Gong, Y., +, TCSII Jan. 2020* 82-86
- Reduced-Communication Diffusion RLS for Distributed Estimation Over Multi-Agent Networks. *Rastegarnia, A., TCSII Jan. 2020* 177-181
- Robust Distributed Stabilization of Heterogeneous Agents Over Cooperation-Competition Networks. *Hu, H., +, TCSII Aug. 2020* 1419-1423
- Robustness of Coherence in Noisy Scale-Free Networks and Applications to Identification of Influential Spreaders. *Sun, W., +, TCSII July 2020* 1274-1278
- Stochastic Distributed Pinning Control for Co-Multi-Inverter Networks With a Virtual Leader. *Lai, J., +, TCSII Oct. 2020* 2094-2098

- Strategy Competition Dynamics of Multi-Agent Systems in the Framework of Evolutionary Game Theory. *Zhang, J., +, TCSII Jan. 2020 152-156*
- The Bipartite Consensus for Multi-Agent Systems With Matrix-Weight-Based Signed Network. *Su, H., +, TCSII Oct. 2020 2019-2023*
- Multi-robot systems**
- Collision-Free Formation Control for Multi-Agent Systems With Dynamic Mapping. *Liu, Y., +, TCSII Oct. 2020 1984-1988*
- Cooperative Formation of Self-Propelled Vehicles With Directed Communications. *Rao, P., +, TCSII Feb. 2020 315-319*
- Distributed Consensus of Heterogeneous Linear Time-Varying Systems on UAVs-USVs Coordination. *Li, H., +, TCSII July 2020 1264-1268*
- Effects of Measurement Noise on Flocking Dynamics of Cucker-Smale Systems. *Chen, D., +, TCSII Oct. 2020 2064-2068*
- Event-Based Adaptive Power Control in Vehicular Networked Systems With State-Dependent Bursty Fading Channels. *Hu, B., TCSII March 2020 506-510*
- Fixed-Time Consensus for a Class of Heterogeneous Nonlinear Multiagent Systems. *Zou, W., +, TCSII July 2020 1279-1283*
- Moving Target Circular Formation Control of Multiple Non-Holonomic Vehicles Without Global Position Measurements. *Peng, X., +, TCSII Feb. 2020 310-314*
- Multi-Agent Bipartite Tracking Control Over General Cooperative-Hostile Networks. *Shi, L., TCSII Oct. 2020 1964-1968*
- Observer-Based Time-Varying Formation Control of Fractional-Order Multi-Agent Systems With General Linear Dynamics. *Gong, Y., +, TCSII Jan. 2020 82-86*
- Stochastic Distributed Pinning Control for Co-Multi-Inverter Networks With a Virtual Leader. *Lai, J., +, TCSII Oct. 2020 2094-2098*
- Multi-stage noise shaping**
- A 10-MHz BW 77.3-dB SNDR 640-MS/s GRO-Based CT MASH  $\Delta\Sigma$  Modulator. *Honarpour, M., +, TCSII Sept. 2020 1519-1523*
- A Low-Spur MASH Delta-Sigma Modulator With an Adaptive Length Extension Technique. *Ding, X., +, TCSII Dec. 2020 2818-2822*
- Influence of Initial Condition on Wandering Spur Pattern in a MASH-Based Fractional-N Frequency Synthesizer. *Mai, D., +, TCSII Dec. 2020 2968-2972*
- Multilayer perceptrons**
- 0.3 pJ/Bit Machine Learning Resistant Strong PUF Using Subthreshold Voltage Divider Array. *Venkatesh, A., +, TCSII Aug. 2020 1394-1398*
- Optimization of Combined Power and Modeling Attacks on VR PUFs With Lagrange Multipliers. *Yu, W., TCSII Nov. 2020 2512-2516*
- Multimedia communication**
- Design and Analysis of Compressive Sensing-Based Lightweight Encryption Scheme for Multimedia IoT. *Unde, A.S., +, TCSII Jan. 2020 167-171*
- Multipath channels**
- A Framework for the Lower Bound on the BER of DCSK Systems Over Multi-Path Nakagami-m Fading Channels. *Dawa, M., +, TCSII Oct. 2020 1859-1863*
- A Multilevel Code-Shifted Differential Chaos Shift Keying System With Reference Diversity. *Lu, Y., +, TCSII Nov. 2020 2462-2466*
- Event-Based Adaptive Power Control in Vehicular Networked Systems With State-Dependent Bursty Fading Channels. *Hu, B., TCSII March 2020 506-510*
- High Data Rate Discrete-Cosine-Spreading Aided M-Ary Differential Chaos Shift Keying Scheme With Low PAPR. *Chen, Z., +, TCSII Nov. 2020 2492-2496*
- Multiplexing**
- A Complexity Reduction Method for Successive Cancellation List Decoding. *Dizdar, O., TCSII April 2020 655-659*
- An Ultra-Low Cost Multilayer RAM in Quantum-Dot Cellular Automata. *Song, Z., +, TCSII Dec. 2020 3397-3401*
- Incremental SAT-Based Correction of Gate Level Circuits by Reusing Partially Corrected Circuits. *Alizadeh, B., +, TCSII Dec. 2020 3063-3067*
- Low-Latency Lattice Reduction Based on Dual-Basis Updates for High-Dimensional MIMO Streams. *Lee, H., +, TCSII Dec. 2020 2993-2997*
- Multiuser PSK-Chirp-BOK Communication System Under Co-Channel Interference. *Roy, A., +, TCSII March 2020 465-469*
- Novel Bit-Reordering Circuit for Continuous-Flow Parallel FFT Architectures. *Gyanendra, ., +, TCSII Dec. 2020 3392-3396*
- Topology Identification of Multiplex Delayed Networks. *Zhao, X., +, TCSII Feb. 2020 290-294*
- Multiplexing equipment**
- A 10.4-Gb/s 1-Tap Decision Feedback Equalizer With Different Pull-Up and Pull-Down Tap Weights for Asymmetric Memory Interfaces. *Chae, J., +, TCSII Feb. 2020 220-224*
- A 10.8 Gb/s Quarter-Rate 1 FIR 1 IIR Direct DFE With Non-Time-Overlapping Data Generation for 4:1 CMOS Clockless Multiplexer. *Lee, D., +, TCSII Jan. 2020 67-71*
- A 48 Gb/s PAM-4 Transmitter With 3-Tap FFE Based on Double-Shielded Coplanar Waveguide in 65-nm CMOS. *Do, H., +, TCSII Sept. 2020 1569-1573*
- Balanced-to-Balanced Diplexer and Quadruplexer With High Selectivity and Wide CM Suppression. *Wei, F., +, TCSII Nov. 2020 2467-2471*
- High-Isolation and Wide-Stopband SIW Diplexer Using Mixed Electric and Magnetic Coupling. *Su, Z.L., +, TCSII Jan. 2020 32-36*
- Multiplying circuits**
- A Low-Latency and Low-Cost Montgomery Modular Multiplier Based on NLP Multiplication. *Ding, J., +, TCSII July 2020 1319-1323*
- Design of Power Efficient Posit Multiplier. *Zhang, H., +, TCSII May 2020 861-865*
- Design of QCA-Serial Parallel Multiplier (QSPM) With Energy Dissipation Analysis. *Bahar, A.N., +, TCSII Oct. 2020 1939-1943*
- Hardware Implementation of an Improved Stochastic Computing Based Deep Neural Network Using Short Sequence Length. *Xiong, H., +, TCSII Nov. 2020 2667-2671*
- RLWE-Oriented High-Speed Polynomial Multiplier Utilizing Multi-Lane Stockham NTT Algorithm. *Feng, X., +, TCSII March 2020 556-559*
- SIBAM—Sign Inclusive Broken Array Multiplier Design for Error Tolerant Applications. *Sinha Roy, A., +, TCSII Nov. 2020 2702-2706*
- Multiprocessing systems**
- A 1.15 TOPS/W Energy-Efficient Capsule Network Accelerator for Real-Time 3D Point Cloud Segmentation in Mobile Environment. *Park, G., +, TCSII Sept. 2020 1594-1598*
- Multiprocessor interconnection**
- Fully Parallel Circular-Shift Rotation Network for Communication Standards. *Harb, H., +, TCSII Dec. 2020 3412-3416*
- Multiuser channels**
- Multiuser PSK-Chirp-BOK Communication System Under Co-Channel Interference. *Roy, A., +, TCSII March 2020 465-469*
- Multiuser detection**
- A 120-mW 0.16-ms-Latency Connectivity-Scalable Multiuser Detector for Interleave Division Multiple Access. *Kong, B.Y., +, TCSII March 2020 470-474*
- Multivariable control systems**
- A Robust Decentralized PID Controller Based on Complementary Sensitivity Function for a Multivariable System. *Mahapatro, S.R., +, TCSII Oct. 2020 2024-2028*
- Muscles**
- Hand Gesture Recognition Using Three-Dimensional Electrical Impedance Tomography. *Jiang, D., +, TCSII Sept. 2020 1554-1558*
- Mutual information**
- Radar and Communication Co-Existence Design Based on Mutual Information Optimization. *Qian, J., +, TCSII Dec. 2020 3577-3581*
- N**
- Nakagami channels**
- A Framework for the Lower Bound on the BER of DCSK Systems Over Multi-Path Nakagami-m Fading Channels. *Dawa, M., +, TCSII Oct. 2020 1859-1863*
- Multiuser PSK-Chirp-BOK Communication System Under Co-Channel Interference. *Roy, A., +, TCSII March 2020 465-469*
- NAND circuits**
- A Small Ripple Program Voltage Generator Without High-Voltage Regulator for 3D NAND Flash. *Huang, C., +, TCSII June 2020 1049-1053*

Adaptive 2-D Scheduling-Based Nonbinary Majority-Logic Decoding for NAND Flash Memory. *Wang, C., +, TCSII July 2020 1349-1353*

#### Nanoelectronics

A Generic Nano-Watt Power Fully Tunable 1-D Gaussian Kernel Circuit for Artificial Neural Network. *Reda Mohamed, A., +, TCSII Sept. 2020 1529-1533*

A Robust Hardened Latch Featuring Tolerance to Double-Node-Upset in 28nm CMOS for Spaceborne Application. *Li, Y., +, TCSII Sept. 2020 1619-1623*

#### Near-field communication

A Novel Envelope Detector Based on Unipolar Metal-Oxide TFTs. *Xu, Y., +, TCSII Nov. 2020 2367-2371*

#### Nearest neighbor methods

Efficient FPGA Implementation of K-Nearest-Neighbor Search Algorithm for 3D LIDAR Localization and Mapping in Smart Vehicles. *Sun, H., +, TCSII Sept. 2020 1644-1648*

#### Negative impedance converters

On Actively Compensated Amplifiers Using Negative Impedance Converters. *Ananda Mohan, P.V., TCSII April 2020 640-644*

#### Network analysis

A Self-Packaged Power Divider With Compact Size and Low Loss. *Feng, T., +, TCSII Nov. 2020 2437-2441*

Analysis, Simulation, and Implementation of Dual-Band Filtering Power Divider Based on Terminated Coupled Lines. *Sajadi, A., +, TCSII Nov. 2020 2487-2491*

Further Result on Interval Observer Design for Discrete-Time Switched Systems and Application to Circuit Systems. *Huang, J., +, TCSII Nov. 2020 2542-2546*

UaL Decomposition, an Alternative to the LU Factorization of MNA Matrices. *Hashemian, R., TCSII April 2020 630-634*

#### Network routing

DRAPS: A Design Rule Aware Path Search Algorithm for Detailed Routing. *Goncalves, S.M.M., +, TCSII July 2020 1239-1243*

#### Network synthesis

Discrete Programming Entailing Circulant Quadratic Forms: Refinement of a Heuristic Approach Based on  $\Delta\Sigma$  Modulation. *Callegari, S., +, TCSII May 2020 926-930*

Reconfigurable RF Dispersive Delay Circuits by Stepped Impedance Shunt Stubs. *Mandal, J., +, TCSII June 2020 1014-1018*

#### Network theory (graphs)

A Condition of Equivalence Between Bus Injection and Branch Flow Models in Radial Networks. *Ding, T., +, TCSII March 2020 536-540*

A Performance-Region-Based Approach to the  $H_\infty$  Stochastic Consensus Problem. *Wang, J., +, TCSII July 2020 1289-1293*

Behavior Analysis of Directed Signed Networks Under Dynamic Protocols. *Wu, Y., +, TCSII Nov. 2020 2562-2566*

Consensus of Hybrid Multi-Agent Systems With Malicious Nodes. *Shang, Y., TCSII April 2020 685-689*

Controllability of Switching Signed Networks. *Guan, Y., +, TCSII June 2020 1059-1063*

Lyapunov Functions for the Set Stability and the Synchronization of Boolean Control Networks. *Chen, B., +, TCSII Nov. 2020 2537-2541*

Modeling and Understanding Ethereum Transaction Records via a Complex Network Approach. *Lin, D., +, TCSII Nov. 2020 2737-2741*

Multi-Agent Bipartite Tracking Control Over General Cooperative-Hostile Networks. *Shi, L., TCSII Oct. 2020 1964-1968*

Robust Distributed Stabilization of Heterogeneous Agents Over Cooperation–Competition Networks. *Hu, H., +, TCSII Aug. 2020 1419-1423*

Robustness of Coherence in Noisy Scale-Free Networks and Applications to Identification of Influential Spreaders. *Sun, W., +, TCSII July 2020 1274-1278*

Robustness of Link Prediction Under Network Attacks. *Pu, C., +, TCSII Aug. 2020 1472-1476*

Synergistic Effects in Networked Epidemic Spreading Dynamics. *Ogura, M., +, TCSII March 2020 496-500*

The Bipartite Consensus for Multi-Agent Systems With Matrix-Weight-Based Signed Network. *Su, H., +, TCSII Oct. 2020 2019-2023*

Trajectory-Based Community Detection. *Jiang, Z., +, TCSII June 2020 1139-1143*

#### Network topology

A High Efficiency LCC-S Compensated WPT System With Dual Decoupled Receive Coils and Cascaded PWM Regulator. *Wang, X., +, TCSII Dec. 2020 3142-3146*

A Tunable Concurrent Dual-Band Phase Shifter MMIC for Beam Steering Applications. *Xiong, Y., +, TCSII Nov. 2020 2412-2416*

A Wideband Subharmonic Mixer With Low Conversion Loss and High Port-to-Port Isolations. *Kumari, S., +, TCSII Oct. 2020 1695-1699*

Adjustable Output CMOS Voltage Reference Design. *Olivera, F., +, TCSII Oct. 2020 1690-1694*

An Improved Seven-Level PUC Inverter Topology With Voltage Boosting. *Sathik, M.J., +, TCSII Jan. 2020 127-131*

An Ultra High Gain Quasi Z-Source Inverter Consisting Active Switched Network. *Kumar, A., +, TCSII Dec. 2020 3207-3211*

Group-Bipartite Consensus in the Networks With Cooperative-Competitive Interactions. *Liu, J., +, TCSII Dec. 2020 3292-3296*

O=O Shape Low-Loss Negative Group Delay Microstrip Circuit. *Wan, F., +, TCSII Oct. 2020 1795-1799*

#### Neural chips

7 TOPS/W Cellular Neural Network Processor Core for Intelligent Internet-of-Things. *Villemur, M., +, TCSII July 2020 1324-1328*

Hardware Implementation of an Improved Stochastic Computing Based Deep Neural Network Using Short Sequence Length. *Xiong, H., +, TCSII Nov. 2020 2667-2671*

Low-Energy and Fast Spiking Neural Network For Context-Dependent Learning on FPGA. *Asgari, H., +, TCSII Nov. 2020 2697-2701*

Optimizing Hardware Accelerated General Matrix-Matrix Multiplication for CNNs on FPGAs. *Ahmad, A., +, TCSII Nov. 2020 2692-2696*

#### Neural network architecture

A Resource-Efficient Multiplierless Systolic Array Architecture for Convolutions in Deep Networks. *Parmar, Y., +, TCSII Feb. 2020 370-374*

#### Neural networks

A 1.15 TOPS/W Energy-Efficient Capsule Network Accelerator for Real-Time 3D Point Cloud Segmentation in Mobile Environment. *Park, G., +, TCSII Sept. 2020 1594-1598*

A Behavioral Model of Digital Resistive Switching for Systems Level DNN Acceleration. *Eshraghian, J.K., +, TCSII May 2020 956-960*

A Fully-Integrated 64-Channel Wireless Neural Interfacing SoC Achieving 110 dB AFE PSRR and Supporting 54 Mb/s Symbol Rate, Meter-Range Wireless Data Transmission. *Lyu, L., +, TCSII May 2020 831-835*

A Generic Nano-Watt Power Fully Tunable 1-D Gaussian Kernel Circuit for Artificial Neural Network. *Reda Mohamed, A., +, TCSII Sept. 2020 1529-1533*

A Low-Voltage High-Precision Time-Domain Winner-Take-All Circuit. *Rahiminejad, E., +, TCSII Jan. 2020 4-8*

A Memristor-Based Spiking Neural Network With High Scalability and Learning Efficiency. *Zhao, Z., +, TCSII May 2020 931-935*

A Multi-Stable Memristor and its Application in a Neural Network. *Lin, H., +, TCSII Dec. 2020 3472-3476*

A Novel Digital Realization of AdEx Neuron Model. *Haghiri, S., +, TCSII Aug. 2020 1444-1448*

Aperiodic Sampled-Data Control for Exponential Stabilization of Delayed Neural Networks: A Refined Two-Sided Looped-Functional Approach. *Yao, L., +, TCSII Dec. 2020 3217-3221*

CRAM: Collocated SRAM and DRAM With In-Memory Computing-Based Denoising and Filling for Neuromorphic Vision Sensors in 65 nm CMOS. *Zhang, X., +, TCSII May 2020 816-820*

Design of Nonlinear Filters Using Affine Projection Algorithm Based Exact and Approximate Adaptive Exponential Functional Link Networks. *Deb, T., +, TCSII Nov. 2020 2757-2761*

Efficient Precision-Adjustable Architecture for Softmax Function in Deep Learning. *Zhu, D., +, TCSII Dec. 2020 3382-3386*

Energy Efficient Temporal Spatial Information Processing Circuits Based on STDP and Spike Iteration. *Zhao, C., +, TCSII Oct. 2020 1715-1719*

- Further Result on  $H_\infty$  Performance State Estimation of Delayed Static Neural Networks Based on an Improved Reciprocally Convex Inequality. *Tan, G., +, TCSII Aug. 2020 1477-1481*
- Multivaluedness in Networks: Theory. *van Wyk, M.A., TCSII Dec. 2020 3462-3466*
- Non-Intrusive Online Distributed Pulse Shrinking-Based Interconnect Testing in 2.5D IC. *Ni, T., +, TCSII Nov. 2020 2657-2661*
- Open DNN Box by Power Side-Channel Attack. *Xiang, Y., +, TCSII Nov. 2020 2717-2721*
- Periodically Intermittent Stabilization of Neural Networks Based on Discrete-Time Observations. *He, X., +, TCSII Dec. 2020 3497-3501*
- Semi-Supervised Learning Based on Hybrid Neural Network for the Signal Integrity Analysis. *Chen, S., +, TCSII Oct. 2020 1934-1938*
- Tropical Reservoir Computing Hardware. *Galen-Prado, F., +, TCSII Nov. 2020 2712-2716*
- Neurocontrollers**
- Experimental Investigation of Recurrent Neural Network Fractional-Order Sliding Mode Control of Active Power Filter. *Fei, J., +, TCSII Nov. 2020 2522-2526*
- Global Nested PID Control of Strict-Feedback Nonlinear Systems With Prescribed Output and Virtual Tracking Performance. *Gao, S., +, TCSII Feb. 2020 325-329*
- Vibration Control of a Riser-Vessel System Subject to Input Backlash and Extraneous Disturbances. *Zhao, Z., +, TCSII March 2020 516-520*
- Neurons**
- An Efficient Spiking Neuron Hardware System Based on the Hardware-Oriented Modified Izhikevich Neuron (HOMIN) Model. *Leigh, A.J., +, TCSII Dec. 2020 3377-3381*
- Concept of LIF Neuron Circuit for Rate Coding in Spike Neural Networks. *Velichko, A., +, TCSII Dec. 2020 3477-3481*
- Periodically Intermittent Stabilization of Neural Networks Based on Discrete-Time Observations. *He, X., +, TCSII Dec. 2020 3497-3501*
- Neurophysiology**
- Double-High-Pass-Filter-Based Electrical-Recording Front-Ends and Fluorescence-Recording Front-Ends for Monitoring Multimodal Neural Activity. *Lee, T., +, TCSII May 2020 876-880*
- Newton method**
- Voltage Stability Margin in DC Grids With CPLs: A Recursive Newton-Raphson Approximation. *Montoya, O.D., +, TCSII Feb. 2020 300-304*
- Newton-Raphson method**
- Triangular Matrix Formulation for Power Flow Analysis in Radial DC Resistive Grids With CPLs. *Montoya, O.D., +, TCSII June 2020 1094-1098*
- Voltage Stability Margin in DC Grids With CPLs: A Recursive Newton-Raphson Approximation. *Montoya, O.D., +, TCSII Feb. 2020 300-304*
- Next generation networks**
- An Unfolded Pipelined Polar Decoder With Hybrid Number Representations for Multi-User MIMO Systems. *Cao, S., +, TCSII Nov. 2020 2472-2476*
- Noise measurement**
- A K-Band 5G Phased Array RX Channel With 3.3-dB NF and 28.5-dB Gain in 130-nm SiGe. *Kalyoncu, I., +, TCSII Dec. 2020 2938-2942*
- A Slide Window Variational Adaptive Kalman Filter. *Huang, Y., +, TCSII Dec. 2020 3552-3556*
- Bias-Compensated MCCC Algorithm for Widely Linear Adaptive Filtering With Noisy Data. *Dong, F., +, TCSII Dec. 2020 3587-3591*
- Bias-Compensated Minimum Error Entropy Algorithms With Polynomial Sparsity Penalty Constraints. *Chen, Z., +, TCSII Dec. 2020 3537-3541*
- Null Space Projection Enhanced LMS Filters. *Lunglmayr, M., +, TCSII Dec. 2020 3507-3511*
- Noise reduction**
- Null Space Projection Enhanced LMS Filters. *Lunglmayr, M., +, TCSII Dec. 2020 3507-3511*
- Nonhomogeneous media**
- An Ultra-Low Cost Multilayer RAM in Quantum-Dot Cellular Automata. *Song, Z., +, TCSII Dec. 2020 3397-3401*
- Multilayer Packaging SIW Three-Way Filtering Power Divider With Adjustable Power Division. *Zhang, G., +, TCSII Dec. 2020 3003-3007*
- Nonlinear control systems**
- $L_p$ -Stability of a Class of Volterra Systems. *van Wyk, M.A., +, TCSII Aug. 2020 1469-1471*
- A Class of Proportional-Integral With Anti-Windup Controllers for DC-DC Buck Power Converters With Saturating Input. *Moreno-Valenzuela, J., TCSII Jan. 2020 157-161*
- A Robust [K,KL] Sector for Nonlinear System. *Sachan, A., +, TCSII Nov. 2020 2547-2551*
- Adaptive Control for Nonlinear Systems With Uncertain Output Function and Unknown Homogenous Growth Rate. *Zhai, J., TCSII Oct. 2020 1974-1978*
- An Adaptive Partial Feedback Linearizing Control Scheme: An Application to a Single Machine Infinite Bus System. *Roy, T.K., +, TCSII Nov. 2020 2557-2561*
- Auto-Tuning Proportional-Type Synchronization Algorithm for DC Motor Speed Control Applications. *Lee, C.R., +, TCSII March 2020 521-525*
- Boundary Constrained Control of Flexible String Systems Subject to Disturbances. *Liu, Z., +, TCSII Jan. 2020 112-116*
- Chaos Suppression in Forced Chaotic Systems by Innovative Sliding Mode Control. *Piccinni, G., +, TCSII Aug. 2020 1424-1428*
- Consensus of One-Sided Lipschitz Multi-Agents Under Input Saturation. *Rehan, M., +, TCSII April 2020 745-749*
- Cooperative Output Regulation of Heterogeneous Multi-Agent Systems With Adaptive Edge-Event-Triggered Strategies. *Cheng, B., +, TCSII Oct. 2020 2199-2203*
- Event-Based Robust Synchronization of Boolean Control Networks. *Ouyang, C., +, TCSII Oct. 2020 1969-1973*
- Event-Triggered Control of a Class of Nonlinear Systems on the Basis of Indefinite Lyapunov Theory. *Ghazisaeedi, H.R., +, TCSII Oct. 2020 2104-2108*
- Experimental Investigation of Recurrent Neural Network Fractional-Order Sliding Mode Control of Active Power Filter. *Fei, J., +, TCSII Nov. 2020 2522-2526*
- Finite-Time Consensus for Linear Multi-Agent Systems Using Data-Driven Terminal ILC. *Bu, X., +, TCSII Oct. 2020 2029-2033*
- Finite-Time Fault-Tolerant Control for Nonlinear Systems With Input Quantization and Its Application. *Liu, W., +, TCSII July 2020 1249-1253*
- Fixed-Time Consensus for a Class of Heterogeneous Nonlinear Multiagent Systems. *Zou, W., +, TCSII July 2020 1279-1283*
- Global Fixed-Time Output Feedback Stabilization for a Class of Double Integrator Systems. *Su, Y., +, TCSII Oct. 2020 1954-1958*
- Global Nested PID Control of Strict-Feedback Nonlinear Systems With Prescribed Output and Virtual Tracking Performance. *Gao, S., +, TCSII Feb. 2020 325-329*
- High Gain Observer-Based Saturated Controller for Feedback Linearizable System. *Rayguru, M.M., +, TCSII Jan. 2020 122-126*
- Higher Order Sliding Mode Control-Based Finite-Time Constrained Stabilization. *Goyal, J.K., +, TCSII Feb. 2020 295-299*
- Implicit-Euler Implementation of Super-Twisting Observer and Twisting Controller for Second-Order Systems. *Xiong, X., +, TCSII Nov. 2020 2607-2611*
- Observer Design for Discrete-Time Nonlinear Systems Using the Stability Radii Theory. *Aviles, J.D., +, TCSII Oct. 2020 1959-1963*
- Quantized Fuzzy Finite-Time Control for Nonlinear Semi-Markov Switching Systems. *Qi, W., +, TCSII Nov. 2020 2622-2626*
- Reinforcement Learning-Based Control of Nonlinear Systems Using Lyapunov Stability Concept and Fuzzy Reward Scheme. *Chen, M., +, TCSII Oct. 2020 2059-2063*
- Robust Distributed Stabilization of Heterogeneous Agents Over Cooperation-Competition Networks. *Hu, H., +, TCSII Aug. 2020 1419-1423*
- Robust Hybrid Control Design for Stochastic Markovian Jump System via Fault Alarm Approach. *Sakthivel, R., +, TCSII Oct. 2020 2004-2008*
- Robust Output Regulation in Discrete-Time Singular Systems With Actuator Saturation and Uncertainties. *Jafari, E., +, TCSII Feb. 2020 340-344*
- Synchronization of Chaotic-Oscillation Permanent Magnet Synchronous Generators Networks via Adaptive Impulsive Control. *Zhu, D., +, TCSII Oct. 2020 2194-2198*

TPWL Simulation of Large Nonlinear Circuits Using Subspace Angle-Based Adaptive Sampling. *Kalra, S., +, TCSII March 2020 575-579*  
 Tracking Analysis of Gaussian Kernel Signed Error Algorithm for Time-Variant Nonlinear Systems. *Gao, W., +, TCSII Oct. 2020 2289-2293*  
 Variable-Gain Second-Order Sliding Mode Controller With Globally Fixed-Time Stability Guarantees. *Shi, S., +, TCSII Aug. 2020 1414-1418*  
 Velocity Observer-Based Nonlinear Self-Tuning Position Stabilizer for Ball-Beam System Applications. *Lee, C.R., +, TCSII July 2020 1309-1313*  
 Vibration Control of a Riser-Vessel System Subject to Input Backlash and Extraneous Disturbances. *Zhao, Z., +, TCSII March 2020 516-520*

#### Nonlinear differential equations

A Behavioral Model of Digital Resistive Switching for Systems Level DNN Acceleration. *Eshraghian, J.K., +, TCSII May 2020 956-960*

#### Nonlinear dynamical systems

Adaptive Tracking Control for Switched Uncertain Nonlinear Systems With Input Saturation and Unmodeled Dynamics. *Song, Z., +, TCSII Dec. 2020 3152-3156*

Implementing Poincaré Sections for a Chaotic Relaxation Oscillator. *Euzzor, S., +, TCSII Feb. 2020 395-399*

Synchronization of Chaotic-Oscillation Permanent Magnet Synchronous Generators Networks via Adaptive Impulsive Control. *Zhu, D., +, TCSII Oct. 2020 2194-2198*

#### Nonlinear filters

Data-Driven Enhanced Nonlinear Gaussian Filter. *Jia, B., +, TCSII June 2020 1144-1148*

Design of Nonlinear Filters Using Affine Projection Algorithm Based Exact and Approximate Adaptive Exponential Functional Link Networks. *Deb, T., +, TCSII Nov. 2020 2757-2761*

Steady-State Performance Analysis of Nonlinear Spline Adaptive Filter Under Maximum Correntropy Criterion. *Wang, W., +, TCSII June 2020 1154-1158*

#### Nonlinear network analysis

TPWL Simulation of Large Nonlinear Circuits Using Subspace Angle-Based Adaptive Sampling. *Kalra, S., +, TCSII March 2020 575-579*

#### Nonlinear network synthesis

Design and Implementation of a Wideband, Highly-Efficient, High-Power Amplifier Using Load-Pull and X-Parameters Models. *Taleb-Alhagh Nia, H., +, TCSII Nov. 2020 2372-2376*

#### Nonlinear systems

An Improved Stability Theorem for Nonlinear Systems on Time Scales With Application to Multi-Agent Systems. *Lu, X., +, TCSII Dec. 2020 3277-3281*

Controller and Observer design for Chaotic Systems: A Vector Based Contraction Approach. *Singh, B., +, TCSII Dec. 2020 3282-3286*

Dynamic Event-Triggered State Observers for a Class of Nonlinear Systems With Time Delays and Disturbances. *Huong, D.C., +, TCSII Dec. 2020 3457-3461*

Fault Estimation for Discrete-Time Systems With Lipschitz Perturbation and Time-Variant Coefficients. *Li, Y., +, TCSII Dec. 2020 3137-3141*

Nonlinear  $H_\infty$  Filtering Based on Tensor Product Model Transformation. *Gong, H., +, TCSII June 2020 1074-1078*

Projectional Observers of Nonlinear Systems With Full-State Constraints. *Garcia-Gonzalez, A., +, TCSII Dec. 2020 3078-3082*

#### Nuclear magnetic resonance

Formation Control of Nonholonomic Mobile Robots Using Distributed Estimators. *Lu, P., +, TCSII Dec. 2020 3162-3166*

Neuro-Adaptive Cooperative Tracking Rendezvous of Nonholonomic Mobile Robots. *Lu, P., +, TCSII Dec. 2020 3167-3171*

#### Null space

Null Space Projection Enhanced LMS Filters. *Lunglmayr, M., +, TCSII Dec. 2020 3507-3511*

#### Number theory

An Efficient and Parallel R-LWE Cryptoprocessor. *Zhang, Y., +, TCSII May 2020 886-890*

RLWE-Oriented High-Speed Polynomial Multiplier Utilizing Multi-Lane Stockham NTT Algorithm. *Feng, X., +, TCSII March 2020 556-559*

#### Numerical analysis

Numerical Approach to Compute the Power Flow Solution of Hybrid Generation, Transmission and Distribution Systems. *Bizzarri, F., +, TCSII May 2020 936-940*

Observer-Based Monitoring of the Cardiovascular System. *Astorga-Zaragoza, C., TCSII March 2020 501-505*

Synergistic Effects in Networked Epidemic Spreading Dynamics. *Ogura, M., +, TCSII March 2020 496-500*

#### Numerical simulation

A Multi-Stable Memristor and its Application in a Neural Network. *Lin, H., +, TCSII Dec. 2020 3472-3476*

New Link Attack Strategies of Complex Networks Based on  $k$ -Core Decomposition. *Sun, S., +, TCSII Dec. 2020 3157-3161*

#### Numerical stability

A Unified Framework of Stability Theorems for LTI Fractional Order Systems With  $0 < \alpha < 2$ . *Zhang, X., +, TCSII Dec. 2020 3237-3241*

An Improved Stability Theorem for Nonlinear Systems on Time Scales With Application to Multi-Agent Systems. *Lu, X., +, TCSII Dec. 2020 3277-3281*

## O

#### Object detection

A Multi-Class Objects Detection Coprocessor With Dual Feature Space and Weighted Softmax. *Xiao, Z., +, TCSII Sept. 2020 1629-1633*

Fall Detection Using Standoff Radar-Based Sensing and Deep Convolutional Neural Network. *Sadreazami, H., +, TCSII Jan. 2020 197-201*

Histogram of Oriented Gradients Feature Extraction From Raw Bayer Pattern Images. *Zhou, W., +, TCSII May 2020 946-950*

Zero-Shot Object Detection With Attributes-Based Category Similarity. *Mao, Q., +, TCSII May 2020 921-925*

#### Object recognition

FPGA-Based Implementation of a Real-Time Object Recognition System Using Convolutional Neural Network. *Azarmi Gilan, A., +, TCSII April 2020 755-759*

Zero-Shot Object Detection With Attributes-Based Category Similarity. *Mao, Q., +, TCSII May 2020 921-925*

#### Observers

A Performance-Region-Based Approach to the  $H_\infty$  Stochastic Consensus Problem. *Wang, J., +, TCSII July 2020 1289-1293*

A Simple Nonlinear Observer for State and Unknown Input Estimation: DC Motor Applications. *Martinez-Garcia, C., +, TCSII April 2020 710-714*

Asynchronous Observer-Based Control for Exponential Stabilization of Markov Jump Systems. *Zhang, M., +, TCSII Oct. 2020 2039-2043*

Auto-Tuning Proportional-Type Synchronization Algorithm for DC Motor Speed Control Applications. *Lee, C.R., +, TCSII March 2020 521-525*

Boundary Constrained Control of Flexible String Systems Subject to Disturbances. *Liu, Z., +, TCSII Jan. 2020 112-116*

Continuous Nonsingular Terminal Sliding Mode Control of DC-DC Boost Converters Subject to Time-Varying Disturbances. *Wang, Z., +, TCSII Nov. 2020 2552-2556*

Controller and Observer design for Chaotic Systems: A Vector Based Contraction Approach. *Singh, B., +, TCSII Dec. 2020 3282-3286*

Cooperative Output Regulation of Heterogeneous Multi-Agent Systems With Adaptive Edge-Event-Triggered Strategies. *Cheng, B., +, TCSII Oct. 2020 2199-2203*

Design of Observers for Positive Systems With Delayed Input and Output Information. *Huynh, V.T., +, TCSII Jan. 2020 107-111*

Designing Observer-Type Controller for Containment of Discrete-Time Linear MASs Over Signed Graph. *Fang, X., +, TCSII March 2020 511-515*

Dynamic Event-Triggered State Observers for a Class of Nonlinear Systems With Time Delays and Disturbances. *Huong, D.C., +, TCSII Dec. 2020 3457-3461*

Formation Control of Nonholonomic Mobile Robots Using Distributed Estimators. *Lu, P., +, TCSII Dec. 2020 3162-3166*

Further Result on Interval Observer Design for Discrete-Time Switched Systems and Application to Circuit Systems. *Huang, J., +, TCSII Nov. 2020 2542-2546*

- High Gain Observer-Based Saturated Controller for Feedback Linearizable System. *Rayguru, M.M., +, TCSII Jan. 2020 122-126*
- Implicit-Euler Implementation of Super-Twisting Observer and Twisting Controller for Second-Order Systems. *Xiong, X., +, TCSII Nov. 2020 2607-2611*
- Observed-Based Asynchronous Control of Linear Semi-Markov Jump Systems With Time-Varying Mode Emission Probabilities. *Tian, Y., +, TCSII Dec. 2020 3147-3151*
- Observer Design for Discrete-Time Nonlinear Systems Using the Stability Radii Theory. *Aviles, J.D., +, TCSII Oct. 2020 1959-1963*
- Observer-Based Adaptive Sampled-Data Event-Triggered Distributed Control for Multi-Agent Systems. *Zhao, L., +, TCSII Jan. 2020 97-101*
- Observer-Based Time-Varying Formation Control of Fractional-Order Multi-Agent Systems With General Linear Dynamics. *Gong, Y., +, TCSII Jan. 2020 82-86*
- Projectional Observers of Nonlinear Systems With Full-State Constraints. *Garcia-Gonzalez, A., +, TCSII Dec. 2020 3078-3082*
- Robust Observer Design for Two-Dimensional Discrete Positive Switched Systems With Delays. *Ghous, I., +, TCSII Dec. 2020 3297-3301*
- Velocity Observer-Based Nonlinear Self-Tuning Position Stabilizer for Ball-Beam System Applications. *Lee, C.R., +, TCSII July 2020 1309-1313*
- OFDM modulation**
- High Data Rate Discrete-Cosine-Spread Aided  $M$ -Ary Differential Chaos Shift Keying Scheme With Low PAPR. *Chen, Z., +, TCSII Nov. 2020 2492-2496*
- Timing and Frequency Synchronization and Doubly Selective Channel Estimation for OFDMA Uplink. *Abdzadeh-Ziabari, H., +, TCSII Jan. 2020 62-66*
- Operational amplifiers**
- 360 nW Gate-Driven Ultra-Low Voltage CMOS Linear Transconductor With 1 MHz Bandwidth and Wide Input Range. *Rico-Aniles, H.D., +, TCSII Nov. 2020 2332-2336*
- A 0.25-V Rail-to-Rail Three-Stage OTA With an Enhanced DC Gain. *Woo, K., +, TCSII July 2020 1179-1183*
- A 42-dBQ 25-Gb/s CMOS Transimpedance Amplifier With Multiple-Peaking Scheme for Optical Communications. *Pan, Q., +, TCSII Jan. 2020 72-76*
- A Dual-Supply Two-Stage CMOS Op-amp for High-Speed Pipeline ADCs Application. *Liu, M., +, TCSII April 2020 650-654*
- A Highly Linear 10-Bit DAC of Data Driver IC Using Source Degeneration Load for Active Matrix Flat-Panel Displays. *Na, J., +, TCSII Nov. 2020 2312-2316*
- A Multi-Channel Low-Noise Analog Front End Circuit for Linear LADAR. *Wang, P., +, TCSII July 2020 1209-1213*
- A New High Drive Class-AB FVF-Based Second Generation Voltage Conveyor. *Barile, G., +, TCSII March 2020 405-409*
- A Package Aware QLMVF Receiver Front End. *Regulagadda, S.S., +, TCSII Sept. 2020 1584-1588*
- A Wide Dynamic Range Multi-Mode Band-Pass Continuous-Time Delta-Sigma Modulator Employing Single-Opamp Resonator With Positive Resistor-Feedback. *Kim, S., +, TCSII Feb. 2020 235-239*
- Bandwidth and Slew Rate Enhanced OTA With Sustainable Dynamic Bias. *Hung, C.H., +, TCSII April 2020 635-639*
- Chopper-Stabilized Low-Noise Multipath Operational Amplifier With Dual Ripple Rejection Loops. *Kim, H., +, TCSII Nov. 2020 2427-2431*
- Low-Power Small-Area Inverter-Based DSM for MEMS Microphone. *Cho, S., +, TCSII Nov. 2020 2392-2396*
- Power and Area Efficient Transimpedance Amplifier Driving Large Capacitive Loads Based on Modified RGC Structure. *Kari Dolatabadi, A., +, TCSII Oct. 2020 1740-1744*
- Time-Domain Operational Amplifier With Voltage-Controlled Oscillator and Its Application to Active-RC Analog Filter. *Kim, K., +, TCSII March 2020 415-419*
- Untrimmed BGR of 1.1%  $3\sigma$  Based on Dynamic-Biased Op Amp With Reduced  $V_{off}$ . *Lee, J., +, TCSII Oct. 2020 1829-1833*

**Optical character recognition**

Stochastic Wave-Pipelined On-Chip Interconnect. *Najafi, A., +, TCSII May 2020 841-845*

**Optical communication equipment**

A 42-dBQ 25-Gb/s CMOS Transimpedance Amplifier With Multiple-Peaking Scheme for Optical Communications. *Pan, Q., +, TCSII Jan. 2020 72-76*

**Optical delay lines**

A 12.5 Gb/s 1.93 pJ/Bit Optical Receiver Exploiting Silicon Photonic Delay Lines for Clock Phases Generation Replacement. *Radi, B., +, TCSII Oct. 2020 1864-1868*

**Optical feedback**

Optical Manipulation of Biological Cells With a Robot-Tweezers System: A Stochastic Control Approach. *Xie, M., +, TCSII Dec. 2020 3232-3236*

**Optical fibers**

Photonic RF and Microwave Integrator Based on a Transversal Filter With Soliton Crystal Microcombs. *Xu, X., +, TCSII Dec. 2020 3582-3586*

**Optical radar**

A Multi-Channel Low-Noise Analog Front End Circuit for Linear LADAR. *Wang, P., +, TCSII July 2020 1209-1213*

Efficient FPGA Implementation of K-Nearest-Neighbor Search Algorithm for 3D LIDAR Localization and Mapping in Smart Vehicles. *Sun, H., +, TCSII Sept. 2020 1644-1648*

**Optical receivers**

A 12.5 Gb/s 1.93 pJ/Bit Optical Receiver Exploiting Silicon Photonic Delay Lines for Clock Phases Generation Replacement. *Radi, B., +, TCSII Oct. 2020 1864-1868*

**Optical resonators**

Photonic RF and Microwave Integrator Based on a Transversal Filter With Soliton Crystal Microcombs. *Xu, X., +, TCSII Dec. 2020 3582-3586*

**Optical sensors**

A 50 $\mu$ W Fully Differential Interface Amplifier With a Current Steering Class AB Output Stage for PPG and NIR Recordings. *Song, S., +, TCSII Sept. 2020 1564-1568*

**Optical signal processing**

An 18-Gb/s NRZ Transceiver With a Channel-Included 2-UI Impulse-Response Filtering FFE and 1-Tap DFE Compensating up to 32-dB Loss. *Ahn, C., +, TCSII Dec. 2020 2863-2867*

**Optimal control**

Bipartite Consensus for Descriptor Multiagent Systems With Antagonistic Interactions. *Zhang, L., +, TCSII Nov. 2020 2602-2606*

Distributed Optimal Consensus Control Algorithm for Continuous-Time Multi-Agent Systems. *Wang, Q., +, TCSII Jan. 2020 102-106*

Islanded Microgrid Frequency Regulations Concerning the Integration of Tidal Power Units: Real-Time Implementation. *Khooban, M.H., +, TCSII June 2020 1099-1103*

Linear Quadratic Regulator of Discrete-Time Switched Linear Systems. *Wu, G., +, TCSII Dec. 2020 3113-3117*

**Optimization**

A 48 Gb/s PAM-4 Transmitter With 3-Tap FFE Based on Double-Shielded Coplanar Waveguide in 65-nm CMOS. *Do, H., +, TCSII Sept. 2020 1569-1573*

A Kernel Affine Projection-Like Algorithm in Reproducing Kernel Hilbert Space. *Wu, Q., +, TCSII Oct. 2020 2249-2253*

A Novel Approach to Overcome the Limitations of Reliability Centered Maintenance Implementation on the Smart Grid Distance Protection System. *Rafiei, M., +, TCSII Feb. 2020 320-324*

A Novel Tuning Method for Impedance Matching Network Based on Linear Fractional Transformation. *Xiong, B., +, TCSII June 2020 1039-1043*

A Reconfigurable Rectifier With Optimal Loading Point Determination for RF Energy Harvesting From -22 dBm to -2 dBm. *Zeng, Z., +, TCSII Jan. 2020 87-91*

A Triangular Common Subexpression Elimination Algorithm With Reduced Logic Operators in FIR Filter. *Roy, S., +, TCSII Dec. 2020 3527-3531*

A Variable Step-Size Robust Saturation Algorithm Against Impulsive Noises. *Hur, J., +, TCSII Oct. 2020 2279-2283*

- An Exact Characterization of the  $L_1/L_-$  Index of Positive Systems and Its Application to Fault Detection Filter Design. *Shen, J., +, TCSII Dec. 2020 3262-3266*
- Design of a Double-Sided LC Compensated Capacitive Power Transfer System With Capacitor Voltage Stress Optimization. *Lian, J., +, TCSII April 2020 715-719*
- Dismantling and Vertex Cover of Network Through Message Passing. *Zhao, D., +, TCSII Nov. 2020 2732-2736*
- Distributed Optimal Consensus Control Algorithm for Continuous-Time Multi-Agent Systems. *Wang, Q., +, TCSII Jan. 2020 102-106*
- Harmonic-Recycling Rectifier for High-Efficiency Far-Field Wireless Power Transfer. *Ngo, T., +, TCSII April 2020 770-774*
- Islanded Microgrid Frequency Regulations Concerning the Integration of Tidal Power Units: Real-Time Implementation. *Khooban, M.H., +, TCSII June 2020 1099-1103*
- Projection Recurrent Neural Network Model: A New Strategy to Solve Maximum Flow Problem. *Eshaghnezhad, M., +, TCSII Nov. 2020 2747-2751*
- Radar and Communication Co-Existence Design Based on Mutual Information Optimization. *Qian, J., +, TCSII Dec. 2020 3577-3581*
- Robust Maximum Mixture Correntropy Criterion-Based Semi-Supervised ELM With Variable Center. *Yang, J., +, TCSII Dec. 2020 3572-3576*
- Sparse FIR Filter Design via Partial 1-Norm Optimization. *Jiang, A., +, TCSII Aug. 2020 1482-1486*
- Sparse Undetectable Sensor Attacks Against Cyber-Physical Systems: A Subspace Approach. *Zhao, Z., +, TCSII Nov. 2020 2517-2521*
- Sparsity Constrained Recursive Generalized Maximum Correntropy Criterion With Variable Center Algorithm. *Sun, Q., +, TCSII Dec. 2020 3517-3521*
- Optimized production technology**
- Bias-Compensated MCCC Algorithm for Widely Linear Adaptive Filtering With Noisy Data. *Dong, F., +, TCSII Dec. 2020 3587-3591*
- Oscillators**
- A 0.2-V Three-Winding Transformer-Based DCO in 16-nm FinFET CMOS. *Li, C., +, TCSII Dec. 2020 2878-2882*
- A Harmonic Rejection Strategy for 25% Duty-Cycle IQ-Mixers Using Digital-to-Time Converters. *Gebhard, A., +, TCSII July 2020 1229-1233*
- A Picosecond-Resolution Digitally-Controlled Timing Generator With One-Clock-Latency at Arbitrary Instantaneous Input. *Park, J., +, TCSII Sept. 2020 1544-1548*
- A Programmable On-Chip Reference Oscillator With Slow-Wave Coplanar Waveguide in 14-nm FinFET CMOS. *Hwang, J., +, TCSII Oct. 2020 1834-1838*
- A Reconfigurable Random Number Generator Based on the Transient Effects of Ring Oscillators. *Acar, B., +, TCSII Sept. 2020 1609-1613*
- A Study of Multi-Phase Injection on Accelerating Crystal Oscillator Start-Up. *Karimi-Bidhendi, A., +, TCSII Dec. 2020 2868-2872*
- Concept of LIF Neuron Circuit for Rate Coding in Spike Neural Networks. *Velichko, A., +, TCSII Dec. 2020 3477-3481*
- Design and Realization of High-Speed Low-Noise Multi-Loop Skew-Based ROs Optimized for Even/Odd Multi-Phase Signals. *Mishra, N., +, TCSII Nov. 2020 2352-2356*
- FPGA-Based True Random Number Generation Using Programmable Delays in Oscillator-Rings. *Nalla Anandakumar, N., +, TCSII March 2020 570-574*
- IC Random Number Generator Exploiting Two Simultaneous Metastable Events of Tetrahedral Oscillators. *Gunay, R., +, TCSII Sept. 2020 1634-1638*
- Topographical Field Map Analysis Tool for Designing Linear LC DCOs. *Abdullah, S., +, TCSII July 2020 1199-1203*
- Ultra-Low Voltage Push-Pull Converter for Micro Energy Harvesting. *Colalongo, L., +, TCSII Dec. 2020 3172-3176*
- Overcurrent protection**
- Over-Current Protection for Power Packet Dispatching System. *Reza, C.M.F.S., +, TCSII Nov. 2020 2617-2621*
- P**
- P-i-n diodes**
- Reconfigurable BPF With Constant Center Frequency and Wide Tuning Range of Bandwidth. *Arain, S., +, TCSII Aug. 2020 1374-1378*
- Reconfigurable RF Dispersive Delay Circuits by Stepped Impedance Shunt Stubs. *Mandal, J., +, TCSII June 2020 1014-1018*
- Packaging**
- Parallel Plate Cavity Mode Suppression by Miniaturized 2.5-D Electromagnetic Bandgap Structure for Low Frequency Microwave Circuit. *Shi, Y., +, TCSII Dec. 2020 3068-3072*
- Parallel architectures**
- High-Throughput Parallel SRAM-Based Hash Join Architecture on FPGA. *Wu, W., +, TCSII Nov. 2020 2502-2506*
- Parallel processing**
- A Flexible and High Parallel Permutation Network for 5G LDPC Decoders. *Zhong, Z., +, TCSII Dec. 2020 3018-3022*
- Reconfigurable FPGA-Based K-Means/K-Modes Architecture for Network Intrusion Detection. *Andrade Maciel, L., +, TCSII Aug. 2020 1459-1463*
- Parameter estimation**
- A Robust Total Least Mean M-Estimate Adaptive Algorithm for Impulsive Noise Suppression. *Li, L., +, TCSII April 2020 800-804*
- Robust Variable Step-Size Reweighted Zero-Attracting Least Mean M-Estimate Algorithm for Sparse System Identification. *Wang, G., +, TCSII June 2020 1149-1153*
- Sparsity Constrained Recursive Generalized Maximum Correntropy Criterion With Variable Center Algorithm. *Sun, Q., +, TCSII Dec. 2020 3517-3521*
- System Identification Under Relay and PI Control. *Pandey, S., +, TCSII June 2020 1089-1093*
- Parity check codes**
- A Flexible and High Parallel Permutation Network for 5G LDPC Decoders. *Zhong, Z., +, TCSII Dec. 2020 3018-3022*
- A Novel Dynamic Detection for Flash Memory. *Ismail, A., +, TCSII March 2020 600-604*
- A Novel Iterative Reliability-Based Majority-Logic Decoder for NB-LDPC Codes. *Song, S., +, TCSII Aug. 2020 1399-1403*
- A Real-Time Flexible Telecommunication Decoding Architecture Using FPGA Partial Reconfiguration. *Ma, L., +, TCSII Oct. 2020 2149-2153*
- Efficient Implementation of a Threshold Modified Min-Sum Algorithm for LDPC Decoders. *Liu, Y., +, TCSII Sept. 2020 1599-1603*
- Enhanced Belief Propagation Decoder for 5G Polar Codes With Bit-Flipping. *Shen, Y., +, TCSII May 2020 901-905*
- Fine-Grained Bit-Flipping Decoding for LDPC Codes. *Chen, Y., +, TCSII May 2020 896-900*
- Fully Parallel Circular-Shift Rotation Network for Communication Standards. *Harb, H., +, TCSII Dec. 2020 3412-3416*
- Improving Resistive RAM Hard and Soft Decision Correctable BERs by Using Improved-LLR and Reset-Check-Reverse-Flag Concatenating LDPC Code. *Ning, S., TCSII Oct. 2020 2164-2168*
- Optimized Trellis-Based Min-Max Decoder for NB-LDPC Codes. *Tian, J., +, TCSII Jan. 2020 57-61*
- Particle measurements**
- A Generalized Quantum Protocol for Secure Multiparty Summation. *Sutradhar, K., +, TCSII Dec. 2020 2978-2982*
- Particle swarm optimization**
- A New Population-Based Optimization Method for Online Minimization of Voltage Harmonics in Islanded Microgrids. *Keypour, R., +, TCSII June 2020 1084-1088*
- Vulnerability Assessment of Power Grids Against Link-Based Attacks. *Pu, C., +, TCSII Oct. 2020 2209-2213*
- Passband**
- Compact SIW Diplexers and Dual-Band Bandpass Filter With Wide-Stopband Performances. *Xie, H., +, TCSII Dec. 2020 2933-2937*
- Synthesis Design of Chebyshev Wideband Band-Pass Filters With Independently Reconfigurable Lower Passband Edge. *Bi, X., +, TCSII Dec. 2020 2948-2952*

**Passive filters**

- Analysis, Simulation, and Implementation of Dual-Band Filtering Power Divider Based on Terminated Coupled Lines. *Sajadi, A., +, TCSII Nov. 2020 2487-2491*  
 NGD Analysis of Turtle-Shape Microstrip Circuit. *Wan, F., +, TCSII Nov. 2020 2477-2481*

**Patient diagnosis**

- A Photoacoustic-Surface-Acoustic-Wave Sensor for Ring-Stage Malaria Parasite Detection. *Wang, S., +, TCSII May 2020 881-885*

**Patient monitoring**

- Double-High-Pass-Filter-Based Electrical-Recording Front-Ends and Fluorescence-Recording Front-Ends for Monitoring Multimodal Neural Activity. *Lee, T., +, TCSII May 2020 876-880*  
 High Input Impedance Low-Noise CMOS Analog Frontend IC for Wearable Electrocardiogram Monitoring. *Zhang, C., +, TCSII July 2020 1169-1173*  
 Observer-Based Monitoring of the Cardiovascular System. *Astorga-Zaragoza, C., TCSII March 2020 501-505*

**Pattern classification**

- A Hybrid Reducing Error Correcting Output Code for Lithology Identification. *Chen, X., +, TCSII Oct. 2020 2254-2258*  
 Regularized Deep Transfer Learning: When CNN Meets kNN. *Wang, S., +, TCSII Oct. 2020 2269-2273*  
 Semi-Supervised Learning Based on Hybrid Neural Network for the Signal Integrity Analysis. *Chen, S., +, TCSII Oct. 2020 1934-1938*

**Pattern clustering**

- A Reconfigurable 64-Dimension K-Means Clustering Accelerator With Adaptive Overflow Control. *Du, L., +, TCSII April 2020 760-764*

**Payloads**

- Power Packet Router With Power and Signal Switches for a Single Power Packet. *Katayama, S., +, TCSII Dec. 2020 3242-3246*

**PD control**

- Global Fixed-Time Output Feedback Stabilization for a Class of Double Integrator Systems. *Su, Y., +, TCSII Oct. 2020 1954-1958*

**Peer-to-peer computing**

- Incentivizing Honest Mining in Blockchain Networks: A Reputation Approach. *Tang, C., +, TCSII Jan. 2020 117-121*

**Pendulums**

- Reinforcement Learning-Based Control of Nonlinear Systems Using Lyapunov Stability Concept and Fuzzy Reward Scheme. *Chen, M., +, TCSII Oct. 2020 2059-2063*

- Variable-Gain Second-Order Sliding Mode Controller With Globally Fixed-Time Stability Guarantees. *Shi, S., +, TCSII Aug. 2020 1414-1418*

**Performance analysis**

- An Optimal Filter for Singular Systems With Stochastic Multiplicative Disturbance. *Yu, X., +, TCSII Dec. 2020 3607-3611*

**Periodic control**

- Analysis of the Effect of Switch Parasitic Resistance and Capacitance on N-Path Filters Using State Space Representation. *Zolkov, E., +, TCSII Oct. 2020 1889-1893*

**Periodic structures**

- Parallel Plate Cavity Mode Suppression by Miniaturized 2.5-D Electromagnetic Bandgap Structure for Low Frequency Microwave Circuit. *Shi, Y., +, TCSII Dec. 2020 3068-3072*

**Permanent magnet generators**

- Synchronization of Chaotic-Oscillation Permanent Magnet Synchronous Generators Networks via Adaptive Impulsive Control. *Zhu, D., +, TCSII Oct. 2020 2194-2198*

**Permanent magnet motors**

- A Simple Nonlinear Observer for State and Unknown Input Estimation: DC Motor Applications. *Martinez-Garcia, C., +, TCSII April 2020 710-714*

- Synchronization of Chaotic-Oscillation Permanent Magnet Synchronous Generators Networks via Adaptive Impulsive Control. *Zhu, D., +, TCSII Oct. 2020 2194-2198*

**Perturbation methods**

- Transient Analysis of Signed LMS Algorithms With Cyclostationary Colored Gaussian Inputs. *Gao, W., +, TCSII Dec. 2020 3562-3566*

**Phantoms**

- 0.13pW/Hz Ring VCO-Based Continuous-Time Read-Out ADC for Bio-Impedance Measurement. *Danesh, M., +, TCSII Dec. 2020 2823-2827*

**Phase detectors**

- A 40-nm CMOS 7-b 32-GS/s SAR ADC With Background Channel Mis-match Calibration. *Jo, D., +, TCSII April 2020 610-614*  
 Nonlinear Analysis of PLL Damping Characteristics in Weak-Grid-Tied Inverters. *Zhao, J., +, TCSII Nov. 2020 2752-2756*  
 Offset-Calibration With Time-Domain Comparators Using Inversion-Mode Varactors. *Fiorelli, R., +, TCSII Jan. 2020 47-51*

**Phase frequency detector**

- Autonomous Event Driven Model of Second Order Voltage Switched Charge Pump PLL. *Ali, E., +, TCSII Dec. 2020 2903-2907*

**Phase locked loops**

- $\Delta\Sigma$  Fractional-N PLL With Hybrid IIR Noise Filtering. *Tao, J., +, TCSII June 2020 1004-1008*  
 A 0.42–3.45 Gb/s Referenceless Clock and Data Recovery Circuit With Counter-Based Unrestricted Frequency Acquisition. *Son, K., +, TCSII June 2020 974-978*  
 A Dividerless Ring Oscillator PLL With 250fs Integrated Jitter Using Sampled Lowpass Filter. *Grout, K., +, TCSII Nov. 2020 2337-2341*  
 A Highly Integrated 400–800 MHz Spectrum Sensing System Based on Envelope Detection. *Yen, M., +, TCSII Dec. 2020 3008-3012*  
 A U-Band PLL Using Implicit Distributed Resonators for Sub-THz Wireless Transceivers in 40 nm CMOS. *Chen, Z., +, TCSII Sept. 2020 1574-1578*  
 Analysis of Frequency-Aid Technique for Fractional-N Digital BB-PLLs in Time-Domain. *Vo, T.M., TCSII Dec. 2020 2888-2892*  
 Autonomous Event Driven Model of Second Order Voltage Switched Charge Pump PLL. *Ali, E., +, TCSII Dec. 2020 2903-2907*  
 Mitigation of “Horn Spurs” in a MASH-Based Fractional-N CP-PLL. *Mazzaro, V., +, TCSII May 2020 821-825*  
 Nonlinear Analysis of PLL Damping Characteristics in Weak-Grid-Tied Inverters. *Zhao, J., +, TCSII Nov. 2020 2752-2756*

**Phase modulation**

- A Low Phase Noise Open Loop Fractional-N Frequency Synthesizer With Injection Locking Digital Phase Modulator. *Yan, C., +, TCSII March 2020 455-459*

**Phase noise**

- $\Delta\Sigma$  Fractional-N PLL With Hybrid IIR Noise Filtering. *Tao, J., +, TCSII June 2020 1004-1008*  
 A 130 GHz Fully-Integrated Fundamental-Frequency D-Band Transmitter Module With > 4 dBm Single-Ended Output Power. *Aguilar, E., +, TCSII May 2020 906-910*  
 A GaAs Colpitts VCO Using  $g_m$ -Boosting and Collector-Emitter Cross-Coupling Techniques. *Xia, X., +, TCSII Dec. 2020 2873-2877*  
 A Low Phase Noise Open Loop Fractional-N Frequency Synthesizer With Injection Locking Digital Phase Modulator. *Yan, C., +, TCSII March 2020 455-459*  
 A Low Phase Noise, High Phase Accuracy Quadrature LC-VCO With Dual-Tail Current Biasing to Insert Reconfigurable Phase Delay. *Xi, N., +, TCSII March 2020 450-454*  
 A Low-Voltage Robust Class-C VCO With Dual Digital Feedback Loops. *Liao, X., +, TCSII Nov. 2020 2347-2351*  
 A Programmable On-Chip Reference Oscillator With Slow-Wave Coplanar Waveguide in 14-nm FinFET CMOS. *Hwang, J., +, TCSII Oct. 2020 1834-1838*  
 A U-Band PLL Using Implicit Distributed Resonators for Sub-THz Wireless Transceivers in 40 nm CMOS. *Chen, Z., +, TCSII Sept. 2020 1574-1578*  
 Design and Realization of High-Speed Low-Noise Multi-Loop Skew-Based ROs Optimized for Even/Odd Multi-Phase Signals. *Mishra, N., +, TCSII Nov. 2020 2352-2356*  
 Low-Power, Low-Phase-Noise  $G_m$ -Boosted 10-GHz VCO With Center-Tap Transformer and Stacked Transistor. *Lee, H.S., +, TCSII Oct. 2020 1710-1714*

**Phase shift keying**

- Multicarrier PSK-Chirp-BOK Communication System Under Co-Channel Interference. *Roy, A., +, TCSII March 2020 465-469*  
 Self-Optimizing Wireless Networks on Structures. *Shaik, S.M., +, TCSII May 2020 911-915*

**Phase shifters**

A K-Band 5G Phased Array RX Channel With 3.3-dB NF and 28.5-dB Gain in 130-nm SiGe. *Kalyoncu, I., +, TCSII Dec. 2020 2938-2942*

Low-Loss Reconfigurable Phase Shifter in Gap-Waveguide Technology for mm-Wave Applications. *Palomares-Caballero, A., +, TCSII Dec. 2020 3058-3062*

**Phased arrays**

A K-Band 5G Phased Array RX Channel With 3.3-dB NF and 28.5-dB Gain in 130-nm SiGe. *Kalyoncu, I., +, TCSII Dec. 2020 2938-2942*

Angle of Arrival Estimation Through a Full-Hardware Approach for Adaptive Beamforming. *Avitabile, G., +, TCSII Dec. 2020 3033-3037*

**Phasor measurement**

Multiple Line-Outage Detection in Power System With Load Stochastic Perturbations. *Nie, S., +, TCSII Oct. 2020 1994-1998*

**Photoacoustic effect**

A Photoacoustic-Surface-Acoustic-Wave Sensor for Ring-Stage Malaria Parasite Detection. *Wang, S., +, TCSII May 2020 881-885*

**Photodetectors**

A 42-dBΩ 25-Gb/s CMOS Transimpedance Amplifier With Multiple-Peaking Scheme for Optical Communications. *Pan, Q., +, TCSII Jan. 2020 72-76*

A Power-Efficient Digital Technique for Gain and Offset Correction in Slope ADCs. *Kłosowski, M., TCSII June 2020 979-983*

**Photodiodes**

A 50μW Fully Differential Interface Amplifier With a Current Steering Class AB Output Stage for PPG and NIRS Recordings. *Song, S., +, TCSII Sept. 2020 1564-1568*

A CMOS-Imager-Pixel-Based Temperature Sensor for Dark Current Compensation. *Xie, S., +, TCSII Feb. 2020 255-259*

Power and Area Efficient Transimpedance Amplifier Driving Large Capacitive Loads Based on Modified RGC Structure. *Kari Dolatabadi, A., +, TCSII Oct. 2020 1740-1744*

**Photolithography**

A Photoacoustic-Surface-Acoustic-Wave Sensor for Ring-Stage Malaria Parasite Detection. *Wang, S., +, TCSII May 2020 881-885*

**Photonics**

Photonic RF and Microwave Integrator Based on a Transversal Filter With Soliton Crystal Microcombs. *Xu, X., +, TCSII Dec. 2020 3582-3586*

**Photoplethysmography**

A 50μW Fully Differential Interface Amplifier With a Current Steering Class AB Output Stage for PPG and NIRS Recordings. *Song, S., +, TCSII Sept. 2020 1564-1568*

**Photovoltaic cells**

An Indoor Photovoltaic Energy Harvester Using Time-Based MPPT and On-Chip Photovoltaic Cell. *Chang, M., +, TCSII Nov. 2020 2432-2436*

**Photovoltaic power systems**

An Indoor Photovoltaic Energy Harvester Using Time-Based MPPT and On-Chip Photovoltaic Cell. *Chang, M., +, TCSII Nov. 2020 2432-2436*

Finite-Time Consensus for Power Regulation of Parallel PV Grid-Connected Inverters. *Zhang, P., +, TCSII Nov. 2020 2632-2636*

**Photovoltaic systems**

An Improved PWM Technique to Achieve Continuous Input Current in Common-Ground Transformerless Boost Inverter. *Lee, S.S., +, TCSII Dec. 2020 3133-3136*

**PI control**

A Class of Proportional-Integral With Anti-Windup Controllers for DC-DC Buck Power Converters With Saturating Input. *Moreno-Valenzuela, J., TCSII Jan. 2020 157-161*

A Robust Adaptive Cancellation of Unknown Sinusoidal Disturbance. *Chu, Z., +, TCSII April 2020 705-709*

A Robust Decentralized PID Controller Based on Complementary Sensitivity Function for a Multivariable System. *Mahapatro, S.R., +, TCSII Oct. 2020 2024-2028*

Over-Voltage Suppression Methods for the MMC-VSC-HVDC Wind Farm Integration System. *Li, Y., +, TCSII Feb. 2020 355-359*

System Identification Under Relay and PI Control. *Pandey, S., +, TCSII June 2020 1089-1093*

Transformerless Grid-Connected PV Inverter Without Common Mode Leakage Current and Shoot-Through Problems. *Yao, Z., +, TCSII Dec. 2020 3257-3261*

**Piecewise linear techniques**

A Low-Error, Memory-Based Fast Binary Logarithmic Converter. *Jana, B., +, TCSII Oct. 2020 2129-2133*

New Divider Design for Stochastic Computing. *Chu, S.-I., TCSII Jan. 2020 147-151*

TPWL Simulation of Large Nonlinear Circuits Using Subspace Angle-Based Adaptive Sampling. *Kalra, S., +, TCSII March 2020 575-579*

**Piezoelectric transducers**

An AC-DC Rectifier With Active and Non-Overlapping Control for Piezoelectric Vibration Energy Harvesting. *Chang, R.C., +, TCSII June 2020 969-973*

**PIN photodiodes**

Switchable Filtering Circuit With Single- and Multi-Channel Operations. *Xu, J., +, TCSII Dec. 2020 2958-2962*

**Pipe flow**

Complex Network Analysis of Wire-Mesh Sensor Measurements for Characterizing Vertical Gas-Liquid Two-Phase Flows. *Gao, Z., +, TCSII June 2020 1134-1138*

Multiresolution Multiplex Network for Analyzing Multichannel Fluid Flow Signals. *Gao, Z., +, TCSII Oct. 2020 2179-2183*

**Pipeline processing**

A 1.15 TOPS/W Energy-Efficient Capsule Network Accelerator for Real-Time 3D Point Cloud Segmentation in Mobile Environment. *Park, G., +, TCSII Sept. 2020 1594-1598*

A 28-nm CMOS 12-Bit 250-MS/s Voltage-Current-Time Domain 3-Stage Pipelined ADC. *Moon, K., +, TCSII Dec. 2020 2843-2847*

A Hybrid Pipelined Architecture for High Performance Top-K Sorting on FPGA. *Chen, W., +, TCSII Aug. 2020 1449-1453*

Complex Network Analysis of Wire-Mesh Sensor Measurements for Characterizing Vertical Gas-Liquid Two-Phase Flows. *Gao, Z., +, TCSII June 2020 1134-1138*

Stochastic Wave-Pipelined On-Chip Interconnect. *Najafi, A., +, TCSII May 2020 841-845*

**Planar antenna arrays**

Wideband Planar Phased Array Antenna Based on Artificial Magnetic Conductor Surface. *Shi, S., +, TCSII Oct. 2020 1909-1913*

**Poincare mapping**

A Symbolic Dynamics Approach to Trellis-Coded Chaotic Modulation. *Souza, C.E.C., +, TCSII Oct. 2020 2189-2193*

**Polar codes**

An Unfolded Pipelined Polar Decoder With Hybrid Number Representations for Multi-User MIMO Systems. *Cao, S., +, TCSII Nov. 2020 2472-2476*

Enhanced Belief Propagation Decoder for 5G Polar Codes With Bit-Flipping. *Shen, Y., +, TCSII May 2020 901-905*

**Pole assignment**

Vortex Search Algorithm for Optimal Power Flow Analysis in DC Resistive Networks With CPLs. *Montoya, O.D., +, TCSII Aug. 2020 1439-1443*

**Poles and zeros**

Compact Wide-Stopband Dual-Band Balanced Filter Using an Electromagnetically Coupled SIR Pair With Controllable Transmission Zeros and Bandwidths. *Tang, J., +, TCSII Nov. 2020 2357-2361*

Design of Equal-Ripple Dual-Wideband Bandpass Filter With Minimum Design Parameters Based on Cross-Shaped Resonator. *Bi, X., +, TCSII Oct. 2020 1780-1784*

Octo-Band Bandpass Filter Based on Unequal-Width Cruciform Connected Resonator With Sharp Skirt. *Wang, L., +, TCSII March 2020 475-479*

**Polynomials**

A Framework for the Lower Bound on the BER of DCSK Systems Over Multi-Path Nakagami-m Fading Channels. *Dawa, M., +, TCSII Oct. 2020 1859-1863*

An Efficient and Parallel R-LWE Cryptoprocessor. *Zhang, Y., +, TCSII May 2020 886-890*

Conditions on Polynomials Involved in Admittance Functions Passively Realizable by Using RLC and Two Fractional Elements. *Tavazoei, M.S., TCSII June 2020 999-1003*

- Data-Driven Enhanced Nonlinear Gaussian Filter. *Jia, B., +, TCSII June 2020 1144-1148*
- On the Design of Biorthogonal Halfband Filterbanks With Almost Tight Rational Coefficients. *Nagare, M.B., +, TCSII April 2020 790-794*
- Optimization of Combined Power and Modeling Attacks on VR PUFs With Lagrange Multipliers. *Yu, W., TCSII Nov. 2020 2512-2516*
- RLWE-Oriented High-Speed Polynomial Multiplier Utilizing Multi-Lane Stockham NTT Algorithm. *Feng, X., +, TCSII March 2020 556-559*
- Scaled Nested Key Equation Solver for Generalized Integrated Interleaved Decoder. *Xie, Z., +, TCSII Nov. 2020 2457-2461*
- Security of Public-Key Cryptosystems Based on Chebyshev Polynomials Over  $\mathbb{Z}/p^k\mathbb{Z}$ . *Yoshioka, D., TCSII Oct. 2020 2204-2208*
- Position control**
- Velocity Observer-Based Nonlinear Self-Tuning Position Stabilizer for Ball-Beam System Applications. *Lee, C.R., +, TCSII July 2020 1309-1313*
- Power amplifiers**
- Analysis of Class-F Power Amplifiers With a Second-Harmonic Input Voltage Manipulation. *Liu, C., TCSII Feb. 2020 225-229*
- Analysis of Switched Capacitor Losses in Polar and Quadrature Switched Capacitor PAs. *Zanen, J., +, TCSII Oct. 2020 1904-1908*
- Design Considerations of the Interpolative Digital Transmitter for Quantization Noise and Replicas Rejection. *Un, K., +, TCSII Jan. 2020 37-41*
- Digital Self-Interference Cancellation for Full-Duplex Underwater Acoustic Systems. *Shen, L., +, TCSII Jan. 2020 192-196*
- Efficient Supply Modulator for Wide-Band Envelope Elimination and Restoration Power Amplifiers. *Mamdouh, A., +, TCSII Jan. 2020 9-13*
- Fourier Analysis of Signal Waveforms in An Ideal Concurrent Dual-Band Class-D Power Amplifier. *Roy, S., +, TCSII May 2020 811-815*
- Reconfigurable Chireix Outphasing Power Amplifier Over Multiple Frequency Bands. *Aggarwal, E., +, TCSII June 2020 1019-1023*
- Power aware computing**
- A 1.15 TOPS/W Energy-Efficient Capsule Network Accelerator for Real-Time 3D Point Cloud Segmentation in Mobile Environment. *Park, G., +, TCSII Sept. 2020 1594-1598*
- A Quasi-V<sup>2</sup> Hysteretic Buck Converter With Adaptive COT Control for Fast DVS and Load-Transient Response in RF Applications. *Ting, C., +, TCSII March 2020 531-535*
- Optimization of Combined Power and Modeling Attacks on VR PUFs With Lagrange Multipliers. *Yu, W., TCSII Nov. 2020 2512-2516*
- Power cables**
- Over-Current Protection for Power Packet Dispatching System. *Reza, C.M.F.S., +, TCSII Nov. 2020 2617-2621*
- Power capacitors**
- A Fully Integrated Step-Down Switched-Capacitor DC–DC Converter With Dual Output Regulation Mechanisms. *Chen, P., +, TCSII Sept. 2020 1649-1653*
- A Highly Synthesizable 0.5-to-1.0-V Digital Low-Dropout Regulator With Adaptive Clocking and Incremental Regulation Scheme. *Oh, J., +, TCSII Oct. 2020 2174-2178*
- A Negative Embedded Differential Mode Γ-Source Inverter With Reduced Switching Spikes. *Reddivari, R., +, TCSII Oct. 2020 2009-2013*
- A New Switched Capacitor 7L Inverter With Triple Voltage Gain and Low Voltage Stress. *Siddique, M.D., +, TCSII July 2020 1294-1298*
- An Improved Seven-Level PUC Inverter Topology With Voltage Boosting. *Sathik, M.J., +, TCSII Jan. 2020 127-131*
- Design of a Double-Sided LC Compensated Capacitive Power Transfer System With Capacitor Voltage Stress Optimization. *Lian, J., +, TCSII April 2020 715-719*
- High Gain Active Neutral Point Clamped Seven-Level Self-Voltage Balancing Inverter. *Sathik, M.J., +, TCSII Nov. 2020 2567-2571*
- Hybrid 7-Level Boost Active-Neutral-Point- Clamped (H-7L-BANPC) Inverter. *Lee, S.S., +, TCSII Oct. 2020 2044-2048*
- Power combiners**
- A Folded Voltage-Combiners Biased Amplifier for Low Voltage and High Energy-Efficiency Applications. *Povoa, R., +, TCSII Feb. 2020 230-234*
- Power consumption**
- A 0.22–0.89 mW Low-Power and Highly-Secure Always-On Face Recognition Processor With Adversarial Attack Prevention. *Kim, Y., +, TCSII May 2020 846-850*
- A 0.6-V Low-Power Variable-Gain LNA in 0.18-μm CMOS Technology. *Hsieh, J., +, TCSII Jan. 2020 23-26*
- A 130 GHz Fully-Integrated Fundamental-Frequency D-Band Transmitter Module With > 4 dBm Single-Ended Output Power. *Aguilar, E., +, TCSII May 2020 906-910*
- A 6.84 Gbps/lane MIPI C-PHY Transceiver Bridge Chip With Level-Dependent Equalization. *Lee, P., +, TCSII Nov. 2020 2672-2676*
- A Compact Calibration Model for Linearizing CMOS Sample-and-Hold Circuits. *Li, Y., +, TCSII Nov. 2020 2327-2331*
- A Low-Power 40-Gb/s Pre-Emphasis PAM-4 Transmitter With Toggling Serializers. *Kwon, D., +, TCSII March 2020 430-434*
- A Low-Voltage Robust Class-C VCO With Dual Digital Feedback Loops. *Liao, X., +, TCSII Nov. 2020 2347-2351*
- A P&O MPPT With a Novel Analog Power-Detector for WSNs Applications. *Liu, L., +, TCSII Oct. 2020 1680-1684*
- A Resource-Efficient Multiplierless Systolic Array Architecture for Convolutions in Deep Networks. *Parmar, Y., +, TCSII Feb. 2020 370-374*
- Low-Area and Low-Power Latch-Based Thermometer-Code Shift-Register. *Woo, K., +, TCSII Oct. 2020 2119-2123*
- Optimization of Combined Power and Modeling Attacks on VR PUFs With Lagrange Multipliers. *Yu, W., TCSII Nov. 2020 2512-2516*
- Voltage Stability Margin in DC Grids With CPLs: A Recursive Newton-Raphson Approximation. *Montoya, O.D., +, TCSII Feb. 2020 300-304*
- Power control**
- A Multiport Power Electronic Transformer Based on Modular Multilevel Converter and Mixed-Frequency Modulation. *Ma, D., +, TCSII July 2020 1284-1288*
- Adaptive Power Control Using Current Adjustment for Watt-Level Power Amplifiers in CMOS SOI. *Moallemi, S., +, TCSII April 2020 605-609*
- An Indoor Photovoltaic Energy Harvester Using Time-Based MPPT and On-Chip Photovoltaic Cell. *Chang, M., +, TCSII Nov. 2020 2432-2436*
- Event-Based Adaptive Power Control in Vehicular Networked Systems With State-Dependent Bursty Fading Channels. *Hu, B., TCSII March 2020 506-510*
- Finite-Time Consensus for Power Regulation of Parallel PV Grid-Connected Inverters. *Zhang, P., +, TCSII Nov. 2020 2632-2636*
- Hot-Swappable Grid-Connected Multilevel Converter for Battery Energy Storage System. *Cheng, C., +, TCSII Oct. 2020 2109-2113*
- Power conversion**
- A Fully Integrated Step-Down Switched-Capacitor DC–DC Converter With Dual Output Regulation Mechanisms. *Chen, P., +, TCSII Sept. 2020 1649-1653*
- A Reconfigurable Passive Voltage Multiplier for Wireless Mobile IoT Applications. *Guler, U., +, TCSII April 2020 615-619*
- An Indoor Photovoltaic Energy Harvester Using Time-Based MPPT and On-Chip Photovoltaic Cell. *Chang, M., +, TCSII Nov. 2020 2432-2436*
- Class-E<sup>2</sup> DC–DC Converter With Basic Class-E Inverter and Class-E ZCS Rectifier for Capacitive Power Transfer. *Ueda, H., +, TCSII May 2020 941-945*
- Power converters**
- A 93.4% Efficiency 8-mV Offset Voltage Constant On-Time Buck Converter With an Offset Cancellation Technique. *Chang, R.C., +, TCSII Oct. 2020 2069-2073*
- A Power Management System for Microbial Fuel Cells With 53.02% Peak End-to-End Efficiency. *Umaz, R., TCSII Nov. 2020 2592-2596*
- A Quasi-V<sup>2</sup> Hysteretic Buck Converter With Adaptive COT Control for Fast DVS and Load-Transient Response in RF Applications. *Ting, C., +, TCSII March 2020 531-535*
- A Reconfigurable Transient Optimizer Applied to a Four-Phase Buck Converter for Optimizing Both DVS and Load Transient Responses. *Wang, P., +, TCSII Jan. 2020 52-56*
- An Improved Seven-Level PUC Inverter Topology With Voltage Boosting. *Sathik, M.J., +, TCSII Jan. 2020 127-131*

Comparative Study of Riemann–Liouville and Caputo Derivative Definitions in Time-Domain Analysis of Fractional-Order Capacitor. *Jiang, Y., +, TCSII Oct. 2020 2184-2188*

Current Ripple Characterization in DCM Interleaved Power Converters Under Inductance Mismatch. *Cervellini, P., +, TCSII July 2020 1269-1273*

Hot-Swappable Grid-Connected Multilevel Converter for Battery Energy Storage System. *Cheng, C., +, TCSII Oct. 2020 2109-2113*

Numerical Approach to Compute the Power Flow Solution of Hybrid Generation, Transmission and Distribution Systems. *Bizzarri, F., +, TCSII May 2020 936-940*

#### Power demand

A Digital Capacitive MEMS Microphone for Speech Recognition With Fast Wake-Up Feature Using a Sound Activity Detector. *Yang, Y., +, TCSII Sept. 2020 1509-1513*

A Low-Power Time-to-Digital Converter for Sensor Interface Circuits. *Rostami, M.S., +, TCSII Dec. 2020 2853-2857*

A Study of Multi-Phase Injection on Accelerating Crystal Oscillator Start-Up. *Karimi-Bidhendi, A., +, TCSII Dec. 2020 2868-2872*

An Adaptive-Resolution Quasi-Level-Crossing Delta Modulator With VCO-Based Residue Quantizer. *Wang, H., +, TCSII Dec. 2020 2828-2832*

An Energy-Efficient Level Shifter for Ultra Low-Voltage Digital LSIs. *You, H., +, TCSII Dec. 2020 3357-3361*

#### Power distribution control

A New Population-Based Optimization Method for Online Minimization of Voltage Harmonics in Islanded Microgrids. *Keypour, R., +, TCSII June 2020 1084-1088*

A Novel Double-Quadrant SoC Consistent Adaptive Droop Control in DC Microgrids. *Xu, D., +, TCSII Oct. 2020 2034-2038*

A Robust Shipboard DC-DC Power Converter Control: Concept Analysis and Experimental Results. *Mosayebi, M., +, TCSII Nov. 2020 2612-2616*

Islanded Microgrid Frequency Regulations Concerning the Integration of Tidal Power Units: Real-Time Implementation. *Khooban, M.H., +, TCSII June 2020 1099-1103*

#### Power distribution economics

Islanded Microgrid Frequency Regulations Concerning the Integration of Tidal Power Units: Real-Time Implementation. *Khooban, M.H., +, TCSII June 2020 1099-1103*

#### Power distribution faults

A New Population-Based Optimization Method for Online Minimization of Voltage Harmonics in Islanded Microgrids. *Keypour, R., +, TCSII June 2020 1084-1088*

A Robust Shipboard DC-DC Power Converter Control: Concept Analysis and Experimental Results. *Mosayebi, M., +, TCSII Nov. 2020 2612-2616*

Islanded Microgrid Frequency Regulations Concerning the Integration of Tidal Power Units: Real-Time Implementation. *Khooban, M.H., +, TCSII June 2020 1099-1103*

#### Power distribution protection

Over-Current Protection for Power Packet Dispatching System. *Reza, C.M.F.S., +, TCSII Nov. 2020 2617-2621*

#### Power distribution reliability

Over-Current Protection for Power Packet Dispatching System. *Reza, C.M.F.S., +, TCSII Nov. 2020 2617-2621*

#### Power dividers

A V-Band Ultra Low Power Sub-Harmonic I/Q Down-Conversion Mixer Using Current Re-Used Technique. *Chang, Y., +, TCSII Dec. 2020 2893-2897*

A Compact Dual-Band Out of Phase Power Divider Having Microstrip Compatibility. *Zaidi, A.M., +, TCSII Dec. 2020 2998-3002*

A Reconfigurable Wilkinson Power Divider With Flexible Tuning Range Configuration. *Wu, B., +, TCSII July 2020 1219-1223*

A Self-Packaged Power Divider With Compact Size and Low Loss. *Feng, T., +, TCSII Nov. 2020 2437-2441*

Active Dual-Band Power Divider and Active Quad-Plexer Based on Traveling Wave Amplification and D-CRLH Transmission Line. *Mazani, Z., +, TCSII March 2020 480-484*

Analysis, Simulation, and Implementation of Dual-Band Filtering Power Divider Based on Terminated Coupled Lines. *Sajadi, A., +, TCSII Nov. 2020 2487-2491*

Dual-Band Branch-Line Couplers With Short/Open-Ended Stubs. *Feng, W., +, TCSII Nov. 2020 2497-2501*

Hexa-Band Branch Line Coupler and Wilkinson Power Divider for LTE 0.7 GHz, LTE 1.7 GHz, LTE 2.6 GHz, 3.9 GHz, Public Safety Band 4.9 GHz, and WLAN 5.8 GHz Frequencies. *Zaidi, A.M., +, TCSII Feb. 2020 275-279*

Miniaturized Single-Ended-to-Balanced Arbitrary Four-Section Coupled-Line Coupler With Inherent Impedance Matching. *Wang, W., +, TCSII Oct. 2020 1929-1933*

Multilayer Packaging SIW Three-Way Filtering Power Divider With Adjustable Power Division. *Zhang, G., +, TCSII Dec. 2020 3003-3007*

Switchable Filtering Circuit With Single- and Multi-Channel Operations. *Xu, J., +, TCSII Dec. 2020 2958-2962*

#### Power electronics

A Multiport Power Electronic Transformer Based on Modular Multilevel Converter and Mixed-Frequency Modulation. *Ma, D., +, TCSII July 2020 1284-1288*

An Improved Seven-Level PUC Inverter Topology With Voltage Boosting. *Sathik, M.J., +, TCSII Jan. 2020 127-131*

Comparative Study of Riemann–Liouville and Caputo Derivative Definitions in Time-Domain Analysis of Fractional-Order Capacitor. *Jiang, Y., +, TCSII Oct. 2020 2184-2188*

Numerical Approach to Compute the Power Flow Solution of Hybrid Generation, Transmission and Distribution Systems. *Bizzarri, F., +, TCSII May 2020 936-940*

#### Power engineering computing

Islanded Microgrid Frequency Regulations Concerning the Integration of Tidal Power Units: Real-Time Implementation. *Khooban, M.H., +, TCSII June 2020 1099-1103*

Triangular Matrix Formulation for Power Flow Analysis in Radial DC Resistive Grids With CPLs. *Montoya, O.D., +, TCSII June 2020 1094-1098*

Voltage Stability Margin in DC Grids With CPLs: A Recursive Newton–Raphson Approximation. *Montoya, O.D., +, TCSII Feb. 2020 300-304*

Vulnerability Assessment of Power Grids Against Link-Based Attacks. *Pu, C., +, TCSII Oct. 2020 2209-2213*

#### Power factor

An Interleaved Bi-Directional AC–DC Converter With Reduced Switches and Reactive Power Control. *Tashakor, N., +, TCSII Jan. 2020 132-136*

#### Power factor correction

Double-Line Frequency Ripple Suppression of a Quasi-Single Stage AC–DC Converter. *Yang, P., +, TCSII Oct. 2020 2074-2078*

#### Power filters

Experimental Investigation of Recurrent Neural Network Fractional-Order Sliding Mode Control of Active Power Filter. *Fei, J., +, TCSII Nov. 2020 2522-2526*

#### Power generation

Stabilization of DC Nanogrids Based on Non-Integer General Type-II Fuzzy System. *Mosayebi, M., +, TCSII Dec. 2020 3108-3112*

#### Power generation control

A New Population-Based Optimization Method for Online Minimization of Voltage Harmonics in Islanded Microgrids. *Keypour, R., +, TCSII June 2020 1084-1088*

A Novel Double-Quadrant SoC Consistent Adaptive Droop Control in DC Microgrids. *Xu, D., +, TCSII Oct. 2020 2034-2038*

A Robust Shipboard DC-DC Power Converter Control: Concept Analysis and Experimental Results. *Mosayebi, M., +, TCSII Nov. 2020 2612-2616*

An Intelligent and Fast Controller for DC/DC Converter Feeding CPL in a DC Microgrid. *Farsizadeh, H., +, TCSII June 2020 1104-1108*

Finite-Time Consensus for Power Regulation of Parallel PV Grid-Connected Inverters. *Zhang, P., +, TCSII Nov. 2020 2632-2636*

Islanded Microgrid Frequency Regulations Concerning the Integration of Tidal Power Units: Real-Time Implementation. *Khooban, M.H., +, TCSII June 2020 1099-1103*

Over-Voltage Suppression Methods for the MMC-VSC-HVDC Wind Farm Integration System. *Li, Y., +, TCSII Feb. 2020 355-359*

#### Power generation dispatch

Over-Current Protection for Power Packet Dispatching System. *Reza, C.M.F.S., +, TCSII Nov. 2020 2617-2621*

**Power generation economics**

Islanded Microgrid Frequency Regulations Concerning the Integration of Tidal Power Units: Real-Time Implementation. *Khooban, M.H., +, TCSII June 2020 1099-1103*

**Power generation faults**

Over-Voltage Suppression Methods for the MMC-VSC-HVDC Wind Farm Integration System. *Li, Y., +, TCSII Feb. 2020 355-359*

**Power generation reliability**

Over-Current Protection for Power Packet Dispatching System. *Reza, C.M.F.S., +, TCSII Nov. 2020 2617-2621*

**Power grids**

A High-Performance Energy Management System Based on Evolving Graph. *Liu, G., +, TCSII Feb. 2020 350-354*

A Multiport Power Electronic Transformer Based on Modular Multilevel Converter and Mixed-Frequency Modulation. *Ma, D., +, TCSII July 2020 1284-1288*

A Novel AC Current Sensorless Hysteresis Control for Grid-Tie Inverters. *Viswadev, R., +, TCSII Nov. 2020 2577-2581*

Analysis of Malware-Induced Cyber Attacks in Cyber-Physical Power Systems. *Xu, S., +, TCSII Dec. 2020 3482-3486*

Finite-Time Consensus for Power Regulation of Parallel PV Grid-Connected Inverters. *Zhang, P., +, TCSII Nov. 2020 2632-2636*

High Gain Active Neutral Point Clamped Seven-Level Self-Voltage Balancing Inverter. *Sathik, M.J., +, TCSII Nov. 2020 2567-2571*

Hot-Swappable Grid-Connected Multilevel Converter for Battery Energy Storage System. *Cheng, C., +, TCSII Oct. 2020 2109-2113*

Improving Robustness of Interdependent Networks by Reducing Key Unbalanced Dependency Links. *Yang, X., +, TCSII Dec. 2020 3187-3191*

Nonlinear Analysis of PLL Damping Characteristics in Weak-Grid-Tied Inverters. *Zhao, J., +, TCSII Nov. 2020 2752-2756*

On the Existence of the Power Flow Solution in DC Grids With CPLs Through a Graph-Based Method. *Montoya, O.D., +, TCSII Aug. 2020 1434-1438*

Triangular Matrix Formulation for Power Flow Analysis in Radial DC Resistive Grids With CPLs. *Montoya, O.D., +, TCSII June 2020 1094-1098*

Voltage Stability Margin in DC Grids With CPLs: A Recursive Newton-Raphson Approximation. *Montoya, O.D., +, TCSII Feb. 2020 300-304*

Vulnerability Assessment of Power Grids Against Link-Based Attacks. *Pu, C., +, TCSII Oct. 2020 2209-2213*

**Power harmonic filters**

A Millimeter-Wave Wideband Frequency Conversion Module Based on Waveguide Switched Filters. *Zhou, L., +, TCSII Dec. 2020 3028-3032*

Co-Design of Second Harmonic-Tuned Power Amplifier and a Parallel-Coupled Stub Loaded Resonator. *Haider, M.F., +, TCSII Dec. 2020 3013-3017*

Experimental Investigation of Recurrent Neural Network Fractional-Order Sliding Mode Control of Active Power Filter. *Fei, J., +, TCSII Nov. 2020 2522-2526*

Microstrip Tunable Diplexer With Separately-Designable Channels. *Lu, Q., +, TCSII Dec. 2020 2983-2987*

Toward Identifying Consumer Responsibility on Voltage Distortion and Filtering Based on the Maclaurin Series. *Crovato, C.D.P., +, TCSII Dec. 2020 3467-3471*

**Power inductors**

A Normalized Output Error-Based Sliding-Mode Controller for the DC–DC Cascade Boost Converter. *Chincholkar, S.H., +, TCSII Jan. 2020 92-96*

A SAR-ADC-Assisted DC-DC Buck Converter With Fast Transient Recovery. *Zeng, W., +, TCSII Sept. 2020 1669-1673*

Matrix Inductor With DC-Bias Effect Reduction Capability for GaN-Based DC-DC Boost Converter. *Nguyen, A.D., +, TCSII Nov. 2020 2597-2601*

**Power integrated circuits**

Design of a Single Chip PWM Driver Circuit for Inverter Welding Power Source. *Jabavathi, J.D., +, TCSII April 2020 720-724*

**Power quality**

Toward Identifying Consumer Responsibility on Voltage Distortion and Filtering Based on the Maclaurin Series. *Crovato, C.D.P., +, TCSII Dec. 2020 3467-3471*

**Power supply circuits**

A 42-dBΩ 25-Gb/s CMOS Transimpedance Amplifier With Multiple-Peaking Scheme for Optical Communications. *Pan, Q., +, TCSII Jan. 2020 72-76*

A Fully Integrated LDO With 50-mV Dropout for Power Efficiency Optimization. *Ma, X., +, TCSII April 2020 725-729*

**Power system CAD**

Over-Voltage Suppression Methods for the MMC-VSC-HVDC Wind Farm Integration System. *Li, Y., +, TCSII Feb. 2020 355-359*

**Power system control**

A Class of Proportional-Integral With Anti-Windup Controllers for DC–DC Buck Power Converters With Saturating Input. *Moreno-Valenzuela, J., TCSII Jan. 2020 157-161*

A Novel AC Current Sensorless Hysteresis Control for Grid-Tie Inverters. *Viswadev, R., +, TCSII Nov. 2020 2577-2581*

A Reconfigurable Transient Optimizer Applied to a Four-Phase Buck Converter for Optimizing Both DVS and Load Transient Responses. *Wang, P., +, TCSII Jan. 2020 52-56*

An Adaptive Partial Feedback Linearizing Control Scheme: An Application to a Single Machine Infinite Bus System. *Roy, T.K., +, TCSII Nov. 2020 2557-2561*

Continuous Nonsingular Terminal Sliding Mode Control of DC–DC Boost Converters Subject to Time-Varying Disturbances. *Wang, Z., +, TCSII Nov. 2020 2552-2556*

Experimental Investigation of Recurrent Neural Network Fractional-Order Sliding Mode Control of Active Power Filter. *Fei, J., +, TCSII Nov. 2020 2522-2526*

Vortex Search Algorithm for Optimal Power Flow Analysis in DC Resistive Networks With CPLs. *Montoya, O.D., +, TCSII Aug. 2020 1439-1443*

**Power system dynamic stability**

Voltage Stability Margin in DC Grids With CPLs: A Recursive Newton-Raphson Approximation. *Montoya, O.D., +, TCSII Feb. 2020 300-304*

**Power system dynamics**

Topology Identification for Power Systems via Compressive Sensing Based on Transient Dynamics. *Ding, L., +, TCSII Dec. 2020 3202-3206*

**Power system economics**

A New Switched Capacitor 7L Inverter With Triple Voltage Gain and Low Voltage Stress. *Siddique, M.D., +, TCSII July 2020 1294-1298*

A Novel Approach to Overcome the Limitations of Reliability Centered Maintenance Implementation on the Smart Grid Distance Protection System. *Rafiei, M., +, TCSII Feb. 2020 320-324*

**Power system faults**

Improving Robustness of Interdependent Networks by Reducing Key Unbalanced Dependency Links. *Yang, X., +, TCSII Dec. 2020 3187-3191*

**Power system harmonics**

A New Population-Based Optimization Method for Online Minimization of Voltage Harmonics in Islanded Microgrids. *Keypour, R., +, TCSII June 2020 1084-1088*

Harmonic-Recycling Rectifier for High-Efficiency Far-Field Wireless Power Transfer. *Ngo, T., +, TCSII April 2020 770-774*

**Power system protection**

A Novel Approach to Overcome the Limitations of Reliability Centered Maintenance Implementation on the Smart Grid Distance Protection System. *Rafiei, M., +, TCSII Feb. 2020 320-324*

Improving Robustness of Interdependent Networks by Reducing Key Unbalanced Dependency Links. *Yang, X., +, TCSII Dec. 2020 3187-3191*

**Power system reliability**

A Novel Approach to Overcome the Limitations of Reliability Centered Maintenance Implementation on the Smart Grid Distance Protection System. *Rafiei, M., +, TCSII Feb. 2020 320-324*

Hybrid 7-Level Boost Active-Neutral-Point-Clamped (H-7L-BANPC) Inverter. *Lee, S.S., +, TCSII Oct. 2020 2044-2048*

Multiple Line-Outage Detection in Power System With Load Stochastic Perturbations. *Nie, S., +, TCSII Oct. 2020 1994-1998*

**Power system security**

Vulnerability Assessment of Power Grids Against Link-Based Attacks. *Pu, C., +, TCSII Oct. 2020 2209-2213*

**Power system stability**

A Robust Shipboard DC-DC Power Converter Control: Concept Analysis and Experimental Results. *Mosayebi, M., +, TCSII Nov. 2020* 2612-2616

An Adaptive Partial Feedback Linearizing Control Scheme: An Application to a Single Machine Infinite Bus System. *Roy, T.K., +, TCSII Nov. 2020* 2557-2561

An Intelligent and Fast Controller for DC/DC Converter Feeding CPL in a DC Microgrid. *Farsizadeh, H., +, TCSII June 2020* 1104-1108

**Power system transient stability**

A 100 MHz, 0.8-to-1.1 V, 170 mA Digital LDO With 8-Cycles Mean Settling Time and 9-Bit Regulating Resolution in 180-nm CMOS. *Yuan, Z., +, TCSII Sept. 2020* 1664-1668

**Power system transients**

A Reconfigurable Transient Optimizer Applied to a Four-Phase Buck Converter for Optimizing Both DVS and Load Transient Responses. *Wang, P., +, TCSII Jan. 2020* 52-56

**Power systems**

Power Packet Router With Power and Signal Switches for a Single Power Packet. *Katayama, S., +, TCSII Dec. 2020* 3242-3246

**Power transformers**

A Multiport Power Electronic Transformer Based on Modular Multilevel Converter and Mixed-Frequency Modulation. *Ma, D., +, TCSII July 2020* 1284-1288

**Power transistors**

A 0.35V 90nA Quiescent Current Output-Capacitor-Less NMOS Low-Dropout Regulator Using a Coarse-Fine Charge-Pump Circuit. *Woo, K., +, TCSII Dec. 2020* 3118-3122

**Power transmission control**

A Modular Multilevel Converter With Novel Double Reverse Blocking Sub-Modules for DC Fault Current Blocking Capability. *Yao, Y., +, TCSII April 2020* 740-744

Over-Voltage Suppression Methods for the MMC-VSC-HVDC Wind Farm Integration System. *Li, Y., +, TCSII Feb. 2020* 355-359

**Power transmission faults**

A Modular Multilevel Converter With Novel Double Reverse Blocking Sub-Modules for DC Fault Current Blocking Capability. *Yao, Y., +, TCSII April 2020* 740-744

**Power transmission lines**

Analysis of Malware-Induced Cyber Attacks in Cyber-Physical Power Systems. *Xu, S., +, TCSII Dec. 2020* 3482-3486

Compact Spoof Surface Plasmon Polaritons Waveguide Integrated With Blind Vias and Its Applications. *Zhang, Q.L., +, TCSII Dec. 2020* 3038-3042

**Preamplifiers**

A Dual-Supply Two-Stage CMOS Op-amp for High-Speed Pipeline ADCs Application. *Liu, M., +, TCSII April 2020* 650-654

A Low Power High Precision Trim-Less Envelope Detector for Fail-Safe Circuit in LVDS Receiver. *Lee, S.S., +, TCSII Oct. 2020* 1770-1774

**Prediction algorithms**

Transient Analysis of Signed LMS Algorithms With Cyclostationary Colored Gaussian Inputs. *Gao, W., +, TCSII Dec. 2020* 3562-3566

**Predictive control**

Formation of Generic UAVs-USVs System Under Distributed Model Predictive Control Scheme. *Huang, D., +, TCSII Dec. 2020* 3123-3127

Model Order Reduction Based on Dynamic Relative Gain Array for MIMO Systems. *Liang, W., +, TCSII Nov. 2020* 2507-2511

**Predictive models**

Formation of Generic UAVs-USVs System Under Distributed Model Predictive Control Scheme. *Huang, D., +, TCSII Dec. 2020* 3123-3127

**Pressure sensors**

A Wireless Multi-Channel Capacitive Sensor System for Efficient Glove-Based Gesture Recognition With AI at the Edge. *Pan, J., +, TCSII Sept. 2020* 1624-1628

**Printed circuits**

A 12.5 Gb/s 1.93 pJ/Bit Optical Receiver Exploiting Silicon Photonic Delay Lines for Clock Phases Generation Replacement. *Radi, B., +, TCSII Oct. 2020* 1864-1868

**Private key cryptography**

Tangent Function and Chebyshev-Like Rational Maps Over Finite Fields. *Lima, J.B., +, TCSII April 2020* 775-779

**Probabilistic logic**

Finite-Time Consensus of Finite Field Networks With Stochastic Time Delays. *Li, Y., +, TCSII Dec. 2020* 3128-3132

Finite-Time Stability of Probabilistic Logical Networks: A Topological Sorting Approach. *Zhu, S., +, TCSII April 2020* 695-699

**Probability**

A Stochastic Computing Architecture for Iterative Estimation. *Lunglmayr, M., +, TCSII March 2020* 580-584

An Improved Kalman Filter With Adaptive Estimate of Latency Probability. *Wang, Z., +, TCSII Oct. 2020* 2259-2263

High-Accuracy and Fault Tolerant Stochastic Inner Product Design. *Haselmayr, W., +, TCSII March 2020* 541-545

New Divider Design for Stochastic Computing. *Chu, S.-I., TCSII Jan. 2020* 147-151

Normalization and Multi-Valued Symbol Extraction From RO-PUFs for Enhanced Uniform Probability Distributions. *Mandry, H., +, TCSII Dec. 2020* 3372-3376

Observability of Boolean Networks With Redundant Channels. *Li, F., +, TCSII Oct. 2020* 1989-1993

Suppressing Epidemic Spreading by Imitating Hub Nodes' Strategy. *Zhang, H., +, TCSII Oct. 2020* 1979-1983

**Probability density function**

A Slide Window Variational Adaptive Kalman Filter. *Huang, Y., +, TCSII Dec. 2020* 3552-3556

Normalization and Multi-Valued Symbol Extraction From RO-PUFs for Enhanced Uniform Probability Distributions. *Mandry, H., +, TCSII Dec. 2020* 3372-3376

**Process control**

A Novel Architecture for Early Detection of Negative Output Features in Deep Neural Network Accelerators. *Asadikouhanjani, M., +, TCSII Dec. 2020* 3332-3336

Observed-Based Asynchronous Control of Linear Semi-Markov Jump Systems With Time-Varying Mode Emission Probabilities. *Tian, Y., +, TCSII Dec. 2020* 3147-3151

**Processor scheduling**

Adaptive 2-D Scheduling-Based Nonbinary Majority-Logic Decoding for NAND Flash Memory. *Wang, C., +, TCSII July 2020* 1349-1353

**Product design**

High-Accuracy and Fault Tolerant Stochastic Inner Product Design. *Haselmayr, W., +, TCSII March 2020* 541-545

**Programmable circuits**

A 1.5-to-3.0GHz Tunable RF Sigma-Delta ADC With a Fixed Set of Coefficients and a Programmable Loop Delay. *Sayed, A., +, TCSII Sept. 2020* 1559-1563

**Propagation delay**

An Energy-Efficient Level Shifter for Ultra Low-Voltage Digital LSIs. *You, H., +, TCSII Dec. 2020* 3357-3361

**Prosthetic power supplies**

Auto-Resonant Tuning for Capacitive Power and Data Telemetry Using Flexible Patches. *Nag, S., +, TCSII Oct. 2020* 1804-1808

**Protocols**

A Generalized Quantum Protocol for Secure Multiparty Summation. *Sutradhar, K., +, TCSII Dec. 2020* 2978-2982

Energy Efficient Peripheral and System Buses for Low-Area and Low-Power SoC Applications. *Romero, J., +, TCSII May 2020* 866-870

Fixed-Time Consensus for a Class of Heterogeneous Nonlinear Multiagent Systems. *Zou, W., +, TCSII July 2020* 1279-1283

Group-Bipartite Consensus in the Networks With Cooperative-Competitive Interactions. *Liu, J., +, TCSII Dec. 2020* 3292-3296

**Prototypes**

Low-Loss Reconfigurable Phase Shifter in Gap-Waveguide Technology for mm-Wave Applications. *Palomares-Caballero, A., +, TCSII Dec. 2020* 3058-3062

**PSNR**

Hybrid Low Radix Encoding-Based Approximate Booth Multipliers. *Waris, H., +, TCSII Dec. 2020 3367-3371*

**Public key cryptography**

Accurate Privacy Preserving Average Consensus. *Yin, T., +, TCSII April 2020 690-694*

An Efficient and Parallel R-LWE Cryptoprocessor. *Zhang, Y., +, TCSII May 2020 886-890*

An Energy-Efficient Dual-Field Elliptic Curve Cryptography Processor for Internet of Things Applications. *Yeh, L., +, TCSII Sept. 2020 1614-1618*

Security of Public-Key Cryptosystems Based on Chebyshev Polynomials Over  $\mathbb{Z}/pk\mathbb{Z}$ . *Yoshioka, D., TCSII Oct. 2020 2204-2208*

Tangent Function and Chebyshev-Like Rational Maps Over Finite Fields. *Lima, J.B., +, TCSII April 2020 775-779*

**Pulse amplitude modulation**

A 48 Gb/s PAM-4 Transmitter With 3-Tap FFE Based on Double-Shielded Coplanar Waveguide in 65-nm CMOS. *Do, H., +, TCSII Sept. 2020 1569-1573*

A Low-Power 40-Gb/s Pre-Emphasis PAM-4 Transmitter With Toggling Serializers. *Kwon, D., +, TCSII March 2020 430-434*

An Energy-Efficient 3Gb/s PAM4 Full-Duplex Transmitter With 2-Tap Feed Forward Equalizer. *Mukherjee, S., +, TCSII May 2020 916-920*

**Pulse generators**

A DLL-Based Quadrature Clock Generator With a 3-Stage Quad Delay Unit Using the Sub-Range Phase Interpolator for Low-Jitter and High-Phase Accuracy DRAM Applications. *Yoon, Y., +, TCSII Nov. 2020 2342-2346*

**Pulse modulation**

A Pulse-Modulated Polar Transmitter Using Direct Digital Synthesis for 5G NR Mobile Applications. *Chen, Y., +, TCSII Oct. 2020 1894-1898*

**Pulse width modulation**

A 10-MHz BW 77.3-dB SNDR 640-MS/s GRO-Based CT MASH  $\Delta\Sigma$  Modulator. *Honarpvar, M., +, TCSII Sept. 2020 1519-1523*

A High Efficiency LCC-S Compensated WPT System With Dual Decoupled Receive Coils and Cascaded PWM Regulator. *Wang, X., +, TCSII Dec. 2020 3142-3146*

A Mixed-Signal RF Pulse Width Modulator With High Time Resolution Utilizing Passive Delay Lines. *Papananos, Y., +, TCSII Nov. 2020 2442-2446*

An Improved PWM Technique to Achieve Continuous Input Current in Common-Ground Transformerless Boost Inverter. *Lee, S.S., +, TCSII Dec. 2020 3133-3136*

**Pulsed power technology**

A Method of Creating the High-Voltage Circuit Model of Metal-Oxide Varistor for the Simulation of Square Pulse Forming. *Cui, Y., +, TCSII March 2020 526-530*

**PWM inverters**

Design of a Single Chip PWM Driver Circuit for Inverter Welding Power Source. *Jabavathi, J.D., +, TCSII April 2020 720-724*

**PWM power converters**

An Intelligent and Fast Controller for DC/DC Converter Feeding CPL in a DC Microgrid. *Farsizadeh, H., +, TCSII June 2020 1104-1108*

**Q****Q factor**

A Digitally Programmable Wide Tuning-Range Active Transformer for Inductorless BPF and DCOs. *Abolhassani, S., +, TCSII Dec. 2020 2928-2932*

A Study of Multi-Phase Injection on Accelerating Crystal Oscillator Start-Up. *Karimi-Bidhendi, A., +, TCSII Dec. 2020 2868-2872*

Compact Wide-Stopband Dual-Band Balanced Filter Using an Electromagnetically Coupled SIR Pair With Controllable Transmission Zeros and Bandwidths. *Tang, J., +, TCSII Nov. 2020 2357-2361*

High Selectivity Dual-Wideband Balun Filter Utilizing a Multimode T-line Loaded Middle-Shorted CSRR. *Zeng, X., +, TCSII Nov. 2020 2447-2451*

**Quadratic programming**

Discrete Programming Entailing Circulant Quadratic Forms: Refinement of a Heuristic Approach Based on  $\Delta\Sigma$  Modulation. *Callegari, S., +, TCSII May 2020 926-930*

Vortex Search Algorithm for Optimal Power Flow Analysis in DC Resistive Networks With CPLs. *Montoya, O.D., +, TCSII Aug. 2020 1439-1443*

**Quadrature amplitude modulation**

Analysis of Switched Capacitor Losses in Polar and Quadrature Switched Capacitor PAs. *Zanen, J., +, TCSII Oct. 2020 1904-1908*

Correlation-Based Calibration for Nonlinearity Mismatches in Dual-Channel TIADCs. *Liu, X., +, TCSII March 2020 585-589*

**Quadrature phase shift keying**

Power-Balanced Non-Orthogonal Multiple Access Based on Virtual Channel Optimization. *Xia, W., +, TCSII April 2020 795-799*

**Quantization (signal)**

A 10-MHz BW 77.3-dB SNDR 640-MS/s GRO-Based CT MASH  $\Delta\Sigma$  Modulator. *Honarpvar, M., +, TCSII Sept. 2020 1519-1523*

A CMOS-Imager-Pixel-Based Temperature Sensor for Dark Current Compensation. *Xie, S., +, TCSII Feb. 2020 255-259*

A Low-Spur MASH Delta-Sigma Modulator With an Adaptive Length Extension Technique. *Ding, X., +, TCSII Dec. 2020 2818-2822*

An Adaptive-Resolution Quasi-Level-Crossing Delta Modulator With VCO-Based Residue Quantizer. *Wang, H., +, TCSII Dec. 2020 2828-2832*

Design and Analysis of Compressive Sensing-Based Lightweight Encryption Scheme for Multimedia IoT. *Unde, A.S., +, TCSII Jan. 2020 167-171*

Design Considerations of the Interpolative Digital Transmitter for Quantization Noise and Replicas Rejection. *Un, K., +, TCSII Jan. 2020 37-41*

Finite-Time Fault-Tolerant Control for Nonlinear Systems With Input Quantization and Its Application. *Liu, W., +, TCSII July 2020 1249-1253*

Influence of Initial Condition on Wandering Spur Pattern in a MASH-Based Fractional-N Frequency Synthesizer. *Mai, D., +, TCSII Dec. 2020 2968-2972*

Normalization and Multi-Valued Symbol Extraction From RO-PUFs for Enhanced Uniform Probability Distributions. *Mandry, H., +, TCSII Dec. 2020 3372-3376*

Quantized Fuzzy Finite-Time Control for Nonlinear Semi-Markov Switching Systems. *Qi, W., +, TCSII Nov. 2020 2622-2626*

**Quantum computing**

A Generalized Quantum Protocol for Secure Multiparty Summation. *Sutardhar, K., +, TCSII Dec. 2020 2978-2982*

**Quantum dots**

Design of QCA-Serial Parallel Multiplier (QSPM) With Energy Dissipation Analysis. *Bahar, A.N., +, TCSII Oct. 2020 1939-1943*

**Quantum entanglement**

A Generalized Quantum Protocol for Secure Multiparty Summation. *Sutardhar, K., +, TCSII Dec. 2020 2978-2982*

**R****Radar**

Radar and Communication Co-Existence Design Based on Mutual Information Optimization. *Qian, J., +, TCSII Dec. 2020 3577-3581*

**Radar detection**

Fall Detection Using Standoff Radar-Based Sensing and Deep Convolutional Neural Network. *Sadrezaei, H., +, TCSII Jan. 2020 197-201*

**Radar imaging**

Random Sampling With Iterative Recovery for Millimeter-Wave Imaging Systems. *Zamani, H., +, TCSII Dec. 2020 3522-3526*

**Radar receivers**

A Switchless SiGe BiCMOS Bidirectional Amplifier for Wideband Radar Applications. *Caliskan, C., +, TCSII Oct. 2020 1844-1848*

**Radar signal processing**

Minimum Correlation Estimation of Leakage and Echo Signals for FMCW Radar. *Dao, X., +, TCSII Oct. 2020 2294-2298*

**Radar transmitters**

A 130 GHz Fully-Integrated Fundamental-Frequency D-Band Transmitter Module With  $> 4$  dBm Single-Ended Output Power. *Aguilar, E., +, TCSII May 2020 906-910*

A Switchless SiGe BiCMOS Bidirectional Amplifier for Wideband Radar Applications. *Caliskan, C., +, TCSII Oct. 2020 1844-1848*

**Radial basis function networks**

A Generic Nano-Watt Power Fully Tunable 1-D Gaussian Kernel Circuit for Artificial Neural Network. *Reda Mohamed, A., +, TCSII Sept. 2020 1529-1533*

**Radiation hardening (electronics)**

A Robust Hardened Latch Featuring Tolerance to Double-Node-Upset in 28nm CMOS for Spaceborne Application. *Li, Y., +, TCSII Sept. 2020 1619-1623*

Inductorless DC/DC Converter for Aerospace Applications With Insulation Features. *Ciarpi, G., +, TCSII Sept. 2020 1659-1663*

Transition Detector-Based Radiation-Hardened Latch for Both Single- and Multiple-Node Upsets. *Tajima, S., +, TCSII June 2020 1114-1118*

**Radio frequency**

A V-Band Ultra Low Power Sub-Harmonic I/Q Down-Conversion Mixer Using Current Re-Used Technique. *Chang, Y., +, TCSII Dec. 2020 2893-2897*

A Millimeter-Wave Wideband Frequency Conversion Module Based on Waveguide Switched Filters. *Zhou, L., +, TCSII Dec. 2020 3028-3032*

A Novel Spike Detection Algorithm Based on Multi-Channel of BECT EEG Signals. *Wang, Z., +, TCSII Dec. 2020 3592-3596*

Analog MIMO RoC Passive Relay for Indoor Deployments of Wireless Networks. *Matera, A., +, TCSII Dec. 2020 2988-2992*

Angle of Arrival Estimation Through a Full-Hardware Approach for Adaptive Beamforming. *Avitabile, G., +, TCSII Dec. 2020 3033-3037*

Photonic RF and Microwave Integrator Based on a Transversal Filter With Soliton Crystal Microcombs. *Xu, X., +, TCSII Dec. 2020 3582-3586*

**Radio links**

An Adaptive Impedance Matching Transmitter for a Wireless Intraoral Tongue-Controlled Assistive Technology. *Kong, F., +, TCSII Feb. 2020 240-244*

**Radio networks**

An Adaptive Impedance Matching Transmitter for a Wireless Intraoral Tongue-Controlled Assistive Technology. *Kong, F., +, TCSII Feb. 2020 240-244*

Dual-Band 3-Way Doherty Power Amplifier With Extended Back-Off Power and Bandwidth. *Liu, M., +, TCSII Feb. 2020 270-274*

Power-Balanced Non-Orthogonal Multiple Access Based on Virtual Channel Optimization. *Xia, W., +, TCSII April 2020 795-799*

**Radio receivers**

1.2-V Energy-Efficient Wireless CMOS Potentiostat for Amperometric Measurements. *Valente, V., +, TCSII Oct. 2020 1700-1704*

A 0.2-1.3 ns Range Delay-Control Scheme for a 25 Gb/s Data-Receiver Using a Replica Delay-Line-Based Delay-Locked-Loop in 45-nm CMOS. *Rehman, S.U., +, TCSII May 2020 806-810*

A 13.56 MHz Current-Mode Wireless Power Receiver With Energy-Investment Capability. *Kuo, C., +, TCSII Feb. 2020 205-209*

A 2.4-GHz Mid-Field CMOS Wireless Power Receiver Achieving 46% Maximum PCE and 163-mW Output Power. *Li, X., +, TCSII Feb. 2020 360-364*

A Package Aware QLMVF Receiver Front End. *Regulagadda, S.S., +, TCSII Sept. 2020 1584-1588*

A Sub-2 dB NF, 0.3–3 GHz Packaged Bandwidth Extended Wideband Receiver Front-End. *Gupta, N., +, TCSII March 2020 491-495*

An Adaptive Impedance Matching Transmitter for a Wireless Intraoral Tongue-Controlled Assistive Technology. *Kong, F., +, TCSII Feb. 2020 240-244*

Fiber-Fed Distributed Antenna System in an FPGA Software Defined Radio for 5G Demonstration. *Mahboob, S., +, TCSII Feb. 2020 280-284*

**Radio transceivers**

A 0.83-pJ/Bit 6.4-Gb/s HBM Base Die Receiver Using a 45° Strobe Phase for Energy-Efficient Skew Compensation. *Lee, S., +, TCSII Oct. 2020 1735-1739*

A U-Band PLL Using Implicit Distributed Resonators for Sub-THz Wireless Transceivers in 40 nm CMOS. *Chen, Z., +, TCSII Sept. 2020 1574-1578*  
Design and Simulation of a 12 Gb/s Transceiver With 8-Tap FFE, Offset-Compensated Samplers and Fully Adaptive 1-Tap Speculative/3-Tap DFE and Sampling Phase for MIPI A-PHY Applications. *Menin, D., +, TCSII Aug. 2020 1369-1373*

Minimum Correlation Estimation of Leakage and Echo Signals for FMCW Radar. *Dao, X., +, TCSII Oct. 2020 2294-2298*

Self-Optimizing Wireless Networks on Structures. *Shaik, S.M., +, TCSII May 2020 911-915*

**Radio transmitters**

A 9Gb/s Wide Output Range Transmitter With 2D Binary-Segmented Driver and Dual-Loop Calibration for Intra-Panel Interfaces. *Jeong, Y., +, TCSII Sept. 2020 1589-1593*

A Fully-Integrated 64-Channel Wireless Neural Interfacing SoC Achieving 110 dB AFE PSRR and Supporting 54 Mb/s Symbol Rate, Meter-Range Wireless Data Transmission. *Lyu, L., +, TCSII May 2020 831-835*

A Low-Power 40-Gb/s Pre-Emphasis PAM-4 Transmitter With Toggling Serializers. *Kwon, D., +, TCSII March 2020 430-434*

A Low-Power and Small Chip-Area Multi-Rate Human Body Communication DPFSK Transceiver for Wearable Devices. *Shih, H., +, TCSII July 2020 1234-1238*

A Pulse-Modulated Polar Transmitter Using Direct Digital Synthesis for 5G NR Mobile Applications. *Chen, Y., +, TCSII Oct. 2020 1894-1898*

An Adaptive Impedance Matching Transmitter for a Wireless Intraoral Tongue-Controlled Assistive Technology. *Kong, F., +, TCSII Feb. 2020 240-244*

An Ultra Low Power Integrated Radio TX Link Supplied From a Switched Capacitor DC-DC Converter in 65-nm CMOS Achieving 2 Mbps. *Rady, R., +, TCSII Oct. 2020 1899-1903*

Fiber-Fed Distributed Antenna System in an FPGA Software Defined Radio for 5G Demonstration. *Mahboob, S., +, TCSII Feb. 2020 280-284*

**Radiofrequency identification**

A Novel Envelope Detector Based on Unipolar Metal-Oxide TFTs. *Xu, Y., +, TCSII Nov. 2020 2367-2371*

A Reconfigurable Passive Voltage Multiplier for Wireless Mobile IoT Applications. *Guler, U., +, TCSII April 2020 615-619*

**Radiofrequency integrated circuits**

Adaptive Power Control Using Current Adjustment for Watt-Level Power Amplifiers in CMOS SOI. *Moallemi, S., +, TCSII April 2020 605-609*

**Radiofrequency interference**

An Adaptive Impedance Matching Transmitter for a Wireless Intraoral Tongue-Controlled Assistive Technology. *Kong, F., +, TCSII Feb. 2020 240-244*

**Radiofrequency power amplifiers**

Adaptive Power Control Using Current Adjustment for Watt-Level Power Amplifiers in CMOS SOI. *Moallemi, S., +, TCSII April 2020 605-609*

**Radiofrequency power transmission**

A 13.56 MHz Current-Mode Wireless Power Receiver With Energy-Investment Capability. *Kuo, C., +, TCSII Feb. 2020 205-209*

A 2.4-GHz Mid-Field CMOS Wireless Power Receiver Achieving 46% Maximum PCE and 163-mW Output Power. *Li, X., +, TCSII Feb. 2020 360-364*

**Radiometers**

Front-End Blocks of a W-Band Dicke Radiometer in SiGe BiCMOS Technology. *Ustundag, B., +, TCSII Nov. 2020 2417-2421*

**Radiotelemetry**

Self-Optimizing Wireless Networks on Structures. *Shaik, S.M., +, TCSII May 2020 911-915*

**Rails**

An Inductive Voltage Regulator With Overdrive Tracking Across Input Voltage in Cascoded Power Stage. *Chekuri, V.C.K., +, TCSII Dec. 2020 3083-3087*

**Random access memory**

An Ultra-Low Cost Multilayer RAM in Quantum-Dot Cellular Automata. *Song, Z., +, TCSII Dec. 2020 3397-3401*

Fully Parallel Circular-Shift Rotation Network for Communication Standards. *Harb, H., +, TCSII Dec. 2020 3412-3416*

**Random number generation**

0.6–1.2 V, 0.22 pJ/bit True Random Number Generator Based on SAR ADC. *Jayaraj, A., +, TCSII Oct. 2020 1765-1769*

A 15-Gb/s 0.0037-mm<sup>2</sup> 0.019-pJ/Bit Full-Rate Programmable Multi-Pattern Pseudo-Random Binary Sequence Generator. *Hu, J., +, TCSII Sept. 2020 1499-1503*

- A Reconfigurable Random Number Generator Based on the Transient Effects of Ring Oscillators. *Acar, B., +, TCSII Sept. 2020 1609-1613*
- An Analysis of DCM-Based True Random Number Generator. *Fujieda, N., +, TCSII June 2020 1109-1113*
- FPGA-Based True Random Number Generation Using Programmable Delays in Oscillator-Rings. *Nalla Anandakumar, N., +, TCSII March 2020 570-574*
- IC Random Number Generator Exploiting Two Simultaneous Metastable Events of Tetrahedral Oscillators. *Gunay, R., +, TCSII Sept. 2020 1634-1638*
- The Unpredictability Analysis of Boolean Chaos. *Gong, L., +, TCSII Oct. 2020 1854-1858*
- Random processes**
- Fractional-Order Correntropy Filters for Tracking Dynamic Systems in  $\alpha$ -Stable Environments. *Gogineni, V.C., +, TCSII Dec. 2020 3557-3561*
- Modeling and Understanding Ethereum Transaction Records via a Complex Network Approach. *Lin, D., +, TCSII Nov. 2020 2737-2741*
- Robustness of Coherence in Noisy Scale-Free Networks and Applications to Identification of Influential Spreaders. *Sun, W., +, TCSII July 2020 1274-1278*
- Robustness of Link Prediction Under Network Attacks. *Pu, C., +, TCSII Aug. 2020 1472-1476*
- Random-access storage**
- A 10.4-Gb/s 1-Tap Decision Feedback Equalizer With Different Pull-Up and Pull-Down Tap Weights for Asymmetric Memory Interfaces. *Chae, J., +, TCSII Feb. 2020 220-224*
- A Low-Error, Memory-Based Fast Binary Logarithmic Converter. *Jana, B., +, TCSII Oct. 2020 2129-2133*
- Rate distortion theory**
- Design and Analysis of Compressive Sensing-Based Lightweight Encryption Scheme for Multimedia IoT. *Unde, A.S., +, TCSII Jan. 2020 167-171*
- Rayleigh channels**
- A Multilevel Code-Shifted Differential Chaos Shift Keying System With Reference Diversity. *Lu, Y., +, TCSII Nov. 2020 2462-2466*
- High Data Rate Discrete-Cosine-Spread Aided M-Ary Differential Chaos Shift Keying Scheme With Low PAPR. *Chen, Z., +, TCSII Nov. 2020 2492-2496*
- RC circuits**
- A 3-MHz 17.3- $\mu$ W 0.015% Period Jitter Relaxation Oscillator With Energy Efficient Swing Boosting. *Zhou, W., +, TCSII Oct. 2020 1745-1749*
- Time-Domain Operational Amplifier With Voltage-Controlled Oscillator and Its Application to Active-RC Analog Filter. *Kim, K., +, TCSII March 2020 415-419*
- TPWL Simulation of Large Nonlinear Circuits Using Subspace Angle-Based Adaptive Sampling. *Kalra, S., +, TCSII March 2020 575-579*
- Reactive power**
- Design of a Double-Sided LC Compensated Capacitive Power Transfer System With Capacitor Voltage Stress Optimization. *Lian, J., +, TCSII April 2020 715-719*
- Reactive power control**
- An Interleaved Bi-Directional AC-DC Converter With Reduced Switches and Reactive Power Control. *Tashakor, N., +, TCSII Jan. 2020 132-136*
- Readout electronics**
- 1.2-V Energy-Efficient Wireless CMOS Potentiostat for Amperometric Measurements. *Valente, V., +, TCSII Oct. 2020 1700-1704*
- A 32-dB SNR Readout IC With 20-Vpp Tx Using On-Chip DM-TISM in HV BCD Process for Mutual-Capacitive Fingerprint Sensor. *Choi, E., +, TCSII July 2020 1224-1228*
- Double-High-Pass-Filter-Based Electrical-Recording Front-Ends and Fluorescence-Recording Front-Ends for Monitoring Multimodal Neural Activity. *Lee, T., +, TCSII May 2020 876-880*
- Real-time systems**
- Design and Implementation of Acoustic Source Localization on a Low-Cost IoT Edge Platform. *Fabregat, G., +, TCSII Dec. 2020 3547-3551*
- Receivers**
- A High Efficiency LCC-S Compensated WPT System With Dual Decoupled Receive Coils and Cascaded PWM Regulator. *Wang, X., +, TCSII Dec. 2020 3142-3146*
- Wireless Power Transfer System With High Misalignment Tolerance for Bio-Medical Implants. *Wang, Q., +, TCSII Dec. 2020 3023-3027*
- Receiving antennas**
- An Adaptive Impedance Matching Transmitter for a Wireless Intraoral Tongue-Controlled Assistive Technology. *Kong, F., +, TCSII Feb. 2020 240-244*
- Angle of Arrival Estimation Through a Full-Hardware Approach for Adaptive Beamforming. *Avitable, G., +, TCSII Dec. 2020 3033-3037*
- Fiber-Fed Distributed Antenna System in an FPGA Software Defined Radio for 5G Demonstration. *Mahboob, S., +, TCSII Feb. 2020 280-284*
- Reconfigurable architectures**
- A 60 Gb/s-Level Coarse-Grained Reconfigurable Cryptographic Processor With Less Than 1-W Power. *Deng, C., +, TCSII Feb. 2020 375-379*
- A Resource-Efficient Multiplierless Systolic Array Architecture for Convolutions in Deep Networks. *Parmar, Y., +, TCSII Feb. 2020 370-374*
- Analog Memristive CAMs for Area- and Energy-Efficient Reconfigurable Computing. *de Lima, J.P.C., +, TCSII May 2020 856-860*
- Low-Energy and Fast Spiking Neural Network For Context-Dependent Learning on FPGA. *Asgari, H., +, TCSII Nov. 2020 2697-2701*
- Stochastic Mixed-PR: A Stochastically-Tunable Low-Error Adder. *Najafi, A., +, TCSII Oct. 2020 2144-2148*
- Rectangular waveguides**
- High-Isolation and Wide-Stopband SIW Diplexer Using Mixed Electric and Magnetic Coupling. *Su, Z.L., +, TCSII Jan. 2020 32-36*
- Rectification**
- Sequential Parallel Switching for Drain-Source Synchronous Rectification Efficiency Boost in Parallel Switch Rectifiers. *Yu, O., +, TCSII Nov. 2020 2637-2641*
- Rectifiers**
- 40.68 MHz Digital On-Off Delay-Compensated Active Rectifier for WPT of Biomedical Applications. *Pal, S., +, TCSII Dec. 2020 3307-3311*
- A 2.4-GHz Mid-Field CMOS Wireless Power Receiver Achieving 46% Maximum PCE and 163-mW Output Power. *Li, X., +, TCSII Feb. 2020 360-364*
- A Reconfigurable Rectifier With Optimal Loading Point Determination for RF Energy Harvesting From -22 dBm to -2 dBm. *Zeng, Z., +, TCSII Jan. 2020 87-91*
- An AC-DC Rectifier With Active and Non-Overlapping Control for Piezoelectric Vibration Energy Harvesting. *Chang, R.C., +, TCSII June 2020 969-973*
- Class-E<sup>2</sup> DC-DC Converter With Basic Class-E Inverter and Class-E ZCS Rectifier for Capacitive Power Transfer. *Ueda, H., +, TCSII May 2020 941-945*
- Design Method for RF Energy Harvesting Rectifiers. *Garcia-Moreno, S., +, TCSII Nov. 2020 2727-2731*
- Fault Localization Strategy for Modular Multilevel Converters in Rectifier Mode Under Submodule Switch Open-Circuit Failure. *Geng, Z., +, TCSII Dec. 2020 3222-3226*
- Hardware Implementation of an Improved Stochastic Computing Based Deep Neural Network Using Short Sequence Length. *Xiong, H., +, TCSII Nov. 2020 2667-2671*
- Harmonic-Recycling Rectifier for High-Efficiency Far-Field Wireless Power Transfer. *Ngo, T., +, TCSII April 2020 770-774*
- Sequential Parallel Switching for Drain-Source Synchronous Rectification Efficiency Boost in Parallel Switch Rectifiers. *Yu, O., +, TCSII Nov. 2020 2637-2641*
- Rectifying circuits**
- A Reconfigurable Rectifier With Optimal Loading Point Determination for RF Energy Harvesting From -22 dBm to -2 dBm. *Zeng, Z., +, TCSII Jan. 2020 87-91*
- An AC-DC Rectifier With Active and Non-Overlapping Control for Piezoelectric Vibration Energy Harvesting. *Chang, R.C., +, TCSII June 2020 969-973*
- Harmonic-Recycling Rectifier for High-Efficiency Far-Field Wireless Power Transfer. *Ngo, T., +, TCSII April 2020 770-774*
- Schottky Diode Large-Signal Equivalent-Circuit Parameters Extraction for High-Efficiency Microwave Rectifying Circuit Design. *Chen, Q., +, TCSII Nov. 2020 2722-2726*

- Sequential Parallel Switching for Drain-Source Synchronous Rectification Efficiency Boost in Parallel Switch Rectifiers. *Yu, O., +, TCSII Nov. 2020 2637-2641*
- Recurrent neural networks**  
Projection Recurrent Neural Network Model: A New Strategy to Solve Maximum Flow Problem. *Eshaghnezhad, M., +, TCSII Nov. 2020 2747-2751*
- Recursive estimation**  
DCD-Based Recursive Adaptive Algorithms Robust Against Impulsive Noise. *Yu, Y., +, TCSII July 2020 1359-1363*
- Reduced-Communication Diffusion RLS for Distributed Estimation Over Multi-Agent Networks. *Rastegarnia, A., TCSII Jan. 2020 177-181*
- Recycling**  
Harmonic-Recycling Rectifier for High-Efficiency Far-Field Wireless Power Transfer. *Ngo, T., +, TCSII April 2020 770-774*
- Reduced order systems**  
Frequency Limited Model Reduction Techniques for Discrete-Time Systems. *Toor, H.I., +, TCSII Feb. 2020 345-349*
- Global Stabilization of Uncertain SISO Dynamical Systems Using a Multiple Delayed Partial State Feedback Sliding Mode Control. *Soni, S., +, TCSII July 2020 1259-1263*
- Model Order Reduction Based on Dynamic Relative Gain Array for MIMO Systems. *Liang, W., +, TCSII Nov. 2020 2507-2511*
- TPWL Simulation of Large Nonlinear Circuits Using Subspace Angle-Based Adaptive Sampling. *Kalra, S., +, TCSII March 2020 575-579*
- Vortex Search Algorithm for Optimal Power Flow Analysis in DC Resistive Networks With CPLs. *Montoya, O.D., +, TCSII Aug. 2020 1439-1443*
- Redundancy**  
A 40-nm CMOS 12b 120-MS/s Nonbinary SAR-Assisted SAR ADC With Double Clock-Rate Coarse Decision. *Roh, Y., +, TCSII Dec. 2020 2833-2837*
- Reed-Solomon codes**  
High-Throughput Low-Latency Encoder and Decoder for a Class of Generalized Reed-Solomon Codes for Short-Reach Optical Communications. *Zheng, B., +, TCSII April 2020 670-674*
- Low-Latency and Low-Power Test-Vector Selector for Reed-Solomon's Low-Complexity Chase. *Garcia-Herrero, F., +, TCSII Dec. 2020 3362-3366*
- Scaled Nested Key Equation Solver for Generalized Integrated Interleaved Decoder. *Xie, Z., +, TCSII Nov. 2020 2457-2461*
- Reference circuits**  
A -40 °C to 120 °C, 169 ppm/°C Nano-Ampere CMOS Current Reference. *Huang, Q., +, TCSII Sept. 2020 1494-1498*
- A 8.2-pW 2.4-pA Current Reference Operating at 0.5 V With No Amplifiers or Resistors. *Zhuang, H., +, TCSII July 2020 1204-1208*
- A 9Gb/s Wide Output Range Transmitter With 2D Binary-Segmented Driver and Dual-Loop Calibration for Intra-Panel Interfaces. *Jeong, Y., +, TCSII Sept. 2020 1589-1593*
- A Driving and Compensation Method for AMLED Displays Using Adaptive Reference Generator for High Luminance Uniformity. *Ahn, H., +, TCSII Oct. 2020 1725-1729*
- A Low Power High Precision Trim-Less Envelope Detector for Fail-Safe Circuit in LVDS Receiver. *Lee, S.S., +, TCSII Oct. 2020 1770-1774*
- A Wide-Range-Supply-Voltage Sense Amplifier Circuit for Embedded Flash Memory. *Zhu, W., +, TCSII Aug. 2020 1454-1458*
- Adjustable Output CMOS Voltage Reference Design. *Olivera, F., +, TCSII Oct. 2020 1690-1694*
- An 18-nA Ultra-Low-Current Resistor-Less Bandgap Reference for 2.8 V-4.5 V High Voltage Supply Li-Ion-Battery-Based LSIs. *Wang, S., +, TCSII Nov. 2020 2382-2386*
- Low-Power Small-Area Inverter-Based DSM for MEMS Microphone. *Cho, S., +, TCSII Nov. 2020 2392-2396*
- Untrimmed BGR of 1.1%  $3\sigma$  Based on Dynamic-Biased Op Amp With Reduced  $V_{off}$ . *Lee, J., +, TCSII Oct. 2020 1829-1833*
- Regression analysis**  
0.3 pJ/Bit Machine Learning Resistant Strong PUF Using Subthreshold Voltage Divider Array. *Venkatesh, A., +, TCSII Aug. 2020 1394-1398*
- Digital Self-Interference Cancellation for Full-Duplex Underwater Acoustic Systems. *Shen, L., +, TCSII Jan. 2020 192-196*
- Semi-Supervised Learning Based on Hybrid Neural Network for the Signal Integrity Analysis. *Chen, S., +, TCSII Oct. 2020 1934-1938*
- Regulators**  
A Fast Transient Response Hybrid LDO With Highly Accurate DC Voltage Using Countable Bidirectional Binary Search and Soft Swap Switching. *Jung, J., +, TCSII Dec. 2020 3272-3276*
- A High Efficiency LCC-S Compensated WPT System With Dual Decoupled Receive Coils and Cascaded PWM Regulator. *Wang, X., +, TCSII Dec. 2020 3142-3146*
- An Inductive Voltage Regulator With Overdrive Tracking Across Input Voltage in Cascoded Power Stage. *Chekuri, V.C.K., +, TCSII Dec. 2020 3083-3087*
- Relational databases**  
FPGA-Accelerated Hash Join Operation for Relational Databases. *Xue, M., +, TCSII Oct. 2020 1919-1923*
- Modular Pipeline Architecture for Accelerating Join Operation in RDBMS. *Chen, W., +, TCSII Nov. 2020 2662-2666*
- Relaxation oscillators**  
A 3-MHz 17.3- $\mu$ W 0.015% Period Jitter Relaxation Oscillator With Energy Efficient Swing Boosting. *Zhou, W., +, TCSII Oct. 2020 1745-1749*
- Implementing Poincaré Sections for a Chaotic Relaxation Oscillator. *Euzzor, S., +, TCSII Feb. 2020 395-399*
- Relay control**  
System Identification Under Relay and PI Control. *Pandey, S., +, TCSII June 2020 1089-1093*
- Relays**  
Wireless Power Transfer System With High Misalignment Tolerance for Bio-Medical Implants. *Wang, Q., +, TCSII Dec. 2020 3023-3027*
- Reliability**  
A Novel Iterative Reliability-Based Majority-Logic Decoder for NB-LDPC Codes. *Song, S., +, TCSII Aug. 2020 1399-1403*
- Stabilization of DC Nanogrids Based on Non-Integer General Type-II Fuzzy System. *Mosayebi, M., +, TCSII Dec. 2020 3108-3112*
- Renewable energy sources**  
A High-Performance Energy Management System Based on Evolving Graph. *Liu, G., +, TCSII Feb. 2020 350-354*
- Over-Current Protection for Power Packet Dispatching System. *Reza, C.M.F.S., +, TCSII Nov. 2020 2617-2621*
- Resistance**  
Concept of LIF Neuron Circuit for Rate Coding in Spike Neural Networks. *Velichko, A., +, TCSII Dec. 2020 3477-3481*
- Functional Read Enabling In-Memory Computations in 1Transistor—1Resistor Memory Arrays. *Jaiswal, A., +, TCSII Dec. 2020 3347-3351*
- MTJ-LRB: Proposal of MTJ-Based Loop Replica Bitline as MRAM Device-Circuit Interaction for PVT-Robust Sensing. *Zhou, Y., +, TCSII Dec. 2020 3352-3356*
- Stabilization of DC Nanogrids Based on Non-Integer General Type-II Fuzzy System. *Mosayebi, M., +, TCSII Dec. 2020 3108-3112*
- Resistive RAM**  
A Behavioral Model of Digital Resistive Switching for Systems Level DNN Acceleration. *Eshraghian, J.K., +, TCSII May 2020 956-960*
- A ReRAM-Based Computing-in-Memory Convolutional-Macro With Customized 2T2R Bit-Cell for AIoT Chip IP Applications. *Tan, F., +, TCSII Sept. 2020 1534-1538*
- A Simple Quasi-Static Compact Model of Bipolar ReRAM Memristive Devices. *Al Chawa, M.M., +, TCSII Feb. 2020 390-394*
- Analog Memristive CAMs for Area- and Energy-Efficient Reconfigurable Computing. *de Lima, J.P.C., +, TCSII May 2020 856-860*
- Design and Fabrication of Flow-Based Edge Detection Memristor Crossbar Circuits<sup>1</sup>. *Pannu, J.S., +, TCSII May 2020 961-965*
- Improving Resistive RAM Hard and Soft Decision Correctable BERs by Using Improved-LLR and Reset-Check-Reverse-Flag Concatenating LDPC Code. *Ning, S., TCSII Oct. 2020 2164-2168*
- Resistors**  
A -40 °C to 120 °C, 169 ppm/°C Nano-Ampere CMOS Current Reference. *Huang, Q., +, TCSII Sept. 2020 1494-1498*
- A Dynamic-Biased Resistor-Based CMOS Temperature Sensor With a Duty-Cycle-Modulated Output. *Tang, Z., +, TCSII Sept. 2020 1504-1508*

<sup>1</sup> Check author entry for coauthors

- A Highly Linear 8-Bit M–2M Digital-to-Analog Converter for Neurostimulators. *Shahsavari, S., +, TCSII June 2020 989-993*
- A Robust Bio-IA With Digitally Controlled DC-Servo Loop and Improved Pseudo-Resistor. *Liu, L., +, TCSII March 2020 440-444*
- A Wide Dynamic Range Multi-Mode Band-Pass Continuous-Time Delta-Sigma Modulator Employing Single-Opamp Resonator With Positive Resistor-Feedback. *Kim, S., +, TCSII Feb. 2020 235-239*
- An ISM Band High-Linear Current-Reuse Up-Conversion Mixer With Built-in-Self-Calibration for LOFT and I/Q Imbalance. *Wang, X., +, TCSII Dec. 2020 2898-2902*
- Concept of LIF Neuron Circuit for Rate Coding in Spike Neural Networks. *Velichko, A., +, TCSII Dec. 2020 3477-3481*
- Multilayer Packaging SiW Three-Way Filtering Power Divider With Adjustable Power Division. *Zhang, G., +, TCSII Dec. 2020 3003-3007*
- Resonant frequency**
- A 0.2-V Three-Winding Transformer-Based DCO in 16-nm FinFET CMOS. *Li, C., +, TCSII Dec. 2020 2878-2882*
  - A Microstrip Lowpass Filter With Wide Tuning Range and Sharp Roll-Off Response. *Moloudian, G., +, TCSII Dec. 2020 2953-2957*
  - Compact Balanced Dual-Band BPFs Based on Short and Open Stub Loaded Resonators With Wide Common-Mode Suppression. *Wei, F., +, TCSII Dec. 2020 3043-3047*
  - Compact Spoof Surface Plasmon Polaritons Waveguide Integrated With Blind Vias and Its Applications. *Zhang, Q.L., +, TCSII Dec. 2020 3038-3042*
  - Substrate Integrated Waveguide Multi-Channel Filtering Crossover With Extended Channel Number and Controllable Frequencies. *Zhan, W., +, TCSII Dec. 2020 2858-2862*
- Resonant power converters**
- Sequential Parallel Switching for Drain-Source Synchronous Rectification Efficiency Boost in Parallel Switch Rectifiers. *Yu, O., +, TCSII Nov. 2020 2637-2641*
- Resonator filters**
- Balanced-to-Balanced Diplexer and Quadruplexer With High Selectivity and Wide CM Suppression. *Wei, F., +, TCSII Nov. 2020 2467-2471*
  - Compact Wide-Stopband Dual-Band Balanced Filter Using an Electromagnetically Coupled SIR Pair With Controllable Transmission Zeros and Bandwidths. *Tang, J., +, TCSII Nov. 2020 2357-2361*
  - Design and Fabrication of an Ultra-Wide Stopband Compact Bandpass Filter. *Sheikhi, A., +, TCSII Feb. 2020 265-269*
  - Design of Equal-Ripple Dual-Wideband Bandpass Filter With Minimum Design Parameters Based on Cross-Shaped Resonator. *Bi, X., +, TCSII Oct. 2020 1780-1784*
  - Design of Tri-Band Balanced Filter With Wideband Common-Mode Suppression and Upper Stopband Using Square Ring Loaded Resonator. *Liu, H., +, TCSII Oct. 2020 1760-1764*
  - Dual-Band Half Mode Substrate Integrated Waveguide Filter With Independently Tunable Bands. *Iqbal, A., +, TCSII Feb. 2020 285-289*
  - Hairpin Resonators in Varactor-Tuned Microstrip Bandpass Filters. *Zakharov, A., +, TCSII Oct. 2020 1874-1878*
  - High Selectivity Dual-Wideband Balun Filter Utilizing a Multimode T-line Loaded Middle-Shorted CSRR. *Zeng, X., +, TCSII Nov. 2020 2447-2451*
  - Microstrip Tunable Diplexer With Separately-Designable Channels. *Lu, Q., +, TCSII Dec. 2020 2983-2987*
  - Octo-Band Bandpass Filter Based on Unequal-Width Cruciform Connected Resonator With Sharp Skirt. *Wang, L., +, TCSII March 2020 475-479*
  - Quad-Mode LTCC Surface Mounted Packaging Common-Mode Filter Based on the Asymmetric Short-Stub Loaded Resonator. *Shi, Y., +, TCSII Oct. 2020 1944-1948*
  - Realization of Multiple Transmission Zeros for Bandpass Filters With Simple Inline Topology. *Shen, G., +, TCSII June 2020 1029-1033*
  - Reconfigurable BPF With Constant Center Frequency and Wide Tuning Range of Bandwidth. *Arain, S., +, TCSII Aug. 2020 1374-1378*
  - Slotline-Based Balanced Filter With Ultra-Wide Stopband and High Selectivity. *Bi, X., +, TCSII March 2020 460-464*
  - Transmission Line Tunable Resonators With Intersecting Resonance Regions. *Zakharov, A., +, TCSII April 2020 660-664*

## Resonators

- A Microstrip Lowpass Filter With Wide Tuning Range and Sharp Roll-Off Response. *Moloudian, G., +, TCSII Dec. 2020 2953-2957*
  - A Wide Dynamic Range Multi-Mode Band-Pass Continuous-Time Delta-Sigma Modulator Employing Single-Opamp Resonator With Positive Resistor-Feedback. *Kim, S., +, TCSII Feb. 2020 235-239*
  - Compact Balanced Dual-Band BPFs Based on Short and Open Stub Loaded Resonators With Wide Common-Mode Suppression. *Wei, F., +, TCSII Dec. 2020 3043-3047*
  - Compact Spoof Surface Plasmon Polaritons Waveguide Integrated With Blind Vias and Its Applications. *Zhang, Q.L., +, TCSII Dec. 2020 3038-3042*
  - Switchable Filtering Circuit With Single- and Multi-Channel Operations. *Xu, J., +, TCSII Dec. 2020 2958-2962*
- Resource allocation**
- Accurate Privacy Preserving Average Consensus. *Yin, T., +, TCSII April 2020 690-694*
  - Traffic Dynamics Evaluation for the Future NFV Deployment. *Jiang, Z., +, TCSII Oct. 2020 2214-2218*
- Resource management**
- Power-Optimal Mapping of CNN Applications to Cloud-Based Multi-FPGA Platforms. *Shan, J., +, TCSII Dec. 2020 3073-3077*
- Reverse engineering**
- Logic Obfuscation Through Enhanced Threshold Voltage Defined Logic Family. *Park, B., +, TCSII Dec. 2020 3407-3411*
- RF signals**
- Analog MIMO RoC Passive Relay for Indoor Deployments of Wireless Networks. *Matera, A., +, TCSII Dec. 2020 2988-2992*
  - Photonic RF and Microwave Integrator Based on a Transversal Filter With Soliton Crystal Microcombs. *Xu, X., +, TCSII Dec. 2020 3582-3586*
- RLC circuits**
- Anti-Disturbance Bumpless Transfer Control for Switched Systems With its Application to Switched Circuit Model. *Zhao, Y., +, TCSII Dec. 2020 3177-3181*
  - Conditions on Polynomials Involved in Admittance Functions Passively Realizable by Using RLC and Two Fractional Elements. *Tavazoei, M.S., TCSII June 2020 999-1003*
  - Observed-Based Asynchronous Control of Linear Semi-Markov Jump Systems With Time-Varying Mode Emission Probabilities. *Tian, Y., +, TCSII Dec. 2020 3147-3151*
  - Periodic Event-Triggered Dynamic Output Feedback Dissipative Control With Stochastic Detection. *Ma, G., +, TCSII June 2020 1069-1073*
- Robot vision**
- A Multi-Class Objects Detection Coprocessor With Dual Feature Space and Weighted Softmax. *Xiao, Z., +, TCSII Sept. 2020 1629-1633*
- Robust control**
- A Modified Fixed Current-Mode Controller for Improved Performance in Quadratic Boost Converters. *Chan, C., +, TCSII Oct. 2020 2014-2018*
  - A Performance-Region-Based Approach to the  $H_\infty$  Stochastic Consensus Problem. *Wang, J., +, TCSII July 2020 1289-1293*
  - A Robust [K,KL] Sector for Nonlinear System. *Sachan, A., +, TCSII Nov. 2020 2547-2551*
  - A Robust Adaptive Cancellation of Unknown Sinusoidal Disturbance. *Chu, Z., +, TCSII April 2020 705-709*
  - A Robust Decentralized PID Controller Based on Complementary Sensitivity Function for a Multivariable System. *Mahapatro, S.R., +, TCSII Oct. 2020 2024-2028*
  - A Robust Shipboard DC-DC Power Converter Control: Concept Analysis and Experimental Results. *Mosayebi, M., +, TCSII Nov. 2020 2612-2616*
  - Continuous Nonsingular Terminal Sliding Mode Control of DC-DC Boost Converters Subject to Time-Varying Disturbances. *Wang, Z., +, TCSII Nov. 2020 2552-2556*
  - Event-Based Robust Synchronization of Boolean Control Networks. *Ouyang, C., +, TCSII Oct. 2020 1969-1973*
  - Fixed-Time Synchronization of Complex Networks With a Simpler Non-chattering Controller. *Xu, Y., +, TCSII April 2020 700-704*

- Non-Fragile Fault Alarm-Based Hybrid Control for the Attitude Quadrotor Model With Actuator Saturation. *Harshavarthini, S., +, TCSII Nov. 2020 2647-2651*
- Robust Design Strategy of Quantized Feedback Control. *Chang, X., +, TCSII April 2020 730-734*
- Robust Hybrid Control Design for Stochastic Markovian Jump System via Fault Alarm Approach. *Sakthivel, R., +, TCSII Oct. 2020 2004-2008*
- Robust Output Regulation in Discrete-Time Singular Systems With Actuator Saturation and Uncertainties. *Jafari, E., +, TCSII Feb. 2020 340-344*
- Robustness**
- Dynamic Event-Triggered State Observers for a Class of Nonlinear Systems With Time Delays and Disturbances. *Huong, D.C., +, TCSII Dec. 2020 3457-3461*
- Improving Robustness of Interdependent Networks by Reducing Key Unbalanced Dependency Links. *Yang, X., +, TCSII Dec. 2020 3187-3191*
- New Link Attack Strategies of Complex Networks Based on  $k$ -Core Decomposition. *Sun, S., +, TCSII Dec. 2020 3157-3161*
- Projectional Observers of Nonlinear Systems With Full-State Constraints. *Garcia-Gonzalez, A., +, TCSII Dec. 2020 3078-3082*
- Robust Maximum Mixture Correntropy Criterion-Based Semi-Supervised ELM With Variable Center. *Yang, J., +, TCSII Dec. 2020 3572-3576*
- Robust Observer Design for Two-Dimensional Discrete Positive Switched Systems With Delays. *Ghous, I., +, TCSII Dec. 2020 3297-3301*
- Runtime**
- Approximate Multipliers With Dynamic Truncation for Energy Reduction via Graceful Quality Degradation. *Frustaci, F., +, TCSII Dec. 2020 3427-3431*
- S**
- S-matrix theory**
- NGD Analysis of Turtle-Shape Microstrip Circuit. *Wan, F., +, TCSII Nov. 2020 2477-2481*
- S-parameters**
- Miniaturized Single-Ended-to-Balanced Arbitrary Four-Section Coupled-Line Coupler With Inherent Impedance Matching. *Wang, W., +, TCSII Oct. 2020 1929-1933*
- Schottky Diode Large-Signal Equivalent-Circuit Parameters Extraction for High-Efficiency Microwave Rectifying Circuit Design. *Chen, Q., +, TCSII Nov. 2020 2722-2726*
- Sample and hold circuits**
- A 13.56 MHz Current-Mode Wireless Power Receiver With Energy-Investment Capability. *Kuo, C., +, TCSII Feb. 2020 205-209*
- A Compact Calibration Model for Linearizing CMOS Sample-and-Hold Circuits. *Li, Y., +, TCSII Nov. 2020 2327-2331*
- Sampled data systems**
- Consensus in Fractional-Order Multi-Agent Systems With Intermittence Sampled Data Over Directed Networks. *Ye, Y., +, TCSII Feb. 2020 365-369*
- Observer-Based Adaptive Sampled-Data Event-Triggered Distributed Control for Multi-Agent Systems. *Zhao, L., +, TCSII Jan. 2020 97-101*
- Stability Analysis of Aperiodic Sampled-Data Systems: A Switched Polytopic System Method. *Sun, J., +, TCSII June 2020 1054-1058*
- Schottky diodes**
- Compact Analog Predistorter With Shape Tuning Capability Using Power-Dependent Impedance Matching Network. *Deng, H., +, TCSII Oct. 2020 1705-1709*
- Schottky Diode Large-Signal Equivalent-Circuit Parameters Extraction for High-Efficiency Microwave Rectifying Circuit Design. *Chen, Q., +, TCSII Nov. 2020 2722-2726*
- Search problems**
- A 100 MHz, 0.8-to-1.1 V, 170 mA Digital LDO With 8-Cycles Mean Settling Time and 9-Bit Regulating Resolution in 180-nm CMOS. *Yuan, Z., +, TCSII Sept. 2020 1664-1668*
- A Circuit-Level Amoeba-Inspired SAT Solver. *Takeuchi, N., +, TCSII Oct. 2020 2139-2143*
- A Novel Tuning Method for Impedance Matching Network Based on Linear Fractional Transformation. *Xiong, B., +, TCSII June 2020 1039-1043*
- Calibrating Amplifiers Nonlinearity Using Comparator-Based ADCs. *Rabuske, F., +, TCSII March 2020 435-439*
- DRAPS: A Design Rule Aware Path Search Algorithm for Detailed Routing. *Goncalves, S.M.M., +, TCSII July 2020 1239-1243*
- Efficient FPGA Implementation of K-Nearest-Neighbor Search Algorithm for 3D LIDAR Localization and Mapping in Smart Vehicles. *Sun, H., +, TCSII Sept. 2020 1644-1648*
- Small-World Regular Networks for Communication. *Pandey, P.K., +, TCSII Aug. 2020 1409-1413*
- Voltage Stability Margin in DC Grids With CPLs: A Recursive Newton-Raphson Approximation. *Montoya, O.D., +, TCSII Feb. 2020 300-304*
- Vortex Search Algorithm for Optimal Power Flow Analysis in DC Resistive Networks With CPLs. *Montoya, O.D., +, TCSII Aug. 2020 1439-1443*
- Secondary cells**
- An 18-nA Ultra-Low-Current Resistor-Less Bandgap Reference for 2.8 V-4.5 V High Voltage Supply Li-Ion-Battery-Based LSIs. *Wang, S., +, TCSII Nov. 2020 2382-2386*
- Security**
- Similarity-Based and Sybil Attack Defended Community Detection for Social Networks. *Jiang, Z., +, TCSII Dec. 2020 3487-3491*
- Security of data**
- Fusion-Based FDI Attack Detection in Cyber-Physical Systems. *Gao, L., +, TCSII Aug. 2020 1487-1491*
- Intermediate-Variable-Based Estimation for FDI Attacks in Cyber-Physical Systems. *Zhou, J., +, TCSII Nov. 2020 2762-2766*
- Sparse Undetectable Sensor Attacks Against Cyber-Physical Systems: A Subspace Approach. *Zhao, Z., +, TCSII Nov. 2020 2517-2521*
- Vulnerability Assessment of Power Grids Against Link-Based Attacks. *Pu, C., +, TCSII Oct. 2020 2209-2213*
- Self-adjusting systems**
- Velocity Observer-Based Nonlinear Self-Tuning Position Stabilizer for Ball-Beam System Applications. *Lee, C.R., +, TCSII July 2020 1309-1313*
- Self-organizing feature maps**
- AW-SOM, an Algorithm for High-Speed Learning in Hardware Self-Organizing Maps. *Cardarilli, G.C., +, TCSII Feb. 2020 380-384*
- Semiconductor device measurement**
- 40.68 MHz Digital On-Off Delay-Compensated Active Rectifier for WPT of Biomedical Applications. *Pal, S., +, TCSII Dec. 2020 3307-3311*
- Semiconductor diodes**
- A Switched-Capacitor Self-Balanced High-Gain Multilevel Inverter Employing a Single DC Source. *Panda, K.P., +, TCSII Dec. 2020 3192-3196*
- Semisupervised learning**
- Feature-Temporal Semi-Supervised Extreme Learning Machine for Robotic Terrain Classification. *Lv, W., +, TCSII Dec. 2020 3567-3571*
- Robust Maximum Mixture Correntropy Criterion-Based Semi-Supervised ELM With Variable Center. *Yang, J., +, TCSII Dec. 2020 3572-3576*
- Sensor arrays**
- A 10 Bit 5 MS/s Column SAR ADC With Digital Error Correction for CMOS Image Sensors. *Xie, S., +, TCSII June 2020 984-988*
- Sensors**
- A Highly Integrated 400–800 MHz Spectrum Sensing System Based on Envelope Detection. *Yen, M., +, TCSII Dec. 2020 3008-3012*
- Functional Read Enabling In-Memory Computations in 1Transistor—1Resistor Memory Arrays. *Jaiswal, A., +, TCSII Dec. 2020 3347-3351*
- MTJ-LRB: Proposal of MTJ-Based Loop Replica Bitline as MRAM Device-Circuit Interaction for PVT-Robust Sensing. *Zhou, Y., +, TCSII Dec. 2020 3352-3356*
- Sparse Undetectable Sensor Attacks Against Cyber-Physical Systems: A Subspace Approach. *Zhao, Z., +, TCSII Nov. 2020 2517-2521*
- Sequential circuits**
- A Scan Obfuscation Guided Design-for-Security Approach for Sequential Circuits. *Karmakar, R., +, TCSII March 2020 546-550*
- Servomechanisms**
- A Robust Bio-IA With Digitally Controlled DC-Servo Loop and Improved Pseudo-Resistor. *Liu, L., +, TCSII March 2020 440-444*

**Set theory**

Dismantling and Vertex Cover of Network Through Message Passing. *Zhao, D., +, TCSII Nov. 2020 2732-2736*

Finite-Time Time-Variant Feedback Stabilization of Logical Control Networks With Markov Jump Disturbances. *Ding, X., +, TCSII Oct. 2020 2079-2083*

Lyapunov Functions for the Set Stability and the Synchronization of Boolean Control Networks. *Chen, B., +, TCSII Nov. 2020 2537-2541*

Security of Public-Key Cryptosystems Based on Chebyshev Polynomials Over  $\mathbb{Z}/p^k\mathbb{Z}$ . *Yoshioka, D., TCSII Oct. 2020 2204-2208*

Set Stabilization of Boolean Control Networks With Impulsive Effects: An Event-Triggered Approach. *Lin, L., +, TCSII July 2020 1244-1248*

The Feedback Vertex Set Problem of Multiplex Networks. *Zhao, D., +, TCSII Dec. 2020 3492-3496*

**Shift registers**

A Highly Synthesizable 0.5-to-1.0-V Digital Low-Dropout Regulator With Adaptive Clocking and Incremental Regulation Scheme. *Oh, J., +, TCSII Oct. 2020 2174-2178*

Low-Area and Low-Power Latch-Based Thermometer-Code Shift-Register. *Woo, K., +, TCSII Oct. 2020 2119-2123*

On the Design of Biorthogonal Halfband Filterbanks With Almost Tight Rational Coefficients. *Nagare, M.B., +, TCSII April 2020 790-794*

Time-Skew Estimation for Random Sampling Sequence Time-Interleaved ADCs. *Salib, A., +, TCSII Oct. 2020 1809-1813*

**Short-circuit currents**

Over-Voltage Suppression Methods for the MMC-VSC-HVDC Wind Farm Integration System. *Li, Y., +, TCSII Feb. 2020 355-359*

**Sigma-delta modulation**

A 1.5-to-3.0GHz Tunable RF Sigma-Delta ADC With a Fixed Set of Coefficients and a Programmable Loop Delay. *Sayed, A., +, TCSII Sept. 2020 1559-1563*

A 170.7-dB FoM-DR 0.45/0.6-V Inverter-Based Continuous-Time Sigma-Delta Modulator. *de Aguirre, P.C.C., +, TCSII Aug. 2020 1384-1388*

Efficient Calibration of Feedback DAC in Delta Sigma Modulators. *Shakya, J.R., +, TCSII May 2020 826-830*

Performance Evaluation of Incremental Sigma-Delta ADCs Based on their NTF. *Wagner, J., +, TCSII Dec. 2020 2813-2817*

**Sign language recognition**

A Wireless Multi-Channel Capacitive Sensor System for Efficient Glove-Based Gesture Recognition With AI at the Edge. *Pan, J., +, TCSII Sept. 2020 1624-1628*

**Signal denoising**

A Parallel Kernelized Data-Reusing Maximum Correntropy Algorithm. *Wu, Q., +, TCSII Nov. 2020 2792-2796*

An Adaptive Denoising Algorithm for Improving Frequency Estimation and Tracking. *Wijenayake, C., +, TCSII Jan. 2020 172-176*

Analysis of Least Stochastic Entropy Adaptive Filters for Noncircular Gaussian Signals. *Zhang, X., +, TCSII July 2020 1364-1368*

**Signal detection**

A Novel Dynamic Detection for Flash Memory. *Ismail, A., +, TCSII March 2020 600-604*

**Signal generators**

A Frequency-Reconfigurable CMOS Active Phase Shifter for 5G mm-Wave Applications. *Xiong, Y., +, TCSII Oct. 2020 1824-1828*

**Signal processing**

A Separable Maximum Correntropy Adaptive Algorithm. *Shi, W., +, TCSII Nov. 2020 2797-2801*

Stochastic Analysis of Diffusion Dual Sign Algorithm for Cyclostationary White Gaussian Inputs and Nonstationary System. *Gao, W., +, TCSII July 2020 1354-1358*

**Signal processing algorithms**

An Optimal Filter for Singular Systems With Stochastic Multiplicative Disturbance. *Yu, X., +, TCSII Dec. 2020 3607-3611*

Bias-Compensated Minimum Error Entropy Algorithms With Polynomial Sparsity Penalty Constraints. *Chen, Z., +, TCSII Dec. 2020 3537-3541*

Compressed Principal Component Regression (C-PCR) Algorithm and FPGA Validation. *Zamani, H., +, TCSII Dec. 2020 3512-3516*

Fractional-Order Correntropy Filters for Tracking Dynamic Systems in  $\alpha$ -Stable Environments. *Gogineni, V.C., +, TCSII Dec. 2020 3557-3561*

Low-Cost Implementation of Independent Component Analysis for Biomedical Signal Separation Using Very-Large-Scale Integration. *Chen, Y., +, TCSII Dec. 2020 3437-3441*

Null Space Projection Enhanced LMS Filters. *Lunglmayr, M., +, TCSII Dec. 2020 3507-3511*

Sparsity Constrained Recursive Generalized Maximum Correntropy Criterion With Variable Center Algorithm. *Sun, Q., +, TCSII Dec. 2020 3517-3521*

Transient Analysis of Signed LMS Algorithms With Cyclostationary Colored Gaussian Inputs. *Gao, W., +, TCSII Dec. 2020 3562-3566*

**Signal reconstruction**

A Multiple-Measurement Vectors Reconstruction Method for Low SNR Scenarios. *Wang, L., +, TCSII April 2020 785-789*

Oversampled DFT-Modulated Biorthogonal Filter Banks: Perfect Reconstruction Designs and Multiplierless Approximations. *Martins, W.A., +, TCSII Nov. 2020 2777-2781*

**Signal representation**

A New Parametric Adaptive Source Domain Method for Sound Field Synthesis. *Chu, Y.J., +, TCSII Nov. 2020 2787-2791*

**Signal resolution**

A Multi-Modulus Fractional Divider With TDC Free Calibration Scheme for Mitigation of TX-VCO Pulling. *Liu, L., +, TCSII Dec. 2020 2848-2852*

**Signal sampling**

A New Parametric Adaptive Source Domain Method for Sound Field Synthesis. *Chu, Y.J., +, TCSII Nov. 2020 2787-2791*

An Adaptive Denoising Algorithm for Improving Frequency Estimation and Tracking. *Wijenayake, C., +, TCSII Jan. 2020 172-176*

Oversampled DFT-Modulated Biorthogonal Filter Banks: Perfect Reconstruction Designs and Multiplierless Approximations. *Martins, W.A., +, TCSII Nov. 2020 2777-2781*

**Signal to noise ratio**

0.13pW/Hz Ring VCO-Based Continuous-Time Read-Out ADC for Bio-impedance Measurement. *Danesh, M., +, TCSII Dec. 2020 2823-2827*

I/Q Imbalance Calibration Method for 5G Ultra-Wideband Transceivers. *Dao, T., +, TCSII Dec. 2020 3048-3052*

**Silicon**

A 120-mW 0.16-ms-Latency Connectivity-Scalable Multiuser Detector for Interleave Division Multiple Access. *Kong, B.Y., +, TCSII March 2020 470-474*

A Four-Step Incremental ADC Based on Double Extended Binary Counting With Capacitive DAC. *Oh, B., +, TCSII Oct. 2020 1685-1689*

Silicon Evaluation of Multimode Dual Mode Logic for PVT-Aware Datapaths. *Stanger, I., +, TCSII Sept. 2020 1639-1643*

**Silicon carbide**

Power Regeneration From DC Motor With Bidirectional Router in Power Packet Dispatching System. *Yoshida, N., +, TCSII Dec. 2020 3088-3092*

**Silicon-on-insulator**

A 0.2-1.3 ns Range Delay-Control Scheme for a 25 Gb/s Data-Receiver Using a Replica Delay-Line-Based Delay-Locked-Loop in 45-nm CMOS. *Rehman, S.U., +, TCSII May 2020 806-810*

A DLL-Based Quadrature Clock Generator With a 3-Stage Quad Delay Unit Using the Sub-Range Phase Interpolator for Low-Jitter and High-Phase Accuracy DRAM Applications. *Yoon, Y., +, TCSII Nov. 2020 2342-2346*

Adaptive Body Bias Aware Implementation for Ultra-Low-Voltage Designs in 22FDX Technology. *Hopfner, S., +, TCSII Oct. 2020 2159-2163*

Adaptive Power Control Using Current Adjustment for Watt-Level Power Amplifiers in CMOS SOI. *Moallemi, S., +, TCSII April 2020 605-609*

Closed-Form Analysis of Metastability Voltage in 28-nm UTBB FD-SOI CMOS Technology. *Olivera, F., +, TCSII April 2020 625-629*

Jammering Suppression in Massive MIMO Systems. *Akhlaghpasand, H., +, TCSII Jan. 2020 182-186*

**Simulated annealing**

Design and Fabrication of Flow-Based Edge Detection Memristor Crossbar Circuits<sup>1</sup>. *Pannu, J.S., +, TCSII May 2020 961-965*

Robustness of Link Prediction Under Network Attacks. *Pu, C., +, TCSII Aug. 2020 1472-1476*

<sup>1</sup>Check author entry for coauthors

- The Feedback Vertex Set Problem of Multiplex Networks. *Zhao, D., +, TCSII Dec. 2020 3492-3496*
- Simulation**
- A Microstrip Lowpass Filter With Wide Tuning Range and Sharp Roll-Off Response. *Moloudian, G., +, TCSII Dec. 2020 2953-2957*
  - A Novel XOR/XNOR Structure for Modular Design of QCA Circuits. *Wang, L., +, TCSII Dec. 2020 3327-3331*
  - An Ultra-Low Cost Multilayer RAM in Quantum-Dot Cellular Automata. *Song, Z., +, TCSII Dec. 2020 3397-3401*
- Singularly perturbed systems**
- Dynamic Event-Triggered Sliding Mode Control: Dealing With Slow Sampling Singularly Perturbed Systems. *Song, J., +, TCSII June 2020 1079-1083*
- Skin**
- Auto-Resonant Tuning for Capacitive Power and Data Telemetry Using Flexible Patches. *Nag, S., +, TCSII Oct. 2020 1804-1808*
- Sliding mode control**
- Simplified Hysteresis Sliding-Mode Control for Superbuck Converter. *Chen, Z., +, TCSII Dec. 2020 3212-3216*
- Slot line components**
- Slotline-Based Balanced Filter With Ultra-Wide Stopband and High Selectivity. *Bi, X., +, TCSII March 2020 460-464*
- Slot lines**
- Compact Balanced Dual-Band BPFs Based on Short and Open Stub Loaded Resonators With Wide Common-Mode Suppression. *Wei, F., +, TCSII Dec. 2020 3043-3047*
  - High Selectivity Dual-Wideband Balun Filter Utilizing a Multimode T-line Loaded Middle-Shorted CSRR. *Zeng, X., +, TCSII Nov. 2020 2447-2451*
- Smart power grids**
- A Multiport Power Electronic Transformer Based on Modular Multilevel Converter and Mixed-Frequency Modulation. *Ma, D., +, TCSII July 2020 1284-1288*
  - A Novel Approach to Overcome the Limitations of Reliability Centered Maintenance Implementation on the Smart Grid Distance Protection System. *Rafiei, M., +, TCSII Feb. 2020 320-324*
- Smoothing methods**
- A Slide Window Variational Adaptive Kalman Filter. *Huang, Y., +, TCSII Dec. 2020 3552-3556*
  - Optimal Filtering and a Smoothing Algorithm for a Singular System With a Complex Stochastic Uncertain Parameter Matrix. *Yu, X., +, TCSII April 2020 780-784*
- Social networking (online)**
- Dismantling and Vertex Cover of Network Through Message Passing. *Zhao, D., +, TCSII Nov. 2020 2732-2736*
  - Similarity-Based and Sybil Attack Defended Community Detection for Social Networks. *Jiang, Z., +, TCSII Dec. 2020 3487-3491*
- Software algorithms**
- Novel Bit-Reordering Circuit for Continuous-Flow Parallel FFT Architectures. *Gyanendra, ., +, TCSII Dec. 2020 3392-3396*
- Software architecture**
- Modular Pipeline Architecture for Accelerating Join Operation in RDBMS. *Chen, W., +, TCSII Nov. 2020 2662-2666*
- Software radio**
- Fiber-Fed Distributed Antenna System in an FPGA Software Defined Radio for 5G Demonstration. *Mahboob, S., +, TCSII Feb. 2020 280-284*
  - Reconfigurable Chireix Outphasing Power Amplifier Over Multiple Frequency Bands. *Aggrawal, E., +, TCSII June 2020 1019-1023*
- Solar cells**
- An Indoor Photovoltaic Energy Harvester Using Time-Based MPPT and On-Chip Photovoltaic Cell. *Chang, M., +, TCSII Nov. 2020 2432-2436*
- Solitons**
- Photonic RF and Microwave Integrator Based on a Transversal Filter With Soliton Crystal Microcombs. *Xu, X., +, TCSII Dec. 2020 3582-3586*
- Sorting**
- A Hybrid Pipelined Architecture for High Performance Top- $K$  Sorting on FPGA. *Chen, W., +, TCSII Aug. 2020 1449-1453*
  - Finite-Time Stability of Probabilistic Logical Networks: A Topological Sorting Approach. *Zhu, S., +, TCSII April 2020 695-699*
- Modular Pipeline Architecture for Accelerating Join Operation in RDBMS. *Chen, W., +, TCSII Nov. 2020 2662-2666*
- Source separation**
- Low-Cost Implementation of Independent Component Analysis for Biomedical Signal Separation Using Very-Large-Scale Integration. *Chen, Y., +, TCSII Dec. 2020 3437-3441*
- Space vehicle electronics**
- Inductorless DC/DC Converter for Aerospace Applications With Insulation Features. *Ciarpi, G., +, TCSII Sept. 2020 1659-1663*
- Space-time block codes**
- Fiber-Fed Distributed Antenna System in an FPGA Software Defined Radio for 5G Demonstration. *Mahboob, S., +, TCSII Feb. 2020 280-284*
- Special issues and sections**
- Guest Editorial Special Issue on the 2020 IEEE International Symposium on Circuits and Systems. *Ha, Y., +, TCSII May 2020 805*
  - Guest Editorial Special Issue on the 2020 ISICAS: A CAS Journal Track Symposium. *Ha, Y., +, TCSII Sept. 2020 1493*
- Spectrogram**
- Influence of Initial Condition on Wandering Spur Pattern in a MASH-Based Fractional- $N$  Frequency Synthesizer. *Mai, D., +, TCSII Dec. 2020 2968-2972*
- Speech recognition**
- A Digital Capacitive MEMS Microphone for Speech Recognition With Fast Wake-Up Feature Using a Sound Activity Detector. *Yang, Y., +, TCSII Sept. 2020 1509-1513*
- SPICE**
- A Method of Creating the High-Voltage Circuit Model of Metal-Oxide Varistor for the Simulation of Square Pulse Forming. *Cui, Y., +, TCSII March 2020 526-530*
  - A New High Drive Class-AB FVF-Based Second Generation Voltage Conveyor. *Barile, G., +, TCSII March 2020 405-409*
  - Braid Shielding Effectiveness Kron's Model via Coupled Cables Configuration. *Cholachue, C., +, TCSII Aug. 2020 1389-1393*
  - Design Method for RF Energy Harvesting Rectifiers. *Garcia-Moreno, S., +, TCSII Nov. 2020 2727-2731*
  - Non-Intrusive Online Distributed Pulse Shrinking-Based Interconnect Testing in 2.5D IC. *Ni, T., +, TCSII Nov. 2020 2657-2661*
  - Schottky Diode Large-Signal Equivalent-Circuit Parameters Extraction for High-Efficiency Microwave Rectifying Circuit Design. *Chen, Q., +, TCSII Nov. 2020 2722-2726*
- Splines (mathematics)**
- Steady-State Performance Analysis of Nonlinear Spline Adaptive Filter Under Maximum Correntropy Criterion. *Wang, W., +, TCSII June 2020 1154-1158*
- Split ring resonators**
- High Selectivity Dual-Wideband Balun Filter Utilizing a Multimode T-line Loaded Middle-Shorted CSRR. *Zeng, X., +, TCSII Nov. 2020 2447-2451*
- Sport**
- Trajectory-Based Community Detection. *Jiang, Z., +, TCSII June 2020 1139-1143*
- SRAM chips**
- A Reinforcement Learning-Based Markov-Decision Process (MDP) Implementation for SRAM FPGAs. *Ruan, A., +, TCSII Oct. 2020 2124-2128*
  - Adaptive Body Bias Aware Implementation for Ultra-Low-Voltage Designs in 22FDX Technology. *Hoppner, S., +, TCSII Oct. 2020 2159-2163*
  - CRAM: Collocated SRAM and DRAM With In-Memory Computing-Based Denoising and Filling for Neuromorphic Vision Sensors in 65 nm CMOS. *Zhang, X., +, TCSII May 2020 816-820*
  - Effective Low Leakage 6T and 8T FinFET SRAMs: Using Cells With Reverse-Biased FinFETs, Near-Threshold Operation, and Power Gating. *Turi, M.A., +, TCSII April 2020 765-769*
  - Energy-Efficient Data-Aware SRAM Design Utilizing Column-Based Data Encoding. *Do, A.T., +, TCSII Oct. 2020 2154-2158*
  - FPGA-Accelerated Hash Join Operation for Relational Databases. *Xue, M., +, TCSII Oct. 2020 1919-1923*
  - High-Throughput Parallel SRAM-Based Hash Join Architecture on FPGA. *Wu, W., +, TCSII Nov. 2020 2502-2506*

**Stability**

$L_p$ -Stability of a Class of Volterra Systems. *van Wyk, M.A., +, TCSII Aug. 2020 1469-1471*

A Normalized Output Error-Based Sliding-Mode Controller for the DC–DC Cascade Boost Converter. *Chincholkar, S.H., +, TCSII Jan. 2020 92-96*

A SAR-ADC-Assisted DC-DC Buck Converter With Fast Transient Recovery. *Zeng, W., +, TCSII Sept. 2020 1669-1673*

Adaptive Control for Nonlinear Systems With Uncertain Output Function and Unknown Homogenous Growth Rate. *Zhai, J., TCSII Oct. 2020 1974-1978*

Consensus in Fractional-Order Multi-Agent Systems With Intermittent Sampled Data Over Directed Networks. *Ye, Y., +, TCSII Feb. 2020 365-369*

Continuous Finite-Time Integral Sliding Mode Control for Attitude Stabilization. *Wang, L., +, TCSII Oct. 2020 2084-2088*

Designing Observer-Type Controller for Containment of Discrete-Time Linear MASs Over Signed Graph. *Fang, X., +, TCSII March 2020 511-515*

Digital Valley V<sup>2</sup> Control for Boost Converter With Fast Load-Transient Performance. *Zhou, G., +, TCSII Oct. 2020 2089-2093*

Event-Triggered Control of a Class of Nonlinear Systems on the Basis of Indefinite Lyapunov Theory. *Ghazisaeedi, H.R., +, TCSII Oct. 2020 2104-2108*

Finite-Time Fault-Tolerant Control for Nonlinear Systems With Input Quantization and Its Application. *Liu, W., +, TCSII July 2020 1249-1253*

Finite-Time Stability of Probabilistic Logical Networks: A Topological Sorting Approach. *Zhu, S., +, TCSII April 2020 695-699*

Finite-Time Time-Variant Feedback Stabilization of Logical Control Networks With Markov Jump Disturbances. *Ding, X., +, TCSII Oct. 2020 2079-2083*

Frequency Limited Model Reduction Techniques for Discrete-Time Systems. *Toor, H.I., +, TCSII Feb. 2020 345-349*

Global Fixed-Time Output Feedback Stabilization for a Class of Double Integrator Systems. *Su, Y., +, TCSII Oct. 2020 1954-1958*

Higher Order Sliding Mode Control-Based Finite-Time Constrained Stabilization. *Goyal, J.K., +, TCSII Feb. 2020 295-299*

Implicit-Euler Implementation of Super-Twisting Observer and Twisting Controller for Second-Order Systems. *Xiong, X., +, TCSII Nov. 2020 2607-2611*

Lyapunov Functions for the Set Stability and the Synchronization of Boolean Control Networks. *Chen, B., +, TCSII Nov. 2020 2537-2541*

Non-Uniform Reducing the Involved Differentiators' Orders and Lyapunov Stability Preservation Problem in Dynamic Systems. *Badri, V., +, TCSII April 2020 735-739*

Novel Nonsingular Terminal Sliding Mode Control for Multi-Agent Tracking Systems With Application to Jerk Circuit. *Dong, L., +, TCSII Aug. 2020 1429-1433*

Observer Design for Discrete-Time Nonlinear Systems Using the Stability Radii Theory. *Aviles, J.D., +, TCSII Oct. 2020 1959-1963*

Observer-Based Adaptive Sampled-Data Event-Triggered Distributed Control for Multi-Agent Systems. *Zhao, L., +, TCSII Jan. 2020 97-101*

Reinforcement Learning-Based Control of Nonlinear Systems Using Lyapunov Stability Concept and Fuzzy Reward Scheme. *Chen, M., +, TCSII Oct. 2020 2059-2063*

Robust Distributed Stabilization of Heterogeneous Agents Over Cooperation–Competition Networks. *Hu, H., +, TCSII Aug. 2020 1419-1423*

Set Stabilization of Boolean Control Networks With Impulsive Effects: An Event-Triggered Approach. *Lin, L., +, TCSII July 2020 1244-1248*

Stability Analysis of Aperiodic Sampled-Data Systems: A Switched Polytopic System Method. *Sun, J., +, TCSII June 2020 1054-1058*

Stochastic Distributed Pinning Control for Co-Multi-Inverter Networks With a Virtual Leader. *Lai, J., +, TCSII Oct. 2020 2094-2098*

Synchronization of Chaotic-Oscillation Permanent Magnet Synchronous Generators Networks via Adaptive Impulsive Control. *Zhu, D., +, TCSII Oct. 2020 2194-2198*

Variable-Gain Second-Order Sliding Mode Controller With Globally Fixed-Time Stability Guarantees. *Shi, S., +, TCSII Aug. 2020 1414-1418*

Velocity Observer-Based Nonlinear Self-Tuning Position Stabilizer for Ball-Beam System Applications. *Lee, C.R., +, TCSII July 2020 1309-1313*

Vibration Control of a Riser-Vessel System Subject to Input Backlash and Extraneous Disturbances. *Zhao, Z., +, TCSII March 2020 516-520*

**Stability analysis**

Adaptive Algorithm for Sparse System Identification Based on Hard-Thresholding Techniques. *Lee, H., +, TCSII Dec. 2020 3597-3601*

Finite-Time Consensus of Finite Field Networks With Stochastic Time Delays. *Li, Y., +, TCSII Dec. 2020 3128-3132*

Fixed Time Synchronization Control for Bilateral Teleoperation Mobile Manipulator With Nonholonomic Constraint and Time Delay. *Xu, G., +, TCSII Dec. 2020 3452-3456*

Improved Digital Average Voltage Control for Switching Converter With Capacitor Current Compensation. *Zhou, G., +, TCSII Dec. 2020 3197-3201*

Multiple Lyapunov Functions Approach for Consensus of One-Sided Lipschitz Multi-Agents Over Switching Topologies and Input Saturation. *Razaq, M.A., +, TCSII Dec. 2020 3267-3271*

Optical Manipulation of Biological Cells With a Robot-Tweezers System: A Stochastic Control Approach. *Xie, M., +, TCSII Dec. 2020 3232-3236*

Robust Observer Design for Two-Dimensional Discrete Positive Switched Systems With Delays. *Ghous, I., +, TCSII Dec. 2020 3297-3301*

**Stability criteria**

A Unified Framework of Stability Theorems for LTI Fractional Order Systems With  $0 < \alpha < 2$ . *Zhang, X., +, TCSII Dec. 2020 3237-3241*

An Improved Local Stability Criterion for Digital Filters With Interference and Overflow Nonlinearity. *Kokil, P., +, TCSII March 2020 595-599*

An Improved Stability Criterion for Digital Filters With Generalized Overflow Arithmetic and Time-Varying Delay. *Zhang, C., +, TCSII Oct. 2020 2099-2103*

An Improved Stability Theorem for Nonlinear Systems on Time Scales With Application to Multi-Agent Systems. *Lu, X., +, TCSII Dec. 2020 3277-3281*

Aperiodic Sampled-Data Control for Exponential Stabilization of Delayed Neural Networks: A Refined Two-Sided Looped-Functional Approach. *Yao, L., +, TCSII Dec. 2020 3217-3221*

Delay-Dependent and Order-Dependent Stability and Stabilization of Fractional-Order Linear Systems With Time-Varying Delay. *Chen, L., +, TCSII June 2020 1064-1068*

**Standards**

Adaptive Modified Versoria Zero Attraction Least Mean Square Algorithms. *Bhattacharjee, S.S., +, TCSII Dec. 2020 3602-3606*

Logic Obfuscation Through Enhanced Threshold Voltage Defined Logic Family. *Park, B., +, TCSII Dec. 2020 3407-3411*

Low-Complexity Reconfigurable DCT-V Architecture. *Kello, J., +, TCSII Dec. 2020 3417-3421*

**State estimation**

A High-Performance Energy Management System Based on Evolving Graph. *Liu, G., +, TCSII Feb. 2020 350-354*

A Robust [K,KL] Sector for Nonlinear System. *Sachan, A., +, TCSII Nov. 2020 2547-2551*

Further Result on  $H_\infty$  Performance State Estimation of Delayed Static Neural Networks Based on an Improved Reciprocally Convex Inequality. *Tan, G., +, TCSII Aug. 2020 1477-1481*

**State feedback**

Bipartite Consensus for Descriptor Multiagent Systems With Antagonistic Interactions. *Zhang, L., +, TCSII Nov. 2020 2602-2606*

Cooperative Output Regulation of Heterogeneous Multi-Agent Systems With Adaptive Edge-Event-Triggered Strategies. *Cheng, B., +, TCSII Oct. 2020 2199-2203*

Delay-Dependent and Order-Dependent Stability and Stabilization of Fractional-Order Linear Systems With Time-Varying Delay. *Chen, L., +, TCSII June 2020 1064-1068*

Event-Based Robust Synchronization of Boolean Control Networks. *Ouyang, C., +, TCSII Oct. 2020 1969-1973*

Feedback Dissipativity and Stabilization for Switched Positive Systems With a Combined Switching Law. *Wang, P., +, TCSII Nov. 2020 2572-2576*

Finite-Time Time-Variant Feedback Stabilization of Logical Control Networks With Markov Jump Disturbances. *Ding, X., +, TCSII Oct. 2020 2079-2083*

- Global Stabilization of Uncertain SISO Dynamical Systems Using a Multiple Delayed Partial State Feedback Sliding Mode Control. *Soni, S., +, TCSII July 2020 1259-1263*
- Lyapunov Functions for the Set Stability and the Synchronization of Boolean Control Networks. *Chen, B., +, TCSII Nov. 2020 2537-2541*
- Model Order Reduction Based on Dynamic Relative Gain Array for MIMO Systems. *Liang, W., +, TCSII Nov. 2020 2507-2511*
- Robust Hybrid Control Design for Stochastic Markovian Jump System via Fault Alarm Approach. *Sakthivel, R., +, TCSII Oct. 2020 2004-2008*
- State-space methods**
- An Improved Stability Criterion for Digital Filters With Generalized Overflow Arithmetic and Time-Varying Delay. *Zhang, C., +, TCSII Oct. 2020 2099-2103*
- Analysis of the Effect of Switch Parasitic Resistance and Capacitance on N-Path Filters Using State Space Representation. *Zolkov, E., +, TCSII Oct. 2020 1889-1893*
- Finite-Time Time-Variant Feedback Stabilization of Logical Control Networks With Markov Jump Disturbances. *Ding, X., +, TCSII Oct. 2020 2079-2083*
- Global Asymptotic Stability of 2-D Digital Filters With a Saturation Operator on the State-Space. *Kandanyli, V.K.R., +, TCSII Nov. 2020 2742-2746*
- Non-Uniform Reducing the Involved Differentiators' Orders and Lyapunov Stability Preservation Problem in Dynamic Systems. *Badri, V., +, TCSII April 2020 735-739*
- Observer-Based Monitoring of the Cardiovascular System. *Astorga-Zaragoza, C., TCSII March 2020 501-505*
- System Identification Under Relay and PI Control. *Pandey, S., +, TCSII June 2020 1089-1093*
- Statistical analysis**
- Analysis of Switched Capacitor Losses in Polar and Quadrature Switched Capacitor PAs. *Zaner, J., +, TCSII Oct. 2020 1904-1908*
- Closed-Form Analysis of Metastability Voltage in 28-nm UTBB FD-SOI CMOS Technology. *Olivera, F., +, TCSII April 2020 625-629*
- First Order Statistic Based Fast Blind Calibration of Time Skews for Time-Interleaved ADCs. *Yin, M., +, TCSII Jan. 2020 162-166*
- Statistical distributions**
- Analysis of Least Stochastic Entropy Adaptive Filters for Noncircular Gaussian Signals. *Zhang, X., +, TCSII July 2020 1364-1368*
- Statistical testing**
- A Reconfigurable Random Number Generator Based on the Transient Effects of Ring Oscillators. *Acar, B., +, TCSII Sept. 2020 1609-1613*
- FPGA-Based True Random Number Generation Using Programmable Delays in Oscillator-Rings. *Nalla Anandakumar, N., +, TCSII March 2020 570-574*
- Steady-state**
- A Fast-Transient Response Digital Low-Dropout Regulator With Dual-Modes Tuning Technique. *Qian, L., +, TCSII Dec. 2020 2943-2947*
- A Study of Multi-Phase Injection on Accelerating Crystal Oscillator Start-Up. *Karimi-Bidhendi, A., +, TCSII Dec. 2020 2868-2872*
- Adaptive Algorithm for Sparse System Identification Based on Hard-Thresholding Techniques. *Lee, H., +, TCSII Dec. 2020 3597-3601*
- An Improved Mode Transition Technique for a Non-Isolated Bidirectional DC-DC Converter. *Sharma, A., +, TCSII Dec. 2020 3093-3097*
- Bias-Compensated MCCC Algorithm for Widely Linear Adaptive Filtering With Noisy Data. *Dong, F., +, TCSII Dec. 2020 3587-3591*
- Simplified Hysteresis Sliding-Mode Control for Superbuck Converter. *Chen, Z., +, TCSII Dec. 2020 3212-3216*
- Topology Identification for Power Systems via Compressive Sensing Based on Transient Dynamics. *Ding, L., +, TCSII Dec. 2020 3202-3206*
- Steering systems**
- Cooperative Formation of Self-Propelled Vehicles With Directed Communications. *Rao, P., +, TCSII Feb. 2020 315-319*
- Stochastic processes**
- A Circuit-Level Amoeba-Inspired SAT Solver. *Takeuchi, N., +, TCSII Oct. 2020 2139-2143*
- A Stochastic Computing Architecture for Iterative Estimation. *Lunglmayr, M., +, TCSII March 2020 580-584*
- An Optimal Filter for Singular Systems With Stochastic Multiplicative Disturbance. *Yu, X., +, TCSII Dec. 2020 3607-3611*
- Circuit Reliability Comparison Between Stochastic Computing and Binary Computing. *Zhang, Z., +, TCSII Dec. 2020 3342-3346*
- Effects of Measurement Noise on Flocking Dynamics of Cucker-Smale Systems. *Chen, D., +, TCSII Oct. 2020 2064-2068*
- Hardware Implementation of an Improved Stochastic Computing Based Deep Neural Network Using Short Sequence Length. *Xiong, H., +, TCSII Nov. 2020 2667-2671*
- High-Accuracy and Fault Tolerant Stochastic Inner Product Design. *Haselmayr, W., +, TCSII March 2020 541-545*
- Multiple Line-Outage Detection in Power System With Load Stochastic Perturbations. *Nie, S., +, TCSII Oct. 2020 1994-1998*
- New Divider Design for Stochastic Computing. *Chu, S.-I., TCSII Jan. 2020 147-151*
- Optical Manipulation of Biological Cells With a Robot-Tweezers System: A Stochastic Control Approach. *Xie, M., +, TCSII Dec. 2020 3232-3236*
- Optimal Filtering and a Smoothing Algorithm for a Singular System With a Complex Stochastic Uncertain Parameter Matrix. *Yu, X., +, TCSII April 2020 780-784*
- Periodic Event-Triggered Dynamic Output Feedback Dissipative Control With Stochastic Detection. *Ma, G., +, TCSII June 2020 1069-1073*
- Quantized Fuzzy Finite-Time Control for Nonlinear Semi-Markov Switching Systems. *Qi, W., +, TCSII Nov. 2020 2622-2626*
- Stochastic Wave-Pipelined On-Chip Interconnect. *Najafi, A., +, TCSII May 2020 841-845*
- Stochastic systems**
- A Performance-Region-Based Approach to the  $H_\infty$  Stochastic Consensus Problem. *Wang, J., +, TCSII July 2020 1289-1293*
- Asynchronous Observer-Based Control for Exponential Stabilization of Markov Jump Systems. *Zhang, M., +, TCSII Oct. 2020 2039-2043*
- Finite-Time Time-Variant Feedback Stabilization of Logical Control Networks With Markov Jump Disturbances. *Ding, X., +, TCSII Oct. 2020 2079-2083*
- Periodic Event-Triggered Dynamic Output Feedback Dissipative Control With Stochastic Detection. *Ma, G., +, TCSII June 2020 1069-1073*
- Robust Hybrid Control Design for Stochastic Markovian Jump System via Fault Alarm Approach. *Sakthivel, R., +, TCSII Oct. 2020 2004-2008*
- Stochastic Distributed Pinning Control for Co-Multi-Inverter Networks With a Virtual Leader. *Lai, J., +, TCSII Oct. 2020 2094-2098*
- Stress**
- A Switched-Capacitor Self-Balanced High-Gain Multilevel Inverter Employing a Single DC Source. *Panda, K.P., +, TCSII Dec. 2020 3192-3196*
- An Ultra High Gain Quasi Z-Source Inverter Consisting Active Switched Network. *Kumar, A., +, TCSII Dec. 2020 3207-3211*
- Cross Connected Compact Switched-Capacitor Multilevel Inverter (C<sup>3</sup>-SC-MLI) Topology With Reduced Switch Count. *Jagabar Sathik, M., +, TCSII Dec. 2020 3287-3291*
- Strip line filters**
- Compact Lowpass and Dual-Band Bandpass Filter With Controllable Transmission Zero/Center Frequencies/Passband Bandwidth. *Choudhary, D.K., +, TCSII June 2020 1044-1048*
- Strips**
- Low-Loss Reconfigurable Phase Shifter in Gap-Waveguide Technology for mm-Wave Applications. *Palomares-Caballero, A., +, TCSII Dec. 2020 3058-3062*
- Substrate integrated waveguides**
- A Compact Substrate Integrated Waveguide Cavity-Backed Self-Triplexing Antenna. *Iqbal, A., +, TCSII Nov. 2020 2362-2366*
- A Self-Packaged Power Divider With Compact Size and Low Loss. *Feng, T., +, TCSII Nov. 2020 2437-2441*
- Compact and Wideband Octuple-Mode Filter Based on Hybrid Substrate Integrated Waveguide and Spoof Localized Surface Plasmon Structure. *Yang, Z., +, TCSII Nov. 2020 2377-2381*
- Dual-Band Half Mode Substrate Integrated Waveguide Filter With Independently Tunable Bands. *Iqbal, A., +, TCSII Feb. 2020 285-289*

- High-Isolation and Wide-Stopband SIW Diplexer Using Mixed Electric and Magnetic Coupling. *Su, Z.L., +, TCSII Jan. 2020 32-36*
- Tunable SIW Bandpass Filters With Improved Upper Stopband Performance. *Iqbal, A., +, TCSII July 2020 1194-1198*
- Substrates**
- Wide-Stopband SIW Filters Using Modified Multi-Spurious Modes Suppression Technique. *Xie, H., +, TCSII Dec. 2020 2883-2887*
- Supercapacitors**
- A Power Management System for Microbial Fuel Cells With 53.02% Peak End-to-End Efficiency. *Umaz, R., TCSII Nov. 2020 2592-2596*
- A Single Inductor Self-Startup Energy Combiner Circuit With Bioturbation Resilience in Multiple Microbial Fuel Cells. *Umaz, R., TCSII Dec. 2020 3227-3231*
- Support vector machines**
- 0.3 pJ/Bit Machine Learning Resistant Strong PUF Using Subthreshold Voltage Divider Array. *Venkatesh, A., +, TCSII Aug. 2020 1394-1398*
- A Hybrid Reducing Error Correcting Output Code for Lithology Identification. *Chen, X., +, TCSII Oct. 2020 2254-2258*
- Surface acoustic wave sensors**
- A Photoacoustic-Surface-Acoustic-Wave Sensor for Ring-Stage Malaria Parasite Detection. *Wang, S., +, TCSII May 2020 881-885*
- Surface mount technology**
- Quad-Mode LTCC Surface Mounted Packaging Common-Mode Filter Based on the Asymmetric Short-Stub Loaded Resonator. *Shi, Y., +, TCSII Oct. 2020 1944-1948*
- Surface plasmons**
- Compact and Wideband Octuple-Mode Filter Based on Hybrid Substrate Integrated Waveguide and Spoof Localized Surface Plasmon Structure. *Yang, Z., +, TCSII Nov. 2020 2377-2381*
- Switched capacitor filters**
- High Input Impedance Low-Noise CMOS Analog Frontend IC for Wearable Electrocardiogram Monitoring. *Zhang, C., +, TCSII July 2020 1169-1173*
- Switched capacitor networks**
- A 2 nW 0.25 V 140 dB-FOM Inverter-Based First Order  $\Delta\Sigma$  Modulator. *Catania, A., +, TCSII Sept. 2020 1514-1518*
- A 3-MHz 17.3- $\mu$ W 0.015% Period Jitter Relaxation Oscillator With Energy Efficient Swing Boosting. *Zhou, W., +, TCSII Oct. 2020 1745-1749*
- A Switched Capacitor Voltage Converter With Exponentially Sized Capacitor Banks for Wide Load Range. *Ali Shah, S.A., +, TCSII Oct. 2020 2049-2053*
- A Two-Stage Switched-Capacitor Integrator for High Gain Inverter-Like Architectures. *Bruschi, P., +, TCSII Feb. 2020 210-214*
- Analysis of Switched Capacitor Losses in Polar and Quadrature Switched Capacitor PAs. *Zanen, J., +, TCSII Oct. 2020 1904-1908*
- Low-Power Small-Area Inverter-Based DSM for MEMS Microphone. *Cho, S., +, TCSII Nov. 2020 2392-2396*
- Switched mode power supplies**
- Inductorless DC/DC Converter for Aerospace Applications With Insulation Features. *Ciarpi, G., +, TCSII Sept. 2020 1659-1663*
- Switched systems**
- Robust Observer Design for Two-Dimensional Discrete Positive Switched Systems With Delays. *Ghous, I., +, TCSII Dec. 2020 3297-3301*
- Switches**
- A 40-nm CMOS 12b 120-MS/s Nonbinary SAR-Assisted SAR ADC With Double Clock-Rate Coarse Decision. *Roh, Y., +, TCSII Dec. 2020 2833-2837*
- A Fast-Transient Response Digital Low-Dropout Regulator With Dual-Modes Tuning Technique. *Qian, L., +, TCSII Dec. 2020 2943-2947*
- A Millimeter-Wave Wideband Frequency Conversion Module Based on Waveguide Switched Filters. *Zhou, L., +, TCSII Dec. 2020 3028-3032*
- A Switched-Capacitor Self-Balanced High-Gain Multilevel Inverter Employing a Single DC Source. *Panda, K.P., +, TCSII Dec. 2020 3192-3196*
- Adaptive Tracking Control for Switched Uncertain Nonlinear Systems With Input Saturation and Unmodeled Dynamics. *Song, Z., +, TCSII Dec. 2020 3152-3156*
- An Improved Mode Transition Technique for a Non-Isolated Bidirectional DC-DC Converter. *Sharma, A., +, TCSII Dec. 2020 3093-3097*
- An Ultra High Gain Quasi Z-Source Inverter Consisting Active Switched Network. *Kumar, A., +, TCSII Dec. 2020 3207-3211*
- Anti-Disturbance Bumpless Transfer Control for Switched Systems With its Application to Switched Circuit Model. *Zhao, Y., +, TCSII Dec. 2020 3177-3181*
- Autonomous Event Driven Model of Second Order Voltage Switched Charge Pump PLL. *Ali, E., +, TCSII Dec. 2020 2903-2907*
- Concept of LIF Neuron Circuit for Rate Coding in Spike Neural Networks. *Velichko, A., +, TCSII Dec. 2020 3477-3481*
- Cross Connected Compact Switched-Capacitor Multilevel Inverter (C<sup>3</sup>-SC-MLI) Topology With Reduced Switch Count. *Jagabar Sathik, M., +, TCSII Dec. 2020 3287-3291*
- Fault Localization Strategy for Modular Multilevel Converters in Rectifier Mode Under Submodule Switch Open-Circuit Failure. *Geng, Z., +, TCSII Dec. 2020 3222-3226*
- Hybrid 7-Level Boost Active-Neutral-Point- Clamped (H-7L-BANPC) Inverter. *Lee, S.S., +, TCSII Oct. 2020 2044-2048*
- Improved Digital Average Voltage Control for Switching Converter With Capacitor Current Compensation. *Zhou, G., +, TCSII Dec. 2020 3197-3201*
- Leakage Current Minimization Using NPC DC Decoupling Method for Three-Phase Cascaded Multilevel PV Inverter. *Sonti, V., +, TCSII Dec. 2020 3247-3251*
- Linear Quadratic Regulator of Discrete-Time Switched Linear Systems. *Wu, G., +, TCSII Dec. 2020 3113-3117*
- Multiple Lyapunov Functions Approach for Consensus of One-Sided Lipschitz Multi-Agents Over Switching Topologies and Input Saturation. *Razaq, M.A., +, TCSII Dec. 2020 3267-3271*
- Observed-Based Asynchronous Control of Linear Semi-Markov Jump Systems With Time-Varying Mode Emission Probabilities. *Tian, Y., +, TCSII Dec. 2020 3147-3151*
- Power Regeneration From DC Motor With Bidirectional Router in Power Packet Dispatching System. *Yoshida, N., +, TCSII Dec. 2020 3088-3092*
- Reduced Switch Count Based Single Source 7L Boost Inverter Topology. *Siddique, M.D., +, TCSII Dec. 2020 3252-3256*
- Robust Observer Design for Two-Dimensional Discrete Positive Switched Systems With Delays. *Ghous, I., +, TCSII Dec. 2020 3297-3301*
- Switchable Filtering Circuit With Single- and Multi-Channel Operations. *Xu, J., +, TCSII Dec. 2020 2958-2962*
- Switching circuits**
- Anti-Disturbance Bumpless Transfer Control for Switched Systems With its Application to Switched Circuit Model. *Zhao, Y., +, TCSII Dec. 2020 3177-3181*
- Cross Connected Compact Switched-Capacitor Multilevel Inverter (C<sup>3</sup>-SC-MLI) Topology With Reduced Switch Count. *Jagabar Sathik, M., +, TCSII Dec. 2020 3287-3291*
- Functional Read Enabling In-Memory Computations in 1Transistor—1Resistor Memory Arrays. *Jaiswal, A., +, TCSII Dec. 2020 3347-3351*
- Power Packet Router With Power and Signal Switches for a Single Power Packet. *Katayama, S., +, TCSII Dec. 2020 3242-3246*
- Reduced Switch Count Based Single Source 7L Boost Inverter Topology. *Siddique, M.D., +, TCSII Dec. 2020 3252-3256*
- Switchable Filtering Circuit With Single- and Multi-Channel Operations. *Xu, J., +, TCSII Dec. 2020 2958-2962*
- Ultra-Low Voltage Push-Pull Converter for Micro Energy Harvesting. *Colalongo, L., +, TCSII Dec. 2020 3172-3176*
- Switching converters**
- A Modified Fixed Current-Mode Controller for Improved Performance in Quadratic Boost Converters. *Chan, C., +, TCSII Oct. 2020 2014-2018*
- A Negative Embedded Differential Mode F-Source Inverter With Reduced Switching Spikes. *Reddivari, R., +, TCSII Oct. 2020 2009-2013*
- A New Switched Capacitor 7L Inverter With Triple Voltage Gain and Low Voltage Stress. *Siddique, M.D., +, TCSII July 2020 1294-1298*
- A SAR-ADC-Assisted DC-DC Buck Converter With Fast Transient Recovery. *Zeng, W., +, TCSII Sept. 2020 1669-1673*
- An Indoor Photovoltaic Energy Harvester Using Time-Based MPPT and On-Chip Photovoltaic Cell. *Chang, M., +, TCSII Nov. 2020 2432-2436*

- An Interleaved Bi-Directional AC-DC Converter With Reduced Switches and Reactive Power Control. *Tashakor, N., +, TCSII Jan. 2020 132-136*
- An Ultra Low Power Integrated Radio TX Link Supplied From a Switched Capacitor DC-DC Converter in 65-nm CMOS Achieving 2 Mbps. *Rady, R., +, TCSII Oct. 2020 1899-1903*
- Class-E<sup>2</sup> DC-DC Converter With Basic Class-E Inverter and Class-E ZCS Rectifier for Capacitive Power Transfer. *Ueda, H., +, TCSII May 2020 941-945*
- Hot-Swappable Grid-Connected Multilevel Converter for Battery Energy Storage System. *Cheng, C., +, TCSII Oct. 2020 2109-2113*
- Low Noise ZVS Switch Sharing Multichannel Switching Amplifier for Magnetic Bearing Applications. *Hsieh, H., +, TCSII Oct. 2020 1999-2003*
- Matrix Inductor With DC-Bias Effect Reduction Capability for GaN-Based DC-DC Boost Converter. *Nguyen, A.D., +, TCSII Nov. 2020 2597-2601*
- Sequential Parallel Switching for Drain-Source Synchronous Rectification Efficiency Boost in Parallel Switch Rectifiers. *Yu, O., +, TCSII Nov. 2020 2637-2641*

#### **Switching frequency**

A Fast Transient Response Hybrid LDO With Highly Accurate DC Voltage Using Countable Bidirectional Binary Search and Soft Swap Switching. *Jung, J., +, TCSII Dec. 2020 3272-3276*

Simplified Hysteresis Sliding-Mode Control for Superbuck Converter. *Chen, Z., +, TCSII Dec. 2020 3212-3216*

#### **Switching systems (control)**

A 13.56 MHz Current-Mode Wireless Power Receiver With Energy-Investment Capability. *Kuo, C., +, TCSII Feb. 2020 205-209*

A Robust [K,KL] Sector for Nonlinear System. *Sachan, A., +, TCSII Nov. 2020 2547-2551*

Feedback Dissipativity and Stabilization for Switched Positive Systems With a Combined Switching Law. *Wang, P., +, TCSII Nov. 2020 2572-2576*

Further Result on Interval Observer Design for Discrete-Time Switched Systems and Application to Circuit Systems. *Huang, J., +, TCSII Nov. 2020 2542-2546*

Quantized Fuzzy Finite-Time Control for Nonlinear Semi-Markov Switching Systems. *Qi, W., +, TCSII Nov. 2020 2622-2626*

Stability Analysis of Aperiodic Sampled-Data Systems: A Switched Polytopic System Method. *Sun, J., +, TCSII June 2020 1054-1058*

#### **Symmetric matrices**

Aperiodic Sampled-Data Control for Exponential Stabilization of Delayed Neural Networks: A Refined Two-Sided Looped-Functional Approach. *Yao, L., +, TCSII Dec. 2020 3217-3221*

Disturbance Rejection Adaptive Fault-Tolerant Constrained Consensus for Multi-Agent Systems With Failures. *Li, J., +, TCSII Dec. 2020 3302-3306*

#### **Synchronization**

A 6.84 Gbps/lane MIPI C-PHY Transceiver Bridge Chip With Level-Dependent Equalization. *Lee, P., +, TCSII Nov. 2020 2672-2676*

Auto-Tuning Proportional-Type Synchronization Algorithm for DC Motor Speed Control Applications. *Lee, C.R., +, TCSII March 2020 521-525*

Event-Based Robust Synchronization of Boolean Control Networks. *Ouyang, C., +, TCSII Oct. 2020 1969-1973*

Fiber-Fed Distributed Antenna System in an FPGA Software Defined Radio for 5G Demonstration. *Mahboob, S., +, TCSII Feb. 2020 280-284*

Fixed Time Synchronization Control for Bilateral Teleoperation Mobile Manipulator With Nonholonomic Constraint and Time Delay. *Xu, G., +, TCSII Dec. 2020 3452-3456*

Fixed-Time Synchronization of Complex Networks With a Simpler Non-chattering Controller. *Xu, Y., +, TCSII April 2020 700-704*

Lyapunov Functions for the Set Stability and the Synchronization of Boolean Control Networks. *Chen, B., +, TCSII Nov. 2020 2537-2541*

Nonlinear Analysis of PLL Damping Characteristics in Weak-Grid-Tied Inverters. *Zhao, J., +, TCSII Nov. 2020 2752-2756*

Stochastic Distributed Pinning Control for Co-Multi-Inverter Networks With a Virtual Leader. *Lai, J., +, TCSII Oct. 2020 2094-2098*

Synchronization of Chaotic-Oscillation Permanent Magnet Synchronous Generators Networks via Adaptive Impulsive Control. *Zhu, D., +, TCSII Oct. 2020 2194-2198*

Terminal-Time Synchronization of Multiple Vehicles Under Discrete-Time Communication Networks With Directed Switching Topologies. *Zhou, J., +, TCSII Nov. 2020 2532-2536*

Timing and Frequency Synchronization and Doubly Selective Channel Estimation for OFDMA Uplink. *Abdzadeh-Ziabari, H., +, TCSII Jan. 2020 62-66*

Topology Identification of Multiplex Delayed Networks. *Zhao, X., +, TCSII Feb. 2020 290-294*

#### **Synchronous generators**

Synchronization of Chaotic-Oscillation Permanent Magnet Synchronous Generators Networks via Adaptive Impulsive Control. *Zhu, D., +, TCSII Oct. 2020 2194-2198*

#### **Synthesizers**

Influence of Initial Condition on Wandering Spur Pattern in a MASH-Based Fractional-N Frequency Synthesizer. *Mai, D., +, TCSII Dec. 2020 2968-2972*

#### **System buses**

Energy Efficient Peripheral and System Buses for Low-Area and Low-Power SoC Applications. *Romero, J., +, TCSII May 2020 866-870*

#### **System identification**

Bias-Compensated Minimum Error Entropy Algorithms With Polynomial Sparsity Penalty Constraints. *Chen, Z., +, TCSII Dec. 2020 3537-3541*

#### **System-on-chip**

A Fully Synthesizable Ultra-*N* Audio Frequency Multiplier for HDMI Applications. *Chen, P., TCSII Oct. 2020 2134-2138*

A Fully-Integrated 64-Channel Wireless Neural Interfacing SoC Achieving 110 dB AFE PSRR and Supporting 54 Mb/s Symbol Rate, Meter-Range Wireless Data Transmission. *Lyu, L., +, TCSII May 2020 831-835*

A Highly Synthesizable 0.5-to-1.0-V Digital Low-Dropout Regulator With Adaptive Clocking and Incremental Regulation Scheme. *Oh, J., +, TCSII Oct. 2020 2174-2178*

A Programmable On-Chip Reference Oscillator With Slow-Wave Coplanar Waveguide in 14-nm FinFET CMOS. *Hwang, J., +, TCSII Oct. 2020 1834-1838*

A Simple Histogram-Based Capacitor Mismatch Calibration in SAR ADCs. *Wang, X., +, TCSII Dec. 2020 2838-2842*

A Stabilizing Centralized Controller for On-Chip Power Delivery Networks. *Riad, J., +, TCSII April 2020 680-684*

Energy Efficient Peripheral and System Buses for Low-Area and Low-Power SoC Applications. *Romero, J., +, TCSII May 2020 866-870*

Mantissa-Exponent-Based Tone Mapping for Wide Dynamic Range Image Sensors. *Yang, J., +, TCSII Jan. 2020 142-146*

#### **Systematics**

An Enhanced Frequency Ratio Dual Band Balun Augmented With High Impedance Transformation. *Gupta, R., +, TCSII Dec. 2020 2973-2977*

#### **Systolic arrays**

A Resource-Efficient Multiplierless Systolic Array Architecture for Convolutions in Deep Networks. *Parmar, Y., +, TCSII Feb. 2020 370-374*

## T

#### **Table lookup**

A Novel Approximation Methodology and Its Efficient VLSI Implementation for the Sigmoid Function. *Qin, Z., +, TCSII Dec. 2020 3422-3426*

A Novel Dynamic Detection for Flash Memory. *Ismail, A., +, TCSII March 2020 600-604*

Efficient Implementation of a Threshold Modified Min-Sum Algorithm for LDPC Decoders. *Liu, Y., +, TCSII Sept. 2020 1599-1603*

Low-Cost Implementation of Independent Component Analysis for Biomedical Signal Separation Using Very-Large-Scale Integration. *Chen, Y., +, TCSII Dec. 2020 3437-3441*

#### **Tanks (containers)**

A Robust Decentralized PID Controller Based on Complementary Sensitivity Function for a Multivariable System. *Mahapatro, S.R., +, TCSII Oct. 2020 2024-2028*

#### **Task analysis**

Design and Implementation of Acoustic Source Localization on a Low-Cost IoT Edge Platform. *Fabregat, G., +, TCSII Dec. 2020 3547-3551*

- Efficient Precision-Adjustable Architecture for Softmax Function in Deep Learning.** *Zhu, D., +, TCSII Dec. 2020* 3382-3386
- Similarity-Based and Sybil Attack Defended Community Detection for Social Networks.** *Jiang, Z., +, TCSII Dec. 2020* 3487-3491
- Telecommunication computing**
- Efficient Expectation Propagation Massive MIMO Detector With Neumann-Series Approximation.** *Tan, X., +, TCSII Oct. 2020* 1924-1928
- Telecommunication network reliability**
- A 120-mW 0.16-ms-Latency Connectivity-Scalable Multiuser Detector for Interleave Division Multiple Access.** *Kong, B.Y., +, TCSII March 2020* 470-474
- Telecommunication network routing**
- Traffic Dynamics Evaluation for the Future NFV Deployment.** *Jiang, Z., +, TCSII Oct. 2020* 2214-2218
- Telecommunication network topology**
- Small-World Regular Networks for Communication.** *Pandey, P.K., +, TCSII Aug. 2020* 1409-1413
- Topology Identification of Multiplex Delayed Networks.** *Zhao, X., +, TCSII Feb. 2020* 290-294
- Telecommunication power management**
- 83.9% Efficiency 100-mV Self-Startup Boost Converter for Thermoelectric Energy Harvester in IoT Applications.** *Shang, Z., +, TCSII Sept. 2020* 1654-1658
- An Energy-Efficient Dual-Field Elliptic Curve Cryptography Processor for Internet of Things Applications.** *Yeh, L., +, TCSII Sept. 2020* 1614-1618
- Telecommunication scheduling**
- An Unfolded Pipelined Polar Decoder With Hybrid Number Representations for Multi-User MIMO Systems.** *Cao, S., +, TCSII Nov. 2020* 2472-2476
- Telecommunication security**
- Incentivizing Honest Mining in Blockchain Networks: A Reputation Approach.** *Tang, C., +, TCSII Jan. 2020* 117-121
- Open DNN Box by Power Side-Channel Attack.** *Xiang, Y., +, TCSII Nov. 2020* 2717-2721
- Toward Understanding the Return Path Capacitance in Capacitive Human Body Communication.** *Nath, M., +, TCSII Oct. 2020* 1879-1883
- Unified Hardware for High-Throughput AES-Based Authenticated Encryptions.** *Sawataishi, S., +, TCSII Sept. 2020* 1604-1608
- Telecommunication traffic**
- Traffic Dynamics Evaluation for the Future NFV Deployment.** *Jiang, Z., +, TCSII Oct. 2020* 2214-2218
- Temperature measurement**
- A Charge Balancing 1450  $\mu\text{m}^2$  PNP-Based Thermal Sensor for Dense Thermal Monitoring.** *Bass, O., +, TCSII Dec. 2020* 2963-2967
- A CMOS-Imager-Pixel-Based Temperature Sensor for Dark Current Compensation.** *Xie, S., +, TCSII Feb. 2020* 255-259
- Temperature sensors**
- A 490-pW SAR Temperature Sensor With a Leakage-Based Bandgap-V<sub>th</sub> Reference.** *Park, B., +, TCSII Sept. 2020* 1549-1553
- A Charge Balancing 1450  $\mu\text{m}^2$  PNP-Based Thermal Sensor for Dense Thermal Monitoring.** *Bass, O., +, TCSII Dec. 2020* 2963-2967
- A CMOS-Imager-Pixel-Based Temperature Sensor for Dark Current Compensation.** *Xie, S., +, TCSII Feb. 2020* 255-259
- A Dynamic-Biased Resistor-Based CMOS Temperature Sensor With a Duty-Cycle-Modulated Output.** *Tang, Z., +, TCSII Sept. 2020* 1504-1508
- Tensors**
- A Separable Maximum Correntropy Adaptive Algorithm.** *Shi, W., +, TCSII Nov. 2020* 2797-2801
- Finite-Time Stability of Probabilistic Logical Networks: A Topological Sorting Approach.** *Zhu, S., +, TCSII April 2020* 695-699
- Nonlinear H $\infty$  Filtering Based on Tensor Product Model Transformation.** *Gong, H., +, TCSII June 2020* 1074-1078
- Observability of Boolean Networks With Redundant Channels.** *Li, F., +, TCSII Oct. 2020* 1989-1993
- Testing**
- A New Logic Topology-Based Scan Chain Stitching for Test-Power Reduction.** *Lee, S., +, TCSII Dec. 2020* 3432-3436
- Thermal conductivity**
- Cauer Ladder Inspired Kron–Branin Modeling of Thermal 1-D Diffusion.** *Ravelo, B., +, TCSII Jan. 2020* 27-31
- Thermal diffusion**
- Cauer Ladder Inspired Kron–Branin Modeling of Thermal 1-D Diffusion.** *Ravelo, B., +, TCSII Jan. 2020* 27-31
- Thermal diffusivity**
- Cauer Ladder Inspired Kron–Branin Modeling of Thermal 1-D Diffusion.** *Ravelo, B., +, TCSII Jan. 2020* 27-31
- Thermal management (packaging)**
- Cauer Ladder Inspired Kron–Branin Modeling of Thermal 1-D Diffusion.** *Ravelo, B., +, TCSII Jan. 2020* 27-31
- Thermal noise**
- A Random Interrupt Dithering SAR Technique for Secure ADC Against Reference-Charge Side-Channel Attack.** *Miki, T., +, TCSII Jan. 2020* 14-18
- Thermal resistance**
- Cauer Ladder Inspired Kron–Branin Modeling of Thermal 1-D Diffusion.** *Ravelo, B., +, TCSII Jan. 2020* 27-31
- Thermoelectric conversion**
- 83.9% Efficiency 100-mV Self-Startup Boost Converter for Thermoelectric Energy Harvester in IoT Applications.** *Shang, Z., +, TCSII Sept. 2020* 1654-1658
- A 7.5-mV-Input Boost Converter for Thermal Energy Harvesting With 11-mV Self-Startup.** *Radin, R.L., +, TCSII Aug. 2020* 1379-1383
- Thermometers**
- Low-Area and Low-Power Latch-Based Thermometer-Code Shift-Register.** *Woo, K., +, TCSII Oct. 2020* 2119-2123
- Thin film transistors**
- A Novel Envelope Detector Based on Unipolar Metal-Oxide TFTs.** *Xu, Y., +, TCSII Nov. 2020* 2367-2371
- Displaying-Synchronous Open-Loop External Compensation for Active-Matrix Light Emitting Diode Displays.** *Huang, B., +, TCSII Oct. 2020* 1790-1794
- Three-dimensional integrated circuits**
- A Cost-Aware Framework for Lifetime Reliability of TSV-Based 3D-IC Design.** *Reddy, R.P., +, TCSII Nov. 2020* 2677-2681
- A Small Ripple Program Voltage Generator Without High-Voltage Regulator for 3D NAND Flash.** *Huang, C., +, TCSII June 2020* 1049-1053
- Non-Intrusive Online Distributed Pulse Shrinking-Based Interconnect Testing in 2.5D IC.** *Ni, T., +, TCSII Nov. 2020* 2657-2661
- Three-term control**
- A Robust Decentralized PID Controller Based on Complementary Sensitivity Function for a Multivariable System.** *Mahapatro, S.R., +, TCSII Oct. 2020* 2024-2028
- A Robust Shipboard DC-DC Power Converter Control: Concept Analysis and Experimental Results.** *Mosayebi, M., +, TCSII Nov. 2020* 2612-2616
- Global Nested PID Control of Strict-Feedback Nonlinear Systems With Prescribed Output and Virtual Tracking Performance.** *Gao, S., +, TCSII Feb. 2020* 325-329
- Islanded Microgrid Frequency Regulations Concerning the Integration of Tidal Power Units: Real-Time Implementation.** *Khooban, M.H., +, TCSII June 2020* 1099-1103
- Threshold voltage**
- A 1-V, 3-GHz Strong-Arm Latch Voltage Comparator for High Speed Applications.** *Siddharth, R.K., +, TCSII Dec. 2020* 2918-2922
- A Digital Capacitive MEMS Microphone for Speech Recognition With Fast Wake-Up Feature Using a Sound Activity Detector.** *Yang, Y., +, TCSII Sept. 2020* 1509-1513
- Logic Obfuscation Through Enhanced Threshold Voltage Defined Logic Family.** *Park, B., +, TCSII Dec. 2020* 3407-3411
- Throughput**
- CREMON: Cryptography Embedded on the Convolutional Neural Network Accelerator.** *Choi, Y., +, TCSII Dec. 2020* 3337-3341
- Fully Parallel Circular-Shift Rotation Network for Communication Standards.** *Harb, H., +, TCSII Dec. 2020* 3412-3416
- Functional Read Enabling In-Memory Computations in 1Transistor—1Resistor Memory Arrays.** *Jaiswal, A., +, TCSII Dec. 2020* 3347-3351

- Low-Latency Lattice Reduction Based on Dual-Basis Updates for High-Dimensional MIMO Streams. *Lee, H., +, TCSII Dec. 2020* 2993-2997
- Tidal power stations**
- Islanded Microgrid Frequency Regulations Concerning the Integration of Tidal Power Units: Real-Time Implementation. *Khooban, M.H., +, TCSII June 2020* 1099-1103
- Time division multiplexing**
- Power Packet Router With Power and Signal Switches for a Single Power Packet. *Katayama, S., +, TCSII Dec. 2020* 3242-3246
- Time series**
- Complex Network Analysis of Wire-Mesh Sensor Measurements for Characterizing Vertical Gas–Liquid Two-Phase Flows. *Gao, Z., +, TCSII June 2020* 1134-1138
- Fall Detection Using Standoff Radar-Based Sensing and Deep Convolutional Neural Network. *Sadreazami, H., +, TCSII Jan. 2020* 197-201
- Multiresolution Multiplex Network for Analyzing Multichannel Fluid Flow Signals. *Gao, Z., +, TCSII Oct. 2020* 2179-2183
- Recursive Minimum Kernel Mixture Mean p-Power Error Algorithm Based on the Nyström Method. *Zhang, T., +, TCSII Nov. 2020* 2772-2776
- The Nearest-Instance-Centroid-Estimation Kernel Recursive Least Squares Algorithms. *Zhang, H., +, TCSII July 2020* 1344-1348
- Tropical Reservoir Computing Hardware. *Galen-Prado, F., +, TCSII Nov. 2020* 2712-2716
- Time-digital conversion**
- A Mixed-Signal RF Pulse Width Modulator With High Time Resolution Utilizing Passive Delay Lines. *Papananos, Y., +, TCSII Nov. 2020* 2442-2446
- A Picosecond-Resolution Digitally-Controlled Timing Generator With One-Clock-Latency at Arbitrary Instantaneous Input. *Park, J., +, TCSII Sept. 2020* 1544-1548
- Analysis and Design of an All-Digital ΔΣ TDC via Time-Mode Signal Processing. *Yuan, F., +, TCSII June 2020* 994-998
- Time-domain analysis**
- A 10-MHz BW 77.3-dB SNDR 640-MS/s GRO-Based CT MASH ΔΣ Modulator. *Honarpvar, M., +, TCSII Sept. 2020* 1519-1523
- A 28-nm CMOS 12-Bit 250-MS/s Voltage-Current-Time Domain 3-Stage Pipelined ADC. *Moon, K., +, TCSII Dec. 2020* 2843-2847
- Cauer Ladder Inspired Kron–Brannin Modeling of Thermal 1-D Diffusion. *Ravelo, B., +, TCSII Jan. 2020* 27-31
- Comparative Study of Riemann–Liouville and Caputo Derivative Definitions in Time-Domain Analysis of Fractional-Order Capacitor. *Jiang, Y., +, TCSII Oct. 2020* 2184-2188
- Fixed-Time Synchronization of Complex Networks With a Simpler Non-chattering Controller. *Xu, Y., +, TCSII April 2020* 700-704
- Offset-Calibration With Time-Domain Comparators Using Inversion-Mode Varactors. *Fiorelli, R., +, TCSII Jan. 2020* 47-51
- Performance Evaluation of Incremental Sigma-Delta ADCs Based on their NTF. *Wagner, J., +, TCSII Dec. 2020* 2813-2817
- Time-frequency analysis**
- A Highly Integrated 400–800 MHz Spectrum Sensing System Based on Envelope Detection. *Yen, M., +, TCSII Dec. 2020* 3008-3012
- Analysis of Frequency-Aid Technique for Fractional-N Digital BB-PLLs in Time-Domain. *Vo, T.M., TCSII Dec. 2020* 2888-2892
- Design and Implementation of Acoustic Source Localization on a Low-Cost IoT Edge Platform. *Fabregat, G., +, TCSII Dec. 2020* 3547-3551
- Low Complexity VLSI Architecture Design Methodology for Wigner Ville Distribution. *Mopuri, S., +, TCSII Dec. 2020* 3532-3536
- Periodically Intermittent Stabilization of Neural Networks Based on Discrete-Time Observations. *He, X., +, TCSII Dec. 2020* 3497-3501
- RF and Microwave Fractional Differentiator Based on Photonics. *Tan, M., +, TCSII Nov. 2020* 2767-2771
- Time-varying channels**
- Timing and Frequency Synchronization and Doubly Selective Channel Estimation for OFDMA Uplink. *Abdzadeh-Ziabari, H., +, TCSII Jan. 2020* 62-66
- Time-varying systems**
- An Improved Stability Criterion for Digital Filters With Generalized Overflow Arithmetic and Time-Varying Delay. *Zhang, C., +, TCSII Oct. 2020* 2099-2103
- Analysis of the Effect of Switch Parasitic Resistance and Capacitance on N-Path Filters Using State Space Representation. *Zolkov, E., +, TCSII Oct. 2020* 1889-1893
- Delay-Dependent and Order-Dependent Stability and Stabilization of Fractional-Order Linear Systems With Time-Varying Delay. *Chen, L., +, TCSII June 2020* 1064-1068
- Distributed Consensus of Heterogeneous Linear Time-Varying Systems on UAVs–USVs Coordination. *Li, H., +, TCSII July 2020* 1264-1268
- Event-Based Robust Synchronization of Boolean Control Networks. *Ouyang, C., +, TCSII Oct. 2020* 1969-1973
- Feedback Dissipativity and Stabilization for Switched Positive Systems With a Combined Switching Law. *Wang, P., +, TCSII Nov. 2020* 2572-2576
- Finite-Time Consensus for Linear Multi-Agent Systems Using Data-Driven Terminal ILC. *Bu, X., +, TCSII Oct. 2020* 2029-2033
- Further Result on  $H_\infty$  Performance State Estimation of Delayed Static Neural Networks Based on an Improved Reciprocally Convex Inequality. *Tan, G., +, TCSII Aug. 2020* 1477-1481
- Further Result on Interval Observer Design for Discrete-Time Switched Systems and Application to Circuit Systems. *Huang, J., +, TCSII Nov. 2020* 2542-2546
- Non-Fragile Fault Alarm-Based Hybrid Control for the Attitude Quadrotor Model With Actuator Saturation. *Harshavarthini, S., +, TCSII Nov. 2020* 2647-2651
- Observer Design for Discrete-Time Nonlinear Systems Using the Stability Radii Theory. *Aviles, J.D., +, TCSII Oct. 2020* 1959-1963
- Observer-Based Time-Varying Formation Control of Fractional-Order Multi-Agent Systems With General Linear Dynamics. *Gong, Y., +, TCSII Jan. 2020* 82-86
- Quantized Fuzzy Finite-Time Control for Nonlinear Semi-Markov Switching Systems. *Qi, W., +, TCSII Nov. 2020* 2622-2626
- Robust Distributed Stabilization of Heterogeneous Agents Over Cooperation–Competition Networks. *Hu, H., +, TCSII Aug. 2020* 1419-1423
- Robust Hybrid Control Design for Stochastic Markovian Jump System via Fault Alarm Approach. *Sakthivel, R., +, TCSII Oct. 2020* 2004-2008
- Tracking Analysis of Gaussian Kernel Signed Error Algorithm for Time-Variant Nonlinear Systems. *Gao, W., +, TCSII Oct. 2020* 2289-2293
- Variable-Gain Second-Order Sliding Mode Controller With Globally Fixed-Time Stability Guarantees. *Shi, S., +, TCSII Aug. 2020* 1414-1418
- Velocity Observer-Based Nonlinear Self-Tuning Position Stabilizer for Ball-Beam System Applications. *Lee, C.R., +, TCSII July 2020* 1309-1313
- Timing**
- A 40-nm CMOS 12b 120-MS/s Nonbinary SAR-Assisted SAR ADC With Double Clock-Rate Coarse Decision. *Roh, Y., +, TCSII Dec. 2020* 2833-2837
- Timing circuits**
- A Picosecond-Resolution Digitally-Controlled Timing Generator With One-Clock-Latency at Arbitrary Instantaneous Input. *Park, J., +, TCSII Sept. 2020* 1544-1548
- Timing jitter**
- A 6.84 Gbps/lane MIPI C-PHY Transceiver Bridge Chip With Level-Dependent Equalization. *Lee, P., +, TCSII Nov. 2020* 2672-2676
- A Dividerless Ring Oscillator PLL With 250fs Integrated Jitter Using Sampled Lowpass Filter. *Grout, K., +, TCSII Nov. 2020* 2337-2341
- FPGA-Based True Random Number Generation Using Programmable Delays in Oscillator-Rings. *Nalla Anandakumar, N., +, TCSII March 2020* 570-574
- The Unpredictability Analysis of Boolean Chaos. *Gong, L., +, TCSII Oct. 2020* 1854-1858
- Topology**
- A New Logic Topology-Based Scan Chain Stitching for Test-Power Reduction. *Lee, S., +, TCSII Dec. 2020* 3432-3436
- An Adaptive-Resolution Quasi-Level-Crossing Delta Modulator With VCO-Based Residue Quantizer. *Wang, H., +, TCSII Dec. 2020* 2828-2832
- An Inductive Voltage Regulator With Overdrive Tracking Across Input Voltage in Cascoded Power Stage. *Chekuri, V.C.K., +, TCSII Dec. 2020* 3083-3087
- An Ultra High Gain Quasi Z-Source Inverter Consisting Active Switched Network. *Kumar, A., +, TCSII Dec. 2020* 3207-3211

- Bipartite Consensus for Descriptor Multiagent Systems With Antagonistic Interactions. *Zhang, L., +, TCSII Nov. 2020 2602-2606*
- Charge Pump Improvement for Energy Harvesting Applications by Node Pre-Charging. *Ballo, A., +, TCSII Dec. 2020 3312-3316*
- Cross Connected Compact Switched-Capacitor Multilevel Inverter (C<sup>3</sup>-SC-MLI) Topology With Reduced Switch Count. *Jagabar Sathik, M., +, TCSII Dec. 2020 3287-3291*
- Design Fixed-Time Practical Distributed Average Tracking Algorithms for Nonlinear Signals With Bounded- and Lipschitz-Type Derivatives. *Chen, Q., +, TCSII Dec. 2020 3103-3107*
- Distributed Optimal Consensus Control Algorithm for Continuous-Time Multi-Agent Systems. *Wang, Q., +, TCSII Jan. 2020 102-106*
- Formation of Generic UAVs-USVs System Under Distributed Model Predictive Control Scheme. *Huang, D., +, TCSII Dec. 2020 3123-3127*
- Group-Bipartite Consensus in the Networks With Cooperative-Competitive Interactions. *Liu, J., +, TCSII Dec. 2020 3292-3296*
- Leakage Current Minimization Using NPC DC Decoupling Method for Three-Phase Cascaded Multilevel PV Inverter. *Sonti, V., +, TCSII Dec. 2020 3247-3251*
- Multiple Lyapunov Functions Approach for Consensus of One-Sided Lipschitz Multi-Agents Over Switching Topologies and Input Saturation. *Razag, M.A., +, TCSII Dec. 2020 3267-3271*
- Reduced Switch Count Based Single Source 7L Boost Inverter Topology. *Siddique, M.D., +, TCSII Dec. 2020 3252-3256*
- Synthesis Design of Chebyshev Wideband Band-Pass Filters With Independently Reconfigurable Lower Passband Edge. *Bi, X., +, TCSII Dec. 2020 2948-2952*
- Terminal-Time Synchronization of Multiple Vehicles Under Discrete-Time Communication Networks With Directed Switching Topologies. *Zhou, J., +, TCSII Nov. 2020 2532-2536*
- Topology Identification for Power Systems via Compressive Sensing Based on Transient Dynamics. *Ding, L., +, TCSII Dec. 2020 3202-3206*
- Tracking**
- Formation Control of Nonholonomic Mobile Robots Using Distributed Estimators. *Lu, P., +, TCSII Dec. 2020 3162-3166*
- Training**
- A Novel Spike Detection Algorithm Based on Multi-Channel of BECT EEG Signals. *Wang, Z., +, TCSII Dec. 2020 3592-3596*
- Compressed Principal Component Regression (C-PCR) Algorithm and FPGA Validation. *Zamani, H., +, TCSII Dec. 2020 3512-3516*
- Feature-Temporal Semi-Supervised Extreme Learning Machine for Robotic Terrain Classification. *Lv, W., +, TCSII Dec. 2020 3567-3571*
- I/Q Imbalance Calibration Method for 5G Ultra-Wideband Transceivers. *Dao, T., +, TCSII Dec. 2020 3048-3052*
- Offline Training Improvement of Inverter-Based Memristive Neural Networks Using Inverter Voltage Characteristic Smoothing. *Vahdat, S., +, TCSII Dec. 2020 3442-3446*
- Trajectory**
- Controller and Observer design for Chaotic Systems: A Vector Based Contraction Approach. *Singh, B., +, TCSII Dec. 2020 3282-3286*
- Formation Control of Multiple Autonomous Underwater Vehicles Under Communication Delays. *Suryendu, C., +, TCSII Dec. 2020 3182-3186*
- Projectional Observers of Nonlinear Systems With Full-State Constraints. *Garcia-Gonzalez, A., +, TCSII Dec. 2020 3078-3082*
- Trajectory control**
- Moving Target Circular Formation Control of Multiple Non-Holonomic Vehicles Without Global Position Measurements. *Peng, X., +, TCSII Feb. 2020 310-314*
- Transceivers**
- A 130 GHz Fully-Integrated Fundamental-Frequency D-Band Transmitter Module With > 4 dBm Single-Ended Output Power. *Aguilar, E., +, TCSII May 2020 906-910*
- A 6.84 Gbps/lane MIPI C-PHY Transceiver Bridge Chip With Level-Dependent Equalization. *Lee, P., +, TCSII Nov. 2020 2672-2676*
- A Switchless SiGe BiCMOS Bidirectional Amplifier for Wideband Radar Applications. *Caliskan, C., +, TCSII Oct. 2020 1844-1848*
- An 18-Gb/s NRZ Transceiver With a Channel-Included 2-UI Impulse-Response Filtering FFE and 1-Tap DFE Compensating up to 32-dB Loss. *Ahn, C., +, TCSII Dec. 2020 2863-2867*
- Fast Digital Clock Calibration of a Differential 6.4 Gb/s/pin Bidirectional Asymmetric Memory Interface. *Angeli, N., +, TCSII Nov. 2020 2387-2391*
- I/Q Imbalance Calibration Method for 5G Ultra-Wideband Transceivers. *Dao, T., +, TCSII Dec. 2020 3048-3052*
- Random Sampling With Iterative Recovery for Millimeter-Wave Imaging Systems. *Zamani, H., +, TCSII Dec. 2020 3522-3526*
- Transconductance**
- A 1-V, 3-GHz Strong-Arm Latch Voltage Comparator for High Speed Applications. *Siddharth, R.K., +, TCSII Dec. 2020 2918-2922*
- A V-Band Ultra Low Power Sub-Harmonic I/Q Down-Conversion Mixer Using Current Re-Used Technique. *Chang, Y., +, TCSII Dec. 2020 2893-2897*
- An ISM Band High-Linear Current-Reuse Up-Conversion Mixer With Built-in-Self-Calibration for LOFT and I/Q Imbalance. *Wang, X., +, TCSII Dec. 2020 2898-2902*
- Voltage Comparator With 60% Faster Speed by Using Charge Pump. *Zhuang, H., +, TCSII Dec. 2020 2923-2927*
- Transducers**
- A Digital Capacitive MEMS Microphone for Speech Recognition With Fast Wake-Up Feature Using a Sound Activity Detector. *Yang, Y., +, TCSII Sept. 2020 1509-1513*
- Transfer functions**
- A 10-MHz BW 77.3-dB SNDR 640-MS/s GRO-Based CT MASH ΔΣ Modulator. *Honarpvar, M., +, TCSII Sept. 2020 1519-1523*
- A Dividerless Ring Oscillator PLL With 250fs Integrated Jitter Using Sampled Lowpass Filter. *Grout, K., +, TCSII Nov. 2020 2337-2341*
- A Low-Spur MASH Delta-Sigma Modulator With an Adaptive Length Extension Technique. *Ding, X., +, TCSII Dec. 2020 2818-2822*
- Analysis of the Effect of Switch Parasitic Resistance and Capacitance on N-Path Filters Using State Space Representation. *Zolkov, E., +, TCSII Oct. 2020 1889-1893*
- Behavior Analysis of Directed Signed Networks Under Dynamic Protocols. *Wu, Y., +, TCSII Nov. 2020 2562-2566*
- Calibrating Amplifiers Nonlinearity Using Comparator-Based ADCs. *Rabuske, F., +, TCSII March 2020 435-439*
- Event-Triggered Fault Detection and Isolation of Discrete-Time Systems Based on Geometric Technique. *Liang, H., +, TCSII Feb. 2020 335-339*
- Performance Evaluation of Incremental Sigma-Delta ADCs Based on their NTF. *Wagner, J., +, TCSII Dec. 2020 2813-2817*
- Planar Wideband High-Selectivity Impedance-Transforming Differential Bandpass Filter With Deep Common-Mode Suppression. *Chen, W., +, TCSII Oct. 2020 1914-1918*
- Transformerless Grid-Connected PV Inverter Without Common Mode Leakage Current and Shoot-Through Problems. *Yao, Z., +, TCSII Dec. 2020 3257-3261*
- Wideband Bandpass Filtering Balun With Perfect In-Band Matching and Isolation. *Chen, W., +, TCSII Oct. 2020 1884-1888*
- Transforms**
- A Novel Tuning Method for Impedance Matching Network Based on Linear Fractional Transformation. *Xiong, B., +, TCSII June 2020 1039-1043*
- Hyperbolic CORDIC-Based Architecture for Computing Logarithm and Its Implementation. *Chen, H., +, TCSII Nov. 2020 2652-2656*
- Random Sampling With Iterative Recovery for Millimeter-Wave Imaging Systems. *Zamani, H., +, TCSII Dec. 2020 3522-3526*
- Transient analysis**
- A 0.35V 90nA Quiescent Current Output-Capacitor-Less NMOS Low-Dropout Regulator Using a Coarse-Fine Charge-Pump Circuit. *Woo, K., +, TCSII Dec. 2020 3118-3122*
- A Fast-Transient Response Digital Low-Dropout Regulator With Dual-Modes Tuning Technique. *Qian, L., +, TCSII Dec. 2020 2943-2947*
- An Improved Mode Transition Technique for a Non-Isolated Bidirectional DC-DC Converter. *Sharma, A., +, TCSII Dec. 2020 3093-3097*
- Analysis of Frequency-Aid Technique for Fractional-N Digital BB-PLLs in Time-Domain. *Vo, T.M., TCSII Dec. 2020 2888-2892*

- Improved Digital Average Voltage Control for Switching Converter With Capacitor Current Compensation. Zhou, G., +, *TCSII Dec. 2020* 3197-3201
- Topology Identification for Power Systems via Compressive Sensing Based on Transient Dynamics. Ding, L., +, *TCSII Dec. 2020* 3202-3206
- Transient Analysis of Signed LMS Algorithms With Cyclostationary Colored Gaussian Inputs. Gao, W., +, *TCSII Dec. 2020* 3562-3566

#### Transient response

- A 0.35V 90nA Quiescent Current Output-Capacitor-Less NMOS Low-Dropout Regulator Using a Coarse-Fine Charge-Pump Circuit. Woo, K., +, *TCSII Dec. 2020* 3118-3122
- A 100 MHz, 0.8-to-1.1 V, 170 mA Digital LDO With 8-Cycles Mean Settling Time and 9-Bit Regulating Resolution in 180-nm CMOS. Yuan, Z., +, *TCSII Sept. 2020* 1664-1668
- A Fast Transient Response Hybrid LDO With Highly Accurate DC Voltage Using Countable Bidirectional Binary Search and Soft Swap Switching. Jung, J., +, *TCSII Dec. 2020* 3272-3276
- A Fully Integrated LDO With 50-mV Dropout for Power Efficiency Optimization. Ma, X., +, *TCSII April 2020* 725-729
- A Normalized Output Error-Based Sliding-Mode Controller for the DC–DC Cascade Boost Converter. Chincholkar, S.H., +, *TCSII Jan. 2020* 92-96
- A Quasi-V<sup>2</sup> Hysteretic Buck Converter With Adaptive COT Control for Fast DVS and Load-Transient Response in RF Applications. Ting, C., +, *TCSII March 2020* 531-535
- A Reconfigurable Transient Optimizer Applied to a Four-Phase Buck Converter for Optimizing Both DVS and Load Transient Responses. Wang, P., +, *TCSII Jan. 2020* 52-56
- A SAR-ADC-Assisted DC-DC Buck Converter With Fast Transient Recovery. Zeng, W., +, *TCSII Sept. 2020* 1669-1673
- Continuous Nonsingular Terminal Sliding Mode Control of DC–DC Boost Converters Subject to Time-Varying Disturbances. Wang, Z., +, *TCSII Nov. 2020* 2552-2556
- Sparse FIR Filter Design via Partial 1-Norm Optimization. Jiang, A., +, *TCSII Aug. 2020* 1482-1486

#### Transistor circuits

- A 0.25-V Rail-to-Rail Three-Stage OTA With an Enhanced DC Gain. Woo, K., +, *TCSII July 2020* 1179-1183

#### Transistors

- 40.68 MHz Digital On-Off Delay-Compensated Active Rectifier for WPT of Biomedical Applications. Pal, S., +, *TCSII Dec. 2020* 3307-3311
- A 1-V, 3-GHz Strong-Arm Latch Voltage Comparator for High Speed Applications. Siddharth, R.K., +, *TCSII Dec. 2020* 2918-2922
- A V-Band Ultra Low Power Sub-Harmonic I/Q Down-Conversion Mixer Using Current Re-Used Technique. Chang, Y., +, *TCSII Dec. 2020* 2893-2897
- A Digitally Programmable Wide Tuning-Range Active Transformer for Inductorless BPF and DCOs. Abolhassani, S., +, *TCSII Dec. 2020* 2928-2932
- An Energy-Efficient Level Shifter for Ultra Low-Voltage Digital LSIs. You, H., +, *TCSII Dec. 2020* 3357-3361
- Charge Pump Improvement for Energy Harvesting Applications by Node Pre-Charging. Ballo, A., +, *TCSII Dec. 2020* 3312-3316
- Circuit Reliability Comparison Between Stochastic Computing and Binary Computing. Zhang, Z., +, *TCSII Dec. 2020* 3342-3346
- Co-Design of Second Harmonic-Tuned Power Amplifier and a Parallel-Coupled Stub Loaded Resonator. Haider, M.F., +, *TCSII Dec. 2020* 3013-3017
- Functional Read Enabling In-Memory Computations in 1Transistor—1Resistor Memory Arrays. Jaiswal, A., +, *TCSII Dec. 2020* 3347-3351
- Linearity-Enhanced Ring Amplifier Using Adaptive Slew-Rate Feed-Forward Path. Gadel-Karim, A.G., +, *TCSII Dec. 2020* 2908-2912
- Logic Obfuscation Through Enhanced Threshold Voltage Defined Logic Family. Park, B., +, *TCSII Dec. 2020* 3407-3411

#### Transmission line theory

- Cauer Ladder Inspired Kron–Branin Modeling of Thermal 1-D Diffusion. Ravelo, B., +, *TCSII Jan. 2020* 27-31

#### Transmission lines

- A Reconfigurable Wilkinson Power Divider With Flexible Tuning Range Configuration. Wu, B., +, *TCSII July 2020* 1219-1223

- A Tunable Transmission Line With Controllable Phase Shifting and Characteristic Impedance. Ren, H., +, *TCSII Oct. 2020* 1720-1724

- Active Dual-Band Power Divider and Active Quad-Plexer Based on Traveling Wave Amplification and D-CRLH Transmission Line. Mazani, Z., +, *TCSII March 2020* 480-484

- Dual-Band Branch-Line Couplers With Short/Open-Ended Stubs. Feng, W., +, *TCSII Nov. 2020* 2497-2501

- Hexa-Band Branch Line Coupler and Wilkinson Power Divider for LTE 0.7 GHz, LTE 1.7 GHz, LTE 2.6 GHz, 3.9 GHz, Public Safety Band 4.9 GHz, and WLAN 5.8 GHz Frequencies. Zaidi, A.M., +, *TCSII Feb. 2020* 275-279

- Reconfigurable RF Dispersive Delay Circuits by Stepped Impedance Shunt Stubs. Mandal, J., +, *TCSII June 2020* 1014-1018

#### Transmission networks

- Numerical Approach to Compute the Power Flow Solution of Hybrid Generation, Transmission and Distribution Systems. Bizzarri, F., +, *TCSII May 2020* 936-940

#### Transmitters

- A 48 Gb/s PAM-4 Transmitter With 3-Tap FFE Based on Double-Shielded Coplanar Waveguide in 65-nm CMOS. Do, H., +, *TCSII Sept. 2020* 1569-1573

- An Energy-Efficient 3Gb/s PAM4 Full-Duplex Transmitter With 2-Tap Feed Forward Equalizer. Mukherjee, S., +, *TCSII May 2020* 916-920

- An ISM Band High-Linear Current-Reuse Up-Conversion Mixer With Built-in-Self-Calibration for LOFT and I/Q Imbalance. Wang, X., +, *TCSII Dec. 2020* 2898-2902

- Wireless Power Transfer System With High Misalignment Tolerance for Bio-Medical Implants. Wang, Q., +, *TCSII Dec. 2020* 3023-3027

#### Transmitting antennas

- An Adaptive Impedance Matching Transmitter for a Wireless Intraoral Tongue-Controlled Assistive Technology. Kong, F., +, *TCSII Feb. 2020* 240-244

- Fiber-Fed Distributed Antenna System in an FPGA Software Defined Radio for 5G Demonstration. Mahboob, S., +, *TCSII Feb. 2020* 280-284

#### Traveling wave amplifiers

- Active Dual-Band Power Divider and Active Quad-Plexer Based on Traveling Wave Amplification and D-CRLH Transmission Line. Mazani, Z., +, *TCSII March 2020* 480-484

- Compact Analog Predistorer With Shape Tuning Capability Using Power-Dependent Impedance Matching Network. Deng, H., +, *TCSII Oct. 2020* 1705-1709

#### Traveling wave tubes

- Compact Analog Predistorer With Shape Tuning Capability Using Power-Dependent Impedance Matching Network. Deng, H., +, *TCSII Oct. 2020* 1705-1709

#### Trees (mathematics)

- Cooperative Formation of Self-Propelled Vehicles With Directed Communications. Rao, P., +, *TCSII Feb. 2020* 315-319

- Generalization of the Normal Tree Method for Networks Without Graphic Structures. Recski, A., *TCSII Oct. 2020* 1800-1803

#### Trellis coded modulation

- A Symbolic Dynamics Approach to Trellis-Coded Chaotic Modulation. Souza, C.E.C., +, *TCSII Oct. 2020* 2189-2193

#### Trellis codes

- Optimized Trellis-Based Min-Max Decoder for NB-LDPC Codes. Tian, J., +, *TCSII Jan. 2020* 57-61

#### Trigger circuits

- A Robust Hardened Latch Featuring Tolerance to Double-Node-Upset in 28nm CMOS for Spaceborne Application. Li, Y., +, *TCSII Sept. 2020* 1619-1623

#### Tuning

- A Fast-Transient Response Digital Low-Dropout Regulator With Dual-Modes Tuning Technique. Qian, L., +, *TCSII Dec. 2020* 2943-2947

- A Microstrip Lowpass Filter With Wide Tuning Range and Sharp Roll-Off Response. Moloudian, G., +, *TCSII Dec. 2020* 2953-2957

- Analysis of Frequency-Aid Technique for Fractional-N Digital BB-PLLs in Time-Domain. Vo, T.M., *TCSII Dec. 2020* 2888-2892

- Low-Loss Reconfigurable Phase Shifter in Gap-Waveguide Technology for mm-Wave Applications. *Palomares-Caballero, A., +, TCSII Dec. 2020 3058-3062*
- Reconfigurable BPF With Constant Center Frequency and Wide Tuning Range of Bandwidth. *Arain, S., +, TCSII Aug. 2020 1374-1378*
- Turbo codes**
- An Ultimate-Shannon-Limit-Approaching Gbps Throughput Encoder/Decoder System. *Jiang, S., +, TCSII Oct. 2020 2169-2173*
- TV**
- Incremental SAT-Based Correction of Gate Level Circuits by Reusing Partially Corrected Circuits. *Alizadeh, B., +, TCSII Dec. 2020 3063-3067*
- Twisted pair cables**
- An Energy-Efficient 3Gb/s PAM4 Full-Duplex Transmitter With 2-Tap Feed Forward Equalizer. *Mukherjee, S., +, TCSII May 2020 916-920*
- Two-phase flow**
- Complex Network Analysis of Wire-Mesh Sensor Measurements for Characterizing Vertical Gas–Liquid Two-Phase Flows. *Gao, Z., +, TCSII June 2020 1134-1138*
- Multiresolution Multiplex Network for Analyzing Multichannel Fluid Flow Signals. *Gao, Z., +, TCSII Oct. 2020 2179-2183*
- U**
- UHF amplifiers**
- A 0.6-V Low-Power Variable-Gain LNA in 0.18- $\mu$ m CMOS Technology. *Hsieh, J., +, TCSII Jan. 2020 23-26*
- A Folded Voltage-Combiners Biased Amplifier for Low Voltage and High Energy-Efficiency Applications. *Povoa, R., +, TCSII Feb. 2020 230-234*
- A Fully-Integrated 64-Channel Wireless Neural Interfacing SoC Achieving 110 dB AFE PSRR and Supporting 54 Mb/s Symbol Rate, Meter-Range Wireless Data Transmission. *Lyu, L., +, TCSII May 2020 831-835*
- A Package Aware QLMVF Receiver Front End. *Regulagadda, S.S., +, TCSII Sept. 2020 1584-1588*
- A Sub-2 dB NF, 0.3–3 GHz Packaged Bandwidth Extended Wideband Receiver Front-End. *Gupta, N., +, TCSII March 2020 491-495*
- UHF antennas**
- A Compact Substrate Integrated Waveguide Cavity-Backed Self-Triplexing Antenna. *Iqbal, A., +, TCSII Nov. 2020 2362-2366*
- An Adaptive Impedance Matching Transmitter for a Wireless Intraoral Tongue-Controlled Assistive Technology. *Kong, F., +, TCSII Feb. 2020 240-244*
- Fiber-Fed Distributed Antenna System in an FPGA Software Defined Radio for 5G Demonstration. *Mahboob, S., +, TCSII Feb. 2020 280-284*
- UHF couplers**
- Analysis and Implementation of a Dual-Band Coupled-Line Trans-Directional Coupler. *Liu, H., +, TCSII March 2020 485-490*
- Hexa-Band Branch Line Coupler and Wilkinson Power Divider for LTE 0.7 GHz, LTE 1.7 GHz, LTE 2.6 GHz, 3.9 GHz, Public Safety Band 4.9 GHz, and WLAN 5.8 GHz Frequencies. *Zaidi, A.M., +, TCSII Feb. 2020 275-279*
- UHF filters**
- A Package Aware QLMVF Receiver Front End. *Regulagadda, S.S., +, TCSII Sept. 2020 1584-1588*
- Compact Lowpass and Dual-Band Bandpass Filter With Controllable Transmission Zero/Center Frequencies/Passband Bandwidth. *Choudhary, D.K., +, TCSII June 2020 1044-1048*
- Design of Compact Coupled-Line Complex Impedance Transformers With the Series Susceptance Component. *Fang, S., +, TCSII Nov. 2020 2482-2486*
- Design of Tri-Band Balanced Filter With Wideband Common-Mode Suppression and Upper Stopband Using Square Ring Loaded Resonator. *Liu, H., +, TCSII Oct. 2020 1760-1764*
- Hairpin Resonators in Varactor-Tuned Microstrip Bandpass Filters. *Zakharov, A., +, TCSII Oct. 2020 1874-1878*
- NGD Analysis of Turtle-Shape Microstrip Circuit. *Wan, F., +, TCSII Nov. 2020 2477-2481*
- UHF integrated circuits**
- A 2.4-GHz Mid-Field CMOS Wireless Power Receiver Achieving 46% Maximum PCE and 163-mW Output Power. *Li, X., +, TCSII Feb. 2020 360-364*
- A Folded Voltage-Combiners Biased Amplifier for Low Voltage and High Energy-Efficiency Applications. *Povoa, R., +, TCSII Feb. 2020 230-234*
- A Low Phase Noise Open Loop Fractional-N Frequency Synthesizer With Injection Locking Digital Phase Modulator. *Yan, C., +, TCSII March 2020 455-459*
- A Novel Compact Isolation Circuit Suitable for Ultracompact and Wideband Marchand Baluns. *Ahn, H., +, TCSII Oct. 2020 2299-2303*
- A Sub-2 dB NF, 0.3–3 GHz Packaged Bandwidth Extended Wideband Receiver Front-End. *Gupta, N., +, TCSII March 2020 491-495*
- O=O Shape Low-Loss Negative Group Delay Microstrip Circuit. *Wan, F., +, TCSII Oct. 2020 1795-1799*
- UHF mixers**
- A Package Aware QLMVF Receiver Front End. *Regulagadda, S.S., +, TCSII Sept. 2020 1584-1588*
- A Sub-2 dB NF, 0.3–3 GHz Packaged Bandwidth Extended Wideband Receiver Front-End. *Gupta, N., +, TCSII March 2020 491-495*
- UHF oscillators**
- A Dividerless Ring Oscillator PLL With 250fs Integrated Jitter Using Sampled Lowpass Filter. *Grout, K., +, TCSII Nov. 2020 2337-2341*
- A Low Phase Noise Open Loop Fractional-N Frequency Synthesizer With Injection Locking Digital Phase Modulator. *Yan, C., +, TCSII March 2020 455-459*
- A Low Phase Noise, High Phase Accuracy Quadrature LC-VCO With Dual-Tail Current Biasing to Insert Reconfigurable Phase Delay. *Xi, N., +, TCSII March 2020 450-454*
- UHF power amplifiers**
- A 100-W Doherty Power Amplifier With Super-Octave Bandwidth. *Rafati, S., +, TCSII June 2020 1009-1013*
- An RF Choke-Less Class E Power Amplifier. *Singh, G.D., +, TCSII Nov. 2020 2422-2426*
- Co-Design of Matching Sub-Networks to Realize Broadband Symmetrical Doherty With Configurable Back-Off Region. *Li, C., +, TCSII Oct. 2020 1730-1734*
- Continuous Class-F Power Amplifier Using Quasi-Elliptic Low-Pass Filtering Matching Network. *Zarghami, S., +, TCSII Nov. 2020 2407-2411*
- Design and Implementation of a Wideband, Highly-Efficient, High-Power Amplifier Using Load-Pull and X-Parameters Models. *Taleb-Alhagh Nia, H., +, TCSII Nov. 2020 2372-2376*
- Dual-Band 3-Way Doherty Power Amplifier With Extended Back-Off Power and Bandwidth. *Liu, M., +, TCSII Feb. 2020 270-274*
- UHF resonators**
- Hairpin Resonators in Varactor-Tuned Microstrip Bandpass Filters. *Zakharov, A., +, TCSII Oct. 2020 1874-1878*
- Ultra wideband radar**
- Fall Detection Using Standoff Radar-Based Sensing and Deep Convolutional Neural Network. *Sadreazami, H., +, TCSII Jan. 2020 197-201*
- Ultra wideband technology**
- CMOS Millimeter-Wave Ultra-Wideband Bandpass Filter With Three Reflection-Zeros Using Compact Single TFMS Coupled-Line Hairpin Unit. *Vanukuru, V.N.R., +, TCSII Jan. 2020 77-81*
- Ultrasonic measurement**
- Ultrasonic Time Delay Difference Estimation With Analytic Signals and a Model System. *Mass, S., +, TCSII Oct. 2020 2234-2238*
- Uncertain systems**
- A Robust [K,KL] Sector for Nonlinear System. *Sachan, A., +, TCSII Nov. 2020 2547-2551*
- A Robust Adaptive Cancellation of Unknown Sinusoidal Disturbance. *Chu, Z., +, TCSII April 2020 705-709*
- Adaptive Control for Nonlinear Systems With Uncertain Output Function and Unknown Homogenous Growth Rate. *Zhai, J., TCSII Oct. 2020 1974-1978*
- Delay-Dependent and Order-Dependent Stability and Stabilization of Fractional-Order Linear Systems With Time-Varying Delay. *Chen, L., +, TCSII June 2020 1064-1068*

Event-Triggered Control of a Class of Nonlinear Systems on the Basis of Indefinite Lyapunov Theory. *Ghazisaeedi, H.R., +, TCSII Oct. 2020 2104-2108*

Finite-Time Fault-Tolerant Control for Nonlinear Systems With Input Quantization and Its Application. *Liu, W., +, TCSII July 2020 1249-1253*

Global Nested PID Control of Strict-Feedback Nonlinear Systems With Prescribed Output and Virtual Tracking Performance. *Gao, S., +, TCSII Feb. 2020 325-329*

Global Stabilization of Uncertain SISO Dynamical Systems Using a Multiple Delayed Partial State Feedback Sliding Mode Control. *Soni, S., +, TCSII July 2020 1259-1263*

Higher Order Sliding Mode Control-Based Finite-Time Constrained Stabilization. *Goyal, J.K., +, TCSII Feb. 2020 295-299*

Optimal Filtering and a Smoothing Algorithm for a Singular System With a Complex Stochastic Uncertain Parameter Matrix. *Yu, X., +, TCSII April 2020 780-784*

Robust Design Strategy of Quantized Feedback Control. *Chang, X., +, TCSII April 2020 730-734*

Robust Hybrid Control Design for Stochastic Markovian Jump System via Fault Alarm Approach. *Sakthivel, R., +, TCSII Oct. 2020 2004-2008*

Robust Output Regulation in Discrete-Time Singular Systems With Actuator Saturation and Uncertainties. *Jafari, E., +, TCSII Feb. 2020 340-344*

Variable-Gain Second-Order Sliding Mode Controller With Globally Fixed-Time Stability Guarantees. *Shi, S., +, TCSII Aug. 2020 1414-1418*

## Uncertainty

Neuro-Adaptive Cooperative Tracking Rendezvous of Nonholonomic Mobile Robots. *Lu, P., +, TCSII Dec. 2020 3167-3171*

Robust Observer Design for Two-Dimensional Discrete Positive Switched Systems With Delays. *Ghoui, I., +, TCSII Dec. 2020 3297-3301*

## Underwater acoustic communication

Digital Self-Interference Cancellation for Full-Duplex Underwater Acoustic Systems. *Shen, L., +, TCSII Jan. 2020 192-196*

## Unsupervised learning

A Memristor-Based Spiking Neural Network With High Scalability and Learning Efficiency. *Zhao, Z., +, TCSII May 2020 931-935*

Low-Energy and Fast Spiking Neural Network For Context-Dependent Learning on FPGA. *Asgari, H., +, TCSII Nov. 2020 2697-2701*

Reliable Domain Adaptation With Classifiers Competition for Image Classification. *Fu, J., +, TCSII Nov. 2020 2802-2806*

## Upper bound

Projectional Observers of Nonlinear Systems With Full-State Constraints. *Garcia-Gonzalez, A., +, TCSII Dec. 2020 3078-3082*

## V

## Varactors

A 28–30 GHz CMOS Reflection-Type Phase Shifter With Full 360° Phase Shift Range. *Basaligheh, A., +, TCSII Nov. 2020 2452-2456*

A Digitally Programmable Wide Tuning-Range Active Transformer for Inductorless BPF and DCOs. *Abolhassani, S., +, TCSII Dec. 2020 2928-2932*

A Package Aware QLMVF Receiver Front End. *Regulagadda, S.S., +, TCSII Sept. 2020 1584-1588*

A Reconfigurable Wilkinson Power Divider With Flexible Tuning Range Configuration. *Wu, B., +, TCSII July 2020 1219-1223*

A Simple Floating Mutator for Emulating Memristor, Memcapacitor, and Meminductor. *Yu, D., +, TCSII July 2020 1334-1338*

A Tunable Transmission Line With Controllable Phase Shifting and Characteristic Impedance. *Ren, H., +, TCSII Oct. 2020 1720-1724*

Dual-Band Half Mode Substrate Integrated Waveguide Filter With Independently Tunable Bands. *Iqbal, A., +, TCSII Feb. 2020 285-289*

Electronically Tunable Reflection Type Phase Shifters. *Singh, A., +, TCSII March 2020 425-429*

Hairpin Resonators in Varactor-Tuned Microstrip Bandpass Filters. *Zakharov, A., +, TCSII Oct. 2020 1874-1878*

Microstrip Tunable Diplexer With Separately-Designable Channels. *Lu, Q., +, TCSII Dec. 2020 2983-2987*

Offset-Calibration With Time-Domain Comparators Using Inversion-Mode Varactors. *Fiorelli, R., +, TCSII Jan. 2020 47-51*

Synthesis Design of Chebyshev Wideband Band-Pass Filters With Independently Reconfigurable Lower Passband Edge. *Bi, X., +, TCSII Dec. 2020 2948-2952*

Tunable SIW Bandpass Filters With Improved Upper Stopband Performance. *Iqbal, A., +, TCSII July 2020 1194-1198*

## Variable structure systems

A Modified Fixed Current-Mode Controller for Improved Performance in Quadratic Boost Converters. *Chan, C., +, TCSII Oct. 2020 2014-2018*

A Normalized Output Error-Based Sliding-Mode Controller for the DC–DC Cascade Boost Converter. *Chincholkar, S.H., +, TCSII Jan. 2020 92-96*

Chaos Suppression in Forced Chaotic Systems by Innovative Sliding Mode Control. *Piccinni, G., +, TCSII Aug. 2020 1424-1428*

Continuous Finite-Time Integral Sliding Mode Control for Attitude Stabilization. *Wang, L., +, TCSII Oct. 2020 2084-2088*

Continuous Nonsingular Terminal Sliding Mode Control of DC–DC Boost Converters Subject to Time-Varying Disturbances. *Wang, Z., +, TCSII Nov. 2020 2552-2556*

Controller Designed via an Adaptive Reaching Law for DSMC Systems. *Lin, S., +, TCSII Feb. 2020 330-334*

Dynamic Event-Triggered Sliding Mode Control: Dealing With Slow Sampling Singularly Perturbed Systems. *Song, J., +, TCSII June 2020 1079-1083*

Experimental Investigation of Recurrent Neural Network Fractional-Order Sliding Mode Control of Active Power Filter. *Fei, J., +, TCSII Nov. 2020 2522-2526*

Finite-Time Fault-Tolerant Control for Nonlinear Systems With Input Quantization and Its Application. *Liu, W., +, TCSII July 2020 1249-1253*

Fixed-Time Synchronization of Complex Networks With a Simpler Nonchattering Controller. *Xu, Y., +, TCSII April 2020 700-704*

Global Stabilization of Uncertain SISO Dynamical Systems Using a Multiple Delayed Partial State Feedback Sliding Mode Control. *Soni, S., +, TCSII July 2020 1259-1263*

Higher Order Sliding Mode Control-Based Finite-Time Constrained Stabilization. *Goyal, J.K., +, TCSII Feb. 2020 295-299*

Implicit-Euler Implementation of Super-Twisting Observer and Twisting Controller for Second-Order Systems. *Xiong, X., +, TCSII Nov. 2020 2607-2611*

Novel Nonsingular Terminal Sliding Mode Control for Multi-Agent Tracking Systems With Application to Jerk Circuit. *Dong, L., +, TCSII Aug. 2020 1429-1433*

Variable-Gain Second-Order Sliding Mode Controller With Globally Fixed-Time Stability Guarantees. *Shi, S., +, TCSII Aug. 2020 1414-1418*

## Varistors

A Method of Creating the High-Voltage Circuit Model of Metal-Oxide Varistor for the Simulation of Square Pulse Forming. *Cui, Y., +, TCSII March 2020 526-530*

## Vector quantization

Robust Multikernel Maximum Correntropy Filters. *Xiong, K., +, TCSII June 2020 1159-1163*

The Nearest-Instance-Centroid-Estimation Kernel Recursive Least Squares Algorithms. *Zhang, H., +, TCSII July 2020 1344-1348*

## Vectors

A Multiple-Measurement Vectors Reconstruction Method for Low SNR Scenarios. *Wang, L., +, TCSII April 2020 785-789*

Highly Parallel Vector Radix FFT for High Throughput Video Applications. *Unnikrishnan, S., +, TCSII Oct. 2020 2114-2118*

Oversampled DFT-Modulated Biorthogonal Filter Banks: Perfect Reconstruction Designs and Multiplierless Approximations. *Martins, W.A., +, TCSII Nov. 2020 2777-2781*

## Vegetation

Hybrid Low Radix Encoding-Based Approximate Booth Multipliers. *Waris, H., +, TCSII Dec. 2020 3367-3371*

## Vehicle dynamics

Finite-Time Consensus of Finite Field Networks With Stochastic Time Delays. *Li, Y., +, TCSII Dec. 2020 3128-3132*

- Neuro-Adaptive Cooperative Tracking Rendezvous of Nonholonomic Mobile Robots. *Lu, P., +, TCSII Dec. 2020 3167-3171*
- Vehicle-to-grid**
- Islanded Microgrid Frequency Regulations Concerning the Integration of Tidal Power Units: Real-Time Implementation. *Khooban, M.H., +, TCSII June 2020 1099-1103*
- Vehicles ad hoc networks**
- Cooperative Formation of Self-Propelled Vehicles With Directed Communications. *Rao, P., +, TCSII Feb. 2020 315-319*
- Event-Based Adaptive Power Control in Vehicular Networked Systems With State-Dependent Bursty Fading Channels. *Hu, B., TCSII March 2020 506-510*
- Terminal-Time Synchronization of Multiple Vehicles Under Discrete-Time Communication Networks With Directed Switching Topologies. *Zhou, J., +, TCSII Nov. 2020 2532-2536*
- Very large scale integration**
- Low Complexity VLSI Architecture Design Methodology for Wigner Ville Distribution. *Mopuri, S., +, TCSII Dec. 2020 3532-3536*
- Low-Cost Implementation of Independent Component Analysis for Biomedical Signal Separation Using Very-Large-Scale Integration. *Chen, Y., +, TCSII Dec. 2020 3437-3441*
- VLSI Implementation of Lossless ECG Compression Algorithm for Low Power Devices. *Tsai, T., +, TCSII Dec. 2020 3317-3321*
- Vibration control**
- Vibration Control of a Riser-Vessel System Subject to Input Backlash and Extraneous Disturbances. *Zhao, Z., +, TCSII March 2020 516-520*
- Video coding**
- 6WR: A Hardware Friendly 3D-HEVC DMM-1 Algorithm and its Energy-Aware and High-Throughput Design. *Perleberg, M., +, TCSII May 2020 836-840*
- Video signal processing**
- Energy and Error Analysis Framework for Approximate Computing in Mobile Applications. *Jha, C.K., +, TCSII Feb. 2020 385-389*
- Highly Parallel Vector Radix FFT for High Throughput Video Applications. *Unnikrishnan, S., +, TCSII Oct. 2020 2114-2118*
- Virtualization**
- Traffic Dynamics Evaluation for the Future NFV Deployment. *Jiang, Z., +, TCSII Oct. 2020 2214-2218*
- Visualization**
- A Deep Learning Method for Improving the Classification Accuracy of SSMVEP-Based BCI. *Gao, Z., +, TCSII Dec. 2020 3447-3451*
- VLSI**
- A Resource-Efficient Multiplierless Systolic Array Architecture for Convolutions in Deep Networks. *Parmar, Y., +, TCSII Feb. 2020 370-374*
- Efficient VLSI Architectures for Coupled-Layered Regenerating Codes. *Zhang, X., +, TCSII Oct. 2020 1869-1873*
- High-Bandwidth Spatial Equalization for mmWave Massive MU-MIMO With Processing-in-Memory. *Castaneda, O., +, TCSII May 2020 891-895*
- Voltage control**
- A 0.2-V Three-Winding Transformer-Based DCO in 16-nm FinFET CMOS. *Li, C., +, TCSII Dec. 2020 2878-2882*
- A 13.56 MHz Current-Mode Wireless Power Receiver With Energy-Investment Capability. *Kuo, C., +, TCSII Feb. 2020 205-209*
- A Fast Transient Response Hybrid LDO With Highly Accurate DC Voltage Using Countable Bidirectional Binary Search and Soft Swap Switching. *Jung, J., +, TCSII Dec. 2020 3272-3276*
- A Fast-Transient Response Digital Low-Dropout Regulator With Dual-Modes Tuning Technique. *Qian, L., +, TCSII Dec. 2020 2943-2947*
- A Fully Integrated Step-Down Switched-Capacitor DC–DC Converter With Dual Output Regulation Mechanisms. *Chen, P., +, TCSII Sept. 2020 1649-1653*
- A High Efficiency LCC-S Compensated WPT System With Dual Decoupled Receive Coils and Cascaded PWM Regulator. *Wang, X., +, TCSII Dec. 2020 3142-3146*
- A New Population-Based Optimization Method for Online Minimization of Voltage Harmonics in Islanded Microgrids. *Keypour, R., +, TCSII June 2020 1084-1088*
- A Normalized Output Error-Based Sliding-Mode Controller for the DC–DC Cascade Boost Converter. *Chincholkar, S.H., +, TCSII Jan. 2020 92-96*
- A Novel Double-Quadrant SoC Consistent Adaptive Droop Control in DC Microgrids. *Xu, D., +, TCSII Oct. 2020 2034-2038*
- A Quasi-V<sup>2</sup> Hysteretic Buck Converter With Adaptive COT Control for Fast DVS and Load-Transient Response in RF Applications. *Ting, C., +, TCSII March 2020 531-535*
- A Reconfigurable Transient Optimizer Applied to a Four-Phase Buck Converter for Optimizing Both DVS and Load Transient Responses. *Wang, P., +, TCSII Jan. 2020 52-56*
- A Robust Shipboard DC–DC Power Converter Control: Concept Analysis and Experimental Results. *Mosayebi, M., +, TCSII Nov. 2020 2612-2616*
- A SAR-ADC-Assisted DC–DC Buck Converter With Fast Transient Recovery. *Zeng, W., +, TCSII Sept. 2020 1669-1673*
- A Stabilizing Centralized Controller for On-Chip Power Delivery Networks. *Riad, J., +, TCSII April 2020 680-684*
- An Inductive Voltage Regulator With Overdrive Tracking Across Input Voltage in Cascoded Power Stage. *Chekuri, V.C.K., +, TCSII Dec. 2020 3083-3087*
- Autonomous Event Driven Model of Second Order Voltage Switched Charge Pump PLL. *Ali, E., +, TCSII Dec. 2020 2903-2907*
- Continuous Nonsingular Terminal Sliding Mode Control of DC–DC Boost Converters Subject to Time-Varying Disturbances. *Wang, Z., +, TCSII Nov. 2020 2552-2556*
- Digital Valley V<sup>2</sup> Control for Boost Converter With Fast Load-Transient Performance. *Zhou, G., +, TCSII Oct. 2020 2089-2093*
- Double-Line Frequency Ripple Suppression of a Quasi-Single Stage AC–DC Converter. *Yang, P., +, TCSII Oct. 2020 2074-2078*
- Fast DC-Bias Current Control of Dual Active Bridge Converters With Feed-forward Compensation. *Ji, Z., +, TCSII Nov. 2020 2587-2591*
- Finite-Time Consensus for Power Regulation of Parallel PV Grid-Connected Inverters. *Zhang, P., +, TCSII Nov. 2020 2632-2636*
- Hot-Swappable Grid-Connected Multilevel Converter for Battery Energy Storage System. *Cheng, C., +, TCSII Oct. 2020 2109-2113*
- Improved Digital Average Voltage Control for Switching Converter With Capacitor Current Compensation. *Zhou, G., +, TCSII Dec. 2020 3197-3201*
- On the Existence of the Power Flow Solution in DC Grids With CPLs Through a Graph-Based Method. *Montoya, O.D., TCSII Aug. 2020 1434-1438*
- Over-Voltage Suppression Methods for the MMC-VSC-HVDC Wind Farm Integration System. *Li, Y., +, TCSII Feb. 2020 355-359*
- Simplified Hysteresis Sliding-Mode Control for Superbuck Converter. *Chen, Z., +, TCSII Dec. 2020 3212-3216*
- Stabilization of DC Nanogrids Based on Non-Integer General Type-II Fuzzy System. *Mosayebi, M., +, TCSII Dec. 2020 3108-3112*
- Stochastic Distributed Pinning Control for Co-Multi-Inverter Networks With a Virtual Leader. *Lai, J., +, TCSII Oct. 2020 2094-2098*
- Voltage dividers**
- 0.3 pJ/Bit Machine Learning Resistant Strong PUF Using Subthreshold Voltage Divider Array. *Venkatesh, A., +, TCSII Aug. 2020 1394-1398*
- Voltage Divider for Self-Limited Analog State Programming of Memristors. *Gomez, J., +, TCSII April 2020 620-624*
- Voltage measurement**
- 0.13pW/Hz Ring VCO-Based Continuous-Time Read-Out ADC for Bio-impedance Measurement. *Danesh, M., +, TCSII Dec. 2020 2823-2827*
- A Fast Transient Response Hybrid LDO With Highly Accurate DC Voltage Using Countable Bidirectional Binary Search and Soft Swap Switching. *Jung, J., +, TCSII Dec. 2020 3272-3276*
- A P&O MPPT With a Novel Analog Power-Detector for WSNs Applications. *Liu, L., +, TCSII Oct. 2020 1680-1684*
- Voltage multipliers**
- A Reconfigurable Passive Voltage Multiplier for Wireless Mobile IoT Applications. *Guler, U., +, TCSII April 2020 615-619*
- Voltage regulators**
- A 0.5-V Capless LDO With 30-dB PSRR at 10-kHz Using a Lightweight Local Generated Supply. *Yang, C., +, TCSII Oct. 2020 1785-1789*

A 100 MHz, 0.8-to-1.1 V, 170 mA Digital LDO With 8-Cycles Mean Settling Time and 9-Bit Regulating Resolution in 180-nm CMOS. *Yuan, Z., +, TCSII Sept. 2020 1664-1668*

A 42-dBQ 25-Gb/s CMOS Transimpedance Amplifier With Multiple-Peaking Scheme for Optical Communications. *Pan, Q., +, TCSII Jan. 2020 72-76*

A Fully Integrated LDO With 50-mV Dropout for Power Efficiency Optimization. *Ma, X., +, TCSII April 2020 725-729*

A Highly Synthesizable 0.5-to-1.0-V Digital Low-Dropout Regulator With Adaptive Clocking and Incremental Regulation Scheme. *Oh, J., +, TCSII Oct. 2020 2174-2178*

A Robust Shipboard DC-DC Power Converter Control: Concept Analysis and Experimental Results. *Mosayebi, M., +, TCSII Nov. 2020 2612-2616*

A Stabilizing Centralized Controller for On-Chip Power Delivery Networks. *Riad, J., +, TCSII April 2020 680-684*

A Switched Capacitor Voltage Converter With Exponentially Sized Capacitor Banks for Wide Load Range. *Ali Shah, S.A., +, TCSII Oct. 2020 2049-2053*

#### Voltage-controlled oscillators

0.13pW/Hz Ring VCO-Based Continuous-Time Read-Out ADC for Bio-Impedance Measurement. *Danesh, M., +, TCSII Dec. 2020 2823-2827*

A Dividerless Ring Oscillator PLL With 250fs Integrated Jitter Using Sampled Lowpass Filter. *Grout, K., +, TCSII Nov. 2020 2337-2341*

A GaAs Colpitts VCO Using  $g_m$ -Boosting and Collector-Emitter Cross-Coupling Techniques. *Xia, X., +, TCSII Dec. 2020 2873-2877*

A Low Phase Noise, High Phase Accuracy Quadrature LC-VCO With Dual-Tail Current Biasing to Insert Reconfigurable Phase Delay. *Xi, N., +, TCSII March 2020 450-454*

A Low-Voltage Robust Class-C VCO With Dual Digital Feedback Loops. *Liao, X., +, TCSII Nov. 2020 2347-2351*

A Package Aware QLMVF Receiver Front End. *Regulagadda, S.S., +, TCSII Sept. 2020 1584-1588*

A U-Band PLL Using Implicit Distributed Resonators for Sub-THz Wireless Transceivers in 40 nm CMOS. *Chen, Z., +, TCSII Sept. 2020 1574-1578*

An Adaptive-Resolution Quasi-Level-Crossing Delta Modulator With VCO-Based Residue Quantizer. *Wang, H., +, TCSII Dec. 2020 2828-2832*

Low-Power, Low-Phase-Noise  $G_m$ -Boosted 10-GHz VCO With Center-Tap Transformer and Stacked Transistor. *Lee, H.S., +, TCSII Oct. 2020 1710-1714*

Time-Domain Operational Amplifier With Voltage-Controlled Oscillator and Its Application to Active-RC Analog Filter. *Kim, K., +, TCSII March 2020 415-419*

#### Voltage-source converters

A Low Conduction Loss Modular Multilevel Converter Topology With DC Fault Blocking Capability and Reduced Capacitance. *Peng, C., +, TCSII July 2020 1299-1303*

A Modular Multilevel Converter With Novel Double Reverse Blocking Sub-Modules for DC Fault Current Blocking Capability. *Yao, Y., +, TCSII April 2020 740-744*

A Multiport Power Electronic Transformer Based on Modular Multilevel Converter and Mixed-Frequency Modulation. *Ma, D., +, TCSII July 2020 1284-1288*

Over-Voltage Suppression Methods for the MMC-VSC-HVDC Wind Farm Integration System. *Li, Y., +, TCSII Feb. 2020 355-359*

#### Volterra series

$L_p$ -Stability of a Class of Volterra Systems. *van Wyk, M.A., +, TCSII Aug. 2020 1469-1471*

#### W

#### Waveguide couplers

A 28–30 GHz CMOS Reflection-Type Phase Shifter With Full 360° Phase Shift Range. *Basaligheh, A., +, TCSII Nov. 2020 2452-2456*

Dual-Band Branch-Line Couplers With Short/Open-Ended Stubs. *Feng, W., +, TCSII Nov. 2020 2497-2501*

Dual-Band Millimeter-Wave Quadrature LO Generation With a Common-Centroid Floorplan. *Frounchi, M., +, TCSII Feb. 2020 260-264*

#### Waveguide filters

Compact and Wideband Octuple-Mode Filter Based on Hybrid Substrate Integrated Waveguide and Spoof Localized Surface Plasmon Structure. *Yang, Z., +, TCSII Nov. 2020 2377-2381*

Dual-Band Half Mode Substrate Integrated Waveguide Filter With Independently Tunable Bands. *Iqbal, A., +, TCSII Feb. 2020 285-289*

#### Wavelet transforms

On the Design of Biorthogonal Halfband Filterbanks With Almost Tight Rational Coefficients. *Nagare, M.B., +, TCSII April 2020 790-794*

#### Well logging

A Hybrid Reducing Error Correcting Output Code for Lithology Identification. *Chen, X., +, TCSII Oct. 2020 2254-2258*

#### White noise

Periodically Intermittent Stabilization of Neural Networks Based on Discrete-Time Observations. *He, X., +, TCSII Dec. 2020 3497-3501*

#### Wide band gap semiconductors

Fully Integrated Digital GaN-Based LSK Demodulator for High-Temperature Applications. *Hassan, A., +, TCSII Sept. 2020 1579-1583*

Matrix Inductor With DC-Bias Effect Reduction Capability for GaN-Based DC-DC Boost Converter. *Nguyen, A.D., +, TCSII Nov. 2020 2597-2601*

#### Wideband

Single-Layer Planar Wideband Rat-Race Coupler Using a Shorted Parallel-Coupled Multi-Line Section. *Zheng, Y., +, TCSII Dec. 2020 3053-3057*

#### Wideband amplifiers

A 100-W Doherty Power Amplifier With Super-Octave Bandwidth. *Rafati, S., +, TCSII June 2020 1009-1013*

A Switchless SiGe BiCMOS Bidirectional Amplifier for Wideband Radar Applications. *Caliskan, C., +, TCSII Oct. 2020 1844-1848*

Continuous Class-F Power Amplifier Using Quasi-Elliptic Low-Pass Filtering Matching Network. *Zarghami, S., +, TCSII Nov. 2020 2407-2411*

Efficient Supply Modulator for Wide-Band Envelope Elimination and Restoration Power Amplifiers. *Mamdouh, A., +, TCSII Jan. 2020 9-13*

#### WiMax

A Compact Substrate Integrated Waveguide Cavity-Backed Self-Triplexing Antenna. *Iqbal, A., +, TCSII Nov. 2020 2362-2366*

Isolation Improvement of MIMO Antenna Using a Novel Flower Shaped Metamaterial Absorber at 5.5 GHz WiMAX Band. *Garg, P., +, TCSII April 2020 675-679*

#### Wind power plants

Over-Voltage Suppression Methods for the MMC-VSC-HVDC Wind Farm Integration System. *Li, Y., +, TCSII Feb. 2020 355-359*

Synchronization of Chaotic-Oscillation Permanent Magnet Synchronous Generators Networks via Adaptive Impulsive Control. *Zhu, D., +, TCSII Oct. 2020 2194-2198*

#### Windings

A 0.2-V Three-Winding Transformer-Based DCO in 16-nm FinFET CMOS. *Li, C., +, TCSII Dec. 2020 2878-2882*

Ultra-Low Voltage Push-Pull Converter for Micro Energy Harvesting. *Colalongo, L., +, TCSII Dec. 2020 3172-3176*

#### Wireless channels

Auto-Resonant Tuning for Capacitive Power and Data Telemetry Using Flexible Patches. *Nag, S., +, TCSII Oct. 2020 1804-1808*

Small-World Regular Networks for Communication. *Pandey, P.K., +, TCSII Aug. 2020 1409-1413*

#### Wireless LAN

A Compact Substrate Integrated Waveguide Cavity-Backed Self-Triplexing Antenna. *Iqbal, A., +, TCSII Nov. 2020 2362-2366*

Hexa-Band Branch Line Coupler and Wilkinson Power Divider for LTE 0.7 GHz, LTE 1.7 GHz, LTE 2.6 GHz, 3.9 GHz, Public Safety Band 4.9 GHz, and WLAN 5.8 GHz Frequencies. *Zaidi, A.M., +, TCSII Feb. 2020 275-279*

#### Wireless power transfer

Wireless Power Transfer System With High Misalignment Tolerance for Bio-Medical Implants. *Wang, Q., +, TCSII Dec. 2020 3023-3027*

#### Wireless sensor networks

1.2-V Energy-Efficient Wireless CMOS Potentiostat for Amperometric Measurements. *Valente, V., +, TCSII Oct. 2020 1700-1704*

A Low-Power Time-to-Digital Converter for Sensor Interface Circuits. *Rostami, M.S., +, TCSII Dec. 2020 2853-2857*

A P&O MPPT With a Novel Analog Power-Detector for WSNs Applications. *Liu, L., +, TCSII Oct. 2020 1680-1684*

An Incremental Variable Step-Size LMS Algorithm for Adaptive Networks. *Bin Saeed, M.O., +, TCSII Oct. 2020 2264-2268*

Self-Optimizing Wireless Networks on Structures. *Shaik, S.M., +, TCSII May 2020 911-915*

## Z

### **Zero current switching**

A 13.56 MHz Current-Mode Wireless Power Receiver With Energy-Investment Capability. *Kuo, C., +, TCSII Feb. 2020 205-209*

A 7.5-mV-Input Boost Converter for Thermal Energy Harvesting With 11-mV Self-Startup. *Radin, R.L., +, TCSII Aug. 2020 1379-1383*

Class-E<sup>2</sup> DC-DC Converter With Basic Class-E Inverter and Class-E ZCS Rectifier for Capacitive Power Transfer. *Ueda, H., +, TCSII May 2020 941-945*

Design of a Double-Sided LC Compensated Capacitive Power Transfer System With Capacitor Voltage Stress Optimization. *Lian, J., +, TCSII April 2020 715-719*

### **Zero voltage switching**

Class-E<sup>2</sup> DC-DC Converter With Basic Class-E Inverter and Class-E ZCS Rectifier for Capacitive Power Transfer. *Ueda, H., +, TCSII May 2020 941-945*

Design of a Double-Sided LC Compensated Capacitive Power Transfer System With Capacitor Voltage Stress Optimization. *Lian, J., +, TCSII April 2020 715-719*

Low Noise ZVS Switch Sharing Multichannel Switching Amplifier for Magnetic Bearing Applications. *Hsieh, H., +, TCSII Oct. 2020 1999-2003*

Matrix Inductor With DC-Bias Effect Reduction Capability for GaN-Based DC-DC Boost Converter. *Nguyen, A.D., +, TCSII Nov. 2020 2597-2601*