

2020 Index

Journal of Lightwave Technology

Vol. 38

This index covers all technical items—papers, correspondence, reviews, etc.—that appeared in this periodical during 2020, and items from previous years that were commented upon or corrected in 2020. Departments and other items may also be covered if they have been judged to have archival value.

The Author Index contains the primary entry for each item, listed under the first author's name. The primary entry includes the coauthors' names, the title of the paper or other item, and its location, specified by the publication abbreviation, year, month, and inclusive pagination. The Subject Index contains entries describing the item under all appropriate subject headings, plus the first author's name, the publication abbreviation, month, and year, and inclusive pages. Note that the item title is found only under the primary entry in the Author Index.

Author Index

A

- Abas, A.F.**, *see* Al-Alimi, A.W., *JLT Dec. 1, 2020 6648-6654*
- Abd El-Samie, F.E.**, *see* Eltaieb, R.A., *JLT Feb. 1, 2020 619-631*
- Abe, Y.**, *see* Sakamoto, T., *JLT Aug. 15, 2020 4490-4496*
- Abe, Y.**, *see* Fukai, C., *JLT Sept. 15, 2020 5128-5135*
- Abouei, J.**, *see* Hosseini, S.S., *JLT April 1, 2020 1789-1799*
- Abramov, A.**, *see* Khagai, A., *JLT Nov. 1, 2020 6114-6120*
- Abrams, N.C.**, Cheng, Q., Glick, M., Jezzini, M., Morrissey, P., O'Brien, P., and Bergman, K., Silicon Photonic 2.5D Multi-Chip Module Transceiver for High-Performance Data Centers; *JLT July 1, 2020 3346-3357*
- Abrams, N.C.**, *see* Browning, C., *JLT Oct. 1, 2020 5386-5392*
- Abrate, S.**, *see* Ferrari, A., *JLT Aug. 15, 2020 4279-4291*
- Achouche, M.**, *see* Arnould, A., *JLT Jan. 15, 2020 504-508*
- Achouche, M.**, *see* Arnould, A., *JLT Jan. 15, 2020 509-513*
- Achouche, M.**, *see* Renaudier, J., *JLT March 1, 2020 1071-1079*
- Ackerman, E.I.**, and Cox, C.H., Improved RF Interference Suppression Method; *JLT Oct. 1, 2020 5546-5550*
- Adamiecki, A.**, *see* Grillanda, S., *JLT Feb. 15, 2020 804-810*
- Adel, M.**, Shang, C., Hu, D., Wu, H., Zhu, K., Raza, A., and Lu, C., Impact-Based Feature Extraction Utilizing Differential Signals of Phase-Sensitive OTDR; *JLT April 15, 2020 2539-2546*
- Afanasiev, F.**, *see* Khagai, A., *JLT Nov. 1, 2020 6114-6120*
- Agiorgousis, M.L.**, *see* McDonald, N., *JLT July 15, 2020 3584-3591*
- Agrawal, N.**, Zhang, B., Saha, C., Kumar, C., Pu, X., and Kumar, S., Ultra-Sensitive Cholesterol Sensor Using Gold and Zinc-Oxide Nanoparticles Immobilized Core Mismatch MPM/SPS Probe; *JLT April 15, 2020 2523-2529*
- Agraz, F.**, *see* Xue, X., *JLT March 15, 2020 1103-1112*
- Agrell, E.**, *see* Zhang, L., *JLT Jan. 1, 2020 18-30*
- Agrell, E.**, *see* Alfredsson, A.F., *JLT Aug. 1, 2020 3850-3858*
- Agrell, E.**, *see* Yoshida, T., *JLT June 1, 2020 2912-2921*
- Agrell, E.**, *see* Yoshida, T., *JLT Aug. 15, 2020 4292-4306*
- Agrell, E.**, *see* Alfredsson, A.F., *JLT Sept. 1, 2020 4656-4663*
- Aguado, A.**, *see* Mayoral, A., *JLT Jan. 15, 2020 546-552*
- Aguiar, D.**, *see* Zanetto, F., *JLT Nov. 1, 2020 6000-6006*
- Aguilo, M.**, *see* Kifle, E., *JLT Aug. 15, 2020 4374-4384*
- Ahmad, H.**, Samion, M.Z., Kamely, A.A., Wang, S., Wang, Y., and Sahu, J.K., Multiwavelength Brillouin Generation in Bismuth-Doped Fiber Laser With Single- and Double-Frequency Spacing; *JLT Dec. 15, 2020 6886-6896*
- Ahmad, Z.**, *see* Jiang, H., *JLT April 15, 2020 2271-2277*
- Ahmadi, M.**, Bodiou, L., Shi, W., and LaRochelle, S., Comprehensive Modeling and Design of Raman Lasers on SOI for Mid-Infrared Application; *JLT Aug. 1, 2020 4114-4123*
- Ahmadi, V.**, *see* Janjan, B., *JLT March 15, 2020 1391-1399*
- Ahmadi, V.**, *see* Janjan, B., *JLT Nov. 15, 2020 6272-6279*
- Ahmed, H.H.**, *see* Eltaieb, R.A., *JLT Feb. 1, 2020 619-631*
- Ahrens, A.**, *see* Gotten, M., *JLT April 15, 2020 2493-2503*
- Aihara, T.**, Hiraki, T., Fujii, T., Takeda, K., Kakitsuka, T., Tsuchizawa, T., and Matsuo, S., Membrane III-V/Si DFB Laser Using Uniform Grating and Width-Modulated Si Waveguide; *JLT June 1, 2020 2961-2967*
- Aihara, T.**, *see* Hiraki, T., *JLT June 1, 2020 3030-3036*
- Aikawa, K.**, *see* Luis, R.S., *JLT June 1, 2020 2886-2896*
- Aikawa, K.**, *see* Sakamoto, T., *JLT Aug. 15, 2020 4490-4496*
- Akiyama, S.**, *see* Konoike, R., *JLT June 1, 2020 2930-2937*
- Aksnes, A.**, *see* Milenko, K., *JLT April 1, 2020 2081-2085*
- Aktas, O.**, *see* Milosevic, M.M., *JLT April 1, 2020 1865-1873*
- Al-Alimi, A.W.**, Al-Mansoori, M.H., Sarmani, A.R., Abas, A.F., Alreshedi, M.T., and Mahdi, M.A., A Wide Flat Triple Brillouin Frequency Spacing Multiwavelength Fiber Laser Assisted by Four Wave Mixing; *JLT Dec. 1, 2020 6648-6654*
- Al-Husseini, Z.**, *see* Lorenz, L., *JLT July 1, 2020 3478-3484*
- Al-Husseini, Z.**, *see* Charania, S., *JLT July 1, 2020 3454-3460*
- Al-Mansoori, M.H.**, *see* Al-Alimi, A.W., *JLT Dec. 1, 2020 6648-6654*
- Al-Qadi, M.**, O'Sullivan, M., Xie, C., and Hui, R., Phase Noise Measurements and Performance of Lasers With Non-White FM Noise for Use in Digital Coherent Optical Systems; *JLT March 15, 2020 1157-1167*
- AL-QADI, M.**, Laperle, C., Charlton, D., O'Sullivan, M., Xie, C., and Hui, R., Multichannel 16-QAM Single-Sideband Transmission and Kramers-Kronig Detection Using a Single QD-MLL as the Light Source; *JLT Nov. 15, 2020 6163-6169*
- Aladin, S.**, Tran, A.V.S., Allogba, S., and Tremblay, C., Quality of Transmission Estimation and Short-Term Performance Forecast of Lightpaths; *JLT May 15, 2020 2807-2814*
- Alagashev, G.K.**, *see* Okhrimchuk, A.G., *JLT March 15, 2020 1492-1500*
- Alaghabari, K.A.**, Lim, H., and Eltaif, T., Compensation of Chromatic Dispersion and Nonlinear Phase Noise Using Iterative Soft Decision Feedback Equalizer for Coherent Optical FBMC/OQAM Systems; *JLT Aug. 1, 2020 3839-3849*
- Alahmadi, Y.**, *see* Teng, M., *JLT Jan. 1, 2020 6-17*
- Alam, M.S.**, *see* Li, X., *JLT Nov. 15, 2020 6170-6177*
- Alameh, K.**, *see* Song, T., *JLT Aug. 15, 2020 4250-4259*
- Alamgir, I.**, *see* Zhang, K., *JLT Feb. 15, 2020 857-863*
- Alexandropoulos, G.C.**, *see* Peppas, K.P., *JLT March 15, 2020 1286-1295*
- Alexoudi, T.**, *see* Pitris, S., *JLT July 1, 2020 3366-3375*
- Alexoudi, T.**, *see* Zanetto, F., *JLT Nov. 1, 2020 6000-6006*
- Alfadhli, Y.**, *see* Yao, S., *JLT July 15, 2020 3637-3643*
- Alfadhli, Y.**, *see* Yao, S., *JLT Nov. 15, 2020 6178-6186*
- Alfredsson, A.F.**, Agrell, E., Karlsson, M., and Wymeersch, H., Optimization of Transmitter-Side Signal Rotations in the Presence of Laser Phase Noise; *JLT Aug. 1, 2020 3850-3858*
- Alfredsson, A.F.**, Agrell, E., Karlsson, M., and Wymeersch, H., Pilot Distributions for Joint-Channel Carrier-Phase Estimation in Multichannel Optical Communications; *JLT Sept. 1, 2020 4656-4663*
- Alia, O.**, *see* Hugues-Salas, E., *JLT Sept. 15, 2020 5064-5070*
- Alic, N.**, *see* Serahati, Z., *JLT March 15, 2020 1194-1201*
- Alimasi, A.**, *see* Lyu, C., *JLT Aug. 1, 2020 4174-4182*
- Alimi, I.A.**, *see* Patel, R.K., *JLT Aug. 15, 2020 4205-4212*
- Alishahi, F.**, *see* Fallahpour, A., *JLT Jan. 15, 2020 359-365*
- Alkhazragi, O.**, *see* Sun, X., *JLT Jan. 15, 2020 421-431*
- Allogba, S.**, *see* Aladin, S., *JLT May 15, 2020 2807-2814*
- Almaiman, A.**, *see* Fallahpour, A., *JLT Jan. 15, 2020 359-365*
- Almaiman, A.**, *see* Song, H., *JLT Jan. 1, 2020 82-89*
- Almenar, V.**, *see* Perez-Pascual, A., *JLT April 1, 2020 1651-1658*
- Almonacil, S.**, Boitier, F., and Layec, P., Performance Model and Design Rules for Optical Systems Employing Low-Resolution DAC/ADC; *JLT June 1, 2020 3007-3014*

- Alresheedi, M.T.**, see Al-Alimi, A.W., *JLT Dec. 1, 2020 6648-6654*
- Alshebeili, S.A.**, see Eltaieb, R.A., *JLT Feb. 1, 2020 619-631*
- Altabas, J.A.**, Gallardo, O., Valdecasa, G.S., Squartecchia, M., Johansen, T.K., and Jensen, J.B., DSP-Free Real-Time 25 GBPS Quasicoherent Receiver With Electrical SSB Filtering for C-Band Links up to 40 km SSMF; *JLT April 1, 2020 1785-1788*
- Alvarado, A.**, see Oliari, V., *JLT June 15, 2020 3114-3124*
- Alvarado, A.**, see Yoshida, T., *JLT Aug. 15, 2020 4292-4306*
- Alvarado, A.**, see Gerard, T., *JLT Feb. 1, 2020 564-572*
- Amano, T.**, see Noriki, A., *JLT June 15, 2020 3147-3155*
- Amaral, G.C.**, see Calliari, F., *JLT Aug. 15, 2020 4572-4579*
- Amin, M.Z.**, Majewski, M.R., Woodward, R.I., Fuerbach, A., and Jackson, S.D., Novel Near-infrared Pump Wavelengths for Dysprosium Fiber Lasers; *JLT Oct. 15, 2020 5801-5808*
- Amin, R.**, Maiti, R., George, J.K., Ma, X., Ma, Z., Dalir, H., Miscuglio, M., and Sorger, V.J., A Lateral MOS-Capacitor-Enabled ITO Mach-Zehnder Modulator for Beam Steering; *JLT Jan. 15, 2020 282-290*
- Amiranashvili, S.**, see Bandelow, U., *JLT Oct. 15, 2020 5743-5747*
- Amsters, R.**, Holm, D., Joly, J., Demeester, E., Stevens, N., and Slaets, P., Visible Light Positioning Using Bayesian Filters; *JLT Nov. 1, 2020 5925-5936*
- An, S.**, Zhu, Q., Li, J., and Su, Y., Accurate Field Reconstruction at Low CSRR Condition Based on a Modified KK Receiver With Direct Detection; *JLT Jan. 15, 2020 485-491*
- Anashkina, E.A.**, see Andrianov, A.V., *JLT April 15, 2020 2464-2470*
- Anderson, J.**, see Gausmann, S., *JLT April 1, 2020 1953-1958*
- Andrade, H.**, Maharry, A., Hirokawa, T., Valenzuela, L., Pinna, S., Simon, S., Schow, C.L., and Buckwalter, J.F., Analysis and Monolithic Implementation of Differential Transimpedance Amplifiers; *JLT Aug. 15, 2020 4409-4418*
- Andreades, P.**, and Zervas, G., Parallel Modular Scheduler Design for Clos Switches in Optical Data Center Networks; *JLT July 1, 2020 3506-3518*
- Andrekson, P.A.**, see Mazur, M., *JLT Oct. 15, 2020 5676-5684*
- Andreou, S.**, Williams, K.A., and Bente, E.A.J.M., Electro-Optic Tuning of a Monolithically Integrated Widely Tuneable InP Laser With Free-Running and Stabilized Operation; *JLT April 1, 2020 1887-1894*
- Andres, M.V.**, see Barmenkov, Y.O., *JLT July 15, 2020 3751-3758*
- Andrianov, A.V.**, Kalinin, N.A., Anashkina, E.A., Egorova, O.N., Lipatov, D.S., Kim, A.V., Semjonov, S.L., and Litvak, A.G., Selective Excitation and Amplification of Peak-Power-Scalable Out-of-Phase Supermode in Yb-Doped Multicore Fiber; *JLT April 15, 2020 2464-2470*
- Andronik, M.**, see Kornienko, V.V., *JLT Sept. 1, 2020 4794-4800*
- Anghan, M.**, see Nambath, N., *JLT Nov. 1, 2020 5867-5874*
- Anmadwar, S.**, see Nambath, N., *JLT Nov. 1, 2020 5867-5874*
- Ansari, N.**, and Mirbaghestan, K., Design of Wavelength-Adjustable Dual-Narrowband Absorber by Photonic Crystals With Two Defects Containing MoS₂ Monolayer; *JLT Dec. 1, 2020 6678-6684*
- Antona, J.**, see Bononi, A., *JLT April 15, 2020 2201-2213*
- Antona, J.**, see Cho, J., *JLT July 15, 2020 3652-3662*
- Antonelli, C.**, Mecozi, A., Shtaf, M., Fontaine, N.K., Chen, H., and Ryf, R., Stokes-Space Analysis of Modal Dispersion of SDM Fibers With Mode-Dependent Loss: Theory and Experiments; *JLT April 1, 2020 1668-1677*
- Antonio-Lopez, J.E.**, see Gausmann, S., *JLT April 1, 2020 1953-1958*
- Antonopoulos, G.**, Bakoglou, E., and Kakarantzas, G., Fine, Reversible and Broadband Tuning of the Group Velocity Dispersion of Tapered Silica Fibers in a Thermo-Optic Polymer Matrix; *JLT Aug. 1, 2020 4086-4092*
- Antunes, P.F.d.C.**, see Paixao, T., *JLT March 15, 2020 1529-1535*
- Aoki, R.**, Yamauchi, M., Kobayashi, N., Kawamura, Y., Arakawa, T., and Kokubun, Y., Switchable All-Optical Flip-Flop and Inverter Operations in Quantum Well Microring Laser; *JLT Aug. 1, 2020 3950-3958*
- Aoki, T.**, see Jeong, S., *JLT May 1, 2020 2680-2687*
- Aono, Y.**, see Huang, M., *JLT Jan. 1, 2020 75-81*
- Arakawa, T.**, see Aoki, R., *JLT Aug. 1, 2020 3950-3958*
- Araki, T.**, see Kobayashi, Y., *JLT Aug. 15, 2020 4504-4512*
- Araujo, F.**, see Paixao, T., *JLT March 15, 2020 1529-1535*
- Arce, C.L.**, see Radosavljevic, A., *JLT Aug. 1, 2020 3965-3973*
- Aref, V.**, see Buchali, F., *JLT May 1, 2020 2710-2718*
- Aref, V.**, see Bajaj, V., *JLT June 1, 2020 3051-3058*
- Aref, V.**, see Le, S.T., *JLT Aug. 15, 2020 4359-4367*
- Aref, V.**, see Span, A., *JLT Sept. 1, 2020 4708-4714*
- Ariza, R.**, see Macias-Montero, M., *JLT Dec. 1, 2020 6578-6583*
- Arnould, A.**, Ghazisaeidi, A., Le Gac, D., Brindel, P., Makhsiyani, M., Mekhazni, K., Blache, F., Fontaine, N., Neilson, D., Ryf, R., Chen, H., Achouche, M., and Renaudier, J., 103 nm Ultra-Wideband Hybrid Raman/SOA Transmission Over 3 × 100 km SSMF; *JLT Jan. 15, 2020 504-508*
- Arnould, A.**, Ghazisaeidi, A., Le Gac, D., Brindel, P., Makhsiyani, M., Mekhazni, K., Blache, F., Achouche, M., and Renaudier, J., Experimental Characterization of Nonlinear Distortions of Semiconductor Optical Amplifiers in the WDM Regime; *JLT Jan. 15, 2020 509-513*
- Arnould, A.**, see Renaudier, J., *JLT March 1, 2020 1071-1079*
- Artaud, G.**, see Paillier, L., *JLT Oct. 15, 2020 5716-5727*
- Asa, M.**, see Memon, F.A., *JLT Feb. 15, 2020 784-791*
- Ashok, R.**, see Nambath, N., *JLT Nov. 1, 2020 5867-5874*
- Ashraf, M.A.**, see Mumtaz, F., *JLT Dec. 15, 2020 6948-6953*
- Ataie, V.**, see Serahati, Z., *JLT March 15, 2020 1194-1201*
- Atar, G.**, see Yevnin, M., *JLT Feb. 15, 2020 792-796*
- Atia, K.s.R.**, Heikal, A.M., and Obayya, S.S.A., Matrix-Free Time Domain Gradient Smoothing Method With Stretched-Coordinates Perfectly Matched Layer for Analysis of Photonic Devices; *JLT Oct. 15, 2020 5791-5800*
- Aubin, G.**, see Verole, T., *JLT Oct. 15, 2020 5708-5715*
- Aveneau, L.**, see Combeau, P., *JLT Oct. 15, 2020 5635-5648*
- Averyanov, E.**, see Redyuk, A., *JLT March 15, 2020 1250-1257*
- Awaji, Y.**, see Rademacher, G., *JLT Jan. 15, 2020 291-296*
- Awaji, Y.**, see Puttnam, B.J., *JLT Jan. 1, 2020 123-130*
- Awaji, Y.**, see Eriksson, T.A., *JLT April 15, 2020 2214-2218*
- Awaji, Y.**, see Xu, S., *JLT May 1, 2020 2656-2668*
- Awaji, Y.**, see Luis, R.S., *JLT June 1, 2020 2886-2896*
- Awaji, Y.**, see Sohanpal, R.S., *JLT April 1, 2020 1636-1643*
- Awwad, E.**, see Renaudier, J., *JLT March 1, 2020 1071-1079*
- Awwad, E.**, Dorize, C., Guerrier, S., and Renaudier, J., Detection-Localization-Identification of Vibrations Over Long Distance SSMF With Coherent $\Delta\phi$ -OTDR; *JLT June 15, 2020 3089-3095*
- Awwad, E.**, see Dumenil, A., *JLT Sept. 15, 2020 5017-5025*
- Ayoub, O.**, see Ibrahim, M., *JLT June 15, 2020 3221-3228*
- Azana, J.**, see Konatham, S.R., *JLT Oct. 1, 2020 5356-5367*
- Azanova, I.S.**, see Tomashuk, A.L., *JLT Oct. 15, 2020 5817-5824*

B

- Ba, D.**, see Wang, B., *JLT Feb. 15, 2020 946-952*
- Baba, T.**, see Kamata, M., *JLT April 15, 2020 2315-2321*
- Badar, M.**, Lu, P., Buric, M., and Ohodnicki, P., Integrated Auxiliary Interferometer for Self-Correction of Nonlinear Tuning in Optical Frequency Domain Reflectometry; *JLT Nov. 1, 2020 6097-6103*
- Baets, R.**, see Lopez, O.G., *JLT Aug. 1, 2020 3983-3987*
- Baeuerle, B.**, see Heni, W., *JLT May 1, 2020 2734-2739*
- Baeyens, Y.**, see Melikyan, A., *JLT June 1, 2020 2872-2876*
- Bahadori, M.**, Yang, Y., Hassanien, A.E., Goddard, L.L., and Gong, S., Theory of Coupled Harmonics and Its Application to Resonant and Non-Resonant Electro-Optic Modulators; *JLT Oct. 15, 2020 5756-5767*
- Bai, C.**, see Zhang, L., *JLT April 1, 2020 1966-1974*
- Bai, H.**, see Shi, J., *JLT April 1, 2020 2010-2014*
- Bai, Q.**, see Wang, D., *JLT Dec. 1, 2020 6664-6670*
- Bai, Q.**, see Wang, P., *JLT Dec. 1, 2020 6699-6706*
- Bai, Y.**, Lei, M., Zheng, Z., Qian, J., Song, X., Su, Z., Gao, X., and Huang, S., Wideband and Dispersion Immune Microwave Photonic Phase Shifter With Tunable Optical Carrier to Sideband Ratio; *JLT Oct. 1, 2020 5262-5269*
- Bai, Y.**, Huang, S., Gao, X., Lei, M., Zheng, Z., Song, X., Song, C., and Su, Z., High Power Efficiency and Dynamic Range Analog Photonic Link with Suppressed Dispersion-Induced Power Fading; *JLT Nov. 1, 2020 5973-5980*
- Bai, Y.**, Miao, Y., Zhang, H., and Yao, J., Simultaneous Measurement of Temperature and Relative Humidity Based on a Microfiber Sagnac Loop and MoS₂; *JLT Feb. 15, 2020 840-845*
- Bai, Z.**, see Zhao, Y., *JLT April 15, 2020 2504-2510*
- Bai, Z.**, see Wang, L., *JLT Nov. 1, 2020 6129-6134*
- Bain, J.A.**, see Khan, M.S.I., *JLT April 1, 2020 2053-2059*

- Bajaj, V.**, Chimmalgi, S., Aref, V., and Wahls, S., Exact NFDI Transmission in the Presence of Fiber-Loss; *JLT June 1, 2020 3051-3058*
- Baker, C.**, see Gao, S., *JLT Aug. 1, 2020 4108-4113*
- Baker, C.**, see Gao, S., *JLT Nov. 15, 2020 6345-6351*
- Bakoglou, E.**, see Antonopoulos, G., *JLT Aug. 1, 2020 4086-4092*
- Baks, C.W.**, see Forencich, A., *JLT March 15, 2020 1330-1340*
- Baks, C.W.**, see Dupuis, N., *JLT Jan. 15, 2020 178-184*
- Balamurugan, G.**, see Li, H., *JLT Jan. 1, 2020 131-138*
- Baldi, D.**, see Li, D., *JLT Sept. 15, 2020 4978-4986*
- Ballani, H.**, see Blumenthal, D.J., *JLT July 1, 2020 3376-3386*
- Bamiedakis, N.**, Shi, F., Pentyl, R.V., White, I.H., and Chu, D., Bend- and Twist-Insensitive Flexible Multimode Polymer Optical Interconnects; *JLT Dec. 1, 2020 6561-6568*
- Ban, Y.**, see Pitris, S., *JLT July 1, 2020 3366-3375*
- Ban, Y.**, see Zanetto, F., *JLT Nov. 1, 2020 6000-6006*
- Banaszek, K.**, Kunz, L., Jachura, M., and Jarzyna, M., Quantum Limits in Optical Communications; *JLT May 15, 2020 2741-2754*
- Bandelow, U.**, Amiranashvili, S., and Pickartz, S., Stabilization of Optical Pulse Transmission by Exploiting Fiber Nonlinearities; *JLT Oct. 15, 2020 5743-5747*
- Banerjee, A.**, de Britto, L.A.D., and Pacheco, G.M., A Theoretical and Experimental Study of Injection-Locking and Injection-Pulling for Optoelectronic Oscillators Under Radio Frequency Signal Injection; *JLT March 15, 2020 1210-1220*
- Banno, M.**, see Kobayashi, Y., *JLT Aug. 15, 2020 4504-4512*
- Bao, C.**, see Fang, Y., *JLT July 1, 2020 3431-3438*
- Bao, X.**, see Gao, S., *JLT Aug. 1, 2020 4108-4113*
- Bao, X.**, see Gao, S., *JLT Nov. 15, 2020 6345-6351*
- Barakatain, M.**, Lentner, D., Boecher, G., and Kschischang, F.R., Performance-Complexity Tradeoffs of Concatenated FEC for Higher-Order Modulation; *JLT June 1, 2020 2944-2953*
- Barbosa, F.A.**, Rossi, S.M., and Mello, D.A.A., Phase and Frequency Recovery Algorithms for Probabilistically Shaped Transmission; *JLT April 1, 2020 1827-1835*
- Barmenkov, Y.O.**, Muniz-Canovas, P., Kir'yanov, A.V., Carrascosa, A.A., Cruz, J.L., and Andres, M.V., Coexistence of Quasi-CW and SBS-Boosted Self-Q-Switched Pulsing in Ytterbium-Doped Fiber Laser With Low Q-Factor Cavity; *JLT July 15, 2020 3751-3758*
- Barnes, S.**, see Ionescu, M., *JLT Jan. 15, 2020 531-537*
- Baron, T.**, see Liu, Z., *JLT Jan. 15, 2020 240-248*
- Barrere, J.**, see Lorraine, N., *JLT Aug. 1, 2020 3822-3831*
- Barry, L.**, see Verolet, T., *JLT Oct. 15, 2020 5708-5715*
- Barry, L.P.**, see Browning, C., *JLT Oct. 1, 2020 5386-5392*
- Barry, L.P.**, see Le, D.D., *JLT Sept. 15, 2020 4922-4934*
- Bartha, J.W.**, see Charania, S., *JLT July 1, 2020 3454-3460*
- Barua, P.**, see Jung, Y., *JLT June 1, 2020 2938-2943*
- Baryshev, A.V.**, see Kornienko, V.V., *JLT Sept. 1, 2020 4794-4800*
- Basavanthally, N.**, see Grillanda, S., *JLT Feb. 15, 2020 804-810*
- Bassi, S.**, see Chen, H., *JLT Oct. 1, 2020 5500-5508*
- Batshon, H.G.**, see Cai, J., *JLT June 15, 2020 3280-3288*
- Bauwelinck, J.**, see Li, H., *JLT Jan. 15, 2020 386-393*
- Bauwelinck, J.**, see Lambrecht, J., *JLT Jan. 15, 2020 432-438*
- Bauwelinck, J.**, see Wu, C., *JLT May 15, 2020 2765-2773*
- Bauwelinck, J.**, see Bogaert, L., *JLT June 15, 2020 3289-3295*
- Bauwelinck, J.**, see Pitris, S., *JLT July 1, 2020 3366-3375*
- Bauwelinck, J.**, see Wu, C., *JLT Feb. 15, 2020 705-713*
- Baykas, T.**, see Ulkar, M.G., *JLT Nov. 1, 2020 5937-5948*
- Bayvel, P.**, see Semrau, D., *JLT March 15, 2020 1604*
- Bayvel, P.**, see Ionescu, M., *JLT Jan. 15, 2020 531-537*
- Bayvel, P.**, see Mitra, A., *JLT March 1, 2020 1032-1040*
- Bayvel, P.**, see Clark, K.A., *JLT May 1, 2020 2703-2709*
- Bayvel, P.**, see Sohanpal, R.S., *JLT April 1, 2020 1636-1643*
- Bayvel, P.**, see Benjamin, J.L., *JLT Sept. 15, 2020 4906-4921*
- Bayvel, P.**, see Gerard, T., *JLT Feb. 1, 2020 564-572*
- Beanland, R.**, see Liu, Z., *JLT Jan. 15, 2020 240-248*
- Beausoleil, R.G.**, see Wang, B., *JLT June 15, 2020 3156-3163*
- Beausoleil, R.G.**, see Liang, D., *JLT July 1, 2020 3322-3337*
- Beausoleil, R.G.**, see Hooten, S., *JLT July 1, 2020 3422-3430*
- Beausoleil, R.G.**, see Yuan, Y., *JLT Sept. 1, 2020 4857-4866*
- Becker, W.**, see Wang, X., *JLT Jan. 1, 2020 166-173*
- Behunin, R.O.**, see Blumenthal, D.J., *JLT July 1, 2020 3376-3386*
- Beldachi, A.F.**, see Yan, Y., *JLT May 1, 2020 2688-2694*
- Belenky, G.**, see Feng, T., *JLT April 1, 2020 1895-1899*
- Beling, A.**, see Peng, Y., *JLT Sept. 1, 2020 4850-4856*
- Beling, A.**, see Yu, F., *JLT Dec. 15, 2020 6827-6832*
- Belyanin, A.**, see Feng, T., *JLT April 1, 2020 1895-1899*
- Ben, D.**, see Shi, J., *JLT April 15, 2020 2171-2179*
- Beneke, P.**, see Brusberg, L., *JLT March 15, 2020 1350-1357*
- Beninati, S.**, see McDonald, N., *JLT July 15, 2020 3584-3591*
- Benjamin, J.L.**, Gerard, T., Lavery, D., Bayvel, P., and Zervas, G., PULSE: Optical Circuit Switched Data Center Architecture Operating at Nanosecond Timescales; *JLT Sept. 15, 2020 4906-4921*
- Bente, E.A.J.M.**, see Andreou, S., *JLT April 1, 2020 1887-1894*
- Beppu, S.**, Soma, D., Sumita, S., Wakayama, Y., Takahashi, H., Tsuritani, T., Morita, I., and Suzuki, M., 402.7-Tb/s MDM-WDM Transmission Over Weakly Coupled 10-Mode Fiber Using Rate-Adaptive PS-16QAM Signals; *JLT May 15, 2020 2835-2841*
- Berciano, M.**, see Srinivasan, S.A., *JLT June 1, 2020 3044-3050*
- Berggren, K.K.**, see Wang, X., *JLT Jan. 1, 2020 166-173*
- Bergmans, F.**, see Gieriej, A., *JLT April 1, 2020 1905-1914*
- Bergman, K.**, see Huang, Y., *JLT Jan. 15, 2020 194-201*
- Bergman, K.**, see Zhu, Z., *JLT May 15, 2020 2815-2825*
- Bergman, K.**, see London, Y., *JLT July 1, 2020 3469-3477*
- Bergman, K.**, see Abrams, N.C., *JLT July 1, 2020 3346-3357*
- Bergman, K.**, see Browning, C., *JLT Oct. 1, 2020 5386-5392*
- Bermudez, V.**, see Lorraine, N., *JLT Aug. 1, 2020 3822-3831*
- Bernas, M.**, see Napierkowski, M., *JLT March 15, 2020 1372-1381*
- Berthold, M.**, see Buchali, F., *JLT Jan. 1, 2020 150-158*
- Berthold, M.**, see Le, S.T., *JLT June 15, 2020 3125-3134*
- Bertacco, R.**, see Memon, F.A., *JLT Feb. 15, 2020 784-791*
- Betrancourt, N.**, see Lorraine, N., *JLT Aug. 1, 2020 3822-3831*
- Beyranvand, H.**, see Moghaddam, E.E., *JLT March 15, 2020 1095-1102*
- Bhaker, P.**, Norman, J., Bowers, J., and Dagli, N., Low Voltage, High Optical Power Handling Capable, Bulk Compound Semiconductor Electro-Optic Modulators at 1550 nm; *JLT April 15, 2020 2308-2314*
- Bhatta, H.D.**, see Feng, C., *JLT Dec. 15, 2020 6967-6975*
- Bi, M.**, see Fu, Y., *JLT Feb. 1, 2020 654-660*
- Bialek, H.**, see Liverman, S., *JLT April 1, 2020 1659-1667*
- Bian, Z.**, see Xia, Z., *JLT Feb. 15, 2020 912-918*
- Bickham, S.R.**, Marro, M.A., Derick, J.A., Kuang, W., Feng, X., and Hua, Y., Reduced Cladding Diameter Fibers for High-Density Optical Interconnects; *JLT Jan. 15, 2020 297-302*
- Bigo, S.**, see Lonardi, M., *JLT May 1, 2020 2637-2645*
- Binkai, M.**, see Ohata, N., *JLT June 15, 2020 3246-3251*
- Bino, L.D.**, see Moroney, N., *JLT March 15, 2020 1414-1419*
- Biswas, R.**, see Boruah, B.S., *JLT April 1, 2020 2086-2091*
- Bisyarin, M.**, see Chapalo, I., *JLT Oct. 15, 2020 5809-5816*
- Blache, F.**, see Arnould, A., *JLT Jan. 15, 2020 504-508*
- Blache, F.**, see Arnould, A., *JLT Jan. 15, 2020 509-513*
- Blache, F.**, see Renaudier, J., *JLT March 1, 2020 1071-1079*
- Blumenthal, D.J.**, Ballani, H., Behunin, R.O., Bowers, J.E., Costa, P., Lenoski, D., Morton, P.A., Papp, S.B., and Rakich, P.T., Frequency-Stabilized Links for Coherent WDM Fiber Interconnects in the Datacenter; *JLT July 1, 2020 3376-3386*
- Bo, T.**, and Kim, H., DC Component Recovery in Kramers-Kronig Receiver Utilizing AC-Coupled Photo-Detector; *JLT Aug. 15, 2020 4307-4314*
- Bo, T.**, see Yu, Y., *JLT April 1, 2020 1735-1746*
- Bo, Y.**, see Zhou, B., *JLT July 1, 2020 3338-3345*
- Bock, K.**, see Lorenz, L., *JLT July 1, 2020 3478-3484*
- Bock, R.**, see Song, H., *JLT Jan. 1, 2020 82-89*
- Bodiou, L.**, see Ahmadi, M., *JLT Aug. 1, 2020 4114-4123*
- Boecherer, G.**, see Barakatain, M., *JLT June 1, 2020 2944-2953*
- Boeglen, H.**, see Combeau, P., *JLT Oct. 15, 2020 5635-5648*
- Boes, A.**, see Xu, X., *JLT April 1, 2020 1722-1727*

- Boes, A.**, see Xu, X., *JLT Sept. 15, 2020 5116-5121*
- Boes, A.**, see Tan, M., *JLT Nov. 15, 2020 6221-6226*
- Bogaert, L.**, see Li, H., *JLT Jan. 15, 2020 386-393*
- Bogaert, L.**, Li, H., Van Gasse, K., Van Kerrebrouck, J., Bauwelinck, J., Roelkens, G., and Torfs, G., 36 Gb/s Narrowband Photoreceiver for mmWave Analog Radio-Over-Fiber; *JLT June 15, 2020 3289-3295*
- Bogaerts, W.**, see Chen, X., *JLT Aug. 1, 2020 4009-4018*
- Bogoni, A.**, see Serafino, G., *JLT Oct. 1, 2020 5339-5355*
- Bogoni, A.**, see Malacarne, A., *JLT Nov. 15, 2020 6257-6264*
- Bogris, A.**, see Deligiannidis, S., *JLT Nov. 1, 2020 5991-5999*
- Bohbot, J.**, see Feng, C., *JLT Dec. 15, 2020 6967-6975*
- Boitier, F.**, see Almonacil, S., *JLT June 1, 2020 3007-3014*
- Bolshtyansky, M.A.**, Sinkin, O.V., Paskov, M., Hu, Y., Cantono, M., Jovanovski, L., Pilipetskii, A.N., Mohs, G., Kamalov, V., and Vusirikala, V., Single-Mode Fiber SDM Submarine Systems; *JLT March 15, 2020 1296-1304*
- Bolshtyansky, M.A.**, see Cai, J., *JLT June 15, 2020 3280-3288*
- Bononi, A.**, see Serena, P., *JLT March 1, 2020 1019-1031*
- Bononi, A.**, Antona, J., Lonardi, M., Carbo-Meseguer, A., and Serena, P., The Generalized Droop Formula for Low Signal to Noise Ratio Optical Links; *JLT April 15, 2020 2201-2213*
- Bononi, A.**, see Serena, P., *JLT Oct. 15, 2020 5685-5694*
- Borges, R.M.**, Melo Pereira, L.A., Rodrigues Dias Filgueiras, H., Carvalho Ferreira, A., Seda Borsato Cunha, M., Raimundo Neto, E., Spadoti, D.H., Leonel Mendes, L., Cerqueira S., A., DSP-Based Flexible-Waveform and Multi-Application 5G Fiber-Wireless System; *JLT Feb. 1, 2020 642-653*
- Borjeson, E.**, Fougstedt, C., and Larsson-Edefors, P., VLSI Implementations of Carrier Phase Recovery Algorithms for M-QAM Fiber-Optic Systems; *JLT July 15, 2020 3616-3623*
- Boruah, B.S.**, Ojah, N., and Biswas, R., Bio-Inspired Localized Surface Plasmon Resonance Enhanced Sensing of Mercury Through Green Synthesized Silver Nanoparticle; *JLT April 1, 2020 2086-2091*
- Bosco, G.**, see Golani, O., *JLT March 15, 2020 1148-1156*
- Bosco, G.**, Editorial Selected Papers From OFC 2019; *JLT Jan. 15, 2020 177*
- Bosco, G.**, Elbers, J., Schares, L., Xie, C., Kani, J., and Dong, P., Guest Editorial OFC 2019 Special Issue; *JLT Jan. 1, 2020 3-5*
- Bose, S.K.**, see Li, Y., *JLT July 15, 2020 3542-3552*
- Bottenfield, C.G.**, and Ralph, S.E., High-Performance Fully Integrated Silicon Photonic Microwave Mixer Subsystems; *JLT Oct. 1, 2020 5536-5545*
- Bottrill, K.R.H.**, see Sakr, H., *JLT Jan. 1, 2020 159-165*
- Bottrill, K.R.H.**, see Hong, Y., *JLT April 15, 2020 2278-2284*
- Bottrill, K.R.H.**, see Hong, Y., *JLT May 15, 2020 2849-2857*
- Bottrill, K.R.H.**, Taengnoi, N., Hong, Y., Richardson, D.J., and Petropoulos, P., Phase Preserving Amplitude Saturation Through Tone Synthesis Assisted Saturated Four-Wave Mixing; *JLT April 1, 2020 1817-1826*
- Bouchet, O.**, see Singh, R., *JLT Dec. 15, 2020 6817-6826*
- Boucouvalas, A.C.**, see Wang, D., *JLT Sept. 1, 2020 4730-4743*
- Boudreau, S.**, see Searcy, S., *JLT June 15, 2020 3173-3179*
- Bourderionnet, J.**, see Rommel, S., *JLT Oct. 1, 2020 5412-5422*
- Boust, S.**, Dirani, H.E., Youssef, L., Robert, Y., Larrue, A., Petit-Etienne, C., Vinet, E., Kerdiles, S., Pargon, E., Faugeron, M., Vallet, M., Dupont, F., Sciancalepore, C., and van Dijk, F., Microcomb Source Based on InP DFB / Si₃N₄ Microring Butt-Coupling; *JLT Oct. 1, 2020 5517-5525*
- Boutin, A.**, see Renaudier, J., *JLT March 1, 2020 1071-1079*
- Bowers, J.**, see Bhasker, P., *JLT April 15, 2020 2308-2314*
- Bowers, J.E.**, see Blumenthal, D.J., *JLT July 1, 2020 3376-3386*
- Bozhko, D.**, see Chapalo, I., *JLT Oct. 15, 2020 5809-5816*
- Bradley, T.**, see Zhu, W., *JLT April 15, 2020 2477-2484*
- Bradley, T.**, see Clark, K.A., *JLT May 1, 2020 2703-2709*
- Bradley, T.D.**, see Sakr, H., *JLT Jan. 1, 2020 159-165*
- Bradley, T.D.**, see Ding, M., *JLT April 15, 2020 2423-2427*
- Bradley, T.D.**, see Hong, Y., *JLT May 15, 2020 2849-2857*
- Bramerle, L.**, see Lagha, M.K., *JLT Aug. 15, 2020 4213-4220*
- Brandao, B.T.**, see Guiomar, F.P., *JLT Dec. 1, 2020 6529-6541*
- Brandt-Pearce, M.**, see Lian, J., *JLT Nov. 1, 2020 6015-6023*
- Braud, A.**, see Kifle, E., *JLT Aug. 15, 2020 4374-4384*
- Bravalheri, A.**, see Wang, R., *JLT Jan. 1, 2020 139-149*
- Bravalheri, A.**, see Garrich, M., *JLT June 15, 2020 3190-3199*
- Brenot, R.**, see Pham, C., *JLT April 1, 2020 1836-1843*
- Breyne, L.**, see Li, H., *JLT Jan. 15, 2020 386-393*
- Breyne, L.**, see Wu, C., *JLT May 15, 2020 2765-2773*
- Breyne, L.**, see Wu, C., *JLT Feb. 15, 2020 705-713*
- Brindel, P.**, see Arnould, A., *JLT Jan. 15, 2020 504-508*
- Brindel, P.**, see Arnould, A., *JLT Jan. 15, 2020 509-513*
- Brindel, P.**, see Renaudier, J., *JLT March 1, 2020 1071-1079*
- Brink, S.t.**, see Span, A., *JLT Sept. 1, 2020 4708-4714*
- Brinker, W.**, see Happach, M., *JLT Sept. 1, 2020 4824-4833*
- Brochu, G.**, see Searcy, S., *JLT June 15, 2020 3173-3179*
- Browning, C.**, Cheng, Q., Abrams, N.C., Ruffini, M., Dai, L.Y., Barry, L.P., and Bergman, K., A Silicon Photonic Switching Platform for Flexible Converged Centralized-Radio Access Networking; *JLT Oct. 1, 2020 5386-5392*
- Browning, C.**, see Verole, T., *JLT Oct. 15, 2020 5708-5715*
- Bruno, F.A.**, Pisco, M., Gruca, G., Rijnveld, N., and Cusano, A., Opto-Mechanical Lab-on-Fiber Accelerometers; *JLT April 1, 2020 1998-2009*
- Bruno, J.S.**, see Perez-Pascual, A., *JLT April 1, 2020 1651-1658*
- Brusberg, L.**, Zakharian, A.R., Neitz, M., Li, S., Hathaway, B.A., Kuchinsky, S.A., Beneke, P., and Schroder, H., Low-Loss Multimode Glass Waveguides With Beam-Expanded Fiber Connectors Enabling On-Board Optical Links; *JLT March 15, 2020 1350-1357*
- Buchali, F.**, see Le, S.T., *JLT Jan. 15, 2020 538-545*
- Buchali, F.**, Du, X., Schuh, K., Le, S.T., Grozing, M., and Berroth, M., A SiGe HBT BiCMOS 1-to-4 ADC Frontend Enabling Low Bandwidth Digitization of 100 GBaud PAM4 Data; *JLT Jan. 1, 2020 150-158*
- Buchali, F.**, Schuh, K., Dischler, R., Chagnon, M., Aref, V., Buelow, H., Hu, Q., Pulka, F., Frascolla, M., Younis, I., El-Zonkoli, M., and Winzer, P., DCI Field Trial Demonstrating 1.3-Tb/s Single-Channel and 50.8-Tb/s WDM Transmission Capacity; *JLT May 1, 2020 2710-2718*
- Buchali, F.**, see Le, S.T., *JLT June 15, 2020 3125-3134*
- Bucholtz, F.**, see Mondich, M.J., *JLT Nov. 1, 2020 5893-5907*
- Buckwalter, J.F.**, see Andrade, H., *JLT Aug. 15, 2020 4409-4418*
- Buczek, L.**, see Sliwczynski, L., *JLT Sept. 15, 2020 5056-5063*
- Buczynski, R.**, see Michalik, D., *JLT March 15, 2020 1427-1434*
- Buczynski, R.**, see Gieraj, A., *JLT April 1, 2020 1905-1914*
- Budd, R.A.**, see Dupuis, N., *JLT Jan. 15, 2020 178-184*
- Budnicki, D.**, Parola, I., Szostkiewicz, L., Markiewicz, K., Holdynski, Z., Wojcik, G., Makara, M., Poturaj, K., Kuklinska, M., Mergo, P., Napierala, M., and Nasilowski, T., All-Fiber Vector Bending Sensor Based on a Multicore Fiber With Asymmetric Air-Hole Structure; *JLT Dec. 1, 2020 6685-6690*
- Buelow, H.**, see Le, S.T., *JLT Jan. 15, 2020 538-545*
- Buelow, H.**, see Buchali, F., *JLT May 1, 2020 2710-2718*
- Buelow, H.**, see Le, S.T., *JLT June 15, 2020 3125-3134*
- Buggaveeti, S.**, see Sun, H., *JLT Sept. 1, 2020 4744-4756*
- Bulow, H.**, see Span, A., *JLT Sept. 1, 2020 4708-4714*
- Bunge, C.**, see Shibelgut, A.A., *JLT March 15, 2020 1454-1460*
- Buric, M.**, see Badar, M., *JLT Nov. 1, 2020 6097-6103*
- Buric, M.P.**, see Zou, R., *JLT Nov. 15, 2020 6402-6411*
- Burrows, E.**, see Cho, J., *JLT July 15, 2020 3652-3662*
- Buscaino, B.**, Zhang, M., Loncar, M., and Kahn, J.M., Design of Efficient Resonator-Enhanced Electro-Optic Frequency Comb Generators; *JLT March 15, 2020 1400-1413*
- Butler, R.M.**, see Oliari, V., *JLT June 15, 2020 3114-3124*
- Bychkova, E.A.**, see Tomashuk, A.L., *JLT Oct. 15, 2020 5817-5824*
- Byrne, D.**, see Tench, R.E., *JLT April 15, 2020 2456-2463*

C

- Cai, E.**, see Hou, Y., *JLT Nov. 15, 2020 6412-6421*
- Cai, G.**, see Lin, X., *JLT July 15, 2020 3677-3686*
- Cai, G.**, see Yao, J., *JLT Nov. 15, 2020 6312-6320*
- Cai, J.**, Mazurczyk, M.V., Batshon, H.G., Paskov, M., Davidson, C.R., Hu, Y., Sinkin, O.V., Bolshtyansky, M.A., Foursa, D.G., and Pilipetskii, A.N., Performance Comparison of Probabilistically Shaped QAM Formats and Hybrid Shaped APSK Formats With Coded Modulation; *JLT June 15, 2020 3280-3288*

- Cai, K.**, see Zhao, L., *JLT Oct. 15, 2020 5624-5634*
- Cai, L.**, see Khan, M.S.I., *JLT April 1, 2020 2053-2059*
- Cai, X.**, see Ruan, Z., *JLT Sept. 15, 2020 5100-5106*
- Calabretta, N.**, see Xue, X., *JLT March 15, 2020 1103-1112*
- Calabretta, N.**, see Wang, F., *JLT June 15, 2020 3296-3304*
- Calabretta, N.**, see Xue, X., *JLT July 1, 2020 3485-3494*
- Calabretta, N.**, see Ferrari, A., *JLT Aug. 15, 2020 4279-4291*
- Calabro, S.**, see Wettlin, T., *JLT Dec. 15, 2020 6771-6778*
- Calliari, F.**, Correia, M.M., Temporao, G.P., Amaral, G.C., Weid, J.P.v.d., Fast Acquisition Tunable High-Resolution Photon-Counting OTDR; *JLT Aug. 15, 2020 4572-4579*
- Calo, C.**, see Verolet, T., *JLT Oct. 15, 2020 5708-5715*
- Campanella, A.**, Yan, B., Casellas, R., Giorgetti, A., Lopez, V., Zhao, Y., and Mayoral, A., Reliable Optical Networks With ODTN: Resiliency and Fail-Over in Data and Control Planes; *JLT May 15, 2020 2755-2764*
- Campbell, J.C.**, see Yuan, Y., *JLT Sept. 1, 2020 4857-4866*
- Campbell, J.C.**, see Peng, Y., *JLT Sept. 1, 2020 4850-4856*
- Campelj, S.**, see Yevnin, M., *JLT Feb. 15, 2020 792-796*
- Camy, P.**, see Kifle, E., *JLT Aug. 15, 2020 4374-4384*
- Cantoni, M.**, see Memon, F.A., *JLT Feb. 15, 2020 784-791*
- Cantono, M.**, see Bolshtyansky, M.A., *JLT March 15, 2020 1296-1304*
- Cantono, M.**, Schmogrow, R., Newland, M., Vusirikala, V., and Hofmeister, T., Opportunities and Challenges of C+L Transmission Systems; *JLT March 1, 2020 1050-1060*
- Cao, M.**, see Tang, M., *JLT July 15, 2020 3745-3750*
- Cao, M.**, Huang, L., Tang, M., Mi, Y., Jian, W., Ren, W., and Ren, G., Inter-Mode Forward Brillouin Scattering in Nanofibers; *JLT Dec. 15, 2020 6911-6917*
- Cao, S.**, see Chen, J., *JLT March 15, 2020 1480-1485*
- Cao, S.**, see Sun, X., *JLT April 15, 2020 2106-2113*
- Cao, Y.**, see Fallahpour, A., *JLT Jan. 15, 2020 359-365*
- Cao, Y.**, see Wang, G., *JLT April 1, 2020 2073-2080*
- Cao, Z.**, see Huang, J., *JLT March 15, 2020 1202-1209*
- Cao, Z.**, see Zhang, X., *JLT April 15, 2020 2353-2359*
- Cao, Z.**, see Koonen, T., *JLT May 15, 2020 2842-2848*
- Cao, Z.**, see Zou, D., *JLT July 1, 2020 3445-3453*
- Cao, Z.**, see Zhu, L., *JLT Dec. 1, 2020 6474-6480*
- Cao, Z.**, see Zhang, X., *JLT Dec. 15, 2020 6801-6806*
- Capmany, J.**, see Liu, L., *JLT Oct. 1, 2020 5492-5499*
- Cappuzzo, M.**, see Grillanda, S., *JLT Feb. 15, 2020 804-810*
- Carbo-Meseguer, A.**, see Bononi, A., *JLT April 15, 2020 2201-2213*
- Carena, A.**, see Golani, O., *JLT March 15, 2020 1148-1156*
- Carena, A.**, see Rosa Brusin, A.M., *JLT Dec. 1, 2020 6481-6491*
- Carena, A.**, see Guimmar, F.P., *JLT Dec. 1, 2020 6529-6541*
- Carena, A.**, see Zibar, D., *JLT Feb. 15, 2020 736-753*
- Carlioni, L.P.**, see Zhu, Z., *JLT May 15, 2020 2815-2825*
- Carney, K.**, see Tench, R.E., *JLT April 15, 2020 2456-2463*
- Carney, R.**, see Gao, Y., *JLT Jan. 15, 2020 265-271*
- Carnio, B.N.**, and Elezzabi, A.Y., Off-Normal Incidence Coupling for Perfectly Phase-Matched Second Harmonic Generation in a Sub-Micron LiNbO₃ Planar Waveguide; *JLT Aug. 1, 2020 3959-3964*
- Carpenter, J.**, see Zhang, Y., *JLT Nov. 15, 2020 6286-6291*
- Carrascosa, A.A.**, see Barmenkov, Y.O., *JLT July 15, 2020 3751-3758*
- Cartledge, J.C.**, see Li, L., *JLT March 15, 2020 1184-1193*
- Cartledge, J.C.**, and El-Rahman, A.I.A., Estimating the Outage Due to Polarization Dependent Loss Based on the Bit-Wise Achievable Information Rate for Probabilistically Shaped 64-QAM; *JLT June 1, 2020 3023-3029*
- Carvalho, J.B.**, see Rommel, S., *JLT Oct. 1, 2020 5412-5422*
- Carvalho Ferreira, A.**, see Borges, R.M., *JLT Feb. 1, 2020 642-653*
- Casellas, R.**, Martinez, R., Vilalta, R., and Munoz, R., Abstraction and Control of Multi-Domain Disaggregated Optical Networks With OpenROADM Device Models; *JLT May 1, 2020 2606-2615*
- Casellas, R.**, see Campanella, A., *JLT May 15, 2020 2755-2764*
- Casellas, R.**, see Garrich, M., *JLT June 15, 2020 3190-3199*
- Casellas, R.**, see Nadal, L., *JLT June 1, 2020 3037-3043*
- Casellas, R.**, see Rumipamba-Zambrano, R., *JLT Nov. 15, 2020 6137-6152*
- Casper, B.**, see Li, H., *JLT Jan. 1, 2020 131-138*
- Castoldi, A.**, see Ibrahim, M., *JLT June 15, 2020 3221-3228*
- Castoldi, P.**, see Sambo, N., *JLT May 1, 2020 2598-2605*
- Cathoor, F.**, see Noor, S.L., *JLT Sept. 15, 2020 5092-5099*
- Caucheteur, C.**, see Ioannou, A., *JLT April 1, 2020 1921-1928*
- Cavaliere, F.**, see Iovanna, P., *JLT May 15, 2020 2799-2806*
- Caytan, O.**, see Wu, C., *JLT May 15, 2020 2765-2773*
- Caytan, O.**, see Wu, C., *JLT Feb. 15, 2020 705-713*
- Cerqueira S., A.**, see Borges, R.M., *JLT Feb. 1, 2020 642-653*
- Cetindag, S.K.**, Toy, M.F., Ferhanoglu, O., and Civitci, F., Scattering Metal Waveguide Based Speckle-Enhanced Prism Spectrometry; *JLT April 1, 2020 2022-2027*
- Chabriel, G.**, see Lorriere, N., *JLT Aug. 1, 2020 3822-3831*
- Chagnon, M.**, see Buchali, F., *JLT May 1, 2020 2710-2718*
- Chai, J.**, see Su, Y., *JLT July 15, 2020 3553-3562*
- Chai, J.**, see Yuan, Q., *JLT Feb. 15, 2020 881-888*
- Chai, X.**, see Wang, L., *JLT Nov. 1, 2020 6129-6134*
- Chai, X.**, see Chen, Y., *JLT Feb. 15, 2020 939-945*
- Chambers, J.A.**, see Miao, P., *JLT Dec. 15, 2020 6732-6745*
- Chamorovskiy, Y.K.**, see Tomashuk, A.L., *JLT Oct. 15, 2020 5817-5824*
- Champagne, B.**, see Hosseini, S.S., *JLT April 1, 2020 1789-1799*
- Chan, C.**, see Hu, Z., *JLT Feb. 1, 2020 632-641*
- Chan, E.H.W.**, see Chen, H., *JLT April 15, 2020 2292-2298*
- Chan, E.H.W.**, see Duan, S., *JLT Oct. 1, 2020 5509-5516*
- Chan, M.**, see Wang, T., *JLT April 1, 2020 1851-1857*
- Chan, M.**, see Wang, T., *JLT Dec. 15, 2020 6863-6869*
- Chandrasekhar, S.**, see Cho, J., *JLT July 15, 2020 3652-3662*
- Chang, C.**, see She, S., *JLT Dec. 15, 2020 6924-6931*
- Chang, G.**, see Zhang, R., *JLT March 15, 2020 1138-1147*
- Chang, G.**, see Huang, M., *JLT March 15, 2020 1221-1229*
- Chang, G.**, see Li, X., *JLT Jan. 15, 2020 366-378*
- Chang, G.**, see Zhou, W., *JLT July 15, 2020 3592-3601*
- Chang, G.**, see Yao, S., *JLT July 15, 2020 3637-3643*
- Chang, G.**, see Zhang, R., *JLT Aug. 15, 2020 4260-4269*
- Chang, G.**, see Tang, X., *JLT Sept. 1, 2020 4683-4690*
- Chang, G.**, see Shiu, R., *JLT Oct. 1, 2020 5302-5310*
- Chang, G.**, see Zhang, R., *JLT Nov. 1, 2020 6024-6030*
- Chang, G.**, see Shen, S., *JLT Nov. 1, 2020 5908-5915*
- Chang, G.**, see Yao, S., *JLT Nov. 15, 2020 6178-6186*
- Chang, G.**, see Huang, L., *JLT Dec. 15, 2020 6788-6800*
- Chang, J.**, see Wang, Z., *JLT Sept. 15, 2020 5212-5218*
- Chang, J.H.**, Corsi, A., Rusch, L.A., and LaRoche, S., Design Analysis of OAM Fibers Using Particle Swarm Optimization Algorithm; *JLT Feb. 15, 2020 846-856*
- Chang, L.**, see Zou, S., *JLT Sept. 15, 2020 5136-5141*
- Chang, S.**, see Ji, Y., *JLT Aug. 1, 2020 4030-4036*
- Chang, T.**, see Shiu, R., *JLT Oct. 1, 2020 5302-5310*
- Chang, X.**, see Hosseini, S.S., *JLT April 1, 2020 1789-1799*
- Chapalo, L.**, Theodosiou, A., Kalli, K., and Kotov, O., Multimode Fiber Interferometer Based on Graded-Index Polymer CYTOP Fiber; *JLT March 15, 2020 1439-1445*
- Chapalo, L.**, Petrov, A., Bozhko, D., Bisyarin, M., and Kotov, O., Averaging Methods for a Multimode Fiber Interferometer: Experimental and Interpretation; *JLT Oct. 15, 2020 5809-5816*
- Charania, S.**, Neumann, N., Killge, S., Winkler, F., Al-Husseini, Z., Szilagyi, L., Henker, R., Ellinger, F., Plettemeier, D., and Bartha, J.W., Design, Fabrication, and Comparison of 3D Multimode Optical Interconnects on Silicon Interposer; *JLT July 1, 2020 3454-3460*
- Chares, M.**, see Lagha, M.K., *JLT Aug. 15, 2020 4213-4220*
- Charlton, D.**, see AL-QADI, M., *JLT Nov. 15, 2020 6163-6169*
- Charlton, D.W.**, see Yameogo, B.L.M., *JLT Sept. 15, 2020 5026-5035*
- Chavez-Pirson, A.**, see Fu, S., *JLT March 15, 2020 1435-1438*
- Che, Y.**, see Yu, Y., *JLT April 1, 2020 1735-1746*
- Chen, B.**, see Shen, W., *JLT Aug. 1, 2020 3874-3882*
- Chen, B.**, see Chen, Y., *JLT Sept. 1, 2020 4867-4873*
- Chen, B.**, see Li, H., *JLT April 1, 2020 1858-1864*
- Chen, B.**, see Chen, Y., *JLT Feb. 15, 2020 939-945*
- Chen, C.**, see Wang, T., *JLT April 1, 2020 1851-1857*
- Chen, C.**, see Chen, J., *JLT Dec. 15, 2020 6759-6770*

- Chen, C., *see* Wang, T., *JLT Dec. 15, 2020 6863-6869*
- Chen, E., *see* He, H., *JLT Aug. 15, 2020 4540-4547*
- Chen, F., *see* Wu, B., *JLT Aug. 1, 2020 3988-3993*
- Chen, F., *see* Li, L., *JLT Dec. 15, 2020 6845-6852*
- Chen, G., *see* Miao, P., *JLT Dec. 15, 2020 6732-6745*
- Chen, H., *see* Dai, X., *JLT March 15, 2020 1564-1571*
- Chen, H., *see* Arnould, A., *JLT Jan. 15, 2020 504-508*
- Chen, H., *see* Xu, J., *JLT Jan. 15, 2020 522-530*
- Chen, H., and Chan, E.H.W., Photonics-Based CW/Pulsed Microwave Signal AOA Measurement System; *JLT April 15, 2020 2292-2298*
- Chen, H., *see* Han, T., *JLT April 15, 2020 2383-2391*
- Chen, H., Fontaine, N.K., Gene, J.M., Ryf, R., Neilson, D.T., and Raybon, G., Dual Polarization Full-Field Signal Waveform Reconstruction Using Intensity Only Measurements for Coherent Communications; *JLT May 1, 2020 2587-2597*
- Chen, H., *see* Zhang, Z., *JLT Aug. 1, 2020 4037-4044*
- Chen, H., *see* Fan, R., *JLT July 15, 2020 3717-3722*
- Chen, H., *see* Lin, X., *JLT July 15, 2020 3677-3686*
- Chen, H., *see* Wang, J., *JLT July 15, 2020 3710-3716*
- Chen, H., Xu, Y., Qian, S., Yuan, H., and Su, L., Transient Nanostrain Detection in Phi-OTDR Using Statistics-Based Signal Processing; *JLT Sept. 1, 2020 4883-4892*
- Chen, H., *see* Antonelli, C., *JLT April 1, 2020 1668-1677*
- Chen, H., Jia, H., Wang, T., Tian, Y., and Yang, J., Broadband Nonvolatile Tunable Mode-Order Converter Based on Silicon and Optical Phase Change Materials Hybrid Meta-Structure; *JLT April 1, 2020 1874-1879*
- Chen, H., *see* Matte-Breton, C., *JLT April 1, 2020 1936-1944*
- Chen, H., Zhou, P., Zhang, L., Bassi, S., Nakarmi, B., and Pan, S., Reconfigurable Identical and Complementary Chirp Dual-LFM Signal Generation Subjected to Dual-Beam Injection in a DFB Laser; *JLT Oct. 1, 2020 5500-5508*
- Chen, H., *see* Zhang, Y., *JLT Nov. 15, 2020 6286-6291*
- Chen, H., Liu, J., Zhang, X., Wang, W., Ma, Z., Lv, W., and Guo, Z., High-Order Harmonic-Frequency Cross-Correlation Algorithm for Absolute Cavity Length Interrogation of White-Light Fiber-Optic Fabry-Perot Sensors; *JLT Feb. 15, 2020 953-960*
- Chen, H., *see* Liu, Y., *JLT Feb. 15, 2020 919-928*
- Chen, H., Zhang, B., Hu, L., and Liang, X., High-Order Electrical Spectrum Method for Measuring the Chirp of a Silicon Mach-Zehnder Modulator; *JLT Dec. 15, 2020 6833-6844*
- Chen, J., *see* Jin, Z., *JLT March 15, 2020 1230-1242*
- Chen, J., Wang, Z., Li, L., Wang, D.N., Zhu, T., Gao, F., Cao, S., and Fang, Z., GIMF-Based SA for Generation of High Pulse Energy Ultrafast Solitons in a Mode-Locked Linear-Cavity Fiber Laser; *JLT March 15, 2020 1480-1485*
- Chen, J., *see* Pang, X., *JLT Jan. 15, 2020 492-503*
- Chen, J., *see* Zhang, L., *JLT Jan. 1, 2020 18-30*
- Chen, J., *see* Liu, S., *JLT April 15, 2020 2134-2143*
- Chen, J., *see* Wang, C., *JLT Aug. 1, 2020 3926-3934*
- Chen, J., *see* Chen, S., *JLT July 1, 2020 3395-3403*
- Chen, J., *see* Hu, L., *JLT July 15, 2020 3644-3651*
- Chen, J., *see* Xu, Y., *JLT July 15, 2020 3775-3780*
- Chen, J., *see* Yang, D., *JLT Aug. 15, 2020 4555-4559*
- Chen, J., *see* Tian, X., *JLT Aug. 15, 2020 4270-4278*
- Chen, J., *see* Hu, L., *JLT Nov. 1, 2020 5916-5924*
- Chen, J., *see* Wang, L., *JLT Nov. 1, 2020 6129-6134*
- Chen, J., *see* Liu, S., *JLT Nov. 15, 2020 6299-6311*
- Chen, J., *see* Wang, Z., *JLT Nov. 15, 2020 6187-6201*
- Chen, J., *see* Chen, Y., *JLT Feb. 15, 2020 939-945*
- Chen, J., *see* Xue, L., *JLT Feb. 1, 2020 583-589*
- Chen, J., Tavakkolnia, I., Chen, C., Wang, Z., and Haas, H., The Movement-Rotation (MR) Correlation Function and Coherence Distance of VLC Channels; *JLT Dec. 15, 2020 6759-6770*
- Chen, K.P., *see* Yang, Y., *JLT Sept. 15, 2020 5142-5148*
- Chen, K.P., *see* Zou, R., *JLT Nov. 15, 2020 6402-6411*
- Chen, K.X., *see* Song, Q.Q., *JLT March 15, 2020 1358-1364*
- Chen, L., *see* Hong, Y., *JLT March 15, 2020 1168-1177*
- Chen, L., *see* Gao, S., *JLT Aug. 1, 2020 4108-4113*
- Chen, L., *see* Gao, S., *JLT Nov. 15, 2020 6345-6351*
- Chen, L., *see* Shao, Y., *JLT Oct. 15, 2020 5668-5675*
- Chen, L., *see* Dong, W., *JLT Oct. 15, 2020 5586-5594*
- Chen, L., *see* Chen, Y., *JLT Oct. 15, 2020 5837-5843*
- Chen, L.R., *see* Sun, H., *JLT Oct. 1, 2020 5551-5560*
- Chen, L.R., *see* Liu, L., *JLT Oct. 1, 2020 5492-5499*
- Chen, L.R., Gasulla, I., Li, M., and McKinney, J.D., Guest Editorial Special Issue on Microwave Photonics; *JLT Oct. 1, 2020 5238-5239*
- Chen, M., *see* Jia, L., *JLT April 15, 2020 2180-2189*
- Chen, M., *see* Shindo, T., *JLT June 1, 2020 2984-2991*
- Chen, M., Wang, L., Xi, D., Zhang, L., Zhou, H., and Chen, Q., Comparison of Different Precoding Techniques for Unbalanced Impairments Compensation in Short-Reach DMT Transmission Systems; *JLT Nov. 15, 2020 6202-6213*
- Chen, M., *see* Ma, J., *JLT Feb. 1, 2020 557-563*
- Chen, M., *see* Zhou, Z., *JLT Oct. 15, 2020 5608-5616*
- Chen, N., *see* Zhang, L., *JLT April 1, 2020 1966-1974*
- Chen, P., *see* Ruan, Z., *JLT Sept. 15, 2020 5100-5106*
- Chen, Q., *see* Dai, X., *JLT April 15, 2020 2336-2345*
- Chen, Q., *see* Ma, X., *JLT Sept. 1, 2020 4772-4779*
- Chen, Q., *see* Chen, M., *JLT Nov. 15, 2020 6202-6213*
- Chen, Q., *see* Zou, R., *JLT Nov. 15, 2020 6402-6411*
- Chen, S., *see* Liu, Z., *JLT Jan. 15, 2020 240-248*
- Chen, S., Liu, Y., Yu, Q., and Peng, W., Microcapillary-Based Integrated LSPR Device for Refractive Index Detection and Biosensing; *JLT April 15, 2020 2485-2492*
- Chen, S., Zhou, G., Zhou, L., Lu, L., and Chen, J., High-Linearity Fano Resonance Modulator Using a Microring-Assisted Mach-Zehnder Structure; *JLT July 1, 2020 3395-3403*
- Chen, S., *see* Hantschmann, C., *JLT Sept. 1, 2020 4801-4807*
- Chen, S., *see* Xiong, W., *JLT April 1, 2020 1712-1721*
- Chen, S., *see* Zhang, X., *JLT Sept. 15, 2020 4955-4968*
- Chen, S., *see* Wang, H., *JLT Nov. 15, 2020 6327-6333*
- Chen, W., *see* Zhang, Y., *JLT April 15, 2020 2392-2399*
- Chen, W., Lu, H., Wang, P., Dai, S., Yu, R., Zhang, B., Ding, J., Fu, Q., Li, J., Li, Y., Dai, T., Yu, H., and Yang, J., Silicon-Based Flexible-Grid Mode- and Wavelength-Selective Switch Utilizing Microring Resonators and Y-Junctions; *JLT Aug. 1, 2020 4000-4008*
- Chen, W., *see* Li, Y., *JLT July 15, 2020 3542-3552*
- Chen, W., *see* Wu, T., *JLT Aug. 15, 2020 4580-4587*
- Chen, W., *see* Wang, W., *JLT April 1, 2020 1753-1765*
- Chen, W., *see* Tao, M., *JLT Dec. 1, 2020 6635-6643*
- Chen, X., *see* Sun, Z., *JLT April 15, 2020 2299-2307*
- Chen, X., Stroobant, P., Pickavet, M., and Bogaerts, W., Graph Representations for Programmable Photonic Circuits; *JLT Aug. 1, 2020 4009-4018*
- Chen, X., *see* Zhang, Z., *JLT Aug. 1, 2020 4037-4044*
- Chen, X., *see* Hao, L., *JLT Aug. 15, 2020 4402-4408*
- Chen, X., *see* Wang, D., *JLT Sept. 1, 2020 4730-4743*
- Chen, X., *see* Zhang, Y., *JLT April 1, 2020 1809-1816*
- Chen, X., *see* Milosevic, M.M., *JLT April 1, 2020 1865-1873*
- Chen, X., *see* Sun, Z., *JLT Nov. 1, 2020 6038-6046*
- Chen, X., *see* Wang, W., *JLT Feb. 15, 2020 981-988*
- Chen, X., *see* Huang, L., *JLT Dec. 15, 2020 6788-6800*
- Chen, Y., *see* Liu, J., *JLT March 15, 2020 1486-1491*
- Chen, Y., *see* Manic, Y.C., *JLT March 15, 2020 1589-1603*
- Chen, Y., *see* Wan, H., *JLT March 15, 2020 1501-1505*
- Chen, Y., *see* Huang, M., *JLT March 15, 2020 1221-1229*
- Chen, Y., *see* Huang, M., *JLT Jan. 1, 2020 75-81*
- Chen, Y., *see* Sakr, H., *JLT Jan. 1, 2020 159-165*
- Chen, Y., *see* Zhao, Y., *JLT April 15, 2020 2504-2510*
- Chen, Y., *see* Zhu, W., *JLT April 15, 2020 2477-2484*
- Chen, Y., *see* Clark, K.A., *JLT May 1, 2020 2703-2709*
- Chen, Y., *see* Li, S., *JLT June 15, 2020 3238-3245*
- Chen, Y., *see* Loranger, S., *JLT Aug. 1, 2020 4100-4107*
- Chen, Y., *see* He, H., *JLT Aug. 1, 2020 3918-3925*
- Chen, Y., *see* Zhou, W., *JLT July 15, 2020 3592-3601*
- Chen, Y., *see* Yao, S., *JLT July 15, 2020 3637-3643*
- Chen, Y., *see* Zhang, R., *JLT Aug. 15, 2020 4260-4269*

- Chen, Y., see Zuo, P., *JLT Aug. 15, 2020 4333-4340*
- Chen, Y., see Tang, X., *JLT Sept. 1, 2020 4683-4690*
- Chen, Y., see Zhao, X., *JLT Sept. 1, 2020 4641-4647*
- Chen, Y., A Photonic-Based Wideband RF Self-Interference Cancellation Approach With Fiber Dispersion Immunity; *JLT Sept. 1, 2020 4618-4624*
- Chen, Y., Zhou, Z., Ma, P., and Chen, B., Nonlinear Characteristics of Uni-Travelling Carrier Photodiode With InGaAs/GaAsSb Type-II Multiple Quantum Wells Absorber; *JLT Sept. 1, 2020 4867-4873*
- Chen, Y., see Song, J., *JLT Oct. 1, 2020 5293-5301*
- Chen, Y., see Shiu, R., *JLT Oct. 1, 2020 5302-5310*
- Chen, Y., see Zhang, R., *JLT Nov. 1, 2020 6024-6030*
- Chen, Y., see Huang, X., *JLT Nov. 1, 2020 5883-5892*
- Chen, Y., see Shen, S., *JLT Nov. 1, 2020 5908-5915*
- Chen, Y., see Yao, S., *JLT Nov. 15, 2020 6178-6186*
- Chen, Y., see Xiao, Q., *JLT Feb. 15, 2020 714-722*
- Chen, Y., Chai, X., Xie, Z., Deng, Z., Zhang, N., Zhou, Y., Xu, Z., Chen, J., and Chen, B., High-Speed Mid-Infrared Interband Cascade Photodetector Based on InAs/GaAsSb Type-II Superlattice; *JLT Feb. 15, 2020 939-945*
- Chen, Y., and Yao, J., Photonic-Assisted RF Self-Interference Cancellation With Improved Spectrum Efficiency and Fiber Transmission Capability; *JLT Feb. 15, 2020 761-768*
- Chen, Y., see Yeh, C., *JLT Oct. 15, 2020 5728-5732*
- Chen, Y., Hu, Y., Cheng, H., Yan, F., Lin, Q., Wu, P., Chen, L., Liu, G., Peng, G., Luo, Y., and Chen, Z., Side-Polished Single-Mode-Multimode-Single-Mode Fiber Structure for the Vector Magnetic Field Sensing; *JLT Oct. 15, 2020 5837-5843*
- Chen, Y., see Chen, Y., *JLT Oct. 15, 2020 5837-5843*
- Chen, Z., see Li, P., *JLT March 15, 2020 1178-1183*
- Chen, Z., see Zhu, Y., *JLT Jan. 1, 2020 67-74*
- Chen, Z., see Zhu, Y., *JLT Sept. 1, 2020 4817-4823*
- Chen, Z., see Zhang, B., *JLT Sept. 1, 2020 4664-4676*
- Chen, Z., see Song, J., *JLT Oct. 1, 2020 5293-5301*
- Chen, Z., see Zhu, J., *JLT Sept. 15, 2020 5163-5169*
- Chen, Z., see Guan, H., *JLT Nov. 1, 2020 6089-6096*
- Chen, Z., see Yang, F., *JLT Dec. 1, 2020 6446-6457*
- Chen, Z., see Zhou, J., *JLT Feb. 15, 2020 875-880*
- Chen, Z., see Zhang, X., *JLT Dec. 15, 2020 6801-6806*
- Chen, Z., see Chen, Y., *JLT Oct. 15, 2020 5837-5843*
- Chen, Z., see Wang, C., *JLT Oct. 15, 2020 5825-5836*
- Cheng, B., Song, Y., Hua, L., and Xiao, H., Fabrication and Characterization of Femtosecond Laser Induced Microwave Frequency Photonic Fiber Grating; *JLT Oct. 1, 2020 5286-5292*
- Cheng, C., see Lin, Y., *JLT April 15, 2020 2144-2151*
- Cheng, C., see Wang, H., *JLT Dec. 1, 2020 6612-6622*
- Cheng, C., see Huang, C., *JLT Dec. 15, 2020 6746-6758*
- Cheng, H., see Tong, S., *JLT April 15, 2020 2450-2455*
- Cheng, H., see Chen, Y., *JLT Oct. 15, 2020 5837-5843*
- Cheng, I., see Wang, T., *JLT Dec. 15, 2020 6863-6869*
- Cheng, J., see Ji, Y., *JLT Aug. 1, 2020 4030-4036*
- Cheng, J., see Safi, H., *JLT Sept. 15, 2020 5036-5047*
- Cheng, M., see Li, S., *JLT June 15, 2020 3238-3245*
- Cheng, M., see Xiong, W., *JLT April 1, 2020 1712-1721*
- Cheng, P., see Zhang, L., *JLT Nov. 1, 2020 6057-6062*
- Cheng, Q., see Huang, Y., *JLT Jan. 15, 2020 194-201*
- Cheng, Q., see Zhu, Z., *JLT May 15, 2020 2815-2825*
- Cheng, Q., see Zhang, Z., *JLT Aug. 1, 2020 4037-4044*
- Cheng, Q., see Abrams, N.C., *JLT July 1, 2020 3346-3357*
- Cheng, Q., see Browning, C., *JLT Oct. 1, 2020 5386-5392*
- Cheng, R., see Liang, X., *JLT Dec. 1, 2020 6600-6604*
- Cheng, X., Huang, Q., Huang, Z., Song, Q., Zou, C., Zhao, L., Mou, C., Yan, Z., Zhou, K., and Zhang, L., Multi-Shuttle Behavior Between Dissipative Solitons and Noise-Like Pulses in an All-Fiber Laser; *JLT April 15, 2020 2471-2476*
- Cheng, X., see Lyu, C., *JLT Aug. 1, 2020 4174-4182*
- Cheng, Z., Mei, A., Gao, D., Li, S., Liu, S., Li, D., Li, D., Rong, Y., Hu, Y., Han, H., Dong, J., and Zhang, X., Passive Visible-to-Telecom Converter Using Tunable Perovskites and Silicon Photonics; *JLT July 1, 2020 3533-3539*
- Cheng, Z., see Cheng, Z., *JLT July 1, 2020 3533-3539*
- Cheung, S.S., and Tan, M.R.T., Silicon Nitride (Si₃N₄) (De-)Multiplexers for 1- μ m CWDM Optical Interconnects; *JLT July 1, 2020 3404-3413*
- Chew, S.X., see Tian, X., *JLT Oct. 1, 2020 5440-5449*
- Chi, N., see Guo, X., *JLT April 1, 2020 1702-1711*
- Chi, N., see Wang, Z., *JLT Nov. 15, 2020 6187-6201*
- Chilton, A., see McKay, L., *JLT July 15, 2020 3624-3636*
- Chimmalgi, S., see Bajaj, V., *JLT June 1, 2020 3051-3058*
- Chitgarha, M.R., see Sun, H., *JLT Sept. 1, 2020 4744-4756*
- Chiu, C., see Lin, J., *JLT Sept. 15, 2020 5149-5156*
- Chiu, J., see Manie, Y.C., *JLT March 15, 2020 1589-1603*
- Chiu, J., see Shiu, R., *JLT Oct. 1, 2020 5302-5310*
- Chiu, Y., see Sun, Z., *JLT Nov. 1, 2020 6038-6046*
- Chlupka, W.K., see Parsonson, C.W.F., *JLT Oct. 15, 2020 5563-5573*
- Cho, J., Chandrasekhar, S., Sula, E., Olsson, S., Burrows, E., Raybon, G., Ryf, R., Fontaine, N., Antona, J., Grubb, S., Winzer, P., and Chraplyvy, A., Supply-Power-Constrained Cable Capacity Maximization Using Multi-Layer Neural Networks; *JLT July 15, 2020 3652-3662*
- Cho, S., see Sung, M., *JLT Jan. 15, 2020 409-420*
- Cho, S., see Kim, J., *JLT Jan. 1, 2020 101-111*
- Choi, D., see McKay, L., *JLT July 15, 2020 3624-3636*
- Choi, D., see Lee, E.S., *JLT Aug. 15, 2020 4237-4243*
- Choi, H., see Hong, S., *JLT March 1, 2020 1010-1018*
- Choi, K.S., see Lee, E.S., *JLT Aug. 15, 2020 4237-4243*
- Choi, M.R., see Yu, Y., *JLT April 1, 2020 1735-1746*
- Chong, H.M.H., see Milosevic, M.M., *JLT April 1, 2020 1865-1873*
- Chorchos, L., Ledentsov, N.N., Kropp, J.R., Shchukin, V.A., Kalosha, V.P., Lewandowski, A., Turkiewicz, J.P., N. Ledentsov, N., Energy Efficient 850 nm VCSEL Based Optical Transmitter and Receiver Link Capable of 80 Gbit/s NRZ Multi-Mode Fiber Data Transmission; *JLT April 1, 2020 1747-1752*
- Chorpening, B., see Zou, R., *JLT Nov. 15, 2020 6402-6411*
- Chou, C., see Huang, X., *JLT Nov. 1, 2020 5883-5892*
- Chou, E.S., and Kahn, J.M., Adaptive Coding and Modulation for Robust Optical Access Networks; *JLT April 15, 2020 2242-2252*
- Choudhary, A., see McKay, L., *JLT July 15, 2020 3624-3636*
- Choutagunta, K., see Mello, D.A.A., *JLT Jan. 15, 2020 303-318*
- Choutagunta, K., Roberts, I., Miller, D.A.B., and Kahn, J.M., Adapting Mach-Zehnder Mesh Equalizers in Direct-Detection Mode-Division-Multiplexed Links; *JLT Feb. 15, 2020 723-735*
- Chow, C., see Yeh, C., *JLT Oct. 15, 2020 5728-5732*
- Chowdhry, B.S., see Memon, F.A., *JLT Feb. 15, 2020 784-791*
- Chraplyvy, A., see Cho, J., *JLT July 15, 2020 3652-3662*
- Christodouloupoulos, K., see Mahajan, A., *JLT May 1, 2020 2616-2629*
- Chu, D., see Yang, H., *JLT April 1, 2020 1618-1624*
- Chu, D., see Bamiedakis, N., *JLT Dec. 1, 2020 6561-6568*
- Chu, F., see Xia, Z., *JLT Feb. 15, 2020 912-918*
- Chu, S.T., see Xu, X., *JLT Jan. 15, 2020 332-338*
- Chu, S.T., see Xu, X., *JLT April 1, 2020 1722-1727*
- Chu, S.T., see Xu, X., *JLT Sept. 15, 2020 5116-5121*
- Chu, S.T., see Tan, M., *JLT Nov. 15, 2020 6221-6226*
- Chu, T., Wang, P., and Zhu, C., Modeling of Active Fiber Loop Ring-Down Spectroscopy Considering Gain Saturation Behavior of EDFA; *JLT Feb. 15, 2020 966-973*
- Chu, Y., see Huang, S., *JLT Nov. 1, 2020 5949-5961*
- Chu, Y., see Tian, Y., *JLT Feb. 15, 2020 834-839*
- Chung, Y., see Naeem, K., *JLT Sept. 15, 2020 5177-5190*
- Ciaramella, E., Assessment of a Polarization-Independent DSP-Free Coherent Receiver for Intensity-Modulated Signals; *JLT Feb. 1, 2020 676-683*
- Ciaramella, E., see Teixeira, A., *JLT Feb. 1, 2020 684-695*
- Cimoli, B., see Rommel, S., *JLT Oct. 1, 2020 5412-5422*
- Cincotti, G., Murakawa, T., Nagashima, T., Shimizu, S., Hasegawa, M., Hattori, K., Okuno, M., Mino, S., Himeno, A., Wada, N., Uenohara, H., Kodama, T., and Konishi, T., Enhanced Optical Communications Through Joint Time-Frequency Multiplexing Strategies; *JLT Jan. 15, 2020 346-351*
- Civitci, F., see Cetindag, S.K., *JLT April 1, 2020 2022-2027*

- Clark, K.A.**, Chen, Y., Fokua, E.R.N., Bradley, T., Poletti, F., Richardson, D.J., Bayvel, P., Slavik, R., and Liu, Z., Low Thermal Sensitivity Hollow Core Fiber for Optically-Switched Data Centers; *JLT May 1, 2020 2703-2709*
- Clark, K.A.**, see Sohanpal, R.S., *JLT April 1, 2020 1636-1643*
- Cohen, S.**, see Faig, H., *JLT July 1, 2020 3519-3525*
- Cohen, S.**, see Faig, H., *JLT April 1, 2020 1777-1784*
- Colangelo, M.**, see Wang, X., *JLT Jan. 1, 2020 166-173*
- Combeau, P.**, Joumessi-Demeffo, S., Julien-Vergonjanne, A., Aveneau, L., Sahuguede, S., Boeglen, H., and Sauveron, D., Optical Wireless Channel Simulation for Communications Inside Aircraft Cockpits; *JLT Oct. 15, 2020 5635-5648*
- Conan, J.**, see Paillier, L., *JLT Oct. 15, 2020 5716-5727*
- Connelly, M.J.**, see Safari Anzabi, K., *JLT Feb. 15, 2020 797-803*
- Contestabile, G.**, see Sorianello, V., *JLT May 15, 2020 2782-2789*
- Cook, J.**, see Gausmann, S., *JLT April 1, 2020 1953-1958*
- Corcoran, B.**, see Lowery, A.J., *JLT June 15, 2020 3229-3237*
- Corcoran, B.**, see Xu, X., *JLT April 1, 2020 1722-1727*
- Corcoran, B.**, see Tan, M., *JLT Nov. 15, 2020 6221-6226*
- Correa, R.A.**, see Gausmann, S., *JLT April 1, 2020 1953-1958*
- Correia, M.M.**, see Calliari, F., *JLT Aug. 15, 2020 4572-4579*
- Correia, R.**, see Liu, L., *JLT April 1, 2020 2037-2045*
- Corsi, A.**, see Chang, J.H., *JLT Feb. 15, 2020 846-856*
- Corzine, S.**, see Sun, H., *JLT Sept. 1, 2020 4744-4756*
- Costa, L.**, see Marcon, L., *JLT Aug. 1, 2020 4142-4149*
- Costa, N.**, see Lopez, V., *JLT March 1, 2020 1080-1091*
- Costa, N.**, see Sambo, N., *JLT May 1, 2020 2598-2605*
- Costa, N.**, see Ferrari, A., *JLT Aug. 15, 2020 4279-4291*
- Costa, P.**, see Blumenthal, D.J., *JLT July 1, 2020 3376-3386*
- Cox, C.H.**, see Ackerman, E.I., *JLT Oct. 1, 2020 5546-5550*
- Cramer, A.**, see McKay, L., *JLT July 15, 2020 3624-3636*
- Cruz, J.L.**, see Barmenkov, Y.O., *JLT July 15, 2020 3751-3758*
- Cucinotta, A.**, see Rosa, L., *JLT April 15, 2020 2400-2405*
- Cuervo-Covian, A.**, see Wang, X., *JLT July 1, 2020 3414-3421*
- Cui, J.**, Gunawardena, D.S., Liu, Z., Zhao, Z., and Tam, H., All-Fiber Two-Dimensional Inclinometer Based on Bragg Gratings Inscribed in a Seven-Core Multi-Core Fiber; *JLT April 15, 2020 2516-2522*
- Cui, X.**, see She, S., *JLT Dec. 15, 2020 6924-6931*
- Curri, V.**, see Napoli, A., *JLT March 1, 2020 998-1001*
- Curri, V.**, see Ferrari, A., *JLT March 1, 2020 1041-1049*
- Curri, V.**, see Sambo, N., *JLT May 1, 2020 2598-2605*
- Curri, V.**, see Ferrari, A., *JLT Aug. 15, 2020 4279-4291*
- Curri, V.**, see Rosa Brusin, A.M., *JLT Dec. 1, 2020 6481-6491*
- Curri, V.**, see Zibar, D., *JLT Feb. 15, 2020 736-753*
- Cusano, A.**, see Bruno, F.A., *JLT April 1, 2020 1998-2009*
- Czyszanowski, T.**, see Frasunkiewicz, L., *JLT Oct. 15, 2020 5774-5782*
- Dai, X.**, Chen, H., Qiu, C., Wu, L., and Xiang, Y., Ultrasensitive Multiple Guided-Mode Biosensor With Few-Layer Black Phosphorus; *JLT March 15, 2020 1564-1571*
- Dai, X.**, Chen, Q., Zhao, G., Liu, Y., Lu, Q., Donegan, J.F., and Guo, W., High Performance InP-Based Polarization Beam Splitter With Reverse Bias and Injection Current; *JLT April 15, 2020 2336-2345*
- Dai, Y.**, see Mumtaz, F., *JLT Dec. 15, 2020 6948-6953*
- Dai, Z.**, see Fan, Z., *JLT Aug. 1, 2020 3866-3873*
- Dai, Z.**, Fan, Z., Li, P., and Yao, J., Frequency-Tunable Parity-Time-Symmetric Optoelectronic Oscillator Using a Polarization-Dependent Sagnac Loop; *JLT Oct. 1, 2020 5327-5332*
- Dalir, H.**, see Amin, R., *JLT Jan. 15, 2020 282-290*
- Dalton, L.R.**, see Heni, W., *JLT May 1, 2020 2734-2739*
- Dane, A.E.**, see Wang, X., *JLT Jan. 1, 2020 166-173*
- Danny, C.G.**, Danny Raj, M., and Sai, V.V.R., Investigating the Refractive Index Sensitivity of U-Bent Fiber Optic Sensors Using Ray Optics; *JLT March 15, 2020 1580-1588*
- Danny Raj, M.**, see Danny, C.G., *JLT March 15, 2020 1580-1588*
- Dardis, L.**, see Lopez, V., *JLT March 1, 2020 1080-1091*
- Dargahi, A.**, see Safi, H., *JLT Sept. 15, 2020 5036-5047*
- Daryoush, A.S.**, see Sun, T., *JLT April 15, 2020 2262-2270*
- Daryoush, A.S.**, see Wei, K., *JLT Oct. 1, 2020 5278-5285*
- Das, G.**, see Mondal, W.U., *JLT April 15, 2020 2114-2126*
- Dat, P.T.**, see Kanno, A., *JLT Jan. 1, 2020 112-122*
- Davidi, R.**, see Feng, C., *JLT Dec. 15, 2020 6967-6975*
- Davidson, C.R.**, see Cai, J., *JLT June 15, 2020 3280-3288*
- Davidson, I.A.**, see Sakr, H., *JLT Jan. 1, 2020 159-165*
- Davidson, I.A.**, see Jung, Y., *JLT June 1, 2020 2938-2943*
- de Aldana, J.R.V.**, see Kifle, E., *JLT Aug. 15, 2020 4374-4384*
- de Aldana, J.R.V.**, see Li, L., *JLT Dec. 15, 2020 6845-6852*
- de Britto, L.A.D.**, see Banerjee, A., *JLT March 15, 2020 1210-1220*
- de Chatellus, H.G.**, see Konatham, S.R., *JLT Oct. 1, 2020 5356-5367*
- de Dios, O.G.**, see Garrich, M., *JLT June 15, 2020 3190-3199*
- de Felipe, D.**, see Happach, M., *JLT Sept. 1, 2020 4824-4833*
- de Gabory, E.L.T.**, see Takeshita, H., *JLT June 1, 2020 2922-2929*
- De Heyn, P.**, see Song, J.H., *JLT June 15, 2020 3273-3279*
- De Heyn, P.**, see Srinivasan, S.A., *JLT June 1, 2020 3044-3050*
- De Heyn, P.**, see Pitris, S., *JLT July 1, 2020 3366-3375*
- De Heyn, P.**, see Zanetto, F., *JLT Nov. 1, 2020 6000-6006*
- de Koster, P.**, and Wahls, S., Dispersion and Nonlinearity Identification for Single-Mode Fibers Using the Nonlinear Fourier Transform; *JLT June 15, 2020 3252-3260*
- de Moura, U.C.**, see Rosa Brusin, A.M., *JLT Dec. 1, 2020 6481-6491*
- de Moura, U.C.**, see Zibar, D., *JLT Feb. 15, 2020 736-753*
- de Paula, I.L.**, see Wu, C., *JLT May 15, 2020 2765-2773*
- De Renzis, N.**, see Gaiarin, S., *JLT Dec. 1, 2020 6465-6473*
- de Vergara, J.L.**, see Ruiz, M., *JLT June 15, 2020 3180-3189*
- Dekker, R.**, see Theurer, M., *JLT May 1, 2020 2630-2636*
- Del'Haye, P.**, see Moroney, N., *JLT March 15, 2020 1414-1419*
- Delavaux, J.**, see Tench, R.E., *JLT April 15, 2020 2456-2463*
- Delezoide, C.**, Ramantanis, P., and Layec, P., Leveraging Field Data for the Joint Optimization of Capacity and Availability in Low-Margin Optical Networks; *JLT Dec. 15, 2020 6709-6718*
- Delgado, M.B.**, see Garrich, M., *JLT June 15, 2020 3190-3199*
- Deligiannidis, S.**, Bogris, A., Mesaritakis, C., and Kopsinis, Y., Compensation of Fiber Nonlinearities in Digital Coherent Systems Leveraging Long Short-Term Memory Neural Networks; *JLT Nov. 1, 2020 5991-5999*
- Delmade, A.**, see Verolet, T., *JLT Oct. 15, 2020 5708-5715*
- Demeester, E.**, see Amsters, R., *JLT Nov. 1, 2020 5925-5936*
- Demeester, P.**, see Li, H., *JLT Jan. 15, 2020 386-393*
- Demeester, P.**, see Wu, C., *JLT May 15, 2020 2765-2773*
- Demeester, P.**, see Wu, C., *JLT Feb. 15, 2020 705-713*
- Dems, M.**, see Frasunkiewicz, L., *JLT Oct. 15, 2020 5774-5782*
- Deng, K.**, see Yang, L., *JLT Sept. 15, 2020 5122-5127*
- Deng, L.**, see Xu, J., *JLT Jan. 15, 2020 522-530*
- Deng, L.**, see Li, S., *JLT June 15, 2020 3238-3245*
- Deng, R.**, see Shao, Y., *JLT Oct. 15, 2020 5668-5675*

D

- D'Amico, A.**, see Ferrari, A., *JLT Aug. 15, 2020 4279-4291*
- Da Ros, F.**, see Iqbal, S., *JLT April 1, 2020 1800-1808*
- Da Ros, F.**, see Gaiarin, S., *JLT Dec. 1, 2020 6465-6473*
- Da Ros, F.**, see Zibar, D., *JLT Feb. 15, 2020 736-753*
- Da Silva, E.P.**, see Iqbal, S., *JLT April 1, 2020 1800-1808*
- Dagenais, M.**, see Hu, Y., *JLT Aug. 15, 2020 4454-4461*
- Dagli, N.**, see Bhasker, P., *JLT April 15, 2020 2308-2314*
- Dai, D.**, see Ye, C., *JLT April 15, 2020 2370-2375*
- Dai, D.**, see Wang, Y., *JLT Aug. 1, 2020 3994-3999*
- Dai, D.**, see Gu, T., *JLT July 1, 2020 3319-3321*
- Dai, L.Y.**, see Browning, C., *JLT Oct. 1, 2020 5386-5392*
- Dai, P.**, see Sun, Z., *JLT Nov. 1, 2020 6038-6046*
- Dai, P.**, see Huang, L., *JLT Dec. 15, 2020 6788-6800*
- Dai, Q.**, see Zhang, S., *JLT April 1, 2020 1929-1935*
- Dai, S.**, see Chen, W., *JLT Aug. 1, 2020 4000-4008*
- Dai, T.**, see Chen, W., *JLT Aug. 1, 2020 4000-4008*
- Dai, T.**, see Liang, X., *JLT Dec. 1, 2020 6600-6604*

- Deng, S., see Zhang, S., *JLT April 1, 2020 1929-1935*
- Deng, Z., see Chen, Y., *JLT Feb. 15, 2020 939-945*
- Dens, K., see Noor, S.L., *JLT Sept. 15, 2020 5092-5099*
- Derick, J.A., see Bickham, S.R., *JLT Jan. 15, 2020 297-302*
- DeSalvo, R., see McKay, L., *JLT July 15, 2020 3624-3636*
- Descos, A., see Liang, D., *JLT July 1, 2020 3322-3337*
- Deshmukh, R., see Singh, R., *JLT Dec. 15, 2020 6817-6826*
- Desmet, A., see Radosavljevic, A., *JLT Aug. 1, 2020 3965-3973*
- Desrosiers, C., see Yameogo, B.L.M., *JLT Sept. 15, 2020 5026-5035*
- Destraz, M., see Heni, W., *JLT May 1, 2020 2734-2739*
- Devenport, J., see McKay, L., *JLT July 15, 2020 3624-3636*
- Di Guglielmo, G., see Zhu, Z., *JLT May 15, 2020 2815-2825*
- Diallo, T., see Wang, R., *JLT Jan. 1, 2020 139-149*
- Dias, A., see Macias-Montero, M., *JLT Dec. 1, 2020 6578-6583*
- Diaz, F., see Kifle, E., *JLT Aug. 15, 2020 4374-4384*
- Digonnet, M.J.F., see Morris, T.A., *JLT April 1, 2020 1981-1987*
- Digonnet, M.J.F., see Morris, T.A., *JLT Feb. 15, 2020 905-911*
- Dimakova, T.V., see Tomashuk, A.L., *JLT Oct. 15, 2020 5817-5824*
- Dimler, S.J., see Petticrew, J.D., *JLT Aug. 1, 2020 4183*
- Dimler, S.J., see Petticrew, J.D., *JLT Feb. 15, 2020 961-965*
- Ding, J., see Chen, W., *JLT Aug. 1, 2020 4000-4008*
- Ding, J., Zhang, J., Wei, Y., Zhao, F., Li, C., and Yu, J., Comparison of Geometrically Shaped 32-QAM and Probabilistically Shaped 32-QAM in a Bandwidth-Limited IM-DD System; *JLT Aug. 15, 2020 4352-4358*
- Ding, J., see Wei, Y., *JLT Sept. 15, 2020 5000-5007*
- Ding, L., see Liu, S., *JLT April 1, 2020 1900-1904*
- Ding, M., see Jin, Z., *JLT March 15, 2020 1230-1242*
- Ding, M., Komanec, M., Suslov, D., Dousek, D., Zvanovec, S., Fokoua, E.R.N., Bradley, T.D., Poletti, F., Richardson, D.J., and Slavik, R., Long-Length and Thermally Stable High-Finesse Fabry-Perot Interferometers Made of Hollow Core Optical Fiber; *JLT April 15, 2020 2423-2427*
- Ding, M., Qin, H., and Yin, Y., Transmission Characteristics and Fano-Like Lineshape in Coupled-Slotted Microresonators; *JLT July 15, 2020 3687-3693*
- Ding, M., see Wang, B., *JLT July 15, 2020 3781-3788*
- Ding, Q., Wang, M., Zhang, J., Mu, H., Wang, C., and Fan, G., A Precisely Frequency-Tunable Parity-Time-Symmetric Optoelectronic Oscillator; *JLT Dec. 1, 2020 6569-6577*
- Ding, R., see Wang, L., *JLT Nov. 1, 2020 6129-6134*
- Ding, Z., see Wang, C., *JLT Oct. 15, 2020 5825-5836*
- Dinsdale, N.J., see Milosevic, M.M., *JLT April 1, 2020 1865-1873*
- Dirani, H.E., see Boust, S., *JLT Oct. 1, 2020 5517-5525*
- Dischler, R., see Le, S.T., *JLT Jan. 15, 2020 538-545*
- Dischler, R., see Buchali, F., *JLT May 1, 2020 2710-2718*
- Djordjevic, I.B., see Yang, M., *JLT April 1, 2020 1693-1701*
- Djordjevic, A., see Savovic, S., *JLT Dec. 1, 2020 6644-6647*
- Doany, F., see Dupuis, N., *JLT Jan. 15, 2020 178-184*
- Dobronosova, A.A., see Kornienko, V.V., *JLT Sept. 1, 2020 4794-4800*
- Dodane, D., see Rommel, S., *JLT Oct. 1, 2020 5412-5422*
- Doggart, C., see Sun, H., *JLT Sept. 1, 2020 4744-4756*
- Dominic, V., see Sun, H., *JLT Sept. 1, 2020 4744-4756*
- Donegan, J.F., see Dai, X., *JLT April 15, 2020 2336-2345*
- Donegan, J.F., and Ellis, A., Foreword to the Special Issue on the 45th European Conference on Optical Communication (ECOC 2019); *JLT May 1, 2020 2575-2576*
- Dong, F., see Wang, L., *JLT Nov. 1, 2020 6129-6134*
- Dong, J., see Cheng, Z., *JLT July 1, 2020 3533-3539*
- Dong, J., see Guan, H., *JLT Nov. 1, 2020 6089-6096*
- Dong, L., Nonlinear Propagation in Optical Fibers With Gain Saturation and Gain Dispersion; *JLT Dec. 15, 2020 6897-6904*
- Dong, P., see Bosco, G., *JLT Jan. 1, 2020 3-5*
- Dong, P., see Melikyan, A., *JLT June 1, 2020 2872-2876*
- Dong, P., see Kong, D., *JLT Sept. 1, 2020 4677-4682*
- Dong, W., Lei, L., Chen, L., Yu, Y., and Zhang, X., All-Optical 2×2 -Bit Multiplier at 40 Gb/s Based on Canonical Logic Units-based Programmable Logic Array (CLUs-PLA); *JLT Oct. 15, 2020 5586-5594*
- Dong, Y., Qiu, L., Lu, Y., Teng, L., Wang, B., and Zhu, Z., Sensitivity-Enhanced Distributed Hydrostatic Pressure Sensor Based on BOTDA in Single-Mode Fiber With Double-Layer Polymer Coatings; *JLT April 15, 2020 2564-2571*
- Dong, Y., see Jin, W., *JLT April 15, 2020 2095-2105*
- Dong, Y., see Zhou, D., *JLT Aug. 1, 2020 4150-4159*
- Dong, Y., see Zhang, H., *JLT Sept. 15, 2020 5219-5224*
- Dong, Y., see Feng, Y., *JLT Nov. 15, 2020 6227-6236*
- Dong, Y., see Wang, B., *JLT Feb. 15, 2020 946-952*
- Dong, Z., see He, H., *JLT Aug. 1, 2020 3918-3925*
- Dong, Z., see Zhao, X., *JLT Sept. 1, 2020 4641-4647*
- Dong, Z., see Zou, S., *JLT Sept. 15, 2020 5136-5141*
- Dong, Z., see Xiao, Q., *JLT Feb. 15, 2020 714-722*
- Doran, N.J., see Ferreira, F.M., *JLT May 15, 2020 2790-2798*
- Dorize, C., see Awwad, E., *JLT June 15, 2020 3089-3095*
- Dorofeev, V.V., see Okhrimchuk, A.G., *JLT March 15, 2020 1492-1500*
- Doucet, D., see Yameogo, B.L.M., *JLT Sept. 15, 2020 5026-5035*
- Dousek, D., see Ding, M., *JLT April 15, 2020 2423-2427*
- Downie, J., see Kaliteevskiy, N.A., *JLT April 15, 2020 2253-2261*
- Downie, J.D., Liang, X., Ivanov, V., Sterlingov, P., and Kaliteevskiy, N., SNR Model for Generalized Droop With Constant Output Power Amplifier Systems and Experimental Measurements; *JLT June 15, 2020 3214-3220*
- Downie, J.D., Liang, X., and Makovejs, S., Assessing Capacity and Cost/Capacity of 4-Core Multicore Fibers Against Single Core Fibers in Submarine Cable Systems; *JLT June 1, 2020 3015-3022*
- Driscoll, J., see Li, H., *JLT Jan. 1, 2020 131-138*
- Drouin, B.J., see Wang, X., *JLT Jan. 1, 2020 166-173*
- Du, C., see Tu, J., *JLT Aug. 15, 2020 4497-4503*
- Du, J., see Shen, W., *JLT Aug. 1, 2020 3874-3882*
- Du, X., see Buchali, F., *JLT Jan. 1, 2020 150-158*
- Du, X., see Le, S.T., *JLT June 15, 2020 3125-3134*
- Du, X., see Wang, W., *JLT Feb. 15, 2020 981-988*
- Du, Y., see Yu, J., *JLT April 1, 2020 1880-1886*
- Duan, B., see Yang, D., *JLT Aug. 15, 2020 4555-4559*
- Duan, D., see Lu, Q., *JLT Nov. 1, 2020 6082-6088*
- Duan, S., see Wang, G., *JLT April 1, 2020 2073-2080*
- Duan, S., Mo, B., Wang, X., Chan, E.H.W., Feng, X., Guan, B., and Yao, J., Photonic-Assisted Regenerative Microwave Frequency Divider With a Tunable Division Factor; *JLT Oct. 1, 2020 5509-5516*
- Dubov, M., see Rommel, S., *JLT Oct. 1, 2020 5412-5422*
- Dubruel, P., see Gieriej, A., *JLT April 1, 2020 1905-1914*
- Dumenil, A., Awwad, E., and Measson, C., PDL in Optical Links: A Model Analysis and a Demonstration of a PDL-Resilient Modulation; *JLT Sept. 15, 2020 5017-5025*
- Duport, F., see Pham, C., *JLT April 1, 2020 1836-1843*
- Duport, F., see Boust, S., *JLT Oct. 1, 2020 5517-5525*
- Dupuis, N., see Forencich, A., *JLT March 15, 2020 1330-1340*
- Dupuis, N., Doany, F., Budd, R.A., Schares, L., Baks, C.W., Kuchta, D.M., Hirokawa, T., and Lee, B.G., A 4×4 Electrooptic Silicon Photonic Switch Fabric With Net Neutral Insertion Loss; *JLT Jan. 15, 2020 178-184*
- Dupuy, J., see Heni, W., *JLT May 1, 2020 2734-2739*
- Duran, V., see Soriano-Amat, M., *JLT Sept. 15, 2020 5107-5115*
- Durrant, T., see Jin, W., *JLT April 15, 2020 2095-2105*
- Dutta, S., see Mondal, W.U., *JLT April 15, 2020 2114-2126*
- Duval, B., see Heni, W., *JLT May 1, 2020 2734-2739*
- Dyshlyuk, A.V., Eryusheva, U.A., and Vitrik, O.B., Tunable Autler-Townes-Like Resonance Splitting in a Bent Fiber-Optic Fabry-Perot Resonator: 3D Modeling and Experimental Verification; *JLT Dec. 15, 2020 6918-6923*
- Dzieciol, H., see Gerard, T., *JLT Feb. 1, 2020 564-572*

E

- Earnshaw, M., see Grillanda, S., *JLT Feb. 15, 2020 804-810*
- Ebrahimzadeh, A., see Perez, G.O., *JLT Sept. 15, 2020 4935-4947*
- Edwards, A., see Ionescu, M., *JLT Jan. 15, 2020 531-537*
- Effenberger, F.J., Zeng, H., Shen, A., and Liu, X., Burst-Mode Error Distribution and Mitigation in DSP-Assisted High-Speed PONs; *JLT Feb. 15, 2020 754-760*

- Eger, D., see Yevnin, M., *JLT Feb. 15, 2020 792-796*
- Eggleton, B.J., see McKay, L., *JLT July 15, 2020 3624-3636*
- Egorova, O.N., see Andrianov, A.V., *JLT April 15, 2020 2464-2470*
- El-Fiky, E., see Jacques, M., *JLT June 1, 2020 2877-2885*
- El-Fiky, E., see Xing, Z., *JLT June 1, 2020 2968-2975*
- El-Rahman, A.I.A., see Li, L., *JLT March 15, 2020 1184-1193*
- El-Rahman, A.I.A., see Cartledge, J.C., *JLT June 1, 2020 3023-3029*
- El-Sahn, Z.A., see Sun, H., *JLT Sept. 1, 2020 4744-4756*
- El-Zonkoli, M., see Buchali, F., *JLT May 1, 2020 2710-2718*
- Elbers, J., see Bosco, G., *JLT Jan. 1, 2020 3-5*
- Elder, D.L., see Heni, W., *JLT May 1, 2020 2734-2739*
- Elezzabi, A.Y., see Carnio, B.N., *JLT Aug. 1, 2020 3959-3964*
- Elfiqi, A.E., see Rumipamba-Zambrano, R., *JLT Nov. 15, 2020 6137-6152*
- Ellinger, F., see Charania, S., *JLT July 1, 2020 3454-3460*
- Ellingsen, R., see Milenko, K., *JLT April 1, 2020 2081-2085*
- Ellis, A., see Donegan, J.F., *JLT May 1, 2020 2575-2576*
- Ellis, A.D., see Ferreira, F.M., *JLT May 15, 2020 2790-2798*
- Eltaieb, R.A., Farghal, A.E.A., Ahmed, H.H., Saif, W.S., Ragheb, A., Alshebeili, S.A., Shalaby, H.M.H., Abd El-Samie, F.E., Efficient Classification of Optical Modulation Formats Based on Singular Value Decomposition and Radon Transformation; *JLT Feb. 1, 2020 619-631*
- Eltaif, T., see Alaghbari, K.A., *JLT Aug. 1, 2020 3839-3849*
- Eriksson, T.A., see Puttnam, B.J., *JLT Jan. 1, 2020 123-130*
- Eriksson, T.A., Luis, R.S., Puttnam, B.J., Rademacher, G., Fujiwara, M., Awaji, Y., Furukawa, H., Wada, N., Takeoka, M., and Sasaki, M., Wavelength Division Multiplexing of 194 Continuous Variable Quantum Key Distribution Channels; *JLT April 15, 2020 2214-2218*
- Eriksson, T.A., see Luis, R.S., *JLT June 1, 2020 2886-2896*
- Eryusheva, U.A., see Dyshlyuk, A.V., *JLT Dec. 15, 2020 6918-6923*
- Escoubas, L., see Lorriere, N., *JLT Aug. 1, 2020 3822-3831*
- Essiambre, R., see Matte-Breton, C., *JLT April 1, 2020 1936-1944*
- Estaran, J.M., see Heni, W., *JLT May 1, 2020 2734-2739*
- Eznaveh, S.E., see Gausmann, S., *JLT April 1, 2020 1953-1958*

F

- Fabrega, J.M., see Nadal, L., *JLT June 1, 2020 3037-3043*
- Faig, H., see Paryanti, G., *JLT Aug. 1, 2020 3883-3896*
- Faig, H., Pedersen, B.V., Cohen, S., Gantz, L., and Sadot, D., Nonlinear System Identification Scheme for Efficient Compensators Design; *JLT July 1, 2020 3519-3525*
- Faig, H., Rohlin, D., Cohen, S., Gantz, L., Sheffi, N., and Sadot, D., A Novel CDR-Based Low-Cost Time-Interleaved-ADC Timing Calibration; *JLT April 1, 2020 1777-1784*
- Falconi, M.C., Laneve, D., Portosi, V., Taccheo, S., and Prudeniano, F., Design of a Multi-Wavelength Fiber Laser Based on Tm:Er:Yb:Ho Co-Doped Germanate Glass; *JLT April 15, 2020 2406-2413*
- Fallahpour, A., Alishahi, F., Zou, K., Cao, Y., Almainan, A., Kordts, A., Karpov, M., Pfeiffer, M.H.P., Manukyan, K., Zhou, H., Liao, P., Liu, C., Tur, M., Kippenberg, T.J., and Willner, A.E., Demonstration of Tunable Optical Aggregation of QPSK to 16-QAM Over Optically Generated Nyquist Pulse Trains Using Nonlinear Wave Mixing and a Kerr Frequency Comb; *JLT Jan. 15, 2020 359-365*
- Fan, B., see Ma, C., *JLT Sept. 15, 2020 4948-4954*
- Fan, C., see Li, S., *JLT June 15, 2020 3238-3245*
- Fan, C., see Li, H., *JLT Feb. 15, 2020 929-938*
- Fan, D., see Xiong, W., *JLT April 1, 2020 1712-1721*
- Fan, D., Luo, Y., Yan, B., Stancalie, A., Ighigeanu, D., Negut, D., Sporea, D., Zhang, J., Wen, J., Ma, J., Lu, P., and Peng, G., Ionizing Radiation Effect upon Er/Yb Co-Doped Fibre Made by In-Situ Nano Solution Doping; *JLT Nov. 15, 2020 6334-6344*
- Fan, D., see Tian, Y., *JLT Feb. 15, 2020 834-839*
- Fan, F., see Ji, Y., *JLT Aug. 1, 2020 4030-4036*
- Fan, G., see Liang, D., *JLT July 1, 2020 3322-3337*
- Fan, G., see Ding, Q., *JLT Dec. 1, 2020 6569-6577*
- Fan, R., Ma, Q., Li, L., Zhuo, Y., Shen, J., Ren, Z., Chen, H., and Peng, B., Liquid Level and Refractive Index Double-Parameter Sensor Based on Tapered Photonic Crystal Fiber; *JLT July 15, 2020 3717-3722*
- Fan, S., see Zhao, Z., *JLT Aug. 15, 2020 4435-4446*
- Fan, X., see Zhang, Z., *JLT Aug. 15, 2020 4548-4554*
- Fan, X., see Wu, M., *JLT Sept. 1, 2020 4874-4882*
- Fan, X.J., see Zhu, S., *JLT Oct. 1, 2020 5270-5277*
- Fan, Y., see Shi, F., *JLT March 15, 2020 1275-1285*
- Fan, Y., see Liang, D., *JLT July 1, 2020 3322-3337*
- Fan, Y., see Kang, B., *JLT Nov. 1, 2020 5962-5972*
- Fan, Z., Zhang, W., Qiu, Q., and Yao, J., Hybrid Frequency-Tunable Parity-Time Symmetric Optoelectronic Oscillator; *JLT April 15, 2020 2127-2133*
- Fan, Z., Dai, Z., Qiu, Q., and Yao, J., Parity-Time Symmetry in a Single-Loop Photonic System; *JLT Aug. 1, 2020 3866-3873*
- Fan, Z., see Dai, Z., *JLT Oct. 1, 2020 5327-5332*
- Fang, L., Gu, L., Zheng, J., Zhao, Q., Gan, X., and Zhao, J., Controlling Resonance Lineshapes of a Side-Coupled Waveguide-Microring Resonator; *JLT Aug. 15, 2020 4429-4434*
- Fang, T., see Hao, L., *JLT Aug. 15, 2020 4402-4408*
- Fang, T., see Zhang, Y., *JLT April 1, 2020 1809-1816*
- Fang, Y., Bao, C., Wang, Z., Liu, B., Zhang, L., Han, X., He, Y., Huang, H., Ren, Y., Pan, Z., and Yue, Y., Three-Octave Supercontinuum Generation Using SiO₂ Cladded Si₃N₄ Slot Waveguide With All-Normal Dispersion; *JLT July 1, 2020 3431-3438*
- Fang, Z., see Chen, J., *JLT March 15, 2020 1480-1485*
- Farghal, A.E.A., see Eltaieb, R.A., *JLT Feb. 1, 2020 619-631*
- Farrell, G., see Wang, R., *JLT Aug. 15, 2020 4520-4525*
- Farrell, G., see Zhang, M., *JLT Aug. 15, 2020 4397-4401*
- Farrell, G., see Lian, X., *JLT Nov. 15, 2020 6352-6361*
- Fathi, D., see Janjan, B., *JLT March 15, 2020 1391-1399*
- Fathi, D., see Janjan, B., *JLT Nov. 15, 2020 6272-6279*
- Fathpour, S., see Teng, M., *JLT Jan. 1, 2020 6-17*
- Faugeron, M., see Boust, S., *JLT Oct. 1, 2020 5517-5525*
- Faulkner, G., see Singh, R., *JLT Dec. 15, 2020 6817-6826*
- Fedoruk, M., see Redyuk, A., *JLT March 15, 2020 1250-1257*
- Fedoruk, M., see Turitsyn, S., *JLT Jan. 15, 2020 352-358*
- Fedorushyn, Y., see Heni, W., *JLT May 1, 2020 2734-2739*
- Fehenberger, T., Millar, D.S., Koike-Akino, T., Kojima, K., Parsons, K., and Griesser, H., Analysis of Nonlinear Fiber Interactions for Finite-Length Constant-Composition Sequences; *JLT Jan. 15, 2020 457-465*
- Fehenberger, T., Millar, D.S., Koike-Akino, T., Kojima, K., Parsons, K., and Griesser, H., Huffman-Coded Sphere Shaping and Distribution Matching Algorithms via Lookup Tables; *JLT May 15, 2020 2826-2834*
- Felipe, A., Souza, A.L.N.d., Chirp-Filtering for Low-Complexity Chromatic Dispersion Compensation; *JLT June 1, 2020 2954-2960*
- Feng, C., Bhatta, H.D., Bohbot, J., Davidi, R., Lu, X., Schneider, T., and Tur, M., Gain Spectrum Engineering in Slope-Assisted Dynamic Brillouin Optical Time-Domain Analysis; *JLT Dec. 15, 2020 6967-6975*
- Feng, F., see Singh, R., *JLT Dec. 15, 2020 6817-6826*
- Feng, G., see Tao, M., *JLT Dec. 1, 2020 6635-6643*
- Feng, L., see Li, H., *JLT Feb. 15, 2020 898-904*
- Feng, M., see Mao, B., *JLT Aug. 1, 2020 4052-4060*
- Feng, M., see Huang, C., *JLT Feb. 1, 2020 573-582*
- Feng, M., see Huang, C., *JLT Dec. 15, 2020 6746-6758*
- Feng, S., see Shang, L., *JLT Nov. 1, 2020 6104-6113*
- Feng, T., Shterengas, L., Hosoda, T., Kipshidze, G., Belyanin, A., Teng, C.C., Westberg, J., Wysocki, G., and Belenky, G., Passively Mode-Locked 2.7 and 3.2 μm GaSb-Based Cascade Diode Lasers; *JLT April 1, 2020 1895-1899*
- Feng, X., see Li, P., *JLT March 15, 2020 1178-1183*
- Feng, X., see Bickham, S.R., *JLT Jan. 15, 2020 297-302*
- Feng, X., see Lin, Z., *JLT Aug. 15, 2020 4470-4477*
- Feng, X., see Wang, G., *JLT April 1, 2020 2073-2080*
- Feng, X., see Duan, S., *JLT Oct. 1, 2020 5509-5516*
- Feng, Y., see Zhu, Y., *JLT Sept. 1, 2020 4817-4823*
- Feng, Y., see Wang, Z., *JLT Sept. 15, 2020 5212-5218*
- Feng, Y., see Wang, H., *JLT Sept. 15, 2020 5048-5055*

- Feng, Y.**, Xie, W., Meng, Y., Zhang, L., Liu, Z., Wei, W., and Dong, Y., High-Performance Optical Frequency-Domain Reflectometry Based on High-Order Optical Phase-Locking-Assisted Chirp Optimization; *JLT Nov. 15, 2020* 6227-6236
- Feng, Y.**, see Wang, C., *JLT Oct. 15, 2020* 5825-5836
- Feng, Z.**, see Yang, S., *JLT April 1, 2020* 1988-1997
- Ferdousi, S.**, see Xu, S., *JLT May 1, 2020* 2656-2668
- Ferhanoglu, O.**, see Cetindag, S.K., *JLT April 1, 2020* 2022-2027
- Fernandes, M.A.**, see Guiomar, F.P., *JLT Dec. 1, 2020* 6529-6541
- Fernandez, P.**, see Macias-Montero, M., *JLT Dec. 1, 2020* 6578-6583
- Fernandez-Palacios, J.**, see Mayoral, A., *JLT Jan. 15, 2020* 546-552
- Fernandez-Ruiz, M.R.**, see Marcon, L., *JLT Aug. 1, 2020* 4142-4149
- Fernandez-Ruiz, M.R.**, see Soriano-Amat, M., *JLT Sept. 15, 2020* 5107-5115
- Ferrari, A.**, Virgillito, E., and Curri, V., Band-Division vs. Space-Division Multiplexing: A Network Performance Statistical Assessment; *JLT March 1, 2020* 1041-1049
- Ferrari, A.**, see Sambo, N., *JLT May 1, 2020* 2598-2605
- Ferrari, A.**, Napoli, A., Fischer, J.K., Costa, N., D'Amico, A., Pedro, J., Forysiak, W., Pincemin, E., Lord, A., Stavdas, A., Gimenez, J.P.F., Roelkens, G., Calabretta, N., Abrate, S., Sommerkorn-Kromholz, B., and Curri, V., Assessment on the Achievable Throughput of Multi-Band ITU-T G.652.D Fiber Transmission Systems; *JLT Aug. 15, 2020* 4279-4291
- Ferrari, G.**, see Zanetto, F., *JLT Nov. 1, 2020* 6000-6006
- Ferreira, F.M.**, Sygletos, S., Sillekens, E., Killey, R., Ellis, A.D., and Doran, N.J., On the Performance of Digital Back Propagation in Spatial Multiplexing Systems; *JLT May 15, 2020* 2790-2798
- Ferreira, L.**, see Paixao, T., *JLT March 15, 2020* 1529-1535
- Ferreira, R.M.**, see Teixeira, A., *JLT Feb. 1, 2020* 684-695
- Ferrero, V.**, see Torres-Ferrera, P., *JLT Feb. 1, 2020* 608-618
- Ferrero, V.**, see Torres-Ferrera, P., *JLT Dec. 15, 2020* 6807-6816
- Feugnet, G.**, see Rommel, S., *JLT Oct. 1, 2020* 5412-5422
- Filer, M.M.**, see Napoli, A., *JLT March 1, 2020* 998-1001
- Filer, M.M.**, see Searcy, S., *JLT June 15, 2020* 3173-3179
- Filipkowski, A.**, see Gieriej, A., *JLT April 1, 2020* 1905-1914
- Filippov, A.V.**, see Tomashuk, A.L., *JLT Oct. 15, 2020* 5817-5824
- Finkelstein, J.**, see Shen, S., *JLT Nov. 1, 2020* 5908-5915
- Fiorentino, M.**, see Wang, B., *JLT June 15, 2020* 3156-3163
- Fiorentino, M.**, see Liang, D., *JLT July 1, 2020* 3322-3337
- Fiorentino, M.**, see London, Y., *JLT July 1, 2020* 3469-3477
- Fiorentino, M.**, see Yuan, Y., *JLT Sept. 1, 2020* 4857-4866
- Firstov, S.**, see Khagai, A., *JLT Nov. 1, 2020* 6114-6120
- Firstova, E.**, see Khagai, A., *JLT Nov. 1, 2020* 6114-6120
- Fischer, J.K.**, see Napoli, A., *JLT March 1, 2020* 998-1001
- Fischer, J.K.**, see Frey, F., *JLT June 15, 2020* 3135-3146
- Fischer, J.K.**, see Ferrari, A., *JLT Aug. 15, 2020* 4279-4291
- Fischer, R.F.H.**, see Frey, F., *JLT June 15, 2020* 3135-3146
- Fleming, S.**, see Jain, D., *JLT Nov. 15, 2020* 6362-6370
- Foggi, T.**, On Performance Limits for Spectrally Efficient Optical Transmission Techniques in Short-Haul Metro/Access Links; *JLT Feb. 1, 2020* 661-667
- Fok, M.P.**, A Review: Neural-Inspired Photonic Functional Systems for Dynamic RF Signal Processing; *JLT Oct. 1, 2020* 5318-5326
- Fokoua, E.N.**, see Sakr, H., *JLT Jan. 1, 2020* 159-165
- Fokoua, E.R.N.**, see Ding, M., *JLT April 15, 2020* 2423-2427
- Fokoua, E.R.N.**, see Clark, K.A., *JLT May 1, 2020* 2703-2709
- Fomiryakov, E.**, see Nikitin, S., *JLT March 15, 2020* 1446-1453
- Fonseca, J.D.**, see Thiessen, T., *JLT June 1, 2020* 3000-3006
- Fontaine, N.**, see Arnould, A., *JLT Jan. 15, 2020* 504-508
- Fontaine, N.**, see Renaudier, J., *JLT March 1, 2020* 1071-1079
- Fontaine, N.**, see Cho, J., *JLT July 15, 2020* 3652-3662
- Fontaine, N.**, see Grillanda, S., *JLT Feb. 15, 2020* 804-810
- Fontaine, N.K.**, see Chen, H., *JLT May 1, 2020* 2587-2597
- Fontaine, N.K.**, see Antonelli, C., *JLT April 1, 2020* 1668-1677
- Fontaine, N.K.**, see Matte-Breton, C., *JLT April 1, 2020* 1936-1944
- Fontaine, N.K.**, see Zhang, Y., *JLT Nov. 15, 2020* 6286-6291
- Forchhammer, S.**, see Iqbal, S., *JLT April 1, 2020* 1800-1808
- Forench, A.**, Kamchevska, V., Dupuis, N., Lee, B.G., Baks, C.W., Papan, G., and Schares, L., A Dynamically-Reconfigurable Burst-Mode Link Using a Nanosecond Photonic Switch; *JLT March 15, 2020* 1330-1340
- Forestieri, E.**, see Secondini, M., *JLT Nov. 1, 2020* 5981-5990
- Forghieri, F.**, see Ranjbar Zefreh, M., *JLT Sept. 15, 2020* 4987-4999
- Fortin, C.**, see Pham, C., *JLT April 1, 2020* 1836-1843
- Forysiak, W.**, see Ferrari, A., *JLT Aug. 15, 2020* 4279-4291
- Fotiadis, K.**, see Pitris, S., *JLT July 1, 2020* 3366-3375
- Fotiadis, K.**, see Zanetto, F., *JLT Nov. 1, 2020* 6000-6006
- Fougstedt, C.**, see Borjeson, E., *JLT July 15, 2020* 3616-3623
- Foursa, D.G.**, see Cai, J., *JLT June 15, 2020* 3280-3288
- Francis-Jones, R.J.A.**, see Yerolatsitis, S., *JLT Sept. 15, 2020* 5157-5162
- Franke, J.**, see Lorenz, L., *JLT July 1, 2020* 3478-3484
- Frascolla, M.**, see Buchali, F., *JLT May 1, 2020* 2710-2718
- Frasunkiewicz, L.**, Panajotov, K., Thienpont, H., Dems, M., and Czynszowski, T., Transverse Mode Mixing in a Coupled-Cavity VCSEL; *JLT Oct. 15, 2020* 5774-5782
- Frey, F.**, Stern, S., Fischer, J.K., and Fischer, R.F.H., Two-Stage Coded Modulation for Hurwitz Constellations in Fiber-Optical Communications; *JLT June 15, 2020* 3135-3146
- Friedhoff, V.N.**, see Happach, M., *JLT Sept. 1, 2020* 4824-4833
- Frignac, Y.**, see Renaudier, J., *JLT March 1, 2020* 1071-1079
- Frosz, M.H.**, see Loranger, S., *JLT Aug. 1, 2020* 4100-4107
- Fu, C.**, see Zhao, Y., *JLT April 15, 2020* 2504-2510
- Fu, L.**, see Su, Y., *JLT July 15, 2020* 3553-3562
- Fu, M.**, see Lun, H., *JLT June 1, 2020* 2992-2999
- Fu, Q.**, see Chen, W., *JLT Aug. 1, 2020* 4000-4008
- Fu, S.**, Zhu, X., Wang, J., Wu, J., Tong, M., Zong, J., Li, M., Wiersma, K., Chavez-Pirson, A., and Peyghambarian, N., L-Band Wavelength-Tunable Er³⁺-Doped Tellurite Fiber Lasers; *JLT March 15, 2020* 1435-1438
- Fu, S.**, see Li, S., *JLT June 15, 2020* 3238-3245
- Fu, S.**, see Zhu, L., *JLT Dec. 1, 2020* 6474-6480
- Fu, X.**, see Tian, Y., *JLT Feb. 15, 2020* 834-839
- Fu, Y.**, Kong, D., Xin, H., Jia, S., Zhang, K., Bi, M., Hu, W., and Hu, H., Piecewise Linear Equalizer for DML Based PAM-4 Signal Transmission Over a Dispersion Uncompensated Link; *JLT Feb. 1, 2020* 654-660
- Fuerbach, A.**, see Amin, M.Z., *JLT Oct. 15, 2020* 5801-5808
- Fuglerud, S.S.**, see Milenko, K., *JLT April 1, 2020* 2081-2085
- Fujii, M.**, see Kanno, A., *JLT Jan. 1, 2020* 112-122
- Fujii, T.**, see Aihara, T., *JLT June 1, 2020* 2961-2967
- Fujii, T.**, see Hiraki, T., *JLT June 1, 2020* 3030-3036
- Fujita, M.**, see Headland, D., *JLT Dec. 15, 2020* 6853-6862
- Fujiwara, M.**, see Eriksson, T.A., *JLT April 15, 2020* 2214-2218
- Fujiwara, N.**, see Shindo, T., *JLT June 1, 2020* 2984-2991
- Fukai, C.**, Abe, Y., Takaya, M., Koyama, R., and Katayama, K., Investigation Into the Influence of High-Power Optical Transmission on Fiber Withdrawal From Optical Connector; *JLT Sept. 15, 2020* 5128-5135
- Fumagalli, A.**, see Xu, T., *JLT July 1, 2020* 3495-3505
- Furdek, M.**, Natalino, C., Lipp, F., Hock, D., Giglio, A.D., and Schiano, M., Machine Learning for Optical Network Security Monitoring: A Practical Perspective; *JLT June 1, 2020* 2860-2871
- Furukawa, H.**, see Eriksson, T.A., *JLT April 15, 2020* 2214-2218
- Furukawa, H.**, see Luis, R.S., *JLT June 1, 2020* 2886-2896
- Futami, F.**, Tanizawa, K., and Kato, K., Y-00 Quantum-Noise Randomized Stream Cipher Using Intensity Modulation Signals for Physical Layer Security of Optical Communications; *JLT May 15, 2020* 2774-2781
- Futami, F.**, see Tanizawa, K., *JLT Aug. 15, 2020* 4244-4249

G

- Gac, D.L.**, see Renaudier, J., *JLT March 1, 2020* 1071-1079
- Gahlawat, N.**, see Mitra, A., *JLT March 1, 2020* 1032-1040
- Gaiarin, S.**, Da Ros, F., De Renzis, N., Jones, R.T., and Zibar, D., Experimental Demonstration of Nonlinear Frequency Division Multiplexing Transmission With Neural Network Receiver; *JLT Dec. 1, 2020* 6465-6473
- Galanova, S.V.**, see Tomashuk, A.L., *JLT Oct. 15, 2020* 5817-5824
- Galarza, M.**, see Lopez, O.G., *JLT Aug. 1, 2020* 3983-3987

- Galdino, L.**, see Ionescu, M., *JLT Jan. 15, 2020 531-537*
- Gallardo, O.**, see Altabas, J.A., *JLT April 1, 2020 1785-1788*
- Galtarossa, A.**, see Veronese, R., *JLT Sept. 1, 2020 4843-4849*
- Gan, M.**, see Tong, S., *JLT April 15, 2020 2450-2455*
- Gan, X.**, see Fang, L., *JLT Aug. 15, 2020 4429-4434*
- Gantz, L.**, see Faig, H., *JLT July 1, 2020 3519-3525*
- Gantz, L.**, see Faig, H., *JLT April 1, 2020 1777-1784*
- Gao, D.**, see Cheng, Z., *JLT July 1, 2020 3533-3539*
- Gao, F.**, see Liu, J., *JLT March 15, 2020 1572-1579*
- Gao, F.**, see Chen, J., *JLT March 15, 2020 1480-1485*
- Gao, R.**, see Wang, X., *JLT Nov. 15, 2020 6153-6162*
- Gao, S.**, Baker, C., Chen, L., and Bao, X., Fabrication of Chirped Fiber Bragg Gratings in a Non-Uniform Single-Core As₂Se₃-PMMA Tapered Fiber; *JLT Aug. 1, 2020 4108-4113*
- Gao, S.**, see Tu, J., *JLT Aug. 15, 2020 4497-4503*
- Gao, S.**, see Yao, C., *JLT April 1, 2020 2067-2072*
- Gao, S.**, Baker, C., Chen, L., and Bao, X., Simultaneously Self-Inscribed Antisymmetric Long-Period Grating and Antisymmetric Apodized Fiber Bragg Grating in a Dual-Core As₂Se₃-PMMA Tapered Fiber; *JLT Nov. 15, 2020 6345-6351*
- Gao, S.**, see She, S., *JLT Dec. 15, 2020 6924-6931*
- Gao, X.**, see Song, C., *JLT March 15, 2020 1243-1249*
- Gao, X.**, see Bai, Y., *JLT Oct. 1, 2020 5262-5269*
- Gao, X.**, see Bai, Y., *JLT Nov. 1, 2020 5973-5980*
- Gao, Y.**, see Shi, F., *JLT March 15, 2020 1275-1285*
- Gao, Y.**, Lo, J., Lee, S., Patel, R., Zhu, L., Nee, J., Tsou, D., Carney, R., and Sun, J., High-Power, Narrow-Linewidth, Miniaturized Silicon Photonic Tunable Laser With Accurate Frequency Control; *JLT Jan. 15, 2020 265-271*
- Gao, Y.**, see Sun, H., *JLT Sept. 1, 2020 4744-4756*
- Gao, Y.**, see Kang, B., *JLT Nov. 1, 2020 5962-5972*
- Gao, Z.**, Yan, S., Zhang, J., Mascarenhas, M., Nejabati, R., Ji, Y., and Simonidou, D., ANN-Based Multi-Channel QoT-Prediction Over a 563.4-km Field-Trial Testbed; *JLT May 1, 2020 2646-2655*
- Garcia-Gomez, F.J.**, and Kramer, G., Mismatched Models to Lower Bound the Capacity of Optical Fiber Channels; *JLT Dec. 15, 2020 6779-6787*
- Garcia-Montes, D.**, see Mayoral, A., *JLT Jan. 15, 2020 546-552*
- Garreau, A.**, see Pham, C., *JLT April 1, 2020 1836-1843*
- Garrich, M.**, Romero-Gazquez, J., Moreno-Muro, F., Hernandez-Bastida, M., Delgado, M.B., Bravalheri, A., Uniyal, N., Muqaddas, A.S., Nejabati, R., Casellas, R., de Dios, O.G., and Marino, P.P., IT and Multi-layer Online Resource Allocation and Offline Planning in Metropolitan Networks; *JLT June 15, 2020 3190-3199*
- Garrich, M.**, see Pavon-Marino, P., *JLT Aug. 1, 2020 3801-3814*
- Gasulla, I.**, see Chen, L.R., *JLT Oct. 1, 2020 5238-5239*
- Gasulla, I.**, see Shaheen, S., *JLT Nov. 15, 2020 6237-6246*
- Gaudino, R.**, see Torres-Ferrera, P., *JLT Feb. 1, 2020 608-618*
- Gaudino, R.**, see Torres-Ferrera, P., *JLT Dec. 15, 2020 6807-6816*
- Gausmann, S.**, Antonio-Lopez, J.E., Anderson, J., Wittek, S., Eznaveh, S.E., Jang, H., Habib, M.S., Cook, J., Richardson, M.C., Correa, R.A., and Schulzgen, A., S² Measurements Showing Suppression of Higher Order Modes in Confined Rare Earth Doped Large Core Fibers; *JLT April 1, 2020 1953-1958*
- Gay, M.**, see Lagha, M.K., *JLT Aug. 15, 2020 4213-4220*
- Ge, D.**, see Zhu, J., *JLT Sept. 15, 2020 5163-5169*
- Ge, D.**, see Zhang, X., *JLT Dec. 15, 2020 6801-6806*
- Ge, L.**, Zhang, W., Liang, C., and He, Z., Compressed Neural Network Equalization Based on Iterative Pruning Algorithm for 112-Gbps VCSEL-Enabled Optical Interconnects; *JLT March 15, 2020 1323-1329*
- Ge, Z.**, Lv, T., Ye, X., Zheng, Y., Xu, Z., and Sun, X., Adaptive Design for 2D Optical Coding PON Link Health Detection System in Complex Environment; *JLT Dec. 1, 2020 6458-6464*
- Geernaert, T.**, see Gieriej, A., *JLT April 1, 2020 1905-1914*
- Gene, J.M.**, see Chen, H., *JLT May 1, 2020 2587-2597*
- Geng, T.**, see Zhang, S., *JLT April 1, 2020 1929-1935*
- George, J.K.**, see Amin, R., *JLT Jan. 15, 2020 282-290*
- Gerald, R.E.**, see Zhu, C., *JLT Dec. 15, 2020 6961-6966*
- Gerard, T.**, see Benjamin, J.L., *JLT Sept. 15, 2020 4906-4921*
- Gerard, T.**, Dzieciol, H., Sillekens, E., Wakayama, Y., Alvarado, A., Killey, R.I., Bayvel, P., and Lavery, D., Coded Modulation for 100G Coherent EPON; *JLT Feb. 1, 2020 564-572*
- Gerini, G.**, see Huang, J., *JLT March 15, 2020 1202-1209*
- Gertler, S.**, Kittlaus, E.A., Otterstrom, N.T., Kharel, P., and Rakich, P.T., Microwave Filtering Using Forward Brillouin Scattering in Photonic-Phononic Emit-Receive Devices; *JLT Oct. 1, 2020 5248-5261*
- Gerzagnet, R.**, see Lagha, M.K., *JLT Aug. 15, 2020 4213-4220*
- Geskus, D.**, see Theurer, M., *JLT May 1, 2020 2630-2636*
- Ghalanos, G.N.**, see Moroney, N., *JLT March 15, 2020 1414-1419*
- Ghasemi, S.**, see Tabares, J.A., *JLT March 15, 2020 1305-1313*
- Ghazisaeidi, A.**, see Arnould, A., *JLT Jan. 15, 2020 504-508*
- Ghazisaeidi, A.**, see Arnould, A., *JLT Jan. 15, 2020 509-513*
- Ghazisaeidi, A.**, see Renaudier, J., *JLT March 1, 2020 1071-1079*
- Ghazisaeidi, A.**, see Lonardi, M., *JLT May 1, 2020 2637-2645*
- Ghelfi, P.**, see Serafino, G., *JLT Oct. 1, 2020 5339-5355*
- Ghelfi, P.**, see Malacarne, A., *JLT Nov. 15, 2020 6257-6264*
- Ghiloni, A.**, see Li, D., *JLT Sept. 15, 2020 4978-4986*
- Ghosh, S.**, see Tanomura, R., *JLT Jan. 1, 2020 60-66*
- Giacoumidis, E.**, see Verolet, T., *JLT Oct. 15, 2020 5708-5715*
- Giddings, R.P.**, see Jin, W., *JLT April 15, 2020 2095-2105*
- Giddings, R.P.**, see Zhang, J., *JLT July 15, 2020 3573-3583*
- Gieriej, A.**, Filipkowski, A., Pysz, D., Buczynski, R., Vagenende, M., Dubruel, P., Thienpont, H., Geernaert, T., and Berghmans, F., On the Characterization of Novel Step-Index Biocompatible and Biodegradable poly(D,L-lactic acid) Based Optical Fiber; *JLT April 1, 2020 1905-1914*
- Gifre, L.**, see Ruiz, M., *JLT June 15, 2020 3180-3189*
- Giglio, A.D.**, see Furdek, M., *JLT June 1, 2020 2860-2871*
- Gimenez, J.P.F.**, see Ferrari, A., *JLT Aug. 15, 2020 4279-4291*
- Giorgetti, A.**, see Campanella, A., *JLT May 15, 2020 2755-2764*
- Giorgi, L.**, see Iovanna, P., *JLT May 15, 2020 2799-2806*
- Giovannini, A.**, see Nanni, J., *JLT Oct. 1, 2020 5393-5405*
- Giovannini, D.**, see He, H., *JLT Aug. 15, 2020 4540-4547*
- Gladyshev, A.V.**, see Okhrimchuk, A.G., *JLT March 15, 2020 1492-1500*
- Glick, M.**, see Zhu, Z., *JLT May 15, 2020 2815-2825*
- Glick, M.**, see Abrams, N.C., *JLT July 1, 2020 3346-3357*
- Goddard, L.L.**, see Bahadori, M., *JLT Oct. 15, 2020 5756-5767*
- Godinez, M.E.**, see Urlick, V.J., *JLT March 15, 2020 1268-1274*
- Goh, B.**, see Parsonson, C.W.F., *JLT Oct. 15, 2020 5563-5573*
- Goix, M.**, see Heni, W., *JLT May 1, 2020 2734-2739*
- Golani, O.**, Pilori, D., Guiomar, F.P.P., Bosco, G., Carena, A., and Shtauf, M., Correlated Nonlinear Phase-Noise in Multi-Subcarrier Systems: Modeling and Mitigation; *JLT March 15, 2020 1148-1156*
- Gomez, C.**, see Pham, C., *JLT April 1, 2020 1836-1843*
- Gong, C.**, see Wang, Y., *JLT March 15, 2020 1557-1563*
- Gong, C.**, see Huang, N., *JLT Oct. 15, 2020 5695-5707*
- Gong, M.**, see Tian, J., *JLT March 15, 2020 1461-1467*
- Gong, S.**, see Bahadori, M., *JLT Oct. 15, 2020 5756-5767*
- Gong, Y.**, see Wang, Y., *JLT March 15, 2020 1557-1563*
- Gong, Y.**, see Zhao, X., *JLT March 15, 2020 1550-1556*
- Gong, Y.**, see Wang, F., *JLT Aug. 1, 2020 4093-4099*
- Gong, Y.**, see Mao, J., *JLT Sept. 15, 2020 5205-5211*
- Gonzalez, O.**, see Ruiz, M., *JLT June 15, 2020 3180-3189*
- Gonzalez-de-Dios, O.**, see Mayoral, A., *JLT Jan. 15, 2020 546-552*
- Gonzalez-Herraez, M.**, see Marcon, L., *JLT Aug. 1, 2020 4142-4149*
- Gonzalez-Herraez, M.**, see Soriano-Amat, M., *JLT Sept. 15, 2020 5107-5115*
- Goossens, J.**, Hafermann, H., and Jaouen, Y., Data Transmission Based on Exact Inverse Periodic Nonlinear Fourier Transform, Part I: Theory; *JLT Dec. 1, 2020 6499-6519*
- Goossens, J.**, Hafermann, H., and Jaouen, Y., Data Transmission Based on Exact Inverse Periodic Nonlinear Fourier Transform, Part II: Waveform Design and Experiment; *JLT Dec. 1, 2020 6520-6528*
- Goossens, S.**, see Oliari, V., *JLT June 15, 2020 3114-3124*
- Gotten, M.**, Lochmann, S., Ahrens, A., Lindner, E., and Van Roosbroeck, J., 2000 Serial FBG Sensors Interrogated With a Hybrid CDM-WDM Scheme; *JLT April 15, 2020 2493-2503*
- Goyal, S.**, see Kamran, R., *JLT July 1, 2020 3461-3468*

- Grattan, K.T.V.**, see Zhang, L., *JLT April 1, 2020 1966-1974*
- Griebner, U.**, see Kifle, E., *JLT Aug. 15, 2020 4374-4384*
- Griesser, H.**, see Fehenberger, T., *JLT Jan. 15, 2020 457-465*
- Griesser, H.**, see Fehenberger, T., *JLT May 15, 2020 2826-2834*
- Grillanda, S.**, Hu, T., Neilson, D., Basavanthally, N., Low, Y., Safar, H., Capuzzo, M., Kopf, R., Tate, A., Raybon, G., Adamiecki, A., Fontaine, N., and Earnshaw, M., 107 Gb/s Ultra-High Speed, Surface-Normal Electroabsorption Modulator Devices; *JLT Feb. 15, 2020 804-810*
- Grimaldi, V.**, see Zanetto, F., *JLT Nov. 1, 2020 6000-6006*
- Gris-Sanchez, I.**, see Shaheen, S., *JLT Nov. 15, 2020 6237-6246*
- Grivas, E.**, see Rommel, S., *JLT Oct. 1, 2020 5412-5422*
- Gross, S.**, see Luis, R.S., *JLT June 1, 2020 2886-2896*
- Grozing, M.**, see Buchali, F., *JLT Jan. 1, 2020 150-158*
- Grozing, M.**, see Le, S.T., *JLT June 15, 2020 3125-3134*
- Grubb, S.**, see Cho, J., *JLT July 15, 2020 3652-3662*
- Gruca, G.**, see Bruno, F.A., *JLT April 1, 2020 1998-2009*
- Grygar, J.**, see Straka, I., *JLT Sept. 1, 2020 4765-4771*
- Gu, H.**, see Huang, L., *JLT Aug. 1, 2020 3815-3821*
- Gu, L.**, see Fang, L., *JLT Aug. 15, 2020 4429-4434*
- Gu, T.**, see Yu, S., *JLT July 1, 2020 3358-3365*
- Gu, T.**, Kimerling, L., Seyedi, A., Schrans, T., Michel, J., Dai, D., and O'Brien, P., Guest Editorial: Special Issue on Optical Interconnects; *JLT July 1, 2020 3319-3321*
- Gu, T.**, see Wang, X., *JLT July 1, 2020 3414-3421*
- Gu, T.**, see Yu, S., *JLT Aug. 15, 2020 4368-4373*
- Guan, B.**, see Ran, Y., *JLT April 15, 2020 2434-2440*
- Guan, B.**, see Wang, G., *JLT April 1, 2020 2073-2080*
- Guan, B.**, see Duan, S., *JLT Oct. 1, 2020 5509-5516*
- Guan, H.**, see Huang, Y., *JLT Jan. 15, 2020 194-201*
- Guan, H.**, see Zhu, Z., *JLT May 15, 2020 2815-2825*
- Guan, H.**, Li, H., Ming, J., Hong, J., Dong, J., Qiu, W., Zhu, W., Yu, J., Chen, Z., Peng, G., and Lu, H., Broadband Light Amplitude Tuning Characteristics of SnSe₂ Coated Microfiber; *JLT Nov. 1, 2020 6089-6096*
- Guan, S.**, see Zhang, Y., *JLT April 1, 2020 1809-1816*
- Guermadi, D.**, see Pantano, N., *JLT Aug. 15, 2020 4325-4332*
- Guerrier, S.**, see Awwad, E., *JLT June 15, 2020 3089-3095*
- Guglielmi, E.**, see Zanetto, F., *JLT Nov. 1, 2020 6000-6006*
- Gui, T.**, see Zhou, G., *JLT July 15, 2020 3563-3572*
- Guimaraes, R.S.**, see Wang, R., *JLT Jan. 1, 2020 139-149*
- Guimar, F.P.**, see Lorences-Riesgo, A., *JLT Jan. 15, 2020 394-400*
- Guimar, F.P.**, Lorences-Riesgo, A., Ranzal, D., Rocco, F., Sousa, A.N., Fernandes, M.A., Brandao, B.T., Carena, A., Teixeira, A.L., Medeiros, M.C.R., and Monteiro, P.P., Adaptive Probabilistic Shaped Modulation for High-Capacity Free-Space Optical Links; *JLT Dec. 1, 2020 6529-6541*
- Guimar, F.P.P.**, see Golani, O., *JLT March 15, 2020 1148-1156*
- Gunawardena, D.S.**, see Cui, J., *JLT April 15, 2020 2516-2522*
- Guo, C.**, see Zhang, Q., *JLT April 15, 2020 2152-2157*
- Guo, C.**, see Wang, J., *JLT July 15, 2020 3710-3716*
- Guo, C.**, see Shi, J., *JLT April 1, 2020 2010-2014*
- Guo, D.**, see Wang, H., *JLT Sept. 15, 2020 5048-5055*
- Guo, H.**, see Mao, B., *JLT Aug. 1, 2020 4052-4060*
- Guo, H.**, see Liu, S., *JLT April 1, 2020 1900-1904*
- Guo, H.**, see She, S., *JLT Dec. 15, 2020 6924-6931*
- Guo, J.**, see Wang, H., *JLT April 15, 2020 2511-2515*
- Guo, K.**, He, J., Shao, L., Xu, G., and Wang, Y., Simultaneous Measurement of Strain and Temperature by a Sawtooth Stressor-Assisted Highly Birefringent Fiber Bragg Grating; *JLT April 1, 2020 2060-2066*
- Guo, L.**, see Wang, W., *JLT April 1, 2020 1753-1765*
- Guo, M.**, see Zhalehpour, S., *JLT Jan. 15, 2020 256-264*
- Guo, N.**, see Luo, K., *JLT Oct. 15, 2020 5844-5852*
- Guo, Q.**, see Nie, B., *JLT Oct. 1, 2020 5423-5429*
- Guo, T.**, Zhang, T., Li, Y., and Qiao, X., Highly Sensitive FBG Seismometer With a 3D-Printed Hexagonal Configuration; *JLT Aug. 15, 2020 4588-4595*
- Guo, T.**, see Wang, G., *JLT April 1, 2020 2073-2080*
- Guo, W.**, see Dai, X., *JLT April 15, 2020 2336-2345*
- Guo, W.**, see Liu, G., *JLT July 15, 2020 3663-3669*
- Guo, W.**, see Ma, X., *JLT Sept. 1, 2020 4772-4779*
- Guo, X.**, see Xue, X., *JLT March 15, 2020 1103-1112*
- Guo, X.**, see Xiang, J., *JLT Aug. 1, 2020 4019-4029*
- Guo, X.**, see He, A., *JLT Aug. 1, 2020 3974-3982*
- Guo, X.**, see Xue, X., *JLT July 1, 2020 3485-3494*
- Guo, X.**, see He, A., *JLT Sept. 1, 2020 4780-4786*
- Guo, X.**, and Chi, N., Superposed 32QAM Constellation Design for 2 × 2 Spatial Multiplexing MIMO VLC Systems; *JLT April 1, 2020 1702-1711*
- Guo, X.**, see Zhang, Y., *JLT Sept. 15, 2020 5071-5077*
- Guo, Y.**, see Sun, X., *JLT Jan. 15, 2020 421-431*
- Guo, Z.**, see Xia, Z., *JLT Feb. 15, 2020 912-918*
- Guo, Z.**, see Chen, H., *JLT Feb. 15, 2020 953-960*
- Gupta, S.**, see Kamran, R., *JLT July 1, 2020 3461-3468*
- Gupta, S.**, see Nambath, N., *JLT Nov. 1, 2020 5867-5874*
- Guryanov, A.**, see Khagai, A., *JLT Nov. 1, 2020 6114-6120*
- Gvishi, R.**, see Yevnin, M., *JLT Feb. 15, 2020 792-796*

H

- Ha, I.H.**, see Park, H.J., *JLT Nov. 15, 2020 6247-6256*
- Haas, H.**, see Chen, J., *JLT Dec. 15, 2020 6759-6770*
- Habib, M.S.**, see Gausmann, S., *JLT April 1, 2020 1953-1958*
- Habibzadeh-Sharif, A.**, see Safari Anzabi, K., *JLT Feb. 15, 2020 797-803*
- Hadi, M.U.**, see Nanni, J., *JLT Oct. 1, 2020 5393-5405*
- Hafermann, H.**, see Goossens, J., *JLT Dec. 1, 2020 6499-6519*
- Hafermann, H.**, see Goossens, J., *JLT Dec. 1, 2020 6520-6528*
- Hager, C.**, see Oliari, V., *JLT June 15, 2020 3114-3124*
- Haghighi, N.**, Moser, P., and Lott, J.A., 40 Gbps With Electrically Parallel Triple and Septuple 980 nm VCSEL Arrays; *JLT July 1, 2020 3387-3394*
- Hamaoka, F.**, see Sasai, T., *JLT Jan. 15, 2020 439-446*
- Hamaoka, F.**, see Okamoto, S., *JLT March 1, 2020 1061-1070*
- Hamaoka, F.**, see Matsushita, A., *JLT June 1, 2020 2905-2911*
- Han, G.**, see Wang, S., *JLT Sept. 1, 2020 4691-4698*
- Han, H.**, see Cheng, Z., *JLT July 1, 2020 3533-3539*
- Han, H.**, see Zhang, L., *JLT April 1, 2020 1966-1974*
- Han, J.**, see Liu, J., *JLT March 15, 2020 1382-1390*
- Han, J.**, see Zhao, L., *JLT Nov. 15, 2020 6265-6271*
- Han, L.**, see Zhang, J., *JLT Oct. 15, 2020 5748-5755*
- Han, M.**, see Sheng, Q., *JLT April 15, 2020 2547-2554*
- Han, M.**, see Liu, G., *JLT April 15, 2020 2555-2563*
- Han, M.**, see Wang, W., *JLT April 1, 2020 1753-1765*
- Han, S.**, see Park, H.J., *JLT Nov. 15, 2020 6247-6256*
- Han, T.**, Chen, H., Li, W., Wang, B., and Lu, P., Temporal Imaging Using Dispersive Gradient-Index Time Lenses; *JLT April 15, 2020 2383-2391*
- Han, W.**, see Lian, X., *JLT Nov. 15, 2020 6352-6361*
- Han, X.**, see Fang, Y., *JLT July 1, 2020 3431-3438*
- Han, Z.**, see Hao, L., *JLT Aug. 15, 2020 4402-4408*
- Hantschmann, C.**, see Liu, Z., *JLT Jan. 15, 2020 240-248*
- Hantschmann, C.**, Liu, Z., Tang, M., Chen, S., Seeds, A.J., Liu, H., White, I.H., and Penty, R.V., Theoretical Study on the Effects of Dislocations in Monolithic III-V Lasers on Silicon; *JLT Sept. 1, 2020 4801-4807*
- Hanzo, L.**, see Zhang, X., *JLT Sept. 15, 2020 4955-4968*
- Hao, L.**, Shi, Y., Zhao, Y., Xiao, R., Fang, T., Hu, Z., Han, Z., and Chen, X., Tilting of Bragg Waveguide Gratings Using Two-Dimensional Sampling Structures; *JLT Aug. 15, 2020 4402-4408*
- Hao, S.**, and Su, J., Noise-Induced Limits of Detection in Frequency Locked Optical Microcavities; *JLT Nov. 15, 2020 6393-6401*
- Hao, Y.**, see Liu, J., *JLT March 15, 2020 1382-1390*
- Hao, Y.**, see Wang, S., *JLT Sept. 1, 2020 4691-4698*
- Hao, Y.**, see Zhang, Y., *JLT Sept. 15, 2020 5071-5077*
- Happach, M.**, de Felipe, D., Friedhoff, V.N., Irmscher, G., Kresse, M., Kleinert, M., Zawadzki, C., Brinker, W., Mohrle, M., Keil, N., Hofmann, W., and Schell, M., Effect of Optical Feedback on the Wavelength Tuning in DBR Lasers; *JLT Sept. 1, 2020 4824-4833*
- Haq, M.**, see Liu, G., *JLT April 15, 2020 2555-2563*
- Hasanuzzaman, G.K.M.**, Shams, H., Renaud, C.C., Mitchell, J., Seeds, A.J., and Iezekiel, S., Tunable THz Signal Generation and Radio-Over-Fiber Link

- Based on an Optoelectronic Oscillator-Driven Optical Frequency Comb; *JLT Oct. 1, 2020 5240-5247*
- Hasegawa, K.**, see Ohata, N., *JLT June 15, 2020 3246-3251*
- Hasegawa, K.**, see Tsushima, Y., *JLT Nov. 1, 2020 6047-6056*
- Hasegawa, M.**, see Cincotti, G., *JLT Jan. 15, 2020 346-351*
- Hashimoto, T.**, see Yamazaki, M., *JLT April 15, 2020 2219-2225*
- Hashimoto, Y.**, see Kobayashi, Y., *JLT Aug. 15, 2020 4504-4512*
- Hashizume, Y.**, see Ogiso, Y., *JLT Jan. 15, 2020 249-255*
- Hashizume, Y.**, see Ozaki, J., *JLT Sept. 15, 2020 5086-5091*
- Hassanien, A.E.**, see Bahadori, M., *JLT Oct. 15, 2020 5756-5767*
- Hathaway, B.A.**, see Brusberg, L., *JLT March 15, 2020 1350-1357*
- Hattori, K.**, see Cincotti, G., *JLT Jan. 15, 2020 346-351*
- Hattori, T.**, see You, B., *JLT July 15, 2020 3701-3709*
- Hawkins, A.R.**, see Wright, J.G., *JLT Nov. 15, 2020 6280-6285*
- Hayat, M.M.**, see Shulyak, V., *JLT Feb. 15, 2020 989-995*
- Hayes, J.R.**, see Sakr, H., *JLT Jan. 1, 2020 159-165*
- Hayes, J.R.**, see Hong, Y., *JLT May 15, 2020 2849-2857*
- Hayes, J.R.**, see Jung, Y., *JLT June 1, 2020 2938-2943*
- He, A.**, Guo, X., Sun, L., Wang, H., and Su, Y., Ultra-Compact Coupling Structures for Heterogeneously Integrated Silicon Lasers; *JLT Aug. 1, 2020 3974-3982*
- He, A.**, Guo, X., Wang, K., Zhang, Y., and Su, Y., Low Loss, Large Bandwidth Fiber-Chip Edge Couplers Based on Silicon-on-Insulator Platform; *JLT Sept. 1, 2020 4780-4786*
- He, G.**, see Liu, S., *JLT April 1, 2020 1900-1904*
- He, H.**, Chen, Y., Xiao, Q., Zhou, L., and Dong, Z., LDPC-Coded Probabilistic Shaping PAM4 Based on Many-to-One Mapping in WDM-PON; *JLT Aug. 1, 2020 3918-3925*
- He, H.**, Giovannini, D., Liu, H., Chen, E., Yan, Z., and Helmy, A.S., Non-Classical Semiconductor Photon Sources Enhancing the Performance of Classical Target Detection Systems; *JLT Aug. 15, 2020 4540-4547*
- He, H.**, see Zhao, X., *JLT Sept. 1, 2020 4641-4647*
- He, H.**, see Xiao, Q., *JLT Feb. 15, 2020 714-722*
- He, J.**, see Yang, K., *JLT March 15, 2020 1474-1479*
- He, J.**, see Mao, B., *JLT Aug. 1, 2020 4052-4060*
- He, J.**, see Zou, J., *JLT Aug. 15, 2020 4447-4453*
- He, J.**, Lee, J., Song, T., Li, H., Kandeepan, S., and Wang, K., Delay-Tolerant Indoor Optical Wireless Communication Systems Based on Attention-Augmented Recurrent Neural Network; *JLT Sept. 1, 2020 4632-4640*
- He, J.**, see Guo, K., *JLT April 1, 2020 2060-2066*
- He, J.**, see Jin, J., *JLT Dec. 1, 2020 6655-6663*
- He, J.**, see Ma, J., *JLT Feb. 1, 2020 557-563*
- He, J.**, see Shao, Y., *JLT Oct. 15, 2020 5668-5675*
- He, J.**, see Zhou, Z., *JLT Oct. 15, 2020 5608-5616*
- He, L.**, see Zhang, H., *JLT April 1, 2020 1688-1692*
- He, L.**, see Wang, L., *JLT Nov. 1, 2020 6129-6134*
- He, N.**, see Jiang, H., *JLT April 15, 2020 2271-2277*
- He, R.**, see Li, J., *JLT April 15, 2020 2285-2291*
- He, S.**, see Ruan, Z., *JLT Sept. 15, 2020 5100-5106*
- He, T.**, see Wang, J., *JLT July 15, 2020 3710-3716*
- He, T.**, see Li, H., *JLT Feb. 15, 2020 929-938*
- He, X.**, see Wu, T., *JLT Aug. 15, 2020 4580-4587*
- He, X.**, see Yang, L., *JLT Sept. 15, 2020 5122-5127*
- He, Y.**, see Shi, F., *JLT March 15, 2020 1275-1285*
- He, Y.**, see Fang, Y., *JLT July 1, 2020 3431-3438*
- He, Y.**, see Xiong, W., *JLT April 1, 2020 1712-1721*
- He, Y.**, see Zhu, J., *JLT Sept. 15, 2020 5163-5169*
- He, Y.**, see Kang, B., *JLT Nov. 1, 2020 5962-5972*
- He, Z.**, see Ge, L., *JLT March 15, 2020 1323-1329*
- He, Z.**, see Jiang, S., *JLT April 15, 2020 2376-2382*
- He, Z.**, see Shen, W., *JLT Aug. 1, 2020 3874-3882*
- He, Z.**, see Zhang, Z., *JLT Aug. 15, 2020 4548-4554*
- He, Z.**, see Wu, M., *JLT Sept. 1, 2020 4874-4882*
- He, Z.**, see Yu, Y., *JLT April 1, 2020 1735-1746*
- He, Z.**, see Zhao, S., *JLT Nov. 15, 2020 6379-6384*
- He, Z.**, see Liu, Y., *JLT Dec. 15, 2020 6870-6878*
- Headland, D.**, Withayachumnankul, W., Yu, X., Fujita, M., and Nagatsuma, T., Unclad Microphotonics for Terahertz Waveguides and Systems; *JLT Dec. 15, 2020 6853-6862*
- Heck, M.J.R.**, see Tønning, P.L., *JLT Oct. 1, 2020 5526-5535*
- Heck, M.J.R.**, see Nielsen, L., *JLT Oct. 1, 2020 5430-5439*
- Hefferman, G.**, see Yao, Z., *JLT Sept. 15, 2020 5170-5176*
- Heideman, R.G.**, see Theurer, M., *JLT May 1, 2020 2630-2636*
- Heikal, A.M.**, see Atia, K.S.R., *JLT Oct. 15, 2020 5791-5800*
- Helmy, A.S.**, see He, H., *JLT Aug. 15, 2020 4540-4547*
- Henderson, R.K.**, see Huang, S., *JLT Sept. 15, 2020 5225-5235*
- Heni, W.**, Baeuerle, B., Mardoyan, H., Jorge, F., Estaran, J.M., Konczykowska, A., Riet, M., Duval, B., Nodjiadjim, V., Goix, M., Dupuy, J., Destraz, M., Hoessbacher, C., Fedoryshyn, Y., Xu, H., Elder, D.L., Dalton, L.R., Renaudier, J., and Leuthold, J., Ultra-High-Speed 2:1 Digital Selector and Plasmonic Modulator IM/DD Transmitter Operating at 222 GBaud for Intra-Datcenter Applications; *JLT May 1, 2020 2734-2739*
- Henker, R.**, see Charania, S., *JLT July 1, 2020 3454-3460*
- Hernandez, J.A.**, see Nadal, L., *JLT June 1, 2020 3037-3043*
- Hernandez, J.A.**, see Perez, G.O., *JLT Sept. 15, 2020 4935-4947*
- Hernandez-Bastida, M.**, see Garrich, M., *JLT June 15, 2020 3190-3199*
- Hernandez-Romano, I.**, see Marujo-Garcia, S., *JLT Aug. 1, 2020 4166-4173*
- Hikita, M.**, see Morimoto, Y., *JLT July 15, 2020 3670-3676*
- Himeno, A.**, see Cincotti, G., *JLT Jan. 15, 2020 346-351*
- Hinakura, Y.**, see Kamata, M., *JLT April 15, 2020 2315-2321*
- Hines, M.J.**, see Stolov, A.A., *JLT July 15, 2020 3759-3768*
- Hiraki, T.**, see Aihara, T., *JLT June 1, 2020 2961-2967*
- Hiraki, T.**, Aihara, T., Fujii, T., Takeda, K., Kakitsuka, T., Tsuchizawa, T., and Matsuo, S., Membrane InGaAsP Mach-Zehnder Modulator Integrated With Optical Amplifier on Si Platform; *JLT June 1, 2020 3030-3036*
- Hirano, A.**, see Inuzuka, F., *JLT May 1, 2020 2695-2702*
- Hirayama, K.**, see Iguchi, A., *JLT April 15, 2020 2328-2335*
- Hirokawa, T.**, see Dupuis, N., *JLT Jan. 15, 2020 178-184*
- Hirokawa, T.**, see Andrade, H., *JLT Aug. 15, 2020 4409-4418*
- Hirokawa, T.**, Saecidi, M., Pillai, S., Nguyen-Le, A., Theogarajan, L., Saleh, A.A.M., and Schow, C.L., A Wavelength-Selective Multiwavelength Ring-Assisted Mach-Zehnder Interferometer Switch; *JLT Nov. 15, 2020 6292-6298*
- Hirota, Y.**, see Xu, S., *JLT May 1, 2020 2656-2668*
- Hirota, Y.**, see Luis, R.S., *JLT June 1, 2020 2886-2896*
- Hjelme, D.R.**, see Milenko, K., *JLT April 1, 2020 2081-2085*
- Hlousek, J.**, see Straka, I., *JLT Sept. 1, 2020 4765-4771*
- Ho, C.P.**, see Zhao, Z., *JLT Sept. 1, 2020 4808-4816*
- Hochberg, M.**, see Huang, Y., *JLT Jan. 15, 2020 194-201*
- Hock, D.**, see Furdek, M., *JLT June 1, 2020 2860-2871*
- Hoessbacher, C.**, see Heni, W., *JLT May 1, 2020 2734-2739*
- Hofmann, W.**, see Happach, M., *JLT Sept. 1, 2020 4824-4833*
- Hofmeister, T.**, see Cantono, M., *JLT March 1, 2020 1050-1060*
- Hokansson, A.S.**, see Stolov, A.A., *JLT July 15, 2020 3759-3768*
- Holdynski, Z.**, see Budnicki, D., *JLT Dec. 1, 2020 6685-6690*
- Hollingsworth, A.**, see McDonald, N., *JLT July 15, 2020 3584-3591*
- Holm, D.**, see Amsters, R., *JLT Nov. 1, 2020 5925-5936*
- Honardoost, A.**, see Teng, M., *JLT Jan. 1, 2020 6-17*
- Honda, E.**, see Mori, Y., *JLT March 1, 2020 1002-1009*
- Hong, H.**, see Yao, J., *JLT Nov. 15, 2020 6312-6320*
- Hong, J.**, see Guan, H., *JLT Nov. 1, 2020 6089-6096*
- Hong, S.**, Lee, Y.S., Choi, H., Quan, C., Li, Y., Kim, S., and Oh, K., Hollow Silica Photonic Crystal Fiber Guiding 101 Orbital Angular Momentum Modes Without Phase Distortion in C+L Band; *JLT March 1, 2020 1010-1018*
- Hong, Y.**, Chen, L., and Zhao, J., Channel-Aware Adaptive Physical-Layer Network Coding Over Relay-Assisted OFDM-VLC Networks; *JLT March 15, 2020 1168-1177*
- Hong, Y.**, see Sakr, H., *JLT Jan. 1, 2020 159-165*
- Hong, Y.**, Bottrill, K.R.H., Taengnoi, N., Thipparapu, N.K., Wang, Y., Umnikov, A.A., Sahu, J.K., Richardson, D.J., and Petropoulos, P., Experimental Demonstration of Dual O+C-Band WDM Transmission Over 50-km SSMF With Direct Detection; *JLT April 15, 2020 2278-2284*

- Hong, Y.**, Sakr, H., Taengnoi, N., Bottrill, K.R.H., Bradley, T.D., Hayes, J.R., Jasion, G.T., Kim, H., Thipparapu, N.K., Wang, Y., Umnikov, A.A., Sahu, J.K., Poletti, F., Petropoulos, P., and Richardson, D.J., Multi-Band Direct-Detection Transmission Over an Ultrawide Bandwidth Hollow-Core NANF; *JLT May 15, 2020 2849-2857*
- Hong, Y.**, see Bottrill, K.R.H., *JLT April 1, 2020 1817-1826*
- Hong, Y.**, see Singh, R., *JLT Dec. 15, 2020 6817-6826*
- Hooten, S.**, Vaerenbergh, T.V., Sun, P., Mathai, S., Huang, Z., and Beausoleil, R.G., Adjoint Optimization of Efficient CMOS-Compatible Si-SiN Vertical Grating Couplers for DWDM Applications; *JLT July 1, 2020 3422-3430*
- Horikawa, T.**, see Jeong, S., *JLT May 1, 2020 2680-2687*
- Horikoshi, K.**, see Okamoto, S., *JLT March 1, 2020 1061-1070*
- Hoshida, T.**, see Tanimura, T., *JLT May 1, 2020 2726-2733*
- Hosoda, T.**, see Feng, T., *JLT April 1, 2020 1895-1899*
- Hossein-Zadeh, M.**, see Huang, K., *JLT July 15, 2020 3789-3797*
- Hosseini, S.S.**, Abouei, J., Champagne, B., and Chang, X., A Novel Cooperative HARQ Protocol for Free-Space Optical Broadcasting Systems; *JLT April 1, 2020 1789-1799*
- Hou, C.**, see She, S., *JLT Dec. 15, 2020 6924-6931*
- Hou, F.**, see Sun, W., *JLT Aug. 1, 2020 4075-4085*
- Hou, J.**, see Yang, L., *JLT Sept. 15, 2020 5122-5127*
- Hou, W.**, see Sun, H., *JLT Sept. 1, 2020 4744-4756*
- Hou, Y.**, Wang, J., Wang, X., Liao, Y., Yang, L., Cai, E., and Wang, S., Simultaneous Measurement of Pressure and Temperature in Seawater with PDMS Sealed Microfiber Mach-Zehnder Interferometer; *JLT Nov. 15, 2020 6412-6421*
- Hou, Z.**, see Liu, J., *JLT March 15, 2020 1486-1491*
- Houtsma, V.**, see van Veen, D., *JLT Feb. 1, 2020 555-556*
- Houtsma, V.E.**, and van Veen, D.T., Investigation of Modulation Schemes for Flexible Line-Rate High-Speed TDM-PON; *JLT June 15, 2020 3261-3267*
- Hranilovic, S.**, see Majeed, K., *JLT April 15, 2020 2190-2200*
- Hsia, H.**, see Huang, X., *JLT Nov. 1, 2020 5883-5892*
- Hsieh, C.**, see You, B., *JLT July 15, 2020 3701-3709*
- Hsu, C.C.**, see Lin, T., *JLT Feb. 15, 2020 820-826*
- Hsu, T.**, see Yeh, C., *JLT Oct. 15, 2020 5728-5732*
- Hsu, Y.**, see Manie, Y.C., *JLT March 15, 2020 1589-1603*
- Hu, D.**, see Ran, Y., *JLT April 15, 2020 2434-2440*
- Hu, D.**, see Adeel, M., *JLT April 15, 2020 2539-2546*
- Hu, D.**, see Pan, X., *JLT Nov. 1, 2020 5855-5866*
- Hu, H.**, see Xin, H., *JLT April 15, 2020 2226-2230*
- Hu, H.**, and Radic, S., Sub-Nyquist Ultra-Wideband Sparse Signal Reception via Variable Frequency Comb; *JLT Sept. 1, 2020 4625-4631*
- Hu, H.**, see Kong, D., *JLT Sept. 1, 2020 4677-4682*
- Hu, H.**, see Jia, S., *JLT Sept. 1, 2020 4715-4721*
- Hu, H.**, see Fu, Y., *JLT Feb. 1, 2020 654-660*
- Hu, J.**, see Yu, S., *JLT July 1, 2020 3358-3365*
- Hu, J.**, see Wang, X., *JLT July 1, 2020 3414-3421*
- Hu, J.**, see Yu, S., *JLT Aug. 15, 2020 4368-4373*
- Hu, J.**, see Zou, J., *JLT Aug. 15, 2020 4447-4453*
- Hu, L.**, Tian, X., Wu, G., Kong, M., Shen, J., and Chen, J., Multi-Node Optical Frequency Dissemination With Post Automatic Phase Correction; *JLT July 15, 2020 3644-3651*
- Hu, L.**, see Tian, X., *JLT Aug. 15, 2020 4270-4278*
- Hu, L.**, Tian, X., Wang, L., Wu, G., and Chen, J., Passive Optical Phase Stabilization on a Ring Fiber Network; *JLT Nov. 1, 2020 5916-5924*
- Hu, L.**, see Chen, H., *JLT Dec. 15, 2020 6833-6844*
- Hu, N.**, see Wang, G., *JLT April 1, 2020 2073-2080*
- Hu, Q.**, see Xu, J., *JLT Jan. 15, 2020 522-530*
- Hu, Q.**, see Buchali, F., *JLT May 1, 2020 2710-2718*
- Hu, R.**, see Wu, T., *JLT Aug. 15, 2020 4580-4587*
- Hu, S.**, see Zhao, Y., *JLT March 15, 2020 1314-1322*
- Hu, S.**, see Shu, L., *JLT May 1, 2020 2669-2679*
- Hu, S.**, see Zhu, M., *JLT Feb. 15, 2020 769-776*
- Hu, T.**, see Grillanda, S., *JLT Feb. 15, 2020 804-810*
- Hu, W.**, see Pang, X., *JLT Jan. 15, 2020 492-503*
- Hu, W.**, see Xin, H., *JLT April 15, 2020 2226-2230*
- Hu, W.**, see Lun, H., *JLT June 1, 2020 2992-2999*
- Hu, W.**, Wei, Z., Popov, S., Leeson, M., Zhang, M., and Xu, T., Non-Coherent Detection for Ultraviolet Communications With Inter-Symbol Interference; *JLT Sept. 1, 2020 4699-4707*
- Hu, W.**, see Yang, Z., *JLT Sept. 1, 2020 4648-4655*
- Hu, W.**, see Fu, Y., *JLT Feb. 1, 2020 654-660*
- Hu, W.**, see Xue, L., *JLT Feb. 1, 2020 583-589*
- Hu, X.**, and Schulzgen, A., Design of Negative Curvature Hollow Core Fiber Based on Reinforcement Learning; *JLT April 1, 2020 1959-1965*
- Hu, Y.**, see Bolshtyansky, M.A., *JLT March 15, 2020 1296-1304*
- Hu, Y.**, see Cai, J., *JLT June 15, 2020 3280-3288*
- Hu, Y.**, see Cheng, Z., *JLT July 1, 2020 3533-3539*
- Hu, Y.**, see Liang, D., *JLT July 1, 2020 3322-3337*
- Hu, Y.**, Xie, S., Zhan, J., Zhang, Y., Veilleux, S., and Dagenais, M., Integrated Arbitrary Filter With Spiral Gratings: Design and Characterization; *JLT Aug. 15, 2020 4454-4461*
- Hu, Y.**, see Zhao, L., *JLT Nov. 15, 2020 6265-6271*
- Hu, Y.**, see Chen, Y., *JLT Oct. 15, 2020 5837-5843*
- Hu, Z.**, see Hao, L., *JLT Aug. 15, 2020 4402-4408*
- Hu, Z.**, see Sun, Z., *JLT Nov. 1, 2020 6038-6046*
- Hu, Z.**, and Chan, C., A Novel Baseband Faster-Than-Nyquist Non-Orthogonal FDM IM/DD System With Block Segmented Soft-Decision Decoder; *JLT Feb. 1, 2020 632-641*
- Hu, Z.F.**, see Song, Q.Q., *JLT March 15, 2020 1358-1364*
- Hua, L.**, see Cheng, B., *JLT Oct. 1, 2020 5286-5292*
- Hua, Y.**, see Bickham, S.R., *JLT Jan. 15, 2020 297-302*
- Hua, Z.**, see Wang, B., *JLT Feb. 15, 2020 946-952*
- Huang, B.**, see Zhang, Z., *JLT Aug. 1, 2020 4037-4044*
- Huang, C.**, Nakkeeran, K., and Li, Q., Control of Long Pulse Pumped Supercontinuum Generation Using Weak Trigger Signal; *JLT March 15, 2020 1506-1512*
- Huang, C.**, Wang, H., Wu, C., Lo, W., Tsai, C., Wu, C., Feng, M., and Lin, G., Comparison on OM5-MMF and OM4-MMF Data Links With 32-GBaud PAM-4 Modulated Few-Mode VCSEL at 850 nm; *JLT Feb. 1, 2020 573-582*
- Huang, C.**, Tsai, C., Weng, J., Cheng, C., Wang, H., Wu, C., Feng, M., and Lin, G., Temperature and Noise Dependence of Tri-Mode VCSEL Carried 120-Gbit/s QAM-OFDM Data in Back-to-Back and OM5-MMF Links; *JLT Dec. 15, 2020 6746-6758*
- Huang, G.**, Zhang, L., Jiang, Y., and Wu, Z., A General Orthogonal Transform Aided MIMO Design for Reliable Maritime Visible Light Communications; *JLT Dec. 1, 2020 6549-6560*
- Huang, H.**, see Fang, Y., *JLT July 1, 2020 3431-3438*
- Huang, H.**, see Zhang, J., *JLT July 15, 2020 3573-3583*
- Huang, J.**, Cao, Z., Zhao, X., Zhang, X., Liu, Y., Xiang, Y., Gerini, G., and Koonen, A.M.J., Optical Generation/Detection of Broadband Microwave Orbital Angular Momentum Modes; *JLT March 15, 2020 1202-1209*
- Huang, J.**, see Xu, Y., *JLT July 15, 2020 3775-3780*
- Huang, J.**, Li, Q., Jian, Z., Wai, P.K.A., and Nakkeeran, K., Combination and Compression of Multiple Pulses With Same or Different Wavelengths; *JLT Dec. 15, 2020 6932-6938*
- Huang, J.**, see Zhu, C., *JLT Dec. 15, 2020 6961-6966*
- Huang, K.**, and Hossein-Zadeh, M., Underwater Acoustic Signal Detection and Down-Conversion Using Optomechanical Resonance and Oscillation; *JLT July 15, 2020 3789-3797*
- Huang, L.**, see Xu, J., *JLT Jan. 15, 2020 522-530*
- Huang, L.**, Gu, H., Tian, Y., and Zhao, T., Universal Method for Constructing the On-Chip Optical Router With Wavelength Routing Technology; *JLT Aug. 1, 2020 3815-3821*
- Huang, L.**, see Cao, M., *JLT Dec. 15, 2020 6911-6917*
- Huang, L.**, Liu, S., Dai, P., Li, M., Chang, G., Shi, Y., and Chen, X., Unified Performance Analysis of Hybrid FSO/RF System With Diversity Combining; *JLT Dec. 15, 2020 6788-6800*
- Huang, M.**, Chen, Y., Peng, P., Wang, H., and Chang, G., A Full Field-of-View Self-Steering Beamformer for 5G mm-Wave Fiber-Wireless Mobile Fronthaul; *JLT March 15, 2020 1221-1229*
- Huang, M.**, Salemi, M., Chen, Y., Zhao, J., Xia, T.J., Wellbrock, G.A., Huang, Y., Milione, G., Ip, E., Ji, P., Wang, T., and Aono, Y., First Field Trial of

- Distributed Fiber Optical Sensing and High-Speed Communication Over an Operational Telecom Network; *JLT Jan. 1, 2020 75-81*
- Huang, N.**, see Jia, L., *JLT April 15, 2020 2180-2189*
- Huang, N.**, Gong, C., Luo, J., and Xu, Z., Design and Demonstration of Robust Visible Light Positioning Based on Received Signal Strength; *JLT Oct. 15, 2020 5695-5707*
- Huang, Q.**, see Cheng, X., *JLT April 15, 2020 2471-2476*
- Huang, Q.**, see Li, C., *JLT April 1, 2020 1766-1776*
- Huang, R.**, Zhou, R., and Li, Q., Mid-Infrared Supercontinuum Generation in Chalcogenide Photonic Crystal Fibers with a Weak CW Trigger; *JLT March 15, 2020 1522-1528*
- Huang, S.**, see Song, C., *JLT March 15, 2020 1243-1249*
- Huang, S.**, see Bai, Y., *JLT Oct. 1, 2020 5262-5269*
- Huang, S.**, Patanwala, S.M., Kosman, J., Henderson, R.K., and Safari, M., Optimal Photon Counting Receiver for Sub-Dead-Time Signal Transmission; *JLT Sept. 15, 2020 5225-5235*
- Huang, S.**, see Bai, Y., *JLT Nov. 1, 2020 5973-5980*
- Huang, S.**, Yang, C., Yin, S., Zhang, Z., and Chu, Y., Latency-Aware Task Peer Offloading on Overloaded Server in Multi-Access Edge Computing System Interconnected by Metro Optical Networks; *JLT Nov. 1, 2020 5949-5961*
- Huang, S.**, see Tan, T., *JLT Dec. 1, 2020 6591-6599*
- Huang, X.**, see Li, C., *JLT April 1, 2020 1766-1776*
- Huang, X.**, Li, C., Lu, H., Chou, C., Hsia, H., and Chen, Y., A Bidirectional FSO Communication Employing Phase Modulation Scheme and Remotely Injection-Locked DFB LD; *JLT Nov. 1, 2020 5883-5892*
- Huang, X.**, Wang, B., Liu, K., and Liu, T., An Event Recognition Scheme Aiming to Improve Both Accuracy and Efficiency in Optical Fiber Perimeter Security System; *JLT Oct. 15, 2020 5783-5790*
- Huang, Y.**, see Liu, J., *JLT March 15, 2020 1382-1390*
- Huang, Y.**, see Tian, J., *JLT March 15, 2020 1461-1467*
- Huang, Y.**, Cheng, Q., Hung, Y., Guan, H., Meng, X., Novack, A., Streshinsky, M., Hochberg, M., and Bergman, K., Multi-Stage 8×8 Silicon Photonic Switch Based on Dual-Microring Switching Elements; *JLT Jan. 15, 2020 194-201*
- Huang, Y.**, see Huang, M., *JLT Jan. 1, 2020 75-81*
- Huang, Y.**, see Li, C., *JLT April 1, 2020 1766-1776*
- Huang, Z.**, see Tian, J., *JLT March 15, 2020 1461-1467*
- Huang, Z.**, see Cheng, X., *JLT April 15, 2020 2471-2476*
- Huang, Z.**, see Wang, B., *JLT June 15, 2020 3156-3163*
- Huang, Z.**, see Liang, D., *JLT July 1, 2020 3322-3337*
- Huang, Z.**, see Hooten, S., *JLT July 1, 2020 3422-3430*
- Huang, Z.**, see Yuan, Y., *JLT Sept. 1, 2020 4857-4866*
- Huang, Z.**, see Liu, X., *JLT Sept. 1, 2020 4757-4764*
- Huang, Z.R.**, see McDonald, N., *JLT July 15, 2020 3584-3591*
- Hubel, H.**, see Milovancev, D., *JLT June 15, 2020 3305-3314*
- Hubel, H.**, see Schrenk, B., *JLT June 1, 2020 2976-2983*
- Hugues-Salas, E.**, see Wang, R., *JLT Jan. 1, 2020 139-149*
- Hugues-Salas, E.**, Alia, O., Wang, R., Rajkumar, K., Kanellos, G.T., Nejabati, R., and Simeonidou, D., 11.2 Tb/s Classical Channel Coexistence With DV-QKD Over a 7-Core Multicore Fiber; *JLT Sept. 15, 2020 5064-5070*
- Hui, R.**, see Al-Qadi, M., *JLT March 15, 2020 1157-1167*
- Hui, R.**, see Xu, T., *JLT July 1, 2020 3495-3505*
- Hui, R.**, see AL-QADI, M., *JLT Nov. 15, 2020 6163-6169*
- Huijskens, F.**, see Koonen, T., *JLT May 15, 2020 2842-2848*
- Hung, Y.**, see Huang, Y., *JLT Jan. 15, 2020 194-201*
- Huo, Z.**, see Lyu, C., *JLT Aug. 1, 2020 4174-4182*
- Hurley, J.**, see Kaliteevskiy, N.A., *JLT April 15, 2020 2253-2261*
- I**
- Ibrahimi, M.**, Ayoub, O., Musumeci, F., Karandin, O., Castoldi, A., Pastorelli, R., and Tornatore, M., Minimum-Cost Optical Amplifier Placement in Metro Networks; *JLT June 15, 2020 3221-3228*
- Ibusuki, Y.**, see Noriki, A., *JLT June 15, 2020 3147-3155*
- Ichii, K.**, see Kobayashi, Y., *JLT Aug. 15, 2020 4504-4512*
- Ida, M.**, see Ogiso, Y., *JLT Jan. 15, 2020 249-255*
- Idrees, N.M.**, see Jia, S., *JLT Sept. 1, 2020 4715-4721*
- Iezekieli, S.**, see Hasanuzzaman, G.K.M., *JLT Oct. 1, 2020 5240-5247*
- Ighigeanu, D.**, see Fan, D., *JLT Nov. 15, 2020 6334-6344*
- Ignatov, A.I.**, see Kornienko, V.V., *JLT Sept. 1, 2020 4794-4800*
- Iguchi, A.**, Tsuji, Y., Yasui, T., and Hirayama, K., Efficient Shape and Topology Optimization Based on Sensitivity Analysis for Optical Waveguide Devices Utilizing Full-Vectorial BPM; *JLT April 15, 2020 2328-2335*
- Iiyama, N.**, see Teixeira, A., *JLT Feb. 1, 2020 684-695*
- Ikeda, K.**, see Suzuki, K., *JLT Jan. 15, 2020 226-232*
- Ikeda, K.**, see Suzuki, K., *JLT Jan. 15, 2020 233-239*
- Ikeda, K.**, see Mori, Y., *JLT March 1, 2020 1002-1009*
- Ikeda, K.**, Suzuki, K., Konoike, R., and Kawashima, H., Silicon Photonics Wavelength Selective Switch With Unlimited Free Spectral Range; *JLT June 15, 2020 3268-3272*
- Ikeda, K.**, see Konoike, R., *JLT June 1, 2020 2930-2937*
- Ikeuchi, T.**, see Vassilieva, O., *JLT June 1, 2020 3067-3073*
- Imai, Y.**, see Ohata, N., *JLT June 15, 2020 3246-3251*
- Inoue, T.**, see Pelusi, M., *JLT Jan. 15, 2020 319-331*
- Inoue, T.**, see Pelusi, M., *JLT Aug. 15, 2020 4221-4236*
- Inuzuka, F.**, Oda, T., Tanaka, T., Kitamura, K., Kuwabara, S., Hirano, A., and Tomizawa, M., Demonstration of a Novel Framework for Proactive Maintenance Using Failure Prediction and Bit Lossless Protection With Autonomous Network Diagnosis System; *JLT May 1, 2020 2695-2702*
- Ioannou, A.**, Theodosiou, A., Caucheteur, C., and Kalli, K., Femtosecond Laser Inscribed Tilted Gratings for Leaky Mode Excitation in Optical Fibers; *JLT April 1, 2020 1921-1928*
- Ionescu, M.**, Lavery, D., Edwards, A., Sillescu, E., Semrau, D., Galdino, L., Killely, R.I., Pelouch, W., Barnes, S., and Bayvel, P., 74.38 Tb/s Transmission Over 6300 km Single Mode Fibre Enabled by C+L Amplification and Geometrically Shaped PDM-64QAM; *JLT Jan. 15, 2020 531-537*
- Iovanna, P.**, Cavaliere, F., Stracca, S., Giorgi, L., and Ubaldi, F., 5G Xhaul and Service Convergence: Transmission, Switching and Automation Enabling Technologies; *JLT May 15, 2020 2799-2806*
- Ip, E.**, see Huang, M., *JLT Jan. 1, 2020 75-81*
- Iqbal, S.**, Kaminski, P.M., Klejs, F., Yankov, M.P., Da Silva, E.P., Da Ros, F., Oxenlowe, L.K., and Forchhammer, S., Probabilistically Shaped Rate-Adaptive Polar-Coded 256-QAM WDM Optical Transmission System; *JLT April 1, 2020 1800-1808*
- Irmischer, G.**, see Happach, M., *JLT Sept. 1, 2020 4824-4833*
- Ishigure, T.**, see Morimoto, Y., *JLT July 15, 2020 3670-3676*
- Ishikawa, M.**, see Ogiso, Y., *JLT Jan. 15, 2020 249-255*
- Ishikawa, M.**, see Ozaki, J., *JLT Sept. 15, 2020 5086-5091*
- Ishikawa, T.**, see Jinno, M., *JLT May 1, 2020 2577-2586*
- Ishikawa, T.**, see Jinno, M., *JLT Sept. 15, 2020 4895-4905*
- Ishimura, S.**, Kao, H., Tanaka, K., Nishimura, K., and Suzuki, M., SSBI-Free Direct-Detection System Employing Phase Modulation for Analog Optical Links; *JLT May 1, 2020 2719-2725*
- Ishimura, S.**, see Tanaka, K., *JLT Oct. 15, 2020 5656-5667*
- Itamoto, H.**, see Ohata, N., *JLT June 15, 2020 3246-3251*
- Ivanov, V.**, see Kaliteevskiy, N.A., *JLT April 15, 2020 2253-2261*
- Ivanov, V.**, see Downie, J.D., *JLT June 15, 2020 3214-3220*
- Iwaki, N.**, see Kanno, A., *JLT Jan. 1, 2020 112-122*
- Iwasa, R.**, see You, B., *JLT July 15, 2020 3701-3709*
- Iwasawa, N.**, see Kanno, A., *JLT Jan. 1, 2020 112-122*
- J**
- Jachura, M.**, see Banaszek, K., *JLT May 15, 2020 2741-2754*
- Jacinto, H.S.**, see Smith, A.M., *JLT Sept. 1, 2020 4599-4606*
- Jackson, S.D.**, see Amin, M.Z., *JLT Oct. 15, 2020 5801-5808*
- Jacobsen, G.**, see Pang, X., *JLT Jan. 15, 2020 492-503*
- Jacques, M.**, Xing, Z., Samani, A., El-Fiky, E., Li, X., Xiang, M., Lessard, S., and Plant, D.V., 240 Gbit/s Silicon Photonic Mach-Zehnder Modulator Enabled by Two 2.3-Vpp Drivers; *JLT June 1, 2020 2877-2885*
- Jain, D.**, Sahu, J.K., and Fleming, S., Breaking the Stringent Trade-Off Between Mode Area and NA for Efficient High-Power Fiber Lasers Around 2 μm ; *JLT Nov. 15, 2020 6362-6370*
- Jain, S.**, see Rajput, S., *JLT March 15, 2020 1365-1371*

- Jain, S.**, see Jung, Y., *JLT June 1, 2020 2938-2943*
- Jain, S.**, see Kaushik, V., *JLT Nov. 1, 2020 6031-6037*
- Jana, M.**, Lampe, L., and Mitra, J., Design of Time-Frequency Packed WDM Superchannel Transmission Systems; *JLT Dec. 15, 2020 6719-6731*
- Jang, H.**, see Gausmann, S., *JLT April 1, 2020 1953-1958*
- Janjan, B.**, Ahmadi, V., and Fathi, D., Quasi-Phase Matched Second Harmonic Generation in Plasmonic–Organic Hybrid Structures; *JLT March 15, 2020 1391-1399*
- Janjan, B.**, Ahmadi, V., and Fathi, D., Low-Voltage Electrically-Induced Second Harmonic Generation in a Silicon Waveguide Based on Modal Phase Matching; *JLT Nov. 15, 2020 6272-6279*
- Jansen, R.**, see Song, J.H., *JLT June 15, 2020 3273-3279*
- Jany, C.**, see Thiessen, T., *JLT June 1, 2020 3000-3006*
- Jaouen, Y.**, see Goossens, J., *JLT Dec. 1, 2020 6499-6519*
- Jaouen, Y.**, see Goossens, J., *JLT Dec. 1, 2020 6520-6528*
- Jaouen, Y.**, see Paillier, L., *JLT Oct. 15, 2020 5716-5727*
- Jarzyna, M.**, see Banaszek, K., *JLT May 15, 2020 2741-2754*
- Jasion, G.T.**, see Sakr, H., *JLT Jan. 1, 2020 159-165*
- Jasion, G.T.**, see Hong, Y., *JLT May 15, 2020 2849-2857*
- Jaussi, J.**, see Li, H., *JLT Jan. 1, 2020 131-138*
- Jaworski, M.**, see Klinkowski, M., *JLT April 1, 2020 1625-1635*
- Jayatilleka, H.**, see Li, H., *JLT Jan. 1, 2020 131-138*
- Jenkins, M.**, see McKay, L., *JLT July 15, 2020 3624-3636*
- Jenneve, P.**, see Lonardi, M., *JLT May 1, 2020 2637-2645*
- Jensen, J.B.**, see Altabas, J.A., *JLT April 1, 2020 1785-1788*
- Jeong, S.**, Onawa, Y., Shimura, D., Okayama, H., Aoki, T., Yaegashi, H., Horikawa, T., and Nakamura, T., Polarization Diversified 16λ Demultiplexer Based on Silicon Wire Delayed Interferometers and Arrayed Waveguide Gratings; *JLT May 1, 2020 2680-2687*
- Jezeck, M.**, see Straka, I., *JLT Sept. 1, 2020 4765-4771*
- Jezzini, M.**, see Abrams, N.C., *JLT July 1, 2020 3346-3357*
- Ji, H.**, Sun, C., and Shieh, W., Spectral Efficiency Comparison Between Analog and Digital RoF for Mobile Fronthaul Transmission Link; *JLT Oct. 15, 2020 5617-5623*
- Ji, P.**, see Huang, M., *JLT Jan. 1, 2020 75-81*
- Ji, W.**, see McDonald, N., *JLT July 15, 2020 3584-3591*
- Ji, Y.**, see Yu, H., *JLT March 15, 2020 1125-1137*
- Ji, Y.**, see Gao, Z., *JLT May 1, 2020 2646-2655*
- Ji, Y.**, Fan, F., Zhang, X., Cheng, J., and Chang, S., Active Terahertz Anisotropy and Dispersion Engineering Based on Dual-Frequency Liquid Crystal and Dielectric Metasurface; *JLT Aug. 1, 2020 4030-4036*
- Ji, Y.**, see Yang, D., *JLT Aug. 15, 2020 4555-4559*
- Jia, B.**, see Song, Q., *JLT March 15, 2020 1543-1549*
- Jia, D.**, see Wen, G., *JLT Aug. 1, 2020 4061-4074*
- Jia, D.**, see Zhao, J., *JLT April 1, 2020 2046-2052*
- Jia, H.**, see Chen, H., *JLT April 1, 2020 1874-1879*
- Jia, L.**, Shu, F., Huang, N., Chen, M., and Wang, J., Capacity and Optimum Signal Constellations for VLC Systems; *JLT April 15, 2020 2180-2189*
- Jia, S.**, see Xu, J., *JLT Jan. 15, 2020 522-530*
- Jia, S.**, see Xin, H., *JLT April 15, 2020 2226-2230*
- Jia, S.**, Zhang, L., Wang, S., Li, W., Qiao, M., Lu, Z., Idrees, N.M., Pang, X., Hu, H., Zhang, X., Oxenlowe, L.K., and Yu, X., 2×300 Gbit/s Line Rate PS-64QAM-OFDM THz Photonic-Wireless Transmission; *JLT Sept. 1, 2020 4715-4721*
- Jia, S.**, see Fu, Y., *JLT Feb. 1, 2020 654-660*
- Jia, W.**, see Sun, P., *JLT Dec. 1, 2020 6671-6677*
- Jia, X.**, see Yang, S., *JLT April 1, 2020 1988-1997*
- Jian, W.**, see Tang, M., *JLT July 15, 2020 3745-3750*
- Jian, W.**, see Cao, M., *JLT Dec. 15, 2020 6911-6917*
- Jian, Z.**, see Huang, J., *JLT Dec. 15, 2020 6932-6938*
- Jiang, D.**, see Liu, S., *JLT April 1, 2020 1900-1904*
- Jiang, H.**, Qiu, H., He, N., Popoola, W., Ahmad, Z., and Rajbhandari, S., Performance of Spatial Diversity DCO-OFDM in a Weak Turbulence Underwater Visible Light Communication Channel; *JLT April 15, 2020 2271-2277*
- Jiang, J.**, see Zhang, Y., *JLT April 15, 2020 2392-2399*
- Jiang, J.**, see Lyu, C., *JLT Aug. 1, 2020 4174-4182*
- Jiang, J.**, see Wu, Y., *JLT Nov. 1, 2020 6121-6128*
- Jiang, J.**, see Wang, C., *JLT Oct. 15, 2020 5825-5836*
- Jiang, L.**, see Ren, J., *JLT April 1, 2020 1728-1734*
- Jiang, M.**, see Zhao, L., *JLT Oct. 15, 2020 5624-5634*
- Jiang, S.**, Liang, C., Ma, L., Xiong, J., Zhang, W., and He, Z., Ultra-Low-Loss Broadband All-Fiber Mode Selective Couplers for MIMO-Less MDM Transmission; *JLT April 15, 2020 2376-2382*
- Jiang, W.**, see Shi, F., *JLT March 15, 2020 1275-1285*
- Jiang, W.**, see Zhang, R., *JLT March 15, 2020 1138-1147*
- Jiang, W.**, and Wang, X., Ultra-Broadband Mode Splitter Based on Phase Controlling of Bridged Subwavelength Grating; *JLT April 15, 2020 2414-2422*
- Jiang, W.**, see Lin, T., *JLT Aug. 1, 2020 3942-3949*
- Jiang, X.**, see Zheng, D., *JLT July 15, 2020 3694-3700*
- Jiang, X.**, see Luo, Z., *JLT Aug. 15, 2020 4560-4571*
- Jiang, Y.**, see Tang, M., *JLT July 15, 2020 3745-3750*
- Jiang, Y.**, see Wang, R., *JLT Aug. 15, 2020 4520-4525*
- Jiang, Y.**, see Zhao, J., *JLT Nov. 1, 2020 6699-6706*
- Jiang, Y.**, see Huang, G., *JLT Dec. 1, 2020 6549-6560*
- Jiao, K.**, see Zhong, M., *JLT Aug. 15, 2020 4533-4539*
- Jiao, Y.**, see Zhang, X., *JLT April 15, 2020 2353-2359*
- Jiao, Z.**, and Yao, J., Passband-Switchable and Frequency-Tunable Dual-Passband Microwave Photonic Filter; *JLT Oct. 1, 2020 5333-5338*
- Jin, B.**, see Wang, D., *JLT Dec. 1, 2020 6664-6670*
- Jin, B.**, see Wang, P., *JLT Dec. 1, 2020 6699-6706*
- Jin, G.**, see Wang, R., *JLT Aug. 15, 2020 4520-4525*
- Jin, J.**, He, J., Song, N., Ma, K., and Kong, L., A Compact Four-Axis Interferometric Fiber Optic Gyroscope Based on Multiplexing for Space Application; *JLT Dec. 1, 2020 6655-6663*
- Jin, L.**, see Ran, Y., *JLT April 15, 2020 2434-2440*
- Jin, W.**, Sankoh, A., Dong, Y., Zhong, Z., Giddings, R.P., O'Sullivan, M., Lee, J., Durrant, T., and Tang, J., Hybrid SSB OFDM-Digital Filter Multiple Access PONs; *JLT April 15, 2020 2095-2105*
- Jin, W.**, see Yao, C., *JLT April 1, 2020 2067-2072*
- Jin, X.**, see Liu, L., *JLT Oct. 1, 2020 5492-5499*
- Jin, Z.**, Wu, G., Wang, S., Ding, M., and Chen, J., Noise Characterization for Time Interleaved Photonic Analog to Digital Converters; *JLT March 15, 2020 1230-1242*
- Jin, Z.**, see Wang, C., *JLT Aug. 1, 2020 3926-3934*
- Jing, S.**, see Zhao, Y., *JLT April 15, 2020 2504-2510*
- Jinno, M.**, Kodama, T., and Ishikawa, T., Feasibility Demonstration of Spatial Channel Networking Using SDM/WDM Hierarchical Approach for Peta-b/s Optical Transport; *JLT May 1, 2020 2577-2586*
- Jinno, M.**, Kodama, T., and Ishikawa, T., Principle, Design, and Prototyping of Core Selective Switch Using Free-Space Optics for Spatial Channel Network; *JLT Sept. 15, 2020 4895-4905*
- Johansen, T.K.**, see Altabas, J.A., *JLT April 1, 2020 1785-1788*
- Joly, J.**, see Amsters, R., *JLT Nov. 1, 2020 5925-5936*
- Jones, B.H.**, see Sun, X., *JLT Jan. 15, 2020 421-431*
- Jones, R.T.**, see Gaiarin, S., *JLT Dec. 1, 2020 6465-6473*
- Jorge, F.**, see Heni, W., *JLT May 1, 2020 2734-2739*
- Joumessi-Demeffo, S.**, see Combeau, P., *JLT Oct. 15, 2020 5635-5648*
- Jovanovski, L.**, see Bolshtyansky, M.A., *JLT March 15, 2020 1296-1304*
- Julien-Vergonjanne, A.**, see Combeau, P., *JLT Oct. 15, 2020 5635-5648*
- Jung, Y.**, Wada, M., Shibahara, K., Jain, S., Davidson, I.A., Barua, P., Hayes, J.R., Sakamoto, T., Mizuno, T., Miyamoto, Y., Sasaki, Y., Saitoh, K., Nakajima, K., and Richardson, D.J., High Spatial Density 6-Mode 7-Core Fiber Amplifier for L-Band Operation; *JLT June 1, 2020 2938-2943*
- Jyo, T.**, see Ozaki, J., *JLT Sept. 15, 2020 5086-5091*

K

- Kahn, J.M.**, see Buscaino, B., *JLT March 15, 2020 1400-1413*
- Kahn, J.M.**, see Mello, D.A.A., *JLT Jan. 15, 2020 303-318*
- Kahn, J.M.**, see Chou, E.S., *JLT April 15, 2020 2242-2252*
- Kahn, J.M.**, see Choutagunta, K., *JLT Feb. 15, 2020 723-735*
- Kakarantzas, G.**, see Antonopoulos, G., *JLT Aug. 1, 2020 4086-4092*
- Kakitsuka, T.**, see Aihara, T., *JLT June 1, 2020 2961-2967*
- Kakitsuka, T.**, see Hiraki, T., *JLT June 1, 2020 3030-3036*

- Kakkar, A.**, see Sun, H., *JLT Sept. 1, 2020 4744-4756*
- Kalfas, G.**, see Ruggeri, E., *JLT Oct. 1, 2020 5368-5374*
- Kalinin, N.A.**, see Andrianov, A.V., *JLT April 15, 2020 2464-2470*
- Kaliteevskiy, N.**, see Downie, J.D., *JLT June 15, 2020 3214-3220*
- Kaliteevskiy, N.A.**, Ivanov, V., Sterlingov, P., Downie, J., Makovejs, S., and Hurley, J., Transponder Implementation Penalty-Accounted Gaussian-Noise-Based Performance Modeling of Fiber-Optic Transmission Systems; *JLT April 15, 2020 2253-2261*
- Kalli, K.**, see Chapalo, I., *JLT March 15, 2020 1439-1445*
- Kalli, K.**, see Ioannou, A., *JLT April 1, 2020 1921-1928*
- Kalosha, V.P.**, see Chorchos, L., *JLT April 1, 2020 1747-1752*
- Kamalian-Kopae, M.**, Vasylichenkova, A., Shepelsky, D., Prilepsky, J.E., and Turitsyn, S.K., Full-Spectrum Periodic Nonlinear Fourier Transform Optical Communication Through Solving the Riemann-Hilbert Problem; *JLT July 15, 2020 3602-3615*
- Kamalov, V.**, see Bolshtyansky, M.A., *JLT March 15, 2020 1296-1304*
- Kamata, M.**, Hinakura, Y., and Baba, T., Carrier-Suppressed Single Sideband Signal for FMCW LiDAR Using a Si Photonic-Crystal Optical Modulators; *JLT April 15, 2020 2315-2321*
- Kamchevska, V.**, see Forencich, A., *JLT March 15, 2020 1330-1340*
- Kamely, A.A.**, see Ahmad, H., *JLT Dec. 15, 2020 6886-6896*
- Kaminski, P.M.**, see Iqbal, S., *JLT April 1, 2020 1800-1808*
- Kamiyama, D.**, see Matsuura, M., *JLT Jan. 15, 2020 401-408*
- Kamran, R.**, Naaz, S., Goyal, S., and Gupta, S., High-Capacity Coherent DCIs Using Pol-Muxed Carrier and LO-Less Receiver; *JLT July 1, 2020 3461-3468*
- Kamran, R.**, see Nambath, N., *JLT Nov. 1, 2020 5867-5874*
- Kanada, N.**, see Kanno, A., *JLT Jan. 1, 2020 112-122*
- Kanazawa, S.**, see Ogiso, Y., *JLT Jan. 15, 2020 249-255*
- Kanazawa, S.**, see Shindo, T., *JLT June 1, 2020 2984-2991*
- Kanazawa, S.**, see Ozaki, J., *JLT Sept. 15, 2020 5086-5091*
- Kanda, A.**, see Shindo, T., *JLT June 1, 2020 2984-2991*
- Kandappan, P.**, see Sun, H., *JLT Sept. 1, 2020 4744-4756*
- Kandepan, S.**, see He, J., *JLT Sept. 1, 2020 4632-4640*
- Kaneda, N.**, see Melikyan, A., *JLT June 1, 2020 2872-2876*
- Kanellos, G.T.**, see Wang, R., *JLT Jan. 1, 2020 139-149*
- Kanellos, G.T.**, see Hugues-Salas, E., *JLT Sept. 15, 2020 5064-5070*
- Kang, B.**, see Shi, F., *JLT March 15, 2020 1275-1285*
- Kang, B.**, Li, X., Fan, Y., Shi, F., Shen, L., Tan, Q., Wang, D., He, Y., and Gao, Y., All-Optical and Broadband Microwave Image-Reject Receiver Based on Phase Modulation and I/Q Balanced Detection; *JLT Nov. 1, 2020 5962-5972*
- Kang, C.H.**, see Sun, X., *JLT Jan. 15, 2020 421-431*
- Kang, S.**, see Park, H.J., *JLT Nov. 15, 2020 6247-6256*
- Kani, J.**, see Bosco, G., *JLT Jan. 1, 2020 3-5*
- Kani, J.**, see Kim, S., *JLT April 15, 2020 2231-2241*
- Kani, J.**, see Suzuki, T., *JLT Feb. 15, 2020 777-783*
- Kani, J.**, see Suzuki, T., *JLT Feb. 1, 2020 668-675*
- Kanno, A.**, see Yoshida, Y., *JLT Jan. 1, 2020 90-100*
- Kanno, A.**, Dat, P.T., Yamamoto, N., Kawanishi, T., Iwasawa, N., Iwaki, N., Nakamura, K., Kawasaki, K., Kanada, N., Yonemoto, N., Sato, Y., Fujii, M., Yanatori, K., Shibagaki, N., and Kashima, K., High-Speed Railway Communication System Using Linear-Cell-Based Radio-Over-Fiber Network and Its Field Trial in 90-GHz Bands; *JLT Jan. 1, 2020 112-122*
- Kao, H.**, see Ishimura, S., *JLT May 1, 2020 2719-2725*
- Kao, H.**, see Tanaka, K., *JLT Oct. 15, 2020 5656-5667*
- Kaplan, N.**, see Yevnin, M., *JLT Feb. 15, 2020 792-796*
- Karabetsov, S.**, see Nikas, T., *JLT April 1, 2020 1644-1650*
- Karandin, O.**, see Ibrahim, M., *JLT June 15, 2020 3221-3228*
- Karar, A.S.**, Iterative Algorithm for Electronic Dispersion Compensation in IM/DD Systems; *JLT Feb. 15, 2020 698-704*
- Karimi, A.**, Zarifkar, A., and Miri, M., Design of a Miniaturized Broadband Silicon Hybrid Plasmonic Temporal Integrator for Ultrafast Optical Signal Processing; *JLT April 15, 2020 2346-2352*
- Karimi, M.**, see Sun, H., *JLT Sept. 1, 2020 4744-4756*
- Karinou, F.**, see Schrenk, B., *JLT Jan. 15, 2020 379-385*
- Karinou, F.**, see Schrenk, B., *JLT June 1, 2020 2976-2983*
- Karki, D.**, Stenger, V., Pollick, A., and Levy, M., Broadband Bias-Magnet-Free On-Chip Optical Isolators With Integrated Thin Film Polarizers; *JLT Feb. 15, 2020 827-833*
- Karlsson, M.**, see Alfredsson, A.F., *JLT Aug. 1, 2020 3850-3858*
- Karlsson, M.**, see Yoshida, T., *JLT June 1, 2020 2912-2921*
- Karlsson, M.**, see Yoshida, T., *JLT Aug. 15, 2020 4292-4306*
- Karlsson, M.**, see Alfredsson, A.F., *JLT Sept. 1, 2020 4656-4663*
- Karlsson, M.**, see Mazur, M., *JLT Oct. 15, 2020 5676-5684*
- Karpenko, O.**, see Liu, G., *JLT April 15, 2020 2555-2563*
- Karpov, M.**, see Fallahpour, A., *JLT Jan. 15, 2020 359-365*
- Kashaykin, P.F.**, see Tomashuk, A.L., *JLT Oct. 15, 2020 5817-5824*
- Kashima, K.**, see Kanno, A., *JLT Jan. 1, 2020 112-122*
- Kastritis, D.**, Rampone, T., Zoiros, K.E., and Sharaiha, A., Modulation and Switching Architecture Performances for Frequency Up-Conversion of Complex-Modulated Data Signals Based on a SOA-MZI Photonic Sampling Mixer; *JLT Oct. 1, 2020 5375-5385*
- Katayama, K.**, see Fukai, C., *JLT Sept. 15, 2020 5128-5135*
- Kato, K.**, see Futami, F., *JLT May 15, 2020 2774-2781*
- Katsikis, M.**, see Rommel, S., *JLT Oct. 1, 2020 5412-5422*
- Kaushik, V.**, see Rajput, S., *JLT March 15, 2020 1365-1371*
- Kaushik, V.**, Rajput, S., Shrivastava, S., Jain, S., Singh, L., and Kumar, M., Efficient Sub-Bandgap Photodetection via Two-Dimensional Electron Gas in ZnO Based Heterojunction; *JLT Nov. 1, 2020 6031-6037*
- Kawakami, H.**, see Shibahara, K., *JLT Jan. 15, 2020 514-521*
- Kawamoto, Y.**, see Ohata, N., *JLT June 15, 2020 3246-3251*
- Kawamura, Y.**, see Aoki, R., *JLT Aug. 1, 2020 3950-3958*
- Kawanishi, T.**, see Kanno, A., *JLT Jan. 1, 2020 112-122*
- Kawanishi, T.**, see Tanaka, K., *JLT Oct. 15, 2020 5656-5667*
- Kawasaki, K.**, see Kanno, A., *JLT Jan. 1, 2020 112-122*
- Kawashima, H.**, see Suzuki, K., *JLT Jan. 15, 2020 226-232*
- Kawashima, H.**, see Suzuki, K., *JLT Jan. 15, 2020 233-239*
- Kawashima, H.**, see Mori, Y., *JLT March 1, 2020 1002-1009*
- Kawashima, H.**, see Ikeda, K., *JLT June 15, 2020 3268-3272*
- Kawashima, H.**, see Konoike, R., *JLT June 1, 2020 2930-2937*
- Ke, J.**, see Yang, Z., *JLT Sept. 1, 2020 4648-4655*
- Keil, N.**, see Happach, M., *JLT Sept. 1, 2020 4824-4833*
- Kelly, C.**, see Matte-Breton, C., *JLT April 1, 2020 1936-1944*
- Kemel, M.**, see Nady, A., *JLT Dec. 15, 2020 6905-6910*
- Kerdiles, S.**, see Boust, S., *JLT Oct. 1, 2020 5517-5525*
- Khan, F.**, see Liu, Z., *JLT April 1, 2020 1844-1850*
- Khan, M.S.I.**, Mahmoud, A., Cai, L., Mahmoud, M., Mukherjee, T., Bain, J.A., and Piazza, G., Extraction of Elastooptic Coefficient of Thin-Film Arsenic Trisulfide Using a Mach-Zehnder Acoustooptic Modulator on Lithium Niobate; *JLT April 1, 2020 2053-2059*
- Khan, M.T.A.**, see Tian, Y., *JLT Feb. 15, 2020 834-839*
- Kharasov, D.**, see Nikitin, S., *JLT March 15, 2020 1446-1453*
- Kharel, P.**, see Gertler, S., *JLT Oct. 1, 2020 5248-5261*
- Khagai, A.**, Afanasiev, F., Ososkov, Y., Riumkin, K., Khopin, V., Lobanov, A., Yashkov, M., Firstova, E., Abramov, A., Melkumov, M., Guryanov, A., and Firstov, S., The Influence of the MCVD Process Parameters on the Optical Properties of Bismuth-Doped Phosphosilicate Fibers; *JLT Nov. 1, 2020 6114-6120*
- Khokhar, A.Z.**, see Zhang, Z., *JLT Aug. 1, 2020 4037-4044*
- Khokhar, A.Z.**, see Milosevic, M.M., *JLT April 1, 2020 1865-1873*
- Khopin, V.**, see Khagai, A., *JLT Nov. 1, 2020 6114-6120*
- Kiczor, A.**, see Napiorkowski, M., *JLT March 15, 2020 1372-1381*
- Kifle, E.**, Loiko, P., Romero, C., de Aldana, J.R.V., Zakharov, V., Veniaminov, A., Griebner, U., Petrov, V., Camy, P., Braud, A., Aguilo, M., Diaz, F., and Mateos, X., Ultrafast Laser Inscription and $\square 2 \mu\text{m}$ Laser Operation of Y-Branch Splitters in Monoclinic Crystals; *JLT Aug. 15, 2020 4374-4384*
- Kikuchi, K.**, Quantum Theory of Noise in Stokes Vector Receivers and Application to Bit Error Rate Analysis; *JLT June 15, 2020 3164-3172*
- Killey, R.**, see Ferreira, F.M., *JLT May 15, 2020 2790-2798*
- Killey, R.I.**, see Semrau, D., *JLT March 15, 2020 1604*
- Killey, R.I.**, see Ionescu, M., *JLT Jan. 15, 2020 531-537*
- Killey, R.I.**, see Gerard, T., *JLT Feb. 1, 2020 564-572*
- Killge, S.**, see Charania, S., *JLT July 1, 2020 3454-3460*

- Kilper, D.C.**, see Le, D.D., *JLT Sept. 15, 2020 4922-4934*
- Kim, A.V.**, see Andrianov, A.V., *JLT April 15, 2020 2464-2470*
- Kim, B.H.**, see Naeem, K., *JLT Sept. 15, 2020 5177-5190*
- Kim, E.**, see Sung, M., *JLT Jan. 15, 2020 409-420*
- Kim, G.**, see Ryu, G., *JLT Sept. 15, 2020 5199-5204*
- Kim, H.**, see Sakr, H., *JLT Jan. 1, 2020 159-165*
- Kim, H.**, see Hong, Y., *JLT May 15, 2020 2849-2857*
- Kim, H.**, see Lee, E.S., *JLT Aug. 15, 2020 4237-4243*
- Kim, H.**, see Bo, T., *JLT Aug. 15, 2020 4307-4314*
- Kim, H.**, see Yu, Y., *JLT April 1, 2020 1735-1746*
- Kim, I.**, see Vassilieva, O., *JLT June 1, 2020 3067-3073*
- Kim, J.**, see Sung, M., *JLT Jan. 15, 2020 409-420*
- Kim, J.**, Sung, M., Cho, S., Won, Y., Lim, B., Pyun, S., Lee, J., and Lee, J.H., MIMO-Supporting Radio-Over-Fiber System and its Application in mmWave-Based Indoor 5G Mobile Network; *JLT Jan. 1, 2020 101-111*
- Kim, S.**, see Melikyan, A., *JLT June 1, 2020 2872-2876*
- Kim, K.**, see Kong, D., *JLT Sept. 1, 2020 4677-4682*
- Kim, M.**, see Lee, E.S., *JLT Aug. 15, 2020 4237-4243*
- Kim, S.**, see Hong, S., *JLT March 1, 2020 1010-1018*
- Kim, S.**, Kani, J., and Terada, J., Performance Analysis of Phase Noise Cancellation by Asymmetric CMA for Realizing Affordable Coherent PON Transceivers; *JLT April 15, 2020 2231-2241*
- Kim, S.**, see Suzuki, T., *JLT Feb. 15, 2020 777-783*
- Kim, S.**, see Suzuki, T., *JLT Feb. 1, 2020 668-675*
- Kim, Y.**, see Vuong, Q.V., *JLT Aug. 15, 2020 4419-4428*
- Kimerling, L.**, see Gu, T., *JLT July 1, 2020 3319-3321*
- Kippenberg, T.J.**, see Fallahpour, A., *JLT Jan. 15, 2020 359-365*
- Kipshidze, G.**, see Feng, T., *JLT April 1, 2020 1895-1899*
- Kir'yanov, A.V.**, see Barmenkov, Y.O., *JLT July 15, 2020 3751-3758*
- Kisaka, Y.**, see Yamamoto, S., *JLT Jan. 15, 2020 466-474*
- Kisaka, Y.**, see Sasai, T., *JLT Jan. 15, 2020 439-446*
- Kisaka, Y.**, see Okamoto, S., *JLT March 1, 2020 1061-1070*
- Kisaka, Y.**, see Matsushita, A., *JLT June 1, 2020 2905-2911*
- Kitamura, K.**, see Inuzuka, F., *JLT May 1, 2020 2695-2702*
- Kittlaus, E.A.**, see Gertler, S., *JLT Oct. 1, 2020 5248-5261*
- Kiyama, L.**, see Wang, B., *JLT July 1, 2020 3439-3444*
- Klaus, W.**, see Puttnam, B.J., *JLT Jan. 1, 2020 123-130*
- Kleinert, M.**, see Happach, M., *JLT Sept. 1, 2020 4824-4833*
- Klejs, F.**, see Iqbal, S., *JLT April 1, 2020 1800-1808*
- Klimczak, M.**, see Zhao, J., *JLT Nov. 1, 2020 6069-6075*
- Klinkowski, M.**, Ksieniewicz, P., Jaworski, M., Zalewski, G., and Walkowiak, K., Machine Learning Assisted Optimization of Dynamic Crosstalk-Aware Spectrally-Spatially Flexible Optical Networks; *JLT April 1, 2020 1625-1635*
- Kobayashi, N.**, see Aoki, R., *JLT Aug. 1, 2020 3950-3958*
- Kobayashi, T.**, see Ogiso, Y., *JLT Jan. 15, 2020 249-255*
- Kobayashi, T.**, see Shibahara, K., *JLT Jan. 15, 2020 514-521*
- Kobayashi, Y.**, Sekiya, E.H., Banno, M., Nishimura, R., Okazaki, T., Hashimoto, Y., Araki, T., Ichii, K., and Saito, K., Effect of P-to-Rare Earth Atomic Ratio on Energy Transfer in Er-Yb-Doped Optical Fiber; *JLT Aug. 15, 2020 4504-4512*
- Kochert, P.**, see Liu, Y., *JLT April 1, 2020 1945-1952*
- Kodama, T.**, see Cincotti, G., *JLT Jan. 15, 2020 346-351*
- Kodama, T.**, see Jinno, M., *JLT May 1, 2020 2577-2586*
- Kodama, T.**, see Jinno, M., *JLT Sept. 15, 2020 4895-4905*
- Koh, P.**, see Xing, Z., *JLT June 1, 2020 2968-2975*
- Koike-Akino, T.**, see Fehenberger, T., *JLT Jan. 15, 2020 457-465*
- Koike-Akino, T.**, see Fehenberger, T., *JLT May 15, 2020 2826-2834*
- Koike-Akino, T.**, Wang, Y., Millar, D.S., Kojima, K., and Parsons, K., Neural Turbo Equalization: Deep Learning for Fiber-Optic Nonlinearity Compensation; *JLT June 1, 2020 3059-3066*
- Kojima, K.**, see Fehenberger, T., *JLT Jan. 15, 2020 457-465*
- Kojima, K.**, see Teng, M., *JLT Jan. 1, 2020 6-17*
- Kojima, K.**, see Fehenberger, T., *JLT May 15, 2020 2826-2834*
- Kojima, K.**, see Koike-Akino, T., *JLT June 1, 2020 3059-3066*
- Kokubun, Y.**, see Aoki, R., *JLT Aug. 1, 2020 3950-3958*
- Kolltveit, E.**, see Lu, X., *JLT Aug. 1, 2020 4133-4141*
- Kolosovskii, A.O.**, see Tomashuk, A.L., *JLT Oct. 15, 2020 5817-5824*
- Komanec, M.**, see Ding, M., *JLT April 15, 2020 2423-2427*
- Komarov, A.**, see Zhao, J., *JLT Nov. 1, 2020 6069-6075*
- Konatham, S.R.**, de Chatellus, H.G., and Azana, J., Photonics-Based Real-Time Spectrogram Analysis of Broadband Waveforms; *JLT Oct. 1, 2020 5356-5367*
- Konczykowska, A.**, see Heni, W., *JLT May 1, 2020 2734-2739*
- Kong, D.**, see Xin, H., *JLT April 15, 2020 2226-2230*
- Kong, D.**, Xin, H., Kim, K., Liu, Y., Oxenlowe, L.K., Dong, P., and Hu, H., Intra-Datcenter Interconnects With a Serialized Silicon Optical Frequency Comb Modulator; *JLT Sept. 1, 2020 4677-4682*
- Kong, D.**, see Fu, Y., *JLT Feb. 1, 2020 654-660*
- Kong, J.**, see Pan, X., *JLT Nov. 1, 2020 5855-5866*
- Kong, L.**, see Jin, J., *JLT Dec. 1, 2020 6655-6663*
- Kong, M.**, see Sun, X., *JLT Jan. 15, 2020 421-431*
- Kong, M.**, see Zhang, J., *JLT Jan. 15, 2020 185-193*
- Kong, M.**, see Hu, L., *JLT July 15, 2020 3644-3651*
- Kong, W.**, see Wu, T., *JLT Aug. 15, 2020 4580-4587*
- Kongnyuy, T.D.**, see Song, J.H., *JLT June 15, 2020 3273-3279*
- Konishi, T.**, see Cincotti, G., *JLT Jan. 15, 2020 346-351*
- Konkin, D.A.**, see Shibelgut, A.A., *JLT March 15, 2020 1454-1460*
- Konoike, R.**, see Suzuki, K., *JLT Jan. 15, 2020 226-232*
- Konoike, R.**, see Suzuki, K., *JLT Jan. 15, 2020 233-239*
- Konoike, R.**, see Ikeda, K., *JLT June 15, 2020 3268-3272*
- Konoike, R.**, Matsuura, H., Suzuki, K., Matsumoto, T., Kurahashi, T., Uetake, A., Takabayashi, K., Akiyama, S., Sekiguchi, S., Namiki, S., Kawashima, H., and Ikeda, K., Gain-Integrated 8×8 Silicon Photonics Multicast Switch With On-Chip 2×4 -ch. SOAs; *JLT June 1, 2020 2930-2937*
- Koonen, A.M.J.**, see Huang, J., *JLT March 15, 2020 1202-1209*
- Koonen, A.M.J.**, see Zhang, X., *JLT April 15, 2020 2353-2359*
- Koonen, A.M.J.**, see Zhu, L., *JLT Dec. 1, 2020 6474-6480*
- Koonen, A.M.J.**, see Zhang, X., *JLT Dec. 15, 2020 6801-6806*
- Koonen, T.**, Mekonnen, K.A., Huijskens, F., Pham, N., Cao, Z., and Tangdionga, E., Fully Passive User Localization for Beam-Steered High-Capacity Optical Wireless Communication System; *JLT May 15, 2020 2842-2848*
- Koonen, T.**, see Morant, M., *JLT Oct. 1, 2020 5311-5317*
- Kopf, R.**, see Grillanda, S., *JLT Feb. 15, 2020 804-810*
- Kopsinis, Y.**, see Deligiannidis, S., *JLT Nov. 1, 2020 5991-5999*
- Kordts, A.**, see Fallahpour, A., *JLT Jan. 15, 2020 359-365*
- Kornienko, V.V.**, Dobronosova, A.A., Ignatov, A.I., Andronik, M., Rodionov, I.A., Shaimanov, A.N., Smirnov, N.S., Yankovskii, G.M., Baryshev, A.V., and Merzlikin, A.M., Quarter-Millimeter Propagating Plasmons in Thin-Gold-Film-Based Waveguides for Visible Spectral Range; *JLT Sept. 1, 2020 4794-4800*
- Korposh, S.**, see Liu, L., *JLT April 1, 2020 2037-2045*
- Korzh, B.A.**, see Wang, X., *JLT Jan. 1, 2020 166-173*
- Kosman, J.**, see Huang, S., *JLT Sept. 15, 2020 5225-5235*
- Kotov, O.**, see Chapalo, I., *JLT March 15, 2020 1439-1445*
- Kotov, O.**, see Chapalo, I., *JLT Oct. 15, 2020 5809-5816*
- Koyama, R.**, see Fukai, C., *JLT Sept. 15, 2020 5128-5135*
- Kramer, G.**, see Garcia-Gomez, F.J., *JLT Dec. 15, 2020 6779-6787*
- Krehlik, P.**, see Sliwczynski, L., *JLT Sept. 15, 2020 5056-5063*
- Kresse, M.**, see Happach, M., *JLT Sept. 1, 2020 4824-4833*
- Kritharidis, D.**, see Rommel, S., *JLT Oct. 1, 2020 5412-5422*
- Kropp, J.R.**, see Chorcho, L., *JLT April 1, 2020 1747-1752*
- Kruglov, R.**, see Shibelgut, A.A., *JLT March 15, 2020 1454-1460*
- Kschischang, F.R.**, see Barakatain, M., *JLT June 1, 2020 2944-2953*
- Ksieniewicz, P.**, see Klinkowski, M., *JLT April 1, 2020 1625-1635*
- Kuang, W.**, see Bickham, S.R., *JLT Jan. 15, 2020 297-302*
- Kuchinsky, S.A.**, see Brusberg, L., *JLT March 15, 2020 1350-1357*
- Kuchta, D.M.**, see Dupuis, N., *JLT Jan. 15, 2020 178-184*
- Kuklinska, M.**, see Budnicki, D., *JLT Dec. 1, 2020 6685-6690*
- Kumar, C.**, see Agrawal, N., *JLT April 15, 2020 2523-2529*
- Kumar, M.**, see Rajput, S., *JLT March 15, 2020 1365-1371*
- Kumar, M.**, see Kaushik, V., *JLT Nov. 1, 2020 6031-6037*
- Kumar, R.**, see Li, H., *JLT Jan. 1, 2020 131-138*
- Kumar, S.**, see Agrawal, N., *JLT April 15, 2020 2523-2529*

Kumar, S., see Liang, D., *JLT July 1, 2020 3322-3337*
Kumpera, A., see Lopez, V., *JLT March 1, 2020 1080-1091*
Kumpera, A., see Sun, H., *JLT Sept. 1, 2020 4744-4756*
Kunz, L., see Banaszek, K., *JLT May 15, 2020 2741-2754*
Kuo, B.P., see Zhang, J., *JLT Oct. 15, 2020 5748-5755*
Kurahashi, T., see Konoike, R., *JLT June 1, 2020 2930-2937*
Kurczveil, G., see Liang, D., *JLT July 1, 2020 3322-3337*
Kurczveil, G., see London, Y., *JLT July 1, 2020 3469-3477*
Kuwabara, S., see Inuzuka, F., *JLT May 1, 2020 2695-2702*
Kuzmin, K., see Zhang, R., *JLT March 15, 2020 1138-1147*
Kwakernaak, M., see Liu, Z., *JLT April 1, 2020 1844-1850*
Kwon, J., see Zhu, Z., *JLT May 15, 2020 2815-2825*
Kwon, M., see Vuong, Q.V., *JLT Aug. 15, 2020 4419-4428*
Kwon, S., see Lee, J., *JLT Aug. 1, 2020 4124-4132*

L

Lagha, M.K., Gerzaguet, R., Bramerie, L., Gay, M., Chares, M., Peucheret, C., and Scalart, P., Blind Joint Polarization Demultiplexing and IQ Imbalance Compensation for M-QAM Coherent Optical Communications; *JLT Aug. 15, 2020 4213-4220*
Lai, C., see Lu, T., *JLT Dec. 1, 2020 6605-6611*
Lal, V., see Sun, H., *JLT Sept. 1, 2020 4744-4756*
Lambrecht, J., Verbist, J., Ramon, H., Vanhoecke, M., Bauwelinck, J., Yin, X., and Roelkens, G., Low-Power (1.5 pJ/b) Silicon Integrated 106 Gb/s PAM-4 Optical Transmitter; *JLT Jan. 15, 2020 432-438*
Lambrecht, J., see Pitris, S., *JLT July 1, 2020 3366-3375*
Lampe, L., see Jana, M., *JLT Dec. 15, 2020 6719-6731*
Lan, B., see Lin, Z., *JLT Aug. 15, 2020 4470-4477*
Lan, H., see Zou, R., *JLT Nov. 15, 2020 6402-6411*
Laneve, D., see Falconi, M.C., *JLT April 15, 2020 2406-2413*
Lang, T., see Zou, J., *JLT Aug. 15, 2020 4447-4453*
Laperle, C., see AL-QADI, M., *JLT Nov. 15, 2020 6163-6169*
Lardenois, S., see Song, J.H., *JLT June 15, 2020 3273-3279*
Lardenois, S., see Srinivasan, S.A., *JLT June 1, 2020 3044-3050*
LaRoche, S., see Ahmadi, M., *JLT Aug. 1, 2020 4114-4123*
LaRoche, S., see Matte-Breton, C., *JLT April 1, 2020 1936-1944*
LaRoche, S., see Chang, J.H., *JLT Feb. 15, 2020 846-856*
Larrue, A., see Boust, S., *JLT Oct. 1, 2020 5517-5525*
Larsson-Edefors, P., see Borjeson, E., *JLT July 15, 2020 3616-3623*
Larsson-Edefors, P., see Neto, L.A., *JLT Feb. 1, 2020 598-607*
Lasagni, C., see Serena, P., *JLT March 1, 2020 1019-1031*
Lasagni, C., see Serena, P., *JLT Oct. 15, 2020 5685-5694*
Lau, A.P.T., see Zhang, Q., *JLT April 15, 2020 2152-2157*
Lau, A.P.T., see Zhou, G., *JLT July 15, 2020 3563-3572*
Lavery, D., see Ionescu, M., *JLT Jan. 15, 2020 531-537*
Lavery, D., see Benjamin, J.L., *JLT Sept. 15, 2020 4906-4921*
Lavery, D., see Gerard, T., *JLT Feb. 1, 2020 564-572*
Lavery, D., see Teixeira, A., *JLT Feb. 1, 2020 684-695*
Layec, P., see Almonacil, S., *JLT June 1, 2020 3007-3014*
Layec, P., see Delezoide, C., *JLT Dec. 15, 2020 6709-6718*
Le, D.D., Barry, L.P., Kilper, D.C., Perry, P., Wang, J., and McArdle, C., AgileDCN: An Agile Reconfigurable Optical Data Center Network Architecture; *JLT Sept. 15, 2020 4922-4934*
Le, S.T., Schuh, K., Dischler, R., Buchali, F., Schmalen, L., and Buelow, H., Beyond 400 Gb/s Direct Detection Over 80 km for Data Center Interconnect Applications; *JLT Jan. 15, 2020 538-545*
Le, S.T., see Buchali, F., *JLT Jan. 1, 2020 150-158*
Le, S.T., Schuh, K., Buchali, F., Du, X., Grozing, M., Berroth, M., Schmalen, L., and Buelow, H., Single Sideband Transmission Employing a 1-to-4 ADC Frontend and Parallel Digitization; *JLT June 15, 2020 3125-3134*
Le, S.T., Aref, V., Schuh, K., and Tan, H.N., Power-Efficient Single-Sideband Transmission With Clipped Iterative SSBI Cancellation; *JLT Aug. 15, 2020 4359-4367*
Le Bidan, R., see Paillier, L., *JLT Oct. 15, 2020 5716-5727*
Le Gac, D., see Arnould, A., *JLT Jan. 15, 2020 504-508*
Le Gac, D., see Arnould, A., *JLT Jan. 15, 2020 509-513*
Leandro, D., Zhu, M., Lopez-Amo, M., and Murayama, H., Quasi-Distributed Vibration Sensing Based on Weak Reflectors and STFT Demodulation; *JLT Dec. 15, 2020 6954-6960*
Ledentsov, N.N., see Chorchos, L., *JLT April 1, 2020 1747-1752*
Lee, B.G., see Forencich, A., *JLT March 15, 2020 1330-1340*
Lee, B.G., see Dupuis, N., *JLT Jan. 15, 2020 178-184*
Lee, C., see Lin, J., *JLT Sept. 15, 2020 5149-5156*
Lee, C., see Lin, T., *JLT Feb. 15, 2020 820-826*
Lee, D.H., see Lee, E.S., *JLT Aug. 15, 2020 4237-4243*
Lee, E.S., Kim, M., Moon, K., Lee, I., Park, D.W., Shin, J., Kim, H., Choi, D., Choi, K.S., Lee, D.H., and Park, K.H., High-Speed and Cost-Effective Reflective Terahertz Imaging System Using a Novel 2D Beam Scanner; *JLT Aug. 15, 2020 4237-4243*
Lee, H., see Sung, M., *JLT Jan. 15, 2020 409-420*
Lee, I., see Lee, E.S., *JLT Aug. 15, 2020 4237-4243*
Lee, J., see Kim, J., *JLT Jan. 1, 2020 101-111*
Lee, J., see Jin, W., *JLT April 15, 2020 2095-2105*
Lee, J., Kwon, S., and Lee, J.H., Numerical Investigation of the Impact of the Saturable Absorber Recovery Time on the Mode-Locking Performance of Fiber Lasers; *JLT Aug. 1, 2020 4124-4132*
Lee, J., see Vuong, Q.V., *JLT Aug. 15, 2020 4419-4428*
Lee, J., see He, J., *JLT Sept. 1, 2020 4632-4640*
Lee, J.H., see Sung, M., *JLT Jan. 15, 2020 409-420*
Lee, J.H., see Kim, J., *JLT Jan. 1, 2020 101-111*
Lee, J.H., see Lee, J., *JLT Aug. 1, 2020 4124-4132*
Lee, J.K., see Sung, M., *JLT Jan. 15, 2020 409-420*
Lee, K., see Song, T., *JLT Aug. 15, 2020 4250-4259*
Lee, K., see Ryu, G., *JLT Sept. 15, 2020 5199-5204*
Lee, P., see Lu, T., *JLT Dec. 1, 2020 6605-6611*
Lee, S., see Gao, Y., *JLT Jan. 15, 2020 265-271*
Lee, S., see Liu, L., *JLT April 1, 2020 2037-2045*
Lee, S.B., see Ryu, G., *JLT Sept. 15, 2020 5199-5204*
Lee, Y.S., see Hong, S., *JLT March 1, 2020 1010-1018*
Leeson, M., see Hu, W., *JLT Sept. 1, 2020 4699-4707*
Lei, L., see Dong, W., *JLT Oct. 15, 2020 5586-5594*
Lei, M., see Song, C., *JLT March 15, 2020 1243-1249*
Lei, M., see Bai, Y., *JLT Oct. 1, 2020 5262-5269*
Lei, M., see Bai, Y., *JLT Nov. 1, 2020 5973-5980*
Lei, Z., see Zhang, B., *JLT Sept. 1, 2020 4664-4676*
Leiba, Y., see Ruggeri, E., *JLT Oct. 1, 2020 5368-5374*
Lelarge, F., see Verolet, T., *JLT Oct. 15, 2020 5708-5715*
Lemey, S., see Wu, C., *JLT May 15, 2020 2765-2773*
Lenardic, B., see Yevnin, M., *JLT Feb. 15, 2020 792-796*
Leng, J., see Ye, J., *JLT July 15, 2020 3737-3744*
Lenoski, D., see Blumenthal, D.J., *JLT July 1, 2020 3376-3386*
Lenox, R., see Tench, R.E., *JLT April 15, 2020 2456-2463*
Lentner, D., see Barakatain, M., *JLT June 1, 2020 2944-2953*
Lenzi, E., see Nanni, J., *JLT Oct. 1, 2020 5393-5405*
Leonard Mendes, L., see Borges, R.M., *JLT Feb. 1, 2020 642-653*
Lessard, S., see Jacques, M., *JLT June 1, 2020 2877-2885*
Letteron, L., see Renaudier, J., *JLT March 1, 2020 1071-1079*
Leung, I., see Sun, H., *JLT Sept. 1, 2020 4744-4756*
Leuthold, J., see Heni, W., *JLT May 1, 2020 2734-2739*
Levy, M., see Karki, D., *JLT Feb. 15, 2020 827-833*
Lewandowski, A., see Chorchos, L., *JLT April 1, 2020 1747-1752*
Lewis, E., see Wang, R., *JLT Aug. 15, 2020 4520-4525*
Lewis, E., see Zhang, M., *JLT Aug. 15, 2020 4397-4401*
Li, A., Li, Q., Liu, X., Zhang, Y., and Zhao, Z., Investigation of Inverse Solutions for Tilting Orthogonal Double Prisms in Laser Pointing With Submicroradian Precision; *JLT March 15, 2020 1341-1349*
Li, A., see Wang, W., *JLT April 1, 2020 1753-1765*
Li, C., see Liang, D., *JLT July 1, 2020 3322-3337*
Li, C., see Ding, J., *JLT Aug. 15, 2020 4352-4358*
Li, C., Huang, X., Lu, H., Huang, Y., Huang, Q., and Tu, S., A WDM PAM4 FSO-UWOC Integrated System With a Channel Capacity of 100 Gb/s; *JLT April 1, 2020 1766-1776*
Li, C., see Huang, X., *JLT Nov. 1, 2020 5883-5892*

- Li, D., see Tian, J., *JLT March 15, 2020 1461-1467*
- Li, D., see Cheng, Z., *JLT July 1, 2020 3533-3539*
- Li, D., see Cheng, Z., *JLT July 1, 2020 3533-3539*
- Li, D., Minoia, G., Repposi, M., Baldi, D., Temporiti, E., Ghilioni, A., and Svelto, F., Multi-Rate Low-Noise Optical Receiver Front-End; *JLT Sept. 15, 2020 4978-4986*
- Li, E., see Zhou, B., *JLT July 1, 2020 3338-3345*
- Li, F., see Li, Z., *JLT July 1, 2020 3526-3532*
- Li, F., see Zou, D., *JLT July 1, 2020 3445-3453*
- Li, F., see Wang, W., *JLT Aug. 15, 2020 4341-4351*
- Li, F., see Zou, D., *JLT Oct. 15, 2020 5649-5655*
- Li, G., see Teng, M., *JLT Jan. 1, 2020 6-17*
- Li, G., see Zhang, Y., *JLT Nov. 15, 2020 6286-6291*
- Li, H., Verplaetse, M., Verbist, J., Van Kerrebrouck, J., Breyne, L., Wu, C., Bogaert, L., Moeneclaey, B., Yin, X., Bauwelinck, J., Demeester, P., and Torfs, G., Real-Time 100-GS/s Sigma-Delta Modulator for All-Digital Radio-Over-Fiber Transmission; *JLT Jan. 15, 2020 386-393*
- Li, H., Balamurugan, G., Sakib, M., Sun, J., Driscoll, J., Kumar, R., Jayatilaka, H., Rong, H., Jaussi, J., and Casper, B., A 112 Gb/s PAM4 Silicon Photonics Transmitter With Microring Modulator and CMOS Driver; *JLT Jan. 1, 2020 131-138*
- Li, H., see Wu, C., *JLT May 15, 2020 2765-2773*
- Li, H., see Bogaert, L., *JLT June 15, 2020 3289-3295*
- Li, H., see Zhang, Z., *JLT Aug. 1, 2020 4037-4044*
- Li, H., see Tang, M., *JLT July 15, 2020 3745-3750*
- Li, H., see He, J., *JLT Sept. 1, 2020 4632-4640*
- Li, H., Chen, B., Zhai, X., Xu, L., and Wang, L., Tunable Ultra-Multispectral Metamaterial Perfect Absorbers Based on Out-of-Plane Metal-Insulator-Graphene Heterostructures; *JLT April 1, 2020 1858-1864*
- Li, H., see Wang, L., *JLT Nov. 1, 2020 6129-6134*
- Li, H., see Guan, H., *JLT Nov. 1, 2020 6089-6096*
- Li, H., Xu, J., Wang, X., Liu, D., and Feng, L., High-Bandwidth Tracking Method of Resonant Frequency for Sensing Resonators; *JLT Feb. 15, 2020 898-904*
- Li, H., Sun, Q., Liu, T., Fan, C., He, T., Yan, Z., Liu, D., and Shum, P.P., Ultra-High Sensitive Quasi-Distributed Acoustic Sensor Based on Coherent OTDR and Cylindrical Transducer; *JLT Feb. 15, 2020 929-938*
- Li, H., see Wu, C., *JLT Feb. 15, 2020 705-713*
- Li, J., see Liu, J., *JLT March 15, 2020 1486-1491*
- Li, J., see An, S., *JLT Jan. 15, 2020 485-491*
- Li, J., see Zhao, Q., *JLT April 15, 2020 2428-2433*
- Li, J., see Tong, S., *JLT April 15, 2020 2450-2455*
- Li, J., Pei, L., Ning, T., Zheng, J., Li, Y., and He, R., Measurement of Instantaneous Microwave Frequency by Optical Power Monitoring Based on Polarization Interference; *JLT April 15, 2020 2285-2291*
- Li, J., see Chen, W., *JLT Aug. 1, 2020 4000-4008*
- Li, J., see Lin, T., *JLT Aug. 1, 2020 3942-3949*
- Li, J., see Li, Z., *JLT July 1, 2020 3526-3532*
- Li, J., see Stolov, A.A., *JLT July 15, 2020 3759-3768*
- Li, J., see Wang, J., *JLT July 15, 2020 3710-3716*
- Li, J., see Zhu, Y., *JLT Sept. 1, 2020 4817-4823*
- Li, J., see Wang, D., *JLT Sept. 1, 2020 4730-4743*
- Li, J., see Liu, X., *JLT Sept. 1, 2020 4757-4764*
- Li, J., see Liu, X., *JLT Sept. 1, 2020 4757-4764*
- Li, J., see Shiu, R., *JLT Oct. 1, 2020 5302-5310*
- Li, J., see Zhu, J., *JLT Sept. 15, 2020 5163-5169*
- Li, J., see Xia, Z., *JLT Feb. 15, 2020 912-918*
- Li, J., see Liu, Y., *JLT Feb. 15, 2020 919-928*
- Li, J., see Zhang, X., *JLT Dec. 15, 2020 6801-6806*
- Li, L., Cartledge, J.C., and El-Rahman, A.I.A., Performance Implications of Cascaded Wavelength Selective Switches on a Probabilistically Shaped 64-QAM System; *JLT March 15, 2020 1184-1193*
- Li, L., see Chen, J., *JLT March 15, 2020 1480-1485*
- Li, L., see Song, H., *JLT Jan. 1, 2020 82-89*
- Li, L., see Su, Y., *JLT July 15, 2020 3553-3562*
- Li, L., see Fan, R., *JLT July 15, 2020 3717-3722*
- Li, L., see Zhang, Y., *JLT April 1, 2020 1809-1816*
- Li, L., see Yang, M., *JLT April 1, 2020 1693-1701*
- Li, L., see Tian, X., *JLT Oct. 1, 2020 5440-5449*
- Li, L., see Zhao, J., *JLT Nov. 1, 2020 6069-6075*
- Li, L., Li, Z., Nie, W., Romero, C., de Aldana, J.R.V., and Chen, F., Femtosecond-Laser-Written S-Curved Waveguide in Nd:YAP Crystal: Fabrication and Multi-Gigahertz Lasing; *JLT Dec. 15, 2020 6845-6852*
- Li, L., see Zheng, Y., *JLT Dec. 15, 2020 6939-6947*
- Li, M., see Fu, S., *JLT March 15, 2020 1435-1438*
- Li, M., see Zhu, S., *JLT Oct. 1, 2020 5270-5277*
- Li, M., see Chen, L.R., *JLT Oct. 1, 2020 5238-5239*
- Li, M., see Huang, L., *JLT Dec. 15, 2020 6788-6800*
- Li, P., Yan, L., Ye, J., Feng, X., Zou, X., Luo, B., Pan, W., Zhou, T., and Chen, Z., Photonic-Assisted Leakage Cancellation for Wideband Frequency Modulation Continuous-Wave Radar Transceiver; *JLT March 15, 2020 1178-1183*
- Li, P., see Teng, C., *JLT Oct. 1, 2020 5406-5411*
- Li, P., see Dai, Z., *JLT Oct. 1, 2020 5327-5332*
- Li, Q., see Huang, C., *JLT March 15, 2020 1506-1512*
- Li, Q., see Huang, R., *JLT March 15, 2020 1522-1528*
- Li, Q., see Li, A., *JLT March 15, 2020 1341-1349*
- Li, Q., see Zhao, Y., *JLT Aug. 15, 2020 4385-4396*
- Li, Q., see Zhao, Z., *JLT Sept. 1, 2020 4808-4816*
- Li, Q., see Huang, J., *JLT Dec. 15, 2020 6932-6938*
- Li, S., see Brusberg, L., *JLT March 15, 2020 1350-1357*
- Li, S., Cheng, M., Chen, Y., Fan, C., Deng, L., Zhang, M., Fu, S., Tang, M., Shum, P.P., and Liu, D., Enhancing the Physical Layer Security of OFDM-PONs With Hardware Fingerprint Authentication: A Machine Learning Approach; *JLT June 15, 2020 3238-3245*
- Li, S., see Cheng, Z., *JLT July 1, 2020 3533-3539*
- Li, S., see Liu, Y., *JLT Feb. 15, 2020 919-928*
- Li, W., see Xu, J., *JLT Jan. 15, 2020 522-530*
- Li, W., see Han, T., *JLT April 15, 2020 2383-2391*
- Li, W., see Xu, Y., *JLT July 15, 2020 3775-3780*
- Li, W., see Tu, J., *JLT Aug. 15, 2020 4497-4503*
- Li, W., see Jia, S., *JLT Sept. 1, 2020 4715-4721*
- Li, W., see Yu, J., *JLT April 1, 2020 1880-1886*
- Li, W., see Zhu, S., *JLT Oct. 1, 2020 5270-5277*
- Li, W., see Zhang, L., *JLT Nov. 1, 2020 6057-6062*
- Li, X., Yu, J., and Chang, G., Photonics-Aided Millimeter-Wave Technologies for Extreme Mobile Broadband Communications in 5G; *JLT Jan. 15, 2020 366-378*
- Li, X., see Zhang, J., *JLT Jan. 15, 2020 185-193*
- Li, X., see Jacques, M., *JLT June 1, 2020 2877-2885*
- Li, X., see Xing, Z., *JLT June 1, 2020 2968-2975*
- Li, X., Zhang, S., Liu, J., and Yang, Z., Using Reverse Saturable Absorption to Boost Broadband Noise-Like Pulses; *JLT July 15, 2020 3769-3774*
- Li, X., see Zhang, H., *JLT April 1, 2020 1688-1692*
- Li, X., see Zhu, J., *JLT Sept. 15, 2020 5163-5169*
- Li, X., see Kang, B., *JLT Nov. 1, 2020 5962-5972*
- Li, X., Xing, Z., Alam, M.S., Mousa-Pasandi, M.E., O'Sullivan, M., and Plant, D.V., Demonstration of C-Band Amplifier-Free 100 Gb/s/λ Direct-Detection Links Beyond 40-km SMF Using a High-Power SSB Transmitter; *JLT Nov. 15, 2020 6170-6177*
- Li, X., see Wang, K., *JLT Feb. 1, 2020 590-597*
- Li, X., see You, M., *JLT Oct. 15, 2020 5768-5773*
- Li, Y., see Zhu, Y., *JLT Jan. 1, 2020 67-74*
- Li, Y., see Hong, S., *JLT March 1, 2020 1010-1018*
- Li, Y., see Li, J., *JLT April 15, 2020 2285-2291*
- Li, Y., see Chen, W., *JLT Aug. 1, 2020 4000-4008*
- Li, Y., see Yang, S., *JLT Aug. 1, 2020 3935-3941*
- Li, Y., Wen, A., and Shan, D., An Analog Photonic Down-Conversion Link With Simultaneous IMD3 Distortion Suppression and Dispersion-Induced Power Fading Compensation; *JLT Aug. 1, 2020 3908-3917*
- Li, Y., Chen, W., Bose, S.K., and Shen, G., Efficient Multi-Stage Deployment of Ultra-Low Loss Fibers in Elastic Optical Networks; *JLT July 15, 2020 3542-3552*
- Li, Y., see Luo, Z., *JLT Aug. 15, 2020 4560-4571*
- Li, Y., see Guo, T., *JLT Aug. 15, 2020 4588-4595*

- Li, Y., see Xiong, W., *JLT* April 1, 2020 1712-1721
- Li, Y., see Zhang, S., *JLT* April 1, 2020 1929-1935
- Li, Y., see Yuan, Q., *JLT* Feb. 15, 2020 881-888
- Li, Y., see She, S., *JLT* Dec. 15, 2020 6924-6931
- Li, Y., see Tang, F., *JLT* Oct. 15, 2020 5595-5607
- Li, Z., see Mao, B., *JLT* Aug. 1, 2020 4052-4060
- Li, Z., Wang, W., Zou, D., Li, F., Li, J., and Sui, Q., DFT Spread Spectrally Efficient Frequency Division Multiplexing for IM-DD Transmission in C-Band; *JLT* July 1, 2020 3526-3532
- Li, Z., see Li, Z., *JLT* July 1, 2020 3526-3532
- Li, Z., see Zou, D., *JLT* July 1, 2020 3445-3453
- Li, Z., see Zou, D., *JLT* July 1, 2020 3445-3453
- Li, Z., see Zhang, J., *JLT* July 15, 2020 3573-3583
- Li, Z., see Tu, J., *JLT* Aug. 15, 2020 4497-4503
- Li, Z., see Wang, W., *JLT* Aug. 15, 2020 4341-4351
- Li, Z., see Wang, W., *JLT* Aug. 15, 2020 4341-4351
- Li, Z., see Zhu, Y., *JLT* Sept. 1, 2020 4817-4823
- Li, Z., see Song, J., *JLT* Oct. 1, 2020 5293-5301
- Li, Z., see Wang, H., *JLT* Sept. 15, 2020 5048-5055
- Li, Z., see She, S., *JLT* Dec. 15, 2020 6924-6931
- Li, Z., see Li, L., *JLT* Dec. 15, 2020 6845-6852
- Li, Z., see Zou, D., *JLT* Oct. 15, 2020 5649-5655
- Li, Z., see Zou, D., *JLT* Oct. 15, 2020 5649-5655
- Lian, J., and Brandt-Pearce, M., Multiuser Visible Light Communication Systems Using OFDMA; *JLT* Nov. 1, 2020 6015-6023
- Lian, X., Farrell, G., Wu, Q., Han, W., Shen, C., Ma, Y., and Semenova, Y., Spectral Dependence of Transmission Losses in High-Index Polymer Coated No-Core Fibers; *JLT* Nov. 15, 2020 6352-6361
- Liang, C., see Ge, L., *JLT* March 15, 2020 1323-1329
- Liang, C., see Jiang, S., *JLT* April 15, 2020 2376-2382
- Liang, D., see Wang, B., *JLT* June 15, 2020 3156-3163
- Liang, D., Roshan-Zamir, A., Fan, Y., Zhang, C., Wang, B., Descos, A., Shen, W., Yu, K., Li, C., Fan, G., Kureczveil, G., Hu, Y., Huang, Z., Fiorentino, M., Kumar, S., Palermo, S.M., and Beausoleil, R.G., Fully-Integrated Heterogeneous DML Transmitters for High-Performance Computing; *JLT* July 1, 2020 3322-3337
- Liang, D., see Yuan, Y., *JLT* Sept. 1, 2020 4857-4866
- Liang, L., see Ran, Y., *JLT* April 15, 2020 2434-2440
- Liang, X., see Downie, J.D., *JLT* June 15, 2020 3214-3220
- Liang, X., see Downie, J.D., *JLT* June 1, 2020 3015-3022
- Liang, X., see Zhong, M., *JLT* Aug. 15, 2020 4533-4539
- Liang, X., Cheng, R., Shen, X., Yu, P., Dai, T., and Qiu, H., Spectral-Distortionless, Flat-Top, Drop-Filter Based on Complementarily-Misaligned Multimode-Waveguide Bragg Gratings; *JLT* Dec. 1, 2020 6600-6604
- Liang, X., see Zou, R., *JLT* Nov. 15, 2020 6402-6411
- Liang, X., see Chen, H., *JLT* Dec. 15, 2020 6833-6844
- Liang, Y., see Wang, H., *JLT* Nov. 15, 2020 6327-6333
- Liao, C., see Yang, K., *JLT* March 15, 2020 1474-1479
- Liao, C., see Zhao, X., *JLT* March 15, 2020 1550-1556
- Liao, C., see Zhao, Y., *JLT* April 15, 2020 2504-2510
- Liao, C., see Lin, Z., *JLT* Aug. 15, 2020 4470-4477
- Liao, M., see Liu, Z., *JLT* Jan. 15, 2020 240-248
- Liao, P., see Fallahpour, A., *JLT* Jan. 15, 2020 359-365
- Liao, P., see Zhang, Z., *JLT* Dec. 1, 2020 6584-6590
- Liao, Y., see Hou, Y., *JLT* Nov. 15, 2020 6412-6421
- Liaw, S., see Zhang, L., *JLT* April 1, 2020 1966-1974
- Liboiron-Ladouceur, O., see Shokraneh, F., *JLT* March 15, 2020 1258-1267
- Liga, G., see Oliari, V., *JLT* June 15, 2020 3114-3124
- LiKamWa, P., see Teng, M., *JLT* Jan. 1, 2020 6-17
- Likhov, V.V., see Okhrimchuk, A.G., *JLT* March 15, 2020 1492-1500
- Lim, B., see Sung, M., *JLT* Jan. 15, 2020 409-420
- Lim, B., see Kim, J., *JLT* Jan. 1, 2020 101-111
- Lim, C., see McDonald, N., *JLT* July 15, 2020 3584-3591
- Lim, C., see Song, T., *JLT* Aug. 15, 2020 4250-4259
- Lim, H., see Alaghbari, K.A., *JLT* Aug. 1, 2020 3839-3849
- Lin, D., see Noor, S.L., *JLT* Sept. 15, 2020 5092-5099
- Lin, D., see Wang, B., *JLT* Feb. 15, 2020 946-952
- Lin, G., see Lin, Y., *JLT* April 15, 2020 2144-2151
- Lin, G., see Wang, H., *JLT* Dec. 1, 2020 6612-6622
- Lin, G., see Huang, C., *JLT* Feb. 1, 2020 573-582
- Lin, G., see Huang, C., *JLT* Dec. 15, 2020 6746-6758
- Lin, H., see Lin, Y., *JLT* April 15, 2020 2144-2151
- Lin, J., see Zhalehpour, S., *JLT* Jan. 15, 2020 256-264
- Lin, J., Chiu, C., Mo, T., and Lee, C., All-Optical Directional Control of Emission in a Photonic Liquid Crystal Fiber Laser; *JLT* Sept. 15, 2020 5149-5156
- Lin, J., see Lin, T., *JLT* Feb. 15, 2020 820-826
- Lin, J., see Lin, T., *JLT* Feb. 15, 2020 820-826
- Lin, Q., see Chen, Y., *JLT* Oct. 15, 2020 5837-5843
- Lin, R., see Pang, X., *JLT* Jan. 15, 2020 492-503
- Lin, R., see Zhang, L., *JLT* Jan. 1, 2020 18-30
- Lin, R., see Xue, L., *JLT* Feb. 1, 2020 583-589
- Lin, S., see Xiao, Q., *JLT* Feb. 15, 2020 714-722
- Lin, T., Zou, C., Zhang, Z., Zhao, S., Liu, J., Li, J., Zhang, K., Yu, W., Wang, J., and Jiang, W., Differentiator-Based Photonic Instantaneous Frequency Measurement for Radar Warning Receiver; *JLT* Aug. 1, 2020 3942-3949
- Lin, T., Lin, J., Lin, J., Hsu, C.C., and Lee, C., All-Optical and Polarization-Independent Tunable Guided-Mode Resonance Filter Based on a Dye-Doped Liquid Crystal Incorporated With Photonic Crystal Nanostructure; *JLT* Feb. 15, 2020 820-826
- Lin, X., Cai, G., Chen, H., Liu, N., and Liu, Q.H., Modal Analysis of 2-D Material-Based Plasmonic Waveguides by Mixed Spectral Element Method With Equivalent Boundary Condition; *JLT* July 15, 2020 3677-3686
- Lin, X., see Zou, S., *JLT* Sept. 15, 2020 5136-5141
- Lin, Y., Lin, H., Wu, W., Tsai, C., Cheng, C., Shih, T., and Lin, G., 100-Gbit/s/λ EML Transmitter and PIN-PD+TIA Receiver-Based Inter-Data Center Link; *JLT* April 15, 2020 2144-2151
- Lin, Y., see Verolet, T., *JLT* Oct. 15, 2020 5708-5715
- Lin, Z., Feng, X., Zhang, Y., Lan, B., Zhang, W., Liao, C., Wang, Y., Qiu, J., and Zhou, S., Multicomponent Photonic Glass for Temperature Insensitive Fiber Probe; *JLT* Aug. 15, 2020 4470-4477
- Lin, Z., see Zhao, Z., *JLT* Sept. 1, 2020 4808-4816
- Lin, Z., see Zhang, J., *JLT* Nov. 1, 2020 5875-5882
- Lin, Z., see You, M., *JLT* Oct. 15, 2020 5768-5773
- Lindner, E., see Gotten, M., *JLT* April 15, 2020 2493-2503
- Lipatov, D.S., see Andrianov, A.V., *JLT* April 15, 2020 2464-2470
- Lipp, F., see Furdek, M., *JLT* June 1, 2020 2860-2871
- Lippiatt, D., see Varughese, S., *JLT* Sept. 15, 2020 5008-5016
- Little, B.E., see Xu, X., *JLT* Jan. 15, 2020 332-338
- Little, B.E., see Xu, X., *JLT* April 1, 2020 1722-1727
- Little, B.E., see Xu, X., *JLT* Sept. 15, 2020 5116-5121
- Little, B.E., see Tan, M., *JLT* Nov. 15, 2020 6221-6226
- Litvak, A.G., see Andrianov, A.V., *JLT* April 15, 2020 2464-2470
- Litvinov, R.V., see Shibelgut, A.A., *JLT* March 15, 2020 1454-1460
- Liu, B., see Wang, F., *JLT* June 15, 2020 3296-3304
- Liu, B., see Fang, Y., *JLT* July 1, 2020 3431-3438
- Liu, B., see Ren, J., *JLT* April 1, 2020 1728-1734
- Liu, B., see She, S., *JLT* Dec. 15, 2020 6924-6931
- Liu, C., see Fallahpour, A., *JLT* Jan. 15, 2020 359-365
- Liu, C., see Song, H., *JLT* Jan. 1, 2020 82-89
- Liu, C., see Ma, X., *JLT* Sept. 1, 2020 4772-4779
- Liu, C., see Zhang, L., *JLT* April 1, 2020 1966-1974
- Liu, C., see Ma, C., *JLT* Sept. 15, 2020 4948-4954
- Liu, C., see Wei, Y., *JLT* Sept. 15, 2020 5000-5007
- Liu, D., see Li, S., *JLT* June 15, 2020 3238-3245
- Liu, D., see Li, H., *JLT* Feb. 15, 2020 898-904
- Liu, D., see Li, H., *JLT* Feb. 15, 2020 929-938
- Liu, G., see Sheng, Q., *JLT* April 15, 2020 2547-2554
- Liu, G., Karpenko, O., Haq, M., and Han, M., Detection of Circular-Crested Lamb Waves Using Surface-Bonded Fiber-Optic Ultrasound Sensors: A Theoretical Perspective; *JLT* April 15, 2020 2555-2563
- Liu, G., see Xiao, X., *JLT* June 15, 2020 3200-3208
- Liu, G., Zhao, G., Zhang, G., Liu, Y., Lu, Q., and Guo, W., Experimental Demonstration of Directly Modulated DFB Lasers With Negative Chirp Over Wide Temperature Operation; *JLT* July 15, 2020 3663-3669

- Liu, G., see Mao, Y., *JLT Sept. 1, 2020 4787-4793*
- Liu, G., see Ma, X., *JLT Sept. 1, 2020 4772-4779*
- Liu, G., see Shang, L., *JLT Nov. 1, 2020 6104-6113*
- Liu, G., see Chen, Y., *JLT Oct. 15, 2020 5837-5843*
- Liu, H., see Zhou, X., *JLT Jan. 15, 2020 475-484*
- Liu, H., see Liu, Z., *JLT Jan. 15, 2020 240-248*
- Liu, H., see Tong, S., *JLT April 15, 2020 2450-2455*
- Liu, H., see Zhang, Z., *JLT Aug. 1, 2020 4037-4044*
- Liu, H., see Lyu, C., *JLT Aug. 1, 2020 4174-4182*
- Liu, H., see He, H., *JLT Aug. 15, 2020 4540-4547*
- Liu, H., see Hantschmann, C., *JLT Sept. 1, 2020 4801-4807*
- Liu, H., see Tan, T., *JLT Dec. 1, 2020 6591-6599*
- Liu, J., Zhang, C., Zheng, Y., Song, J., Gao, F., and Yang, D., Suppression of Nonlinear Residual Intensity Modulation in Multifunction Integrated Optic Circuit for Fiber-Optic Gyroscopes; *JLT March 15, 2020 1572-1579*
- Liu, J., Wang, F., Han, J., Hao, Y., Yang, Y., Xiao, J., and Huang, Y., All-Optical Switching and Multiple Logic Gates Based on Hybrid Square-Rectangular Laser; *JLT March 15, 2020 1382-1390*
- Liu, J., Zhao, N., Chen, Y., Zhu, M., Li, J., Rong, S., Hou, Z., and Zhou, G., Tm/Al Co-Doped Silica Glass Prepared by Laser Additive Manufacturing Technology for 2- μ m Photonic Crystal Fiber Laser; *JLT March 15, 2020 1486-1491*
- Liu, J., see Xu, J., *JLT Jan. 15, 2020 522-530*
- Liu, J., see Lin, T., *JLT Aug. 1, 2020 3942-3949*
- Liu, J., see Yu, S., *JLT July 1, 2020 3358-3365*
- Liu, J., see Wang, X., *JLT July 1, 2020 3414-3421*
- Liu, J., see Li, X., *JLT July 15, 2020 3769-3774*
- Liu, J., see Zhong, M., *JLT Aug. 15, 2020 4533-4539*
- Liu, J., see Mao, Y., *JLT Sept. 1, 2020 4787-4793*
- Liu, J., see Ma, X., *JLT Sept. 1, 2020 4772-4779*
- Liu, J., see Xiong, W., *JLT April 1, 2020 1712-1721*
- Liu, J., see Zhang, J., *JLT Nov. 1, 2020 5875-5882*
- Liu, J., see Zhang, J., *JLT Nov. 1, 2020 5875-5882*
- Liu, J., see Chen, H., *JLT Feb. 15, 2020 953-960*
- Liu, J., see Yuan, Q., *JLT Feb. 15, 2020 881-888*
- Liu, J., see You, M., *JLT Oct. 15, 2020 5768-5773*
- Liu, K., see Zhang, Y., *JLT April 15, 2020 2392-2399*
- Liu, K., see Sun, Z., *JLT Nov. 1, 2020 6038-6046*
- Liu, K., see Wang, C., *JLT Oct. 15, 2020 5825-5836*
- Liu, K., see Huang, X., *JLT Oct. 15, 2020 5783-5790*
- Liu, L., Morgan, S.P., Correia, R., Lee, S., and Korposh, S., Multi-Parameter Optical Fiber Sensing of Gaseous Ammonia and Carbon Dioxide; *JLT April 1, 2020 2037-2045*
- Liu, L., Jin, X., Ning, T., Chen, L.R., and Capmany, J., Optical Spectral Slicing Based Reconfigurable and Tunable Microwave Photonic Filter; *JLT Oct. 1, 2020 5492-5499*
- Liu, L., see Ruan, Z., *JLT Sept. 15, 2020 5100-5106*
- Liu, N., see Lin, X., *JLT July 15, 2020 3677-3686*
- Liu, N., see Yao, J., *JLT Nov. 15, 2020 6312-6320*
- Liu, Q., see Zhao, S., *JLT Nov. 15, 2020 6379-6384*
- Liu, Q., see Wang, C., *JLT Oct. 15, 2020 5825-5836*
- Liu, Q.H., see Lin, X., *JLT July 15, 2020 3677-3686*
- Liu, Q.H., see Yao, J., *JLT Nov. 15, 2020 6312-6320*
- Liu, S., see Yang, K., *JLT March 15, 2020 1474-1479*
- Liu, S., see Zhao, Y., *JLT April 15, 2020 2504-2510*
- Liu, S., Wu, K., Zhou, L., Lu, L., Zhang, B., Zhou, G., and Chen, J., Microwave Pulse Generation With a Silicon Dual-Parallel Modulator; *JLT April 15, 2020 2134-2143*
- Liu, S., see Cheng, Z., *JLT July 1, 2020 3533-3539*
- Liu, S., He, G., Zheng, Z., Ding, L., Zhou, A., Guo, H., Zhou, C., and Jiang, D., Importance of Internal Tensile Stress in Forming Low-Loss Fiber Draw-Tower Gratings; *JLT April 1, 2020 1900-1904*
- Liu, S., see Yang, L., *JLT Sept. 15, 2020 5122-5127*
- Liu, S., see Pan, X., *JLT Nov. 1, 2020 5855-5866*
- Liu, S., Wu, K., Zhou, L., Lu, L., Zhang, B., Zhou, G., and Chen, J., Repetition-Frequency-Doubled Transform-Limited Optical Pulse Generation Based on Silicon Modulators; *JLT Nov. 15, 2020 6299-6311*
- Liu, S., see Huang, L., *JLT Dec. 15, 2020 6788-6800*
- Liu, S., see Wang, M., *JLT Oct. 15, 2020 5574-5585*
- Liu, T., see Zhang, Y., *JLT April 15, 2020 2392-2399*
- Liu, T., see Wen, G., *JLT Aug. 1, 2020 4061-4074*
- Liu, T., see Zhao, J., *JLT April 1, 2020 2046-2052*
- Liu, T., see Shi, J., *JLT April 1, 2020 2010-2014*
- Liu, T., see Li, H., *JLT Feb. 15, 2020 929-938*
- Liu, T., see Wang, C., *JLT Oct. 15, 2020 5825-5836*
- Liu, T., see Huang, X., *JLT Oct. 15, 2020 5783-5790*
- Liu, W., see Tu, J., *JLT Aug. 15, 2020 4497-4503*
- Liu, W., see Zhu, Y., *JLT Sept. 1, 2020 4817-4823*
- Liu, W., see Wang, H., *JLT Sept. 15, 2020 5048-5055*
- Liu, X., see Li, A., *JLT March 15, 2020 1341-1349*
- Liu, X., see Lun, H., *JLT June 1, 2020 2992-2999*
- Liu, X., Li, J., Li, J., and Huang, Z., Analysis of the Single-FFT Receiver for Layered ACO-OFDM in Visible Light Communications; *JLT Sept. 1, 2020 4757-4764*
- Liu, X., see Yang, M., *JLT April 1, 2020 1693-1701*
- Liu, X., see Wang, D., *JLT Dec. 1, 2020 6664-6670*
- Liu, X., see Wang, P., *JLT Dec. 1, 2020 6699-6706*
- Liu, X., see Effenberger, F.J., *JLT Feb. 15, 2020 754-760*
- Liu, Y., see Liu, Z., *JLT March 15, 2020 1536-1542*
- Liu, Y., see Huang, J., *JLT March 15, 2020 1202-1209*
- Liu, Y., see Chen, S., *JLT April 15, 2020 2485-2492*
- Liu, Y., see Dai, X., *JLT April 15, 2020 2336-2345*
- Liu, Y., see Mao, B., *JLT Aug. 1, 2020 4052-4060*
- Liu, Y., see McKay, L., *JLT July 15, 2020 3624-3636*
- Liu, Y., see Su, Y., *JLT July 15, 2020 3553-3562*
- Liu, Y., see Liu, G., *JLT July 15, 2020 3663-3669*
- Liu, Y., see Zhong, M., *JLT Aug. 15, 2020 4533-4539*
- Liu, Y., see Kong, D., *JLT Sept. 1, 2020 4677-4682*
- Liu, Y., see Ma, X., *JLT Sept. 1, 2020 4772-4779*
- Liu, Y., Rose, A., Prellinger, G., Kochert, P., Zhu, J., and Pollinger, F., Combining Harmonic Laser Beams by Fiber Components for Refractivity-Compensating Two-Color Interferometry; *JLT April 1, 2020 1945-1952*
- Liu, Y., see Mao, J., *JLT Sept. 15, 2020 5205-5211*
- Liu, Y., see Wang, D., *JLT Dec. 1, 2020 6664-6670*
- Liu, Y., Li, S., Chen, H., Li, J., Zhang, W., and Wang, M., Surface Plasmon Resonance Induced High Sensitivity Temperature and Refractive Index Sensor Based on Evanescent Field Enhanced Photonic Crystal Fiber; *JLT Feb. 15, 2020 919-928*
- Liu, Y., see Wang, W., *JLT Feb. 15, 2020 981-988*
- Liu, Y., see Zou, F., *JLT Feb. 15, 2020 889-897*
- Liu, Y., Ma, L., Xiong, J., Yang, C., Tang, M., Tong, W., and He, Z., High-Speed Performance Evaluation of Graded-Index Multicore Fiber Compatible With Multimode and Quasi-single Mode Operation; *JLT Dec. 15, 2020 6870-6878*
- Liu, Y., Zhao, X., Mou, C., and Liu, Y., Mode Selective Conversion Enabled by the Long-Period Gratings Inscribed in Elliptical Core Few-Mode Fiber; *JLT March 15, 2020 1536-1542*
- Liu, Z., see Tang, X., *JLT March 15, 2020 1420-1426*
- Liu, Z., Hantschmann, C., Tang, M., Lu, Y., Park, J., Liao, M., Pan, S., Sanchez, A., Beanland, R., Martin, M., Baron, T., Chen, S., Seeds, A., Pentyl, R., White, I., and Liu, H., Origin of Defect Tolerance in InAs/GaAs Quantum Dot Lasers Grown on Silicon; *JLT Jan. 15, 2020 240-248*
- Liu, Z., and Slavik, R., Optical Injection Locking: From Principle to Applications; *JLT Jan. 1, 2020 43-59*
- Liu, Z., see Cui, J., *JLT April 15, 2020 2516-2522*
- Liu, Z., see Clark, K.A., *JLT May 1, 2020 2703-2709*
- Liu, Z., see Tu, J., *JLT Aug. 15, 2020 4497-4503*
- Liu, Z., see Hantschmann, C., *JLT Sept. 1, 2020 4801-4807*
- Liu, Z., see Sohanpal, R.S., *JLT April 1, 2020 1636-1643*
- Liu, Z., Matsui, Y., Schatz, R., Khan, F., Kwakernaak, M., and Sudo, T., 50-GHz Repetition Gain Switching Using a Cavity-Enhanced DFB Laser Assisted by Optical Injection Locking; *JLT April 1, 2020 1844-1850*
- Liu, Z., see Feng, Y., *JLT Nov. 15, 2020 6227-6236*
- Liu, Z., see Wang, Z., *JLT Feb. 15, 2020 864-874*

- Liverman, S.**, Bialek, H., Natarajan, A., and Wang, A.X., VCSEL Array-Based Gigabit Free-Space Optical Femtocell Communication; *JLT April 1, 2020* 1659-1667
- Llorente, R.**, see Morant, M., *JLT Oct. 1, 2020* 5311-5317
- Lo, J.**, see Gao, Y., *JLT Jan. 15, 2020* 265-271
- Lo, W.**, see Huang, C., *JLT Feb. 1, 2020* 573-582
- Lobanov, A.**, see Khagai, A., *JLT Nov. 1, 2020* 6114-6120
- Lochmann, S.**, see Gotten, M., *JLT April 15, 2020* 2493-2503
- Loiko, P.**, see Kifle, E., *JLT Aug. 15, 2020* 4374-4384
- Lonardi, M.**, see Bononi, A., *JLT April 15, 2020* 2201-2213
- Lonardi, M.**, Pesic, J., Jenneve, P., Ramantanis, P., Rossi, N., Ghazisaeidi, A., and Bigo, S., Optical Nonlinearity Monitoring and Launch Power Optimization by Artificial Neural Networks; *JLT May 1, 2020* 2637-2645
- Loncar, M.**, see Buscaino, B., *JLT March 15, 2020* 1400-1413
- London, Y.**, Van Vaerenbergh, T., Ramini, L., Rizzo, A.J., Sun, P., Kurczveil, G., Seyed, A., Rhim, J., Fiorentino, M., and Bergman, K., Performance Requirements for Terabit-Class Silicon Photonic Links Based on Cascaded Microring Resonators; *JLT July 1, 2020* 3469-3477
- Long, J.**, see Ran, Y., *JLT April 15, 2020* 2434-2440
- Lopez, D.L.**, see Perez, G.O., *JLT Sept. 15, 2020* 4935-4947
- Lopez, O.G.**, Van Thourhout, D., Verstuyft, S., Lopez-Amo, M., Baets, R., and Galarza, M., Vertically Coupled InP/InGaAsP Microring Lasers Using a Single Epitaxial Growth and Single-Side Lithography; *JLT Aug. 1, 2020* 3983-3987
- Lopez, V.**, see Mayoral, A., *JLT Jan. 15, 2020* 546-552
- Lopez, V.**, Zhu, B., Moniz, D., Costa, N., Pedro, J., Xu, X., Kumpera, A., Dardis, L., Rahn, J., and Sanders, S., Optimized Design and Challenges for C&L Band Optical Line Systems; *JLT March 1, 2020* 1080-1091
- Lopez, V.**, see Campanella, A., *JLT May 15, 2020* 2755-2764
- Lopez-Amo, M.**, see Lopez, O.G., *JLT Aug. 1, 2020* 3983-3987
- Lopez-Amo, M.**, see Leandro, D., *JLT Dec. 15, 2020* 6954-6960
- Lopez-Bravo, M.**, see Mayoral, A., *JLT Jan. 15, 2020* 546-552
- Lopez-Buedo, S.**, see Ruiz, M., *JLT June 15, 2020* 3180-3189
- Lopez-Higuera, J.M.**, see Roldan-Varona, P., *JLT Aug. 15, 2020* 4526-4532
- Loranger, S.**, Chen, Y., Roth, P., Frosz, M.H., Wong, G.K.L., St. J. Russell, P., Bragg Reflection and Conversion Between Helical Bloch Modes in Chiral Three-Core Photonic Crystal Fiber; *JLT Aug. 1, 2020* 4100-4107
- Lord, A.**, see Mitra, A., *JLT March 1, 2020* 1032-1040
- Lord, A.**, see Pavon-Marino, P., *JLT Aug. 1, 2020* 3801-3814
- Lord, A.**, see Ferrari, A., *JLT Aug. 15, 2020* 4279-4291
- Lores-Riesgo, A.**, Guimar, F.P., Sousa, A.N., Teixeira, A.L., Muga, N.J., Medeiros, M.C.R., and Monteiro, P.P., 200 G Outdoor Free-Space-Optics Link Using a Single-Photodiode Receiver; *JLT Jan. 15, 2020* 394-400
- Lores-Riesgo, A.**, see Guimar, F.P., *JLT Dec. 1, 2020* 6529-6541
- Lorenz, L.**, Nieweglowski, K., Al-Husseini, Z., Neumann, N., Plettemeier, D., Reitberger, T., Franke, J., and Bock, K., Aerosol Jet Printed Optical Waveguides for Short Range Communication; *JLT July 1, 2020* 3478-3484
- Lorriere, N.**, Betrancourt, N., Pasquinelli, M., Chabriel, G., Barrere, J., Escoubas, L., Wu, J., Bermudez, V., Ruiz, C.M., and Simon, J., Photovoltaic Solar Cells for Outdoor LiFi Communications; *JLT Aug. 1, 2020* 3822-3831
- Lott, J.A.**, see Haghighi, N., *JLT July 1, 2020* 3387-3394
- Lou, S.**, see Zhang, W., *JLT April 15, 2020* 2441-2449
- Lougovski, P.**, see Lukens, J.M., *JLT April 1, 2020* 1678-1687
- Low, Y.**, see Grillanda, S., *JLT Feb. 15, 2020* 804-810
- Lowery, A.J.**, Wang, T., and Corcoran, B., Enhanced Kramers-Kronig Single-Sideband Receivers; *JLT June 15, 2020* 3229-3237
- Lowery, A.J.**, see Wang, T., *JLT Nov. 15, 2020* 6214-6220
- Lu, C.**, see Adeel, M., *JLT April 15, 2020* 2539-2546
- Lu, C.**, see Zhang, Q., *JLT April 15, 2020* 2152-2157
- Lu, C.**, see Zhou, G., *JLT July 15, 2020* 3563-3572
- Lu, C.**, see Tu, J., *JLT Aug. 15, 2020* 4497-4503
- Lu, C.**, see Wang, Z., *JLT Feb. 15, 2020* 864-874
- Lu, C.**, see Luo, K., *JLT Oct. 15, 2020* 5844-5852
- Lu, H.**, see Xiao, X., *JLT June 15, 2020* 3200-3208
- Lu, H.**, see Chen, W., *JLT Aug. 1, 2020* 4000-4008
- Lu, H.**, see Li, C., *JLT April 1, 2020* 1766-1776
- Lu, H.**, see Lukens, J.M., *JLT April 1, 2020* 1678-1687
- Lu, H.**, see Guan, H., *JLT Nov. 1, 2020* 6089-6096
- Lu, H.**, see Huang, X., *JLT Nov. 1, 2020* 5883-5892
- Lu, H.**, see Wang, M., *JLT Oct. 15, 2020* 5574-5585
- Lu, J.**, see You, B., *JLT July 15, 2020* 3701-3709
- Lu, J.**, see Zhang, L., *JLT Nov. 1, 2020* 6057-6062
- Lu, J.**, see Sun, Z., *JLT Nov. 1, 2020* 6038-6046
- Lu, L.**, see Liu, S., *JLT April 15, 2020* 2134-2143
- Lu, L.**, see Chen, S., *JLT July 1, 2020* 3395-3403
- Lu, L.**, see Liu, S., *JLT Nov. 15, 2020* 6299-6311
- Lu, P.**, see Han, T., *JLT April 15, 2020* 2383-2391
- Lu, P.**, see Badar, M., *JLT Nov. 1, 2020* 6097-6103
- Lu, P.**, see Fan, D., *JLT Nov. 15, 2020* 6334-6344
- Lu, Q.**, see Dai, X., *JLT April 15, 2020* 2336-2345
- Lu, Q.**, see Liu, G., *JLT July 15, 2020* 3663-3669
- Lu, Q.**, see Ma, X., *JLT Sept. 1, 2020* 4772-4779
- Lu, Q.**, Ma, J., Duan, D., and Mao, Q., High Fidelity Picosecond Pulse Fiber Amplification With Inter-Stage Notch Filter; *JLT Nov. 1, 2020* 6082-6088
- Lu, T.**, Lai, C., and Lee, P., Enhancing Wavelength Tunability of Photonic Crystal Nanolasers by Waveguide-Like Strain Shapers; *JLT Dec. 1, 2020* 6605-6611
- Lu, X.**, Soto, M.A., Zhang, L., and Thevenaz, L., Spectral Properties of the Signal in Phase-Sensitive Optical Time-Domain Reflectometry With Direct Detection; *JLT March 15, 2020* 1513-1521
- Lu, X.**, Soto, M.A., Thomas, P.J., and Kolltveit, E., Evaluating Phase Errors in Phase-Sensitive Optical Time-Domain Reflectometry Based on I/Q Demodulation; *JLT Aug. 1, 2020* 4133-4141
- Lu, X.**, and Thomas, P.J., Numerical Modeling of Fcy OTDR Sensing Using a Refractive Index Perturbation Approach; *JLT Feb. 15, 2020* 974-980
- Lu, X.**, see Feng, C., *JLT Dec. 15, 2020* 6967-6975
- Lu, Y.**, see Liu, Z., *JLT Jan. 15, 2020* 240-248
- Lu, Y.**, see Dong, Y., *JLT April 15, 2020* 2564-2571
- Lu, Y.**, see Tang, X., *JLT Sept. 1, 2020* 4683-4690
- Lu, Y.**, see Yang, X., *JLT April 1, 2020* 2015-2021
- Lu, Z.**, see Yang, S., *JLT Aug. 1, 2020* 3935-3941
- Lu, Z.**, see Jia, S., *JLT Sept. 1, 2020* 4715-4721
- Lu, Z.**, see Mao, Y., *JLT Sept. 1, 2020* 4787-4793
- Lu, Z.**, see Zhang, Y., *JLT April 1, 2020* 1809-1816
- Luis, R.S.**, see Rademacher, G., *JLT Jan. 15, 2020* 291-296
- Luis, R.S.**, see Puttnam, B.J., *JLT Jan. 1, 2020* 123-130
- Luis, R.S.**, see Eriksson, T.A., *JLT April 15, 2020* 2214-2218
- Luis, R.S.**, Puttnam, B.J., Rademacher, G., Eriksson, T.A., Hirota, Y., Shinada, S., Ross-Adams, A., Gross, S., Withford, M., Maruyama, R., Aikawa, K., Awaji, Y., Furukawa, H., and Wada, N., Experimental Demonstration of a Petabit per Second SDM Network Node; *JLT June 1, 2020* 2886-2896
- Lukens, J.M.**, Lu, H., Qi, B., Lougovski, P., Weiner, A.M., and Williams, B.P., All-Optical Frequency Processor for Networking Applications; *JLT April 1, 2020* 1678-1687
- Lun, H.**, Fu, M., Liu, X., Wu, Y., Yi, L., Hu, W., and Zhuge, Q., Soft Failure Identification for Long-haul Optical Communication Systems Based on One-dimensional Convolutional Neural Network; *JLT June 1, 2020* 2992-2999
- Luo, B.**, see Li, P., *JLT March 15, 2020* 1178-1183
- Luo, J.**, see Zhao, Y., *JLT April 15, 2020* 2504-2510
- Luo, J.**, see Wang, H., *JLT Nov. 15, 2020* 6327-6333
- Luo, J.**, see Huang, N., *JLT Oct. 15, 2020* 5695-5707
- Luo, K.**, Wang, B., Guo, N., Yu, K., Yu, C., and Lu, C., Enhancing SNR by Anisotropic Diffusion for Brillouin Distributed Optical Fiber Sensors; *JLT Oct. 15, 2020* 5844-5852
- Luo, L.**, see Mei, Y., *JLT Nov. 15, 2020* 6385-6392
- Luo, Q.**, see Xu, J., *JLT Jan. 15, 2020* 522-530
- Luo, T.**, see Zhao, L., *JLT Nov. 15, 2020* 6265-6271
- Luo, X.**, Tuan, T.H., Saini, T.S., Nguyen, H.P.T., Suzuki, T., and Ohishi, Y., All-Fiber Mode-Locked Laser Based on Mamyshev Mechanism With High-Energy Pulse Generation at 1550 nm; *JLT March 15, 2020* 1468-1473
- Luo, Y.**, see Fan, D., *JLT Nov. 15, 2020* 6334-6344
- Luo, Y.**, see Tian, Y., *JLT Feb. 15, 2020* 834-839
- Luo, Y.**, see Chen, Y., *JLT Oct. 15, 2020* 5837-5843

- Luo, Z.**, Yu, H., Zheng, Y., Zheng, Z., Li, Y., and Jiang, X., Selective Mode Excitation in a Few-Mode Photonic Crystal Fiber for Strain Sensing With Restrained Temperature Response; *JLT Aug. 15, 2020 4560-4571*
- Lv, G.**, see Sun, Z., *JLT April 15, 2020 2299-2307*
- Lv, K.**, see Wang, X., *JLT Nov. 15, 2020 6153-6162*
- Lv, M.**, see Xue, M., *JLT Aug. 1, 2020 3859-3865*
- Lv, T.**, see Ge, Z., *JLT Dec. 1, 2020 6458-6464*
- Lv, W.**, see Chen, H., *JLT Feb. 15, 2020 953-960*
- Lv, Y.**, see Wang, P., *JLT Dec. 1, 2020 6699-6706*
- Lynn, B.**, see Song, H., *JLT Jan. 1, 2020 82-89*
- Lyu, C.**, Huo, Z., Cheng, X., Jiang, J., Alimasi, A., and Liu, H., Distributed Optical Fiber Sensing Intrusion Pattern Recognition Based on GAF and CNN; *JLT Aug. 1, 2020 4174-4182*

M

- Ma, C.**, Yang, Y., Liu, C., Fan, B., Ye, X., Zhang, Y., Wang, X., and Pan, S., Microwave Photonic Imaging Radar With a Sub-Centimeter-Level Resolution; *JLT Sept. 15, 2020 4948-4954*
- Ma, J.**, see Lu, Q., *JLT Nov. 1, 2020 6082-6088*
- Ma, J.**, see Fan, D., *JLT Nov. 15, 2020 6334-6344*
- Ma, J.**, He, J., Shi, J., Wu, K., Chen, M., Zhou, Z., and Xiao, Y., Performance Enhanced 256-QAM BIPCM-DMT System Enabled by CAZAC Precoding; *JLT Feb. 1, 2020 557-563*
- Ma, J.**, see Zhou, Z., *JLT Oct. 15, 2020 5608-5616*
- Ma, K.**, see Su, H., *JLT Aug. 1, 2020 4160-4165*
- Ma, K.**, see Jin, J., *JLT Dec. 1, 2020 6655-6663*
- Ma, L.**, see Jiang, S., *JLT April 15, 2020 2376-2382*
- Ma, L.**, see Liu, Y., *JLT Dec. 15, 2020 6870-6878*
- Ma, P.**, see McKay, L., *JLT July 15, 2020 3624-3636*
- Ma, P.**, see Chen, Y., *JLT Sept. 1, 2020 4867-4873*
- Ma, Q.**, see Fan, R., *JLT July 15, 2020 3717-3722*
- Ma, X.**, see Amin, R., *JLT Jan. 15, 2020 282-290*
- Ma, X.**, see Zou, J., *JLT Aug. 15, 2020 4447-4453*
- Ma, X.**, Chen, Q., Liu, J., Liu, Y., Sun, W., Liu, G., Liu, C., Lu, Q., and Guo, W., Demonstration of Low-Threshold and Directly Modulated Grating-Assisted Microcylinder Surface-Emitting Lasers; *JLT Sept. 1, 2020 4772-4779*
- Ma, Y.**, see Lian, X., *JLT Nov. 15, 2020 6352-6361*
- Ma, Z.**, see Amin, R., *JLT Jan. 15, 2020 282-290*
- Ma, Z.**, see Zhang, Y., *JLT April 15, 2020 2392-2399*
- Ma, Z.**, see Chen, H., *JLT Feb. 15, 2020 953-960*
- Macias-Montero, M.**, Dias, A., Sotillo, B., Moreno-Zarate, P., Ariza, R., Fernandez, P., and Solis, J., Waveguide Tapers Fabrication by Femtosecond Laser Induced Element Redistribution in Glass; *JLT Dec. 1, 2020 6578-6583*
- Madden, S.J.**, see McKay, L., *JLT July 15, 2020 3624-3636*
- Maeda, K.**, see Puttnam, B.J., *JLT Jan. 1, 2020 123-130*
- Maes, J.**, see Neto, L.A., *JLT Feb. 1, 2020 598-607*
- Magalhaes, E.**, see Wang, F., *JLT June 15, 2020 3296-3304*
- Mahajan, A.**, Christodoulou, K., Martinez, R., Spadaro, S., and Munoz, R., Modeling EDFA Gain Ripple and Filter Penalties With Machine Learning for Accurate QoT Estimation; *JLT May 1, 2020 2616-2629*
- Maharry, A.**, see Andrade, H., *JLT Aug. 15, 2020 4409-4418*
- Mahdi, M.A.**, see Al-Alimi, A.W., *JLT Dec. 1, 2020 6648-6654*
- Maher, R.**, see Sun, H., *JLT Sept. 1, 2020 4744-4756*
- Mahmoud, A.**, see Khan, M.S.I., *JLT April 1, 2020 2053-2059*
- Mahmoud, M.**, see Khan, M.S.I., *JLT April 1, 2020 2053-2059*
- Maier, M.**, see Perez, G.O., *JLT Sept. 15, 2020 4935-4947*
- Maiti, R.**, see Amin, R., *JLT Jan. 15, 2020 282-290*
- Maize, I.M.**, see Mondich, M.J., *JLT Nov. 1, 2020 5893-5907*
- Majeed, K.**, and Hranilovic, S., Performance Bounds on Passive Indoor Positioning Using Visible Light; *JLT April 15, 2020 2190-2200*
- Majewski, M.R.**, see Amin, M.Z., *JLT Oct. 15, 2020 5801-5808*
- Mak, J.C.C.**, see Thiessen, T., *JLT June 1, 2020 3000-3006*
- Makara, M.**, see Budnicki, D., *JLT Dec. 1, 2020 6685-6690*
- Makhsiyani, M.**, see Arnould, A., *JLT Jan. 15, 2020 504-508*
- Makhsiyani, M.**, see Arnould, A., *JLT Jan. 15, 2020 509-513*
- Makhsiyani, M.**, see Renaudier, J., *JLT March 1, 2020 1071-1079*
- Makovejs, S.**, see Kaliteevskiy, N.A., *JLT April 15, 2020 2253-2261*
- Makovejs, S.**, see Downie, J.D., *JLT June 1, 2020 3015-3022*
- Malacarne, A.**, Maresca, S., Scotti, F., Ghelfi, P., Serafino, G., and Bogoni, A., Coherent Dual-Band Radar-Over-Fiber Network With VCSEL-Based Signal Distribution; *JLT Nov. 15, 2020 6257-6264*
- Mangal, N.**, Missinne, J., Van Campenhout, J., Snyder, B., and Van Steenberge, G., Ball Lens Embedded Through-Package Via To Enable Backside Coupling Between Silicon Photonics Interposer and Board-Level Interconnects; *JLT April 15, 2020 2360-2369*
- Manie, Y.C.**, Peng, P., Shiu, R., Hsu, Y., Chen, Y., Shao, G., and Chiu, J., Enhancement of the Multiplexing Capacity and Measurement Accuracy of FBG Sensor System Using IWDM Technique and Deep Learning Algorithm; *JLT March 15, 2020 1589-1603*
- Manikandan, S.**, see Nambath, N., *JLT Nov. 1, 2020 5867-5874*
- Manukyan, K.**, see Fallahpour, A., *JLT Jan. 15, 2020 359-365*
- Manukyan, K.**, see Song, H., *JLT Jan. 1, 2020 82-89*
- Mao, B.**, Liu, Y., Guo, H., Zhang, H., Feng, M., He, J., Wang, Z., and Li, Z., An Accurate Method for Measuring the Proportions of Degenerated Spatial Modes in Fibers; *JLT Aug. 1, 2020 4052-4060*
- Mao, J.**, see Wang, Y., *JLT March 15, 2020 1557-1563*
- Mao, J.**, Yang, X., Liu, Y., Wang, Y., Peng, G., Rao, Y., and Gong, Y., Nanomaterial-Enhanced Fiber Optofluidic Laser Biosensor for Sensitive Enzyme Detection; *JLT Sept. 15, 2020 5205-5211*
- Mao, Q.**, see Lu, Q., *JLT Nov. 1, 2020 6082-6088*
- Mao, Y.**, Lu, Z., Liu, J., Poole, P.J., and Liu, G., Pulse Timing Jitter Estimated From Optical Phase Noise in Mode-Locked Semiconductor Quantum Dash Lasers; *JLT Sept. 1, 2020 4787-4793*
- Mao, Y.**, see Ren, J., *JLT April 1, 2020 1728-1734*
- Maras, A.**, see Peppas, K.P., *JLT March 15, 2020 1286-1295*
- Marcon, L.**, Soto, M.A., Soriano-Amat, M., Costa, L., Fernandez-Ruiz, M.R., Martins, H.F., Palmieri, L., and Gonzalez-Herraez, M., High-Resolution Chirped-Pulse -OTDR by Means of Sub-Bands Processing; *JLT Aug. 1, 2020 4142-4149*
- Mardoyan, H.**, see Heni, W., *JLT May 1, 2020 2734-2739*
- Maresca, S.**, see Serafino, G., *JLT Oct. 1, 2020 5339-5355*
- Maresca, S.**, see Malacarne, A., *JLT Nov. 15, 2020 6257-6264*
- Marino, P.P.**, see Garrich, M., *JLT June 15, 2020 3190-3199*
- Markiewicz, K.**, see Budnicki, D., *JLT Dec. 1, 2020 6685-6690*
- Marques, F.**, see Mayoral, A., *JLT Jan. 15, 2020 546-552*
- Marro, M.A.**, see Bickham, S.R., *JLT Jan. 15, 2020 297-302*
- Marrujo-Garcia, S.**, Hernandez-Romano, I., Torres-Cisneros, M., May-Arrijo, D.A., Minkovich, V.P., and Monzon-Hernandez, D., Temperature-Independent Curvature Sensor Based on In-Fiber Mach-Zehnder Interferometer Using Hollow-Core Fiber; *JLT Aug. 1, 2020 4166-4173*
- Martin, M.**, see Liu, Z., *JLT Jan. 15, 2020 240-248*
- Martin-Lopez, S.**, see Soriano-Amat, M., *JLT Sept. 15, 2020 5107-5115*
- Martinez, R.**, see Mahajan, A., *JLT May 1, 2020 2616-2629*
- Martinez, R.**, see Casellas, R., *JLT May 1, 2020 2606-2615*
- Martinez, R.**, see Nadal, L., *JLT June 1, 2020 3037-3043*
- Martins, H.F.**, see Marcon, L., *JLT Aug. 1, 2020 4142-4149*
- Martins, H.F.**, see Soriano-Amat, M., *JLT Sept. 15, 2020 5107-5115*
- Maruyama, R.**, see Luis, R.S., *JLT June 1, 2020 2886-2896*
- Mascarenhas, M.**, see Gao, Z., *JLT May 1, 2020 2646-2655*
- Mateman, R.**, see Theurer, M., *JLT May 1, 2020 2630-2636*
- Mateos, X.**, see Kifle, E., *JLT Aug. 15, 2020 4374-4384*
- Mathai, S.**, see Hooten, S., *JLT July 1, 2020 3422-3430*
- Mathai, S.**, see Wang, B., *JLT July 1, 2020 3439-3444*
- Matsui, H.**, see Morimoto, Y., *JLT July 15, 2020 3670-3676*
- Matsui, T.**, see Sakamoto, T., *JLT Aug. 15, 2020 4490-4496*
- Matsui, T.**, Sagae, Y., Sakamoto, T., and Nakajima, K., Design and Applicability of Multi-Core Fibers With Standard Cladding Diameter; *JLT Nov. 1, 2020 6065-6070*
- Matsui, Y.**, see Liu, Z., *JLT April 1, 2020 1844-1850*
- Matsumoto, K.**, see Takeshita, H., *JLT June 1, 2020 2922-2929*
- Matsumoto, M.**, Optical Signal Phase Reconstruction Based on Temporal Transport-of-Intensity Equation; *JLT Sept. 1, 2020 4722-4729*
- Matsumoto, T.**, see Konoike, R., *JLT June 1, 2020 2930-2937*

- Matsuo, S.**, see Aihara, T., *JLT June 1, 2020 2961-2967*
- Matsuo, S.**, see Hiraki, T., *JLT June 1, 2020 3030-3036*
- Matsushita, A.**, see Yamamoto, S., *JLT Jan. 15, 2020 466-474*
- Matsushita, A.**, see Sasai, T., *JLT Jan. 15, 2020 439-446*
- Matsushita, A.**, see Okamoto, S., *JLT March 1, 2020 1061-1070*
- Matsushita, A.**, Nakamura, M., Yamamoto, S., Hamaoka, F., and Kisaka, Y., 41-Tbps C-Band WDM Transmission With 10-bps/Hz Spectral Efficiency Using 1-Tbps/ λ Signals; *JLT June 1, 2020 2905-2911*
- Matsuura, H.**, see Suzuki, K., *JLT Jan. 15, 2020 226-232*
- Matsuura, H.**, see Suzuki, K., *JLT Jan. 15, 2020 233-239*
- Matsuura, H.**, see Mori, Y., *JLT March 1, 2020 1002-1009*
- Matsuura, H.**, see Konoike, R., *JLT June 1, 2020 2930-2937*
- Matsuura, M.**, Tajima, N., Nomoto, H., and Kamiyama, D., 150-W Power-Over-Fiber Using Double-Clad Fibers; *JLT Jan. 15, 2020 401-408*
- Matsuzaki, H.**, see Shindo, T., *JLT June 1, 2020 2984-2991*
- Matte-Breton, C.**, Ryf, R., Fontaine, N.K., Essiambre, R., Chen, H., Kelly, C., Messaddeq, Y., and LaRochelle, S., Modeling and Characterization of Cladding-Pumped Erbium-Ytterbium Co-Doped Fibers for Amplification in Communication Systems; *JLT April 1, 2020 1936-1944*
- Mauldin, T.**, see Yao, Z., *JLT Sept. 15, 2020 5170-5176*
- Maurya, J.B.**, and Prajapati, Y.K., Experimental Demonstration of DNA Hybridization Using Graphene Based Plasmonic Sensor Chip; *JLT Sept. 15, 2020 5191-5198*
- May-Arrijoja, D.A.**, see Marrujo-Garcia, S., *JLT Aug. 1, 2020 4166-4173*
- Mayoral, A.**, Lopez, V., Lopez-Bravo, M., Garcia-Montes, D., Gonzalez-de-Dios, O., Aguado, A., Szwedowski, R., Mrowka, K., Marques, F., Stevkovski, Z., Verchere, D., Pham-Van, Q., Tancevski, L., and Fernandez-Palacios, J., Multi-Layer Service Provisioning Over Resilient Software-Defined Partially Disaggregated Networks; *JLT Jan. 15, 2020 546-552*
- Mayoral, A.**, see Campanella, A., *JLT May 15, 2020 2755-2764*
- Mazur, M.**, see Yoshida, T., *JLT June 1, 2020 2912-2921*
- Mazur, M.**, Schroder, J., Karlsson, M., and Andrekson, P.A., Joint Superchannel Digital Signal Processing for Effective Inter-Channel Interference Cancellation; *JLT Oct. 15, 2020 5676-5684*
- Mazurczyk, M.V.**, see Cai, J., *JLT June 15, 2020 3280-3288*
- McArdle, C.**, see Le, D.D., *JLT Sept. 15, 2020 4922-4934*
- McDonald, N.**, Hollingsworth, A., Beninati, S., Lim, C., Ji, W., Shi, C., Agiorgousis, M.L., Zhang, S., and Huang, Z.R., Analysis of an Ultra-Short True Time Delay Line Optical Reservoir Computer; *JLT July 15, 2020 3584-3591*
- McKay, L.**, Merklein, M., Choudhary, A., Liu, Y., Jenkins, M., Middleton, C., Cramer, A., Chilton, A., Devenport, J., Vu, K., Choi, D., Ma, P., Madden, S.J., DeSalvo, R., and Eggleton, B.J., Broadband Brillouin Phase Shifter Utilizing RF Interference: Experimental Demonstration and Theoretical Analysis; *JLT July 15, 2020 3624-3636*
- McKinney, J.D.**, see Chen, L.R., *JLT Oct. 1, 2020 5238-5239*
- McKinney, J.D.**, see Mondich, M.J., *JLT Nov. 1, 2020 5893-5907*
- McKinstrie, C.J.**, Gain, Loss and the Shot-Noise Rule; *JLT April 15, 2020 2158-2170*
- Measson, C.**, see Dumenil, A., *JLT Sept. 15, 2020 5017-5025*
- Mecozzi, A.**, see Antonelli, C., *JLT April 1, 2020 1668-1677*
- Medeiros, M.C.R.**, see Lorences-Riesgo, A., *JLT Jan. 15, 2020 394-400*
- Medeiros, M.C.R.**, see Guiomar, F.P., *JLT Dec. 1, 2020 6529-6541*
- Mei, A.**, see Cheng, Z., *JLT July 1, 2020 3533-3539*
- Mei, L.**, see She, S., *JLT Dec. 15, 2020 6924-6931*
- Mei, Y.**, Xu, X., Luo, L., and Soga, K., Reconstruction of Distributed Strain Profile Using a Weighted Spectrum Decomposition Algorithm for Brillouin Scattering Based Fiber Optic Sensor; *JLT Nov. 15, 2020 6385-6392*
- Mekhzani, K.**, see Arnould, A., *JLT Jan. 15, 2020 504-508*
- Mekhzani, K.**, see Arnould, A., *JLT Jan. 15, 2020 509-513*
- Mekhzani, K.**, see Renaudier, J., *JLT March 1, 2020 1071-1079*
- Mekhzani, K.**, see Pham, C., *JLT April 1, 2020 1836-1843*
- Mekhzani, K.**, see Verolet, T., *JLT Oct. 15, 2020 5708-5715*
- Mekonnen, K.A.**, see Koonen, T., *JLT May 15, 2020 2842-2848*
- Melgar, A.**, Thomas, V.A., and Ralph, S.E., Multi-Objective Laser Rate Equation Based Parameter Extraction Using VCSEL Small Signal Response and RIN Spectra; *JLT Dec. 1, 2020 6437-6445*
- Melikyan, A.**, Kaneda, N., Kim, K., Baeyens, Y., and Dong, P., Differential Drive I/Q Modulator Based on Silicon Photonic Electro-Absorption Modulators; *JLT June 1, 2020 2872-2876*
- Melkumov, M.**, see Khagai, A., *JLT Nov. 1, 2020 6114-6120*
- Mello, D.A.A.**, Srinivas, H., Choutagunta, K., and Kahn, J.M., Impact of Polarization- and Mode-Dependent Gain on the Capacity of Ultra-Long-Haul Systems; *JLT Jan. 15, 2020 303-318*
- Mello, D.A.A.**, see Barbosa, F.A., *JLT April 1, 2020 1827-1835*
- Melloni, A.**, see Zanetto, F., *JLT Nov. 1, 2020 6000-6006*
- Melloni, A.**, see Memon, F.A., *JLT Feb. 15, 2020 784-791*
- Melo Pereira, L.A.**, see Borges, R.M., *JLT Feb. 1, 2020 642-653*
- Memon, F.A.**, Morichetti, F., Cantoni, M., Somaschini, C., Asa, M., Bertacco, R., Chowdhry, B.S., and Melloni, A., Silicon Oxycarbide Platform for Integrated Photonics; *JLT Feb. 15, 2020 784-791*
- Menezo, S.**, see Thiessen, T., *JLT June 1, 2020 3000-3006*
- Meng, L.**, see Zhang, L., *JLT Nov. 1, 2020 6057-6062*
- Meng, X.**, see Huang, Y., *JLT Jan. 15, 2020 194-201*
- Meng, Y.**, see Feng, Y., *JLT Nov. 15, 2020 6227-6236*
- Mergheim, K.**, see Verolet, T., *JLT Oct. 15, 2020 5708-5715*
- Mergo, P.**, see Napiorkowski, M., *JLT March 15, 2020 1372-1381*
- Mergo, P.**, see Budnicki, D., *JLT Dec. 1, 2020 6685-6690*
- Merklein, M.**, see McKay, L., *JLT July 15, 2020 3624-3636*
- Merzlikin, A.M.**, see Kornienko, V.V., *JLT Sept. 1, 2020 4794-4800*
- Mesaritakis, C.**, see Deligiannidis, S., *JLT Nov. 1, 2020 5991-5999*
- Messaddeq, Y.**, see Matte-Breton, C., *JLT April 1, 2020 1936-1944*
- Mi, Y.**, see Tang, M., *JLT July 15, 2020 3745-3750*
- Mi, Y.**, see Cao, M., *JLT Dec. 15, 2020 6911-6917*
- Miao, P.**, Chen, G., Wang, X., Yao, Y., and Chambers, J.A., Adaptive Nonlinear Equalization Combining Sparse Bayesian Learning and Kalman Filtering for Visible Light Communications; *JLT Dec. 15, 2020 6732-6745*
- Miao, Y.**, see Bai, Y., *JLT Feb. 15, 2020 840-845*
- Michalik, D.**, Stefaniuk, T., and Buczynski, R., Dispersion Management in Hybrid Optical Fibers; *JLT March 15, 2020 1427-1434*
- Michel, J.**, see Gu, T., *JLT July 1, 2020 3319-3321*
- Middleton, C.**, see McKay, L., *JLT July 15, 2020 3624-3636*
- Midilli, Y.**, and Ortac, B., Demonstration of an All-Fiber Ultra-Low Numerical Aperture Ytterbium-Doped Large Mode Area Fiber in a Master Oscillator Power Amplifier Configuration Above 1 kW Power Level; *JLT April 1, 2020 1915-1920*
- Mikeska, D.C.**, see Urick, V.J., *JLT March 15, 2020 1268-1274*
- Milenko, K.**, Fuglerud, S.S., Aksnes, A., Ellingsen, R., and Hjelle, D.R., Optimization of SERS Sensing With Micro-Lensed Optical Fibers and Au Nano-Film; *JLT April 1, 2020 2081-2085*
- Milione, G.**, see Huang, M., *JLT Jan. 1, 2020 75-81*
- Miliou, A.**, see Tsakyridis, A., *JLT Sept. 1, 2020 4607-4617*
- Miliou, A.**, see Ruggeri, E., *JLT Oct. 1, 2020 5368-5374*
- Millar, D.S.**, see Fehenberger, T., *JLT Jan. 15, 2020 457-465*
- Millar, D.S.**, see Fehenberger, T., *JLT May 15, 2020 2826-2834*
- Millar, D.S.**, see Koike-Akino, T., *JLT June 1, 2020 3059-3066*
- Miller, D.A.B.**, see Choutagunta, K., *JLT Feb. 15, 2020 723-735*
- Milosevic, M.M.**, Chen, X., Yu, X., Dinsdale, N.J., Aktas, O., Oo, S.Z., Khokhar, A.Z., Thomson, D.J., Muskens, O.L., Chong, H.M.H., Peacock, A.C., Saito, S., and Reed, G.T., Ion Implantation of Germanium Into Silicon for Critical Coupling Control of Racetrack Resonators; *JLT April 1, 2020 1865-1873*
- Milovancev, D.**, Vokic, N., Hubel, H., and Schrenk, B., Gb/s Visible Light Communication With Low-Cost Receiver Based on Single-Color LED; *JLT June 15, 2020 3305-3314*
- Milovancev, D.**, see Schrenk, B., *JLT June 1, 2020 2976-2983*
- Minasian, R.A.**, see Tian, X., *JLT Oct. 1, 2020 5440-5449*
- Ming, J.**, see Guan, H., *JLT Nov. 1, 2020 6089-6096*
- Minkovich, V.P.**, see Marrujo-Garcia, S., *JLT Aug. 1, 2020 4166-4173*
- Mino, S.**, see Cincotti, G., *JLT Jan. 15, 2020 346-351*
- Minoguchi, K.**, see Okamoto, S., *JLT March 1, 2020 1061-1070*
- Minoia, G.**, see Li, D., *JLT Sept. 15, 2020 4978-4986*
- Mirbaghestan, K.**, see Ansari, N., *JLT Dec. 1, 2020 6678-6684*
- Miri, M.**, see Karimi, A., *JLT April 15, 2020 2346-2352*
- Miscuglio, M.**, see Amin, R., *JLT Jan. 15, 2020 282-290*

- Missinne, J.**, see Mangal, N., *JLT April 15, 2020 2360-2369*
- Missinne, J.**, see Radosavljevic, A., *JLT Aug. 1, 2020 3965-3973*
- Mitchell, A.**, see Xu, X., *JLT Jan. 15, 2020 332-338*
- Mitchell, A.**, see Xu, X., *JLT April 1, 2020 1722-1727*
- Mitchell, A.**, see Xu, X., *JLT Sept. 15, 2020 5116-5121*
- Mitchell, A.**, see Tan, M., *JLT Nov. 15, 2020 6221-6226*
- Mitchell, J.**, see Hasanuzzaman, G.K.M., *JLT Oct. 1, 2020 5240-5247*
- Mitchell, P.**, see Rommel, S., *JLT Oct. 1, 2020 5412-5422*
- Mitra, A.**, Semrau, D., Gahlawat, N., Srivastava, A., Bayvel, P., and Lord, A., Effect of Channel Launch Power on Fill Margin in C+L Band Elastic Optical Networks; *JLT March 1, 2020 1032-1040*
- Mitra, J.**, see Jana, M., *JLT Dec. 15, 2020 6719-6731*
- Mitsolidou, C.**, see Pitris, S., *JLT July 1, 2020 3366-3375*
- Miyamoto, Y.**, see Ogiso, Y., *JLT Jan. 15, 2020 249-255*
- Miyamoto, Y.**, see Shibahara, K., *JLT Jan. 15, 2020 514-521*
- Miyamoto, Y.**, see Jung, Y., *JLT June 1, 2020 2938-2943*
- Miyamoto, Y.**, see Shibahara, K., *JLT Sept. 15, 2020 4969-4977*
- Mizuno, T.**, see Shibahara, K., *JLT Jan. 15, 2020 514-521*
- Mizuno, T.**, see Jung, Y., *JLT June 1, 2020 2938-2943*
- Mizuno, T.**, see Shibahara, K., *JLT Sept. 15, 2020 4969-4977*
- Mo, B.**, see Duan, S., *JLT Oct. 1, 2020 5509-5516*
- Mo, T.**, see Lin, J., *JLT Sept. 15, 2020 5149-5156*
- Moazzeni, S.**, see Wang, R., *JLT Jan. 1, 2020 139-149*
- Moehrl, M.**, see Theurer, M., *JLT May 1, 2020 2630-2636*
- Moeneclaeys, B.**, see Li, H., *JLT Jan. 15, 2020 386-393*
- Moghaddam, E.E.**, Beyranvand, H., and Salehi, J.A., Crosstalk-Aware Resource Allocation in Survivable Space-Division-Multiplexed Elastic Optical Networks Supporting Hybrid Dedicated and Shared Path Protection; *JLT March 15, 2020 1095-1102*
- Mohrle, M.**, see Happach, M., *JLT Sept. 1, 2020 4824-4833*
- Mohs, G.**, see Bolshtyansky, M.A., *JLT March 15, 2020 1296-1304*
- Monari, J.**, see Nanni, J., *JLT Oct. 1, 2020 5393-5405*
- Mondal, W.U.**, Roy, D., Dutta, S., and Das, G., Economics of Resilient TWDM PONs; *JLT April 15, 2020 2114-2126*
- Mondich, M.J.**, McKinney, J.D., Bucholtz, F., Singley, J.M., Maize, I.M., and Williams, K.J., Group Delay-Based Wideband Photonic Receive-Mode Radio-Frequency Beamforming; *JLT Nov. 1, 2020 5893-5907*
- Moniz, D.**, see Lopez, V., *JLT March 1, 2020 1080-1091*
- Monteiro, P.P.**, see Lorences-Riesgo, A., *JLT Jan. 15, 2020 394-400*
- Monteiro, P.P.**, see Guomar, F.P., *JLT Dec. 1, 2020 6529-6541*
- Monzon-Hernandez, D.**, see Marrujo-Garcia, S., *JLT Aug. 1, 2020 4166-4173*
- Mookherjee, S.**, see Wang, X., *JLT Jan. 1, 2020 166-173*
- Moon, K.**, see Lee, E.S., *JLT Aug. 15, 2020 4237-4243*
- Morales, A.**, see Rommel, S., *JLT Oct. 1, 2020 5412-5422*
- Moralis-Pegios, M.**, see Pitris, S., *JLT July 1, 2020 3366-3375*
- Moralis-Pegios, M.**, see Tsakyridis, A., *JLT Sept. 1, 2020 4607-4617*
- Moralis-Pegios, M.**, see Zanetto, F., *JLT Nov. 1, 2020 6000-6006*
- Morandotti, R.**, see Xu, X., *JLT Jan. 15, 2020 332-338*
- Morandotti, R.**, see Xu, X., *JLT April 1, 2020 1722-1727*
- Morandotti, R.**, see Xu, X., *JLT Sept. 15, 2020 5116-5121*
- Morandotti, R.**, see Tan, M., *JLT Nov. 15, 2020 6221-6226*
- Morant, M.**, Trinidad, A., Tangdionga, E., Koonen, T., and Llorente, R., Multi-Beamforming Provided by Dual-Wavelength True Time Delay PIC and Multicore Fiber; *JLT Oct. 1, 2020 5311-5317*
- Morbi, Z.**, see Sun, H., *JLT Sept. 1, 2020 4744-4756*
- Moreno-Muro, F.**, see Garrich, M., *JLT June 15, 2020 3190-3199*
- Moreno-Muro, F.**, see Pavon-Marino, P., *JLT Aug. 1, 2020 3801-3814*
- Moreno-Zarate, P.**, see Macias-Montero, M., *JLT Dec. 1, 2020 6578-6583*
- Morgan, S.P.**, see Liu, L., *JLT April 1, 2020 2037-2045*
- Mori, Y.**, Honda, E., Shiraki, R., Suzuki, K., Matsuura, H., Kawashima, H., Namiki, S., Ikeda, K., and Sato, K., Wavelength-Division Demultiplexing Enhanced by Silicon-Photonic Tunable Filters in Ultra-Wideband Optical-Path Networks; *JLT March 1, 2020 1002-1009*
- Morichetti, F.**, see Memon, F.A., *JLT Feb. 15, 2020 784-791*
- Morimoto, Y.**, Matsui, H., Hikita, M., and Ishigure, T., Polarization Dependence of Optical Properties of Single-Mode Polymer Optical Waveguides Fabricated Under Different Processes at 1310/1550 nm; *JLT July 15, 2020 3670-3676*
- Morita, I.**, see Beppu, S., *JLT May 15, 2020 2835-2841*
- Moroney, N.**, Bino, L.D., Woodley, M.T.M., Ghalanos, G.N., Silver, J.M., Sveta, A.O., Zhang, S., Del'Haye, P., Logic Gates Based on Interaction of Counter-propagating Light in Microresonators; *JLT March 15, 2020 1414-1419*
- Morris, T.A.**, and Dignonnet, M.J.F., Discrete Model of Backscattering Drift in Fiber Optic Gyroscopes; *JLT April 1, 2020 1981-1987*
- Morris, T.A.**, and Dignonnet, M.J.F., Broadened-Laser-Driven Polarization-Maintaining Hollow-Core Fiber Optic Gyroscopes; *JLT Feb. 15, 2020 905-911*
- Morrissey, P.**, see Abrams, N.C., *JLT July 1, 2020 3346-3357*
- Morshnev, S.K.**, see Przhivalkovskiy, Y.V., *JLT Dec. 15, 2020 6879-6885*
- Morton, P.A.**, see Blumenthal, D.J., *JLT July 1, 2020 3376-3386*
- Moser, P.**, see Haghighi, N., *JLT July 1, 2020 3387-3394*
- Moss, D.**, see Xu, X., *JLT April 1, 2020 1722-1727*
- Moss, D.J.**, see Xu, X., *JLT Jan. 15, 2020 332-338*
- Moss, D.J.**, see Xu, X., *JLT Sept. 15, 2020 5116-5121*
- Moss, D.J.**, see Tan, M., *JLT Nov. 15, 2020 6221-6226*
- Motorin, S.E.**, see Okhrimchuk, A.G., *JLT March 15, 2020 1492-1500*
- Mou, C.**, see Liu, Z., *JLT March 15, 2020 1536-1542*
- Mou, C.**, see Cheng, X., *JLT April 15, 2020 2471-2476*
- Mou, C.**, see Zou, F., *JLT Feb. 15, 2020 889-897*
- Mou, W.**, see Zhang, R., *JLT March 15, 2020 1138-1147*
- Mou, W.**, see Zhang, R., *JLT Aug. 15, 2020 4260-4269*
- Mou, W.**, see Zhang, R., *JLT Nov. 1, 2020 6024-6030*
- Mourgias-Alexandris, G.**, see Tsakyridis, A., *JLT Sept. 1, 2020 4607-4617*
- Mourgias-Alexandris, G.**, Totovic, A., Tsakyridis, A., Passalis, N., Vysokinos, K., Tefas, A., and Pleros, N., Neuromorphic Photonics With Coherent Linear Neurons Using Dual-IQ Modulation Cells; *JLT Feb. 15, 2020 811-819*
- Mousa-Pasandi, M.E.**, see Li, X., *JLT Nov. 15, 2020 6170-6177*
- Mrowka, K.**, see Mayoral, A., *JLT Jan. 15, 2020 546-552*
- Mu, H.**, see Ding, Q., *JLT Dec. 1, 2020 6569-6577*
- Muga, N.J.**, see Lorences-Riesgo, A., *JLT Jan. 15, 2020 394-400*
- Muga, N.J.**, see Patel, R.K., *JLT Aug. 15, 2020 4205-4212*
- Mukherjee, B.**, see Xu, S., *JLT May 1, 2020 2656-2668*
- Mukherjee, T.**, see Khan, M.S.I., *JLT April 1, 2020 2053-2059*
- Mumtaz, F.**, Dai, Y., and Ashraf, M.A., Inter-Cross De-Modulated Refractive Index and Temperature Sensor by an Etched Multi-Core Fiber of a MZI Structure; *JLT Dec. 15, 2020 6948-6953*
- Muniz-Canovas, P.**, see Barmenkov, Y.O., *JLT July 15, 2020 3751-3758*
- Munoz, R.**, see Mahajan, A., *JLT May 1, 2020 2616-2629*
- Munoz, R.**, see Casellas, R., *JLT May 1, 2020 2606-2615*
- Munoz, R.**, see Nadal, L., *JLT June 1, 2020 3037-3043*
- Munoz, R.**, see Rumipamba-Zambrano, R., *JLT Nov. 15, 2020 6137-6152*
- Muqaddas, A.S.**, see Wang, R., *JLT Jan. 1, 2020 139-149*
- Muqaddas, A.S.**, see Garrich, M., *JLT June 15, 2020 3190-3199*
- Murakawa, T.**, see Cincotti, G., *JLT Jan. 15, 2020 346-351*
- Murao, T.**, see Ohata, N., *JLT June 15, 2020 3246-3251*
- Murata, H.**, Millimeter-Wave-Band Electro-Optic Modulators Using Antenna-Coupled Electrodes for Microwave Photonic Applications; *JLT Oct. 1, 2020 5485-5491*
- Murayama, H.**, see Leandro, D., *JLT Dec. 15, 2020 6954-6960*
- Musetti, S.**, see Serena, P., *JLT March 1, 2020 1019-1031*
- Muskens, O.L.**, see Milosevic, M.M., *JLT April 1, 2020 1865-1873*
- Musumeci, F.**, see Yu, H., *JLT March 15, 2020 1125-1137*
- Musumeci, F.**, see Ibrahim, M., *JLT June 15, 2020 3221-3228*
- Myslivets, E.**, see Serahati, Z., *JLT March 15, 2020 1194-1201*

N

- Nadal, L.**, Svaluto Moreolo, M., Hernandez, J.A., Fabrega, J.M., Casellas, R., Munoz, R., Vilalta, R., Rodriguez, L., Vilchez, F.J., and Martinez, R., SDN-Enabled S-BVT for Disaggregated Networks: Design, Implementation and Cost Analysis; *JLT June 1, 2020 3037-3043*
- Nady, A.**, Semaan, G., Kemel, M., Salhi, M., and Sanchez, F., Polarization-Color Domain Walls in Fiber Ring Lasers; *JLT Dec. 15, 2020 6905-6910*
- Naem, K.**, Chung, Y., and Kim, B.H., Sagnac Interferometer Based on a Highly-Birefringent Two-Core PCF: Theory, Experiment, and Sensing Characteristics; *JLT Sept. 15, 2020 5177-5190*
- Naemi, A.**, see Noor, S.L., *JLT Sept. 15, 2020 5092-5099*
- Nagashima, T.**, see Cincotti, G., *JLT Jan. 15, 2020 346-351*
- Nagatani, M.**, see Ogiso, Y., *JLT Jan. 15, 2020 249-255*
- Nagatani, M.**, see Ozaki, J., *JLT Sept. 15, 2020 5086-5091*
- Nagatsuma, T.**, see Headland, D., *JLT Dec. 15, 2020 6853-6862*
- Nakagawa, J.**, see Neto, L.A., *JLT Feb. 1, 2020 598-607*
- Nakajima, K.**, see Shibahara, K., *JLT Jan. 15, 2020 514-521*
- Nakajima, K.**, see Jung, Y., *JLT June 1, 2020 2938-2943*
- Nakajima, K.**, see Sakamoto, T., *JLT Aug. 15, 2020 4490-4496*
- Nakajima, K.**, see Matsui, T., *JLT Nov. 1, 2020 6065-6070*
- Nakamura, K.**, see Kanno, A., *JLT Jan. 1, 2020 112-122*
- Nakamura, M.**, see Yamamoto, S., *JLT Jan. 15, 2020 466-474*
- Nakamura, M.**, see Sasai, T., *JLT Jan. 15, 2020 439-446*
- Nakamura, M.**, see Ogiso, Y., *JLT Jan. 15, 2020 249-255*
- Nakamura, M.**, see Shibahara, K., *JLT Jan. 15, 2020 514-521*
- Nakamura, M.**, see Okamoto, S., *JLT March 1, 2020 1061-1070*
- Nakamura, M.**, see Matsushita, A., *JLT June 1, 2020 2905-2911*
- Nakamura, T.**, see Jeong, S., *JLT May 1, 2020 2680-2687*
- Nakanishi, Y.**, see Shindo, T., *JLT June 1, 2020 2984-2991*
- Nakano, Y.**, see Tanemura, T., *JLT Jan. 15, 2020 447-456*
- Nakano, Y.**, see Tanomura, R., *JLT Jan. 1, 2020 60-66*
- Nakarmi, B.**, see Chen, H., *JLT Oct. 1, 2020 5500-5508*
- Nakkeeran, K.**, see Huang, C., *JLT March 15, 2020 1506-1512*
- Nakkeeran, K.**, see Huang, J., *JLT Dec. 15, 2020 6932-6938*
- Nambath, N.**, Ashok, R., Manikandan, S., Thaker, N.B., Anghan, M., Kamran, R., Anmadwar, S., and Gupta, S., All-Analog Adaptive Equalizer for Coherent Data Center Interconnects; *JLT Nov. 1, 2020 5867-5874*
- Namiki, S.**, see Suzuki, K., *JLT Jan. 15, 2020 226-232*
- Namiki, S.**, see Pelusi, M., *JLT Jan. 15, 2020 319-331*
- Namiki, S.**, see Suzuki, K., *JLT Jan. 15, 2020 233-239*
- Namiki, S.**, see Napoli, A., *JLT March 1, 2020 998-1001*
- Namiki, S.**, see Mori, Y., *JLT March 1, 2020 1002-1009*
- Namiki, S.**, see Konoike, R., *JLT June 1, 2020 2930-2937*
- Namiki, S.**, see Pelusi, M., *JLT Aug. 15, 2020 4221-4236*
- Nanii, O.**, see Nikitin, S., *JLT March 15, 2020 1446-1453*
- Nanni, J.**, Giovannini, A., Hadi, M.U., Lenzi, E., Rusticelli, S., Wayth, R., Perini, F., Monari, J., and Tartarini, G., Controlling Rayleigh-Backscattering-Induced Distortion in Radio Over Fiber Systems for Radioastronomic Applications; *JLT Oct. 1, 2020 5393-5405*
- Napierala, M.**, see Budnicki, D., *JLT Dec. 1, 2020 6685-6690*
- Napiorkowski, M.**, Zolnacz, K., Statkiewicz-Barabach, G., Bernas, M., Kiczor, A., Mergo, P., and Urbanczyk, W., Twist Induced Mode Confinement in Partially Open Ring of Holes; *JLT March 15, 2020 1372-1381*
- Napoli, A.**, Fischer, J.K., Namiki, S., Filer, M.M., and Curri, V., Guest Editorial-Ultra Wideband WDM Systems; *JLT March 1, 2020 998-1001*
- Napoli, A.**, see Sambo, N., *JLT May 1, 2020 2598-2605*
- Napoli, A.**, see Ferrari, A., *JLT Aug. 15, 2020 4279-4291*
- Napoli, A.**, see Sun, H., *JLT Sept. 1, 2020 4744-4756*
- Nasilowski, T.**, see Budnicki, D., *JLT Dec. 1, 2020 6685-6690*
- Natalino, C.**, see Furdek, M., *JLT June 1, 2020 2860-2871*
- Natarajan, A.**, see Liverman, S., *JLT April 1, 2020 1659-1667*
- Nee, J.**, see Gao, Y., *JLT Jan. 15, 2020 265-271*
- Negut, D.**, see Fan, D., *JLT Nov. 15, 2020 6334-6344*
- Neilson, D.**, see Arnould, A., *JLT Jan. 15, 2020 504-508*
- Neilson, D.**, see Renaudier, J., *JLT March 1, 2020 1071-1079*
- Neilson, D.**, see Grillanda, S., *JLT Feb. 15, 2020 804-810*
- Neilson, D.T.**, see Chen, H., *JLT May 1, 2020 2587-2597*
- Neilson, D.T.**, see Zhang, Y., *JLT Nov. 15, 2020 6286-6291*
- Neitz, M.**, see Brusberg, L., *JLT March 15, 2020 1350-1357*
- Nejabati, R.**, see Wang, R., *JLT Jan. 1, 2020 139-149*
- Nejabati, R.**, see Yan, Y., *JLT May 1, 2020 2688-2694*
- Nejabati, R.**, see Gao, Z., *JLT May 1, 2020 2646-2655*
- Nejabati, R.**, see Garrich, M., *JLT June 15, 2020 3190-3199*
- Nejabati, R.**, see Hugues-Salas, E., *JLT Sept. 15, 2020 5064-5070*
- Nemchick, D.J.**, see Wang, X., *JLT Jan. 1, 2020 166-173*
- Neto, L.A.**, Maes, J., Larsson-Edefors, P., Nakagawa, J., Onohara, K., and Trowbridge, S.J., Considerations on the Use of Digital Signal Processing in Future Optical Access Networks; *JLT Feb. 1, 2020 598-607*
- Neumann, N.**, see Lorenz, L., *JLT July 1, 2020 3478-3484*
- Neumann, N.**, see Charania, S., *JLT July 1, 2020 3454-3460*
- Newland, M.**, see Cantono, M., *JLT March 1, 2020 1050-1060*
- Nezami, M.S.**, see Shokraneh, F., *JLT March 15, 2020 1258-1267*
- Ng, J.S.**, see Peticrew, J.D., *JLT Aug. 1, 2020 4183*
- Ng, J.S.**, see Shulyak, V., *JLT Feb. 15, 2020 989-995*
- Ng, J.S.**, see Peticrew, J.D., *JLT Feb. 15, 2020 961-965*
- Ng, T.K.**, see Sun, X., *JLT Jan. 15, 2020 421-431*
- Ng, W.**, see Yang, S., *JLT April 1, 2020 1988-1997*
- Nguyen, H.P.T.**, see Luo, X., *JLT March 15, 2020 1468-1473*
- Nguyen, L.**, see Tian, X., *JLT Oct. 1, 2020 5440-5449*
- Nguyen, T.G.**, see Xu, X., *JLT Jan. 15, 2020 332-338*
- Nguyen, T.G.**, see Xu, X., *JLT April 1, 2020 1722-1727*
- Nguyen, T.G.**, see Xu, X., *JLT Sept. 15, 2020 5116-5121*
- Nguyen, T.G.**, see Tan, M., *JLT Nov. 15, 2020 6221-6226*
- Nguyen-Le, A.**, see Hirokawa, T., *JLT Nov. 15, 2020 6292-6298*
- Nic Chormaic, S.**, see Yu, J., *JLT April 1, 2020 1880-1886*
- Nie, A.**, see Zhao, J., *JLT April 1, 2020 2046-2052*
- Nie, B.**, Ruan, Y., Yu, Y., Guo, Q., Xi, J., and Tong, J., Period-One Microwave Photonic Sensing by a Laser Diode With Optical Feedback; *JLT Oct. 1, 2020 5423-5429*
- Nie, Q.**, see Zhong, M., *JLT Aug. 15, 2020 4533-4539*
- Nie, W.**, see Li, L., *JLT Dec. 15, 2020 6845-6852*
- Nielsen, L.**, and Heck, M.J.R., A Computationally Efficient Integrated Coupled Opto-Electronic Oscillator Model; *JLT Oct. 1, 2020 5430-5439*
- Nieweglowski, K.**, see Lorenz, L., *JLT July 1, 2020 3478-3484*
- Nikas, T.**, Pikasis, E., Karabetos, S., and Syvridis, D., Compensation of Multi-core Fiber Skew Effects for Radio Over Fiber mmWave Antenna Beamforming; *JLT April 1, 2020 1644-1650*
- Nikitin, S.**, Fomiryakov, E., Kharasov, D., Nanii, O., and Treshchikov, V., Characterization of Ultra-Narrow Linewidth Lasers for Phase-Sensitive Coherent Reflectometry Using EOM Facilitated Heterodyning; *JLT March 15, 2020 1446-1453*
- Ning, T.**, see Zhao, Q., *JLT April 15, 2020 2428-2433*
- Ning, T.**, see Li, J., *JLT April 15, 2020 2285-2291*
- Ning, T.**, see Liu, L., *JLT Oct. 1, 2020 5492-5499*
- Nirmalathas, A.**, see Song, T., *JLT Aug. 15, 2020 4250-4259*
- Nishimura, K.**, see Ishimura, S., *JLT May 1, 2020 2719-2725*
- Nishimura, K.**, see Tanaka, K., *JLT Oct. 15, 2020 5656-5667*
- Nishimura, R.**, see Kobayashi, Y., *JLT Aug. 15, 2020 4504-4512*
- Niu, Y.**, see Wang, B., *JLT July 15, 2020 3781-3788*
- Nodjadjim, V.**, see Heni, W., *JLT May 1, 2020 2734-2739*
- Nomoto, H.**, see Matsuura, M., *JLT Jan. 15, 2020 401-408*
- Noor, S.L.**, Dens, K., Reynaert, P., Catthoor, F., Lin, D., Van Dorpe, P., and Naemi, A., Modeling and Optimization of Plasmonic Detectors for Beyond-CMOS Plasmonic Majority Logic Gates; *JLT Sept. 15, 2020 5092-5099*
- Noriki, A.**, Tamai, I., Ibusuki, Y., Ukita, A., Suda, S., Shimura, D., Onawa, Y., Yaegashi, H., and Amano, T., Mirror-Based Broadband Silicon-Photonics Vertical I/O With Coupling Efficiency Enhancement for Standard Single-Mode Fiber; *JLT June 15, 2020 3147-3155*
- Norman, J.**, see Bhasker, P., *JLT April 15, 2020 2308-2314*
- Novack, A.**, see Huang, Y., *JLT Jan. 15, 2020 194-201*
- Ntontin, K.**, see Rommel, S., *JLT Oct. 1, 2020 5412-5422*
- Numkam Fokoua, E.R.**, see Zhu, W., *JLT April 15, 2020 2477-2484*
- Nunoya, N.**, see Ogiso, Y., *JLT Jan. 15, 2020 249-255*

O

- O'Brien, D.**, see Singh, R., *JLT Dec. 15, 2020 6817-6826*
O'Brien, P., see Gu, T., *JLT July 1, 2020 3319-3321*
O'Brien, P., see Abrams, N.C., *JLT July 1, 2020 3346-3357*
O'Sullivan, M., see Al-Qadi, M., *JLT March 15, 2020 1157-1167*
O'Sullivan, M., see Jin, W., *JLT April 15, 2020 2095-2105*
O'Sullivan, M., see Yameogo, B.L.M., *JLT Sept. 15, 2020 5026-5035*
O'Sullivan, M., see Li, X., *JLT Nov. 15, 2020 6170-6177*
O'Sullivan, M., see AL-QADI, M., *JLT Nov. 15, 2020 6163-6169*
Obayya, S.S.A., see Atia, K.s.R., *JLT Oct. 15, 2020 5791-5800*
Oda, S., see Tanimura, T., *JLT May 1, 2020 2726-2733*
Oda, T., see Inuzuka, F., *JLT May 1, 2020 2695-2702*
Ogiso, Y., Ozaki, J., Ueda, Y., Wakita, H., Nagatani, M., Yamazaki, H., Nakamura, M., Kobayashi, T., Kanazawa, S., Hashizume, Y., Tanobe, H., Nunoya, N., Ida, M., Miyamoto, Y., and Ishikawa, M., 80-GHz Bandwidth and 1.5-V V_{π} InP-Based IQ Modulator; *JLT Jan. 15, 2020 249-255*
Ogiso, Y., see Ozaki, J., *JLT Sept. 15, 2020 5086-5091*
Oh, K., see Hong, S., *JLT March 1, 2020 1010-1018*
Ohata, N., Kawamoto, Y., Binkai, M., Murao, T., Sano, H., Imai, Y., Itamoto, H., and Hasegawa, K., A Compact Integrated LAN-WDM EML TOSA Employing Stripline With An Aperture in the FPC; *JLT June 15, 2020 3246-3251*
Ohishi, Y., see Luo, X., *JLT March 15, 2020 1468-1473*
Ohiso, Y., see Shindo, T., *JLT June 1, 2020 2984-2991*
Ohodnicki, P., see Badar, M., *JLT Nov. 1, 2020 6097-6103*
Ohodnicki, P.R., see Zou, R., *JLT Nov. 15, 2020 6402-6411*
Ohtsuka, M., see Suzuki, K., *JLT Jan. 15, 2020 226-232*
Ojah, N., see Boruah, B.S., *JLT April 1, 2020 2086-2091*
Okamoto, S., see Yamamoto, S., *JLT Jan. 15, 2020 466-474*
Okamoto, S., see Sasai, T., *JLT Jan. 15, 2020 439-446*
Okamoto, S., Minoguchi, K., Hamaoka, F., Horikoshi, K., Matsushita, A., Nakamura, M., Yamazaki, E., and Kisaka, Y., A Study on the Effect of Ultra-Wide Band WDM on Optical Transmission Systems; *JLT March 1, 2020 1061-1070*
Okayama, H., see Jeong, S., *JLT May 1, 2020 2680-2687*
Okazaki, T., see Kobayashi, Y., *JLT Aug. 15, 2020 4504-4512*
Okhrimchuk, A.G., Pryamikov, A.D., Gladyshev, A.V., Alagashev, G.K., Sma-ye, M.P., Likhov, V.V., Dorofeev, V.V., Motorin, S.E., and Yatsenko, Y.P., Direct Laser Written Waveguide in Tellurite Glass for Supercontinuum Generation in 2 μ m Spectral Range; *JLT March 15, 2020 1492-1500*
Okonkwo, C., see Oliari, V., *JLT June 15, 2020 3114-3124*
Okonkwo, C., see van den Hout, M., *JLT June 1, 2020 2897-2904*
Okuno, M., see Cincotti, G., *JLT Jan. 15, 2020 346-351*
Oldenbeuving, R.M., see Theurer, M., *JLT May 1, 2020 2630-2636*
Oliari, V., Goossens, S., Hager, C., Liga, G., Butler, R.M., Van den Hout, M., Van der Heides, S., Pfister, H.D., Okonkwo, C., and Alvarado, A., Revisiting Efficient Multi-Step Nonlinearity Compensation With Machine Learning: An Experimental Demonstration; *JLT June 15, 2020 3114-3124*
Olmedo, M.I., see Sun, H., *JLT Sept. 1, 2020 4744-4756*
Olsson, S., see Cho, J., *JLT July 15, 2020 3652-3662*
Onawa, Y., see Jeong, S., *JLT May 1, 2020 2680-2687*
Onawa, Y., see Noriki, A., *JLT June 15, 2020 3147-3155*
Onohara, K., see Neto, L.A., *JLT Feb. 1, 2020 598-607*
Oo, S.Z., see Milosevic, M.M., *JLT April 1, 2020 1865-1873*
Ooi, B.S., see Sun, X., *JLT Jan. 15, 2020 421-431*
Ortac, B., see Midilli, Y., *JLT April 1, 2020 1915-1920*
Osenbach, J., see Sun, H., *JLT Sept. 1, 2020 4744-4756*
Osman, M., see Sun, H., *JLT Sept. 1, 2020 4744-4756*
Ososkov, Y., see Khagai, A., *JLT Nov. 1, 2020 6114-6120*
Ostendorf, A., see Saetchnikov, A.V., *JLT April 15, 2020 2530-2538*
Oton, C.J., Tozzetti, L., and Pasquale, F.D., High-Speed FBG Interrogation With Electro-Optically Tunable Sagnac Loops; *JLT Aug. 15, 2020 4513-4519*
Otterstrom, N.T., see Gertler, S., *JLT Oct. 1, 2020 5248-5261*
Ouhssain, M., see Sun, X., *JLT Jan. 15, 2020 421-431*
Oxenlowe, L.K., see Kong, D., *JLT Sept. 1, 2020 4677-4682*
Oxenlowe, L.K., see Jia, S., *JLT Sept. 1, 2020 4715-4721*

- Oxenlowe, L.K.**, see Iqbal, S., *JLT April 1, 2020 1800-1808*
Ozaki, J., see Ogiso, Y., *JLT Jan. 15, 2020 249-255*
Ozaki, J., Ogiso, Y., Jyo, T., Hashizume, Y., Kanazawa, S., Ueda, Y., Nagatani, M., Yamazaki, H., Tanobe, H., and Ishikawa, M., 500-Gb/s/ λ Operation of Ultra-Low Power and Low-Temperature-Dependence InP-Based High-Bandwidth Coherent Driver Modulator; *JLT Sept. 15, 2020 5086-5091*
Ozolins, O., see Pang, X., *JLT Jan. 15, 2020 492-503*

P

- Pacheco, G.M.**, see Banerjee, A., *JLT March 15, 2020 1210-1220*
Pachnicke, S., see Wettlin, T., *JLT Dec. 15, 2020 6771-6778*
Pages, A., see Xue, X., *JLT March 15, 2020 1103-1112*
Paillier, L., Le Bidan, R., Conan, J., Artaud, G., Vedrenne, N., and Jaouen, Y., Space-Ground Coherent Optical Links: Ground Receiver Performance With Adaptive Optics and Digital Phase-Locked Loop; *JLT Oct. 15, 2020 5716-5727*
Paixao, T., Ferreira, L., Araujo, F., Antunes, P.F.d.C., Resonant Wavelength Thermal Stability of Fiber Bragg Gratings Produced by Femtosecond Laser; *JLT March 15, 2020 1529-1535*
Palermo, S.M., see Liang, D., *JLT July 1, 2020 3322-3337*
Pallangal, S.H., see Rosa, L., *JLT April 15, 2020 2400-2405*
Pallares-Aldeiturriaga, D., see Roldan-Varona, P., *JLT Aug. 15, 2020 4526-4532*
Palmieri, L., see Marcon, L., *JLT Aug. 1, 2020 4142-4149*
Palmieri, L., see Veronese, R., *JLT Sept. 1, 2020 4843-4849*
Pan, B., see Xue, X., *JLT March 15, 2020 1103-1112*
Pan, B., see Xue, X., *JLT July 1, 2020 3485-3494*
Pan, J., see Zhu, Y., *JLT Sept. 1, 2020 4817-4823*
Pan, J., see Song, J., *JLT Oct. 1, 2020 5293-5301*
Pan, S., see Liu, Z., *JLT Jan. 15, 2020 240-248*
Pan, S., see Shi, J., *JLT April 15, 2020 2171-2179*
Pan, S., see Zhu, D., *JLT June 15, 2020 3076-3088*
Pan, S., see Xue, M., *JLT Aug. 1, 2020 3859-3865*
Pan, S., see Zhang, B., *JLT Sept. 1, 2020 4664-4676*
Pan, S., see Chen, H., *JLT Oct. 1, 2020 5500-5508*
Pan, S., and Zhang, Y., Microwave Photonic Radars; *JLT Oct. 1, 2020 5450-5484*
Pan, S., see Ma, C., *JLT Sept. 15, 2020 4948-4954*
Pan, W., see Li, P., *JLT March 15, 2020 1178-1183*
Pan, W., see Teng, C., *JLT Oct. 1, 2020 5406-5411*
Pan, X., Tang, S., Liu, S., Kong, J., Zhang, X., Hu, D., Qi, J., and Zhu, Z., Privacy-Preserving Multilayer In-Band Network Telemetry and Data Analytics: For Safety, Please do Not Report Plaintext Data; *JLT Nov. 1, 2020 5855-5866*
Pan, X., see Wang, X., *JLT Nov. 15, 2020 6153-6162*
Pan, Y., see Yang, D., *JLT Aug. 15, 2020 4555-4559*
Pan, Z., see Fang, Y., *JLT July 1, 2020 3431-3438*
Panajotov, K., see Frasnukiewicz, L., *JLT Oct. 15, 2020 5774-5782*
Panapakkam, V., see Radosavljevic, A., *JLT Aug. 1, 2020 3965-3973*
Panapakkam, V., see Vanmol, K., *JLT Sept. 1, 2020 4834-4842*
Pang, C., see Wang, B., *JLT Feb. 15, 2020 946-952*
Pang, K., see Song, H., *JLT Jan. 1, 2020 82-89*
Pang, W., see Wang, W., *JLT April 1, 2020 1753-1765*
Pang, X., Ozolins, O., Lin, R., Zhang, L., Udalcovs, A., Xue, L., Schatz, R., Westergren, U., Xiao, S., Hu, W., Jacobsen, G., Popov, S., and Chen, J., 200 Gbps/Lane IM/DD Technologies for Short Reach Optical Interconnects; *JLT Jan. 15, 2020 492-503*
Pang, X., see Jia, S., *JLT Sept. 1, 2020 4715-4721*
Pantano, N., Rakowski, M., Guermami, D., Verhelst, M., and Van Campenhout, J., Modeling and Optimization of Hybrid FinFET-Silicon Photonic Interconnects; *JLT Aug. 15, 2020 4325-4332*
Pantouvaki, M., see Srinivasan, S.A., *JLT June 1, 2020 3044-3050*
Papen, G., see Forencich, A., *JLT March 15, 2020 1330-1340*
Papp, S.B., see Blumenthal, D.J., *JLT July 1, 2020 3376-3386*
Paret, J., see Pham, C., *JLT April 1, 2020 1836-1843*
Pargon, E., see Boust, S., *JLT Oct. 1, 2020 5517-5525*

- Park, D.W.**, see Lee, E.S., *JLT Aug. 15, 2020 4237-4243*
- Park, H.J.**, Ha, I.H., Kang, S., Shin, W., and Han, S., 3D QAM-DPSK Optical Transmission Employing a Single Mach-Zehnder Modulator and Optical Direct Detection; *JLT Nov. 15, 2020 6247-6256*
- Park, H.S.**, see Youn, J.H., *JLT Nov. 1, 2020 6076-6081*
- Park, J.**, see Liu, Z., *JLT Jan. 15, 2020 240-248*
- Park, K.H.**, see Lee, E.S., *JLT Aug. 15, 2020 4237-4243*
- Parola, I.**, see Budnicki, D., *JLT Dec. 1, 2020 6685-6690*
- Parsons, K.**, see Fehenberger, T., *JLT Jan. 15, 2020 457-465*
- Parsons, K.**, see Fehenberger, T., *JLT May 15, 2020 2826-2834*
- Parsons, K.**, see Koike-Akino, T., *JLT June 1, 2020 3059-3066*
- Parsonson, C.W.F.**, Shabka, Z., Chlupka, W.K., Goh, B., and Zervas, G., Optimal Control of SOAs With Artificial Intelligence for Sub-Nanosecond Optical Switching; *JLT Oct. 15, 2020 5563-5573*
- Paryanti, G.**, and Sadot, D., Joint Estimation of Multiple Time Interleaved ADC Timing Offsets Based on Fourier Series Decomposition; *JLT Aug. 1, 2020 3832-3838*
- Paryanti, G.**, Faig, H., Rokach, L., and Sadot, D., A Direct Learning Approach for Neural Network Based Pre-Distortion for Coherent Nonlinear Optical Transmitter; *JLT Aug. 1, 2020 3883-3896*
- Paskov, M.**, see Bolshtyansky, M.A., *JLT March 15, 2020 1296-1304*
- Paskov, M.**, see Cai, J., *JLT June 15, 2020 3280-3288*
- Pasquale, F.D.**, see Oton, C.J., *JLT Aug. 15, 2020 4513-4519*
- Pasquinelli, M.**, see Lorraine, N., *JLT Aug. 1, 2020 3822-3831*
- Passalis, N.**, see Mourgiyas-Alexandris, G., *JLT Feb. 15, 2020 811-819*
- Pastorelli, R.**, see Ibrahim, M., *JLT June 15, 2020 3221-3228*
- Patanwala, S.M.**, see Huang, S., *JLT Sept. 15, 2020 5225-5235*
- Patel, R.**, see Gao, Y., *JLT Jan. 15, 2020 265-271*
- Patel, R.K.**, Alimi, I.A., Muga, N.J., and Pinto, A.N., Optical Signal Phase Retrieval With Low Complexity DC-Value Method; *JLT Aug. 15, 2020 4205-4212*
- Pavon-Marino, P.**, Moreno-Muro, F., Garrich, M., Quagliotti, M., Riccardi, E., Rafel, A., and Lord, A., Techno-Economic Impact of Filterless Data Plane and Agile Control Plane in the 5G Optical Metro; *JLT Aug. 1, 2020 3801-3814*
- Peacock, A.C.**, see Milosevic, M.M., *JLT April 1, 2020 1865-1873*
- Pedersen, B.V.**, see Faig, H., *JLT July 1, 2020 3519-3525*
- Pedro, J.**, see Lopez, V., *JLT March 1, 2020 1080-1091*
- Pedro, J.**, see Sambo, N., *JLT May 1, 2020 2598-2605*
- Pedro, J.**, see Ferrari, A., *JLT Aug. 15, 2020 4279-4291*
- Pei, L.**, see Zhao, Q., *JLT April 15, 2020 2428-2433*
- Pei, L.**, see Li, J., *JLT April 15, 2020 2285-2291*
- Pelouch, W.**, see Ionescu, M., *JLT Jan. 15, 2020 531-537*
- Pelusi, M.**, Inoue, T., and Namiki, S., Enhanced Carrier to Noise Ratio by Brillouin Amplification for Optical Communications; *JLT Jan. 15, 2020 319-331*
- Pelusi, M.**, Inoue, T., and Namiki, S., Brillouin Amplifier Noise Characterization by a Coherent Receiver and Digital Signal Processing; *JLT Aug. 15, 2020 4221-4236*
- Peng, B.**, see Fan, R., *JLT July 15, 2020 3717-3722*
- Peng, C.**, see Tan, T., *JLT Dec. 1, 2020 6591-6599*
- Peng, G.**, see Wang, Y., *JLT March 15, 2020 1557-1563*
- Peng, G.**, see Zhao, X., *JLT March 15, 2020 1550-1556*
- Peng, G.**, see Wang, T., *JLT April 1, 2020 1851-1857*
- Peng, G.**, see Mao, J., *JLT Sept. 15, 2020 5205-5211*
- Peng, G.**, see Guan, H., *JLT Nov. 1, 2020 6089-6096*
- Peng, G.**, see Fan, D., *JLT Nov. 15, 2020 6334-6344*
- Peng, G.**, see Tian, Y., *JLT Feb. 15, 2020 834-839*
- Peng, G.**, see Chen, Y., *JLT Oct. 15, 2020 5837-5843*
- Peng, H.**, see Song, Q., *JLT March 15, 2020 1543-1549*
- Peng, P.**, see Manie, Y.C., *JLT March 15, 2020 1589-1603*
- Peng, P.**, see Huang, M., *JLT March 15, 2020 1221-1229*
- Peng, P.**, see Shiu, R., *JLT Oct. 1, 2020 5302-5310*
- Peng, W.**, see Chen, S., *JLT April 15, 2020 2485-2492*
- Peng, Y.**, Sun, K., Shen, Y., Beling, A., and Campbell, J.C., High-Power and High-Linearity Photodiodes at 1064 nm; *JLT Sept. 1, 2020 4850-4856*
- Penty, R.**, see Liu, Z., *JLT Jan. 15, 2020 240-248*
- Penty, R.V.**, see Hantschmann, C., *JLT Sept. 1, 2020 4801-4807*
- Penty, R.V.**, see Bamiedakis, N., *JLT Dec. 1, 2020 6561-6568*
- Peppas, K.P.**, Alexandropoulos, G.C., Xenos, E.D., and Maras, A., The Fischer-Snedecor \mathcal{F} -Distribution Model for Turbulence-Induced Fading in Free-Space Optical Systems; *JLT March 15, 2020 1286-1295*
- Perello, J.**, see Rumipamba-Zambrano, R., *JLT Nov. 15, 2020 6137-6152*
- Perez, G.O.**, Ebrahimzadeh, A., Maier, M., Hernandez, J.A., Lopez, D.L., and Veiga, M.F., Decentralized Coordination of Converged Tactile Internet and MEC Services in H-CRAN Fiber Wireless Networks; *JLT Sept. 15, 2020 4935-4947*
- Perez-Pascual, A.**, Bruno, J.S., Almenar, V., and Valls, J., A Computational Efficient Nyquist Shaping Approach for Short-Reach Optical Communications; *JLT April 1, 2020 1651-1658*
- Perini, F.**, see Nanni, J., *JLT Oct. 1, 2020 5393-5405*
- Perry, P.**, see Le, D.D., *JLT Sept. 15, 2020 4922-4934*
- Pesic, J.**, see Lonardi, M., *JLT May 1, 2020 2637-2645*
- Petit-Etienne, C.**, see Boust, S., *JLT Oct. 1, 2020 5517-5525*
- Petropoulos, P.**, see Sakr, H., *JLT Jan. 1, 2020 159-165*
- Petropoulos, P.**, see Hong, Y., *JLT April 15, 2020 2278-2284*
- Petropoulos, P.**, see Hong, Y., *JLT May 15, 2020 2849-2857*
- Petropoulos, P.**, see Bottrill, K.R.H., *JLT April 1, 2020 1817-1826*
- Petropoulos, P.**, see Singh, R., *JLT Dec. 15, 2020 6817-6826*
- Petrov, A.**, see Chapalo, I., *JLT Oct. 15, 2020 5809-5816*
- Petrov, V.**, see Kifle, E., *JLT Aug. 15, 2020 4374-4384*
- Petrovich, M.N.**, see Zhu, W., *JLT April 15, 2020 2477-2484*
- Petticrew, J.D.**, Dimler, S.J., Tan, C.H., and Ng, J.S., Corrections to "Modeling Temperature Dependent Avalanche Characteristics of InP" *JLT Aug. 1, 2020 4183*
- Petticrew, J.D.**, Dimler, S.J., Tan, C.H., and Ng, J.S., Modeling Temperature-Dependent Avalanche Characteristics of InP; *JLT Feb. 15, 2020 961-965*
- Peucheret, C.**, see Lagha, M.K., *JLT Aug. 15, 2020 4213-4220*
- Peyghambarian, N.**, see Fu, S., *JLT March 15, 2020 1435-1438*
- Pfeiffer, M.H.P.**, see Fallahpour, A., *JLT Jan. 15, 2020 359-365*
- Pfister, H.D.**, see Oliari, V., *JLT June 15, 2020 3114-3124*
- Pham, C.**, Dupont, F., Brenot, R., Paret, J., Garreau, A., Gomez, C., Fortin, C., Mekhazni, K., and van Dijk, F., Modulation of a High Power Semiconductor Optical Amplifier for Free Space Communications; *JLT April 1, 2020 1836-1843*
- Pham, N.**, see Koonen, T., *JLT May 15, 2020 2842-2848*
- Pham-Van, Q.**, see Mayoral, A., *JLT Jan. 15, 2020 546-552*
- Piazza, G.**, see Khan, M.S.I., *JLT April 1, 2020 2053-2059*
- Piciaccia, S.**, see Ranjbar Zefreh, M., *JLT Sept. 15, 2020 4987-4999*
- Pickartz, S.**, see Bandelow, U., *JLT Oct. 15, 2020 5743-5747*
- Pickavet, M.**, see Chen, X., *JLT Aug. 1, 2020 4009-4018*
- Pickrell, G.**, see Yang, S., *JLT April 1, 2020 1988-1997*
- Pikasis, E.**, see Nikas, T., *JLT April 1, 2020 1644-1650*
- Pikasis, E.**, see Rommel, S., *JLT Oct. 1, 2020 5412-5422*
- Pilipetskii, A.N.**, see Bolshtyansky, M.A., *JLT March 15, 2020 1296-1304*
- Pilipetskii, A.N.**, see Cai, J., *JLT June 15, 2020 3280-3288*
- Pillai, S.**, see Hirokawa, T., *JLT Nov. 15, 2020 6292-6298*
- Pilori, D.**, see Golani, O., *JLT March 15, 2020 1148-1156*
- Pincemin, E.**, see Ferrari, A., *JLT Aug. 15, 2020 4279-4291*
- Pinna, S.**, see Andrade, H., *JLT Aug. 15, 2020 4409-4418*
- Pinto, A.N.**, see Patel, R.K., *JLT Aug. 15, 2020 4205-4212*
- Pisco, M.**, see Bruno, F.A., *JLT April 1, 2020 1998-2009*
- Pitris, S.**, Mitsolidou, C., Moralis-Pegios, M., Fotiadis, K., Ban, Y., De Heyn, P., Van Campenhout, J., Lambrecht, J., Ramon, H., Yin, X., Bauwelinck, J., Pleeros, N., and Alexoudi, T., 400 Gb/s Silicon Photonic Transmitter and Routing WDM Technologies for Glueless 8-Socket Chip-to-Chip Interconnects; *JLT July 1, 2020 3366-3375*
- Pitris, S.**, see Zanetto, F., *JLT Nov. 1, 2020 6000-6006*
- Plant, D.V.**, see Jacques, M., *JLT June 1, 2020 2877-2885*
- Plant, D.V.**, see Xing, Z., *JLT June 1, 2020 2968-2975*
- Plant, D.V.**, see Li, X., *JLT Nov. 15, 2020 6170-6177*
- Pleros, N.**, see Pitris, S., *JLT July 1, 2020 3366-3375*
- Pleros, N.**, see Tsakyridis, A., *JLT Sept. 1, 2020 4607-4617*
- Pleros, N.**, see Ruggeri, E., *JLT Oct. 1, 2020 5368-5374*

Pleros, N., see Zanetto, F., *JLT Nov. 1, 2020 6000-6006*
 Pleros, N., see Mourgiaris-Alexandris, G., *JLT Feb. 15, 2020 811-819*
 Plettemeier, D., see Lorenz, L., *JLT July 1, 2020 3478-3484*
 Plettemeier, D., see Charania, S., *JLT July 1, 2020 3454-3460*
 Poggiolini, P., see Ranjbar Zefreh, M., *JLT Sept. 15, 2020 4987-4999*
 Poisel, H., see Shibelgut, A.A., *JLT March 15, 2020 1454-1460*
 Poletti, F., see Sakr, H., *JLT Jan. 1, 2020 159-165*
 Poletti, F., see Zhu, W., *JLT April 15, 2020 2477-2484*
 Poletti, F., see Ding, M., *JLT April 15, 2020 2423-2427*
 Poletti, F., see Clark, K.A., *JLT May 1, 2020 2703-2709*
 Poletti, F., see Hong, Y., *JLT May 15, 2020 2849-2857*
 Poli, F., see Rosa, L., *JLT April 15, 2020 2400-2405*
 Polkoo, S.S., see Teng, M., *JLT Jan. 1, 2020 6-17*
 Pollick, A., see Karki, D., *JLT Feb. 15, 2020 827-833*
 Pollinger, F., see Liu, Y., *JLT April 1, 2020 1945-1952*
 Poole, P.J., see Mao, Y., *JLT Sept. 1, 2020 4787-4793*
 Poon, J.K.S., see Thiessen, T., *JLT June 1, 2020 3000-3006*
 Popoola, W., see Jiang, H., *JLT April 15, 2020 2271-2277*
 Popov, S., see Pang, X., *JLT Jan. 15, 2020 492-503*
 Popov, S., see Hu, W., *JLT Sept. 1, 2020 4699-4707*
 Portosi, V., see Falconi, M.C., *JLT April 15, 2020 2406-2413*
 Porzi, C., see Serafino, G., *JLT Oct. 1, 2020 5339-5355*
 Pospelova, E.A., see Tomashuk, A.L., *JLT Oct. 15, 2020 5817-5824*
 Postma, F.M., see Theurer, M., *JLT May 1, 2020 2630-2636*
 Poturaj, K., see Budnicki, D., *JLT Dec. 1, 2020 6685-6690*
 Powell, K., see Tian, X., *JLT Oct. 1, 2020 5440-5449*
 Prajapati, Y.K., see Maurya, J.B., *JLT Sept. 15, 2020 5191-5198*
 Prat, J., see Tabares, J.A., *JLT March 15, 2020 1305-1313*
 Prellinger, G., see Liu, Y., *JLT April 1, 2020 1945-1952*
 Presi, M., see van Veen, D., *JLT Feb. 1, 2020 555-556*
 Prifti, K., see Xue, X., *JLT July 1, 2020 3485-3494*
 Prilepsky, J.E., see Kamalian-Kopae, M., *JLT July 15, 2020 3602-3615*
 Proietti, R., see Xiao, X., *JLT June 15, 2020 3200-3208*
 Prudenzano, F., see Falconi, M.C., *JLT April 15, 2020 2406-2413*
 Pryamikov, A.D., see Okhrimchuk, A.G., *JLT March 15, 2020 1492-1500*
 Przhivalkovskiy, Y.V., Starostin, N.I., Morshnev, S.K., and Sazonov, A.I., Polarization Dynamics of Light Propagating in Bent Spun Birefringent Fiber; *JLT Dec. 15, 2020 6879-6885*
 Pu, X., see Agrawal, N., *JLT April 15, 2020 2523-2529*
 Pulka, F., see Buchali, F., *JLT May 1, 2020 2710-2718*
 Pusane, A.E., see Ulkar, M.G., *JLT Nov. 1, 2020 5937-5948*
 Puttnam, B.J., see Rademacher, G., *JLT Jan. 15, 2020 291-296*
 Puttnam, B.J., Rademacher, G., Luis, R.S., Eriksson, T.A., Klaus, W., Awaji, Y., Wada, N., Maeda, K., Takasaka, S., and Sugizaki, R., High Data-Rate and Long Distance MCF Transmission With 19-Core C+L band Cladding-Pumped EDFA; *JLT Jan. 1, 2020 123-130*
 Puttnam, B.J., see Eriksson, T.A., *JLT April 15, 2020 2214-2218*
 Puttnam, B.J., see Luis, R.S., *JLT June 1, 2020 2886-2896*
 Puttnam, B.J., see Sohanpal, R.S., *JLT April 1, 2020 1636-1643*
 Pysz, D., see Gierej, A., *JLT April 1, 2020 1905-1914*
 Pyun, S., see Sung, M., *JLT Jan. 15, 2020 409-420*
 Pyun, S., see Kim, J., *JLT Jan. 1, 2020 101-111*

Q

Qi, B., see Lukens, J.M., *JLT April 1, 2020 1678-1687*
 Qi, J., see Pan, X., *JLT Nov. 1, 2020 5855-5866*
 Qian, J., see Song, C., *JLT March 15, 2020 1243-1249*
 Qian, J., see Bai, Y., *JLT Oct. 1, 2020 5262-5269*
 Qian, K., see Tu, G., *JLT Dec. 1, 2020 6691-6698*
 Qian, S., see Chen, H., *JLT Sept. 1, 2020 4883-4892*
 Qiao, M., see Jia, S., *JLT Sept. 1, 2020 4715-4721*
 Qiao, X., see Guo, T., *JLT Aug. 15, 2020 4588-4595*
 Qiao, Y., see Zhalehpour, S., *JLT Jan. 15, 2020 256-264*
 Qiao, Y., see Tang, X., *JLT Sept. 1, 2020 4683-4690*
 Qin, D., see Zhang, J., *JLT July 15, 2020 3573-3583*

Qin, G., Zhu, Q., and Su, Y., Fast Wavelength Seeking in a Silicon Dual-Ring Switch Based on Artificial Neural Networks; *JLT Sept. 15, 2020 5078-5085*
 Qin, H., see Ding, M., *JLT July 15, 2020 3687-3693*
 Qin, J., see Wang, X., *JLT July 1, 2020 3414-3421*
 Qin, J., see Wang, D., *JLT Sept. 1, 2020 4730-4743*
 Qin, Y., see Zhu, L., *JLT Dec. 1, 2020 6474-6480*
 Qiu, C., see Dai, X., *JLT March 15, 2020 1564-1571*
 Qiu, C., see Zheng, D., *JLT July 15, 2020 3694-3700*
 Qiu, H., see Jiang, H., *JLT April 15, 2020 2271-2277*
 Qiu, H., see Liang, X., *JLT Dec. 1, 2020 6600-6604*
 Qiu, J., see Lin, Z., *JLT Aug. 15, 2020 4470-4477*
 Qiu, K., see Zhu, M., *JLT Feb. 15, 2020 769-776*
 Qiu, L., see Dong, Y., *JLT April 15, 2020 2564-2571*
 Qiu, P., see Tong, S., *JLT April 15, 2020 2450-2455*
 Qiu, Q., see Fan, Z., *JLT April 15, 2020 2127-2133*
 Qiu, Q., see Fan, Z., *JLT Aug. 1, 2020 3866-3873*
 Qiu, W., see Guan, H., *JLT Nov. 1, 2020 6089-6096*
 Qiu, X., see Yu, S., *JLT Aug. 15, 2020 4368-4373*
 Qu, P., see Zhang, H., *JLT April 1, 2020 1688-1692*
 Quagliotti, M., see Pavon-Marino, P., *JLT Aug. 1, 2020 3801-3814*
 Quan, C., see Hong, S., *JLT March 1, 2020 1010-1018*

R

Ra, Y., Yoo, S., Song, J., and Rhee, J.K., Experimental Demonstration of a Photonic Frame Based Packet-Switched Optical Network for Data Centers; *JLT March 15, 2020 1113-1124*
 Rademacher, G., Luis, R.S., Puttnam, B.J., Awaji, Y., and Wada, N., Cross-talk-Induced System Outage in Intensity-Modulated Direct-Detection Multi-Core Fiber Transmission; *JLT Jan. 15, 2020 291-296*
 Rademacher, G., see Puttnam, B.J., *JLT Jan. 1, 2020 123-130*
 Rademacher, G., see Eriksson, T.A., *JLT April 15, 2020 2214-2218*
 Rademacher, G., see Luis, R.S., *JLT June 1, 2020 2886-2896*
 Radic, S., see Serahati, Z., *JLT March 15, 2020 1194-1201*
 Radic, S., see Hu, H., *JLT Sept. 1, 2020 4625-4631*
 Radic, S., see Zhang, J., *JLT Oct. 15, 2020 5748-5755*
 Radosavljevic, A., Desmet, A., Missinne, J., Saurav, K., Panapakam, V., Tuccio, S., Arce, C.L., Watte, J., Van Thourhout, D., and Van Steenberge, G., Femtosecond Laser-Inscribed Non-Volatile Integrated Optical Switch in Fused Silica Based on Microfluidics-Controlled Total Internal Reflection; *JLT Aug. 1, 2020 3965-3973*
 Rafel, A., see Pavon-Marino, P., *JLT Aug. 1, 2020 3801-3814*
 Ragheb, A., see Eltaieb, R.A., *JLT Feb. 1, 2020 619-631*
 Rahman, B.M.A., see Zhang, L., *JLT April 1, 2020 1966-1974*
 Rahman, T., see Wettlin, T., *JLT Dec. 15, 2020 6771-6778*
 Rahn, J., see Lopez, V., *JLT March 1, 2020 1080-1091*
 Raimundo Neto, E., see Borges, R.M., *JLT Feb. 1, 2020 642-653*
 Rajbhandari, S., see Jiang, H., *JLT April 15, 2020 2271-2277*
 Rajkumar, K., see Hugues-Salas, E., *JLT Sept. 15, 2020 5064-5070*
 Rajput, S., Kaushik, V., Jain, S., Tiwari, P., Srivastava, A.K., and Kumar, M., Optical Modulation in Hybrid Waveguide Based on Si-ITO Heterojunction; *JLT March 15, 2020 1365-1371*
 Rajput, S., see Kaushik, V., *JLT Nov. 1, 2020 6031-6037*
 Rakich, P.T., see Blumenthal, D.J., *JLT July 1, 2020 3376-3386*
 Rakich, P.T., see Gertler, S., *JLT Oct. 1, 2020 5248-5261*
 Rakowski, M., see Pantano, N., *JLT Aug. 15, 2020 4325-4332*
 Rakuljic, G., see Zhang, Z., *JLT Dec. 1, 2020 6584-6590*
 Ralph, S.E., see Bottenfield, C.G., *JLT Oct. 1, 2020 5536-5545*
 Ralph, S.E., see Varughese, S., *JLT Sept. 15, 2020 5008-5016*
 Ralph, S.E., see Melgar, A., *JLT Dec. 1, 2020 6437-6445*
 Ramantanis, P., see Lonardi, M., *JLT May 1, 2020 2637-2645*
 Ramantanis, P., see Delezoide, C., *JLT Dec. 15, 2020 6709-6718*
 Ramdane, A., see Verolet, T., *JLT Oct. 15, 2020 5708-5715*
 Ramini, L., see London, Y., *JLT July 1, 2020 3469-3477*
 Ramon, H., see Lambrecht, J., *JLT Jan. 15, 2020 432-438*
 Ramon, H., see Pitris, S., *JLT July 1, 2020 3366-3375*
 Rampono, T., see Kastritsis, D., *JLT Oct. 1, 2020 5375-5385*

- Ran, Y., Hu, D., Xu, Z., Long, J., Xiao, P., Liang, L., Sun, L., Jin, L., and Guan, B., Vertical-Fluid-Array-Induced Optical Microfiber Long-Period Grating (VIOLIN) Refractometer; *JLT April 15, 2020 2434-2440*
- Randel, S., see Teixeira, A., *JLT Feb. 1, 2020 684-695*
- Ranjbar Zefreh, M., Forghieri, F., Piciaccia, S., and Poggiolini, P., Accurate Closed-Form Real-Time EGN Model Formula Leveraging Machine-Learning Over 8500 Thoroughly Randomized Full C-Band Systems; *JLT Sept. 15, 2020 4987-4999*
- Ranzal, D., see Guiomar, F.P., *JLT Dec. 1, 2020 6529-6541*
- Rao, Y., see Wang, Y., *JLT March 15, 2020 1557-1563*
- Rao, Y., see Xiong, J., *JLT April 1, 2020 2028-2036*
- Rao, Y., see Mao, J., *JLT Sept. 15, 2020 5205-5211*
- Rao, Y., see Wu, Y., *JLT Nov. 1, 2020 6121-6128*
- Rao, Y., see Tan, T., *JLT Dec. 1, 2020 6591-6599*
- Rastogi, V., see Tripathi, U.S., *JLT Aug. 1, 2020 4045-4051*
- Raybon, G., see Chen, H., *JLT May 1, 2020 2587-2597*
- Raybon, G., see Cho, J., *JLT July 15, 2020 3652-3662*
- Raybon, G., see Grillanda, S., *JLT Feb. 15, 2020 804-810*
- Raza, A., see Adeel, M., *JLT April 15, 2020 2539-2546*
- Redyuk, A., Averyanov, E., Sidelnikov, O., Fedoruk, M., and Turitsyn, S., Compensation of Nonlinear Impairments Using Inverse Perturbation Theory With Reduced Complexity; *JLT March 15, 2020 1250-1257*
- Redyuk, A., see Turitsyn, S., *JLT Jan. 15, 2020 352-358*
- Reed, G.T., see Zhang, Z., *JLT Aug. 1, 2020 4037-4044*
- Reed, G.T., see Milosevic, M.M., *JLT April 1, 2020 1865-1873*
- Reinke, M.L., see Sheng, Q., *JLT April 15, 2020 2547-2554*
- Reitberger, T., see Lorenz, L., *JLT July 1, 2020 3478-3484*
- Ren, G., see Tang, M., *JLT July 15, 2020 3745-3750*
- Ren, G., see Cao, M., *JLT Dec. 15, 2020 6911-6917*
- Ren, J., Liu, B., Wu, X., Zhang, L., Mao, Y., Xu, X., Zhang, Y., Jiang, L., Zhang, J., and Xin, X., Three-Dimensional Probabilistically Shaped CAP Modulation Based on Constellation Design Using Regular Tetrahedron Cells; *JLT April 1, 2020 1728-1734*
- Ren, W., see Tang, M., *JLT July 15, 2020 3745-3750*
- Ren, W., see Yao, C., *JLT April 1, 2020 2067-2072*
- Ren, W., see Cao, M., *JLT Dec. 15, 2020 6911-6917*
- Ren, Y., see Fang, Y., *JLT July 1, 2020 3431-3438*
- Ren, Z., see Fan, R., *JLT July 15, 2020 3717-3722*
- Ren, Z., see Wang, S., *JLT Sept. 1, 2020 4691-4698*
- Renaud, C.C., see Hasanuzzaman, G.K.M., *JLT Oct. 1, 2020 5240-5247*
- Renaudier, J., see Arnould, A., *JLT Jan. 15, 2020 504-508*
- Renaudier, J., see Arnould, A., *JLT Jan. 15, 2020 509-513*
- Renaudier, J., Arnould, A., Ghazisaeidi, A., Gac, D.L., Brindel, P., Awwad, E., Makhsian, M., Mekhazni, K., Blache, F., Boutin, A., Letteron, L., Frignac, Y., Fontaine, N., Neilson, D., and Achouche, M., Recent Advances in 100-nm Ultra-Wideband Fiber-Optic Transmission Systems Using Semiconductor Optical Amplifiers; *JLT March 1, 2020 1071-1079*
- Renaudier, J., see Heni, W., *JLT May 1, 2020 2734-2739*
- Renaudier, J., see Awwad, E., *JLT June 15, 2020 3089-3095*
- Renshaw, C.K., see Teng, M., *JLT Jan. 1, 2020 6-17*
- Reposi, M., see Li, D., *JLT Sept. 15, 2020 4978-4986*
- Reynaert, P., see Noor, S.L., *JLT Sept. 15, 2020 5092-5099*
- Rhee, J.K., see Ra, Y., *JLT March 15, 2020 1113-1124*
- Rhim, J., see London, Y., *JLT July 1, 2020 3469-3477*
- Ribaud, K., see Thiessen, T., *JLT June 1, 2020 3000-3006*
- Riccardi, E., see Pavon-Marino, P., *JLT Aug. 1, 2020 3801-3814*
- Richardson, D.J., see Sakr, H., *JLT Jan. 1, 2020 159-165*
- Richardson, D.J., see Hong, Y., *JLT April 15, 2020 2278-2284*
- Richardson, D.J., see Zhu, W., *JLT April 15, 2020 2477-2484*
- Richardson, D.J., see Ding, M., *JLT April 15, 2020 2423-2427*
- Richardson, D.J., see Clark, K.A., *JLT May 1, 2020 2703-2709*
- Richardson, D.J., see Hong, Y., *JLT May 15, 2020 2849-2857*
- Richardson, D.J., see Jung, Y., *JLT June 1, 2020 2938-2943*
- Richardson, D.J., see Bottrill, K.R.H., *JLT April 1, 2020 1817-1826*
- Richardson, M.C., see Gausmann, S., *JLT April 1, 2020 1953-1958*
- Riet, M., see Heni, W., *JLT May 1, 2020 2734-2739*
- Rijnveld, N., see Bruno, F.A., *JLT April 1, 2020 1998-2009*
- Riumkin, K., see Khagai, A., *JLT Nov. 1, 2020 6114-6120*
- Rizzelli, G., see Torres-Ferrera, P., *JLT Dec. 15, 2020 6807-6816*
- Rizzo, A.J., see London, Y., *JLT July 1, 2020 3469-3477*
- Robert, Y., see Boust, S., *JLT Oct. 1, 2020 5517-5525*
- Roberts, I., see Choutagunta, K., *JLT Feb. 15, 2020 723-735*
- Rocco, F., see Guiomar, F.P., *JLT Dec. 1, 2020 6529-6541*
- Rochette, M., see Zhang, K., *JLT Nov. 15, 2020 6321-6326*
- Rochette, M., see Zhang, K., *JLT Feb. 15, 2020 857-863*
- Rodionov, I.A., see Kornienko, V.V., *JLT Sept. 1, 2020 4794-4800*
- Rodrigues Dias Filgueiras, H., see Borges, R.M., *JLT Feb. 1, 2020 642-653*
- Rodriguez, L., see Nadal, L., *JLT June 1, 2020 3037-3043*
- Rodriguez-Cobo, L., see Roldan-Varona, P., *JLT Aug. 15, 2020 4526-4532*
- Roelkens, G., see Lambrecht, J., *JLT Jan. 15, 2020 432-438*
- Roelkens, G., see Bogaert, L., *JLT June 15, 2020 3289-3295*
- Roelkens, G., see Ferrari, A., *JLT Aug. 15, 2020 4279-4291*
- Roeloffzen, C., see Rommel, S., *JLT Oct. 1, 2020 5412-5422*
- Rogier, H., see Wu, C., *JLT May 15, 2020 2765-2773*
- Rohlin, D., see Faig, H., *JLT April 1, 2020 1777-1784*
- Rokach, L., see Paryanti, G., *JLT Aug. 1, 2020 3883-3896*
- Roldan-Varona, P., Pallares-Aldeiturriaga, D., Rodriguez-Cobo, L., and Lopez-Higuera, J.M., Slit Beam Shaping Technique for Femtosecond Laser Inscription of Enhanced Plane-by-Plane FBGs; *JLT Aug. 15, 2020 4526-4532*
- Romagnoli, M., see Soriano, V., *JLT May 15, 2020 2782-2789*
- Romano, C., see Tench, R.E., *JLT April 15, 2020 2456-2463*
- Romero, C., see Kifle, E., *JLT Aug. 15, 2020 4374-4384*
- Romero, C., see Li, L., *JLT Dec. 15, 2020 6845-6852*
- Romero-Gazquez, J., see Garrich, M., *JLT June 15, 2020 3190-3199*
- Rommel, S., Dodane, D., Grivas, E., Cimoli, B., Bourderionnet, J., Feugnet, G., Morales, A., Pikasis, E., Roeloffzen, C., van Dijk, P., Katsikis, M., Ntontin, K., Kritharidis, D., Spaleniak, I., Mitchell, P., Dubov, M., Carvalho, J.B., and Tafur Monroy, I., Towards a Scaleable 5G Fronthaul: Analog Radio-over-Fiber and Space Division Multiplexing; *JLT Oct. 1, 2020 5412-5422*
- Rong, H., see Li, H., *JLT Jan. 1, 2020 131-138*
- Rong, S., see Liu, J., *JLT March 15, 2020 1486-1491*
- Rong, Y., see Cheng, Z., *JLT July 1, 2020 3533-3539*
- Rosa, L., Pallangal, S.H., Poli, F., Selleri, S., and Cucinotta, A., Mode Phase Variation and Sensitivity to Thermal Load in Three-Core Optical Fibers; *JLT April 15, 2020 2400-2405*
- Rosa Brusin, A.M., de Moura, U.C., Curri, V., Zibar, D., and Carena, A., Introducing Load Aware Neural Networks for Accurate Predictions of Raman Amplifiers; *JLT Dec. 1, 2020 6481-6491*
- Rosa Brusin, A.M., see Zibar, D., *JLT Feb. 15, 2020 736-753*
- Rose, A., see Liu, Y., *JLT April 1, 2020 1945-1952*
- Rosenberg, P., see Wang, B., *JLT July 1, 2020 3439-3444*
- Roshan-Zamir, A., see Liang, D., *JLT July 1, 2020 3322-3337*
- Ross-Adams, A., see Luis, R.S., *JLT June 1, 2020 2886-2896*
- Rossi, N., see Lonardi, M., *JLT May 1, 2020 2637-2645*
- Rossi, S.M., see Barbosa, F.A., *JLT April 1, 2020 1827-1835*
- Rostami, A., see Safari Anzabi, K., *JLT Feb. 15, 2020 797-803*
- Roth, P., see Loranger, S., *JLT Aug. 1, 2020 4100-4107*
- Rottenberg, X., see Song, J.H., *JLT June 15, 2020 3273-3279*
- Rouskas, G.N., see Tang, F., *JLT Oct. 15, 2020 5595-5607*
- Roy, D., see Mondal, W.U., *JLT April 15, 2020 2114-2126*
- Ruan, S., see Wang, J., *JLT July 15, 2020 3710-3716*
- Ruan, X., see Zhu, Y., *JLT Jan. 1, 2020 67-74*
- Ruan, Y., see Nie, B., *JLT Oct. 1, 2020 5423-5429*
- Ruan, Z., Zhu, Y., Chen, P., Shi, Y., He, S., Cai, X., and Liu, L., Efficient Hybrid Integration of Long-Wavelength VCSELs on Silicon Photonic Circuits; *JLT Sept. 15, 2020 5100-5106*
- Ruffini, M., see Browning, C., *JLT Oct. 1, 2020 5386-5392*
- Ruggeri, E., see Tsakyridis, A., *JLT Sept. 1, 2020 4607-4617*
- Ruggeri, E., Tsakyridis, A., Vagionas, C., Leiba, Y., Kalfas, G., Pleros, N., and Miliou, A., Multi-User V-Band Uplink Using a Massive MIMO Antenna and a Fiber-Wireless IFoF Fronthaul for 5G mmWave Small-Cells; *JLT Oct. 1, 2020 5368-5374*
- Ruiz, C.M., see Lorriere, N., *JLT Aug. 1, 2020 3822-3831*

Ruiz, M., Tabatabaeimehr, F., Gifre, L., Lopez-Buedo, S., de Vergara, J.L., Gonzalez, O., and Velasco, L., Modeling and Assessing Connectivity Services Performance in a Sandbox Domain; *JLT June 15, 2020 3180-3189*

Ruiz, M., see Ruiz, M., *JLT June 15, 2020 3180-3189*

Rumipamba-Zambrano, R., Munoz, R., Casellas, R., Perello, J., Spadaro, S., and Elfiqi, A.E., Design and Assessment of FM-MCFs-Suited SDM-ROADMs With Versatile Spatial Group Configurations and Unified QoT Estimator; *JLT Nov. 15, 2020 6137-6152*

Rusch, L.A., see Zhalehpour, S., *JLT Jan. 15, 2020 256-264*

Rusch, L.A., see Chang, J.H., *JLT Feb. 15, 2020 846-856*

Rusimova, K.R., see Yerolatsits, S., *JLT Sept. 15, 2020 5157-5162*

Rusticelli, S., see Nanni, J., *JLT Oct. 1, 2020 5393-5405*

Ryf, R., see Arnould, A., *JLT Jan. 15, 2020 504-508*

Ryf, R., see Chen, H., *JLT May 1, 2020 2587-2597*

Ryf, R., see Cho, J., *JLT July 15, 2020 3652-3662*

Ryf, R., see Antonelli, C., *JLT April 1, 2020 1668-1677*

Ryf, R., see Matte-Breton, C., *JLT April 1, 2020 1936-1944*

Ryf, R., see Zhang, Y., *JLT Nov. 15, 2020 6286-6291*

Ryu, G., Kim, G., Song, K.Y., Lee, S.B., and Lee, K., 50 km-Range Brillouin Optical Correlation Domain Analysis With First-Order Backward Distributed Raman Amplification; *JLT Sept. 15, 2020 5199-5204*

S

Saber, M.G., see Xing, Z., *JLT June 1, 2020 2968-2975*

Sadot, D., see Yoffe, Y., *JLT June 15, 2020 3096-3105*

Sadot, D., see Paryanti, G., *JLT Aug. 1, 2020 3832-3838*

Sadot, D., see Paryanti, G., *JLT Aug. 1, 2020 3883-3896*

Sadot, D., see Faig, H., *JLT July 1, 2020 3519-3525*

Sadot, D., see Faig, H., *JLT April 1, 2020 1777-1784*

Saeidi, M., see Hirokawa, T., *JLT Nov. 15, 2020 6292-6298*

Saetchnikov, A.V., Tcherniavskaia, E.A., Saetchnikov, V.A., and Ostendorf, A., A Laser Written 4D Optical Microcavity for Advanced Biochemical Sensing in Aqueous Environment; *JLT April 15, 2020 2530-2538*

Saetchnikov, V.A., see Saetchnikov, A.V., *JLT April 15, 2020 2530-2538*

Safar, H., see Grillanda, S., *JLT Feb. 15, 2020 804-810*

Safari, M., see Huang, S., *JLT Sept. 15, 2020 5225-5235*

Safari, M., see Safi, H., *JLT Sept. 15, 2020 5036-5047*

Safari Anzabi, K., Habibzadeh-Sharif, A., Connelly, M.J., and Rostami, A., Wideband Steady-State and Pulse Propagation Modeling of a Reflective Quantum-Dot Semiconductor Optical Amplifier; *JLT Feb. 15, 2020 797-803*

Safi, H., Dargahi, A., Cheng, J., and Safari, M., Analytical Channel Model and Link Design Optimization for Ground-to-HAP Free-Space Optical Communications; *JLT Sept. 15, 2020 5036-5047*

Safian, R., see Teng, M., *JLT Jan. 1, 2020 6-17*

Sagae, Y., see Matsui, T., *JLT Nov. 1, 2020 6065-6070*

Saha, C., see Agrawal, N., *JLT April 15, 2020 2523-2529*

Sahu, J.K., see Hong, Y., *JLT April 15, 2020 2278-2284*

Sahu, J.K., see Hong, Y., *JLT May 15, 2020 2849-2857*

Sahu, J.K., see Jain, D., *JLT Nov. 15, 2020 6362-6370*

Sahu, J.K., see Ahmad, H., *JLT Dec. 15, 2020 6886-6896*

Sahuguede, S., see Combeau, P., *JLT Oct. 15, 2020 5635-5648*

Sai, V.V.R., see Danny, C.G., *JLT March 15, 2020 1580-1588*

Saif, W.S., see Eltaieb, R.A., *JLT Feb. 1, 2020 619-631*

Saini, T.S., see Luo, X., *JLT March 15, 2020 1468-1473*

Saito, K., see Kobayashi, Y., *JLT Aug. 15, 2020 4504-4512*

Saito, S., see Milosevic, M.M., *JLT April 1, 2020 1865-1873*

Saitoh, K., see Jung, Y., *JLT June 1, 2020 2938-2943*

Saitoh, K., see Sakamoto, T., *JLT Aug. 15, 2020 4490-4496*

Saitoh, S., see Suzuki, K., *JLT Jan. 15, 2020 226-232*

Saitoh, S., see Sakamoto, T., *JLT Aug. 15, 2020 4490-4496*

Sakamoto, T., see Jung, Y., *JLT June 1, 2020 2938-2943*

Sakamoto, T., Saitoh, K., Saitoh, S., Abe, Y., Takenaga, K., Urushibara, A., Wada, M., Matsui, T., Aikawa, K., and Nakajima, K., Spatial Density and Splicing Characteristic Optimized Few-Mode Multi-Core Fiber; *JLT Aug. 15, 2020 4490-4496*

Sakamoto, T., see Matsui, T., *JLT Nov. 1, 2020 6065-6070*

Sakib, M., see Li, H., *JLT Jan. 1, 2020 131-138*

Sakr, H., Hong, Y., Bradley, T.D., Jasion, G.T., Hayes, J.R., Kim, H., Davidson, I.A., Fokoua, E.N., Chen, Y., Bottrill, K.R.H., Taengnoi, N., Wheeler, N.V., Petropoulos, P., Richardson, D.J., and Poletti, F., Interband Short Reach Data Transmission in Ultrawide Bandwidth Hollow Core Fiber; *JLT Jan. 1, 2020 159-165*

Sakr, H., see Hong, Y., *JLT May 15, 2020 2849-2857*

Salami, P., and Yousefi, L., Far-Field Imaging Beyond the Diffraction Limit Using Waves Interference; *JLT April 15, 2020 2322-2327*

Saleh, A.A.M., see Hirokawa, T., *JLT Nov. 15, 2020 6292-6298*

Salehi, J.A., see Moghaddam, E.E., *JLT March 15, 2020 1095-1102*

Salemi, M., see Huang, M., *JLT Jan. 1, 2020 75-81*

Salhi, M., see Nady, A., *JLT Dec. 15, 2020 6905-6910*

Samani, A., see Jacques, M., *JLT June 1, 2020 2877-2885*

Sambo, N., Ferrari, A., Napoli, A., Costa, N., Pedro, J., Sommerkorn-Krombholz, B., Castoldi, P., and Curri, V., Provisioning in Multi-Band Optical Networks; *JLT May 1, 2020 2598-2605*

Samion, M.Z., see Ahmad, H., *JLT Dec. 15, 2020 6886-6896*

Sampietro, M., see Zanetto, F., *JLT Nov. 1, 2020 6000-6006*

Samra, P., see Sun, H., *JLT Sept. 1, 2020 4744-4756*

Sanchez, A., see Liu, Z., *JLT Jan. 15, 2020 240-248*

Sanchez, F., see Nady, A., *JLT Dec. 15, 2020 6905-6910*

Sanders, S., see Lopez, V., *JLT March 1, 2020 1080-1091*

Sanders, S., see Sun, H., *JLT Sept. 1, 2020 4744-4756*

Sankoh, A., see Jin, W., *JLT April 15, 2020 2095-2105*

Sano, H., see Ohata, N., *JLT June 15, 2020 3246-3251*

Sano, K., see Shindo, T., *JLT June 1, 2020 2984-2991*

Sarmani, A.R., see Al-Alimi, A.W., *JLT Dec. 1, 2020 6648-6654*

Sasai, T., Matsushita, A., Nakamura, M., Okamoto, S., Hamaoka, F., and Kisaka, Y., Laser Phase Noise Tolerance of Uniform and Probabilistically Shaped QAM Signals for High Spectral Efficiency Systems; *JLT Jan. 15, 2020 439-446*

Sasaki, M., see Eriksson, T.A., *JLT April 15, 2020 2214-2218*

Sasaki, Y., see Jung, Y., *JLT June 1, 2020 2938-2943*

Sato, K., see Mori, Y., *JLT March 1, 2020 1002-1009*

Sato, Y., see Kanno, A., *JLT Jan. 1, 2020 112-122*

Satyan, N., see Zhang, Z., *JLT Dec. 1, 2020 6584-6590*

Saurav, K., see Radosavljevic, A., *JLT Aug. 1, 2020 3965-3973*

Saurav, K., see Vanmol, K., *JLT Sept. 1, 2020 4834-4842*

Sauveron, D., see Combeau, P., *JLT Oct. 15, 2020 5635-5648*

Savovic, S., and Djordjevic, A., Investigation of Mode Coupling in Graded Index Plastic Optical Fibers Using the Langevin Equation; *JLT Dec. 1, 2020 6644-6647*

Sazonov, A.I., see Przhivalkovskiy, Y.V., *JLT Dec. 15, 2020 6879-6885*

Scalart, P., see Lagha, M.K., *JLT Aug. 15, 2020 4213-4220*

Schares, L., see Forenchich, A., *JLT March 15, 2020 1330-1340*

Schares, L., see Dupuis, N., *JLT Jan. 15, 2020 178-184*

Schares, L., see Bosco, G., *JLT Jan. 1, 2020 3-5*

Schatz, R., see Pang, X., *JLT Jan. 15, 2020 492-503*

Schatz, R., see Liu, Z., *JLT April 1, 2020 1844-1850*

Schell, M., see Theurer, M., *JLT May 1, 2020 2630-2636*

Schell, M., see Happach, M., *JLT Sept. 1, 2020 4824-4833*

Schiano, M., see Furdek, M., *JLT June 1, 2020 2860-2871*

Schmalen, L., see Le, S.T., *JLT Jan. 15, 2020 538-545*

Schmalen, L., see Le, S.T., *JLT June 15, 2020 3125-3134*

Schmalen, L., see Teixeira, A., *JLT Feb. 1, 2020 684-695*

Schmidt, H., see Wright, J.G., *JLT Nov. 15, 2020 6280-6285*

Schmogrow, R., see Cantono, M., *JLT March 1, 2020 1050-1060*

Schnatz, H., see Sliwczynski, L., *JLT Sept. 15, 2020 5056-5063*

Schneider, T., see Feng, C., *JLT Dec. 15, 2020 6967-6975*

Schow, C.L., see Andrade, H., *JLT Aug. 15, 2020 4409-4418*

Schow, C.L., see Hirokawa, T., *JLT Nov. 15, 2020 6292-6298*

Schrans, T., see Gu, T., *JLT July 1, 2020 3319-3321*

Schrenk, B., and Karinou, F., Analog Coherent TDMA Receiver With Fast Locking to Free-Running Optical Emitters; *JLT Jan. 15, 2020 379-385*

Schrenk, B., see Milovancev, D., *JLT June 15, 2020 3305-3314*

- Schrenk, B.**, Milovancev, D., Vokic, N., Hubel, H., and Karinou, F., Face-to-Face EML Transceiver Tandem for Full-Duplex Analogue Radio-Over-Air; *JLT June 1, 2020 2976-2983*
- Schreuder, F.**, see Theurer, M., *JLT May 1, 2020 2630-2636*
- Schroder, H.**, see Brusberg, L., *JLT March 15, 2020 1350-1357*
- Schroder, J.**, see Yoshida, T., *JLT June 1, 2020 2912-2921*
- Schroder, J.**, see Mazur, M., *JLT Oct. 15, 2020 5676-5684*
- Schuh, K.**, see Le, S.T., *JLT Jan. 15, 2020 538-545*
- Schuh, K.**, see Buchali, F., *JLT Jan. 1, 2020 150-158*
- Schuh, K.**, see Buchali, F., *JLT May 1, 2020 2710-2718*
- Schuh, K.**, see Le, S.T., *JLT June 15, 2020 3125-3134*
- Schuh, K.**, see Le, S.T., *JLT Aug. 15, 2020 4359-4367*
- Schulzgen, A.**, see Hu, X., *JLT April 1, 2020 1959-1965*
- Schulzgen, A.**, see Gausmann, S., *JLT April 1, 2020 1953-1958*
- Sciancalepore, C.**, see Boust, S., *JLT Oct. 1, 2020 5517-5525*
- Scotti, F.**, see Serafino, G., *JLT Oct. 1, 2020 5339-5355*
- Scotti, F.**, see Malacarne, A., *JLT Nov. 15, 2020 6257-6264*
- Searcy, S.**, Brochu, G., Boudreau, S., Trepanier, F., Filer, M.M., and Tibuleac, S., Statistical Evaluation of PAM4 Data Center Interconnect System With Slope-Compensating Fiber Bragg Grating Tunable Dispersion Compensation Module; *JLT June 15, 2020 3173-3179*
- Secondini, M.**, and Forestieri, E., Direct Detection of Bipolar Pulse Amplitude Modulation; *JLT Nov. 1, 2020 5981-5990*
- Seda Borsato Cunha, M.**, see Borges, R.M., *JLT Feb. 1, 2020 642-653*
- Sedov, E.**, see Turitsyn, S., *JLT Jan. 15, 2020 352-358*
- Seeds, A.**, see Liu, Z., *JLT Jan. 15, 2020 240-248*
- Seeds, A.J.**, see Hantschmann, C., *JLT Sept. 1, 2020 4801-4807*
- Seeds, A.J.**, see Hasanuzzaman, G.K.M., *JLT Oct. 1, 2020 5240-5247*
- Seki, M.**, see Suzuki, K., *JLT Jan. 15, 2020 226-232*
- Sekiguchi, S.**, see Konoike, R., *JLT June 1, 2020 2930-2937*
- Sekiya, E.H.**, see Kobayashi, Y., *JLT Aug. 15, 2020 4504-4512*
- Selleri, S.**, see Rosa, L., *JLT April 15, 2020 2400-2405*
- Semaan, G.**, see Nady, A., *JLT Dec. 15, 2020 6905-6910*
- Semenova, Y.**, see Lian, X., *JLT Nov. 15, 2020 6352-6361*
- Semjonov, S.L.**, see Andrianov, A.V., *JLT April 15, 2020 2464-2470*
- Semjonov, S.L.**, see Tomashuk, A.L., *JLT Oct. 15, 2020 5817-5824*
- Semrau, D.**, Sillekens, E., Killey, R.L., and Bayvel, P., Corrections to "A Modulation Format Correction Formula for the Gaussian Noise Model in the Presence of Inter-Channel Stimulated Raman Scattering" *JLT March 15, 2020 1604*
- Semrau, D.**, see Ionescu, M., *JLT Jan. 15, 2020 531-537*
- Semrau, D.**, see Mitra, A., *JLT March 1, 2020 1032-1040*
- Seno, K.**, see Yamazaki, M., *JLT April 15, 2020 2219-2225*
- Serafino, G.**, Maresca, S., Porzi, C., Scotti, F., Ghelfi, P., and Bogoni, A., Microwave Photonics for Remote Sensing: From Basic Concepts to High-Level Functionalities; *JLT Oct. 1, 2020 5339-5355*
- Serafino, G.**, see Malacarne, A., *JLT Nov. 15, 2020 6257-6264*
- Serahati, Z.**, Temprana, E., Myslivets, E., Ataie, V., Alic, N., and Radic, S., Demonstration of a Sub-GHz Flat-Top Comb-Based RF-Photonic Filter Enabled by Fourth-Order Dispersion Compensation; *JLT March 15, 2020 1194-1201*
- Serena, P.**, Lasagni, C., Musetti, S., and Bononi, A., On Numerical Simulations of Ultra-Wideband Long-Haul Optical Communication Systems; *JLT March 1, 2020 1019-1031*
- Serena, P.**, see Bononi, A., *JLT April 15, 2020 2201-2213*
- Serena, P.**, Lasagni, C., and Bononi, A., The Enhanced Gaussian Noise Model Extended to Polarization-Dependent Loss; *JLT Oct. 15, 2020 5685-5694*
- Set, S.Y.**, see Shirahata, T., *JLT Dec. 1, 2020 6492-6498*
- Seyedi, A.**, see Gu, T., *JLT July 1, 2020 3319-3321*
- Seyedi, A.**, see London, Y., *JLT July 1, 2020 3469-3477*
- Sfez, B.**, see Yevnin, M., *JLT Feb. 15, 2020 792-796*
- Shabka, Z.**, see Parsonson, C.W.F., *JLT Oct. 15, 2020 5563-5573*
- Shaheen, S.**, Gris-Sanchez, I., and Gasulla, I., True-Time Delay Line Based on Dispersion-Flattened 19-Core Photonic Crystal Fiber; *JLT Nov. 15, 2020 6237-6246*
- Shaimanov, A.N.**, see Kornienko, V.V., *JLT Sept. 1, 2020 4794-4800*
- Shalaby, H.M.H.**, Proposal of a Power Efficient N-Level Multipulse PPM-LQAM Technique; *JLT Dec. 1, 2020 6542-6548*
- Shalaby, H.M.H.**, see Eltaieb, R.A., *JLT Feb. 1, 2020 619-631*
- Shams, H.**, see Hasanuzzaman, G.K.M., *JLT Oct. 1, 2020 5240-5247*
- Shan, D.**, see Li, Y., *JLT Aug. 1, 2020 3908-3917*
- Shang, C.**, see Adeel, M., *JLT April 15, 2020 2539-2546*
- Shang, L.**, Feng, S., and Liu, G., Hole-Assisted Solid Core Bragg Fibers With a High-Index-Contrast Cladding for Broadband Single-Polarization Operation; *JLT Nov. 1, 2020 6104-6113*
- Shang, Z.**, see Zhang, Y., *JLT April 1, 2020 1809-1816*
- Shao, G.**, see Manie, Y.C., *JLT March 15, 2020 1589-1603*
- Shao, L.**, see Guo, K., *JLT April 1, 2020 2060-2066*
- Shao, Y.**, Deng, R., He, J., Wu, K., and Chen, L., Real-Time 2.2-Gb/s Water-Air OFDM-OWC System With Low-Complexity Transmitter-Side DSP; *JLT Oct. 15, 2020 5668-5675*
- Sharaiha, A.**, see Kastritsis, D., *JLT Oct. 1, 2020 5375-5385*
- Sharonova, Y.O.**, see Tomashuk, A.L., *JLT Oct. 15, 2020 5817-5824*
- Shaw, M.D.**, see Wang, X., *JLT Jan. 1, 2020 166-173*
- Shchukin, V.A.**, see Chorchos, L., *JLT April 1, 2020 1747-1752*
- She, S.**, Liu, B., Chang, C., Xu, Y., Xiao, X., Cui, X., Li, Z., Zheng, J., Gao, S., Zhang, Y., Li, Y., Zhou, Z., Mei, L., Hou, C., and Guo, H., Yb/Ce Codoped Aluminosilicate Fiber With High Laser Stability for Multi-kW Level Laser; *JLT Dec. 15, 2020 6924-6931*
- Sheffi, N.**, see Faig, H., *JLT April 1, 2020 1777-1784*
- Shen, A.**, see Effenberger, F.J., *JLT Feb. 15, 2020 754-760*
- Shen, A.**, see Verolet, T., *JLT Oct. 15, 2020 5708-5715*
- Shen, C.**, see Lian, X., *JLT Nov. 15, 2020 6352-6361*
- Shen, D.**, see Wang, H., *JLT April 15, 2020 2511-2515*
- Shen, D.**, see Zhao, J., *JLT Nov. 1, 2020 6069-6075*
- Shen, G.**, see Li, Y., *JLT July 15, 2020 3542-3552*
- Shen, G.**, see Tang, F., *JLT Oct. 15, 2020 5595-5607*
- Shen, J.**, see Hu, L., *JLT July 15, 2020 3644-3651*
- Shen, J.**, see Fan, R., *JLT July 15, 2020 3717-3722*
- Shen, J.**, see Zhang, Y., *JLT April 1, 2020 1809-1816*
- Shen, L.**, see Zhang, J., *JLT Nov. 1, 2020 5875-5882*
- Shen, L.**, see Kang, B., *JLT Nov. 1, 2020 5962-5972*
- Shen, L.**, see Wang, H., *JLT Nov. 15, 2020 6327-6333*
- Shen, S.**, see Zhou, W., *JLT July 15, 2020 3592-3601*
- Shen, S.**, see Yao, S., *JLT July 15, 2020 3637-3643*
- Shen, S.**, see Shiu, R., *JLT Oct. 1, 2020 5302-5310*
- Shen, S.**, Chen, Y., Zhou, Q., Finkelstein, J., and Chang, G., Demonstration of Pattern Division Multiple Access With Message Passing Algorithm for Multi-Channel mmWave Uplinks via RoF Mobile Fronthaul; *JLT Nov. 1, 2020 5908-5915*
- Shen, S.**, see Yao, S., *JLT Nov. 15, 2020 6178-6186*
- Shen, W.**, Du, J., Sun, L., Wang, C., Zhu, Y., Xu, K., Chen, B., and He, Z., Low-Latency and High-Speed Hollow-Core Fiber Optical Interconnection at 2-Micron Waveband; *JLT Aug. 1, 2020 3874-3882*
- Shen, W.**, see Liang, D., *JLT July 1, 2020 3322-3337*
- Shen, X.**, see Liang, X., *JLT Dec. 1, 2020 6600-6604*
- Shen, Y.**, see Peng, Y., *JLT Sept. 1, 2020 4850-4856*
- Shen, Z.**, see Wan, H., *JLT March 15, 2020 1501-1505*
- Sheng, Q.**, Liu, G., Uddin, N., Reinke, M.L., and Han, M., Fiber-Optic Silicon Fabry-Perot Interferometric Bolometer: The Influence of Mechanical Vibration and Magnetic Field; *JLT April 15, 2020 2547-2554*
- Shepelsky, D.**, see Kamalian-Kopae, M., *JLT July 15, 2020 3602-3615*
- Sherman, V.**, see Yevnin, M., *JLT Feb. 15, 2020 792-796*
- Shi, C.**, see McDonald, N., *JLT July 15, 2020 3584-3591*
- Shi, F.**, Fan, Y., Kang, B., Tao, J., Tan, Q., Jiang, W., He, Y., and Gao, Y., Wideband Dual-Channel Photonic RF Repeater Based on Polarization Division Multiplexing Modulation and Polarization Control; *JLT March 15, 2020 1275-1285*
- Shi, F.**, see Kang, B., *JLT Nov. 1, 2020 5962-5972*
- Shi, F.**, see Bamiedakis, N., *JLT Dec. 1, 2020 6561-6568*
- Shi, J.**, Zhang, F., Ben, D., and Pan, S., Simultaneous Radar Detection and Frequency Measurement by Broadband Microwave Photonic Processing; *JLT April 15, 2020 2171-2179*

- Shi, J.**, Yang, F., Xu, W., Xu, D., Bai, H., Guo, C., Wu, Y., Zhang, S., Liu, T., and Yao, J., High-Resolution Temperature Sensor Based on Intracavity Sensing of Fiber Ring Laser; *JLT April 1, 2020* 2010-2014
- Shi, J.**, see Ma, J., *JLT Feb. 1, 2020* 557-563
- Shi, W.**, see Zhalehpour, S., *JLT Jan. 15, 2020* 256-264
- Shi, W.**, see Ahmadi, M., *JLT Aug. 1, 2020* 4114-4123
- Shi, X.**, see Wen, G., *JLT Aug. 1, 2020* 4061-4074
- Shi, Y.**, see Sun, Z., *JLT April 15, 2020* 2299-2307
- Shi, Y.**, see Hao, L., *JLT Aug. 15, 2020* 4402-4408
- Shi, Y.**, Xu, N., and Wen, Q., Ti_2CT_x (T=O, OH or F) Nanosheets as New Broadband Saturable Absorber for Ultrafast Photonics; *JLT April 1, 2020* 1975-1980
- Shi, Y.**, see Zhang, Y., *JLT April 1, 2020* 1809-1816
- Shi, Y.**, see Ruan, Z., *JLT Sept. 15, 2020* 5100-5106
- Shi, Y.**, see Sun, Z., *JLT Nov. 1, 2020* 6038-6046
- Shi, Y.**, see Tao, M., *JLT Dec. 1, 2020* 6635-6643
- Shi, Y.**, see Huang, L., *JLT Dec. 15, 2020* 6788-6800
- Shibagaki, N.**, see Kanno, A., *JLT Jan. 1, 2020* 112-122
- Shibahara, K.**, Mizuno, T., Kawakami, H., Kobayashi, T., Nakamura, M., Shikama, K., Nakajima, K., and Miyamoto, Y., Full C-Band 3060-km DMD-Unmanaged 3-Mode Transmission With 40.2-Tb/s Capacity Using Cyclic Mode Permutation; *JLT Jan. 15, 2020* 514-521
- Shibahara, K.**, see Jung, Y., *JLT June 1, 2020* 2938-2943
- Shibahara, K.**, Mizuno, T., and Miyamoto, Y., Long-Haul Mode Multiplexing Transmission Enhanced by Interference Cancellation Techniques Based on Fast MIMO Affine Projection; *JLT Sept. 15, 2020* 4969-4977
- Shibelgut, A.A.**, Konkin, D.A., Litvinov, R.V., Kruglov, R., Bunge, C., and Poisel, H., Scattering Into Guided Modes Due to Imperfect Graded-Index Structure in Polymer Optical Fibers; *JLT March 15, 2020* 1454-1460
- Shieh, W.**, see Ji, H., *JLT Oct. 15, 2020* 5617-5623
- Shih, T.**, see Lin, Y., *JLT April 15, 2020* 2144-2151
- Shikama, K.**, see Shibahara, K., *JLT Jan. 15, 2020* 514-521
- Shimizu, S.**, see Cincotti, G., *JLT Jan. 15, 2020* 346-351
- Shimura, D.**, see Jeong, S., *JLT May 1, 2020* 2680-2687
- Shimura, D.**, see Noriki, A., *JLT June 15, 2020* 3147-3155
- Shin, J.**, see Lee, E.S., *JLT Aug. 15, 2020* 4237-4243
- Shin, W.**, see Park, H.J., *JLT Nov. 15, 2020* 6247-6256
- Shinada, S.**, see Luis, R.S., *JLT June 1, 2020* 2886-2896
- Shindo, T.**, Fujiwara, N., Kanazawa, S., Nada, M., Nakanishi, Y., Yoshimatsu, T., Kanda, A., Chen, M., Ohiso, Y., Sano, K., and Matsuzaki, H., High Power and High Speed SOA Assisted Extended Reach EADFB Laser (AXEL) for 53-Gbaud PAM4 Fiber-Amplifier-Less 60-km Optical Link; *JLT June 1, 2020* 2984-2991
- Shirahata, T.**, Set, S.Y., and Yamashita, S., Compensation of Phase-Uncertainty-Induced Impairments in Dispersion-Tuned Swept Laser OCT using Digital Coherent Detection; *JLT Dec. 1, 2020* 6492-6498
- Shiraiwa, M.**, see Xu, S., *JLT May 1, 2020* 2656-2668
- Shiraki, R.**, see Mori, Y., *JLT March 1, 2020* 1002-1009
- Shiu, R.**, see Manic, Y.C., *JLT March 15, 2020* 1589-1603
- Shiu, R.**, see Zhou, W., *JLT July 15, 2020* 3592-3601
- Shiu, R.**, Chen, Y., Peng, P., Chiu, J., Zhou, Q., Chang, T., Shen, S., Li, J., and Chang, G., Performance Enhancement of Optical Comb Based Microwave Photonic Filter by Machine Learning Technique; *JLT Oct. 1, 2020* 5302-5310
- Shokraneh, F.**, Nezami, M.S., and Liboiron-Ladouceur, O., Theoretical and Experimental Analysis of a 4×4 Reconfigurable MZI-Based Linear Optical Processor; *JLT March 15, 2020* 1258-1267
- Shrivastava, S.**, see Kaushik, V., *JLT Nov. 1, 2020* 6031-6037
- Shtaif, M.**, see Golani, O., *JLT March 15, 2020* 1148-1156
- Shtaif, M.**, see Antonelli, C., *JLT April 1, 2020* 1668-1677
- Shterengas, L.**, see Feng, T., *JLT April 1, 2020* 1895-1899
- Shu, C.**, see Xie, Q., *JLT Jan. 15, 2020* 339-345
- Shu, F.**, see Jia, L., *JLT April 15, 2020* 2180-2189
- Shu, L.**, see Zhao, Y., *JLT March 15, 2020* 1314-1322
- Shu, L.**, Yu, Z., Wan, Z., Zhang, J., Hu, S., and Xu, K., Dual-Stage Soft Failure Detection and Identification for Low-Margin Elastic Optical Network by Exploiting Digital Spectrum Information; *JLT May 1, 2020* 2669-2679
- Shu, X.**, see Zhao, R., *JLT Nov. 15, 2020* 6371-6378
- Shulyak, V.**, Hayat, M.M., and Ng, J.S., Sensitivity Calculations of High-Speed Optical Receivers Based on Electron-APDs; *JLT Feb. 15, 2020* 989-995
- Shum, P.P.**, see Li, S., *JLT June 15, 2020* 3238-3245
- Shum, P.P.**, see Li, H., *JLT Feb. 15, 2020* 929-938
- Shurvinton, R.**, see Yerolatsitis, S., *JLT Sept. 15, 2020* 5157-5162
- Si, N.**, see Zhong, M., *JLT Aug. 15, 2020* 4533-4539
- Sidelnikov, O.**, see Redyuk, A., *JLT March 15, 2020* 1250-1257
- Sigmund, A.**, see Theurer, M., *JLT May 1, 2020* 2680-2694
- Sillekens, E.**, see Semrau, D., *JLT March 15, 2020* 1604
- Sillekens, E.**, see Ionescu, M., *JLT Jan. 15, 2020* 531-537
- Sillekens, E.**, see Ferreira, F.M., *JLT May 15, 2020* 2790-2798
- Sillekens, E.**, see Gerard, T., *JLT Feb. 1, 2020* 564-572
- Silver, J.M.**, see Moroney, N., *JLT March 15, 2020* 1414-1419
- Simeonidou, D.**, see Wang, R., *JLT Jan. 1, 2020* 139-149
- Simeonidou, D.**, see Yan, Y., *JLT May 1, 2020* 2688-2694
- Simeonidou, D.**, see Gao, Z., *JLT May 1, 2020* 2646-2655
- Simeonidou, D.**, see Hugues-Salas, E., *JLT Sept. 15, 2020* 5064-5070
- Simoff, D.A.**, see Stolov, A.A., *JLT July 15, 2020* 3759-3768
- Simon, J.**, see Lorriere, N., *JLT Aug. 1, 2020* 3822-3831
- Simon, S.**, see Andrade, H., *JLT Aug. 15, 2020* 4409-4418
- Singh, L.**, see Kaushik, V., *JLT Nov. 1, 2020* 6031-6037
- Singh, R.**, Feng, F., Hong, Y., Faulkner, G., Deshmukh, R., Vercasson, G., Bouchet, O., Petropoulos, P., and O'Brien, D., Design and Characterisation of Terabit/s Capable Compact Localisation and Beam-Steering Terminals for Fiber-Wireless-Fiber Links; *JLT Dec. 15, 2020* 6817-6826
- Singley, J.M.**, see Mondich, M.J., *JLT Nov. 1, 2020* 5893-5907
- Sinkin, O.V.**, see Bolshtyansky, M.A., *JLT March 15, 2020* 1296-1304
- Sinkin, O.V.**, see Cai, J., *JLT June 15, 2020* 3280-3288
- Slaets, P.**, see Amsters, R., *JLT Nov. 1, 2020* 5925-5936
- Slavik, R.**, see Liu, Z., *JLT Jan. 1, 2020* 43-59
- Slavik, R.**, see Zhu, W., *JLT April 15, 2020* 2477-2484
- Slavik, R.**, see Ding, M., *JLT April 15, 2020* 2423-2427
- Slavik, R.**, see Clark, K.A., *JLT May 1, 2020* 2703-2709
- Sliwczynski, L.**, Krehlik, P., Buczek, L., and Schnatz, H., Picoseconds-Accurate Fiber-Optic Time Transfer With Relative Stabilization of Lasers Wavelengths; *JLT Sept. 15, 2020* 5056-5063
- Smayev, M.P.**, see Okhrimchuk, A.G., *JLT March 15, 2020* 1492-1500
- Smirnov, N.S.**, see Kornienko, V.V., *JLT Sept. 1, 2020* 4794-4800
- Smith, A.M.**, and Jacinto, H.S., Reconfigurable Integrated Optical Interferometer Network-Based Physically Unclonable Function; *JLT Sept. 1, 2020* 4599-4606
- Smith, K.**, see Zhou, Y.R., *JLT June 15, 2020* 3106-3113
- Snyder, B.**, see Mangal, N., *JLT April 15, 2020* 2360-2369
- Soga, K.**, see Mei, Y., *JLT Nov. 15, 2020* 6385-6392
- Sohanpal, R.S.**, Clark, K.A., Puttnam, B.J., Awaji, Y., Wada, N., Bayvel, P., and Liu, Z., Clock and Data Recovery-Free Data Communications Enabled by Multi-Core Fiber With Low Thermal Sensitivity of Skew; *JLT April 1, 2020* 1636-1643
- Soliman, G.**, see Sun, H., *JLT Sept. 1, 2020* 4744-4756
- Solis, J.**, see Macias-Montero, M., *JLT Dec. 1, 2020* 6578-6583
- Soma, D.**, see Beppu, S., *JLT May 15, 2020* 2835-2841
- Somaschini, C.**, see Memon, F.A., *JLT Feb. 15, 2020* 784-791
- Sommerkorn-Krombholz, B.**, see Sambo, N., *JLT May 1, 2020* 2598-2605
- Sommerkorn-Krombholz, B.**, see Ferrari, A., *JLT Aug. 15, 2020* 4279-4291
- Song, C.**, Zheng, Z., Lei, M., Qian, J., Gao, X., and Huang, S., Photonics Generation of Pulsed Arbitrary-Phase-Coded Microwave Signals Based on the Conversion Between Intensity Modulation and Phase Modulation; *JLT March 15, 2020* 1243-1249
- Song, C.**, see Bai, Y., *JLT Nov. 1, 2020* 5973-5980
- Song, H.**, Zhang, R., Manukyan, K., Li, L., Zhao, Z., Pang, K., Liu, C., Almain, A., Bock, R., Lynn, B., Tur, M., and Willner, A.E., Experimental Mitigation of Atmospheric Turbulence Effect Using Pre-Signal Combining for Uni- and Bi-Directional Free-Space Optical Links With Two 100-Gbit/s OAM-Multiplexed Channels; *JLT Jan. 1, 2020* 82-89
- Song, H.**, see Song, H., *JLT Jan. 1, 2020* 82-89
- Song, J.**, see Liu, J., *JLT March 15, 2020* 1572-1579

- Song, J.**, see Ra, Y., *JLT March 15, 2020 1113-1124*
- Song, J.**, see Ye, J., *JLT July 15, 2020 3737-3744*
- Song, J.**, see Zhu, Y., *JLT Sept. 1, 2020 4817-4823*
- Song, J.**, Pan, J., Wan, L., Chen, Z., Zhu, Y., Yang, Z., Chen, Y., Zhang, M., Yi, X., and Li, Z., Ultrasound Measurement Using On-Chip Optical Micro-Resonators and Digital Optical Frequency Comb; *JLT Oct. 1, 2020 5293-5301*
- Song, J.**, see Zheng, Y., *JLT Dec. 15, 2020 6939-6947*
- Song, J.H.**, Kongnyuy, T.D., De Heyn, P., Lardenois, S., Jansen, R., and Rotenberg, X., Low-Loss Waveguide Based on Advanced Shape for Photonic Integrated Circuits; *JLT June 15, 2020 3273-3279*
- Song, K.Y.**, see Ryu, G., *JLT Sept. 15, 2020 5199-5204*
- Song, K.Y.**, see Youn, J.H., *JLT Nov. 1, 2020 6076-6081*
- Song, N.**, see Jin, J., *JLT Dec. 1, 2020 6655-6663*
- Song, P.**, see Yerolatsitis, S., *JLT Sept. 15, 2020 5157-5162*
- Song, Q.**, Peng, H., Zhou, S., Zhou, P., Xiao, Q., and Jia, B., A Novel Weak-Scattering Michelson Interferometer Based on PBS for Long-Distance Disturbance Localization; *JLT March 15, 2020 1543-1549*
- Song, Q.**, see Cheng, X., *JLT April 15, 2020 2471-2476*
- Song, Q.Q.**, Chen, K.X., and Hu, Z.F., Low-Power Broadband Thermo-Optic Switch With Weak Polarization Dependence Using a Segmented Graphene Heater; *JLT March 15, 2020 1358-1364*
- Song, T.**, see Su, Y., *JLT July 15, 2020 3553-3562*
- Song, T.**, Nirmalathas, A., Lim, C., Wong, E., Lee, K., Alameh, K., and Wang, K., Optical Wireless Communications Adopting Delay-Tolerant Repetition-Coding With Orthogonal-Filters and On-Demand Equalization; *JLT Aug. 15, 2020 4250-4259*
- Song, T.**, see He, J., *JLT Sept. 1, 2020 4632-4640*
- Song, X.**, see Bai, Y., *JLT Oct. 1, 2020 5262-5269*
- Song, X.**, see Bai, Y., *JLT Nov. 1, 2020 5973-5980*
- Song, Y.**, see Wang, D., *JLT Sept. 1, 2020 4730-4743*
- Song, Y.**, see Cheng, B., *JLT Oct. 1, 2020 5286-5292*
- Song, Z.**, see Wang, S., *JLT Sept. 1, 2020 4691-4698*
- Sorger, V.J.**, see Amin, R., *JLT Jan. 15, 2020 282-290*
- Sorianello, V.**, Contestabile, G., and Romagnoli, M., Graphene on Silicon Modulators; *JLT May 15, 2020 2782-2789*
- Soriano-Amat, M.**, see Marcon, L., *JLT Aug. 1, 2020 4142-4149*
- Soriano-Amat, M.**, Soto, M.A., Duran, V., Martins, H.F., Martin-Lopez, S., Gonzalez-Herraez, M., and Fernandez-Ruiz, M.R., Common-Path Dual-Comb Spectroscopy Using a Single Electro-Optic Modulator; *JLT Sept. 15, 2020 5107-5115*
- Sorin, W.V.**, see Wang, B., *JLT June 15, 2020 3156-3163*
- Sorin, W.V.**, see Wang, B., *JLT July 1, 2020 3439-3444*
- Sorin, W.V.**, see Yuan, Y., *JLT Sept. 1, 2020 4857-4866*
- Sorokina, M.**, Dispersion-Managed Fiber Echo State Network Analogue With High (Including THz) Bandwidth; *JLT June 15, 2020 3209-3213*
- Sotillo, B.**, see Macias-Montero, M., *JLT Dec. 1, 2020 6578-6583*
- Soto, M.A.**, see Lu, X., *JLT March 15, 2020 1513-1521*
- Soto, M.A.**, see Marcon, L., *JLT Aug. 1, 2020 4142-4149*
- Soto, M.A.**, see Lu, X., *JLT Aug. 1, 2020 4133-4141*
- Soto, M.A.**, see Soriano-Amat, M., *JLT Sept. 15, 2020 5107-5115*
- Sousa, A.N.**, see Lorences-Riesgo, A., *JLT Jan. 15, 2020 394-400*
- Sousa, A.N.**, see Guiomar, F.P., *JLT Dec. 1, 2020 6529-6541*
- Souza, A.L.N.d.**, see Felipe, A., *JLT June 1, 2020 2954-2960*
- Spadaro, S.**, see Xue, X., *JLT March 15, 2020 1103-1112*
- Spadaro, S.**, see Mahajan, A., *JLT May 1, 2020 2616-2629*
- Spadaro, S.**, see Rumipamba-Zambrano, R., *JLT Nov. 15, 2020 6137-6152*
- Spadoti, D.H.**, see Borges, R.M., *JLT Feb. 1, 2020 642-653*
- Spaleniak, I.**, see Rommel, S., *JLT Oct. 1, 2020 5412-5422*
- Span, A.**, Aref, V., Bulow, H., Brink, S.t., Successive Eigenvalue Removal for Multi-Soliton Spectral Amplitude Estimation; *JLT Sept. 1, 2020 4708-4714*
- Spinnler, B.**, see Sun, H., *JLT Sept. 1, 2020 4744-4756*
- Sporea, D.**, see Fan, D., *JLT Nov. 15, 2020 6334-6344*
- Squartecchia, M.**, see Altabas, J.A., *JLT April 1, 2020 1785-1788*
- Srinivas, H.**, see Mello, D.A.A., *JLT Jan. 15, 2020 303-318*
- Srinivasan, S.A.**, Berciano, M., De Heyn, P., Lardenois, S., Pantouvaki, M., and Van Campenhout, J., 27 GHz Silicon-Contacted Waveguide-Coupled Ge/Si Avalanche Photodiode; *JLT June 1, 2020 3044-3050*
- Srivastava, A.**, see Mitra, A., *JLT March 1, 2020 1032-1040*
- Srivastava, A.K.**, see Rajput, S., *JLT March 15, 2020 1365-1371*
- St. J. Russell, P.**, see Loranger, S., *JLT Aug. 1, 2020 4100-4107*
- Stancalie, A.**, see Fan, D., *JLT Nov. 15, 2020 6334-6344*
- Starostin, N.I.**, see Przhilyakovskiy, Y.V., *JLT Dec. 15, 2020 6879-6885*
- Statkiewicz-Barabach, G.**, see Napiorkowski, M., *JLT March 15, 2020 1372-1381*
- Stavdas, A.**, see Ferrari, A., *JLT Aug. 15, 2020 4279-4291*
- Stefaniuk, T.**, see Michalik, D., *JLT March 15, 2020 1427-1434*
- Stenger, V.**, see Karki, D., *JLT Feb. 15, 2020 827-833*
- Sterlingov, P.**, see Kaliteevskiy, N.A., *JLT April 15, 2020 2253-2261*
- Sterlingov, P.**, see Downie, J.D., *JLT June 15, 2020 3214-3220*
- Stern, S.**, see Frey, F., *JLT June 15, 2020 3135-3146*
- Stevens, N.**, see Amsters, R., *JLT Nov. 1, 2020 5925-5936*
- Stevkovski, Z.**, see Mayoral, A., *JLT Jan. 15, 2020 546-552*
- Stojanovic, N.**, see Wettlin, T., *JLT Dec. 15, 2020 6771-6778*
- Stolov, A.A.**, Simoff, D.A., Li, J., Hokansson, A.S., and Hines, M.J., Behavior of Specialty Optical Fibers in Crude Oil Environment; *JLT July 15, 2020 3759-3768*
- Stracca, S.**, see Iovanna, P., *JLT May 15, 2020 2799-2806*
- Straka, I.**, Grygar, J., Hlousek, J., and Jezek, M., Counting Statistics of Actively Quenched SPADs Under Continuous Illumination; *JLT Sept. 1, 2020 4765-4771*
- Streshinsky, M.**, see Huang, Y., *JLT Jan. 15, 2020 194-201*
- Stroobant, P.**, see Chen, X., *JLT Aug. 1, 2020 4009-4018*
- Su, H.**, Zhang, Y., Ma, K., Zhao, Y., and Yu, C., Tip Packaged High-Temperature Miniature Sensor Based on Suspended Core Optical Fiber; *JLT Aug. 1, 2020 4160-4165*
- Su, J.**, see Hao, S., *JLT Nov. 15, 2020 6393-6401*
- Su, L.**, see Chen, H., *JLT Sept. 1, 2020 4883-4892*
- Su, L.**, see Zhao, J., *JLT Nov. 1, 2020 6069-6075*
- Su, S.**, see Yao, S., *JLT July 15, 2020 3637-3643*
- Su, S.**, see Yao, S., *JLT Nov. 15, 2020 6178-6186*
- Su, Y.**, see An, S., *JLT Jan. 15, 2020 485-491*
- Su, Y.**, see Zhang, Y., *JLT Jan. 15, 2020 215-225*
- Su, Y.**, see Xiang, J., *JLT Aug. 1, 2020 4019-4029*
- Su, Y.**, see He, A., *JLT Aug. 1, 2020 3974-3982*
- Su, Y.**, Xie, Y., Song, T., Ye, Y., Fu, L., Chai, J., Li, L., and Liu, Y., A Novel Virtual-Cluster Based Architecture of Double-Layer Optical Networks-on-Chip; *JLT July 15, 2020 3553-3562*
- Su, Y.**, see Zheng, D., *JLT July 15, 2020 3694-3700*
- Su, Y.**, see He, A., *JLT Sept. 1, 2020 4780-4786*
- Su, Y.**, see Qin, G., *JLT Sept. 15, 2020 5078-5085*
- Su, Z.**, see Sun, Z., *JLT April 15, 2020 2299-2307*
- Su, Z.**, see Bai, Y., *JLT Oct. 1, 2020 5262-5269*
- Su, Z.**, see Bai, Y., *JLT Nov. 1, 2020 5973-5980*
- Su, Z.**, see Sun, Z., *JLT Nov. 1, 2020 6038-6046*
- Suda, S.**, see Suzuki, K., *JLT Jan. 15, 2020 226-232*
- Suda, S.**, see Suzuki, K., *JLT Jan. 15, 2020 233-239*
- Suda, S.**, see Noriki, A., *JLT June 15, 2020 3147-3155*
- Sudo, T.**, see Liu, Z., *JLT April 1, 2020 1844-1850*
- Suganuma, T.**, see Tanemura, T., *JLT Jan. 15, 2020 447-456*
- Sugizaki, R.**, see Puttnam, B.J., *JLT Jan. 1, 2020 123-130*
- Sui, Q.**, see Li, Z., *JLT July 1, 2020 3526-3532*
- Sui, Q.**, see Zou, D., *JLT July 1, 2020 3445-3453*
- Sui, Q.**, see Wang, W., *JLT Aug. 15, 2020 4341-4351*
- Sula, E.**, see Cho, J., *JLT July 15, 2020 3652-3662*
- Sumita, S.**, see Beppu, S., *JLT May 15, 2020 2835-2841*
- Sun, C.**, see Zhang, S., *JLT April 1, 2020 1929-1935*
- Sun, C.**, see Ji, H., *JLT Oct. 15, 2020 5617-5623*
- Sun, H.**, Torbatian, M., Karimi, M., Maher, R., Thomson, S., Tehrani, M., Gao, Y., Kumpera, A., Soliman, G., Kakkar, A., Osman, M., El-Sahn, Z.A., Doggart, C., Hou, W., Sutarwala, S., Wu, Y., Chitgarha, M.R., Lal, V., Tsai, H., Corzine, S., Zhang, J., Osenbach, J., Buggaveeti, S., Morbi, Z., Olmedo, M.I., Leung, I., Xu, X., Samra, P., Dominic, V., Sanders, S., Ziari, M., Napoli, A., Spinnler, B., Wu, K., Kandappan, P.,

- 800G DSP ASIC Design Using Probabilistic Shaping and Digital Sub-Carrier Multiplexing; *JLT Sept. 1, 2020 4744-4756*
- Sun, H.**, Wang, Y., and Chen, L.R., Integrated Discretely Tunable Optical Delay Line Based on Step-Chirped Subwavelength Grating Waveguide Bragg Gratings; *JLT Oct. 1, 2020 5551-5560*
- Sun, J.**, see Gao, Y., *JLT Jan. 15, 2020 265-271*
- Sun, J.**, see Li, H., *JLT Jan. 1, 2020 131-138*
- Sun, J.**, see Zhang, L., *JLT Nov. 1, 2020 6057-6062*
- Sun, K.**, see Peng, Y., *JLT Sept. 1, 2020 4850-4856*
- Sun, K.**, see Yu, F., *JLT Dec. 15, 2020 6827-6832*
- Sun, L.**, see Ran, Y., *JLT April 15, 2020 2434-2440*
- Sun, L.**, see Shen, W., *JLT Aug. 1, 2020 3874-3882*
- Sun, L.**, see He, A., *JLT Aug. 1, 2020 3974-3982*
- Sun, L.**, see Zhang, H., *JLT April 1, 2020 1688-1692*
- Sun, P.**, see London, Y., *JLT July 1, 2020 3469-3477*
- Sun, P.**, see Hooten, S., *JLT July 1, 2020 3422-3430*
- Sun, P.**, Xie, Y., Xiang, C., Zhao, D., Wang, J., Jia, W., and Zhou, C., Non-Equidistant Arrangement in All-Dielectric Quadrumers and Mirror-Symmetric One-Dimensional Photonic Crystals Hybridstructure for Self-Referenced Sensing Scheme; *JLT Dec. 1, 2020 6671-6677*
- Sun, Q.**, see Li, H., *JLT Feb. 15, 2020 929-938*
- Sun, S.**, see Xu, J., *JLT Jan. 15, 2020 522-530*
- Sun, T.**, and Daryoush, A.S., RF Frequency Synthesizer Based on Self-Mode-Locked Multimode Lasers; *JLT April 15, 2020 2262-2270*
- Sun, W.**, Zhang, X., Yu, Y., Yang, L., Hou, F., Yang, Y., and Wang, T., Comparative Study on Transmission Mechanisms in a SMF-Capillary-SMF Structure; *JLT Aug. 1, 2020 4075-4085*
- Sun, W.**, see Ma, X., *JLT Sept. 1, 2020 4772-4779*
- Sun, W.**, see Zhang, S., *JLT April 1, 2020 1929-1935*
- Sun, W.H.**, see Zhu, S., *JLT Oct. 1, 2020 5270-5277*
- Sun, X.**, Kang, C.H., Kong, M., Alkharzagi, O., Guo, Y., Ouhssain, M., Weng, Y., Jones, B.H., Ng, T.K., and Ooi, B.S., A Review on Practical Considerations and Solutions in Underwater Wireless Optical Communication; *JLT Jan. 15, 2020 421-431*
- Sun, X.**, and Cao, S., A Routing and Wavelength Assignment Algorithm Based on Two Types of LEO Constellations in Optical Satellite Networks; *JLT April 15, 2020 2106-2113*
- Sun, X.**, see Yu, S., *JLT July 1, 2020 3358-3365*
- Sun, X.**, see Wang, X., *JLT July 1, 2020 3414-3421*
- Sun, X.**, see Zheng, Y., *JLT April 1, 2020 1608-1617*
- Sun, X.**, see Yu, Z., *JLT Dec. 1, 2020 6623-6628*
- Sun, X.**, see Ge, Z., *JLT Dec. 1, 2020 6458-6464*
- Sun, Z.**, Xiao, R., Zhao, Y., Lv, G., Su, Z., Shi, Y., and Chen, X., Design of Four-Channel Wavelength-Selectable In-Series DFB Laser Array With 100-GHz Spacing; *JLT April 15, 2020 2299-2307*
- Sun, Z.**, Xiao, R., Su, Z., Liu, K., Hu, Z., Dai, P., Lu, J., Zheng, J., Zhang, Y., Shi, Y., Chiu, Y., and Chen, X., High Single-Mode Stability Tunable In-Series Laser Array With High Wavelength-spacing Uniformity; *JLT Nov. 1, 2020 6038-6046*
- Sung, A.**, see Wang, T., *JLT Dec. 15, 2020 6863-6869*
- Sung, M.**, Kim, J., Kim, E., Cho, S., Won, Y., Lim, B., Pyun, S., Lee, H., Lee, J.K., and Lee, J.H., RoF-Based Radio Access Network for 5G Mobile Communication Systems in 28 GHz Millimeter-Wave; *JLT Jan. 15, 2020 409-420*
- Sung, M.**, see Kim, J., *JLT Jan. 1, 2020 101-111*
- Suslov, D.**, see Ding, M., *JLT April 15, 2020 2423-2427*
- Sutarwala, S.**, see Sun, H., *JLT Sept. 1, 2020 4744-4756*
- Suzuki, K.**, Konoike, R., Yokoyama, N., Seki, M., Ohtsuka, M., Saitoh, S., Suda, S., Matsuura, H., Yamada, K., Namiki, S., Kawashima, H., and Ikeda, K., Nonduplicate Polarization-Diversity 32×32 Silicon Photonics Switch Based on a SiN/Si Double-Layer Platform; *JLT Jan. 15, 2020 226-232*
- Suzuki, K.**, Konoike, R., Suda, S., Matsuura, H., Namiki, S., Kawashima, H., and Ikeda, K., Low-Loss, Low-Crosstalk, and Large-Scale Optical Switch Based on Silicon Photonics; *JLT Jan. 15, 2020 233-239*
- Suzuki, K.**, see Mori, Y., *JLT March 1, 2020 1002-1009*
- Suzuki, K.**, see Ikeda, K., *JLT June 15, 2020 3268-3272*
- Suzuki, K.**, see Konoike, R., *JLT June 1, 2020 2930-2937*
- Suzuki, M.**, see Ishimura, S., *JLT May 1, 2020 2719-2725*
- Suzuki, M.**, see Beppu, S., *JLT May 15, 2020 2835-2841*
- Suzuki, M.**, see Tanaka, K., *JLT Oct. 15, 2020 5656-5667*
- Suzuki, N.**, see van Veen, D., *JLT Feb. 1, 2020 555-556*
- Suzuki, T.**, see Luo, X., *JLT March 15, 2020 1468-1473*
- Suzuki, T.**, Kim, S., Kani, J., and Terada, J., Demonstration of Fully Softwarized 10G-EPON PHY Processing on a General-Purpose Server for Flexible Access Systems; *JLT Feb. 15, 2020 777-783*
- Suzuki, T.**, Kim, S., Kani, J., and Terada, J., Real-Time Implementation of Coherent Receiver DSP Adopting Stream Split Assignment on GPU for Flexible Optical Access Systems; *JLT Feb. 1, 2020 668-675*
- Svaluto Moreolo, M.**, see Nadal, L., *JLT June 1, 2020 3037-3043*
- Svela, A.O.**, see Moroney, N., *JLT March 15, 2020 1414-1419*
- Svelto, F.**, see Li, D., *JLT Sept. 15, 2020 4978-4986*
- Sygleto, S.**, see Ferreira, F.M., *JLT May 15, 2020 2790-2798*
- Syvridis, D.**, see Nikas, T., *JLT April 1, 2020 1644-1650*
- Szilagyi, L.**, see Charania, S., *JLT July 1, 2020 3454-3460*
- Szostkiewicz, L.**, see Budnicki, D., *JLT Dec. 1, 2020 6685-6690*
- Szwedowski, R.**, see Mayoral, A., *JLT Jan. 15, 2020 546-552*

T

- Tabares, J.A.**, Ghasemi, S., Velasquez, J.C., and Prat, J., Coherent Ultra-Dense WDM-PON Enabled by Complexity-Reduced Digital Transceivers; *JLT March 15, 2020 1305-1313*
- Tabatabaeimehr, F.**, see Ruiz, M., *JLT June 15, 2020 3180-3189*
- Taccheo, S.**, see Falconi, M.C., *JLT April 15, 2020 2406-2413*
- Taengnoi, N.**, see Sakr, H., *JLT Jan. 1, 2020 159-165*
- Taengnoi, N.**, see Hong, Y., *JLT April 15, 2020 2278-2284*
- Taengnoi, N.**, see Hong, Y., *JLT May 15, 2020 2849-2857*
- Taengnoi, N.**, see Bottrill, K.R.H., *JLT April 1, 2020 1817-1826*
- Tafur Monroy, I.**, see Rommel, S., *JLT Oct. 1, 2020 5412-5422*
- Tajima, K.**, see Tanimura, T., *JLT May 1, 2020 2726-2733*
- Tajima, N.**, see Matsuura, M., *JLT Jan. 15, 2020 401-408*
- Takabayashi, K.**, see Konoike, R., *JLT June 1, 2020 2930-2937*
- Takagi, S.**, see Zhao, Z., *JLT Sept. 1, 2020 4808-4816*
- Takahashi, H.**, see Beppu, S., *JLT May 15, 2020 2835-2841*
- Takaki, R.**, see You, B., *JLT July 15, 2020 3701-3709*
- Takasaka, S.**, see Putnam, B.J., *JLT Jan. 1, 2020 123-130*
- Takaya, M.**, see Fukai, C., *JLT Sept. 15, 2020 5128-5135*
- Takeda, K.**, see Aihara, T., *JLT June 1, 2020 2961-2967*
- Takeda, K.**, see Hiraki, T., *JLT June 1, 2020 3030-3036*
- Takenaga, K.**, see Sakamoto, T., *JLT Aug. 15, 2020 4490-4496*
- Takenaka, M.**, see Zhao, Z., *JLT Sept. 1, 2020 4808-4816*
- Takeoka, M.**, see Eriksson, T.A., *JLT April 15, 2020 2214-2218*
- Takeshita, H.**, Matsumoto, K., Yanagimachi, S., and de Gabory, E.L.T., Configurations of Pump Injection and ReInjection for Improved Amplification Efficiency of Turbo Cladding Pumped MC-EDFA; *JLT June 1, 2020 2922-2929*
- Tam, H.**, see Cui, J., *JLT April 15, 2020 2516-2522*
- Tam, H.**, see Tu, J., *JLT Aug. 15, 2020 4497-4503*
- Tamai, I.**, see Noriki, A., *JLT June 15, 2020 3147-3155*
- Tan, C.H.**, see Petticrew, J.D., *JLT Aug. 1, 2020 4183*
- Tan, C.H.**, see Petticrew, J.D., *JLT Feb. 15, 2020 961-965*
- Tan, H.N.**, see Le, S.T., *JLT Aug. 15, 2020 4359-4367*
- Tan, M.**, see Xu, X., *JLT Jan. 15, 2020 332-338*
- Tan, M.**, see Xu, X., *JLT April 1, 2020 1722-1727*
- Tan, M.**, see Xu, X., *JLT Sept. 15, 2020 5116-5121*
- Tan, M.**, Xu, X., Boes, A., Corcoran, B., Wu, J., Nguyen, T.G., Chu, S.T., Little, B.E., Morandotti, R., Mitchell, A., and Moss, D.J., Photonic RF Arbitrary Waveform Generator Based on a Soliton Crystal Micro-Comb Source; *JLT Nov. 15, 2020 6221-6226*
- Tan, M.R.T.**, see Cheung, S.S., *JLT July 1, 2020 3404-3413*
- Tan, M.R.T.**, see Wang, B., *JLT July 1, 2020 3439-3444*
- Tan, Q.**, see Shi, F., *JLT March 15, 2020 1275-1285*
- Tan, Q.**, see Kang, B., *JLT Nov. 1, 2020 5962-5972*
- Tan, T.**, Peng, C., Yuan, Z., Xie, X., Liu, H., Xie, Z., Huang, S., Rao, Y., and Yao, B., Predicting Kerr Soliton Combs in Microresonators via Deep Neural Networks; *JLT Dec. 1, 2020 6591-6599*

- Tanaka, K.**, see Ishimura, S., *JLT May 1, 2020 2719-2725*
- Tanaka, K.**, Kao, H., Ishimura, S., Nishimura, K., Kawanishi, T., and Suzuki, M., Cascaded IF-Over-Fiber Links With Hybrid Signal Processing for Analog Mobile Fronthaul; *JLT Oct. 15, 2020 5656-5667*
- Tanaka, T.**, see Inuzuka, F., *JLT May 1, 2020 2695-2702*
- Tancevski, L.**, see Mayoral, A., *JLT Jan. 15, 2020 546-552*
- Tanemura, T.**, Suganuma, T., and Nakano, Y., Sensitivity Analysis of Photonic Integrated Direct-Detection Stokes-Vector Receiver; *JLT Jan. 15, 2020 447-456*
- Tanemura, T.**, see Tanomura, R., *JLT Jan. 1, 2020 60-66*
- Tang, D.**, see Zhao, J., *JLT Nov. 1, 2020 6069-6075*
- Tang, F.**, Li, Y., Shen, G., and Rouskas, G.N., Minimizing Inter-Core Crosstalk Jointly in Spatial, Frequency, and Time Domains for Scheduled Lightpath Demands in Multi-Core Fiber-based Elastic Optical Network; *JLT Oct. 15, 2020 5595-5607*
- Tang, J.**, see Jin, W., *JLT April 15, 2020 2095-2105*
- Tang, J.M.**, see Zhang, J., *JLT July 15, 2020 3573-3583*
- Tang, L.**, see Wang, Z., *JLT Sept. 15, 2020 5212-5218*
- Tang, M.**, see Liu, Z., *JLT Jan. 15, 2020 240-248*
- Tang, M.**, see Zhao, Q., *JLT April 15, 2020 2428-2433*
- Tang, M.**, see Li, S., *JLT June 15, 2020 3238-3245*
- Tang, M.**, Jiang, Y., Li, H., Zhao, Q., Cao, M., Mi, Y., Jian, W., Ren, W., and Ren, G., Multi-Wavelength Fiber Laser Based on Dual-Sagnac Comb Filter for LP₁₁ Modes Output; *JLT July 15, 2020 3745-3750*
- Tang, M.**, see Hantschmann, C., *JLT Sept. 1, 2020 4801-4807*
- Tang, M.**, see Cao, M., *JLT Dec. 15, 2020 6911-6917*
- Tang, M.**, see Liu, Y., *JLT Dec. 15, 2020 6870-6878*
- Tang, R.**, see Tanomura, R., *JLT Jan. 1, 2020 60-66*
- Tang, S.**, see Pan, X., *JLT Nov. 1, 2020 5855-5866*
- Tang, X.**, Zhang, Y., Zhang, Y., Liu, Z., Yang, X., Zhang, J., Yang, J., and Yuan, L., All-Fiber Active Tractor Beam Generator and its Application; *JLT March 15, 2020 1420-1426*
- Tang, X.**, Qiao, Y., Chen, Y., Lu, Y., and Chang, G., Digital Pre- and Post-Equalization for C-Band 112-Gb/s PAM4 Short-Reach Transport Systems; *JLT Sept. 1, 2020 4683-4690*
- Tang, X.**, see Yao, S., *JLT Nov. 15, 2020 6178-6186*
- Tang, Z.**, see Zhang, W., *JLT April 15, 2020 2441-2449*
- Tang, Z.**, see Tu, G., *JLT Dec. 1, 2020 6691-6698*
- Tangdionga, E.**, see Koonen, T., *JLT May 15, 2020 2842-2848*
- Tangdionga, E.**, see Morant, M., *JLT Oct. 1, 2020 5311-5317*
- Taniguchi, H.**, see Yamamoto, S., *JLT Jan. 15, 2020 466-474*
- Tanimura, T.**, Yoshida, S., Tajima, K., Oda, S., and Hoshida, T., Fiber-Longitudinal Anomaly Position Identification Over Multi-Span Transmission Link Out of Receiver-end Signals; *JLT May 1, 2020 2726-2733*
- Tanizawa, K.**, see Futami, F., *JLT May 15, 2020 2774-2781*
- Tanizawa, K.**, and Futami, F., Quantum Noise-Assisted Coherent Radio-Over-Fiber Cipher System for Secure Optical Fronthaul and Microwave Wireless Links; *JLT Aug. 15, 2020 4244-4249*
- Tanobe, H.**, see Ogiso, Y., *JLT Jan. 15, 2020 249-255*
- Tanobe, H.**, see Ozaki, J., *JLT Sept. 15, 2020 5086-5091*
- Tanomura, R.**, Tang, R., Ghosh, S., Tanemura, T., and Nakano, Y., Robust Integrated Optical Unitary Converter Using Multiport Directional Couplers; *JLT Jan. 1, 2020 60-66*
- Tao, J.**, see Shi, F., *JLT March 15, 2020 1275-1285*
- Tao, M.**, Wang, F., Zhao, L., Shi, Y., Yu, T., Ye, J., Ye, X., Chen, W., and Feng, G., Modeling and Analysis of a Pulsed Yb-Tm Fiber Laser System; *JLT Dec. 1, 2020 6635-6643*
- Taranta, A.A.**, see Zhu, W., *JLT April 15, 2020 2477-2484*
- Tartarini, G.**, see Nanni, J., *JLT Oct. 1, 2020 5393-5405*
- Tate, A.**, see Grillanda, S., *JLT Feb. 15, 2020 804-810*
- Tavakkolnia, I.**, see Chen, J., *JLT Dec. 15, 2020 6759-6770*
- Tcherniavskaia, E.A.**, see Saetchnikov, A.V., *JLT April 15, 2020 2530-2538*
- Tefas, A.**, see Mourgias-Alexandris, G., *JLT Feb. 15, 2020 811-819*
- Tehrani, M.**, see Sun, H., *JLT Sept. 1, 2020 4744-4756*
- Teixeira, A.**, Lavery, D., Ciaramella, E., Schmalen, L., Iiyama, N., Ferreira, R.M., and Randel, S., DSP Enabled Optical Detection Techniques for PON; *JLT Feb. 1, 2020 684-695*
- Teixeira, A.L.**, see Lorences-Riesgo, A., *JLT Jan. 15, 2020 394-400*
- Teixeira, A.L.**, see Guiomar, F.P., *JLT Dec. 1, 2020 6529-6541*
- Temporao, G.P.**, see Calliari, F., *JLT Aug. 15, 2020 4572-4579*
- Temporiti, E.**, see Li, D., *JLT Sept. 15, 2020 4978-4986*
- Temprana, E.**, see Serahati, Z., *JLT March 15, 2020 1194-1201*
- Tench, R.E.**, Romano, C., Delavaux, J., Lenox, R., Byrne, D., and Carney, K., In-Depth Studies of the Spectral Bandwidth of a 25 W 2 μ m Band PM Hybrid Ho- and Tm-Doped Fiber Amplifier; *JLT April 15, 2020 2456-2463*
- Teng, C.**, Zou, X., Li, P., Pan, W., and Yan, L., Wideband Frequency-Tunable Parity-Time Symmetric Optoelectronic Oscillator Based on Hybrid Phase and Intensity Modulations; *JLT Oct. 1, 2020 5406-5411*
- Teng, C.C.**, see Feng, T., *JLT April 1, 2020 1895-1899*
- Teng, L.**, see Dong, Y., *JLT April 15, 2020 2564-2571*
- Teng, L.**, see Zhang, H., *JLT Sept. 15, 2020 5219-5224*
- Teng, M.**, Honardoost, A., Alahmadi, Y., Polkoo, S.S., Kojima, K., Wen, H., Renshaw, C.K., LiKamWa, P., Li, G., Fathpour, S., Safian, R., and Zhuang, L., Miniaturized Silicon Photonics Devices for Integrated Optical Signal Processors; *JLT Jan. 1, 2020 6-17*
- Terada, J.**, see Kim, S., *JLT April 15, 2020 2231-2241*
- Terada, J.**, see Suzuki, T., *JLT Feb. 15, 2020 777-783*
- Terada, J.**, see Suzuki, T., *JLT Feb. 1, 2020 668-675*
- Tessinari, R.S.**, see Wang, R., *JLT Jan. 1, 2020 139-149*
- Thaker, N.B.**, see Nambath, N., *JLT Nov. 1, 2020 5867-5874*
- Theodosiou, A.**, see Chapalo, I., *JLT March 15, 2020 1439-1445*
- Theodosiou, A.**, see Ioannou, A., *JLT April 1, 2020 1921-1928*
- Theogarajan, L.**, see Hirokawa, T., *JLT Nov. 15, 2020 6292-6298*
- Theurer, M.**, Moehle, M., Sigmund, A., Velthaus, K., Oldenbeuving, R.M., Wevers, L., Postma, F.M., Mateman, R., Schreuder, F., Geskus, D., Worhoff, K., Dekker, R., Heideman, R.G., and Schell, M., Flip-Chip Integration of InP to SiN Photonic Integrated Circuits; *JLT May 1, 2020 2630-2636*
- Thevenaz, L.**, see Lu, X., *JLT March 15, 2020 1513-1521*
- Thevenaz, L.**, see Zaslowski, S., *JLT July 15, 2020 3723-3736*
- Thienpont, H.**, see Vanmol, K., *JLT Sept. 1, 2020 4834-4842*
- Thienpont, H.**, see Gieriej, A., *JLT April 1, 2020 1905-1914*
- Thienpont, H.**, see Frasunkiewicz, L., *JLT Oct. 15, 2020 5774-5782*
- Thiessen, T.**, Mak, J.C.C., Fonseca, J.D., Ribaud, K., Jany, C., Poon, J.K.S., and Menezo, S., Back-Side-on-BOX Heterogeneously Integrated III-V-on-Silicon O-Band Distributed Feedback Lasers; *JLT June 1, 2020 3000-3006*
- Thipparapu, N.K.**, see Hong, Y., *JLT April 15, 2020 2278-2284*
- Thipparapu, N.K.**, see Hong, Y., *JLT May 15, 2020 2849-2857*
- Thomas, P.J.**, see Lu, X., *JLT Aug. 1, 2020 4133-4141*
- Thomas, P.J.**, see Lu, X., *JLT Feb. 15, 2020 974-980*
- Thomas, V.A.**, see Melgar, A., *JLT Dec. 1, 2020 6437-6445*
- Thomson, D.J.**, see Zhang, Z., *JLT Aug. 1, 2020 4037-4044*
- Thomson, D.J.**, see Milosevic, M.M., *JLT April 1, 2020 1865-1873*
- Thomson, S.**, see Sun, H., *JLT Sept. 1, 2020 4744-4756*
- Tian, C.**, see Wang, Z., *JLT Sept. 15, 2020 5212-5218*
- Tian, F.**, see Wang, X., *JLT Nov. 15, 2020 6153-6162*
- Tian, J.**, Xiao, Q., Li, D., Huang, Y., Wang, Z., Huang, Z., Yan, P., and Gong, M., Tandem-Pumped High-Power Narrow-Linewidth Fiber Laser Tunable From 1060–1090 nm; *JLT March 15, 2020 1461-1467*
- Tian, K.**, see Wang, R., *JLT Aug. 15, 2020 4520-4525*
- Tian, K.**, see Zhang, M., *JLT Aug. 15, 2020 4397-4401*
- Tian, K.**, see Yu, J., *JLT April 1, 2020 1880-1886*
- Tian, Q.**, see Wang, X., *JLT Nov. 15, 2020 6153-6162*
- Tian, X.**, see Hu, L., *JLT July 15, 2020 3644-3651*
- Tian, X.**, Hu, L., Wu, G., and Chen, J., Hybrid Fiber-Optic Radio Frequency and Optical Frequency Dissemination With a Single Optical Actuator and Dual-Optical Phase Stabilization; *JLT Aug. 15, 2020 4270-4278*
- Tian, X.**, Powell, K., Li, L., Chew, S.X., Yi, X., Nguyen, L., and Minasian, R.A., High-Resolution Optical Microresonator-Based Sensor Enabled by Microwave Photonic Sidebands Processing; *JLT Oct. 1, 2020 5440-5449*
- Tian, X.**, see Hu, L., *JLT Nov. 1, 2020 5916-5924*
- Tian, Y.**, see Huang, L., *JLT Aug. 1, 2020 3815-3821*
- Tian, Y.**, see Zhao, Y., *JLT Aug. 15, 2020 4385-4396*
- Tian, Y.**, see Chen, H., *JLT April 1, 2020 1874-1879*

- Tian, Y.**, Chu, Y., Luo, Y., Khan, M.T.A., Wei, S., Zhang, B., Fu, X., Xiao, G., Fan, D., Zhang, J., and Peng, G., Birefringence Measurement by Expandable Polarization Interference Method; *JLT Feb. 15, 2020 834-839*
- Tian, Z.**, see Zhang, L., *JLT April 1, 2020 1966-1974*
- Tibuleac, S.**, see Searcy, S., *JLT June 15, 2020 3173-3179*
- Tibuleac, S.**, see Varughese, S., *JLT Sept. 15, 2020 5008-5016*
- Tiwari, P.**, see Rajput, S., *JLT March 15, 2020 1365-1371*
- To, A.C.**, see Zou, R., *JLT Nov. 15, 2020 6402-6411*
- Tomashuk, A.L.**, Kashaykin, P.F., Semjonov, S.L., Filippov, A.V., Bychkova, E.A., Galanova, S.V., Zavyalov, N.V., Azanova, I.S., Vokhmyanina, O.L., Pospelova, E.A., Sharonova, Y.O., Dimakova, T.V., Voloshin, V.V., Vorobev, I.L., Kolosovskii, A.O., and Chamorovskiy, Y.K., Comparison Study of Radiation-Resistant Polarization-Maintaining PANDA Fibers With Undoped- and N-Doped-Silica Core; *JLT Oct. 15, 2020 5817-5824*
- Tomizawa, M.**, see Inuzuka, F., *JLT May 1, 2020 2695-2702*
- Tong, C.**, see Zhang, S., *JLT April 1, 2020 1929-1935*
- Tong, J.**, see Nie, B., *JLT Oct. 1, 2020 5423-5429*
- Tong, M.**, see Fu, S., *JLT March 15, 2020 1435-1438*
- Tong, S.**, Gan, M., Zhuang, Z., Liu, H., Cheng, H., Li, J., Qiu, P., and Wang, K., Manipulating Soliton Polarization in Soliton Self-Frequency Shift and Its Application to 3-Photon Microscopy in Vivo; *JLT April 15, 2020 2450-2455*
- Tong, W.**, see Liu, Y., *JLT Dec. 15, 2020 6870-6878*
- Tonning, P.L.**, and Heck, M.J.R., High-Power Microwave Generation Through Distributed Optical Amplification Into a Photodiode Array on an Open Indium Phosphide Platform; *JLT Oct. 1, 2020 5526-5535*
- Toprasertpong, K.**, see Zhao, Z., *JLT Sept. 1, 2020 4808-4816*
- Torbati, M.**, see Sun, H., *JLT Sept. 1, 2020 4744-4756*
- Torchy, A.**, see Xiang, J., *JLT Aug. 1, 2020 4019-4029*
- Torfs, G.**, see Li, H., *JLT Jan. 15, 2020 386-393*
- Torfs, G.**, see Wu, C., *JLT May 15, 2020 2765-2773*
- Torfs, G.**, see Bogaert, L., *JLT June 15, 2020 3289-3295*
- Torfs, G.**, see Wu, C., *JLT Feb. 15, 2020 705-713*
- Tornatore, M.**, see Yu, H., *JLT March 15, 2020 1125-1137*
- Tornatore, M.**, see Xu, S., *JLT May 1, 2020 2656-2668*
- Tornatore, M.**, see Ibrahim, M., *JLT June 15, 2020 3221-3228*
- Torres-Cisneros, M.**, see Marrujo-Garcia, S., *JLT Aug. 1, 2020 4166-4173*
- Torres-Ferrera, P.**, Wang, H., Ferrero, V., Valvo, M., and Gaudino, R., Optimization of Band-Limited DSP-Aided 25 and 50 Gb/s PON Using 10G-Class DML and APD; *JLT Feb. 1, 2020 608-618*
- Torres-Ferrera, P.**, Rizzelli, G., Ferrero, V., and Gaudino, R., 100+ Gbps/λ 50 km C-Band Downstream PON Using CD Digital Pre-Compensation and Direct-Detection ONU Receiver; *JLT Dec. 15, 2020 6807-6816*
- Totovic, A.**, see Mourgias-Alexandris, G., *JLT Feb. 15, 2020 811-819*
- Townsend, P.D.**, see Zhao, J., *JLT Aug. 1, 2020 3897-3907*
- Toy, M.F.**, see Cetindag, S.K., *JLT April 1, 2020 2022-2027*
- Tozzetti, L.**, see Oton, C.J., *JLT Aug. 15, 2020 4513-4519*
- Tran, A.V.S.**, see Aladin, S., *JLT May 15, 2020 2807-2814*
- Tremblay, C.**, see Aladin, S., *JLT May 15, 2020 2807-2814*
- Tremblay, C.**, see Yameogo, B.L.M., *JLT Sept. 15, 2020 5026-5035*
- Trepanier, F.**, see Searcy, S., *JLT June 15, 2020 3173-3179*
- Treshchikov, V.**, see Nikitin, S., *JLT March 15, 2020 1446-1453*
- Trinidad, A.**, see Morant, M., *JLT Oct. 1, 2020 5311-5317*
- Tripathi, U.S.**, and Rastogi, V., Liquid Crystal Based Rib Waveguide; *JLT Aug. 1, 2020 4045-4051*
- Trowbridge, S.J.**, see Neto, L.A., *JLT Feb. 1, 2020 598-607*
- Tsai, C.**, see Lin, Y., *JLT April 15, 2020 2144-2151*
- Tsai, C.**, see Huang, C., *JLT Feb. 1, 2020 573-582*
- Tsai, C.**, see Huang, C., *JLT Dec. 15, 2020 6746-6758*
- Tsai, H.**, see Sun, H., *JLT Sept. 1, 2020 4744-4756*
- Tsakyridis, A.**, Moralis-Pegios, M., Vagionas, C., Ruggieri, E., Mourgias-Alexandris, G., Miliou, A., and Pleros, N., Theoretical and Experimental Analysis of Burst-Mode Wavelength Conversion via a Differentially-Biased SOA-MZI; *JLT Sept. 1, 2020 4607-4617*
- Tsakyridis, A.**, see Ruggieri, E., *JLT Oct. 1, 2020 5368-5374*
- Tsakyridis, A.**, see Mourgias-Alexandris, G., *JLT Feb. 15, 2020 811-819*
- Tsou, D.**, see Gao, Y., *JLT Jan. 15, 2020 265-271*
- Tsuchizawa, T.**, see Aihara, T., *JLT June 1, 2020 2961-2967*
- Tsuchizawa, T.**, see Hiraki, T., *JLT June 1, 2020 3030-3036*
- Tsuji, Y.**, see Iguchi, A., *JLT April 15, 2020 2328-2335*
- Tsuritani, T.**, see Beppu, S., *JLT May 15, 2020 2835-2841*
- Tsushima, Y.**, and Hasegawa, K., Computing Group Velocities and Group-Velocity Dispersions of Optical Fibers Through Automatic Differentiation of Explicit Forms of Propagation Constants; *JLT Nov. 1, 2020 6047-6056*
- Tu, G.**, Zhao, M., Tang, Z., Qian, K., and Yu, B., Fading Noise Suppression in Φ-OTDR Based on Nearest Neighbor Analysis; *JLT Dec. 1, 2020 6691-6698*
- Tu, J.**, Gao, S., Wang, Z., Liu, Z., Li, W., Du, C., Liu, W., Li, Z., Yu, C., Tam, H., and Lu, C., Bend-Insensitive Grapefruit-Type Hole Ring-Core Fiber for Weakly-Coupled OAM Mode Division Multiplexing Transmission; *JLT Aug. 15, 2020 4497-4503*
- Tu, J.**, see Zhao, Y., *JLT Aug. 15, 2020 4385-4396*
- Tu, J.**, see Wang, Z., *JLT Feb. 15, 2020 864-874*
- Tu, S.**, see Li, C., *JLT April 1, 2020 1766-1776*
- Tuan, T.H.**, see Luo, X., *JLT March 15, 2020 1468-1473*
- Tuccio, S.**, see Radosavljevic, A., *JLT Aug. 1, 2020 3965-3973*
- Tur, M.**, see Fallahpour, A., *JLT Jan. 15, 2020 359-365*
- Tur, M.**, see Song, H., *JLT Jan. 1, 2020 82-89*
- Tur, M.**, see Feng, C., *JLT Dec. 15, 2020 6967-6975*
- Turduev, M.**, see Yu, S., *JLT Aug. 15, 2020 4368-4373*
- Turitsyn, S.**, see Redyuk, A., *JLT March 15, 2020 1250-1257*
- Turitsyn, S.**, Sedov, E., Redyuk, A., and Fedoruk, M., Nonlinear Spectrum of Conventional OFDM and WDM Return-to-Zero Signals in Nonlinear Channel; *JLT Jan. 15, 2020 352-358*
- Turitsyn, S.K.**, see Kamalian-Kopae, M., *JLT July 15, 2020 3602-3615*
- Turkiewicz, J.P.**, see Chorchos, L., *JLT April 1, 2020 1747-1752*

U

- Ubaldi, F.**, see Iovanna, P., *JLT May 15, 2020 2799-2806*
- Udalcovs, A.**, see Pang, X., *JLT Jan. 15, 2020 492-503*
- Uddin, N.**, see Sheng, Q., *JLT April 15, 2020 2547-2554*
- Ueda, Y.**, see Ogiso, Y., *JLT Jan. 15, 2020 249-255*
- Ueda, Y.**, see Ozaki, J., *JLT Sept. 15, 2020 5086-5091*
- Uenohara, H.**, see Cincotti, G., *JLT Jan. 15, 2020 346-351*
- Uenohara, H.**, see Yamazaki, M., *JLT April 15, 2020 2219-2225*
- Uetake, A.**, see Konoike, R., *JLT June 1, 2020 2930-2937*
- Ukita, A.**, see Noriki, A., *JLT June 15, 2020 3147-3155*
- Ulkar, M.G.**, Baykas, T., and Pusane, A.E., VLCnet: Deep Learning Based End-to-End Visible Light Communication System; *JLT Nov. 1, 2020 5937-5948*
- Umezawa, T.**, see Yoshida, Y., *JLT Jan. 1, 2020 90-100*
- Umnikov, A.A.**, see Hong, Y., *JLT April 15, 2020 2278-2284*
- Umnikov, A.A.**, see Hong, Y., *JLT May 15, 2020 2849-2857*
- Uniyal, N.**, see Wang, R., *JLT Jan. 1, 2020 139-149*
- Uniyal, N.**, see Garrich, M., *JLT June 15, 2020 3190-3199*
- Urata, R.**, see Zhou, X., *JLT Jan. 15, 2020 475-484*
- Urbanczyk, W.**, see Napiorkowski, M., *JLT March 15, 2020 1372-1381*
- Urlick, V.J.**, Godinez, M.E., and Mikeska, D.C., Photonic Assisted Radio-Frequency Interference Mitigation; *JLT March 15, 2020 1268-1274*
- Urushibara, A.**, see Sakamoto, T., *JLT Aug. 15, 2020 4490-4496*

V

- Vaerenbergh, T.V.**, see Hooten, S., *JLT July 1, 2020 3422-3430*
- Vagenende, M.**, see Gierej, A., *JLT April 1, 2020 1905-1914*
- Vagionas, C.**, see Tsakyridis, A., *JLT Sept. 1, 2020 4607-4617*
- Vagionas, C.**, see Ruggieri, E., *JLT Oct. 1, 2020 5368-5374*
- Valdecasa, G.S.**, see Altabas, J.A., *JLT April 1, 2020 1785-1788*
- Valenzuela, L.**, see Andrade, H., *JLT Aug. 15, 2020 4409-4418*
- Vallet, M.**, see Boust, S., *JLT Oct. 1, 2020 5517-5525*
- Valls, J.**, see Perez-Pascual, A., *JLT April 1, 2020 1651-1658*
- Valvo, M.**, see Torres-Ferrera, P., *JLT Feb. 1, 2020 608-618*
- Van Campenhout, J.**, see Mangal, N., *JLT April 15, 2020 2360-2369*
- Van Campenhout, J.**, see Srinivasan, S.A., *JLT June 1, 2020 3044-3050*
- Van Campenhout, J.**, see Pitris, S., *JLT July 1, 2020 3366-3375*
- Van Campenhout, J.**, see Pantano, N., *JLT Aug. 15, 2020 4325-4332*

- Van Campenhout, J.**, see Zanetto, F., *JLT Nov. 1, 2020 6000-6006*
- Van den Hout, M.**, see Oliari, V., *JLT June 15, 2020 3114-3124*
- van den Hout, M.**, van der Heide, S., and Okonkwo, C., Digital Resolution Enhancer Employing Clipping for High-Speed Optical Transmission; *JLT June 1, 2020 2897-2904*
- van der Heide, S.**, see van den Hout, M., *JLT June 1, 2020 2897-2904*
- Van der Heides, S.**, see Oliari, V., *JLT June 15, 2020 3114-3124*
- van Dijk, F.**, see Pham, C., *JLT April 1, 2020 1836-1843*
- van Dijk, F.**, see Boust, S., *JLT Oct. 1, 2020 5517-5525*
- van Dijk, P.**, see Rommel, S., *JLT Oct. 1, 2020 5412-5422*
- Van Dorpe, P.**, see Noor, S.L., *JLT Sept. 15, 2020 5092-5099*
- Van Erps, J.**, see Vanmol, K., *JLT Sept. 1, 2020 4834-4842*
- Van Gasse, K.**, see Bogaert, L., *JLT June 15, 2020 3289-3295*
- Van Kerrebrouck, J.**, see Li, H., *JLT Jan. 15, 2020 386-393*
- Van Kerrebrouck, J.**, see Wu, C., *JLT May 15, 2020 2765-2773*
- Van Kerrebrouck, J.**, see Bogaert, L., *JLT June 15, 2020 3289-3295*
- Van Kerrebrouck, J.**, see Wu, C., *JLT Feb. 15, 2020 705-713*
- Van Roosbroeck, J.**, see Gotten, M., *JLT April 15, 2020 2493-2503*
- Van Steenberge, G.**, see Mangal, N., *JLT April 15, 2020 2360-2369*
- Van Steenberge, G.**, see Radosavljevic, A., *JLT Aug. 1, 2020 3965-3973*
- Van Thourhout, D.**, see Lopez, O.G., *JLT Aug. 1, 2020 3983-3987*
- Van Thourhout, D.**, see Radosavljevic, A., *JLT Aug. 1, 2020 3965-3973*
- Van Vaerenbergh, T.**, see London, Y., *JLT July 1, 2020 3469-3477*
- van Veen, D.**, Presi, M., Suzuki, N., and Houtsma, V., Editorial: JLT Special Issue on DSP in Next Generation Optical Access Networks; *JLT Feb. 1, 2020 555-556*
- van Veen, D.T.**, see Houtsma, V.E., *JLT June 15, 2020 3261-3267*
- Vandierendonck, A.**, see Wu, C., *JLT May 15, 2020 2765-2773*
- Vanhoecke, M.**, see Lambrecht, J., *JLT Jan. 15, 2020 432-438*
- Vanmol, K.**, Saurav, K., Panapakkm, V., Thienpont, H., Vermeulen, N., Watte, J., and Van Erps, J., Mode-field Matching Down-Tapers on Single-Mode Optical Fibers for Edge Coupling Towards Generic Photonic Integrated Circuit Platforms; *JLT Sept. 1, 2020 4834-4842*
- Varughese, S.**, Lippiatt, D., Tibuleac, S., and Ralph, S.E., Frequency Dependent ENOB Requirements for 400G/600G/800G Optical Links; *JLT Sept. 15, 2020 5008-5016*
- Vassilieva, O.**, Kim, I., and Ikeuchi, T., On the Fairness of the Performance Evaluation of Probabilistically Shaped QAM Signals; *JLT June 1, 2020 3067-3073*
- Vasylichenkova, A.**, see Kamalian-Kopae, M., *JLT July 15, 2020 3602-3615*
- Vedrenne, N.**, see Paillier, L., *JLT Oct. 15, 2020 5716-5727*
- Veiga, M.F.**, see Perez, G.O., *JLT Sept. 15, 2020 4935-4947*
- Veilleux, S.**, see Hu, Y., *JLT Aug. 15, 2020 4454-4461*
- Velasco, L.**, see Ruiz, M., *JLT June 15, 2020 3180-3189*
- Velasquez, J.C.**, see Tabares, J.A., *JLT March 15, 2020 1305-1313*
- Vellekoop, I.M.**, see Zhang, X., *JLT Dec. 15, 2020 6801-6806*
- Velthaus, K.**, see Theurer, M., *JLT May 1, 2020 2630-2636*
- Veniaminov, A.**, see Kifle, E., *JLT Aug. 15, 2020 4374-4384*
- Verbist, J.**, see Li, H., *JLT Jan. 15, 2020 386-393*
- Verbist, J.**, see Lambrecht, J., *JLT Jan. 15, 2020 432-438*
- Vercasson, G.**, see Singh, R., *JLT Dec. 15, 2020 6817-6826*
- Verchere, D.**, see Mayoral, A., *JLT Jan. 15, 2020 546-552*
- Verhelst, M.**, see Pantano, N., *JLT Aug. 15, 2020 4325-4332*
- Vermeulen, N.**, see Vanmol, K., *JLT Sept. 1, 2020 4834-4842*
- Verolet, T.**, Aubin, G., Lin, Y., Browning, C., Merghem, K., Lelarge, F., Calo, C., Delmade, A., Mekhazni, K., Giacominidis, E., Shen, A., Barry, L., and Ramdane, A., Mode Locked Laser Phase Noise Reduction Under Optical Feedback for Coherent DWDM Communication; *JLT Oct. 15, 2020 5708-5715*
- Veronese, R.**, Galtarossa, A., and Palmieri, L., Distributed Characterization of Few-Mode Fibers Based on Optical Frequency Domain Reflectometry; *JLT Sept. 1, 2020 4843-4849*
- Verplaetse, M.**, see Li, H., *JLT Jan. 15, 2020 386-393*
- Verstuyft, S.**, see Lopez, O.G., *JLT Aug. 1, 2020 3983-3987*
- Vilalta, R.**, see Casellas, R., *JLT May 1, 2020 2606-2615*
- Vilalta, R.**, see Nadal, L., *JLT June 1, 2020 3037-3043*
- Vilchez, F.J.**, see Nadal, L., *JLT June 1, 2020 3037-3043*
- Vinet, E.**, see Boust, S., *JLT Oct. 1, 2020 5517-5525*
- Virgilito, E.**, see Ferrari, A., *JLT March 1, 2020 1041-1049*
- Vitrik, O.B.**, see Dyshlyuk, A.V., *JLT Dec. 15, 2020 6918-6923*
- Vokhmyanina, O.L.**, see Tomashuk, A.L., *JLT Oct. 15, 2020 5817-5824*
- Vokic, N.**, see Milovancev, D., *JLT June 15, 2020 3305-3314*
- Vokic, N.**, see Schrenk, B., *JLT June 1, 2020 2976-2983*
- Voloshin, V.V.**, see Tomashuk, A.L., *JLT Oct. 15, 2020 5817-5824*
- Vorobeve, I.L.**, see Tomashuk, A.L., *JLT Oct. 15, 2020 5817-5824*
- Vu, K.**, see McKay, L., *JLT July 15, 2020 3624-3636*
- Vuong, Q.V.**, Lee, J., Kim, Y., and Kwon, M., Thermal Tuning of Plasmofluidic Disk Resonators Filled With a Liquid Crystal: Its Narrow-Trench Filling and Arrangement; *JLT Aug. 15, 2020 4419-4428*
- Vusirikala, V.**, see Bolshtyansky, M.A., *JLT March 15, 2020 1296-1304*
- Vusirikala, V.**, see Cantono, M., *JLT March 1, 2020 1050-1060*
- Vyrsokinos, K.**, see Mourgas-Alexandris, G., *JLT Feb. 15, 2020 811-819*

W

- Wada, M.**, see Jung, Y., *JLT June 1, 2020 2938-2943*
- Wada, M.**, see Sakamoto, T., *JLT Aug. 15, 2020 4490-4496*
- Wada, N.**, see Cincotti, G., *JLT Jan. 15, 2020 346-351*
- Wada, N.**, see Rademacher, G., *JLT Jan. 15, 2020 291-296*
- Wada, N.**, see Puttnam, B.J., *JLT Jan. 1, 2020 123-130*
- Wada, N.**, see Eriksson, T.A., *JLT April 15, 2020 2214-2218*
- Wada, N.**, see Xu, S., *JLT May 1, 2020 2656-2668*
- Wada, N.**, see Luis, R.S., *JLT June 1, 2020 2886-2896*
- Wada, N.**, see Sohanpal, R.S., *JLT April 1, 2020 1636-1643*
- Wahls, S.**, see de Koster, P., *JLT June 15, 2020 3252-3260*
- Wahls, S.**, see Bajaj, V., *JLT June 1, 2020 3051-3058*
- Wai, P.A.**, see Zhou, G., *JLT July 15, 2020 3563-3572*
- Wai, P.K.A.**, see Huang, J., *JLT Dec. 15, 2020 6932-6938*
- Wakayama, Y.**, see Beppu, S., *JLT May 15, 2020 2835-2841*
- Wakayama, Y.**, see Gerard, T., *JLT Feb. 1, 2020 564-572*
- Wakita, H.**, see Ogiso, Y., *JLT Jan. 15, 2020 249-255*
- Walkowiak, K.**, see Klinkowski, M., *JLT April 1, 2020 1625-1635*
- Wan, H.**, Chen, Y., Zhou, Q., Shen, Z., and Zhang, Z., Tunable, Single-Wavelength Fiber Ring Lasers Based on Rare Earth-Doped, Double-Peanut Fiber Interferometers; *JLT March 15, 2020 1501-1505*
- Wan, L.**, see Zhu, Y., *JLT Sept. 1, 2020 4817-4823*
- Wan, L.**, see Song, J., *JLT Oct. 1, 2020 5293-5301*
- Wan, Y.**, see Zhang, Z., *JLT Aug. 15, 2020 4548-4554*
- Wan, Z.**, see Zhao, Y., *JLT March 15, 2020 1314-1322*
- Wan, Z.**, see Shu, L., *JLT May 1, 2020 2669-2679*
- Wang, A.**, see Yang, D., *JLT Aug. 15, 2020 4555-4559*
- Wang, A.**, see Yang, S., *JLT April 1, 2020 1988-1997*
- Wang, A.X.**, see Zhou, B., *JLT July 1, 2020 3338-3345*
- Wang, A.X.**, see Liverman, S., *JLT April 1, 2020 1659-1667*
- Wang, B.**, see Han, T., *JLT April 15, 2020 2383-2391*
- Wang, B.**, see Dong, Y., *JLT April 15, 2020 2564-2571*
- Wang, B.**, Huang, Z., Sorin, W.V., Zeng, X., Liang, D., Fiorentino, M., and Beausoleil, R.G., A Low-Voltage Si-Ge Avalanche Photodiode for High-Speed and Energy Efficient Silicon Photonic Links; *JLT June 15, 2020 3156-3163*
- Wang, B.**, see Liang, D., *JLT July 1, 2020 3322-3337*
- Wang, B.**, Sorin, W.V., Rosenberg, P., Kiyama, L., Mathai, S., and Tan, M.R.T., 4x112 Gbps/Fiber CWDM VCSEL Arrays for Co-Packaged Interconnects; *JLT July 1, 2020 3439-3444*
- Wang, B.**, Niu, Y., Zheng, S., Yin, Y., and Ding, M., An Optical Fiber Immunosensor With a Low Detection Limit Based on Plasmon Coupling Enhancement; *JLT July 15, 2020 3781-3788*
- Wang, B.**, see Zhang, Z., *JLT Aug. 15, 2020 4548-4554*
- Wang, B.**, see Yuan, Y., *JLT Sept. 1, 2020 4857-4866*
- Wang, B.**, Hua, Z., Pang, C., Zhou, D., Ba, D., Lin, D., and Dong, Y., Fast Brillouin Optical Time-Domain Reflectometry Based on the Frequency-Agile Technique; *JLT Feb. 15, 2020 946-952*
- Wang, B.**, see Luo, K., *JLT Oct. 15, 2020 5844-5852*
- Wang, B.**, see Huang, X., *JLT Oct. 15, 2020 5783-5790*

- Wang, C., see Shen, W., *JLT Aug. 1, 2020 3874-3882*
- Wang, C., Wu, G., Jin, Z., and Chen, J., Modeling and Analysis of Crosstalk for Time-Interleaved Photonic ADCs; *JLT Aug. 1, 2020 3926-3934*
- Wang, C., see Yang, D., *JLT Aug. 15, 2020 4555-4559*
- Wang, C., see Zou, J., *JLT Aug. 15, 2020 4447-4453*
- Wang, C., see Ding, Q., *JLT Dec. 1, 2020 6569-6577*
- Wang, C., see Wang, X., *JLT Nov. 15, 2020 6153-6162*
- Wang, C., Liu, K., Ding, Z., Jiang, J., Chen, Z., Feng, Y., Zheng, Y., Liu, Q., and Liu, T., High Sensitivity Distributed Static Strain Sensing Based on Differential Relative Phase in Optical Frequency Domain Reflectometry; *JLT Oct. 15, 2020 5825-5836*
- Wang, D., Song, Y., Li, J., Qin, J., Yang, T., Zhang, M., Chen, X., and Boucouvalas, A.C., Data-driven Optical Fiber Channel Modeling: A Deep Learning Approach; *JLT Sept. 1, 2020 4730-4743*
- Wang, D., see Kang, B., *JLT Nov. 1, 2020 5962-5972*
- Wang, D., see Yang, F., *JLT Dec. 1, 2020 6446-6457*
- Wang, D., Zou, J., Wang, Y., Jin, B., Bai, Q., Liu, X., and Liu, Y., Distributed Optical Fiber Low-Frequency Vibration Detecting Using Cross-Correlation Spectrum Analysis; *JLT Dec. 1, 2020 6664-6670*
- Wang, D.N., see Chen, J., *JLT March 15, 2020 1480-1485*
- Wang, F., see Xue, X., *JLT March 15, 2020 1103-1112*
- Wang, F., see Liu, J., *JLT March 15, 2020 1382-1390*
- Wang, F., Liu, B., Xue, X., Zhang, L., Yan, F., Magalhaes, E., Zhang, Q., Xin, X., and Calabretta, N., Demonstration of SDN-Enabled Hybrid Polling Algorithm for Packet Contention Resolution in Optical Data Center Network; *JLT June 15, 2020 3296-3304*
- Wang, F., and Gong, Y., Tunable and Switchable Multi-Wavelength Erbium-Brillouin Random Fiber Laser Incorporating a Highly Nonlinear Fiber; *JLT Aug. 1, 2020 4093-4099*
- Wang, F., see Xue, X., *JLT July 1, 2020 3485-3494*
- Wang, F., see Wei, Y., *JLT Sept. 15, 2020 5000-5007*
- Wang, F., see Wang, L., *JLT Nov. 1, 2020 6129-6134*
- Wang, F., see Tao, M., *JLT Dec. 1, 2020 6635-6643*
- Wang, G., Cao, Y., Hu, N., Zhang, X., Duan, S., Guo, T., Feng, X., Guan, B., and Yao, J., High-Speed and High-Resolution Microwave Photonic Interrogation of a Fiber-Optic Refractometer With Plasmonic Spectral Comb; *JLT April 1, 2020 2073-2080*
- Wang, H., see Huang, M., *JLT March 15, 2020 1221-1229*
- Wang, H., Guo, J., Zhang, J., Zhou, W., Wang, Y., Wu, X., and Shen, D., Sensing Enhancement at an Exceptional Point in a Nonreciprocal Fiber Ring Cavity; *JLT April 15, 2020 2511-2515*
- Wang, H., see He, A., *JLT Aug. 1, 2020 3974-3982*
- Wang, H., Zhou, J., Guo, D., Feng, Y., Liu, W., Yu, C., and Li, Z., Adaptive Channel-Matched Detection for C-Band 64-Gbit/s Optical OOK System Over 100-km Dispersion-Uncompensated Link; *JLT Sept. 15, 2020 5048-5055*
- Wang, H., see Zhang, Z., *JLT Dec. 1, 2020 6584-6590*
- Wang, H., Cheng, C., and Lin, G., Suppression of Relative Intensity and Mode Partition Noises in Orthogonally Polarized Dual-Wavelength VCSEL; *JLT Dec. 1, 2020 6612-6622*
- Wang, H., Liang, Y., Zhang, X., Chen, S., Shen, L., Zhang, L., Luo, J., and Wang, J., Low-Loss Orbital Angular Momentum Ring-Core Fiber: Design, Fabrication and Characterization; *JLT Nov. 15, 2020 6327-6333*
- Wang, H., see Torres-Ferrera, P., *JLT Feb. 1, 2020 608-618*
- Wang, H., see Huang, C., *JLT Feb. 1, 2020 573-582*
- Wang, H., see Huang, C., *JLT Dec. 15, 2020 6746-6758*
- Wang, J., see Yang, K., *JLT March 15, 2020 1474-1479*
- Wang, J., see Fu, S., *JLT March 15, 2020 1435-1438*
- Wang, J., see Zhou, J., *JLT Jan. 15, 2020 272-281*
- Wang, J., see Jia, L., *JLT April 15, 2020 2180-2189*
- Wang, J., see Lin, T., *JLT Aug. 1, 2020 3942-3949*
- Wang, J., Yuan, H., Chen, H., Yin, J., Li, J., He, T., Guo, C., Yan, P., Yang, R., Zeng, X., and Ruan, S., Ultrafast Pulse Generation for Er- and Tm-Doped Fiber Lasers With Sb Thin Film Saturable Absorber; *JLT July 15, 2020 3710-3716*
- Wang, J., see Wang, J., *JLT July 15, 2020 3710-3716*
- Wang, J., Zhou, J., Zhu, L., and Zhang, Q., Frequency- and Time-Domain Modeling and Characterization of PN Phase Shifters in All-Silicon Carrier-Depletion Modulators; *JLT Aug. 15, 2020 4462-4469*
- Wang, J., see Le, D.D., *JLT Sept. 15, 2020 4922-4934*
- Wang, J., see Sun, P., *JLT Dec. 1, 2020 6671-6677*
- Wang, J., see Hou, Y., *JLT Nov. 15, 2020 6412-6421*
- Wang, J., see Wang, H., *JLT Nov. 15, 2020 6327-6333*
- Wang, K., see Zhang, J., *JLT Jan. 15, 2020 185-193*
- Wang, K., see Tong, S., *JLT April 15, 2020 2450-2455*
- Wang, K., see Zhou, W., *JLT July 15, 2020 3592-3601*
- Wang, K., see Xu, Y., *JLT July 15, 2020 3775-3780*
- Wang, K., see Song, T., *JLT Aug. 15, 2020 4250-4259*
- Wang, K., see He, J., *JLT Sept. 1, 2020 4632-4640*
- Wang, K., see He, A., *JLT Sept. 1, 2020 4780-4786*
- Wang, K., see Wei, Y., *JLT Sept. 15, 2020 5000-5007*
- Wang, K., Zhang, J., Zhao, L., Li, X., and Yu, J., Mitigation of Pattern-Dependent Effect in SOA at O-Band by Using DSP; *JLT Feb. 1, 2020 590-597*
- Wang, L., see Wu, B., *JLT Aug. 1, 2020 3988-3993*
- Wang, L., see Li, H., *JLT April 1, 2020 1858-1864*
- Wang, L., see Hu, L., *JLT Nov. 1, 2020 5916-5924*
- Wang, L., Xu, Z., Xu, J., Dong, F., Wang, F., Bai, Z., Zhou, Y., Chai, X., Li, H., Ding, R., Chen, J., and He, L., Fabrication and Characterization of InAs/GaSb type-II Superlattice Long-Wavelength Infrared Detectors Aiming High Temperature Sensitivity; *JLT Nov. 1, 2020 6129-6134*
- Wang, L., see Chen, M., *JLT Nov. 15, 2020 6202-6213*
- Wang, M., see Wu, T., *JLT Aug. 15, 2020 4580-4587*
- Wang, M., see Yang, Y., *JLT Sept. 15, 2020 5142-5148*
- Wang, M., see Ding, Q., *JLT Dec. 1, 2020 6569-6577*
- Wang, M., see Zou, R., *JLT Nov. 15, 2020 6402-6411*
- Wang, M., see Liu, Y., *JLT Feb. 15, 2020 919-928*
- Wang, M., Lu, H., Liu, S., and Zhu, Z., How to Mislead AI-Assisted Network Automation in SD-IPoEONs: A Comparison Study of DRL- and GAN-Based Approaches; *JLT Oct. 15, 2020 5574-5585*
- Wang, P., see Chen, W., *JLT Aug. 1, 2020 4000-4008*
- Wang, P., see Wang, R., *JLT Aug. 15, 2020 4520-4525*
- Wang, P., see Zhang, M., *JLT Aug. 15, 2020 4397-4401*
- Wang, P., see Xiong, W., *JLT April 1, 2020 1712-1721*
- Wang, P., see Yu, J., *JLT April 1, 2020 1880-1886*
- Wang, P., see Yao, C., *JLT April 1, 2020 2067-2072*
- Wang, P., see Wang, W., *JLT April 1, 2020 1753-1765*
- Wang, P., Lv, Y., Wang, Y., Liu, X., Bai, Q., Zhang, H., and Jin, B., Adaptability and Anti-Noise Capacity Enhancement for ϕ -OTDR With Deep Learning; *JLT Dec. 1, 2020 6699-6706*
- Wang, P., see Zhao, R., *JLT Nov. 15, 2020 6371-6378*
- Wang, P., see Chu, T., *JLT Feb. 15, 2020 966-973*
- Wang, Q., see Wang, R., *JLT Jan. 1, 2020 139-149*
- Wang, Q., see Xue, M., *JLT Aug. 1, 2020 3859-3865*
- Wang, Q., see Yang, Y., *JLT Sept. 15, 2020 5142-5148*
- Wang, R., Tessinari, R.S., Hugues-Salas, E., Bravalheri, A., Uniyal, N., Muqaddas, A.S., Guimaraes, R.S., Diallo, T., Moazzeni, S., Wang, Q., Kanellos, G.T., Nejabati, R., and Simeonidou, D., End-to-End Quantum Secured Inter-Domain 5G Service Orchestration Over Dynamically Switched Flex-Grid Optical Networks Enabled by a q-ROADM; *JLT Jan. 1, 2020 139-149*
- Wang, R., Tian, K., Zhang, M., Jiang, Y., Yuan, L., Jin, G., Farrell, G., Lewis, E., and Wang, P., Investigation on the Polarization Dependence of An Angled Polished Multimode Fibre Structure; *JLT Aug. 15, 2020 4520-4525*
- Wang, R., see Zhong, M., *JLT Aug. 15, 2020 4533-4539*
- Wang, R., see Hugues-Salas, E., *JLT Sept. 15, 2020 5064-5070*
- Wang, S., see Jin, Z., *JLT March 15, 2020 1230-1242*
- Wang, S., see Zhang, Y., *JLT April 15, 2020 2392-2399*
- Wang, S., see Zhang, Z., *JLT Aug. 15, 2020 4548-4554*
- Wang, S., see Zhang, M., *JLT Aug. 15, 2020 4397-4401*
- Wang, S., Xiang, S., Han, G., Song, Z., Ren, Z., Wen, A., and Hao, Y., Photonic Associative Learning Neural Network Based on VCSELs and STDP; *JLT Sept. 1, 2020 4691-4698*
- Wang, S., see Jia, S., *JLT Sept. 1, 2020 4715-4721*
- Wang, S., see Hou, Y., *JLT Nov. 15, 2020 6412-6421*

- Wang, S., see Ahmad, H., *JLT Dec. 15, 2020 6886-6896*
- Wang, T., see Huang, M., *JLT Jan. 1, 2020 75-81*
- Wang, T., see Lowery, A.J., *JLT June 15, 2020 3229-3237*
- Wang, T., see Sun, W., *JLT Aug. 1, 2020 4075-4085*
- Wang, T., Peng, G., Chan, M., and Chen, C., On-Chip Optical Microresonators With High Electro-Optic Tuning Efficiency; *JLT April 1, 2020 1851-1857*
- Wang, T., see Chen, H., *JLT April 1, 2020 1874-1879*
- Wang, T., see Zhang, L., *JLT Nov. 1, 2020 6057-6062*
- Wang, T., and Lowery, A.J., Minimum Phase Conditions in Kramers-Kronig Optical Receivers; *JLT Nov. 15, 2020 6214-6220*
- Wang, T., Chan, M., Cheng, I., Sung, A., and Chen, C., Efficient Dual-Polarized Electro-Optically Tunable Microresonators by Utilization of Ultra-Thin Transparent Electrode; *JLT Dec. 15, 2020 6863-6869*
- Wang, W., see Xu, J., *JLT Jan. 15, 2020 522-530*
- Wang, W., see Li, Z., *JLT July 1, 2020 3526-3532*
- Wang, W., see Zou, D., *JLT July 1, 2020 3445-3453*
- Wang, W., Li, F., Li, Z., Sui, Q., and Li, Z., Dual-Drive Mach-Zehnder Modulator-Based Single Side-Band Modulation Direct Detection System Without Signal-to-Signal Beating Interference; *JLT Aug. 15, 2020 4341-4351*
- Wang, W., Wang, P., Guo, L., Pang, W., Chen, W., Li, A., and Han, M., Performance Investigation of OAMSK Modulated Wireless Optical System Over Turbulent Ocean Using Convolutional Neural Networks; *JLT April 1, 2020 1753-1765*
- Wang, W., see Chen, H., *JLT Feb. 15, 2020 953-960*
- Wang, W., Liu, Y., Du, X., Zhong, X., Yu, C., and Chen, X., Ultra-Stable and Real-Time Demultiplexing System of Strong Fiber Bragg Grating Sensors Based on Low-Frequency Optoelectronic Oscillator; *JLT Feb. 15, 2020 981-988*
- Wang, W., see Zou, D., *JLT Oct. 15, 2020 5649-5655*
- Wang, X., Korzh, B.A., Weigel, P.O., Nemchick, D.J., Drouin, B.J., Becker, W., Zhao, Q., Zhu, D., Colangelo, M., Dane, A.E., Berggren, K.K., Shaw, M.D., and Mookherjee, S., Oscilloscopic Capture of Greater-Than-100 GHz, Ultra-Low Power Optical Waveforms Enabled by Integrated Electrooptic Devices; *JLT Jan. 1, 2020 166-173*
- Wang, X., see Jiang, W., *JLT April 15, 2020 2414-2422*
- Wang, X., see Zhang, W., *JLT April 15, 2020 2441-2449*
- Wang, X., Yu, S., Qin, J., Cuervo-Covian, A., Zuo, H., Sun, X., Hu, J., Gu, T., and Liu, J., Low-Voltage, Coupled Multiple Quantum Well Electroreflective Modulators Towards Ultralow Power Inter-Chip Optical Interconnects; *JLT July 1, 2020 3414-3421*
- Wang, X., see Zhong, M., *JLT Aug. 15, 2020 4533-4539*
- Wang, X., see Zhong, M., *JLT Aug. 15, 2020 4533-4539*
- Wang, X., see Yu, J., *JLT April 1, 2020 1880-1886*
- Wang, X., see Duan, S., *JLT Oct. 1, 2020 5509-5516*
- Wang, X., see Ma, C., *JLT Sept. 15, 2020 4948-4954*
- Wang, X., see Hou, Y., *JLT Nov. 15, 2020 6412-6421*
- Wang, X., Zhang, Q., Xin, X., Gao, R., Lv, K., Tian, Q., Tian, F., Wang, C., Pan, X., Wang, Y., and Yang, L., Robust and Low-Complexity Principal Component-Based Phase Estimation Algorithm for Probabilistically Shaped Square-QAM Systems; *JLT Nov. 15, 2020 6153-6162*
- Wang, X., see Li, H., *JLT Feb. 15, 2020 898-904*
- Wang, X., see Miao, P., *JLT Dec. 15, 2020 6732-6745*
- Wang, Y., see Yang, K., *JLT March 15, 2020 1474-1479*
- Wang, Y., Yang, X., Gong, C., Mao, J., Wu, Y., Yin, G., Zhu, T., Peng, G., Rao, Y., and Gong, Y., DC-Biased Optofluidic Biolaser for Uric Acid Detection; *JLT March 15, 2020 1557-1563*
- Wang, Y., see Zhao, X., *JLT March 15, 2020 1550-1556*
- Wang, Y., see Zhao, X., *JLT March 15, 2020 1550-1556*
- Wang, Y., see Wang, H., *JLT April 15, 2020 2511-2515*
- Wang, Y., see Hong, Y., *JLT April 15, 2020 2278-2284*
- Wang, Y., see Zhao, Y., *JLT April 15, 2020 2504-2510*
- Wang, Y., see Zhao, Y., *JLT April 15, 2020 2504-2510*
- Wang, Y., see Hong, Y., *JLT May 15, 2020 2849-2857*
- Wang, Y., and Dai, D., Ultra-Sharp Multimode Waveguide Bends With Dual Polarizations; *JLT Aug. 1, 2020 3994-3999*
- Wang, Y., see Koike-Akino, T., *JLT June 1, 2020 3059-3066*
- Wang, Y., see Lin, Z., *JLT Aug. 15, 2020 4470-4477*
- Wang, Y., see Guo, K., *JLT April 1, 2020 2060-2066*
- Wang, Y., see Yao, C., *JLT April 1, 2020 2067-2072*
- Wang, Y., see Sun, H., *JLT Oct. 1, 2020 5551-5560*
- Wang, Y., see Mao, J., *JLT Sept. 15, 2020 5205-5211*
- Wang, Y., see Yang, F., *JLT Dec. 1, 2020 6446-6457*
- Wang, Y., see Zhu, L., *JLT Dec. 1, 2020 6474-6480*
- Wang, Y., see Wang, D., *JLT Dec. 1, 2020 6664-6670*
- Wang, Y., see Wang, P., *JLT Dec. 1, 2020 6699-6706*
- Wang, Y., see Wang, X., *JLT Nov. 15, 2020 6153-6162*
- Wang, Y., see Ahmad, H., *JLT Dec. 15, 2020 6886-6896*
- Wang, Z., see Chen, J., *JLT March 15, 2020 1480-1485*
- Wang, Z., see Tian, J., *JLT March 15, 2020 1461-1467*
- Wang, Z., see Mao, B., *JLT Aug. 1, 2020 4052-4060*
- Wang, Z., see Fang, Y., *JLT July 1, 2020 3431-3438*
- Wang, Z., see Tu, J., *JLT Aug. 15, 2020 4497-4503*
- Wang, Z., see Xiong, J., *JLT April 1, 2020 2028-2036*
- Wang, Z., see Zhang, S., *JLT April 1, 2020 1929-1935*
- Wang, Z., Zhang, Q., Chang, J., Tian, C., Tang, L., Feng, Y., Zhang, H., and Zhang, X., Quartz-Enhanced Photoacoustic Spectroscopy Based on the Four-Off-Beam Acoustic Micro-Resonator; *JLT Sept. 15, 2020 5212-5218*
- Wang, Z., see Wu, Y., *JLT Nov. 1, 2020 6121-6128*
- Wang, Z., Chen, J., and Chi, N., A Novel Algorithm for Improving the Spectrum Efficiency of Non-Orthogonal Multiband CAP UVLC Systems; *JLT Nov. 15, 2020 6187-6201*
- Wang, Z., Tu, J., Liu, Z., Yu, C., and Lu, C., Design of Weakly Coupled Two-Mode Hollow-Core Antiresonant Fiber With Low Loss; *JLT Feb. 15, 2020 864-874*
- Wang, Z., see Chen, J., *JLT Dec. 15, 2020 6759-6770*
- Watte, J., see Radosavljevic, A., *JLT Aug. 1, 2020 3965-3973*
- Watte, J., see Vanmol, K., *JLT Sept. 1, 2020 4834-4842*
- Way, W.I., see Zhang, R., *JLT March 15, 2020 1138-1147*
- Wayth, R., see Nanni, J., *JLT Oct. 1, 2020 5393-5405*
- Wei, J., see Wettlin, T., *JLT Dec. 15, 2020 6771-6778*
- Wei, K., and Daryoush, A.S., Self-Forced Opto-Electronic Oscillators Using Sagnac-Loop PM-IM Converter; *JLT Oct. 1, 2020 5278-5285*
- Wei, S., see Tian, Y., *JLT Feb. 15, 2020 834-839*
- Wei, T., see Yao, Z., *JLT Sept. 15, 2020 5170-5176*
- Wei, W., see Feng, Y., *JLT Nov. 15, 2020 6227-6236*
- Wei, Y., see Ding, J., *JLT Aug. 15, 2020 4352-4358*
- Wei, Y., Zhou, Y., Liu, C., Wang, K., Zhang, J., Wang, F., Ding, J., and Yu, J., SSB Single Carrier and Multicarrier in C-Band FSO Transmission With KK Receiver; *JLT Sept. 15, 2020 5000-5007*
- Wei, Z., see Hu, W., *JLT Sept. 1, 2020 4699-4707*
- Weid, J.P.v.d., see Calliari, F., *JLT Aug. 15, 2020 4572-4579*
- Weigel, P.O., see Wang, X., *JLT Jan. 1, 2020 166-173*
- Weiner, A.M., see Lukens, J.M., *JLT April 1, 2020 1678-1687*
- Wellbrock, G.A., see Huang, M., *JLT Jan. 1, 2020 75-81*
- Wen, A., see Li, Y., *JLT Aug. 1, 2020 3908-3917*
- Wen, A., see Wang, S., *JLT Sept. 1, 2020 4691-4698*
- Wen, A., see Zhang, Y., *JLT Sept. 15, 2020 5071-5077*
- Wen, G., Zhang, H., Shi, X., Jia, D., and Liu, T., Weak Coupling Point Detection in Distributed Polarization Coupling Measurement Based on Variational Mode Decomposition; *JLT Aug. 1, 2020 4061-4074*
- Wen, H., see Teng, M., *JLT Jan. 1, 2020 6-17*
- Wen, J., see Fan, D., *JLT Nov. 15, 2020 6334-6344*
- Wen, Q., see Shi, Y., *JLT April 1, 2020 1975-1980*
- Weng, J., see Huang, C., *JLT Dec. 15, 2020 6746-6758*
- Weng, Y., see Zhang, R., *JLT March 15, 2020 1138-1147*
- Weng, Y., see Sun, X., *JLT Jan. 15, 2020 421-431*
- Westberg, J., see Feng, T., *JLT April 1, 2020 1895-1899*
- Westergren, U., see Pang, X., *JLT Jan. 15, 2020 492-503*
- Wettlin, T., Calabro, S., Rahman, T., Wei, J., Stojanovic, N., and Pachnicke, S., DSP for High-Speed Short-Reach IM/DD Systems Using PAM; *JLT Dec. 15, 2020 6771-6778*
- Wevers, L., see Theurer, M., *JLT May 1, 2020 2630-2636*
- Wey, J.S., see Zhang, J., *JLT Jan. 15, 2020 185-193*

- Wey, J.S., The Outlook for PON Standardization: A Tutorial; *JLT Jan. 1, 2020* 31-42
- Wheeler, N.V., see Sakr, H., *JLT Jan. 1, 2020* 159-165
- White, I., see Liu, Z., *JLT Jan. 15, 2020* 240-248
- White, I.H., see Hantschmann, C., *JLT Sept. 1, 2020* 4801-4807
- White, I.H., see Bamiedakis, N., *JLT Dec. 1, 2020* 6561-6568
- Wiersma, K., see Fu, S., *JLT March 15, 2020* 1435-1438
- Williams, B.P., see Lukens, J.M., *JLT April 1, 2020* 1678-1687
- Williams, K.A., see Andreou, S., *JLT April 1, 2020* 1887-1894
- Williams, K.J., see Mondich, M.J., *JLT Nov. 1, 2020* 5893-5907
- Willner, A.E., see Fallahpour, A., *JLT Jan. 15, 2020* 359-365
- Willner, A.E., see Song, H., *JLT Jan. 1, 2020* 82-89
- Willner, A.E., see Zhang, Z., *JLT Dec. 1, 2020* 6584-6590
- Winkler, F., see Charania, S., *JLT July 1, 2020* 3454-3460
- Winzer, P., see Buchali, F., *JLT May 1, 2020* 2710-2718
- Winzer, P., see Cho, J., *JLT July 15, 2020* 3652-3662
- Withayachumnankul, W., see Headland, D., *JLT Dec. 15, 2020* 6853-6862
- Withford, M., see Luis, R.S., *JLT June 1, 2020* 2886-2896
- Wittek, S., see Gausmann, S., *JLT April 1, 2020* 1953-1958
- Wohlgemuth, E., see Yoffe, Y., *JLT June 15, 2020* 3096-3105
- Wojcik, G., see Budnicki, D., *JLT Dec. 1, 2020* 6685-6690
- Won, Y., see Sung, M., *JLT Jan. 15, 2020* 409-420
- Won, Y., see Kim, J., *JLT Jan. 1, 2020* 101-111
- Wong, E., see Song, T., *JLT Aug. 15, 2020* 4250-4259
- Wong, G.K.L., see Loranger, S., *JLT Aug. 1, 2020* 4100-4107
- Woodley, M.T.M., see Moroney, N., *JLT March 15, 2020* 1414-1419
- Woodward, R.I., see Amin, M.Z., *JLT Oct. 15, 2020* 5801-5808
- Worhoff, K., see Theurer, M., *JLT May 1, 2020* 2630-2636
- Wosinska, L., see Zhang, L., *JLT Jan. 1, 2020* 18-30
- Wright, J.G., Schmidt, H., and Hawkins, A.R., Effects of Post-Etch Microstructures on the Optical Transmittance of Silica Ridge Waveguides; *JLT Nov. 15, 2020* 6280-6285
- Wu, B., Zhang, B., Wang, L., and Chen, F., 3D Polarization-Dependent Waveguide Arrays in LiNbO₃ Crystal Produced by Femtosecond Laser Writing; *JLT Aug. 1, 2020* 3988-3993
- Wu, C., see Li, H., *JLT Jan. 15, 2020* 386-393
- Wu, C., Li, H., Van Kerrebrouck, J., Vandierenonck, A., de Paula, I.L., Breyne, L., Caytan, O., Lemey, S., Rogier, H., Bauwelinck, J., Demeester, P., and Torfs, G., Distributed Antenna System Using Sigma-Delta Intermediate-Frequency-Over-Fiber for Frequency Bands Above 24 GHz; *JLT May 15, 2020* 2765-2773
- Wu, C., Li, H., Caytan, O., Van Kerrebrouck, J., Breyne, L., Bauwelinck, J., Demeester, P., and Torfs, G., Distributed Multi-User MIMO Transmission Using Real-Time Sigma-Delta-Over-Fiber for Next Generation Fronthaul Interface; *JLT Feb. 15, 2020* 705-713
- Wu, C., see Huang, C., *JLT Feb. 1, 2020* 573-582
- Wu, C., see Huang, C., *JLT Feb. 1, 2020* 573-582
- Wu, C., see Huang, C., *JLT Dec. 15, 2020* 6746-6758
- Wu, G., see Jin, Z., *JLT March 15, 2020* 1230-1242
- Wu, G., see Wang, C., *JLT Aug. 1, 2020* 3926-3934
- Wu, G., see Hu, L., *JLT July 15, 2020* 3644-3651
- Wu, G., see Tian, X., *JLT Aug. 15, 2020* 4270-4278
- Wu, G., see Hu, L., *JLT Nov. 1, 2020* 5916-5924
- Wu, H., see Adeel, M., *JLT April 15, 2020* 2539-2546
- Wu, J., see Fu, S., *JLT March 15, 2020* 1435-1438
- Wu, J., see Xu, J., *JLT Jan. 15, 2020* 522-530
- Wu, J., see Xu, X., *JLT Jan. 15, 2020* 332-338
- Wu, J., see Lorriere, N., *JLT Aug. 1, 2020* 3822-3831
- Wu, J., see Xu, X., *JLT April 1, 2020* 1722-1727
- Wu, J., see Xu, X., *JLT Sept. 15, 2020* 5116-5121
- Wu, J., see Yang, Y., *JLT Sept. 15, 2020* 5142-5148
- Wu, J., see Tan, M., *JLT Nov. 15, 2020* 6221-6226
- Wu, K., see Liu, S., *JLT April 15, 2020* 2134-2143
- Wu, K., see Sun, H., *JLT Sept. 1, 2020* 4744-4756
- Wu, K., see Liu, S., *JLT Nov. 15, 2020* 6299-6311
- Wu, K., see Ma, J., *JLT Feb. 1, 2020* 557-563
- Wu, K., see Shao, Y., *JLT Oct. 15, 2020* 5668-5675
- Wu, L., see Dai, X., *JLT March 15, 2020* 1564-1571
- Wu, M., Fan, X., Zhang, X., Yan, L., and He, Z., Frequency Response Enhancement of Phase-Sensitive OTDR for Interrogating Weak Reflector Array by Using OFDM and Vernier Effect; *JLT Sept. 1, 2020* 4874-4882
- Wu, P., see Chen, Y., *JLT Oct. 15, 2020* 5837-5843
- Wu, Q., see Wu, T., *JLT Aug. 15, 2020* 4580-4587
- Wu, Q., see Lian, X., *JLT Nov. 15, 2020* 6352-6361
- Wu, T., Kong, W., Wang, M., Wu, Q., Chen, W., Ye, C., Hu, R., and He, X., Compact Hollow Waveguide Mid-Infrared Gas Sensor For Simultaneous Measurements of Ambient CO₂ and Water Vapor; *JLT Aug. 15, 2020* 4580-4587
- Wu, T., see Zhao, L., *JLT Nov. 15, 2020* 6265-6271
- Wu, W., see Lin, Y., *JLT April 15, 2020* 2144-2151
- Wu, X., see Wang, H., *JLT April 15, 2020* 2511-2515
- Wu, X., see Ren, J., *JLT April 1, 2020* 1728-1734
- Wu, X., see Xiao, Q., *JLT Feb. 15, 2020* 714-722
- Wu, Y., see Wang, Y., *JLT March 15, 2020* 1557-1563
- Wu, Y., see Lun, H., *JLT June 1, 2020* 2992-2999
- Wu, Y., see Sun, H., *JLT Sept. 1, 2020* 4744-4756
- Wu, Y., see Xiong, J., *JLT April 1, 2020* 2028-2036
- Wu, Y., see Shi, J., *JLT April 1, 2020* 2010-2014
- Wu, Y., Wang, Z., Xiong, J., Jiang, J., and Rao, Y., Bipolar-Coding Φ -OTDR with Interference Fading Elimination and Frequency Drift Compensation; *JLT Nov. 1, 2020* 6121-6128
- Wu, Y., see Zhao, L., *JLT Nov. 15, 2020* 6265-6271
- Wu, Z., see Huang, G., *JLT Dec. 1, 2020* 6549-6560
- Wymeersch, H., see Alfredsson, A.F., *JLT Aug. 1, 2020* 3850-3858
- Wymeersch, H., see Alfredsson, A.F., *JLT Sept. 1, 2020* 4656-4663
- Wysocki, G., see Feng, T., *JLT April 1, 2020* 1895-1899

X

- Xenos, E.D., see Peppas, K.P., *JLT March 15, 2020* 1286-1295
- Xi, D., see Chen, M., *JLT Nov. 15, 2020* 6202-6213
- Xi, J., see Nie, B., *JLT Oct. 1, 2020* 5423-5429
- Xia, D., see Zhu, Y., *JLT Sept. 1, 2020* 4817-4823
- Xia, H., see Zhao, L., *JLT Nov. 15, 2020* 6265-6271
- Xia, N., and Yoo, S., Investigation of Thermal Loads for Transverse Mode Instability in Ytterbium-Doped Large Mode Area Fibers; *JLT Aug. 15, 2020* 4478-4489
- Xia, T.J., see Huang, M., *JLT Jan. 1, 2020* 75-81
- Xia, X., see Zou, J., *JLT Aug. 15, 2020* 4447-4453
- Xia, Z., Chu, F., Bian, Z., Zhang, Z., Li, J., and Guo, Z., Study of Surface Plasmon Resonance Sensor Based on Polymer-Tipped Optical Fiber With Barium Titanate Layer; *JLT Feb. 15, 2020* 912-918
- Xiang, C., see Sun, P., *JLT Dec. 1, 2020* 6671-6677
- Xiang, J., Torchy, A., Guo, X., and Su, Y., All-Optical Spiking Neuron Based on Passive Microresonator; *JLT Aug. 1, 2020* 4019-4029
- Xiang, M., see Xu, J., *JLT Jan. 15, 2020* 522-530
- Xiang, M., see Jacques, M., *JLT June 1, 2020* 2877-2885
- Xiang, M., see Xing, Z., *JLT June 1, 2020* 2968-2975
- Xiang, M., see Zhu, M., *JLT Feb. 15, 2020* 769-776
- Xiang, Q., Yang, Y., Zhang, Q., and Yao, Y., Machine Learning Assisted Modulation-Format Transparent and Nonlinearity Tolerant Carrier Recovery Scheme for Intelligent Receiver; *JLT Nov. 1, 2020* 6007-6014
- Xiang, S., see Wang, S., *JLT Sept. 1, 2020* 4691-4698
- Xiang, S., see Zhang, Y., *JLT Sept. 15, 2020* 5071-5077
- Xiang, Y., see Huang, J., *JLT March 15, 2020* 1202-1209
- Xiang, Y., see Dai, X., *JLT March 15, 2020* 1564-1571
- Xiao, G., see Tian, Y., *JLT Feb. 15, 2020* 834-839
- Xiao, H., see Ye, J., *JLT July 15, 2020* 3737-3744
- Xiao, H., see Cheng, B., *JLT Oct. 1, 2020* 5286-5292
- Xiao, J., see Liu, J., *JLT March 15, 2020* 1382-1390
- Xiao, J., see Zhang, J., *JLT Jan. 15, 2020* 185-193
- Xiao, J., see Zhong, M., *JLT Aug. 15, 2020* 4533-4539
- Xiao, J., see Xiong, W., *JLT April 1, 2020* 1712-1721
- Xiao, P., see Ran, Y., *JLT April 15, 2020* 2434-2440

- Xiao, Q.**, see Song, Q., *JLT March 15, 2020 1543-1549*
- Xiao, Q.**, see Tian, J., *JLT March 15, 2020 1461-1467*
- Xiao, Q.**, see He, H., *JLT Aug. 1, 2020 3918-3925*
- Xiao, Q.**, Chen, Y., Lin, S., He, H., Wu, X., You, J., Zeng, Y., Zhou, L., and Dong, Z., DFT-Spread DMT-WDM-PON Employing LDPC-Coded Probabilistic Shaping 16 QAM; *JLT Feb. 15, 2020 714-722*
- Xiao, R.**, see Sun, Z., *JLT April 15, 2020 2299-2307*
- Xiao, R.**, see Hao, L., *JLT Aug. 15, 2020 4402-4408*
- Xiao, R.**, see Zhang, Y., *JLT April 1, 2020 1809-1816*
- Xiao, R.**, see Sun, Z., *JLT Nov. 1, 2020 6038-6046*
- Xiao, S.**, see Pang, X., *JLT Jan. 15, 2020 492-503*
- Xiao, X.**, Proietti, R., Liu, G., Lu, H., Zhang, Y., and Yoo, S.J.B., Multi-FSR Silicon Photonic Flex-LIONS Module for Bandwidth-Reconfigurable All-to-All Optical Interconnects; *JLT June 15, 2020 3200-3208*
- Xiao, X.**, see She, S., *JLT Dec. 15, 2020 6924-6931*
- Xiao, Y.**, see Zhang, H., *JLT April 1, 2020 1688-1692*
- Xiao, Y.**, see Ma, J., *JLT Feb. 1, 2020 557-563*
- Xie, C.**, see Al-Qadi, M., *JLT March 15, 2020 1157-1167*
- Xie, C.**, see Bosco, G., *JLT Jan. 1, 2020 3-5*
- Xie, C.**, see AL-QADI, M., *JLT Nov. 15, 2020 6163-6169*
- Xie, Q.**, Zhang, H., and Shu, C., Programmable Schemes on Temporal Waveform Processing of Optical Pulse Trains; *JLT Jan. 15, 2020 339-345*
- Xie, S.**, see Hu, Y., *JLT Aug. 15, 2020 4454-4461*
- Xie, W.**, see Feng, Y., *JLT Nov. 15, 2020 6227-6236*
- Xie, X.**, see Tan, T., *JLT Dec. 1, 2020 6591-6599*
- Xie, Y.**, see Zhao, Q., *JLT April 15, 2020 2428-2433*
- Xie, Y.**, see Su, Y., *JLT July 15, 2020 3553-3562*
- Xie, Y.**, see Sun, P., *JLT Dec. 1, 2020 6671-6677*
- Xie, Z.**, see Tan, T., *JLT Dec. 1, 2020 6591-6599*
- Xie, Z.**, see Chen, Y., *JLT Feb. 15, 2020 939-945*
- Xin, H.**, Kong, D., Zhang, K., Jia, S., Zhang, X., Hu, W., and Hu, H., 120 GBaud PAM-4/PAM-6 Generation and Detection by Photonic Aided Digital-to-Analog Converter and Linear Equalization; *JLT April 15, 2020 2226-2230*
- Xin, H.**, see Kong, D., *JLT Sept. 1, 2020 4677-4682*
- Xin, H.**, see Fu, Y., *JLT Feb. 1, 2020 654-660*
- Xin, X.**, see Zhang, J., *JLT Jan. 15, 2020 185-193*
- Xin, X.**, see Wang, F., *JLT June 15, 2020 3296-3304*
- Xin, X.**, see Ren, J., *JLT April 1, 2020 1728-1734*
- Xin, X.**, see Wang, X., *JLT Nov. 15, 2020 6153-6162*
- Xing, Z.**, see Jacques, M., *JLT June 1, 2020 2877-2885*
- Xing, Z.**, Xiang, M., El-Fiky, E., Li, X., Saber, M.G., Xu, L., Koh, P., and Plant, D.V., Experimental Demonstration of 600 Gb/s Net Rate PAM4 Transmissions Over 2 km and 10 km With a 4- λ CWDM TOSA; *JLT June 1, 2020 2968-2975*
- Xing, Z.**, see Li, X., *JLT Nov. 15, 2020 6170-6177*
- Xiong, C.**, see Zhao, Y., *JLT April 15, 2020 2504-2510*
- Xiong, J.**, see Jiang, S., *JLT April 15, 2020 2376-2382*
- Xiong, J.**, Wang, Z., Wu, Y., and Rao, Y., Single-Shot COTDR Using Sub-Chirped-Pulse Extraction Algorithm for Distributed Strain Sensing; *JLT April 1, 2020 2028-2036*
- Xiong, J.**, see Wu, Y., *JLT Nov. 1, 2020 6121-6128*
- Xiong, J.**, see Liu, Y., *JLT Dec. 15, 2020 6870-6878*
- Xiong, W.**, Wang, P., Cheng, M., Liu, J., He, Y., Zhou, X., Xiao, J., Li, Y., Chen, S., and Fan, D., Convolutional Neural Network Based Atmospheric Turbulence Compensation for Optical Orbital Angular Momentum Multiplexing; *JLT April 1, 2020 1712-1721*
- Xu, B.**, see Zhu, M., *JLT Feb. 15, 2020 769-776*
- Xu, B.R.**, see Zhu, S., *JLT Oct. 1, 2020 5270-5277*
- Xu, D.**, see Shi, J., *JLT April 1, 2020 2010-2014*
- Xu, G.**, see Guo, K., *JLT April 1, 2020 2060-2066*
- Xu, H.**, see Heni, W., *JLT May 1, 2020 2734-2739*
- Xu, H.**, see Zheng, Y., *JLT Dec. 15, 2020 6939-6947*
- Xu, J.**, Sun, S., Hu, Q., Yu, J., Liu, J., Luo, Q., Wang, W., Huang, L., Xiang, M., Wu, J., Zheng, F., Li, W., Deng, L., Zhou, H., Zhang, L., Jia, S., Zhang, X., and Chen, H., Unrepeated Transmission Over 670.64 km of 50G BPSK, 653.35 km of 100G PS-QPSK, 601.93 km of 200G 8QAM, and 502.13 km of 400G 64QAM; *JLT Jan. 15, 2020 522-530*
- Xu, J.**, see Ye, J., *JLT July 15, 2020 3737-3744*
- Xu, J.**, see Wang, L., *JLT Nov. 1, 2020 6129-6134*
- Xu, J.**, see Li, H., *JLT Feb. 15, 2020 898-904*
- Xu, K.**, see Zhao, Y., *JLT March 15, 2020 1314-1322*
- Xu, K.**, see Shu, L., *JLT May 1, 2020 2669-2679*
- Xu, K.**, see Shen, W., *JLT Aug. 1, 2020 3874-3882*
- Xu, L.**, see Xing, Z., *JLT June 1, 2020 2968-2975*
- Xu, L.**, see Li, H., *JLT April 1, 2020 1858-1864*
- Xu, N.**, see Shi, Y., *JLT April 1, 2020 1975-1980*
- Xu, S.**, Hirota, Y., Shiraiwa, M., Tornatore, M., Ferdousi, S., Awaji, Y., Wada, N., and Mukherjee, B., Emergency OPM Recreation and Telemetry for Disaster Recovery in Optical Networks; *JLT May 1, 2020 2656-2668*
- Xu, S.**, see Zou, S., *JLT Sept. 15, 2020 5136-5141*
- Xu, T.**, Fumagalli, A., and Hui, R., Efficient Real-Time Digital Subcarrier Cross-Connect (DSXC) Based on Distributed Arithmetic DSP Algorithm; *JLT July 1, 2020 3495-3505*
- Xu, T.**, see Zhong, M., *JLT Aug. 15, 2020 4533-4539*
- Xu, T.**, see Hu, W., *JLT Sept. 1, 2020 4699-4707*
- Xu, W.**, see Shi, J., *JLT April 1, 2020 2010-2014*
- Xu, X.**, Wu, J., Tan, M., Nguyen, T.G., Chu, S.T., Little, B.E., Morandotti, R., Mitchell, A., and Moss, D.J., Broadband Microwave Frequency Conversion Based on an Integrated Optical Micro-Comb Source; *JLT Jan. 15, 2020 332-338*
- Xu, X.**, see Lopez, V., *JLT March 1, 2020 1080-1091*
- Xu, X.**, see Sun, H., *JLT Sept. 1, 2020 4744-4756*
- Xu, X.**, Tan, M., Wu, J., Boes, A., Corcoran, B., Nguyen, T.G., Chu, S.T., Little, B.E., Morandotti, R., Mitchell, A., and Moss, D., Photonic RF Phase-Encoded Signal Generation With a Microcomb Source; *JLT April 1, 2020 1722-1727*
- Xu, X.**, see Ren, J., *JLT April 1, 2020 1728-1734*
- Xu, X.**, Tan, M., Wu, J., Boes, A., Nguyen, T.G., Chu, S.T., Little, B.E., Morandotti, R., Mitchell, A., and Moss, D.J., Broadband Photonic RF Channelizer With 92 Channels Based on a Soliton Crystal Microcomb; *JLT Sept. 15, 2020 5116-5121*
- Xu, X.**, see Tan, M., *JLT Nov. 15, 2020 6221-6226*
- Xu, X.**, see Mei, Y., *JLT Nov. 15, 2020 6385-6392*
- Xu, Y.**, Zhou, Q., Huang, J., Li, W., Chen, J., and Wang, K., Highly-Sensitive Indirect-Conversion X-Ray Detector With an Embedded Photodiode Formed by a Three-Dimensional Dual-Gate Thin-Film Transistor; *JLT July 15, 2020 3775-3780*
- Xu, Y.**, see Chen, H., *JLT Sept. 1, 2020 4883-4892*
- Xu, Y.**, see She, S., *JLT Dec. 15, 2020 6924-6931*
- Xu, Z.**, see Ran, Y., *JLT April 15, 2020 2434-2440*
- Xu, Z.**, see Zhang, B., *JLT Sept. 1, 2020 4664-4676*
- Xu, Z.**, see Yao, Z., *JLT Sept. 15, 2020 5170-5176*
- Xu, Z.**, see Wang, L., *JLT Nov. 1, 2020 6129-6134*
- Xu, Z.**, see Ge, Z., *JLT Dec. 1, 2020 6458-6464*
- Xu, Z.**, see Chen, Y., *JLT Feb. 15, 2020 939-945*
- Xu, Z.**, see Huang, N., *JLT Oct. 15, 2020 5695-5707*
- Xue, L.**, see Pang, X., *JLT Jan. 15, 2020 492-503*
- Xue, L.**, Yi, L., Hu, W., Lin, R., and Chen, J., Optics-Simplified DSP for 50 Gb/s PON Downstream Transmission using 10 Gb/s Optical Devices; *JLT Feb. 1, 2020 583-589*
- Xue, M.**, Lv, M., Wang, Q., Yu, C., and Pan, S., Ultrahigh-Resolution Optoelectronic Vector Analysis Utilizing Photonics-Based Frequency Up- and Down-Conversions; *JLT Aug. 1, 2020 3859-3865*
- Xue, X.**, Wang, F., Agraz, F., Pages, A., Pan, B., Yan, F., Guo, X., Spadaro, S., and Calabretta, N., SDN-Controlled and Orchestrated OPSquare DCN Enabling Automatic Network Slicing With Differentiated QoS Provisioning; *JLT March 15, 2020 1103-1112*
- Xue, X.**, see Wang, F., *JLT June 15, 2020 3296-3304*
- Xue, X.**, Yan, F., Prifti, K., Wang, F., Pan, B., Guo, X., Zhang, S., and Calabretta, N., ROTOS: A Reconfigurable and Cost-Effective Architecture for High-Performance Optical Data Center Networks; *JLT July 1, 2020 3485-3494*

Y

- Yaegashi, H.**, see Jeong, S., *JLT May 1, 2020 2680-2687*
- Yaegashi, H.**, see Noriki, A., *JLT June 15, 2020 3147-3155*
- Yamada, K.**, see Suzuki, K., *JLT Jan. 15, 2020 226-232*
- Yamamoto, N.**, see Yoshida, Y., *JLT Jan. 1, 2020 90-100*
- Yamamoto, N.**, see Kanno, A., *JLT Jan. 1, 2020 112-122*
- Yamamoto, S.**, Taniguchi, H., Matsushita, A., Nakamura, M., Okamoto, S., and Kisaka, Y., Spectral-Shaping Technique Based on Nonlinear-Coded-Modulation for Short-Reach Optical Transmission; *JLT Jan. 15, 2020 466-474*
- Yamamoto, S.**, see Matsushita, A., *JLT June 1, 2020 2905-2911*
- Yamashita, S.**, see Shirahata, T., *JLT Dec. 1, 2020 6492-6498*
- Yamauchi, M.**, see Aoki, R., *JLT Aug. 1, 2020 3950-3958*
- Yamazaki, E.**, see Okamoto, S., *JLT March 1, 2020 1061-1070*
- Yamazaki, H.**, see Ogiso, Y., *JLT Jan. 15, 2020 249-255*
- Yamazaki, H.**, see Ozaki, J., *JLT Sept. 15, 2020 5086-5091*
- Yamazaki, M.**, Seno, K., Hashimoto, T., and Uenohara, H., Experimental Investigation of Wavelength Conversion Using Highly-Nonlinear Fiber and Two-Stage-Comb-Generated Pump With High Frequency Precision; *JLT April 15, 2020 2219-2225*
- Yameogo, B.L.M.**, Charlton, D.W., Doucet, D., Desrosiers, C., O'Sullivan, M., and Tremblay, C., Trends in Optical Span Loss Detected Using the Time Series Decomposition Method; *JLT Sept. 15, 2020 5026-5035*
- Yan, B.**, see Campanella, A., *JLT May 15, 2020 2755-2764*
- Yan, B.**, see Fan, D., *JLT Nov. 15, 2020 6334-6344*
- Yan, F.**, see Xue, X., *JLT March 15, 2020 1103-1112*
- Yan, F.**, see Wang, F., *JLT June 15, 2020 3296-3304*
- Yan, F.**, see Xue, X., *JLT July 1, 2020 3485-3494*
- Yan, F.**, see Chen, Y., *JLT Oct. 15, 2020 5837-5843*
- Yan, L.**, see Li, P., *JLT March 15, 2020 1178-1183*
- Yan, L.**, see Wu, M., *JLT Sept. 1, 2020 4874-4882*
- Yan, L.**, see Teng, C., *JLT Oct. 1, 2020 5406-5411*
- Yan, P.**, see Tian, J., *JLT March 15, 2020 1461-1467*
- Yan, P.**, see Wang, J., *JLT July 15, 2020 3710-3716*
- Yan, Q.**, see Zhang, S., *JLT April 1, 2020 1929-1935*
- Yan, S.**, see Zhang, W., *JLT April 15, 2020 2441-2449*
- Yan, S.**, see Gao, Z., *JLT May 1, 2020 2646-2655*
- Yan, X.**, see Zhang, Z., *JLT Aug. 1, 2020 4037-4044*
- Yan, Y.**, Beldachi, A.F., Nejabati, R., and Simeonidou, D., P4-enabled Smart NIC: Enabling Sliceable and Service-Driven Optical Data Centres; *JLT May 1, 2020 2688-2694*
- Yan, Z.**, see Cheng, X., *JLT April 15, 2020 2471-2476*
- Yan, Z.**, see He, H., *JLT Aug. 15, 2020 4540-4547*
- Yan, Z.**, see Li, H., *JLT Feb. 15, 2020 929-938*
- Yanagimachi, S.**, see Takeshita, H., *JLT June 1, 2020 2922-2929*
- Yanatori, K.**, see Kanno, A., *JLT Jan. 1, 2020 112-122*
- Yang, C.**, see Zhou, Q., *JLT Aug. 15, 2020 4315-4324*
- Yang, C.**, see Huang, S., *JLT Nov. 1, 2020 5949-5961*
- Yang, C.**, see Liu, Y., *JLT Dec. 15, 2020 6870-6878*
- Yang, D.**, see Liu, J., *JLT March 15, 2020 1572-1579*
- Yang, D.**, Duan, B., Wang, A., Pan, Y., Wang, C., Ji, Y., and Chen, J., Packaged Microbubble Resonator for Versatile Optical Sensing; *JLT Aug. 15, 2020 4555-4559*
- Yang, D.**, see Yang, F., *JLT Dec. 1, 2020 6446-6457*
- Yang, F.**, see Zhu, Y., *JLT Jan. 1, 2020 67-74*
- Yang, F.**, see Shi, J., *JLT April 1, 2020 2010-2014*
- Yang, F.**, Wang, D., Wang, Y., Chen, Z., Zhou, T., Yang, D., Zhong, X., and Zhang, H., Photonics-Assisted Frequency Up/Down Conversion With Tunable OEO and Phase Shift; *JLT Dec. 1, 2020 6446-6457*
- Yang, F.**, see Zou, C., *JLT Oct. 15, 2020 5733-5742*
- Yang, H.**, and Chu, D., Transient Crosstalk in Holographic Optical Switching Based on Wavefront Encoding; *JLT April 1, 2020 1618-1624*
- Yang, J.**, see Tang, X., *JLT March 15, 2020 1420-1426*
- Yang, J.**, see Chen, W., *JLT Aug. 1, 2020 4000-4008*
- Yang, J.**, see Chen, H., *JLT April 1, 2020 1874-1879*
- Yang, K.**, Liao, C., Liu, S., He, J., Wang, J., and Wang, Y., Optical Fiber Tag Based on an Encoded Fiber Bragg Grating Fabricated by Femtosecond Laser; *JLT March 15, 2020 1474-1479*
- Yang, L.**, see Sun, W., *JLT Aug. 1, 2020 4075-4085*
- Yang, L.**, Zhang, B., He, X., Deng, K., Liu, S., and Hou, J., 20.6 W Mid-Infrared Supercontinuum Generation in ZBLAN Fiber With Spectrum of 1.9–4.3 μm ; *JLT Sept. 15, 2020 5122-5127*
- Yang, L.**, see Hou, Y., *JLT Nov. 15, 2020 6412-6421*
- Yang, L.**, see Wang, X., *JLT Nov. 15, 2020 6153-6162*
- Yang, M.**, Li, L., Liu, X., and Djordjevic, I.B., Real-Time Verification of Soft-Decision LDPC Coding for Burst Mode Upstream Reception in 50G-PON; *JLT April 1, 2020 1693-1701*
- Yang, P.**, see Zhong, M., *JLT Aug. 15, 2020 4533-4539*
- Yang, R.**, see Wang, J., *JLT July 15, 2020 3710-3716*
- Yang, S.**, Lu, Z., and Li, Y., High-Speed Post-Processing in Continuous-Variable Quantum Key Distribution Based on FPGA Implementation; *JLT Aug. 1, 2020 3935-3941*
- Yang, S.**, Feng, Z., Jia, X., Pickrell, G., Ng, W., Wang, A., and Zhu, Y., All-Sapphire Miniature Optical Fiber Tip Sensor for High Temperature Measurement; *JLT April 1, 2020 1988-1997*
- Yang, S.**, and Yuan, L., Connecting Technologies for Coaxial Dual Core Optical Fiber; *JLT Dec. 1, 2020 6629-6634*
- Yang, T.**, see Wang, D., *JLT Sept. 1, 2020 4730-4743*
- Yang, W.**, see Zhang, S., *JLT April 1, 2020 1929-1935*
- Yang, X.**, see Wang, Y., *JLT March 15, 2020 1557-1563*
- Yang, X.**, see Tang, X., *JLT March 15, 2020 1420-1426*
- Yang, X.**, Zhu, L., Lu, Y., and Yao, J., Ultrasharp LSPR Temperature Sensor Based on Grapefruit Fiber Filled With a Silver Nanoshell and Liquid; *JLT April 1, 2020 2015-2021*
- Yang, X.**, see Mao, J., *JLT Sept. 15, 2020 5205-5211*
- Yang, Y.**, see Liu, J., *JLT March 15, 2020 1382-1390*
- Yang, Y.**, see Zhang, Q., *JLT April 15, 2020 2152-2157*
- Yang, Y.**, see Sun, W., *JLT Aug. 1, 2020 4075-4085*
- Yang, Y.**, see Yang, Z., *JLT Sept. 1, 2020 4648-4655*
- Yang, Y.**, see Ma, C., *JLT Sept. 15, 2020 4948-4954*
- Yang, Y.**, Wu, J., Wang, M., Wang, Q., Yu, Q., and Chen, K.P., Fast Demodulation of Fiber Bragg Grating Wavelength From Low-Resolution Spectral Measurements Using Buneman Frequency Estimation; *JLT Sept. 15, 2020 5142-5148*
- Yang, Y.**, see Zhu, J., *JLT Sept. 15, 2020 5163-5169*
- Yang, Y.**, see Xiang, Q., *JLT Nov. 1, 2020 6007-6014*
- Yang, Y.**, see Yeh, C., *JLT Oct. 15, 2020 5728-5732*
- Yang, Y.**, see Bahadori, M., *JLT Oct. 15, 2020 5756-5767*
- Yang, Z.**, see Zaslawski, S., *JLT July 15, 2020 3723-3736*
- Yang, Z.**, see Li, X., *JLT July 15, 2020 3769-3774*
- Yang, Z.**, see Zhu, Y., *JLT Sept. 1, 2020 4817-4823*
- Yang, Z.**, Yi, L., Ke, J., Zhuge, Q., Yang, Y., and Hu, W., Chaotic Optical Communication Over 1000 km Transmission by Coherent Detection; *JLT Sept. 1, 2020 4648-4655*
- Yang, Z.**, see Song, J., *JLT Oct. 1, 2020 5293-5301*
- Yang, Z.**, see Zhu, L., *JLT Dec. 1, 2020 6474-6480*
- Yankov, M.P.**, see Iqbal, S., *JLT April 1, 2020 1800-1808*
- Yankovskii, G.M.**, see Kornienko, V.V., *JLT Sept. 1, 2020 4794-4800*
- Yao, B.**, see Tan, T., *JLT Dec. 1, 2020 6591-6599*
- Yao, C.**, Gao, S., Wang, Y., Wang, P., Jin, W., and Ren, W., Silica Hollow-Core Negative Curvature Fibers Enable Ultrasensitive Mid-Infrared Absorption Spectroscopy; *JLT April 1, 2020 2067-2072*
- Yao, J.**, and Zhang, W., Fully Reconfigurable Waveguide Bragg Gratings for Programmable Photonic Signal Processing; *JLT Jan. 15, 2020 202-214*
- Yao, J.**, see Fan, Z., *JLT April 15, 2020 2127-2133*
- Yao, J.**, see Fan, Z., *JLT Aug. 1, 2020 3866-3873*
- Yao, J.**, see Zhou, D., *JLT Aug. 1, 2020 4150-4159*
- Yao, J.**, see Wang, G., *JLT April 1, 2020 2073-2080*
- Yao, J.**, see Yang, X., *JLT April 1, 2020 2015-2021*
- Yao, J.**, see Shi, J., *JLT April 1, 2020 2010-2014*
- Yao, J.**, see Duan, S., *JLT Oct. 1, 2020 5509-5516*
- Yao, J.**, see Jiao, Z., *JLT Oct. 1, 2020 5333-5338*

- Yao, J.**, see Dai, Z., *JLT Oct. 1, 2020 5327-5332*
- Yao, J.**, Hong, H., Liu, N., Cai, G., and Liu, Q.H., Efficient Third Harmonic Generation by Doubly Enhanced Electric Dipole Resonance in Metal-Based Silicon Nanodisks; *JLT Nov. 15, 2020 6312-6320*
- Yao, J.**, see Bai, Y., *JLT Feb. 15, 2020 840-845*
- Yao, J.**, see Chen, Y., *JLT Feb. 15, 2020 761-768*
- Yao, S.**, Chen, Y., Su, S., Alfadhli, Y., Shen, S., Zhang, R., Zhou, Q., and Chang, G., Non-Orthogonal Uplink Services Through Co-Transport of D-RoF/A-RoF in Mobile Fronthaul; *JLT July 15, 2020 3637-3643*
- Yao, S.**, see Zhang, R., *JLT Nov. 1, 2020 6024-6030*
- Yao, S.**, Chen, Y., Zhang, R., Tang, X., Zhou, Q., Su, S., Shen, S., Alfadhli, Y., and Chang, G., Flexible Coherent Communication System With Adaptable SNR and Laser Phase Noise Tolerance for Probabilistically Shaped QAM; *JLT Nov. 15, 2020 6178-6186*
- Yao, T.**, see Ye, J., *JLT July 15, 2020 3737-3744*
- Yao, Y.**, see Zhang, Q., *JLT April 15, 2020 2152-2157*
- Yao, Y.**, see Xiang, Q., *JLT Nov. 1, 2020 6007-6014*
- Yao, Y.**, see Miao, P., *JLT Dec. 15, 2020 6732-6745*
- Yao, Z.**, Xu, Z., Mauldin, T., Hefferman, G., and Wei, T., A Reconfigurable Architecture for Continuous Double-Sided Swept-Laser Linearization; *JLT Sept. 15, 2020 5170-5176*
- Yariv, A.**, see Zhang, Z., *JLT Dec. 1, 2020 6584-6590*
- Yashkov, M.**, see Khagai, A., *JLT Nov. 1, 2020 6114-6120*
- Yasui, T.**, see Iguchi, A., *JLT April 15, 2020 2328-2335*
- Yatsenko, Y.P.**, see Okhrimchuk, A.G., *JLT March 15, 2020 1492-1500*
- Ye, C.**, and Dai, D., Ultra-Compact Broadband 2×2 3 dB Power Splitter Using a Subwavelength-Grating-Assisted Asymmetric Directional Coupler; *JLT April 15, 2020 2370-2375*
- Ye, C.**, see Wu, T., *JLT Aug. 15, 2020 4580-4587*
- Ye, J.**, see Li, P., *JLT March 15, 2020 1178-1183*
- Ye, J.**, Zhang, Y., Xu, J., Song, J., Yao, T., Xiao, H., Leng, J., and Zhou, P., Investigations on the Extreme Frequency Shift of Phosphosilicate Random Fiber Laser; *JLT July 15, 2020 3737-3744*
- Ye, J.**, see Tao, M., *JLT Dec. 1, 2020 6635-6643*
- Ye, N.**, see Zhang, J., *JLT July 15, 2020 3573-3583*
- Ye, X.**, see Ma, C., *JLT Sept. 15, 2020 4948-4954*
- Ye, X.**, see Ge, Z., *JLT Dec. 1, 2020 6458-6464*
- Ye, X.**, see Tao, M., *JLT Dec. 1, 2020 6635-6643*
- Ye, Y.**, see Su, Y., *JLT July 15, 2020 3553-3562*
- Yeh, C.**, Yang, Y., Chow, C., Chen, Y., and Hsu, T., VCSEL and LED Based Visible Light Communication System by Applying Decode-and-Forward Relay Transmission; *JLT Oct. 15, 2020 5728-5732*
- Yerolatsitis, S.**, Shurvinton, R., Song, P., Zhang, Y., Francis-Jones, R.J.A., and Rusimova, K.R., Birefringent Anti-Resonant Hollow-Core Fiber; *JLT Sept. 15, 2020 5157-5162*
- Yevnin, M.**, Atar, G., Campelj, S., Lenardic, B., Kaplan, N., Sherman, V., Gvishi, R., Sfez, B., and Eger, D., Low-Loss Waveguides by Planar Modified Chemical Vapor Deposition; *JLT Feb. 15, 2020 792-796*
- Yi, L.**, see Lun, H., *JLT June 1, 2020 2992-2999*
- Yi, L.**, see Yang, Z., *JLT Sept. 1, 2020 4648-4655*
- Yi, L.**, see Xue, L., *JLT Feb. 1, 2020 583-589*
- Yi, X.**, see Song, J., *JLT Oct. 1, 2020 5293-5301*
- Yi, X.**, see Tian, X., *JLT Oct. 1, 2020 5440-5449*
- Yi, X.**, see Zhu, M., *JLT Feb. 15, 2020 769-776*
- Yin, G.**, see Wang, Y., *JLT March 15, 2020 1557-1563*
- Yin, G.**, see Yuan, Q., *JLT Feb. 15, 2020 881-888*
- Yin, J.**, see Wang, J., *JLT July 15, 2020 3710-3716*
- Yin, S.**, see Huang, S., *JLT Nov. 1, 2020 5949-5961*
- Yin, X.**, see Li, H., *JLT Jan. 15, 2020 386-393*
- Yin, X.**, see Lambrecht, J., *JLT Jan. 15, 2020 432-438*
- Yin, X.**, see Pitris, S., *JLT July 1, 2020 3366-3375*
- Yin, Y.**, see Ding, M., *JLT July 15, 2020 3687-3693*
- Yin, Y.**, see Wang, B., *JLT July 15, 2020 3781-3788*
- Yoffe, Y.**, Wohlgemuth, E., and Sadot, D., Performance Optimization of High Speed DACs Using DSP; *JLT June 15, 2020 3096-3105*
- Yokoyama, N.**, see Suzuki, K., *JLT Jan. 15, 2020 226-232*
- Yonemoto, N.**, see Kanno, A., *JLT Jan. 1, 2020 112-122*
- Yoo, S.**, see Ra, Y., *JLT March 15, 2020 1113-1124*
- Yoo, S.**, see Xia, N., *JLT Aug. 15, 2020 4478-4489*
- Yoo, S.J.B.**, see Xiao, X., *JLT June 15, 2020 3200-3208*
- Yoshida, S.**, see Tanimura, T., *JLT May 1, 2020 2726-2733*
- Yoshida, T.**, Mazur, M., Schroder, J., Karlsson, M., and Agrell, E., Performance Monitoring for Live Systems With Soft FEC and Multilevel Modulation; *JLT June 1, 2020 2912-2921*
- Yoshida, T.**, Alvarado, A., Karlsson, M., and Agrell, E., Post-FEC BER Benchmarking for Bit-Interleaved Coded Modulation With Probabilistic Shaping; *JLT Aug. 15, 2020 4292-4306*
- Yoshida, Y.**, Umezawa, T., Kanno, A., and Yamamoto, N., A Phase-Retrieving Coherent Receiver Based on Two-Dimensional Photodetector Array; *JLT Jan. 1, 2020 90-100*
- Yoshimatsu, T.**, see Shindo, T., *JLT June 1, 2020 2984-2991*
- You, B.**, Takaki, R., Hsieh, C., Iwasa, R., Lu, J., and Hattori, T., Terahertz Bragg Resonator Based on a Mechanical Assembly of Metal Grating and Metal Waveguide; *JLT July 15, 2020 3701-3709*
- You, J.**, see Xiao, Q., *JLT Feb. 15, 2020 714-722*
- You, M.**, Lin, Z., Li, X., and Liu, J., Chip-Scale Silicon Ring Resonators for Cryogenic Temperature Sensing; *JLT Oct. 15, 2020 5768-5773*
- Youn, J.H.**, Song, K.Y., and Park, H.S., Dynamic In-Line Routing Between Dispersive Cores of a Multi-Core Fiber; *JLT Nov. 1, 2020 6076-6081*
- Younis, I.**, see Buchali, F., *JLT May 1, 2020 2710-2718*
- Yousefi, L.**, see Salami, P., *JLT April 15, 2020 2322-2327*
- Youssef, L.**, see Boust, S., *JLT Oct. 1, 2020 5517-5525*
- Yu, B.**, see Tu, G., *JLT Dec. 1, 2020 6691-6698*
- Yu, C.**, see Xue, M., *JLT Aug. 1, 2020 3859-3865*
- Yu, C.**, see Su, H., *JLT Aug. 1, 2020 4160-4165*
- Yu, C.**, see Tu, J., *JLT Aug. 15, 2020 4497-4503*
- Yu, C.**, see Wang, H., *JLT Sept. 15, 2020 5048-5055*
- Yu, C.**, see Wang, Z., *JLT Feb. 15, 2020 864-874*
- Yu, C.**, see Wang, W., *JLT Feb. 15, 2020 981-988*
- Yu, C.**, see Luo, K., *JLT Oct. 15, 2020 5844-5852*
- Yu, F.**, Sun, K., Yu, Q., and Beling, A., High-Speed Evanescently-Coupled Waveguide Type-II MUTC Photodiodes for Zero-Bias Operation; *JLT Dec. 15, 2020 6827-6832*
- Yu, H.**, Musumeci, F., Zhang, J., Tornatore, M., and Ji, Y., Isolation-Aware 5G RAN Slice Mapping Over WDM Metro-Aggregation Networks; *JLT March 15, 2020 1125-1137*
- Yu, H.**, see Chen, W., *JLT Aug. 1, 2020 4000-4008*
- Yu, H.**, see Luo, Z., *JLT Aug. 15, 2020 4560-4571*
- Yu, H.**, see Zou, S., *JLT Sept. 15, 2020 5136-5141*
- Yu, J.**, see Xu, J., *JLT Jan. 15, 2020 522-530*
- Yu, J.**, see Li, X., *JLT Jan. 15, 2020 366-378*
- Yu, J.**, see Zhang, J., *JLT Jan. 15, 2020 185-193*
- Yu, J.**, see Zhou, W., *JLT July 15, 2020 3592-3601*
- Yu, J.**, see Ding, J., *JLT Aug. 15, 2020 4352-4358*
- Yu, J.**, Wang, X., Li, W., Zhang, M., Zhang, J., Tian, K., Du, Y., Nic Chormaic, S., and Wang, P., An Experimental and Theoretical Investigation of a $2 \mu\text{m}$ Wavelength Low-Threshold Microsphere Laser; *JLT April 1, 2020 1880-1886*
- Yu, J.**, see Wei, Y., *JLT Sept. 15, 2020 5000-5007*
- Yu, J.**, see Guan, H., *JLT Nov. 1, 2020 6089-6096*
- Yu, J.**, see Wang, K., *JLT Feb. 1, 2020 590-597*
- Yu, K.**, see Liang, D., *JLT July 1, 2020 3322-3337*
- Yu, K.**, see Luo, K., *JLT Oct. 15, 2020 5844-5852*
- Yu, P.**, see Liang, X., *JLT Dec. 1, 2020 6600-6604*
- Yu, Q.**, see Chen, S., *JLT April 15, 2020 2485-2492*
- Yu, Q.**, see Yang, Y., *JLT Sept. 15, 2020 5142-5148*
- Yu, Q.**, see Yu, F., *JLT Dec. 15, 2020 6827-6832*
- Yu, R.**, see Chen, W., *JLT Aug. 1, 2020 4000-4008*
- Yu, S.**, Zuo, H., Sun, X., Liu, J., Gu, T., and Hu, J., Optical Free-Form Couplers for High-density Integrated Photonics (OFFCHIP): A Universal Optical Interface; *JLT July 1, 2020 3358-3365*
- Yu, S.**, see Wang, X., *JLT July 1, 2020 3414-3421*

- Yu, S., Qiu, X., Zuo, H., Turdnev, M., Gu, T., and Hu, J., Compact and Fabrication-Tolerant Waveguide Bends Based on Quadratic Reflectors; *JLT Aug. 15, 2020 4368-4373*
- Yu, S., see Zhang, J., *JLT Nov. 1, 2020 5875-5882*
- Yu, T., see Tao, M., *JLT Dec. 1, 2020 6635-6643*
- Yu, W., see Lin, T., *JLT Aug. 1, 2020 3942-3949*
- Yu, X., see Jia, S., *JLT Sept. 1, 2020 4715-4721*
- Yu, X., see Milosevic, M.M., *JLT April 1, 2020 1865-1873*
- Yu, X., see Headland, D., *JLT Dec. 15, 2020 6853-6862*
- Yu, Y., see Sun, W., *JLT Aug. 1, 2020 4075-4085*
- Yu, Y., Choi, M.R., Bo, T., He, Z., Che, Y., and Kim, H., Low-Complexity Second-Order Volterra Equalizer for DML-Based IM/DD Transmission System; *JLT April 1, 2020 1735-1746*
- Yu, Y., see Nie, B., *JLT Oct. 1, 2020 5423-5429*
- Yu, Y., see Dong, W., *JLT Oct. 15, 2020 5586-5594*
- Yu, Z., see Zhao, Y., *JLT March 15, 2020 1314-1322*
- Yu, Z., see Shu, L., *JLT May 1, 2020 2669-2679*
- Yu, Z., and Sun, X., Inverse-Designed Photonic Jumpers With Ultracompact Size and Ultralow Loss; *JLT Dec. 1, 2020 6623-6628*
- Yuan, B., see Zhang, Y., *JLT April 1, 2020 1809-1816*
- Yuan, H., see Wang, J., *JLT July 15, 2020 3710-3716*
- Yuan, H., see Chen, H., *JLT Sept. 1, 2020 4883-4892*
- Yuan, L., see Tang, X., *JLT March 15, 2020 1420-1426*
- Yuan, L., see Wang, R., *JLT Aug. 15, 2020 4520-4525*
- Yuan, L., see Zhang, M., *JLT Aug. 15, 2020 4397-4401*
- Yuan, L., see Zhang, S., *JLT April 1, 2020 1929-1935*
- Yuan, L., see Yang, S., *JLT Dec. 1, 2020 6629-6634*
- Yuan, Q., Chai, J., Zhang, D., Liu, J., Li, Y., and Yin, G., Monitoring and Characterization of Mining-Induced Overburden Deformation in Physical Modeling With Distributed Optical Fiber Sensing Technology; *JLT Feb. 15, 2020 881-888*
- Yuan, Y., see Zhang, Y., *JLT Jan. 15, 2020 215-225*
- Yuan, Y., Huang, Z., Wang, B., Sorin, W.V., Zeng, X., Liang, D., Fiorentino, M., Campbell, J.C., and Beausoleil, R.G., 64 Gbps PAM4 Si-Ge Waveguide Avalanche Photodiodes With Excellent Temperature Stability; *JLT Sept. 1, 2020 4857-4866*
- Yuan, Z., see Tan, T., *JLT Dec. 1, 2020 6591-6599*
- Yue, Y., see Fang, Y., *JLT July 1, 2020 3431-3438*
- Yuksel, M., see Nabavi, P., *JLT Aug. 15, 2020 4187-4204*
- Z**
- Zaghloul, M.A.S., see Zou, R., *JLT Nov. 15, 2020 6402-6411*
- Zakharian, A.R., see Brusberg, L., *JLT March 15, 2020 1350-1357*
- Zakharov, V., see Kifle, E., *JLT Aug. 15, 2020 4374-4384*
- Zalewski, G., see Klinkowski, M., *JLT April 1, 2020 1625-1635*
- Zanetto, F., Grimaldi, V., Moralis-Pegios, M., Pitris, S., Fotiadis, K., Alexoudi, T., Guglielmi, E., Aguiar, D., De Heyn, P., Ban, Y., Van Campenhout, J., Pleros, N., Ferrari, G., Sampietro, M., and Melloni, A., WDM-Based Silicon Photonic Multi-Socket Interconnect Architecture With Automated Wavelength and Thermal Drift Compensation; *JLT Nov. 1, 2020 6000-6006*
- Zarifkar, A., see Karimi, A., *JLT April 15, 2020 2346-2352*
- Zaslowski, S., Yang, Z., and Thevenaz, L., On the 2D Post-Processing of Brillouin Optical Time-Domain Analysis; *JLT July 15, 2020 3723-3736*
- Zavyalov, N.V., see Tomashuk, A.L., *JLT Oct. 15, 2020 5817-5824*
- Zawadzki, C., see Happach, M., *JLT Sept. 1, 2020 4824-4833*
- Zeng, H., see Effenberger, F.J., *JLT Feb. 15, 2020 754-760*
- Zeng, J., see Zhang, Y., *JLT April 1, 2020 1809-1816*
- Zeng, P., see Zhu, Y., *JLT Sept. 1, 2020 4817-4823*
- Zeng, X., see Wang, B., *JLT June 15, 2020 3156-3163*
- Zeng, X., see Wang, J., *JLT July 15, 2020 3710-3716*
- Zeng, X., see Yuan, Y., *JLT Sept. 1, 2020 4857-4866*
- Zeng, X., see Zhang, L., *JLT Nov. 1, 2020 6057-6062*
- Zeng, Y., see Xiao, Q., *JLT Feb. 15, 2020 714-722*
- Zervas, G., see Andreades, P., *JLT July 1, 2020 3506-3518*
- Zervas, G., see Benjamin, J.L., *JLT Sept. 15, 2020 4906-4921*
- Zervas, G., see Parsonson, C.W.F., *JLT Oct. 15, 2020 5563-5573*
- Zhai, X., see Li, H., *JLT April 1, 2020 1858-1864*
- Zhalehpour, S., Guo, M., Lin, J., Zhang, Z., Qiao, Y., Shi, W., and Rusch, L.A., System Optimization of an All-Silicon IQ Modulator: Achieving 100-Gbaud Dual-Polarization 32QAM; *JLT Jan. 15, 2020 256-264*
- Zhan, J., see Hu, Y., *JLT Aug. 15, 2020 4454-4461*
- Zhang, B., see Agrawal, N., *JLT April 15, 2020 2523-2529*
- Zhang, B., see Liu, S., *JLT April 15, 2020 2134-2143*
- Zhang, B., see Chen, W., *JLT Aug. 1, 2020 4000-4008*
- Zhang, B., see Wu, B., *JLT Aug. 1, 2020 3988-3993*
- Zhang, B., see Zhu, Y., *JLT Sept. 1, 2020 4817-4823*
- Zhang, B., Zhu, D., Lei, Z., Xu, Z., Zhou, T., Zhong, X., Chen, Z., and Pan, S., Impact of Dispersion Effects on Temporal-Convolution-Based Real-Time Fourier Transformation Systems; *JLT Sept. 1, 2020 4664-4676*
- Zhang, B., see Yang, L., *JLT Sept. 15, 2020 5122-5127*
- Zhang, B., see Liu, S., *JLT Nov. 15, 2020 6299-6311*
- Zhang, B., see Tian, Y., *JLT Feb. 15, 2020 834-839*
- Zhang, B., see Chen, H., *JLT Dec. 15, 2020 6833-6844*
- Zhang, C., see Liu, J., *JLT March 15, 2020 1572-1579*
- Zhang, C., see Liang, D., *JLT July 1, 2020 3322-3337*
- Zhang, C., see Zheng, Y., *JLT Dec. 15, 2020 6939-6947*
- Zhang, D., see Yuan, Q., *JLT Feb. 15, 2020 881-888*
- Zhang, F., see Zhu, Y., *JLT Jan. 1, 2020 67-74*
- Zhang, F., see Shi, J., *JLT April 15, 2020 2171-2179*
- Zhang, F., see Zhou, Q., *JLT Aug. 15, 2020 4315-4324*
- Zhang, G., see Liu, G., *JLT July 15, 2020 3663-3669*
- Zhang, H., see Xie, Q., *JLT Jan. 15, 2020 339-345*
- Zhang, H., see Mao, B., *JLT Aug. 1, 2020 4052-4060*
- Zhang, H., see Wen, G., *JLT Aug. 1, 2020 4061-4074*
- Zhang, H., see Zheng, D., *JLT July 15, 2020 3694-3700*
- Zhang, H., He, L., Li, X., Xiao, Y., Qu, P., and Sun, L., Wideband Microwave Frequency Distribution for Multi-Access Along a Single Fiber Link; *JLT April 1, 2020 1688-1692*
- Zhang, H., see Zhao, J., *JLT April 1, 2020 2046-2052*
- Zhang, H., see Wang, Z., *JLT Sept. 15, 2020 5212-5218*
- Zhang, H., Teng, L., and Dong, Y., Distributed Salinity Sensor With a Polyimide-Coated Photonic Crystal Fiber Based on Brillouin Dynamic Grating; *JLT Sept. 15, 2020 5219-5224*
- Zhang, H., see Yang, F., *JLT Dec. 1, 2020 6446-6457*
- Zhang, H., see Wang, P., *JLT Dec. 1, 2020 6699-6706*
- Zhang, H., see Bai, Y., *JLT Feb. 15, 2020 840-845*
- Zhang, J., see Yu, H., *JLT March 15, 2020 1125-1137*
- Zhang, J., see Zhao, Y., *JLT March 15, 2020 1314-1322*
- Zhang, J., see Tang, X., *JLT March 15, 2020 1420-1426*
- Zhang, J., Yu, J., Wey, J.S., Li, X., Zhao, L., Wang, K., Kong, M., Zhou, W., Xiao, J., Xin, X., and Zhao, F., SOA Pre-Amplified 100 Gb/s/λ PAM-4 TDM-PON Downstream Transmission Using 10 Gbps O-Band Transmitters; *JLT Jan. 15, 2020 185-193*
- Zhang, J., see Wang, H., *JLT April 15, 2020 2511-2515*
- Zhang, J., see Gao, Z., *JLT May 1, 2020 2646-2655*
- Zhang, J., see Shu, L., *JLT May 1, 2020 2669-2679*
- Zhang, J., Zhao, J., Huang, H., Ye, N., Giddings, R.P., Li, Z., Qin, D., Zhang, Q., and Tang, J.M., A Clock-Gating-Based Energy-Efficient Scheme for ONUs in Real-Time IMDD OFDM-PONs; *JLT July 15, 2020 3573-3583*
- Zhang, J., see Zhou, W., *JLT July 15, 2020 3592-3601*
- Zhang, J., see Ding, J., *JLT Aug. 15, 2020 4352-4358*
- Zhang, J., see Sun, H., *JLT Sept. 1, 2020 4744-4756*
- Zhang, J., see Yu, J., *JLT April 1, 2020 1880-1886*
- Zhang, J., see Ren, J., *JLT April 1, 2020 1728-1734*
- Zhang, J., see Zou, S., *JLT Sept. 15, 2020 5136-5141*
- Zhang, J., see Wei, Y., *JLT Sept. 15, 2020 5000-5007*
- Zhang, J., Liu, J., Lin, Z., Liu, J., Shen, L., and Yu, S., Nonlinearity-Aware Adaptive Bit and Power Loading DMT Transmission Over Low-Crosstalk Ring-Core Fiber With Mode Group Multiplexing; *JLT Nov. 1, 2020 5875-5882*
- Zhang, J., see Ding, Q., *JLT Dec. 1, 2020 6569-6577*
- Zhang, J., see Fan, D., *JLT Nov. 15, 2020 6334-6344*
- Zhang, J., see Zhu, M., *JLT Feb. 15, 2020 769-776*

- Zhang, J., see Tian, Y., *JLT Feb. 15, 2020 834-839*
- Zhang, J., see Wang, K., *JLT Feb. 1, 2020 590-597*
- Zhang, J., Han, L., Kuo, B.P., and Radic, S., Broadband Angled Arbitrary Ratio SOI MMI Couplers With Enhanced Fabrication Tolerance; *JLT Oct. 15, 2020 5748-5755*
- Zhang, K., see Xin, H., *JLT April 15, 2020 2226-2230*
- Zhang, K., see Lin, T., *JLT Aug. 1, 2020 3942-3949*
- Zhang, K., and Rochette, M., All-Fiber Saturable Absorber Using Nonlinear Multimode Interference in a Chalcogenide Fiber; *JLT Nov. 15, 2020 6321-6326*
- Zhang, K., Alamgir, I., and Rochette, M., Midinfrared Compatible Tunable Bandpass Filter Based on Multimode Interference in Chalcogenide Fiber; *JLT Feb. 15, 2020 857-863*
- Zhang, K., see Fu, Y., *JLT Feb. 1, 2020 654-660*
- Zhang, L., see Lu, X., *JLT March 15, 2020 1513-1521*
- Zhang, L., see Pang, X., *JLT Jan. 15, 2020 492-503*
- Zhang, L., see Xu, J., *JLT Jan. 15, 2020 522-530*
- Zhang, L., see Zhu, Y., *JLT Jan. 1, 2020 67-74*
- Zhang, L., Chen, J., Agrell, E., Lin, R., and Wosinska, L., Enabling Technologies for Optical Data Center Networks: Spatial Division Multiplexing; *JLT Jan. 1, 2020 18-30*
- Zhang, L., see Cheng, X., *JLT April 15, 2020 2471-2476*
- Zhang, L., see Wang, F., *JLT June 15, 2020 3296-3304*
- Zhang, L., see Fang, Y., *JLT July 1, 2020 3431-3438*
- Zhang, L., see Jia, S., *JLT Sept. 1, 2020 4715-4721*
- Zhang, L., Tian, Z., Chen, N., Han, H., Liu, C., Grattan, K.T.V., Rahman, B.M.A., Zhou, H., Liaw, S., and Bai, C., Room-Temperature Power-Stabilized Narrow-Linewidth Tunable Erbium-Doped Fiber Ring Laser Based on Cascaded Mach-Zehnder Interferometers With Different Free Spectral Range for Strain Sensing; *JLT April 1, 2020 1966-1974*
- Zhang, L., see Ren, J., *JLT April 1, 2020 1728-1734*
- Zhang, L., see Chen, H., *JLT Oct. 1, 2020 5500-5508*
- Zhang, L., Lu, J., Meng, L., Cheng, P., Li, W., Sun, J., Wang, T., and Zeng, X., A Lower Frequency Shift Based on Mode Conversion for Optical Heterodyne Micro-Vibration Measurement; *JLT Nov. 1, 2020 6057-6062*
- Zhang, L., see Huang, G., *JLT Dec. 1, 2020 6549-6560*
- Zhang, L., see Chen, M., *JLT Nov. 15, 2020 6202-6213*
- Zhang, L., see Wang, H., *JLT Nov. 15, 2020 6327-6333*
- Zhang, L., see Feng, Y., *JLT Nov. 15, 2020 6227-6236*
- Zhang, M., see Buscaino, B., *JLT March 15, 2020 1400-1413*
- Zhang, M., see Li, S., *JLT June 15, 2020 3238-3245*
- Zhang, M., see Zou, J., *JLT Aug. 15, 2020 4447-4453*
- Zhang, M., see Wang, R., *JLT Aug. 15, 2020 4520-4525*
- Zhang, M., Tian, K., Wang, S., Yuan, L., Farrell, G., Lewis, E., and Wang, P., Color Variation of the Up-Conversion Luminescence in Er^{3+} - Yb^{3+} Co-Doped Lead Germanate Glasses and Microsphere Integrated Devices; *JLT Aug. 15, 2020 4397-4401*
- Zhang, M., see Zhu, Y., *JLT Sept. 1, 2020 4817-4823*
- Zhang, M., see Wang, D., *JLT Sept. 1, 2020 4730-4743*
- Zhang, M., see Hu, W., *JLT Sept. 1, 2020 4699-4707*
- Zhang, M., see Yu, J., *JLT April 1, 2020 1880-1886*
- Zhang, M., see Song, J., *JLT Oct. 1, 2020 5293-5301*
- Zhang, N., see Chen, Y., *JLT Feb. 15, 2020 939-945*
- Zhang, P., see Zhong, M., *JLT Aug. 15, 2020 4533-4539*
- Zhang, Q., see Zhou, J., *JLT Jan. 15, 2020 272-281*
- Zhang, Q., Yang, Y., Guo, C., Zhou, X., Yao, Y., Lau, A.P.T., and Lu, C., Accurate BER Estimation Scheme Based on K -Means Clustering Assisted Gaussian Approach for Arbitrary Modulation Format; *JLT April 15, 2020 2152-2157*
- Zhang, Q., see Wang, F., *JLT June 15, 2020 3296-3304*
- Zhang, Q., see Zhang, J., *JLT July 15, 2020 3573-3583*
- Zhang, Q., see Wang, J., *JLT Aug. 15, 2020 4462-4469*
- Zhang, Q., see Wang, Z., *JLT Sept. 15, 2020 5212-5218*
- Zhang, Q., see Xiang, Q., *JLT Nov. 1, 2020 6007-6014*
- Zhang, Q., see Wang, X., *JLT Nov. 15, 2020 6153-6162*
- Zhang, R., Jiang, W., Kuzmin, K., Weng, Y., Mou, W., Chang, G., and Way, W.I., The Impact of Local Oscillator Frequency Jitter and Laser Linewidth to Ultra High Baud Rate Coherent Systems; *JLT March 15, 2020 1138-1147*
- Zhang, R., see Zhang, Y., *JLT Jan. 15, 2020 215-225*
- Zhang, R., see Song, H., *JLT Jan. 1, 2020 82-89*
- Zhang, R., see Yao, S., *JLT July 15, 2020 3637-3643*
- Zhang, R., Chen, Y., Mou, W., and Chang, G., Rate Redundancy and Entropy Allocation for PAS-OFDM Based Mobile Fronthaul; *JLT Aug. 15, 2020 4260-4269*
- Zhang, R., Chen, Y., Mou, W., Yao, S., and Chang, G., Entropy Allocation Optimization for PS-OFDM With Constellation Partitioning Based Modeling; *JLT Nov. 1, 2020 6024-6030*
- Zhang, R., see Yao, S., *JLT Nov. 15, 2020 6178-6186*
- Zhang, S., see Moroney, N., *JLT March 15, 2020 1414-1419*
- Zhang, S., see Xue, X., *JLT July 1, 2020 3485-3494*
- Zhang, S., see McDonald, N., *JLT July 15, 2020 3584-3591*
- Zhang, S., see Li, X., *JLT July 15, 2020 3769-3774*
- Zhang, S., Deng, S., Wang, Z., Geng, T., Yang, W., Sun, C., Yan, Q., Li, Y., Tong, C., Dai, Q., Sun, W., and Yuan, L., A Compact Refractometer With High Sensitivity Based on Multimode Fiber Embedded Single Mode-No Core-Single Mode Fiber Structure; *JLT April 1, 2020 1929-1935*
- Zhang, S., see Shi, J., *JLT April 1, 2020 2010-2014*
- Zhang, T., see Guo, T., *JLT Aug. 15, 2020 4588-4595*
- Zhang, W., see Ge, L., *JLT March 15, 2020 1323-1329*
- Zhang, W., see Yao, J., *JLT Jan. 15, 2020 202-214*
- Zhang, W., see Fan, Z., *JLT April 15, 2020 2127-2133*
- Zhang, W., Lou, S., Wang, X., Yan, S., and Tang, Z., Single TE_{01} Mode Cylindrical Vector Beams Transmission Based on Composite Gold Nanowire Embedded Photonic Crystal Fiber; *JLT April 15, 2020 2441-2449*
- Zhang, W., see Jiang, S., *JLT April 15, 2020 2376-2382*
- Zhang, W., see Lin, Z., *JLT Aug. 15, 2020 4470-4477*
- Zhang, W., see Liu, Y., *JLT Feb. 15, 2020 919-928*
- Zhang, X., see Huang, J., *JLT March 15, 2020 1202-1209*
- Zhang, X., see Xu, J., *JLT Jan. 15, 2020 522-530*
- Zhang, X., see Xin, H., *JLT April 15, 2020 2226-2230*
- Zhang, X., Zhao, M., Jiao, Y., Cao, Z., and Koonen, A.M.J., Integrated Wavelength-Tuned Optical mm-Wave Beamformer With Doubled Delay Resolution; *JLT April 15, 2020 2353-2359*
- Zhang, X., see Ji, Y., *JLT Aug. 1, 2020 4030-4036*
- Zhang, X., see Sun, W., *JLT Aug. 1, 2020 4075-4085*
- Zhang, X., see Cheng, Z., *JLT July 1, 2020 3533-3539*
- Zhang, X., see Jia, S., *JLT Sept. 1, 2020 4715-4721*
- Zhang, X., see Wu, M., *JLT Sept. 1, 2020 4874-4882*
- Zhang, X., see Zhang, Y., *JLT April 1, 2020 1809-1816*
- Zhang, X., see Wang, G., *JLT April 1, 2020 2073-2080*
- Zhang, X., see Wang, Z., *JLT Sept. 15, 2020 5212-5218*
- Zhang, X., Chen, S., and Hanzo, L., On the Discrete-Input Continuous-Output Memoryless Channel Capacity of Layered ACO-OFDM; *JLT Sept. 15, 2020 4955-4968*
- Zhang, X., see Pan, X., *JLT Nov. 1, 2020 5855-5866*
- Zhang, X., see Wang, H., *JLT Nov. 15, 2020 6327-6333*
- Zhang, X., see Chen, H., *JLT Feb. 15, 2020 953-960*
- Zhang, X., Cao, Z., Li, J., Ge, D., Chen, Z., Vellekoop, I.M., and Koonen, A.M.J., Wide-Coverage Beam-Steered 40-Gbit/s Non-Line-of-Sight Optical Wireless Connectivity for Industry 4.0; *JLT Dec. 15, 2020 6801-6806*
- Zhang, X., see Dong, W., *JLT Oct. 15, 2020 5586-5594*
- Zhang, Y., see Tang, X., *JLT March 15, 2020 1420-1426*
- Zhang, Y., see Tang, X., *JLT March 15, 2020 1420-1426*
- Zhang, Y., see Li, A., *JLT March 15, 2020 1341-1349*
- Zhang, Y., Zhang, R., Zhu, Q., Yuan, Y., and Su, Y., Architecture and Devices for Silicon Photonic Switching in Wavelength, Polarization and Mode; *JLT Jan. 15, 2020 215-225*
- Zhang, Y., Jiang, J., Liu, K., Wang, S., Ma, Z., Chen, W., and Liu, T., Dual-Frequency CARS Excitation Source With Two Independent-Tunable Stokes Wavelengths Using PM-PCF and Vector Adjustment; *JLT April 15, 2020 2392-2399*
- Zhang, Y., see Xiao, X., *JLT June 15, 2020 3200-3208*

- Zhang, Y.**, see Su, H., *JLT Aug. 1, 2020 4160-4165*
- Zhang, Y.**, see Ye, J., *JLT July 15, 2020 3737-3744*
- Zhang, Y.**, see Lin, Z., *JLT Aug. 15, 2020 4470-4477*
- Zhang, Y.**, see Hu, Y., *JLT Aug. 15, 2020 4454-4461*
- Zhang, Y.**, see He, A., *JLT Sept. 1, 2020 4780-4786*
- Zhang, Y.**, Yuan, B., Li, L., Zeng, J., Shang, Z., Zheng, J., Lu, Z., Guan, S., Zhang, X., Xiao, R., Fang, T., Shi, Y., Zou, H., Shen, J., and Chen, X., Experimental Demonstration of Single Sideband Modulation Utilizing Monolithic Integrated Injection Locked DFB Laser; *JLT April 1, 2020 1809-1816*
- Zhang, Y.**, see Ren, J., *JLT April 1, 2020 1728-1734*
- Zhang, Y.**, see Pan, S., *JLT Oct. 1, 2020 5450-5484*
- Zhang, Y.**, Xiang, S., Guo, X., Wen, A., and Hao, Y., The Winner-Take-All Mechanism for All-Optical Systems of Pattern Recognition and Max-Pooling Operation; *JLT Sept. 15, 2020 5071-5077*
- Zhang, Y.**, see Ma, C., *JLT Sept. 15, 2020 4948-4954*
- Zhang, Y.**, see Yerolatsitis, S., *JLT Sept. 15, 2020 5157-5162*
- Zhang, Y.**, see Sun, Z., *JLT Nov. 1, 2020 6038-6046*
- Zhang, Y.**, Fontaine, N.K., Chen, H., Ryf, R., Neilson, D.T., Carpenter, J., and Li, G., An Ultra-Broadband Polarization-Insensitive Optical Hybrid Using Multiplane Light Conversion; *JLT Nov. 15, 2020 6286-6291*
- Zhang, Y.**, see She, S., *JLT Dec. 15, 2020 6924-6931*
- Zhang, Z.**, see Wan, H., *JLT March 15, 2020 1501-1505*
- Zhang, Z.**, see Zhalehpour, S., *JLT Jan. 15, 2020 256-264*
- Zhang, Z.**, Chen, X., Cheng, Q., Khokhar, A.Z., Yan, X., Huang, B., Chen, H., Liu, H., Li, H., Thomson, D.J., and Reed, G.T., Two-Dimensional Apodized Grating Coupler for Polarization-Independent and Surface-Normal Optical Coupling; *JLT Aug. 1, 2020 4037-4044*
- Zhang, Z.**, see Zhang, Z., *JLT Aug. 1, 2020 4037-4044*
- Zhang, Z.**, see Lin, T., *JLT Aug. 1, 2020 3942-3949*
- Zhang, Z.**, Fan, X., Wang, S., Zhao, S., Wang, B., Wan, Y., and He, Z., A Novel Wavemeter With 64 Attometer Spectral Resolution Based on Rayleigh Speckle Obtained From Single-Mode Fiber; *JLT Aug. 15, 2020 4548-4554*
- Zhang, Z.**, see Zhu, J., *JLT Sept. 15, 2020 5163-5169*
- Zhang, Z.**, see Huang, S., *JLT Nov. 1, 2020 5949-5961*
- Zhang, Z.**, Zou, K., Wang, H., Liao, P., Satyan, N., Rakuljic, G., Willner, A.E., and Yariv, A., High-Speed Coherent Optical Communication With Isolator-Free Heterogeneous Si/III-V Lasers; *JLT Dec. 1, 2020 6584-6590*
- Zhang, Z.**, see Zhao, L., *JLT Nov. 15, 2020 6265-6271*
- Zhang, Z.**, see Xia, Z., *JLT Feb. 15, 2020 912-918*
- Zhao, D.**, see Sun, P., *JLT Dec. 1, 2020 6671-6677*
- Zhao, F.**, see Zhang, J., *JLT Jan. 15, 2020 185-193*
- Zhao, F.**, see Ding, J., *JLT Aug. 15, 2020 4352-4358*
- Zhao, G.**, see Dai, X., *JLT April 15, 2020 2336-2345*
- Zhao, G.**, see Liu, G., *JLT July 15, 2020 3663-3669*
- Zhao, J.**, see Hong, Y., *JLT March 15, 2020 1168-1177*
- Zhao, J.**, see Huang, M., *JLT Jan. 1, 2020 75-81*
- Zhao, J.**, and Townsend, P.D., Independent Component Analysis for Phase and Residual Frequency Offset Compensation in OQAM Multicarrier Systems; *JLT Aug. 1, 2020 3897-3907*
- Zhao, J.**, see Zhang, J., *JLT July 15, 2020 3573-3583*
- Zhao, J.**, see Fang, L., *JLT Aug. 15, 2020 4429-4434*
- Zhao, J.**, Jia, D., Nie, A., Zhang, H., and Liu, T., Compact Vectorial Transverse Force Sensor Based on Two-Modal Interference in a Few-Mode Seven-Core Fiber; *JLT April 1, 2020 2046-2052*
- Zhao, J.**, Zhou, J., Jiang, Y., Li, L., Shen, D., Komarov, A., Su, L., Tang, D., Klimczak, M., and Zhao, L., Nonlinear Absorbing-Loop Mirror in a Holmium-Doped Fiber Laser; *JLT Nov. 1, 2020 6069-6075*
- Zhao, J.**, see Zhou, J., *JLT Feb. 15, 2020 875-880*
- Zhao, L.**, see Zhang, J., *JLT Jan. 15, 2020 185-193*
- Zhao, L.**, see Cheng, X., *JLT April 15, 2020 2471-2476*
- Zhao, L.**, see Zhou, W., *JLT July 15, 2020 3592-3601*
- Zhao, L.**, see Zhao, J., *JLT Nov. 1, 2020 6069-6075*
- Zhao, L.**, see Tao, M., *JLT Dec. 1, 2020 6635-6643*
- Zhao, L.**, Xia, H., Hu, Y., Wu, T., Zhang, Z., Han, J., Wu, Y., and Luo, T., Time-Stretched Femtosecond Lidar Using Microwave Photonic Signal Processing; *JLT Nov. 15, 2020 6265-6271*
- Zhao, L.**, see Wang, K., *JLT Feb. 1, 2020 590-597*
- Zhao, L.**, Cai, K., and Jiang, M., Multiuser Precoded MIMO Visible Light Communication Systems Enabling Spatial Dimming; *JLT Oct. 15, 2020 5624-5634*
- Zhao, M.**, see Zhu, W., *JLT April 15, 2020 2477-2484*
- Zhao, M.**, see Zhang, X., *JLT April 15, 2020 2353-2359*
- Zhao, M.**, see Tu, G., *JLT Dec. 1, 2020 6691-6698*
- Zhao, N.**, see Liu, J., *JLT March 15, 2020 1486-1491*
- Zhao, P.**, see Zou, S., *JLT Sept. 15, 2020 5136-5141*
- Zhao, Q.**, see Wang, X., *JLT Jan. 1, 2020 166-173*
- Zhao, Q.**, Pei, L., Zheng, J., Tang, M., Xie, Y., Li, J., and Ning, T., Switchable, Widely Tunable and Interval-Adjustable Multi-Wavelength Erbium-Doped Fiber Laser Based on Cascaded Filters; *JLT April 15, 2020 2428-2433*
- Zhao, Q.**, see Tang, M., *JLT July 15, 2020 3745-3750*
- Zhao, Q.**, see Fang, L., *JLT Aug. 15, 2020 4429-4434*
- Zhao, R.**, Shu, X., and Wang, P., High-Performance Bending Sensor Based on Femtosecond Laser-Inscribed in-Fiber Mach-Zehnder Interferometer; *JLT Nov. 15, 2020 6371-6378*
- Zhao, S.**, see Lin, T., *JLT Aug. 1, 2020 3942-3949*
- Zhao, S.**, see Zhang, Z., *JLT Aug. 15, 2020 4548-4554*
- Zhao, S.**, and Zhu, Z., On Virtual Network Reconfiguration in Hybrid Optical/Electrical Datacenter Networks; *JLT Dec. 1, 2020 6424-6436*
- Zhao, S.**, Liu, Q., and He, Z., Multi-Tone Pound-Drever-Hall Technique for High-Resolution Multiplexed Fabry-Perot Resonator Sensors; *JLT Nov. 15, 2020 6379-6384*
- Zhao, T.**, see Huang, L., *JLT Aug. 1, 2020 3815-3821*
- Zhao, X.**, Wang, Y., Liao, C., Peng, G., Gong, Y., and Wang, Y., Polymer-Coated Hollow Fiber Optofluidic Laser for Refractive Index Sensing; *JLT March 15, 2020 1550-1556*
- Zhao, X.**, see Liu, Z., *JLT March 15, 2020 1536-1542*
- Zhao, X.**, see Huang, J., *JLT March 15, 2020 1202-1209*
- Zhao, X.**, Chen, Y., He, H., Zhou, L., and Dong, Z., LDPC-Coded Probabilistic Shaping PAM8 Employing a Novel Bit-Weighted Distribution Matching in WDM-PON; *JLT Sept. 1, 2020 4641-4647*
- Zhao, Y.**, Yu, Z., Wan, Z., Hu, S., Shu, L., Zhang, J., and Xu, K., Low Complexity OSNR Monitoring and Modulation Format Identification Based on Binarized Neural Networks; *JLT March 15, 2020 1314-1322*
- Zhao, Y.**, Liu, S., Luo, J., Chen, Y., Fu, C., Xiong, C., Wang, Y., Jing, S., Bai, Z., Liao, C., and Wang, Y., Torsion, Refractive Index, and Temperature Sensors Based on An Improved Helical Long Period Fiber Grating; *JLT April 15, 2020 2504-2510*
- Zhao, Y.**, see Sun, Z., *JLT April 15, 2020 2299-2307*
- Zhao, Y.**, see Campanella, A., *JLT May 15, 2020 2755-2764*
- Zhao, Y.**, see Su, H., *JLT Aug. 1, 2020 4160-4165*
- Zhao, Y.**, see Hao, L., *JLT Aug. 15, 2020 4402-4408*
- Zhao, Y.**, Tu, J., Li, Q., and Tian, Y., Monolithic Integrated InGaAs/InAlAs WDM-APDs With Partially Depleted Absorption Region and Evanescently Coupled Waveguide Structure; *JLT Aug. 15, 2020 4385-4396*
- Zhao, Z.**, see Li, A., *JLT March 15, 2020 1341-1349*
- Zhao, Z.**, see Song, H., *JLT Jan. 1, 2020 82-89*
- Zhao, Z.**, see Cui, J., *JLT April 15, 2020 2516-2522*
- Zhao, Z.**, and Fan, S., Design Principles of Apodized Grating Couplers; *JLT Aug. 15, 2020 4435-4446*
- Zhao, Z.**, see Zhong, M., *JLT Aug. 15, 2020 4533-4539*
- Zhao, Z.**, Ho, C.P., Li, Q., Lin, Z., Toprasertpong, K., Takagi, S., and Takenaka, M., Efficient Mid-Infrared Germanium Variable Optical Attenuator Fabricated by Spin-on-Glass Doping; *JLT Sept. 1, 2020 4808-4816*
- Zheng, D.**, Qiu, C., Zhang, H., Jiang, X., and Su, Y., Demonstration of a Push-Pull Silicon Dual-Ring Modulator With Enhanced Optical Modulation Amplitude; *JLT July 15, 2020 3694-3700*
- Zheng, F.**, see Xu, J., *JLT Jan. 15, 2020 522-530*
- Zheng, J.**, see Zhao, Q., *JLT April 15, 2020 2428-2433*
- Zheng, J.**, see Li, J., *JLT April 15, 2020 2285-2291*
- Zheng, J.**, see Fang, L., *JLT Aug. 15, 2020 4429-4434*
- Zheng, J.**, see Zhang, Y., *JLT April 1, 2020 1809-1816*
- Zheng, J.**, see Sun, Z., *JLT Nov. 1, 2020 6038-6046*
- Zheng, J.**, see She, S., *JLT Dec. 15, 2020 6924-6931*
- Zheng, S.**, see Wang, B., *JLT July 15, 2020 3781-3788*

- Zheng, Y.**, see Liu, J., *JLT March 15, 2020 1572-1579*
- Zheng, Y.**, see Luo, Z., *JLT Aug. 15, 2020 4560-4571*
- Zheng, Y.**, and Sun, X., Dual MAC Based Hierarchical Optical Access Network for Hyperscale Data Centers; *JLT April 1, 2020 1608-1617*
- Zheng, Y.**, see Ge, Z., *JLT Dec. 1, 2020 6458-6464*
- Zheng, Y.**, Xu, H., Song, J., Li, L., and Zhang, C., Excess Relative-Intensity-Noise Reduction in a Fiber Optic Gyroscope Using a Faraday Rotator Mirror; *JLT Dec. 15, 2020 6939-6947*
- Zheng, Y.**, see Wang, C., *JLT Oct. 15, 2020 5825-5836*
- Zheng, Z.**, see Song, C., *JLT March 15, 2020 1243-1249*
- Zheng, Z.**, see Luo, Z., *JLT Aug. 15, 2020 4560-4571*
- Zheng, Z.**, see Liu, S., *JLT April 1, 2020 1900-1904*
- Zheng, Z.**, see Bai, Y., *JLT Oct. 1, 2020 5262-5269*
- Zheng, Z.**, see Bai, Y., *JLT Nov. 1, 2020 5973-5980*
- Zhong, M.**, Liang, X., Jiao, K., Wang, X., Si, N., Xu, T., Xiao, J., Liu, J., Yang, P., Zhao, Z., Wang, X., Wang, R., Zhou, Y., Zhang, P., Liu, Y., and Nie, Q., Low-Loss Chalcogenide Fiber Prepared by Double Peeled-Off Extrusion; *JLT Aug. 15, 2020 4533-4539*
- Zhong, X.**, see Zhang, B., *JLT Sept. 1, 2020 4664-4676*
- Zhong, X.**, see Yang, F., *JLT Dec. 1, 2020 6446-6457*
- Zhong, X.**, see Wang, W., *JLT Feb. 15, 2020 981-988*
- Zhong, Z.**, see Jin, W., *JLT April 15, 2020 2095-2105*
- Zhou, A.**, see Liu, S., *JLT April 1, 2020 1900-1904*
- Zhou, B.**, Li, E., Bo, Y., and Wang, A.X., High-Speed Plasmonic-Silicon Modulator Driven by Epsilon-Near-zero Conductive Oxide; *JLT July 1, 2020 3338-3345*
- Zhou, C.**, see Liu, S., *JLT April 1, 2020 1900-1904*
- Zhou, C.**, see Sun, P., *JLT Dec. 1, 2020 6671-6677*
- Zhou, D.**, Dong, Y., and Yao, J., Truly Distributed and Ultra-Fast Microwave Photonic Fiber-Optic Sensor; *JLT Aug. 1, 2020 4150-4159*
- Zhou, D.**, see Wang, B., *JLT Feb. 15, 2020 946-952*
- Zhou, G.**, see Liu, J., *JLT March 15, 2020 1486-1491*
- Zhou, G.**, see Liu, S., *JLT April 15, 2020 2134-2143*
- Zhou, G.**, see Chen, S., *JLT July 1, 2020 3395-3403*
- Zhou, G.**, Gui, T., Lu, C., Lau, A.P.T., and Wai, P.A., Improving Soliton Transmission Systems Through Soliton Interactions; *JLT July 15, 2020 3563-3572*
- Zhou, G.**, see Liu, S., *JLT Nov. 15, 2020 6299-6311*
- Zhou, H.**, see Xu, J., *JLT Jan. 15, 2020 522-530*
- Zhou, H.**, see Fallahpour, A., *JLT Jan. 15, 2020 359-365*
- Zhou, H.**, see Zhang, L., *JLT April 1, 2020 1966-1974*
- Zhou, H.**, see Chen, M., *JLT Nov. 15, 2020 6202-6213*
- Zhou, J.**, Wang, J., Zhu, L., and Zhang, Q., High Baud Rate All-Silicon Photonics Carrier Depletion Modulators; *JLT Jan. 15, 2020 272-281*
- Zhou, J.**, see Wang, J., *JLT Aug. 15, 2020 4462-4469*
- Zhou, J.**, see Wang, H., *JLT Sept. 15, 2020 5048-5055*
- Zhou, J.**, see Zhao, J., *JLT Nov. 1, 2020 6069-6075*
- Zhou, J.**, Chen, Z., and Zhao, J., Microfiber-Knot-Resonator-Induced Partial Elimination of Longitudinal Modes in Fiber Lasers for In-Tune-Switchable Nanosecond Pulse Generation; *JLT Feb. 15, 2020 875-880*
- Zhou, K.**, see Cheng, X., *JLT April 15, 2020 2471-2476*
- Zhou, L.**, see Liu, S., *JLT April 15, 2020 2134-2143*
- Zhou, L.**, see He, H., *JLT Aug. 1, 2020 3918-3925*
- Zhou, L.**, see Chen, S., *JLT July 1, 2020 3395-3403*
- Zhou, L.**, see Zhao, X., *JLT Sept. 1, 2020 4641-4647*
- Zhou, L.**, see Liu, S., *JLT Nov. 15, 2020 6299-6311*
- Zhou, L.**, see Xiao, Q., *JLT Feb. 15, 2020 714-722*
- Zhou, P.**, see Song, Q., *JLT March 15, 2020 1543-1549*
- Zhou, P.**, see Ye, J., *JLT July 15, 2020 3737-3744*
- Zhou, P.**, see Chen, H., *JLT Oct. 1, 2020 5500-5508*
- Zhou, Q.**, see Wan, H., *JLT March 15, 2020 1501-1505*
- Zhou, Q.**, see Xu, Y., *JLT July 15, 2020 3775-3780*
- Zhou, Q.**, see Yao, S., *JLT July 15, 2020 3637-3643*
- Zhou, Q.**, Zhang, F., and Yang, C., AdaNN: Adaptive Neural Network-Based Equalizer via Online Semi-Supervised Learning; *JLT Aug. 15, 2020 4315-4324*
- Zhou, Q.**, see Shiu, R., *JLT Oct. 1, 2020 5302-5310*
- Zhou, Q.**, see Shen, S., *JLT Nov. 1, 2020 5908-5915*
- Zhou, Q.**, see Yao, S., *JLT Nov. 15, 2020 6178-6186*
- Zhou, R.**, see Huang, R., *JLT March 15, 2020 1522-1528*
- Zhou, S.**, see Song, Q., *JLT March 15, 2020 1543-1549*
- Zhou, S.**, see Lin, Z., *JLT Aug. 15, 2020 4470-4477*
- Zhou, T.**, see Li, P., *JLT March 15, 2020 1178-1183*
- Zhou, T.**, see Zhang, B., *JLT Sept. 1, 2020 4664-4676*
- Zhou, T.**, see Yang, F., *JLT Dec. 1, 2020 6446-6457*
- Zhou, W.**, see Zhang, J., *JLT Jan. 15, 2020 185-193*
- Zhou, W.**, see Wang, H., *JLT April 15, 2020 2511-2515*
- Zhou, W.**, Zhao, L., Zhang, J., Wang, K., Yu, J., Chen, Y., Shen, S., Shiu, R., and Chang, G., 135-GHz D-Band 60-Gbps PAM-8 Wireless Transmission Employing a Joint DNN Equalizer With BP and CMMA; *JLT July 15, 2020 3592-3601*
- Zhou, X.**, Urata, R., and Liu, H., Beyond 1 Tb/s Intra-Data Center Interconnect Technology: IM-DD OR Coherent? *JLT Jan. 15, 2020 475-484*
- Zhou, X.**, see Zhang, Q., *JLT April 15, 2020 2152-2157*
- Zhou, X.**, see Xiong, W., *JLT April 1, 2020 1712-1721*
- Zhou, Y.**, see Zhong, M., *JLT Aug. 15, 2020 4533-4539*
- Zhou, Y.**, see Wei, Y., *JLT Sept. 15, 2020 5000-5007*
- Zhou, Y.**, see Wang, L., *JLT Nov. 1, 2020 6129-6134*
- Zhou, Y.**, see Chen, Y., *JLT Feb. 15, 2020 939-945*
- Zhou, Y.R.**, and Smith, K., Practical Innovations Enabling Scalable Optical Transmission Networks: Real-World Trials and Experiences of Advanced Technologies in Field Deployed Optical Networks; *JLT June 15, 2020 3106-3113*
- Zhou, Z.**, see Chen, Y., *JLT Sept. 1, 2020 4867-4873*
- Zhou, Z.**, see Ma, J., *JLT Feb. 1, 2020 557-563*
- Zhou, Z.**, see She, S., *JLT Dec. 15, 2020 6924-6931*
- Zhou, Z.**, He, J., Ma, J., and Chen, M., Experimental Demonstration of an SFO-Robustness Scheme With Fast OFDM for IMDD Passive Optical Network Systems; *JLT Oct. 15, 2020 5608-5616*
- Zhu, B.**, see Lopez, V., *JLT March 1, 2020 1080-1091*
- Zhu, C.**, see Chu, T., *JLT Feb. 15, 2020 966-973*
- Zhu, C.**, Gerald, R.E., and Huang, J., Microwave Device Inspired by Fiber-Optic Extrinsic Fabry-Perot Interferometer: A Novel Ultra-Sensitive Sensing Platform; *JLT Dec. 15, 2020 6961-6966*
- Zhu, D.**, see Wang, X., *JLT Jan. 1, 2020 166-173*
- Zhu, D.**, and Pan, S., Broadband Cognitive Radio Enabled by Photonics; *JLT June 15, 2020 3076-3088*
- Zhu, D.**, see Zhang, B., *JLT Sept. 1, 2020 4664-4676*
- Zhu, J.**, see Liu, Y., *JLT April 1, 2020 1945-1952*
- Zhu, J.**, Yang, Y., Zhang, Z., Ge, D., Li, X., Chen, Z., He, Y., and Li, J., Weakly-Coupled MDM-WDM Amplification and Transmission Based on Compact FM-EDFA; *JLT Sept. 15, 2020 5163-5169*
- Zhu, K.**, see Adeel, M., *JLT April 15, 2020 2539-2546*
- Zhu, L.**, see Gao, Y., *JLT Jan. 15, 2020 265-271*
- Zhu, L.**, see Zhou, J., *JLT Jan. 15, 2020 272-281*
- Zhu, L.**, see Wang, J., *JLT Aug. 15, 2020 4462-4469*
- Zhu, L.**, see Yang, X., *JLT April 1, 2020 2015-2021*
- Zhu, L.**, Yang, Z., Fu, S., Cao, Z., Wang, Y., Qin, Y., and Koonen, A.M.J., Airy Beam for Free-Space Photonic Interconnection: Generation Strategy and Trajectory Manipulation; *JLT Dec. 1, 2020 6474-6480*
- Zhu, M.**, see Liu, J., *JLT March 15, 2020 1486-1491*
- Zhu, M.**, Zhang, J., Hu, S., Yi, X., Xu, B., Xiang, M., and Qiu, K., Complexity Reduction With a Simplified MIMO Volterra Filter for PDM-Twin-SSB PAM-4 Transmission; *JLT Feb. 15, 2020 769-776*
- Zhu, M.**, see Leandro, D., *JLT Dec. 15, 2020 6954-6960*
- Zhu, N.H.**, see Zhu, S., *JLT Oct. 1, 2020 5270-5277*
- Zhu, Q.**, see An, S., *JLT Jan. 15, 2020 485-491*
- Zhu, Q.**, see Zhang, Y., *JLT Jan. 15, 2020 215-225*
- Zhu, Q.**, see Qin, G., *JLT Sept. 15, 2020 5078-5085*
- Zhu, S.**, Fan, X.J., Xu, B.R., Sun, W.H., Li, M., Zhu, N.H., and Li, W., Polarization Manipulated Fourier Domain Mode-Locked Optoelectronic Oscillator; *JLT Oct. 1, 2020 5270-5277*
- Zhu, S.**, see Zou, F., *JLT Feb. 15, 2020 889-897*
- Zhu, T.**, see Wang, Y., *JLT March 15, 2020 1557-1563*
- Zhu, T.**, see Chen, J., *JLT March 15, 2020 1480-1485*

- Zhu, W.**, Numkam Fokoua, E.R., Taranta, A.A., Chen, Y., Bradley, T., Petrovich, M.N., Poletti, F., Zhao, M., Richardson, D.J., and Slavik, R., The Thermal Phase Sensitivity of Both Coated and Uncoated Standard and Hollow Core Fibers Down to Cryogenic Temperatures; *JLT April 15, 2020 2477-2484*
- Zhu, W.**, see Guan, H., *JLT Nov. 1, 2020 6089-6096*
- Zhu, X.**, see Fu, S., *JLT March 15, 2020 1435-1438*
- Zhu, Y.**, Zhang, F., Yang, F., Zhang, L., Ruan, X., Li, Y., and Chen, Z., Toward Single Lane 200G Optical Interconnects With Silicon Photonic Modulator; *JLT Jan. 1, 2020 67-74*
- Zhu, Y.**, see Shen, W., *JLT Aug. 1, 2020 3874-3882*
- Zhu, Y.**, Wan, L., Chen, Z., Yang, Z., Xia, D., Zeng, P., Song, J., Pan, J., Feng, Y., Zhang, M., Liu, W., Li, J., Zhang, B., and Li, Z., Effects of Shallow Suspension in Low-Loss Waveguide-Integrated Chalcogenide Microdisk Resonators; *JLT Sept. 1, 2020 4817-4823*
- Zhu, Y.**, see Yang, S., *JLT April 1, 2020 1988-1997*
- Zhu, Y.**, see Song, J., *JLT Oct. 1, 2020 5293-5301*
- Zhu, Y.**, see Ruan, Z., *JLT Sept. 15, 2020 5100-5106*
- Zhu, Z.**, see Dong, Y., *JLT April 15, 2020 2564-2571*
- Zhu, Z.**, Di Guglielmo, G., Cheng, Q., Glick, M., Kwon, J., Guan, H., Carloni, L.P., and Bergman, K., Photonic Switched Optically Connected Memory: An Approach to Address Memory Challenges in Deep Learning; *JLT May 15, 2020 2815-2825*
- Zhu, Z.**, see Pan, X., *JLT Nov. 1, 2020 5855-5866*
- Zhu, Z.**, see Zhao, S., *JLT Dec. 1, 2020 6424-6436*
- Zhu, Z.**, see Wang, M., *JLT Oct. 15, 2020 5574-5585*
- Zhuang, L.**, see Teng, M., *JLT Jan. 1, 2020 6-17*
- Zhuang, Z.**, see Tong, S., *JLT April 15, 2020 2450-2455*
- Zhuge, Q.**, see Lun, H., *JLT June 1, 2020 2992-2999*
- Zhuge, Q.**, see Yang, Z., *JLT Sept. 1, 2020 4648-4655*
- Zhuo, Y.**, see Fan, R., *JLT July 15, 2020 3717-3722*
- Ziari, M.**, see Sun, H., *JLT Sept. 1, 2020 4744-4756*
- Zibar, D.**, see Rosa Brusin, A.M., *JLT Dec. 1, 2020 6481-6491*
- Zibar, D.**, see Gaiarin, S., *JLT Dec. 1, 2020 6465-6473*
- Zibar, D.**, Rosa Brusin, A.M., de Moura, U.C., Da Ros, F., Curri, V., and Carena, A., Inverse System Design Using Machine Learning: The Raman Amplifier Case; *JLT Feb. 15, 2020 736-753*
- Zoiros, K.E.**, see Kastritsis, D., *JLT Oct. 1, 2020 5375-5385*
- Zolnacz, K.**, see Napiorkowski, M., *JLT March 15, 2020 1372-1381*
- Zong, J.**, see Fu, S., *JLT March 15, 2020 1435-1438*
- Zou, C.**, see Cheng, X., *JLT April 15, 2020 2471-2476*
- Zou, C.**, see Lin, T., *JLT Aug. 1, 2020 3942-3949*
- Zou, C.**, and Yang, F., Dimming-Aware Deep Learning Approach for OOK-Based Visible Light Communication; *JLT Oct. 15, 2020 5733-5742*
- Zou, D.**, see Li, Z., *JLT July 1, 2020 3526-3532*
- Zou, D.**, Li, F., Li, Z., Wang, W., Sui, Q., Cao, Z., and Li, Z., 100G PAM-6 and PAM-8 Signal Transmission Enabled by Pre-Chirping for 10-km Intra-DCI Utilizing MZM in C-band; *JLT July 1, 2020 3445-3453*
- Zou, D.**, Li, F., Wang, W., Li, Z., and Li, Z., Amplifier-less transmission of beyond 100-Gbit/s/λ signal for 40-km DCI-Edge with 10G-class O-band DML; *JLT Oct. 15, 2020 5649-5655*
- Zou, F.**, Liu, Y., Mou, C., and Zhu, S., Optimization of Refractive Index Sensitivity in Nanofilm-Coated Long-Period Fiber Gratings Near the Dispersion Turning Point; *JLT Feb. 15, 2020 889-897*
- Zou, H.**, see Zhang, Y., *JLT April 1, 2020 1809-1816*
- Zou, J.**, Ma, X., Xia, X., Hu, J., Wang, C., Zhang, M., Lang, T., and He, J., High Resolution and Ultra-Compact On-Chip Spectrometer Using Bidirectional Edge-Input Arrayed Waveguide Grating; *JLT Aug. 15, 2020 4447-4453*
- Zou, J.**, see Wang, D., *JLT Dec. 1, 2020 6664-6670*
- Zou, K.**, see Fallahpour, A., *JLT Jan. 15, 2020 359-365*
- Zou, K.**, see Zhang, Z., *JLT Dec. 1, 2020 6584-6590*
- Zou, R.**, Liang, X., Chen, Q., Wang, M., Zaghoul, M.A.S., Lan, H., Buric, M.P., Ohodnicki, P.R., Chorpene, B., To, A.C., and Chen, K.P., A Digital Twin Approach to Study Additive Manufacturing Processing Using Embedded Optical Fiber Sensors and Numerical Modeling; *JLT Nov. 15, 2020 6402-6411*
- Zou, S.**, Yu, H., Zhang, J., Zuo, J., Dong, Z., Xu, S., Chang, L., Zhao, P., and Lin, X., Highly Efficient Fiber Cladding Light Stripper Fabricated by Chemical Mask Etching Method; *JLT Sept. 15, 2020 5136-5141*
- Zou, X.**, see Li, P., *JLT March 15, 2020 1178-1183*
- Zou, X.**, see Teng, C., *JLT Oct. 1, 2020 5406-5411*
- Zuo, H.**, see Yu, S., *JLT July 1, 2020 3358-3365*
- Zuo, H.**, see Wang, X., *JLT July 1, 2020 3414-3421*
- Zuo, H.**, see Yu, S., *JLT Aug. 15, 2020 4368-4373*
- Zuo, J.**, see Zou, S., *JLT Sept. 15, 2020 5136-5141*
- Zuo, P.**, and Chen, Y., Photonic-Assisted Filter-Free Microwave Doppler Frequency Shift Measurement Using a Fixed Low-Frequency Reference Signal; *JLT Aug. 15, 2020 4333-4340*
- Zvanovec, S.**, see Ding, M., *JLT April 15, 2020 2423-2427*

Subject Index

Numeric

3G mobile communication

- DSP-Based Flexible-Waveform and Multi-Application 5G Fiber-Wireless System. *Borges, R.M.*, +, *JLT Feb. 1, 2020 642-653*
- MIMO-Supporting Radio-Over-Fiber System and its Application in mmWave-Based Indoor 5G Mobile Network. *Kim, J.*, +, *JLT Jan. 1, 2020 101-111*

4G mobile communication

- RoF-Based Radio Access Network for 5G Mobile Communication Systems in 28 GHz Millimeter-Wave. *Sung, M.*, +, *JLT Jan. 15, 2020 409-420*

5G mobile communication

- 36 Gb/s Narrowband Photoreceiver for mmWave Analog Radio-Over-Fiber. *Bogaert, L.*, +, *JLT June 15, 2020 3289-3295*
- 5G Xhaul and Service Convergence: Transmission, Switching and Automation Enabling Technologies. *Iovanna, P.*, +, *JLT May 15, 2020 2799-2806*
- ANN-Based Multi-Channel QoT-Prediction Over a 563.4-km Field-Trial Testbed. *Gao, Z.*, +, *JLT May 1, 2020 2646-2655*
- Decentralized Coordination of Converged Tactile Internet and MEC Services in H-CRAN Fiber Wireless Networks. *Perez, G.O.*, +, *JLT Sept. 15, 2020 4935-4947*
- Distributed Antenna System Using Sigma-Delta Intermediate-Frequency-Over-Fiber for Frequency Bands Above 24 GHz. *Wu, C.*, +, *JLT May 15, 2020 2765-2773*
- DSP-Based Flexible-Waveform and Multi-Application 5G Fiber-Wireless System. *Borges, R.M.*, +, *JLT Feb. 1, 2020 642-653*
- End-to-End Quantum Secured Inter-Domain 5G Service Orchestration Over Dynamically Switched Flex-Grid Optical Networks Enabled by a q-ROADM. *Wang, R.*, +, *JLT Jan. 1, 2020 139-149*
- Guest Editorial Special Issue on Microwave Photonics. *Chen, L.R.*, +, *JLT Oct. 1, 2020 5238-5239*
- Isolation-Aware 5G RAN Slice Mapping Over WDM Metro-Aggregation Networks. *Yu, H.*, +, *JLT March 15, 2020 1125-1137*
- Microwave Photonics for Remote Sensing: From Basic Concepts to High-Level Functionalities. *Serafino, G.*, +, *JLT Oct. 1, 2020 5339-5355*
- MIMO-Supporting Radio-Over-Fiber System and its Application in mmWave-Based Indoor 5G Mobile Network. *Kim, J.*, +, *JLT Jan. 1, 2020 101-111*
- Multi-User V-Band Uplink Using a Massive MIMO Antenna and a Fiber-Wireless IFoF Fronthaul for 5G mmWave Small-Cells. *Ruggeri, E.*, +, *JLT Oct. 1, 2020 5368-5374*
- Non-Orthogonal Uplink Services Through Co-Transport of D-RoF/A-RoF in Mobile Fronthaul. *Yao, S.*, +, *JLT July 15, 2020 3637-3643*
- P4-enabled Smart NIC: Enabling Sliceable and Service-Driven Optical Data Centres. *Yan, Y.*, +, *JLT May 1, 2020 2688-2694*
- Photonics-Aided Millimeter-Wave Technologies for Extreme Mobile Broadband Communications in 5G. *Li, X.*, +, *JLT Jan. 15, 2020 366-378*
- RoF-Based Radio Access Network for 5G Mobile Communication Systems in 28 GHz Millimeter-Wave. *Sung, M.*, +, *JLT Jan. 15, 2020 409-420*

SSBI-Free Direct-Detection System Employing Phase Modulation for Analog Optical Links. *Ishimura, S.*, +, *JLT May 1, 2020 2719-2725*

Techno-Economic Impact of Filterless Data Plane and Agile Control Plane in the 5G Optical Metro. *Pavon-Marino, P.*, +, *JLT Aug. 1, 2020 3801-3814*

II-VI semiconductors

Efficient Sub-Bandgap Photodetection via Two-Dimensional Electron Gas in ZnO Based Heterojunction. *Kaushik, V.*, +, *JLT Nov. 1, 2020 6031-6037*

Ultra-Sensitive Cholesterol Sensor Using Gold and Zinc-Oxide Nanoparticles Immobilized Core Mismatch MPM/SPS Probe. *Agrawal, N.*, +, *JLT April 15, 2020 2523-2529*

III-V semiconductor materials

Corrections to "Modeling Temperature Dependent Avalanche Characteristics of InP". *Petticrew, J.D.*, +, *JLT Aug. 1, 2020 4183*

III-V semiconductors

36 Gb/s Narrowband Photoreceiver for mmWave Analog Radio-Over-Fiber. *Bogaert, L.*, +, *JLT June 15, 2020 3289-3295*

500-Gb/s/λ Operation of Ultra-Low Power and Low-Temperature-Dependence InP-Based High-Bandwidth Coherent Driver Modulator. *Ozaki, J.*, +, *JLT Sept. 15, 2020 5086-5091*

64 Gbps PAM4 Si-Ge Waveguide Avalanche Photodiodes With Excellent Temperature Stability. *Yuan, Y.*, +, *JLT Sept. 1, 2020 4857-4866*

80-GHz Bandwidth and 1.5-V V_{π} InP-Based IQ Modulator. *Ogiso, Y.*, +, *JLT Jan. 15, 2020 249-255*

A 4 × 4 Electrooptic Silicon Photonic Switch Fabric With Net Neutral Insertion Loss. *Dupuis, N.*, +, *JLT Jan. 15, 2020 178-184*

All-Optical Switching and Multiple Logic Gates Based on Hybrid Square-Rectangular Laser. *Liu, J.*, +, *JLT March 15, 2020 1382-1390*

Back-Side-on-BOX Heterogeneously Integrated III-V-on-Silicon O-Band Distributed Feedback Lasers. *Thiessen, T.*, +, *JLT June 1, 2020 3000-3006*

Electro-Optic Tuning of a Monolithically Integrated Widely Tuneable InP Laser With Free-Running and Stabilized Operation. *Andreou, S.*, +, *JLT April 1, 2020 1887-1894*

Fabrication and Characterization of InAs/GaSb type-II Superlattice Long-Wavelength Infrared Detectors Aiming High Temperature Sensitivity. *Wang, L.*, +, *JLT Nov. 1, 2020 6129-6134*

Flip-Chip Integration of InP to SiN Photonic Integrated Circuits. *Theurer, M.*, +, *JLT May 1, 2020 2630-2636*

High Performance InP-Based Polarization Beam Splitter With Reverse Bias and Injection Current. *Dai, X.*, +, *JLT April 15, 2020 2336-2345*

High Power and High Speed SOA Assisted Extended Reach EADFB Laser (AXEL) for 53-Gbaud PAM4 Fiber-Amplifier-Less 60-km Optical Link. *Shindo, T.*, +, *JLT June 1, 2020 2984-2991*

High-Power and High-Linearity Photodiodes at 1064 nm. *Peng, Y.*, +, *JLT Sept. 1, 2020 4850-4856*

High-Power Microwave Generation Through Distributed Optical Amplification Into a Photodiode Array on an Open Indium Phosphide Platform. *Tonning, P.L.*, +, *JLT Oct. 1, 2020 5526-5535*

High-Power, Narrow-Linewidth, Miniaturized Silicon Photonic Tunable Laser With Accurate Frequency Control. *Gao, Y.*, +, *JLT Jan. 15, 2020 265-271*

High-Speed Coherent Optical Communication With Isolator-Free Heterogeneous Si/III-V Lasers. *Zhang, Z.*, +, *JLT Dec. 1, 2020 6584-6590*

High-Speed Evanescently-Coupled Waveguide Type-II MUTC Photodiodes for Zero-Bias Operation. *Yu, F.*, +, *JLT Dec. 15, 2020 6827-6832*

High-Speed Mid-Infrared Interband Cascade Photodetector Based on InAs/GaSb Type-II Superlattice. *Chen, Y.*, +, *JLT Feb. 15, 2020 939-945*

In-Depth Studies of the Spectral Bandwidth of a 25 W 2 μm Band PM Hybrid Ho- and Tm-Doped Fiber Amplifier. *Tench, R.E.*, +, *JLT April 15, 2020 2456-2463*

Integrated Wavelength-Tuned Optical mm-Wave Beamformer With Doubled Delay Resolution. *Zhang, X.*, +, *JLT April 15, 2020 2353-2359*

Low Voltage, High Optical Power Handling Capable, Bulk Compound Semiconductor Electro-Optic Modulators at 1550 nm. *Bhasker, P.*, +, *JLT April 15, 2020 2308-2314*

Low-Voltage, Coupled Multiple Quantum Well Electroreflective Modulators Towards Ultralow Power Inter-Chip Optical Interconnects. *Wang, X.*, +, *JLT July 1, 2020 3414-3421*

Membrane III-V/Si DFB Laser Using Uniform Grating and Width-Modulated Si Waveguide. *Aihara, T.*, +, *JLT June 1, 2020 2961-2967*

Membrane InGaAsP Mach-Zehnder Modulator Integrated With Optical Amplifier on Si Platform. *Hiraki, T.*, +, *JLT June 1, 2020 3030-3036*

Microcomb Source Based on InP DFB / Si₃N₄ Microring Butt-Coupling. *Boust, S.*, +, *JLT Oct. 1, 2020 5517-5525*

Mode-field Matching Down-Tapers on Single-Mode Optical Fibers for Edge Coupling Towards Generic Photonic Integrated Circuit Platforms. *Vanmol, K.*, +, *JLT Sept. 1, 2020 4834-4842*

Modeling Temperature-Dependent Avalanche Characteristics of InP. *Petticrew, J.D.*, +, *JLT Feb. 15, 2020 961-965*

Monolithic Integrated InGaAs/InAlAs WDM-APDs With Partially Depleted Absorption Region and Evanescently Coupled Waveguide Structure. *Zhao, Y.*, +, *JLT Aug. 15, 2020 4385-4396*

Nonlinear Characteristics of Uni-Traveling Carrier Photodiode With InGaAs/GaSb Type-II Multiple Quantum Wells Absorber. *Chen, Y.*, +, *JLT Sept. 1, 2020 4867-4873*

Origin of Defect Tolerance in InAs/GaAs Quantum Dot Lasers Grown on Silicon. *Liu, Z.*, +, *JLT Jan. 15, 2020 240-248*

Passively Mode-Locked 2.7 and 3.2 μm GaSb-Based Cascade Diode Lasers. *Feng, T.*, +, *JLT April 1, 2020 1895-1899*

Pulse Timing Jitter Estimated From Optical Phase Noise in Mode-Locked Semiconductor Quantum Dash Lasers. *Mao, Y.*, +, *JLT Sept. 1, 2020 4787-4793*

Sensitivity Calculations of High-Speed Optical Receivers Based on Electron-APDs. *Shulyak, V.*, +, *JLT Feb. 15, 2020 989-995*

Theoretical Study on the Effects of Dislocations in Monolithic III-V Lasers on Silicon. *Hantschmann, C.*, +, *JLT Sept. 1, 2020 4801-4807*

Ultra-Compact Coupling Structures for Heterogeneously Integrated Silicon Lasers. *He, A.*, +, *JLT Aug. 1, 2020 3974-3982*

Vertically Coupled InP/InGaAsP Microring Lasers Using a Single Epitaxial Growth and Single-Side Lithography. *Lopez, O.G.*, +, *JLT Aug. 1, 2020 3983-3987*

A

Aberrations

Broadband Angled Arbitrary Ratio SOI MMI Couplers With Enhanced Fabrication Tolerance. *Zhang, J.*, +, *JLT Oct. 15, 2020 5748-5755*

Accelerometers

Highly Sensitive FBG Seismometer With a 3D-Printed Hexagonal Configuration. *Guo, T.*, +, *JLT Aug. 15, 2020 4588-4595*

Opto-Mechanical Lab-on-Fiber Accelerometers. *Bruno, F.A.*, +, *JLT April 1, 2020 1998-2009*

Access protocols

Dual MAC Based Hierarchical Optical Access Network for Hyperscale Data Centers. *Zheng, Y.*, +, *JLT April 1, 2020 1608-1617*

Acoustic emission

Transient Nanostrain Detection in Phi-OTDR Using Statistics-Based Signal Processing. *Chen, H.*, +, *JLT Sept. 1, 2020 4883-4892*

Acoustic imaging

Ultra-High Sensitive Quasi-Distributed Acoustic Sensor Based on Coherent OTDR and Cylindrical Transducer. *Li, H.*, +, *JLT Feb. 15, 2020 929-938*

Acoustic resonators

Quartz-Enhanced Photoacoustic Spectroscopy Based on the Four-Off-Beam Acoustic Micro-Resonator. *Wang, Z.*, +, *JLT Sept. 15, 2020 5212-5218*

Acoustic signal detection

Underwater Acoustic Signal Detection and Down-Conversion Using Optomechanical Resonance and Oscillation. *Huang, K.*, +, *JLT July 15, 2020 3789-3797*

Acoustic transducers

Quartz-Enhanced Photoacoustic Spectroscopy Based on the Four-Off-Beam Acoustic Micro-Resonator. *Wang, Z.*, +, *JLT Sept. 15, 2020 5212-5218*

Ultra-High Sensitive Quasi-Distributed Acoustic Sensor Based on Coherent OTDR and Cylindrical Transducer. *Li, H.*, +, *JLT Feb. 15, 2020 929-938*

Acoustic wave velocity

Inter-Mode Forward Brillouin Scattering in Nanofibers. *Cao, M.*, +, *JLT Dec. 15, 2020 6911-6917*

Acoustic waves

Ultra-High Sensitive Quasi-Distributed Acoustic Sensor Based on Coherent OTDR and Cylindrical Transducer. *Li, H.*, +, *JLT Feb. 15, 2020 929-938*

Acousto-optical devices

A Lower Frequency Shift Based on Mode Conversion for Optical Heterodyne Micro-Vibration Measurement. *Zhang, L.*, +, *JLT Nov. 1, 2020 6057-6062*

Ultra-High Sensitive Quasi-Distributed Acoustic Sensor Based on Coherent OTDR and Cylindrical Transducer. *Li, H.*, +, *JLT Feb. 15, 2020 929-938*

Acousto-optical effects

Extraction of Elastooptic Coefficient of Thin-Film Arsenic Trisulfide Using a Mach-Zehnder Acoustooptic Modulator on Lithium Niobate. *Khan, M.S.I.*, +, *JLT April 1, 2020 2053-2059*

Acousto-optical modulation

Extraction of Elastooptic Coefficient of Thin-Film Arsenic Trisulfide Using a Mach-Zehnder Acoustooptic Modulator on Lithium Niobate. *Khan, M.S.I.*, +, *JLT April 1, 2020 2053-2059*

Adaptive antenna arrays

A Full Field-of-View Self-Steering Beamformer for 5G mm-Wave Fiber-Wireless Mobile Fronthaul. *Huang, M.*, +, *JLT March 15, 2020 1221-1229*

Adaptive codes

Adaptive Coding and Modulation for Robust Optical Access Networks. *Chou, E.S.*, +, *JLT April 15, 2020 2242-2252*

Probabilistically Shaped Rate-Adaptive Polar-Coded 256-QAM WDM Optical Transmission System. *Iqbal, S.*, +, *JLT April 1, 2020 1800-1808*

Adaptive equalizers

All-Analog Adaptive Equalizer for Coherent Data Center Interconnects. *Nambath, N.*, +, *JLT Nov. 1, 2020 5867-5874*

Adaptive modulation

A Study on the Effect of Ultra-Wide Band WDM on Optical Transmission Systems. *Okamoto, S.*, +, *JLT March 1, 2020 1061-1070*

Adaptive Probabilistic Shaped Modulation for High-Capacity Free-Space Optical Links. *Guiomar, F.P.*, +, *JLT Dec. 1, 2020 6529-6541*

Capacity and Optimum Signal Constellations for VLC Systems. *Jia, L.*, +, *JLT April 15, 2020 2180-2189*

Adaptive optics

Nonlinearity-Aware Adaptive Bit and Power Loading DMT Transmission Over Low-Crosstalk Ring-Core Fiber With Mode Group Multiplexing. *Zhang, J.*, +, *JLT Nov. 1, 2020 5875-5882*

Space-Ground Coherent Optical Links: Ground Receiver Performance With Adaptive Optics and Digital Phase-Locked Loop. *Paillier, L.*, +, *JLT Oct. 15, 2020 5716-5727*

Adhesives

Investigation Into the Influence of High-Power Optical Transmission on Fiber Withdrawal From Optical Connector. *Fukai, C.*, +, *JLT Sept. 15, 2020 5128-5135*

Adjacent channel interference

A Study on the Effect of Ultra-Wide Band WDM on Optical Transmission Systems. *Okamoto, S.*, +, *JLT March 1, 2020 1061-1070*

Joint Superchannel Digital Signal Processing for Effective Inter-Channel Interference Cancellation. *Mazur, M.*, +, *JLT Oct. 15, 2020 5676-5684*

Adsorption

Nanomaterial-Enhanced Fiber Optofluidic Laser Biosensor for Sensitive Enzyme Detection. *Mao, J.*, +, *JLT Sept. 15, 2020 5205-5211*

Aerosols

Aerosol Jet Printed Optical Waveguides for Short Range Communication. *Lorenz, L.*, +, *JLT July 1, 2020 3478-3484*

Aerospace instrumentation

A Compact Four-Axis Interferometric Fiber Optic Gyroscope Based on Multiplexing for Space Application. *Jin, J.*, +, *JLT Dec. 1, 2020 6655-6663*

Aging

Behavior of Specialty Optical Fibers in Crude Oil Environment. *Stolov, A.A.*, +, *JLT July 15, 2020 3759-3768*

Air gaps

Sensing Enhancement at an Exceptional Point in a Nonreciprocal Fiber Ring Cavity. *Wang, H.*, +, *JLT April 15, 2020 2511-2515*

Terahertz Bragg Resonator Based on a Mechanical Assembly of Metal Grating and Metal Waveguide. *You, B.*, +, *JLT July 15, 2020 3701-3709*

Aircraft communication

Optical Wireless Channel Simulation for Communications Inside Aircraft Cockpits. *Combeau, P.*, +, *JLT Oct. 15, 2020 5635-5648*

Alumina

Quarter-Millimeter Propagating Plasmons in Thin-Gold-Film-Based Waveguides for Visible Spectral Range. *Kornienko, V.V.*, +, *JLT Sept. 1, 2020 4794-4800*

Aluminum

Modeling and Optimization of Plasmonic Detectors for Beyond-CMOS Plasmonic Majority Logic Gates. *Noor, S.L.*, +, *JLT Sept. 15, 2020 5092-5099*

Surface Plasmon Resonance Induced High Sensitivity Temperature and Refractive Index Sensor Based on Evanescent Field Enhanced Photonic Crystal Fiber. *Liu, Y.*, +, *JLT Feb. 15, 2020 919-928*

Tm/Al Co-Doped Silica Glass Prepared by Laser Additive Manufacturing Technology for 2- μ m Photonic Crystal Fiber Laser. *Liu, J.*, +, *JLT March 15, 2020 1486-1491*

Aluminum compounds

20.6 W Mid-Infrared Supercontinuum Generation in ZBLAN Fiber With Spectrum of 1.9–4.3 μ m. *Yang, L.*, +, *JLT Sept. 15, 2020 5122-5127*

64 Gbps PAM4 Si-Ge Waveguide Avalanche Photodiodes With Excellent Temperature Stability. *Yuan, Y.*, +, *JLT Sept. 1, 2020 4857-4866*

All-Optical Switching and Multiple Logic Gates Based on Hybrid Square-Rectangular Laser. *Liu, J.*, +, *JLT March 15, 2020 1382-1390*

High-Speed Evanescently-Coupled Waveguide Type-II MUTC Photodiodes for Zero-Bias Operation. *Yu, F.*, +, *JLT Dec. 15, 2020 6827-6832*

Low Voltage, High Optical Power Handling Capable, Bulk Compound Semiconductor Electro-Optic Modulators at 1550 nm. *Bhasker, P.*, +, *JLT April 15, 2020 2308-2314*

Monolithic Integrated InGaAs/InAlAs WDM-APDs With Partially Depleted Absorption Region and Evanescently Coupled Waveguide Structure. *Zhao, Y.*, +, *JLT Aug. 15, 2020 4385-4396*

Quasi-Phase Matched Second Harmonic Generation in Plasmonic–Organic Hybrid Structures. *Janjan, B.*, +, *JLT March 15, 2020 1391-1399*

Yb/Ce Codoped Aluminosilicate Fiber With High Laser Stability for Multi-kW Level Laser. *She, S.*, +, *JLT Dec. 15, 2020 6924-6931*

Ammonia

Multi-Parameter Optical Fiber Sensing of Gaseous Ammonia and Carbon Dioxide. *Liu, L.*, +, *JLT April 1, 2020 2037-2045*

Amplification

Enhanced Carrier to Noise Ratio by Brillouin Amplification for Optical Communications. *Pelusi, M.*, +, *JLT Jan. 15, 2020 319-331*

Amplify and forward communication

Channel-Aware Adaptive Physical-Layer Network Coding Over Relay-Assisted OFDM-VLC Networks. *Hong, Y.*, +, *JLT March 15, 2020 1168-1177*

Amplitude estimation

Successive Eigenvalue Removal for Multi-Soliton Spectral Amplitude Estimation. *Span, A.*, +, *JLT Sept. 1, 2020 4708-4714*

Amplitude modulation

Coherent Ultra-Dense WDM-PON Enabled by Complexity-Reduced Digital Transceivers. *Tabares, J.A.*, +, *JLT March 15, 2020 1305-1313*

Data Transmission Based on Exact Inverse Periodic Nonlinear Fourier Transform, Part I: Theory. *Goossens, J.*, +, *JLT Dec. 1, 2020 6499-6519*

Multi-Band Direct-Detection Transmission Over an Ultrawide Bandwidth Hollow-Core NANF. *Hong, Y.*, +, *JLT May 15, 2020 2849-2857*

Programmable Schemes on Temporal Waveform Processing of Optical Pulse Trains. *Xie, Q.*, +, *JLT Jan. 15, 2020 339-345*

Three-Dimensional Probabilistically Shaped CAP Modulation Based on Constellation Design Using Regular Tetrahedron Cells. *Ren, J.*, +, *JLT April 1, 2020 1728-1734*

Amplitude shift keying

100-Gbit/s/ λ EML Transmitter and PIN-PD+TIA Receiver-Based Inter-Data Center Link. *Lin, Y.*, +, *JLT April 15, 2020 2144-2151*

Crosstalk-Induced System Outage in Intensity-Modulated Direct-Detection Multi-Core Fiber Transmission. *Rademacher, G.*, +, *JLT Jan. 15, 2020 291-296*

- Demonstration of Tunable Optical Aggregation of QPSK to 16-QAM Over Optically Generated Nyquist Pulse Trains Using Nonlinear Wave Mixing and a Kerr Frequency Comb. *Fallahpour, A.*, +, *JLT Jan. 15, 2020 359-365*
- Dimming-Aware Deep Learning Approach for OOK-Based Visible Light Communication. *Zou, C.*, +, *JLT Oct. 15, 2020 5733-5742*
- Experimental Demonstration of Dual O+C-Band WDM Transmission Over 50-km SSMF With Direct Detection. *Hong, Y.*, +, *JLT April 15, 2020 2278-2284*
- Iterative Algorithm for Electronic Dispersion Compensation in IM/DD Systems. *Karar, A.S.*, *JLT Feb. 15, 2020 698-704*
- Low-Power (1.5 pJ/b) Silicon Integrated 106 Gb/s PAM-4 Optical Transmitter. *Lambrecht, J.*, +, *JLT Jan. 15, 2020 432-438*
- Non-Orthogonal Uplink Services Through Co-Transport of D-RoF/A-RoF in Mobile Fronthaul. *Yao, S.*, +, *JLT July 15, 2020 3637-3643*
- Transponder Implementation Penalty-Accounted Gaussian-Noise-Based Performance Modeling of Fiber-Optic Transmission Systems. *Kaliutevskij, N.A.*, +, *JLT April 15, 2020 2253-2261*
- Ultra-High-Speed 2:1 Digital Selector and Plasmonic Modulator IM/DD Transmitter Operating at 222 GBaud for Intra-Datacenter Applications. *Heni, W.*, +, *JLT May 1, 2020 2734-2739*
- Ultra-Low-Loss Broadband All-Fiber Mode Selective Couplers for MIMO-Less MDM Transmission. *Jiang, S.*, +, *JLT April 15, 2020 2376-2382*
- VCSEL and LED Based Visible Light Communication System by Applying Decode-and-Forward Relay Transmission. *Yeh, C.*, +, *JLT Oct. 15, 2020 5728-5732*
- Weakly-Coupled MDM-WDM Amplification and Transmission Based on Compact FM-EDFA. *Zhu, J.*, +, *JLT Sept. 15, 2020 5163-5169*
- Wide-Coverage Beam-Steered 40-Gbit/s Non-Line-of-Sight Optical Wireless Connectivity for Industry 4.0. *Zhang, X.*, +, *JLT Dec. 15, 2020 6801-6806*
- Analog processing circuits**
- All-Analog Adaptive Equalizer for Coherent Data Center Interconnects. *Nambath, N.*, +, *JLT Nov. 1, 2020 5867-5874*
- Analog-digital conversion**
- A Novel CDR-Based Low-Cost Time-Interleaved-ADC Timing Calibration. *Faig, H.*, +, *JLT April 1, 2020 1777-1784*
- A SiGe HBT BiCMOS 1-to-4 ADC Frontend Enabling Low Bandwidth Digitization of 100 GBaud PAM4 Data. *Buchali, F.*, +, *JLT Jan. 1, 2020 150-158*
- Demonstration of C-Band Amplifier-Free 100 Gb/s/λ Direct-Detection Links Beyond 40-km SMF Using a High-Power SSB Transmitter. *Li, X.*, +, *JLT Nov. 15, 2020 6170-6177*
- Frequency Dependent ENOB Requirements for 400G/600G/800G Optical Links. *Varughese, S.*, +, *JLT Sept. 15, 2020 5008-5016*
- Joint Estimation of Multiple Time Interleaved ADC Timing Offsets Based on Fourier Series Decomposition. *Paryanti, G.*, +, *JLT Aug. 1, 2020 3832-3838*
- Modeling and Analysis of Crosstalk for Time-Interleaved Photonic ADCs. *Wang, C.*, +, *JLT Aug. 1, 2020 3926-3934*
- Noise Characterization for Time Interleaved Photonic Analog to Digital Converters. *Jin, Z.*, +, *JLT March 15, 2020 1230-1242*
- Performance Model and Design Rules for Optical Systems Employing Low-Resolution DAC/ADC. *Almonacil, S.*, +, *JLT June 1, 2020 3007-3014*
- Single Sideband Transmission Employing a 1-to-4 ADC Frontend and Parallel Digitization. *Le, S.T.*, +, *JLT June 15, 2020 3125-3134*
- Sub-Nyquist Ultra-Wideband Sparse Signal Reception via Variable Frequency Comb. *Hu, H.*, +, *JLT Sept. 1, 2020 4625-4631*
- Angular momentum**
- Bend-Insensitive Grapefruit-Type Holey Ring-Core Fiber for Weakly-Coupled OAM Mode Division Multiplexing Transmission. *Tu, J.*, +, *JLT Aug. 15, 2020 4497-4503*
- Bragg Reflection and Conversion Between Helical Bloch Modes in Chiral Three-Core Photonic Crystal Fiber. *Loranger, S.*, +, *JLT Aug. 1, 2020 4100-4107*
- Convolutional Neural Network Based Atmospheric Turbulence Compensation for Optical Orbital Angular Momentum Multiplexing. *Xiong, W.*, +, *JLT April 1, 2020 1712-1721*
- Design Analysis of OAM Fibers Using Particle Swarm Optimization Algorithm. *Chang, J.H.*, +, *JLT Feb. 15, 2020 846-856*
- Experimental Mitigation of Atmospheric Turbulence Effect Using Pre-Signal Combining for Uni- and Bi-Directional Free-Space Optical Links With Two 100-Gbit/s OAM-Multiplexed Channels. *Song, H.*, +, *JLT Jan. 1, 2020 82-89*
- Hollow Silica Photonic Crystal Fiber Guiding 101 Orbital Angular Momentum Modes Without Phase Distortion in C+L Band. *Hong, S.*, +, *JLT March 1, 2020 1010-1018*
- Low-Loss Orbital Angular Momentum Ring-Core Fiber: Design, Fabrication and Characterization. *Wang, H.*, +, *JLT Nov. 15, 2020 6327-6333*
- Optical Generation/Detection of Broadband Microwave Orbital Angular Momentum Modes. *Huang, J.*, +, *JLT March 15, 2020 1202-1209*
- Annealing**
- Ion Implantation of Germanium Into Silicon for Critical Coupling Control of Racetrack Resonators. *Milosevic, M.M.*, +, *JLT April 1, 2020 1865-1873*
- Resonant Wavelength Thermal Stability of Fiber Bragg Gratings Produced by Femtosecond Laser. *Paixao, T.*, +, *JLT March 15, 2020 1529-1535*
- Ant colony optimization**
- Optimal Control of SOAs With Artificial Intelligence for Sub-Nanosecond Optical Switching. *Parsonson, C.W.F.*, +, *JLT Oct. 15, 2020 5563-5573*
- Antenna arrays**
- A Full Field-of-View Self-Steering Beamformer for 5G mm-Wave Fiber-Wireless Mobile Fronthaul. *Huang, M.*, +, *JLT March 15, 2020 1221-1229*
- MIMO-Supporting Radio-Over-Fiber System and its Application in mmWave-Based Indoor 5G Mobile Network. *Kim, J.*, +, *JLT Jan. 1, 2020 101-111*
- Optical Generation/Detection of Broadband Microwave Orbital Angular Momentum Modes. *Huang, J.*, +, *JLT March 15, 2020 1202-1209*
- Antenna phased arrays**
- A Full Field-of-View Self-Steering Beamformer for 5G mm-Wave Fiber-Wireless Mobile Fronthaul. *Huang, M.*, +, *JLT March 15, 2020 1221-1229*
- Compensation of Multicore Fiber Skew Effects for Radio Over Fiber mmWave Antenna Beamforming. *Nikas, T.*, +, *JLT April 1, 2020 1644-1650*
- Integrated Discretely Tunable Optical Delay Line Based on Step-Chirped Subwavelength Grating Waveguide Bragg Gratings. *Sun, H.*, +, *JLT Oct. 1, 2020 5551-5560*
- Multi-Beamforming Provided by Dual-Wavelength True Time Delay PIC and Multicore Fiber. *Morant, M.*, +, *JLT Oct. 1, 2020 5311-5317*
- Multi-User V-Band Uplink Using a Massive MIMO Antenna and a Fiber-Wireless IFoF Fronthaul for 5G mmWave Small-Cells. *Ruggeri, E.*, +, *JLT Oct. 1, 2020 5368-5374*
- Antenna radiation patterns**
- A Full Field-of-View Self-Steering Beamformer for 5G mm-Wave Fiber-Wireless Mobile Fronthaul. *Huang, M.*, +, *JLT March 15, 2020 1221-1229*
- Antimony**
- Ultrafast Pulse Generation for Er- and Tm-Doped Fiber Lasers With Sb Thin Film Saturable Absorber. *Wang, J.*, +, *JLT July 15, 2020 3710-3716*
- Antireflection coatings**
- Optimization of Refractive Index Sensitivity in Nanofilm-Coated Long-Period Fiber Gratings Near the Dispersion Turning Point. *Zou, F.*, +, *JLT Feb. 15, 2020 889-897*
- Spectral Dependence of Transmission Losses in High-Index Polymer Coated No-Core Fibers. *Lian, X.*, +, *JLT Nov. 15, 2020 6352-6361*
- Study of Surface Plasmon Resonance Sensor Based on Polymer-Tipped Optical Fiber With Barium Titanate Layer. *Xia, Z.*, +, *JLT Feb. 15, 2020 912-918*
- Suppression of Nonlinear Residual Intensity Modulation in Multifunction Integrated Optic Circuit for Fiber-Optic Gyroscopes. *Liu, J.*, +, *JLT March 15, 2020 1572-1579*

Application specific integrated circuits

- 800G DSP ASIC Design Using Probabilistic Shaping and Digital Sub-Carrier Multiplexing. *Sun, H.*, +, *JLT Sept. 1, 2020 4744-4756*
- Frequency-Stabilized Links for Coherent WDM Fiber Interconnects in the Datacenter. *Blumenthal, D.J.*, +, *JLT July 1, 2020 3376-3386*
- Parallel Modular Scheduler Design for Clos Switches in Optical Data Center Networks. *Andreades, P.*, +, *JLT July 1, 2020 3506-3518*
- Performance Model and Design Rules for Optical Systems Employing Low-Resolution DAC/ADC. *Almonacil, S.*, +, *JLT June 1, 2020 3007-3014*
- Single Sideband Transmission Employing a 1-to-4 ADC Frontend and Parallel Digitization. *Le, S.T.*, +, *JLT June 15, 2020 3125-3134*

Approximation theory

- Accurate BER Estimation Scheme Based on K -Means Clustering Assisted Gaussian Approach for Arbitrary Modulation Format. *Zhang, Q.*, +, *JLT April 15, 2020 2152-2157*
- Accurate Closed-Form Real-Time EGN Model Formula Leveraging Machine-Learning Over 8500 Thoroughly Randomized Full C-Band Systems. *Ranjbar Zefreh, M.*, +, *JLT Sept. 15, 2020 4987-4999*
- On Virtual Network Reconfiguration in Hybrid Optical/Electrical Datacenter Networks. *Zhao, S.*, +, *JLT Dec. 1, 2020 6424-6436*
- Successive Eigenvalue Removal for Multi-Soliton Spectral Amplitude Estimation. *Span, A.*, +, *JLT Sept. 1, 2020 4708-4714*

Arithmetic codes

- Huffman-Coded Sphere Shaping and Distribution Matching Algorithms via Lookup Tables. *Fehenberger, T.*, +, *JLT May 15, 2020 2826-2834*

Array signal processing

- A Full Field-of-View Self-Steering Beamformer for 5G mm-Wave Fiber-Wireless Mobile Fronthaul. *Huang, M.*, +, *JLT March 15, 2020 1221-1229*
- Compensation of Multicore Fiber Skew Effects for Radio Over Fiber mmWave Antenna Beamforming. *Nikas, T.*, +, *JLT April 1, 2020 1644-1650*
- Group Delay-Based Wideband Photonic Receive-Mode Radio-Frequency Beamforming. *Mondich, M.J.*, +, *JLT Nov. 1, 2020 5893-5907*
- Multi-Beamforming Provided by Dual-Wavelength True Time Delay PIC and Multicore Fiber. *Morant, M.*, +, *JLT Oct. 1, 2020 5311-5317*
- Towards a Scaleable 5G Fronthaul: Analog Radio-over-Fiber and Space Division Multiplexing. *Rommel, S.*, +, *JLT Oct. 1, 2020 5412-5422*

Arrayed waveguide gratings

- 107 Gb/s Ultra-High Speed, Surface-Normal Electroabsorption Modulator Devices. *Grillanda, S.*, +, *JLT Feb. 15, 2020 804-810*
- 400 Gb/s Silicon Photonic Transmitter and Routing WDM Technologies for Glueless 8-Socket Chip-to-Chip Interconnects. *Pitris, S.*, +, *JLT July 1, 2020 3366-3375*
- Experimental Demonstration of a Photonic Frame Based Packet-Switched Optical Network for Data Centers. *Ra, Y.*, +, *JLT March 15, 2020 1113-1124*
- Group Delay-Based Wideband Photonic Receive-Mode Radio-Frequency Beamforming. *Mondich, M.J.*, +, *JLT Nov. 1, 2020 5893-5907*
- High Resolution and Ultra-Compact On-Chip Spectrometer Using Bidirectional Edge-Input Arrayed Waveguide Grating. *Zou, J.*, +, *JLT Aug. 15, 2020 4447-4453*
- Integrated Wavelength-Tuned Optical mm-Wave Beamformer With Doubled Delay Resolution. *Zhang, X.*, +, *JLT April 15, 2020 2353-2359*
- Polarization Diversified 16 λ Demultiplexer Based on Silicon Wire Delayed Interferometers and Arrayed Waveguide Gratings. *Jeong, S.*, +, *JLT May 1, 2020 2680-2687*
- Silicon Nitride (Si₃N₄) (De-)Multiplexers for 1- μ m CWDM Optical Interconnects. *Cheung, S.S.*, +, *JLT July 1, 2020 3404-3413*
- WDM-Based Silicon Photonic Multi-Socket Interconnect Architecture With Automated Wavelength and Thermal Drift Compensation. *Zanetto, F.*, +, *JLT Nov. 1, 2020 6000-6006*

Arsenic compounds

- Effects of Shallow Suspension in Low-Loss Waveguide-Integrated Chalcogenide Microdisk Resonators. *Zhu, Y.*, +, *JLT Sept. 1, 2020 4817-4823*

Extraction of Elastooptic Coefficient of Thin-Film Arsenic Trisulfide Using a Mach-Zehnder Acoustooptic Modulator on Lithium Niobate. *Khan, M.S.I.*, +, *JLT April 1, 2020 2053-2059*

Fabrication of Chirped Fiber Bragg Gratings in a Non-Uniform Single-Core As₂Se₃-PMMA Tapered Fiber. *Gao, S.*, +, *JLT Aug. 1, 2020 4108-4113*

Low-Loss Chalcogenide Fiber Prepared by Double Peeled-Off Extrusion. *Zhong, M.*, +, *JLT Aug. 15, 2020 4533-4539*

Simultaneously Self-Inscribed Antisymmetric Long-Period Grating and Antisymmetric Apodized Fiber Bragg Grating in a Dual-Core As₂Se₃-PMMA Tapered Fiber. *Gao, S.*, +, *JLT Nov. 15, 2020 6345-6351*

Ultrasound Measurement Using On-Chip Optical Micro-Resonators and Digital Optical Frequency Comb. *Song, J.*, +, *JLT Oct. 1, 2020 5293-5301*

Artificial intelligence

Optimal Control of SOAs With Artificial Intelligence for Sub-Nanosecond Optical Switching. *Parsonson, C.W.F.*, +, *JLT Oct. 15, 2020 5563-5573*

Atmospheric light propagation

The Fischer-Snedecor \mathcal{F} -Distribution Model for Turbulence-Induced Fading in Free-Space Optical Systems. *Peppas, K.P.*, +, *JLT March 15, 2020 1286-1295*

Atmospheric optics

Space-Ground Coherent Optical Links: Ground Receiver Performance With Adaptive Optics and Digital Phase-Locked Loop. *Paillier, L.*, +, *JLT Oct. 15, 2020 5716-5727*

Atmospheric turbulence

Adaptive Probabilistic Shaped Modulation for High-Capacity Free-Space Optical Links. *Guiomar, F.P.*, +, *JLT Dec. 1, 2020 6529-6541*

Analytical Channel Model and Link Design Optimization for Ground-to-HAP Free-Space Optical Communications. *Safi, H.*, +, *JLT Sept. 15, 2020 5036-5047*

Convolutional Neural Network Based Atmospheric Turbulence Compensation for Optical Orbital Angular Momentum Multiplexing. *Xiong, W.*, +, *JLT April 1, 2020 1712-1721*

Experimental Mitigation of Atmospheric Turbulence Effect Using Pre-Signal Combining for Uni- and Bi-Directional Free-Space Optical Links With Two 100-Gbit/s OAM-Multiplexed Channels. *Song, H.*, +, *JLT Jan. 1, 2020 82-89*

Space-Ground Coherent Optical Links: Ground Receiver Performance With Adaptive Optics and Digital Phase-Locked Loop. *Paillier, L.*, +, *JLT Oct. 15, 2020 5716-5727*

The Fischer-Snedecor \mathcal{F} -Distribution Model for Turbulence-Induced Fading in Free-Space Optical Systems. *Peppas, K.P.*, +, *JLT March 15, 2020 1286-1295*

Atomic force microscopy

Ultra-Sensitive Cholesterol Sensor Using Gold and Zinc-Oxide Nanoparticles Immobilized Core Mismatch MPM/SPS Probe. *Agrawal, N.*, +, *JLT April 15, 2020 2523-2529*

Atomic layer deposition

Optimization of Refractive Index Sensitivity in Nanofilm-Coated Long-Period Fiber Gratings Near the Dispersion Turning Point. *Zou, F.*, +, *JLT Feb. 15, 2020 889-897*

Attitude measurement

A Compact Four-Axis Interferometric Fiber Optic Gyroscope Based on Multiplexing for Space Application. *Jin, J.*, +, *JLT Dec. 1, 2020 6655-6663*

Authorization

Enhancing the Physical Layer Security of OFDM-PONs With Hardware Fingerprint Authentication: A Machine Learning Approach. *Li, S.*, +, *JLT June 15, 2020 3238-3245*

Automatic repeat request

A Novel Cooperative HARQ Protocol for Free-Space Optical Broadcasting Systems. *Hosseini, S.S.*, +, *JLT April 1, 2020 1789-1799*

Avalanche diodes

Counting Statistics of Actively Quenched SPADs Under Continuous Illumination. *Straka, I.*, +, *JLT Sept. 1, 2020 4765-4771*

Avalanche photodiodes

27 GHz Silicon-Contacted Waveguide-Coupled Ge/Si Avalanche Photodiode. *Srinivasan, S.A.*, +, *JLT June 1, 2020 3044-3050*

64 Gbps PAM4 Si-Ge Waveguide Avalanche Photodiodes With Excellent Temperature Stability. *Yuan, Y.*, +, *JLT Sept. 1, 2020 4857-4866*

A Low-Voltage Si-Ge Avalanche Photodiode for High-Speed and Energy Efficient Silicon Photonic Links. *Wang, B.*, +, *JLT June 15, 2020 3156-3163*

Counting Statistics of Actively Quenched SPADs Under Continuous Illumination. *Straka, I.*, +, *JLT Sept. 1, 2020 4765-4771*

Fast Acquisition Tunable High-Resolution Photon-Counting OTDR. *Calliari, F.*, +, *JLT Aug. 15, 2020 4572-4579*

High Power and High Speed SOA Assisted Extended Reach EADFB Laser (AXEL) for 53-Gbaud PAM4 Fiber-Amplifier-Less 60-km Optical Link. *Shindo, T.*, +, *JLT June 1, 2020 2984-2991*

Modeling Temperature-Dependent Avalanche Characteristics of InP. *Petticrew, J.D.*, +, *JLT Feb. 15, 2020 961-965*

Monolithic Integrated InGaAs/InAlAs WDM-APDs With Partially Depleted Absorption Region and Evanescently Coupled Waveguide Structure. *Zhao, Y.*, +, *JLT Aug. 15, 2020 4385-4396*

Optics-Simplified DSP for 50 Gb/s PON Downstream Transmission using 10 Gb/s Optical Devices. *Xue, L.*, +, *JLT Feb. 1, 2020 583-589*

Optimal Photon Counting Receiver for Sub-Dead-Time Signal Transmission. *Huang, S.*, +, *JLT Sept. 15, 2020 5225-5235*

Photovoltaic Solar Cells for Outdoor LiFi Communications. *Lorriere, N.*, +, *JLT Aug. 1, 2020 3822-3831*

Sensitivity Calculations of High-Speed Optical Receivers Based on Electron-APDs. *Shulyak, V.*, +, *JLT Feb. 15, 2020 989-995*

VCSEL Array-Based Gigabit Free-Space Optical Femtocell Communication. *Liverman, S.*, +, *JLT April 1, 2020 1659-1667*

AWGN

Quantum Limits in Optical Communications. *Banaszek, K.*, +, *JLT May 15, 2020 2741-2754*

AWGN channels

74.38 Tb/s Transmission Over 6300 km Single Mode Fibre Enabled by C+L Amplification and Geometrically Shaped PDM-64QAM. *Ionescu, M.*, +, *JLT Jan. 15, 2020 531-537*

Entropy Allocation Optimization for PS-OFDM With Constellation Partitioning Based Modeling. *Zhang, R.*, +, *JLT Nov. 1, 2020 6024-6030*

Huffman-Coded Sphere Shaping and Distribution Matching Algorithms via Lookup Tables. *Fehenberger, T.*, +, *JLT May 15, 2020 2826-2834*

Phase and Frequency Recovery Algorithms for Probabilistically Shaped Transmission. *Barbosa, F.A.*, +, *JLT April 1, 2020 1827-1835*

SSB Single Carrier and Multicarrier in C-Band FSO Transmission With KK Receiver. *Wei, Y.*, +, *JLT Sept. 15, 2020 5000-5007*

B

Backpropagation

135-GHz D-Band 60-Gbps PAM-8 Wireless Transmission Employing a Joint DNN Equalizer With BP and CMMA. *Zhou, W.*, +, *JLT July 15, 2020 3592-3601*

Compensation of Fiber Nonlinearities in Digital Coherent Systems Leveraging Long Short-Term Memory Neural Networks. *Deligiannidis, S.*, +, *JLT Nov. 1, 2020 5991-5999*

On the Performance of Digital Back Propagation in Spatial Multiplexing Systems. *Ferreira, F.M.*, +, *JLT May 15, 2020 2790-2798*

Revisiting Efficient Multi-Step Nonlinearity Compensation With Machine Learning: An Experimental Demonstration. *Oliari, V.*, +, *JLT June 15, 2020 3114-3124*

Backscatter

A Novel Wavemeter With 64 Attometer Spectral Resolution Based on Rayleigh Speckle Obtained From Single-Mode Fiber. *Zhang, Z.*, +, *JLT Aug. 15, 2020 4548-4554*

Broadened-Laser-Driven Polarization-Maintaining Hollow-Core Fiber Optic Gyroscope. *Morris, T.A.*, +, *JLT Feb. 15, 2020 905-911*

Controlling Rayleigh-Backscattering-Induced Distortion in Radio Over Fiber Systems for Radioastronomic Applications. *Nanni, J.*, +, *JLT Oct. 1, 2020 5393-5405*

Distributed Characterization of Few-Mode Fibers Based on Optical Frequency Domain Reflectometry. *Veronese, R.*, +, *JLT Sept. 1, 2020 4843-4849*

High Sensitivity Distributed Static Strain Sensing Based on Differential Relative Phase in Optical Frequency Domain Reflectometry. *Wang, C.*, +, *JLT Oct. 15, 2020 5825-5836*

Spectral Properties of the Signal in Phase-Sensitive Optical Time-Domain Reflectometry With Direct Detection. *Lu, X.*, +, *JLT March 15, 2020 1513-1521*

Ultra-High Sensitive Quasi-Distributed Acoustic Sensor Based on Coherent OTDR and Cylindrical Transducer. *Li, H.*, +, *JLT Feb. 15, 2020 929-938*

Band-pass filters

All-Fiber Saturable Absorber Using Nonlinear Multimode Interference in a Chalcogenide Fiber. *Zhang, K.*, +, *JLT Nov. 15, 2020 6321-6326*

Fast Brillouin Optical Time-Domain Reflectometry Based on the Frequency-Agile Technique. *Wang, B.*, +, *JLT Feb. 15, 2020 946-952*

Frequency-Tunable Parity-Time-Symmetric Optoelectronic Oscillator Using a Polarization-Dependent Sagnac Loop. *Dai, Z.*, +, *JLT Oct. 1, 2020 5327-5332*

Long-Length and Thermally Stable High-Finesse Fabry-Perot Interferometers Made of Hollow Core Optical Fiber. *Ding, M.*, +, *JLT April 15, 2020 2423-2427*

Midinfrared Compatible Tunable Bandpass Filter Based on Multimode Interference in Chalcogenide Fiber. *Zhang, K.*, +, *JLT Feb. 15, 2020 857-863*

Optical Spectral Slicing Based Reconfigurable and Tunable Microwave Photonic Filter. *Liu, L.*, +, *JLT Oct. 1, 2020 5492-5499*

Passband-Switchable and Frequency-Tunable Dual-Passband Microwave Photonic Filter. *Jiao, Z.*, +, *JLT Oct. 1, 2020 5333-5338*

Photonics Generation of Pulsed Arbitrary-Phase-Coded Microwave Signals Based on the Conversion Between Intensity Modulation and Phase Modulation. *Song, C.*, +, *JLT March 15, 2020 1243-1249*

Photonics-Assisted Frequency Up/Down Conversion With Tunable OEO and Phase Shift. *Yang, F.*, +, *JLT Dec. 1, 2020 6446-6457*

Polarization Diversified 16 λ Demultiplexer Based on Silicon Wire Delayed Interferometers and Arrayed Waveguide Gratings. *Jeong, S.*, +, *JLT May 1, 2020 2680-2687*

Polarization Manipulated Fourier Domain Mode-Locked Optoelectronic Oscillator. *Zhu, S.*, +, *JLT Oct. 1, 2020 5270-5277*

Truly Distributed and Ultra-Fast Microwave Photonic Fiber-Optic Sensor. *Zhou, D.*, +, *JLT Aug. 1, 2020 4150-4159*

Tunable THz Signal Generation and Radio-Over-Fiber Link Based on an Optoelectronic Oscillator-Driven Optical Frequency Comb. *Hasanuz-zaman, G.K.M.*, +, *JLT Oct. 1, 2020 5240-5247*

Bandwidth

Design of a Miniaturized Broadband Silicon Hybrid Plasmonic Temporal Integrator for Ultrafast Optical Signal Processing. *Karimi, A.*, +, *JLT April 15, 2020 2346-2352*

Guest Editorial: Special Issue on Optical Interconnects. *Gu, T.*, +, *JLT July 1, 2020 3319-3321*

Ultra-Broadband Mode Splitter Based on Phase Controlling of Bridged Sub-wavelength Grating. *Jiang, W.*, +, *JLT April 15, 2020 2414-2422*

Bandwidth allocation

Cascaded IF-Over-Fiber Links With Hybrid Signal Processing for Analog Mobile Fronthaul. *Tanaka, K.*, +, *JLT Oct. 15, 2020 5656-5667*

Dual MAC Based Hierarchical Optical Access Network for Hyperscale Data Centers. *Zheng, Y.*, +, *JLT April 1, 2020 1608-1617*

Barium compounds

20.6 W Mid-Infrared Supercontinuum Generation in ZBLAN Fiber With Spectrum of 1.9–4.3 μm . *Yang, L.*, +, *JLT Sept. 15, 2020 5122-5127*

Study of Surface Plasmon Resonance Sensor Based on Polymer-Tipped Optical Fiber With Barium Titanate Layer. *Xia, Z.*, +, *JLT Feb. 15, 2020 912-918*

Bayes methods

Visible Light Positioning Using Bayesian Filters. *Amsters, R.*, +, *JLT Nov. 1, 2020 5925-5936*

Beam steering

A Full Field-of-View Self-Steering Beamformer for 5G mm-Wave Fiber-Wireless Mobile Fronthaul. *Huang, M.*, +, *JLT March 15, 2020 1221-1229*

A Lateral MOS-Capacitor-Enabled ITO Mach-Zehnder Modulator for Beam Steering. *Amin, R.*, +, *JLT Jan. 15, 2020 282-290*

- Compensation of Multicore Fiber Skew Effects for Radio Over Fiber mmWave Antenna Beamforming. *Nikas, T.*, +, *JLT April 1, 2020 1644-1650*
- Fully Passive User Localization for Beam-Steered High-Capacity Optical Wireless Communication System. *Koonen, T.*, +, *JLT May 15, 2020 2842-2848*
- Integrated Wavelength-Tuned Optical mm-Wave Beamformer With Doubled Delay Resolution. *Zhang, X.*, +, *JLT April 15, 2020 2353-2359*
- Investigation of Inverse Solutions for Tilting Orthogonal Double Prisms in Laser Pointing With Submicroradian Precision. *Li, A.*, +, *JLT March 15, 2020 1341-1349*
- Multi-Beamforming Provided by Dual-Wavelength True Time Delay PIC and Multicore Fiber. *Morant, M.*, +, *JLT Oct. 1, 2020 5311-5317*
- Wide-Coverage Beam-Steered 40-Gbit/s Non-Line-of-Sight Optical Wireless Connectivity for Industry 4.0. *Zhang, X.*, +, *JLT Dec. 15, 2020 6801-6806*
- Bending**
- All-Fiber Vector Bending Sensor Based on a Multicore Fiber With Asymmetric Air-Hole Structure. *Budnicki, D.*, +, *JLT Dec. 1, 2020 6685-6690*
- Bend- and Twist-Insensitive Flexible Multimode Polymer Optical Interconnects. *Bamiedakis, N.*, +, *JLT Dec. 1, 2020 6561-6568*
- Compact and Fabrication-Tolerant Waveguide Bends Based on Quadratic Reflectors. *Yu, S.*, +, *JLT Aug. 15, 2020 4368-4373*
- Design of Negative Curvature Hollow Core Fiber Based on Reinforcement Learning. *Hu, X.*, +, *JLT April 1, 2020 1959-1965*
- Investigating the Refractive Index Sensitivity of U-Bent Fiber Optic Sensors Using Ray Optics. *Danny, C.G.*, +, *JLT March 15, 2020 1580-1588*
- Midinfrared Compatible Tunable Bandpass Filter Based on Multimode Interference in Chalcogenide Fiber. *Zhang, K.*, +, *JLT Feb. 15, 2020 857-863*
- Mode Selective Conversion Enabled by the Long-Period Gratings Inscribed in Elliptical Core Few-Mode Fiber. *Liu, Z.*, +, *JLT March 15, 2020 1536-1542*
- Twist Induced Mode Confinement in Partially Open Ring of Holes. *Napiorkowski, M.*, +, *JLT March 15, 2020 1372-1381*
- Ultra-Sharp Multimode Waveguide Bends With Dual Polarizations. *Wang, Y.*, +, *JLT Aug. 1, 2020 3994-3999*
- BiCMOS analog integrated circuits**
- A SiGe HBT BiCMOS 1-to-4 ADC Frontend Enabling Low Bandwidth Digitization of 100 GBaud PAM4 Data. *Buchali, F.*, +, *JLT Jan. 1, 2020 150-158*
- Analysis and Monolithic Implementation of Differential Transimpedance Amplifiers. *Andrade, H.*, +, *JLT Aug. 15, 2020 4409-4418*
- BiCMOS integrated circuits**
- All-Analog Adaptive Equalizer for Coherent Data Center Interconnects. *Nambath, N.*, +, *JLT Nov. 1, 2020 5867-5874*
- Energy Efficient 850 nm VCSEL Based Optical Transmitter and Receiver Link Capable of 80 Gbit/s NRZ Multi-Mode Fiber Data Transmission. *Chorchos, L.*, +, *JLT April 1, 2020 1747-1752*
- Low-Power (1.5 pJ/b) Silicon Integrated 106 Gb/s PAM-4 Optical Transmitter. *Lambrecht, J.*, +, *JLT Jan. 15, 2020 432-438*
- Bifurcation**
- All-Optical Spiking Neuron Based on Passive Microresonator. *Xiang, J.*, +, *JLT Aug. 1, 2020 4019-4029*
- Binary codes**
- Photonics Generation of Pulsed Arbitrary-Phase-Coded Microwave Signals Based on the Conversion Between Intensity Modulation and Phase Modulation. *Song, C.*, +, *JLT March 15, 2020 1243-1249*
- Binary sequences**
- Detection-Localization-Identification of Vibrations Over Long Distance SSMF With Coherent $\Delta\phi$ -OTDR. *Awwad, E.*, +, *JLT June 15, 2020 3089-3095*
- Biodegradable materials**
- On the Characterization of Novel Step-Index Biocompatible and Biodegradable poly(D,L-lactic acid) Based Optical Fiber. *Gierej, A.*, +, *JLT April 1, 2020 1905-1914*
- Biological techniques**
- A Review: Neural-Inspired Photonic Functional Systems for Dynamic RF Signal Processing. *Fok, M.P.*, *JLT Oct. 1, 2020 5318-5326*
- DC-Biased Optofluidic Biolaser for Uric Acid Detection. *Wang, Y.*, +, *JLT March 15, 2020 1557-1563*
- Experimental Demonstration of DNA Hybridization Using Graphene Based Plasmonic Sensor Chip. *Maurya, J.B.*, +, *JLT Sept. 15, 2020 5191-5198*
- Biological tissues**
- On the Characterization of Novel Step-Index Biocompatible and Biodegradable poly(D,L-lactic acid) Based Optical Fiber. *Gierej, A.*, +, *JLT April 1, 2020 1905-1914*
- Biology computing**
- A Review: Neural-Inspired Photonic Functional Systems for Dynamic RF Signal Processing. *Fok, M.P.*, *JLT Oct. 1, 2020 5318-5326*
- Biomedical materials**
- On the Characterization of Novel Step-Index Biocompatible and Biodegradable poly(D,L-lactic acid) Based Optical Fiber. *Gierej, A.*, +, *JLT April 1, 2020 1905-1914*
- Biomedical optical imaging**
- Manipulating Soliton Polarization in Soliton Self-Frequency Shift and Its Application to 3-Photon Microscopy in Vivo. *Tong, S.*, +, *JLT April 15, 2020 2450-2455*
- Scattering Metal Waveguide Based Speckle-Enhanced Prism Spectrometry. *Cetindag, S.K.*, +, *JLT April 1, 2020 2022-2027*
- Biosensors**
- Microcapillary-Based Integrated LSPR Device for Refractive Index Detection and Biosensing. *Chen, S.*, +, *JLT April 15, 2020 2485-2492*
- Nanomaterial-Enhanced Fiber Optofluidic Laser Biosensor for Sensitive Enzyme Detection. *Mao, J.*, +, *JLT Sept. 15, 2020 5205-5211*
- Ultrasensitive Multiple Guided-Mode Biosensor With Few-Layer Black Phosphorus. *Dai, X.*, +, *JLT March 15, 2020 1564-1571*
- Birefringence**
- Active Terahertz Anisotropy and Dispersion Engineering Based on Dual-Frequency Liquid Crystal and Dielectric Metasurface. *Ji, Y.*, +, *JLT Aug. 1, 2020 4030-4036*
- Birefringence Measurement by Expandable Polarization Interference Method. *Tian, Y.*, +, *JLT Feb. 15, 2020 834-839*
- Birefringent Anti-Resonant Hollow-Core Fiber. *Yerolatsitis, S.*, +, *JLT Sept. 15, 2020 5157-5162*
- Bragg Reflection and Conversion Between Helical Bloch Modes in Chiral Three-Core Photonic Crystal Fiber. *Loranger, S.*, +, *JLT Aug. 1, 2020 4100-4107*
- Detection of Circular-Crested Lamb Waves Using Surface-Bonded Fiber-Optic Ultrasound Sensors: A Theoretical Perspective. *Liu, G.*, +, *JLT April 15, 2020 2555-2563*
- Distributed Characterization of Few-Mode Fibers Based on Optical Frequency Domain Reflectometry. *Veronese, R.*, +, *JLT Sept. 1, 2020 4843-4849*
- Distributed Salinity Sensor With a Polyimide-Coated Photonic Crystal Fiber Based on Brillouin Dynamic Grating. *Zhang, H.*, +, *JLT Sept. 15, 2020 5219-5224*
- High Performance InP-Based Polarization Beam Splitter With Reverse Bias and Injection Current. *Dai, X.*, +, *JLT April 15, 2020 2336-2345*
- Hole-Assisted Solid Core Bragg Fibers With a High-Index-Contrast Cladding for Broadband Single-Polarization Operation. *Shang, L.*, +, *JLT Nov. 1, 2020 6104-6113*
- Polarization Dynamics of Light Propagating in Bent Spun Birefringent Fiber. *Przhiyalkovskiy, Y.V.*, +, *JLT Dec. 15, 2020 6879-6885*
- Sagnac Interferometer Based on a Highly-Birefringent Two-Core PCF: Theory, Experiment, and Sensing Characteristics. *Naeem, K.*, +, *JLT Sept. 15, 2020 5177-5190*
- Simultaneous Measurement of Strain and Temperature by a Sawtooth Stressor-Assisted Highly Birefringent Fiber Bragg Grating. *Guo, K.*, +, *JLT April 1, 2020 2060-2066*
- Surface Plasmon Resonance Induced High Sensitivity Temperature and Refractive Index Sensor Based on Evanescent Field Enhanced Photonic Crystal Fiber. *Liu, Y.*, +, *JLT Feb. 15, 2020 919-928*
- Twist Induced Mode Confinement in Partially Open Ring of Holes. *Napiorkowski, M.*, +, *JLT March 15, 2020 1372-1381*
- Ultrasharp LSPR Temperature Sensor Based on Grapefruit Fiber Filled With a Silver Nanoshell and Liquid. *Yang, X.*, +, *JLT April 1, 2020 2015-2021*

Bismuth

Multi-Band Direct-Detection Transmission Over an Ultrawide Bandwidth Hollow-Core NANF. *Hong, Y.*, +, *JLT May 15, 2020 2849-2857*

Multiwavelength Brillouin Generation in Bismuth-Doped Fiber Laser With Single- and Double-Frequency Spacing. *Ahmad, H.*, +, *JLT Dec. 15, 2020 6886-6896*

The Influence of the MCVD Process Parameters on the Optical Properties of Bismuth-Doped Phosphosilicate Fibers. *Khegai, A.*, +, *JLT Nov. 1, 2020 6114-6120*

Bismuth compounds

Direct Laser Written Waveguide in Tellurite Glass for Supercontinuum Generation in 2 μm Spectral Range. *Okhrimchuk, A.G.*, +, *JLT March 15, 2020 1492-1500*

Blind equalizers

135-GHz D-Band 60-Gbps PAM-8 Wireless Transmission Employing a Joint DNN Equalizer With BP and CMMA. *Zhou, W.*, +, *JLT July 15, 2020 3592-3601*

Block codes

Huffman-Coded Sphere Shaping and Distribution Matching Algorithms via Lookup Tables. *Fehenberger, T.*, +, *JLT May 15, 2020 2826-2834*

Bolometers

Fiber-Optic Silicon Fabry-Perot Interferometric Bolometer: The Influence of Mechanical Vibration and Magnetic Field. *Sheng, Q.*, +, *JLT April 15, 2020 2547-2554*

Bonds (chemical)

Experimental Demonstration of DNA Hybridization Using Graphene Based Plasmonic Sensor Chip. *Maurya, J.B.*, +, *JLT Sept. 15, 2020 5191-5198*

Bragg gratings

A Lower Frequency Shift Based on Mode Conversion for Optical Heterodyne Micro-Vibration Measurement. *Zhang, L.*, +, *JLT Nov. 1, 2020 6057-6062*

Adaptive Design for 2D Optical Coding PON Link Health Detection System in Complex Environment. *Ge, Z.*, +, *JLT Dec. 1, 2020 6458-6464*

All-Fiber Two-Dimensional Inclinometer Based on Bragg Gratings Inscribed in a Seven-Core Multi-Core Fiber. *Cui, J.*, +, *JLT April 15, 2020 2516-2522*

Bragg Reflection and Conversion Between Helical Bloch Modes in Chiral Three-Core Photonic Crystal Fiber. *Loranger, S.*, +, *JLT Aug. 1, 2020 4100-4107*

Design of Four-Channel Wavelength-Selectable In-Series DFB Laser Array With 100-GHz Spacing. *Sun, Z.*, +, *JLT April 15, 2020 2299-2307*

Detection of Circular-Crested Lamb Waves Using Surface-Bonded Fiber-Optic Ultrasound Sensors: A Theoretical Perspective. *Liu, G.*, +, *JLT April 15, 2020 2555-2563*

Effect of Optical Feedback on the Wavelength Tuning in DBR Lasers. *Hap-pach, M.*, +, *JLT Sept. 1, 2020 4824-4833*

Enhancement of the Multiplexing Capacity and Measurement Accuracy of FBG Sensor System Using IWDM Technique and Deep Learning Algorithm. *Manie, Y.C.*, +, *JLT March 15, 2020 1589-1603*

Fabrication of Chirped Fiber Bragg Gratings in a Non-Uniform Single-Core As_2Se_3 -PMMA Tapered Fiber. *Gao, S.*, +, *JLT Aug. 1, 2020 4108-4113*

Fast Demodulation of Fiber Bragg Grating Wavelength From Low-Resolution Spectral Measurements Using Buneman Frequency Estimation. *Yang, Y.*, +, *JLT Sept. 15, 2020 5142-5148*

Femtosecond Laser Inscribed Tilted Gratings for Leaky Mode Excitation in Optical Fibers. *Ioannou, A.*, +, *JLT April 1, 2020 1921-1928*

Fully Reconfigurable Waveguide Bragg Gratings for Programmable Photonic Signal Processing. *Yao, J.*, +, *JLT Jan. 15, 2020 202-214*

High Fidelity Picosecond Pulse Fiber Amplification With Inter-Stage Notch Filter. *Lu, Q.*, +, *JLT Nov. 1, 2020 6082-6088*

High Single-Mode Stability Tunable In-Series Laser Array With High Wavelength-spacing Uniformity. *Sun, Z.*, +, *JLT Nov. 1, 2020 6038-6046*

High-Speed and High-Resolution Microwave Photonic Interrogation of a Fiber-Optic Refractometer With Plasmonic Spectral Comb. *Wang, G.*, +, *JLT April 1, 2020 2073-2080*

High-Speed FBG Interrogation With Electro-Optically Tunable Sagnac Loops. *Oton, C.J.*, +, *JLT Aug. 15, 2020 4513-4519*

Highly Sensitive FBG Seismometer With a 3D-Printed Hexagonal Configuration. *Guo, T.*, +, *JLT Aug. 15, 2020 4588-4595*

Impact of Dispersion Effects on Temporal-Convolution-Based Real-Time Fourier Transformation Systems. *Zhang, B.*, +, *JLT Sept. 1, 2020 4664-4676*

Importance of Internal Tensile Stress in Forming Low-Loss Fiber Draw-Tower Gratings. *Liu, S.*, +, *JLT April 1, 2020 1900-1904*

Integrated Arbitrary Filter With Spiral Gratings: Design and Characterization. *Hu, Y.*, +, *JLT Aug. 15, 2020 4454-4461*

Integrated Discretely Tunable Optical Delay Line Based on Step-Chirped Subwavelength Grating Waveguide Bragg Gratings. *Sun, H.*, +, *JLT Oct. 1, 2020 5551-5560*

Monitoring and Characterization of Mining-Induced Overburden Deformation in Physical Modeling With Distributed Optical Fiber Sensing Technology. *Yuan, Q.*, +, *JLT Feb. 15, 2020 881-888*

Multi-Shuttle Behavior Between Dissipative Solitons and Noise-Like Pulses in an All-Fiber Laser. *Cheng, X.*, +, *JLT April 15, 2020 2471-2476*

Multicomponent Photonic Glass for Temperature Insensitive Fiber Probe. *Lin, Z.*, +, *JLT Aug. 15, 2020 4470-4477*

Optical Fiber Tag Based on an Encoded Fiber Bragg Grating Fabricated by Femtosecond Laser. *Yang, K.*, +, *JLT March 15, 2020 1474-1479*

Resonant Wavelength Thermal Stability of Fiber Bragg Gratings Produced by Femtosecond Laser. *Paixao, T.*, +, *JLT March 15, 2020 1529-1535*

Simultaneous Measurement of Strain and Temperature by a Sawtooth Stressor-Assisted Highly Birefringent Fiber Bragg Grating. *Guo, K.*, +, *JLT April 1, 2020 2060-2066*

Simultaneously Self-Inscribed Antisymmetric Long-Period Grating and Antisymmetric Apodized Fiber Bragg Grating in a Dual-Core As_2Se_3 -PMMA Tapered Fiber. *Gao, S.*, +, *JLT Nov. 15, 2020 6345-6351*

Slit Beam Shaping Technique for Femtosecond Laser Inscription of Enhanced Plane-by-Plane FBGs. *Roldan-Varona, P.*, +, *JLT Aug. 15, 2020 4526-4532*

Spectral-Distortionless, Flat-Top, Drop-Filter Based on Complementarily-Misaligned Multimode-Waveguide Bragg Gratings. *Liang, X.*, +, *JLT Dec. 1, 2020 6600-6604*

Statistical Evaluation of PAM4 Data Center Interconnect System With Slope-Compensating Fiber Bragg Grating Tunable Dispersion Compensation Module. *Searcy, S.*, +, *JLT June 15, 2020 3173-3179*

Terahertz Bragg Resonator Based on a Mechanical Assembly of Metal Grating and Metal Waveguide. *You, B.*, +, *JLT July 15, 2020 3701-3709*

Tilting of Bragg Waveguide Gratings Using Two-Dimensional Sampling Structures. *Hao, L.*, +, *JLT Aug. 15, 2020 4402-4408*

Ultra-Stable and Real-Time Demultiplexing System of Strong Fiber Bragg Grating Sensors Based on Low-Frequency Optoelectronic Oscillator. *Wang, W.*, +, *JLT Feb. 15, 2020 981-988*

Brain models

A Review: Neural-Inspired Photonic Functional Systems for Dynamic RF Signal Processing. *Fok, M.P.*, *JLT Oct. 1, 2020 5318-5326*

All-Optical Spiking Neuron Based on Passive Microresonator. *Xiang, J.*, +, *JLT Aug. 1, 2020 4019-4029*

Manipulating Soliton Polarization in Soliton Self-Frequency Shift and Its Application to 3-Photon Microscopy in Vivo. *Tong, S.*, +, *JLT April 15, 2020 2450-2455*

Bridges

Ultra-Broadband Mode Splitter Based on Phase Controlling of Bridged Subwavelength Grating. *Jiang, W.*, +, *JLT April 15, 2020 2414-2422*

Brillouin spectra

50 km-Range Brillouin Optical Correlation Domain Analysis With First-Order Backward Distributed Raman Amplification. *Ryu, G.*, +, *JLT Sept. 15, 2020 5199-5204*

A Wide Flat Triple Brillouin Frequency Spacing Multiwavelength Fiber Laser Assisted by Four Wave Mixing. *Al-Alimi, A.W.*, +, *JLT Dec. 1, 2020 6648-6654*

Distributed Salinity Sensor With a Polyimide-Coated Photonic Crystal Fiber Based on Brillouin Dynamic Grating. *Zhang, H.*, +, *JLT Sept. 15, 2020 5219-5224*

Enhancing SNR by Anisotropic Diffusion for Brillouin Distributed Optical Fiber Sensors. *Luo, K.*, +, *JLT Oct. 15, 2020 5844-5852*

Fast Brillouin Optical Time-Domain Reflectometry Based on the Frequency-Agile Technique. *Wang, B.*, +, *JLT Feb. 15, 2020 946-952*

Microwave Filtering Using Forward Brillouin Scattering in Photonic-Phononic Emit-Receive Devices. *Gertler, S.*, +, *JLT Oct. 1, 2020 5248-5261*

Monitoring and Characterization of Mining-Induced Overburden Deformation in Physical Modeling With Distributed Optical Fiber Sensing Technology. *Yuan, Q.*, +, *JLT Feb. 15, 2020 881-888*

On the 2D Post-Processing of Brillouin Optical Time-Domain Analysis. *Zaslawski, S.*, +, *JLT July 15, 2020 3723-3736*

Reconstruction of Distributed Strain Profile Using a Weighted Spectrum Decomposition Algorithm for Brillouin Scattering Based Fiber Optic Sensor. *Mei, Y.*, +, *JLT Nov. 15, 2020 6385-6392*

Sensitivity-Enhanced Distributed Hydrostatic Pressure Sensor Based on BOTDA in Single-Mode Fiber With Double-Layer Polymer Coatings. *Dong, Y.*, +, *JLT April 15, 2020 2564-2571*

Broadband antennas

Broadband Photonic RF Channelizer With 92 Channels Based on a Soliton Crystal Microcomb. *Xu, X.*, +, *JLT Sept. 15, 2020 5116-5121*

Group Delay-Based Wideband Photonic Receive-Mode Radio-Frequency Beamforming. *Mondich, M.J.*, +, *JLT Nov. 1, 2020 5893-5907*

Broadband networks

Broadband Cognitive Radio Enabled by Photonics. *Zhu, D.*, +, *JLT June 15, 2020 3076-3088*

MIMO-Supporting Radio-Over-Fiber System and its Application in mmWave-Based Indoor 5G Mobile Network. *Kim, J.*, +, *JLT Jan. 1, 2020 101-111*

Photonics-Aided Millimeter-Wave Technologies for Extreme Mobile Broadband Communications in 5G. *Li, X.*, +, *JLT Jan. 15, 2020 366-378*

RoF-Based Radio Access Network for 5G Mobile Communication Systems in 28 GHz Millimeter-Wave. *Sung, M.*, +, *JLT Jan. 15, 2020 409-420*

The Outlook for PON Standardization: A Tutorial. *Wey, J.S.*, *JLT Jan. 1, 2020 31-42*

Broadcast communication

A Novel Cooperative HARQ Protocol for Free-Space Optical Broadcasting Systems. *Hosseini, S.S.*, +, *JLT April 1, 2020 1789-1799*

Brushless DC motors

High-Speed and Cost-Effective Reflective Terahertz Imaging System Using a Novel 2D Beam Scanner. *Lee, E.S.*, +, *JLT Aug. 15, 2020 4237-4243*

Bubbles

Packaged Microbubble Resonator for Versatile Optical Sensing. *Yang, D.*, +, *JLT Aug. 15, 2020 4555-4559*

C

Cadmium compounds

Efficient Sub-Bandgap Photodetection via Two-Dimensional Electron Gas in ZnO Based Heterojunction. *Kaushik, V.*, +, *JLT Nov. 1, 2020 6031-6037*

Calibration

41-Tbps C-Band WDM Transmission With 10-bps/Hz Spectral Efficiency Using 1-Tbps/ λ Signals. *Matsushita, A.*, +, *JLT June 1, 2020 2905-2911*

A Novel CDR-Based Low-Cost Time-Interleaved-ADC Timing Calibration. *Faig, H.*, +, *JLT April 1, 2020 1777-1784*

Picoseconds-Accurate Fiber-Optic Time Transfer With Relative Stabilization of Lasers Wavelengths. *Sliwczynski, L.*, +, *JLT Sept. 15, 2020 5056-5063*

Theoretical and Experimental Analysis of a 4×4 Reconfigurable MZI-Based Linear Optical Processor. *Shokraneh, F.*, +, *JLT March 15, 2020 1258-1267*

Cameras

Visible Light Positioning Using Bayesian Filters. *Amsters, R.*, +, *JLT Nov. 1, 2020 5925-5936*

Cantilevers

Opto-Mechanical Lab-on-Fiber Accelerometers. *Bruno, F.A.*, +, *JLT April 1, 2020 1998-2009*

Capacitance

Low Voltage, High Optical Power Handling Capable, Bulk Compound Semiconductor Electro-Optic Modulators at 1550 nm. *Bhasker, P.*, +, *JLT April 15, 2020 2308-2314*

Capacitors

High-Speed Plasmonic-Silicon Modulator Driven by Epsilon-Near-zero Conductive Oxide. *Zhou, B.*, +, *JLT July 1, 2020 3338-3345*

Carbon

Behavior of Specialty Optical Fibers in Crude Oil Environment. *Stolov, A.A.*, +, *JLT July 15, 2020 3759-3768*

Carbon compounds

Compact Hollow Waveguide Mid-Infrared Gas Sensor For Simultaneous Measurements of Ambient CO₂ and Water Vapor. *Wu, T.*, +, *JLT Aug. 15, 2020 4580-4587*

Multi-Parameter Optical Fiber Sensing of Gaseous Ammonia and Carbon Dioxide. *Liu, L.*, +, *JLT April 1, 2020 2037-2045*

Carrier density

Experimental Demonstration of Directly Modulated DFB Lasers With Negative Chirp Over Wide Temperature Operation. *Liu, G.*, +, *JLT July 15, 2020 3663-3669*

Optical Modulation in Hybrid Waveguide Based on Si-ITO Heterojunction. *Rajput, S.*, +, *JLT March 15, 2020 1365-1371*

Carrier lifetime

Efficient Mid-Infrared Germanium Variable Optical Attenuator Fabricated by Spin-on-Glass Doping. *Zhao, Z.*, +, *JLT Sept. 1, 2020 4808-4816*

Theoretical Study on the Effects of Dislocations in Monolithic III-V Lasers on Silicon. *Hantschmann, C.*, +, *JLT Sept. 1, 2020 4801-4807*

Catalysis

DC-Biased Optofluidic Biolaser for Uric Acid Detection. *Wang, Y.*, +, *JLT March 15, 2020 1557-1563*

Catalysts

DC-Biased Optofluidic Biolaser for Uric Acid Detection. *Wang, Y.*, +, *JLT March 15, 2020 1557-1563*

Cellular biophysics

On the Characterization of Novel Step-Index Biocompatible and Biodegradable poly(D,L-lactic acid) Based Optical Fiber. *Gierej, A.*, +, *JLT April 1, 2020 1905-1914*

Cellular radio

36 Gb/s Narrowband Photoreceiver for mmWave Analog Radio-Over-Fiber. *Bogaert, L.*, +, *JLT June 15, 2020 3289-3295*

Decentralized Coordination of Converged Tactile Internet and MEC Services in H-CRAN Fiber Wireless Networks. *Perez, G.O.*, +, *JLT Sept. 15, 2020 4935-4947*

Distributed Antenna System Using Sigma-Delta Intermediate-Frequency-Over-Fiber for Frequency Bands Above 24 GHz. *Wu, C.*, +, *JLT May 15, 2020 2765-2773*

High-Speed Railway Communication System Using Linear-Cell-Based Radio-Over-Fiber Network and Its Field Trial in 90-GHz Bands. *Kanno, A.*, +, *JLT Jan. 1, 2020 112-122*

Towards a Scaleable 5G Fronthaul: Analog Radio-over-Fiber and Space Division Multiplexing. *Rommel, S.*, +, *JLT Oct. 1, 2020 5412-5422*

Cerium compounds

Yb/Ce Codoped Aluminosilicate Fiber With High Laser Stability for Multi-kW Level Laser. *She, S.*, +, *JLT Dec. 15, 2020 6924-6931*

Chalcogenide glasses

Effects of Shallow Suspension in Low-Loss Waveguide-Integrated Chalcogenide Microdisk Resonators. *Zhu, Y.*, +, *JLT Sept. 1, 2020 4817-4823*

Fabrication of Chirped Fiber Bragg Gratings in a Non-Uniform Single-Core As₂Se₃-PMMA Tapered Fiber. *Gao, S.*, +, *JLT Aug. 1, 2020 4108-4113*

Low-Loss Chalcogenide Fiber Prepared by Double Peeled-Off Extrusion. *Zhong, M.*, +, *JLT Aug. 15, 2020 4533-4539*

Mid-Infrared Supercontinuum Generation in Chalcogenide Photonic Crystal Fibers with a Weak CW Trigger. *Huang, R.*, +, *JLT March 15, 2020 1522-1528*

Ultrasound Measurement Using On-Chip Optical Micro-Resonators and Digital Optical Frequency Comb. *Song, J.*, +, *JLT Oct. 1, 2020 5293-5301*

Channel bank filters

Compensation of Chromatic Dispersion and Nonlinear Phase Noise Using Iterative Soft Decision Feedback Equalizer for Coherent Optical FBMC/OQAM Systems. *Alaghbari, K.A.*, +, *JLT Aug. 1, 2020 3839-3849*

Channel capacity

402.7-Tb/s MDM-WDM Transmission Over Weakly Coupled 10-Mode Fiber Using Rate-Adaptive PS-16QAM Signals. *Beppu, S.*, +, *JLT May 15, 2020 2835-2841*

74.38 Tb/s Transmission Over 6300 km Single Mode Fibre Enabled by C+L Amplification and Geometrically Shaped PDM-64QAM. *Ionescu, M.*, +, *JLT Jan. 15, 2020 531-537*

Capacity and Optimum Signal Constellations for VLC Systems. *Jia, L.*, +, *JLT April 15, 2020 2180-2189*

Channel-Aware Adaptive Physical-Layer Network Coding Over Relay-Assisted OFDM-VLC Networks. *Hong, Y.*, +, *JLT March 15, 2020 1168-1177*

Coherent Ultra-Dense WDM-PON Enabled by Complexity-Reduced Digital Transceivers. *Tabares, J.A.*, +, *JLT March 15, 2020 1305-1313*

Digital Resolution Enhancer Employing Clipping for High-Speed Optical Transmission. *van den Hout, M.*, +, *JLT June 1, 2020 2897-2904*

Mismatched Models to Lower Bound the Capacity of Optical Fiber Channels. *Garcia-Gomez, F.J.*, +, *JLT Dec. 15, 2020 6779-6787*

On the Discrete-Input Continuous-Output Memoryless Channel Capacity of Layered ACO-OFDM. *Zhang, X.*, +, *JLT Sept. 15, 2020 4955-4968*

Channel coding

Comparison of Different Precoding Techniques for Unbalanced Impairments Compensation in Short-Reach DMT Transmission Systems. *Chen, M.*, +, *JLT Nov. 15, 2020 6202-6213*

Huffman-Coded Sphere Shaping and Distribution Matching Algorithms via Lookup Tables. *Fehenberger, T.*, +, *JLT May 15, 2020 2826-2834*

Optical Wireless Communications Adopting Delay-Tolerant Repetition-Coding With Orthogonal-Filters and On-Demand Equalization. *Song, T.*, +, *JLT Aug. 15, 2020 4250-4259*

Performance Enhanced 256-QAM BIPCM-DMT System Enabled by CAZAC Precoding. *Ma, J.*, +, *JLT Feb. 1, 2020 557-563*

Post-FEC BER Benchmarking for Bit-Interleaved Coded Modulation With Probabilistic Shaping. *Yoshida, T.*, +, *JLT Aug. 15, 2020 4292-4306*

Channel estimation

Adaptive Probabilistic Shaped Modulation for High-Capacity Free-Space Optical Links. *Guiomar, F.P.*, +, *JLT Dec. 1, 2020 6529-6541*

Design of Time-Frequency Packed WDM Superchannel Transmission Systems. *Jana, M.*, +, *JLT Dec. 15, 2020 6719-6731*

Digital Pre- and Post-Equalization for C-Band 112-Gb/s PAM4 Short-Reach Transport Systems. *Tang, X.*, +, *JLT Sept. 1, 2020 4683-4690*

Non-Coherent Detection for Ultraviolet Communications With Inter-Symbol Interference. *Hu, W.*, +, *JLT Sept. 1, 2020 4699-4707*

Phase and Frequency Recovery Algorithms for Probabilistically Shaped Transmission. *Barbosa, F.A.*, +, *JLT April 1, 2020 1827-1835*

Pilot Distributions for Joint-Channel Carrier-Phase Estimation in Multi-channel Optical Communications. *Alfredsson, A.F.*, +, *JLT Sept. 1, 2020 4656-4663*

Channel spacing

First Field Trial of Distributed Fiber Optical Sensing and High-Speed Communication Over an Operational Telecom Network. *Huang, M.*, +, *JLT Jan. 1, 2020 75-81*

Joint Superchannel Digital Signal Processing for Effective Inter-Channel Interference Cancellation. *Mazur, M.*, +, *JLT Oct. 15, 2020 5676-5684*

Silicon-Based Flexible-Grid Mode- and Wavelength-Selective Switch Utilizing Microring Resonators and Y-Junctions. *Chen, W.*, +, *JLT Aug. 1, 2020 4000-4008*

Wavelength Division Multiplexing of 194 Continuous Variable Quantum Key Distribution Channels. *Eriksson, T.A.*, +, *JLT April 15, 2020 2214-2218*

Chaotic communication

Chaotic Optical Communication Over 1000 km Transmission by Coherent Detection. *Yang, Z.*, +, *JLT Sept. 1, 2020 4648-4655*

Chemical sensors

An Optical Fiber Immunosensor With a Low Detection Limit Based on Plasmon Coupling Enhancement. *Wang, B.*, +, *JLT July 15, 2020 3781-3788*

DC-Biased Optofluidic Biolaser for Uric Acid Detection. *Wang, Y.*, +, *JLT March 15, 2020 1557-1563*

Ultra-Sensitive Cholesterol Sensor Using Gold and Zinc-Oxide Nanoparticles Immobilized Core Mismatch MPM/SPS Probe. *Agrawal, N.*, +, *JLT April 15, 2020 2523-2529*

Chemical vapor deposition

Demonstration of an All-Fiber Ultra-Low Numerical Aperture Ytterbium-Doped Large Mode Area Fiber in a Master Oscillator Power Amplifier Configuration Above 1 kW Power Level. *Midilli, Y.*, +, *JLT April 1, 2020 1915-1920*

Low-Loss Waveguides by Planar Modified Chemical Vapor Deposition. *Yevnin, M.*, +, *JLT Feb. 15, 2020 792-796*

The Influence of the MCVD Process Parameters on the Optical Properties of Bismuth-Doped Phosphosilicate Fibers. *Khegai, A.*, +, *JLT Nov. 1, 2020 6114-6120*

Chemical variables measurement

Compact Hollow Waveguide Mid-Infrared Gas Sensor For Simultaneous Measurements of Ambient CO₂ and Water Vapor. *Wu, T.*, +, *JLT Aug. 15, 2020 4580-4587*

DC-Biased Optofluidic Biolaser for Uric Acid Detection. *Wang, Y.*, +, *JLT March 15, 2020 1557-1563*

Quartz-Enhanced Photoacoustic Spectroscopy Based on the Four-Off-Beam Acoustic Micro-Resonator. *Wang, Z.*, +, *JLT Sept. 15, 2020 5212-5218*

Ultra-Sensitive Cholesterol Sensor Using Gold and Zinc-Oxide Nanoparticles Immobilized Core Mismatch MPM/SPS Probe. *Agrawal, N.*, +, *JLT April 15, 2020 2523-2529*

Chirp modulation

50-GHz Repetition Gain Switching Using a Cavity-Enhanced DFB Laser Assisted by Optical Injection Locking. *Liu, Z.*, +, *JLT April 1, 2020 1844-1850*

Carrier-Suppressed Single Sideband Signal for FMCW LiDAR Using a Si Photonic-Crystal Optical Modulators. *Kamata, M.*, +, *JLT April 15, 2020 2315-2321*

Chirp-Filtering for Low-Complexity Chromatic Dispersion Compensation. *Felipe, A.*, +, *JLT June 1, 2020 2954-2960*

Combination and Compression of Multiple Pulses With Same or Different Wavelengths. *Huang, J.*, +, *JLT Dec. 15, 2020 6932-6938*

Design of Four-Channel Wavelength-Selectable In-Series DFB Laser Array With 100-GHz Spacing. *Sun, Z.*, +, *JLT April 15, 2020 2299-2307*

High-Order Electrical Spectrum Method for Measuring the Chirp of a Silicon Mach-Zehnder Modulator. *Chen, H.*, +, *JLT Dec. 15, 2020 6833-6844*

High-Performance Optical Frequency-Domain Reflectometry Based on High-Order Optical Phase-Locking-Assisted Chirp Optimization. *Feng, Y.*, +, *JLT Nov. 15, 2020 6227-6236*

High-Speed and High-Resolution Microwave Photonic Interrogation of a Fiber-Optic Refractometer With Plasmonic Spectral Comb. *Wang, G.*, +, *JLT April 1, 2020 2073-2080*

Microwave Photonic Imaging Radar With a Sub-Centimeter-Level Resolution. *Ma, C.*, +, *JLT Sept. 15, 2020 4948-4954*

Optics-Simplified DSP for 50 Gb/s PON Downstream Transmission using 10 Gb/s Optical Devices. *Xue, L.*, +, *JLT Feb. 1, 2020 583-589*

Passively Mode-Locked 2.7 and 3.2 μm GaSb-Based Cascade Diode Lasers. *Feng, T.*, +, *JLT April 1, 2020 1895-1899*

Piecewise Linear Equalizer for DML Based PAM-4 Signal Transmission Over a Dispersion Uncompensated Link. *Fu, Y.*, +, *JLT Feb. 1, 2020 654-660*

Polarization Manipulated Fourier Domain Mode-Locked Optoelectronic Oscillator. *Zhu, S.*, +, *JLT Oct. 1, 2020 5270-5277*

Reconfigurable Identical and Complementary Chirp Dual-LFM Signal Generation Subjected to Dual-Beam Injection in a DFB Laser. *Chen, H.*, +, *JLT Oct. 1, 2020 5500-5508*

Selective Excitation and Amplification of Peak-Power-Scalable Out-of-Phase Supermode in Yb-Doped Multicore Fiber. *Andrianov, A.V.*, +, *JLT April 15, 2020 2464-2470*

Cholesteric liquid crystals

All-Optical Directional Control of Emission in a Photonic Liquid Crystal Fiber Laser. *Lin, J.*, +, *JLT Sept. 15, 2020 5149-5156*

Chromium alloys

A Digital Twin Approach to Study Additive Manufacturing Processing Using Embedded Optical Fiber Sensors and Numerical Modeling. *Zou, R.*, +, *JLT Nov. 15, 2020 6402-6411*

Circuit optimization

Modeling and Optimization of Hybrid FinFET-Silicon Photonic Interconnects. *Pantano, N.*, +, *JLT Aug. 15, 2020 4325-4332*

Modeling and Optimization of Plasmonic Detectors for Beyond-CMOS Plasmonic Majority Logic Gates. *Noor, S.L.*, +, *JLT Sept. 15, 2020 5092-5099*

Circuit switching

A Dynamically-Reconfigurable Burst-Mode Link Using a Nanosecond Photonic Switch. *Forenchic, A.*, +, *JLT March 15, 2020 1330-1340*

PULSE: Optical Circuit Switched Data Center Architecture Operating at Nanosecond Timescales. *Benjamin, J.L.*, +, *JLT Sept. 15, 2020 4906-4921*

Clock and data recovery circuits

A Novel CDR-Based Low-Cost Time-Interleaved-ADC Timing Calibration. *Faig, H.*, +, *JLT April 1, 2020 1777-1784*

Experimental Demonstration of a Photonic Frame Based Packet-Switched Optical Network for Data Centers. *Ra, Y.*, +, *JLT March 15, 2020 1113-1124*

Low Thermal Sensitivity Hollow Core Fiber for Optically-Switched Data Centers. *Clark, K.A.*, +, *JLT May 1, 2020 2703-2709*

Clocks

A Clock-Gating-Based Energy-Efficient Scheme for ONUs in Real-Time IMDD OFDM-PONs. *Zhang, J.*, +, *JLT July 15, 2020 3573-3583*

Closed loop systems

High-Bandwidth Tracking Method of Resonant Frequency for Sensing Resonators. *Li, H.*, +, *JLT Feb. 15, 2020 898-904*

Cloud computing

AgileDCN: An Agile Reconfigurable Optical Data Center Network Architecture. *Le, D.D.*, +, *JLT Sept. 15, 2020 4922-4934*

Decentralized Coordination of Converged Tactile Internet and MEC Services in H-CRAN Fiber Wireless Networks. *Perez, G.O.*, +, *JLT Sept. 15, 2020 4935-4947*

End-to-End Quantum Secured Inter-Domain 5G Service Orchestration Over Dynamically Switched Flex-Grid Optical Networks Enabled by a q-ROADM. *Wang, R.*, +, *JLT Jan. 1, 2020 139-149*

CMOS digital integrated circuits

Single Sideband Transmission Employing a 1-to-4 ADC Frontend and Parallel Digitization. *Le, S.T.*, +, *JLT June 15, 2020 3125-3134*

CMOS integrated circuits

500-Gb/s/ λ Operation of Ultra-Low Power and Low-Temperature-Dependence InP-Based High-Bandwidth Coherent Driver Modulator. *Ozaki, J.*, +, *JLT Sept. 15, 2020 5086-5091*

A 112 Gb/s PAM4 Silicon Photonics Transmitter With Microring Modulator and CMOS Driver. *Li, H.*, +, *JLT Jan. 1, 2020 131-138*

A 4×4 Electrooptic Silicon Photonic Switch Fabric With Net Neutral Insertion Loss. *Dupuis, N.*, +, *JLT Jan. 15, 2020 178-184*

Adjoint Optimization of Efficient CMOS-Compatible Si-SiN Vertical Grating Couplers for DWDM Applications. *Hooten, S.*, +, *JLT July 1, 2020 3422-3430*

Chip-Scale Silicon Ring Resonators for Cryogenic Temperature Sensing. *You, M.*, +, *JLT Oct. 15, 2020 5768-5773*

Fully-Integrated Heterogeneous DML Transmitters for High-Performance Computing. *Liang, D.*, +, *JLT July 1, 2020 3322-3337*

Modeling and Optimization of Hybrid FinFET-Silicon Photonic Interconnects. *Pantano, N.*, +, *JLT Aug. 15, 2020 4325-4332*

Multi-Rate Low-Noise Optical Receiver Front-End. *Li, D.*, +, *JLT Sept. 15, 2020 4978-4986*

VLSI Implementations of Carrier Phase Recovery Algorithms for M-QAM Fiber-Optic Systems. *Borjeson, E.*, +, *JLT July 15, 2020 3616-3623*

CMOS logic circuits

Modeling and Optimization of Plasmonic Detectors for Beyond-CMOS Plasmonic Majority Logic Gates. *Noor, S.L.*, +, *JLT Sept. 15, 2020 5092-5099*

Coal

Monitoring and Characterization of Mining-Induced Overburden Deformation in Physical Modeling With Distributed Optical Fiber Sensing Technology. *Yuan, Q.*, +, *JLT Feb. 15, 2020 881-888*

Coatings

The Thermal Phase Sensitivity of Both Coated and Uncoated Standard and Hollow Core Fibers Down to Cryogenic Temperatures. *Zhu, W.*, +, *JLT April 15, 2020 2477-2484*

Coaxial cables

Microwave Device Inspired by Fiber-Optic Extrinsic Fabry-Perot Interferometer: A Novel Ultra-Sensitive Sensing Platform. *Zhu, C.*, +, *JLT Dec. 15, 2020 6961-6966*

Cognitive radio

Broadband Cognitive Radio Enabled by Photonics. *Zhu, D.*, +, *JLT June 15, 2020 3076-3088*

Coherent antiStokes Raman scattering

Dual-Frequency CARS Excitation Source With Two Independent-Tunable Stokes Wavelengths Using PM-PCF and Vector Adjustment. *Zhang, Y.*, +, *JLT April 15, 2020 2392-2399*

Comb filters

Multi-Wavelength Fiber Laser Based on Dual-Sagnac Comb Filter for LP₁₁ Modes Output. *Tang, M.*, +, *JLT July 15, 2020 3745-3750*

Switchable, Widely Tunable and Interval-Adjustable Multi-Wavelength Erbium-Doped Fiber Laser Based on Cascaded Filters. *Zhao, Q.*, +, *JLT April 15, 2020 2428-2433*

Compensation

Adaptive Design for 2D Optical Coding PON Link Health Detection System in Complex Environment. *Ge, Z.*, +, *JLT Dec. 1, 2020 6458-6464*

Compensation of Phase-Uncertainty-Induced Impairments in Dispersion-Tuned Swept Laser OCT using Digital Coherent Detection. *Shirahata, T.*, +, *JLT Dec. 1, 2020 6492-6498*

Experimental Demonstration of a Photonic Frame Based Packet-Switched Optical Network for Data Centers. *Ra, Y.*, +, *JLT March 15, 2020 1113-1124*

Multi-Node Optical Frequency Dissemination With Post Automatic Phase Correction. *Hu, L.*, +, *JLT July 15, 2020 3644-3651*

Power-Efficient Single-Sideband Transmission With Clipped Iterative SSBI Cancellation. *Le, S.T.*, +, *JLT Aug. 15, 2020 4359-4367*

Revisiting Efficient Multi-Step Nonlinearity Compensation With Machine Learning: An Experimental Demonstration. *Oliari, V.*, +, *JLT June 15, 2020 3114-3124*

Statistical Evaluation of PAM4 Data Center Interconnect System With Slope-Compensating Fiber Bragg Grating Tunable Dispersion Compensation Module. *Searcy, S.*, +, *JLT June 15, 2020 3173-3179*

WDM-Based Silicon Photonic Multi-Socket Interconnect Architecture With Automated Wavelength and Thermal Drift Compensation. *Zanetto, F.*, +, *JLT Nov. 1, 2020 6000-6006*

Compressed sensing

Sub-Nyquist Ultra-Wideband Sparse Signal Reception via Variable Frequency Comb. *Hu, H.*, +, *JLT Sept. 1, 2020 4625-4631*

Computational complexity

A Novel Algorithm for Improving the Spectrum Efficiency of Non-Orthogonal Multiband CAP UVLC Systems. *Wang, Z.*, +, *JLT Nov. 15, 2020 6187-6201*

Chirp-Filtering for Low-Complexity Chromatic Dispersion Compensation. *Felipe, A.*, +, *JLT June 1, 2020 2954-2960*

Full-Spectrum Periodic Nonlinear Fourier Transform Optical Communication Through Solving the Riemann-Hilbert Problem. *Kamalian-Kopae, M.*, +, *JLT July 15, 2020 3602-3615*

Low-Complexity Second-Order Volterra Equalizer for DML-Based IM/DD Transmission System. *Yu, Y.*, +, *JLT April 1, 2020 1735-1746*

On Virtual Network Reconfiguration in Hybrid Optical/Electrical Datacenter Networks. *Zhao, S.*, +, *JLT Dec. 1, 2020 6424-6436*

Performance-Complexity Tradeoffs of Concatenated FEC for Higher-Order Modulation. *Barakatain, M.*, +, *JLT June 1, 2020 2944-2953*

Phase and Frequency Recovery Algorithms for Probabilistically Shaped Transmission. *Barbosa, F.A.*, +, *JLT April 1, 2020 1827-1835*

Robust and Low-Complexity Principal Component-Based Phase Estimation Algorithm for Probabilistically Shaped Square-QAM Systems. *Wang, X.*, +, *JLT Nov. 15, 2020 6153-6162*

Computer centers

AgileDCN: An Agile Reconfigurable Optical Data Center Network Architecture. *Le, D.D.*, +, *JLT Sept. 15, 2020 4922-4934*

All-Analog Adaptive Equalizer for Coherent Data Center Interconnects. *Nambath, N.*, +, *JLT Nov. 1, 2020 5867-5874*

Amplifier-less transmission of beyond 100-Gbit/s/λ signal for 40-km DCI-Edge with 10G-class O-band DML. *Zou, D.*, +, *JLT Oct. 15, 2020 5649-5655*

Beyond 1 Tb/s Intra-Data Center Interconnect Technology: IM-DD OR Coherent?. *Zhou, X.*, +, *JLT Jan. 15, 2020 475-484*

Beyond 400 Gb/s Direct Detection Over 80 km for Data Center Interconnect Applications. *Le, S.T.*, +, *JLT Jan. 15, 2020 538-545*

DCI Field Trial Demonstrating 1.3-Tb/s Single-Channel and 50.8-Tb/s WDM Transmission Capacity. *Buchali, F.*, +, *JLT May 1, 2020 2710-2718*

Demonstration of SDN-Enabled Hybrid Polling Algorithm for Packet Contention Resolution in Optical Data Center Network. *Wang, F.*, +, *JLT June 15, 2020 3296-3304*

Dual MAC Based Hierarchical Optical Access Network for Hyperscale Data Centers. *Zheng, Y.*, +, *JLT April 1, 2020 1608-1617*

Enabling Technologies for Optical Data Center Networks: Spatial Division Multiplexing. *Zhang, L.*, +, *JLT Jan. 1, 2020 18-30*

Experimental Demonstration of a Photonic Frame Based Packet-Switched Optical Network for Data Centers. *Ra, Y.*, +, *JLT March 15, 2020 1113-1124*

Frequency-Stabilized Links for Coherent WDM Fiber Interconnects in the Datacenter. *Blumenthal, D.J.*, +, *JLT July 1, 2020 3376-3386*

Intra-Datacenter Interconnects With a Serialized Silicon Optical Frequency Comb Modulator. *Kong, D.*, +, *JLT Sept. 1, 2020 4677-4682*

IT and Multi-layer Online Resource Allocation and Offline Planning in Metropolitan Networks. *Garrich, M.*, +, *JLT June 15, 2020 3190-3199*

Low Thermal Sensitivity Hollow Core Fiber for Optically-Switched Data Centers. *Clark, K.A.*, +, *JLT May 1, 2020 2703-2709*

Low-Latency and High-Speed Hollow-Core Fiber Optical Interconnection at 2-Micron Waveband. *Shen, W.*, +, *JLT Aug. 1, 2020 3874-3882*

On Virtual Network Reconfiguration in Hybrid Optical/Electrical Datacenter Networks. *Zhao, S.*, +, *JLT Dec. 1, 2020 6424-6436*

P4-enabled Smart NIC: Enabling Sliceable and Service-Driven Optical Data Centres. *Yan, Y.*, +, *JLT May 1, 2020 2688-2694*

Parallel Modular Scheduler Design for Clos Switches in Optical Data Center Networks. *Andreades, P.*, +, *JLT July 1, 2020 3506-3518*

PULSE: Optical Circuit Switched Data Center Architecture Operating at Nanosecond Timescales. *Benjamin, J.L.*, +, *JLT Sept. 15, 2020 4906-4921*

RODOS: A Reconfigurable and Cost-Effective Architecture for High-Performance Optical Data Center Networks. *Xue, X.*, +, *JLT July 1, 2020 3485-3494*

SDN-Controlled and Orchestrated OPSquare DCN Enabling Automatic Network Slicing With Differentiated QoS Provisioning. *Xue, X.*, +, *JLT March 15, 2020 1103-1112*

Techno-Economic Impact of Filterless Data Plane and Agile Control Plane in the 5G Optical Metro. *Pavon-Marino, P.*, +, *JLT Aug. 1, 2020 3801-3814*

Ultra-High-Speed 2:1 Digital Selector and Plasmonic Modulator IM/DD Transmitter Operating at 222 GBaud for Intra-Datacenter Applications. *Heni, W.*, +, *JLT May 1, 2020 2734-2739*

Computer network management

Abstraction and Control of Multi-Domain Disaggregated Optical Networks With OpenROADM Device Models. *Casellas, R.*, +, *JLT May 1, 2020 2606-2615*

Computer network reliability

Latency-Aware Task Peer Offloading on Overloaded Server in Multi-Access Edge Computing System Interconnected by Metro Optical Networks. *Huang, S.*, +, *JLT Nov. 1, 2020 5949-5961*

Reliable Optical Networks With ODTN: Resiliency and Fail-Over in Data and Control Planes. *Campanella, A.*, +, *JLT May 15, 2020 2755-2764*

Computer network security

Enhancing the Physical Layer Security of OFDM-PONs With Hardware Fingerprint Authentication: A Machine Learning Approach. *Li, S.*, +, *JLT June 15, 2020 3238-3245*

Privacy-Preserving Multilayer In-Band Network Telemetry and Data Analytics: For Safety, Please do Not Report Plaintext Data. *Pan, X.*, +, *JLT Nov. 1, 2020 5855-5866*

Computer networks

Beyond 1 Tb/s Intra-Data Center Interconnect Technology: IM-DD OR Coherent?. *Zhou, X.*, +, *JLT Jan. 15, 2020 475-484*

DCI Field Trial Demonstrating 1.3-Tb/s Single-Channel and 50.8-Tb/s WDM Transmission Capacity. *Buchali, F.*, +, *JLT May 1, 2020 2710-2718*

Enabling Technologies for Optical Data Center Networks: Spatial Division Multiplexing. *Zhang, L.*, +, *JLT Jan. 1, 2020 18-30*

Low Thermal Sensitivity Hollow Core Fiber for Optically-Switched Data Centers. *Clark, K.A.*, +, *JLT May 1, 2020 2703-2709*

Parallel Modular Scheduler Design for Clos Switches in Optical Data Center Networks. *Andreades, P.*, +, *JLT July 1, 2020 3506-3518*

Concatenated codes

Performance-Complexity Tradeoffs of Concatenated FEC for Higher-Order Modulation. *Barakatain, M.*, +, *JLT June 1, 2020 2944-2953*

Unrepeated Transmission Over 670.64 km of 50G BPSK, 653.35 km of 100G PS-QPSK, 601.93 km of 200G 8QAM, and 502.13 km of 400G 64QAM. *Xu, J.*, +, *JLT Jan. 15, 2020 522-530*

Condition monitoring

Detection of Circular-Crested Lamb Waves Using Surface-Bonded Fiber-Optic Ultrasound Sensors: A Theoretical Perspective. *Liu, G.*, +, *JLT April 15, 2020 2555-2563*

Reconstruction of Distributed Strain Profile Using a Weighted Spectrum Decomposition Algorithm for Brillouin Scattering Based Fiber Optic Sensor. *Mei, Y.*, +, *JLT Nov. 15, 2020 6385-6392*

Single-Shot COTDR Using Sub-Chirped-Pulse Extraction Algorithm for Distributed Strain Sensing. *Xiong, J.*, +, *JLT April 1, 2020 2028-2036*

Conduction bands

Efficient Sub-Bandgap Photodetection via Two-Dimensional Electron Gas in ZnO Based Heterojunction. *Kaushik, V.*, +, *JLT Nov. 1, 2020 6031-6037*

Graphene on Silicon Modulators. *Sorianello, V.*, +, *JLT May 15, 2020 2782-2789*

Convolutional neural networks

Convolutional Neural Network Based Atmospheric Turbulence Compensation for Optical Orbital Angular Momentum Multiplexing. *Xiong, W.*, +, *JLT April 1, 2020 1712-1721*

Distributed Optical Fiber Sensing Intrusion Pattern Recognition Based on GAF and CNN. *Lyu, C.*, +, *JLT Aug. 1, 2020 4174-4182*

Enhancing the Physical Layer Security of OFDM-PONs With Hardware Fingerprint Authentication: A Machine Learning Approach. *Li, S.*, +, *JLT June 15, 2020 3238-3245*

Low Complexity OSNR Monitoring and Modulation Format Identification Based on Binarized Neural Networks. *Zhao, Y.*, +, *JLT March 15, 2020 1314-1322*

Performance Enhancement of Optical Comb Based Microwave Photonic Filter by Machine Learning Technique. *Shiu, R.*, +, *JLT Oct. 1, 2020 5302-5310*

Performance Investigation of OAMSK Modulated Wireless Optical System Over Turbulent Ocean Using Convolutional Neural Networks. *Wang, W.*, +, *JLT April 1, 2020 1753-1765*

Soft Failure Identification for Long-haul Optical Communication Systems Based on One-dimensional Convolutional Neural Network. *Lun, H.*, +, *JLT June 1, 2020 2992-2999*

Cooperative communication

A Novel Cooperative HARQ Protocol for Free-Space Optical Broadcasting Systems. *Hosseini, S.S.*, +, *JLT April 1, 2020 1789-1799*

Copper

Modeling and Optimization of Plasmonic Detectors for Beyond-CMOS Plasmonic Majority Logic Gates. *Noor, S.L.*, +, *JLT Sept. 15, 2020 5092-5099*

Correlation

2000 Serial FBG Sensors Interrogated With a Hybrid CDM-WDM Scheme. *Gotten, M.*, +, *JLT April 15, 2020 2493-2503*

Couplings

Ball Lens Embedded Through-Package Via To Enable Backside Coupling Between Silicon Photonics Interposer and Board-Level Interconnects. *Mangal, N.*, +, *JLT April 15, 2020 2360-2369*

Ultra-Broadband Mode Splitter Based on Phase Controlling of Bridged Sub-wavelength Grating. *Jiang, W.*, +, *JLT April 15, 2020 2414-2422*

Crosstalk

A Novel Virtual-Cluster Based Architecture of Double-Layer Optical Networks-on-Chip. *Su, Y.*, +, *JLT July 15, 2020 3553-3562*

Transient Crosstalk in Holographic Optical Switching Based on Wavefront Encoding. *Yang, H.*, +, *JLT April 1, 2020 1618-1624*

Crude oil

Behavior of Specialty Optical Fibers in Crude Oil Environment. *Stolov, A.A.*, +, *JLT July 15, 2020 3759-3768*

Cryogenics

Chip-Scale Silicon Ring Resonators for Cryogenic Temperature Sensing. *You, M.*, +, *JLT Oct. 15, 2020 5768-5773*

The Thermal Phase Sensitivity of Both Coated and Uncoated Standard and Hollow Core Fibers Down to Cryogenic Temperatures. *Zhu, W.*, +, *JLT April 15, 2020 2477-2484*

Cryptography

Chaotic Optical Communication Over 1000 km Transmission by Coherent Detection. *Yang, Z.*, +, *JLT Sept. 1, 2020 4648-4655*

Privacy-Preserving Multilayer In-Band Network Telemetry and Data Analytics: For Safety, Please do Not Report Plaintext Data. *Pan, X.*, +, *JLT Nov. 1, 2020 5855-5866*

Quantum Noise-Assisted Coherent Radio-Over-Fiber Cipher System for Secure Optical Fronthaul and Microwave Wireless Links. *Tanizawa, K.*, +, *JLT Aug. 15, 2020 4244-4249*

Curing

Polarization Dependence of Optical Properties of Single-Mode Polymer Optical Waveguides Fabricated Under Different Processes at 1310/1550 nm. *Morimoto, Y.*, +, *JLT July 15, 2020 3670-3676*

Current density

40 Gbps With Electrically Parallel Triple and Septuple 980 nm VCSEL Arrays. *Haghighi, N.*, +, *JLT July 1, 2020 3387-3394*

Origin of Defect Tolerance in InAs/GaAs Quantum Dot Lasers Grown on Silicon. *Liu, Z.*, +, *JLT Jan. 15, 2020 240-248*

Curvature measurement

Temperature-Independent Curvature Sensor Based on In-Fiber Mach-Zehnder Interferometer Using Hollow-Core Fiber. *Marrujo-Garcia, S.*, +, *JLT Aug. 1, 2020 4166-4173*

Curve fitting

On the 2D Post-Processing of Brillouin Optical Time-Domain Analysis. *Zaslowski, S.*, +, *JLT July 15, 2020 3723-3736*

CW radar

A Reconfigurable Architecture for Continuous Double-Sided Swept-Laser Linearization. *Yao, Z.*, +, *JLT Sept. 15, 2020 5170-5176*

Carrier-Suppressed Single Sideband Signal for FMCW LiDAR Using a Si Photonic-Crystal Optical Modulators. *Kamata, M.*, +, *JLT April 15, 2020 2315-2321*

Photonic-Assisted Leakage Cancellation for Wideband Frequency Modulation Continuous-Wave Radar Transceiver. *Li, P.*, +, *JLT March 15, 2020 1178-1183*

D**Dark conductivity**

High-Speed Mid-Infrared Interband Cascade Photodetector Based on InAs/GaAsSb Type-II Superlattice. *Chen, Y.*, +, *JLT Feb. 15, 2020 939-945*

Data acquisition

Fast Acquisition Tunable High-Resolution Photon-Counting OTDR. *Cal-liari, F.*, +, *JLT Aug. 15, 2020 4572-4579*

High-Speed FBG Interrogation With Electro-Optically Tunable Sagnac Loops. *Oton, C.J.*, +, *JLT Aug. 15, 2020 4513-4519*

Integrated Auxiliary Interferometer for Self-Correction of Nonlinear Tuning in Optical Frequency Domain Reflectometry. *Badar, M.*, +, *JLT Nov. 1, 2020 6097-6103*

Data analysis

Privacy-Preserving Multilayer In-Band Network Telemetry and Data Analytics: For Safety, Please do Not Report Plaintext Data. *Pan, X.*, +, *JLT Nov. 1, 2020 5855-5866*

Data centers

Guest Editorial: Special Issue on Optical Interconnects. *Gu, T.*, +, *JLT July 1, 2020 3319-3321*

Data communication

Clock and Data Recovery-Free Data Communications Enabled by Multi-Core Fiber With Low Thermal Sensitivity of Skew. *Sohanpal, R.S.*, +, *JLT April 1, 2020 1636-1643*

Data Transmission Based on Exact Inverse Periodic Nonlinear Fourier Transform, Part II: Waveform Design and Experiment. *Goossens, J.*, +, *JLT Dec. 1, 2020 6520-6528*

Data compression

Privacy-Preserving Multilayer In-Band Network Telemetry and Data Analytics: For Safety, Please do Not Report Plaintext Data. *Pan, X.*, +, *JLT Nov. 1, 2020 5855-5866*

Data privacy

Privacy-Preserving Multilayer In-Band Network Telemetry and Data Analytics: For Safety, Please do Not Report Plaintext Data. *Pan, X.*, +, *JLT Nov. 1, 2020 5855-5866*

Decision feedback equalizers

Adaptive Channel-Matched Detection for C-Band 64-Gbit/s Optical OOK System Over 100-km Dispersion-Uncompensated Link. *Wang, H.*, +, *JLT Sept. 15, 2020 5048-5055*

Compensation of Chromatic Dispersion and Nonlinear Phase Noise Using Iterative Soft Decision Feedback Equalizer for Coherent Optical FBMC/OQAM Systems. *Alaghbari, K.A.*, +, *JLT Aug. 1, 2020 3839-3849*

Digital Pre- and Post-Equalization for C-Band 112-Gb/s PAM4 Short-Reach Transport Systems. *Tang, X.*, +, *JLT Sept. 1, 2020 4683-4690*

Optics-Simplified DSP for 50 Gb/s PON Downstream Transmission using 10 Gb/s Optical Devices. *Xue, L.*, +, *JLT Feb. 1, 2020 583-589*

Optimization of Band-Limited DSP-Aided 25 and 50 Gb/s PON Using 10G-Class DML and APD. *Torres-Ferrera, P.*, +, *JLT Feb. 1, 2020 608-618*

Decision making

IT and Multi-layer Online Resource Allocation and Offline Planning in Metropolitan Networks. *Garrich, M.*, +, *JLT June 15, 2020 3190-3199*

Decoding

A Novel Baseband Faster-Than-Nyquist Non-Orthogonal FDM IM/DD System With Block Segmented Soft-Decision Decoder. *Hu, Z.*, +, *JLT Feb. 1, 2020 632-641*

A Novel Cooperative HARQ Protocol for Free-Space Optical Broadcasting Systems. *Hosseini, S.S.*, +, *JLT April 1, 2020 1789-1799*

Adaptive Coding and Modulation for Robust Optical Access Networks. *Chou, E.S.*, +, *JLT April 15, 2020 2242-2252*

Demonstration of Pattern Division Multiple Access With Message Passing Algorithm for Multi-Channel mmWave Uplinks via RoF Mobile Fronthaul. *Shen, S.*, +, *JLT Nov. 1, 2020 5908-5915*

High-Speed Post-Processing in Continuous-Variable Quantum Key Distribution Based on FPGA Implementation. *Yang, S.*, +, *JLT Aug. 1, 2020 3935-3941*

Huffman-Coded Sphere Shaping and Distribution Matching Algorithms via Lookup Tables. *Fehenberger, T.*, +, *JLT May 15, 2020 2826-2834*

LDPC-Coded Probabilistic Shaping PAM4 Based on Many-to-One Mapping in WDM-PON. *He, H.*, +, *JLT Aug. 1, 2020 3918-3925*

Performance Monitoring for Live Systems With Soft FEC and Multilevel Modulation. *Yoshida, T.*, +, *JLT June 1, 2020 2912-2921*

Performance-Complexity Tradeoffs of Concatenated FEC for Higher-Order Modulation. *Barakatain, M.*, +, *JLT June 1, 2020 2944-2953*

Post-FEC BER Benchmarking for Bit-Interleaved Coded Modulation With Probabilistic Shaping. *Yoshida, T.*, +, *JLT Aug. 15, 2020 4292-4306*

VLCnet: Deep Learning Based End-to-End Visible Light Communication System. *Ulkar, M.G.*, +, *JLT Nov. 1, 2020 5937-5948*

Defect states

Design of Wavelength-Adjustable Dual-Narrowband Absorber by Photonic Crystals With Two Defects Containing MoS₂ Monolayer. *Ansari, N.*, +, *JLT Dec. 1, 2020 6678-6684*

Deformation

Monitoring and Characterization of Mining-Induced Overburden Deformation in Physical Modeling With Distributed Optical Fiber Sensing Technology. *Yuan, Q.*, +, *JLT Feb. 15, 2020 881-888*

Delamination

Behavior of Specialty Optical Fibers in Crude Oil Environment. *Stolov, A.A.*, +, *JLT July 15, 2020 3759-3768*

Delay tolerant networks

Optical Wireless Communications Adopting Delay-Tolerant Repetition-Coding With Orthogonal-Filters and On-Demand Equalization. *Song, T.*, +, *JLT Aug. 15, 2020 4250-4259*

Delays

Compensation of Multicore Fiber Skew Effects for Radio Over Fiber mmWave Antenna Beamforming. *Nikas, T.*, +, *JLT April 1, 2020 1644-1650*

Distributed Characterization of Few-Mode Fibers Based on Optical Frequency Domain Reflectometry. *Veronese, R.*, +, *JLT Sept. 1, 2020 4843-4849*

Integrated Wavelength-Tuned Optical mm-Wave Beamformer With Doubled Delay Resolution. *Zhang, X.*, +, *JLT April 15, 2020 2353-2359*

Demodulation

A Clock-Gating-Based Energy-Efficient Scheme for ONUs in Real-Time IMDD OFDM-PONs. *Zhang, J.*, +, *JLT July 15, 2020 3573-3583*

A Novel Algorithm for Improving the Spectrum Efficiency of Non-Orthogonal Multiband CAP UVLC Systems. *Wang, Z.*, +, *JLT Nov. 15, 2020 6187-6201*

An Analog Photonic Down-Conversion Link With Simultaneous IMD3 Distortion Suppression and Dispersion-Induced Power Fading Compensation. *Li, Y.*, +, *JLT Aug. 1, 2020 3908-3917*

Discrete Model of Backscattering Drift in Fiber Optic Gyroscopes. *Morris, T.A.*, +, *JLT April 1, 2020 1981-1987*

Evaluating Phase Errors in Phase-Sensitive Optical Time-Domain Reflectometry Based on I/Q Demodulation. *Lu, X.*, +, *JLT Aug. 1, 2020 4133-4141*

Excess Relative-Intensity-Noise Reduction in a Fiber Optic Gyroscope Using a Faraday Rotator Mirror. *Zheng, Y.*, +, *JLT Dec. 15, 2020 6939-6947*

Fast Demodulation of Fiber Bragg Grating Wavelength From Low-Resolution Spectral Measurements Using Buneman Frequency Estimation. *Yang, Y.*, +, *JLT Sept. 15, 2020 5142-5148*

Inter-Cross De-Modulated Refractive Index and Temperature Sensor by an Etched Multi-Core Fiber of a MZI Structure. *Mumtaz, F.*, +, *JLT Dec. 15, 2020 6948-6953*

Microwave Device Inspired by Fiber-Optic Extrinsic Fabry-Perot Interferometer: A Novel Ultra-Sensitive Sensing Platform. *Zhu, C.*, +, *JLT Dec. 15, 2020 6961-6966*

Performance Investigation of OAMSK Modulated Wireless Optical System Over Turbulent Ocean Using Convolutional Neural Networks. *Wang, W.*, +, *JLT April 1, 2020 1753-1765*

Quasi-Distributed Vibration Sensing Based on Weak Reflectors and STFT Demodulation. *Leandro, D.*, +, *JLT Dec. 15, 2020 6954-6960*

Single-Shot COTDR Using Sub-Chirped-Pulse Extraction Algorithm for Distributed Strain Sensing. *Xiong, J.*, +, *JLT April 1, 2020 2028-2036*

Ultra-High Sensitive Quasi-Distributed Acoustic Sensor Based on Coherent OTDR and Cylindrical Transducer. *Li, H.*, +, *JLT Feb. 15, 2020 929-938*

Wideband Dual-Channel Photonic RF Repeater Based on Polarization Division Multiplexing Modulation and Polarization Control. *Shi, F.*, +, *JLT March 15, 2020 1275-1285*

Demodulators

Fast Demodulation of Fiber Bragg Grating Wavelength From Low-Resolution Spectral Measurements Using Buneman Frequency Estimation. *Yang, Y.*, +, *JLT Sept. 15, 2020 5142-5148*

Demultiplexing

Architecture and Devices for Silicon Photonic Switching in Wavelength, Polarization and Mode. *Zhang, Y.*, +, *JLT Jan. 15, 2020 215-225*

Blind Joint Polarization Demultiplexing and IQ Imbalance Compensation for M-QAM Coherent Optical Communications. *Lagha, M.K.*, +, *JLT Aug. 15, 2020 4213-4220*

Principle, Design, and Prototyping of Core Selective Switch Using Free-Space Optics for Spatial Channel Network. *Jinno, M.*, +, *JLT Sept. 15, 2020 4895-4905*

Robust Integrated Optical Unitary Converter Using Multiport Directional Couplers. *Tanomura, R.*, +, *JLT Jan. 1, 2020 60-66*

Ultra-Stable and Real-Time Demultiplexing System of Strong Fiber Bragg Grating Sensors Based on Low-Frequency Optoelectronic Oscillator. *Wang, W.*, +, *JLT Feb. 15, 2020 981-988*

Wavelength-Division Demultiplexing Enhanced by Silicon-Photonic Tunable Filters in Ultra-Wideband Optical-Path Networks. *Mori, Y.*, +, *JLT March 1, 2020 1002-1009*

Demultiplexing equipment

Optical Generation/Detection of Broadband Microwave Orbital Angular Momentum Modes. *Huang, J.*, +, *JLT March 15, 2020 1202-1209*

Polarization Diversified 16λ Demultiplexer Based on Silicon Wire Delayed Interferometers and Arrayed Waveguide Gratings. *Jeong, S.*, +, *JLT May 1, 2020 2680-2687*

Principle, Design, and Prototyping of Core Selective Switch Using Free-Space Optics for Spatial Channel Network. *Jinno, M.*, +, *JLT Sept. 15, 2020 4895-4905*

Robust Integrated Optical Unitary Converter Using Multiport Directional Couplers. *Tanomura, R.*, +, *JLT Jan. 1, 2020 60-66*

Detectors

2000 Serial FBG Sensors Interrogated With a Hybrid CDM-WDM Scheme. *Gotten, M.*, +, *JLT April 15, 2020 2493-2503*

Deterministic algorithms

Design Principles of Apodized Grating Couplers. *Zhao, Z.*, +, *JLT Aug. 15, 2020 4435-4446*

Dielectric losses

Frequency- and Time-Domain Modeling and Characterization of PN Phase Shifters in All-Silicon Carrier-Depletion Modulators. *Wang, J.*, +, *JLT Aug. 15, 2020 4462-4469*

Dielectric materials

Efficient Third Harmonic Generation by Doubly Enhanced Electric Dipole Resonance in Metal-Based Silicon Nanodisks. *Yao, J.*, +, *JLT Nov. 15, 2020 6312-6320*

Non-Equidistant Arrangement in All-Dielectric Quadrumers and Mirror-Symmetric One-Dimensional Photonic Crystals Hybridstructure for Self-Referenced Sensing Scheme. *Sun, P.*, +, *JLT Dec. 1, 2020 6671-6677*

Dielectric thin films

Silicon Oxycarbide Platform for Integrated Photonics. *Memon, F.A.*, +, *JLT Feb. 15, 2020 784-791*

Differential amplifiers

Analysis and Monolithic Implementation of Differential Transimpedance Amplifiers. *Andrade, H.*, +, *JLT Aug. 15, 2020 4409-4418*

Differential detection

Coherent Ultra-Dense WDM-PON Enabled by Complexity-Reduced Digital Transceivers. *Tabares, J.A.*, +, *JLT March 15, 2020 1305-1313*

Differential equations

Investigation of Mode Coupling in Graded Index Plastic Optical Fibers Using the Langevin Equation. *Savovic, S.*, +, *JLT Dec. 1, 2020 6644-6647*

Nonlinear Propagation in Optical Fibers With Gain Saturation and Gain Dispersion. *Dong, L.*, *JLT Dec. 15, 2020 6897-6904*

Differential phase shift keying

3D QAM-DPSK Optical Transmission Employing a Single Mach-Zehnder Modulator and Optical Direct Detection. *Park, H.J.*, +, *JLT Nov. 15, 2020 6247-6256*

Evaluating Phase Errors in Phase-Sensitive Optical Time-Domain Reflectometry Based on I/Q Demodulation. *Lu, X.*, +, *JLT Aug. 1, 2020 4133-4141*

On Performance Limits for Spectrally Efficient Optical Transmission Techniques in Short-Haul Metro/Access Links. *Foggi, T.*, *JLT Feb. 1, 2020* 661-667

Phase Preserving Amplitude Saturation Through Tone Synthesis Assisted Saturated Four-Wave Mixing. *Bottrill, K.R.H.*, +, *JLT April 1, 2020* 1817-1826

Differentiation

Computing Group Velocities and Group-Velocity Dispersions of Optical Fibers Through Automatic Differentiation of Explicit Forms of Propagation Constants. *Tsushima, Y.*, +, *JLT Nov. 1, 2020* 6047-6056

Differentiator-Based Photonic Instantaneous Frequency Measurement for Radar Warning Receiver. *Lin, T.*, +, *JLT Aug. 1, 2020* 3942-3949

Diffraction gratings

Adjoint Optimization of Efficient CMOS-Compatible Si-SiN Vertical Grating Couplers for DWDM Applications. *Hooten, S.*, +, *JLT July 1, 2020* 3422-3430

Back-Side-on-BOX Heterogeneously Integrated III-V-on-Silicon O-Band Distributed Feedback Lasers. *Thiessen, T.*, +, *JLT June 1, 2020* 3000-3006

Demonstration of Low-Threshold and Directly Modulated Grating-Assisted Microcylinder Surface-Emitting Lasers. *Ma, X.*, +, *JLT Sept. 1, 2020* 4772-4779

Design of Four-Channel Wavelength-Selectable In-Series DFB Laser Array With 100-GHz Spacing. *Sun, Z.*, +, *JLT April 15, 2020* 2299-2307

Design Principles of Apodized Grating Couplers. *Zhao, Z.*, +, *JLT Aug. 15, 2020* 4435-4446

Distributed Salinity Sensor With a Polyimide-Coated Photonic Crystal Fiber Based on Brillouin Dynamic Grating. *Zhang, H.*, +, *JLT Sept. 15, 2020* 5219-5224

Efficient Hybrid Integration of Long-Wavelength VCSELs on Silicon Photonic Circuits. *Ruan, Z.*, +, *JLT Sept. 15, 2020* 5100-5106

Experimental Demonstration of Directly Modulated DFB Lasers With Negative Chirp Over Wide Temperature Operation. *Liu, G.*, +, *JLT July 15, 2020* 3663-3669

Fabrication and Characterization of Femtosecond Laser Induced Microwave Frequency Photonic Fiber Grating. *Cheng, B.*, +, *JLT Oct. 1, 2020* 5286-5292

High Resolution and Ultra-Compact On-Chip Spectrometer Using Bidirectional Edge-Input Arrayed Waveguide Grating. *Zou, J.*, +, *JLT Aug. 15, 2020* 4447-4453

Importance of Internal Tensile Stress in Forming Low-Loss Fiber Draw-Tower Gratings. *Liu, S.*, +, *JLT April 1, 2020* 1900-1904

Liquid Crystal Based Rib Waveguide. *Tripathi, U.S.*, +, *JLT Aug. 1, 2020* 4045-4051

Membrane III-V/Si DFB Laser Using Uniform Grating and Width-Modulated Si Waveguide. *Aihara, T.*, +, *JLT June 1, 2020* 2961-2967

Mirror-Based Broadband Silicon-Photonics Vertical I/O With Coupling Efficiency Enhancement for Standard Single-Mode Fiber. *Noriki, A.*, +, *JLT June 15, 2020* 3147-3155

Mode Selective Conversion Enabled by the Long-Period Gratings Inscribed in Elliptical Core Few-Mode Fiber. *Liu, Z.*, +, *JLT March 15, 2020* 1536-1542

Multi-Shuttle Behavior Between Dissipative Solitons and Noise-Like Pulses in an All-Fiber Laser. *Cheng, X.*, +, *JLT April 15, 2020* 2471-2476

Optical Free-Form Couplers for High-density Integrated Photonics (OFF-CHIP): A Universal Optical Interface. *Yu, S.*, +, *JLT July 1, 2020* 3358-3365

Optical Generation/Detection of Broadband Microwave Orbital Angular Momentum Modes. *Huang, J.*, +, *JLT March 15, 2020* 1202-1209

Optimization of Refractive Index Sensitivity in Nanofilm-Coated Long-Period Fiber Gratings Near the Dispersion Turning Point. *Zou, F.*, +, *JLT Feb. 15, 2020* 889-897

Torsion, Refractive Index, and Temperature Sensors Based on An Improved Helical Long Period Fiber Grating. *Zhao, Y.*, +, *JLT April 15, 2020* 2504-2510

Two-Dimensional Apodized Grating Coupler for Polarization-Independent and Surface-Normal Optical Coupling. *Zhang, Z.*, +, *JLT Aug. 1, 2020* 4037-4044

Ultra-Compact Broadband 2×2 3 dB Power Splitter Using a Subwavelength-Grating-Assisted Asymmetric Directional Coupler. *Ye, C.*, +, *JLT April 15, 2020* 2370-2375

Ultra-Sharp Multimode Waveguide Bends With Dual Polarizations. *Wang, Y.*, +, *JLT Aug. 1, 2020* 3994-3999

Vertical-Fluid-Array-Induced Optical Microfiber Long-Period Grating (VIOLIN) Refractometer. *Ran, Y.*, +, *JLT April 15, 2020* 2434-2440

Digital filters

Hybrid SSB OFDM-Digital Filter Multiple Access PONs. *Jin, W.*, +, *JLT April 15, 2020* 2095-2105

Digital phase locked loops

Laser Phase Noise Tolerance of Uniform and Probabilistically Shaped QAM Signals for High Spectral Efficiency Systems. *Sasai, T.*, +, *JLT Jan. 15, 2020* 439-446

Space-Ground Coherent Optical Links: Ground Receiver Performance With Adaptive Optics and Digital Phase-Locked Loop. *Paillier, L.*, +, *JLT Oct. 15, 2020* 5716-5727

Digital signal processing

Editorial: JLT Special Issue on DSP in Next Generation Optical Access Networks. *van Veen, D.*, +, *JLT Feb. 1, 2020* 555-556

Digital signal processing chips

402.7-Tb/s MDM-WDM Transmission Over Weakly Coupled 10-Mode Fiber Using Rate-Adaptive PS-16QAM Signals. *Beppu, S.*, +, *JLT May 15, 2020* 2835-2841

800G DSP ASIC Design Using Probabilistic Shaping and Digital Sub-Carrier Multiplexing. *Sun, H.*, +, *JLT Sept. 1, 2020* 4744-4756

A Novel CDR-Based Low-Cost Time-Interleaved-ADC Timing Calibration. *Faig, H.*, +, *JLT April 1, 2020* 1777-1784

Complexity Reduction With a Simplified MIMO Volterra Filter for PDM-Twin-SSB PAM-4 Transmission. *Zhu, M.*, +, *JLT Feb. 15, 2020* 769-776

DSP for High-Speed Short-Reach IM/DD Systems Using PAM. *Wettlin, T.*, +, *JLT Dec. 15, 2020* 6771-6778

Efficient Real-Time Digital Subcarrier Cross-Connect (DSXC) Based on Distributed Arithmetic DSP Algorithm. *Xu, T.*, +, *JLT July 1, 2020* 3495-3505

Frequency-Stabilized Links for Coherent WDM Fiber Interconnects in the Datacenter. *Blumenthal, D.J.*, +, *JLT July 1, 2020* 3376-3386

Miniaturized Silicon Photonics Devices for Integrated Optical Signal Processors. *Teng, M.*, +, *JLT Jan. 1, 2020* 6-17

Performance Analysis of Phase Noise Cancellation by Asymmetric CMA for Realizing Affordable Coherent PON Transceivers. *Kim, S.*, +, *JLT April 15, 2020* 2231-2241

Performance Optimization of High Speed DACs Using DSP. *Yoffe, Y.*, +, *JLT June 15, 2020* 3096-3105

Digital signatures

Privacy-Preserving Multilayer In-Band Network Telemetry and Data Analytics: For Safety, Please do Not Report Plaintext Data. *Pan, X.*, +, *JLT Nov. 1, 2020* 5855-5866

Digital-analog conversion

120 GBaud PAM-4/PAM-6 Generation and Detection by Photonic Aided Digital-to-Analog Converter and Linear Equalization. *Xin, H.*, +, *JLT April 15, 2020* 2226-2230

Comparison of Geometrically Shaped 32-QAM and Probabilistically Shaped 32-QAM in a Bandwidth-Limited IM-DD System. *Ding, J.*, +, *JLT Aug. 15, 2020* 4352-4358

Digital Resolution Enhancer Employing Clipping for High-Speed Optical Transmission. *van den Hout, M.*, +, *JLT June 1, 2020* 2897-2904

Frequency Dependent ENOB Requirements for 400G/600G/800G Optical Links. *Varughese, S.*, +, *JLT Sept. 15, 2020* 5008-5016

Iterative Algorithm for Electronic Dispersion Compensation in IM/DD Systems. *Karar, A.S.*, *JLT Feb. 15, 2020* 698-704

Performance Model and Design Rules for Optical Systems Employing Low-Resolution DAC/ADC. *Almonacil, S.*, +, *JLT June 1, 2020* 3007-3014

Performance Optimization of High Speed DACs Using DSP. *Yoffe, Y.*, +, *JLT June 15, 2020* 3096-3105

Directed graphs

Graph Representations for Programmable Photonic Circuits. *Chen, X.*, +, *JLT Aug. 1, 2020 4009-4018*

Directional couplers

Robust Integrated Optical Unitary Converter Using Multiport Directional Couplers. *Tanomura, R.*, +, *JLT Jan. 1, 2020 60-66*

Ultra-Broadband Mode Splitter Based on Phase Controlling of Bridged Sub-wavelength Grating. *Jiang, W.*, +, *JLT April 15, 2020 2414-2422*

Ultra-Compact Broadband 2×2 3 dB Power Splitter Using a Subwavelength-Grating-Assisted Asymmetric Directional Coupler. *Ye, C.*, +, *JLT April 15, 2020 2370-2375*

Disasters

Emergency OPM Recreation and Telemetry for Disaster Recovery in Optical Networks. *Xu, S.*, +, *JLT May 1, 2020 2656-2668*

Discrete cosine transforms

Comparison of Different Precoding Techniques for Unbalanced Impairments Compensation in Short-Reach DMT Transmission Systems. *Chen, M.*, +, *JLT Nov. 15, 2020 6202-6213*

Discrete Fourier transforms

A Novel Baseband Faster-Than-Nyquist Non-Orthogonal FDM IM/DD System With Block Segmented Soft-Decision Decoder. *Hu, Z.*, +, *JLT Feb. 1, 2020 632-641*

Amplifier-less transmission of beyond 100-Gbit/s/ λ signal for 40-km DCI-Edge with 10G-class O-band DML. *Zou, D.*, +, *JLT Oct. 15, 2020 5649-5655*

Comparison of Different Precoding Techniques for Unbalanced Impairments Compensation in Short-Reach DMT Transmission Systems. *Chen, M.*, +, *JLT Nov. 15, 2020 6202-6213*

Comparison of Geometrically Shaped 32-QAM and Probabilistically Shaped 32-QAM in a Bandwidth-Limited IM-DD System. *Ding, J.*, +, *JLT Aug. 15, 2020 4352-4358*

DFT Spread Spectrally Efficient Frequency Division Multiplexing for IM-DD Transmission in C-Band. *Li, Z.*, +, *JLT July 1, 2020 3526-3532*

DFT-Spread DMT-WDM-PON Employing LDPC-Coded Probabilistic Shaping 16 QAM. *Xiao, Q.*, +, *JLT Feb. 15, 2020 714-722*

Dual-Drive Mach-Zehnder Modulator-Based Single Side-Band Modulation Direct Detection System Without Signal-to-Signal Beating Interference. *Wang, W.*, +, *JLT Aug. 15, 2020 4341-4351*

Sub-Nyquist Ultra-Wideband Sparse Signal Reception via Variable Frequency Comb. *Hu, H.*, +, *JLT Sept. 1, 2020 4625-4631*

Discrete Hartley transforms

Comparison of Different Precoding Techniques for Unbalanced Impairments Compensation in Short-Reach DMT Transmission Systems. *Chen, M.*, +, *JLT Nov. 15, 2020 6202-6213*

Discrete time filters

Chirp-Filtering for Low-Complexity Chromatic Dispersion Compensation. *Felipe, A.*, +, *JLT June 1, 2020 2954-2960*

Dislocation density

Origin of Defect Tolerance in InAs/GaAs Quantum Dot Lasers Grown on Silicon. *Liu, Z.*, +, *JLT Jan. 15, 2020 240-248*

Theoretical Study on the Effects of Dislocations in Monolithic III-V Lasers on Silicon. *Hantschmann, C.*, +, *JLT Sept. 1, 2020 4801-4807*

Dispersive media

Optical Signal Phase Reconstruction Based on Temporal Transport-of-Intensity Equation. *Matsumoto, M.*, *JLT Sept. 1, 2020 4722-4729*

Displacement measurement

Period-One Microwave Photonic Sensing by a Laser Diode With Optical Feedback. *Nie, B.*, +, *JLT Oct. 1, 2020 5423-5429*

Sensing Enhancement at an Exceptional Point in a Nonreciprocal Fiber Ring Cavity. *Wang, H.*, +, *JLT April 15, 2020 2511-2515*

Twist Induced Mode Confinement in Partially Open Ring of Holes. *Napierkowski, M.*, +, *JLT March 15, 2020 1372-1381*

Dissolving

Behavior of Specialty Optical Fibers in Crude Oil Environment. *Stolov, A.A.*, +, *JLT July 15, 2020 3759-3768*

Distortion

A Direct Learning Approach for Neural Network Based Pre-Distortion for Coherent Nonlinear Optical Transmitter. *Paryanti, G.*, +, *JLT Aug. 1, 2020 3883-3896*

Distributed antenna systems

MIMO-Supporting Radio-Over-Fiber System and its Application in mmWave-Based Indoor 5G Mobile Network. *Kim, J.*, +, *JLT Jan. 1, 2020 101-111*

Distributed arithmetic

Efficient Real-Time Digital Subcarrier Cross-Connect (DSXC) Based on Distributed Arithmetic DSP Algorithm. *Xu, T.*, +, *JLT July 1, 2020 3495-3505*

Distributed Bragg reflector lasers

Effect of Optical Feedback on the Wavelength Tuning in DBR Lasers. *Hap-pach, M.*, +, *JLT Sept. 1, 2020 4824-4833*

Distributed Bragg reflectors

Effect of Optical Feedback on the Wavelength Tuning in DBR Lasers. *Hap-pach, M.*, +, *JLT Sept. 1, 2020 4824-4833*

Distributed feedback lasers

100-Gbit/s/ λ EML Transmitter and PIN-PD+TIA Receiver-Based Inter-Data Center Link. *Lin, Y.*, +, *JLT April 15, 2020 2144-2151*

50-GHz Repetition Gain Switching Using a Cavity-Enhanced DFB Laser Assisted by Optical Injection Locking. *Liu, Z.*, +, *JLT April 1, 2020 1844-1850*

A Bidirectional FSO Communication Employing Phase Modulation Scheme and Remotely Injection-Locked DFB LD. *Huang, X.*, +, *JLT Nov. 1, 2020 5883-5892*

Back-Side-on-BOX Heterogeneously Integrated III-V-on-Silicon O-Band Distributed Feedback Lasers. *Thiessen, T.*, +, *JLT June 1, 2020 3000-3006*

Coherent Ultra-Dense WDM-PON Enabled by Complexity-Reduced Digital Transceivers. *Tabares, J.A.*, +, *JLT March 15, 2020 1305-1313*

Design of Four-Channel Wavelength-Selectable In-Series DFB Laser Array With 100-GHz Spacing. *Sun, Z.*, +, *JLT April 15, 2020 2299-2307*

Experimental Demonstration of Directly Modulated DFB Lasers With Negative Chirp Over Wide Temperature Operation. *Liu, G.*, +, *JLT July 15, 2020 3663-3669*

Experimental Demonstration of Single Sideband Modulation Utilizing Monolithic Integrated Injection Locked DFB Laser. *Zhang, Y.*, +, *JLT April 1, 2020 1809-1816*

Flip-Chip Integration of InP to SiN Photonic Integrated Circuits. *Theurer, M.*, +, *JLT May 1, 2020 2630-2636*

High Power and High Speed SOA Assisted Extended Reach EADFB Laser (AXEL) for 53-Gbaud PAM4 Fiber-Amplifier-Less 60-km Optical Link. *Shindo, T.*, +, *JLT June 1, 2020 2984-2991*

High Single-Mode Stability Tunable In-Series Laser Array With High Wavelength-spacing Uniformity. *Sun, Z.*, +, *JLT Nov. 1, 2020 6038-6046*

High-Speed Coherent Optical Communication With Isolator-Free Heterogeneous Si/III-V Lasers. *Zhang, Z.*, +, *JLT Dec. 1, 2020 6584-6590*

Membrane III-V/Si DFB Laser Using Uniform Grating and Width-Modulated Si Waveguide. *Aihara, T.*, +, *JLT June 1, 2020 2961-2967*

Microcomb Source Based on InP DFB / Si₃N₄ Microring Butt-Coupling. *Boust, S.*, +, *JLT Oct. 1, 2020 5517-5525*

Modulation of a High Power Semiconductor Optical Amplifier for Free Space Communications. *Pham, C.*, +, *JLT April 1, 2020 1836-1843*

Reconfigurable Identical and Complementary Chirp Dual-LFM Signal Generation Subjected to Dual-Beam Injection in a DFB Laser. *Chen, H.*, +, *JLT Oct. 1, 2020 5500-5508*

Silica Hollow-Core Negative Curvature Fibers Enable Ultrasensitive Mid-Infrared Absorption Spectroscopy. *Yao, C.*, +, *JLT April 1, 2020 2067-2072*

Tunable and Switchable Multi-Wavelength Erbium-Brillouin Random Fiber Laser Incorporating a Highly Nonlinear Fiber. *Wang, F.*, +, *JLT Aug. 1, 2020 4093-4099*

Distributed sensors

50 km-Range Brillouin Optical Correlation Domain Analysis With First-Order Backward Distributed Raman Amplification. *Ryu, G.*, +, *JLT Sept. 15, 2020 5199-5204*

- A Digital Twin Approach to Study Additive Manufacturing Processing Using Embedded Optical Fiber Sensors and Numerical Modeling. *Zou, R.*, +, *JLT Nov. 15, 2020 6402-6411*
- Bipolar-Coding Φ -OTDR with Interference Fading Elimination and Frequency Drift Compensation. *Wu, Y.*, +, *JLT Nov. 1, 2020 6121-6128*
- Detection-Localization-Identification of Vibrations Over Long Distance SSMF With Coherent $\Delta\phi$ -OTDR. *Awad, E.*, +, *JLT June 15, 2020 3089-3095*
- Distributed Characterization of Few-Mode Fibers Based on Optical Frequency Domain Reflectometry. *Veronese, R.*, +, *JLT Sept. 1, 2020 4843-4849*
- Distributed Optical Fiber Low-Frequency Vibration Detecting Using Cross-Correlation Spectrum Analysis. *Wang, D.*, +, *JLT Dec. 1, 2020 6664-6670*
- Distributed Salinity Sensor With a Polyimide-Coated Photonic Crystal Fiber Based on Brillouin Dynamic Grating. *Zhang, H.*, +, *JLT Sept. 15, 2020 5219-5224*
- Enhancing SNR by Anisotropic Diffusion for Brillouin Distributed Optical Fiber Sensors. *Luo, K.*, +, *JLT Oct. 15, 2020 5844-5852*
- Evaluating Phase Errors in Phase-Sensitive Optical Time-Domain Reflectometry Based on I/Q Demodulation. *Lu, X.*, +, *JLT Aug. 1, 2020 4133-4141*
- Fabrication of Chirped Fiber Bragg Gratings in a Non-Uniform Single-Core As_2Se_3 -PMMA Tapered Fiber. *Gao, S.*, +, *JLT Aug. 1, 2020 4108-4113*
- Fast Brillouin Optical Time-Domain Reflectometry Based on the Frequency-Agile Technique. *Wang, B.*, +, *JLT Feb. 15, 2020 946-952*
- Frequency Response Enhancement of Phase-Sensitive OTDR for Interrogating Weak Reflector Array by Using OFDM and Vernier Effect. *Wu, M.*, +, *JLT Sept. 1, 2020 4874-4882*
- Gain Spectrum Engineering in Slope-Assisted Dynamic Brillouin Optical Time-Domain Analysis. *Feng, C.*, +, *JLT Dec. 15, 2020 6967-6975*
- High Sensitivity Distributed Static Strain Sensing Based on Differential Relative Phase in Optical Frequency Domain Reflectometry. *Wang, C.*, +, *JLT Oct. 15, 2020 5825-5836*
- Integrated Auxiliary Interferometer for Self-Correction of Nonlinear Tuning in Optical Frequency Domain Reflectometry. *Badar, M.*, +, *JLT Nov. 1, 2020 6097-6103*
- Monitoring and Characterization of Mining-Induced Overburden Deformation in Physical Modeling With Distributed Optical Fiber Sensing Technology. *Yuan, Q.*, +, *JLT Feb. 15, 2020 881-888*
- Numerical Modeling of Fcy OTDR Sensing Using a Refractive Index Perturbation Approach. *Lu, X.*, +, *JLT Feb. 15, 2020 974-980*
- Quasi-Distributed Vibration Sensing Based on Weak Reflectors and STFT Demodulation. *Leandro, D.*, +, *JLT Dec. 15, 2020 6954-6960*
- Reconstruction of Distributed Strain Profile Using a Weighted Spectrum Decomposition Algorithm for Brillouin Scattering Based Fiber Optic Sensor. *Mei, Y.*, +, *JLT Nov. 15, 2020 6385-6392*
- Single-Shot COTDR Using Sub-Chirped-Pulse Extraction Algorithm for Distributed Strain Sensing. *Xiong, J.*, +, *JLT April 1, 2020 2028-2036*
- Truly Distributed and Ultra-Fast Microwave Photonic Fiber-Optic Sensor. *Zhou, D.*, +, *JLT Aug. 1, 2020 4150-4159*
- Ultra-High Sensitive Quasi-Distributed Acoustic Sensor Based on Coherent OTDR and Cylindrical Transducer. *Li, H.*, +, *JLT Feb. 15, 2020 929-938*
- Diversity reception**
- Assessment of a Polarization-Independent DSP-Free Coherent Receiver for Intensity-Modulated Signals. *Ciaramella, E.*, *JLT Feb. 1, 2020 676-683*
- Distributed Antenna System Using Sigma-Delta Intermediate-Frequency-Over-Fiber for Frequency Bands Above 24 GHz. *Wu, C.*, +, *JLT May 15, 2020 2765-2773*
- Optical Wireless Communications Adopting Delay-Tolerant Repetition-Coding With Orthogonal-Filters and On-Demand Equalization. *Song, T.*, +, *JLT Aug. 15, 2020 4250-4259*
- Unified Performance Analysis of Hybrid FSO/RF System With Diversity Combining. *Huang, L.*, +, *JLT Dec. 15, 2020 6788-6800*
- DNA**
- Experimental Demonstration of DNA Hybridization Using Graphene Based Plasmonic Sensor Chip. *Maurya, J.B.*, +, *JLT Sept. 15, 2020 5191-5198*
- Doping**
- High Band Rate All-Silicon Photonics Carrier Depletion Modulators. *Zhou, J.*, +, *JLT Jan. 15, 2020 272-281*
- Ionizing Radiation Effect upon Er/Yb Co-Doped Fibre Made by In-Situ Nano Solution Doping. *Fan, D.*, +, *JLT Nov. 15, 2020 6334-6344*
- Modeling and Characterization of Cladding-Pumped Erbium-Ytterbium Co-Doped Fibers for Amplification in Communication Systems. *Matte-Breton, C.*, +, *JLT April 1, 2020 1936-1944*
- Doping profiles**
- Design of a Multi-Wavelength Fiber Laser Based on Tm:Er:Yb:Ho Co-Doped Germanate Glass. *Falconi, M.C.*, +, *JLT April 15, 2020 2406-2413*
- Efficient Mid-Infrared Germanium Variable Optical Attenuator Fabricated by Spin-on-Glass Doping. *Zhao, Z.*, +, *JLT Sept. 1, 2020 4808-4816*
- Frequency- and Time-Domain Modeling and Characterization of PN Phase Shifters in All-Silicon Carrier-Depletion Modulators. *Wang, J.*, +, *JLT Aug. 15, 2020 4462-4469*
- Doppler effect**
- Quasi-Distributed Vibration Sensing Based on Weak Reflectors and STFT Demodulation. *Leandro, D.*, +, *JLT Dec. 15, 2020 6954-6960*
- Doppler radar**
- Polarization Manipulated Fourier Domain Mode-Locked Optoelectronic Oscillator. *Zhu, S.*, +, *JLT Oct. 1, 2020 5270-5277*
- Drawing (mechanical)**
- The Influence of the MCVD Process Parameters on the Optical Properties of Bismuth-Doped Phosphosilicate Fibers. *Khegai, A.*, +, *JLT Nov. 1, 2020 6114-6120*
- Driver circuits**
- 240 Gbit/s Silicon Photonic Mach-Zehnder Modulator Enabled by Two 2.3-Vpp Drivers. *Jacques, M.*, +, *JLT June 1, 2020 2877-2885*
- 500-Gb/s/ λ Operation of Ultra-Low Power and Low-Temperature-Dependence InP-Based High-Bandwidth Coherent Driver Modulator. *Ozaki, J.*, +, *JLT Sept. 15, 2020 5086-5091*
- 80-GHz Bandwidth and 1.5-V V_{π} InP-Based IQ Modulator. *Ogiso, Y.*, +, *JLT Jan. 15, 2020 249-255*
- A 112 Gb/s PAM4 Silicon Photonics Transmitter With Microring Modulator and CMOS Driver. *Li, H.*, +, *JLT Jan. 1, 2020 131-138*
- A 4 \times 4 Electrooptic Silicon Photonic Switch Fabric With Net Neutral Insertion Loss. *Dupuis, N.*, +, *JLT Jan. 15, 2020 178-184*
- Fully-Integrated Heterogeneous DML Transmitters for High-Performance Computing. *Liang, D.*, +, *JLT July 1, 2020 3322-3337*
- Dyes**
- All-Optical and Polarization-Independent Tunable Guided-Mode Resonance Filter Based on a Dye-Doped Liquid Crystal Incorporated With Photonic Crystal Nanostructure. *Lin, T.*, +, *JLT Feb. 15, 2020 820-826*
- All-Optical Directional Control of Emission in a Photonic Liquid Crystal Fiber Laser. *Lin, J.*, +, *JLT Sept. 15, 2020 5149-5156*
- Multi-Parameter Optical Fiber Sensing of Gaseous Ammonia and Carbon Dioxide. *Liu, L.*, +, *JLT April 1, 2020 2037-2045*
- Polymer-Coated Hollow Fiber Optofluidic Laser for Refractive Index Sensing. *Zhao, X.*, +, *JLT March 15, 2020 1550-1556*
- Dynamic programming**
- On Virtual Network Reconfiguration in Hybrid Optical/Electrical Datacenter Networks. *Zhao, S.*, +, *JLT Dec. 1, 2020 6424-6436*
- Dysprosium**
- Novel Near-infrared Pump Wavelengths for Dysprosium Fiber Lasers. *Amin, M.Z.*, +, *JLT Oct. 15, 2020 5801-5808*
- E**
- Eigenvalues and eigenfunctions**
- Computing Group Velocities and Group-Velocity Dispersions of Optical Fibers Through Automatic Differentiation of Explicit Forms of Propagation Constants. *Tsushima, Y.*, +, *JLT Nov. 1, 2020 6047-6056*
- Experimental Demonstration of Nonlinear Frequency Division Multiplexing Transmission With Neural Network Receiver. *Gaiarin, S.*, +, *JLT Dec. 1, 2020 6465-6473*
- Improving Soliton Transmission Systems Through Soliton Interactions. *Zhou, G.*, +, *JLT July 15, 2020 3563-3572*

- Nonlinear Spectrum of Conventional OFDM and WDM Return-to-Zero Signals in Nonlinear Channel. *Turitsyn, S.*, +, *JLT Jan. 15, 2020 352-358*
- Sensing Enhancement at an Exceptional Point in a Nonreciprocal Fiber Ring Cavity. *Wang, H.*, +, *JLT April 15, 2020 2511-2515*
- Successive Eigenvalue Removal for Multi-Soliton Spectral Amplitude Estimation. *Span, A.*, +, *JLT Sept. 1, 2020 4708-4714*
- Electric connectors**
- Investigation Into the Influence of High-Power Optical Transmission on Fiber Withdrawal From Optical Connector. *Fukai, C.*, +, *JLT Sept. 15, 2020 5128-5135*
- Electric current measurement**
- DC-Biased Optofluidic Biolaser for Uric Acid Detection. *Wang, Y.*, +, *JLT March 15, 2020 1557-1563*
- Electric fields**
- Corrections to "Modeling Temperature Dependent Avalanche Characteristics of InP". *Petticrew, J.D.*, +, *JLT Aug. 1, 2020 4183*
- Electrical engineering computing**
- Adaptability and Anti-Noise Capacity Enhancement for ϕ -OTDR With Deep Learning. *Wang, P.*, +, *JLT Dec. 1, 2020 6699-6706*
- Electro-optical devices**
- Coherent Dual-Band Radar-Over-Fiber Network With VCSEL-Based Signal Distribution. *Malacarne, A.*, +, *JLT Nov. 15, 2020 6257-6264*
- Efficient Dual-Polarized Electro-Optically Tunable Microresonators by Utilization of Ultra-Thin Transparent Electrode. *Wang, T.*, +, *JLT Dec. 15, 2020 6863-6869*
- On-Chip Optical Microresonators With High Electro-Optic Tuning Efficiency. *Wang, T.*, +, *JLT April 1, 2020 1851-1857*
- Oscilloscopic Capture of Greater-Than-100 GHz, Ultra-Low Power Optical Waveforms Enabled by Integrated Electrooptic Devices. *Wang, X.*, +, *JLT Jan. 1, 2020 166-173*
- Electro-optical effects**
- Design of Efficient Resonator-Enhanced Electro-Optic Frequency Comb Generators. *Buscaino, B.*, +, *JLT March 15, 2020 1400-1413*
- Efficient Dual-Polarized Electro-Optically Tunable Microresonators by Utilization of Ultra-Thin Transparent Electrode. *Wang, T.*, +, *JLT Dec. 15, 2020 6863-6869*
- Efficient Sub-Bandgap Photodetection via Two-Dimensional Electron Gas in ZnO Based Heterojunction. *Kaushik, V.*, +, *JLT Nov. 1, 2020 6031-6037*
- Electro-Optic Tuning of a Monolithically Integrated Widely Tuneable InP Laser With Free-Running and Stabilized Operation. *Andreou, S.*, +, *JLT April 1, 2020 1887-1894*
- On-Chip Optical Microresonators With High Electro-Optic Tuning Efficiency. *Wang, T.*, +, *JLT April 1, 2020 1851-1857*
- Oscilloscopic Capture of Greater-Than-100 GHz, Ultra-Low Power Optical Waveforms Enabled by Integrated Electrooptic Devices. *Wang, X.*, +, *JLT Jan. 1, 2020 166-173*
- Theory of Coupled Harmonics and Its Application to Resonant and Non-Resonant Electro-Optic Modulators. *Bahadori, M.*, +, *JLT Oct. 15, 2020 5756-5767*
- Electro-optical filters**
- Liquid Crystal Based Rib Waveguide. *Tripathi, U.S.*, +, *JLT Aug. 1, 2020 4045-4051*
- Electro-optical modulation**
- 100-Gbit/s/ λ EML Transmitter and PIN-PD+TIA Receiver-Based Inter-Data Center Link. *Lin, Y.*, +, *JLT April 15, 2020 2144-2151*
- 107 Gb/s Ultra-High Speed, Surface-Normal Electroabsorption Modulator Devices. *Grillanda, S.*, +, *JLT Feb. 15, 2020 804-810*
- 240 Gbit/s Silicon Photonic Mach-Zehnder Modulator Enabled by Two 2.3-Vpp Drivers. *Jacques, M.*, +, *JLT June 1, 2020 2877-2885*
- 80-GHz Bandwidth and 1.5-V V_{π} InP-Based IQ Modulator. *Ogiso, Y.*, +, *JLT Jan. 15, 2020 249-255*
- A Compact Integrated LAN-WDM EML TOSA Employing Stripline With an Aperture in the FPC. *Ohata, N.*, +, *JLT June 15, 2020 3246-3251*
- A Lateral MOS-Capacitor-Enabled ITO Mach-Zehnder Modulator for Beam Steering. *Amin, R.*, +, *JLT Jan. 15, 2020 282-290*
- A Photonic-Based Wideband RF Self-Interference Cancellation Approach With Fiber Dispersion Immunity. *Chen, Y.*, *JLT Sept. 1, 2020 4618-4624*
- All-Optical Frequency Processor for Networking Applications. *Lukens, J.M.*, +, *JLT April 1, 2020 1678-1687*
- Characterization of Ultra-Narrow Linewidth Lasers for Phase-Sensitive Coherent Reflectometry Using EOM Facilitated Heterodyning. *Nikitin, S.*, +, *JLT March 15, 2020 1446-1453*
- Coherent Ultra-Dense WDM-PON Enabled by Complexity-Reduced Digital Transceivers. *Tabares, J.A.*, +, *JLT March 15, 2020 1305-1313*
- Common-Path Dual-Comb Spectroscopy Using a Single Electro-Optic Modulator. *Soriano-Amat, M.*, +, *JLT Sept. 15, 2020 5107-5115*
- Design of Efficient Resonator-Enhanced Electro-Optic Frequency Comb Generators. *Buscaino, B.*, +, *JLT March 15, 2020 1400-1413*
- Differential Drive I/Q Modulator Based on Silicon Photonic Electro-Absorption Modulators. *Melikyan, A.*, +, *JLT June 1, 2020 2872-2876*
- Dual-Drive Mach-Zehnder Modulator-Based Single Side-Band Modulation Direct Detection System Without Signal-to-Signal Beating Interference. *Wang, W.*, +, *JLT Aug. 15, 2020 4341-4351*
- Experimental Demonstration of Directly Modulated DFB Lasers With Negative Chirp Over Wide Temperature Operation. *Liu, G.*, +, *JLT July 15, 2020 3663-3669*
- Graphene on Silicon Modulators. *Sorianello, V.*, +, *JLT May 15, 2020 2782-2789*
- High Baud Rate All-Silicon Photonics Carrier Depletion Modulators. *Zhou, J.*, +, *JLT Jan. 15, 2020 272-281*
- High Power and High Speed SOA Assisted Extended Reach EADFB Laser (AXEL) for 53-Gbaud PAM4 Fiber-Amplifier-Less 60-km Optical Link. *Shindo, T.*, +, *JLT June 1, 2020 2984-2991*
- High-Linearity Fano Resonance Modulator Using a Microring-Assisted Mach-Zehnder Structure. *Chen, S.*, +, *JLT July 1, 2020 3395-3403*
- High-Speed FBG Interrogation With Electro-Optically Tunable Sagnac Loops. *Oton, C.J.*, +, *JLT Aug. 15, 2020 4513-4519*
- High-Speed Plasmonic-Silicon Modulator Driven by Epsilon-Near-zero Conductive Oxide. *Zhou, B.*, +, *JLT July 1, 2020 3338-3345*
- Hybrid Fiber-Optic Radio Frequency and Optical Frequency Dissemination With a Single Optical Actuator and Dual-Optical Phase Stabilization. *Tian, X.*, +, *JLT Aug. 15, 2020 4270-4278*
- Improved RF Interference Suppression Method. *Ackerman, E.I.*, +, *JLT Oct. 1, 2020 5546-5550*
- Low Voltage, High Optical Power Handling Capable, Bulk Compound Semiconductor Electro-Optic Modulators at 1550 nm. *Bhasker, P.*, +, *JLT April 15, 2020 2308-2314*
- Low-Power (1.5 pJ/b) Silicon Integrated 106 Gb/s PAM-4 Optical Transmitter. *Lambrech, J.*, +, *JLT Jan. 15, 2020 432-438*
- Low-Voltage, Coupled Multiple Quantum Well Electroreflective Modulators Towards Ultralow Power Inter-Chip Optical Interconnects. *Wang, X.*, +, *JLT July 1, 2020 3414-3421*
- Membrane InGaAsP Mach-Zehnder Modulator Integrated With Optical Amplifier on Si Platform. *Hiraki, T.*, +, *JLT June 1, 2020 3030-3036*
- Microwave Pulse Generation With a Silicon Dual-Parallel Modulator. *Liu, S.*, +, *JLT April 15, 2020 2134-2143*
- Millimeter-Wave-Band Electro-Optic Modulators Using Antenna-Coupled Electrodes for Microwave Photonic Applications. *Murata, H.*, *JLT Oct. 1, 2020 5485-5491*
- Oscilloscopic Capture of Greater-Than-100 GHz, Ultra-Low Power Optical Waveforms Enabled by Integrated Electrooptic Devices. *Wang, X.*, +, *JLT Jan. 1, 2020 166-173*
- Photonic-Assisted Filter-Free Microwave Doppler Frequency Shift Measurement Using a Fixed Low-Frequency Reference Signal. *Zuo, P.*, +, *JLT Aug. 15, 2020 4333-4340*
- Theory of Coupled Harmonics and Its Application to Resonant and Non-Resonant Electro-Optic Modulators. *Bahadori, M.*, +, *JLT Oct. 15, 2020 5756-5767*
- Ultrahigh-Resolution Optoelectronic Vector Analysis Utilizing Photonics-Based Frequency Up- and Down-Conversions. *Xue, M.*, +, *JLT Aug. 1, 2020 3859-3865*
- Electroabsorption**
- 100-Gbit/s/ λ EML Transmitter and PIN-PD+TIA Receiver-Based Inter-Data Center Link. *Lin, Y.*, +, *JLT April 15, 2020 2144-2151*

- 107 Gb/s Ultra-High Speed, Surface-Normal Electroabsorption Modulator Devices. *Grillanda, S.*, +, *JLT Feb. 15, 2020 804-810*
- A Compact Integrated LAN-WDM EML TOSA Employing Stripline With an Aperture in the FPC. *Ohata, N.*, +, *JLT June 15, 2020 3246-3251*
- Coherent Ultra-Dense WDM-PON Enabled by Complexity-Reduced Digital Transceivers. *Tabares, J.A.*, +, *JLT March 15, 2020 1305-1313*
- Differential Drive I/Q Modulator Based on Silicon Photonic Electro-Absorption Modulators. *Melikyan, A.*, +, *JLT June 1, 2020 2872-2876*
- Graphene on Silicon Modulators. *Sorianello, V.*, +, *JLT May 15, 2020 2782-2789*
- High Power and High Speed SOA Assisted Extended Reach EADFB Laser (AXEL) for 53-Gbaud PAM4 Fiber-Amplifier-Less 60-km Optical Link. *Shindo, T.*, +, *JLT June 1, 2020 2984-2991*
- High-Speed Plasmonic-Silicon Modulator Driven by Epsilon-Near-zero Conductive Oxide. *Zhou, B.*, +, *JLT July 1, 2020 3338-3345*
- Low-Power (1.5 pJ/b) Silicon Integrated 106 Gb/s PAM-4 Optical Transmitter. *Lambrecht, J.*, +, *JLT Jan. 15, 2020 432-438*
- Low-Voltage, Coupled Multiple Quantum Well Electroreflective Modulators Towards Ultralow Power Inter-Chip Optical Interconnects. *Wang, X.*, +, *JLT July 1, 2020 3414-3421*
- Electrodes**
- 80-GHz Bandwidth and 1.5-V V_{π} InP-Based IQ Modulator. *Ogiso, Y.*, +, *JLT Jan. 15, 2020 249-255*
- Efficient Dual-Polarized Electro-Optically Tunable Microresonators by Utilization of Ultra-Thin Transparent Electrode. *Wang, T.*, +, *JLT Dec. 15, 2020 6863-6869*
- Millimeter-Wave-Band Electro-Optic Modulators Using Antenna-Coupled Electrodes for Microwave Photonic Applications. *Murata, H.*, *JLT Oct. 1, 2020 5485-5491*
- Electromagnetic interference**
- Microwave Photonic Radars. *Pan, S.*, +, *JLT Oct. 1, 2020 5450-5484*
- Microwave Photonics for Remote Sensing: From Basic Concepts to High-Level Functionalities. *Serafino, G.*, +, *JLT Oct. 1, 2020 5339-5355*
- Ultrahigh-Resolution Optoelectronic Vector Analysis Utilizing Photonics-Based Frequency Up- and Down-Conversions. *Xue, M.*, +, *JLT Aug. 1, 2020 3859-3865*
- Electromagnetic waves**
- Computing Group Velocities and Group-Velocity Dispersions of Optical Fibers Through Automatic Differentiation of Explicit Forms of Propagation Constants. *Tsushima, Y.*, +, *JLT Nov. 1, 2020 6047-6056*
- Electron beam lithography**
- Integrated Discretely Tunable Optical Delay Line Based on Step-Chirped Subwavelength Grating Waveguide Bragg Gratings. *Sun, H.*, +, *JLT Oct. 1, 2020 5551-5560*
- Electroreflectance**
- Low-Voltage, Coupled Multiple Quantum Well Electroreflective Modulators Towards Ultralow Power Inter-Chip Optical Interconnects. *Wang, X.*, +, *JLT July 1, 2020 3414-3421*
- Elemental semiconductors**
- 240 Gbit/s Silicon Photonic Mach-Zehnder Modulator Enabled by Two 2.3-Vpp Drivers. *Jacques, M.*, +, *JLT June 1, 2020 2877-2885*
- 27 GHz Silicon-Contacted Waveguide-Coupled Ge/Si Avalanche Photodiode. *Srinivasan, S.A.*, +, *JLT June 1, 2020 3044-3050*
- 400 Gb/s Silicon Photonic Transmitter and Routing WDM Technologies for Glueless 8-Socket Chip-to-Chip Interconnects. *Pitris, S.*, +, *JLT July 1, 2020 3366-3375*
- 4×4 Electrooptic Silicon Photonic Switch Fabric With Net Neutral Insertion Loss. *Dupuis, N.*, +, *JLT Jan. 15, 2020 178-184*
- A Dynamically-Reconfigurable Burst-Mode Link Using a Nanosecond Photonic Switch. *Forenchich, A.*, +, *JLT March 15, 2020 1330-1340*
- A Lateral MOS-Capacitor-Enabled ITO Mach-Zehnder Modulator for Beam Steering. *Amin, R.*, +, *JLT Jan. 15, 2020 282-290*
- A Low-Voltage Si-Ge Avalanche Photodiode for High-Speed and Energy Efficient Silicon Photonic Links. *Wang, B.*, +, *JLT June 15, 2020 3156-3163*
- A Wavelength-Selective Multiwavelength Ring-Assisted Mach-Zehnder Interferometer Switch. *Hirokawa, T.*, +, *JLT Nov. 15, 2020 6292-6298*
- Adjoint Optimization of Efficient CMOS-Compatible Si-SiN Vertical Grating Couplers for DWDM Applications. *Hooten, S.*, +, *JLT July 1, 2020 3422-3430*
- All-Optical Frequency Processor for Networking Applications. *Lukens, J.M.*, +, *JLT April 1, 2020 1678-1687*
- Back-Side-on-BOX Heterogeneously Integrated III-V-on-Silicon O-Band Distributed Feedback Lasers. *Thiessen, T.*, +, *JLT June 1, 2020 3000-3006*
- Chip-Scale Silicon Ring Resonators for Cryogenic Temperature Sensing. *You, M.*, +, *JLT Oct. 15, 2020 5768-5773*
- Comprehensive Modeling and Design of Raman Lasers on SOI for Mid-Infrared Application. *Ahmadi, M.*, +, *JLT Aug. 1, 2020 4114-4123*
- Demonstration of a Push-Pull Silicon Dual-Ring Modulator With Enhanced Optical Modulation Amplitude. *Zheng, D.*, +, *JLT July 15, 2020 3694-3700*
- Design Principles of Apodized Grating Couplers. *Zhao, Z.*, +, *JLT Aug. 15, 2020 4435-4446*
- Design, Fabrication, and Comparison of 3D Multimode Optical Interconnects on Silicon Interposer. *Charania, S.*, +, *JLT July 1, 2020 3454-3460*
- Effects of Post-Etch Microstructures on the Optical Transmittance of Silica Ridge Waveguides. *Wright, J.G.*, +, *JLT Nov. 15, 2020 6280-6285*
- Efficient Hybrid Integration of Long-Wavelength VCSELs on Silicon Photonic Circuits. *Ruan, Z.*, +, *JLT Sept. 15, 2020 5100-5106*
- Efficient Mid-Infrared Germanium Variable Optical Attenuator Fabricated by Spin-on-Glass Doping. *Zhao, Z.*, +, *JLT Sept. 1, 2020 4808-4816*
- Efficient Third Harmonic Generation by Doubly Enhanced Electric Dipole Resonance in Metal-Based Silicon Nanodisks. *Yao, J.*, +, *JLT Nov. 15, 2020 6312-6320*
- Fast Wavelength Seeking in a Silicon Dual-Ring Switch Based on Artificial Neural Networks. *Qin, G.*, +, *JLT Sept. 15, 2020 5078-5085*
- Frequency- and Time-Domain Modeling and Characterization of PN Phase Shifters in All-Silicon Carrier-Depletion Modulators. *Wang, J.*, +, *JLT Aug. 15, 2020 4462-4469*
- Gain-Integrated 8×8 Silicon Photonics Multicast Switch With On-Chip 2×4 -ch. SOAs. *Konoike, R.*, +, *JLT June 1, 2020 2930-2937*
- Graphene on Silicon Modulators. *Sorianello, V.*, +, *JLT May 15, 2020 2782-2789*
- High Baud Rate All-Silicon Photonics Carrier Depletion Modulators. *Zhou, J.*, +, *JLT Jan. 15, 2020 272-281*
- High-Order Electrical Spectrum Method for Measuring the Chirp of a Silicon Mach-Zehnder Modulator. *Chen, H.*, +, *JLT Dec. 15, 2020 6833-6844*
- High-Performance Fully Integrated Silicon Photonic Microwave Mixer Subsystems. *Bottenfield, C.G.*, +, *JLT Oct. 1, 2020 5536-5545*
- High-Speed Coherent Optical Communication With Isolator-Free Heterogeneous Si/III-V Lasers. *Zhang, Z.*, +, *JLT Dec. 1, 2020 6584-6590*
- High-Speed Plasmonic-Silicon Modulator Driven by Epsilon-Near-zero Conductive Oxide. *Zhou, B.*, +, *JLT July 1, 2020 3338-3345*
- Ion Implantation of Germanium Into Silicon for Critical Coupling Control of Racetrack Resonators. *Milosevic, M.M.*, +, *JLT April 1, 2020 1865-1873*
- Low Loss, Large Bandwidth Fiber-Chip Edge Couplers Based on Silicon-on-Insulator Platform. *He, A.*, +, *JLT Sept. 1, 2020 4780-4786*
- Low-Loss, Low-Crosstalk, and Large-Scale Optical Switch Based on Silicon Photonics. *Suzuki, K.*, +, *JLT Jan. 15, 2020 233-239*
- Low-Power (1.5 pJ/b) Silicon Integrated 106 Gb/s PAM-4 Optical Transmitter. *Lambrecht, J.*, +, *JLT Jan. 15, 2020 432-438*
- Low-Voltage Electrically-Induced Second Harmonic Generation in a Silicon Waveguide Based on Modal Phase Matching. *Janjan, B.*, +, *JLT Nov. 15, 2020 6272-6279*
- Membrane III-V/Si DFB Laser Using Uniform Grating and Width-Modulated Si Waveguide. *Aihara, T.*, +, *JLT June 1, 2020 2961-2967*
- Membrane InGaAsP Mach-Zehnder Modulator Integrated With Optical Amplifier on Si Platform. *Hiraki, T.*, +, *JLT June 1, 2020 3030-3036*
- Miniaturized Silicon Photonics Devices for Integrated Optical Signal Processors. *Teng, M.*, +, *JLT Jan. 1, 2020 6-17*
- Mirror-Based Broadband Silicon-Photonics Vertical I/O With Coupling Efficiency Enhancement for Standard Single-Mode Fiber. *Noriki, A.*, +, *JLT June 15, 2020 3147-3155*

- Mode-field Matching Down-Tapers on Single-Mode Optical Fibers for Edge Coupling Towards Generic Photonic Integrated Circuit Platforms. *Vanmol, K.*, +, *JLT Sept. 1, 2020 4834-4842*
- Modeling and Optimization of Hybrid FinFET-Silicon Photonic Interconnects. *Pantano, N.*, +, *JLT Aug. 15, 2020 4325-4332*
- Modeling and Optimization of Plasmonic Detectors for Beyond-CMOS Plasmonic Majority Logic Gates. *Noor, S.L.*, +, *JLT Sept. 15, 2020 5092-5099*
- Multi-Stage 8×8 Silicon Photonic Switch Based on Dual-Microring Switching Elements. *Huang, Y.*, +, *JLT Jan. 15, 2020 194-201*
- Non-Equidistant Arrangement in All-Dielectric Quadrumers and Mirror-Symmetric One-Dimensional Photonic Crystals Hybridstructure for Self-Referenced Sensing Scheme. *Sun, P.*, +, *JLT Dec. 1, 2020 6671-6677*
- Nonduplicate Polarization-Diversity 32×32 Silicon Photonics Switch Based on a SiN/Si Double-Layer Platform. *Suzuki, K.*, +, *JLT Jan. 15, 2020 226-232*
- Optical Modulation in Hybrid Waveguide Based on Si-ITO Heterojunction. *Rajput, S.*, +, *JLT March 15, 2020 1365-1371*
- Origin of Defect Tolerance in InAs/GaAs Quantum Dot Lasers Grown on Silicon. *Liu, Z.*, +, *JLT Jan. 15, 2020 240-248*
- Performance Requirements for Terabit-Class Silicon Photonic Links Based on Cascaded Microring Resonators. *London, Y.*, +, *JLT July 1, 2020 3469-3477*
- Polarization Diversified 16λ Demultiplexer Based on Silicon Wire Delayed Interferometers and Arrayed Waveguide Gratings. *Jeong, S.*, +, *JLT May 1, 2020 2680-2687*
- Repetition-Frequency-Doubled Transform-Limited Optical Pulse Generation Based on Silicon Modulators. *Liu, S.*, +, *JLT Nov. 15, 2020 6299-6311*
- Silicon Photonic 2.5D Multi-Chip Module Transceiver for High-Performance Data Centers. *Abrams, N.C.*, +, *JLT July 1, 2020 3346-3357*
- Silicon Photonics Wavelength Selective Switch With Unlimited Free Spectral Range. *Ikeda, K.*, +, *JLT June 15, 2020 3268-3272*
- Silicon-Based Flexible-Grid Mode- and Wavelength-Selective Switch Utilizing Microring Resonators and Y-Junctions. *Chen, W.*, +, *JLT Aug. 1, 2020 4000-4008*
- Theoretical Study on the Effects of Dislocations in Monolithic III-V Lasers on Silicon. *Hantschmann, C.*, +, *JLT Sept. 1, 2020 4801-4807*
- Thermal Tuning of Plasmonic Disk Resonators Filled With a Liquid Crystal: Its Narrow-Trench Filling and Arrangement. *Vuong, Q.V.*, +, *JLT Aug. 15, 2020 4419-4428*
- Ultra-Compact Coupling Structures for Heterogeneously Integrated Silicon Lasers. *He, A.*, +, *JLT Aug. 1, 2020 3974-3982*
- Ultra-High-Speed 2:1 Digital Selector and Plasmonic Modulator IM/DD Transmitter Operating at 222 GBaud for Intra-Datacenter Applications. *Heni, W.*, +, *JLT May 1, 2020 2734-2739*
- Ultra-Sharp Multimode Waveguide Bends With Dual Polarizations. *Wang, Y.*, +, *JLT Aug. 1, 2020 3994-3999*
- Ultrafast Pulse Generation for Er- and Tm-Doped Fiber Lasers With Sb Thin Film Saturable Absorber. *Wang, J.*, +, *JLT July 15, 2020 3710-3716*
- Unclad Microphotonics for Terahertz Waveguides and Systems. *Headland, D.*, +, *JLT Dec. 15, 2020 6853-6862*
- WDM-Based Silicon Photonic Multi-Socket Interconnect Architecture With Automated Wavelength and Thermal Drift Compensation. *Zanetto, F.*, +, *JLT Nov. 1, 2020 6000-6006*
- Encapsulation**
- Simultaneous Measurement of Pressure and Temperature in Seawater with PDMS Sealed Microfiber Mach-Zehnder Interferometer. *Hou, Y.*, +, *JLT Nov. 15, 2020 6412-6421*
- Encoding**
- Adaptive Design for 2D Optical Coding PON Link Health Detection System in Complex Environment. *Ge, Z.*, +, *JLT Dec. 1, 2020 6458-6464*
- Neuromorphic Photonics With Coherent Linear Neurons Using Dual-IQ Modulation Cells. *Mourgias-Alexandris, G.*, +, *JLT Feb. 15, 2020 811-819*
- Optical Fiber Tag Based on an Encoded Fiber Bragg Grating Fabricated by Femtosecond Laser. *Yang, K.*, +, *JLT March 15, 2020 1474-1479*
- Transient Crosstalk in Holographic Optical Switching Based on Wavefront Encoding. *Yang, H.*, +, *JLT April 1, 2020 1618-1624*
- Energy conservation**
- A Clock-Gating-Based Energy-Efficient Scheme for ONUs in Real-Time IMDD OFDM-PONs. *Zhang, J.*, +, *JLT July 15, 2020 3573-3583*
- Fully Passive User Localization for Beam-Steered High-Capacity Optical Wireless Communication System. *Koonen, T.*, +, *JLT May 15, 2020 2842-2848*
- Power-Efficient Single-Sideband Transmission With Clipped Iterative SSBI Cancellation. *Le, S.T.*, +, *JLT Aug. 15, 2020 4359-4367*
- Single-Mode Fiber SDM Submarine Systems. *Bolshtyansky, M.A.*, +, *JLT March 15, 2020 1296-1304*
- Energy gap**
- Efficient Sub-Bandgap Photodetection via Two-Dimensional Electron Gas in ZnO Based Heterojunction. *Kaushik, V.*, +, *JLT Nov. 1, 2020 6031-6037*
- Entropy**
- Entropy Allocation Optimization for PS-OFDM With Constellation Partitioning Based Modeling. *Zhang, R.*, +, *JLT Nov. 1, 2020 6024-6030*
- Independent Component Analysis for Phase and Residual Frequency Offset Compensation in OQAM Multicarrier Systems. *Zhao, J.*, +, *JLT Aug. 1, 2020 3897-3907*
- Environmental factors**
- Trends in Optical Span Loss Detected Using the Time Series Decomposition Method. *Yameogo, B.L.M.*, +, *JLT Sept. 15, 2020 5026-5035*
- Enzymes**
- DC-Biased Optofluidic Biolaser for Uric Acid Detection. *Wang, Y.*, +, *JLT March 15, 2020 1557-1563*
- Nanomaterial-Enhanced Fiber Optofluidic Laser Biosensor for Sensitive Enzyme Detection. *Mao, J.*, +, *JLT Sept. 15, 2020 5205-5211*
- Epitaxial growth**
- Membrane InGaAsP Mach-Zehnder Modulator Integrated With Optical Amplifier on Si Platform. *Hiraki, T.*, +, *JLT June 1, 2020 3030-3036*
- Equalizers**
- 120 GBaud PAM-4/PAM-6 Generation and Detection by Photonic Aided Digital-to-Analog Converter and Linear Equalization. *Xin, H.*, +, *JLT April 15, 2020 2226-2230*
- 4×112 Gbps/Fiber CWDM VCSEL Arrays for Co-Packaged Interconnects. *Wang, B.*, +, *JLT July 1, 2020 3439-3444*
- A SiGe HBT BiCMOS 1-to-4 ADC Frontend Enabling Low Bandwidth Digitization of 100 GBaud PAM4 Data. *Buchali, F.*, +, *JLT Jan. 1, 2020 150-158*
- AdaNN: Adaptive Neural Network-Based Equalizer via Online Semi-Supervised Learning. *Zhou, Q.*, +, *JLT Aug. 15, 2020 4315-4324*
- Adapting Mach-Zehnder Mesh Equalizers in Direct-Detection Mode-Division-Multiplexed Links. *Choutagunta, K.*, +, *JLT Feb. 15, 2020 723-735*
- Adaptive Channel-Matched Detection for C-Band 64-Gbit/s Optical OOK System Over 100-km Dispersion-Uncompensated Link. *Wang, H.*, +, *JLT Sept. 15, 2020 5048-5055*
- Amplifier-less transmission of beyond 100-Gbit/s/ λ signal for 40-km DCI-Edge with 10G-class O-band DML. *Zou, D.*, +, *JLT Oct. 15, 2020 5649-5655*
- Burst-Mode Error Distribution and Mitigation in DSP-Assisted High-Speed PONs. *Effenberg, F.J.*, +, *JLT Feb. 15, 2020 754-760*
- Chirp-Filtering for Low-Complexity Chromatic Dispersion Compensation. *Felipe, A.*, +, *JLT June 1, 2020 2954-2960*
- Complexity Reduction With a Simplified MIMO Volterra Filter for PDM-Twin-SSB PAM-4 Transmission. *Zhu, M.*, +, *JLT Feb. 15, 2020 769-776*
- Compressed Neural Network Equalization Based on Iterative Pruning Algorithm for 112-Gbps VCSEL-Enabled Optical Interconnects. *Ge, L.*, +, *JLT March 15, 2020 1323-1329*
- Design of Time-Frequency Packed WDM Superchannel Transmission Systems. *Jana, M.*, +, *JLT Dec. 15, 2020 6719-6731*
- Digital Pre- and Post-Equalization for C-Band 112-Gb/s PAM4 Short-Reach Transport Systems. *Tang, X.*, +, *JLT Sept. 1, 2020 4683-4690*
- DSP for High-Speed Short-Reach IM/DD Systems Using PAM. *Wetlin, T.*, +, *JLT Dec. 15, 2020 6771-6778*
- Dual Polarization Full-Field Signal Waveform Reconstruction Using Intensity Only Measurements for Coherent Communications. *Chen, H.*, +, *JLT May 1, 2020 2587-2597*

Experimental Demonstration of 600 Gb/s Net Rate PAM4 Transmissions Over 2 km and 10 km With a 4- λ CWDM TOSA. *Xing, Z.*, +, *JLT June 1, 2020 2968-2975*

Impact of Polarization- and Mode-Dependent Gain on the Capacity of Ultra-Long-Haul Systems. *Mello, D.A.A.*, +, *JLT Jan. 15, 2020 303-318*

Joint Superchannel Digital Signal Processing for Effective Inter-Channel Interference Cancellation. *Mazur, M.*, +, *JLT Oct. 15, 2020 5676-5684*

Low-Complexity Second-Order Volterra Equalizer for DML-Based IM/DD Transmission System. *Yu, Y.*, +, *JLT April 1, 2020 1735-1746*

Neural Turbo Equalization: Deep Learning for Fiber-Optic Nonlinearity Compensation. *Koike-Akino, T.*, +, *JLT June 1, 2020 3059-3066*

Nonlinearity-Aware Adaptive Bit and Power Loading DMT Transmission Over Low-Crosstalk Ring-Core Fiber With Mode Group Multiplexing. *Zhang, J.*, +, *JLT Nov. 1, 2020 5875-5882*

Optical Wireless Communications Adopting Delay-Tolerant Repetition-Coding With Orthogonal-Filters and On-Demand Equalization. *Song, T.*, +, *JLT Aug. 15, 2020 4250-4259*

Optimal Photon Counting Receiver for Sub-Dead-Time Signal Transmission. *Huang, S.*, +, *JLT Sept. 15, 2020 5225-5235*

Performance Enhanced 256-QAM BIPCM-DMT System Enabled by CAZAC Precoding. *Ma, J.*, +, *JLT Feb. 1, 2020 557-563*

Piecewise Linear Equalizer for DML Based PAM-4 Signal Transmission Over a Dispersion Uncompensated Link. *Fu, Y.*, +, *JLT Feb. 1, 2020 654-660*

The Impact of Local Oscillator Frequency Jitter and Laser Linewidth to Ultra High Baud Rate Coherent Systems. *Zhang, R.*, +, *JLT March 15, 2020 1138-1147*

Theoretical and Experimental Analysis of Burst-Mode Wavelength Conversion via a Differentially-Biased SOA-MZI. *Tsakyridis, A.*, +, *JLT Sept. 1, 2020 4607-4617*

Equivalent circuits

Nonlinear Characteristics of Uni-Traveling Carrier Photodiode With InGaAs/GaAsSb Type-II Multiple Quantum Wells Absorber. *Chen, Y.*, +, *JLT Sept. 1, 2020 4867-4873*

Erbium

A Wide Flat Triple Brillouin Frequency Spacing Multiwavelength Fiber Laser Assisted by Four Wave Mixing. *Al-Alimi, A.W.*, +, *JLT Dec. 1, 2020 6648-6654*

An Experimental and Theoretical Investigation of a 2 μ m Wavelength Low-Threshold Microsphere Laser. *Yu, J.*, +, *JLT April 1, 2020 1880-1886*

Assessing Capacity and Cost/Capacity of 4-Core Multicore Fibers Against Single Core Fibers in Submarine Cable Systems. *Downie, J.D.*, +, *JLT June 1, 2020 3015-3022*

Color Variation of the Up-Conversion Luminescence in Er³⁺-Yb³⁺ Co-Doped Lead Germanate Glasses and Microsphere Integrated Devices. *Zhang, M.*, +, *JLT Aug. 15, 2020 4397-4401*

Configurations of Pump Injection and Reinjection for Improved Amplification Efficiency of Turbo Cladding Pumped MC-EDFA. *Takeshita, H.*, +, *JLT June 1, 2020 2922-2929*

DCI Field Trial Demonstrating 1.3-Tb/s Single-Channel and 50.8-Tb/s WDM Transmission Capacity. *Buchali, F.*, +, *JLT May 1, 2020 2710-2718*

Design of a Multi-Wavelength Fiber Laser Based on Tm:Er:Yb:Ho Co-Doped Germanate Glass. *Falconi, M.C.*, +, *JLT April 15, 2020 2406-2413*

Effect of P-to-Rare Earth Atomic Ratio on Energy Transfer in Er-Yb-Doped Optical Fiber. *Kobayashi, Y.*, +, *JLT Aug. 15, 2020 4504-4512*

Experimental Demonstration of Nonlinear Frequency Division Multiplexing Transmission With Neural Network Receiver. *Gaiarin, S.*, +, *JLT Dec. 1, 2020 6465-6473*

Gain-Integrated 8 \times 8 Silicon Photonics Multicast Switch With On-Chip 2 \times 4-ch. SOAs. *Konoike, R.*, +, *JLT June 1, 2020 2930-2937*

High Data-Rate and Long Distance MCF Transmission With 19-Core C+L band Cladding-Pumped EDFA. *Putnam, B.J.*, +, *JLT Jan. 1, 2020 123-130*

Impact of Polarization- and Mode-Dependent Gain on the Capacity of Ultra-Long-Haul Systems. *Mello, D.A.A.*, +, *JLT Jan. 15, 2020 303-318*

Ionizing Radiation Effect upon Er/Yb Co-Doped Fibre Made by In-Situ Nano Solution Doping. *Fan, D.*, +, *JLT Nov. 15, 2020 6334-6344*

Microfiber-Knot-Resonator-Induced Partial Elimination of Longitudinal Modes in Fiber Lasers for In-Tune-Switchable Nanosecond Pulse Generation. *Zhou, J.*, +, *JLT Feb. 15, 2020 875-880*

Modeling and Characterization of Cladding-Pumped Erbium-Ytterbium Co-Doped Fibers for Amplification in Communication Systems. *Matte-Breton, C.*, +, *JLT April 1, 2020 1936-1944*

Modeling EDFA Gain Ripple and Filter Penalties With Machine Learning for Accurate QoT Estimation. *Mahajan, A.*, +, *JLT May 1, 2020 2616-2629*

Modeling of Active Fiber Loop Ring-Down Spectroscopy Considering Gain Saturation Behavior of EDFA. *Chu, T.*, +, *JLT Feb. 15, 2020 966-973*

Multi-Band Direct-Detection Transmission Over an Ultrawide Bandwidth Hollow-Core NANF. *Hong, Y.*, +, *JLT May 15, 2020 2849-2857*

PDL in Optical Links: A Model Analysis and a Demonstration of a PDL-Resilient Modulation. *Dumenil, A.*, +, *JLT Sept. 15, 2020 5017-5025*

Performance Comparison of Probabilistically Shaped QAM Formats and Hybrid Shaped APSK Formats With Coded Modulation. *Cai, J.*, +, *JLT June 15, 2020 3280-3288*

Room-Temperature Power-Stabilized Narrow-Linewidth Tunable Erbium-Doped Fiber Ring Laser Based on Cascaded Mach-Zehnder Interferometers With Different Free Spectral Range for Strain Sensing. *Zhang, L.*, +, *JLT April 1, 2020 1966-1974*

Single-Mode Fiber SDM Submarine Systems. *Bolshtyansky, M.A.*, +, *JLT March 15, 2020 1296-1304*

Switchable, Widely Tunable and Interval-Adjustable Multi-Wavelength Erbium-Doped Fiber Laser Based on Cascaded Filters. *Zhao, Q.*, +, *JLT April 15, 2020 2428-2433*

Ti₂CT_x (T=O, OH or F) Nanosheets as New Broadband Saturable Absorber for Ultrafast Photonics. *Shi, Y.*, +, *JLT April 1, 2020 1975-1980*

Transponder Implementation Penalty-Accounted Gaussian-Noise-Based Performance Modeling of Fiber-Optic Transmission Systems. *Kaliteevskiy, N.A.*, +, *JLT April 15, 2020 2253-2261*

Tunable and Switchable Multi-Wavelength Erbium-Brillouin Random Fiber Laser Incorporating a Highly Nonlinear Fiber. *Wang, F.*, +, *JLT Aug. 1, 2020 4093-4099*

Tunable, Single-Wavelength Fiber Ring Lasers Based on Rare Earth-Doped, Double-Peanut Fiber Interferometers. *Wan, H.*, +, *JLT March 15, 2020 1501-1505*

Ultrafast Pulse Generation for Er- and Tm-Doped Fiber Lasers With Sb Thin Film Saturable Absorber. *Wang, J.*, +, *JLT July 15, 2020 3710-3716*

Weakly-Coupled MDM-WDM Amplification and Transmission Based on Compact FM-EDFA. *Zhu, J.*, +, *JLT Sept. 15, 2020 5163-5169*

Error correction codes

Coded Modulation for 100G Coherent EPON. *Gerard, T.*, +, *JLT Feb. 1, 2020 564-572*

High-Speed Railway Communication System Using Linear-Cell-Based Radio-Over-Fiber Network and Its Field Trial in 90-GHz Bands. *Kanno, A.*, +, *JLT Jan. 1, 2020 112-122*

Error detection

A Novel CDR-Based Low-Cost Time-Interleaved-ADC Timing Calibration. *Faig, H.*, +, *JLT April 1, 2020 1777-1784*

Error statistics

100-Gbit/s/ λ EML Transmitter and PIN-PD+TIA Receiver-Based Inter-Data Center Link. *Lin, Y.*, +, *JLT April 15, 2020 2144-2151*

100G PAM-6 and PAM-8 Signal Transmission Enabled by Pre-Chirping for 10-km Intra-DCI Utilizing MZM in C-band. *Zou, D.*, +, *JLT July 1, 2020 3445-3453*

11.2 Tb/s Classical Channel Coexistence With DV-QKD Over a 7-Core Multicore Fiber. *Hugues-Salas, E.*, +, *JLT Sept. 15, 2020 5064-5070*

120 GBaud PAM-4/PAM-6 Generation and Detection by Photonic Aided Digital-to-Analog Converter and Linear Equalization. *Xin, H.*, +, *JLT April 15, 2020 2226-2230*

135-GHz D-Band 60-Gbps PAM-8 Wireless Transmission Employing a Joint DNN Equalizer With BP and CMMA. *Zhou, W.*, +, *JLT July 15, 2020 3592-3601*

200 G Outdoor Free-Space-Optics Link Using a Single-Photodiode Receiver. *Lorences-Riesgo, A.*, +, *JLT Jan. 15, 2020 394-400*

- 240 Gbit/s Silicon Photonic Mach-Zehnder Modulator Enabled by Two 2.3-Vpp Drivers. *Jacques, M.*, +, *JLT June 1, 2020 2877-2885*
- 3D QAM-DPSK Optical Transmission Employing a Single Mach-Zehnder Modulator and Optical Direct Detection. *Park, H.J.*, +, *JLT Nov. 15, 2020 6247-6256*
- 4×112 Gbps/Fiber CWDM VCSEL Arrays for Co-Packaged Interconnects. *Wang, B.*, +, *JLT July 1, 2020 3439-3444*
- 74.38 Tb/s Transmission Over 6300 km Single Mode Fibre Enabled by C+L Amplification and Geometrically Shaped PDM-64QAM. *Ionescu, M.*, +, *JLT Jan. 15, 2020 531-537*
- A Bidirectional FSO Communication Employing Phase Modulation Scheme and Remotely Injection-Locked DFB LD. *Huang, X.*, +, *JLT Nov. 1, 2020 5883-5892*
- A General Orthogonal Transform Aided MIMO Design for Reliable Maritime Visible Light Communications. *Huang, G.*, +, *JLT Dec. 1, 2020 6549-6560*
- A Low-Voltage Si-Ge Avalanche Photodiode for High-Speed and Energy Efficient Silicon Photonic Links. *Wang, B.*, +, *JLT June 15, 2020 3156-3163*
- A Novel Algorithm for Improving the Spectrum Efficiency of Non-Orthogonal Multiband CAP UVLC Systems. *Wang, Z.*, +, *JLT Nov. 15, 2020 6187-6201*
- A Novel Baseband Faster-Than-Nyquist Non-Orthogonal FDM IM/DD System With Block Segmented Soft-Decision Decoder. *Hu, Z.*, +, *JLT Feb. 1, 2020 632-641*
- A SiGe HBT BiCMOS 1-to-4 ADC Frontend Enabling Low Bandwidth Digitization of 100 GBaud PAM4 Data. *Buchali, F.*, +, *JLT Jan. 1, 2020 150-158*
- A Silicon Photonic Switching Platform for Flexible Converged Centralized-Radio Access Networking. *Browning, C.*, +, *JLT Oct. 1, 2020 5386-5392*
- A WDM PAM4 FSO-UWOC Integrated System With a Channel Capacity of 100 Gb/s. *Li, C.*, +, *JLT April 1, 2020 1766-1776*
- Accurate BER Estimation Scheme Based on K-Means Clustering Assisted Gaussian Approach for Arbitrary Modulation Format. *Zhang, Q.*, +, *JLT April 15, 2020 2152-2157*
- AdaNN: Adaptive Neural Network-Based Equalizer via Online Semi-Supervised Learning. *Zhou, Q.*, +, *JLT Aug. 15, 2020 4315-4324*
- Adaptive Channel-Matched Detection for C-Band 64-Gbit/s Optical OOK System Over 100-km Dispersion-Uncompensated Link. *Wang, H.*, +, *JLT Sept. 15, 2020 5048-5055*
- Adaptive Probabilistic Shaped Modulation for High-Capacity Free-Space Optical Links. *Guiomar, F.P.*, +, *JLT Dec. 1, 2020 6529-6541*
- Amplifier-less transmission of beyond 100-Gbit/s/λ signal for 40-km DCI-Edge with 10G-class O-band DML. *Zou, D.*, +, *JLT Oct. 15, 2020 5649-5655*
- Blind Joint Polarization Demultiplexing and IQ Imbalance Compensation for M-QAM Coherent Optical Communications. *Lagha, M.K.*, +, *JLT Aug. 15, 2020 4213-4220*
- Burst-Mode Error Distribution and Mitigation in DSP-Assisted High-Speed PONs. *Effenberg, F.J.*, +, *JLT Feb. 15, 2020 754-760*
- Channel-Aware Adaptive Physical-Layer Network Coding Over Relay-Assisted OFDM-VLC Networks. *Hong, Y.*, +, *JLT March 15, 2020 1168-1177*
- Coded Modulation for 100G Coherent EPON. *Gerard, T.*, +, *JLT Feb. 1, 2020 564-572*
- Comparison of Different Precoding Techniques for Unbalanced Impairments Compensation in Short-Reach DMT Transmission Systems. *Chen, M.*, +, *JLT Nov. 15, 2020 6202-6213*
- Comparison of Geometrically Shaped 32-QAM and Probabilistically Shaped 32-QAM in a Bandwidth-Limited IM-DD System. *Ding, J.*, +, *JLT Aug. 15, 2020 4352-4358*
- Comparison of OM5-MMF and OM4-MMF Data Links With 32-GBaud PAM-4 Modulated Few-Mode VCSEL at 850 nm. *Huang, C.*, +, *JLT Feb. 1, 2020 573-582*
- Convolutional Neural Network Based Atmospheric Turbulence Compensation for Optical Orbital Angular Momentum Multiplexing. *Xiong, W.*, +, *JLT April 1, 2020 1712-1721*
- Crosstalk-Induced System Outage in Intensity-Modulated Direct-Detection Multi-Core Fiber Transmission. *Rademacher, G.*, +, *JLT Jan. 15, 2020 291-296*
- Data Transmission Based on Exact Inverse Periodic Nonlinear Fourier Transform, Part II: Waveform Design and Experiment. *Goossens, J.*, +, *JLT Dec. 1, 2020 6520-6528*
- Delay-Tolerant Indoor Optical Wireless Communication Systems Based on Attention-Augmented Recurrent Neural Network. *He, J.*, +, *JLT Sept. 1, 2020 4632-4640*
- Design and Characterisation of Terabit/s Capable Compact Localisation and Beam-Steering Terminals for Fiber-Wireless-Fiber Links. *Singh, R.*, +, *JLT Dec. 15, 2020 6817-6826*
- Design, Fabrication, and Comparison of 3D Multimode Optical Interconnects on Silicon Interposer. *Charania, S.*, +, *JLT July 1, 2020 3454-3460*
- Differential Drive I/Q Modulator Based on Silicon Photonic Electro-Absorption Modulators. *Melikyan, A.*, +, *JLT June 1, 2020 2872-2876*
- Digital Pre- and Post-Equalization for C-Band 112-Gb/s PAM4 Short-Reach Transport Systems. *Tang, X.*, +, *JLT Sept. 1, 2020 4683-4690*
- Dimming-Aware Deep Learning Approach for OOK-Based Visible Light Communication. *Zou, C.*, +, *JLT Oct. 15, 2020 5733-5742*
- DSP for High-Speed Short-Reach IM/DD Systems Using PAM. *Wettlin, T.*, +, *JLT Dec. 15, 2020 6771-6778*
- DSP-Free Real-Time 25 GBPS Quasicoherent Receiver With Electrical SSB Filtering for C-Band Links up to 40 km SSMF. *Altabas, J.A.*, +, *JLT April 1, 2020 1785-1788*
- Dual Polarization Full-Field Signal Waveform Reconstruction Using Intensity Only Measurements for Coherent Communications. *Chen, H.*, +, *JLT May 1, 2020 2587-2597*
- Dual-Drive Mach-Zehnder Modulator-Based Single Side-Band Modulation Direct Detection System Without Signal-to-Signal Beating Interference. *Wang, W.*, +, *JLT Aug. 15, 2020 4341-4351*
- Dual-Stage Soft Failure Detection and Identification for Low-Margin Elastic Optical Network by Exploiting Digital Spectrum Information. *Shu, L.*, +, *JLT May 1, 2020 2669-2679*
- Enhanced Carrier to Noise Ratio by Brillouin Amplification for Optical Communications. *Pelusi, M.*, +, *JLT Jan. 15, 2020 319-331*
- Enhanced Kramers-Kronig Single-Sideband Receivers. *Lowery, A.J.*, +, *JLT June 15, 2020 3229-3237*
- Experimental Demonstration of 600 Gb/s Net Rate PAM4 Transmissions Over 2 km and 10 km With a 4-λ CWDM TOSA. *Xing, Z.*, +, *JLT June 1, 2020 2968-2975*
- Experimental Demonstration of Single Sideband Modulation Utilizing Monolithic Integrated Injection Locked DFB Laser. *Zhang, Y.*, +, *JLT April 1, 2020 1809-1816*
- Experimental Mitigation of Atmospheric Turbulence Effect Using Pre-Signal Combining for Uni- and Bi-Directional Free-Space Optical Links With Two 100-Gbit/s OAM-Multiplexed Channels. *Song, H.*, +, *JLT Jan. 1, 2020 82-89*
- Flexible Coherent Communication System With Adaptable SNR and Laser Phase Noise Tolerance for Probabilistically Shaped QAM. *Yao, S.*, +, *JLT Nov. 15, 2020 6178-6186*
- Frequency- and Time-Domain Modeling and Characterization of PN Phase Shifters in All-Silicon Carrier-Depletion Modulators. *Wang, J.*, +, *JLT Aug. 15, 2020 4462-4469*
- Full-Spectrum Periodic Nonlinear Fourier Transform Optical Communication Through Solving the Riemann-Hilbert Problem. *Kamalian-Kopae, M.*, +, *JLT July 15, 2020 3602-3615*
- Gb/s Visible Light Communication With Low-Cost Receiver Based on Single-Color LED. *Milovancev, D.*, +, *JLT June 15, 2020 3305-3314*
- High Baud Rate All-Silicon Photonics Carrier Depletion Modulators. *Zhou, J.*, +, *JLT Jan. 15, 2020 272-281*
- High Power and High Speed SOA Assisted Extended Reach EADFB Laser (AXEL) for 53-GBaud PAM4 Fiber-Amplifier-Less 60-km Optical Link. *Shindo, T.*, +, *JLT June 1, 2020 2984-2991*
- High-Capacity Coherent DCIs Using Pol-Muxed Carrier and LO-Less Receiver. *Kamran, R.*, +, *JLT July 1, 2020 3461-3468*

- High-Speed Performance Evaluation of Graded-Index Multicore Fiber Compatible With Multimode and Quasi-single Mode Operation. *Liu, Y., +, JLT Dec. 15, 2020 6870-6878*
- Interband Short Reach Data Transmission in Ultrawide Bandwidth Hollow Core Fiber. *Sakr, H., +, JLT Jan. 1, 2020 159-165*
- Iterative Algorithm for Electronic Dispersion Compensation in IM/DD Systems. *Karar, A.S., JLT Feb. 15, 2020 698-704*
- LDPC-Coded Probabilistic Shaping PAM4 Based on Many-to-One Mapping in WDM-PON. *He, H., +, JLT Aug. 1, 2020 3918-3925*
- Low-Complexity Second-Order Volterra Equalizer for DML-Based IM/DD Transmission System. *Yu, Y., +, JLT April 1, 2020 1735-1746*
- Modeling and Optimization of Hybrid FinFET-Silicon Photonic Interconnects. *Pantano, N., +, JLT Aug. 15, 2020 4325-4332*
- Multi-Rate Low-Noise Optical Receiver Front-End. *Li, D., +, JLT Sept. 15, 2020 4978-4986*
- Multichannel 16-QAM Single-Sideband Transmission and Kramer–Kronig Detection Using a Single QD-MLL as the Light Source. *AL-QADI, M., +, JLT Nov. 15, 2020 6163-6169*
- Multiuser Precoded MIMO Visible Light Communication Systems Enabling Spatial Dimming. *Zhao, L., +, JLT Oct. 15, 2020 5624-5634*
- Non-Coherent Detection for Ultraviolet Communications With Inter-Symbol Interference. *Hu, W., +, JLT Sept. 1, 2020 4699-4707*
- Non-Orthogonal Uplink Services Through Co-Transport of D-RoF/A-RoF in Mobile Fronthaul. *Yao, S., +, JLT July 15, 2020 3637-3643*
- Optical Wireless Communications Adopting Delay-Tolerant Repetition-Coding With Orthogonal-Filters and On-Demand Equalization. *Song, T., +, JLT Aug. 15, 2020 4250-4259*
- Optimal Photon Counting Receiver for Sub-Dead-Time Signal Transmission. *Huang, S., +, JLT Sept. 15, 2020 5225-5235*
- Performance Investigation of OAMSK Modulated Wireless Optical System Over Turbulent Ocean Using Convolutional Neural Networks. *Wang, W., +, JLT April 1, 2020 1753-1765*
- Performance Monitoring for Live Systems With Soft FEC and Multilevel Modulation. *Yoshida, T., +, JLT June 1, 2020 2912-2921*
- Performance of Spatial Diversity DCO-OFDM in a Weak Turbulence Underwater Visible Light Communication Channel. *Jiang, H., +, JLT April 15, 2020 2271-2277*
- Piecewise Linear Equalizer for DML Based PAM-4 Signal Transmission Over a Dispersion Uncompensated Link. *Fu, Y., +, JLT Feb. 1, 2020 654-660*
- Pilot Distributions for Joint-Channel Carrier-Phase Estimation in Multichannel Optical Communications. *Alfredsson, A.F., +, JLT Sept. 1, 2020 4656-4663*
- Post-FEC BER Benchmarking for Bit-Interleaved Coded Modulation With Probabilistic Shaping. *Yoshida, T., +, JLT Aug. 15, 2020 4292-4306*
- Principle, Design, and Prototyping of Core Selective Switch Using Free-Space Optics for Spatial Channel Network. *Jinno, M., +, JLT Sept. 15, 2020 4895-4905*
- Quantum Theory of Noise in Stokes Vector Receivers and Application to Bit Error Rate Analysis. *Kikuchi, K., JLT June 15, 2020 3164-3172*
- Real-Time 2.2-Gb/s Water-Air OFDM-OWC System With Low-Complexity Transmitter-Side DSP. *Shao, Y., +, JLT Oct. 15, 2020 5668-5675*
- Sensitivity Analysis of Photonic Integrated Direct-Detection Stokes-Vector Receiver. *Tanemura, T., +, JLT Jan. 15, 2020 447-456*
- Sensitivity Calculations of High-Speed Optical Receivers Based on Electron-APDs. *Shulyak, V., +, JLT Feb. 15, 2020 989-995*
- The Fischer–Snedecor \mathcal{F} -Distribution Model for Turbulence-Induced Fading in Free-Space Optical Systems. *Peppas, K.P., +, JLT March 15, 2020 1286-1295*
- The Movement-Rotation (MR) Correlation Function and Coherence Distance of VLC Channels. *Chen, J., +, JLT Dec. 15, 2020 6759-6770*
- Theoretical and Experimental Analysis of Burst-Mode Wavelength Conversion via a Differentially-Biased SOA-MZI. *Tsakyridis, A., +, JLT Sept. 1, 2020 4607-4617*
- Three-Dimensional Probabilistically Shaped CAP Modulation Based on Constellation Design Using Regular Tetrahedron Cells. *Ren, J., +, JLT April 1, 2020 1728-1734*
- Toward Single Lane 200G Optical Interconnects With Silicon Photonic Modulator. *Zhu, Y., +, JLT Jan. 1, 2020 67-74*
- Tunable THz Signal Generation and Radio-Over-Fiber Link Based on an Optoelectronic Oscillator-Driven Optical Frequency Comb. *Hasanuzzaman, G.K.M., +, JLT Oct. 1, 2020 5240-5247*
- Unified Performance Analysis of Hybrid FSO/RF System With Diversity Combining. *Huang, L., +, JLT Dec. 15, 2020 6788-6800*
- VCSEL Array-Based Gigabit Free-Space Optical Femtocell Communication. *Liverman, S., +, JLT April 1, 2020 1659-1667*
- VLSI Implementations of Carrier Phase Recovery Algorithms for M-QAM Fiber-Optic Systems. *Borjeson, E., +, JLT July 15, 2020 3616-3623*
- Wavelength-Division Demultiplexing Enhanced by Silicon-Photonic Tunable Filters in Ultra-Wideband Optical-Path Networks. *Mori, Y., +, JLT March 1, 2020 1002-1009*
- WDM-Based Silicon Photonic Multi-Socket Interconnect Architecture With Automated Wavelength and Thermal Drift Compensation. *Zanetto, F., +, JLT Nov. 1, 2020 6000-6006*
- Etching**
- A 4×4 Electrooptic Silicon Photonic Switch Fabric With Net Neutral Insertion Loss. *Dupuis, N., +, JLT Jan. 15, 2020 178-184*
- Effects of Shallow Suspension in Low-Loss Waveguide-Integrated Chalcogenide Microdisk Resonators. *Zhu, Y., +, JLT Sept. 1, 2020 4817-4823*
- Highly Efficient Fiber Cladding Light Stripper Fabricated by Chemical Mask Etching Method. *Zou, S., +, JLT Sept. 15, 2020 5136-5141*
- Inter-Cross De-Modulated Refractive Index and Temperature Sensor by an Etched Multi-Core Fiber of a MZI Structure. *Mumtaz, F., +, JLT Dec. 15, 2020 6948-6953*
- Low-Loss Waveguides by Planar Modified Chemical Vapor Deposition. *Yevnin, M., +, JLT Feb. 15, 2020 792-796*
- Two-Dimensional Apodized Grating Coupler for Polarization-Independent and Surface-Normal Optical Coupling. *Zhang, Z., +, JLT Aug. 1, 2020 4037-4044*
- Ultra-Sharp Multimode Waveguide Bends With Dual Polarizations. *Wang, Y., +, JLT Aug. 1, 2020 3994-3999*
- Unclad Microphotonics for Terahertz Waveguides and Systems. *Headland, D., +, JLT Dec. 15, 2020 6853-6862*
- Excited states**
- Modeling and Analysis of a Pulsed Yb-Tm Fiber Laser System. *Tao, M., +, JLT Dec. 1, 2020 6635-6643*
- Novel Near-infrared Pump Wavelengths for Dysprosium Fiber Lasers. *Amin, M.Z., +, JLT Oct. 15, 2020 5801-5808*
- Extinction coefficients**
- Suppression of Relative Intensity and Mode Partition Noises in Orthogonally Polarized Dual-Wavelength VCSEL. *Wang, H., +, JLT Dec. 1, 2020 6612-6622*
- Extrapolation**
- Comparison Study of Radiation-Resistant Polarization-Maintaining PANDA Fibers With Undoped- and N-Doped-Silica Core. *Tomashuk, A.L., +, JLT Oct. 15, 2020 5817-5824*
- Enhanced Carrier to Noise Ratio by Brillouin Amplification for Optical Communications. *Pelusi, M., +, JLT Jan. 15, 2020 319-331*
- Extrusion**
- Low-Loss Chalcogenide Fiber Prepared by Double Peeled-Off Extrusion. *Zhong, M., +, JLT Aug. 15, 2020 4533-4539*
- F**
- Fabry-Perot interferometers**
- All-Sapphire Miniature Optical Fiber Tip Sensor for High Temperature Measurement. *Yang, S., +, JLT April 1, 2020 1988-1997*
- Detection of Circular-Crested Lamb Waves Using Surface-Bonded Fiber-Optic Ultrasound Sensors: A Theoretical Perspective. *Liu, G., +, JLT April 15, 2020 2555-2563*
- High-Order Harmonic-Frequency Cross-Correlation Algorithm for Absolute Cavity Length Interrogation of White-Light Fiber-Optic Fabry-Perot Sensors. *Chen, H., +, JLT Feb. 15, 2020 953-960*

- Long-Length and Thermally Stable High-Finesse Fabry-Perot Interferometers Made of Hollow Core Optical Fiber. *Ding, M.*, +, *JLT April 15, 2020 2423-2427*
- Microwave Device Inspired by Fiber-Optic Extrinsic Fabry-Perot Interferometer: A Novel Ultra-Sensitive Sensing Platform. *Zhu, C.*, +, *JLT Dec. 15, 2020 6961-6966*
- Tip Packaged High-Temperature Miniature Sensor Based on Suspended Core Optical Fiber. *Su, H.*, +, *JLT Aug. 1, 2020 4160-4165*
- Fabry-Perot resonators**
- High-Order Harmonic-Frequency Cross-Correlation Algorithm for Absolute Cavity Length Interrogation of White-Light Fiber-Optic Fabry-Perot Sensors. *Chen, H.*, +, *JLT Feb. 15, 2020 953-960*
- Multi-Tone Pound-Drever-Hall Technique for High-Resolution Multiplexed Fabry-Perot Resonator Sensors. *Zhao, S.*, +, *JLT Nov. 15, 2020 6379-6384*
- Non-Equidistant Arrangement in All-Dielectric Quadrumers and Mirror-Symmetric One-Dimensional Photonic Crystals Hybridstructure for Self-Referenced Sensing Scheme. *Sun, P.*, +, *JLT Dec. 1, 2020 6671-6677*
- Tunable Autler-Townes-Like Resonance Splitting in a Bent Fiber-Optic Fabry-Perot Resonator: 3D Modeling and Experimental Verification. *Dyshlyuk, A.V.*, +, *JLT Dec. 15, 2020 6918-6923*
- Tunable Ultra-Multispectral Metamaterial Perfect Absorbers Based on Out-of-Plane Metal-Insulator-Graphene Heterostructures. *Li, H.*, +, *JLT April 1, 2020 1858-1864*
- Fading**
- DFT Spread Spectrally Efficient Frequency Division Multiplexing for IM-DD Transmission in C-Band. *Li, Z.*, +, *JLT July 1, 2020 3526-3532*
- Fading channels**
- A Novel Algorithm for Improving the Spectrum Efficiency of Non-Orthogonal Multiband CAP UVLC Systems. *Wang, Z.*, +, *JLT Nov. 15, 2020 6187-6201*
- Channel-Aware Adaptive Physical-Layer Network Coding Over Relay-Assisted OFDM-VLC Networks. *Hong, Y.*, +, *JLT March 15, 2020 1168-1177*
- Rate Redundancy and Entropy Allocation for PAS-OFDM Based Mobile Fronthaul. *Zhang, R.*, +, *JLT Aug. 15, 2020 4260-4269*
- Failure analysis**
- Adaptive Design for 2D Optical Coding PON Link Health Detection System in Complex Environment. *Ge, Z.*, +, *JLT Dec. 1, 2020 6458-6464*
- Demonstration of a Novel Framework for Proactive Maintenance Using Failure Prediction and Bit Lossless Protection With Autonomous Network Diagnosis System. *Inuzuka, F.*, +, *JLT May 1, 2020 2695-2702*
- Dual-Stage Soft Failure Detection and Identification for Low-Margin Elastic Optical Network by Exploiting Digital Spectrum Information. *Shu, L.*, +, *JLT May 1, 2020 2669-2679*
- Faraday effect**
- A Novel Weak-Scattering Michelson Interferometer Based on PBS for Long-Distance Disturbance Localization. *Song, Q.*, +, *JLT March 15, 2020 1543-1549*
- Excess Relative-Intensity-Noise Reduction in a Fiber Optic Gyroscope Using a Faraday Rotator Mirror. *Zheng, Y.*, +, *JLT Dec. 15, 2020 6939-6947*
- Fast Fourier transforms**
- Analysis of the Single-FFT Receiver for Layered ACO-OFDM in Visible Light Communications. *Liu, X.*, +, *JLT Sept. 1, 2020 4757-4764*
- Chirp-Filtering for Low-Complexity Chromatic Dispersion Compensation. *Felipe, A.*, +, *JLT June 1, 2020 2954-2960*
- Multisuser Visible Light Communication Systems Using OFDMA. *Lian, J.*, +, *JLT Nov. 1, 2020 6015-6023*
- Optical Signal Phase Reconstruction Based on Temporal Transport-of-Intensity Equation. *Matsumoto, M.*, *JLT Sept. 1, 2020 4722-4729*
- Fault tolerance**
- Techno-Economic Impact of Filterless Data Plane and Agile Control Plane in the 5G Optical Metro. *Pavon-Marino, P.*, +, *JLT Aug. 1, 2020 3801-3814*
- Feature extraction**
- An Event Recognition Scheme Aiming to Improve Both Accuracy and Efficiency in Optical Fiber Perimeter Security System. *Huang, X.*, +, *JLT Oct. 15, 2020 5783-5790*
- Distributed Optical Fiber Sensing Intrusion Pattern Recognition Based on GAF and CNN. *Lyu, C.*, +, *JLT Aug. 1, 2020 4174-4182*
- Impact-Based Feature Extraction Utilizing Differential Signals of Phase-Sensitive OTDR. *Adeel, M.*, +, *JLT April 15, 2020 2539-2546*
- Low Complexity OSNR Monitoring and Modulation Format Identification Based on Binarized Neural Networks. *Zhao, Y.*, +, *JLT March 15, 2020 1314-1322*
- Non-Coherent Detection for Ultraviolet Communications With Inter-Symbol Interference. *Hu, W.*, +, *JLT Sept. 1, 2020 4699-4707*
- Transient Nanostrain Detection in Phi-OTDR Using Statistics-Based Signal Processing. *Chen, H.*, +, *JLT Sept. 1, 2020 4883-4892*
- Feedforward**
- Low-Complexity Second-Order Volterra Equalizer for DML-Based IM/DD Transmission System. *Yu, Y.*, +, *JLT April 1, 2020 1735-1746*
- Femtocellular radio**
- VCSEL Array-Based Gigabit Free-Space Optical Femtocell Communication. *Liverman, S.*, +, *JLT April 1, 2020 1659-1667*
- Fermi level**
- Graphene on Silicon Modulators. *Sorianello, V.*, +, *JLT May 15, 2020 2782-2789*
- Fiber lasers**
- 20.6 W Mid-Infrared Supercontinuum Generation in ZBLAN Fiber With Spectrum of 1.9–4.3 μm . *Yang, L.*, +, *JLT Sept. 15, 2020 5122-5127*
- L-Band Wavelength-Tunable Er³⁺-Doped Tellurite Fiber Lasers. *Fu, S.*, +, *JLT March 15, 2020 1435-1438*
- All-Fiber Mode-Locked Laser Based on Mamyshev Mechanism With High-Energy Pulse Generation at 1550 nm. *Luo, X.*, +, *JLT March 15, 2020 1468-1473*
- All-Fiber Saturable Absorber Using Nonlinear Multimode Interference in a Chalcogenide Fiber. *Zhang, K.*, +, *JLT Nov. 15, 2020 6321-6326*
- All-Optical Directional Control of Emission in a Photonic Liquid Crystal Fiber Laser. *Lin, J.*, +, *JLT Sept. 15, 2020 5149-5156*
- Breaking the Stringent Trade-Off Between Mode Area and NA for Efficient High-Power Fiber Lasers Around 2 μm . *Jain, D.*, +, *JLT Nov. 15, 2020 6362-6370*
- Coexistence of Quasi-CW and SBS-Boosted Self-Q-Switched Pulsing in Ytterbium-Doped Fiber Laser With Low Q-Factor Cavity. *Barmenkov, Y.O.*, +, *JLT July 15, 2020 3751-3758*
- Demonstration of an All-Fiber Ultra-Low Numerical Aperture Ytterbium-Doped Large Mode Area Fiber in a Master Oscillator Power Amplifier Configuration Above 1 kW Power Level. *Midilli, Y.*, +, *JLT April 1, 2020 1915-1920*
- Effect of P-to-Rare Earth Atomic Ratio on Energy Transfer in Er-Yb-Doped Optical Fiber. *Kobayashi, Y.*, +, *JLT Aug. 15, 2020 4504-4512*
- GIMF-Based SA for Generation of High Pulse Energy Ultrafast Solitons in a Mode-Locked Linear-Cavity Fiber Laser. *Chen, J.*, +, *JLT March 15, 2020 1480-1485*
- High-Performance Optical Frequency-Domain Reflectometry Based on High-Order Optical Phase-Locking-Assisted Chirp Optimization. *Feng, Y.*, +, *JLT Nov. 15, 2020 6227-6236*
- Highly Efficient Fiber Cladding Light Stripper Fabricated by Chemical Mask Etching Method. *Zou, S.*, +, *JLT Sept. 15, 2020 5136-5141*
- Investigation on the Polarization Dependence of An Angled Polished Multimode Fibre Structure. *Wang, R.*, +, *JLT Aug. 15, 2020 4520-4525*
- Investigations on the Extreme Frequency Shift of Phosphosilicate Random Fiber Laser. *Ye, J.*, +, *JLT July 15, 2020 3737-3744*
- Microfiber-Knot-Resonator-Induced Partial Elimination of Longitudinal Modes in Fiber Lasers for In-Tune-Switchable Nanosecond Pulse Generation. *Zhou, J.*, +, *JLT Feb. 15, 2020 875-880*
- Modeling and Analysis of a Pulsed Yb-Tm Fiber Laser System. *Tao, M.*, +, *JLT Dec. 1, 2020 6635-6643*
- Multi-Shuttle Behavior Between Dissipative Solitons and Noise-Like Pulses in an All-Fiber Laser. *Cheng, X.*, +, *JLT April 15, 2020 2471-2476*
- Multi-Wavelength Fiber Laser Based on Dual-Sagnac Comb Filter for LP₁₁ Modes Output. *Tang, M.*, +, *JLT July 15, 2020 3745-3750*
- Multiwavelength Brillouin Generation in Bismuth-Doped Fiber Laser With Single- and Double-Frequency Spacing. *Ahmad, H.*, +, *JLT Dec. 15, 2020 6886-6896*
- Nonlinear Absorbing-Loop Mirror in a Holmium-Doped Fiber Laser. *Zhao, J.*, +, *JLT Nov. 1, 2020 6069-6075*

- Nonlinear Propagation in Optical Fibers With Gain Saturation and Gain Dispersion. *Dong, L.*, *JLT Dec. 15, 2020 6897-6904*
- Novel Near-infrared Pump Wavelengths for Dysprosium Fiber Lasers. *Amin, M.Z.*, *JLT Oct. 15, 2020 5801-5808*
- Numerical Investigation of the Impact of the Saturable Absorber Recovery Time on the Mode-Locking Performance of Fiber Lasers. *Lee, J.*, *JLT Aug. 1, 2020 4124-4132*
- Parity-Time Symmetry in a Single-Loop Photonic System. *Fan, Z.*, *JLT Aug. 1, 2020 3866-3873*
- Polarization-Color Domain Walls in Fiber Ring Lasers. *Nady, A.*, *JLT Dec. 15, 2020 6905-6910*
- Polymer-Coated Hollow Fiber Optofluidic Laser for Refractive Index Sensing. *Zhao, X.*, *JLT March 15, 2020 1550-1556*
- Room-Temperature Power-Stabilized Narrow-Linewidth Tunable Erbium-Doped Fiber Ring Laser Based on Cascaded Mach-Zehnder Interferometers With Different Free Spectral Range for Strain Sensing. *Zhang, L.*, *JLT April 1, 2020 1966-1974*
- Selective Excitation and Amplification of Peak-Power-Scalable Out-of-Phase Supermode in Yb-Doped Multicore Fiber. *Andrianov, A.V.*, *JLT April 15, 2020 2464-2470*
- Switchable, Widely Tunable and Interval-Adjustable Multi-Wavelength Erbium-Doped Fiber Laser Based on Cascaded Filters. *Zhao, Q.*, *JLT April 15, 2020 2428-2433*
- Ti₂CT_x (T=O, OH or F) Nanosheets as New Broadband Saturable Absorber for Ultrafast Photonics. *Shi, Y.*, *JLT April 1, 2020 1975-1980*
- Tm/Al Co-Doped Silica Glass Prepared by Laser Additive Manufacturing Technology for 2- μ m Photonic Crystal Fiber Laser. *Liu, J.*, *JLT March 15, 2020 1486-1491*
- Tunable, Single-Wavelength Fiber Ring Lasers Based on Rare Earth-Doped, Double-Peanut Fiber Interferometers. *Wan, H.*, *JLT March 15, 2020 1501-1505*
- Ultrafast Pulse Generation for Er- and Tm-Doped Fiber Lasers With Sb Thin Film Saturable Absorber. *Wang, J.*, *JLT July 15, 2020 3710-3716*
- Using Reverse Saturable Absorption to Boost Broadband Noise-Like Pulses. *Li, X.*, *JLT July 15, 2020 3769-3774*
- Yb/Ce Codoped Aluminosilicate Fiber With High Laser Stability for Multi-kW Level Laser. *She, S.*, *JLT Dec. 15, 2020 6924-6931*
- Fiber nonlinear optics**
- Guest Editorial Ultra Wideband WDM Systems. *Napoli, A.*, *JLT March 1, 2020 998-1001*
- Fiber optic gyroscopes**
- A Compact Four-Axis Interferometric Fiber Optic Gyroscope Based on Multiplexing for Space Application. *Jin, J.*, *JLT Dec. 1, 2020 6655-6663*
- Broadened-Laser-Driven Polarization-Maintaining Hollow-Core Fiber Optic Gyroscope. *Morris, T.A.*, *JLT Feb. 15, 2020 905-911*
- Discrete Model of Backscattering Drift in Fiber Optic Gyroscopes. *Morris, T.A.*, *JLT April 1, 2020 1981-1987*
- Excess Relative-Intensity-Noise Reduction in a Fiber Optic Gyroscope Using a Faraday Rotator Mirror. *Zheng, Y.*, *JLT Dec. 15, 2020 6939-6947*
- Suppression of Nonlinear Residual Intensity Modulation in Multifunction Integrated Optic Circuit for Fiber-Optic Gyroscopes. *Liu, J.*, *JLT March 15, 2020 1572-1579*
- Fiber optic sensors**
- 50 km-Range Brillouin Optical Correlation Domain Analysis With First-Order Backward Distributed Raman Amplification. *Ryu, G.*, *JLT Sept. 15, 2020 5199-5204*
- A Compact Four-Axis Interferometric Fiber Optic Gyroscope Based on Multiplexing for Space Application. *Jin, J.*, *JLT Dec. 1, 2020 6655-6663*
- A Compact Refractometer With High Sensitivity Based on Multimode Fiber Embedded Single Mode-No Core-Single Mode Fiber Structure. *Zhang, S.*, *JLT April 1, 2020 1929-1935*
- A Digital Twin Approach to Study Additive Manufacturing Processing Using Embedded Optical Fiber Sensors and Numerical Modeling. *Zou, R.*, *JLT Nov. 15, 2020 6402-6411*
- A Laser Written 4D Optical Microcavity for Advanced Biochemical Sensing in Aqueous Environment. *Saetchnikov, A.V.*, *JLT April 15, 2020 2530-2538*
- A Lower Frequency Shift Based on Mode Conversion for Optical Heterodyne Micro-Vibration Measurement. *Zhang, L.*, *JLT Nov. 1, 2020 6057-6062*
- A Novel Wavemeter With 64 Attometer Spectral Resolution Based on Rayleigh Speckle Obtained From Single-Mode Fiber. *Zhang, Z.*, *JLT Aug. 15, 2020 4548-4554*
- A Novel Weak-Scattering Michelson Interferometer Based on PBS for Long-Distance Disturbance Localization. *Song, Q.*, *JLT March 15, 2020 1543-1549*
- Adaptability and Anti-Noise Capacity Enhancement for ϕ -OTDR With Deep Learning. *Wang, P.*, *JLT Dec. 1, 2020 6699-6706*
- All-Fiber Two-Dimensional Inclinometer Based on Bragg Gratings Inscribed in a Seven-Core Multi-Core Fiber. *Cui, J.*, *JLT April 15, 2020 2516-2522*
- All-Fiber Vector Bending Sensor Based on a Multicore Fiber With Asymmetric Air-Hole Structure. *Budnicki, D.*, *JLT Dec. 1, 2020 6685-6690*
- All-Sapphire Miniature Optical Fiber Tip Sensor for High Temperature Measurement. *Yang, S.*, *JLT April 1, 2020 1988-1997*
- An Event Recognition Scheme Aiming to Improve Both Accuracy and Efficiency in Optical Fiber Perimeter Security System. *Huang, X.*, *JLT Oct. 15, 2020 5783-5790*
- An Optical Fiber Immunosensor With a Low Detection Limit Based on Plasmon Coupling Enhancement. *Wang, B.*, *JLT July 15, 2020 3781-3788*
- Assessment on the Achievable Throughput of Multi-Band ITU-T G.652.D Fiber Transmission Systems. *Ferrari, A.*, *JLT Aug. 15, 2020 4279-4291*
- Averaging Methods for a Multimode Fiber Interferometer: Experimental and Interpretation. *Chapalo, I.*, *JLT Oct. 15, 2020 5809-5816*
- Bipolar-Coding Φ -OTDR with Interference Fading Elimination and Frequency Drift Compensation. *Wu, Y.*, *JLT Nov. 1, 2020 6121-6128*
- Broadband Light Amplitude Tuning Characteristics of SnSe₂ Coated Microfiber. *Guan, H.*, *JLT Nov. 1, 2020 6089-6096*
- Compact Vectorial Transverse Force Sensor Based on Two-Modal Interference in a Few-Mode Seven-Core Fiber. *Zhao, J.*, *JLT April 1, 2020 2046-2052*
- Comparative Study on Transmission Mechanisms in a SMF-Capillary-SMF Structure. *Sun, W.*, *JLT Aug. 1, 2020 4075-4085*
- Detection of Circular-Crested Lamb Waves Using Surface-Bonded Fiber-Optic Ultrasound Sensors: A Theoretical Perspective. *Liu, G.*, *JLT April 15, 2020 2555-2563*
- Detection-Localization-Identification of Vibrations Over Long Distance SSMF With Coherent $\Delta\phi$ -OTDR. *Awad, E.*, *JLT June 15, 2020 3089-3095*
- Distributed Characterization of Few-Mode Fibers Based on Optical Frequency Domain Reflectometry. *Veronese, R.*, *JLT Sept. 1, 2020 4843-4849*
- Distributed Optical Fiber Low-Frequency Vibration Detecting Using Cross-Correlation Spectrum Analysis. *Wang, D.*, *JLT Dec. 1, 2020 6664-6670*
- Distributed Optical Fiber Sensing Intrusion Pattern Recognition Based on GAF and CNN. *Lyu, C.*, *JLT Aug. 1, 2020 4174-4182*
- Distributed Salinity Sensor With a Polyimide-Coated Photonic Crystal Fiber Based on Brillouin Dynamic Grating. *Zhang, H.*, *JLT Sept. 15, 2020 5219-5224*
- Dynamic In-Line Routing Between Distant Cores of a Multi-Core Fiber. *Youn, J.H.*, *JLT Nov. 1, 2020 6076-6081*
- Enhancement of the Multiplexing Capacity and Measurement Accuracy of FBG Sensor System Using IWDM Technique and Deep Learning Algorithm. *Manie, Y.C.*, *JLT March 15, 2020 1589-1603*
- Enhancing SNR by Anisotropic Diffusion for Brillouin Distributed Optical Fiber Sensors. *Luo, K.*, *JLT Oct. 15, 2020 5844-5852*
- Evaluating Phase Errors in Phase-Sensitive Optical Time-Domain Reflectometry Based on I/Q Demodulation. *Lu, X.*, *JLT Aug. 1, 2020 4133-4141*

- Fabrication and Characterization of Femtosecond Laser Induced Microwave Frequency Photonic Fiber Grating. *Cheng, B.*, +, *JLT Oct. 1, 2020 5286-5292*
- Fabrication of Chirped Fiber Bragg Gratings in a Non-Uniform Single-Core As₂Se₃-PMMA Tapered Fiber. *Gao, S.*, +, *JLT Aug. 1, 2020 4108-4113*
- Fading Noise Suppression in Φ -OTDR Based on Nearest Neighbor Analysis. *Tu, G.*, +, *JLT Dec. 1, 2020 6691-6698*
- Fast Acquisition Tunable High-Resolution Photon-Counting OTDR. *Cal-liari, F.*, +, *JLT Aug. 15, 2020 4572-4579*
- Fast Demodulation of Fiber Bragg Grating Wavelength From Low-Resolution Spectral Measurements Using Buneman Frequency Estimation. *Yang, Y.*, +, *JLT Sept. 15, 2020 5142-5148*
- Femtosecond Laser Inscribed Tilted Gratings for Leaky Mode Excitation in Optical Fibers. *Ioannou, A.*, +, *JLT April 1, 2020 1921-1928*
- First Field Trial of Distributed Fiber Optical Sensing and High-Speed Communication Over an Operational Telecom Network. *Huang, M.*, +, *JLT Jan. 1, 2020 75-81*
- Frequency Response Enhancement of Phase-Sensitive OTDR for Interrogating Weak Reflector Array by Using OFDM and Vernier Effect. *Wu, M.*, +, *JLT Sept. 1, 2020 4874-4882*
- Gain Spectrum Engineering in Slope-Assisted Dynamic Brillouin Optical Time-Domain Analysis. *Feng, C.*, +, *JLT Dec. 15, 2020 6967-6975*
- High Sensitivity Distributed Static Strain Sensing Based on Differential Relative Phase in Optical Frequency Domain Reflectometry. *Wang, C.*, +, *JLT Oct. 15, 2020 5825-5836*
- High-Order Harmonic-Frequency Cross-Correlation Algorithm for Absolute Cavity Length Interrogation of White-Light Fiber-Optic Fabry-Perot Sensors. *Chen, H.*, +, *JLT Feb. 15, 2020 953-960*
- High-Performance Bending Sensor Based on Femtosecond Laser-Inscribed in-Fiber Mach-Zehnder Interferometer. *Zhao, R.*, +, *JLT Nov. 15, 2020 6371-6378*
- High-Resolution Temperature Sensor Based on Intracavity Sensing of Fiber Ring Laser. *Shi, J.*, +, *JLT April 1, 2020 2010-2014*
- High-Speed and High-Resolution Microwave Photonic Interrogation of a Fiber-Optic Refractometer With Plasmonic Spectral Comb. *Wang, G.*, +, *JLT April 1, 2020 2073-2080*
- High-Speed FBG Interrogation With Electro-Optically Tunable Sagnac Loops. *Oton, C.J.*, +, *JLT Aug. 15, 2020 4513-4519*
- Highly Sensitive FBG Seismometer With a 3D-Printed Hexagonal Configuration. *Guo, T.*, +, *JLT Aug. 15, 2020 4588-4595*
- Importance of Internal Tensile Stress in Forming Low-Loss Fiber Draw-Tower Gratings. *Liu, S.*, +, *JLT April 1, 2020 1900-1904*
- Integrated Auxiliary Interferometer for Self-Correction of Nonlinear Tuning in Optical Frequency Domain Reflectometry. *Badar, M.*, +, *JLT Nov. 1, 2020 6097-6103*
- Inter-Cross De-Modulated Refractive Index and Temperature Sensor by an Etched Multi-Core Fiber of a MZI Structure. *Mumtaz, F.*, +, *JLT Dec. 15, 2020 6948-6953*
- Investigating the Refractive Index Sensitivity of U-Bent Fiber Optic Sensors Using Ray Optics. *Danny, C.G.*, +, *JLT March 15, 2020 1580-1588*
- Investigation on the Polarization Dependence of An Angled Polished Multimode Fibre Structure. *Wang, R.*, +, *JLT Aug. 15, 2020 4520-4525*
- Liquid Level and Refractive Index Double-Parameter Sensor Based on Tapered Photonic Crystal Fiber. *Fan, R.*, +, *JLT July 15, 2020 3717-3722*
- Long-Length and Thermally Stable High-Finesse Fabry-Perot Interferometers Made of Hollow Core Optical Fiber. *Ding, M.*, +, *JLT April 15, 2020 2423-2427*
- Microcapillary-Based Integrated LSPR Device for Refractive Index Detection and Biosensing. *Chen, S.*, +, *JLT April 15, 2020 2485-2492*
- Microwave Device Inspired by Fiber-Optic Extrinsic Fabry-Perot Interferometer: A Novel Ultra-Sensitive Sensing Platform. *Zhu, C.*, +, *JLT Dec. 15, 2020 6961-6966*
- Mode Selective Conversion Enabled by the Long-Period Gratings Inscribed in Elliptical Core Few-Mode Fiber. *Liu, Z.*, +, *JLT March 15, 2020 1536-1542*
- Monitoring and Characterization of Mining-Induced Overburden Deformation in Physical Modeling With Distributed Optical Fiber Sensing Technology. *Yuan, Q.*, +, *JLT Feb. 15, 2020 881-888*
- Multi-Parameter Optical Fiber Sensing of Gaseous Ammonia and Carbon Dioxide. *Liu, L.*, +, *JLT April 1, 2020 2037-2045*
- Multi-Tone Pound-Drever-Hall Technique for High-Resolution Multiplexed Fabry-Perot Resonator Sensors. *Zhao, S.*, +, *JLT Nov. 15, 2020 6379-6384*
- Multicomponent Photonic Glass for Temperature Insensitive Fiber Probe. *Lin, Z.*, +, *JLT Aug. 15, 2020 4470-4477*
- Nanomaterial-Enhanced Fiber Optofluidic Laser Biosensor for Sensitive Enzyme Detection. *Mao, J.*, +, *JLT Sept. 15, 2020 5205-5211*
- Numerical Modeling of Fcy OTDR Sensing Using a Refractive Index Perturbation Approach. *Lu, X.*, +, *JLT Feb. 15, 2020 974-980*
- Optimization of Refractive Index Sensitivity in Nanofilm-Coated Long-Period Fiber Gratings Near the Dispersion Turning Point. *Zou, F.*, +, *JLT Feb. 15, 2020 889-897*
- Optimization of SERS Sensing With Micro-Lensed Optical Fibers and Au Nano-Film. *Milenko, K.*, +, *JLT April 1, 2020 2081-2085*
- Opto-Mechanical Lab-on-Fiber Accelerometers. *Bruno, F.A.*, +, *JLT April 1, 2020 1998-2009*
- Polymer-Coated Hollow Fiber Optofluidic Laser for Refractive Index Sensing. *Zhao, X.*, +, *JLT March 15, 2020 1550-1556*
- Quasi-Distributed Vibration Sensing Based on Weak Reflectors and STFT Demodulation. *Leandro, D.*, +, *JLT Dec. 15, 2020 6954-6960*
- Reconstruction of Distributed Strain Profile Using a Weighted Spectrum Decomposition Algorithm for Brillouin Scattering Based Fiber Optic Sensor. *Mei, Y.*, +, *JLT Nov. 15, 2020 6385-6392*
- Room-Temperature Power-Stabilized Narrow-Linewidth Tunable Erbium-Doped Fiber Ring Laser Based on Cascaded Mach-Zehnder Interferometers With Different Free Spectral Range for Strain Sensing. *Zhang, L.*, +, *JLT April 1, 2020 1966-1974*
- Sagnac Interferometer Based on a Highly-Birefringent Two-Core PCF: Theory, Experiment, and Sensing Characteristics. *Naeem, K.*, +, *JLT Sept. 15, 2020 5177-5190*
- Selective Mode Excitation in a Few-Mode Photonic Crystal Fiber for Strain Sensing With Restrained Temperature Response. *Luo, Z.*, +, *JLT Aug. 15, 2020 4560-4571*
- Sensing Enhancement at an Exceptional Point in a Nonreciprocal Fiber Ring Cavity. *Wang, H.*, +, *JLT April 15, 2020 2511-2515*
- Sensitivity-Enhanced Distributed Hydrostatic Pressure Sensor Based on BOTDA in Single-Mode Fiber With Double-Layer Polymer Coatings. *Dong, Y.*, +, *JLT April 15, 2020 2564-2571*
- Side-Polished Single-Mode-Multimode-Single-Mode Fiber Structure for the Vector Magnetic Field Sensing. *Chen, Y.*, +, *JLT Oct. 15, 2020 5837-5843*
- Simultaneous Measurement of Pressure and Temperature in Seawater with PDMS Sealed Microfiber Mach-Zehnder Interferometer. *Hou, Y.*, +, *JLT Nov. 15, 2020 6412-6421*
- Simultaneous Measurement of Strain and Temperature by a Sawtooth Stressor-Assisted Highly Birefringent Fiber Bragg Grating. *Guo, K.*, +, *JLT April 1, 2020 2060-2066*
- Simultaneous Measurement of Temperature and Relative Humidity Based on a Microfiber Sagnac Loop and MoS₂. *Bai, Y.*, +, *JLT Feb. 15, 2020 840-845*
- Single-Shot COTDR Using Sub-Chirped-Pulse Extraction Algorithm for Distributed Strain Sensing. *Xiong, J.*, +, *JLT April 1, 2020 2028-2036*
- Study of Surface Plasmon Resonance Sensor Based on Polymer-Tipped Optical Fiber With Barium Titanate Layer. *Xia, Z.*, +, *JLT Feb. 15, 2020 912-918*
- Surface Plasmon Resonance Induced High Sensitivity Temperature and Refractive Index Sensor Based on Evanescent Field Enhanced Photonic Crystal Fiber. *Liu, Y.*, +, *JLT Feb. 15, 2020 919-928*
- Temperature-Independent Curvature Sensor Based on In-Fiber Mach-Zehnder Interferometer Using Hollow-Core Fiber. *Marrujo-Garcia, S.*, +, *JLT Aug. 1, 2020 4166-4173*
- The Thermal Phase Sensitivity of Both Coated and Uncoated Standard and Hollow Core Fibers Down to Cryogenic Temperatures. *Zhu, W.*, +, *JLT April 15, 2020 2477-2484*

Tip Packaged High-Temperature Miniature Sensor Based on Suspended Core Optical Fiber. *Su, H.*, +, *JLT Aug. 1, 2020 4160-4165*

Torsion, Refractive Index, and Temperature Sensors Based on An Improved Helical Long Period Fiber Grating. *Zhao, Y.*, +, *JLT April 15, 2020 2504-2510*

Truly Distributed and Ultra-Fast Microwave Photonic Fiber-Optic Sensor. *Zhou, D.*, +, *JLT Aug. 1, 2020 4150-4159*

Ultra-High Sensitive Quasi-Distributed Acoustic Sensor Based on Coherent OTDR and Cylindrical Transducer. *Li, H.*, +, *JLT Feb. 15, 2020 929-938*

Ultra-Stable and Real-Time Demultiplexing System of Strong Fiber Bragg Grating Sensors Based on Low-Frequency Optoelectronic Oscillator. *Wang, W.*, +, *JLT Feb. 15, 2020 981-988*

Vertical-Fluid-Array-Induced Optical Microfiber Long-Period Grating (VIOLIN) Refractometer. *Ran, Y.*, +, *JLT April 15, 2020 2434-2440*

Field programmable gate arrays

A Dynamically-Reconfigurable Burst-Mode Link Using a Nanosecond Photonic Switch. *Forenchich, A.*, +, *JLT March 15, 2020 1330-1340*

A Reconfigurable Architecture for Continuous Double-Sided Swept-Laser Linearization. *Yao, Z.*, +, *JLT Sept. 15, 2020 5170-5176*

Efficient Real-Time Digital Subcarrier Cross-Connect (DSXC) Based on Distributed Arithmetic DSP Algorithm. *Xu, T.*, +, *JLT July 1, 2020 3495-3505*

Fast Acquisition Tunable High-Resolution Photon-Counting OTDR. *Calliari, F.*, +, *JLT Aug. 15, 2020 4572-4579*

High-Speed Post-Processing in Continuous-Variable Quantum Key Distribution Based on FPGA Implementation. *Yang, S.*, +, *JLT Aug. 1, 2020 3935-3941*

High-Speed Railway Communication System Using Linear-Cell-Based Radio-Over-Fiber Network and Its Field Trial in 90-GHz Bands. *Kanno, A.*, +, *JLT Jan. 1, 2020 112-122*

P4-enabled Smart NIC: Enabling Sliceable and Service-Driven Optical Data Centres. *Yan, Y.*, +, *JLT May 1, 2020 2688-2694*

Real-Time Verification of Soft-Decision LDPC Coding for Burst Mode Upstream Reception in 50G-PON. *Yang, M.*, +, *JLT April 1, 2020 1693-1701*

Filtering theory

DSP-Based Flexible-Waveform and Multi-Application 5G Fiber-Wireless System. *Borges, R.M.*, +, *JLT Feb. 1, 2020 642-653*

Long-Haul Mode Multiplexing Transmission Enhanced by Interference Cancellation Techniques Based on Fast MIMO Affine Projection. *Shibahara, K.*, +, *JLT Sept. 15, 2020 4969-4977*

Optical Wireless Communications Adopting Delay-Tolerant Repetition-Coding With Orthogonal-Filters and On-Demand Equalization. *Song, T.*, +, *JLT Aug. 15, 2020 4250-4259*

Optics-Simplified DSP for 50 Gb/s PON Downstream Transmission using 10 Gb/s Optical Devices. *Xue, L.*, +, *JLT Feb. 1, 2020 583-589*

Finite difference methods

Matrix-Free Time Domain Gradient Smoothing Method With Stretched-Coordinates Perfectly Matched Layer for Analysis of Photonic Devices. *Atia, K.s.R.*, +, *JLT Oct. 15, 2020 5791-5800*

Finite difference time-domain analysis

Femtosecond Laser-Inscribed Non-Volatile Integrated Optical Switch in Fused Silica Based on Microfluidics-Controlled Total Internal Reflection. *Radosavljevic, A.*, +, *JLT Aug. 1, 2020 3965-3973*

Integrated Discretely Tunable Optical Delay Line Based on Step-Chirped Subwavelength Grating Waveguide Bragg Gratings. *Sun, H.*, +, *JLT Oct. 1, 2020 5551-5560*

Low Loss, Large Bandwidth Fiber-Chip Edge Couplers Based on Silicon-on-Insulator Platform. *He, A.*, +, *JLT Sept. 1, 2020 4780-4786*

Matrix-Free Time Domain Gradient Smoothing Method With Stretched-Coordinates Perfectly Matched Layer for Analysis of Photonic Devices. *Atia, K.s.R.*, +, *JLT Oct. 15, 2020 5791-5800*

Study of Surface Plasmon Resonance Sensor Based on Polymer-Tipped Optical Fiber With Barium Titanate Layer. *Xia, Z.*, +, *JLT Feb. 15, 2020 912-918*

Finite element analysis

A Digital Twin Approach to Study Additive Manufacturing Processing Using Embedded Optical Fiber Sensors and Numerical Modeling. *Zou, R.*, +, *JLT Nov. 15, 2020 6402-6411*

Broadband Light Amplitude Tuning Characteristics of SnSe₂ Coated Microfiber. *Guan, H.*, +, *JLT Nov. 1, 2020 6089-6096*

Extraction of Elastooptic Coefficient of Thin-Film Arsenic Trisulfide Using a Mach-Zehnder Acoustooptic Modulator on Lithium Niobate. *Khan, M.S.I.*, +, *JLT April 1, 2020 2053-2059*

Femtosecond Laser Inscribed Tilted Gratings for Leaky Mode Excitation in Optical Fibers. *Ioannou, A.*, +, *JLT April 1, 2020 1921-1928*

Hollow Silica Photonic Crystal Fiber Guiding 101 Orbital Angular Momentum Modes Without Phase Distortion in C+L Band. *Hong, S.*, +, *JLT March 1, 2020 1010-1018*

Matrix-Free Time Domain Gradient Smoothing Method With Stretched-Coordinates Perfectly Matched Layer for Analysis of Photonic Devices. *Atia, K.s.R.*, +, *JLT Oct. 15, 2020 5791-5800*

Opto-Mechanical Lab-on-Fiber Accelerometers. *Bruno, F.A.*, +, *JLT April 1, 2020 1998-2009*

Surface Plasmon Resonance Induced High Sensitivity Temperature and Refractive Index Sensor Based on Evanescent Field Enhanced Photonic Crystal Fiber. *Liu, Y.*, +, *JLT Feb. 15, 2020 919-928*

Temperature-Independent Curvature Sensor Based on In-Fiber Mach-Zehnder Interferometer Using Hollow-Core Fiber. *Marrujo-Garcia, S.*, +, *JLT Aug. 1, 2020 4166-4173*

Ultrasharp LSPR Temperature Sensor Based on Grapefruit Fiber Filled With a Silver Nanoshell and Liquid. *Yang, X.*, +, *JLT April 1, 2020 2015-2021*

FIR filters

100+ Gbps/λ 50 km C-Band Downstream PON Using CD Digital Pre-Compensation and Direct-Detection ONU Receiver. *Torres-Ferrera, P.*, +, *JLT Dec. 15, 2020 6807-6816*

All-Analog Adaptive Equalizer for Coherent Data Center Interconnects. *Nambath, N.*, +, *JLT Nov. 1, 2020 5867-5874*

Digital Pre- and Post-Equalization for C-Band 112-Gb/s PAM4 Short-Reach Transport Systems. *Tang, X.*, +, *JLT Sept. 1, 2020 4683-4690*

Efficient Real-Time Digital Subcarrier Cross-Connect (DSXC) Based on Distributed Arithmetic DSP Algorithm. *Xu, T.*, +, *JLT July 1, 2020 3495-3505*

Nonlinear System Identification Scheme for Efficient Compensators Design. *Faig, H.*, +, *JLT July 1, 2020 3519-3525*

Revisiting Efficient Multi-Step Nonlinearity Compensation With Machine Learning: An Experimental Demonstration. *Oliari, V.*, +, *JLT June 15, 2020 3114-3124*

Flames

Torsion, Refractive Index, and Temperature Sensors Based on An Improved Helical Long Period Fiber Grating. *Zhao, Y.*, +, *JLT April 15, 2020 2504-2510*

Flip-chip devices

A 4 × 4 Electrooptic Silicon Photonic Switch Fabric With Net Neutral Insertion Loss. *Dupuis, N.*, +, *JLT Jan. 15, 2020 178-184*

Efficient Hybrid Integration of Long-Wavelength VCSELs on Silicon Photonic Circuits. *Ruan, Z.*, +, *JLT Sept. 15, 2020 5100-5106*

Flip-Chip Integration of InP to SiN Photonic Integrated Circuits. *Theurer, M.*, +, *JLT May 1, 2020 2630-2636*

High-Power and High-Linearity Photodiodes at 1064 nm. *Peng, Y.*, +, *JLT Sept. 1, 2020 4850-4856*

Fluorescence

An Experimental and Theoretical Investigation of a 2 μm Wavelength Low-Threshold Microsphere Laser. *Yu, J.*, +, *JLT April 1, 2020 1880-1886*

DC-Biased Optofluidic Biolaser for Uric Acid Detection. *Wang, Y.*, +, *JLT March 15, 2020 1557-1563*

Far-Field Imaging Beyond the Diffraction Limit Using Waves Interference. *Salami, P.*, +, *JLT April 15, 2020 2322-2327*

Fluorine

Comparison Study of Radiation-Resistant Polarization-Maintaining PANDA Fibers With Undoped- and N-Doped-Silica Core. *Tomashuk, A.L.*, +, *JLT Oct. 15, 2020 5817-5824*

FM radar

A Reconfigurable Architecture for Continuous Double-Sided Swept-Laser Linearization. *Yao, Z.*, +, *JLT Sept. 15, 2020 5170-5176*

Carrier-Suppressed Single Sideband Signal for FMCW LiDAR Using a Si Photonic-Crystal Optical Modulators. *Kamata, M.*, +, *JLT April 15, 2020 2315-2321*

Photonic-Assisted Leakage Cancellation for Wideband Frequency Modulation Continuous-Wave Radar Transceiver. *Li, P.*, +, *JLT March 15, 2020 1178-1183*

Force sensors

Compact Vectorial Transverse Force Sensor Based on Two-Modal Interference in a Few-Mode Seven-Core Fiber. *Zhao, J.*, +, *JLT April 1, 2020 2046-2052*

Forward error correction

120 GBaud PAM-4/PAM-6 Generation and Detection by Photonic Aided Digital-to-Analog Converter and Linear Equalization. *Xin, H.*, +, *JLT April 15, 2020 2226-2230*

200 G Outdoor Free-Space-Optics Link Using a Single-Photodiode Receiver. *Lorences-Riesgo, A.*, +, *JLT Jan. 15, 2020 394-400*

240 Gbit/s Silicon Photonic Mach-Zehnder Modulator Enabled by Two 2.3-Vpp Drivers. *Jacques, M.*, +, *JLT June 1, 2020 2877-2885*

A Computational Efficient Nyquist Shaping Approach for Short-Reach Optical Communications. *Perez-Pascual, A.*, +, *JLT April 1, 2020 1651-1658*

A Novel Baseband Faster-Than-Nyquist Non-Orthogonal FDM IM/DD System With Block Segmented Soft-Decision Decoder. *Hu, Z.*, +, *JLT Feb. 1, 2020 632-641*

Adaptive Channel-Matched Detection for C-Band 64-Gbit/s Optical OOK System Over 100-km Dispersion-Uncompensated Link. *Wang, H.*, +, *JLT Sept. 15, 2020 5048-5055*

Amplifier-less transmission of beyond 100-Gbit/s/λ signal for 40-km DCI-Edge with 10G-class O-band DML. *Zou, D.*, +, *JLT Oct. 15, 2020 5649-5655*

Coded Modulation for 100G Coherent EPON. *Gerard, T.*, +, *JLT Feb. 1, 2020 564-572*

Comparison on OM5-MMF and OM4-MMF Data Links With 32-GBaud PAM-4 Modulated Few-Mode VCSEL at 850 nm. *Huang, C.*, +, *JLT Feb. 1, 2020 573-582*

Considerations on the Use of Digital Signal Processing in Future Optical Access Networks. *Neto, L.A.*, +, *JLT Feb. 1, 2020 598-607*

Demonstration of C-Band Amplifier-Free 100 Gb/s/λ Direct-Detection Links Beyond 40-km SMF Using a High-Power SSB Transmitter. *Li, X.*, +, *JLT Nov. 15, 2020 6170-6177*

DFT-Spread DMT-WDM-PON Employing LDPC-Coded Probabilistic Shaping 16 QAM. *Xiao, Q.*, +, *JLT Feb. 15, 2020 714-722*

Differential Drive I/Q Modulator Based on Silicon Photonic Electro-Absorption Modulators. *Melikyan, A.*, +, *JLT June 1, 2020 2872-2876*

Digital Resolution Enhancer Employing Clipping for High-Speed Optical Transmission. *van den Hout, M.*, +, *JLT June 1, 2020 2897-2904*

DSP-Free Real-Time 25 GBPS Quasicoherent Receiver With Electrical SSB Filtering for C-Band Links up to 40 km SSMF. *Altabas, J.A.*, +, *JLT April 1, 2020 1785-1788*

Enhanced Carrier to Noise Ratio by Brillouin Amplification for Optical Communications. *Pelusi, M.*, +, *JLT Jan. 15, 2020 319-331*

Experimental Demonstration of 600 Gb/s Net Rate PAM4 Transmissions Over 2 km and 10 km With a 4-λ CWDM TOSA. *Xing, Z.*, +, *JLT June 1, 2020 2968-2975*

High Baud Rate All-Silicon Photonics Carrier Depletion Modulators. *Zhou, J.*, +, *JLT Jan. 15, 2020 272-281*

High-Speed Performance Evaluation of Graded-Index Multicore Fiber Compatible With Multimode and Quasi-single Mode Operation. *Liu, Y.*, +, *JLT Dec. 15, 2020 6870-6878*

High-Speed Railway Communication System Using Linear-Cell-Based Radio-Over-Fiber Network and Its Field Trial in 90-GHz Bands. *Kanno, A.*, +, *JLT Jan. 1, 2020 112-122*

Interband Short Reach Data Transmission in Ultrawide Bandwidth Hollow Core Fiber. *Sakr, H.*, +, *JLT Jan. 1, 2020 159-165*

Intra-Datacenter Interconnects With a Serialized Silicon Optical Frequency Comb Modulator. *Kong, D.*, +, *JLT Sept. 1, 2020 4677-4682*

Iterative Algorithm for Electronic Dispersion Compensation in IM/DD Systems. *Karar, A.S.*, *JLT Feb. 15, 2020 698-704*

Laser Phase Noise Tolerance of Uniform and Probabilistically Shaped QAM Signals for High Spectral Efficiency Systems. *Sasai, T.*, +, *JLT Jan. 15, 2020 439-446*

LDPC-Coded Probabilistic Shaping PAM4 Based on Many-to-One Mapping in WDM-PON. *He, H.*, +, *JLT Aug. 1, 2020 3918-3925*

Modulation and Switching Architecture Performances for Frequency Up-Conversion of Complex-Modulated Data Signals Based on a SOA-MZI Photonic Sampling Mixer. *Kastritsis, D.*, +, *JLT Oct. 1, 2020 5375-5385*

Multichannel 16-QAM Single-Sideband Transmission and Kramers-Kronig Detection Using a Single QD-MLL as the Light Source. *AL-QADI, M.*, +, *JLT Nov. 15, 2020 6163-6169*

Non-Coherent Detection for Ultraviolet Communications With Inter-Symbol Interference. *Hu, W.*, +, *JLT Sept. 1, 2020 4699-4707*

Non-Orthogonal Uplink Services Through Co-Transport of D-RoF/A-RoF in Mobile Fronthaul. *Yao, S.*, +, *JLT July 15, 2020 3637-3643*

On the Fairness of the Performance Evaluation of Probabilistically Shaped QAM Signals. *Vassilieva, O.*, +, *JLT June 1, 2020 3067-3073*

Optical Wireless Communications Adopting Delay-Tolerant Repetition-Coding With Orthogonal-Filters and On-Demand Equalization. *Song, T.*, +, *JLT Aug. 15, 2020 4250-4259*

Performance Comparison of Probabilistically Shaped QAM Formats and Hybrid Shaped APSK Formats With Coded Modulation. *Cai, J.*, +, *JLT June 15, 2020 3280-3288*

Performance Monitoring for Live Systems With Soft FEC and Multilevel Modulation. *Yoshida, T.*, +, *JLT June 1, 2020 2912-2921*

Performance-Complexity Tradeoffs of Concatenated FEC for Higher-Order Modulation. *Barakatain, M.*, +, *JLT June 1, 2020 2944-2953*

Post-FEC BER Benchmarking for Bit-Interleaved Coded Modulation With Probabilistic Shaping. *Yoshida, T.*, +, *JLT Aug. 15, 2020 4292-4306*

Principle, Design, and Prototyping of Core Selective Switch Using Free-Space Optics for Spatial Channel Network. *Jinno, M.*, +, *JLT Sept. 15, 2020 4895-4905*

Rate Redundancy and Entropy Allocation for PAS-OFDM Based Mobile Fronthaul. *Zhang, R.*, +, *JLT Aug. 15, 2020 4260-4269*

Real-Time Verification of Soft-Decision LDPC Coding for Burst Mode Upstream Reception in 50G-PON. *Yang, M.*, +, *JLT April 1, 2020 1693-1701*

SOA Pre-Amplified 100 Gb/s/λ PAM-4 TDM-PON Downstream Transmission Using 10 Gbps O-Band Transmitters. *Zhang, J.*, +, *JLT Jan. 15, 2020 185-193*

System Optimization of an All-Silicon IQ Modulator: Achieving 100-GBaud Dual-Polarization 32QAM. *Zhalehpour, S.*, +, *JLT Jan. 15, 2020 256-264*

Temperature and Noise Dependence of Tri-Mode VCSEL Carried 120-Gbit/s QAM-OFDM Data in Back-to-Back and OM5-MMF Links. *Huang, C.*, +, *JLT Dec. 15, 2020 6746-6758*

Toward Single Lane 200G Optical Interconnects With Silicon Photonic Modulator. *Zhu, Y.*, +, *JLT Jan. 1, 2020 67-74*

Towards a Scaleable 5G Fronthaul: Analog Radio-over-Fiber and Space Division Multiplexing. *Rommel, S.*, +, *JLT Oct. 1, 2020 5412-5422*

Tunable THz Signal Generation and Radio-Over-Fiber Link Based on an Optoelectronic Oscillator-Driven Optical Frequency Comb. *Hasanuzzaman, G.K.M.*, +, *JLT Oct. 1, 2020 5240-5247*

Unrepeated Transmission Over 670.64 km of 50G BPSK, 653.35 km of 100G PS-QPSK, 601.93 km of 200G 8QAM, and 502.13 km of 400G 64QAM. *Xu, J.*, +, *JLT Jan. 15, 2020 522-530*

VCSEL and LED Based Visible Light Communication System by Applying Decode-and-Forward Relay Transmission. *Yeh, C.*, +, *JLT Oct. 15, 2020 5728-5732*

Fourier analysis

Joint Estimation of Multiple Time Interleaved ADC Timing Offsets Based on Fourier Series Decomposition. *Paryanti, G.*, +, *JLT Aug. 1, 2020 3832-3838*

Fourier series

Joint Estimation of Multiple Time Interleaved ADC Timing Offsets Based on Fourier Series Decomposition. *Paryanti, G.*, +, *JLT Aug. 1, 2020 3832-3838*

Fourier transform optics

All-Optical Frequency Processor for Networking Applications. *Lukens, J.M.*, +, *JLT April 1, 2020 1678-1687*

Data Transmission Based on Exact Inverse Periodic Nonlinear Fourier Transform, Part II: Waveform Design and Experiment. *Goossens, J.*, +, *JLT Dec. 1, 2020 6520-6528*

Exact NFDN Transmission in the Presence of Fiber-Loss. *Bajaj, V.*, +, *JLT June 1, 2020 3051-3058*

Full-Spectrum Periodic Nonlinear Fourier Transform Optical Communication Through Solving the Riemann-Hilbert Problem. *Kamalian-Kopae, M.*, +, *JLT July 15, 2020 3602-3615*

Impact of Dispersion Effects on Temporal-Convolution-Based Real-Time Fourier Transformation Systems. *Zhang, B.*, +, *JLT Sept. 1, 2020 4664-4676*

Improving Soliton Transmission Systems Through Soliton Interactions. *Zhou, G.*, +, *JLT July 15, 2020 3563-3572*

Nonlinear Spectrum of Conventional OFDM and WDM Return-to-Zero Signals in Nonlinear Channel. *Turtitsyn, S.*, +, *JLT Jan. 15, 2020 352-358*

Photonics-Based Real-Time Spectrogram Analysis of Broadband Waveforms. *Konatham, S.R.*, +, *JLT Oct. 1, 2020 5356-5367*

Quasi-Distributed Vibration Sensing Based on Weak Reflectors and STFT Demodulation. *Leandro, D.*, +, *JLT Dec. 15, 2020 6954-6960*

Temporal Imaging Using Dispersive Gradient-Index Time Lenses. *Han, T.*, +, *JLT April 15, 2020 2383-2391*

The Enhanced Gaussian Noise Model Extended to Polarization-Dependent Loss. *Serena, P.*, +, *JLT Oct. 15, 2020 5685-5694*

Time-Stretched Femtosecond Lidar Using Microwave Photonic Signal Processing. *Zhao, L.*, +, *JLT Nov. 15, 2020 6265-6271*

Transient Crosstalk in Holographic Optical Switching Based on Wavefront Encoding. *Yang, H.*, +, *JLT April 1, 2020 1618-1624*

Fourier transforms

Data Transmission Based on Exact Inverse Periodic Nonlinear Fourier Transform, Part I: Theory. *Goossens, J.*, +, *JLT Dec. 1, 2020 6499-6519*

Dispersion and Nonlinearity Identification for Single-Mode Fibers Using the Nonlinear Fourier Transform. *de Koster, P.*, +, *JLT June 15, 2020 3252-3260*

Enhanced Optical Communications Through Joint Time-Frequency Multiplexing Strategies. *Cincotti, G.*, +, *JLT Jan. 15, 2020 346-351*

Experimental Demonstration of Nonlinear Frequency Division Multiplexing Transmission With Neural Network Receiver. *Gaiarin, S.*, +, *JLT Dec. 1, 2020 6465-6473*

Successive Eigenvalue Removal for Multi-Soliton Spectral Amplitude Estimation. *Span, A.*, +, *JLT Sept. 1, 2020 4708-4714*

Free-space optical communication

200 G Outdoor Free-Space-Optics Link Using a Single-Photodiode Receiver. *Lorences-Riesgo, A.*, +, *JLT Jan. 15, 2020 394-400*

A Bidirectional FSO Communication Employing Phase Modulation Scheme and Remotely Injection-Locked DFB LD. *Huang, X.*, +, *JLT Nov. 1, 2020 5883-5892*

A General Orthogonal Transform Aided MIMO Design for Reliable Maritime Visible Light Communications. *Huang, G.*, +, *JLT Dec. 1, 2020 6549-6560*

A Novel Algorithm for Improving the Spectrum Efficiency of Non-Orthogonal Multiband CAP UVLC Systems. *Wang, Z.*, +, *JLT Nov. 15, 2020 6187-6201*

A Novel Cooperative HARQ Protocol for Free-Space Optical Broadcasting Systems. *Hosseini, S.S.*, +, *JLT April 1, 2020 1789-1799*

A WDM PAM4 FSO-UWOC Integrated System With a Channel Capacity of 100 Gb/s. *Li, C.*, +, *JLT April 1, 2020 1766-1776*

Adaptive Nonlinear Equalization Combining Sparse Bayesian Learning and Kalman Filtering for Visible Light Communications. *Miao, P.*, +, *JLT Dec. 15, 2020 6732-6745*

Adaptive Probabilistic Shaped Modulation for High-Capacity Free-Space Optical Links. *Guimar, F.P.*, +, *JLT Dec. 1, 2020 6529-6541*

Analysis of the Single-FFT Receiver for Layered ACO-OFDM in Visible Light Communications. *Liu, X.*, +, *JLT Sept. 1, 2020 4757-4764*

Analytical Channel Model and Link Design Optimization for Ground-to-HAP Free-Space Optical Communications. *Safi, H.*, +, *JLT Sept. 15, 2020 5036-5047*

Capacity and Optimum Signal Constellations for VLC Systems. *Jia, L.*, +, *JLT April 15, 2020 2180-2189*

Channel-Aware Adaptive Physical-Layer Network Coding Over Relay-Assisted OFDM-VLC Networks. *Hong, Y.*, +, *JLT March 15, 2020 1168-1177*

Comparison of Different Precoding Techniques for Unbalanced Impairments Compensation in Short-Reach DMT Transmission Systems. *Chen, M.*, +, *JLT Nov. 15, 2020 6202-6213*

Comprehensive Design and Prototype of VLC Receivers With Large Detection Areas. *Nabavi, P.*, +, *JLT Aug. 15, 2020 4187-4204*

Decentralized Coordination of Converged Tactile Internet and MEC Services in H-CRAN Fiber Wireless Networks. *Perez, G.O.*, +, *JLT Sept. 15, 2020 4935-4947*

Delay-Tolerant Indoor Optical Wireless Communication Systems Based on Attention-Augmented Recurrent Neural Network. *He, J.*, +, *JLT Sept. 1, 2020 4632-4640*

Design and Characterisation of Terabit/s Capable Compact Localisation and Beam-Steering Terminals for Fiber-Wireless-Fiber Links. *Singh, R.*, +, *JLT Dec. 15, 2020 6817-6826*

Design and Demonstration of Robust Visible Light Positioning Based on Received Signal Strength. *Huang, N.*, +, *JLT Oct. 15, 2020 5695-5707*

Dimming-Aware Deep Learning Approach for OOK-Based Visible Light Communication. *Zou, C.*, +, *JLT Oct. 15, 2020 5733-5742*

Flexible Coherent Communication System With Adaptable SNR and Laser Phase Noise Tolerance for Probabilistically Shaped QAM. *Yao, S.*, +, *JLT Nov. 15, 2020 6178-6186*

Fully Passive User Localization for Beam-Steered High-Capacity Optical Wireless Communication System. *Koonen, T.*, +, *JLT May 15, 2020 2842-2848*

Gb/s Visible Light Communication With Low-Cost Receiver Based on Single-Color LED. *Milovancev, D.*, +, *JLT June 15, 2020 3305-3314*

Investigation of Inverse Solutions for Tilting Orthogonal Double Prisms in Laser Pointing With Submicroradian Precision. *Li, A.*, +, *JLT March 15, 2020 1341-1349*

Modulation of a High Power Semiconductor Optical Amplifier for Free Space Communications. *Pham, C.*, +, *JLT April 1, 2020 1836-1843*

Multuser Precoded MIMO Visible Light Communication Systems Enabling Spatial Dimming. *Zhao, L.*, +, *JLT Oct. 15, 2020 5624-5634*

Multuser Visible Light Communication Systems Using OFDMA. *Lian, J.*, +, *JLT Nov. 1, 2020 6015-6023*

Optical Wireless Communications Adopting Delay-Tolerant Repetition-Coding With Orthogonal-Filters and On-Demand Equalization. *Song, T.*, +, *JLT Aug. 15, 2020 4250-4259*

Performance Bounds on Passive Indoor Positioning Using Visible Light. *Majeed, K.*, +, *JLT April 15, 2020 2190-2200*

Performance of Spatial Diversity DCO-OFDM in a Weak Turbulence Underwater Visible Light Communication Channel. *Jiang, H.*, +, *JLT April 15, 2020 2271-2277*

Principle, Design, and Prototyping of Core Selective Switch Using Free-Space Optics for Spatial Channel Network. *Jinno, M.*, +, *JLT Sept. 15, 2020 4895-4905*

Quantum Limits in Optical Communications. *Banaszek, K.*, +, *JLT May 15, 2020 2741-2754*

SSB Single Carrier and Multicarrier in C-Band FSO Transmission With KK Receiver. *Wei, Y.*, +, *JLT Sept. 15, 2020 5000-5007*

Superposed 32QAM Constellation Design for 2×2 Spatial Multiplexing MIMO VLC Systems. *Guo, X.*, +, *JLT April 1, 2020 1702-1711*

The Fischer-Snedecor \mathcal{F} -Distribution Model for Turbulence-Induced Fading in Free-Space Optical Systems. *Peppas, K.P.*, +, *JLT March 15, 2020 1286-1295*

- The Movement-Rotation (MR) Correlation Function and Coherence Distance of VLC Channels. *Chen, J., +, JLT Dec. 15, 2020 6759-6770*
- Unified Performance Analysis of Hybrid FSO/RF System With Diversity Combining. *Huang, L., +, JLT Dec. 15, 2020 6788-6800*
- VCSEL and LED Based Visible Light Communication System by Applying Decode-and-Forward Relay Transmission. *Yeh, C., +, JLT Oct. 15, 2020 5728-5732*
- VCSEL Array-Based Gigabit Free-Space Optical Femtocell Communication. *Liverman, S., +, JLT April 1, 2020 1659-1667*
- Visible Light Positioning Using Bayesian Filters. *Amsters, R., +, JLT Nov. 1, 2020 5925-5936*
- Wide-Coverage Beam-Steered 40-Gbit/s Non-Line-of-Sight Optical Wireless Connectivity for Industry 4.0. *Zhang, X., +, JLT Dec. 15, 2020 6801-6806*

Frequency control

- High-Bandwidth Tracking Method of Resonant Frequency for Sensing Resonators. *Li, H., +, JLT Feb. 15, 2020 898-904*

Frequency dividers

- Photonic-Assisted Regenerative Microwave Frequency Divider With a Tunable Division Factor. *Duan, S., +, JLT Oct. 1, 2020 5509-5516*

Frequency division multiple access

- Demonstration of Pattern Division Multiple Access With Message Passing Algorithm for Multi-Channel mmWave Uplinks via RoF Mobile Fronthaul. *Shen, S., +, JLT Nov. 1, 2020 5908-5915*
- Multiuser Visible Light Communication Systems Using OFDMA. *Lian, J., +, JLT Nov. 1, 2020 6015-6023*

Frequency division multiplexing

- DFT Spread Spectrally Efficient Frequency Division Multiplexing for IM-DD Transmission in C-Band. *Li, Z., +, JLT July 1, 2020 3526-3532*
- Exact NFDMA Transmission in the Presence of Fiber-Loss. *Bajaj, V., +, JLT June 1, 2020 3051-3058*
- Experimental Demonstration of Nonlinear Frequency Division Multiplexing Transmission With Neural Network Receiver. *Gaiarin, S., +, JLT Dec. 1, 2020 6465-6473*
- Hybrid Fiber-Optic Radio Frequency and Optical Frequency Dissemination With a Single Optical Actuator and Dual-Optical Phase Stabilization. *Tian, X., +, JLT Aug. 15, 2020 4270-4278*
- Improving Soliton Transmission Systems Through Soliton Interactions. *Zhou, G., +, JLT July 15, 2020 3563-3572*
- Multi-Tone Pound-Drever-Hall Technique for High-Resolution Multiplexed Fabry-Perot Resonator Sensors. *Zhao, S., +, JLT Nov. 15, 2020 6379-6384*
- Multi-User V-Band Uplink Using a Massive MIMO Antenna and a Fiber-Wireless IFoF Fronthaul for 5G mmWave Small-Cells. *Ruggeri, E., +, JLT Oct. 1, 2020 5368-5374*

Frequency estimation

- Fast Demodulation of Fiber Bragg Grating Wavelength From Low-Resolution Spectral Measurements Using Buneman Frequency Estimation. *Yang, Y., +, JLT Sept. 15, 2020 5142-5148*
- Space-Ground Coherent Optical Links: Ground Receiver Performance With Adaptive Optics and Digital Phase-Locked Loop. *Paillier, L., +, JLT Oct. 15, 2020 5716-5727*

Frequency measurement

- Differentiator-Based Photonic Instantaneous Frequency Measurement for Radar Warning Receiver. *Lin, T., +, JLT Aug. 1, 2020 3942-3949*
- Measurement of Instantaneous Microwave Frequency by Optical Power Monitoring Based on Polarization Interference. *Li, J., +, JLT April 15, 2020 2285-2291*
- Simultaneous Radar Detection and Frequency Measurement by Broadband Microwave Photonic Processing. *Shi, J., +, JLT April 15, 2020 2171-2179*
- Time-Stretched Femtosecond Lidar Using Microwave Photonic Signal Processing. *Zhao, L., +, JLT Nov. 15, 2020 6265-6271*

Frequency modulation

- Carrier-Suppressed Single Sideband Signal for FMCW LiDAR Using a Si Photonic-Crystal Optical Modulators. *Kamata, M., +, JLT April 15, 2020 2315-2321*
- Experimental Investigation of Wavelength Conversion Using Highly-Nonlinear Fiber and Two-Stage-Comb-Generated Pump With High Frequency Precision. *Yamazaki, M., +, JLT April 15, 2020 2219-2225*

- High-Order Electrical Spectrum Method for Measuring the Chirp of a Silicon Mach-Zehnder Modulator. *Chen, H., +, JLT Dec. 15, 2020 6833-6844*
- High-Performance Optical Frequency-Domain Reflectometry Based on High-Order Optical Phase-Locking-Assisted Chirp Optimization. *Feng, Y., +, JLT Nov. 15, 2020 6227-6236*
- Microwave Photonic Imaging Radar With a Sub-Centimeter-Level Resolution. *Ma, C., +, JLT Sept. 15, 2020 4948-4954*
- Noise-Induced Limits of Detection in Frequency Locked Optical Microcavities. *Hao, S., +, JLT Nov. 15, 2020 6393-6401*
- Reconfigurable Identical and Complementary Chirp Dual-LFM Signal Generation Subjected to Dual-Beam Injection in a DFB Laser. *Chen, H., +, JLT Oct. 1, 2020 5500-5508*
- Simultaneous Radar Detection and Frequency Measurement by Broadband Microwave Photonic Processing. *Shi, J., +, JLT April 15, 2020 2171-2179*

Frequency response

- Frequency Response Enhancement of Phase-Sensitive OTDR for Interrogating Weak Reflector Array by Using OFDM and Vernier Effect. *Wu, M., +, JLT Sept. 1, 2020 4874-4882*
- Gb/s Visible Light Communication With Low-Cost Receiver Based on Single-Color LED. *Milovancev, D., +, JLT June 15, 2020 3305-3314*
- Low-Latency and High-Speed Hollow-Core Fiber Optical Interconnection at 2-Micron Waveband. *Shen, W., +, JLT Aug. 1, 2020 3874-3882*
- Microwave Filtering Using Forward Brillouin Scattering in Photonic-Phononic Emit-Receive Devices. *Gertler, S., +, JLT Oct. 1, 2020 5248-5261*
- Multi-Objective Laser Rate Equation Based Parameter Extraction Using VCSEL Small Signal Response and RIN Spectra. *Melgar, A., +, JLT Dec. 1, 2020 6437-6445*
- Optics-Simplified DSP for 50 Gb/s PON Downstream Transmission using 10 Gb/s Optical Devices. *Xue, L., +, JLT Feb. 1, 2020 583-589*
- Performance Enhancement of Optical Comb Based Microwave Photonic Filter by Machine Learning Technique. *Shiu, R., +, JLT Oct. 1, 2020 5302-5310*
- Theory of Coupled Harmonics and Its Application to Resonant and Non-Resonant Electro-Optic Modulators. *Bahadori, M., +, JLT Oct. 15, 2020 5756-5767*
- Ultrahigh-Resolution Optoelectronic Vector Analysis Utilizing Photonics-Based Frequency Up- and Down-Conversions. *Xue, M., +, JLT Aug. 1, 2020 3859-3865*

Frequency stability

- Self-Forced Opto-Electronic Oscillators Using Sagnac-Loop PM-IM Converter. *Wei, K., +, JLT Oct. 1, 2020 5278-5285*

Frequency synthesizers

- RF Frequency Synthesizer Based on Self-Mode-Locked Multimode Lasers. *Sun, T., +, JLT April 15, 2020 2262-2270*

Frequency-domain analysis

- Chirp-Filtering for Low-Complexity Chromatic Dispersion Compensation. *Felipe, A., +, JLT June 1, 2020 2954-2960*
- Experimental Demonstration of 600 Gb/s Net Rate PAM4 Transmissions Over 2 km and 10 km With a 4- λ CWDM TOSA. *Xing, Z., +, JLT June 1, 2020 2968-2975*
- Frequency- and Time-Domain Modeling and Characterization of PN Phase Shifters in All-Silicon Carrier-Depletion Modulators. *Wang, J., +, JLT Aug. 15, 2020 4462-4469*
- High-Performance Optical Frequency-Domain Reflectometry Based on High-Order Optical Phase-Locking-Assisted Chirp Optimization. *Feng, Y., +, JLT Nov. 15, 2020 6227-6236*
- Integrated Auxiliary Interferometer for Self-Correction of Nonlinear Tuning in Optical Frequency Domain Reflectometry. *Badar, M., +, JLT Nov. 1, 2020 6097-6103*
- Quasi-Distributed Vibration Sensing Based on Weak Reflectors and STFT Demodulation. *Leandro, D., +, JLT Dec. 15, 2020 6954-6960*

G

Gallium arsenide

- 36 Gb/s Narrowband Photoreceiver for mmWave Analog Radio-Over-Fiber. *Bogaert, L., +, JLT June 15, 2020 3289-3295*

- All-Optical Switching and Multiple Logic Gates Based on Hybrid Square–Rectangular Laser. *Liu, J.*, +, *JLT March 15, 2020 1382-1390*
- Electro-Optic Tuning of a Monolithically Integrated Widely Tuneable InP Laser With Free-Running and Stabilized Operation. *Andreou, S.*, +, *JLT April 1, 2020 1887-1894*
- High-Power and High-Linearity Photodiodes at 1064 nm. *Peng, Y.*, +, *JLT Sept. 1, 2020 4850-4856*
- High-Speed Evanescently-Coupled Waveguide Type-II MUTC Photodiodes for Zero-Bias Operation. *Yu, F.*, +, *JLT Dec. 15, 2020 6827-6832*
- High-Speed Mid-Infrared Interband Cascade Photodetector Based on InAs/GaAsSb Type-II Superlattice. *Chen, Y.*, +, *JLT Feb. 15, 2020 939-945*
- In-Depth Studies of the Spectral Bandwidth of a 25 W 2 μm Band PM Hybrid Ho- and Tm-Doped Fiber Amplifier. *Tench, R.E.*, +, *JLT April 15, 2020 2456-2463*
- Low Voltage, High Optical Power Handling Capable, Bulk Compound Semiconductor Electro-Optic Modulators at 1550 nm. *Bhasker, P.*, +, *JLT April 15, 2020 2308-2314*
- Membrane InGaAsP Mach–Zehnder Modulator Integrated With Optical Amplifier on Si Platform. *Hiraki, T.*, +, *JLT June 1, 2020 3030-3036*
- Microcomb Source Based on InP DFB / Si₃N₄ Microring Butt-Coupling. *Boust, S.*, +, *JLT Oct. 1, 2020 5517-5525*
- Modeling Temperature-Dependent Avalanche Characteristics of InP. *Petticrew, J.D.*, +, *JLT Feb. 15, 2020 961-965*
- Monolithic Integrated InGaAs/InAlAs WDM-APDs With Partially Depleted Absorption Region and Evanescently Coupled Waveguide Structure. *Zhao, Y.*, +, *JLT Aug. 15, 2020 4385-4396*
- Nonlinear Characteristics of Uni-Traveling Carrier Photodiode With InGaAs/GaAsSb Type-II Multiple Quantum Wells Absorber. *Chen, Y.*, +, *JLT Sept. 1, 2020 4867-4873*
- Origin of Defect Tolerance in InAs/GaAs Quantum Dot Lasers Grown on Silicon. *Liu, Z.*, +, *JLT Jan. 15, 2020 240-248*
- Theoretical Study on the Effects of Dislocations in Monolithic III-V Lasers on Silicon. *Hantschmann, C.*, +, *JLT Sept. 1, 2020 4801-4807*
- Vertically Coupled InP/InGaAsP Microring Lasers Using a Single Epitaxial Growth and Single-Side Lithography. *Lopez, O.G.*, +, *JLT Aug. 1, 2020 3983-3987*

Gallium compounds

- A 4 × 4 Electrooptic Silicon Photonic Switch Fabric With Net Neutral Insertion Loss. *Dupuis, N.*, +, *JLT Jan. 15, 2020 178-184*
- Fabrication and Characterization of InAs/GaSb type-II Superlattice Long-Wavelength Infrared Detectors Aiming High Temperature Sensitivity. *Wang, L.*, +, *JLT Nov. 1, 2020 6129-6134*
- Low-Voltage, Coupled Multiple Quantum Well Electroreflective Modulators Towards Ultralow Power Inter-Chip Optical Interconnects. *Wang, X.*, +, *JLT July 1, 2020 3414-3421*
- Membrane InGaAsP Mach–Zehnder Modulator Integrated With Optical Amplifier on Si Platform. *Hiraki, T.*, +, *JLT June 1, 2020 3030-3036*
- Nonlinear Characteristics of Uni-Traveling Carrier Photodiode With InGaAs/GaAsSb Type-II Multiple Quantum Wells Absorber. *Chen, Y.*, +, *JLT Sept. 1, 2020 4867-4873*
- Passively Mode-Locked 2.7 and 3.2 μm GaSb-Based Cascade Diode Lasers. *Feng, T.*, +, *JLT April 1, 2020 1895-1899*
- Vertically Coupled InP/InGaAsP Microring Lasers Using a Single Epitaxial Growth and Single-Side Lithography. *Lopez, O.G.*, +, *JLT Aug. 1, 2020 3983-3987*

Gamma distribution

- The Fischer–Snedecor \mathcal{F} -Distribution Model for Turbulence-Induced Fading in Free-Space Optical Systems. *Peppas, K.P.*, +, *JLT March 15, 2020 1286-1295*

Gamma-ray effects

- Comparison Study of Radiation-Resistant Polarization-Maintaining PANDA Fibers With Undoped- and N-Doped-Silica Core. *Tomashuk, A.L.*, +, *JLT Oct. 15, 2020 5817-5824*
- Ionizing Radiation Effect upon Er/Yb Co-Doped Fibre Made by In-Situ Nano Solution Doping. *Fan, D.*, +, *JLT Nov. 15, 2020 6334-6344*

Garnets

- Broadband Bias-Magnet-Free On-Chip Optical Isolators With Integrated Thin Film Polarizers. *Karki, D.*, +, *JLT Feb. 15, 2020 827-833*

Gas sensors

- Compact Hollow Waveguide Mid-Infrared Gas Sensor For Simultaneous Measurements of Ambient CO₂ and Water Vapor. *Wu, T.*, +, *JLT Aug. 15, 2020 4580-4587*
- Modeling of Active Fiber Loop Ring-Down Spectroscopy Considering Gain Saturation Behavior of EDFA. *Chu, T.*, +, *JLT Feb. 15, 2020 966-973*
- Multi-Parameter Optical Fiber Sensing of Gaseous Ammonia and Carbon Dioxide. *Liu, L.*, +, *JLT April 1, 2020 2037-2045*
- Quartz-Enhanced Photoacoustic Spectroscopy Based on the Four-Off-Beam Acoustic Micro-Resonator. *Wang, Z.*, +, *JLT Sept. 15, 2020 5212-5218*
- Silica Hollow-Core Negative Curvature Fibers Enable Ultrasensitive Mid-Infrared Absorption Spectroscopy. *Yao, C.*, +, *JLT April 1, 2020 2067-2072*

Gaussian channels

- Post-FEC BER Benchmarking for Bit-Interleaved Coded Modulation With Probabilistic Shaping. *Yoshida, T.*, +, *JLT Aug. 15, 2020 4292-4306*

Gaussian distribution

- High-Speed Post-Processing in Continuous-Variable Quantum Key Distribution Based on FPGA Implementation. *Yang, S.*, +, *JLT Aug. 1, 2020 3935-3941*
- LDPC-Coded Probabilistic Shaping PAM8 Employing a Novel Bit-Weighted Distribution Matching in WDM-PON. *Zhao, X.*, +, *JLT Sept. 1, 2020 4641-4647*
- Mismatched Models to Lower Bound the Capacity of Optical Fiber Channels. *Garcia-Gomez, F.J.*, +, *JLT Dec. 15, 2020 6779-6787*

Gaussian noise

- Corrections to “A Modulation Format Correction Formula for the Gaussian Noise Model in the Presence of Inter-Channel Stimulated Raman Scattering”. *Semrau, D.*, +, *JLT March 15, 2020 1604*
- On Numerical Simulations of Ultra-Wideband Long-Haul Optical Communication Systems. *Serena, P.*, +, *JLT March 1, 2020 1019-1031*
- Provisioning in Multi-Band Optical Networks. *Sambo, N.*, +, *JLT May 1, 2020 2598-2605*
- Quantum Theory of Noise in Stokes Vector Receivers and Application to Bit Error Rate Analysis. *Kikuchi, K.*, *JLT June 15, 2020 3164-3172*
- SNR Model for Generalized Droop With Constant Output Power Amplifier Systems and Experimental Measurements. *Downie, J.D.*, +, *JLT June 15, 2020 3214-3220*
- The Enhanced Gaussian Noise Model Extended to Polarization-Dependent Loss. *Serena, P.*, +, *JLT Oct. 15, 2020 5685-5694*
- Transponder Implementation Penalty-Accounted Gaussian-Noise-Based Performance Modeling of Fiber-Optic Transmission Systems. *Kaliteevskiy, N.A.*, +, *JLT April 15, 2020 2253-2261*

Ge-Si alloys

- 27 GHz Silicon-Contacted Waveguide-Coupled Ge/Si Avalanche Photodiode. *Srinivasan, S.A.*, +, *JLT June 1, 2020 3044-3050*
- 64 Gbps PAM4 Si-Ge Waveguide Avalanche Photodiodes With Excellent Temperature Stability. *Yuan, Y.*, +, *JLT Sept. 1, 2020 4857-4866*
- A Low-Voltage Si-Ge Avalanche Photodiode for High-Speed and Energy Efficient Silicon Photonic Links. *Wang, B.*, +, *JLT June 15, 2020 3156-3163*
- A SiGe HBT BiCMOS 1-to-4 ADC Frontend Enabling Low Bandwidth Digitization of 100 GBaud PAM4 Data. *Buchali, F.*, +, *JLT Jan. 1, 2020 150-158*
- All-Analog Adaptive Equalizer for Coherent Data Center Interconnects. *Nambath, N.*, +, *JLT Nov. 1, 2020 5867-5874*
- Analysis and Monolithic Implementation of Differential Transimpedance Amplifiers. *Andrade, H.*, +, *JLT Aug. 15, 2020 4409-4418*
- Differential Drive I/Q Modulator Based on Silicon Photonic Electro-Absorption Modulators. *Melikyan, A.*, +, *JLT June 1, 2020 2872-2876*
- Low-Power (1.5 pJ/b) Silicon Integrated 106 Gb/s PAM-4 Optical Transmitter. *Lambrecht, J.*, +, *JLT Jan. 15, 2020 432-438*
- Single Sideband Transmission Employing a 1-to-4 ADC Frontend and Parallel Digitization. *Le, S.T.*, +, *JLT June 15, 2020 3125-3134*

Genetic algorithms

- Latency-Aware Task Peer Offloading on Overloaded Server in Multi-Access Edge Computing System Interconnected by Metro Optical Networks. *Huang, S.*, +, *JLT Nov. 1, 2020 5949-5961*

- Multi-Objective Laser Rate Equation Based Parameter Extraction Using VCSEL Small Signal Response and RIN Spectra. *Melgar, A.*, +, *JLT Dec. 1, 2020 6437-6445*
- Optimal Control of SOAs With Artificial Intelligence for Sub-Nanosecond Optical Switching. *Parsonson, C.W.F.*, +, *JLT Oct. 15, 2020 5563-5573*
- Genetics**
- A Review: Neural-Inspired Photonic Functional Systems for Dynamic RF Signal Processing. *Fok, M.P.*, *JLT Oct. 1, 2020 5318-5326*
- Geophysical signal processing**
- Microwave Photonics for Remote Sensing: From Basic Concepts to High-Level Functionalities. *Serafino, G.*, +, *JLT Oct. 1, 2020 5339-5355*
- Geophysical techniques**
- Trends in Optical Span Loss Detected Using the Time Series Decomposition Method. *Yameogo, B.L.M.*, +, *JLT Sept. 15, 2020 5026-5035*
- Germanate glasses**
- Color Variation of the Up-Conversion Luminescence in Er³⁺-Yb³⁺ Co-Doped Lead Germanate Glasses and Microsphere Integrated Devices. *Zhang, M.*, +, *JLT Aug. 15, 2020 4397-4401*
- Design of a Multi-Wavelength Fiber Laser Based on Tm:Er:Yb:Ho Co-Doped Germanate Glass. *Falconi, M.C.*, +, *JLT April 15, 2020 2406-2413*
- Germanium**
- 36 Gb/s Narrowband Photoreceiver for mmWave Analog Radio-Over-Fiber. *Bogaert, L.*, +, *JLT June 15, 2020 3289-3295*
- Behavior of Specialty Optical Fibers in Crude Oil Environment. *Stolov, A.A.*, +, *JLT July 15, 2020 3759-3768*
- Dispersion Management in Hybrid Optical Fibers. *Michalik, D.*, +, *JLT March 15, 2020 1427-1434*
- Efficient Mid-Infrared Germanium Variable Optical Attenuator Fabricated by Spin-on-Glass Doping. *Zhao, Z.*, +, *JLT Sept. 1, 2020 4808-4816*
- Ion Implantation of Germanium Into Silicon for Critical Coupling Control of Racetrack Resonators. *Milosevic, M.M.*, +, *JLT April 1, 2020 1865-1873*
- Low-Loss Waveguides by Planar Modified Chemical Vapor Deposition. *Yevnin, M.*, +, *JLT Feb. 15, 2020 792-796*
- Modeling and Optimization of Plasmonic Detectors for Beyond-CMOS Plasmonic Majority Logic Gates. *Noor, S.L.*, +, *JLT Sept. 15, 2020 5092-5099*
- Germanium compounds**
- Effects of Shallow Suspension in Low-Loss Waveguide-Integrated Chalcogenide Microdisk Resonators. *Zhu, Y.*, +, *JLT Sept. 1, 2020 4817-4823*
- Ultrasound Measurement Using On-Chip Optical Micro-Resonators and Digital Optical Frequency Comb. *Song, J.*, +, *JLT Oct. 1, 2020 5293-5301*
- Glass fibers**
- An Experimental and Theoretical Investigation of a 2 μm Wavelength Low-Threshold Microsphere Laser. *Yu, J.*, +, *JLT April 1, 2020 1880-1886*
- Design of a Multi-Wavelength Fiber Laser Based on Tm:Er:Yb:Ho Co-Doped Germanate Glass. *Falconi, M.C.*, +, *JLT April 15, 2020 2406-2413*
- Low-Loss Chalcogenide Fiber Prepared by Double Peeled-Off Extrusion. *Zhong, M.*, +, *JLT Aug. 15, 2020 4533-4539*
- Glass transition**
- Investigation Into the Influence of High-Power Optical Transmission on Fiber Withdrawal From Optical Connector. *Fukai, C.*, +, *JLT Sept. 15, 2020 5128-5135*
- Golay codes**
- Bipolar-Coding Φ -OTDR with Interference Fading Elimination and Frequency Drift Compensation. *Wu, Y.*, +, *JLT Nov. 1, 2020 6121-6128*
- Gold**
- An Optical Fiber Immunosensor With a Low Detection Limit Based on Plasmon Coupling Enhancement. *Wang, B.*, +, *JLT July 15, 2020 3781-3788*
- High-Speed Plasmonic-Silicon Modulator Driven by Epsilon-Near-zero Conductive Oxide. *Zhou, B.*, +, *JLT July 1, 2020 3338-3345*
- Microcapillary-Based Integrated LSPR Device for Refractive Index Detection and Biosensing. *Chen, S.*, +, *JLT April 15, 2020 2485-2492*
- Optimization of SERS Sensing With Micro-Lensed Optical Fibers and Au Nano-Film. *Milenko, K.*, +, *JLT April 1, 2020 2081-2085*
- Quarter-Millimeter Propagating Plasmons in Thin-Gold-Film-Based Waveguides for Visible Spectral Range. *Kornienko, V.V.*, +, *JLT Sept. 1, 2020 4794-4800*
- Single TE₀₁ Mode Cylindrical Vector Beams Transmission Based on Composite Gold Nanowire Embedded Photonic Crystal Fiber. *Zhang, W.*, +, *JLT April 15, 2020 2441-2449*
- Study of Surface Plasmon Resonance Sensor Based on Polymer-Tipped Optical Fiber With Barium Titanate Layer. *Xia, Z.*, +, *JLT Feb. 15, 2020 912-918*
- Surface Plasmon Resonance Induced High Sensitivity Temperature and Refractive Index Sensor Based on Evanescent Field Enhanced Photonic Crystal Fiber. *Liu, Y.*, +, *JLT Feb. 15, 2020 919-928*
- Ultra-Sensitive Cholesterol Sensor Using Gold and Zinc-Oxide Nanoparticles Immobilized Core Mismatch MPM/SPS Probe. *Agrawal, N.*, +, *JLT April 15, 2020 2523-2529*
- Gradient index optics**
- Averaging Methods for a Multimode Fiber Interferometer: Experimental and Interpretation. *Chapalo, I.*, +, *JLT Oct. 15, 2020 5809-5816*
- GIMF-Based SA for Generation of High Pulse Energy Ultrafast Solitons in a Mode-Locked Linear-Cavity Fiber Laser. *Chen, J.*, +, *JLT March 15, 2020 1480-1485*
- High-Speed Performance Evaluation of Graded-Index Multicore Fiber Compatible With Multimode and Quasi-single Mode Operation. *Liu, Y.*, +, *JLT Dec. 15, 2020 6870-6878*
- Investigation of Mode Coupling in Graded Index Plastic Optical Fibers Using the Langevin Equation. *Savovic, S.*, +, *JLT Dec. 1, 2020 6644-6647*
- Low-Loss Multimode Glass Waveguides With Beam-Expanded Fiber Connectors Enabling On-Board Optical Links. *Brusberg, L.*, +, *JLT March 15, 2020 1350-1357*
- Multimode Fiber Interferometer Based on Graded-Index Polymer CYTOP Fiber. *Chapalo, I.*, +, *JLT March 15, 2020 1439-1445*
- Polarization Dependence of Optical Properties of Single-Mode Polymer Optical Waveguides Fabricated Under Different Processes at 1310/1550 nm. *Morimoto, Y.*, +, *JLT July 15, 2020 3670-3676*
- Scattering Into Guided Modes Due to Imperfect Graded-Index Structure in Polymer Optical Fibers. *Shibelgut, A.A.*, +, *JLT March 15, 2020 1454-1460*
- Temporal Imaging Using Dispersive Gradient-Index Time Lenses. *Han, T.*, +, *JLT April 15, 2020 2383-2391*
- Gradient methods**
- How to Mislead AI-Assisted Network Automation in SD-IPoEONs: A Comparison Study of DRL- and GAN-Based Approaches. *Wang, M.*, +, *JLT Oct. 15, 2020 5574-5585*
- Matrix-Free Time Domain Gradient Smoothing Method With Stretched-Coordinates Perfectly Matched Layer for Analysis of Photonic Devices. *Atia, K.s.R.*, +, *JLT Oct. 15, 2020 5791-5800*
- Supply-Power-Constrained Cable Capacity Maximization Using Multi-Layer Neural Networks. *Cho, J.*, +, *JLT July 15, 2020 3652-3662*
- Graph theory**
- Minimizing Inter-Core Crosstalk Jointly in Spatial, Frequency, and Time Domains for Scheduled Lightpath Demands in Multi-Core Fiber-based Elastic Optical Network. *Tang, F.*, +, *JLT Oct. 15, 2020 5595-5607*
- Graphene**
- Graphene on Silicon Modulators. *Sorianello, V.*, +, *JLT May 15, 2020 2782-2789*
- Low-Power Broadband Thermo-Optic Switch With Weak Polarization Dependence Using a Segmented Graphene Heater. *Song, Q.Q.*, +, *JLT March 15, 2020 1358-1364*
- Ti₂C_x (T=O, OH or F) Nanosheets as New Broadband Saturable Absorber for Ultrafast Photonics. *Shi, Y.*, +, *JLT April 1, 2020 1975-1980*
- Tunable Ultra-Multispectral Metamaterial Perfect Absorbers Based on Out-of-Plane Metal-Insulator-Graphene Heterostructures. *Li, H.*, +, *JLT April 1, 2020 1858-1864*
- Graphene compounds**
- An Optical Fiber Immunosensor With a Low Detection Limit Based on Plasmon Coupling Enhancement. *Wang, B.*, +, *JLT July 15, 2020 3781-3788*
- Graphene devices**
- Experimental Demonstration of DNA Hybridization Using Graphene Based Plasmonic Sensor Chip. *Maurya, J.B.*, +, *JLT Sept. 15, 2020 5191-5198*
- Graphics processing units**
- On Numerical Simulations of Ultra-Wideband Long-Haul Optical Communication Systems. *Serena, P.*, +, *JLT March 1, 2020 1019-1031*

Real-Time Implementation of Coherent Receiver DSP Adopting Stream Split Assignment on GPU for Flexible Optical Access Systems. *Suzuki, T.*, +, *JLT Feb. 1, 2020 668-675*

Gyroscopes

Discrete Model of Backscattering Drift in Fiber Optic Gyroscopes. *Morris, T.A.*, +, *JLT April 1, 2020 1981-1987*

H

Hadamard matrices

Optimization of Transmitter-Side Signal Rotations in the Presence of Laser Phase Noise. *Alfredsson, A.F.*, +, *JLT Aug. 1, 2020 3850-3858*

Hadamard transforms

Comparison of Different Precoding Techniques for Unbalanced Impairments Compensation in Short-Reach DMT Transmission Systems. *Chen, M.*, +, *JLT Nov. 15, 2020 6202-6213*

Harmonic distortion

Gain Spectrum Engineering in Slope-Assisted Dynamic Brillouin Optical Time-Domain Analysis. *Feng, C.*, +, *JLT Dec. 15, 2020 6967-6975*

Headphones

Optical Wireless Channel Simulation for Communications Inside Aircraft Cockpits. *Combeau, P.*, +, *JLT Oct. 15, 2020 5635-5648*

Helmholtz equations

Modal Analysis of 2-D Material-Based Plasmonic Waveguides by Mixed Spectral Element Method With Equivalent Boundary Condition. *Lin, X.*, +, *JLT July 15, 2020 3677-3686*

Transverse Mode Mixing in a Coupled-Cavity VCSEL. *Frasunkiewicz, L.*, +, *JLT Oct. 15, 2020 5774-5782*

Heterodyne detection

A Lower Frequency Shift Based on Mode Conversion for Optical Heterodyne Micro-Vibration Measurement. *Zhang, L.*, +, *JLT Nov. 1, 2020 6057-6062*

Bipolar-Coding Φ -OTDR with Interference Fading Elimination and Frequency Drift Compensation. *Wu, Y.*, +, *JLT Nov. 1, 2020 6121-6128*

Brillouin Amplifier Noise Characterization by a Coherent Receiver and Digital Signal Processing. *Pelusi, M.*, +, *JLT Aug. 15, 2020 4221-4236*

High-Order Electrical Spectrum Method for Measuring the Chirp of a Silicon Mach-Zehnder Modulator. *Chen, H.*, +, *JLT Dec. 15, 2020 6833-6844*

Photonics Generation of Pulsed Arbitrary-Phase-Coded Microwave Signals Based on the Conversion Between Intensity Modulation and Phase Modulation. *Song, C.*, +, *JLT March 15, 2020 1243-1249*

Quantum Noise-Assisted Coherent Radio-Over-Fiber Cipher System for Secure Optical Fronthaul and Microwave Wireless Links. *Tanizawa, K.*, +, *JLT Aug. 15, 2020 4244-4249*

Unified Performance Analysis of Hybrid FSO/RF System With Diversity Combining. *Huang, L.*, +, *JLT Dec. 15, 2020 6788-6800*

Heterojunction bipolar transistors

A SiGe HBT BiCMOS 1-to-4 ADC Frontend Enabling Low Bandwidth Digitization of 100 GBaud PAM4 Data. *Buchali, F.*, +, *JLT Jan. 1, 2020 150-158*

Single Sideband Transmission Employing a 1-to-4 ADC Frontend and Parallel Digitization. *Le, S.T.*, +, *JLT June 15, 2020 3125-3134*

Ultra-High-Speed 2:1 Digital Selector and Plasmonic Modulator IM/DD Transmitter Operating at 222 GBaud for Intra-Datacenter Applications. *Heni, W.*, +, *JLT May 1, 2020 2734-2739*

High electron mobility transistors

VCSEL Array-Based Gigabit Free-Space Optical Femtocell Communication. *Liverman, S.*, +, *JLT April 1, 2020 1659-1667*

High-speed optical techniques

3D Polarization-Dependent Waveguide Arrays in LiNbO₃ Crystal Produced by Femtosecond Laser Writing. *Wu, B.*, +, *JLT Aug. 1, 2020 3988-3993*

A Laser Written 4D Optical Microcavity for Advanced Biochemical Sensing in Aqueous Environment. *Saetchnikov, A.V.*, +, *JLT April 15, 2020 2530-2538*

A Low-Voltage Si-Ge Avalanche Photodiode for High-Speed and Energy Efficient Silicon Photonic Links. *Wang, B.*, +, *JLT June 15, 2020 3156-3163*

Adapting Mach-Zehnder Mesh Equalizers in Direct-Detection Mode-Division-Multiplexed Links. *Choutagunta, K.*, +, *JLT Feb. 15, 2020 723-735*

All-Sapphire Miniature Optical Fiber Tip Sensor for High Temperature Measurement. *Yang, S.*, +, *JLT April 1, 2020 1988-1997*

An Ultra-Broadband Polarization-Insensitive Optical Hybrid Using Multiplane Light Conversion. *Zhang, Y.*, +, *JLT Nov. 15, 2020 6286-6291*

Control of Long Pulse Pumped Supercontinuum Generation Using Weak Trigger Signal. *Huang, C.*, +, *JLT March 15, 2020 1506-1512*

Direct Laser Written Waveguide in Tellurite Glass for Supercontinuum Generation in 2 μ m Spectral Range. *Okhrimchuk, A.G.*, +, *JLT March 15, 2020 1492-1500*

Femtosecond Laser Inscribed Tilted Gratings for Leaky Mode Excitation in Optical Fibers. *Ioannou, A.*, +, *JLT April 1, 2020 1921-1928*

Femtosecond Laser-Inscribed Non-Volatile Integrated Optical Switch in Fused Silica Based on Microfluidics-Controlled Total Internal Reflection. *Radosavljevic, A.*, +, *JLT Aug. 1, 2020 3965-3973*

Femtosecond-Laser-Written S-Curved Waveguide in Nd:YAP Crystal: Fabrication and Multi-Gigahertz Lasing. *Li, L.*, +, *JLT Dec. 15, 2020 6845-6852*

Fine, Reversible and Broadband Tuning of the Group Velocity Dispersion of Tapered Silica Fibers in a Thermo-Optic Polymer Matrix. *Antonopoulos, G.*, +, *JLT Aug. 1, 2020 4086-4092*

GIMF-Based SA for Generation of High Pulse Energy Ultrafast Solitons in a Mode-Locked Linear-Cavity Fiber Laser. *Chen, J.*, +, *JLT March 15, 2020 1480-1485*

High Power and High Speed SOA Assisted Extended Reach EADFB Laser (AXEL) for 53-Gbaud PAM4 Fiber-Amplifier-Less 60-km Optical Link. *Shindo, T.*, +, *JLT June 1, 2020 2984-2991*

High-Performance Bending Sensor Based on Femtosecond Laser-Inscribed in-Fiber Mach-Zehnder Interferometer. *Zhao, R.*, +, *JLT Nov. 15, 2020 6371-6378*

High-Speed Evanescently-Coupled Waveguide Type-II MUTC Photodiodes for Zero-Bias Operation. *Yu, F.*, +, *JLT Dec. 15, 2020 6827-6832*

Manipulating Soliton Polarization in Soliton Self-Frequency Shift and Its Application to 3-Photon Microscopy in Vivo. *Tong, S.*, +, *JLT April 15, 2020 2450-2455*

Mid-Infrared Supercontinuum Generation in Chalcogenide Photonic Crystal Fibers with a Weak CW Trigger. *Huang, R.*, +, *JLT March 15, 2020 1522-1528*

Nonlinear Propagation in Optical Fibers With Gain Saturation and Gain Dispersion. *Dong, L.*, *JLT Dec. 15, 2020 6897-6904*

On-Chip Optical Microresonators With High Electro-Optic Tuning Efficiency. *Wang, T.*, +, *JLT April 1, 2020 1851-1857*

Optical Fiber Tag Based on an Encoded Fiber Bragg Grating Fabricated by Femtosecond Laser. *Yang, K.*, +, *JLT March 15, 2020 1474-1479*

Optimal Control of SOAs With Artificial Intelligence for Sub-Nanosecond Optical Switching. *Parsonson, C.W.F.*, +, *JLT Oct. 15, 2020 5563-5573*

Picoseconds-Accurate Fiber-Optic Time Transfer With Relative Stabilization of Lasers Wavelengths. *Sliwczynski, L.*, +, *JLT Sept. 15, 2020 5056-5063*

Resonant Wavelength Thermal Stability of Fiber Bragg Gratings Produced by Femtosecond Laser. *Paixao, T.*, +, *JLT March 15, 2020 1529-1535*

Selective Excitation and Amplification of Peak-Power-Scalable Out-of-Phase Supermode in Yb-Doped Multicore Fiber. *Andrianov, A.V.*, +, *JLT April 15, 2020 2464-2470*

Slit Beam Shaping Technique for Femtosecond Laser Inscription of Enhanced Plane-by-Plane FBGs. *Roldan-Varona, P.*, +, *JLT Aug. 15, 2020 4526-4532*

Temporal Imaging Using Dispersive Gradient-Index Time Lenses. *Han, T.*, +, *JLT April 15, 2020 2383-2391*

Three-Octave Supercontinuum Generation Using SiO₂ Cladded Si₃N₄ Slot Waveguide With All-Normal Dispersion. *Fang, Y.*, +, *JLT July 1, 2020 3431-3438*

Ti₂CT_x (T=O, OH or F) Nanosheets as New Broadband Saturable Absorber for Ultrafast Photonics. *Shi, Y.*, +, *JLT April 1, 2020 1975-1980*

Ultra-High-Speed 2:1 Digital Selector and Plasmonic Modulator IM/DD Transmitter Operating at 222 GBaud for Intra-Datacenter Applications. *Heni, W., +, JLT May 1, 2020 2734-2739*

Ultrafast Laser Inscription and \square 2 μ m Laser Operation of Y-Branch Splitters in Monoclinic Crystals. *Kifle, E., +, JLT Aug. 15, 2020 4374-4384*

Waveguide Tapers Fabrication by Femtosecond Laser Induced Element Redistribution in Glass. *Macias-Montero, M., +, JLT Dec. 1, 2020 6578-6583*

Higher order statistics

Mismatched Models to Lower Bound the Capacity of Optical Fiber Channels. *Garcia-Gomez, F.J., +, JLT Dec. 15, 2020 6779-6787*

Hole traps

Comparison Study of Radiation-Resistant Polarization-Maintaining PANDA Fibers With Undoped- and N-Doped-Silica Core. *Tomashuk, A.L., +, JLT Oct. 15, 2020 5817-5824*

Holey fibers

All-Fiber Vector Bending Sensor Based on a Multicore Fiber With Asymmetric Air-Hole Structure. *Budnicki, D., +, JLT Dec. 1, 2020 6685-6690*

All-Optical Directional Control of Emission in a Photonic Liquid Crystal Fiber Laser. *Lin, J., +, JLT Sept. 15, 2020 5149-5156*

An Optical Fiber Immunosensor With a Low Detection Limit Based on Plasmon Coupling Enhancement. *Wang, B., +, JLT July 15, 2020 3781-3788*

Bend-Insensitive Grapefruit-Type Holey Ring-Core Fiber for Weakly-Coupled OAM Mode Division Multiplexing Transmission. *Tu, J., +, JLT Aug. 15, 2020 4497-4503*

Birefringent Anti-Resonant Hollow-Core Fiber. *Yerolatsitis, S., +, JLT Sept. 15, 2020 5157-5162*

Bragg Reflection and Conversion Between Helical Bloch Modes in Chiral Three-Core Photonic Crystal Fiber. *Loranger, S., +, JLT Aug. 1, 2020 4100-4107*

Combining Harmonic Laser Beams by Fiber Components for Refractivity-Compensating Two-Color Interferometry. *Liu, Y., +, JLT April 1, 2020 1945-1952*

Design Analysis of OAM Fibers Using Particle Swarm Optimization Algorithm. *Chang, J.H., +, JLT Feb. 15, 2020 846-856*

Design of Negative Curvature Hollow Core Fiber Based on Reinforcement Learning. *Hu, X., +, JLT April 1, 2020 1959-1965*

Design of Weakly Coupled Two-Mode Hollow-Core Antiresonant Fiber With Low Loss. *Wang, Z., +, JLT Feb. 15, 2020 864-874*

Dispersion Management in Hybrid Optical Fibers. *Michalik, D., +, JLT March 15, 2020 1427-1434*

Distributed Salinity Sensor With a Polyimide-Coated Photonic Crystal Fiber Based on Brillouin Dynamic Grating. *Zhang, H., +, JLT Sept. 15, 2020 5219-5224*

Dual-Frequency CARS Excitation Source With Two Independent-Tunable Stokes Wavelengths Using PM-PCF and Vector Adjustment. *Zhang, Y., +, JLT April 15, 2020 2392-2399*

Hollow Silica Photonic Crystal Fiber Guiding 101 Orbital Angular Momentum Modes Without Phase Distortion in C+L Band. *Hong, S., +, JLT March 1, 2020 1010-1018*

Liquid Level and Refractive Index Double-Parameter Sensor Based on Tapered Photonic Crystal Fiber. *Fan, R., +, JLT July 15, 2020 3717-3722*

Mid-Infrared Supercontinuum Generation in Chalcogenide Photonic Crystal Fibers with a Weak CW Trigger. *Huang, R., +, JLT March 15, 2020 1522-1528*

Sagnac Interferometer Based on a Highly-Birefringent Two-Core PCF: Theory, Experiment, and Sensing Characteristics. *Naeem, K., +, JLT Sept. 15, 2020 5177-5190*

Selective Mode Excitation in a Few-Mode Photonic Crystal Fiber for Strain Sensing With Restrained Temperature Response. *Luo, Z., +, JLT Aug. 15, 2020 4560-4571*

Silica Hollow-Core Negative Curvature Fibers Enable Ultrasensitive Mid-Infrared Absorption Spectroscopy. *Yao, C., +, JLT April 1, 2020 2067-2072*

Single TE₀₁ Mode Cylindrical Vector Beams Transmission Based on Composite Gold Nanowire Embedded Photonic Crystal Fiber. *Zhang, W., +, JLT April 15, 2020 2441-2449*

Surface Plasmon Resonance Induced High Sensitivity Temperature and Refractive Index Sensor Based on Evanescent Field Enhanced Photonic Crystal Fiber. *Liu, Y., +, JLT Feb. 15, 2020 919-928*

Tm/Al Co-Doped Silica Glass Prepared by Laser Additive Manufacturing Technology for 2- μ m Photonic Crystal Fiber Laser. *Liu, J., +, JLT March 15, 2020 1486-1491*

True-Time Delay Line Based on Dispersion-Flattened 19-Core Photonic Crystal Fiber. *Shaheen, S., +, JLT Nov. 15, 2020 6237-6246*

Using Reverse Saturable Absorption to Boost Broadband Noise-Like Pulses. *Li, X., +, JLT July 15, 2020 3769-3774*

Holmium

An Experimental and Theoretical Investigation of a 2 μ m Wavelength Low-Threshold Microsphere Laser. *Yu, J., +, JLT April 1, 2020 1880-1886*

Design of a Multi-Wavelength Fiber Laser Based on Tm:Er:Yb:Ho Co-Doped Germanate Glass. *Falconi, M.C., +, JLT April 15, 2020 2406-2413*

In-Depth Studies of the Spectral Bandwidth of a 25 W 2 μ m Band PM Hybrid Ho- and Tm-Doped Fiber Amplifier. *Tench, R.E., +, JLT April 15, 2020 2456-2463*

Nonlinear Absorbing-Loop Mirror in a Holmium-Doped Fiber Laser. *Zhao, J., +, JLT Nov. 1, 2020 6069-6075*

Holographic gratings

Tilting of Bragg Waveguide Gratings Using Two-Dimensional Sampling Structures. *Hao, L., +, JLT Aug. 15, 2020 4402-4408*

Holographic optical elements

Transient Crosstalk in Holographic Optical Switching Based on Wavefront Encoding. *Yang, H., +, JLT April 1, 2020 1618-1624*

Homodyne detection

Analog Coherent TDMA Receiver With Fast Locking to Free-Running Optical Emitters. *Schrenk, B., +, JLT Jan. 15, 2020 379-385*

Face-to-Face EML Transceiver Tandem for Full-Duplex Analogue Radio-Over-Air. *Schrenk, B., +, JLT June 1, 2020 2976-2983*

Huffman codes

Huffman-Coded Sphere Shaping and Distribution Matching Algorithms via Lookup Tables. *Fehenberger, T., +, JLT May 15, 2020 2826-2834*

Humidity measurement

Simultaneous Measurement of Temperature and Relative Humidity Based on a Microfiber Sagnac Loop and MoS₂. *Bai, Y., +, JLT Feb. 15, 2020 840-845*

Hydrogels

Packaged Microbubble Resonator for Versatile Optical Sensing. *Yang, D., +, JLT Aug. 15, 2020 4555-4559*

Hydrogen compounds

DC-Biased Optofluidic Biolaser for Uric Acid Detection. *Wang, Y., +, JLT March 15, 2020 1557-1563*

Hydrogen production

Behavior of Specialty Optical Fibers in Crude Oil Environment. *Stolov, A.A., +, JLT July 15, 2020 3759-3768*

Hydrophilicity

Packaged Microbubble Resonator for Versatile Optical Sensing. *Yang, D., +, JLT Aug. 15, 2020 4555-4559*

Hydrophobicity

Packaged Microbubble Resonator for Versatile Optical Sensing. *Yang, D., +, JLT Aug. 15, 2020 4555-4559*

Hydrophones

Ultra-High Sensitive Quasi-Distributed Acoustic Sensor Based on Coherent OTDR and Cylindrical Transducer. *Li, H., +, JLT Feb. 15, 2020 929-938*

Hydrostatics

Sensitivity-Enhanced Distributed Hydrostatic Pressure Sensor Based on BOTDA in Single-Mode Fiber With Double-Layer Polymer Coatings. *Dong, Y., +, JLT April 15, 2020 2564-2571*

I

IEEE publishing

A Thank You to All Our Reviewers. *JLT Dec. 15, 2020 6976-6977*

IEEE standards

The Outlook for PON Standardization: A Tutorial. *Wey, J.S., JLT Jan. 1, 2020 31-42*

Image classification

Efficient Classification of Optical Modulation Formats Based on Singular Value Decomposition and Radon Transformation. *Eltaieb, R.A.*, +, *JLT Feb. 1, 2020 619-631*

Image denoising

Enhancing SNR by Anisotropic Diffusion for Brillouin Distributed Optical Fiber Sensors. *Luo, K.*, +, *JLT Oct. 15, 2020 5844-5852*

On the 2D Post-Processing of Brillouin Optical Time-Domain Analysis. *Zaslowski, S.*, +, *JLT July 15, 2020 3723-3736*

Image filtering

On the 2D Post-Processing of Brillouin Optical Time-Domain Analysis. *Zaslowski, S.*, +, *JLT July 15, 2020 3723-3736*

Image processing

Ultra-High Sensitive Quasi-Distributed Acoustic Sensor Based on Coherent OTDR and Cylindrical Transducer. *Li, H.*, +, *JLT Feb. 15, 2020 929-938*

Image recognition

An Event Recognition Scheme Aiming to Improve Both Accuracy and Efficiency in Optical Fiber Perimeter Security System. *Huang, X.*, +, *JLT Oct. 15, 2020 5783-5790*

Distributed Optical Fiber Sensing Intrusion Pattern Recognition Based on GAF and CNN. *Lyu, C.*, +, *JLT Aug. 1, 2020 4174-4182*

The Winner-Take-All Mechanism for All-Optical Systems of Pattern Recognition and Max-Pooling Operation. *Zhang, Y.*, +, *JLT Sept. 15, 2020 5071-5077*

Image resolution

Compensation of Phase-Uncertainty-Induced Impairments in Dispersion-Tuned Swept Laser OCT using Digital Coherent Detection. *Shirahata, T.*, +, *JLT Dec. 1, 2020 6492-6498*

Far-Field Imaging Beyond the Diffraction Limit Using Waves Interference. *Salami, P.*, +, *JLT April 15, 2020 2322-2327*

Microwave Photonic Imaging Radar With a Sub-Centimeter-Level Resolution. *Ma, C.*, +, *JLT Sept. 15, 2020 4948-4954*

On the 2D Post-Processing of Brillouin Optical Time-Domain Analysis. *Zaslowski, S.*, +, *JLT July 15, 2020 3723-3736*

Visible Light Positioning Using Bayesian Filters. *Amsters, R.*, +, *JLT Nov. 1, 2020 5925-5936*

Image sensors

Highly-Sensitive Indirect-Conversion X-Ray Detector With an Embedded Photodiode Formed by a Three-Dimensional Dual-Gate Thin-Film Transistor. *Xu, Y.*, +, *JLT July 15, 2020 3775-3780*

Visible Light Positioning Using Bayesian Filters. *Amsters, R.*, +, *JLT Nov. 1, 2020 5925-5936*

Impact ionization

Modeling Temperature-Dependent Avalanche Characteristics of InP. *Petticrew, J.D.*, +, *JLT Feb. 15, 2020 961-965*

Independent component analysis

A Novel Algorithm for Improving the Spectrum Efficiency of Non-Orthogonal Multiband CAP UVLC Systems. *Wang, Z.*, +, *JLT Nov. 15, 2020 6187-6201*

Independent Component Analysis for Phase and Residual Frequency Offset Compensation in OQAM Multicarrier Systems. *Zhao, J.*, +, *JLT Aug. 1, 2020 3897-3907*

Indium compounds

500-Gb/s/λ Operation of Ultra-Low Power and Low-Temperature-Dependence InP-Based High-Bandwidth Coherent Driver Modulator. *Ozaki, J.*, +, *JLT Sept. 15, 2020 5086-5091*

64 Gbps PAM4 Si-Ge Waveguide Avalanche Photodiodes With Excellent Temperature Stability. *Yuan, Y.*, +, *JLT Sept. 1, 2020 4857-4866*

80-GHz Bandwidth and 1.5-V V_{π} InP-Based IQ Modulator. *Ogiso, Y.*, +, *JLT Jan. 15, 2020 249-255*

A 4 × 4 Electrooptic Silicon Photonic Switch Fabric With Net Neutral Insertion Loss. *Dupuis, N.*, +, *JLT Jan. 15, 2020 178-184*

A Lateral MOS-Capacitor-Enabled ITO Mach-Zehnder Modulator for Beam Steering. *Amin, R.*, +, *JLT Jan. 15, 2020 282-290*

All-Optical Switching and Multiple Logic Gates Based on Hybrid Square-Rectangular Laser. *Liu, J.*, +, *JLT March 15, 2020 1382-1390*

Electro-Optic Tuning of a Monolithically Integrated Widely Tuneable InP Laser With Free-Running and Stabilized Operation. *Andreou, S.*, +, *JLT April 1, 2020 1887-1894*

Fabrication and Characterization of InAs/GaSb type-II Superlattice Long-Wavelength Infrared Detectors Aiming High Temperature Sensitivity. *Wang, L.*, +, *JLT Nov. 1, 2020 6129-6134*

Flip-Chip Integration of InP to SiN Photonic Integrated Circuits. *Theurer, M.*, +, *JLT May 1, 2020 2630-2636*

High Performance InP-Based Polarization Beam Splitter With Reverse Bias and Injection Current. *Dai, X.*, +, *JLT April 15, 2020 2336-2345*

High-Power and High-Linearity Photodiodes at 1064 nm. *Peng, Y.*, +, *JLT Sept. 1, 2020 4850-4856*

High-Power Microwave Generation Through Distributed Optical Amplification Into a Photodiode Array on an Open Indium Phosphide Platform. *Tonning, P.L.*, +, *JLT Oct. 1, 2020 5526-5535*

High-Power, Narrow-Linewidth, Miniaturized Silicon Photonic Tunable Laser With Accurate Frequency Control. *Gao, Y.*, +, *JLT Jan. 15, 2020 265-271*

High-Speed Evanescently-Coupled Waveguide Type-II MUTC Photodiodes for Zero-Bias Operation. *Yu, F.*, +, *JLT Dec. 15, 2020 6827-6832*

High-Speed Mid-Infrared Interband Cascade Photodetector Based on InAs/GaAsSb Type-II Superlattice. *Chen, Y.*, +, *JLT Feb. 15, 2020 939-945*

High-Speed Plasmonic-Silicon Modulator Driven by Epsilon-Near-zero Conductive Oxide. *Zhou, B.*, +, *JLT July 1, 2020 3338-3345*

In-Depth Studies of the Spectral Bandwidth of a 25 W 2 μm Band PM Hybrid Ho- and Tm-Doped Fiber Amplifier. *Tench, R.E.*, +, *JLT April 15, 2020 2456-2463*

Integrated Wavelength-Tuned Optical mm-Wave Beamformer With Doubled Delay Resolution. *Zhang, X.*, +, *JLT April 15, 2020 2353-2359*

Low-Voltage, Coupled Multiple Quantum Well Electroreflective Modulators Towards Ultralow Power Inter-Chip Optical Interconnects. *Wang, X.*, +, *JLT July 1, 2020 3414-3421*

Membrane III-V/Si DFB Laser Using Uniform Grating and Width-Modulated Si Waveguide. *Aihara, T.*, +, *JLT June 1, 2020 2961-2967*

Membrane InGaAsP Mach-Zehnder Modulator Integrated With Optical Amplifier on Si Platform. *Hiraki, T.*, +, *JLT June 1, 2020 3030-3036*

Microcomb Source Based on InP DFB / Si₃N₄ Microring Butt-Coupling. *Boust, S.*, +, *JLT Oct. 1, 2020 5517-5525*

Mode-field Matching Down-Tapers on Single-Mode Optical Fibers for Edge Coupling Towards Generic Photonic Integrated Circuit Platforms. *Vanmol, K.*, +, *JLT Sept. 1, 2020 4834-4842*

Modeling Temperature-Dependent Avalanche Characteristics of InP. *Petticrew, J.D.*, +, *JLT Feb. 15, 2020 961-965*

Monolithic Integrated InGaAs/InAlAs WDM-APDs With Partially Depleted Absorption Region and Evanescently Coupled Waveguide Structure. *Zhao, Y.*, +, *JLT Aug. 15, 2020 4385-4396*

Nonlinear Characteristics of Uni-Travelling Carrier Photodiode With InGaAs/GaAsSb Type-II Multiple Quantum Wells Absorber. *Chen, Y.*, +, *JLT Sept. 1, 2020 4867-4873*

Optical Modulation in Hybrid Waveguide Based on Si-ITO Heterojunction. *Rajput, S.*, +, *JLT March 15, 2020 1365-1371*

Origin of Defect Tolerance in InAs/GaAs Quantum Dot Lasers Grown on Silicon. *Liu, Z.*, +, *JLT Jan. 15, 2020 240-248*

Pulse Timing Jitter Estimated From Optical Phase Noise in Mode-Locked Semiconductor Quantum Dash Lasers. *Mao, Y.*, +, *JLT Sept. 1, 2020 4787-4793*

Sensitivity Calculations of High-Speed Optical Receivers Based on Electron-APDs. *Shulyak, V.*, +, *JLT Feb. 15, 2020 989-995*

Theoretical Study on the Effects of Dislocations in Monolithic III-V Lasers on Silicon. *Hantschmann, C.*, +, *JLT Sept. 1, 2020 4801-4807*

Ultra-High-Speed 2:1 Digital Selector and Plasmonic Modulator IM/DD Transmitter Operating at 222 GBaud for Intra-Datacenter Applications. *Heni, W.*, +, *JLT May 1, 2020 2734-2739*

Vertically Coupled InP/InGaAsP Microring Lasers Using a Single Epitaxial Growth and Single-Side Lithography. *Lopez, O.G.*, +, *JLT Aug. 1, 2020 3983-3987*

Indium phosphide

Corrections to “Modeling Temperature Dependent Avalanche Characteristics of InP”. *Petticrew, J.D.*, +, *JLT Aug. 1, 2020 4183*

Indoor communication

Design and Demonstration of Robust Visible Light Positioning Based on Received Signal Strength. *Huang, N.*, +, *JLT Oct. 15, 2020 5695-5707*

Multiuser Precoded MIMO Visible Light Communication Systems Enabling Spatial Dimming. *Zhao, L.*, +, *JLT Oct. 15, 2020 5624-5634*

Multiuser Visible Light Communication Systems Using OFDMA. *Lian, J.*, +, *JLT Nov. 1, 2020 6015-6023*

Optical Wireless Communications Adopting Delay-Tolerant Repetition-Coding With Orthogonal-Filters and On-Demand Equalization. *Song, T.*, +, *JLT Aug. 15, 2020 4250-4259*

Performance Bounds on Passive Indoor Positioning Using Visible Light. *Majeed, K.*, +, *JLT April 15, 2020 2190-2200*

The Movement-Rotation (MR) Correlation Function and Coherence Distance of VLC Channels. *Chen, J.*, +, *JLT Dec. 15, 2020 6759-6770*

Visible Light Positioning Using Bayesian Filters. *Amsters, R.*, +, *JLT Nov. 1, 2020 5925-5936*

Indoor environment

Multiuser Visible Light Communication Systems Using OFDMA. *Lian, J.*, +, *JLT Nov. 1, 2020 6015-6023*

Indoor navigation

Design and Demonstration of Robust Visible Light Positioning Based on Received Signal Strength. *Huang, N.*, +, *JLT Oct. 15, 2020 5695-5707*

Indoor radio

VCSEL Array-Based Gigabit Free-Space Optical Femtocell Communication. *Liverman, S.*, +, *JLT April 1, 2020 1659-1667*

Wide-Coverage Beam-Steered 40-Gbit/s Non-Line-of-Sight Optical Wireless Connectivity for Industry 4.0. *Zhang, X.*, +, *JLT Dec. 15, 2020 6801-6806*

Infrared detectors

Compact Hollow Waveguide Mid-Infrared Gas Sensor For Simultaneous Measurements of Ambient CO₂ and Water Vapor. *Wu, T.*, +, *JLT Aug. 15, 2020 4580-4587*

Fabrication and Characterization of InAs/GaSb type-II Superlattice Long-Wavelength Infrared Detectors Aiming High Temperature Sensitivity. *Wang, L.*, +, *JLT Nov. 1, 2020 6129-6134*

High-Speed Mid-Infrared Interband Cascade Photodetector Based on InAs/GaAsSb Type-II Superlattice. *Chen, Y.*, +, *JLT Feb. 15, 2020 939-945*

Infrared spectra

L-Band Wavelength-Tunable Er³⁺-Doped Tellurite Fiber Lasers. *Fu, S.*, +, *JLT March 15, 2020 1435-1438*

An Experimental and Theoretical Investigation of a 2 μm Wavelength Low-Threshold Microsphere Laser. *Yu, J.*, +, *JLT April 1, 2020 1880-1886*

Comparative Study on Transmission Mechanisms in a SMF-Capillary-SMF Structure. *Sun, W.*, +, *JLT Aug. 1, 2020 4075-4085*

Demonstration of a Push-Pull Silicon Dual-Ring Modulator With Enhanced Optical Modulation Amplitude. *Zheng, D.*, +, *JLT July 15, 2020 3694-3700*

Low-Loss Chalcogenide Fiber Prepared by Double Peeled-Off Extrusion. *Zhong, M.*, +, *JLT Aug. 15, 2020 4533-4539*

Sagnac Interferometer Based on a Highly-Birefringent Two-Core PCF: Theory, Experiment, and Sensing Characteristics. *Naeem, K.*, +, *JLT Sept. 15, 2020 5177-5190*

Silica Hollow-Core Negative Curvature Fibers Enable Ultrasensitive Mid-Infrared Absorption Spectroscopy. *Yao, C.*, +, *JLT April 1, 2020 2067-2072*

Simultaneously Self-Inscribed Antisymmetric Long-Period Grating and Antisymmetric Apodized Fiber Bragg Grating in a Dual-Core As₂Se₃-PMMA Tapered Fiber. *Gao, S.*, +, *JLT Nov. 15, 2020 6345-6351*

Injection locked oscillators

A Theoretical and Experimental Study of Injection-Locking and Injection-Pulling for Optoelectronic Oscillators Under Radio Frequency Signal Injection. *Banerjee, A.*, +, *JLT March 15, 2020 1210-1220*

Integer programming

Crosstalk-Aware Resource Allocation in Survivable Space-Division-Multiplexed Elastic Optical Networks Supporting Hybrid Dedicated and Shared Path Protection. *Moghaddam, E.E.*, +, *JLT March 15, 2020 1095-1102*

Economics of Resilient TWDM PONs. *Mondal, W.U.*, +, *JLT April 15, 2020 2114-2126*

Efficient Multi-Stage Deployment of Ultra-Low Loss Fibers in Elastic Optical Networks. *Li, Y.*, +, *JLT July 15, 2020 3542-3552*

Latency-Aware Task Peer Offloading on Overloaded Server in Multi-Access Edge Computing System Interconnected by Metro Optical Networks. *Huang, S.*, +, *JLT Nov. 1, 2020 5949-5961*

Minimizing Inter-Core Crosstalk Jointly in Spatial, Frequency, and Time Domains for Scheduled Lightpath Demands in Multi-Core Fiber-based Elastic Optical Network. *Tang, F.*, +, *JLT Oct. 15, 2020 5595-5607*

On Virtual Network Reconfiguration in Hybrid Optical/Electrical Datacenter Networks. *Zhao, S.*, +, *JLT Dec. 1, 2020 6424-6436*

Integrated circuit design

800G DSP ASIC Design Using Probabilistic Shaping and Digital Sub-Carrier Multiplexing. *Sun, H.*, +, *JLT Sept. 1, 2020 4744-4756*

A Novel Virtual-Cluster Based Architecture of Double-Layer Optical Networks-on-Chip. *Su, Y.*, +, *JLT July 15, 2020 3553-3562*

A SiGe HBT BiCMOS 1-to-4 ADC Frontend Enabling Low Bandwidth Digitization of 100 GBaud PAM4 Data. *Buchali, F.*, +, *JLT Jan. 1, 2020 150-158*

Analysis and Monolithic Implementation of Differential Transimpedance Amplifiers. *Andrade, H.*, +, *JLT Aug. 15, 2020 4409-4418*

VLSI Implementations of Carrier Phase Recovery Algorithms for M-QAM Fiber-Optic Systems. *Borjesson, E.*, +, *JLT July 15, 2020 3616-3623*

Integrated circuit interconnections

400 Gb/s Silicon Photonic Transmitter and Routing WDM Technologies for Glueless 8-Socket Chip-to-Chip Interconnects. *Pitris, S.*, +, *JLT July 1, 2020 3366-3375*

Design, Fabrication, and Comparison of 3D Multimode Optical Interconnects on Silicon Interposer. *Charania, S.*, +, *JLT July 1, 2020 3454-3460*

Guest Editorial: Special Issue on Optical Interconnects. *Gu, T.*, +, *JLT July 1, 2020 3319-3321*

Integrated circuit modeling

Modeling and Optimization of Hybrid FinFET-Silicon Photonic Interconnects. *Pantano, N.*, +, *JLT Aug. 15, 2020 4325-4332*

Integrated optics

240 Gbit/s Silicon Photonic Mach-Zehnder Modulator Enabled by Two 2.3-Vpp Drivers. *Jacques, M.*, +, *JLT June 1, 2020 2877-2885*

27 GHz Silicon-Contacted Waveguide-Coupled Ge/Si Avalanche Photodiode. *Srinivasan, S.A.*, +, *JLT June 1, 2020 3044-3050*

3D Polarization-Dependent Waveguide Arrays in LiNbO₃ Crystal Produced by Femtosecond Laser Writing. *Wu, B.*, +, *JLT Aug. 1, 2020 3988-3993*

400 Gb/s Silicon Photonic Transmitter and Routing WDM Technologies for Glueless 8-Socket Chip-to-Chip Interconnects. *Pitris, S.*, +, *JLT July 1, 2020 3366-3375*

80-GHz Bandwidth and 1.5-V V_π InP-Based IQ Modulator. *Ogiso, Y.*, +, *JLT Jan. 15, 2020 249-255*

A 112 Gb/s PAM4 Silicon Photonics Transmitter With Microring Modulator and CMOS Driver. *Li, H.*, +, *JLT Jan. 1, 2020 131-138*

A 4 × 4 Electrooptic Silicon Photonic Switch Fabric With Net Neutral Insertion Loss. *Dupuis, N.*, +, *JLT Jan. 15, 2020 178-184*

A Lateral MOS-Capacitor-Enabled ITO Mach-Zehnder Modulator for Beam Steering. *Amin, R.*, +, *JLT Jan. 15, 2020 282-290*

A Low-Voltage Si-Ge Avalanche Photodiode for High-Speed and Energy Efficient Silicon Photonic Links. *Wang, B.*, +, *JLT June 15, 2020 3156-3163*

Adapting Mach-Zehnder Mesh Equalizers in Direct-Detection Mode-Division-Multiplexed Links. *Choutagunta, K.*, +, *JLT Feb. 15, 2020 723-735*

Adjoint Optimization of Efficient CMOS-Compatible Si-SiN Vertical Grating Couplers for DWDM Applications. *Hooten, S.*, +, *JLT July 1, 2020 3422-3430*

All-Optical 2 × 2-Bit Multiplier at 40 Gb/s Based on Canonical Logic Units-based Programmable Logic Array (CLUs-PLA). *Dong, W.*, +, *JLT Oct. 15, 2020 5586-5594*

An Ultra-Broadband Polarization-Insensitive Optical Hybrid Using Multiplexed Light Conversion. *Zhang, Y.*, +, *JLT Nov. 15, 2020 6286-6291*

Architecture and Devices for Silicon Photonic Switching in Wavelength, Polarization and Mode. *Zhang, Y.*, +, *JLT Jan. 15, 2020 215-225*

- Back-Side-on-BOX Heterogeneously Integrated III-V-on-Silicon O-Band Distributed Feedback Lasers. *Thiessen, T.*, +, *JLT June 1, 2020 3000-3006*
- Bend- and Twist-Insensitive Flexible Multimode Polymer Optical Interconnects. *Bamiedakis, N.*, +, *JLT Dec. 1, 2020 6561-6568*
- Broadband Angled Arbitrary Ratio SOI MMI Couplers With Enhanced Fabrication Tolerance. *Zhang, J.*, +, *JLT Oct. 15, 2020 5748-5755*
- Broadband Bias-Magnet-Free On-Chip Optical Isolators With Integrated Thin Film Polarizers. *Karki, D.*, +, *JLT Feb. 15, 2020 827-833*
- Broadband Brillouin Phase Shifter Utilizing RF Interference: Experimental Demonstration and Theoretical Analysis. *McKay, L.*, +, *JLT July 15, 2020 3624-3636*
- Broadband Microwave Frequency Conversion Based on an Integrated Optical Micro-Comb Source. *Xu, X.*, +, *JLT Jan. 15, 2020 332-338*
- Broadband Nonvolatile Tunable Mode-Order Converter Based on Silicon and Optical Phase Change Materials Hybrid Meta-Structure. *Chen, H.*, +, *JLT April 1, 2020 1874-1879*
- Broadband Photonic RF Channelizer With 92 Channels Based on a Soliton Crystal Microcomb. *Xu, X.*, +, *JLT Sept. 15, 2020 5116-5121*
- Broadened-Laser-Driven Polarization-Maintaining Hollow-Core Fiber Optic Gyroscope. *Morris, T.A.*, +, *JLT Feb. 15, 2020 905-911*
- Carrier-Suppressed Single Sideband Signal for FMCW LiDAR Using a Si Photonic-Crystal Optical Modulators. *Kamata, M.*, +, *JLT April 15, 2020 2315-2321*
- Chip-Scale Silicon Ring Resonators for Cryogenic Temperature Sensing. *You, M.*, +, *JLT Oct. 15, 2020 5768-5773*
- Color Variation of the Up-Conversion Luminescence in Er³⁺-Yb³⁺ Co-Doped Lead Germanate Glasses and Microsphere Integrated Devices. *Zhang, M.*, +, *JLT Aug. 15, 2020 4397-4401*
- Compact and Fabrication-Tolerant Waveguide Bends Based on Quadratic Reflectors. *Yu, S.*, +, *JLT Aug. 15, 2020 4368-4373*
- Controlling Resonance Lineshapes of a Side-Coupled Waveguide-Microring Resonator. *Fang, L.*, +, *JLT Aug. 15, 2020 4429-4434*
- Design of a Miniaturized Broadband Silicon Hybrid Plasmonic Temporal Integrator for Ultrafast Optical Signal Processing. *Karimi, A.*, +, *JLT April 15, 2020 2346-2352*
- Design of Efficient Resonator-Enhanced Electro-Optic Frequency Comb Generators. *Buscaino, B.*, +, *JLT March 15, 2020 1400-1413*
- Design, Fabrication, and Comparison of 3D Multimode Optical Interconnects on Silicon Interposer. *Charania, S.*, +, *JLT July 1, 2020 3454-3460*
- Effects of Shallow Suspension in Low-Loss Waveguide-Integrated Chalcogenide Microdisk Resonators. *Zhu, Y.*, +, *JLT Sept. 1, 2020 4817-4823*
- Efficient Dual-Polarized Electro-Optically Tunable Microresonators by Utilization of Ultra-Thin Transparent Electrode. *Wang, T.*, +, *JLT Dec. 15, 2020 6863-6869*
- Efficient Mid-Infrared Germanium Variable Optical Attenuator Fabricated by Spin-on-Glass Doping. *Zhao, Z.*, +, *JLT Sept. 1, 2020 4808-4816*
- Efficient Shape and Topology Optimization Based on Sensitivity Analysis for Optical Waveguide Devices Utilizing Full-Vectorial BPM. *Iguchi, A.*, +, *JLT April 15, 2020 2328-2335*
- Electro-Optic Tuning of a Monolithically Integrated Widely Tuneable InP Laser With Free-Running and Stabilized Operation. *Andreou, S.*, +, *JLT April 1, 2020 1887-1894*
- Experimental Demonstration of Single Sideband Modulation Utilizing Monolithic Integrated Injection Locked DFB Laser. *Zhang, Y.*, +, *JLT April 1, 2020 1809-1816*
- Extraction of Elastooptic Coefficient of Thin-Film Arsenic Trisulfide Using a Mach-Zehnder Acoustooptic Modulator on Lithium Niobate. *Khan, M.S.I.*, +, *JLT April 1, 2020 2053-2059*
- Fast Wavelength Seeking in a Silicon Dual-Ring Switch Based on Artificial Neural Networks. *Qin, G.*, +, *JLT Sept. 15, 2020 5078-5085*
- Femtosecond Laser-Inscribed Non-Volatile Integrated Optical Switch in Fused Silica Based on Microfluidics-Controlled Total Internal Reflection. *Radosavljevic, A.*, +, *JLT Aug. 1, 2020 3965-3973*
- Flip-Chip Integration of InP to SiN Photonic Integrated Circuits. *Theurer, M.*, +, *JLT May 1, 2020 2630-2636*
- Fully Reconfigurable Waveguide Bragg Gratings for Programmable Photonic Signal Processing. *Yao, J.*, +, *JLT Jan. 15, 2020 202-214*
- Gain-Integrated 8 × 8 Silicon Photonics Multicast Switch With On-Chip 2 × 4-ch. SOAs. *Konoike, R.*, +, *JLT June 1, 2020 2930-2937*
- Graph Representations for Programmable Photonic Circuits. *Chen, X.*, +, *JLT Aug. 1, 2020 4009-4018*
- High Baud Rate All-Silicon Photonics Carrier Depletion Modulators. *Zhou, J.*, +, *JLT Jan. 15, 2020 272-281*
- High Performance InP-Based Polarization Beam Splitter With Reverse Bias and Injection Current. *Dai, X.*, +, *JLT April 15, 2020 2336-2345*
- High Power and High Speed SOA Assisted Extended Reach EADFB Laser (AXEL) for 53-Gbaud PAM4 Fiber-Amplifier-Less 60-km Optical Link. *Shindo, T.*, +, *JLT June 1, 2020 2984-2991*
- High Resolution and Ultra-Compact On-Chip Spectrometer Using Bidirectional Edge-Input Arrayed Waveguide Grating. *Zou, J.*, +, *JLT Aug. 15, 2020 4447-4453*
- High-Linearity Fano Resonance Modulator Using a Microring-Assisted Mach-Zehnder Structure. *Chen, S.*, +, *JLT July 1, 2020 3395-3403*
- High-Performance Fully Integrated Silicon Photonic Microwave Mixer Subsystems. *Bottenfield, C.G.*, +, *JLT Oct. 1, 2020 5536-5545*
- High-Power Microwave Generation Through Distributed Optical Amplification Into a Photodiode Array on an Open Indium Phosphide Platform. *Tonning, P.L.*, +, *JLT Oct. 1, 2020 5526-5535*
- High-Power, Narrow-Linewidth, Miniaturized Silicon Photonic Tunable Laser With Accurate Frequency Control. *Gao, Y.*, +, *JLT Jan. 15, 2020 265-271*
- High-Speed Coherent Optical Communication With Isolator-Free Heterogeneous Si/III-V Lasers. *Zhang, Z.*, +, *JLT Dec. 1, 2020 6584-6590*
- High-Speed Evanescently-Coupled Waveguide Type-II MUTC Photodiodes for Zero-Bias Operation. *Yu, F.*, +, *JLT Dec. 15, 2020 6827-6832*
- High-Speed Plasmonic-Silicon Modulator Driven by Epsilon-Near-zero Conductive Oxide. *Zhou, B.*, +, *JLT July 1, 2020 3338-3345*
- Hybrid Frequency-Tunable Parity-Time Symmetric Optoelectronic Oscillator. *Fan, Z.*, +, *JLT April 15, 2020 2127-2133*
- Integrated Discretely Tunable Optical Delay Line Based on Step-Chirped Subwavelength Grating Waveguide Bragg Gratings. *Sun, H.*, +, *JLT Oct. 1, 2020 5551-5560*
- Integrated Wavelength-Tuned Optical mm-Wave Beamformer With Doubled Delay Resolution. *Zhang, X.*, +, *JLT April 15, 2020 2353-2359*
- Inverse-Designed Photonic Jumpers With Ultracompact Size and Ultralow Loss. *Yu, Z.*, +, *JLT Dec. 1, 2020 6623-6628*
- Ion Implantation of Germanium Into Silicon for Critical Coupling Control of Racetrack Resonators. *Milosevic, M.M.*, +, *JLT April 1, 2020 1865-1873*
- Low-Loss Multimode Glass Waveguides With Beam-Expanded Fiber Connectors Enabling On-Board Optical Links. *Brusberg, L.*, +, *JLT March 15, 2020 1350-1357*
- Low-Loss Waveguide Bends by Advanced Shape for Photonic Integrated Circuits. *Song, J.H.*, +, *JLT June 15, 2020 3273-3279*
- Low-Loss Waveguides by Planar Modified Chemical Vapor Deposition. *Yevnin, M.*, +, *JLT Feb. 15, 2020 792-796*
- Low-Loss, Low-Crosstalk, and Large-Scale Optical Switch Based on Silicon Photonics. *Suzuki, K.*, +, *JLT Jan. 15, 2020 233-239*
- Low-Power (1.5 pJ/b) Silicon Integrated 106 Gb/s PAM-4 Optical Transmitter. *Lambrecht, J.*, +, *JLT Jan. 15, 2020 432-438*
- Low-Power Broadband Thermo-Optic Switch With Weak Polarization Dependence Using a Segmented Graphene Heater. *Song, Q.Q.*, +, *JLT March 15, 2020 1358-1364*
- Low-Voltage Electrically-Induced Second Harmonic Generation in a Silicon Waveguide Based on Modal Phase Matching. *Janjan, B.*, +, *JLT Nov. 15, 2020 6272-6279*
- Low-Voltage, Coupled Multiple Quantum Well Electroreflective Modulators Towards Ultralow Power Inter-Chip Optical Interconnects. *Wang, X.*, +, *JLT July 1, 2020 3414-3421*
- Membrane III-V/Si DFB Laser Using Uniform Grating and Width-Modulated Si Waveguide. *Aihara, T.*, +, *JLT June 1, 2020 2961-2967*
- Membrane InGaAsP Mach-Zehnder Modulator Integrated With Optical Amplifier on Si Platform. *Hiraki, T.*, +, *JLT June 1, 2020 3030-3036*
- Microcomb Source Based on InP DFB / Si₃N₄ Microring Butt-Coupling. *Boust, S.*, +, *JLT Oct. 1, 2020 5517-5525*

- Miniaturized Silicon Photonics Devices for Integrated Optical Signal Processors. *Teng, M.*, +, *JLT Jan. 1, 2020 6-17*
- Mirror-Based Broadband Silicon-Photonics Vertical I/O With Coupling Efficiency Enhancement for Standard Single-Mode Fiber. *Noriki, A.*, +, *JLT June 15, 2020 3147-3155*
- Modeling and Analysis of Crosstalk for Time-Interleaved Photonic ADCs. *Wang, C.*, +, *JLT Aug. 1, 2020 3926-3934*
- Modeling and Optimization of Hybrid FinFET-Silicon Photonic Interconnects. *Pantano, N.*, +, *JLT Aug. 15, 2020 4325-4332*
- Monolithic Integrated InGaAs/InAlAs WDM-APDs With Partially Depleted Absorption Region and Evanescently Coupled Waveguide Structure. *Zhao, Y.*, +, *JLT Aug. 15, 2020 4385-4396*
- Multi-Beamforming Provided by Dual-Wavelength True Time Delay PIC and Multicore Fiber. *Morant, M.*, +, *JLT Oct. 1, 2020 5311-5317*
- Multi-Stage 8×8 Silicon Photonic Switch Based on Dual-Microring Switching Elements. *Huang, Y.*, +, *JLT Jan. 15, 2020 194-201*
- Non-Classical Semiconductor Photon Sources Enhancing the Performance of Classical Target Detection Systems. *He, H.*, +, *JLT Aug. 15, 2020 4540-4547*
- Nonduplicate Polarization-Diversity 32×32 Silicon Photonics Switch Based on a SiN/Si Double-Layer Platform. *Suzuki, K.*, +, *JLT Jan. 15, 2020 226-232*
- On-Chip Optical Microresonators With High Electro-Optic Tuning Efficiency. *Wang, T.*, +, *JLT April 1, 2020 1851-1857*
- Optical Free-Form Couplers for High-density Integrated Photonics (OFF-CHIP): A Universal Optical Interface. *Yu, S.*, +, *JLT July 1, 2020 3358-3365*
- Oscilloscopic Capture of Greater-Than-100 GHz, Ultra-Low Power Optical Waveforms Enabled by Integrated Electrooptic Devices. *Wang, X.*, +, *JLT Jan. 1, 2020 166-173*
- Parity-Time Symmetry in a Single-Loop Photonic System. *Fan, Z.*, +, *JLT Aug. 1, 2020 3866-3873*
- Passive Visible-to-Telecom Converter Using Tunable Perovskites and Silicon Photonics. *Cheng, Z.*, +, *JLT July 1, 2020 3533-3539*
- Performance Model and Design Rules for Optical Systems Employing Low-Resolution DAC/ADC. *Almonacil, S.*, +, *JLT June 1, 2020 3007-3014*
- Performance Requirements for Terabit-Class Silicon Photonic Links Based on Cascaded Microring Resonators. *London, Y.*, +, *JLT July 1, 2020 3469-3477*
- Quarter-Millimeter Propagating Plasmons in Thin-Gold-Film-Based Waveguides for Visible Spectral Range. *Kornienko, V.V.*, +, *JLT Sept. 1, 2020 4794-4800*
- Reconfigurable Integrated Optical Interferometer Network-Based Physically Unclonable Function. *Smith, A.M.*, +, *JLT Sept. 1, 2020 4599-4606*
- Robust Integrated Optical Unitary Converter Using Multiport Directional Couplers. *Tanomura, R.*, +, *JLT Jan. 1, 2020 60-66*
- Sensitivity Analysis of Photonic Integrated Direct-Detection Stokes-Vector Receiver. *Tanemura, T.*, +, *JLT Jan. 15, 2020 447-456*
- Silicon Nitride (Si₃N₄) (De-)Multiplexers for 1- μ m CWDM Optical Interconnects. *Cheung, S.S.*, +, *JLT July 1, 2020 3404-3413*
- Silicon Oxycarbide Platform for Integrated Photonics. *Memon, F.A.*, +, *JLT Feb. 15, 2020 784-791*
- Silicon Photonic 2.5D Multi-Chip Module Transceiver for High-Performance Data Centers. *Abrams, N.C.*, +, *JLT July 1, 2020 3346-3357*
- Silicon Photonics Wavelength Selective Switch With Unlimited Free Spectral Range. *Ikeda, K.*, +, *JLT June 15, 2020 3268-3272*
- Silicon-Based Flexible-Grid Mode- and Wavelength-Selective Switch Utilizing Microring Resonators and Y-Junctions. *Chen, W.*, +, *JLT Aug. 1, 2020 4000-4008*
- Spectral-Distortionless, Flat-Top, Drop-Filter Based on Complementarily-Misaligned Multimode-Waveguide Bragg Gratings. *Liang, X.*, +, *JLT Dec. 1, 2020 6600-6604*
- Suppression of Nonlinear Residual Intensity Modulation in Multifunction Integrated Optic Circuit for Fiber-Optic Gyroscopes. *Liu, J.*, +, *JLT March 15, 2020 1572-1579*
- Theory of Coupled Harmonics and Its Application to Resonant and Non-Resonant Electro-Optic Modulators. *Bahadori, M.*, +, *JLT Oct. 15, 2020 5756-5767*
- Thermal Tuning of Plasmofluidic Disk Resonators Filled With a Liquid Crystal: Its Narrow-Trench Filling and Arrangement. *Vuong, Q.V.*, +, *JLT Aug. 15, 2020 4419-4428*
- Three-Octave Supercontinuum Generation Using SiO₂ Cladded Si₃N₄ Slot Waveguide With All-Normal Dispersion. *Fang, Y.*, +, *JLT July 1, 2020 3431-3438*
- Toward Single Lane 200G Optical Interconnects With Silicon Photonic Modulator. *Zhu, Y.*, +, *JLT Jan. 1, 2020 67-74*
- Ultra-Compact Broadband 2×2 3 dB Power Splitter Using a Subwavelength-Grating-Assisted Asymmetric Directional Coupler. *Ye, C.*, +, *JLT April 15, 2020 2370-2375*
- Ultra-High-Speed 2:1 Digital Selector and Plasmonic Modulator IM/DD Transmitter Operating at 222 Gbaud for Intra-Datacenter Applications. *Heni, W.*, +, *JLT May 1, 2020 2734-2739*
- Ultrafast Laser Inscription and \square 2 μ m Laser Operation of Y-Branch Splitters in Monoclinic Crystals. *Kifle, E.*, +, *JLT Aug. 15, 2020 4374-4384*
- Ultrasound Measurement Using On-Chip Optical Micro-Resonators and Digital Optical Frequency Comb. *Song, J.*, +, *JLT Oct. 1, 2020 5293-5301*
- Unclad Microphotonics for Terahertz Waveguides and Systems. *Headland, D.*, +, *JLT Dec. 15, 2020 6853-6862*
- Universal Method for Constructing the On-Chip Optical Router With Wavelength Routing Technology. *Huang, L.*, +, *JLT Aug. 1, 2020 3815-3821*
- WDM-Based Silicon Photonic Multi-Socket Interconnect Architecture With Automated Wavelength and Thermal Drift Compensation. *Zanetto, F.*, +, *JLT Nov. 1, 2020 6000-6006*
- Integrated optoelectronics**
- 107 Gb/s Ultra-High Speed, Surface-Normal Electroabsorption Modulator Devices. *Grillanda, S.*, +, *JLT Feb. 15, 2020 804-810*
- 240 Gbit/s Silicon Photonic Mach-Zehnder Modulator Enabled by Two 2.3-Vpp Drivers. *Jacques, M.*, +, *JLT June 1, 2020 2877-2885*
- 400 Gb/s Silicon Photonic Transmitter and Routing WDM Technologies for Glueless 8-Socket Chip-to-Chip Interconnects. *Pitris, S.*, +, *JLT July 1, 2020 3366-3375*
- 500-Gb/s/ λ Operation of Ultra-Low Power and Low-Temperature-Dependence InP-Based High-Bandwidth Coherent Driver Modulator. *Ozaki, J.*, +, *JLT Sept. 15, 2020 5086-5091*
- A 112 Gb/s PAM4 Silicon Photonics Transmitter With Microring Modulator and CMOS Driver. *Li, H.*, +, *JLT Jan. 1, 2020 131-138*
- A 4×4 Electrooptic Silicon Photonic Switch Fabric With Net Neutral Insertion Loss. *Dupuis, N.*, +, *JLT Jan. 15, 2020 178-184*
- A Computationally Efficient Integrated Coupled Opto-Electronic Oscillator Model. *Nielsen, L.*, +, *JLT Oct. 1, 2020 5430-5439*
- A Lateral MOS-Capacitor-Enabled ITO Mach-Zehnder Modulator for Beam Steering. *Amin, R.*, +, *JLT Jan. 15, 2020 282-290*
- A Novel Virtual-Cluster Based Architecture of Double-Layer Optical Networks-on-Chip. *Su, Y.*, +, *JLT July 15, 2020 3553-3562*
- A Wavelength-Selective Multiwavelength Ring-Assisted Mach-Zehnder Interferometer Switch. *Hirokawa, T.*, +, *JLT Nov. 15, 2020 6292-6298*
- Adjoint Optimization of Efficient CMOS-Compatible Si-SiN Vertical Grating Couplers for DWDM Applications. *Hooten, S.*, +, *JLT July 1, 2020 3422-3430*
- Aerosol Jet Printed Optical Waveguides for Short Range Communication. *Lorenz, L.*, +, *JLT July 1, 2020 3478-3484*
- All-Optical Frequency Processor for Networking Applications. *Lukens, J.M.*, +, *JLT April 1, 2020 1678-1687*
- All-Optical Switching and Multiple Logic Gates Based on Hybrid Square-Rectangular Laser. *Liu, J.*, +, *JLT March 15, 2020 1382-1390*
- Comprehensive Modeling and Design of Raman Lasers on SOI for Mid-Infrared Application. *Ahmadi, M.*, +, *JLT Aug. 1, 2020 4114-4123*
- Design Principles of Apodized Grating Couplers. *Zhao, Z.*, +, *JLT Aug. 15, 2020 4435-4446*
- Design, Fabrication, and Comparison of 3D Multimode Optical Interconnects on Silicon Interposer. *Charania, S.*, +, *JLT July 1, 2020 3454-3460*

- Efficient Hybrid Integration of Long-Wavelength VCSELs on Silicon Photonic Circuits. *Ruan, Z.*, +, *JLT Sept. 15, 2020 5100-5106*
- Fast Wavelength Seeking in a Silicon Dual-Ring Switch Based on Artificial Neural Networks. *Qin, G.*, +, *JLT Sept. 15, 2020 5078-5085*
- Frequency- and Time-Domain Modeling and Characterization of PN Phase Shifters in All-Silicon Carrier-Depletion Modulators. *Wang, J.*, +, *JLT Aug. 15, 2020 4462-4469*
- Frequency-Stabilized Links for Coherent WDM Fiber Interconnects in the Datacenter. *Blumenthal, D.J.*, +, *JLT July 1, 2020 3376-3386*
- Fully-Integrated Heterogeneous DML Transmitters for High-Performance Computing. *Liang, D.*, +, *JLT July 1, 2020 3322-3337*
- Graphene on Silicon Modulators. *Soriano, V.*, +, *JLT May 15, 2020 2782-2789*
- High-Power, Narrow-Linewidth, Miniaturized Silicon Photonic Tunable Laser With Accurate Frequency Control. *Gao, Y.*, +, *JLT Jan. 15, 2020 265-271*
- Hybrid Frequency-Tunable Parity-Time Symmetric Optoelectronic Oscillator. *Fan, Z.*, +, *JLT April 15, 2020 2127-2133*
- In-Depth Studies of the Spectral Bandwidth of a 25 W 2 μm Band PM Hybrid Ho- and Tm-Doped Fiber Amplifier. *Tench, R.E.*, +, *JLT April 15, 2020 2456-2463*
- Integrated Arbitrary Filter With Spiral Gratings: Design and Characterization. *Hu, Y.*, +, *JLT Aug. 15, 2020 4454-4461*
- Integrated Wavelength-Tuned Optical mm-Wave Beamformer With Doubled Delay Resolution. *Zhang, X.*, +, *JLT April 15, 2020 2353-2359*
- Logic Gates Based on Interaction of Counterpropagating Light in Microresonators. *Moroney, N.*, +, *JLT March 15, 2020 1414-1419*
- Low Loss, Large Bandwidth Fiber-Chip Edge Couplers Based on Silicon-on-Insulator Platform. *He, A.*, +, *JLT Sept. 1, 2020 4780-4786*
- Miniaturized Silicon Photonics Devices for Integrated Optical Signal Processors. *Teng, M.*, +, *JLT Jan. 1, 2020 6-17*
- Mode-field Matching Down-Tapers on Single-Mode Optical Fibers for Edge Coupling Towards Generic Photonic Integrated Circuit Platforms. *Yanmol, K.*, +, *JLT Sept. 1, 2020 4834-4842*
- Monolithic Integrated InGaAs/InAlAs WDM-APDs With Partially Depleted Absorption Region and Evanescently Coupled Waveguide Structure. *Zhao, Y.*, +, *JLT Aug. 15, 2020 4385-4396*
- Multi-FSR Silicon Photonic Flex-LIONS Module for Bandwidth-Reconfigurable All-to-All Optical Interconnects. *Xiao, X.*, +, *JLT June 15, 2020 3200-3208*
- Multi-Rate Low-Noise Optical Receiver Front-End. *Li, D.*, +, *JLT Sept. 15, 2020 4978-4986*
- On-Chip Optical Microresonators With High Electro-Optic Tuning Efficiency. *Wang, T.*, +, *JLT April 1, 2020 1851-1857*
- Optical Free-Form Couplers for High-density Integrated Photonics (OFF-CHIP): A Universal Optical Interface. *Yu, S.*, +, *JLT July 1, 2020 3358-3365*
- Photonic Switched Optically Connected Memory: An Approach to Address Memory Challenges in Deep Learning. *Zhu, Z.*, +, *JLT May 15, 2020 2815-2825*
- Polarization Manipulated Fourier Domain Mode-Locked Optoelectronic Oscillator. *Zhu, S.*, +, *JLT Oct. 1, 2020 5270-5277*
- Repetition-Frequency-Doubled Transform-Limited Optical Pulse Generation Based on Silicon Modulators. *Liu, S.*, +, *JLT Nov. 15, 2020 6299-6311*
- Robust Integrated Optical Unitary Converter Using Multiport Directional Couplers. *Tanomura, R.*, +, *JLT Jan. 1, 2020 60-66*
- Silicon Nitride (Si_3N_4) (De-)Multiplexers for 1- μm CWDM Optical Interconnects. *Cheung, S.S.*, +, *JLT July 1, 2020 3404-3413*
- SOA Pre-Amplified 100 Gb/s/ λ PAM-4 TDM-PON Downstream Transmission Using 10 Gbps O-Band Transmitters. *Zhang, J.*, +, *JLT Jan. 15, 2020 185-193*
- System Optimization of an All-Silicon IQ Modulator: Achieving 100-Gbaud Dual-Polarization 32QAM. *Zhalehpour, S.*, +, *JLT Jan. 15, 2020 256-264*
- Towards a Scaleable 5G Fronthaul: Analog Radio-over-Fiber and Space Division Multiplexing. *Rommel, S.*, +, *JLT Oct. 1, 2020 5412-5422*
- Ultra-Compact Coupling Structures for Heterogeneously Integrated Silicon Lasers. *He, A.*, +, *JLT Aug. 1, 2020 3974-3982*
- Ultra-Sharp Multimode Waveguide Bends With Dual Polarizations. *Wang, Y.*, +, *JLT Aug. 1, 2020 3994-3999*
- Wavelength-Division Demultiplexing Enhanced by Silicon-Photonic Tunable Filters in Ultra-Wideband Optical-Path Networks. *Mori, Y.*, +, *JLT March 1, 2020 1002-1009*
- Intelligent materials**
- A Laser Written 4D Optical Microcavity for Advanced Biochemical Sensing in Aqueous Environment. *Saetchnikov, A.V.*, +, *JLT April 15, 2020 2530-2538*
- Intensity measurement**
- Dual Polarization Full-Field Signal Waveform Reconstruction Using Intensity Only Measurements for Coherent Communications. *Chen, H.*, +, *JLT May 1, 2020 2587-2597*
- Intensity modulation**
- 100G PAM-6 and PAM-8 Signal Transmission Enabled by Pre-Chirping for 10-km Intra-DCI Utilizing MZM in C-band. *Zou, D.*, +, *JLT July 1, 2020 3445-3453*
- 120 GBaud PAM-4/PAM-6 Generation and Detection by Photonic Aided Digital-to-Analog Converter and Linear Equalization. *Xin, H.*, +, *JLT April 15, 2020 2226-2230*
- 200 Gbps/Lane IM/DD Technologies for Short Reach Optical Interconnects. *Pang, X.*, +, *JLT Jan. 15, 2020 492-503*
- A Bidirectional FSO Communication Employing Phase Modulation Scheme and Remotely Injection-Locked DFB LD. *Huang, X.*, +, *JLT Nov. 1, 2020 5883-5892*
- A Clock-Gating-Based Energy-Efficient Scheme for ONUs in Real-Time IMDD OFDM-PONs. *Zhang, J.*, +, *JLT July 15, 2020 3573-3583*
- A Computational Efficient Nyquist Shaping Approach for Short-Reach Optical Communications. *Perez-Pascual, A.*, +, *JLT April 1, 2020 1651-1658*
- A Novel Baseband Faster-Than-Nyquist Non-Orthogonal FDM IM/DD System With Block Segmented Soft-Decision Decoder. *Hu, Z.*, +, *JLT Feb. 1, 2020 632-641*
- Amplifier-less transmission of beyond 100-Gbit/s/ λ signal for 40-km DCI-Edge with 10G-class O-band DML. *Zou, D.*, +, *JLT Oct. 15, 2020 5649-5655*
- Assessment of a Polarization-Independent DSP-Free Coherent Receiver for Intensity-Modulated Signals. *Ciamarella, E.*, *JLT Feb. 1, 2020 676-683*
- Beyond 1 Tb/s Intra-Data Center Interconnect Technology: IM-DD OR Coherent?. *Zhou, X.*, +, *JLT Jan. 15, 2020 475-484*
- Carrier-Suppressed Single Sideband Signal for FMCW LiDAR Using a Si Photonic-Crystal Optical Modulators. *Kamata, M.*, +, *JLT April 15, 2020 2315-2321*
- Comparison of Geometrically Shaped 32-QAM and Probabilistically Shaped 32-QAM in a Bandwidth-Limited IM-DD System. *Ding, J.*, +, *JLT Aug. 15, 2020 4352-4358*
- Crosstalk-Induced System Outage in Intensity-Modulated Direct-Detection Multi-Core Fiber Transmission. *Rademacher, G.*, +, *JLT Jan. 15, 2020 291-296*
- DFT Spread Spectrally Efficient Frequency Division Multiplexing for IM-DD Transmission in C-Band. *Li, Z.*, +, *JLT July 1, 2020 3526-3532*
- DSP for High-Speed Short-Reach IM/DD Systems Using PAM. *Wettlin, T.*, +, *JLT Dec. 15, 2020 6771-6778*
- Experimental Demonstration of 600 Gb/s Net Rate PAM4 Transmissions Over 2 km and 10 km With a 4- λ CWDM TOSA. *Xing, Z.*, +, *JLT June 1, 2020 2968-2975*
- Graphene on Silicon Modulators. *Soriano, V.*, +, *JLT May 15, 2020 2782-2789*
- Iterative Algorithm for Electronic Dispersion Compensation in IM/DD Systems. *Karar, A.S.*, *JLT Feb. 15, 2020 698-704*
- Low-Complexity Second-Order Volterra Equalizer for DML-Based IM/DD Transmission System. *Yu, Y.*, +, *JLT April 1, 2020 1735-1746*
- Mitigation of Pattern-Dependent Effect in SOA at O-Band by Using DSP. *Wang, K.*, +, *JLT Feb. 1, 2020 590-597*
- Modulation and Switching Architecture Performances for Frequency Up-Conversion of Complex-Modulated Data Signals Based on a SOA-MZI Photonic Sampling Mixer. *Kastritsis, D.*, +, *JLT Oct. 1, 2020 5375-5385*

- Nonlinearity-Aware Adaptive Bit and Power Loading DMT Transmission Over Low-Crosstalk Ring-Core Fiber With Mode Group Multiplexing. *Zhang, J., +, JLT Nov. 1, 2020 5875-5882*
- Optics-Simplified DSP for 50 Gb/s PON Downstream Transmission using 10 Gb/s Optical Devices. *Xue, L., +, JLT Feb. 1, 2020 583-589*
- Performance Enhanced 256-QAM BIPCM-DMT System Enabled by CAZAC Precoding. *Ma, J., +, JLT Feb. 1, 2020 557-563*
- Photonics Generation of Pulsed Arbitrary-Phase-Coded Microwave Signals Based on the Conversion Between Intensity Modulation and Phase Modulation. *Song, C., +, JLT March 15, 2020 1243-1249*
- SSB Single Carrier and Multicarrier in C-Band FSO Transmission With KK Receiver. *Wei, Y., +, JLT Sept. 15, 2020 5000-5007*
- Suppression of Nonlinear Residual Intensity Modulation in Multifunction Integrated Optic Circuit for Fiber-Optic Gyroscopes. *Liu, J., +, JLT March 15, 2020 1572-1579*
- Theoretical and Experimental Analysis of Burst-Mode Wavelength Conversion via a Differentially-Biased SOA-MZI. *Tsakyridis, A., +, JLT Sept. 1, 2020 4607-4617*
- Time-Stretched Femtosecond Lidar Using Microwave Photonic Signal Processing. *Zhao, L., +, JLT Nov. 15, 2020 6265-6271*
- Unified Performance Analysis of Hybrid FSO/RF System With Diversity Combining. *Huang, L., +, JLT Dec. 15, 2020 6788-6800*
- Wide-Coverage Beam-Steered 40-Gbit/s Non-Line-of-Sight Optical Wireless Connectivity for Industry 4.0. *Zhang, X., +, JLT Dec. 15, 2020 6801-6806*
- Wideband Frequency-Tunable Parity-Time Symmetric Optoelectronic Oscillator Based on Hybrid Phase and Intensity Modulations. *Teng, C., +, JLT Oct. 1, 2020 5406-5411*
- Y-00 Quantum-Noise Randomized Stream Cipher Using Intensity Modulation Signals for Physical Layer Security of Optical Communications. *Futami, F., +, JLT May 15, 2020 2774-2781*
- Intercarrier interference**
- Compensation of Chromatic Dispersion and Nonlinear Phase Noise Using Iterative Soft Decision Feedback Equalizer for Coherent Optical FBMC/OQAM Systems. *Alaghbari, K.A., +, JLT Aug. 1, 2020 3839-3849*
- Design of Time-Frequency Packed WDM Superchannel Transmission Systems. *Jana, M., +, JLT Dec. 15, 2020 6719-6731*
- Experimental Demonstration of an SFO-Robustness Scheme With Fast OFDM for IMDD Passive Optical Network Systems. *Zhou, Z., +, JLT Oct. 15, 2020 5608-5616*
- Interface structure**
- Tunable Ultra-Multispectral Metamaterial Perfect Absorbers Based on Out-of-Plane Metal-Insulator-Graphene Heterostructures. *Li, H., +, JLT April 1, 2020 1858-1864*
- Interference (signal)**
- Channel-Aware Adaptive Physical-Layer Network Coding Over Relay-Assisted OFDM-VLC Networks. *Hong, Y., +, JLT March 15, 2020 1168-1177*
- Independent Component Analysis for Phase and Residual Frequency Offset Compensation in OQAM Multicarrier Systems. *Zhao, J., +, JLT Aug. 1, 2020 3897-3907*
- Interference suppression**
- A Photonic-Based Wideband RF Self-Interference Cancellation Approach With Fiber Dispersion Immunity. *Chen, Y., JLT Sept. 1, 2020 4618-4624*
- A SiGe HBT BiCMOS 1-to-4 ADC Frontend Enabling Low Bandwidth Digitization of 100 GBaud PAM4 Data. *Buchali, F., +, JLT Jan. 1, 2020 150-158*
- Beyond 400 Gb/s Direct Detection Over 80 km for Data Center Interconnect Applications. *Le, S.T., +, JLT Jan. 15, 2020 538-545*
- Broadband Cognitive Radio Enabled by Photonics. *Zhu, D., +, JLT June 15, 2020 3076-3088*
- Compensation of Chromatic Dispersion and Nonlinear Phase Noise Using Iterative Soft Decision Feedback Equalizer for Coherent Optical FBMC/OQAM Systems. *Alaghbari, K.A., +, JLT Aug. 1, 2020 3839-3849*
- Demonstration of Pattern Division Multiple Access With Message Passing Algorithm for Multi-Channel mmWave Uplinks via RoF Mobile Fronthaul. *Shen, S., +, JLT Nov. 1, 2020 5908-5915*
- Design of Time-Frequency Packed WDM Superchannel Transmission Systems. *Jana, M., +, JLT Dec. 15, 2020 6719-6731*
- Enhanced Kramers-Kronig Single-Sideband Receivers. *Lowery, A.J., +, JLT June 15, 2020 3229-3237*
- Improved RF Interference Suppression Method. *Ackerman, E.I., +, JLT Oct. 1, 2020 5546-5550*
- Joint Superchannel Digital Signal Processing for Effective Inter-Channel Interference Cancellation. *Mazur, M., +, JLT Oct. 15, 2020 5676-5684*
- Long-Haul Mode Multiplexing Transmission Enhanced by Interference Cancellation Techniques Based on Fast MIMO Affine Projection. *Shibahara, K., +, JLT Sept. 15, 2020 4969-4977*
- Performance Analysis of Phase Noise Cancellation by Asymmetric CMA for Realizing Affordable Coherent PON Transceivers. *Kim, S., +, JLT April 15, 2020 2231-2241*
- Photonic Assisted Radio-Frequency Interference Mitigation. *Urlick, V.J., +, JLT March 15, 2020 1268-1274*
- Photonic-Assisted Leakage Cancellation for Wideband Frequency Modulation Continuous-Wave Radar Transceiver. *Li, P., +, JLT March 15, 2020 1178-1183*
- Photonic-Assisted RF Self-Interference Cancellation With Improved Spectrum Efficiency and Fiber Transmission Capability. *Chen, Y., +, JLT Feb. 15, 2020 761-768*
- Power-Efficient Single-Sideband Transmission With Clipped Iterative SSB Cancellation. *Le, S.T., +, JLT Aug. 15, 2020 4359-4367*
- Interferometry**
- Combining Harmonic Laser Beams by Fiber Components for Refractivity-Compensating Two-Color Interferometry. *Liu, Y., +, JLT April 1, 2020 1945-1952*
- Interleaved codes**
- DFT-Spread DMT-WDM-PON Employing LDPC-Coded Probabilistic Shaping 16 QAM. *Xiao, Q., +, JLT Feb. 15, 2020 714-722*
- LDPC-Coded Probabilistic Shaping PAM4 Based on Many-to-One Mapping in WDM-PON. *He, H., +, JLT Aug. 1, 2020 3918-3925*
- Performance Enhanced 256-QAM BIPCM-DMT System Enabled by CAZAC Precoding. *Ma, J., +, JLT Feb. 1, 2020 557-563*
- Performance-Complexity Tradeoffs of Concatenated FEC for Higher-Order Modulation. *Barakatain, M., +, JLT June 1, 2020 2944-2953*
- Post-FEC BER Benchmarking for Bit-Interleaved Coded Modulation With Probabilistic Shaping. *Yoshida, T., +, JLT Aug. 15, 2020 4292-4306*
- Two-Stage Coded Modulation for Hurwitz Constellations in Fiber-Optical Communications. *Frey, F., +, JLT June 15, 2020 3135-3146*
- Intermodulation distortion**
- An Analog Photonic Down-Conversion Link With Simultaneous IMD3 Distortion Suppression and Dispersion-Induced Power Fading Compensation. *Li, Y., +, JLT Aug. 1, 2020 3908-3917*
- High-Linearity Fano Resonance Modulator Using a Microring-Assisted Mach-Zehnder Structure. *Chen, S., +, JLT July 1, 2020 3395-3403*
- Improved RF Interference Suppression Method. *Ackerman, E.I., +, JLT Oct. 1, 2020 5546-5550*
- Minimum Phase Conditions in Kramers-Kronig Optical Receivers. *Wang, T., +, JLT Nov. 15, 2020 6214-6220*
- Nonlinear Characteristics of Uni-Travelling Carrier Photodiode With InGaAs/GaAsSb Type-II Multiple Quantum Wells Absorber. *Chen, Y., +, JLT Sept. 1, 2020 4867-4873*
- Internal stresses**
- Importance of Internal Tensile Stress in Forming Low-Loss Fiber Draw-Tower Gratings. *Liu, S., +, JLT April 1, 2020 1900-1904*
- Internet**
- Abstraction and Control of Multi-Domain Disaggregated Optical Networks With OpenROADM Device Models. *Casellas, R., +, JLT May 1, 2020 2606-2615*
- Decentralized Coordination of Converged Tactile Internet and MEC Services in H-CRAN Fiber Wireless Networks. *Perez, G.O., +, JLT Sept. 15, 2020 4935-4947*
- Frequency-Stabilized Links for Coherent WDM Fiber Interconnects in the Datacenter. *Blumenthal, D.J., +, JLT July 1, 2020 3376-3386*
- P4-enabled Smart NIC: Enabling Sliceable and Service-Driven Optical Data Centres. *Yan, Y., +, JLT May 1, 2020 2688-2694*

Privacy-Preserving Multilayer In-Band Network Telemetry and Data Analytics: For Safety, Please do Not Report Plaintext Data. *Pan, X.*, +, *JLT Nov. 1, 2020 5855-5866*

Intersymbol interference

A SiGe HBT BiCMOS 1-to-4 ADC Frontend Enabling Low Bandwidth Digitization of 100 GBaud PAM4 Data. *Buchali, F.*, +, *JLT Jan. 1, 2020 150-158*

Comparison of Different Precoding Techniques for Unbalanced Impairments Compensation in Short-Reach DMT Transmission Systems. *Chen, M.*, +, *JLT Nov. 15, 2020 6202-6213*

Compensation of Chromatic Dispersion and Nonlinear Phase Noise Using Iterative Soft Decision Feedback Equalizer for Coherent Optical FBMC/OQAM Systems. *Alaghbari, K.A.*, +, *JLT Aug. 1, 2020 3839-3849*

Delay-Tolerant Indoor Optical Wireless Communication Systems Based on Attention-Augmented Recurrent Neural Network. *He, J.*, +, *JLT Sept. 1, 2020 4632-4640*

Design of Time-Frequency Packed WDM Superchannel Transmission Systems. *Jana, M.*, +, *JLT Dec. 15, 2020 6719-6731*

Experimental Demonstration of 600 Gb/s Net Rate PAM4 Transmissions Over 2 km and 10 km With a 4- λ CWDM TOSA. *Xing, Z.*, +, *JLT June 1, 2020 2968-2975*

Non-Coherent Detection for Ultraviolet Communications With Inter-Symbol Interference. *Hu, W.*, +, *JLT Sept. 1, 2020 4699-4707*

Optimal Photon Counting Receiver for Sub-Dead-Time Signal Transmission. *Huang, S.*, +, *JLT Sept. 15, 2020 5225-5235*

Sensitivity Calculations of High-Speed Optical Receivers Based on Electron-APDs. *Shulyak, V.*, +, *JLT Feb. 15, 2020 989-995*

System Optimization of an All-Silicon IQ Modulator: Achieving 100-Gbaud Dual-Polarization 32QAM. *Zhalehpour, S.*, +, *JLT Jan. 15, 2020 256-264*

Toward Single Lane 200G Optical Interconnects With Silicon Photonic Modulator. *Zhu, Y.*, +, *JLT Jan. 1, 2020 67-74*

Inverse problems

Compensation of Nonlinear Impairments Using Inverse Perturbation Theory With Reduced Complexity. *Redyuk, A.*, +, *JLT March 15, 2020 1250-1257*

Inverse System Design Using Machine Learning: The Raman Amplifier Case. *Zibar, D.*, +, *JLT Feb. 15, 2020 736-753*

Inverse transforms

Analysis of the Single-FFT Receiver for Layered ACO-OFDM in Visible Light Communications. *Liu, X.*, +, *JLT Sept. 1, 2020 4757-4764*

Data Transmission Based on Exact Inverse Periodic Nonlinear Fourier Transform, Part I: Theory. *Goossens, J.*, +, *JLT Dec. 1, 2020 6499-6519*

Data Transmission Based on Exact Inverse Periodic Nonlinear Fourier Transform, Part II: Waveform Design and Experiment. *Goossens, J.*, +, *JLT Dec. 1, 2020 6520-6528*

Full-Spectrum Periodic Nonlinear Fourier Transform Optical Communication Through Solving the Riemann-Hilbert Problem. *Kamalian-Kopae, M.*, +, *JLT July 15, 2020 3602-3615*

Ion exchange

Low-Loss Multimode Glass Waveguides With Beam-Expanded Fiber Connectors Enabling On-Board Optical Links. *Brusberg, L.*, +, *JLT March 15, 2020 1350-1357*

Ion implantation

Demonstration of Low-Threshold and Directly Modulated Grating-Assisted Microcylinder Surface-Emitting Lasers. *Ma, X.*, +, *JLT Sept. 1, 2020 4772-4779*

Efficient Mid-Infrared Germanium Variable Optical Attenuator Fabricated by Spin-on-Glass Doping. *Zhao, Z.*, +, *JLT Sept. 1, 2020 4808-4816*

Ion Implantation of Germanium Into Silicon for Critical Coupling Control of Racetrack Resonators. *Milosevic, M.M.*, +, *JLT April 1, 2020 1865-1873*

IP networks

How to Mislead AI-Assisted Network Automation in SD-IPoEONs: A Comparison Study of DRL- and GAN-Based Approaches. *Wang, M.*, +, *JLT Oct. 15, 2020 5574-5585*

Privacy-Preserving Multilayer In-Band Network Telemetry and Data Analytics: For Safety, Please do Not Report Plaintext Data. *Pan, X.*, +, *JLT Nov. 1, 2020 5855-5866*

Techno-Economic Impact of Filterless Data Plane and Agile Control Plane in the 5G Optical Metro. *Pavon-Marino, P.*, +, *JLT Aug. 1, 2020 3801-3814*

Iron alloys

A Digital Twin Approach to Study Additive Manufacturing Processing Using Embedded Optical Fiber Sensors and Numerical Modeling. *Zou, R.*, +, *JLT Nov. 15, 2020 6402-6411*

Isomerization

All-Optical and Polarization-Independent Tunable Guided-Mode Resonance Filter Based on a Dye-Doped Liquid Crystal Incorporated With Photonic Crystal Nanostructure. *Lin, T.*, +, *JLT Feb. 15, 2020 820-826*

All-Optical Directional Control of Emission in a Photonic Liquid Crystal Fiber Laser. *Lin, J.*, +, *JLT Sept. 15, 2020 5149-5156*

Iterative decoding

DFT-Spread DMT-WDM-PON Employing LDPC-Coded Probabilistic Shaping 16 QAM. *Xiao, Q.*, +, *JLT Feb. 15, 2020 714-722*

LDPC-Coded Probabilistic Shaping PAM4 Based on Many-to-One Mapping in WDM-PON. *He, H.*, +, *JLT Aug. 1, 2020 3918-3925*

Neural Turbo Equalization: Deep Learning for Fiber-Optic Nonlinearity Compensation. *Koike-Akino, T.*, +, *JLT June 1, 2020 3059-3066*

Iterative methods

Compensation of Chromatic Dispersion and Nonlinear Phase Noise Using Iterative Soft Decision Feedback Equalizer for Coherent Optical FBMC/OQAM Systems. *Alaghbari, K.A.*, +, *JLT Aug. 1, 2020 3839-3849*

Design of Time-Frequency Packed WDM Superchannel Transmission Systems. *Jana, M.*, +, *JLT Dec. 15, 2020 6719-6731*

Experimental Demonstration of Nonlinear Frequency Division Multiplexing Transmission With Neural Network Receiver. *Gaiarin, S.*, +, *JLT Dec. 1, 2020 6465-6473*

Investigation of Inverse Solutions for Tilting Orthogonal Double Prisms in Laser Pointing With Submicroradian Precision. *Li, A.*, +, *JLT March 15, 2020 1341-1349*

Optical Signal Phase Retrieval With Low Complexity DC-Value Method. *Patel, R.K.*, +, *JLT Aug. 15, 2020 4205-4212*

Power-Efficient Single-Sideband Transmission With Clipped Iterative SSBI Cancellation. *Le, S.T.*, +, *JLT Aug. 15, 2020 4359-4367*

Successive Eigenvalue Removal for Multi-Soliton Spectral Amplitude Estimation. *Span, A.*, +, *JLT Sept. 1, 2020 4708-4714*

System Optimization of an All-Silicon IQ Modulator: Achieving 100-Gbaud Dual-Polarization 32QAM. *Zhalehpour, S.*, +, *JLT Jan. 15, 2020 256-264*

J

Jamming

A Review: Neural-Inspired Photonic Functional Systems for Dynamic RF Signal Processing. *Fok, M.P.*, *JLT Oct. 1, 2020 5318-5326*

Jitter

Analytical Channel Model and Link Design Optimization for Ground-to-HAP Free-Space Optical Communications. *Safi, H.*, +, *JLT Sept. 15, 2020 5036-5047*

Oscilloscopic Capture of Greater-Than-100 GHz, Ultra-Low Power Optical Waveforms Enabled by Integrated Electrooptic Devices. *Wang, X.*, +, *JLT Jan. 1, 2020 166-173*

Passive Optical Phase Stabilization on a Ring Fiber Network. *Hu, L.*, +, *JLT Nov. 1, 2020 5916-5924*

Performance Optimization of High Speed DACs Using DSP. *Yoffe, Y.*, +, *JLT June 15, 2020 3096-3105*

The Impact of Local Oscillator Frequency Jitter and Laser Linewidth to Ultra High Baud Rate Coherent Systems. *Zhang, R.*, +, *JLT March 15, 2020 1138-1147*

K

Kalman filters

Adaptive Nonlinear Equalization Combining Sparse Bayesian Learning and Kalman Filtering for Visible Light Communications. *Miao, P.*, +, *JLT Dec. 15, 2020 6732-6745*

Chaotic Optical Communication Over 1000 km Transmission by Coherent Detection. *Yang, Z.*, +, *JLT Sept. 1, 2020 4648-4655*

Independent Component Analysis for Phase and Residual Frequency Offset Compensation in OQAM Multicarrier Systems. *Zhao, J.*, +, *JLT Aug. 1, 2020 3897-3907*

Visible Light Positioning Using Bayesian Filters. *Amsters, R.*, +, *JLT Nov. 1, 2020 5925-5936*

Kramers-Kronig relations

Accurate Field Reconstruction at Low CFSR Condition Based on a Modified KK Receiver With Direct Detection. *An, S.*, +, *JLT Jan. 15, 2020 485-491*

Minimum Phase Conditions in Kramers-Kronig Optical Receivers. *Wang, T.*, +, *JLT Nov. 15, 2020 6214-6220*

Multichannel 16-QAM Single-Sideband Transmission and Kramers-Kronig Detection Using a Single QD-MLL as the Light Source. *AL-QADI, M.*, +, *JLT Nov. 15, 2020 6163-6169*

Optical Signal Phase Reconstruction Based on Temporal Transport-of-Intensity Equation. *Matsumoto, M.*, *JLT Sept. 1, 2020 4722-4729*

L

Lanthanum compounds

20.6 W Mid-Infrared Supercontinuum Generation in ZBLAN Fiber With Spectrum of 1.9–4.3 μm . *Yang, L.*, +, *JLT Sept. 15, 2020 5122-5127*

L-Band Wavelength-Tunable Er³⁺-Doped Tellurite Fiber Lasers. *Fu, S.*, +, *JLT March 15, 2020 1435-1438*

Laser beam applications

Investigation of Inverse Solutions for Tilting Orthogonal Double Prisms in Laser Pointing With Submicroradian Precision. *Li, A.*, +, *JLT March 15, 2020 1341-1349*

Laser beam effects

Waveguide Tapers Fabrication by Femtosecond Laser Induced Element Redistribution in Glass. *Macias-Montero, M.*, +, *JLT Dec. 1, 2020 6578-6583*

Laser beam machining

All-Sapphire Miniature Optical Fiber Tip Sensor for High Temperature Measurement. *Yang, S.*, +, *JLT April 1, 2020 1988-1997*

Fabrication and Characterization of Femtosecond Laser Induced Microwave Frequency Photonic Fiber Grating. *Cheng, B.*, +, *JLT Oct. 1, 2020 5286-5292*

Laser beam welding

All-Sapphire Miniature Optical Fiber Tip Sensor for High Temperature Measurement. *Yang, S.*, +, *JLT April 1, 2020 1988-1997*

Laser beams

50-GHz Repetition Gain Switching Using a Cavity-Enhanced DFB Laser Assisted by Optical Injection Locking. *Liu, Z.*, +, *JLT April 1, 2020 1844-1850*

Airy Beam for Free-Space Photonic Interconnection: Generation Strategy and Trajectory Manipulation. *Zhu, L.*, +, *JLT Dec. 1, 2020 6474-6480*

All-Fiber Active Tractor Beam Generator and its Application. *Tang, X.*, +, *JLT March 15, 2020 1420-1426*

Back-Side-on-BOX Heterogeneously Integrated III-V-on-Silicon O-Band Distributed Feedback Lasers. *Thiessen, T.*, +, *JLT June 1, 2020 3000-3006*

Characterization of Ultra-Narrow Linewidth Lasers for Phase-Sensitive Coherent Reflectometry Using EOM Facilitated Heterodyning. *Nikitin, S.*, +, *JLT March 15, 2020 1446-1453*

Coexistence of Quasi-CW and SBS-Boosted Self-Q-Switched Pulsing in Ytterbium-Doped Fiber Laser With Low Q -Factor Cavity. *Barmenkov, Y.O.*, +, *JLT July 15, 2020 3751-3758*

Combining Harmonic Laser Beams by Fiber Components for Refractivity-Compensating Two-Color Interferometry. *Liu, Y.*, +, *JLT April 1, 2020 1945-1952*

Comprehensive Modeling and Design of Raman Lasers on SOI for Mid-Infrared Application. *Ahmadi, M.*, +, *JLT Aug. 1, 2020 4114-4123*

Demonstration of an All-Fiber Ultra-Low Numerical Aperture Ytterbium-Doped Large Mode Area Fiber in a Master Oscillator Power Amplifier Configuration Above 1 kW Power Level. *Midilli, Y.*, +, *JLT April 1, 2020 1915-1920*

Experimental Demonstration of Directly Modulated DFB Lasers With Negative Chirp Over Wide Temperature Operation. *Liu, G.*, +, *JLT July 15, 2020 3663-3669*

High Fidelity Picosecond Pulse Fiber Amplification With Inter-Stage Notch Filter. *Lu, Q.*, +, *JLT Nov. 1, 2020 6082-6088*

In-Depth Studies of the Spectral Bandwidth of a 25 W 2 μm Band PM Hybrid Ho- and Tm-Doped Fiber Amplifier. *Tench, R.E.*, +, *JLT April 15, 2020 2456-2463*

Inverse System Design Using Machine Learning: The Raman Amplifier Case. *Zibar, D.*, +, *JLT Feb. 15, 2020 736-753*

Mode Phase Variation and Sensitivity to Thermal Load in Three-Core Optical Fibers. *Rosa, L.*, +, *JLT April 15, 2020 2400-2405*

Modeling and Analysis of a Pulsed Yb-Tm Fiber Laser System. *Tao, M.*, +, *JLT Dec. 1, 2020 6635-6643*

Multi-Wavelength Fiber Laser Based on Dual-Sagnac Comb Filter for LP₁₁ Modes Output. *Tang, M.*, +, *JLT July 15, 2020 3745-3750*

Multiwavelength Brillouin Generation in Bismuth-Doped Fiber Laser With Single- and Double-Frequency Spacing. *Ahmad, H.*, +, *JLT Dec. 15, 2020 6886-6896*

Origin of Defect Tolerance in InAs/GaAs Quantum Dot Lasers Grown on Silicon. *Liu, Z.*, +, *JLT Jan. 15, 2020 240-248*

Reconfigurable Identical and Complementary Chirp Dual-LFM Signal Generation Subjected to Dual-Beam Injection in a DFB Laser. *Chen, H.*, +, *JLT Oct. 1, 2020 5500-5508*

S² Measurements Showing Suppression of Higher Order Modes in Confined Rare Earth Doped Large Core Fibers. *Gausmann, S.*, +, *JLT April 1, 2020 1953-1958*

Selective Excitation and Amplification of Peak-Power-Scalable Out-of-Phase Supermode in Yb-Doped Multicore Fiber. *Andrianov, A.V.*, +, *JLT April 15, 2020 2464-2470*

Slit Beam Shaping Technique for Femtosecond Laser Inscription of Enhanced Plane-by-Plane FBGs. *Roldan-Varona, P.*, +, *JLT Aug. 15, 2020 4526-4532*

Tandem-Pumped High-Power Narrow-Linewidth Fiber Laser Tunable From 1060–1090 nm. *Tian, J.*, +, *JLT March 15, 2020 1461-1467*

Theoretical Study on the Effects of Dislocations in Monolithic III-V Lasers on Silicon. *Hantschmann, C.*, +, *JLT Sept. 1, 2020 4801-4807*

Tm/Al Co-Doped Silica Glass Prepared by Laser Additive Manufacturing Technology for 2- μm Photonic Crystal Fiber Laser. *Liu, J.*, +, *JLT March 15, 2020 1486-1491*

Transverse Mode Mixing in a Coupled-Cavity VCSEL. *Frasunkiewicz, L.*, +, *JLT Oct. 15, 2020 5774-5782*

Ultrafast Pulse Generation for Er- and Tm-Doped Fiber Lasers With Sb Thin Film Saturable Absorber. *Wang, J.*, +, *JLT July 15, 2020 3710-3716*

Yb/Ce Codoped Aluminosilicate Fiber With High Laser Stability for Multi-kW Level Laser. *She, S.*, +, *JLT Dec. 15, 2020 6924-6931*

Laser cavity resonators

4×112 Gbps/Fiber CWDM VCSEL Arrays for Co-Packaged Interconnects. *Wang, B.*, +, *JLT July 1, 2020 3439-3444*

50-GHz Repetition Gain Switching Using a Cavity-Enhanced DFB Laser Assisted by Optical Injection Locking. *Liu, Z.*, +, *JLT April 1, 2020 1844-1850*

L-Band Wavelength-Tunable Er³⁺-Doped Tellurite Fiber Lasers. *Fu, S.*, +, *JLT March 15, 2020 1435-1438*

A Reconfigurable Architecture for Continuous Double-Sided Swept-Laser Linearization. *Yao, Z.*, +, *JLT Sept. 15, 2020 5170-5176*

A Wide Flat Triple Brillouin Frequency Spacing Multiwavelength Fiber Laser Assisted by Four Wave Mixing. *Al-Alimi, A.W.*, +, *JLT Dec. 1, 2020 6648-6654*

All-Fiber Mode-Locked Laser Based on Mamyshev Mechanism With High-Energy Pulse Generation at 1550 nm. *Luo, X.*, +, *JLT March 15, 2020 1468-1473*

All-Fiber Saturable Absorber Using Nonlinear Multimode Interference in a Chalcogenide Fiber. *Zhang, K.*, +, *JLT Nov. 15, 2020 6321-6326*

All-Optical Directional Control of Emission in a Photonic Liquid Crystal Fiber Laser. *Lin, J.*, +, *JLT Sept. 15, 2020 5149-5156*

Coexistence of Quasi-CW and SBS-Boosted Self-Q-Switched Pulsing in Ytterbium-Doped Fiber Laser With Low Q -Factor Cavity. *Barmenkov, Y.O.*, +, *JLT July 15, 2020 3751-3758*

- Comparison on OM5-MMF and OM4-MMF Data Links With 32-GBaud PAM-4 Modulated Few-Mode VCSEL at 850 nm. *Huang, C.*, +, *JLT Feb. 1, 2020 573-582*
- Comprehensive Modeling and Design of Raman Lasers on SOI for Mid-Infrared Application. *Ahmedi, M.*, +, *JLT Aug. 1, 2020 4114-4123*
- Design of Four-Channel Wavelength-Selectable In-Series DFB Laser Array With 100-GHz Spacing. *Sun, Z.*, +, *JLT April 15, 2020 2299-2307*
- Effect of Optical Feedback on the Wavelength Tuning in DBR Lasers. *Hap-pach, M.*, +, *JLT Sept. 1, 2020 4824-4833*
- Efficient Hybrid Integration of Long-Wavelength VCSELs on Silicon Photonic Circuits. *Ruan, Z.*, +, *JLT Sept. 15, 2020 5100-5106*
- Electro-Optic Tuning of a Monolithically Integrated Widely Tuneable InP Laser With Free-Running and Stabilized Operation. *Andreou, S.*, +, *JLT April 1, 2020 1887-1894*
- Femtosecond-Laser-Written S-Curved Waveguide in Nd:YAP Crystal: Fabrication and Multi-Gigahertz Lasing. *Li, L.*, +, *JLT Dec. 15, 2020 6845-6852*
- Flip-Chip Integration of InP to SiN Photonic Integrated Circuits. *Theurer, M.*, +, *JLT May 1, 2020 2630-2636*
- GIMF-Based SA for Generation of High Pulse Energy Ultrafast Solitons in a Mode-Locked Linear-Cavity Fiber Laser. *Chen, J.*, +, *JLT March 15, 2020 1480-1485*
- High Single-Mode Stability Tunable In-Series Laser Array With High Wavelength-spacing Uniformity. *Sun, Z.*, +, *JLT Nov. 1, 2020 6038-6046*
- High-Resolution Temperature Sensor Based on Intracavity Sensing of Fiber Ring Laser. *Shi, J.*, +, *JLT April 1, 2020 2010-2014*
- High-Speed Coherent Optical Communication With Isolator-Free Heterogeneous Si/III-V Lasers. *Zhang, Z.*, +, *JLT Dec. 1, 2020 6584-6590*
- In-Depth Studies of the Spectral Bandwidth of a 25 W 2 μm Band PM Hybrid Ho- and Tm-Doped Fiber Amplifier. *Tench, R.E.*, +, *JLT April 15, 2020 2456-2463*
- Membrane III-V/Si DFB Laser Using Uniform Grating and Width-Modulated Si Waveguide. *Aihara, T.*, +, *JLT June 1, 2020 2961-2967*
- Microcomb Source Based on InP DFB / Si₃N₄ Microring Butt-Coupling. *Boust, S.*, +, *JLT Oct. 1, 2020 5517-5525*
- Microfiber-Knot-Resonator-Induced Partial Elimination of Longitudinal Modes in Fiber Lasers for In-Tune-Switchable Nanosecond Pulse Generation. *Zhou, J.*, +, *JLT Feb. 15, 2020 875-880*
- Modeling of Active Fiber Loop Ring-Down Spectroscopy Considering Gain Saturation Behavior of EDFA. *Chu, T.*, +, *JLT Feb. 15, 2020 966-973*
- Multi-Objective Laser Rate Equation Based Parameter Extraction Using VCSEL Small Signal Response and RIN Spectra. *Melgar, A.*, +, *JLT Dec. 1, 2020 6437-6445*
- Multi-Shuttle Behavior Between Dissipative Solitons and Noise-Like Pulses in an All-Fiber Laser. *Cheng, X.*, +, *JLT April 15, 2020 2471-2476*
- Multi-Wavelength Fiber Laser Based on Dual-Sagnac Comb Filter for LP₁₁ Modes Output. *Tang, M.*, +, *JLT July 15, 2020 3745-3750*
- Noise-Induced Limits of Detection in Frequency Locked Optical Microcavities. *Hao, S.*, +, *JLT Nov. 15, 2020 6393-6401*
- Nonlinear Absorbing-Loop Mirror in a Holmium-Doped Fiber Laser. *Zhao, J.*, +, *JLT Nov. 1, 2020 6069-6075*
- Numerical Investigation of the Impact of the Saturable Absorber Recovery Time on the Mode-Locking Performance of Fiber Lasers. *Lee, J.*, +, *JLT Aug. 1, 2020 4124-4132*
- Parity-Time Symmetry in a Single-Loop Photonic System. *Fan, Z.*, +, *JLT Aug. 1, 2020 3866-3873*
- Passively Mode-Locked 2.7 and 3.2 μm GaSb-Based Cascade Diode Lasers. *Feng, T.*, +, *JLT April 1, 2020 1895-1899*
- Polymer-Coated Hollow Fiber Optofluidic Laser for Refractive Index Sensing. *Zhao, X.*, +, *JLT March 15, 2020 1550-1556*
- Room-Temperature Power-Stabilized Narrow-Linewidth Tunable Erbium-Doped Fiber Ring Laser Based on Cascaded Mach-Zehnder Interferometers With Different Free Spectral Range for Strain Sensing. *Zhang, L.*, +, *JLT April 1, 2020 1966-1974*
- S² Measurements Showing Suppression of Higher Order Modes in Confined Rare Earth Doped Large Core Fibers. *Gausmann, S.*, +, *JLT April 1, 2020 1953-1958*
- Selective Excitation and Amplification of Peak-Power-Scalable Out-of-Phase Supermode in Yb-Doped Multicore Fiber. *Andrianov, A.V.*, +, *JLT April 15, 2020 2464-2470*
- Sensing Enhancement at an Exceptional Point in a Nonreciprocal Fiber Ring Cavity. *Wang, H.*, +, *JLT April 15, 2020 2511-2515*
- Silicon Nitride (Si₃N₄) (De-)Multiplexers for 1- μm CWDM Optical Interconnects. *Cheung, S.S.*, +, *JLT July 1, 2020 3404-3413*
- Suppression of Relative Intensity and Mode Partition Noises in Orthogonally Polarized Dual-Wavelength VCSEL. *Wang, H.*, +, *JLT Dec. 1, 2020 6612-6622*
- Switchable All-Optical Flip-Flop and Inverter Operations in Quantum Well Microring Laser. *Aoki, R.*, +, *JLT Aug. 1, 2020 3950-3958*
- Switchable, Widely Tunable and Interval-Adjustable Multi-Wavelength Erbium-Doped Fiber Laser Based on Cascaded Filters. *Zhao, Q.*, +, *JLT April 15, 2020 2428-2433*
- Tandem-Pumped High-Power Narrow-Linewidth Fiber Laser Tunable From 1060–1090 nm. *Tian, J.*, +, *JLT March 15, 2020 1461-1467*
- Theoretical Study on the Effects of Dislocations in Monolithic III-V Lasers on Silicon. *Hantschmann, C.*, +, *JLT Sept. 1, 2020 4801-4807*
- Transverse Mode Mixing in a Coupled-Cavity VCSEL. *Frasunkiewicz, L.*, +, *JLT Oct. 15, 2020 5774-5782*
- Tunable and Switchable Multi-Wavelength Erbium-Brillouin Random Fiber Laser Incorporating a Highly Nonlinear Fiber. *Wang, F.*, +, *JLT Aug. 1, 2020 4093-4099*
- Tunable, Single-Wavelength Fiber Ring Lasers Based on Rare Earth-Doped, Double-Peanut Fiber Interferometers. *Wan, H.*, +, *JLT March 15, 2020 1501-1505*
- Laser feedback**
- A Reconfigurable Architecture for Continuous Double-Sided Swept-Laser Linearization. *Yao, Z.*, +, *JLT Sept. 15, 2020 5170-5176*
- Effect of Optical Feedback on the Wavelength Tuning in DBR Lasers. *Hap-pach, M.*, +, *JLT Sept. 1, 2020 4824-4833*
- High-Speed Coherent Optical Communication With Isolator-Free Heterogeneous Si/III-V Lasers. *Zhang, Z.*, +, *JLT Dec. 1, 2020 6584-6590*
- Period-One Microwave Photonic Sensing by a Laser Diode With Optical Feedback. *Nie, B.*, +, *JLT Oct. 1, 2020 5423-5429*
- Tunable and Switchable Multi-Wavelength Erbium-Brillouin Random Fiber Laser Incorporating a Highly Nonlinear Fiber. *Wang, F.*, +, *JLT Aug. 1, 2020 4093-4099*
- Laser frequency stability**
- Electro-Optic Tuning of a Monolithically Integrated Widely Tuneable InP Laser With Free-Running and Stabilized Operation. *Andreou, S.*, +, *JLT April 1, 2020 1887-1894*
- High-Power, Narrow-Linewidth, Miniaturized Silicon Photonic Tunable Laser With Accurate Frequency Control. *Gao, Y.*, +, *JLT Jan. 15, 2020 265-271*
- Laser materials processing**
- 3D Polarization-Dependent Waveguide Arrays in LiNbO₃ Crystal Produced by Femtosecond Laser Writing. *Wu, B.*, +, *JLT Aug. 1, 2020 3988-3993*
- A Digital Twin Approach to Study Additive Manufacturing Processing Using Embedded Optical Fiber Sensors and Numerical Modeling. *Zou, R.*, +, *JLT Nov. 15, 2020 6402-6411*
- A Laser Written 4D Optical Microcavity for Advanced Biochemical Sensing in Aqueous Environment. *Saetchnikov, A.V.*, +, *JLT April 15, 2020 2530-2538*
- Direct Laser Written Waveguide in Tellurite Glass for Supercontinuum Generation in 2 μm Spectral Range. *Okhrimchuk, A.G.*, +, *JLT March 15, 2020 1492-1500*
- Femtosecond Laser Inscribed Tilted Gratings for Leaky Mode Excitation in Optical Fibers. *Ioannou, A.*, +, *JLT April 1, 2020 1921-1928*
- Femtosecond Laser-Inscribed Non-Volatile Integrated Optical Switch in Fused Silica Based on Microfluidics-Controlled Total Internal Reflection. *Radosavljevic, A.*, +, *JLT Aug. 1, 2020 3965-3973*
- Femtosecond-Laser-Written S-Curved Waveguide in Nd:YAP Crystal: Fabrication and Multi-Gigahertz Lasing. *Li, L.*, +, *JLT Dec. 15, 2020 6845-6852*

High-Performance Bending Sensor Based on Femtosecond Laser-Inscribed in-Fiber Mach-Zehnder Interferometer. *Zhao, R.*, +, *JLT Nov. 15, 2020 6371-6378*

Importance of Internal Tensile Stress in Forming Low-Loss Fiber Draw-Tower Gratings. *Liu, S.*, +, *JLT April 1, 2020 1900-1904*

Ion Implantation of Germanium Into Silicon for Critical Coupling Control of Racetrack Resonators. *Milosevic, M.M.*, +, *JLT April 1, 2020 1865-1873*

Low-Loss Waveguides by Planar Modified Chemical Vapor Deposition. *Yevnin, M.*, +, *JLT Feb. 15, 2020 792-796*

Resonant Wavelength Thermal Stability of Fiber Bragg Gratings Produced by Femtosecond Laser. *Paixao, T.*, +, *JLT March 15, 2020 1529-1535*

Slit Beam Shaping Technique for Femtosecond Laser Inscription of Enhanced Plane-by-Plane FBGs. *Roldan-Varona, P.*, +, *JLT Aug. 15, 2020 4526-4532*

Tm/Al Co-Doped Silica Glass Prepared by Laser Additive Manufacturing Technology for 2- μ m Photonic Crystal Fiber Laser. *Liu, J.*, +, *JLT March 15, 2020 1486-1491*

Ultrafast Laser Inscription and \square 2 μ m Laser Operation of Y-Branch Splitters in Monoclinic Crystals. *Kifle, E.*, +, *JLT Aug. 15, 2020 4374-4384*

Waveguide Tapers Fabrication by Femtosecond Laser Induced Element Redistribution in Glass. *Macias-Montero, M.*, +, *JLT Dec. 1, 2020 6578-6583*

Laser mirrors

Design of a Multi-Wavelength Fiber Laser Based on Tm:Er:Yb:Ho Co-Doped Germanate Glass. *Falconi, M.C.*, +, *JLT April 15, 2020 2406-2413*

Tunable and Switchable Multi-Wavelength Erbium-Brillouin Random Fiber Laser Incorporating a Highly Nonlinear Fiber. *Wang, F.*, +, *JLT Aug. 1, 2020 4093-4099*

Laser mode locking

50-GHz Repetition Gain Switching Using a Cavity-Enhanced DFB Laser Assisted by Optical Injection Locking. *Liu, Z.*, +, *JLT April 1, 2020 1844-1850*

A Computationally Efficient Integrated Coupled Opto-Electronic Oscillator Model. *Nielsen, L.*, +, *JLT Oct. 1, 2020 5430-5439*

All-Fiber Mode-Locked Laser Based on Mamyshev Mechanism With High-Energy Pulse Generation at 1550 nm. *Luo, X.*, +, *JLT March 15, 2020 1468-1473*

All-Fiber Saturable Absorber Using Nonlinear Multimode Interference in a Chalcogenide Fiber. *Zhang, K.*, +, *JLT Nov. 15, 2020 6321-6326*

Fast Acquisition Tunable High-Resolution Photon-Counting OTDR. *Cal-liari, F.*, +, *JLT Aug. 15, 2020 4572-4579*

GIMF-Based SA for Generation of High Pulse Energy Ultrafast Solitons in a Mode-Locked Linear-Cavity Fiber Laser. *Chen, J.*, +, *JLT March 15, 2020 1480-1485*

Microfiber-Knot-Resonator-Induced Partial Elimination of Longitudinal Modes in Fiber Lasers for In-Tune-Switchable Nanosecond Pulse Generation. *Zhou, J.*, +, *JLT Feb. 15, 2020 875-880*

Mode Locked Laser Phase Noise Reduction Under Optical Feedback for Coherent DWDM Communication. *Verolet, T.*, +, *JLT Oct. 15, 2020 5708-5715*

Modulation and Switching Architecture Performances for Frequency Up-Conversion of Complex-Modulated Data Signals Based on a SOA-MZI Photonic Sampling Mixer. *Kastritsis, D.*, +, *JLT Oct. 1, 2020 5375-5385*

Multi-Shuttle Behavior Between Dissipative Solitons and Noise-Like Pulses in an All-Fiber Laser. *Cheng, X.*, +, *JLT April 15, 2020 2471-2476*

Multichannel 16-QAM Single-Sideband Transmission and Kramers-Kronig Detection Using a Single QD-MLL as the Light Source. *AL-QADI, M.*, +, *JLT Nov. 15, 2020 6163-6169*

Nonlinear Absorbing-Loop Mirror in a Holmium-Doped Fiber Laser. *Zhao, J.*, +, *JLT Nov. 1, 2020 6069-6075*

Numerical Investigation of the Impact of the Saturable Absorber Recovery Time on the Mode-Locking Performance of Fiber Lasers. *Lee, J.*, +, *JLT Aug. 1, 2020 4124-4132*

Passively Mode-Locked 2.7 and 3.2 μ m GaSb-Based Cascade Diode Lasers. *Feng, T.*, +, *JLT April 1, 2020 1895-1899*

Phase Noise Measurements and Performance of Lasers With Non-White FM Noise for Use in Digital Coherent Optical Systems. *Al-Qadi, M.*, +, *JLT March 15, 2020 1157-1167*

Polarization Manipulated Fourier Domain Mode-Locked Optoelectronic Oscillator. *Zhu, S.*, +, *JLT Oct. 1, 2020 5270-5277*

Pulse Timing Jitter Estimated From Optical Phase Noise in Mode-Locked Semiconductor Quantum Dash Lasers. *Mao, Y.*, +, *JLT Sept. 1, 2020 4787-4793*

RF Frequency Synthesizer Based on Self-Mode-Locked Multimode Lasers. *Sun, T.*, +, *JLT April 15, 2020 2262-2270*

Ti₂CT_x (T=O, OH or F) Nanosheets as New Broadband Saturable Absorber for Ultrafast Photonics. *Shi, Y.*, +, *JLT April 1, 2020 1975-1980*

Ultrafast Pulse Generation for Er- and Tm- Doped Fiber Lasers With Sb Thin Film Saturable Absorber. *Wang, J.*, +, *JLT July 15, 2020 3710-3716*

Laser modes

A Precisely Frequency-Tunable Parity-Time-Symmetric Optoelectronic Oscillator. *Ding, Q.*, +, *JLT Dec. 1, 2020 6569-6577*

A Wide Flat Triple Brillouin Frequency Spacing Multiwavelength Fiber Laser Assisted by Four Wave Mixing. *Al-Alimi, A.W.*, +, *JLT Dec. 1, 2020 6648-6654*

All-Optical Switching and Multiple Logic Gates Based on Hybrid Square-Rectangular Laser. *Liu, J.*, +, *JLT March 15, 2020 1382-1390*

An Experimental and Theoretical Investigation of a 2 μ m Wavelength Low-Threshold Microsphere Laser. *Yu, J.*, +, *JLT April 1, 2020 1880-1886*

Back-Side-on-BOX Heterogeneously Integrated III-V-on-Silicon O-Band Distributed Feedback Lasers. *Thiessen, T.*, +, *JLT June 1, 2020 3000-3006*

Breaking the Stringent Trade-Off Between Mode Area and NA for Efficient High-Power Fiber Lasers Around 2 μ m. *Jain, D.*, +, *JLT Nov. 15, 2020 6362-6370*

Comparison on OM5-MMF and OM4-MMF Data Links With 32-GBaud PAM-4 Modulated Few-Mode VCSEL at 850 nm. *Huang, C.*, +, *JLT Feb. 1, 2020 573-582*

Demonstration of Low-Threshold and Directly Modulated Grating-Assisted Microcylinder Surface-Emitting Lasers. *Ma, X.*, +, *JLT Sept. 1, 2020 4772-4779*

Design of Four-Channel Wavelength-Selectable In-Series DFB Laser Array With 100-GHz Spacing. *Sun, Z.*, +, *JLT April 15, 2020 2299-2307*

Effect of Optical Feedback on the Wavelength Tuning in DBR Lasers. *Hap-pach, M.*, +, *JLT Sept. 1, 2020 4824-4833*

Electro-Optic Tuning of a Monolithically Integrated Widely Tuneable InP Laser With Free-Running and Stabilized Operation. *Andreou, S.*, +, *JLT April 1, 2020 1887-1894*

Experimental Demonstration of Directly Modulated DFB Lasers With Negative Chirp Over Wide Temperature Operation. *Liu, G.*, +, *JLT July 15, 2020 3663-3669*

High Single-Mode Stability Tunable In-Series Laser Array With High Wavelength-spacing Uniformity. *Sun, Z.*, +, *JLT Nov. 1, 2020 6038-6046*

Hybrid Frequency-Tunable Parity-Time Symmetric Optoelectronic Oscillator. *Fan, Z.*, +, *JLT April 15, 2020 2127-2133*

Impact of Polarization- and Mode-Dependent Gain on the Capacity of Ultra-Long-Haul Systems. *Mello, D.A.A.*, +, *JLT Jan. 15, 2020 303-318*

In-Depth Studies of the Spectral Bandwidth of a 25 W 2 μ m Band PM Hybrid Ho- and Tm-Doped Fiber Amplifier. *Tench, R.E.*, +, *JLT April 15, 2020 2456-2463*

Investigation of Thermal Loads for Transverse Mode Instability in Ytterbium-Doped Large Mode Area Fibers. *Xia, N.*, +, *JLT Aug. 15, 2020 4478-4489*

Membrane III-V/Si DFB Laser Using Uniform Grating and Width-Modulated Si Waveguide. *Aihara, T.*, +, *JLT June 1, 2020 2961-2967*

Microfiber-Knot-Resonator-Induced Partial Elimination of Longitudinal Modes in Fiber Lasers for In-Tune-Switchable Nanosecond Pulse Generation. *Zhou, J.*, +, *JLT Feb. 15, 2020 875-880*

Multi-Objective Laser Rate Equation Based Parameter Extraction Using VCSEL Small Signal Response and RIN Spectra. *Melgar, A.*, +, *JLT Dec. 1, 2020 6437-6445*

Multi-Wavelength Fiber Laser Based on Dual-Sagnac Comb Filter for LP₁₁ Modes Output. *Tang, M.*, +, *JLT July 15, 2020 3745-3750*

- Novel Near-infrared Pump Wavelengths for Dysprosium Fiber Lasers. *Amin, M.Z., +, JLT Oct. 15, 2020 5801-5808*
- Parity-Time Symmetry in a Single-Loop Photonic System. *Fan, Z., +, JLT Aug. 1, 2020 3866-3873*
- RF Frequency Synthesizer Based on Self-Mode-Locked Multimode Lasers. *Sun, T., +, JLT April 15, 2020 2262-2270*
- Room-Temperature Power-Stabilized Narrow-Linewidth Tunable Erbium-Doped Fiber Ring Laser Based on Cascaded Mach-Zehnder Interferometers With Different Free Spectral Range for Strain Sensing. *Zhang, L., +, JLT April 1, 2020 1966-1974*
- S² Measurements Showing Suppression of Higher Order Modes in Confined Rare Earth Doped Large Core Fibers. *Gausmann, S., +, JLT April 1, 2020 1953-1958*
- Selective Excitation and Amplification of Peak-Power-Scalable Out-of-Phase Supermode in Yb-Doped Multicore Fiber. *Andrianov, A.V., +, JLT April 15, 2020 2464-2470*
- Sensing Enhancement at an Exceptional Point in a Nonreciprocal Fiber Ring Cavity. *Wang, H., +, JLT April 15, 2020 2511-2515*
- Silica Hollow-Core Negative Curvature Fibers Enable Ultrasensitive Mid-Infrared Absorption Spectroscopy. *Yao, C., +, JLT April 1, 2020 2067-2072*
- Suppression of Relative Intensity and Mode Partition Noises in Orthogonally Polarized Dual-Wavelength VCSEL. *Wang, H., +, JLT Dec. 1, 2020 6612-6622*
- Tandem-Pumped High-Power Narrow-Linewidth Fiber Laser Tunable From 1060–1090 nm. *Tian, J., +, JLT March 15, 2020 1461-1467*
- Temperature and Noise Dependence of Tri-Mode VCSEL Carried 120-Gbit/s QAM-OFDM Data in Back-to-Back and OM5-MMF Links. *Huang, C., +, JLT Dec. 15, 2020 6746-6758*
- Transverse Mode Mixing in a Coupled-Cavity VCSEL. *Frasunkiewicz, L., +, JLT Oct. 15, 2020 5774-5782*
- Tunable, Single-Wavelength Fiber Ring Lasers Based on Rare Earth-Doped, Double-Peanut Fiber Interferometers. *Wan, H., +, JLT March 15, 2020 1501-1505*
- Ultra-Compact Coupling Structures for Heterogeneously Integrated Silicon Lasers. *He, A., +, JLT Aug. 1, 2020 3974-3982*
- Vertically Coupled InP/InGaAsP Microring Lasers Using a Single Epitaxial Growth and Single-Side Lithography. *Lopez, O.G., +, JLT Aug. 1, 2020 3983-3987*
- Weakly-Coupled MDM-WDM Amplification and Transmission Based on Compact FM-EDFA. *Zhu, J., +, JLT Sept. 15, 2020 5163-5169*

Laser noise

- L-Band Wavelength-Tunable Er³⁺-Doped Tellurite Fiber Lasers. *Fu, S., +, JLT March 15, 2020 1435-1438*
- Chaotic Optical Communication Over 1000 km Transmission by Coherent Detection. *Yang, Z., +, JLT Sept. 1, 2020 4648-4655*
- Characterization of Ultra-Narrow Linewidth Lasers for Phase-Sensitive Coherent Reflectometry Using EOM Facilitated Heterodyning. *Nikitin, S., +, JLT March 15, 2020 1446-1453*
- Flexible Coherent Communication System With Adaptable SNR and Laser Phase Noise Tolerance for Probabilistically Shaped QAM. *Yao, S., +, JLT Nov. 15, 2020 6178-6186*
- High Single-Mode Stability Tunable In-Series Laser Array With High Wavelength-spacing Uniformity. *Sun, Z., +, JLT Nov. 1, 2020 6038-6046*
- High-Power, Narrow-Linewidth, Miniaturized Silicon Photonic Tunable Laser With Accurate Frequency Control. *Gao, Y., +, JLT Jan. 15, 2020 265-271*
- Mode Locked Laser Phase Noise Reduction Under Optical Feedback for Coherent DWDM Communication. *Verolet, T., +, JLT Oct. 15, 2020 5708-5715*
- Multi-Objective Laser Rate Equation Based Parameter Extraction Using VCSEL Small Signal Response and RIN Spectra. *Melgar, A., +, JLT Dec. 1, 2020 6437-6445*
- Noise-Induced Limits of Detection in Frequency Locked Optical Microcavities. *Hao, S., +, JLT Nov. 15, 2020 6393-6401*
- Optimization of Transmitter-Side Signal Rotations in the Presence of Laser Phase Noise. *Alfredsson, A.F., +, JLT Aug. 1, 2020 3850-3858*

- Phase Noise Measurements and Performance of Lasers With Non-White FM Noise for Use in Digital Coherent Optical Systems. *Al-Qadi, M., +, JLT March 15, 2020 1157-1167*
- Pulse Timing Jitter Estimated From Optical Phase Noise in Mode-Locked Semiconductor Quantum Dash Lasers. *Mao, Y., +, JLT Sept. 1, 2020 4787-4793*
- Space-Ground Coherent Optical Links: Ground Receiver Performance With Adaptive Optics and Digital Phase-Locked Loop. *Paillier, L., +, JLT Oct. 15, 2020 5716-5727*
- Suppression of Relative Intensity and Mode Partition Noises in Orthogonally Polarized Dual-Wavelength VCSEL. *Wang, H., +, JLT Dec. 1, 2020 6612-6622*
- Temperature and Noise Dependence of Tri-Mode VCSEL Carried 120-Gbit/s QAM-OFDM Data in Back-to-Back and OM5-MMF Links. *Huang, C., +, JLT Dec. 15, 2020 6746-6758*
- Tunable and Switchable Multi-Wavelength Erbium-Brillouin Random Fiber Laser Incorporating a Highly Nonlinear Fiber. *Wang, F., +, JLT Aug. 1, 2020 4093-4099*

Laser stability

- A Precisely Frequency-Tunable Parity-Time-Symmetric Optoelectronic Oscillator. *Ding, Q., +, JLT Dec. 1, 2020 6569-6577*
- Common-Path Dual-Comb Spectroscopy Using a Single Electro-Optic Modulator. *Soriano-Amat, M., +, JLT Sept. 15, 2020 5107-5115*
- High Single-Mode Stability Tunable In-Series Laser Array With High Wavelength-spacing Uniformity. *Sun, Z., +, JLT Nov. 1, 2020 6038-6046*
- Hybrid Frequency-Tunable Parity-Time Symmetric Optoelectronic Oscillator. *Fan, Z., +, JLT April 15, 2020 2127-2133*
- Room-Temperature Power-Stabilized Narrow-Linewidth Tunable Erbium-Doped Fiber Ring Laser Based on Cascaded Mach-Zehnder Interferometers With Different Free Spectral Range for Strain Sensing. *Zhang, L., +, JLT April 1, 2020 1966-1974*
- Tunable, Single-Wavelength Fiber Ring Lasers Based on Rare Earth-Doped, Double-Peanut Fiber Interferometers. *Wan, H., +, JLT March 15, 2020 1501-1505*
- Yb/Ce Codoped Aluminosilicate Fiber With High Laser Stability for Multi-kW Level Laser. *She, S., +, JLT Dec. 15, 2020 6924-6931*

Laser tuning

- 50-GHz Repetition Gain Switching Using a Cavity-Enhanced DFB Laser Assisted by Optical Injection Locking. *Liu, Z., +, JLT April 1, 2020 1844-1850*
- L-Band Wavelength-Tunable Er³⁺-Doped Tellurite Fiber Lasers. *Fu, S., +, JLT March 15, 2020 1435-1438*
- A Precisely Frequency-Tunable Parity-Time-Symmetric Optoelectronic Oscillator. *Ding, Q., +, JLT Dec. 1, 2020 6569-6577*
- A Reconfigurable Architecture for Continuous Double-Sided Swept-Laser Linearization. *Yao, Z., +, JLT Sept. 15, 2020 5170-5176*
- Adaptive Design for 2D Optical Coding PON Link Health Detection System in Complex Environment. *Ge, Z., +, JLT Dec. 1, 2020 6458-6464*
- Broadband Nonvolatile Tunable Mode-Order Converter Based on Silicon and Optical Phase Change Materials Hybrid Meta-Structure. *Chen, H., +, JLT April 1, 2020 1874-1879*
- Broadened-Laser-Driven Polarization-Maintaining Hollow-Core Fiber Optic Gyroscope. *Morris, T.A., +, JLT Feb. 15, 2020 905-911*
- Compensation of Phase-Uncertainty-Induced Impairments in Dispersion-Tuned Swept Laser OCT using Digital Coherent Detection. *Shirahata, T., +, JLT Dec. 1, 2020 6492-6498*
- Effect of Optical Feedback on the Wavelength Tuning in DBR Lasers. *Happach, M., +, JLT Sept. 1, 2020 4824-4833*
- Electro-Optic Tuning of a Monolithically Integrated Widely Tuneable InP Laser With Free-Running and Stabilized Operation. *Andreou, S., +, JLT April 1, 2020 1887-1894*
- Enhancing Wavelength Tunability of Photonic Crystal Nanolasers by Waveguide-Like Strain Shapers. *Lu, T., +, JLT Dec. 1, 2020 6605-6611*
- Fiber-Optic Silicon Fabry-Perot Interferometric Bolometer: The Influence of Mechanical Vibration and Magnetic Field. *Sheng, Q., +, JLT April 15, 2020 2547-2554*

Flip-Chip Integration of InP to SiN Photonic Integrated Circuits. *Theurer, M.*, +, *JLT May 1, 2020 2630-2636*

High Single-Mode Stability Tunable In-Series Laser Array With High Wavelength-spacing Uniformity. *Sun, Z.*, +, *JLT Nov. 1, 2020 6038-6046*

High-Order Electrical Spectrum Method for Measuring the Chirp of a Silicon Mach-Zehnder Modulator. *Chen, H.*, +, *JLT Dec. 15, 2020 6833-6844*

High-Power, Narrow-Linewidth, Miniaturized Silicon Photonic Tunable Laser With Accurate Frequency Control. *Gao, Y.*, +, *JLT Jan. 15, 2020 265-271*

Hybrid Frequency-Tunable Parity-Time Symmetric Optoelectronic Oscillator. *Fan, Z.*, +, *JLT April 15, 2020 2127-2133*

In-Depth Studies of the Spectral Bandwidth of a 25 W 2 μm Band PM Hybrid Ho- and Tm-Doped Fiber Amplifier. *Tench, R.E.*, +, *JLT April 15, 2020 2456-2463*

Integrated Auxiliary Interferometer for Self-Correction of Nonlinear Tuning in Optical Frequency Domain Reflectometry. *Badar, M.*, +, *JLT Nov. 1, 2020 6097-6103*

Integrated Wavelength-Tuned Optical mm-Wave Beamformer With Doubled Delay Resolution. *Zhang, X.*, +, *JLT April 15, 2020 2353-2359*

Multiwavelength Brillouin Generation in Bismuth-Doped Fiber Laser With Single- and Double-Frequency Spacing. *Ahmad, H.*, +, *JLT Dec. 15, 2020 6886-6896*

Parity-Time Symmetry in a Single-Loop Photonic System. *Fan, Z.*, +, *JLT Aug. 1, 2020 3866-3873*

Reconfigurable Identical and Complementary Chirp Dual-LFM Signal Generation Subjected to Dual-Beam Injection in a DFB Laser. *Chen, H.*, +, *JLT Oct. 1, 2020 5500-5508*

Room-Temperature Power-Stabilized Narrow-Linewidth Tunable Erbium-Doped Fiber Ring Laser Based on Cascaded Mach-Zehnder Interferometers With Different Free Spectral Range for Strain Sensing. *Zhang, L.*, +, *JLT April 1, 2020 1966-1974*

Silica Hollow-Core Negative Curvature Fibers Enable Ultrasensitive Mid-Infrared Absorption Spectroscopy. *Yao, C.*, +, *JLT April 1, 2020 2067-2072*

Switchable, Widely Tunable and Interval-Adjustable Multi-Wavelength Erbium-Doped Fiber Laser Based on Cascaded Filters. *Zhao, Q.*, +, *JLT April 15, 2020 2428-2433*

Tandem-Pumped High-Power Narrow-Linewidth Fiber Laser Tunable From 1060–1090 nm. *Tian, J.*, +, *JLT March 15, 2020 1461-1467*

Tunable and Switchable Multi-Wavelength Erbium-Brillouin Random Fiber Laser Incorporating a Highly Nonlinear Fiber. *Wang, F.*, +, *JLT Aug. 1, 2020 4093-4099*

Tunable, Single-Wavelength Fiber Ring Lasers Based on Rare Earth-Doped, Double-Peanut Fiber Interferometers. *Wan, H.*, +, *JLT March 15, 2020 1501-1505*

Laser variables measurement

Phase Noise Measurements and Performance of Lasers With Non-White FM Noise for Use in Digital Coherent Optical Systems. *Al-Qadi, M.*, +, *JLT March 15, 2020 1157-1167*

Polarization-Color Domain Walls in Fiber Ring Lasers. *Nady, A.*, +, *JLT Dec. 15, 2020 6905-6910*

Lead compounds

Color Variation of the Up-Conversion Luminescence in Er³⁺-Yb³⁺ Co-Doped Lead Germanate Glasses and Microsphere Integrated Devices. *Zhang, M.*, +, *JLT Aug. 15, 2020 4397-4401*

Learning (artificial intelligence)

A Direct Learning Approach for Neural Network Based Pre-Distortion for Coherent Nonlinear Optical Transmitter. *Paryanti, G.*, +, *JLT Aug. 1, 2020 3883-3896*

Accurate Closed-Form Real-Time EGN Model Formula Leveraging Machine-Learning Over 8500 Thoroughly Randomized Full C-Band Systems. *Ranjbar Zefreh, M.*, +, *JLT Sept. 15, 2020 4987-4999*

AdaNN: Adaptive Neural Network-Based Equalizer via Online Semi-Supervised Learning. *Zhou, Q.*, +, *JLT Aug. 15, 2020 4315-4324*

Adaptability and Anti-Noise Capacity Enhancement for ϕ -OTDR With Deep Learning. *Wang, P.*, +, *JLT Dec. 1, 2020 6699-6706*

Adaptive Nonlinear Equalization Combining Sparse Bayesian Learning and Kalman Filtering for Visible Light Communications. *Miao, P.*, +, *JLT Dec. 15, 2020 6732-6745*

An Event Recognition Scheme Aiming to Improve Both Accuracy and Efficiency in Optical Fiber Perimeter Security System. *Huang, X.*, +, *JLT Oct. 15, 2020 5783-5790*

Compensation of Nonlinear Impairments Using Inverse Perturbation Theory With Reduced Complexity. *Redyuk, A.*, +, *JLT March 15, 2020 1250-1257*

Data-driven Optical Fiber Channel Modeling: A Deep Learning Approach. *Wang, D.*, +, *JLT Sept. 1, 2020 4730-4743*

Design of Negative Curvature Hollow Core Fiber Based on Reinforcement Learning. *Hu, X.*, +, *JLT April 1, 2020 1959-1965*

Dimming-Aware Deep Learning Approach for OOK-Based Visible Light Communication. *Zou, C.*, +, *JLT Oct. 15, 2020 5733-5742*

Enhancement of the Multiplexing Capacity and Measurement Accuracy of FBG Sensor System Using IWDM Technique and Deep Learning Algorithm. *Manie, Y.C.*, +, *JLT March 15, 2020 1589-1603*

Enhancing the Physical Layer Security of OFDM-PONs With Hardware Fingerprint Authentication: A Machine Learning Approach. *Li, S.*, +, *JLT June 15, 2020 3238-3245*

First Field Trial of Distributed Fiber Optical Sensing and High-Speed Communication Over an Operational Telecom Network. *Huang, M.*, +, *JLT Jan. 1, 2020 75-81*

Frequency Dependent ENoB Requirements for 400G/600G/800G Optical Links. *Varughese, S.*, +, *JLT Sept. 15, 2020 5008-5016*

Introducing Load Aware Neural Networks for Accurate Predictions of Raman Amplifiers. *Rosa Brusin, A.M.*, +, *JLT Dec. 1, 2020 6481-6491*

Inverse System Design Using Machine Learning: The Raman Amplifier Case. *Zibar, D.*, +, *JLT Feb. 15, 2020 736-753*

Machine Learning Assisted Modulation-Format Transparent and Nonlinearity Tolerant Carrier Recovery Scheme for Intelligent Receiver. *Xiang, Q.*, +, *JLT Nov. 1, 2020 6007-6014*

Machine Learning Assisted Optimization of Dynamic Crosstalk-Aware Spectrally-Spatially Flexible Optical Networks. *Klinkowski, M.*, +, *JLT April 1, 2020 1625-1635*

Modeling and Assessing Connectivity Services Performance in a Sandbox Domain. *Ruiz, M.*, +, *JLT June 15, 2020 3180-3189*

Modeling EDFA Gain Ripple and Filter Penalties With Machine Learning for Accurate QoT Estimation. *Mahajan, A.*, +, *JLT May 1, 2020 2616-2629*

Neural Turbo Equalization: Deep Learning for Fiber-Optic Nonlinearity Compensation. *Koike-Akino, T.*, +, *JLT June 1, 2020 3059-3066*

Performance Enhancement of Optical Comb Based Microwave Photonic Filter by Machine Learning Technique. *Shiu, R.*, +, *JLT Oct. 1, 2020 5302-5310*

Photonic Associative Learning Neural Network Based on VCSELs and STDP. *Wang, S.*, +, *JLT Sept. 1, 2020 4691-4698*

Photonic Switched Optically Connected Memory: An Approach to Address Memory Challenges in Deep Learning. *Zhu, Z.*, +, *JLT May 15, 2020 2815-2825*

Predicting Kerr Soliton Combs in Microresonators via Deep Neural Networks. *Tan, T.*, +, *JLT Dec. 1, 2020 6591-6599*

Quality of Transmission Estimation and Short-Term Performance Forecast of Lightpaths. *Aladin, S.*, +, *JLT May 15, 2020 2807-2814*

Soft Failure Identification for Long-haul Optical Communication Systems Based on One-dimensional Convolutional Neural Network. *Lun, H.*, +, *JLT June 1, 2020 2992-2999*

VLCnet: Deep Learning Based End-to-End Visible Light Communication System. *Utkar, M.G.*, +, *JLT Nov. 1, 2020 5937-5948*

Least mean squares methods

Impact of Polarization- and Mode-Dependent Gain on the Capacity of Ultra-Long-Haul Systems. *Mello, D.A.A.*, +, *JLT Jan. 15, 2020 303-318*

Least squares approximations

Optical Wireless Communications Adopting Delay-Tolerant Repetition-Coding With Orthogonal-Filters and On-Demand Equalization. *Song, T.*, +, *JLT Aug. 15, 2020 4250-4259*

LED lamps

Multisuser Visible Light Communication Systems Using OFDMA. *Lian, J.*, +, *JLT Nov. 1, 2020 6015-6023*

Performance Bounds on Passive Indoor Positioning Using Visible Light. *Majeed, K.*, +, *JLT April 15, 2020 2190-2200*

Lenses

A WDM PAM4 FSO-UWOC Integrated System With a Channel Capacity of 100 Gb/s. *Li, C.*, +, *JLT April 1, 2020 1766-1776*

Ball Lens Embedded Through-Package Via To Enable Backside Coupling Between Silicon Photonics Interposer and Board-Level Interconnects. *Mangal, N.*, +, *JLT April 15, 2020 2360-2369*

Configurations of Pump Injection and Reinjection for Improved Amplification Efficiency of Turbo Cladding Pumped MC-EDFA. *Takeshita, H.*, +, *JLT June 1, 2020 2922-2929*

Direct Laser Written Waveguide in Tellurite Glass for Supercontinuum Generation in 2 μm Spectral Range. *Okhrimchuk, A.G.*, +, *JLT March 15, 2020 1492-1500*

Mirror-Based Broadband Silicon-Photonics Vertical I/O With Coupling Efficiency Enhancement for Standard Single-Mode Fiber. *Noriki, A.*, +, *JLT June 15, 2020 3147-3155*

Optimization of SERS Sensing With Micro-Lensed Optical Fibers and Au Nano-Film. *Milenko, K.*, +, *JLT April 1, 2020 2081-2085*

Temporal Imaging Using Dispersive Gradient-Index Time Lenses. *Han, T.*, +, *JLT April 15, 2020 2383-2391*

Level measurement

Liquid Level and Refractive Index Double-Parameter Sensor Based on Tapered Photonic Crystal Fiber. *Fan, R.*, +, *JLT July 15, 2020 3717-3722*

Light absorption

Experimental Demonstration of DNA Hybridization Using Graphene Based Plasmonic Sensor Chip. *Maurya, J.B.*, +, *JLT Sept. 15, 2020 5191-5198*

Low Voltage, High Optical Power Handling Capable, Bulk Compound Semiconductor Electro-Optic Modulators at 1550 nm. *Bhasker, P.*, +, *JLT April 15, 2020 2308-2314*

Low-Power Broadband Thermo-Optic Switch With Weak Polarization Dependence Using a Segmented Graphene Heater. *Song, Q.Q.*, +, *JLT March 15, 2020 1358-1364*

Light coherence

An Accurate Method for Measuring the Proportions of Degenerated Spatial Modes in Fibers. *Mao, B.*, +, *JLT Aug. 1, 2020 4052-4060*

Blind Joint Polarization Demultiplexing and IQ Imbalance Compensation for M-QAM Coherent Optical Communications. *Lagha, M.K.*, +, *JLT Aug. 15, 2020 4213-4220*

Brillouin Amplifier Noise Characterization by a Coherent Receiver and Digital Signal Processing. *Pelusi, M.*, +, *JLT Aug. 15, 2020 4221-4236*

Characterization of Ultra-Narrow Linewidth Lasers for Phase-Sensitive Coherent Reflectometry Using EOM Facilitated Heterodyning. *Nikitin, S.*, +, *JLT March 15, 2020 1446-1453*

Compensation of Phase-Uncertainty-Induced Impairments in Dispersion-Tuned Swept Laser OCT using Digital Coherent Detection. *Shirahata, T.*, +, *JLT Dec. 1, 2020 6492-6498*

Fabrication and Characterization of Femtosecond Laser Induced Microwave Frequency Photonic Fiber Grating. *Cheng, B.*, +, *JLT Oct. 1, 2020 5286-5292*

High-Performance Optical Frequency-Domain Reflectometry Based on High-Order Optical Phase-Locking-Assisted Chirp Optimization. *Feng, Y.*, +, *JLT Nov. 15, 2020 6227-6236*

High-Speed Coherent Optical Communication With Isolator-Free Heterogeneous Si/III-V Lasers. *Zhang, Z.*, +, *JLT Dec. 1, 2020 6584-6590*

Mode Locked Laser Phase Noise Reduction Under Optical Feedback for Coherent DWDM Communication. *Verolet, T.*, +, *JLT Oct. 15, 2020 5708-5715*

Performance Analysis of Phase Noise Cancellation by Asymmetric CMA for Realizing Affordable Coherent PON Transceivers. *Kim, S.*, +, *JLT April 15, 2020 2231-2241*

Phase Noise Measurements and Performance of Lasers With Non-White FM Noise for Use in Digital Coherent Optical Systems. *Al-Qadi, M.*, +, *JLT March 15, 2020 1157-1167*

Revisiting Efficient Multi-Step Nonlinearity Compensation With Machine Learning: An Experimental Demonstration. *Oliari, V.*, +, *JLT June 15, 2020 3114-3124*

Light emitting diodes

Analysis of the Single-FFT Receiver for Layered ACO-OFDM in Visible Light Communications. *Liu, X.*, +, *JLT Sept. 1, 2020 4757-4764*

Comprehensive Design and Prototype of VLC Receivers With Large Detection Areas. *Nabavi, P.*, +, *JLT Aug. 15, 2020 4187-4204*

Gb/s Visible Light Communication With Low-Cost Receiver Based on Single-Color LED. *Milovancev, D.*, +, *JLT June 15, 2020 3305-3314*

Multisuser Precoded MIMO Visible Light Communication Systems Enabling Spatial Dimming. *Zhao, L.*, +, *JLT Oct. 15, 2020 5624-5634*

Photovoltaic Solar Cells for Outdoor LiFi Communications. *Lorriere, N.*, +, *JLT Aug. 1, 2020 3822-3831*

Superposed 32QAM Constellation Design for 2×2 Spatial Multiplexing MIMO VLC Systems. *Guo, X.*, +, *JLT April 1, 2020 1702-1711*

The Movement-Rotation (MR) Correlation Function and Coherence Distance of VLC Channels. *Chen, J.*, +, *JLT Dec. 15, 2020 6759-6770*

VCSEL and LED Based Visible Light Communication System by Applying Decode-and-Forward Relay Transmission. *Yeh, C.*, +, *JLT Oct. 15, 2020 5728-5732*

Light interference

A Compact Four-Axis Interferometric Fiber Optic Gyroscope Based on Multiplexing for Space Application. *Jin, J.*, +, *JLT Dec. 1, 2020 6655-6663*

A Study on the Effect of Ultra-Wide Band WDM on Optical Transmission Systems. *Okamoto, S.*, +, *JLT March 1, 2020 1061-1070*

Adapting Mach-Zehnder Mesh Equalizers in Direct-Detection Mode-Division-Multiplexed Links. *Choutagunta, K.*, +, *JLT Feb. 15, 2020 723-735*

Adaptive Nonlinear Equalization Combining Sparse Bayesian Learning and Kalman Filtering for Visible Light Communications. *Miao, P.*, +, *JLT Dec. 15, 2020 6732-6745*

All-Fiber Saturable Absorber Using Nonlinear Multimode Interference in a Chalcogenide Fiber. *Zhang, K.*, +, *JLT Nov. 15, 2020 6321-6326*

An Accurate Method for Measuring the Proportions of Degenerated Spatial Modes in Fibers. *Mao, B.*, +, *JLT Aug. 1, 2020 4052-4060*

Birefringence Measurement by Expandable Polarization Interference Method. *Tian, Y.*, +, *JLT Feb. 15, 2020 834-839*

Broadband Angled Arbitrary Ratio SOI MMI Couplers With Enhanced Fabrication Tolerance. *Zhang, J.*, +, *JLT Oct. 15, 2020 5748-5755*

Comparative Study on Transmission Mechanisms in a SMF-Capillary-SMF Structure. *Sun, W.*, +, *JLT Aug. 1, 2020 4075-4085*

Data Transmission Based on Exact Inverse Periodic Nonlinear Fourier Transform, Part II: Waveform Design and Experiment. *Goossens, J.*, +, *JLT Dec. 1, 2020 6520-6528*

Design of Negative Curvature Hollow Core Fiber Based on Reinforcement Learning. *Hu, X.*, +, *JLT April 1, 2020 1959-1965*

Effect of Channel Launch Power on Fill Margin in C+L Band Elastic Optical Networks. *Mitra, A.*, +, *JLT March 1, 2020 1032-1040*

High-Performance Bending Sensor Based on Femtosecond Laser-Inscribed in-Fiber Mach-Zehnder Interferometer. *Zhao, R.*, +, *JLT Nov. 15, 2020 6371-6378*

Inter-Cross De-Modulated Refractive Index and Temperature Sensor by an Etched Multi-Core Fiber of a MZI Structure. *Mumtaz, F.*, +, *JLT Dec. 15, 2020 6948-6953*

Multisuser Visible Light Communication Systems Using OFDMA. *Lian, J.*, +, *JLT Nov. 1, 2020 6015-6023*

Power-Efficient Single-Sideband Transmission With Clipped Iterative SSB Cancellation. *Le, S.T.*, +, *JLT Aug. 15, 2020 4359-4367*

Room-Temperature Power-Stabilized Narrow-Linewidth Tunable Erbium-Doped Fiber Ring Laser Based on Cascaded Mach-Zehnder Interferometers With Different Free Spectral Range for Strain Sensing. *Zhang, L.*, +, *JLT April 1, 2020 1966-1974*

Self-Forced Opto-Electronic Oscillators Using Sagnac-Loop PM-IM Converter. *Wei, K.*, +, *JLT Oct. 1, 2020 5278-5285*

Silicon Oxycarbide Platform for Integrated Photonics. *Memon, F.A.*, +, *JLT Feb. 15, 2020 784-791*

Simultaneous Measurement of Pressure and Temperature in Seawater with PDMS Sealed Microfiber Mach-Zehnder Interferometer. *Hou, Y.*, +, *JLT Nov. 15, 2020 6412-6421*

Transponder Implementation Penalty-Accounted Gaussian-Noise-Based Performance Modeling of Fiber-Optic Transmission Systems. *Kaliteevskiy, N.A.*, +, *JLT April 15, 2020 2253-2261*

Light interferometers

Averaging Methods for a Multimode Fiber Interferometer: Experimental and Interpretation. *Chapalo, I.*, +, *JLT Oct. 15, 2020 5809-5816*

Integrated Auxiliary Interferometer for Self-Correction of Nonlinear Tuning in Optical Frequency Domain Reflectometry. *Badar, M.*, +, *JLT Nov. 1, 2020 6097-6103*

Multimode Fiber Interferometer Based on Graded-Index Polymer CYTOP Fiber. *Chapalo, I.*, +, *JLT March 15, 2020 1439-1445*

Reconfigurable Integrated Optical Interferometer Network-Based Physically Unclonable Function. *Smith, A.M.*, +, *JLT Sept. 1, 2020 4599-4606*

The Thermal Phase Sensitivity of Both Coated and Uncoated Standard and Hollow Core Fibers Down to Cryogenic Temperatures. *Zhu, W.*, +, *JLT April 15, 2020 2477-2484*

Tunable, Single-Wavelength Fiber Ring Lasers Based on Rare Earth-Doped, Double-Peanut Fiber Interferometers. *Wan, H.*, +, *JLT March 15, 2020 1501-1505*

Light interferometry

A Compact Four-Axis Interferometric Fiber Optic Gyroscope Based on Multiplexing for Space Application. *Jin, J.*, +, *JLT Dec. 1, 2020 6655-6663*

Broadband Brillouin Phase Shifter Utilizing RF Interference: Experimental Demonstration and Theoretical Analysis. *McKay, L.*, +, *JLT July 15, 2020 3624-3636*

Combining Harmonic Laser Beams by Fiber Components for Refractivity-Compensating Two-Color Interferometry. *Liu, Y.*, +, *JLT April 1, 2020 1945-1952*

Fine, Reversible and Broadband Tuning of the Group Velocity Dispersion of Tapered Silica Fibers in a Thermo-Optic Polymer Matrix. *Antonopoulos, G.*, +, *JLT Aug. 1, 2020 4086-4092*

The Thermal Phase Sensitivity of Both Coated and Uncoated Standard and Hollow Core Fibers Down to Cryogenic Temperatures. *Zhu, W.*, +, *JLT April 15, 2020 2477-2484*

Light polarization

3D Polarization-Dependent Waveguide Arrays in LiNbO₃ Crystal Produced by Femtosecond Laser Writing. *Wu, B.*, +, *JLT Aug. 1, 2020 3988-3993*

Active Terahertz Anisotropy and Dispersion Engineering Based on Dual-Frequency Liquid Crystal and Dielectric Metasurface. *Ji, Y.*, +, *JLT Aug. 1, 2020 4030-4036*

All-Optical and Polarization-Independent Tunable Guided-Mode Resonance Filter Based on a Dye-Doped Liquid Crystal Incorporated With Photonic Crystal Nanostructure. *Lin, T.*, +, *JLT Feb. 15, 2020 820-826*

Birefringent Anti-Resonant Hollow-Core Fiber. *Yerolatsitis, S.*, +, *JLT Sept. 15, 2020 5157-5162*

Design of Wavelength-Adjustable Dual-Narrowband Absorber by Photonic Crystals With Two Defects Containing MoS₂ Monolayer. *Ansari, N.*, +, *JLT Dec. 1, 2020 6678-6684*

Efficient Dual-Polarized Electro-Optically Tunable Microresonators by Utilization of Ultra-Thin Transparent Electrode. *Wang, T.*, +, *JLT Dec. 15, 2020 6863-6869*

Femtosecond Laser-Inscribed Non-Volatile Integrated Optical Switch in Fused Silica Based on Microfluidics-Controlled Total Internal Reflection. *Radosavljevic, A.*, +, *JLT Aug. 1, 2020 3965-3973*

Frequency-Tunable Parity-Time-Symmetric Optoelectronic Oscillator Using a Polarization-Dependent Sagnac Loop. *Dai, Z.*, +, *JLT Oct. 1, 2020 5327-5332*

High Performance InP-Based Polarization Beam Splitter With Reverse Bias and Injection Current. *Dai, X.*, +, *JLT April 15, 2020 2336-2345*

Low-Power Broadband Thermo-Optic Switch With Weak Polarization Dependence Using a Segmented Graphene Heater. *Song, Q.Q.*, +, *JLT March 15, 2020 1358-1364*

Manipulating Soliton Polarization in Soliton Self-Frequency Shift and Its Application to 3-Photon Microscopy in Vivo. *Tong, S.*, +, *JLT April 15, 2020 2450-2455*

Photonic Associative Learning Neural Network Based on VCSELs and STDP. *Wang, S.*, +, *JLT Sept. 1, 2020 4691-4698*

Polarization Dependence of Optical Properties of Single-Mode Polymer Optical Waveguides Fabricated Under Different Processes at 1310/1550 nm. *Morimoto, Y.*, +, *JLT July 15, 2020 3670-3676*

Probabilistically Shaped Rate-Adaptive Polar-Coded 256-QAM WDM Optical Transmission System. *Iqbal, S.*, +, *JLT April 1, 2020 1800-1808*

Quantum Theory of Noise in Stokes Vector Receivers and Application to Bit Error Rate Analysis. *Kikuchi, K.*, *JLT June 15, 2020 3164-3172*

Sensitivity Analysis of Photonic Integrated Direct-Detection Stokes-Vector Receiver. *Tanemura, T.*, +, *JLT Jan. 15, 2020 447-456*

Single TE₀₁ Mode Cylindrical Vector Beams Transmission Based on Composite Gold Nanowire Embedded Photonic Crystal Fiber. *Zhang, W.*, +, *JLT April 15, 2020 2441-2449*

The Impact of Local Oscillator Frequency Jitter and Laser Linewidth to Ultra High Baud Rate Coherent Systems. *Zhang, R.*, +, *JLT March 15, 2020 1138-1147*

Two-Dimensional Apodized Grating Coupler for Polarization-Independent and Surface-Normal Optical Coupling. *Zhang, Z.*, +, *JLT Aug. 1, 2020 4037-4044*

Ultra-Sharp Multimode Waveguide Bends With Dual Polarizations. *Wang, Y.*, +, *JLT Aug. 1, 2020 3994-3999*

Light propagation

3D Polarization-Dependent Waveguide Arrays in LiNbO₃ Crystal Produced by Femtosecond Laser Writing. *Wu, B.*, +, *JLT Aug. 1, 2020 3988-3993*

Airy Beam for Free-Space Photonic Interconnection: Generation Strategy and Trajectory Manipulation. *Zhu, L.*, +, *JLT Dec. 1, 2020 6474-6480*

Comprehensive Modeling and Design of Raman Lasers on SOI for Mid-Infrared Application. *Ahmadi, M.*, +, *JLT Aug. 1, 2020 4114-4123*

Controlling Resonance Lineshapes of a Side-Coupled Waveguide-Microring Resonator. *Fang, L.*, +, *JLT Aug. 15, 2020 4429-4434*

Direct Laser Written Waveguide in Tellurite Glass for Supercontinuum Generation in 2 μ m Spectral Range. *Okhrimchuk, A.G.*, +, *JLT March 15, 2020 1492-1500*

Femtosecond Laser-Inscribed Non-Volatile Integrated Optical Switch in Fused Silica Based on Microfluidics-Controlled Total Internal Reflection. *Radosavljevic, A.*, +, *JLT Aug. 1, 2020 3965-3973*

Improving Soliton Transmission Systems Through Soliton Interactions. *Zhou, G.*, +, *JLT July 15, 2020 3563-3572*

Logic Gates Based on Interaction of Counterpropagating Light in Microresonators. *Moroney, N.*, +, *JLT March 15, 2020 1414-1419*

On the Performance of Digital Back Propagation in Spatial Multiplexing Systems. *Ferreira, F.M.*, +, *JLT May 15, 2020 2790-2798*

Quarter-Millimeter Propagating Plasmons in Thin-Gold-Film-Based Waveguides for Visible Spectral Range. *Kornienko, V.V.*, +, *JLT Sept. 1, 2020 4794-4800*

Quasi-Phase Matched Second Harmonic Generation in Plasmonic–Organic Hybrid Structures. *Janjan, B.*, +, *JLT March 15, 2020 1391-1399*

Switchable All-Optical Flip-Flop and Inverter Operations in Quantum Well Microring Laser. *Aoki, R.*, +, *JLT Aug. 1, 2020 3950-3958*

Temporal Imaging Using Dispersive Gradient-Index Time Lenses. *Han, T.*, +, *JLT April 15, 2020 2383-2391*

The Thermal Phase Sensitivity of Both Coated and Uncoated Standard and Hollow Core Fibers Down to Cryogenic Temperatures. *Zhu, W.*, +, *JLT April 15, 2020 2477-2484*

Light reflection

Femtosecond Laser-Inscribed Non-Volatile Integrated Optical Switch in Fused Silica Based on Microfluidics-Controlled Total Internal Reflection. *Radosavljevic, A.*, +, *JLT Aug. 1, 2020 3965-3973*

Two-Dimensional Apodized Grating Coupler for Polarization-Independent and Surface-Normal Optical Coupling. *Zhang, Z.*, +, *JLT Aug. 1, 2020 4037-4044*

Wide-Coverage Beam-Steered 40-Gbit/s Non-Line-of-Sight Optical Wireless Connectivity for Industry 4.0. *Zhang, X.*, +, *JLT Dec. 15, 2020 6801-6806*

Light scattering

Demonstration of Low-Threshold and Directly Modulated Grating-Assisted Microcylinder Surface-Emitting Lasers. *Ma, X.*, +, *JLT Sept. 1, 2020 4772-4779*

Light sources

Broadened-Laser-Driven Polarization-Maintaining Hollow-Core Fiber Optic Gyroscope. *Morris, T.A.*, +, *JLT Feb. 15, 2020 905-911*

Excess Relative-Intensity-Noise Reduction in a Fiber Optic Gyroscope Using a Faraday Rotator Mirror. *Zheng, Y.*, +, *JLT Dec. 15, 2020 6939-6947*

Fabrication and Characterization of Femtosecond Laser Induced Microwave Frequency Photonic Fiber Grating. *Cheng, B.*, +, *JLT Oct. 1, 2020 5286-5292*

High-Order Electrical Spectrum Method for Measuring the Chirp of a Silicon Mach-Zehnder Modulator. *Chen, H.*, +, *JLT Dec. 15, 2020 6833-6844*

High-Order Harmonic-Frequency Cross-Correlation Algorithm for Absolute Cavity Length Interrogation of White-Light Fiber-Optic Fabry-Perot Sensors. *Chen, H.*, +, *JLT Feb. 15, 2020 953-960*

High-Speed Coherent Optical Communication With Isolator-Free Heterogeneous Si/III-V Lasers. *Zhang, Z.*, +, *JLT Dec. 1, 2020 6584-6590*

Passband-Switchable and Frequency-Tunable Dual-Passband Microwave Photonic Filter. *Jiao, Z.*, +, *JLT Oct. 1, 2020 5333-5338*

Photonic RF Arbitrary Waveform Generator Based on a Soliton Crystal Micro-Comb Source. *Tan, M.*, +, *JLT Nov. 15, 2020 6221-6226*

Simultaneous Radar Detection and Frequency Measurement by Broadband Microwave Photonic Processing. *Shi, J.*, +, *JLT April 15, 2020 2171-2179*

Light transmission

103 nm Ultra-Wideband Hybrid Raman/SOA Transmission Over 3×100 km SSMF. *Arnould, A.*, +, *JLT Jan. 15, 2020 504-508*

An Ultra-Broadband Polarization-Insensitive Optical Hybrid Using Multiplane Light Conversion. *Zhang, Y.*, +, *JLT Nov. 15, 2020 6286-6291*

Analog Coherent TDMA Receiver With Fast Locking to Free-Running Optical Emitters. *Schrenk, B.*, +, *JLT Jan. 15, 2020 379-385*

Data Transmission Based on Exact Inverse Periodic Nonlinear Fourier Transform, Part II: Waveform Design and Experiment. *Goossens, J.*, +, *JLT Dec. 1, 2020 6520-6528*

Femtosecond Laser-Inscribed Non-Volatile Integrated Optical Switch in Fused Silica Based on Microfluidics-Controlled Total Internal Reflection. *Radosavljevic, A.*, +, *JLT Aug. 1, 2020 3965-3973*

Mode Locked Laser Phase Noise Reduction Under Optical Feedback for Coherent DWDM Communication. *Verolet, T.*, +, *JLT Oct. 15, 2020 5708-5715*

Nonlinearity-Aware Adaptive Bit and Power Loading DMT Transmission Over Low-Crosstalk Ring-Core Fiber With Mode Group Multiplexing. *Zhang, J.*, +, *JLT Nov. 1, 2020 5875-5882*

Recent Advances in 100+nm Ultra-Wideband Fiber-Optic Transmission Systems Using Semiconductor Optical Amplifiers. *Renaudier, J.*, +, *JLT March 1, 2020 1071-1079*

SNR Model for Generalized Droop With Constant Output Power Amplifier Systems and Experimental Measurements. *Downie, J.D.*, +, *JLT June 15, 2020 3214-3220*

Stabilization of Optical Pulse Transmission by Exploiting Fiber Nonlinearities. *Bandelow, U.*, +, *JLT Oct. 15, 2020 5743-5747*

Linear antenna arrays

Group Delay-Based Wideband Photonic Receive-Mode Radio-Frequency Beamforming. *Mondich, M.J.*, +, *JLT Nov. 1, 2020 5893-5907*

Linear programming

Crosstalk-Aware Resource Allocation in Survivable Space-Division-Multiplexed Elastic Optical Networks Supporting Hybrid Dedicated and Shared Path Protection. *Moghaddam, E.E.*, +, *JLT March 15, 2020 1095-1102*

Efficient Multi-Stage Deployment of Ultra-Low Loss Fibers in Elastic Optical Networks. *Li, Y.*, +, *JLT July 15, 2020 3542-3552*

Minimizing Inter-Core Crosstalk Jointly in Spatial, Frequency, and Time Domains for Scheduled Lightpath Demands in Multi-Core Fiber-based Elastic Optical Network. *Tang, F.*, +, *JLT Oct. 15, 2020 5595-5607*

On Virtual Network Reconfiguration in Hybrid Optical/Electrical Datacenter Networks. *Zhao, S.*, +, *JLT Dec. 1, 2020 6424-6436*

Liquid crystal devices

Active Terahertz Anisotropy and Dispersion Engineering Based on Dual-Frequency Liquid Crystal and Dielectric Metasurface. *Ji, Y.*, +, *JLT Aug. 1, 2020 4030-4036*

Liquid Crystal Based Rib Waveguide. *Tripathi, U.S.*, +, *JLT Aug. 1, 2020 4045-4051*

Transient Crosstalk in Holographic Optical Switching Based on Wavefront Encoding. *Yang, H.*, +, *JLT April 1, 2020 1618-1624*

Liquid crystal on silicon

Transient Crosstalk in Holographic Optical Switching Based on Wavefront Encoding. *Yang, H.*, +, *JLT April 1, 2020 1618-1624*

Liquid crystal phase transformations

All-Optical Directional Control of Emission in a Photonic Liquid Crystal Fiber Laser. *Lin, J.*, +, *JLT Sept. 15, 2020 5149-5156*

Liquid crystals

Active Terahertz Anisotropy and Dispersion Engineering Based on Dual-Frequency Liquid Crystal and Dielectric Metasurface. *Ji, Y.*, +, *JLT Aug. 1, 2020 4030-4036*

All-Optical and Polarization-Independent Tunable Guided-Mode Resonance Filter Based on a Dye-Doped Liquid Crystal Incorporated With Photonic Crystal Nanostructure. *Lin, T.*, +, *JLT Feb. 15, 2020 820-826*

Lithium compounds

3D Polarization-Dependent Waveguide Arrays in LiNbO₃ Crystal Produced by Femtosecond Laser Writing. *Wu, B.*, +, *JLT Aug. 1, 2020 3988-3993*

Demonstration of Tunable Optical Aggregation of QPSK to 16-QAM Over Optically Generated Nyquist Pulse Trains Using Nonlinear Wave Mixing and a Kerr Frequency Comb. *Fallahpour, A.*, +, *JLT Jan. 15, 2020 359-365*

Efficient Dual-Polarized Electro-Optically Tunable Microresonators by Utilization of Ultra-Thin Transparent Electrode. *Wang, T.*, +, *JLT Dec. 15, 2020 6863-6869*

Extraction of Elastooptic Coefficient of Thin-Film Arsenic Trisulfide Using a Mach-Zehnder Acoustooptic Modulator on Lithium Niobate. *Khan, M.S.I.*, +, *JLT April 1, 2020 2053-2059*

High-Linearity Fano Resonance Modulator Using a Microring-Assisted Mach-Zehnder Structure. *Chen, S.*, +, *JLT July 1, 2020 3395-3403*

Microwave Pulse Generation With a Silicon Dual-Parallel Modulator. *Liu, S.*, +, *JLT April 15, 2020 2134-2143*

Off-Normal Incidence Coupling for Perfectly Phase-Matched Second Harmonic Generation in a Sub-Micron LiNbO₃ Planar Waveguide. *Carnio, B.N.*, +, *JLT Aug. 1, 2020 3959-3964*

On-Chip Optical Microresonators With High Electro-Optic Tuning Efficiency. *Wang, T.*, +, *JLT April 1, 2020 1851-1857*

Local area networks

Gb/s Visible Light Communication With Low-Cost Receiver Based on Single-Color LED. *Milovancev, D.*, +, *JLT June 15, 2020 3305-3314*

On Virtual Network Reconfiguration in Hybrid Optical/Electrical Datacenter Networks. *Zhao, S.*, +, *JLT Dec. 1, 2020 6424-6436*

Practical Innovations Enabling Scalable Optical Transmission Networks: Real-World Trials and Experiences of Advanced Technologies in Field Deployed Optical Networks. *Zhou, Y.R.*, +, *JLT June 15, 2020 3106-3113*

Logic design

High-Speed Post-Processing in Continuous-Variable Quantum Key Distribution Based on FPGA Implementation. *Yang, S.*, +, *JLT Aug. 1, 2020 3935-3941*

Logic gates

All-Optical 2×2 -Bit Multiplier at 40 Gb/s Based on Canonical Logic Units-based Programmable Logic Array (CLUs-PLA). *Dong, W.*, +, *JLT Oct. 15, 2020 5586-5594*

Modeling and Optimization of Plasmonic Detectors for Beyond-CMOS Plasmonic Majority Logic Gates. *Noor, S.L.*, +, *JLT Sept. 15, 2020 5092-5099*

Long Term Evolution

A Full Field-of-View Self-Steering Beamformer for 5G mm-Wave Fiber-Wireless Mobile Fronthaul. *Huang, M.*, +, *JLT March 15, 2020 1221-1229*

Low noise amplifiers

36 Gb/s Narrowband Photoreceiver for mmWave Analog Radio-Over-Fiber. *Bogaert, L., +, JLT June 15, 2020 3289-3295*

Low-power electronics

400 Gb/s Silicon Photonic Transmitter and Routing WDM Technologies for Glueless 8-Socket Chip-to-Chip Interconnects. *Pitris, S., +, JLT July 1, 2020 3366-3375*

500-Gb/s Operation of Ultra-Low Power and Low-Temperature-Dependence InP-Based High-Bandwidth Coherent Driver Modulator. *Ozaki, J., +, JLT Sept. 15, 2020 5086-5091*

Frequency-Stabilized Links for Coherent WDM Fiber Interconnects in the Datacenter. *Blumenthal, D.J., +, JLT July 1, 2020 3376-3386*

M**Mach-Zehnder interferometers**

100G PAM-6 and PAM-8 Signal Transmission Enabled by Pre-Chirping for 10-km Intra-DCI Utilizing MZM in C-band. *Zou, D., +, JLT July 1, 2020 3445-3453*

240 Gbit/s Silicon Photonic Mach-Zehnder Modulator Enabled by Two 2.3-Vpp Drivers. *Jacques, M., +, JLT June 1, 2020 2877-2885*

3D QAM-DPSK Optical Transmission Employing a Single Mach-Zehnder Modulator and Optical Direct Detection. *Park, H.J., +, JLT Nov. 15, 2020 6247-6256*

A 4 × 4 Electrooptic Silicon Photonic Switch Fabric With Net Neutral Insertion Loss. *Dupuis, N., +, JLT Jan. 15, 2020 178-184*

A Lateral MOS-Capacitor-Enabled ITO Mach-Zehnder Modulator for Beam Steering. *Amin, R., +, JLT Jan. 15, 2020 282-290*

A Photonic-Based Wideband RF Self-Interference Cancellation Approach With Fiber Dispersion Immunity. *Chen, Y., JLT Sept. 1, 2020 4618-4624*

A Wavelength-Selective Multiwavelength Ring-Assisted Mach-Zehnder Interferometer Switch. *Hirokawa, T., +, JLT Nov. 15, 2020 6292-6298*

Adapting Mach-Zehnder Mesh Equalizers in Direct-Detection Mode-Division-Multiplexed Links. *Choutagunta, K., +, JLT Feb. 15, 2020 723-735*

An Event Recognition Scheme Aiming to Improve Both Accuracy and Efficiency in Optical Fiber Perimeter Security System. *Huang, X., +, JLT Oct. 15, 2020 5783-5790*

Carrier-Suppressed Single Sideband Signal for FMCW LiDAR Using a Si Photonic-Crystal Optical Modulators. *Kamata, M., +, JLT April 15, 2020 2315-2321*

Differential Drive I/Q Modulator Based on Silicon Photonic Electro-Absorption Modulators. *Melikyan, A., +, JLT June 1, 2020 2872-2876*

Distributed Optical Fiber Sensing Intrusion Pattern Recognition Based on GAF and CNN. *Lyu, C., +, JLT Aug. 1, 2020 4174-4182*

Dual-Drive Mach-Zehnder Modulator-Based Single Side-Band Modulation Direct Detection System Without Signal-to-Signal Beating Interference. *Wang, W., +, JLT Aug. 15, 2020 4341-4351*

Evaluating Phase Errors in Phase-Sensitive Optical Time-Domain Reflectometry Based on I/Q Demodulation. *Lu, X., +, JLT Aug. 1, 2020 4133-4141*

Experimental Demonstration of Dual O+C-Band WDM Transmission Over 50-km SSMF With Direct Detection. *Hong, Y., +, JLT April 15, 2020 2278-2284*

Extraction of Elastooptic Coefficient of Thin-Film Arsenic Trisulfide Using a Mach-Zehnder Acoustooptic Modulator on Lithium Niobate. *Khan, M.S.I., +, JLT April 1, 2020 2053-2059*

High Baud Rate All-Silicon Photonics Carrier Depletion Modulators. *Zhou, J., +, JLT Jan. 15, 2020 272-281*

High Performance InP-Based Polarization Beam Splitter With Reverse Bias and Injection Current. *Dai, X., +, JLT April 15, 2020 2336-2345*

High Power Efficiency and Dynamic Range Analog Photonic Link with Suppressed Dispersion-Induced Power Fading. *Bai, Y., +, JLT Nov. 1, 2020 5973-5980*

High-Linearity Fano Resonance Modulator Using a Microring-Assisted Mach-Zehnder Structure. *Chen, S., +, JLT July 1, 2020 3395-3403*

High-Order Electrical Spectrum Method for Measuring the Chirp of a Silicon Mach-Zehnder Modulator. *Chen, H., +, JLT Dec. 15, 2020 6833-6844*

High-Performance Bending Sensor Based on Femtosecond Laser-Inscribed in-Fiber Mach-Zehnder Interferometer. *Zhao, R., +, JLT Nov. 15, 2020 6371-6378*

High-Resolution Optical Microresonator-Based Sensor Enabled by Microwave Photonic Sidebands Processing. *Tian, X., +, JLT Oct. 1, 2020 5440-5449*

Improved RF Interference Suppression Method. *Ackerman, E.I., +, JLT Oct. 1, 2020 5546-5550*

Inter-Cross De-Modulated Refractive Index and Temperature Sensor by an Etched Multi-Core Fiber of a MZI Structure. *Mumtaz, F., +, JLT Dec. 15, 2020 6948-6953*

Ion Implantation of Germanium Into Silicon for Critical Coupling Control of Racetrack Resonators. *Milosevic, M.M., +, JLT April 1, 2020 1865-1873*

Low-Loss, Low-Crosstalk, and Large-Scale Optical Switch Based on Silicon Photonics. *Suzuki, K., +, JLT Jan. 15, 2020 233-239*

Low-Power (1.5 pJ/b) Silicon Integrated 106 Gb/s PAM-4 Optical Transmitter. *Lambrecht, J., +, JLT Jan. 15, 2020 432-438*

Low-Power Broadband Thermo-Optic Switch With Weak Polarization Dependence Using a Segmented Graphene Heater. *Song, Q.Q., +, JLT March 15, 2020 1358-1364*

Measurement of Instantaneous Microwave Frequency by Optical Power Monitoring Based on Polarization Interference. *Li, J., +, JLT April 15, 2020 2285-2291*

Microwave Pulse Generation With a Silicon Dual-Parallel Modulator. *Liu, S., +, JLT April 15, 2020 2134-2143*

Modulation and Switching Architecture Performances for Frequency Up-Conversion of Complex-Modulated Data Signals Based on a SOA-MZI Photonic Sampling Mixer. *Kastritsis, D., +, JLT Oct. 1, 2020 5375-5385*

Passband-Switchable and Frequency-Tunable Dual-Passband Microwave Photonic Filter. *Jiao, Z., +, JLT Oct. 1, 2020 5333-5338*

Photonic-Assisted Regenerative Microwave Frequency Divider With a Tunable Division Factor. *Duan, S., +, JLT Oct. 1, 2020 5509-5516*

Photonics Generation of Pulsed Arbitrary-Phase-Coded Microwave Signals Based on the Conversion Between Intensity Modulation and Phase Modulation. *Song, C., +, JLT March 15, 2020 1243-1249*

Photonics-Based CW/Pulsed Microwave Signal AOA Measurement System. *Chen, H., +, JLT April 15, 2020 2292-2298*

Reconfigurable Integrated Optical Interferometer Network-Based Physically Unclonable Function. *Smith, A.M., +, JLT Sept. 1, 2020 4599-4606*

Robust Integrated Optical Unitary Converter Using Multiport Directional Couplers. *Tanomura, R., +, JLT Jan. 1, 2020 60-66*

Room-Temperature Power-Stabilized Narrow-Linewidth Tunable Erbium-Doped Fiber Ring Laser Based on Cascaded Mach-Zehnder Interferometers With Different Free Spectral Range for Strain Sensing. *Zhang, L., +, JLT April 1, 2020 1966-1974*

Selective Mode Excitation in a Few-Mode Photonic Crystal Fiber for Strain Sensing With Restrained Temperature Response. *Luo, Z., +, JLT Aug. 15, 2020 4560-4571*

Silicon Nitride (Si₃N₄) (De-)Multiplexers for 1-μm CWDM Optical Interconnects. *Cheung, S.S., +, JLT July 1, 2020 3404-3413*

Silicon Oxycarbide Platform for Integrated Photonics. *Memon, F.A., +, JLT Feb. 15, 2020 784-791*

Silicon Photonics Wavelength Selective Switch With Unlimited Free Spectral Range. *Ikedo, K., +, JLT June 15, 2020 3268-3272*

Simultaneous Measurement of Pressure and Temperature in Seawater with PDMS Sealed Microfiber Mach-Zehnder Interferometer. *Hou, Y., +, JLT Nov. 15, 2020 6412-6421*

Temperature-Independent Curvature Sensor Based on In-Fiber Mach-Zehnder Interferometer Using Hollow-Core Fiber. *Marrujo-Garcia, S., +, JLT Aug. 1, 2020 4166-4173*

Theoretical and Experimental Analysis of a 4 × 4 Reconfigurable MZI-Based Linear Optical Processor. *Shokraneh, F., +, JLT March 15, 2020 1258-1267*

Theoretical and Experimental Analysis of Burst-Mode Wavelength Conversion via a Differentially-Biased SOA-MZI. *Tsakyridis, A., +, JLT Sept. 1, 2020 4607-4617*

Time-Stretched Femtosecond Lidar Using Microwave Photonic Signal Processing. *Zhao, L.*, +, *JLT Nov. 15, 2020 6265-6271*

Towards a Scalable 5G Fronthaul: Analog Radio-over-Fiber and Space Division Multiplexing. *Rommel, S.*, +, *JLT Oct. 1, 2020 5412-5422*

Ultra-High-Speed 2:1 Digital Selector and Plasmonic Modulator IM/DD Transmitter Operating at 222 GBaud for Intra-Datacenter Applications. *Heni, W.*, +, *JLT May 1, 2020 2734-2739*

Ultrafast Laser Inscription and $\square 2$ μm Laser Operation of Y-Branch Splitters in Monoclinic Crystals. *Kifle, E.*, +, *JLT Aug. 15, 2020 4374-4384*

Wavelength-Division Demultiplexing Enhanced by Silicon-Photonic Tunable Filters in Ultra-Wideband Optical-Path Networks. *Mori, Y.*, +, *JLT March 1, 2020 1002-1009*

Machine-to-machine communication

DSP-Based Flexible-Waveform and Multi-Application 5G Fiber-Wireless System. *Borges, R.M.*, +, *JLT Feb. 1, 2020 642-653*

Magnesium compounds

Efficient Sub-Bandgap Photodetection via Two-Dimensional Electron Gas in ZnO Based Heterojunction. *Kaushik, V.*, +, *JLT Nov. 1, 2020 6031-6037*

Magnetic field measurement

Side-Polished Single-Mode-Multimode-Single-Mode Fiber Structure for the Vector Magnetic Field Sensing. *Chen, Y.*, +, *JLT Oct. 15, 2020 5837-5843*

Magnetic fluids

Side-Polished Single-Mode-Multimode-Single-Mode Fiber Structure for the Vector Magnetic Field Sensing. *Chen, Y.*, +, *JLT Oct. 15, 2020 5837-5843*

Magnetic heads

Fiber-Optic Silicon Fabry-Perot Interferometric Bolometer: The Influence of Mechanical Vibration and Magnetic Field. *Sheng, Q.*, +, *JLT April 15, 2020 2547-2554*

Magneto-optical isolators

Broadband Bias-Magnet-Free On-Chip Optical Isolators With Integrated Thin Film Polarizers. *Karki, D.*, +, *JLT Feb. 15, 2020 827-833*

Magneto-optical sensors

Side-Polished Single-Mode-Multimode-Single-Mode Fiber Structure for the Vector Magnetic Field Sensing. *Chen, Y.*, +, *JLT Oct. 15, 2020 5837-5843*

Magnetometers

Side-Polished Single-Mode-Multimode-Single-Mode Fiber Structure for the Vector Magnetic Field Sensing. *Chen, Y.*, +, *JLT Oct. 15, 2020 5837-5843*

Maintenance engineering

Demonstration of a Novel Framework for Proactive Maintenance Using Failure Prediction and Bit Lossless Protection With Autonomous Network Diagnosis System. *Inuzuka, F.*, +, *JLT May 1, 2020 2695-2702*

Marine communication

A General Orthogonal Transform Aided MIMO Design for Reliable Maritime Visible Light Communications. *Huang, G.*, +, *JLT Dec. 1, 2020 6549-6560*

Markov processes

Gain, Loss and the Shot-Noise Rule. *McKinstry, C.J.*, *JLT April 15, 2020 2158-2170*

Mismatched Models to Lower Bound the Capacity of Optical Fiber Channels. *Garcia-Gomez, F.J.*, +, *JLT Dec. 15, 2020 6779-6787*

Materials preparation

On the Characterization of Novel Step-Index Biocompatible and Biodegradable poly(D,L-lactic acid) Based Optical Fiber. *Gierej, A.*, +, *JLT April 1, 2020 1905-1914*

Mathematical analysis

Minimum Phase Conditions in Kramers-Kronig Optical Receivers. *Wang, T.*, +, *JLT Nov. 15, 2020 6214-6220*

Mathematical model

Corrections to "A Modulation Format Correction Formula for the Gaussian Noise Model in the Presence of Inter-Channel Stimulated Raman Scattering". *Semrau, D.*, +, *JLT March 15, 2020 1604*

Matrix algebra

402.7-Tb/s MDM-WDM Transmission Over Weakly Coupled 10-Mode Fiber Using Rate-Adaptive PS-16QAM Signals. *Beppu, S.*, +, *JLT May 15, 2020 2835-2841*

A General Orthogonal Transform Aided MIMO Design for Reliable Maritime Visible Light Communications. *Huang, G.*, +, *JLT Dec. 1, 2020 6549-6560*

Adaptive Nonlinear Equalization Combining Sparse Bayesian Learning and Kalman Filtering for Visible Light Communications. *Miao, P.*, +, *JLT Dec. 15, 2020 6732-6745*

Enhancing the Physical Layer Security of OFDM-PONs With Hardware Fingerprint Authentication: A Machine Learning Approach. *Li, S.*, +, *JLT June 15, 2020 3238-3245*

ROTOS: A Reconfigurable and Cost-Effective Architecture for High-Performance Optical Data Center Networks. *Xue, X.*, +, *JLT July 1, 2020 3485-3494*

The Winner-Take-All Mechanism for All-Optical Systems of Pattern Recognition and Max-Pooling Operation. *Zhang, Y.*, +, *JLT Sept. 15, 2020 5071-5077*

Maximum likelihood detection

Non-Coherent Detection for Ultraviolet Communications With Inter-Symbol Interference. *Hu, W.*, +, *JLT Sept. 1, 2020 4699-4707*

System Optimization of an All-Silicon IQ Modulator: Achieving 100-Gbaud Dual-Polarization 32QAM. *Zhalehpour, S.*, +, *JLT Jan. 15, 2020 256-264*

Maximum likelihood estimation

Adaptive Channel-Matched Detection for C-Band 64-Gbit/s Optical OOK System Over 100-km Dispersion-Uncompensated Link. *Wang, H.*, +, *JLT Sept. 15, 2020 5048-5055*

Machine Learning Assisted Modulation-Format Transparent and Nonlinearity Tolerant Carrier Recovery Scheme for Intelligent Receiver. *Xiang, Q.*, +, *JLT Nov. 1, 2020 6007-6014*

Performance Bounds on Passive Indoor Positioning Using Visible Light. *Majeed, K.*, +, *JLT April 15, 2020 2190-2200*

Maximum likelihood sequence estimation

Adaptive Channel-Matched Detection for C-Band 64-Gbit/s Optical OOK System Over 100-km Dispersion-Uncompensated Link. *Wang, H.*, +, *JLT Sept. 15, 2020 5048-5055*

Experimental Demonstration of 600 Gb/s Net Rate PAM4 Transmissions Over 2 km and 10 km With a 4- λ CWDM TOSA. *Xing, Z.*, +, *JLT June 1, 2020 2968-2975*

Non-Coherent Detection for Ultraviolet Communications With Inter-Symbol Interference. *Hu, W.*, +, *JLT Sept. 1, 2020 4699-4707*

Spectral-Shaping Technique Based on Nonlinear-Coded-Modulation for Short-Reach Optical Transmission. *Yamamoto, S.*, +, *JLT Jan. 15, 2020 466-474*

Maxwell equations

Matrix-Free Time Domain Gradient Smoothing Method With Stretched-Coordinates Perfectly Matched Layer for Analysis of Photonic Devices. *Atia, K.s.R.*, +, *JLT Oct. 15, 2020 5791-5800*

Transverse Mode Mixing in a Coupled-Cavity VCSEL. *Frasunkiewicz, L.*, +, *JLT Oct. 15, 2020 5774-5782*

Mean square error methods

Blind Joint Polarization Demultiplexing and IQ Imbalance Compensation for M-QAM Coherent Optical Communications. *Lagha, M.K.*, +, *JLT Aug. 15, 2020 4213-4220*

Data-driven Optical Fiber Channel Modeling: A Deep Learning Approach. *Wang, D.*, +, *JLT Sept. 1, 2020 4730-4743*

Performance Bounds on Passive Indoor Positioning Using Visible Light. *Majeed, K.*, +, *JLT April 15, 2020 2190-2200*

Performance Model and Design Rules for Optical Systems Employing Low-Resolution DAC/ADC. *Almonacil, S.*, +, *JLT June 1, 2020 3007-3014*

Quality of Transmission Estimation and Short-Term Performance Forecast of Lightpaths. *Aladin, S.*, +, *JLT May 15, 2020 2807-2814*

Measurement by laser beam

A Reconfigurable Architecture for Continuous Double-Sided Swept-Laser Linearization. *Yao, Z.*, +, *JLT Sept. 15, 2020 5170-5176*

DC-Biased Optofluidic Biolaser for Uric Acid Detection. *Wang, Y.*, +, *JLT March 15, 2020 1557-1563*

High-Speed FBG Interrogation With Electro-Optically Tunable Sagnac Loops. *Oton, C.J.*, +, *JLT Aug. 15, 2020 4513-4519*

Modeling of Active Fiber Loop Ring-Down Spectroscopy Considering Gain Saturation Behavior of EDFA. *Chu, T.*, +, *JLT Feb. 15, 2020 966-973*

Period-One Microwave Photonic Sensing by a Laser Diode With Optical Feedback. *Nie, B.*, +, *JLT Oct. 1, 2020 5423-5429*

Silica Hollow-Core Negative Curvature Fibers Enable Ultrasensitive Mid-Infrared Absorption Spectroscopy. *Yao, C.*, +, *JLT April 1, 2020 2067-2072*

Measurement errors

An Optical Fiber Immunosensor With a Low Detection Limit Based on Plasmon Coupling Enhancement. *Wang, B.*, +, *JLT July 15, 2020 3781-3788*

High-Resolution Temperature Sensor Based on Intracavity Sensing of Fiber Ring Laser. *Shi, J.*, +, *JLT April 1, 2020 2010-2014*

Sensitivity-Enhanced Distributed Hydrostatic Pressure Sensor Based on BOTDA in Single-Mode Fiber With Double-Layer Polymer Coatings. *Dong, Y.*, +, *JLT April 15, 2020 2564-2571*

Ultrahigh-Resolution Optoelectronic Vector Analysis Utilizing Photonics-Based Frequency Up- and Down-Conversions. *Xue, M.*, +, *JLT Aug. 1, 2020 3859-3865*

Mechanical strength

Behavior of Specialty Optical Fibers in Crude Oil Environment. *Stolov, A.A.*, +, *JLT July 15, 2020 3759-3768*

Medical services

Corrections to "A Modulation Format Correction Formula for the Gaussian Noise Model in the Presence of Inter-Channel Stimulated Raman Scattering". *Semrau, D.*, +, *JLT March 15, 2020 1604*

Meetings

Editorial Selected Papers From OFC 2019. *Bosco, G.*, *JLT Jan. 15, 2020 177*

Editorial: JLT Special Issue on DSP in Next Generation Optical Access Networks. *van Veen, D.*, +, *JLT Feb. 1, 2020 555-556*

Foreword to the Special Issue on the 45th European Conference on Optical Communication (ECOC 2019). *Donegan, J.F.*, +, *JLT May 1, 2020 2575-2576*

Guest Editorial OFC 2019 Special Issue. *Bosco, G.*, +, *JLT Jan. 1, 2020 3-5*

Membranes

Membrane InGaAsP Mach-Zehnder Modulator Integrated With Optical Amplifier on Si Platform. *Hiraki, T.*, +, *JLT June 1, 2020 3030-3036*

Mercury (metal)

Bio-Inspired Localized Surface Plasmon Resonance Enhanced Sensing of Mercury Through Green Synthesized Silver Nanoparticle. *Boruah, B.S.*, +, *JLT April 1, 2020 2086-2091*

Message passing

Demonstration of Pattern Division Multiple Access With Message Passing Algorithm for Multi-Channel mmWave Uplinks via RoF Mobile Fronthaul. *Shen, S.*, +, *JLT Nov. 1, 2020 5908-5915*

Metal-semiconductor-metal structures

Modeling and Optimization of Plasmonic Detectors for Beyond-CMOS Plasmonic Majority Logic Gates. *Noor, S.L.*, +, *JLT Sept. 15, 2020 5092-5099*

Metallic thin films

An Optical Fiber Immunosensor With a Low Detection Limit Based on Plasmon Coupling Enhancement. *Wang, B.*, +, *JLT July 15, 2020 3781-3788*

Efficient Third Harmonic Generation by Doubly Enhanced Electric Dipole Resonance in Metal-Based Silicon Nanodisks. *Yao, J.*, +, *JLT Nov. 15, 2020 6312-6320*

Optimization of SERS Sensing With Micro-Lensed Optical Fibers and Au Nano-Film. *Milenko, K.*, +, *JLT April 1, 2020 2081-2085*

Quarter-Millimeter Propagating Plasmons in Thin-Gold-Film-Based Waveguides for Visible Spectral Range. *Kornienko, V.V.*, +, *JLT Sept. 1, 2020 4794-4800*

Study of Surface Plasmon Resonance Sensor Based on Polymer-Tipped Optical Fiber With Barium Titanate Layer. *Xia, Z.*, +, *JLT Feb. 15, 2020 912-918*

Metropolitan area networks

IT and Multi-layer Online Resource Allocation and Offline Planning in Metropolitan Networks. *Garrich, M.*, +, *JLT June 15, 2020 3190-3199*

Minimum-Cost Optical Amplifier Placement in Metro Networks. *Ibrahimi, M.*, +, *JLT June 15, 2020 3221-3228*

Michelson interferometers

A Novel Weak-Scattering Michelson Interferometer Based on PBS for Long-Distance Disturbance Localization. *Song, Q.*, +, *JLT March 15, 2020 1543-1549*

Micro-optics

A Laser Written 4D Optical Microcavity for Advanced Biochemical Sensing in Aqueous Environment. *Saetchnikov, A.V.*, +, *JLT April 15, 2020 2530-2538*

Broadband Microwave Frequency Conversion Based on an Integrated Optical Micro-Comb Source. *Xu, X.*, +, *JLT Jan. 15, 2020 332-338*

Broadband Nonvolatile Tunable Mode-Order Converter Based on Silicon and Optical Phase Change Materials Hybrid Meta-Structure. *Chen, H.*, +, *JLT April 1, 2020 1874-1879*

Broadband Photonic RF Channelizer With 92 Channels Based on a Soliton Crystal Microcomb. *Xu, X.*, +, *JLT Sept. 15, 2020 5116-5121*

Color Variation of the Up-Conversion Luminescence in Er³⁺-Yb³⁺ Co-Doped Lead Germanate Glasses and Microsphere Integrated Devices. *Zhang, M.*, +, *JLT Aug. 15, 2020 4397-4401*

Compensation of Multicore Fiber Skew Effects for Radio Over Fiber mmWave Antenna Beamforming. *Nikas, T.*, +, *JLT April 1, 2020 1644-1650*

Controlling Resonance Lineshapes of a Side-Coupled Waveguide-Microring Resonator. *Fang, L.*, +, *JLT Aug. 15, 2020 4429-4434*

Effects of Post-Etch Microstructures on the Optical Transmittance of Silica Ridge Waveguides. *Wright, J.G.*, +, *JLT Nov. 15, 2020 6280-6285*

Efficient Dual-Polarized Electro-Optically Tunable Microresonators by Utilization of Ultra-Thin Transparent Electrode. *Wang, T.*, +, *JLT Dec. 15, 2020 6863-6869*

High-Resolution Optical Microresonator-Based Sensor Enabled by Microwave Photonic Sidebands Processing. *Tian, X.*, +, *JLT Oct. 1, 2020 5440-5449*

Highly Efficient Fiber Cladding Light Stripper Fabricated by Chemical Mask Etching Method. *Zou, S.*, +, *JLT Sept. 15, 2020 5136-5141*

Hybrid Frequency-Tunable Parity-Time Symmetric Optoelectronic Oscillator. *Fan, Z.*, +, *JLT April 15, 2020 2127-2133*

Microcomb Source Based on InP DFB / Si₃N₄ Microring Butt-Coupling. *Boust, S.*, +, *JLT Oct. 1, 2020 5517-5525*

Microfiber-Knot-Resonator-Induced Partial Elimination of Longitudinal Modes in Fiber Lasers for In-Tune-Switchable Nanosecond Pulse Generation. *Zhou, J.*, +, *JLT Feb. 15, 2020 875-880*

Multi-Stage 8 × 8 Silicon Photonic Switch Based on Dual-Microring Switching Elements. *Huang, Y.*, +, *JLT Jan. 15, 2020 194-201*

Noise-Induced Limits of Detection in Frequency Locked Optical Microcavities. *Hao, S.*, +, *JLT Nov. 15, 2020 6393-6401*

On-Chip Optical Microresonators With High Electro-Optic Tuning Efficiency. *Wang, T.*, +, *JLT April 1, 2020 1851-1857*

Optimization of SERS Sensing With Micro-Lensed Optical Fibers and Au Nano-Film. *Milenko, K.*, +, *JLT April 1, 2020 2081-2085*

Opto-Mechanical Lab-on-Fiber Accelerometers. *Bruno, F.A.*, +, *JLT April 1, 2020 1998-2009*

Performance Requirements for Terabit-Class Silicon Photonic Links Based on Cascaded Microring Resonators. *London, Y.*, +, *JLT July 1, 2020 3469-3477*

Photonic RF Arbitrary Waveform Generator Based on a Soliton Crystal Micro-Comb Source. *Tan, M.*, +, *JLT Nov. 15, 2020 6221-6226*

Predicting Kerr Soliton Combs in Microresonators via Deep Neural Networks. *Tan, T.*, +, *JLT Dec. 1, 2020 6591-6599*

Switchable All-Optical Flip-Flop and Inverter Operations in Quantum Well Microring Laser. *Aoki, R.*, +, *JLT Aug. 1, 2020 3950-3958*

Theory of Coupled Harmonics and Its Application to Resonant and Non-Resonant Electro-Optic Modulators. *Bahadori, M.*, +, *JLT Oct. 15, 2020 5756-5767*

Ultra-High Sensitive Quasi-Distributed Acoustic Sensor Based on Coherent OTDR and Cylindrical Transducer. *Li, H.*, +, *JLT Feb. 15, 2020 929-938*

Ultrasound Measurement Using On-Chip Optical Micro-Resonators and Digital Optical Frequency Comb. *Song, J.*, +, *JLT Oct. 1, 2020 5293-5301*

Unclad Microphotonics for Terahertz Waveguides and Systems. *Headland, D.*, +, *JLT Dec. 15, 2020 6853-6862*

Vertically Coupled InP/InGaAsP Microring Lasers Using a Single Epitaxial Growth and Single-Side Lithography. *Lopez, O.G.*, +, *JLT Aug. 1, 2020 3983-3987*

Micro-optomechanical devices

- A Laser Written 4D Optical Microcavity for Advanced Biochemical Sensing in Aqueous Environment. *Saetchnikov, A.V.*, +, *JLT April 15, 2020 2530-2538*
- Femtosecond Laser-Inscribed Non-Volatile Integrated Optical Switch in Fused Silica Based on Microfluidics-Controlled Total Internal Reflection. *Radosavljevic, A.*, +, *JLT Aug. 1, 2020 3965-3973*
- Logic Gates Based on Interaction of Counterpropagating Light in Microresonators. *Moroney, N.*, +, *JLT March 15, 2020 1414-1419*
- On-Chip Optical Microresonators With High Electro-Optic Tuning Efficiency. *Wang, T.*, +, *JLT April 1, 2020 1851-1857*
- Opto-Mechanical Lab-on-Fiber Accelerometers. *Bruno, F.A.*, +, *JLT April 1, 2020 1998-2009*
- Packaged Microbubble Resonator for Versatile Optical Sensing. *Yang, D.*, +, *JLT Aug. 15, 2020 4555-4559*
- Parity-Time Symmetry in a Single-Loop Photonic System. *Fan, Z.*, +, *JLT Aug. 1, 2020 3866-3873*
- Polymer-Coated Hollow Fiber Optofluidic Laser for Refractive Index Sensing. *Zhao, X.*, +, *JLT March 15, 2020 1550-1556*
- Silicon-Based Flexible-Grid Mode- and Wavelength-Selective Switch Utilizing Microring Resonators and Y-Junctions. *Chen, W.*, +, *JLT Aug. 1, 2020 4000-4008*

Microcavities

- A Laser Written 4D Optical Microcavity for Advanced Biochemical Sensing in Aqueous Environment. *Saetchnikov, A.V.*, +, *JLT April 15, 2020 2530-2538*
- All-Optical Spiking Neuron Based on Passive Microresonator. *Xiang, J.*, +, *JLT Aug. 1, 2020 4019-4029*
- Controlling Resonance Lineshapes of a Side-Coupled Waveguide-Microring Resonator. *Fang, L.*, +, *JLT Aug. 15, 2020 4429-4434*
- Effects of Shallow Suspension in Low-Loss Waveguide-Integrated Chalcogenide Microdisk Resonators. *Zhu, Y.*, +, *JLT Sept. 1, 2020 4817-4823*
- Logic Gates Based on Interaction of Counterpropagating Light in Microresonators. *Moroney, N.*, +, *JLT March 15, 2020 1414-1419*
- Noise-Induced Limits of Detection in Frequency Locked Optical Microcavities. *Hao, S.*, +, *JLT Nov. 15, 2020 6393-6401*
- On-Chip Optical Microresonators With High Electro-Optic Tuning Efficiency. *Wang, T.*, +, *JLT April 1, 2020 1851-1857*
- Packaged Microbubble Resonator for Versatile Optical Sensing. *Yang, D.*, +, *JLT Aug. 15, 2020 4555-4559*
- Performance Requirements for Terabit-Class Silicon Photonic Links Based on Cascaded Microring Resonators. *London, Y.*, +, *JLT July 1, 2020 3469-3477*
- Polymer-Coated Hollow Fiber Optofluidic Laser for Refractive Index Sensing. *Zhao, X.*, +, *JLT March 15, 2020 1550-1556*
- Sensing Enhancement at an Exceptional Point in a Nonreciprocal Fiber Ring Cavity. *Wang, H.*, +, *JLT April 15, 2020 2511-2515*
- Silicon-Based Flexible-Grid Mode- and Wavelength-Selective Switch Utilizing Microring Resonators and Y-Junctions. *Chen, W.*, +, *JLT Aug. 1, 2020 4000-4008*
- Theory of Coupled Harmonics and Its Application to Resonant and Non-Resonant Electro-Optic Modulators. *Bahadori, M.*, +, *JLT Oct. 15, 2020 5756-5767*
- Transmission Characteristics and Fano-Like Lineshape in Coupled-Slotted Microresonators. *Ding, M.*, +, *JLT July 15, 2020 3687-3693*
- Ultrasound Measurement Using On-Chip Optical Micro-Resonators and Digital Optical Frequency Comb. *Song, J.*, +, *JLT Oct. 1, 2020 5293-5301*

Microcavity lasers

- All-Optical Switching and Multiple Logic Gates Based on Hybrid Square-Rectangular Laser. *Liu, J.*, +, *JLT March 15, 2020 1382-1390*
- An Experimental and Theoretical Investigation of a 2 μm Wavelength Low-Threshold Microsphere Laser. *Yu, J.*, +, *JLT April 1, 2020 1880-1886*
- Demonstration of Low-Threshold and Directly Modulated Grating-Assisted Microcylinder Surface-Emitting Lasers. *Ma, X.*, +, *JLT Sept. 1, 2020 4772-4779*

Microfabrication

- Optical Free-Form Couplers for High-density Integrated Photonics (OFF-CHIP): A Universal Optical Interface. *Yu, S.*, +, *JLT July 1, 2020 3358-3365*

Microfluidics

- Femtosecond Laser-Inscribed Non-Volatile Integrated Optical Switch in Fused Silica Based on Microfluidics-Controlled Total Internal Reflection. *Radosavljevic, A.*, +, *JLT Aug. 1, 2020 3965-3973*
- Packaged Microbubble Resonator for Versatile Optical Sensing. *Yang, D.*, +, *JLT Aug. 15, 2020 4555-4559*
- Polymer-Coated Hollow Fiber Optofluidic Laser for Refractive Index Sensing. *Zhao, X.*, +, *JLT March 15, 2020 1550-1556*
- Vertical-Fluid-Array-Induced Optical Microfiber Long-Period Grating (VIOLIN) Refractometer. *Ran, Y.*, +, *JLT April 15, 2020 2434-2440*

Micromachining

- All-Sapphire Miniature Optical Fiber Tip Sensor for High Temperature Measurement. *Yang, S.*, +, *JLT April 1, 2020 1988-1997*
- Fabrication and Characterization of Femtosecond Laser Induced Microwave Frequency Photonic Fiber Grating. *Cheng, B.*, +, *JLT Oct. 1, 2020 5286-5292*

Micromechanical resonators

- A Laser Written 4D Optical Microcavity for Advanced Biochemical Sensing in Aqueous Environment. *Saetchnikov, A.V.*, +, *JLT April 15, 2020 2530-2538*
- All-Optical Spiking Neuron Based on Passive Microresonator. *Xiang, J.*, +, *JLT Aug. 1, 2020 4019-4029*
- Broadband Photonic RF Channelizer With 92 Channels Based on a Soliton Crystal Microcomb. *Xu, X.*, +, *JLT Sept. 15, 2020 5116-5121*
- Logic Gates Based on Interaction of Counterpropagating Light in Microresonators. *Moroney, N.*, +, *JLT March 15, 2020 1414-1419*
- On-Chip Optical Microresonators With High Electro-Optic Tuning Efficiency. *Wang, T.*, +, *JLT April 1, 2020 1851-1857*
- Opto-Mechanical Lab-on-Fiber Accelerometers. *Bruno, F.A.*, +, *JLT April 1, 2020 1998-2009*
- Parity-Time Symmetry in a Single-Loop Photonic System. *Fan, Z.*, +, *JLT Aug. 1, 2020 3866-3873*
- Polymer-Coated Hollow Fiber Optofluidic Laser for Refractive Index Sensing. *Zhao, X.*, +, *JLT March 15, 2020 1550-1556*
- Quartz-Enhanced Photoacoustic Spectroscopy Based on the Four-Off-Beam Acoustic Micro-Resonator. *Wang, Z.*, +, *JLT Sept. 15, 2020 5212-5218*
- Silicon-Based Flexible-Grid Mode- and Wavelength-Selective Switch Utilizing Microring Resonators and Y-Junctions. *Chen, W.*, +, *JLT Aug. 1, 2020 4000-4008*
- Transmission Characteristics and Fano-Like Lineshape in Coupled-Slotted Microresonators. *Ding, M.*, +, *JLT July 15, 2020 3687-3693*
- Ultrasound Measurement Using On-Chip Optical Micro-Resonators and Digital Optical Frequency Comb. *Song, J.*, +, *JLT Oct. 1, 2020 5293-5301*

Micromirrors

- Mirror-Based Broadband Silicon-Photonics Vertical I/O With Coupling Efficiency Enhancement for Standard Single-Mode Fiber. *Noriki, A.*, +, *JLT June 15, 2020 3147-3155*

Microphones

- Ultra-High Sensitive Quasi-Distributed Acoustic Sensor Based on Coherent OTDR and Cylindrical Transducer. *Li, H.*, +, *JLT Feb. 15, 2020 929-938*

Microprocessor chips

- A Novel Virtual-Cluster Based Architecture of Double-Layer Optical Networks-on-Chip. *Su, Y.*, +, *JLT July 15, 2020 3553-3562*
- Miniaturized Silicon Photonics Devices for Integrated Optical Signal Processors. *Teng, M.*, +, *JLT Jan. 1, 2020 6-17*

Microsensors

- A Laser Written 4D Optical Microcavity for Advanced Biochemical Sensing in Aqueous Environment. *Saetchnikov, A.V.*, +, *JLT April 15, 2020 2530-2538*
- High-Resolution Optical Microresonator-Based Sensor Enabled by Microwave Photonic Sidebands Processing. *Tian, X.*, +, *JLT Oct. 1, 2020 5440-5449*
- Microcapillary-Based Integrated LSPR Device for Refractive Index Detection and Biosensing. *Chen, S.*, +, *JLT April 15, 2020 2485-2492*

- Optimization of SERS Sensing With Micro-Lensed Optical Fibers and Au Nano-Film. *Milenko, K.*, +, *JLT April 1, 2020 2081-2085*
- Polymer-Coated Hollow Fiber Optofluidic Laser for Refractive Index Sensing. *Zhao, X.*, +, *JLT March 15, 2020 1550-1556*
- Quartz-Enhanced Photoacoustic Spectroscopy Based on the Four-Off-Beam Acoustic Micro-Resonator. *Wang, Z.*, +, *JLT Sept. 15, 2020 5212-5218*
- Ultra-High Sensitive Quasi-Distributed Acoustic Sensor Based on Coherent OTDR and Cylindrical Transducer. *Li, H.*, +, *JLT Feb. 15, 2020 929-938*
- Ultrasound Measurement Using On-Chip Optical Micro-Resonators and Digital Optical Frequency Comb. *Song, J.*, +, *JLT Oct. 1, 2020 5293-5301*
- Microstrip antenna arrays**
- A Full Field-of-View Self-Steering Beamformer for 5G mm-Wave Fiber-Wireless Mobile Fronthaul. *Huang, M.*, +, *JLT March 15, 2020 1221-1229*
- Microwave amplifiers**
- Experimental Characterization of Nonlinear Distortions of Semiconductor Optical Amplifiers in the WDM Regime. *Arnould, A.*, +, *JLT Jan. 15, 2020 509-513*
- Microwave detectors**
- Microwave Device Inspired by Fiber-Optic Extrinsic Fabry-Perot Interferometer: A Novel Ultra-Sensitive Sensing Platform. *Zhu, C.*, +, *JLT Dec. 15, 2020 6961-6966*
- Microwave filters**
- Demonstration of a Sub-GHz Flat-Top Comb-Based RF-Photonic Filter Enabled by Fourth-Order Dispersion Compensation. *Serahati, Z.*, +, *JLT March 15, 2020 1194-1201*
- Frequency-Tunable Parity-Time-Symmetric Optoelectronic Oscillator Using a Polarization-Dependent Sagnac Loop. *Dai, Z.*, +, *JLT Oct. 1, 2020 5327-5332*
- Microwave Filtering Using Forward Brillouin Scattering in Photonic-Phononic Emit-Receive Devices. *Gertler, S.*, +, *JLT Oct. 1, 2020 5248-5261*
- Optical Spectral Slicing Based Reconfigurable and Tunable Microwave Photonic Filter. *Liu, L.*, +, *JLT Oct. 1, 2020 5492-5499*
- Passband-Switchable and Frequency-Tunable Dual-Passband Microwave Photonic Filter. *Jiao, Z.*, +, *JLT Oct. 1, 2020 5333-5338*
- Performance Enhancement of Optical Comb Based Microwave Photonic Filter by Machine Learning Technique. *Shiu, R.*, +, *JLT Oct. 1, 2020 5302-5310*
- Photonics-Assisted Frequency Up/Down Conversion With Tunable OEO and Phase Shift. *Yang, F.*, +, *JLT Dec. 1, 2020 6446-6457*
- Truly Distributed and Ultra-Fast Microwave Photonic Fiber-Optic Sensor. *Zhou, D.*, +, *JLT Aug. 1, 2020 4150-4159*
- Tunable THz Signal Generation and Radio-Over-Fiber Link Based on an Optoelectronic Oscillator-Driven Optical Frequency Comb. *Hasanuz-zaman, G.K.M.*, +, *JLT Oct. 1, 2020 5240-5247*
- Microwave generation**
- High-Power Microwave Generation Through Distributed Optical Amplification Into a Photodiode Array on an Open Indium Phosphide Platform. *Tonning, P.L.*, +, *JLT Oct. 1, 2020 5526-5535*
- Photonics Generation of Pulsed Arbitrary-Phase-Coded Microwave Signals Based on the Conversion Between Intensity Modulation and Phase Modulation. *Song, C.*, +, *JLT March 15, 2020 1243-1249*
- Polarization Manipulated Fourier Domain Mode-Locked Optoelectronic Oscillator. *Zhu, S.*, +, *JLT Oct. 1, 2020 5270-5277*
- Reconfigurable Identical and Complementary Chirp Dual-LFM Signal Generation Subjected to Dual-Beam Injection in a DFB Laser. *Chen, H.*, +, *JLT Oct. 1, 2020 5500-5508*
- Microwave imaging**
- All-Optical and Broadband Microwave Image-Reject Receiver Based on Phase Modulation and I/Q Balanced Detection. *Kang, B.*, +, *JLT Nov. 1, 2020 5962-5972*
- Guest Editorial Special Issue on Microwave Photonics. *Chen, L.R.*, +, *JLT Oct. 1, 2020 5238-5239*
- Microwave measurement**
- Measurement of Instantaneous Microwave Frequency by Optical Power Monitoring Based on Polarization Interference. *Li, J.*, +, *JLT April 15, 2020 2285-2291*
- Photonics-Based CW/Pulsed Microwave Signal AOA Measurement System. *Chen, H.*, +, *JLT April 15, 2020 2292-2298*
- Microwave mixers**
- High-Performance Fully Integrated Silicon Photonic Microwave Mixer Subsystems. *Bottenfield, C.G.*, +, *JLT Oct. 1, 2020 5536-5545*
- Microwave oscillators**
- A Computationally Efficient Integrated Coupled Opto-Electronic Oscillator Model. *Nielsen, L.*, +, *JLT Oct. 1, 2020 5430-5439*
- A Theoretical and Experimental Study of Injection-Locking and Injection-Pulling for Optoelectronic Oscillators Under Radio Frequency Signal Injection. *Banerjee, A.*, +, *JLT March 15, 2020 1210-1220*
- Frequency-Tunable Parity-Time-Symmetric Optoelectronic Oscillator Using a Polarization-Dependent Sagnac Loop. *Dai, Z.*, +, *JLT Oct. 1, 2020 5327-5332*
- Hybrid Frequency-Tunable Parity-Time Symmetric Optoelectronic Oscillator. *Fan, Z.*, +, *JLT April 15, 2020 2127-2133*
- Self-Forced Opto-Electronic Oscillators Using Sagnac-Loop PM-IM Converter. *Wei, K.*, +, *JLT Oct. 1, 2020 5278-5285*
- Wideband Frequency-Tunable Parity-Time Symmetric Optoelectronic Oscillator Based on Hybrid Phase and Intensity Modulations. *Teng, C.*, +, *JLT Oct. 1, 2020 5406-5411*
- Microwave phase shifters**
- Broadband Brillouin Phase Shifter Utilizing RF Interference: Experimental Demonstration and Theoretical Analysis. *McKay, L.*, +, *JLT July 15, 2020 3624-3636*
- Microwave photonics**
- 36 Gb/s Narrowband Photoreceiver for mmWave Analog Radio-Over-Fiber. *Bogaert, L.*, +, *JLT June 15, 2020 3289-3295*
- A Computationally Efficient Integrated Coupled Opto-Electronic Oscillator Model. *Nielsen, L.*, +, *JLT Oct. 1, 2020 5430-5439*
- A Full Field-of-View Self-Steering Beamformer for 5G mm-Wave Fiber-Wireless Mobile Fronthaul. *Huang, M.*, +, *JLT March 15, 2020 1221-1229*
- A Photonic-Based Wideband RF Self-Interference Cancellation Approach With Fiber Dispersion Immunity. *Chen, Y.*, *JLT Sept. 1, 2020 4618-4624*
- A Precisely Frequency-Tunable Parity-Time-Symmetric Optoelectronic Oscillator. *Ding, Q.*, +, *JLT Dec. 1, 2020 6569-6577*
- A Theoretical and Experimental Study of Injection-Locking and Injection-Pulling for Optoelectronic Oscillators Under Radio Frequency Signal Injection. *Banerjee, A.*, +, *JLT March 15, 2020 1210-1220*
- Active Terahertz Anisotropy and Dispersion Engineering Based on Dual-Frequency Liquid Crystal and Dielectric Metasurface. *Ji, Y.*, +, *JLT Aug. 1, 2020 4030-4036*
- All-Optical and Broadband Microwave Image-Reject Receiver Based on Phase Modulation and I/Q Balanced Detection. *Kang, B.*, +, *JLT Nov. 1, 2020 5962-5972*
- Broadband Brillouin Phase Shifter Utilizing RF Interference: Experimental Demonstration and Theoretical Analysis. *McKay, L.*, +, *JLT July 15, 2020 3624-3636*
- Broadband Cognitive Radio Enabled by Photonics. *Zhu, D.*, +, *JLT June 15, 2020 3076-3088*
- Broadband Microwave Frequency Conversion Based on an Integrated Optical Micro-Comb Source. *Xu, X.*, +, *JLT Jan. 15, 2020 332-338*
- Broadband Photonic RF Channelizer With 92 Channels Based on a Soliton Crystal Microcomb. *Xu, X.*, +, *JLT Sept. 15, 2020 5116-5121*
- Coherent Dual-Band Radar-Over-Fiber Network With VCSEL-Based Signal Distribution. *Malacarne, A.*, +, *JLT Nov. 15, 2020 6257-6264*
- Coherent Ultra-Dense WDM-PON Enabled by Complexity-Reduced Digital Transceivers. *Tabares, J.A.*, +, *JLT March 15, 2020 1305-1313*
- Compensation of Multicore Fiber Skew Effects for Radio Over Fiber mmWave Antenna Beamforming. *Nikas, T.*, +, *JLT April 1, 2020 1644-1650*
- Demonstration of a Sub-GHz Flat-Top Comb-Based RF-Photonic Filter Enabled by Fourth-Order Dispersion Compensation. *Serahati, Z.*, +, *JLT March 15, 2020 1194-1201*
- Distributed Antenna System Using Sigma-Delta Intermediate-Frequency-Over-Fiber for Frequency Bands Above 24 GHz. *Wu, C.*, +, *JLT May 15, 2020 2765-2773*

- Enhanced Kramers-Kronig Single-Sideband Receivers. *Lowery, A.J.*, +, *JLT June 15, 2020 3229-3237*
- Experimental Demonstration of Single Sideband Modulation Utilizing Monolithic Integrated Injection Locked DFB Laser. *Zhang, Y.*, +, *JLT April 1, 2020 1809-1816*
- Fabrication and Characterization of Femtosecond Laser Induced Microwave Frequency Photonic Fiber Grating. *Cheng, B.*, +, *JLT Oct. 1, 2020 5286-5292*
- Frequency- and Time-Domain Modeling and Characterization of PN Phase Shifters in All-Silicon Carrier-Depletion Modulators. *Wang, J.*, +, *JLT Aug. 15, 2020 4462-4469*
- Frequency-Tunable Parity-Time-Symmetric Optoelectronic Oscillator Using a Polarization-Dependent Sagnac Loop. *Dai, Z.*, +, *JLT Oct. 1, 2020 5327-5332*
- Group Delay-Based Wideband Photonic Receive-Mode Radio-Frequency Beamforming. *Mondich, M.J.*, +, *JLT Nov. 1, 2020 5893-5907*
- Guest Editorial Special Issue on Microwave Photonics. *Chen, L.R.*, +, *JLT Oct. 1, 2020 5238-5239*
- High Power Efficiency and Dynamic Range Analog Photonic Link with Suppressed Dispersion-Induced Power Fading. *Bai, Y.*, +, *JLT Nov. 1, 2020 5973-5980*
- High-Linearity Fano Resonance Modulator Using a Microring-Assisted Mach-Zehnder Structure. *Chen, S.*, +, *JLT July 1, 2020 3395-3403*
- High-Performance Fully Integrated Silicon Photonic Microwave Mixer Subsystems. *Bottenfield, C.G.*, +, *JLT Oct. 1, 2020 5536-5545*
- High-Power Microwave Generation Through Distributed Optical Amplification Into a Photodiode Array on an Open Indium Phosphide Platform. *Tonning, P.L.*, +, *JLT Oct. 1, 2020 5526-5535*
- High-Resolution Optical Microresonator-Based Sensor Enabled by Microwave Photonic Sidebands Processing. *Tian, X.*, +, *JLT Oct. 1, 2020 5440-5449*
- High-Speed and Cost-Effective Reflective Terahertz Imaging System Using a Novel 2D Beam Scanner. *Lee, E.S.*, +, *JLT Aug. 15, 2020 4237-4243*
- High-Speed and High-Resolution Microwave Photonic Interrogation of a Fiber-Optic Refractometer With Plasmonic Spectral Comb. *Wang, G.*, +, *JLT April 1, 2020 2073-2080*
- Hybrid Fiber-Optic Radio Frequency and Optical Frequency Dissemination With a Single Optical Actuator and Dual-Optical Phase Stabilization. *Tian, X.*, +, *JLT Aug. 15, 2020 4270-4278*
- Hybrid Frequency-Tunable Parity-Time Symmetric Optoelectronic Oscillator. *Fan, Z.*, +, *JLT April 15, 2020 2127-2133*
- Improved RF Interference Suppression Method. *Ackerman, E.I.*, +, *JLT Oct. 1, 2020 5546-5550*
- Integrated Wavelength-Tuned Optical mm-Wave Beamformer With Doubled Delay Resolution. *Zhang, X.*, +, *JLT April 15, 2020 2353-2359*
- Measurement of Instantaneous Microwave Frequency by Optical Power Monitoring Based on Polarization Interference. *Li, J.*, +, *JLT April 15, 2020 2285-2291*
- Microwave Source Based on InP DFB / Si₃N₄ Microring Butt-Coupling. *Boust, S.*, +, *JLT Oct. 1, 2020 5517-5525*
- Microwave Device Inspired by Fiber-Optic Extrinsic Fabry-Perot Interferometer: A Novel Ultra-Sensitive Sensing Platform. *Zhu, C.*, +, *JLT Dec. 15, 2020 6961-6966*
- Microwave Filtering Using Forward Brillouin Scattering in Photonic-Photonic Emit-Receive Devices. *Gertler, S.*, +, *JLT Oct. 1, 2020 5248-5261*
- Microwave Photonic Imaging Radar With a Sub-Centimeter-Level Resolution. *Ma, C.*, +, *JLT Sept. 15, 2020 4948-4954*
- Microwave Photonic Radars. *Pan, S.*, +, *JLT Oct. 1, 2020 5450-5484*
- Microwave Photonics for Remote Sensing: From Basic Concepts to High-Level Functionalities. *Serafino, G.*, +, *JLT Oct. 1, 2020 5339-5355*
- Microwave Pulse Generation With a Silicon Dual-Parallel Modulator. *Liu, S.*, +, *JLT April 15, 2020 2134-2143*
- Millimeter-Wave-Band Electro-Optic Modulators Using Antenna-Coupled Electrodes for Microwave Photonic Applications. *Murata, H.*, *JLT Oct. 1, 2020 5485-5491*
- Multi-Beamforming Provided by Dual-Wavelength True Time Delay PIC and Multicore Fiber. *Morant, M.*, +, *JLT Oct. 1, 2020 5311-5317*
- Multi-FSR Silicon Photonic Flex-LIONS Module for Bandwidth-Reconfigurable All-to-All Optical Interconnects. *Xiao, X.*, +, *JLT June 15, 2020 3200-3208*
- Nonlinear Characteristics of Uni-Travelling Carrier Photodiode With InGaAs/GaAsSb Type-II Multiple Quantum Wells Absorber. *Chen, Y.*, +, *JLT Sept. 1, 2020 4867-4873*
- Optical Spectral Slicing Based Reconfigurable and Tunable Microwave Photonic Filter. *Liu, L.*, +, *JLT Oct. 1, 2020 5492-5499*
- Oscilloscopic Capture of Greater-Than-100 GHz, Ultra-Low Power Optical Waveforms Enabled by Integrated Electrooptic Devices. *Wang, X.*, +, *JLT Jan. 1, 2020 166-173*
- Parity-Time Symmetry in a Single-Loop Photonic System. *Fan, Z.*, +, *JLT Aug. 1, 2020 3866-3873*
- Passband-Switchable and Frequency-Tunable Dual-Passband Microwave Photonic Filter. *Jiao, Z.*, +, *JLT Oct. 1, 2020 5333-5338*
- Performance Enhancement of Optical Comb Based Microwave Photonic Filter by Machine Learning Technique. *Shiu, R.*, +, *JLT Oct. 1, 2020 5302-5310*
- Period-One Microwave Photonic Sensing by a Laser Diode With Optical Feedback. *Nie, B.*, +, *JLT Oct. 1, 2020 5423-5429*
- Photonic Assisted Radio-Frequency Interference Mitigation. *Urlick, V.J.*, +, *JLT March 15, 2020 1268-1274*
- Photonic RF Arbitrary Waveform Generator Based on a Soliton Crystal Micro-Comb Source. *Tan, M.*, +, *JLT Nov. 15, 2020 6221-6226*
- Photonic RF Phase-Encoded Signal Generation With a Microcomb Source. *Xu, X.*, +, *JLT April 1, 2020 1722-1727*
- Photonic-Assisted Filter-Free Microwave Doppler Frequency Shift Measurement Using a Fixed Low-Frequency Reference Signal. *Zuo, P.*, +, *JLT Aug. 15, 2020 4333-4340*
- Photonic-Assisted Leakage Cancellation for Wideband Frequency Modulation Continuous-Wave Radar Transceiver. *Li, P.*, +, *JLT March 15, 2020 1178-1183*
- Photonic-Assisted Regenerative Microwave Frequency Divider With a Tunable Division Factor. *Duan, S.*, +, *JLT Oct. 1, 2020 5509-5516*
- Photonic-Assisted RF Self-Interference Cancellation With Improved Spectrum Efficiency and Fiber Transmission Capability. *Chen, Y.*, +, *JLT Feb. 15, 2020 761-768*
- Photonics Generation of Pulsed Arbitrary-Phase-Coded Microwave Signals Based on the Conversion Between Intensity Modulation and Phase Modulation. *Song, C.*, +, *JLT March 15, 2020 1243-1249*
- Photonics-Aided Millimeter-Wave Technologies for Extreme Mobile Broadband Communications in 5G. *Li, X.*, +, *JLT Jan. 15, 2020 366-378*
- Photonics-Assisted Frequency Up/Down Conversion With Tunable OEO and Phase Shift. *Yang, F.*, +, *JLT Dec. 1, 2020 6446-6457*
- Photonics-Based CW/Pulsed Microwave Signal AOA Measurement System. *Chen, H.*, +, *JLT April 15, 2020 2292-2298*
- Photonics-Based Real-Time Spectrogram Analysis of Broadband Waveforms. *Konatham, S.R.*, +, *JLT Oct. 1, 2020 5356-5367*
- Polarization Manipulated Fourier Domain Mode-Locked Optoelectronic Oscillator. *Zhu, S.*, +, *JLT Oct. 1, 2020 5270-5277*
- Quantum Noise-Assisted Coherent Radio-Over-Fiber Cipher System for Secure Optical Fronthaul and Microwave Wireless Links. *Tanizawa, K.*, +, *JLT Aug. 15, 2020 4244-4249*
- Repetition-Frequency-Doubled Transform-Limited Optical Pulse Generation Based on Silicon Modulators. *Liu, S.*, +, *JLT Nov. 15, 2020 6299-6311*
- Self-Forced Opto-Electronic Oscillators Using Sagnac-Loop PM-IM Converter. *Wei, K.*, +, *JLT Oct. 1, 2020 5278-5285*
- Simultaneous Radar Detection and Frequency Measurement by Broadband Microwave Photonic Processing. *Shi, J.*, +, *JLT April 15, 2020 2171-2179*
- Sub-Nyquist Ultra-Wideband Sparse Signal Reception via Variable Frequency Comb. *Hu, H.*, +, *JLT Sept. 1, 2020 4625-4631*
- Terahertz Bragg Resonator Based on a Mechanical Assembly of Metal Grating and Metal Waveguide. *You, B.*, +, *JLT July 15, 2020 3701-3709*
- Time-Stretched Femtosecond Lidar Using Microwave Photonic Signal Processing. *Zhao, L.*, +, *JLT Nov. 15, 2020 6265-6271*
- Towards a Scaleable 5G Fronthaul: Analog Radio-over-Fiber and Space Division Multiplexing. *Rommel, S.*, +, *JLT Oct. 1, 2020 5412-5422*

True-Time Delay Line Based on Dispersion-Flattened 19-Core Photonic Crystal Fiber. *Shaheen, S.*, +, *JLT Nov. 15, 2020 6237-6246*

Truly Distributed and Ultra-Fast Microwave Photonic Fiber-Optic Sensor. *Zhou, D.*, +, *JLT Aug. 1, 2020 4150-4159*

Tunable THz Signal Generation and Radio-Over-Fiber Link Based on an Optoelectronic Oscillator-Driven Optical Frequency Comb. *Hasanuzzaman, G.K.M.*, +, *JLT Oct. 1, 2020 5240-5247*

Ultrahigh-Resolution Optoelectronic Vector Analysis Utilizing Photonics-Based Frequency Up- and Down-Conversions. *Xue, M.*, +, *JLT Aug. 1, 2020 3859-3865*

Wideband and Dispersion Immune Microwave Photonic Phase Shifter With Tunable Optical Carrier to Sideband Ratio. *Bai, Y.*, +, *JLT Oct. 1, 2020 5262-5269*

Wideband Dual-Channel Photonic RF Repeater Based on Polarization Division Multiplexing Modulation and Polarization Control. *Shi, F.*, +, *JLT March 15, 2020 1275-1285*

Wideband Frequency-Tunable Parity-Time Symmetric Optoelectronic Oscillator Based on Hybrid Phase and Intensity Modulations. *Teng, C.*, +, *JLT Oct. 1, 2020 5406-5411*

Wideband Microwave Frequency Distribution for Multi-Access Along a Single Fiber Link. *Zhang, H.*, +, *JLT April 1, 2020 1688-1692*

Millimeter wave resonators

Microwave Device Inspired by Fiber-Optic Extrinsic Fabry-Perot Interferometer: A Novel Ultra-Sensitive Sensing Platform. *Zhu, C.*, +, *JLT Dec. 15, 2020 6961-6966*

Millimeter wave antenna arrays

Distributed Antenna System Using Sigma-Delta Intermediate-Frequency-Over-Fiber for Frequency Bands Above 24 GHz. *Wu, C.*, +, *JLT May 15, 2020 2765-2773*

Multi-User V-Band Uplink Using a Massive MIMO Antenna and a Fiber-Wireless IFoF Fronthaul for 5G mmWave Small-Cells. *Ruggeri, E.*, +, *JLT Oct. 1, 2020 5368-5374*

Towards a Scaleable 5G Fronthaul: Analog Radio-over-Fiber and Space Division Multiplexing. *Rommel, S.*, +, *JLT Oct. 1, 2020 5412-5422*

Millimeter wave communication

36 Gb/s Narrowband Photoreceiver for mmWave Analog Radio-Over-Fiber. *Bogaert, L.*, +, *JLT June 15, 2020 3289-3295*

Demonstration of Pattern Division Multiple Access With Message Passing Algorithm for Multi-Channel mmWave Uplinks via RoF Mobile Fronthaul. *Shen, S.*, +, *JLT Nov. 1, 2020 5908-5915*

Distributed Antenna System Using Sigma-Delta Intermediate-Frequency-Over-Fiber for Frequency Bands Above 24 GHz. *Wu, C.*, +, *JLT May 15, 2020 2765-2773*

Entropy Allocation Optimization for PS-OFDM With Constellation Partitioning Based Modeling. *Zhang, R.*, +, *JLT Nov. 1, 2020 6024-6030*

High-Speed Railway Communication System Using Linear-Cell-Based Radio-Over-Fiber Network and Its Field Trial in 90-GHz Bands. *Kanno, A.*, +, *JLT Jan. 1, 2020 112-122*

MIMO-Supporting Radio-Over-Fiber System and its Application in mmWave-Based Indoor 5G Mobile Network. *Kim, J.*, +, *JLT Jan. 1, 2020 101-111*

Photonics-Aided Millimeter-Wave Technologies for Extreme Mobile Broadband Communications in 5G. *Li, X.*, +, *JLT Jan. 15, 2020 366-378*

Rate Redundancy and Entropy Allocation for PAS-OFDM Based Mobile Fronthaul. *Zhang, R.*, +, *JLT Aug. 15, 2020 4260-4269*

Towards a Scaleable 5G Fronthaul: Analog Radio-over-Fiber and Space Division Multiplexing. *Rommel, S.*, +, *JLT Oct. 1, 2020 5412-5422*

Millimeter wave detectors

High-Power and High-Linearity Photodiodes at 1064 nm. *Peng, Y.*, +, *JLT Sept. 1, 2020 4850-4856*

Millimeter wave devices

Millimeter-Wave-Band Electro-Optic Modulators Using Antenna-Coupled Electrodes for Microwave Photonic Applications. *Murata, H.*, *JLT Oct. 1, 2020 5485-5491*

Millimeter wave generation

Suppression of Relative Intensity and Mode Partition Noises in Orthogonally Polarized Dual-Wavelength VCSEL. *Wang, H.*, +, *JLT Dec. 1, 2020 6612-6622*

Towards a Scaleable 5G Fronthaul: Analog Radio-over-Fiber and Space Division Multiplexing. *Rommel, S.*, +, *JLT Oct. 1, 2020 5412-5422*

Millimeter wave oscillators

Broadband Microwave Frequency Conversion Based on an Integrated Optical Micro-Comb Source. *Xu, X.*, +, *JLT Jan. 15, 2020 332-338*

MIMO communication

402.7-Tb/s MDM-WDM Transmission Over Weakly Coupled 10-Mode Fiber Using Rate-Adaptive PS-16QAM Signals. *Beppu, S.*, +, *JLT May 15, 2020 2835-2841*

A Full Field-of-View Self-Steering Beamformer for 5G mm-Wave Fiber-Wireless Mobile Fronthaul. *Huang, M.*, +, *JLT March 15, 2020 1221-1229*

A General Orthogonal Transform Aided MIMO Design for Reliable Maritime Visible Light Communications. *Huang, G.*, +, *JLT Dec. 1, 2020 6549-6560*

Bend-Insensitive Grapefruit-Type Holey Ring-Core Fiber for Weakly-Coupled OAM Mode Division Multiplexing Transmission. *Tu, J.*, +, *JLT Aug. 15, 2020 4497-4503*

Complexity Reduction With a Simplified MIMO Volterra Filter for PDM-Twin-SSB PAM-4 Transmission. *Zhu, M.*, +, *JLT Feb. 15, 2020 769-776*

Design Analysis of OAM Fibers Using Particle Swarm Optimization Algorithm. *Chang, J.H.*, +, *JLT Feb. 15, 2020 846-856*

Distributed Multi-User MIMO Transmission Using Real-Time Sigma-Delta-Over-Fiber for Next Generation Fronthaul Interface. *Wu, C.*, +, *JLT Feb. 15, 2020 705-713*

Dual Polarization Full-Field Signal Waveform Reconstruction Using Intensity Only Measurements for Coherent Communications. *Chen, H.*, +, *JLT May 1, 2020 2587-2597*

Impact of Polarization- and Mode-Dependent Gain on the Capacity of Ultra-Long-Haul Systems. *Mello, D.A.A.*, +, *JLT Jan. 15, 2020 303-318*

Long-Haul Mode Multiplexing Transmission Enhanced by Interference Cancellation Techniques Based on Fast MIMO Affine Projection. *Shibahara, K.*, +, *JLT Sept. 15, 2020 4969-4977*

Low-Loss Orbital Angular Momentum Ring-Core Fiber: Design, Fabrication and Characterization. *Wang, H.*, +, *JLT Nov. 15, 2020 6327-6333*

MIMO-Supporting Radio-Over-Fiber System and its Application in mmWave-Based Indoor 5G Mobile Network. *Kim, J.*, +, *JLT Jan. 1, 2020 101-111*

Multi-User V-Band Uplink Using a Massive MIMO Antenna and a Fiber-Wireless IFoF Fronthaul for 5G mmWave Small-Cells. *Ruggeri, E.*, +, *JLT Oct. 1, 2020 5368-5374*

Multisuser Precoded MIMO Visible Light Communication Systems Enabling Spatial Dimming. *Zhao, L.*, +, *JLT Oct. 15, 2020 5624-5634*

RoF-Based Radio Access Network for 5G Mobile Communication Systems in 28 GHz Millimeter-Wave. *Sung, M.*, +, *JLT Jan. 15, 2020 409-420*

Superposed 32QAM Constellation Design for 2 × 2 Spatial Multiplexing MIMO VLC Systems. *Guo, X.*, +, *JLT April 1, 2020 1702-1711*

The Fischer-Snedecor \mathcal{F} -Distribution Model for Turbulence-Induced Fading in Free-Space Optical Systems. *Peppas, K.P.*, +, *JLT March 15, 2020 1286-1295*

The Movement-Rotation (MR) Correlation Function and Coherence Distance of VLC Channels. *Chen, J.*, +, *JLT Dec. 15, 2020 6759-6770*

Unified Performance Analysis of Hybrid FSO/RF System With Diversity Combining. *Huang, L.*, +, *JLT Dec. 15, 2020 6788-6800*

MIMO radar

Coherent Dual-Band Radar-Over-Fiber Network With VCSEL-Based Signal Distribution. *Malacarne, A.*, +, *JLT Nov. 15, 2020 6257-6264*

Microwave Photonics for Remote Sensing: From Basic Concepts to High-Level Functionalities. *Serafino, G.*, +, *JLT Oct. 1, 2020 5339-5355*

Mining

Monitoring and Characterization of Mining-Induced Overburden Deformation in Physical Modeling With Distributed Optical Fiber Sensing Technology. *Yuan, Q.*, +, *JLT Feb. 15, 2020 881-888*

Minority carriers

Theoretical Study on the Effects of Dislocations in Monolithic III-V Lasers on Silicon. *Hantschmann, C.*, +, *JLT Sept. 1, 2020 4801-4807*

Mirrors

- A Novel Weak-Scattering Michelson Interferometer Based on PBS for Long-Distance Disturbance Localization. *Song, Q.*, +, *JLT March 15, 2020 1543-1549*
- Bragg Reflection and Conversion Between Helical Bloch Modes in Chiral Three-Core Photonic Crystal Fiber. *Loranger, S.*, +, *JLT Aug. 1, 2020 4100-4107*
- Compact and Fabrication-Tolerant Waveguide Bends Based on Quadratic Reflectors. *Yu, S.*, +, *JLT Aug. 15, 2020 4368-4373*
- Dispersion-Managed Fiber Echo State Network Analogue With High (Including THz) Bandwidth. *Sorokina, M.*, *JLT June 15, 2020 3209-3213*
- Excess Relative-Intensity-Noise Reduction in a Fiber Optic Gyroscope Using a Faraday Rotator Mirror. *Zheng, Y.*, +, *JLT Dec. 15, 2020 6939-6947*
- Long-Length and Thermally Stable High-Finesse Fabry-Perot Interferometers Made of Hollow Core Optical Fiber. *Ding, M.*, +, *JLT April 15, 2020 2423-2427*
- Low-Voltage, Coupled Multiple Quantum Well Electroreflective Modulators Towards Ultralow Power Inter-Chip Optical Interconnects. *Wang, X.*, +, *JLT July 1, 2020 3414-3421*
- Nonlinear Absorbing-Loop Mirror in a Holmium-Doped Fiber Laser. *Zhao, J.*, +, *JLT Nov. 1, 2020 6069-6075*

MISO communication

- Distributed Antenna System Using Sigma-Delta Intermediate-Frequency-Over-Fiber for Frequency Bands Above 24 GHz. *Wu, C.*, +, *JLT May 15, 2020 2765-2773*

Mobile antennas

- RoF-Based Radio Access Network for 5G Mobile Communication Systems in 28 GHz Millimeter-Wave. *Sung, M.*, +, *JLT Jan. 15, 2020 409-420*

Mobile communication

- Fully Passive User Localization for Beam-Steered High-Capacity Optical Wireless Communication System. *Koonen, T.*, +, *JLT May 15, 2020 2842-2848*

Mobile radio

- Demonstration of Pattern Division Multiple Access With Message Passing Algorithm for Multi-Channel mmWave Uplinks via RoF Mobile Fronthaul. *Shen, S.*, +, *JLT Nov. 1, 2020 5908-5915*
- Spectral Efficiency Comparison Between Analog and Digital RoF for Mobile Fronthaul Transmission Link. *Ji, H.*, +, *JLT Oct. 15, 2020 5617-5623*

Modal analysis

- Modal Analysis of 2-D Material-Based Plasmonic Waveguides by Mixed Spectral Element Method With Equivalent Boundary Condition. *Lin, X.*, +, *JLT July 15, 2020 3677-3686*

Mode-division multiplexing

- 402.7-Tb/s MDM-WDM Transmission Over Weakly Coupled 10-Mode Fiber Using Rate-Adaptive PS-16QAM Signals. *Beppu, S.*, +, *JLT May 15, 2020 2835-2841*
- Adapting Mach-Zehnder Mesh Equalizers in Direct-Detection Mode-Division-Multiplexed Links. *Choutagunta, K.*, +, *JLT Feb. 15, 2020 723-735*
- Bend-Insensitive Grapefruit-Type Holey Ring-Core Fiber for Weakly-Coupled OAM Mode Division Multiplexing Transmission. *Tu, J.*, +, *JLT Aug. 15, 2020 4497-4503*
- Design Analysis of OAM Fibers Using Particle Swarm Optimization Algorithm. *Chang, J.H.*, +, *JLT Feb. 15, 2020 846-856*
- Ultra-Low-Loss Broadband All-Fiber Mode Selective Couplers for MIMO-Less MDM Transmission. *Jiang, S.*, +, *JLT April 15, 2020 2376-2382*

Modulation

- 2000 Serial FBG Sensors Interrogated With a Hybrid CDM-WDM Scheme. *Gotten, M.*, +, *JLT April 15, 2020 2493-2503*
- Corrections to "A Modulation Format Correction Formula for the Gaussian Noise Model in the Presence of Inter-Channel Stimulated Raman Scattering". *Semrau, D.*, +, *JLT March 15, 2020 1604*

Modulation coding

- Adaptive Coding and Modulation for Robust Optical Access Networks. *Chou, E.S.*, +, *JLT April 15, 2020 2242-2252*
- DFT-Spread DMT-WDM-PON Employing LDPC-Coded Probabilistic Shaping 16 QAM. *Xiao, Q.*, +, *JLT Feb. 15, 2020 714-722*

- LDPC-Coded Probabilistic Shaping PAM4 Based on Many-to-One Mapping in WDM-PON. *He, H.*, +, *JLT Aug. 1, 2020 3918-3925*
- Performance Comparison of Probabilistically Shaped QAM Formats and Hybrid Shaped APSK Formats With Coded Modulation. *Cai, J.*, +, *JLT June 15, 2020 3280-3288*
- Performance-Complexity Tradeoffs of Concatenated FEC for Higher-Order Modulation. *Barakatain, M.*, +, *JLT June 1, 2020 2944-2953*
- Post-FEC BER Benchmarking for Bit-Interleaved Coded Modulation With Probabilistic Shaping. *Yoshida, T.*, +, *JLT Aug. 15, 2020 4292-4306*
- Probabilistically Shaped Rate-Adaptive Polar-Coded 256-QAM WDM Optical Transmission System. *Iqbal, S.*, +, *JLT April 1, 2020 1800-1808*
- Two-Stage Coded Modulation for Hurwitz Constellations in Fiber-Optical Communications. *Frey, F.*, +, *JLT June 15, 2020 3135-3146*

Modulators

- System Optimization of an All-Silicon IQ Modulator: Achieving 100-Gbaud Dual-Polarization 32QAM. *Zhalehpour, S.*, +, *JLT Jan. 15, 2020 256-264*

Molecular biophysics

- An Optical Fiber Immunosensor With a Low Detection Limit Based on Plasmon Coupling Enhancement. *Wang, B.*, +, *JLT July 15, 2020 3781-3788*

Molybdenum compounds

- Design of Wavelength-Adjustable Dual-Narrowband Absorber by Photonic Crystals With Two Defects Containing MoS₂ Monolayer. *Ansari, N.*, +, *JLT Dec. 1, 2020 6678-6684*
- Simultaneous Measurement of Temperature and Relative Humidity Based on a Microfiber Sagnac Loop and MoS₂. *Bai, Y.*, +, *JLT Feb. 15, 2020 840-845*
- Ti₂CT_x (T=O, OH or F) Nanosheets as New Broadband Saturable Absorber for Ultrafast Photonics. *Shi, Y.*, +, *JLT April 1, 2020 1975-1980*

Monolayers

- Design of Wavelength-Adjustable Dual-Narrowband Absorber by Photonic Crystals With Two Defects Containing MoS₂ Monolayer. *Ansari, N.*, +, *JLT Dec. 1, 2020 6678-6684*

Monte Carlo methods

- Analytical Channel Model and Link Design Optimization for Ground-to-HAP Free-Space Optical Communications. *Safi, H.*, +, *JLT Sept. 15, 2020 5036-5047*
- Optimization of Transmitter-Side Signal Rotations in the Presence of Laser Phase Noise. *Alfredsson, A.F.*, +, *JLT Aug. 1, 2020 3850-3858*
- Performance Enhanced 256-QAM BIPCM-DMT System Enabled by CAZAC Precoding. *Ma, J.*, +, *JLT Feb. 1, 2020 557-563*
- Performance Investigation of OAMSK Modulated Wireless Optical System Over Turbulent Ocean Using Convolutional Neural Networks. *Wang, W.*, +, *JLT April 1, 2020 1753-1765*
- The Fischer-Snedecor \mathcal{F} -Distribution Model for Turbulence-Induced Fading in Free-Space Optical Systems. *Peppas, K.P.*, +, *JLT March 15, 2020 1286-1295*
- Unified Performance Analysis of Hybrid FSO/RF System With Diversity Combining. *Huang, L.*, +, *JLT Dec. 15, 2020 6788-6800*

MOS capacitors

- A Lateral MOS-Capacitor-Enabled ITO Mach-Zehnder Modulator for Beam Steering. *Amin, R.*, +, *JLT Jan. 15, 2020 282-290*
- Fully-Integrated Heterogeneous DML Transmitters for High-Performance Computing. *Liang, D.*, +, *JLT July 1, 2020 3322-3337*

MOSFET circuits

- Modeling and Optimization of Hybrid FinFET-Silicon Photonic Interconnects. *Pantano, N.*, +, *JLT Aug. 15, 2020 4325-4332*

Multi-access systems

- Demonstration of Pattern Division Multiple Access With Message Passing Algorithm for Multi-Channel mmWave Uplinks via RoF Mobile Fronthaul. *Shen, S.*, +, *JLT Nov. 1, 2020 5908-5915*
- Hybrid SSB OFDM-Digital Filter Multiple Access PONs. *Jin, W.*, +, *JLT April 15, 2020 2095-2105*
- Latency-Aware Task Peer Offloading on Overloaded Server in Multi-Access Edge Computing System Interconnected by Metro Optical Networks. *Huang, S.*, +, *JLT Nov. 1, 2020 5949-5961*
- Mitigation of Pattern-Dependent Effect in SOA at O-Band by Using DSP. *Wang, K.*, +, *JLT Feb. 1, 2020 590-597*

Wideband Microwave Frequency Distribution for Multi-Access Along a Single Fiber Link. *Zhang, H.*, +, *JLT April 1, 2020 1688-1692*

Multicast communication

Gain-Integrated 8×8 Silicon Photonics Multicast Switch With On-Chip 2×4 -ch. SOAs. *Konoike, R.*, +, *JLT June 1, 2020 2930-2937*

Multichip modules

Silicon Photonic 2.5D Multi-Chip Module Transceiver for High-Performance Data Centers. *Abrams, N.C.*, +, *JLT July 1, 2020 3346-3357*

Multilayer perceptrons

Low Complexity OSNR Monitoring and Modulation Format Identification Based on Binarized Neural Networks. *Zhao, Y.*, +, *JLT March 15, 2020 1314-1322*

Multilayers

Sensitivity-Enhanced Distributed Hydrostatic Pressure Sensor Based on BOTDA in Single-Mode Fiber With Double-Layer Polymer Coatings. *Dong, Y.*, +, *JLT April 15, 2020 2564-2571*

Multiplexing

800G DSP ASIC Design Using Probabilistic Shaping and Digital Sub-Carrier Multiplexing. *Sun, H.*, +, *JLT Sept. 1, 2020 4744-4756*

A Bidirectional FSO Communication Employing Phase Modulation Scheme and Remotely Injection-Locked DFB LD. *Huang, X.*, +, *JLT Nov. 1, 2020 5883-5892*

A Compact Four-Axis Interferometric Fiber Optic Gyroscope Based on Multiplexing for Space Application. *Jin, J.*, +, *JLT Dec. 1, 2020 6655-6663*

A Phase-Retrieving Coherent Receiver Based on Two-Dimensional Photodetector Array. *Yoshida, Y.*, +, *JLT Jan. 1, 2020 90-100*

Beyond 1 Tb/s Intra-Data Center Interconnect Technology: IM-DD OR Coherent?. *Zhou, X.*, +, *JLT Jan. 15, 2020 475-484*

Chirp-Filtering for Low-Complexity Chromatic Dispersion Compensation. *Felipe, A.*, +, *JLT June 1, 2020 2954-2960*

Complexity Reduction With a Simplified MIMO Volterra Filter for PDM-Twin-SSB PAM-4 Transmission. *Zhu, M.*, +, *JLT Feb. 15, 2020 769-776*

High-Capacity Coherent DCIs Using Pol-Muxed Carrier and LO-Less Receiver. *Kamran, R.*, +, *JLT July 1, 2020 3461-3468*

Low-Loss Orbital Angular Momentum Ring-Core Fiber: Design, Fabrication and Characterization. *Wang, H.*, +, *JLT Nov. 15, 2020 6327-6333*

Non-Orthogonal Uplink Services Through Co-Transport of D-RoF/A-RoF in Mobile Fronthaul. *Yao, S.*, +, *JLT July 15, 2020 3637-3643*

Nonlinearity-Aware Adaptive Bit and Power Loading DMT Transmission Over Low-Crosstalk Ring-Core Fiber With Mode Group Multiplexing. *Zhang, J.*, +, *JLT Nov. 1, 2020 5875-5882*

Optimized Design and Challenges for C&L Band Optical Line Systems. *Lopez, V.*, +, *JLT March 1, 2020 1080-1091*

Photonics-Aided Millimeter-Wave Technologies for Extreme Mobile Broadband Communications in 5G. *Li, X.*, +, *JLT Jan. 15, 2020 366-378*

The Generalized Droop Formula for Low Signal to Noise Ratio Optical Links. *Bononi, A.*, +, *JLT April 15, 2020 2201-2213*

Wavelength-Division Demultiplexing Enhanced by Silicon-Photonic Tunable Filters in Ultra-Wideband Optical-Path Networks. *Mori, Y.*, +, *JLT March 1, 2020 1002-1009*

Weakly-Coupled MDM-WDM Amplification and Transmission Based on Compact FM-EDFA. *Zhu, J.*, +, *JLT Sept. 15, 2020 5163-5169*

Wideband Dual-Channel Photonic RF Repeater Based on Polarization Division Multiplexing Modulation and Polarization Control. *Shi, F.*, +, *JLT March 15, 2020 1275-1285*

Multiplexing equipment

Convolutional Neural Network Based Atmospheric Turbulence Compensation for Optical Orbital Angular Momentum Multiplexing. *Xiong, W.*, +, *JLT April 1, 2020 1712-1721*

End-to-End Quantum Secured Inter-Domain 5G Service Orchestration Over Dynamically Switched Flex-Grid Optical Networks Enabled by a q-ROADM. *Wang, R.*, +, *JLT Jan. 1, 2020 139-149*

Experimental Demonstration of a Petabit per Second SDM Network Node. *Luis, R.S.*, +, *JLT June 1, 2020 2886-2896*

Feasibility Demonstration of Spatial Channel Networking Using SDM/WDM Hierarchical Approach for Peta-b/s Optical Transport. *Jinno, M.*, +, *JLT May 1, 2020 2577-2586*

Modeling EDFA Gain Ripple and Filter Penalties With Machine Learning for Accurate QoT Estimation. *Mahajan, A.*, +, *JLT May 1, 2020 2616-2629*

Principle, Design, and Prototyping of Core Selective Switch Using Free-Space Optics for Spatial Channel Network. *Jinno, M.*, +, *JLT Sept. 15, 2020 4895-4905*

Silicon Nitride (Si_3N_4) (De-)Multiplexers for 1- μm CWDM Optical Interconnects. *Cheung, S.S.*, +, *JLT July 1, 2020 3404-3413*

Ultra-High-Speed 2:1 Digital Selector and Plasmonic Modulator IM/DD Transmitter Operating at 222 GBaud for Intra-Datacenter Applications. *Heni, W.*, +, *JLT May 1, 2020 2734-2739*

Wavelength-Division Demultiplexing Enhanced by Silicon-Photonic Tunable Filters in Ultra-Wideband Optical-Path Networks. *Mori, Y.*, +, *JLT March 1, 2020 1002-1009*

Weakly-Coupled MDM-WDM Amplification and Transmission Based on Compact FM-EDFA. *Zhu, J.*, +, *JLT Sept. 15, 2020 5163-5169*

Multiplying circuits

All-Optical 2×2 -Bit Multiplier at 40 Gb/s Based on Canonical Logic Units-based Programmable Logic Array (CLUs-PLA). *Dong, W.*, +, *JLT Oct. 15, 2020 5586-5594*

Multiprocessing systems

A Novel Virtual-Cluster Based Architecture of Double-Layer Optical Networks-on-Chip. *Su, Y.*, +, *JLT July 15, 2020 3553-3562*

Multistage interconnection networks

Parallel Modular Scheduler Design for Clos Switches in Optical Data Center Networks. *Andreades, P.*, +, *JLT July 1, 2020 3506-3518*

Multiuser detection

Multiuser Precoded MIMO Visible Light Communication Systems Enabling Spatial Dimming. *Zhao, L.*, +, *JLT Oct. 15, 2020 5624-5634*

Multiuser Visible Light Communication Systems Using OFDMA. *Lian, J.*, +, *JLT Nov. 1, 2020 6015-6023*

Multiwave mixing

A Wide Flat Triple Brillouin Frequency Spacing Multiwavelength Fiber Laser Assisted by Four Wave Mixing. *Al-Alimi, A.W.*, +, *JLT Dec. 1, 2020 6648-6654*

All-Optical 2×2 -Bit Multiplier at 40 Gb/s Based on Canonical Logic Units-based Programmable Logic Array (CLUs-PLA). *Dong, W.*, +, *JLT Oct. 15, 2020 5586-5594*

Demonstration of Tunable Optical Aggregation of QPSK to 16-QAM Over Optically Generated Nyquist Pulse Trains Using Nonlinear Wave Mixing and a Kerr Frequency Comb. *Fallahpour, A.*, +, *JLT Jan. 15, 2020 359-365*

Phase Preserving Amplitude Saturation Through Tone Synthesis Assisted Saturated Four-Wave Mixing. *Bottrill, K.R.H.*, +, *JLT April 1, 2020 1817-1826*

N

Nakagami channels

Unified Performance Analysis of Hybrid FSO/RF System With Diversity Combining. *Huang, L.*, +, *JLT Dec. 15, 2020 6788-6800*

Nanocomposites

An Optical Fiber Immunosensor With a Low Detection Limit Based on Plasmon Coupling Enhancement. *Wang, B.*, +, *JLT July 15, 2020 3781-3788*

Nanoelectronics

A Dynamically-Reconfigurable Burst-Mode Link Using a Nanosecond Photonic Switch. *Forencich, A.*, +, *JLT March 15, 2020 1330-1340*

Nanofabrication

An Optical Fiber Immunosensor With a Low Detection Limit Based on Plasmon Coupling Enhancement. *Wang, B.*, +, *JLT July 15, 2020 3781-3788*

Bio-Inspired Localized Surface Plasmon Resonance Enhanced Sensing of Mercury Through Green Synthesized Silver Nanoparticle. *Boruah, B.S.*, +, *JLT April 1, 2020 2086-2091*

Enhancing Wavelength Tunability of Photonic Crystal Nanolasers by Waveguide-Like Strain Shapers. *Lu, T.*, +, *JLT Dec. 1, 2020 6605-6611*

Quasi-Phase Matched Second Harmonic Generation in Plasmonic-Organic Hybrid Structures. *Janjan, B.*, +, *JLT March 15, 2020 1391-1399*

Nanofibers

Inter-Mode Forward Brillouin Scattering in Nanofibers. *Cao, M.*, +, *JLT Dec. 15, 2020 6911-6917*

Nanomaterial-Enhanced Fiber Optofluidic Laser Biosensor for Sensitive Enzyme Detection. *Mao, J.*, +, *JLT Sept. 15, 2020 5205-5211*

Nanomedicine

An Optical Fiber Immunosensor With a Low Detection Limit Based on Plasmon Coupling Enhancement. *Wang, B.*, +, *JLT July 15, 2020 3781-3788*

Nanoparticles

All-Optical and Polarization-Independent Tunable Guided-Mode Resonance Filter Based on a Dye-Doped Liquid Crystal Incorporated With Photonic Crystal Nanostructure. *Lin, T.*, +, *JLT Feb. 15, 2020 820-826*

Bio-Inspired Localized Surface Plasmon Resonance Enhanced Sensing of Mercury Through Green Synthesized Silver Nanoparticle. *Boruah, B.S.*, +, *JLT April 1, 2020 2086-2091*

Microcapillary-Based Integrated LSPR Device for Refractive Index Detection and Biosensing. *Chen, S.*, +, *JLT April 15, 2020 2485-2492*

Nanomaterial-Enhanced Fiber Optofluidic Laser Biosensor for Sensitive Enzyme Detection. *Mao, J.*, +, *JLT Sept. 15, 2020 5205-5211*

Scattering Metal Waveguide Based Speckle-Enhanced Prism Spectrometry. *Cetindag, S.K.*, +, *JLT April 1, 2020 2022-2027*

Ultra-Sensitive Cholesterol Sensor Using Gold and Zinc-Oxide Nanoparticles Immobilized Core Mismatch MPM/SPS Probe. *Agrawal, N.*, +, *JLT April 15, 2020 2523-2529*

Nanophotonics

All-Optical and Polarization-Independent Tunable Guided-Mode Resonance Filter Based on a Dye-Doped Liquid Crystal Incorporated With Photonic Crystal Nanostructure. *Lin, T.*, +, *JLT Feb. 15, 2020 820-826*

Effects of Shallow Suspension in Low-Loss Waveguide-Integrated Chalcogenide Microdisk Resonators. *Zhu, Y.*, +, *JLT Sept. 1, 2020 4817-4823*

Efficient Third Harmonic Generation by Doubly Enhanced Electric Dipole Resonance in Metal-Based Silicon Nanodisks. *Yao, J.*, +, *JLT Nov. 15, 2020 6312-6320*

Enhancing Wavelength Tunability of Photonic Crystal Nanolasers by Waveguide-Like Strain Shapers. *Lu, T.*, +, *JLT Dec. 1, 2020 6605-6611*

Non-Equidistant Arrangement in All-Dielectric Quadrumers and Mirror-Symmetric One-Dimensional Photonic Crystals Hybridstructure for Self-Referenced Sensing Scheme. *Sun, P.*, +, *JLT Dec. 1, 2020 6671-6677*

Optimization of SERS Sensing With Micro-Lensed Optical Fibers and Au Nano-Film. *Milenko, K.*, +, *JLT April 1, 2020 2081-2085*

Single TE₀₁ Mode Cylindrical Vector Beams Transmission Based on Composite Gold Nanowire Embedded Photonic Crystal Fiber. *Zhang, W.*, +, *JLT April 15, 2020 2441-2449*

Nanorods

An Optical Fiber Immunosensor With a Low Detection Limit Based on Plasmon Coupling Enhancement. *Wang, B.*, +, *JLT July 15, 2020 3781-3788*

Nanomaterial-Enhanced Fiber Optofluidic Laser Biosensor for Sensitive Enzyme Detection. *Mao, J.*, +, *JLT Sept. 15, 2020 5205-5211*

Nanosensors

An Optical Fiber Immunosensor With a Low Detection Limit Based on Plasmon Coupling Enhancement. *Wang, B.*, +, *JLT July 15, 2020 3781-3788*

Microcapillary-Based Integrated LSPR Device for Refractive Index Detection and Biosensing. *Chen, S.*, +, *JLT April 15, 2020 2485-2492*

Nanomaterial-Enhanced Fiber Optofluidic Laser Biosensor for Sensitive Enzyme Detection. *Mao, J.*, +, *JLT Sept. 15, 2020 5205-5211*

Non-Equidistant Arrangement in All-Dielectric Quadrumers and Mirror-Symmetric One-Dimensional Photonic Crystals Hybridstructure for Self-Referenced Sensing Scheme. *Sun, P.*, +, *JLT Dec. 1, 2020 6671-6677*

Optimization of SERS Sensing With Micro-Lensed Optical Fibers and Au Nano-Film. *Milenko, K.*, +, *JLT April 1, 2020 2081-2085*

Ultra-Sensitive Cholesterol Sensor Using Gold and Zinc-Oxide Nanoparticles Immobilized Core Mismatch MPM/SPS Probe. *Agrawal, N.*, +, *JLT April 15, 2020 2523-2529*

Ultrasharp LSPR Temperature Sensor Based on Grapefruit Fiber Filled With a Silver Nanoshell and Liquid. *Yang, X.*, +, *JLT April 1, 2020 2015-2021*

Nanostructured materials

Broadband Light Amplitude Tuning Characteristics of SnSe₂ Coated Microfiber. *Guan, H.*, +, *JLT Nov. 1, 2020 6089-6096*

Efficient Third Harmonic Generation by Doubly Enhanced Electric Dipole Resonance in Metal-Based Silicon Nanodisks. *Yao, J.*, +, *JLT Nov. 15, 2020 6312-6320*

Non-Equidistant Arrangement in All-Dielectric Quadrumers and Mirror-Symmetric One-Dimensional Photonic Crystals Hybridstructure for Self-Referenced Sensing Scheme. *Sun, P.*, +, *JLT Dec. 1, 2020 6671-6677*

Simultaneous Measurement of Temperature and Relative Humidity Based on a Microfiber Sagnac Loop and MoS₂. *Bai, Y.*, +, *JLT Feb. 15, 2020 840-845*

Ultrasharp LSPR Temperature Sensor Based on Grapefruit Fiber Filled With a Silver Nanoshell and Liquid. *Yang, X.*, +, *JLT April 1, 2020 2015-2021*

Nanowires

Polarization Diversified 16λ Demultiplexer Based on Silicon Wire Delayed Interferometers and Arrayed Waveguide Gratings. *Jeong, S.*, +, *JLT May 1, 2020 2680-2687*

Single TE₀₁ Mode Cylindrical Vector Beams Transmission Based on Composite Gold Nanowire Embedded Photonic Crystal Fiber. *Zhang, W.*, +, *JLT April 15, 2020 2441-2449*

Nearest neighbor methods

Fading Noise Suppression in Φ-OTDR Based on Nearest Neighbor Analysis. *Tu, G.*, +, *JLT Dec. 1, 2020 6691-6698*

Neodymium

Femtosecond-Laser-Written S-Curved Waveguide in Nd:YAP Crystal: Fabrication and Multi-Gigahertz Lasing. *Li, L.*, +, *JLT Dec. 15, 2020 6845-6852*

Network coding

Channel-Aware Adaptive Physical-Layer Network Coding Over Relay-Assisted OFDM-VLC Networks. *Hong, Y.*, +, *JLT March 15, 2020 1168-1177*

Network interfaces

Beyond 400 Gb/s Direct Detection Over 80 km for Data Center Interconnect Applications. *Le, S.T.*, +, *JLT Jan. 15, 2020 538-545*

Network routing

400 Gb/s Silicon Photonic Transmitter and Routing WDM Technologies for Glueless 8-Socket Chip-to-Chip Interconnects. *Pitris, S.*, +, *JLT July 1, 2020 3366-3375*

Universal Method for Constructing the On-Chip Optical Router With Wavelength Routing Technology. *Huang, L.*, +, *JLT Aug. 1, 2020 3815-3821*

Network servers

Demonstration of SDN-Enabled Hybrid Polling Algorithm for Packet Contention Resolution in Optical Data Center Network. *Wang, F.*, +, *JLT June 15, 2020 3296-3304*

Network-on-chip

A Novel Virtual-Cluster Based Architecture of Double-Layer Optical Networks-on-Chip. *Su, Y.*, +, *JLT July 15, 2020 3553-3562*

Universal Method for Constructing the On-Chip Optical Router With Wavelength Routing Technology. *Huang, L.*, +, *JLT Aug. 1, 2020 3815-3821*

Neural network architecture

A Direct Learning Approach for Neural Network Based Pre-Distortion for Coherent Nonlinear Optical Transmitter. *Paryanti, G.*, +, *JLT Aug. 1, 2020 3883-3896*

Neural networks

A Review: Neural-Inspired Photonic Functional Systems for Dynamic RF Signal Processing. *Fok, M.P.*, *JLT Oct. 1, 2020 5318-5326*

AdaNN: Adaptive Neural Network-Based Equalizer via Online Semi-Supervised Learning. *Zhou, Q.*, +, *JLT Aug. 15, 2020 4315-4324*

All-Optical Spiking Neuron Based on Passive Microresonator. *Xiang, J.*, +, *JLT Aug. 1, 2020 4019-4029*

ANN-Based Multi-Channel QoT-Prediction Over a 563.4-km Field-Trial Testbed. *Gao, Z.*, +, *JLT May 1, 2020 2646-2655*

Compensation of Fiber Nonlinearities in Digital Coherent Systems Leveraging Long Short-Term Memory Neural Networks. *Deligiannidis, S.*, +, *JLT Nov. 1, 2020 5991-5999*

Compressed Neural Network Equalization Based on Iterative Pruning Algorithm for 112-Gbps VCSEL-Enabled Optical Interconnects. *Ge, L.*, +, *JLT March 15, 2020 1323-1329*

Dimming-Aware Deep Learning Approach for OOK-Based Visible Light Communication. *Zou, C.*, +, *JLT Oct. 15, 2020 5733-5742*

Experimental Demonstration of Nonlinear Frequency Division Multiplexing Transmission With Neural Network Receiver. *Gaiarin, S.*, +, *JLT Dec. 1, 2020 6465-6473*

- Fast Wavelength Seeking in a Silicon Dual-Ring Switch Based on Artificial Neural Networks. *Qin, G.*, +, *JLT Sept. 15, 2020 5078-5085*
- How to Mislead AI-Assisted Network Automation in SD-IPoEONs: A Comparison Study of DRL- and GAN-Based Approaches. *Wang, M.*, +, *JLT Oct. 15, 2020 5574-5585*
- Neural Turbo Equalization: Deep Learning for Fiber-Optic Nonlinearity Compensation. *Koike-Akino, T.*, +, *JLT June 1, 2020 3059-3066*
- Neuromorphic Photonics With Coherent Linear Neurons Using Dual-IQ Modulation Cells. *Mourgiyas-Alexandris, G.*, +, *JLT Feb. 15, 2020 811-819*
- Optical Nonlinearity Monitoring and Launch Power Optimization by Artificial Neural Networks. *Lonardi, M.*, +, *JLT May 1, 2020 2637-2645*
- Predicting Kerr Soliton Combs in Microresonators via Deep Neural Networks. *Tan, T.*, +, *JLT Dec. 1, 2020 6591-6599*
- Supply-Power-Constrained Cable Capacity Maximization Using Multi-Layer Neural Networks. *Cho, J.*, +, *JLT July 15, 2020 3652-3662*
- VLCnet: Deep Learning Based End-to-End Visible Light Communication System. *Ulkar, M.G.*, +, *JLT Nov. 1, 2020 5937-5948*
- Neurophysiology**
- A Review: Neural-Inspired Photonic Functional Systems for Dynamic RF Signal Processing. *Fok, M.P.*, *JLT Oct. 1, 2020 5318-5326*
- All-Optical Spiking Neuron Based on Passive Microresonator. *Xiang, J.*, +, *JLT Aug. 1, 2020 4019-4029*
- Manipulating Soliton Polarization in Soliton Self-Frequency Shift and Its Application to 3-Photon Microscopy in Vivo. *Tong, S.*, +, *JLT April 15, 2020 2450-2455*
- Photonic Associative Learning Neural Network Based on VCSELs and STDP. *Wang, S.*, +, *JLT Sept. 1, 2020 4691-4698*
- Neutron effects**
- Ionizing Radiation Effect upon Er/Yb Co-Doped Fibre Made by In-Situ Nano Solution Doping. *Fan, D.*, +, *JLT Nov. 15, 2020 6334-6344*
- Next generation networks**
- Considerations on the Use of Digital Signal Processing in Future Optical Access Networks. *Neto, L.A.*, +, *JLT Feb. 1, 2020 598-607*
- Distributed Multi-User MIMO Transmission Using Real-Time Sigma-Delta-Over-Fiber for Next Generation Fronthaul Interface. *Wu, C.*, +, *JLT Feb. 15, 2020 705-713*
- Economics of Resilient TWDM PONs. *Mondal, W.U.*, +, *JLT April 15, 2020 2114-2126*
- Editorial: JLT Special Issue on DSP in Next Generation Optical Access Networks. *van Veen, D.*, +, *JLT Feb. 1, 2020 555-556*
- MIMO-Supporting Radio-Over-Fiber System and its Application in mmWave-Based Indoor 5G Mobile Network. *Kim, J.*, +, *JLT Jan. 1, 2020 101-111*
- Multi-User V-Band Uplink Using a Massive MIMO Antenna and a Fiber-Wireless IFOF Fronthaul for 5G mmWave Small-Cells. *Ruggeri, E.*, +, *JLT Oct. 1, 2020 5368-5374*
- RoF-Based Radio Access Network for 5G Mobile Communication Systems in 28 GHz Millimeter-Wave. *Sung, M.*, +, *JLT Jan. 15, 2020 409-420*
- Nickel alloys**
- A Digital Twin Approach to Study Additive Manufacturing Processing Using Embedded Optical Fiber Sensors and Numerical Modeling. *Zou, R.*, +, *JLT Nov. 15, 2020 6402-6411*
- Nitrogen**
- Comparison Study of Radiation-Resistant Polarization-Maintaining PANDA Fibers With Undoped- and N-Doped-Silica Core. *Tomashuk, A.L.*, +, *JLT Oct. 15, 2020 5817-5824*
- Noise measurement**
- Phase Noise Measurements and Performance of Lasers With Non-White FM Noise for Use in Digital Coherent Optical Systems. *Al-Qadi, M.*, +, *JLT March 15, 2020 1157-1167*
- Nonlinear differential equations**
- Data Transmission Based on Exact Inverse Periodic Nonlinear Fourier Transform, Part I: Theory. *Goossens, J.*, +, *JLT Dec. 1, 2020 6499-6519*
- Introducing Load Aware Neural Networks for Accurate Predictions of Raman Amplifiers. *Rosa Brusin, A.M.*, +, *JLT Dec. 1, 2020 6481-6491*
- On the Performance of Digital Back Propagation in Spatial Multiplexing Systems. *Ferreira, F.M.*, +, *JLT May 15, 2020 2790-2798*
- Nonlinear distortion**
- Amplifier-less transmission of beyond 100-Gbit/s/λ signal for 40-km DCI-Edge with 10G-class O-band DML. *Zou, D.*, +, *JLT Oct. 15, 2020 5649-5655*
- Experimental Characterization of Nonlinear Distortions of Semiconductor Optical Amplifiers in the WDM Regime. *Arnould, A.*, +, *JLT Jan. 15, 2020 509-513*
- Low-Complexity Second-Order Volterra Equalizer for DML-Based IM/DD Transmission System. *Yu, Y.*, +, *JLT April 1, 2020 1735-1746*
- Nonlinear System Identification Scheme for Efficient Compensators Design. *Faig, H.*, +, *JLT July 1, 2020 3519-3525*
- Nonlinear equations**
- Nonlinear Spectrum of Conventional OFDM and WDM Return-to-Zero Signals in Nonlinear Channel. *Turitsyn, S.*, +, *JLT Jan. 15, 2020 352-358*
- Nonlinear filters**
- Complexity Reduction With a Simplified MIMO Volterra Filter for PDM-Twin-SSB PAM-4 Transmission. *Zhu, M.*, +, *JLT Feb. 15, 2020 769-776*
- Nonlinear optical susceptibility**
- Efficient Third Harmonic Generation by Doubly Enhanced Electric Dipole Resonance in Metal-Based Silicon Nanodisks. *Yao, J.*, +, *JLT Nov. 15, 2020 6312-6320*
- Nonlinear optics**
- A Direct Learning Approach for Neural Network Based Pre-Distortion for Coherent Nonlinear Optical Transmitter. *Paryanti, G.*, +, *JLT Aug. 1, 2020 3883-3896*
- Adaptive Nonlinear Equalization Combining Sparse Bayesian Learning and Kalman Filtering for Visible Light Communications. *Miao, P.*, +, *JLT Dec. 15, 2020 6732-6745*
- Analysis of Nonlinear Fiber Interactions for Finite-Length Constant-Composition Sequences. *Fehenberger, T.*, +, *JLT Jan. 15, 2020 457-465*
- Compensation of Nonlinear Impairments Using Inverse Perturbation Theory With Reduced Complexity. *Redyuk, A.*, +, *JLT March 15, 2020 1250-1257*
- Dispersion-Managed Fiber Echo State Network Analogue With High (Including THz) Bandwidth. *Sorokina, M.*, *JLT June 15, 2020 3209-3213*
- Investigation of Thermal Loads for Transverse Mode Instability in Ytterbium-Doped Large Mode Area Fibers. *Xia, N.*, +, *JLT Aug. 15, 2020 4478-4489*
- Manipulating Soliton Polarization in Soliton Self-Frequency Shift and Its Application to 3-Photon Microscopy in Vivo. *Tong, S.*, +, *JLT April 15, 2020 2450-2455*
- Nonlinear Absorbing-Loop Mirror in a Holmium-Doped Fiber Laser. *Zhao, J.*, +, *JLT Nov. 1, 2020 6069-6075*
- Nonlinearity-Aware Adaptive Bit and Power Loading DMT Transmission Over Low-Crosstalk Ring-Core Fiber With Mode Group Multiplexing. *Zhang, J.*, +, *JLT Nov. 1, 2020 5875-5882*
- On-Chip Optical Microresonators With High Electro-Optic Tuning Efficiency. *Wang, T.*, +, *JLT April 1, 2020 1851-1857*
- Optical Nonlinearity Monitoring and Launch Power Optimization by Artificial Neural Networks. *Lonardi, M.*, +, *JLT May 1, 2020 2637-2645*
- Revisiting Efficient Multi-Step Nonlinearity Compensation With Machine Learning: An Experimental Demonstration. *Oliari, V.*, +, *JLT June 15, 2020 3114-3124*
- Suppression of Nonlinear Residual Intensity Modulation in Multifunction Integrated Optic Circuit for Fiber-Optic Gyroscopes. *Liu, J.*, +, *JLT March 15, 2020 1572-1579*
- Temporal Imaging Using Dispersive Gradient-Index Time Lenses. *Han, T.*, +, *JLT April 15, 2020 2383-2391*
- The Generalized Droop Formula for Low Signal to Noise Ratio Optical Links. *Bononi, A.*, +, *JLT April 15, 2020 2201-2213*
- Ti₂CT_x (T=O, OH or F) Nanosheets as New Broadband Saturable Absorber for Ultrafast Photonics. *Shi, Y.*, +, *JLT April 1, 2020 1975-1980*
- Nonlinear programming**
- Economics of Resilient TWDM PONs. *Mondal, W.U.*, +, *JLT April 15, 2020 2114-2126*
- Latency-Aware Task Peer Offloading on Overloaded Server in Multi-Access Edge Computing System Interconnected by Metro Optical Networks. *Huang, S.*, +, *JLT Nov. 1, 2020 5949-5961*

Notch filters

- High Fidelity Picosecond Pulse Fiber Amplification With Inter-Stage Notch Filter. *Lu, Q.*, +, *JLT Nov. 1, 2020 6082-6088*
- Integrated Arbitrary Filter With Spiral Gratings: Design and Characterization. *Hu, Y.*, +, *JLT Aug. 15, 2020 4454-4461*
- Photonics-Based CW/Pulsed Microwave Signal AOA Measurement System. *Chen, H.*, +, *JLT April 15, 2020 2292-2298*

Numerical analysis

- Accurate Field Reconstruction at Low CFSR Condition Based on a Modified KK Receiver With Direct Detection. *An, S.*, +, *JLT Jan. 15, 2020 485-491*
- Assessment of a Polarization-Independent DSP-Free Coherent Receiver for Intensity-Modulated Signals. *Ciaramella, E.*, *JLT Feb. 1, 2020 676-683*
- Chaotic Optical Communication Over 1000 km Transmission by Coherent Detection. *Yang, Z.*, +, *JLT Sept. 1, 2020 4648-4655*
- Design of Weakly Coupled Two-Mode Hollow-Core Antiresonant Fiber With Low Loss. *Wang, Z.*, +, *JLT Feb. 15, 2020 864-874*
- Discrete Model of Backscattering Drift in Fiber Optic Gyroscopes. *Morris, T.A.*, +, *JLT April 1, 2020 1981-1987*
- Full-Spectrum Periodic Nonlinear Fourier Transform Optical Communication Through Solving the Riemann-Hilbert Problem. *Kamalian-Kopae, M.*, +, *JLT July 15, 2020 3602-3615*
- Modeling and Optimization of Plasmonic Detectors for Beyond-CMOS Plasmonic Majority Logic Gates. *Noor, S.L.*, +, *JLT Sept. 15, 2020 5092-5099*
- Programmable Schemes on Temporal Waveform Processing of Optical Pulse Trains. *Xie, Q.*, +, *JLT Jan. 15, 2020 339-345*
- RTOS: A Reconfigurable and Cost-Effective Architecture for High-Performance Optical Data Center Networks. *Xue, X.*, +, *JLT July 1, 2020 3485-3494*
- Wideband Steady-State and Pulse Propagation Modeling of a Reflective Quantum-Dot Semiconductor Optical Amplifier. *Safari Anzabi, K.*, +, *JLT Feb. 15, 2020 797-803*

O**Object detection**

- Microwave Photonic Radars. *Pan, S.*, +, *JLT Oct. 1, 2020 5450-5484*
- Non-Classical Semiconductor Photon Sources Enhancing the Performance of Classical Target Detection Systems. *He, H.*, +, *JLT Aug. 15, 2020 4540-4547*

Oceanographic techniques

- A Review on Practical Considerations and Solutions in Underwater Wireless Optical Communication. *Sun, X.*, +, *JLT Jan. 15, 2020 421-431*

OFDM modulation

- 2×300 Gbit/s Line Rate PS-64QAM-OFDM THz Photonic-Wireless Transmission. *Jia, S.*, +, *JLT Sept. 1, 2020 4715-4721*
- A Clock-Gating-Based Energy-Efficient Scheme for ONUs in Real-Time IMDD OFDM-PONs. *Zhang, J.*, +, *JLT July 15, 2020 3573-3583*
- A Full Field-of-View Self-Steering Beamformer for 5G mm-Wave Fiber-Wireless Mobile Fronthaul. *Huang, M.*, +, *JLT March 15, 2020 1221-1229*
- A Novel Baseband Faster-Than-Nyquist Non-Orthogonal FDM IM/DD System With Block Segmented Soft-Decision Decoder. *Hu, Z.*, +, *JLT Feb. 1, 2020 632-641*
- A Phase-Retrieving Coherent Receiver Based on Two-Dimensional Photodetector Array. *Yoshida, Y.*, +, *JLT Jan. 1, 2020 90-100*
- Analog Coherent TDMA Receiver With Fast Locking to Free-Running Optical Emitters. *Schrenk, B.*, +, *JLT Jan. 15, 2020 379-385*
- Analysis of the Single-FFT Receiver for Layered ACO-OFDM in Visible Light Communications. *Liu, X.*, +, *JLT Sept. 1, 2020 4757-4764*
- Cascaded IF-Over-Fiber Links With Hybrid Signal Processing for Analog Mobile Fronthaul. *Tanaka, K.*, +, *JLT Oct. 15, 2020 5656-5667*
- Channel-Aware Adaptive Physical-Layer Network Coding Over Relay-Assisted OFDM-VLC Networks. *Hong, Y.*, +, *JLT March 15, 2020 1168-1177*
- Comparison of Different Precoding Techniques for Unbalanced Impairments Compensation in Short-Reach DMT Transmission Systems. *Chen, M.*, +, *JLT Nov. 15, 2020 6202-6213*

- Compensation of Chromatic Dispersion and Nonlinear Phase Noise Using Iterative Soft Decision Feedback Equalizer for Coherent Optical FBMC/OQAM Systems. *Alaghbari, K.A.*, +, *JLT Aug. 1, 2020 3839-3849*
- Data Transmission Based on Exact Inverse Periodic Nonlinear Fourier Transform, Part II: Waveform Design and Experiment. *Goossens, J.*, +, *JLT Dec. 1, 2020 6520-6528*
- Delay-Tolerant Indoor Optical Wireless Communication Systems Based on Attention-Augmented Recurrent Neural Network. *He, J.*, +, *JLT Sept. 1, 2020 4632-4640*
- Demonstration of Pattern Division Multiple Access With Message Passing Algorithm for Multi-Channel mmWave Uplinks via RoF Mobile Fronthaul. *Shen, S.*, +, *JLT Nov. 1, 2020 5908-5915*
- Distributed Antenna System Using Sigma-Delta Intermediate-Frequency-Over-Fiber for Frequency Bands Above 24 GHz. *Wu, C.*, +, *JLT May 15, 2020 2765-2773*
- Distributed Multi-User MIMO Transmission Using Real-Time Sigma-Delta-Over-Fiber for Next Generation Fronthaul Interface. *Wu, C.*, +, *JLT Feb. 15, 2020 705-713*
- DSP for High-Speed Short-Reach IM/DD Systems Using PAM. *Wettlin, T.*, +, *JLT Dec. 15, 2020 6771-6778*
- DSP-Based Flexible-Waveform and Multi-Application 5G Fiber-Wireless System. *Borges, R.M.*, +, *JLT Feb. 1, 2020 642-653*
- Dual-Drive Mach-Zehnder Modulator-Based Single Side-Band Modulation Direct Detection System Without Signal-to-Signal Beating Interference. *Wang, W.*, +, *JLT Aug. 15, 2020 4341-4351*
- Enhanced Kramers-Kronig Single-Sideband Receivers. *Lowery, A.J.*, +, *JLT June 15, 2020 3229-3237*
- Enhanced Optical Communications Through Joint Time-Frequency Multiplexing Strategies. *Cincotti, G.*, +, *JLT Jan. 15, 2020 346-351*
- Enhancing the Physical Layer Security of OFDM-PONs With Hardware Fingerprint Authentication: A Machine Learning Approach. *Li, S.*, +, *JLT June 15, 2020 3238-3245*
- Entropy Allocation Optimization for PS-OFDM With Constellation Partitioning Based Modeling. *Zhang, R.*, +, *JLT Nov. 1, 2020 6024-6030*
- Experimental Demonstration of an SFO-Robustness Scheme With Fast OFDM for IMDD Passive Optical Network Systems. *Zhou, Z.*, +, *JLT Oct. 15, 2020 5608-5616*
- Experimental Demonstration of Nonlinear Frequency Division Multiplexing Transmission With Neural Network Receiver. *Gaiarin, S.*, +, *JLT Dec. 1, 2020 6465-6473*
- Face-to-Face EML Transceiver Tandem for Full-Duplex Analogue Radio-Over-Air. *Schrenk, B.*, +, *JLT June 1, 2020 2976-2983*
- Frequency Response Enhancement of Phase-Sensitive OTDR for Interrogating Weak Reflector Array by Using OFDM and Vernier Effect. *Wu, M.*, +, *JLT Sept. 1, 2020 4874-4882*
- Gb/s Visible Light Communication With Low-Cost Receiver Based on Single-Color LED. *Milovancev, D.*, +, *JLT June 15, 2020 3305-3314*
- Hybrid SSB OFDM-Digital Filter Multiple Access PONs. *Jin, W.*, +, *JLT April 15, 2020 2095-2105*
- Independent Component Analysis for Phase and Residual Frequency Offset Compensation in OQAM Multicarrier Systems. *Zhao, J.*, +, *JLT Aug. 1, 2020 3897-3907*
- MIMO-Supporting Radio-Over-Fiber System and its Application in mmWave-Based Indoor 5G Mobile Network. *Kim, J.*, +, *JLT Jan. 1, 2020 101-111*
- Minimum Phase Conditions in Kramers-Kronig Optical Receivers. *Wang, T.*, +, *JLT Nov. 15, 2020 6214-6220*
- Multi-Beamforming Provided by Dual-Wavelength True Time Delay PIC and Multicore Fiber. *Morant, M.*, +, *JLT Oct. 1, 2020 5311-5317*
- Multiuser Visible Light Communication Systems Using OFDMA. *Lian, J.*, +, *JLT Nov. 1, 2020 6015-6023*
- Nonlinear Spectrum of Conventional OFDM and WDM Return-to-Zero Signals in Nonlinear Channel. *Turitsyn, S.*, +, *JLT Jan. 15, 2020 352-358*
- On the Discrete-Input Continuous-Output Memoryless Channel Capacity of Layered ACO-OFDM. *Zhang, X.*, +, *JLT Sept. 15, 2020 4955-4968*
- Performance Enhanced 256-QAM BIPCM-DMT System Enabled by CAZAC Precoding. *Ma, J.*, +, *JLT Feb. 1, 2020 557-563*

Performance of Spatial Diversity DCO-OFDM in a Weak Turbulence Underwater Visible Light Communication Channel. *Jiang, H.*, +, *JLT April 15, 2020 2271-2277*

Rate Redundancy and Entropy Allocation for PAS-OFDM Based Mobile Fronthaul. *Zhang, R.*, +, *JLT Aug. 15, 2020 4260-4269*

Real-Time 2.2-Gb/s Water-Air OFDM-OWC System With Low-Complexity Transmitter-Side DSP. *Shao, Y.*, +, *JLT Oct. 15, 2020 5668-5675*

SSB Single Carrier and Multicarrier in C-Band FSO Transmission With KK Receiver. *Wei, Y.*, +, *JLT Sept. 15, 2020 5000-5007*

Superposed 32QAM Constellation Design for 2×2 Spatial Multiplexing MIMO VLC Systems. *Guo, X.*, +, *JLT April 1, 2020 1702-1711*

Temperature and Noise Dependence of Tri-Mode VCSEL Carried 120-Gbit/s QAM-OFDM Data in Back-to-Back and OM5-MMF Links. *Huang, C.*, +, *JLT Dec. 15, 2020 6746-6758*

Wideband Dual-Channel Photonic RF Repeater Based on Polarization Division Multiplexing Modulation and Polarization Control. *Shi, F.*, +, *JLT March 15, 2020 1275-1285*

Open systems

Abstraction and Control of Multi-Domain Disaggregated Optical Networks With OpenROADM Device Models. *Casellas, R.*, +, *JLT May 1, 2020 2606-2615*

Multi-Layer Service Provisioning Over Resilient Software-Defined Partially Disaggregated Networks. *Mayoral, A.*, +, *JLT Jan. 15, 2020 546-552*

Operational amplifiers

Analysis and Monolithic Implementation of Differential Transimpedance Amplifiers. *Andrade, H.*, +, *JLT Aug. 15, 2020 4409-4418*

High-Order Electrical Spectrum Method for Measuring the Chirp of a Silicon Mach-Zehnder Modulator. *Chen, H.*, +, *JLT Dec. 15, 2020 6833-6844*

Multi-Rate Low-Noise Optical Receiver Front-End. *Li, D.*, +, *JLT Sept. 15, 2020 4978-4986*

Silicon Photonic 2.5D Multi-Chip Module Transceiver for High-Performance Data Centers. *Abrams, N.C.*, +, *JLT July 1, 2020 3346-3357*

Optical amplifiers

Guest Editorial Ultra Wideband WDM Systems. *Napoli, A.*, +, *JLT March 1, 2020 998-1001*

Optical arrays

3D Polarization-Dependent Waveguide Arrays in LiNbO₃ Crystal Produced by Femtosecond Laser Writing. *Wu, B.*, +, *JLT Aug. 1, 2020 3988-3993*

A Lateral MOS-Capacitor-Enabled ITO Mach-Zehnder Modulator for Beam Steering. *Amin, R.*, +, *JLT Jan. 15, 2020 282-290*

An Ultra-Broadband Polarization-Insensitive Optical Hybrid Using Multiplane Light Conversion. *Zhang, Y.*, +, *JLT Nov. 15, 2020 6286-6291*

Optical Fiber Tag Based on an Encoded Fiber Bragg Grating Fabricated by Femtosecond Laser. *Yang, K.*, +, *JLT March 15, 2020 1474-1479*

Optical attenuators

Efficient Mid-Infrared Germanium Variable Optical Attenuator Fabricated by Spin-on-Glass Doping. *Zhao, Z.*, +, *JLT Sept. 1, 2020 4808-4816*

Photonic-Assisted Leakage Cancellation for Wideband Frequency Modulation Continuous-Wave Radar Transceiver. *Li, P.*, +, *JLT March 15, 2020 1178-1183*

Optical beam splitters

A Novel Weak-Scattering Michelson Interferometer Based on PBS for Long-Distance Disturbance Localization. *Song, Q.*, +, *JLT March 15, 2020 1543-1549*

Frequency-Tunable Parity-Time-Symmetric Optoelectronic Oscillator Using a Polarization-Dependent Sagnac Loop. *Dai, Z.*, +, *JLT Oct. 1, 2020 5327-5332*

High Performance InP-Based Polarization Beam Splitter With Reverse Bias and Injection Current. *Dai, X.*, +, *JLT April 15, 2020 2336-2345*

Low-Loss, Low-Crosstalk, and Large-Scale Optical Switch Based on Silicon Photonics. *Suzuki, K.*, +, *JLT Jan. 15, 2020 233-239*

Robust Integrated Optical Unitary Converter Using Multiport Directional Couplers. *Tanomura, R.*, +, *JLT Jan. 1, 2020 60-66*

Ultra-Compact Broadband 2×2 3 dB Power Splitter Using a Subwavelength-Grating-Assisted Asymmetric Directional Coupler. *Ye, C.*, +, *JLT April 15, 2020 2370-2375*

Ultrafast Laser Inscription and 2×2 μm Laser Operation of Y-Branch Splitters in Monoclinic Crystals. *Kifle, E.*, +, *JLT Aug. 15, 2020 4374-4384*

Optical bistability

All-Optical Switching and Multiple Logic Gates Based on Hybrid Square-Rectangular Laser. *Liu, J.*, +, *JLT March 15, 2020 1382-1390*

Optical cables

Assessing Capacity and Cost/Capacity of 4-Core Multicore Fibers Against Single Core Fibers in Submarine Cable Systems. *Downie, J.D.*, +, *JLT June 1, 2020 3015-3022*

Low-Power (1.5 pJ/b) Silicon Integrated 106 Gb/s PAM-4 Optical Transmitter. *Lambrech, J.*, +, *JLT Jan. 15, 2020 432-438*

Supply-Power-Constrained Cable Capacity Maximization Using Multi-Layer Neural Networks. *Cho, J.*, +, *JLT July 15, 2020 3652-3662*

Trends in Optical Span Loss Detected Using the Time Series Decomposition Method. *Yameogo, B.L.M.*, +, *JLT Sept. 15, 2020 5026-5035*

Optical chaos

Chaotic Optical Communication Over 1000 km Transmission by Coherent Detection. *Yang, Z.*, +, *JLT Sept. 1, 2020 4648-4655*

Optical coherent transients

Flexible Coherent Communication System With Adaptable SNR and Laser Phase Noise Tolerance for Probabilistically Shaped QAM. *Yao, S.*, +, *JLT Nov. 15, 2020 6178-6186*

Optical communication

2×300 Gbit/s Line Rate PS-64QAM-OFDM THz Photonic-Wireless Transmission. *Jia, S.*, +, *JLT Sept. 1, 2020 4715-4721*

200 G Outdoor Free-Space-Optics Link Using a Single-Photodiode Receiver. *Lorences-Riesgo, A.*, +, *JLT Jan. 15, 2020 394-400*

Blind Joint Polarization Demultiplexing and IQ Imbalance Compensation for M-QAM Coherent Optical Communications. *Lagha, M.K.*, +, *JLT Aug. 15, 2020 4213-4220*

Brillouin Amplifier Noise Characterization by a Coherent Receiver and Digital Signal Processing. *Pelusi, M.*, +, *JLT Aug. 15, 2020 4221-4236*

Chaotic Optical Communication Over 1000 km Transmission by Coherent Detection. *Yang, Z.*, +, *JLT Sept. 1, 2020 4648-4655*

Convolutional Neural Network Based Atmospheric Turbulence Compensation for Optical Orbital Angular Momentum Multiplexing. *Xiong, W.*, +, *JLT April 1, 2020 1712-1721*

Direct Detection of Bipolar Pulse Amplitude Modulation. *Secondini, M.*, +, *JLT Nov. 1, 2020 5981-5990*

Dispersion-Managed Fiber Echo State Network Analogue With High (Including THz) Bandwidth. *Sorokina, M.*, *JLT June 15, 2020 3209-3213*

DSP for High-Speed Short-Reach IM/DD Systems Using PAM. *Wettlin, T.*, +, *JLT Dec. 15, 2020 6771-6778*

Enhanced Carrier to Noise Ratio by Brillouin Amplification for Optical Communications. *Pelusi, M.*, +, *JLT Jan. 15, 2020 319-331*

LDPC-Coded Probabilistic Shaping PAM8 Employing a Novel Bit-Weighted Distribution Matching in WDM-PON. *Zhao, X.*, +, *JLT Sept. 1, 2020 4641-4647*

Leveraging Field Data for the Joint Optimization of Capacity and Availability in Low-Margin Optical Networks. *Delezoide, C.*, +, *JLT Dec. 15, 2020 6709-6718*

Microwave Pulse Generation With a Silicon Dual-Parallel Modulator. *Liu, S.*, +, *JLT April 15, 2020 2134-2143*

Modeling and Assessing Connectivity Services Performance in a Sandbox Domain. *Ruiz, M.*, +, *JLT June 15, 2020 3180-3189*

Non-Coherent Detection for Ultraviolet Communications With Inter-Symbol Interference. *Hu, W.*, +, *JLT Sept. 1, 2020 4699-4707*

On the Discrete-Input Continuous-Output Memoryless Channel Capacity of Layered ACO-OFDM. *Zhang, X.*, +, *JLT Sept. 15, 2020 4955-4968*

Optical Injection Locking: From Principle to Applications. *Liu, Z.*, +, *JLT Jan. 1, 2020 43-59*

Optical Signal Phase Retrieval With Low Complexity DC-Value Method. *Patel, R.K.*, +, *JLT Aug. 15, 2020 4205-4212*

Performance Model and Design Rules for Optical Systems Employing Low-Resolution DAC/ADC. *Almonacil, S.*, +, *JLT June 1, 2020 3007-3014*

Photovoltaic Solar Cells for Outdoor LiFi Communications. *Lorriere, N.*, +, *JLT Aug. 1, 2020 3822-3831*

Pilot Distributions for Joint-Channel Carrier-Phase Estimation in Multi-channel Optical Communications. *Alfredsson, A.F.*, +, *JLT Sept. 1, 2020 4656-4663*

Probabilistically Shaped Rate-Adaptive Polar-Coded 256-QAM WDM Optical Transmission System. *Iqbal, S.*, +, *JLT April 1, 2020 1800-1808*

Proposal of a Power Efficient N -Level Multipulse PPM-LQAM Technique. *Shalaby, H.M.H.*, *JLT Dec. 1, 2020 6542-6548*

Robust Integrated Optical Unitary Converter Using Multiport Directional Couplers. *Tanomura, R.*, +, *JLT Jan. 1, 2020 60-66*

VLCnet: Deep Learning Based End-to-End Visible Light Communication System. *Ulkar, M.G.*, +, *JLT Nov. 1, 2020 5937-5948*

Optical communication equipment

100-Gbit/s/ λ EML Transmitter and PIN-PD+TIA Receiver-Based Inter-Data Center Link. *Lin, Y.*, +, *JLT April 15, 2020 2144-2151*

103 nm Ultra-Wideband Hybrid Raman/SOA Transmission Over 3×100 km SSMF. *Arnould, A.*, +, *JLT Jan. 15, 2020 504-508*

135-GHz D-Band 60-Gbps PAM-8 Wireless Transmission Employing a Joint DNN Equalizer With BP and CMMA. *Zhou, W.*, +, *JLT July 15, 2020 3592-3601*

150-W Power-Over-Fiber Using Double-Clad Fibers. *Matsuura, M.*, +, *JLT Jan. 15, 2020 401-408*

4×112 Gbps/Fiber CWDM VCSEL Arrays for Co-Packaged Interconnects. *Wang, B.*, +, *JLT July 1, 2020 3439-3444*

50-GHz Repetition Gain Switching Using a Cavity-Enhanced DFB Laser Assisted by Optical Injection Locking. *Liu, Z.*, +, *JLT April 1, 2020 1844-1850*

500-Gb/s/ λ Operation of Ultra-Low Power and Low-Temperature-Dependence InP-Based High-Bandwidth Coherent Driver Modulator. *Ozaki, J.*, +, *JLT Sept. 15, 2020 5086-5091*

A Silicon Photonic Switching Platform for Flexible Converged Centralized-Radio Access Networking. *Browning, C.*, +, *JLT Oct. 1, 2020 5386-5392*

Adapting Mach-Zehnder Mesh Equalizers in Direct-Detection Mode-Division-Multiplexed Links. *Choutagunta, K.*, +, *JLT Feb. 15, 2020 723-735*

Adaptive Nonlinear Equalization Combining Sparse Bayesian Learning and Kalman Filtering for Visible Light Communications. *Miao, P.*, +, *JLT Dec. 15, 2020 6732-6745*

An Analog Photonic Down-Conversion Link With Simultaneous IMD3 Distortion Suppression and Dispersion-Induced Power Fading Compensation. *Li, Y.*, +, *JLT Aug. 1, 2020 3908-3917*

An Ultra-Broadband Polarization-Insensitive Optical Hybrid Using Multiplane Light Conversion. *Zhang, Y.*, +, *JLT Nov. 15, 2020 6286-6291*

Comparison on OM5-MMF and OM4-MMF Data Links With 32-GBaud PAM-4 Modulated Few-Mode VCSEL at 850 nm. *Huang, C.*, +, *JLT Feb. 1, 2020 573-582*

Compressed Neural Network Equalization Based on Iterative Pruning Algorithm for 112-Gbps VCSEL-Enabled Optical Interconnects. *Ge, L.*, +, *JLT March 15, 2020 1323-1329*

Data Transmission Based on Exact Inverse Periodic Nonlinear Fourier Transform, Part II: Waveform Design and Experiment. *Goossens, J.*, +, *JLT Dec. 1, 2020 6520-6528*

DCI Field Trial Demonstrating 1.3-Tb/s Single-Channel and 50.8-Tb/s WDM Transmission Capacity. *Buchali, F.*, +, *JLT May 1, 2020 2710-2718*

Demonstration of SDN-Enabled Hybrid Polling Algorithm for Packet Contention Resolution in Optical Data Center Network. *Wang, F.*, +, *JLT June 15, 2020 3296-3304*

Demonstration of Tunable Optical Aggregation of QPSK to 16-QAM Over Optically Generated Nyquist Pulse Trains Using Nonlinear Wave Mixing and a Kerr Frequency Comb. *Fallahpour, A.*, +, *JLT Jan. 15, 2020 359-365*

Design of Efficient Resonator-Enhanced Electro-Optic Frequency Comb Generators. *Buscaino, B.*, +, *JLT March 15, 2020 1400-1413*

Design, Fabrication, and Comparison of 3D Multimode Optical Interconnects on Silicon Interposer. *Charania, S.*, +, *JLT July 1, 2020 3454-3460*

Differential Drive I/Q Modulator Based on Silicon Photonic Electro-Absorption Modulators. *Melikyan, A.*, +, *JLT June 1, 2020 2872-2876*

Estimating the Outage Due to Polarization Dependent Loss Based on the Bit-Wise Achievable Information Rate for Probabilistically Shaped 64-QAM. *Cartledge, J.C.*, +, *JLT June 1, 2020 3023-3029*

Exact NFDm Transmission in the Presence of Fiber-Loss. *Bajaj, V.*, +, *JLT June 1, 2020 3051-3058*

Experimental Characterization of Nonlinear Distortions of Semiconductor Optical Amplifiers in the WDM Regime. *Arnould, A.*, +, *JLT Jan. 15, 2020 509-513*

Experimental Demonstration of a Petabit per Second SDM Network Node. *Luis, R.S.*, +, *JLT June 1, 2020 2886-2896*

Experimental Demonstration of Dual O+C-Band WDM Transmission Over 50-km SSMF With Direct Detection. *Hong, Y.*, +, *JLT April 15, 2020 2278-2284*

Experimental Demonstration of Single Sideband Modulation Utilizing Monolithic Integrated Injection Locked DFB Laser. *Zhang, Y.*, +, *JLT April 1, 2020 1809-1816*

Experimental Mitigation of Atmospheric Turbulence Effect Using Pre-Signal Combining for Uni- and Bi-Directional Free-Space Optical Links With Two 100-Gbit/s OAM-Multiplexed Channels. *Song, H.*, +, *JLT Jan. 1, 2020 82-89*

Fast Wavelength Seeking in a Silicon Dual-Ring Switch Based on Artificial Neural Networks. *Qin, G.*, +, *JLT Sept. 15, 2020 5078-5085*

Feasibility Demonstration of Spatial Channel Networking Using SDM/WDM Hierarchical Approach for Peta-b/s Optical Transport. *Jinno, M.*, +, *JLT May 1, 2020 2577-2586*

Gain-Integrated 8×8 Silicon Photonics Multicast Switch With On-Chip 2×4 -ch. SOAs. *Konoike, R.*, +, *JLT June 1, 2020 2930-2937*

High Data-Rate and Long Distance MCF Transmission With 19-Core C+L band Cladding-Pumped EDFA. *Putnam, B.J.*, +, *JLT Jan. 1, 2020 123-130*

High Resolution and Ultra-Compact On-Chip Spectrometer Using Bidirectional Edge-Input Arrayed Waveguide Grating. *Zou, J.*, +, *JLT Aug. 15, 2020 4447-4453*

High Single-Mode Stability Tunable In-Series Laser Array With High Wavelength-spacing Uniformity. *Sun, Z.*, +, *JLT Nov. 1, 2020 6038-6046*

High Spatial Density 6-Mode 7-Core Fiber Amplifier for L-Band Operation. *Jung, Y.*, +, *JLT June 1, 2020 2938-2943*

High-Linearity Fano Resonance Modulator Using a Microring-Assisted Mach-Zehnder Structure. *Chen, S.*, +, *JLT July 1, 2020 3395-3403*

High-Power, Narrow-Linewidth, Miniaturized Silicon Photonic Tunable Laser With Accurate Frequency Control. *Gao, Y.*, +, *JLT Jan. 15, 2020 265-271*

High-Speed Performance Evaluation of Graded-Index Multicore Fiber Compatible With Multimode and Quasi-single Mode Operation. *Liu, Y.*, +, *JLT Dec. 15, 2020 6870-6878*

Impact of Polarization- and Mode-Dependent Gain on the Capacity of Ultra-Long-Haul Systems. *Mello, D.A.A.*, +, *JLT Jan. 15, 2020 303-318*

Integrated Wavelength-Tuned Optical mm-Wave Beamformer With Doubled Delay Resolution. *Zhang, X.*, +, *JLT April 15, 2020 2353-2359*

Interband Short Reach Data Transmission in Ultrawide Bandwidth Hollow Core Fiber. *Sakr, H.*, +, *JLT Jan. 1, 2020 159-165*

Introducing Load Aware Neural Networks for Accurate Predictions of Raman Amplifiers. *Rosa Brusin, A.M.*, +, *JLT Dec. 1, 2020 6481-6491*

Microwave Pulse Generation With a Silicon Dual-Parallel Modulator. *Liu, S.*, +, *JLT April 15, 2020 2134-2143*

Mirror-Based Broadband Silicon-Photonics Vertical I/O With Coupling Efficiency Enhancement for Standard Single-Mode Fiber. *Noriki, A.*, +, *JLT June 15, 2020 3147-3155*

Modeling EDFA Gain Ripple and Filter Penalties With Machine Learning for Accurate QoT Estimation. *Mahajan, A.*, +, *JLT May 1, 2020 2616-2629*

Modulation and Switching Architecture Performances for Frequency Up-Conversion of Complex-Modulated Data Signals Based on a SOA-MZI Photonic Sampling Mixer. *Kastritsis, D.*, +, *JLT Oct. 1, 2020 5375-5385*

Modulation of a High Power Semiconductor Optical Amplifier for Free Space Communications. *Pham, C.*, +, *JLT April 1, 2020 1836-1843*

Multi-Band Direct-Detection Transmission Over an Ultrawide Bandwidth Hollow-Core NANF. *Hong, Y.*, +, *JLT May 15, 2020 2849-2857*

- Multi-Beamforming Provided by Dual-Wavelength True Time Delay PIC and Multicore Fiber. *Morant, M.*, +, *JLT Oct. 1, 2020 5311-5317*
- Multi-FSR Silicon Photonic Flex-LIONS Module for Bandwidth-Reconfigurable All-to-All Optical Interconnects. *Xiao, X.*, +, *JLT June 15, 2020 3200-3208*
- Nonlinear Spectrum of Conventional OFDM and WDM Return-to-Zero Signals in Nonlinear Channel. *Turitsyn, S.*, +, *JLT Jan. 15, 2020 352-358*
- Nonlinearity-Aware Adaptive Bit and Power Loading DMT Transmission Over Low-Crosstalk Ring-Core Fiber With Mode Group Multiplexing. *Zhang, J.*, +, *JLT Nov. 1, 2020 5875-5882*
- Optical Generation/Detection of Broadband Microwave Orbital Angular Momentum Modes. *Huang, J.*, +, *JLT March 15, 2020 1202-1209*
- Passive Visible-to-Telecom Converter Using Tunable Perovskites and Silicon Photonics. *Cheng, Z.*, +, *JLT July 1, 2020 3533-3539*
- PDL in Optical Links: A Model Analysis and a Demonstration of a PDL-Resilient Modulation. *Dumenil, A.*, +, *JLT Sept. 15, 2020 5017-5025*
- Performance Comparison of Probabilistically Shaped QAM Formats and Hybrid Shaped APSK Formats With Coded Modulation. *Cai, J.*, +, *JLT June 15, 2020 3280-3288*
- Performance Implications of Cascaded Wavelength Selective Switches on a Probabilistically Shaped 64-QAM System. *Li, L.*, +, *JLT March 15, 2020 1184-1193*
- Performance Requirements for Terabit-Class Silicon Photonic Links Based on Cascaded Microring Resonators. *London, Y.*, +, *JLT July 1, 2020 3469-3477*
- Polarization Diversified 16λ Demultiplexer Based on Silicon Wire Delayed Interferometers and Arrayed Waveguide Gratings. *Jeong, S.*, +, *JLT May 1, 2020 2680-2687*
- Principle, Design, and Prototyping of Core Selective Switch Using Free-Space Optics for Spatial Channel Network. *Jinno, M.*, +, *JLT Sept. 15, 2020 4895-4905*
- Pulse Timing Jitter Estimated From Optical Phase Noise in Mode-Locked Semiconductor Quantum Dash Lasers. *Mao, Y.*, +, *JLT Sept. 1, 2020 4787-4793*
- Quantum Limits in Optical Communications. *Banaszek, K.*, +, *JLT May 15, 2020 2741-2754*
- Recent Advances in 100+nm Ultra-Wideband Fiber-Optic Transmission Systems Using Semiconductor Optical Amplifiers. *Renaudier, J.*, +, *JLT March 1, 2020 1071-1079*
- Reduced Cladding Diameter Fibers for High-Density Optical Interconnects. *Bickham, S.R.*, +, *JLT Jan. 15, 2020 297-302*
- Robust Integrated Optical Unitary Converter Using Multiport Directional Couplers. *Tanomura, R.*, +, *JLT Jan. 1, 2020 60-66*
- Silicon Nitride (Si₃N₄) (De-)Multiplexers for 1-μm CWDM Optical Interconnects. *Cheung, S.S.*, +, *JLT July 1, 2020 3404-3413*
- Silicon Photonics Wavelength Selective Switch With Unlimited Free Spectral Range. *Ikeda, K.*, +, *JLT June 15, 2020 3268-3272*
- Statistical Evaluation of PAM4 Data Center Interconnect System With Slope-Compensating Fiber Bragg Grating Tunable Dispersion Compensation Module. *Searcy, S.*, +, *JLT June 15, 2020 3173-3179*
- Temperature and Noise Dependence of Tri-Mode VCSEL Carried 120-Gbit/s QAM-OFDM Data in Back-to-Back and OM5-MMF Links. *Huang, C.*, +, *JLT Dec. 15, 2020 6746-6758*
- The Enhanced Gaussian Noise Model Extended to Polarization-Dependent Loss. *Serena, P.*, +, *JLT Oct. 15, 2020 5685-5694*
- Theoretical and Experimental Analysis of Burst-Mode Wavelength Conversion via a Differentially-Biased SOA-MZI. *Tsakyridis, A.*, +, *JLT Sept. 1, 2020 4607-4617*
- Ultra-Low-Loss Broadband All-Fiber Mode Selective Couplers for MIMO-Less MDM Transmission. *Jiang, S.*, +, *JLT April 15, 2020 2376-2382*
- Underwater Acoustic Signal Detection and Down-Conversion Using Optomechanical Resonance and Oscillation. *Huang, K.*, +, *JLT July 15, 2020 3789-3797*
- WDM-Based Silicon Photonic Multi-Socket Interconnect Architecture With Automated Wavelength and Thermal Drift Compensation. *Zanetto, F.*, +, *JLT Nov. 1, 2020 6000-6006*
- Weakly-Coupled MDM-WDM Amplification and Transmission Based on Compact FM-EDFA. *Zhu, J.*, +, *JLT Sept. 15, 2020 5163-5169*
- Optical computing**
- All-Optical 2 × 2-Bit Multiplier at 40 Gb/s Based on Canonical Logic Units-based Programmable Logic Array (CLUs-PLA). *Dong, W.*, +, *JLT Oct. 15, 2020 5586-5594*
- Analysis of an Ultra-Short True Time Delay Line Optical Reservoir Computer. *McDonald, N.*, +, *JLT July 15, 2020 3584-3591*
- Machine Learning for Optical Network Security Monitoring: A Practical Perspective. *Furdek, M.*, +, *JLT June 1, 2020 2860-2871*
- Neural Turbo Equalization: Deep Learning for Fiber-Optic Nonlinearity Compensation. *Koike-Akino, T.*, +, *JLT June 1, 2020 3059-3066*
- Neuromorphic Photonics With Coherent Linear Neurons Using Dual-IQ Modulation Cells. *Mourgias-Alexandris, G.*, +, *JLT Feb. 15, 2020 811-819*
- P4-enabled Smart NIC: Enabling Sliceable and Service-Driven Optical Data Centres. *Yan, Y.*, +, *JLT May 1, 2020 2688-2694*
- Photonic Switched Optically Connected Memory: An Approach to Address Memory Challenges in Deep Learning. *Zhu, Z.*, +, *JLT May 15, 2020 2815-2825*
- Optical control**
- All-Optical Directional Control of Emission in a Photonic Liquid Crystal Fiber Laser. *Lin, J.*, +, *JLT Sept. 15, 2020 5149-5156*
- End-to-End Quantum Secured Inter-Domain 5G Service Orchestration Over Dynamically Switched Flex-Grid Optical Networks Enabled by a q-ROADM. *Wang, R.*, +, *JLT Jan. 1, 2020 139-149*
- Frequency-Tunable Parity-Time-Symmetric Optoelectronic Oscillator Using a Polarization-Dependent Sagnac Loop. *Dai, Z.*, +, *JLT Oct. 1, 2020 5327-5332*
- Integrated Wavelength-Tuned Optical mm-Wave Beamformer With Doubled Delay Resolution. *Zhang, X.*, +, *JLT April 15, 2020 2353-2359*
- Optimal Control of SOAs With Artificial Intelligence for Sub-Nanosecond Optical Switching. *Parsonson, C.W.F.*, +, *JLT Oct. 15, 2020 5563-5573*
- Optical correlation**
- 50 km-Range Brillouin Optical Correlation Domain Analysis With First-Order Backward Distributed Raman Amplification. *Ryu, G.*, +, *JLT Sept. 15, 2020 5199-5204*
- Distributed Optical Fiber Low-Frequency Vibration Detecting Using Cross-Correlation Spectrum Analysis. *Wang, D.*, +, *JLT Dec. 1, 2020 6664-6670*
- Non-Classical Semiconductor Photon Sources Enhancing the Performance of Classical Target Detection Systems. *He, H.*, +, *JLT Aug. 15, 2020 4540-4547*
- Optical couplers**
- 27 GHz Silicon-Contacted Waveguide-Coupled Ge/Si Avalanche Photodiode. *Srinivasan, S.A.*, +, *JLT June 1, 2020 3044-3050*
- A Computationally Efficient Integrated Coupled Opto-Electronic Oscillator Model. *Nielsen, L.*, +, *JLT Oct. 1, 2020 5430-5439*
- Adjoint Optimization of Efficient CMOS-Compatible Si-SiN Vertical Grating Couplers for DWDM Applications. *Hooten, S.*, +, *JLT July 1, 2020 3422-3430*
- Broadband Angled Arbitrary Ratio SOI MMI Couplers With Enhanced Fabrication Tolerance. *Zhang, J.*, +, *JLT Oct. 15, 2020 5748-5755*
- Compact and Fabrication-Tolerant Waveguide Bends Based on Quadratic Reflectors. *Yu, S.*, +, *JLT Aug. 15, 2020 4368-4373*
- Controlling Resonance Lineshapes of a Side-Coupled Waveguide-Microring Resonator. *Fang, L.*, +, *JLT Aug. 15, 2020 4429-4434*
- Efficient Hybrid Integration of Long-Wavelength VCSELs on Silicon Photonic Circuits. *Ruan, Z.*, +, *JLT Sept. 15, 2020 5100-5106*
- Fast Wavelength Seeking in a Silicon Dual-Ring Switch Based on Artificial Neural Networks. *Qin, G.*, +, *JLT Sept. 15, 2020 5078-5085*
- Frequency-Tunable Parity-Time-Symmetric Optoelectronic Oscillator Using a Polarization-Dependent Sagnac Loop. *Dai, Z.*, +, *JLT Oct. 1, 2020 5327-5332*
- High-Speed Evanescently-Coupled Waveguide Type-II MUTC Photodiodes for Zero-Bias Operation. *Yu, F.*, +, *JLT Dec. 15, 2020 6827-6832*
- Ion Implantation of Germanium Into Silicon for Critical Coupling Control of Racetrack Resonators. *Milosevic, M.M.*, +, *JLT April 1, 2020 1865-1873*

Low-Voltage, Coupled Multiple Quantum Well Electroreflective Modulators Towards Ultralow Power Inter-Chip Optical Interconnects. *Wang, X., +, JLT July 1, 2020 3414-3421*

Monolithic Integrated InGaAs/InAlAs WDM-APDs With Partially Depleted Absorption Region and Evanescently Coupled Waveguide Structure. *Zhao, Y., +, JLT Aug. 15, 2020 4385-4396*

Optical Free-Form Couplers for High-density Integrated Photonics (OFF-CHIP): A Universal Optical Interface. *Yu, S., +, JLT July 1, 2020 3358-3365*

Robust Integrated Optical Unitary Converter Using Multiport Directional Couplers. *Tanomura, R., +, JLT Jan. 1, 2020 60-66*

Silicon-Based Flexible-Grid Mode- and Wavelength-Selective Switch Utilizing Microring Resonators and Y-Junctions. *Chen, W., +, JLT Aug. 1, 2020 4000-4008*

Transverse Mode Mixing in a Coupled-Cavity VCSEL. *Frasunkiewicz, L., +, JLT Oct. 15, 2020 5774-5782*

Two-Dimensional Apodized Grating Coupler for Polarization-Independent and Surface-Normal Optical Coupling. *Zhang, Z., +, JLT Aug. 1, 2020 4037-4044*

Ultra-Compact Broadband 2×2 3 dB Power Splitter Using a Subwavelength-Grating-Assisted Asymmetric Directional Coupler. *Ye, C., +, JLT April 15, 2020 2370-2375*

Ultra-Compact Coupling Structures for Heterogeneously Integrated Silicon Lasers. *He, A., +, JLT Aug. 1, 2020 3974-3982*

Unclad Microphotonics for Terahertz Waveguides and Systems. *Headland, D., +, JLT Dec. 15, 2020 6853-6862*

Optical coupling

Ball Lens Embedded Through-Package Via To Enable Backside Coupling Between Silicon Photonics Interposer and Board-Level Interconnects. *Mangal, N., +, JLT April 15, 2020 2360-2369*

Optical crosstalk

400 Gb/s Silicon Photonic Transmitter and Routing WDM Technologies for Glueless 8-Socket Chip-to-Chip Interconnects. *Pitris, S., +, JLT July 1, 2020 3366-3375*

402.7-Tb/s MDM-WDM Transmission Over Weakly Coupled 10-Mode Fiber Using Rate-Adaptive PS-16QAM Signals. *Beppu, S., +, JLT May 15, 2020 2835-2841*

A Compact Integrated LAN-WDM EML TOSA Employing Stripline With an Aperture in the FPC. *Ohata, N., +, JLT June 15, 2020 3246-3251*

A Study on the Effect of Ultra-Wide Band WDM on Optical Transmission Systems. *Okamoto, S., +, JLT March 1, 2020 1061-1070*

Adapting Mach-Zehnder Mesh Equalizers in Direct-Detection Mode-Division-Multiplexed Links. *Choutagunta, K., +, JLT Feb. 15, 2020 723-735*

Assessing Capacity and Cost/Capacity of 4-Core Multicore Fibers Against Single Core Fibers in Submarine Cable Systems. *Downie, J.D., +, JLT June 1, 2020 3015-3022*

Crosstalk-Aware Resource Allocation in Survivable Space-Division-Multiplexed Elastic Optical Networks Supporting Hybrid Dedicated and Shared Path Protection. *Moghaddam, E.E., +, JLT March 15, 2020 1095-1102*

Crosstalk-Induced System Outage in Intensity-Modulated Direct-Detection Multi-Core Fiber Transmission. *Rademacher, G., +, JLT Jan. 15, 2020 291-296*

Design Analysis of OAM Fibers Using Particle Swarm Optimization Algorithm. *Chang, J.H., +, JLT Feb. 15, 2020 846-856*

Enhancement of the Multiplexing Capacity and Measurement Accuracy of FBG Sensor System Using IWDM Technique and Deep Learning Algorithm. *Manie, Y.C., +, JLT March 15, 2020 1589-1603*

Experimental Mitigation of Atmospheric Turbulence Effect Using Pre-Signal Combining for Uni- and Bi-Directional Free-Space Optical Links With Two 100-Gbit/s OAM-Multiplexed Channels. *Song, H., +, JLT Jan. 1, 2020 82-89*

Gain-Integrated 8×8 Silicon Photonics Multicast Switch With On-Chip 2×4 -ch. SOAs. *Konoike, R., +, JLT June 1, 2020 2930-2937*

High Data-Rate and Long Distance MCF Transmission With 19-Core C+L band Cladding-Pumped EDFA. *Putnam, B.J., +, JLT Jan. 1, 2020 123-130*

High Resolution and Ultra-Compact On-Chip Spectrometer Using Bidirectional Edge-Input Arrayed Waveguide Grating. *Zou, J., +, JLT Aug. 15, 2020 4447-4453*

High-Speed Performance Evaluation of Graded-Index Multicore Fiber Compatible With Multimode and Quasi-single Mode Operation. *Liu, Y., +, JLT Dec. 15, 2020 6870-6878*

Liquid Level and Refractive Index Double-Parameter Sensor Based on Tapered Photonic Crystal Fiber. *Fan, R., +, JLT July 15, 2020 3717-3722*

Low-Loss Orbital Angular Momentum Ring-Core Fiber: Design, Fabrication and Characterization. *Wang, H., +, JLT Nov. 15, 2020 6327-6333*

Low-Loss, Low-Crosstalk, and Large-Scale Optical Switch Based on Silicon Photonics. *Suzuki, K., +, JLT Jan. 15, 2020 233-239*

Machine Learning Assisted Optimization of Dynamic Crosstalk-Aware Spectrally-Spatially Flexible Optical Networks. *Klinkowski, M., +, JLT April 1, 2020 1625-1635*

Minimizing Inter-Core Crosstalk Jointly in Spatial, Frequency, and Time Domains for Scheduled Lightpath Demands in Multi-Core Fiber-based Elastic Optical Network. *Tang, F., +, JLT Oct. 15, 2020 5595-5607*

Modeling and Analysis of Crosstalk for Time-Interleaved Photonic ADCs. *Wang, C., +, JLT Aug. 1, 2020 3926-3934*

Multi-FSR Silicon Photonic Flex-LIONS Module for Bandwidth-Reconfigurable All-to-All Optical Interconnects. *Xiao, X., +, JLT June 15, 2020 3200-3208*

Multi-Stage 8×8 Silicon Photonic Switch Based on Dual-Microring Switching Elements. *Huang, Y., +, JLT Jan. 15, 2020 194-201*

Multi-Tone Pound-Drever-Hall Technique for High-Resolution Multiplexed Fabry-Perot Resonator Sensors. *Zhao, S., +, JLT Nov. 15, 2020 6379-6384*

Nonlinearity-Aware Adaptive Bit and Power Loading DMT Transmission Over Low-Crosstalk Ring-Core Fiber With Mode Group Multiplexing. *Zhang, J., +, JLT Nov. 1, 2020 5875-5882*

Polarization Diversified 16 λ Demultiplexer Based on Silicon Wire Delayed Interferometers and Arrayed Waveguide Gratings. *Jeong, S., +, JLT May 1, 2020 2680-2687*

Silicon Nitride (Si₃N₄) (De-)Multiplexers for 1- μ m CWDM Optical Interconnects. *Cheung, S.S., +, JLT July 1, 2020 3404-3413*

Silicon-Based Flexible-Grid Mode- and Wavelength-Selective Switch Utilizing Microring Resonators and Y-Junctions. *Chen, W., +, JLT Aug. 1, 2020 4000-4008*

True-Time Delay Line Based on Dispersion-Flattened 19-Core Photonic Crystal Fiber. *Shaheen, S., +, JLT Nov. 15, 2020 6237-6246*

Weakly-Coupled MDM-WDM Amplification and Transmission Based on Compact FM-EDFA. *Zhu, J., +, JLT Sept. 15, 2020 5163-5169*

Optical delay lines

Analysis of an Ultra-Short True Time Delay Line Optical Reservoir Computer. *McDonald, N., +, JLT July 15, 2020 3584-3591*

Integrated Discretely Tunable Optical Delay Line Based on Step-Chirped Subwavelength Grating Waveguide Bragg Gratings. *Sun, H., +, JLT Oct. 1, 2020 5551-5560*

Integrated Wavelength-Tuned Optical mm-Wave Beamformer With Doubled Delay Resolution. *Zhang, X., +, JLT April 15, 2020 2353-2359*

Passband-Switchable and Frequency-Tunable Dual-Passband Microwave Photonic Filter. *Jiao, Z., +, JLT Oct. 1, 2020 5333-5338*

Photonic-Assisted Leakage Cancellation for Wideband Frequency Modulation Continuous-Wave Radar Transceiver. *Li, P., +, JLT March 15, 2020 1178-1183*

True-Time Delay Line Based on Dispersion-Flattened 19-Core Photonic Crystal Fiber. *Shaheen, S., +, JLT Nov. 15, 2020 6237-6246*

Two-Dimensional Apodized Grating Coupler for Polarization-Independent and Surface-Normal Optical Coupling. *Zhang, Z., +, JLT Aug. 1, 2020 4037-4044*

Wideband Microwave Frequency Distribution for Multi-Access Along a Single Fiber Link. *Zhang, H., +, JLT April 1, 2020 1688-1692*

Optical design techniques

103 nm Ultra-Wideband Hybrid Raman/SOA Transmission Over 3×100 km SSMF. *Arnould, A., +, JLT Jan. 15, 2020 504-508*

- Active Terahertz Anisotropy and Dispersion Engineering Based on Dual-Frequency Liquid Crystal and Dielectric Metasurface. *Ji, Y., +, JLT Aug. 1, 2020 4030-4036*
- Adapting Mach-Zehnder Mesh Equalizers in Direct-Detection Mode-Division-Multiplexed Links. *Choutagunta, K., +, JLT Feb. 15, 2020 723-735*
- All-Optical and Polarization-Independent Tunable Guided-Mode Resonance Filter Based on a Dye-Doped Liquid Crystal Incorporated With Photonic Crystal Nanostructure. *Lin, T., +, JLT Feb. 15, 2020 820-826*
- An Ultra-Broadband Polarization-Insensitive Optical Hybrid Using Multiplane Light Conversion. *Zhang, Y., +, JLT Nov. 15, 2020 6286-6291*
- Broadband Angled Arbitrary Ratio SOI MMI Couplers With Enhanced Fabrication Tolerance. *Zhang, J., +, JLT Oct. 15, 2020 5748-5755*
- Broadband Nonvolatile Tunable Mode-Order Converter Based on Silicon and Optical Phase Change Materials Hybrid Meta-Structure. *Chen, H., +, JLT April 1, 2020 1874-1879*
- Data Transmission Based on Exact Inverse Periodic Nonlinear Fourier Transform, Part II: Waveform Design and Experiment. *Goossens, J., +, JLT Dec. 1, 2020 6520-6528*
- Design Analysis of OAM Fibers Using Particle Swarm Optimization Algorithm. *Chang, J.H., +, JLT Feb. 15, 2020 846-856*
- Design Principles of Apodized Grating Couplers. *Zhao, Z., +, JLT Aug. 15, 2020 4435-4446*
- Design, Fabrication, and Comparison of 3D Multimode Optical Interconnects on Silicon Interposer. *Charania, S., +, JLT July 1, 2020 3454-3460*
- Dispersion Management in Hybrid Optical Fibers. *Michalik, D., +, JLT March 15, 2020 1427-1434*
- Efficient Shape and Topology Optimization Based on Sensitivity Analysis for Optical Waveguide Devices Utilizing Full-Vectorial BPM. *Iguchi, A., +, JLT April 15, 2020 2328-2335*
- Exact NFDN Transmission in the Presence of Fiber-Loss. *Bajaj, V., +, JLT June 1, 2020 3051-3058*
- Fast Wavelength Seeking in a Silicon Dual-Ring Switch Based on Artificial Neural Networks. *Qin, G., +, JLT Sept. 15, 2020 5078-5085*
- High Single-Mode Stability Tunable In-Series Laser Array With High Wavelength-spacing Uniformity. *Sun, Z., +, JLT Nov. 1, 2020 6038-6046*
- High-Performance Optical Frequency-Domain Reflectometry Based on High-Order Optical Phase-Locking-Assisted Chirp Optimization. *Feng, Y., +, JLT Nov. 15, 2020 6227-6236*
- High-Speed and High-Resolution Microwave Photonic Interrogation of a Fiber-Optic Refractometer With Plasmonic Spectral Comb. *Wang, G., +, JLT April 1, 2020 2073-2080*
- Integrated Arbitrary Filter With Spiral Gratings: Design and Characterization. *Hu, Y., +, JLT Aug. 15, 2020 4454-4461*
- Integrated Discretely Tunable Optical Delay Line Based on Step-Chirped Subwavelength Grating Waveguide Bragg Gratings. *Sun, H., +, JLT Oct. 1, 2020 5551-5560*
- Integrated Wavelength-Tuned Optical mm-Wave Beamformer With Doubled Delay Resolution. *Zhang, X., +, JLT April 15, 2020 2353-2359*
- Interband Short Reach Data Transmission in Ultrawide Bandwidth Hollow Core Fiber. *Sakr, H., +, JLT Jan. 1, 2020 159-165*
- Inverse-Designed Photonic Jumpers With Ultracompact Size and Ultralow Loss. *Yu, Z., +, JLT Dec. 1, 2020 6623-6628*
- Investigation of Thermal Loads for Transverse Mode Instability in Ytterbium-Doped Large Mode Area Fibers. *Xia, N., +, JLT Aug. 15, 2020 4478-4489*
- Iterative Algorithm for Electronic Dispersion Compensation in IM/DD Systems. *Karar, A.S., JLT Feb. 15, 2020 698-704*
- Low-Loss Multimode Glass Waveguides With Beam-Expanded Fiber Connectors Enabling On-Board Optical Links. *Brusberg, L., +, JLT March 15, 2020 1350-1357*
- Low-Loss Orbital Angular Momentum Ring-Core Fiber: Design, Fabrication and Characterization. *Wang, H., +, JLT Nov. 15, 2020 6327-6333*
- Low-Voltage Electrically-Induced Second Harmonic Generation in a Silicon Waveguide Based on Modal Phase Matching. *Janjan, B., +, JLT Nov. 15, 2020 6272-6279*
- Microfiber-Knot-Resonator-Induced Partial Elimination of Longitudinal Modes in Fiber Lasers for In-Tune-Switchable Nanosecond Pulse Generation. *Zhou, J., +, JLT Feb. 15, 2020 875-880*
- Mode-field Matching Down-Tapers on Single-Mode Optical Fibers for Edge Coupling Towards Generic Photonic Integrated Circuit Platforms. *Vanmol, K., +, JLT Sept. 1, 2020 4834-4842*
- Multi-Stage 8×8 Silicon Photonic Switch Based on Dual-Microring Switching Elements. *Huang, Y., +, JLT Jan. 15, 2020 194-201*
- Nonduplicate Polarization-Diversity 32×32 Silicon Photonics Switch Based on a SiN/Si Double-Layer Platform. *Suzuki, K., +, JLT Jan. 15, 2020 226-232*
- Nonlinearity-Aware Adaptive Bit and Power Loading DMT Transmission Over Low-Crosstalk Ring-Core Fiber With Mode Group Multiplexing. *Zhang, J., +, JLT Nov. 1, 2020 5875-5882*
- On-Chip Optical Microresonators With High Electro-Optic Tuning Efficiency. *Wang, T., +, JLT April 1, 2020 1851-1857*
- Optical Free-Form Couplers for High-density Integrated Photonics (OFF-CHIP): A Universal Optical Interface. *Yu, S., +, JLT July 1, 2020 3358-3365*
- Optical Generation/Detection of Broadband Microwave Orbital Angular Momentum Modes. *Huang, J., +, JLT March 15, 2020 1202-1209*
- Performance Requirements for Terabit-Class Silicon Photonic Links Based on Cascaded Microring Resonators. *London, Y., +, JLT July 1, 2020 3469-3477*
- Period-One Microwave Photonic Sensing by a Laser Diode With Optical Feedback. *Nie, B., +, JLT Oct. 1, 2020 5423-5429*
- Quasi-Phase Matched Second Harmonic Generation in Plasmonic-Organic Hybrid Structures. *Janjan, B., +, JLT March 15, 2020 1391-1399*
- Revisiting Efficient Multi-Step Nonlinearity Compensation With Machine Learning: An Experimental Demonstration. *Oltari, V., +, JLT June 15, 2020 3114-3124*
- Robust Integrated Optical Unitary Converter Using Multiport Directional Couplers. *Tanomura, R., +, JLT Jan. 1, 2020 60-66*
- Sensitivity Analysis of Photonic Integrated Direct-Detection Stokes-Vector Receiver. *Tanemura, T., +, JLT Jan. 15, 2020 447-456*
- Silicon-Based Flexible-Grid Mode- and Wavelength-Selective Switch Utilizing Microring Resonators and Y-Junctions. *Chen, W., +, JLT Aug. 1, 2020 4000-4008*
- Spectral Dependence of Transmission Losses in High-Index Polymer Coated No-Core Fibers. *Lian, X., +, JLT Nov. 15, 2020 6352-6361*
- Study of Surface Plasmon Resonance Sensor Based on Polymer-Tipped Optical Fiber With Barium Titanate Layer. *Xia, Z., +, JLT Feb. 15, 2020 912-918*
- Suppression of Nonlinear Residual Intensity Modulation in Multifunction Integrated Optic Circuit for Fiber-Optic Gyroscopes. *Liu, J., +, JLT March 15, 2020 1572-1579*
- Surface Plasmon Resonance Induced High Sensitivity Temperature and Refractive Index Sensor Based on Evanescent Field Enhanced Photonic Crystal Fiber. *Liu, Y., +, JLT Feb. 15, 2020 919-928*
- The Thermal Phase Sensitivity of Both Coated and Uncoated Standard and Hollow Core Fibers Down to Cryogenic Temperatures. *Zhu, W., +, JLT April 15, 2020 2477-2484*
- Theory of Coupled Harmonics and Its Application to Resonant and Non-Resonant Electro-Optic Modulators. *Bahadori, M., +, JLT Oct. 15, 2020 5756-5767*
- Tilting of Bragg Waveguide Gratings Using Two-Dimensional Sampling Structures. *Hao, L., +, JLT Aug. 15, 2020 4402-4408*
- Transient Crosstalk in Holographic Optical Switching Based on Wavefront Encoding. *Yang, H., +, JLT April 1, 2020 1618-1624*
- True-Time Delay Line Based on Dispersion-Flattened 19-Core Photonic Crystal Fiber. *Shaheen, S., +, JLT Nov. 15, 2020 6237-6246*
- Ultra-Compact Broadband 2×2 3 dB Power Splitter Using a Subwavelength-Grating-Assisted Asymmetric Directional Coupler. *Ye, C., +, JLT April 15, 2020 2370-2375*
- Ultra-Low-Loss Broadband All-Fiber Mode Selective Couplers for MIMO-Less MDM Transmission. *Jiang, S., +, JLT April 15, 2020 2376-2382*

- Ultra-Sharp Multimode Waveguide Bends With Dual Polarizations. *Wang, Y.*, +, *JLT Aug. 1, 2020 3994-3999*
- Ultrasound Measurement Using On-Chip Optical Micro-Resonators and Digital Optical Frequency Comb. *Song, J.*, +, *JLT Oct. 1, 2020 5293-5301*
- Optical directional couplers**
- Comprehensive Modeling and Design of Raman Lasers on SOI for Mid-Infrared Application. *Ahmadi, M.*, +, *JLT Aug. 1, 2020 4114-4123*
- Low-Power Broadband Thermo-Optic Switch With Weak Polarization Dependence Using a Segmented Graphene Heater. *Song, Q.Q.*, +, *JLT March 15, 2020 1358-1364*
- Silicon Photonics Wavelength Selective Switch With Unlimited Free Spectral Range. *Ikeda, K.*, +, *JLT June 15, 2020 3268-3272*
- Ultra-Compact Broadband 2×2 3 dB Power Splitter Using a Subwavelength-Grating-Assisted Asymmetric Directional Coupler. *Ye, C.*, +, *JLT April 15, 2020 2370-2375*
- Optical dispersion**
- Active Terahertz Anisotropy and Dispersion Engineering Based on Dual-Frequency Liquid Crystal and Dielectric Metasurface. *Ji, Y.*, +, *JLT Aug. 1, 2020 4030-4036*
- Compensation of Phase-Uncertainty-Induced Impairments in Dispersion-Tuned Swept Laser OCT using Digital Coherent Detection. *Shirahata, T.*, +, *JLT Dec. 1, 2020 6492-6498*
- Graphene on Silicon Modulators. *Soriano, V.*, +, *JLT May 15, 2020 2782-2789*
- Multi-FSR Silicon Photonic Flex-LIONS Module for Bandwidth-Reconfigurable All-to-All Optical Interconnects. *Xiao, X.*, +, *JLT June 15, 2020 3200-3208*
- Photonics-Based Real-Time Spectrogram Analysis of Broadband Waveforms. *Konatham, S.R.*, +, *JLT Oct. 1, 2020 5356-5367*
- Predicting Kerr Soliton Combs in Microresonators via Deep Neural Networks. *Tan, T.*, +, *JLT Dec. 1, 2020 6591-6599*
- Temporal Imaging Using Dispersive Gradient-Index Time Lenses. *Han, T.*, +, *JLT April 15, 2020 2383-2391*
- Optical elements**
- Optical Free-Form Couplers for High-density Integrated Photonics (OFF-CHIP): A Universal Optical Interface. *Yu, S.*, +, *JLT July 1, 2020 3358-3365*
- Optical engineering computing**
- Compensation of Nonlinear Impairments Using Inverse Perturbation Theory With Reduced Complexity. *Redyuk, A.*, +, *JLT March 15, 2020 1250-1257*
- Enhancement of the Multiplexing Capacity and Measurement Accuracy of FBG Sensor System Using IWDM Technique and Deep Learning Algorithm. *Manie, Y.C.*, +, *JLT March 15, 2020 1589-1603*
- On the Performance of Digital Back Propagation in Spatial Multiplexing Systems. *Ferreira, F.M.*, +, *JLT May 15, 2020 2790-2798*
- Predicting Kerr Soliton Combs in Microresonators via Deep Neural Networks. *Tan, T.*, +, *JLT Dec. 1, 2020 6591-6599*
- Supply-Power-Constrained Cable Capacity Maximization Using Multi-Layer Neural Networks. *Cho, J.*, +, *JLT July 15, 2020 3652-3662*
- Optical fabrication**
- 100-Gbit/s/ λ EML Transmitter and PIN-PD+TIA Receiver-Based Inter-Data Center Link. *Lin, Y.*, +, *JLT April 15, 2020 2144-2151*
- 27 GHz Silicon-Contacted Waveguide-Coupled Ge/Si Avalanche Photodiode. *Srinivasan, S.A.*, +, *JLT June 1, 2020 3044-3050*
- A Laser Written 4D Optical Microcavity for Advanced Biochemical Sensing in Aqueous Environment. *Saetchnikov, A.V.*, +, *JLT April 15, 2020 2530-2538*
- A Wavelength-Selective Multiwavelength Ring-Assisted Mach-Zehnder Interferometer Switch. *Hirokawa, T.*, +, *JLT Nov. 15, 2020 6292-6298*
- Adjoint Optimization of Efficient CMOS-Compatible Si-SiN Vertical Grating Couplers for DWDM Applications. *Hooten, S.*, +, *JLT July 1, 2020 3422-3430*
- Aerosol Jet Printed Optical Waveguides for Short Range Communication. *Lorenz, L.*, +, *JLT July 1, 2020 3478-3484*
- All-Optical and Polarization-Independent Tunable Guided-Mode Resonance Filter Based on a Dye-Doped Liquid Crystal Incorporated With Photonic Crystal Nanostructure. *Lin, T.*, +, *JLT Feb. 15, 2020 820-826*
- An Experimental and Theoretical Investigation of a 2 μ m Wavelength Low-Threshold Microsphere Laser. *Yu, J.*, +, *JLT April 1, 2020 1880-1886*
- Broadband Angled Arbitrary Ratio SOI MMI Couplers With Enhanced Fabrication Tolerance. *Zhang, J.*, +, *JLT Oct. 15, 2020 5748-5755*
- Broadband Nonvolatile Tunable Mode-Order Converter Based on Silicon and Optical Phase Change Materials Hybrid Meta-Structure. *Chen, H.*, +, *JLT April 1, 2020 1874-1879*
- Compact and Fabrication-Tolerant Waveguide Bends Based on Quadratic Reflectors. *Yu, S.*, +, *JLT Aug. 15, 2020 4368-4373*
- Comprehensive Modeling and Design of Raman Lasers on SOI for Mid-Infrared Application. *Ahmadi, M.*, +, *JLT Aug. 1, 2020 4114-4123*
- Controlling Resonance Lineshapes of a Side-Coupled Waveguide-Microring Resonator. *Fang, L.*, +, *JLT Aug. 15, 2020 4429-4434*
- Design of Four-Channel Wavelength-Selectable In-Series DFB Laser Array With 100-GHz Spacing. *Sun, Z.*, +, *JLT April 15, 2020 2299-2307*
- Design, Fabrication, and Comparison of 3D Multimode Optical Interconnects on Silicon Interposer. *Charania, S.*, +, *JLT July 1, 2020 3454-3460*
- Effects of Post-Etch Microstructures on the Optical Transmittance of Silica Ridge Waveguides. *Wright, J.G.*, +, *JLT Nov. 15, 2020 6280-6285*
- Effects of Shallow Suspension in Low-Loss Waveguide-Integrated Chalcogenide Microdisk Resonators. *Zhu, Y.*, +, *JLT Sept. 1, 2020 4817-4823*
- Efficient Mid-Infrared Germanium Variable Optical Attenuator Fabricated by Spin-on-Glass Doping. *Zhao, Z.*, +, *JLT Sept. 1, 2020 4808-4816*
- Electro-Optic Tuning of a Monolithically Integrated Widely Tuneable InP Laser With Free-Running and Stabilized Operation. *Andreou, S.*, +, *JLT April 1, 2020 1887-1894*
- Enhancing Wavelength Tunability of Photonic Crystal Nanolasers by Waveguide-Like Strain Shapers. *Lu, T.*, +, *JLT Dec. 1, 2020 6605-6611*
- Femtosecond Laser-Inscribed Non-Volatile Integrated Optical Switch in Fused Silica Based on Microfluidics-Controlled Total Internal Reflection. *Radosavljevic, A.*, +, *JLT Aug. 1, 2020 3965-3973*
- Femtosecond-Laser-Written S-Curved Waveguide in Nd:YAP Crystal: Fabrication and Multi-Gigahertz Lasing. *Li, L.*, +, *JLT Dec. 15, 2020 6845-6852*
- Flip-Chip Integration of InP to SiN Photonic Integrated Circuits. *Theurer, M.*, +, *JLT May 1, 2020 2630-2636*
- Graphene on Silicon Modulators. *Soriano, V.*, +, *JLT May 15, 2020 2782-2789*
- Integrated Discretely Tunable Optical Delay Line Based on Step-Chirped Subwavelength Grating Waveguide Bragg Gratings. *Sun, H.*, +, *JLT Oct. 1, 2020 5551-5560*
- Ion Implantation of Germanium Into Silicon for Critical Coupling Control of Racetrack Resonators. *Milosevic, M.M.*, +, *JLT April 1, 2020 1865-1873*
- Low-Loss Waveguides by Planar Modified Chemical Vapor Deposition. *Yevnin, M.*, +, *JLT Feb. 15, 2020 792-796*
- Low-Loss, Low-Crosstalk, and Large-Scale Optical Switch Based on Silicon Photonics. *Suzuki, K.*, +, *JLT Jan. 15, 2020 233-239*
- Low-Power Broadband Thermo-Optic Switch With Weak Polarization Dependence Using a Segmented Graphene Heater. *Song, Q.Q.*, +, *JLT March 15, 2020 1358-1364*
- Low-Voltage, Coupled Multiple Quantum Well Electroreflective Modulators Towards Ultralow Power Inter-Chip Optical Interconnects. *Wang, X.*, +, *JLT July 1, 2020 3414-3421*
- Membrane InGaAsP Mach-Zehnder Modulator Integrated With Optical Amplifier on Si Platform. *Hiraki, T.*, +, *JLT June 1, 2020 3030-3036*
- On-Chip Optical Microresonators With High Electro-Optic Tuning Efficiency. *Wang, T.*, +, *JLT April 1, 2020 1851-1857*
- Optical Free-Form Couplers for High-density Integrated Photonics (OFF-CHIP): A Universal Optical Interface. *Yu, S.*, +, *JLT July 1, 2020 3358-3365*
- Optical Modulation in Hybrid Waveguide Based on Si-ITO Heterojunction. *Rajput, S.*, +, *JLT March 15, 2020 1365-1371*
- Polarization Dependence of Optical Properties of Single-Mode Polymer Optical Waveguides Fabricated Under Different Processes at 1310/1550 nm. *Morimoto, Y.*, +, *JLT July 15, 2020 3670-3676*

- Quarter-Millimeter Propagating Plasmons in Thin-Gold-Film-Based Waveguides for Visible Spectral Range. *Kornienko, V.V.*, +, *JLT Sept. 1, 2020 4794-4800*
- Quasi-Phase Matched Second Harmonic Generation in Plasmonic–Organic Hybrid Structures. *Janjan, B.*, +, *JLT March 15, 2020 1391-1399*
- Robust Integrated Optical Unitary Converter Using Multiport Directional Couplers. *Tanomura, R.*, +, *JLT Jan. 1, 2020 60-66*
- Silicon Oxycarbide Platform for Integrated Photonics. *Memon, F.A.*, +, *JLT Feb. 15, 2020 784-791*
- Spectral-Distortionless, Flat-Top, Drop-Filter Based on Complementarily-Misaligned Multimode-Waveguide Bragg Gratings. *Liang, X.*, +, *JLT Dec. 1, 2020 6600-6604*
- Theoretical and Experimental Analysis of a 4×4 Reconfigurable MZI-Based Linear Optical Processor. *Shokraneh, F.*, +, *JLT March 15, 2020 1258-1267*
- Ultra-Compact Broadband 2×2 3 dB Power Splitter Using a Subwavelength-Grating-Assisted Asymmetric Directional Coupler. *Ye, C.*, +, *JLT April 15, 2020 2370-2375*
- Ultra-Compact Coupling Structures for Heterogeneously Integrated Silicon Lasers. *He, A.*, +, *JLT Aug. 1, 2020 3974-3982*
- Ultrafast Laser Inscription and $2 \mu\text{m}$ Laser Operation of Y-Branch Splitters in Monoclinic Crystals. *Kifle, E.*, +, *JLT Aug. 15, 2020 4374-4384*
- Ultrasound Measurement Using On-Chip Optical Micro-Resonators and Digital Optical Frequency Comb. *Song, J.*, +, *JLT Oct. 1, 2020 5293-5301*
- Unclad Microphotonics for Terahertz Waveguides and Systems. *Headland, D.*, +, *JLT Dec. 15, 2020 6853-6862*
- Vertically Coupled InP/InGaAsP Microring Lasers Using a Single Epitaxial Growth and Single-Side Lithography. *Lopez, O.G.*, +, *JLT Aug. 1, 2020 3983-3987*
- Waveguide Tapers Fabrication by Femtosecond Laser Induced Element Redistribution in Glass. *Macias-Montero, M.*, +, *JLT Dec. 1, 2020 6578-6583*
- Optical feedback**
- Effect of Optical Feedback on the Wavelength Tuning in DBR Lasers. *Hap-pach, M.*, +, *JLT Sept. 1, 2020 4824-4833*
- WDM-Based Silicon Photonic Multi-Socket Interconnect Architecture With Automated Wavelength and Thermal Drift Compensation. *Zanetto, F.*, +, *JLT Nov. 1, 2020 6000-6006*
- Optical fiber amplifiers**
- 103 nm Ultra-Wideband Hybrid Raman/SOA Transmission Over 3×100 km SSMF. *Arnould, A.*, +, *JLT Jan. 15, 2020 504-508*
- 74.38 Tb/s Transmission Over 6300 km Single Mode Fibre Enabled by C+L Amplification and Geometrically Shaped PDM-64QAM. *Ionescu, M.*, +, *JLT Jan. 15, 2020 531-537*
- A Wide Flat Triple Brillouin Frequency Spacing Multiwavelength Fiber Laser Assisted by Four Wave Mixing. *Al-Alimi, A.W.*, +, *JLT Dec. 1, 2020 6648-6654*
- Assessing Capacity and Cost/Capacity of 4-Core Multicore Fibers Against Single Core Fibers in Submarine Cable Systems. *Downie, J.D.*, +, *JLT June 1, 2020 3015-3022*
- Brillouin Amplifier Noise Characterization by a Coherent Receiver and Digital Signal Processing. *Pelusi, M.*, +, *JLT Aug. 15, 2020 4221-4236*
- Comprehensive Design and Prototype of VLC Receivers With Large Detection Areas. *Nabavi, P.*, +, *JLT Aug. 15, 2020 4187-4204*
- Configurations of Pump Injection and Reinjection for Improved Amplification Efficiency of Turbo Cladding Pumped MC-EDFA. *Takeshita, H.*, +, *JLT June 1, 2020 2922-2929*
- DCI Field Trial Demonstrating 1.3-Tb/s Single-Channel and 50.8-Tb/s WDM Transmission Capacity. *Buchali, F.*, +, *JLT May 1, 2020 2710-2718*
- Demonstration of an All-Fiber Ultra-Low Numerical Aperture Ytterbium-Doped Large Mode Area Fiber in a Master Oscillator Power Amplifier Configuration Above 1 kW Power Level. *Midilli, Y.*, +, *JLT April 1, 2020 1915-1920*
- Design of a Multi-Wavelength Fiber Laser Based on Tm:Er:Yb:Ho Co-Doped Germanate Glass. *Falconi, M.C.*, +, *JLT April 15, 2020 2406-2413*
- Effect of Channel Launch Power on Fill Margin in C+L Band Elastic Optical Networks. *Mitra, A.*, +, *JLT March 1, 2020 1032-1040*
- Effect of P-to-Rare Earth Atomic Ratio on Energy Transfer in Er-Yb-Doped Optical Fiber. *Kobayashi, Y.*, +, *JLT Aug. 15, 2020 4504-4512*
- Enhanced Carrier to Noise Ratio by Brillouin Amplification for Optical Communications. *Pelusi, M.*, +, *JLT Jan. 15, 2020 319-331*
- Experimental Demonstration of Dual O+C-Band WDM Transmission Over 50-km SSMF With Direct Detection. *Hong, Y.*, +, *JLT April 15, 2020 2278-2284*
- Experimental Demonstration of Nonlinear Frequency Division Multiplexing Transmission With Neural Network Receiver. *Gaiarin, S.*, +, *JLT Dec. 1, 2020 6465-6473*
- Gain-Integrated 8×8 Silicon Photonics Multicast Switch With On-Chip 2×4 -ch. SOAs. *Konoike, R.*, +, *JLT June 1, 2020 2930-2937*
- High Data-Rate and Long Distance MCF Transmission With 19-Core C+L band Cladding-Pumped EDFA. *Puttnam, B.J.*, +, *JLT Jan. 1, 2020 123-130*
- High Fidelity Picosecond Pulse Fiber Amplification With Inter-Stage Notch Filter. *Lu, Q.*, +, *JLT Nov. 1, 2020 6082-6088*
- High Power and High Speed SOA Assisted Extended Reach EADFB Laser (AXEL) for 53-Gbaud PAM4 Fiber-Amplifier-Less 60-km Optical Link. *Shindo, T.*, +, *JLT June 1, 2020 2984-2991*
- High Spatial Density 6-Mode 7-Core Fiber Amplifier for L-Band Operation. *Jung, Y.*, +, *JLT June 1, 2020 2938-2943*
- Impact of Polarization- and Mode-Dependent Gain on the Capacity of Ultra-Long-Haul Systems. *Mello, D.A.A.*, +, *JLT Jan. 15, 2020 303-318*
- In-Depth Studies of the Spectral Bandwidth of a 25 W $2 \mu\text{m}$ Band PM Hybrid Ho- and Tm-Doped Fiber Amplifier. *Tench, R.E.*, +, *JLT April 15, 2020 2456-2463*
- Introducing Load Aware Neural Networks for Accurate Predictions of Raman Amplifiers. *Rosa Brusin, A.M.*, +, *JLT Dec. 1, 2020 6481-6491*
- Inverse System Design Using Machine Learning: The Raman Amplifier Case. *Zibar, D.*, +, *JLT Feb. 15, 2020 736-753*
- Investigation of Thermal Loads for Transverse Mode Instability in Ytterbium-Doped Large Mode Area Fibers. *Xia, N.*, +, *JLT Aug. 15, 2020 4478-4489*
- Minimum-Cost Optical Amplifier Placement in Metro Networks. *Ibrahimi, M.*, +, *JLT June 15, 2020 3221-3228*
- Modeling and Characterization of Cladding-Pumped Erbium-Ytterbium Co-Doped Fibers for Amplification in Communication Systems. *Matte-Breton, C.*, +, *JLT April 1, 2020 1936-1944*
- Modeling EDFA Gain Ripple and Filter Penalties With Machine Learning for Accurate QoT Estimation. *Mahajan, A.*, +, *JLT May 1, 2020 2616-2629*
- Modeling of Active Fiber Loop Ring-Down Spectroscopy Considering Gain Saturation Behavior of EDFA. *Chu, T.*, +, *JLT Feb. 15, 2020 966-973*
- Multi-Band Direct-Detection Transmission Over an Ultrawide Bandwidth Hollow-Core NANF. *Hong, Y.*, +, *JLT May 15, 2020 2849-2857*
- PDL in Optical Links: A Model Analysis and a Demonstration of a PDL-Resilient Modulation. *Dumenil, A.*, +, *JLT Sept. 15, 2020 5017-5025*
- Performance Comparison of Probabilistically Shaped QAM Formats and Hybrid Shaped APSK Formats With Coded Modulation. *Cai, J.*, +, *JLT June 15, 2020 3280-3288*
- Phase Preserving Amplitude Saturation Through Tone Synthesis Assisted Saturated Four-Wave Mixing. *Bottrill, K.R.H.*, +, *JLT April 1, 2020 1817-1826*
- Power-Efficient Single-Sideband Transmission With Clipped Iterative SSB Cancellation. *Le, S.T.*, +, *JLT Aug. 15, 2020 4359-4367*
- Quantum Limits in Optical Communications. *Banaszek, K.*, +, *JLT May 15, 2020 2741-2754*
- Quantum Theory of Noise in Stokes Vector Receivers and Application to Bit Error Rate Analysis. *Kikuchi, K.*, *JLT June 15, 2020 3164-3172*
- Recent Advances in 100+nm Ultra-Wideband Fiber-Optic Transmission Systems Using Semiconductor Optical Amplifiers. *Renaudier, J.*, +, *JLT March 1, 2020 1071-1079*
- S² Measurements Showing Suppression of Higher Order Modes in Confined Rare Earth Doped Large Core Fibers. *Gausmann, S.*, +, *JLT April 1, 2020 1953-1958*
- Selective Excitation and Amplification of Peak-Power-Scalable Out-of-Phase Supermode in Yb-Doped Multicore Fiber. *Andrianov, A.V.*, +, *JLT April 15, 2020 2464-2470*

SNR Model for Generalized Droop With Constant Output Power Amplifier Systems and Experimental Measurements. *Downie, J.D.*, +, *JLT June 15, 2020 3214-3220*

Supply-Power-Constrained Cable Capacity Maximization Using Multi-Layer Neural Networks. *Cho, J.*, +, *JLT July 15, 2020 3652-3662*

Switchable, Widely Tunable and Interval-Adjustable Multi-Wavelength Erbium-Doped Fiber Laser Based on Cascaded Filters. *Zhao, Q.*, +, *JLT April 15, 2020 2428-2433*

Tandem-Pumped High-Power Narrow-Linewidth Fiber Laser Tunable From 1060–1090 nm. *Tian, J.*, +, *JLT March 15, 2020 1461-1467*

Transponder Implementation Penalty-Accounted Gaussian-Noise-Based Performance Modeling of Fiber-Optic Transmission Systems. *Kaliteevskiy, N.A.*, +, *JLT April 15, 2020 2253-2261*

Tunable and Switchable Multi-Wavelength Erbium-Brillouin Random Fiber Laser Incorporating a Highly Nonlinear Fiber. *Wang, F.*, +, *JLT Aug. 1, 2020 4093-4099*

Weakly-Coupled MDM-WDM Amplification and Transmission Based on Compact FM-EDFA. *Zhu, J.*, +, *JLT Sept. 15, 2020 5163-5169*

Optical fiber cladding

150-W Power-Over-Fiber Using Double-Clad Fibers. *Matsuura, M.*, +, *JLT Jan. 15, 2020 401-408*

An Optical Fiber Immunosensor With a Low Detection Limit Based on Plasmon Coupling Enhancement. *Wang, B.*, +, *JLT July 15, 2020 3781-3788*

Behavior of Specialty Optical Fibers in Crude Oil Environment. *Stolov, A.A.*, +, *JLT July 15, 2020 3759-3768*

Bend-Insensitive Grapefruit-Type Holey Ring-Core Fiber for Weakly-Coupled OAM Mode Division Multiplexing Transmission. *Tu, J.*, +, *JLT Aug. 15, 2020 4497-4503*

Broadband Light Amplitude Tuning Characteristics of SnSe₂ Coated Micro-fiber. *Guan, H.*, +, *JLT Nov. 1, 2020 6089-6096*

Comparison Study of Radiation-Resistant Polarization-Maintaining PANDA Fibers With Undoped- and N-Doped-Silica Core. *Tomashuk, A.L.*, +, *JLT Oct. 15, 2020 5817-5824*

Demonstration of an All-Fiber Ultra-Low Numerical Aperture Ytterbium-Doped Large Mode Area Fiber in a Master Oscillator Power Amplifier Configuration Above 1 kW Power Level. *Midilli, Y.*, +, *JLT April 1, 2020 1915-1920*

Design and Applicability of Multi-Core Fibers With Standard Cladding Diameter. *Matsui, T.*, +, *JLT Nov. 1, 2020 6065-6070*

Design of Negative Curvature Hollow Core Fiber Based on Reinforcement Learning. *Hu, X.*, +, *JLT April 1, 2020 1959-1965*

Design of Weakly Coupled Two-Mode Hollow-Core Antiresonant Fiber With Low Loss. *Wang, Z.*, +, *JLT Feb. 15, 2020 864-874*

Dynamic In-Line Routing Between Distant Cores of a Multi-Core Fiber. *Youn, J.H.*, +, *JLT Nov. 1, 2020 6076-6081*

Fabrication of Chirped Fiber Bragg Gratings in a Non-Uniform Single-Core As₂Se₃-PMMA Tapered Fiber. *Gao, S.*, +, *JLT Aug. 1, 2020 4108-4113*

High Spatial Density 6-Mode 7-Core Fiber Amplifier for L-Band Operation. *Jung, Y.*, +, *JLT June 1, 2020 2938-2943*

Highly Efficient Fiber Cladding Light Stripper Fabricated by Chemical Mask Etching Method. *Zou, S.*, +, *JLT Sept. 15, 2020 5136-5141*

Hole-Assisted Solid Core Bragg Fibers With a High-Index-Contrast Cladding for Broadband Single-Polarization Operation. *Shang, L.*, +, *JLT Nov. 1, 2020 6104-6113*

Hollow Silica Photonic Crystal Fiber Guiding 101 Orbital Angular Momentum Modes Without Phase Distortion in C+L Band. *Hong, S.*, +, *JLT March 1, 2020 1010-1018*

Modeling and Characterization of Cladding-Pumped Erbium-Ytterbium Co-Doped Fibers for Amplification in Communication Systems. *Matte-Breton, C.*, +, *JLT April 1, 2020 1936-1944*

Reduced Cladding Diameter Fibers for High-Density Optical Interconnects. *Bickham, S.R.*, +, *JLT Jan. 15, 2020 297-302*

S² Measurements Showing Suppression of Higher Order Modes in Confined Rare Earth Doped Large Core Fibers. *Gausmann, S.*, +, *JLT April 1, 2020 1953-1958*

Selective Excitation and Amplification of Peak-Power-Scalable Out-of-Phase Supermode in Yb-Doped Multicore Fiber. *Andrianov, A.V.*, +, *JLT April 15, 2020 2464-2470*

True-Time Delay Line Based on Dispersion-Flattened 19-Core Photonic Crystal Fiber. *Shaheen, S.*, +, *JLT Nov. 15, 2020 6237-6246*

Tunable Autler-Townes-Like Resonance Splitting in a Bent Fiber-Optic Fabry-Perot Resonator: 3D Modeling and Experimental Verification. *Dyshlyuk, A.V.*, +, *JLT Dec. 15, 2020 6918-6923*

Optical fiber communication

100-Gbit/s/λ EML Transmitter and PIN-PD+TIA Receiver-Based Inter-Data Center Link. *Lin, Y.*, +, *JLT April 15, 2020 2144-2151*

103 nm Ultra-Wideband Hybrid Raman/SOA Transmission Over 3 × 100 km SSMF. *Arnould, A.*, +, *JLT Jan. 15, 2020 504-508*

135-GHz D-Band 60-Gbps PAM-8 Wireless Transmission Employing a Joint DNN Equalizer With BP and CMMA. *Zhou, W.*, +, *JLT July 15, 2020 3592-3601*

150-W Power-Over-Fiber Using Double-Clad Fibers. *Matsuura, M.*, +, *JLT Jan. 15, 2020 401-408*

200 Gbps/Lane IM/DD Technologies for Short Reach Optical Interconnects. *Pang, X.*, +, *JLT Jan. 15, 2020 492-503*

4×112 Gbps/Fiber CWDM VCSEL Arrays for Co-Packaged Interconnects. *Wang, B.*, +, *JLT July 1, 2020 3439-3444*

800G DSP ASIC Design Using Probabilistic Shaping and Digital Sub-Carrier Multiplexing. *Sun, H.*, +, *JLT Sept. 1, 2020 4744-4756*

A Direct Learning Approach for Neural Network Based Pre-Distortion for Coherent Nonlinear Optical Transmitter. *Paryanti, G.*, +, *JLT Aug. 1, 2020 3883-3896*

A Novel Baseband Faster-Than-Nyquist Non-Orthogonal FDM IM/DD System With Block Segmented Soft-Decision Decoder. *Hu, Z.*, +, *JLT Feb. 1, 2020 632-641*

A Phase-Retrieving Coherent Receiver Based on Two-Dimensional Photodetector Array. *Yoshida, Y.*, +, *JLT Jan. 1, 2020 90-100*

A SiGe HBT BiCMOS 1-to-4 ADC Frontend Enabling Low Bandwidth Digitization of 100 GBaud PAM4 Data. *Buchali, F.*, +, *JLT Jan. 1, 2020 150-158*

Adaptive Channel-Matched Detection for C-Band 64-Gbit/s Optical OOK System Over 100-km Dispersion-Uncompensated Link. *Wang, H.*, +, *JLT Sept. 15, 2020 5048-5055*

An Analog Photonic Down-Conversion Link With Simultaneous IMD3 Distortion Suppression and Dispersion-Induced Power Fading Compensation. *Li, Y.*, +, *JLT Aug. 1, 2020 3908-3917*

An Ultra-Broadband Polarization-Insensitive Optical Hybrid Using Multiplane Light Conversion. *Zhang, Y.*, +, *JLT Nov. 15, 2020 6286-6291*

Analog Coherent TDMA Receiver With Fast Locking to Free-Running Optical Emitters. *Schrenk, B.*, +, *JLT Jan. 15, 2020 379-385*

Analysis of Nonlinear Fiber Interactions for Finite-Length Constant-Composition Sequences. *Fehenberger, T.*, +, *JLT Jan. 15, 2020 457-465*

Bend-Insensitive Grapefruit-Type Holey Ring-Core Fiber for Weakly-Coupled OAM Mode Division Multiplexing Transmission. *Tu, J.*, +, *JLT Aug. 15, 2020 4497-4503*

Chaotic Optical Communication Over 1000 km Transmission by Coherent Detection. *Yang, Z.*, +, *JLT Sept. 1, 2020 4648-4655*

Chirp-Filtering for Low-Complexity Chromatic Dispersion Compensation. *Felipe, A.*, +, *JLT June 1, 2020 2954-2960*

Clock and Data Recovery-Free Data Communications Enabled by Multi-Core Fiber With Low Thermal Sensitivity of Skew. *Sohanpal, R.S.*, +, *JLT April 1, 2020 1636-1643*

Comparison of Geometrically Shaped 32-QAM and Probabilistically Shaped 32-QAM in a Bandwidth-Limited IM-DD System. *Ding, J.*, +, *JLT Aug. 15, 2020 4352-4358*

Comparison on OM5-MMF and OM4-MMF Data Links With 32-GBaud PAM-4 Modulated Few-Mode VCSEL at 850 nm. *Huang, C.*, +, *JLT Feb. 1, 2020 573-582*

Compensation of Chromatic Dispersion and Nonlinear Phase Noise Using Iterative Soft Decision Feedback Equalizer for Coherent Optical FBMC/OQAM Systems. *Alaghabari, K.A.*, +, *JLT Aug. 1, 2020 3839-3849*

- Compensation of Fiber Nonlinearities in Digital Coherent Systems Leveraging Long Short-Term Memory Neural Networks. *Deligiannidis, S.*, +, *JLT Nov. 1, 2020 5991-5999*
- Compensation of Nonlinear Impairments Using Inverse Perturbation Theory With Reduced Complexity. *Redyuk, A.*, +, *JLT March 15, 2020 1250-1257*
- Crosstalk-Induced System Outage in Intensity-Modulated Direct-Detection Multi-Core Fiber Transmission. *Rademacher, G.*, +, *JLT Jan. 15, 2020 291-296*
- Data Transmission Based on Exact Inverse Periodic Nonlinear Fourier Transform, Part I: Theory. *Goossens, J.*, +, *JLT Dec. 1, 2020 6499-6519*
- Data Transmission Based on Exact Inverse Periodic Nonlinear Fourier Transform, Part II: Waveform Design and Experiment. *Goossens, J.*, +, *JLT Dec. 1, 2020 6520-6528*
- Data-driven Optical Fiber Channel Modeling: A Deep Learning Approach. *Wang, D.*, +, *JLT Sept. 1, 2020 4730-4743*
- Demonstration of C-Band Amplifier-Free 100 Gb/s/λ Direct-Detection Links Beyond 40-km SMF Using a High-Power SSB Transmitter. *Li, X.*, +, *JLT Nov. 15, 2020 6170-6177*
- Design Analysis of OAM Fibers Using Particle Swarm Optimization Algorithm. *Chang, J.H.*, +, *JLT Feb. 15, 2020 846-856*
- Design and Applicability of Multi-Core Fibers With Standard Cladding Diameter. *Matsui, T.*, +, *JLT Nov. 1, 2020 6065-6070*
- Design of Efficient Resonator-Enhanced Electro-Optic Frequency Comb Generators. *Buscaino, B.*, +, *JLT March 15, 2020 1400-1413*
- Detection-Localization-Identification of Vibrations Over Long Distance SSMF With Coherent $\Delta\phi$ -OTDR. *Awwad, E.*, +, *JLT June 15, 2020 3089-3095*
- Differential Drive I/Q Modulator Based on Silicon Photonic Electro-Absorption Modulators. *Melikyan, A.*, +, *JLT June 1, 2020 2872-2876*
- Digital Pre- and Post-Equalization for C-Band 112-Gb/s PAM4 Short-Reach Transport Systems. *Tang, X.*, +, *JLT Sept. 1, 2020 4683-4690*
- Dispersion and Nonlinearity Identification for Single-Mode Fibers Using the Nonlinear Fourier Transform. *de Koster, P.*, +, *JLT June 15, 2020 3252-3260*
- Dispersion-Managed Fiber Echo State Network Analogue With High (Including THz) Bandwidth. *Sorokina, M.*, *JLT June 15, 2020 3209-3213*
- DSP for High-Speed Short-Reach IM/DD Systems Using PAM. *Weitlin, T.*, +, *JLT Dec. 15, 2020 6771-6778*
- DSP-Free Real-Time 25 GBPS Quasicoherent Receiver With Electrical SSB Filtering for C-Band Links up to 40 km SSMF. *Altabas, J.A.*, +, *JLT April 1, 2020 1785-1788*
- Editorial Selected Papers From OFC 2019. *Bosco, G.*, *JLT Jan. 15, 2020 177*
- Editorial: JLT Special Issue on DSP in Next Generation Optical Access Networks. *van Veen, D.*, +, *JLT Feb. 1, 2020 555-556*
- Enhanced Optical Communications Through Joint Time-Frequency Multiplexing Strategies. *Cincotti, G.*, +, *JLT Jan. 15, 2020 346-351*
- Estimating the Outage Due to Polarization Dependent Loss Based on the Bit-Wise Achievable Information Rate for Probabilistically Shaped 64-QAM. *Cartledge, J.C.*, +, *JLT June 1, 2020 3023-3029*
- Exact NFDM Transmission in the Presence of Fiber-Loss. *Bajaj, V.*, +, *JLT June 1, 2020 3051-3058*
- Experimental Demonstration of a Petabit per Second SDM Network Node. *Luis, R.S.*, +, *JLT June 1, 2020 2886-2896*
- Experimental Demonstration of Directly Modulated DFB Lasers With Negative Chirp Over Wide Temperature Operation. *Liu, G.*, +, *JLT July 15, 2020 3663-3669*
- Experimental Demonstration of Dual O+C-Band WDM Transmission Over 50-km SSMF With Direct Detection. *Hong, Y.*, +, *JLT April 15, 2020 2278-2284*
- Experimental Demonstration of Single Sideband Modulation Utilizing Monolithic Integrated Injection Locked DFB Laser. *Zhang, Y.*, +, *JLT April 1, 2020 1809-1816*
- Foreword to the Special Issue on the 45th European Conference on Optical Communication (ECOC 2019). *Donegan, J.F.*, +, *JLT May 1, 2020 2575-2576*
- Frequency Dependent ENOB Requirements for 400G/600G/800G Optical Links. *Varughese, S.*, +, *JLT Sept. 15, 2020 5008-5016*
- Gain-Integrated 8 × 8 Silicon Photonics Multicast Switch With On-Chip 2 × 4-ch. SOAs. *Konoike, R.*, +, *JLT June 1, 2020 2930-2937*
- Guest Editorial OFC 2019 Special Issue. *Bosco, G.*, +, *JLT Jan. 1, 2020 3-5*
- High Power and High Speed SOA Assisted Extended Reach EADFB Laser (AXEL) for 53-Gbaud PAM4 Fiber-Amplifier-Less 60-km Optical Link. *Shindo, T.*, +, *JLT June 1, 2020 2984-2991*
- High Spatial Density 6-Mode 7-Core Fiber Amplifier for L-Band Operation. *Jung, Y.*, +, *JLT June 1, 2020 2938-2943*
- High-Capacity Coherent DCIs Using Pol-Muxed Carrier and LO-Less Receiver. *Kamran, R.*, +, *JLT July 1, 2020 3461-3468*
- High-Speed Performance Evaluation of Graded-Index Multicore Fiber Compatible With Multimode and Quasi-single Mode Operation. *Liu, Y.*, +, *JLT Dec. 15, 2020 6870-6878*
- Hybrid Fiber-Optic Radio Frequency and Optical Frequency Dissemination With a Single Optical Actuator and Dual-Optical Phase Stabilization. *Tian, X.*, +, *JLT Aug. 15, 2020 4270-4278*
- Impact of Polarization- and Mode-Dependent Gain on the Capacity of Ultra-Long-Haul Systems. *Mello, D.A.A.*, +, *JLT Jan. 15, 2020 303-318*
- Interband Short Reach Data Transmission in Ultrawide Bandwidth Hollow Core Fiber. *Sakr, H.*, +, *JLT Jan. 1, 2020 159-165*
- Intra-Datcenter Interconnects With a Serialized Silicon Optical Frequency Comb Modulator. *Kong, D.*, +, *JLT Sept. 1, 2020 4677-4682*
- Iterative Algorithm for Electronic Dispersion Compensation in IM/DD Systems. *Karar, A.S.*, *JLT Feb. 15, 2020 698-704*
- Laser Phase Noise Tolerance of Uniform and Probabilistically Shaped QAM Signals for High Spectral Efficiency Systems. *Sasai, T.*, +, *JLT Jan. 15, 2020 439-446*
- Long-Haul Mode Multiplexing Transmission Enhanced by Interference Cancellation Techniques Based on Fast MIMO Affine Projection. *Shibahara, K.*, +, *JLT Sept. 15, 2020 4969-4977*
- Low-Complexity Second-Order Volterra Equalizer for DML-Based IM/DD Transmission System. *Yu, Y.*, +, *JLT April 1, 2020 1735-1746*
- Low-Loss Orbital Angular Momentum Ring-Core Fiber: Design, Fabrication and Characterization. *Wang, H.*, +, *JLT Nov. 15, 2020 6327-6333*
- Low-Power (1.5 pJ/b) Silicon Integrated 106 Gb/s PAM-4 Optical Transmitter. *Lambrech, J.*, +, *JLT Jan. 15, 2020 432-438*
- Multi-Beamforming Provided by Dual-Wavelength True Time Delay PIC and Multicore Fiber. *Morant, M.*, +, *JLT Oct. 1, 2020 5311-5317*
- Multi-Node Optical Frequency Dissemination With Post Automatic Phase Correction. *Hu, L.*, +, *JLT July 15, 2020 3644-3651*
- Multichannel 16-QAM Single-Sideband Transmission and Kramers-Kronig Detection Using a Single QD-MLL as the Light Source. *AL-QADI, M.*, +, *JLT Nov. 15, 2020 6163-6169*
- Nonlinear Spectrum of Conventional OFDM and WDM Return-to-Zero Signals in Nonlinear Channel. *Turitsyn, S.*, +, *JLT Jan. 15, 2020 352-358*
- Nonlinearity-Aware Adaptive Bit and Power Loading DMT Transmission Over Low-Crosstalk Ring-Core Fiber With Mode Group Multiplexing. *Zhang, J.*, +, *JLT Nov. 1, 2020 5875-5882*
- Optical Generation/Detection of Broadband Microwave Orbital Angular Momentum Modes. *Huang, J.*, +, *JLT March 15, 2020 1202-1209*
- Optimization of Transmitter-Side Signal Rotations in the Presence of Laser Phase Noise. *Alfredsson, A.F.*, +, *JLT Aug. 1, 2020 3850-3858*
- Performance Comparison of Probabilistically Shaped QAM Formats and Hybrid Shaped APSK Formats With Coded Modulation. *Cai, J.*, +, *JLT June 15, 2020 3280-3288*
- Phase Preserving Amplitude Saturation Through Tone Synthesis Assisted Saturated Four-Wave Mixing. *Bottrill, K.R.H.*, +, *JLT April 1, 2020 1817-1826*
- Photonic-Assisted Leakage Cancellation for Wideband Frequency Modulation Continuous-Wave Radar Transceiver. *Li, P.*, +, *JLT March 15, 2020 1178-1183*
- Photonics-Aided Millimeter-Wave Technologies for Extreme Mobile Broadband Communications in 5G. *Li, X.*, +, *JLT Jan. 15, 2020 366-378*
- Post-FEC BER Benchmarking for Bit-Interleaved Coded Modulation With Probabilistic Shaping. *Yoshida, T.*, +, *JLT Aug. 15, 2020 4292-4306*
- Quantum Limits in Optical Communications. *Banaszek, K.*, +, *JLT May 15, 2020 2741-2754*

- Recent Advances in 100-nm Ultra-Wideband Fiber-Optic Transmission Systems Using Semiconductor Optical Amplifiers. *Renaudier, J.*, +, *JLT March 1, 2020 1071-1079*
- Robust Integrated Optical Unitary Converter Using Multiport Directional Couplers. *Tanomura, R.*, +, *JLT Jan. 1, 2020 60-66*
- SNR Model for Generalized Droop With Constant Output Power Amplifier Systems and Experimental Measurements. *Downie, J.D.*, +, *JLT June 15, 2020 3214-3220*
- Spatial Density and Splicing Characteristic Optimized Few-Mode Multi-Core Fiber. *Sakamoto, T.*, +, *JLT Aug. 15, 2020 4490-4496*
- SSB Single Carrier and Multicarrier in C-Band FSO Transmission With KK Receiver. *Wei, Y.*, +, *JLT Sept. 15, 2020 5000-5007*
- Statistical Evaluation of PAM4 Data Center Interconnect System With Slope-Compensating Fiber Bragg Grating Tunable Dispersion Compensation Module. *Searcy, S.*, +, *JLT June 15, 2020 3173-3179*
- Stokes-Space Analysis of Modal Dispersion of SDM Fibers With Mode-Dependent Loss: Theory and Experiments. *Antonelli, C.*, +, *JLT April 1, 2020 1668-1677*
- Temperature and Noise Dependence of Tri-Mode VCSEL Carried 120-Gbit/s QAM-OFDM Data in Back-to-Back and OM5-MMF Links. *Huang, C.*, +, *JLT Dec. 15, 2020 6746-6758*
- The Enhanced Gaussian Noise Model Extended to Polarization-Dependent Loss. *Serena, P.*, +, *JLT Oct. 15, 2020 5685-5694*
- Toward Single Lane 200G Optical Interconnects With Silicon Photonic Modulator. *Zhu, Y.*, +, *JLT Jan. 1, 2020 67-74*
- Ultra-High-Speed 2:1 Digital Selector and Plasmonic Modulator IM/DD Transmitter Operating at 222 GBaud for Intra-Datacenter Applications. *Heni, W.*, +, *JLT May 1, 2020 2734-2739*
- Ultra-Low-Loss Broadband All-Fiber Mode Selective Couplers for MIMO-Less MDM Transmission. *Jiang, S.*, +, *JLT April 15, 2020 2376-2382*
- Weakly-Coupled MDM-WDM Amplification and Transmission Based on Compact FM-EDFA. *Zhu, J.*, +, *JLT Sept. 15, 2020 5163-5169*
- Wideband and Dispersion Immune Microwave Photonic Phase Shifter With Tunable Optical Carrier to Sideband Ratio. *Bai, Y.*, +, *JLT Oct. 1, 2020 5262-5269*
- Optical fiber couplers**
- A Lower Frequency Shift Based on Mode Conversion for Optical Heterodyne Micro-Vibration Measurement. *Zhang, L.*, +, *JLT Nov. 1, 2020 6057-6062*
- Adjoint Optimization of Efficient CMOS-Compatible Si-SiN Vertical Grating Couplers for DWDM Applications. *Hooten, S.*, +, *JLT July 1, 2020 3422-3430*
- All-Fiber Saturable Absorber Using Nonlinear Multimode Interference in a Chalcogenide Fiber. *Zhang, K.*, +, *JLT Nov. 15, 2020 6321-6326*
- Bend-Insensitive Grapefruit-Type Holey Ring-Core Fiber for Weakly-Coupled OAM Mode Division Multiplexing Transmission. *Tu, J.*, +, *JLT Aug. 15, 2020 4497-4503*
- Broadened-Laser-Driven Polarization-Maintaining Hollow-Core Fiber Optic Gyroscope. *Morris, T.A.*, +, *JLT Feb. 15, 2020 905-911*
- Design Principles of Apodized Grating Couplers. *Zhao, Z.*, +, *JLT Aug. 15, 2020 4435-4446*
- Dynamic In-Line Routing Between Distant Cores of a Multi-Core Fiber. *Youn, J.H.*, +, *JLT Nov. 1, 2020 6076-6081*
- Excess Relative-Intensity-Noise Reduction in a Fiber Optic Gyroscope Using a Faraday Rotator Mirror. *Zheng, Y.*, +, *JLT Dec. 15, 2020 6939-6947*
- High-Speed Performance Evaluation of Graded-Index Multicore Fiber Compatible With Multimode and Quasi-single Mode Operation. *Liu, Y.*, +, *JLT Dec. 15, 2020 6870-6878*
- Interband Short Reach Data Transmission in Ultrawide Bandwidth Hollow Core Fiber. *Sakr, H.*, +, *JLT Jan. 1, 2020 159-165*
- Investigation Into the Influence of High-Power Optical Transmission on Fiber Withdrawal From Optical Connector. *Fukai, C.*, +, *JLT Sept. 15, 2020 5128-5135*
- Investigation of Mode Coupling in Graded Index Plastic Optical Fibers Using the Langevin Equation. *Savovic, S.*, +, *JLT Dec. 1, 2020 6644-6647*
- Long-Length and Thermally Stable High-Finesse Fabry-Perot Interferometers Made of Hollow Core Optical Fiber. *Ding, M.*, +, *JLT April 15, 2020 2423-2427*
- Low Loss, Large Bandwidth Fiber-Chip Edge Couplers Based on Silicon-on-Insulator Platform. *He, A.*, +, *JLT Sept. 1, 2020 4780-4786*
- Low-Loss Multimode Glass Waveguides With Beam-Expanded Fiber Connectors Enabling On-Board Optical Links. *Brusberg, L.*, +, *JLT March 15, 2020 1350-1357*
- Membrane III-V/Si DFB Laser Using Uniform Grating and Width-Modulated Si Waveguide. *Aihara, T.*, +, *JLT June 1, 2020 2961-2967*
- Mirror-Based Broadband Silicon-Photonics Vertical I/O With Coupling Efficiency Enhancement for Standard Single-Mode Fiber. *Noriki, A.*, +, *JLT June 15, 2020 3147-3155*
- Multi-Parameter Optical Fiber Sensing of Gaseous Ammonia and Carbon Dioxide. *Liu, L.*, +, *JLT April 1, 2020 2037-2045*
- Multi-Wavelength Fiber Laser Based on Dual-Sagnac Comb Filter for LP₁₁ Modes Output. *Tang, M.*, +, *JLT July 15, 2020 3745-3750*
- Nonduplicate Polarization-Diversity 32 × 32 Silicon Photonics Switch Based on a SiN/Si Double-Layer Platform. *Suzuki, K.*, +, *JLT Jan. 15, 2020 226-232*
- Nonlinear Absorbing-Loop Mirror in a Holmium-Doped Fiber Laser. *Zhao, J.*, +, *JLT Nov. 1, 2020 6069-6075*
- Optical Free-Form Couplers for High-density Integrated Photonics (OFF-CHIP): A Universal Optical Interface. *Yu, S.*, +, *JLT July 1, 2020 3358-3365*
- Reduced Cladding Diameter Fibers for High-Density Optical Interconnects. *Bickham, S.R.*, +, *JLT Jan. 15, 2020 297-302*
- Robust Integrated Optical Unitary Converter Using Multiport Directional Couplers. *Tanomura, R.*, +, *JLT Jan. 1, 2020 60-66*
- Room-Temperature Power-Stabilized Narrow-Linewidth Tunable Erbium-Doped Fiber Ring Laser Based on Cascaded Mach-Zehnder Interferometers With Different Free Spectral Range for Strain Sensing. *Zhang, L.*, +, *JLT April 1, 2020 1966-1974*
- Simultaneous Measurement of Temperature and Relative Humidity Based on a Microfiber Sagnac Loop and MoS₂. *Bai, Y.*, +, *JLT Feb. 15, 2020 840-845*
- Spatial Density and Splicing Characteristic Optimized Few-Mode Multi-Core Fiber. *Sakamoto, T.*, +, *JLT Aug. 15, 2020 4490-4496*
- Tunable Autler-Townes-Like Resonance Splitting in a Bent Fiber-Optic Fabry-Perot Resonator: 3D Modeling and Experimental Verification. *Dyshlyuk, A.V.*, +, *JLT Dec. 15, 2020 6918-6923*
- Ultra-Low-Loss Broadband All-Fiber Mode Selective Couplers for MIMO-Less MDM Transmission. *Jiang, S.*, +, *JLT April 15, 2020 2376-2382*
- Weakly-Coupled MDM-WDM Amplification and Transmission Based on Compact FM-EDFA. *Zhu, J.*, +, *JLT Sept. 15, 2020 5163-5169*
- Optical fiber dispersion**
- 100-Gbit/s/λ EML Transmitter and PIN-PD+TIA Receiver-Based Inter-Data Center Link. *Lin, Y.*, +, *JLT April 15, 2020 2144-2151*
- A Photonic-Based Wideband RF Self-Interference Cancellation Approach With Fiber Dispersion Immunity. *Chen, Y.*, *JLT Sept. 1, 2020 4618-4624*
- Accurate Field Reconstruction at Low CSPR Condition Based on a Modified KK Receiver With Direct Detection. *An, S.*, +, *JLT Jan. 15, 2020 485-491*
- An Analog Photonic Down-Conversion Link With Simultaneous IMD3 Distortion Suppression and Dispersion-Induced Power Fading Compensation. *Li, Y.*, +, *JLT Aug. 1, 2020 3908-3917*
- Assessment on the Achievable Throughput of Multi-Band ITU-T G.652.D Fiber Transmission Systems. *Ferrari, A.*, +, *JLT Aug. 15, 2020 4279-4291*
- Chirp-Filtering for Low-Complexity Chromatic Dispersion Compensation. *Felipe, A.*, +, *JLT June 1, 2020 2954-2960*
- Combination and Compression of Multiple Pulses With Same or Different Wavelengths. *Huang, J.*, +, *JLT Dec. 15, 2020 6932-6938*
- Comparison on OM5-MMF and OM4-MMF Data Links With 32-GBaud PAM-4 Modulated Few-Mode VCSEL at 850 nm. *Huang, C.*, +, *JLT Feb. 1, 2020 573-582*
- Compensation of Chromatic Dispersion and Nonlinear Phase Noise Using Iterative Soft Decision Feedback Equalizer for Coherent Optical FBMC/OQAM Systems. *Alaghabari, K.A.*, +, *JLT Aug. 1, 2020 3839-3849*

- Compensation of Nonlinear Impairments Using Inverse Perturbation Theory With Reduced Complexity. *Redyuk, A.*, +, *JLT March 15, 2020 1250-1257*
- Data-driven Optical Fiber Channel Modeling: A Deep Learning Approach. *Wang, D.*, +, *JLT Sept. 1, 2020 4730-4743*
- Demonstration of a Sub-GHz Flat-Top Comb-Based RF-Photonic Filter Enabled by Fourth-Order Dispersion Compensation. *Serahati, Z.*, +, *JLT March 15, 2020 1194-1201*
- Demonstration of C-Band Amplifier-Free 100 Gb/s/λ Direct-Detection Links Beyond 40-km SMF Using a High-Power SSB Transmitter. *Li, X.*, +, *JLT Nov. 15, 2020 6170-6177*
- DFT Spread Spectrally Efficient Frequency Division Multiplexing for IM-DD Transmission in C-Band. *Li, Z.*, +, *JLT July 1, 2020 3526-3532*
- Digital Pre- and Post-Equalization for C-Band 112-Gb/s PAM4 Short-Reach Transport Systems. *Tang, X.*, +, *JLT Sept. 1, 2020 4683-4690*
- Dispersion and Nonlinearity Identification for Single-Mode Fibers Using the Nonlinear Fourier Transform. *de Koster, P.*, +, *JLT June 15, 2020 3252-3260*
- Dispersion Management in Hybrid Optical Fibers. *Michalik, D.*, +, *JLT March 15, 2020 1427-1434*
- Dispersion-Managed Fiber Echo State Network Analogue With High (Including THz) Bandwidth. *Sorokina, M.*, *JLT June 15, 2020 3209-3213*
- Distributed Characterization of Few-Mode Fibers Based on Optical Frequency Domain Reflectometry. *Veronese, R.*, +, *JLT Sept. 1, 2020 4843-4849*
- DSP-Free Real-Time 25 GBPS Quasicoherent Receiver With Electrical SSB Filtering for C-Band Links up to 40 km SSMF. *Altabas, J.A.*, +, *JLT April 1, 2020 1785-1788*
- Dual-Drive Mach-Zehnder Modulator-Based Single Side-Band Modulation Direct Detection System Without Signal-to-Signal Beating Interference. *Wang, W.*, +, *JLT Aug. 15, 2020 4341-4351*
- Enhanced Optical Communications Through Joint Time-Frequency Multiplexing Strategies. *Cincotti, G.*, +, *JLT Jan. 15, 2020 346-351*
- Exact NFDm Transmission in the Presence of Fiber-Loss. *Bajaj, V.*, +, *JLT June 1, 2020 3051-3058*
- Experimental Demonstration of Dual O+C-Band WDM Transmission Over 50-km SSMF With Direct Detection. *Hong, Y.*, +, *JLT April 15, 2020 2278-2284*
- Experimental Demonstration of Single Sideband Modulation Utilizing Monolithic Integrated Injection Locked DFB Laser. *Zhang, Y.*, +, *JLT April 1, 2020 1809-1816*
- Fabrication of Chirped Fiber Bragg Gratings in a Non-Uniform Single-Core As₂Se₃-PMMA Tapered Fiber. *Gao, S.*, +, *JLT Aug. 1, 2020 4108-4113*
- Fine, Reversible and Broadband Tuning of the Group Velocity Dispersion of Tapered Silica Fibers in a Thermo-Optic Polymer Matrix. *Antonopoulos, G.*, +, *JLT Aug. 1, 2020 4086-4092*
- High-Capacity Coherent DCIs Using Pol-Muxed Carrier and LO-Less Receiver. *Kamran, R.*, +, *JLT July 1, 2020 3461-3468*
- Impact of Dispersion Effects on Temporal-Convolution-Based Real-Time Fourier Transformation Systems. *Zhang, B.*, +, *JLT Sept. 1, 2020 4664-4676*
- Impact of Polarization- and Mode-Dependent Gain on the Capacity of Ultra-Long-Haul Systems. *Mello, D.A.A.*, +, *JLT Jan. 15, 2020 303-318*
- Interband Short Reach Data Transmission in Ultrawide Bandwidth Hollow Core Fiber. *Sakr, H.*, +, *JLT Jan. 1, 2020 159-165*
- Iterative Algorithm for Electronic Dispersion Compensation in IM/DD Systems. *Karar, A.S.*, *JLT Feb. 15, 2020 698-704*
- Low-Complexity Second-Order Volterra Equalizer for DML-Based IM/DD Transmission System. *Yu, Y.*, +, *JLT April 1, 2020 1735-1746*
- Low-Loss Orbital Angular Momentum Ring-Core Fiber: Design, Fabrication and Characterization. *Wang, H.*, +, *JLT Nov. 15, 2020 6327-6333*
- Low-Power (1.5 pJ/b) Silicon Integrated 106 Gb/s PAM-4 Optical Transmitter. *Lambrecht, J.*, +, *JLT Jan. 15, 2020 432-438*
- Multichannel 16-QAM Single-Sideband Transmission and Kramers–Kronig Detection Using a Single QD-MLL as the Light Source. *AL-QADI, M.*, +, *JLT Nov. 15, 2020 6163-6169*
- Multiwavelength Brillouin Generation in Bismuth-Doped Fiber Laser With Single- and Double-Frequency Spacing. *Ahmad, H.*, +, *JLT Dec. 15, 2020 6886-6896*
- Nonlinear Absorbing-Loop Mirror in a Holmium-Doped Fiber Laser. *Zhao, J.*, +, *JLT Nov. 1, 2020 6069-6075*
- Nonlinear Propagation in Optical Fibers With Gain Saturation and Gain Dispersion. *Dong, L.*, *JLT Dec. 15, 2020 6897-6904*
- Nonlinearity-Aware Adaptive Bit and Power Loading DMT Transmission Over Low-Crosstalk Ring-Core Fiber With Mode Group Multiplexing. *Zhang, J.*, +, *JLT Nov. 1, 2020 5875-5882*
- Numerical Investigation of the Impact of the Saturable Absorber Recovery Time on the Mode-Locking Performance of Fiber Lasers. *Lee, J.*, +, *JLT Aug. 1, 2020 4124-4132*
- Optics-Simplified DSP for 50 Gb/s PON Downstream Transmission using 10 Gb/s Optical Devices. *Xue, L.*, +, *JLT Feb. 1, 2020 583-589*
- Optimization of Refractive Index Sensitivity in Nanofilm-Coated Long-Period Fiber Gratings Near the Dispersion Turning Point. *Zou, F.*, +, *JLT Feb. 15, 2020 889-897*
- Picoseconds-Accurate Fiber-Optic Time Transfer With Relative Stabilization of Lasers Wavelengths. *Sliwczynski, L.*, +, *JLT Sept. 15, 2020 5056-5063*
- Piecewise Linear Equalizer for DML Based PAM-4 Signal Transmission Over a Dispersion Uncompensated Link. *Fu, Y.*, +, *JLT Feb. 1, 2020 654-660*
- Power-Efficient Single-Sideband Transmission With Clipped Iterative SSB Cancellation. *Le, S.T.*, +, *JLT Aug. 15, 2020 4359-4367*
- SNR Model for Generalized Droop With Constant Output Power Amplifier Systems and Experimental Measurements. *Downie, J.D.*, +, *JLT June 15, 2020 3214-3220*
- SSB Single Carrier and Multicarrier in C-Band FSO Transmission With KK Receiver. *Wei, Y.*, +, *JLT Sept. 15, 2020 5000-5007*
- Statistical Evaluation of PAM4 Data Center Interconnect System With Slope-Compensating Fiber Bragg Grating Tunable Dispersion Compensation Module. *Searcy, S.*, +, *JLT June 15, 2020 3173-3179*
- Theoretical and Experimental Analysis of Burst-Mode Wavelength Conversion via a Differentially-Biased SOA-MZI. *Tsakyridis, A.*, +, *JLT Sept. 1, 2020 4607-4617*
- Three-Octave Supercontinuum Generation Using SiO₂ Cladded Si₃N₄ Slot Waveguide With All-Normal Dispersion. *Fang, Y.*, +, *JLT July 1, 2020 3431-3438*
- True-Time Delay Line Based on Dispersion-Flattened 19-Core Photonic Crystal Fiber. *Shaheen, S.*, +, *JLT Nov. 15, 2020 6237-6246*
- Wide-Coverage Beam-Steered 40-Gbit/s Non-Line-of-Sight Optical Wireless Connectivity for Industry 4.0. *Zhang, X.*, +, *JLT Dec. 15, 2020 6801-6806*
- Wideband and Dispersion Immune Microwave Photonic Phase Shifter With Tunable Optical Carrier to Sideband Ratio. *Bai, Y.*, +, *JLT Oct. 1, 2020 5262-5269*
- Wideband Microwave Frequency Distribution for Multi-Access Along a Single Fiber Link. *Zhang, H.*, +, *JLT April 1, 2020 1688-1692*
- Optical fiber fabrication**
- 150-W Power-Over-Fiber Using Double-Clad Fibers. *Matsuura, M.*, +, *JLT Jan. 15, 2020 401-408*
- 20.6 W Mid-Infrared Supercontinuum Generation in ZBLAN Fiber With Spectrum of 1.9–4.3 μm. *Yang, L.*, +, *JLT Sept. 15, 2020 5122-5127*
- L-Band Wavelength-Tunable Er³⁺-Doped Tellurite Fiber Lasers. *Fu, S.*, +, *JLT March 15, 2020 1435-1438*
- All-Fiber Vector Bending Sensor Based on a Multicore Fiber With Asymmetric Air-Hole Structure. *Budnicki, D.*, +, *JLT Dec. 1, 2020 6685-6690*
- All-Sapphire Miniature Optical Fiber Tip Sensor for High Temperature Measurement. *Yang, S.*, +, *JLT April 1, 2020 1988-1997*
- An Ultra-Broadband Polarization-Insensitive Optical Hybrid Using Multiplexed Light Conversion. *Zhang, Y.*, +, *JLT Nov. 15, 2020 6286-6291*
- Bend-Insensitive Grapefruit-Type Holey Ring-Core Fiber for Weakly-Coupled OAM Mode Division Multiplexing Transmission. *Tu, J.*, +, *JLT Aug. 15, 2020 4497-4503*

- Color Variation of the Up-Conversion Luminescence in Er³⁺-Yb³⁺ Co-Doped Lead Germanate Glasses and Microsphere Integrated Devices. *Zhang, M.*, +, *JLT Aug. 15, 2020 4397-4401*
- Connecting Technologies for Coaxial Dual Core Optical Fiber. *Yang, S.*, +, *JLT Dec. 1, 2020 6629-6634*
- Demonstration of an All-Fiber Ultra-Low Numerical Aperture Ytterbium-Doped Large Mode Area Fiber in a Master Oscillator Power Amplifier Configuration Above 1 kW Power Level. *Midilli, Y.*, +, *JLT April 1, 2020 1915-1920*
- Design Analysis of OAM Fibers Using Particle Swarm Optimization Algorithm. *Chang, J.H.*, +, *JLT Feb. 15, 2020 846-856*
- Design of Efficient Resonator-Enhanced Electro-Optic Frequency Comb Generators. *Buscaino, B.*, +, *JLT March 15, 2020 1400-1413*
- Design of Negative Curvature Hollow Core Fiber Based on Reinforcement Learning. *Hu, X.*, +, *JLT April 1, 2020 1959-1965*
- Design Principles of Apodized Grating Couplers. *Zhao, Z.*, +, *JLT Aug. 15, 2020 4435-4446*
- Fabrication and Characterization of Femtosecond Laser Induced Microwave Frequency Photonic Fiber Grating. *Cheng, B.*, +, *JLT Oct. 1, 2020 5286-5292*
- Fabrication of Chirped Fiber Bragg Gratings in a Non-Uniform Single-Core As₂Se₃-PMMA Tapered Fiber. *Gao, S.*, +, *JLT Aug. 1, 2020 4108-4113*
- High-Performance Bending Sensor Based on Femtosecond Laser-Inscribed In-Fiber Mach-Zehnder Interferometer. *Zhao, R.*, +, *JLT Nov. 15, 2020 6371-6378*
- Highly Efficient Fiber Cladding Light Stripper Fabricated by Chemical Mask Etching Method. *Zou, S.*, +, *JLT Sept. 15, 2020 5136-5141*
- Importance of Internal Tensile Stress in Forming Low-Loss Fiber Draw-Tower Gratings. *Liu, S.*, +, *JLT April 1, 2020 1900-1904*
- Interband Short Reach Data Transmission in Ultrawide Bandwidth Hollow Core Fiber. *Sakr, H.*, +, *JLT Jan. 1, 2020 159-165*
- Investigation Into the Influence of High-Power Optical Transmission on Fiber Withdrawal From Optical Connector. *Fukai, C.*, +, *JLT Sept. 15, 2020 5128-5135*
- Liquid Level and Refractive Index Double-Parameter Sensor Based on Tapered Photonic Crystal Fiber. *Fan, R.*, +, *JLT July 15, 2020 3717-3722*
- Long-Length and Thermally Stable High-Finesse Fabry-Perot Interferometers Made of Hollow Core Optical Fiber. *Ding, M.*, +, *JLT April 15, 2020 2423-2427*
- Low Loss, Large Bandwidth Fiber-Chip Edge Couplers Based on Silicon-on-Insulator Platform. *He, A.*, +, *JLT Sept. 1, 2020 4780-4786*
- Low-Loss Chalcogenide Fiber Prepared by Double Peeled-Off Extrusion. *Zhong, M.*, +, *JLT Aug. 15, 2020 4533-4539*
- Low-Loss Multimode Glass Waveguides With Beam-Expanded Fiber Connectors Enabling On-Board Optical Links. *Brusberg, L.*, +, *JLT March 15, 2020 1350-1357*
- Low-Loss Orbital Angular Momentum Ring-Core Fiber: Design, Fabrication and Characterization. *Wang, H.*, +, *JLT Nov. 15, 2020 6327-6333*
- Membrane III-V/Si DFB Laser Using Uniform Grating and Width-Modulated Si Waveguide. *Aihara, T.*, +, *JLT June 1, 2020 2961-2967*
- Mode Selective Conversion Enabled by the Long-Period Gratings Inscribed in Elliptical Core Few-Mode Fiber. *Liu, Z.*, +, *JLT March 15, 2020 1536-1542*
- Mode-field Matching Down-Tapers on Single-Mode Optical Fibers for Edge Coupling Towards Generic Photonic Integrated Circuit Platforms. *Vanmol, K.*, +, *JLT Sept. 1, 2020 4834-4842*
- Modeling and Characterization of Cladding-Pumped Erbium-Ytterbium Co-Doped Fibers for Amplification in Communication Systems. *Matte-Breton, C.*, +, *JLT April 1, 2020 1936-1944*
- Optical Fiber Tag Based on an Encoded Fiber Bragg Grating Fabricated by Femtosecond Laser. *Yang, K.*, +, *JLT March 15, 2020 1474-1479*
- Optimization of Refractive Index Sensitivity in Nanofilm-Coated Long-Period Fiber Gratings Near the Dispersion Turning Point. *Zou, F.*, +, *JLT Feb. 15, 2020 889-897*
- Polymer-Coated Hollow Fiber Optofluidic Laser for Refractive Index Sensing. *Zhao, X.*, +, *JLT March 15, 2020 1550-1556*
- Reduced Cladding Diameter Fibers for High-Density Optical Interconnects. *Bickham, S.R.*, +, *JLT Jan. 15, 2020 297-302*
- Resonant Wavelength Thermal Stability of Fiber Bragg Gratings Produced by Femtosecond Laser. *Paixao, T.*, +, *JLT March 15, 2020 1529-1535*
- S² Measurements Showing Suppression of Higher Order Modes in Confined Rare Earth Doped Large Core Fibers. *Gausmann, S.*, +, *JLT April 1, 2020 1953-1958*
- Scattering Into Guided Modes Due to Imperfect Graded-Index Structure in Polymer Optical Fibers. *Shibelgut, A.A.*, +, *JLT March 15, 2020 1454-1460*
- Side-Polished Single-Mode-Multimode-Single-Mode Fiber Structure for the Vector Magnetic Field Sensing. *Chen, Y.*, +, *JLT Oct. 15, 2020 5837-5843*
- Simultaneous Measurement of Pressure and Temperature in Seawater with PDMS Sealed Microfiber Mach-Zehnder Interferometer. *Hou, Y.*, +, *JLT Nov. 15, 2020 6412-6421*
- Simultaneous Measurement of Temperature and Relative Humidity Based on a Microfiber Sagnac Loop and MoS₂. *Bai, Y.*, +, *JLT Feb. 15, 2020 840-845*
- Spatial Density and Splicing Characteristic Optimized Few-Mode Multi-Core Fiber. *Sakamoto, T.*, +, *JLT Aug. 15, 2020 4490-4496*
- Surface Plasmon Resonance Induced High Sensitivity Temperature and Refractive Index Sensor Based on Evanescent Field Enhanced Photonic Crystal Fiber. *Liu, Y.*, +, *JLT Feb. 15, 2020 919-928*
- Temperature-Independent Curvature Sensor Based on In-Fiber Mach-Zehnder Interferometer Using Hollow-Core Fiber. *Marrujo-Garcia, S.*, +, *JLT Aug. 1, 2020 4166-4173*
- The Influence of the MCVD Process Parameters on the Optical Properties of Bismuth-Doped Phosphosilicate Fibers. *Khegai, A.*, +, *JLT Nov. 1, 2020 6114-6120*
- Tilting of Bragg Waveguide Gratings Using Two-Dimensional Sampling Structures. *Hao, L.*, +, *JLT Aug. 15, 2020 4402-4408*
- Tip Packaged High-Temperature Miniature Sensor Based on Suspended Core Optical Fiber. *Su, H.*, +, *JLT Aug. 1, 2020 4160-4165*
- Tm/Al Co-Doped Silica Glass Prepared by Laser Additive Manufacturing Technology for 2- μ m Photonic Crystal Fiber Laser. *Liu, J.*, +, *JLT March 15, 2020 1486-1491*
- Torsion, Refractive Index, and Temperature Sensors Based on An Improved Helical Long Period Fiber Grating. *Zhao, Y.*, +, *JLT April 15, 2020 2504-2510*
- True-Time Delay Line Based on Dispersion-Flattened 19-Core Photonic Crystal Fiber. *Shaheen, S.*, +, *JLT Nov. 15, 2020 6237-6246*
- Twist Induced Mode Confinement in Partially Open Ring of Holes. *Napiorkowski, M.*, +, *JLT March 15, 2020 1372-1381*
- Ultra-Low-Loss Broadband All-Fiber Mode Selective Couplers for MIMO-Less MDM Transmission. *Jiang, S.*, +, *JLT April 15, 2020 2376-2382*
- Yb/Ce Codoped Aluminosilicate Fiber With High Laser Stability for Multi-kW Level Laser. *She, S.*, +, *JLT Dec. 15, 2020 6924-6931*
- Optical fiber filters**
- All-Fiber Mode-Locked Laser Based on Mamyshev Mechanism With High-Energy Pulse Generation at 1550 nm. *Luo, X.*, +, *JLT March 15, 2020 1468-1473*
- Demonstration of a Sub-GHz Flat-Top Comb-Based RF-Photonic Filter Enabled by Fourth-Order Dispersion Compensation. *Serahati, Z.*, +, *JLT March 15, 2020 1194-1201*
- Femtosecond Laser Inscribed Tilted Gratings for Leaky Mode Excitation in Optical Fibers. *Ioannou, A.*, +, *JLT April 1, 2020 1921-1928*
- High-Resolution Chirped-Pulse -OTDR by Means of Sub-Bands Processing. *Marcon, L.*, +, *JLT Aug. 1, 2020 4142-4149*
- Impact of Dispersion Effects on Temporal-Convolution-Based Real-Time Fourier Transformation Systems. *Zhang, B.*, +, *JLT Sept. 1, 2020 4664-4676*
- Integrated Arbitrary Filter With Spiral Gratings: Design and Characterization. *Hu, Y.*, +, *JLT Aug. 15, 2020 4454-4461*
- Midinfrared Compatible Tunable Bandpass Filter Based on Multimode Interference in Chalcogenide Fiber. *Zhang, K.*, +, *JLT Feb. 15, 2020 857-863*
- Multi-Wavelength Fiber Laser Based on Dual-Sagnac Comb Filter for LP₁₁ Modes Output. *Tang, M.*, +, *JLT July 15, 2020 3745-3750*

Performance Enhancement of Optical Comb Based Microwave Photonic Filter by Machine Learning Technique. *Shiu, R.*, +, *JLT Oct. 1, 2020 5302-5310*

Simultaneously Self-Inscribed Antisymmetric Long-Period Grating and Antisymmetric Apodized Fiber Bragg Grating in a Dual-Core As₂Se₃-PMMA Tapered Fiber. *Gao, S.*, +, *JLT Nov. 15, 2020 6345-6351*

Supply-Power-Constrained Cable Capacity Maximization Using Multi-Layer Neural Networks. *Cho, J.*, +, *JLT July 15, 2020 3652-3662*

Switchable, Widely Tunable and Interval-Adjustable Multi-Wavelength Erbium-Doped Fiber Laser Based on Cascaded Filters. *Zhao, Q.*, +, *JLT April 15, 2020 2428-2433*

Time-Stretched Femtosecond Lidar Using Microwave Photonic Signal Processing. *Zhao, L.*, +, *JLT Nov. 15, 2020 6265-6271*

Torsion, Refractive Index, and Temperature Sensors Based on An Improved Helical Long Period Fiber Grating. *Zhao, Y.*, +, *JLT April 15, 2020 2504-2510*

Truly Distributed and Ultra-Fast Microwave Photonic Fiber-Optic Sensor. *Zhou, D.*, +, *JLT Aug. 1, 2020 4150-4159*

Tunable and Switchable Multi-Wavelength Erbium-Brillouin Random Fiber Laser Incorporating a Highly Nonlinear Fiber. *Wang, F.*, +, *JLT Aug. 1, 2020 4093-4099*

Tunable, Single-Wavelength Fiber Ring Lasers Based on Rare Earth-Doped, Double-Peanut Fiber Interferometers. *Wan, H.*, +, *JLT March 15, 2020 1501-1505*

Optical fiber LAN

A Compact Integrated LAN-WDM EML TOSA Employing Stripline With an Aperture in the FPC. *Ohata, N.*, +, *JLT June 15, 2020 3246-3251*

Face-to-Face EML Transceiver Tandem for Full-Duplex Analogue Radio-Over-Air. *Schrenk, B.*, +, *JLT June 1, 2020 2976-2983*

Optical fiber losses

107 Gb/s Ultra-High Speed, Surface-Normal Electroabsorption Modulator Devices. *Grillanda, S.*, +, *JLT Feb. 15, 2020 804-810*

L-Band Wavelength-Tunable Er³⁺-Doped Tellurite Fiber Lasers. *Fu, S.*, +, *JLT March 15, 2020 1435-1438*

A Precisely Frequency-Tunable Parity-Time-Symmetric Optoelectronic Oscillator. *Ding, Q.*, +, *JLT Dec. 1, 2020 6569-6577*

All-Fiber Vector Bending Sensor Based on a Multicore Fiber With Asymmetric Air-Hole Structure. *Budnicki, D.*, +, *JLT Dec. 1, 2020 6685-6690*

An Ultra-Broadband Polarization-Insensitive Optical Hybrid Using Multiplane Light Conversion. *Zhang, Y.*, +, *JLT Nov. 15, 2020 6286-6291*

Assessment on the Achievable Throughput of Multi-Band ITU-T G.652.D Fiber Transmission Systems. *Ferrari, A.*, +, *JLT Aug. 15, 2020 4279-4291*

Bend-Insensitive Grapefruit-Type Holey Ring-Core Fiber for Weakly-Coupled OAM Mode Division Multiplexing Transmission. *Tu, J.*, +, *JLT Aug. 15, 2020 4497-4503*

Birefringent Anti-Resonant Hollow-Core Fiber. *Yerolatsitis, S.*, +, *JLT Sept. 15, 2020 5157-5162*

Broadened-Laser-Driven Polarization-Maintaining Hollow-Core Fiber Optic Gyroscope. *Morris, T.A.*, +, *JLT Feb. 15, 2020 905-911*

Connecting Technologies for Coaxial Dual Core Optical Fiber. *Yang, S.*, +, *JLT Dec. 1, 2020 6629-6634*

Design of Negative Curvature Hollow Core Fiber Based on Reinforcement Learning. *Hu, X.*, +, *JLT April 1, 2020 1959-1965*

Design of Weakly Coupled Two-Mode Hollow-Core Antiresonant Fiber With Low Loss. *Wang, Z.*, +, *JLT Feb. 15, 2020 864-874*

Dispersion Management in Hybrid Optical Fibers. *Michalik, D.*, +, *JLT March 15, 2020 1427-1434*

Estimating the Outage Due to Polarization Dependent Loss Based on the Bit-Wise Achievable Information Rate for Probabilistically Shaped 64-QAM. *Cartledge, J.C.*, +, *JLT June 1, 2020 3023-3029*

Exact NFDm Transmission in the Presence of Fiber-Loss. *Bajaj, V.*, +, *JLT June 1, 2020 3051-3058*

Hole-Assisted Solid Core Bragg Fibers With a High-Index-Contrast Cladding for Broadband Single-Polarization Operation. *Shang, L.*, +, *JLT Nov. 1, 2020 6104-6113*

Hollow Silica Photonic Crystal Fiber Guiding 101 Orbital Angular Momentum Modes Without Phase Distortion in C+L Band. *Hong, S.*, +, *JLT March 1, 2020 1010-1018*

Impact of Polarization- and Mode-Dependent Gain on the Capacity of Ultra-Long-Haul Systems. *Mello, D.A.A.*, +, *JLT Jan. 15, 2020 303-318*

Integrated Arbitrary Filter With Spiral Gratings: Design and Characterization. *Hu, Y.*, +, *JLT Aug. 15, 2020 4454-4461*

Interband Short Reach Data Transmission in Ultrawide Bandwidth Hollow Core Fiber. *Sakr, H.*, +, *JLT Jan. 1, 2020 159-165*

Long-Length and Thermally Stable High-Finesse Fabry-Perot Interferometers Made of Hollow Core Optical Fiber. *Ding, M.*, +, *JLT April 15, 2020 2423-2427*

Low Loss, Large Bandwidth Fiber-Chip Edge Couplers Based on Silicon-on-Insulator Platform. *He, A.*, +, *JLT Sept. 1, 2020 4780-4786*

Low-Loss Chalcogenide Fiber Prepared by Double Peeled-Off Extrusion. *Zhong, M.*, +, *JLT Aug. 15, 2020 4533-4539*

Low-Loss Multimode Glass Waveguides With Beam-Expanded Fiber Connectors Enabling On-Board Optical Links. *Brusberg, L.*, +, *JLT March 15, 2020 1350-1357*

Low-Loss Orbital Angular Momentum Ring-Core Fiber: Design, Fabrication and Characterization. *Wang, H.*, +, *JLT Nov. 15, 2020 6327-6333*

Low-Loss, Low-Crosstalk, and Large-Scale Optical Switch Based on Silicon Photonics. *Suzuki, K.*, +, *JLT Jan. 15, 2020 233-239*

Membrane III-V/Si DFB Laser Using Uniform Grating and Width-Modulated Si Waveguide. *Aihara, T.*, +, *JLT June 1, 2020 2961-2967*

Membrane InGaAsP Mach-Zehnder Modulator Integrated With Optical Amplifier on Si Platform. *Hiraki, T.*, +, *JLT June 1, 2020 3030-3036*

Mirror-Based Broadband Silicon-Photonics Vertical I/O With Coupling Efficiency Enhancement for Standard Single-Mode Fiber. *Noriki, A.*, +, *JLT June 15, 2020 3147-3155*

Mode-field Matching Down-Tapers on Single-Mode Optical Fibers for Edge Coupling Towards Generic Photonic Integrated Circuit Platforms. *Vanmol, K.*, +, *JLT Sept. 1, 2020 4834-4842*

Modeling of Active Fiber Loop Ring-Down Spectroscopy Considering Gain Saturation Behavior of EDFA. *Chu, T.*, +, *JLT Feb. 15, 2020 966-973*

Multi-Band Direct-Detection Transmission Over an Ultrawide Bandwidth Hollow-Core NANF. *Hong, Y.*, +, *JLT May 15, 2020 2849-2857*

Multi-Shuttle Behavior Between Dissipative Solitons and Noise-Like Pulses in an All-Fiber Laser. *Cheng, X.*, +, *JLT April 15, 2020 2471-2476*

Nonduplicate Polarization-Diversity 32 × 32 Silicon Photonics Switch Based on a SiN/Si Double-Layer Platform. *Suzuki, K.*, +, *JLT Jan. 15, 2020 226-232*

Novel Near-infrared Pump Wavelengths for Dysprosium Fiber Lasers. *Amin, M.Z.*, +, *JLT Oct. 15, 2020 5801-5808*

On the Characterization of Novel Step-Index Biocompatible and Biodegradable poly(D,L-lactic acid) Based Optical Fiber. *Gierej, A.*, +, *JLT April 1, 2020 1905-1914*

PDL in Optical Links: A Model Analysis and a Demonstration of a PDL-Resilient Modulation. *Dumenil, A.*, +, *JLT Sept. 15, 2020 5017-5025*

Photonic-Assisted Leakage Cancellation for Wideband Frequency Modulation Continuous-Wave Radar Transceiver. *Li, P.*, +, *JLT March 15, 2020 1178-1183*

Reduced Cladding Diameter Fibers for High-Density Optical Interconnects. *Bickham, S.R.*, +, *JLT Jan. 15, 2020 297-302*

Selective Excitation and Amplification of Peak-Power-Scalable Out-of-Phase Supermode in Yb-Doped Multicore Fiber. *Andrianov, A.V.*, +, *JLT April 15, 2020 2464-2470*

Silica Hollow-Core Negative Curvature Fibers Enable Ultrasensitive Mid-Infrared Absorption Spectroscopy. *Yao, C.*, +, *JLT April 1, 2020 2067-2072*

Spatial Density and Splicing Characteristic Optimized Few-Mode Multicore Fiber. *Sakamoto, T.*, +, *JLT Aug. 15, 2020 4490-4496*

Spectral Dependence of Transmission Losses in High-Index Polymer Coated No-Core Fibers. *Lian, X.*, +, *JLT Nov. 15, 2020 6352-6361*

The Enhanced Gaussian Noise Model Extended to Polarization-Dependent Loss. *Serena, P.*, +, *JLT Oct. 15, 2020 5685-5694*

The Influence of the MCVD Process Parameters on the Optical Properties of Bismuth-Doped Phosphosilicate Fibers. *Khegai, A.*, +, *JLT Nov. 1, 2020 6114-6120*

The Thermal Phase Sensitivity of Both Coated and Uncoated Standard and Hollow Core Fibers Down to Cryogenic Temperatures. *Zhu, W.*, +, *JLT April 15, 2020 2477-2484*

True-Time Delay Line Based on Dispersion-Flattened 19-Core Photonic Crystal Fiber. *Shaheen, S.*, +, *JLT Nov. 15, 2020 6237-6246*

Twist Induced Mode Confinement in Partially Open Ring of Holes. *Napierkowski, M.*, +, *JLT March 15, 2020 1372-1381*

Ultra-Low-Loss Broadband All-Fiber Mode Selective Couplers for MIMO-Less MDM Transmission. *Jiang, S.*, +, *JLT April 15, 2020 2376-2382*

Weakly-Coupled MDM-WDM Amplification and Transmission Based on Compact FM-EDFA. *Zhu, J.*, +, *JLT Sept. 15, 2020 5163-5169*

Yb/Ce Codoped Aluminosilicate Fiber With High Laser Stability for Multi-kW Level Laser. *She, S.*, +, *JLT Dec. 15, 2020 6924-6931*

Optical fiber networks

100G PAM-6 and PAM-8 Signal Transmission Enabled by Pre-Chirping for 10-km Intra-DCI Utilizing MZM in C-band. *Zou, D.*, +, *JLT July 1, 2020 3445-3453*

107 Gb/s Ultra-High Speed, Surface-Normal Electroabsorption Modulator Devices. *Grillanda, S.*, +, *JLT Feb. 15, 2020 804-810*

402.7-Tb/s MDM-WDM Transmission Over Weakly Coupled 10-Mode Fiber Using Rate-Adaptive PS-16QAM Signals. *Beppu, S.*, +, *JLT May 15, 2020 2835-2841*

5G Xhaul and Service Convergence: Transmission, Switching and Automation Enabling Technologies. *Iovanna, P.*, +, *JLT May 15, 2020 2799-2806*

A Novel Baseband Faster-Than-Nyquist Non-Orthogonal FDM IM/DD System With Block Segmented Soft-Decision Decoder. *Hu, Z.*, +, *JLT Feb. 1, 2020 632-641*

A Routing and Wavelength Assignment Algorithm Based on Two Types of LEO Constellations in Optical Satellite Networks. *Sun, X.*, +, *JLT April 15, 2020 2106-2113*

A Silicon Photonic Switching Platform for Flexible Converged Centralized-Radio Access Networking. *Browning, C.*, +, *JLT Oct. 1, 2020 5386-5392*

A Study on the Effect of Ultra-Wide Band WDM on Optical Transmission Systems. *Okamoto, S.*, +, *JLT March 1, 2020 1061-1070*

Abstraction and Control of Multi-Domain Disaggregated Optical Networks With OpenROADM Device Models. *Casellas, R.*, +, *JLT May 1, 2020 2606-2615*

Accurate Closed-Form Real-Time EGN Model Formula Leveraging Machine-Learning Over 8500 Thoroughly Randomized Full C-Band Systems. *Ranjbar Zefreh, M.*, +, *JLT Sept. 15, 2020 4987-4999*

AgileDCN: An Agile Reconfigurable Optical Data Center Network Architecture. *Le, D.D.*, +, *JLT Sept. 15, 2020 4922-4934*

All-Analog Adaptive Equalizer for Coherent Data Center Interconnects. *Nambath, N.*, +, *JLT Nov. 1, 2020 5867-5874*

Amplifier-less transmission of beyond 100-Gbit/s/λ signal for 40-km DCI-Edge with 10G-class O-band DML. *Zou, D.*, +, *JLT Oct. 15, 2020 5649-5655*

ANN-Based Multi-Channel QoT-Prediction Over a 563.4-km Field-Trial Testbed. *Gao, Z.*, +, *JLT May 1, 2020 2646-2655*

Assessing Capacity and Cost/Capacity of 4-Core Multicore Fibers Against Single Core Fibers in Submarine Cable Systems. *Downie, J.D.*, +, *JLT June 1, 2020 3015-3022*

Assessment on the Achievable Throughput of Multi-Band ITU-T G.652.D Fiber Transmission Systems. *Ferrari, A.*, +, *JLT Aug. 15, 2020 4279-4291*

Band-Division vs. Space-Division Multiplexing: A Network Performance Statistical Assessment. *Ferrari, A.*, +, *JLT March 1, 2020 1041-1049*

Coherent Dual-Band Radar-Over-Fiber Network With VCSEL-Based Signal Distribution. *Malacarne, A.*, +, *JLT Nov. 15, 2020 6257-6264*

Coherent Ultra-Dense WDM-PON Enabled by Complexity-Reduced Digital Transceivers. *Tabares, J.A.*, +, *JLT March 15, 2020 1305-1313*

Complexity Reduction With a Simplified MIMO Volterra Filter for PDM-Twin-SSB PAM-4 Transmission. *Zhu, M.*, +, *JLT Feb. 15, 2020 769-776*

Corrections to "A Modulation Format Correction Formula for the Gaussian Noise Model in the Presence of Inter-Channel Stimulated Raman Scattering". *Semrau, D.*, +, *JLT March 15, 2020 1604*

Crosstalk-Aware Resource Allocation in Survivable Space-Division-Multiplexed Elastic Optical Networks Supporting Hybrid Dedicated and Shared Path Protection. *Moghaddam, E.E.*, +, *JLT March 15, 2020 1095-1102*

DCI Field Trial Demonstrating 1.3-Tb/s Single-Channel and 50.8-Tb/s WDM Transmission Capacity. *Buchali, F.*, +, *JLT May 1, 2020 2710-2718*

Demonstration of a Novel Framework for Proactive Maintenance Using Failure Prediction and Bit Lossless Protection With Autonomous Network Diagnosis System. *Inuzuka, F.*, +, *JLT May 1, 2020 2695-2702*

Demonstration of C-Band Amplifier-Free 100 Gb/s/λ Direct-Detection Links Beyond 40-km SMF Using a High-Power SSB Transmitter. *Li, X.*, +, *JLT Nov. 15, 2020 6170-6177*

Demonstration of SDN-Enabled Hybrid Polling Algorithm for Packet Contention Resolution in Optical Data Center Network. *Wang, F.*, +, *JLT June 15, 2020 3296-3304*

Design and Assessment of FM-MCFs-Suited SDM-ROADMs With Versatile Spatial Group Configurations and Unified QoT Estimator. *Rumipamba-Zambrano, R.*, +, *JLT Nov. 15, 2020 6137-6152*

Design of Time-Frequency Packed WDM Superchannel Transmission Systems. *Jana, M.*, +, *JLT Dec. 15, 2020 6719-6731*

DFT Spread Spectrally Efficient Frequency Division Multiplexing for IM-DD Transmission in C-Band. *Li, Z.*, +, *JLT July 1, 2020 3526-3532*

DFT-Spread DMT-WDM-PON Employing LDPC-Coded Probabilistic Shaping 16 QAM. *Xiao, Q.*, +, *JLT Feb. 15, 2020 714-722*

Digital Pre- and Post-Equalization for C-Band 112-Gb/s PAM4 Short-Reach Transport Systems. *Tang, X.*, +, *JLT Sept. 1, 2020 4683-4690*

Distributed Antenna System Using Sigma-Delta Intermediate-Frequency-Over-Fiber for Frequency Bands Above 24 GHz. *Wu, C.*, +, *JLT May 15, 2020 2765-2773*

Dual Polarization Full-Field Signal Waveform Reconstruction Using Intensity Only Measurements for Coherent Communications. *Chen, H.*, +, *JLT May 1, 2020 2587-2597*

Dynamic In-Line Routing Between Distant Cores of a Multi-Core Fiber. *Youn, J.H.*, +, *JLT Nov. 1, 2020 6076-6081*

Effect of Channel Launch Power on Fill Margin in C+L Band Elastic Optical Networks. *Mitra, A.*, +, *JLT March 1, 2020 1032-1040*

Efficient Multi-Stage Deployment of Ultra-Low Loss Fibers in Elastic Optical Networks. *Li, Y.*, +, *JLT July 15, 2020 3542-3552*

Emergency OPM Recreation and Telemetry for Disaster Recovery in Optical Networks. *Xu, S.*, +, *JLT May 1, 2020 2656-2668*

Enabling Technologies for Optical Data Center Networks: Spatial Division Multiplexing. *Zhang, L.*, +, *JLT Jan. 1, 2020 18-30*

End-to-End Quantum Secured Inter-Domain 5G Service Orchestration Over Dynamically Switched Flex-Grid Optical Networks Enabled by a q-ROADM. *Wang, R.*, +, *JLT Jan. 1, 2020 139-149*

Enhancement of the Multiplexing Capacity and Measurement Accuracy of FBG Sensor System Using IWDM Technique and Deep Learning Algorithm. *Manie, Y.C.*, +, *JLT March 15, 2020 1589-1603*

Experimental Characterization of Nonlinear Distortions of Semiconductor Optical Amplifiers in the WDM Regime. *Arnould, A.*, +, *JLT Jan. 15, 2020 509-513*

Experimental Demonstration of 600 Gb/s Net Rate PAM4 Transmissions Over 2 km and 10 km With a 4-λ CWDM TOSA. *Xing, Z.*, +, *JLT June 1, 2020 2968-2975*

Experimental Demonstration of a Petabit per Second SDM Network Node. *Luis, R.S.*, +, *JLT June 1, 2020 2886-2896*

Experimental Demonstration of a Photonic Frame Based Packet-Switched Optical Network for Data Centers. *Ra, Y.*, +, *JLT March 15, 2020 1113-1124*

Experimental Demonstration of Dual O+C-Band WDM Transmission Over 50-km SSMF With Direct Detection. *Hong, Y.*, +, *JLT April 15, 2020 2278-2284*

Experimental Demonstration of Nonlinear Frequency Division Multiplexing Transmission With Neural Network Receiver. *Gaiarin, S.*, +, *JLT Dec. 1, 2020 6465-6473*

- Fast Wavelength Seeking in a Silicon Dual-Ring Switch Based on Artificial Neural Networks. *Qin, G.*, +, *JLT Sept. 15, 2020 5078-5085*
- Feasibility Demonstration of Spatial Channel Networking Using SDM/WDM Hierarchical Approach for Peta-b/s Optical Transport. *Jinno, M.*, +, *JLT May 1, 2020 2577-2586*
- Fiber-Longitudinal Anomaly Position Identification Over Multi-Span Transmission Link Out of Receiver-end Signals. *Tanimura, T.*, +, *JLT May 1, 2020 2726-2733*
- First Field Trial of Distributed Fiber Optical Sensing and High-Speed Communication Over an Operational Telecom Network. *Huang, M.*, +, *JLT Jan. 1, 2020 75-81*
- Frequency-Stabilized Links for Coherent WDM Fiber Interconnects in the Datacenter. *Blumenthal, D.J.*, +, *JLT July 1, 2020 3376-3386*
- Full C-Band 3060-km DMD-Unmanaged 3-Mode Transmission With 40.2-Tb/s Capacity Using Cyclic Mode Permutation. *Shibahara, K.*, +, *JLT Jan. 15, 2020 514-521*
- Gain-Integrated 8×8 Silicon Photonics Multicast Switch With On-Chip 2×4 -ch. SOAs. *Konoike, R.*, +, *JLT June 1, 2020 2930-2937*
- Guest Editorial Ultra Wideband WDM Systems. *Napoli, A.*, +, *JLT March 1, 2020 998-1001*
- High Data-Rate and Long Distance MCF Transmission With 19-Core C+L band Cladding-Pumped EDFA. *Putnam, B.J.*, +, *JLT Jan. 1, 2020 123-130*
- Integrated Wavelength-Tuned Optical mm-Wave Beamformer With Doubled Delay Resolution. *Zhang, X.*, +, *JLT April 15, 2020 2353-2359*
- Introducing Load Aware Neural Networks for Accurate Predictions of Raman Amplifiers. *Rosa Brusin, A.M.*, +, *JLT Dec. 1, 2020 6481-6491*
- Isolation-Aware 5G RAN Slice Mapping Over WDM Metro-Aggregation Networks. *Yu, H.*, +, *JLT March 15, 2020 1125-1137*
- Joint Superchannel Digital Signal Processing for Effective Inter-Channel Interference Cancellation. *Mazur, M.*, +, *JLT Oct. 15, 2020 5676-5684*
- Latency-Aware Task Peer Offloading on Overloaded Server in Multi-Access Edge Computing System Interconnected by Metro Optical Networks. *Huang, S.*, +, *JLT Nov. 1, 2020 5949-5961*
- LDPC-Coded Probabilistic Shaping PAM4 Based on Many-to-One Mapping in WDM-PON. *He, H.*, +, *JLT Aug. 1, 2020 3918-3925*
- LDPC-Coded Probabilistic Shaping PAM8 Employing a Novel Bit-Weighted Distribution Matching in WDM-PON. *Zhao, X.*, +, *JLT Sept. 1, 2020 4641-4647*
- Low Complexity OSNR Monitoring and Modulation Format Identification Based on Binarized Neural Networks. *Zhao, Y.*, +, *JLT March 15, 2020 1314-1322*
- Low Thermal Sensitivity Hollow Core Fiber for Optically-Switched Data Centers. *Clark, K.A.*, +, *JLT May 1, 2020 2703-2709*
- Low-Latency and High-Speed Hollow-Core Fiber Optical Interconnection at 2-Micron Waveband. *Shen, W.*, +, *JLT Aug. 1, 2020 3874-3882*
- Machine Learning Assisted Modulation-Format Transparent and Nonlinearity Tolerant Carrier Recovery Scheme for Intelligent Receiver. *Xiang, Q.*, +, *JLT Nov. 1, 2020 6007-6014*
- Machine Learning Assisted Optimization of Dynamic Crosstalk-Aware Spectrally-Spatially Flexible Optical Networks. *Klinkowski, M.*, +, *JLT April 1, 2020 1625-1635*
- Machine Learning for Optical Network Security Monitoring: A Practical Perspective. *Furdek, M.*, +, *JLT June 1, 2020 2860-2871*
- Minimizing Inter-Core Crosstalk Jointly in Spatial, Frequency, and Time Domains for Scheduled Lightpath Demands in Multi-Core Fiber-based Elastic Optical Network. *Tang, F.*, +, *JLT Oct. 15, 2020 5595-5607*
- Minimum-Cost Optical Amplifier Placement in Metro Networks. *Ibrahimi, M.*, +, *JLT June 15, 2020 3221-3228*
- Mismatched Models to Lower Bound the Capacity of Optical Fiber Channels. *Garcia-Gomez, F.J.*, +, *JLT Dec. 15, 2020 6779-6787*
- Mitigation of Pattern-Dependent Effect in SOA at O-Band by Using DSP. *Wang, K.*, +, *JLT Feb. 1, 2020 590-597*
- Modeling EDFA Gain Ripple and Filter Penalties With Machine Learning for Accurate QoT Estimation. *Mahajan, A.*, +, *JLT May 1, 2020 2616-2629*
- Multi-Band Direct-Detection Transmission Over an Ultrawide Bandwidth Hollow-Core NANF. *Hong, Y.*, +, *JLT May 15, 2020 2849-2857*
- Multi-FSR Silicon Photonic Flex-LIONS Module for Bandwidth-Reconfigurable All-to-All Optical Interconnects. *Xiao, X.*, +, *JLT June 15, 2020 3200-3208*
- Multi-Layer Service Provisioning Over Resilient Software-Defined Partially Disaggregated Networks. *Mayoral, A.*, +, *JLT Jan. 15, 2020 546-552*
- Non-Orthogonal Uplink Services Through Co-Transport of D-RoF/A-RoF in Mobile Fronthaul. *Yao, S.*, +, *JLT July 15, 2020 3637-3643*
- On Numerical Simulations of Ultra-Wideband Long-Haul Optical Communication Systems. *Serena, P.*, +, *JLT March 1, 2020 1019-1031*
- On Virtual Network Reconfiguration in Hybrid Optical/Electrical Datacenter Networks. *Zhao, S.*, +, *JLT Dec. 1, 2020 6424-6436*
- Opportunities and Challenges of C+L Transmission Systems. *Cantono, M.*, +, *JLT March 1, 2020 1050-1060*
- Optical Nonlinearity Monitoring and Launch Power Optimization by Artificial Neural Networks. *Lonardi, M.*, +, *JLT May 1, 2020 2637-2645*
- Optics-Simplified DSP for 50 Gb/s PON Downstream Transmission using 10 Gb/s Optical Devices. *Xue, L.*, +, *JLT Feb. 1, 2020 583-589*
- Optimized Design and Challenges for C&L Band Optical Line Systems. *Lopez, V.*, +, *JLT March 1, 2020 1080-1091*
- P4-enabled Smart NIC: Enabling Sliceable and Service-Driven Optical Data Centres. *Yan, Y.*, +, *JLT May 1, 2020 2688-2694*
- Passive Optical Phase Stabilization on a Ring Fiber Network. *Hu, L.*, +, *JLT Nov. 1, 2020 5916-5924*
- PDL in Optical Links: A Model Analysis and a Demonstration of a PDL-Resilient Modulation. *Dumenil, A.*, +, *JLT Sept. 15, 2020 5017-5025*
- Performance Enhanced 256-QAM BIPCM-DMT System Enabled by CAZAC Precoding. *Ma, J.*, +, *JLT Feb. 1, 2020 557-563*
- Performance Enhancement of Optical Comb Based Microwave Photonic Filter by Machine Learning Technique. *Shiu, R.*, +, *JLT Oct. 1, 2020 5302-5310*
- Piecewise Linear Equalizer for DML Based PAM-4 Signal Transmission Over a Dispersion Uncompensated Link. *Fu, Y.*, +, *JLT Feb. 1, 2020 654-660*
- Power-Efficient Single-Sideband Transmission With Clipped Iterative SSBI Cancellation. *Le, S.T.*, +, *JLT Aug. 15, 2020 4359-4367*
- Practical Innovations Enabling Scalable Optical Transmission Networks: Real-World Trials and Experiences of Advanced Technologies in Field Deployed Optical Networks. *Zhou, Y.R.*, +, *JLT June 15, 2020 3106-3113*
- Principle, Design, and Prototyping of Core Selective Switch Using Free-Space Optics for Spatial Channel Network. *Jinno, M.*, +, *JLT Sept. 15, 2020 4895-4905*
- Privacy-Preserving Multilayer In-Band Network Telemetry and Data Analytics: For Safety, Please do Not Report Plaintext Data. *Pan, X.*, +, *JLT Nov. 1, 2020 5855-5866*
- Provisioning in Multi-Band Optical Networks. *Sambo, N.*, +, *JLT May 1, 2020 2598-2605*
- PULSE: Optical Circuit Switched Data Center Architecture Operating at Nanosecond Timescales. *Benjamin, J.L.*, +, *JLT Sept. 15, 2020 4906-4921*
- Quality of Transmission Estimation and Short-Term Performance Forecast of Lightpaths. *Aladin, S.*, +, *JLT May 15, 2020 2807-2814*
- Reliable Optical Networks With ODTN: Resiliency and Fail-Over in Data and Control Planes. *Campanella, A.*, +, *JLT May 15, 2020 2755-2764*
- ROTOS: A Reconfigurable and Cost-Effective Architecture for High-Performance Optical Data Center Networks. *Xue, X.*, +, *JLT July 1, 2020 3485-3494*
- Single Sideband Transmission Employing a 1-to-4 ADC Frontend and Parallel Digitization. *Le, S.T.*, +, *JLT June 15, 2020 3125-3134*
- Single-Mode Fiber SDM Submarine Systems. *Bolshtyansky, M.A.*, +, *JLT March 15, 2020 1296-1304*
- Soft Failure Identification for Long-haul Optical Communication Systems Based on One-dimensional Convolutional Neural Network. *Lun, H.*, +, *JLT June 1, 2020 2992-2999*
- Spectral Efficiency Comparison Between Analog and Digital RoF for Mobile Fronthaul Transmission Link. *Ji, H.*, +, *JLT Oct. 15, 2020 5617-5623*
- SSBI-Free Direct-Detection System Employing Phase Modulation for Analog Optical Links. *Ishimura, S.*, +, *JLT May 1, 2020 2719-2725*

- Techno-Economic Impact of Filterless Data Plane and Agile Control Plane in the 5G Optical Metro. *Pavon-Marino, P.*, +, *JLT Aug. 1, 2020 3801-3814*
- The Impact of Local Oscillator Frequency Jitter and Laser Linewidth to Ultra High Baud Rate Coherent Systems. *Zhang, R.*, +, *JLT March 15, 2020 1138-1147*
- Theoretical and Experimental Analysis of Burst-Mode Wavelength Conversion via a Differentially-Biased SOA-MZI. *Tsakyridis, A.*, +, *JLT Sept. 1, 2020 4607-4617*
- Three-Dimensional Probabilistically Shaped CAP Modulation Based on Constellation Design Using Regular Tetrahedron Cells. *Ren, J.*, +, *JLT April 1, 2020 1728-1734*
- Towards a Scaleable 5G Fronthaul: Analog Radio-over-Fiber and Space Division Multiplexing. *Rommel, S.*, +, *JLT Oct. 1, 2020 5412-5422*
- Transponder Implementation Penalty-Accounted Gaussian-Noise-Based Performance Modeling of Fiber-Optic Transmission Systems. *Kaliteevskiy, N.A.*, +, *JLT April 15, 2020 2253-2261*
- Two-Stage Coded Modulation for Hurwitz Constellations in Fiber-Optical Communications. *Frey, F.*, +, *JLT June 15, 2020 3135-3146*
- Unrepeated Transmission Over 670.64 km of 50G BPSK, 653.35 km of 100G PS-QPSK, 601.93 km of 200G 8QAM, and 502.13 km of 400G 64QAM. *Xu, J.*, +, *JLT Jan. 15, 2020 522-530*
- Wavelength-Division Demultiplexing Enhanced by Silicon-Photonic Tunable Filters in Ultra-Wideband Optical-Path Networks. *Mori, Y.*, +, *JLT March 1, 2020 1002-1009*
- Weakly-Coupled MDM-WDM Amplification and Transmission Based on Compact FM-EDFA. *Zhu, J.*, +, *JLT Sept. 15, 2020 5163-5169*
- Wideband Microwave Frequency Distribution for Multi-Access Along a Single Fiber Link. *Zhang, H.*, +, *JLT April 1, 2020 1688-1692*
- Wideband Steady-State and Pulse Propagation Modeling of a Reflective Quantum-Dot Semiconductor Optical Amplifier. *Safari Anzabi, K.*, +, *JLT Feb. 15, 2020 797-803*
- Y-00 Quantum-Noise Randomized Stream Cipher Using Intensity Modulation Signals for Physical Layer Security of Optical Communications. *Futami, F.*, +, *JLT May 15, 2020 2774-2781*
- Optical fiber polarization**
- 107 Gb/s Ultra-High Speed, Surface-Normal Electroabsorption Modulator Devices. *Grillanda, S.*, +, *JLT Feb. 15, 2020 804-810*
- A Novel Weak-Scattering Michelson Interferometer Based on PBS for Long-Distance Disturbance Localization. *Song, Q.*, +, *JLT March 15, 2020 1543-1549*
- All-Optical Directional Control of Emission in a Photonic Liquid Crystal Fiber Laser. *Lin, J.*, +, *JLT Sept. 15, 2020 5149-5156*
- An Analog Photonic Down-Conversion Link With Simultaneous IMD3 Distortion Suppression and Dispersion-Induced Power Fading Compensation. *Li, Y.*, +, *JLT Aug. 1, 2020 3908-3917*
- An Ultra-Broadband Polarization-Insensitive Optical Hybrid Using Multiplane Light Conversion. *Zhang, Y.*, +, *JLT Nov. 15, 2020 6286-6291*
- Birefringence Measurement by Expandable Polarization Interference Method. *Tian, Y.*, +, *JLT Feb. 15, 2020 834-839*
- Birefringent Anti-Resonant Hollow-Core Fiber. *Yerolatsitis, S.*, +, *JLT Sept. 15, 2020 5157-5162*
- Broadened-Laser-Driven Polarization-Maintaining Hollow-Core Fiber Optic Gyroscope. *Morris, T.A.*, +, *JLT Feb. 15, 2020 905-911*
- Coded Modulation for 100G Coherent EPON. *Gerard, T.*, +, *JLT Feb. 1, 2020 564-572*
- Combining Harmonic Laser Beams by Fiber Components for Refractivity-Compensating Two-Color Interferometry. *Liu, Y.*, +, *JLT April 1, 2020 1945-1952*
- Comparison Study of Radiation-Resistant Polarization-Maintaining PANDA Fibers With Undoped- and N-Doped-Silica Core. *Tomashuk, A.L.*, +, *JLT Oct. 15, 2020 5817-5824*
- Crosstalk-Induced System Outage in Intensity-Modulated Direct-Detection Multi-Core Fiber Transmission. *Rademacher, G.*, +, *JLT Jan. 15, 2020 291-296*
- Design Analysis of OAM Fibers Using Particle Swarm Optimization Algorithm. *Chang, J.H.*, +, *JLT Feb. 15, 2020 846-856*
- Design of Time-Frequency Packed WDM Superchannel Transmission Systems. *Jana, M.*, +, *JLT Dec. 15, 2020 6719-6731*
- Distributed Characterization of Few-Mode Fibers Based on Optical Frequency Domain Reflectometry. *Veronese, R.*, +, *JLT Sept. 1, 2020 4843-4849*
- Distributed Salinity Sensor With a Polyimide-Coated Photonic Crystal Fiber Based on Brillouin Dynamic Grating. *Zhang, H.*, +, *JLT Sept. 15, 2020 5219-5224*
- Dual-Frequency CARS Excitation Source With Two Independent-Tunable Stokes Wavelengths Using PM-PCF and Vector Adjustment. *Zhang, Y.*, +, *JLT April 15, 2020 2392-2399*
- Estimating the Outage Due to Polarization Dependent Loss Based on the Bit-Wise Achievable Information Rate for Probabilistically Shaped 64-QAM. *Cartledge, J.C.*, +, *JLT June 1, 2020 3023-3029*
- Fading Noise Suppression in Φ -OTDR Based on Nearest Neighbor Analysis. *Tu, G.*, +, *JLT Dec. 1, 2020 6691-6698*
- Femtosecond Laser Inscribed Tilted Gratings for Leaky Mode Excitation in Optical Fibers. *Ioannou, A.*, +, *JLT April 1, 2020 1921-1928*
- High-Capacity Coherent DCIs Using Pol-Muxed Carrier and LO-Less Receiver. *Kamran, R.*, +, *JLT July 1, 2020 3461-3468*
- High-Speed FBG Interrogation With Electro-Optically Tunable Sagnac Loops. *Oton, C.J.*, +, *JLT Aug. 15, 2020 4513-4519*
- Hole-Assisted Solid Core Bragg Fibers With a High-Index-Contrast Cladding for Broadband Single-Polarization Operation. *Shang, L.*, +, *JLT Nov. 1, 2020 6104-6113*
- Impact of Polarization- and Mode-Dependent Gain on the Capacity of Ultra-Long-Haul Systems. *Mello, D.A.A.*, +, *JLT Jan. 15, 2020 303-318*
- Investigation on the Polarization Dependence of An Angled Polished Multimode Fibre Structure. *Wang, R.*, +, *JLT Aug. 15, 2020 4520-4525*
- Low-Loss, Low-Crosstalk, and Large-Scale Optical Switch Based on Silicon Photonics. *Suzuki, K.*, +, *JLT Jan. 15, 2020 233-239*
- Microfiber-Knot-Resonator-Induced Partial Elimination of Longitudinal Modes in Fiber Lasers for In-Tune-Switchable Nanosecond Pulse Generation. *Zhou, J.*, +, *JLT Feb. 15, 2020 875-880*
- Mirror-Based Broadband Silicon-Photonics Vertical I/O With Coupling Efficiency Enhancement for Standard Single-Mode Fiber. *Noriki, A.*, +, *JLT June 15, 2020 3147-3155*
- Mode-field Matching Down-Tapers on Single-Mode Optical Fibers for Edge Coupling Towards Generic Photonic Integrated Circuit Platforms. *Vanmol, K.*, +, *JLT Sept. 1, 2020 4834-4842*
- Multi-Shuttle Behavior Between Dissipative Solitons and Noise-Like Pulses in an All-Fiber Laser. *Cheng, X.*, +, *JLT April 15, 2020 2471-2476*
- Multi-Wavelength Fiber Laser Based on Dual-Sagnac Comb Filter for LP₁₁ Modes Output. *Tang, M.*, +, *JLT July 15, 2020 3745-3750*
- Nonduplicate Polarization-Diversity 32 × 32 Silicon Photonics Switch Based on a SiN/Si Double-Layer Platform. *Suzuki, K.*, +, *JLT Jan. 15, 2020 226-232*
- Parity-Time Symmetry in a Single-Loop Photonic System. *Fan, Z.*, +, *JLT Aug. 1, 2020 3866-3873*
- PDL in Optical Links: A Model Analysis and a Demonstration of a PDL-Resilient Modulation. *Dumenil, A.*, +, *JLT Sept. 15, 2020 5017-5025*
- Performance Analysis of Phase Noise Cancellation by Asymmetric CMA for Realizing Affordable Coherent PON Transceivers. *Kim, S.*, +, *JLT April 15, 2020 2231-2241*
- Polarization Dynamics of Light Propagating in Bent Spun Birefringent Fiber. *Przhiyalkovskiy, Y.V.*, +, *JLT Dec. 15, 2020 6879-6885*
- Polarization-Color Domain Walls in Fiber Ring Lasers. *Nady, A.*, +, *JLT Dec. 15, 2020 6905-6910*
- Sagnac Interferometer Based on a Highly-Birefringent Two-Core PCF: Theory, Experiment, and Sensing Characteristics. *Naeem, K.*, +, *JLT Sept. 15, 2020 5177-5190*
- Self-Forced Opto-Electronic Oscillators Using Sagnac-Loop PM-IM Converter. *Wei, K.*, +, *JLT Oct. 1, 2020 5278-5285*
- Single Sideband Transmission Employing a 1-to-4 ADC Frontend and Parallel Digitization. *Le, S.T.*, +, *JLT June 15, 2020 3125-3134*

Suppression of Nonlinear Residual Intensity Modulation in Multifunction Integrated Optic Circuit for Fiber-Optic Gyroscopes. *Liu, J.*, +, *JLT March 15, 2020 1572-1579*

Switchable, Widely Tunable and Interval-Adjustable Multi-Wavelength Erbium-Doped Fiber Laser Based on Cascaded Filters. *Zhao, Q.*, +, *JLT April 15, 2020 2428-2433*

The Enhanced Gaussian Noise Model Extended to Polarization-Dependent Loss. *Serena, P.*, +, *JLT Oct. 15, 2020 5685-5694*

Tunable and Switchable Multi-Wavelength Erbium-Brillouin Random Fiber Laser Incorporating a Highly Nonlinear Fiber. *Wang, F.*, +, *JLT Aug. 1, 2020 4093-4099*

Wavelength Division Multiplexing of 194 Continuous Variable Quantum Key Distribution Channels. *Eriksson, T.A.*, +, *JLT April 15, 2020 2214-2218*

Weak Coupling Point Detection in Distributed Polarization Coupling Measurement Based on Variational Mode Decomposition. *Wen, G.*, +, *JLT Aug. 1, 2020 4061-4074*

Wideband and Dispersion Immune Microwave Photonic Phase Shifter With Tunable Optical Carrier to Sideband Ratio. *Bai, Y.*, +, *JLT Oct. 1, 2020 5262-5269*

Optical fiber subscriber loops

Real-Time Implementation of Coherent Receiver DSP Adopting Stream Split Assignment on GPU for Flexible Optical Access Systems. *Suzuki, T.*, +, *JLT Feb. 1, 2020 668-675*

Optical fiber telemetry

Emergency OPM Recreation and Telemetry for Disaster Recovery in Optical Networks. *Xu, S.*, +, *JLT May 1, 2020 2656-2668*

Optical fiber testing

An Accurate Method for Measuring the Proportions of Degenerated Spatial Modes in Fibers. *Mao, B.*, +, *JLT Aug. 1, 2020 4052-4060*

An Ultra-Broadband Polarization-Insensitive Optical Hybrid Using Multi-plane Light Conversion. *Zhang, Y.*, +, *JLT Nov. 15, 2020 6286-6291*

Behavior of Specialty Optical Fibers in Crude Oil Environment. *Stolov, A.A.*, +, *JLT July 15, 2020 3759-3768*

Birefringence Measurement by Expandable Polarization Interference Method. *Tian, Y.*, +, *JLT Feb. 15, 2020 834-839*

Broadened-Laser-Driven Polarization-Maintaining Hollow-Core Fiber Optic Gyroscopes. *Morris, T.A.*, +, *JLT Feb. 15, 2020 905-911*

Detection-Localization-Identification of Vibrations Over Long Distance SSMF With Coherent $\Delta\phi$ -OTDR. *Awwad, E.*, +, *JLT June 15, 2020 3089-3095*

Distributed Characterization of Few-Mode Fibers Based on Optical Frequency Domain Reflectometry. *Veronese, R.*, +, *JLT Sept. 1, 2020 4843-4849*

Fine, Reversible and Broadband Tuning of the Group Velocity Dispersion of Tapered Silica Fibers in a Thermo-Optic Polymer Matrix. *Antonopoulos, G.*, +, *JLT Aug. 1, 2020 4086-4092*

High Sensitivity Distributed Static Strain Sensing Based on Differential Relative Phase in Optical Frequency Domain Reflectometry. *Wang, C.*, +, *JLT Oct. 15, 2020 5825-5836*

Investigation Into the Influence of High-Power Optical Transmission on Fiber Withdrawal From Optical Connector. *Fukai, C.*, +, *JLT Sept. 15, 2020 5128-5135*

Monitoring and Characterization of Mining-Induced Overburden Deformation in Physical Modeling With Distributed Optical Fiber Sensing Technology. *Yuan, Q.*, +, *JLT Feb. 15, 2020 881-888*

Picoseconds-Accurate Fiber-Optic Time Transfer With Relative Stabilization of Lasers Wavelengths. *Slivczynski, L.*, +, *JLT Sept. 15, 2020 5056-5063*

S² Measurements Showing Suppression of Higher Order Modes in Confined Rare Earth Doped Large Core Fibers. *Gausmann, S.*, +, *JLT April 1, 2020 1953-1958*

Spectral Dependence of Transmission Losses in High-Index Polymer Coated No-Core Fibers. *Lian, X.*, +, *JLT Nov. 15, 2020 6352-6361*

Tunable Autler-Townes-Like Resonance Splitting in a Bent Fiber-Optic Fabry-Perot Resonator: 3D Modeling and Experimental Verification. *Dyshlyuk, A.V.*, +, *JLT Dec. 15, 2020 6918-6923*

Weak Coupling Point Detection in Distributed Polarization Coupling Measurement Based on Variational Mode Decomposition. *Wen, G.*, +, *JLT Aug. 1, 2020 4061-4074*

Optical fibers

All-Fiber Active Tractor Beam Generator and its Application. *Tang, X.*, +, *JLT March 15, 2020 1420-1426*

All-Fiber Two-Dimensional Inclinator Based on Bragg Gratings Inscribed in a Seven-Core Multi-Core Fiber. *Cui, J.*, +, *JLT April 15, 2020 2516-2522*

Bend-Insensitive Grapefruit-Type Holey Ring-Core Fiber for Weakly-Coupled OAM Mode Division Multiplexing Transmission. *Tu, J.*, +, *JLT Aug. 15, 2020 4497-4503*

Color Variation of the Up-Conversion Luminescence in Er³⁺-Yb³⁺ Co-Doped Lead Germanate Glasses and Microsphere Integrated Devices. *Zhang, M.*, +, *JLT Aug. 15, 2020 4397-4401*

Data-driven Optical Fiber Channel Modeling: A Deep Learning Approach. *Wang, D.*, +, *JLT Sept. 1, 2020 4730-4743*

Effect of P-to-Rare Earth Atomic Ratio on Energy Transfer in Er-Yb-Doped Optical Fiber. *Kobayashi, Y.*, +, *JLT Aug. 15, 2020 4504-4512*

Energy Efficient 850 nm VCSEL Based Optical Transmitter and Receiver Link Capable of 80 Gbit/s NRZ Multi-Mode Fiber Data Transmission. *Chorchos, L.*, +, *JLT April 1, 2020 1747-1752*

Guest Editorial Ultra Wideband WDM Systems. *Napoli, A.*, +, *JLT March 1, 2020 998-1001*

Mode Phase Variation and Sensitivity to Thermal Load in Three-Core Optical Fibers. *Rosa, L.*, +, *JLT April 15, 2020 2400-2405*

Multicomponent Photonic Glass for Temperature Insensitive Fiber Probe. *Lin, Z.*, +, *JLT Aug. 15, 2020 4470-4477*

Neural Turbo Equalization: Deep Learning for Fiber-Optic Nonlinearity Compensation. *Koike-Akino, T.*, +, *JLT June 1, 2020 3059-3066*

On the Characterization of Novel Step-Index Biocompatible and Biodegradable poly(D,L-lactic acid) Based Optical Fiber. *Gierej, A.*, +, *JLT April 1, 2020 1905-1914*

Opto-Mechanical Lab-on-Fiber Accelerometers. *Bruno, F.A.*, +, *JLT April 1, 2020 1998-2009*

Resonant Wavelength Thermal Stability of Fiber Bragg Gratings Produced by Femtosecond Laser. *Paixao, T.*, +, *JLT March 15, 2020 1529-1535*

Scattering Metal Waveguide Based Speckle-Enhanced Prism Spectrometry. *Cetindag, S.K.*, +, *JLT April 1, 2020 2022-2027*

The Thermal Phase Sensitivity of Both Coated and Uncoated Standard and Hollow Core Fibers Down to Cryogenic Temperatures. *Zhu, W.*, +, *JLT April 15, 2020 2477-2484*

Optical films

Broadband Bias-Magnet-Free On-Chip Optical Isolators With Integrated Thin Film Polarizers. *Karki, D.*, +, *JLT Feb. 15, 2020 827-833*

Effects of Post-Etch Microstructures on the Optical Transmittance of Silica Ridge Waveguides. *Wright, J.G.*, +, *JLT Nov. 15, 2020 6280-6285*

Efficient Third Harmonic Generation by Doubly Enhanced Electric Dipole Resonance in Metal-Based Silicon Nanodisks. *Yao, J.*, +, *JLT Nov. 15, 2020 6312-6320*

Enhancing Wavelength Tunability of Photonic Crystal Nanolasers by Waveguide-Like Strain Shapers. *Lu, T.*, +, *JLT Dec. 1, 2020 6605-6611*

Optimization of Refractive Index Sensitivity in Nanofilm-Coated Long-Period Fiber Gratings Near the Dispersion Turning Point. *Zou, F.*, +, *JLT Feb. 15, 2020 889-897*

Polymer-Coated Hollow Fiber Optofluidic Laser for Refractive Index Sensing. *Zhao, X.*, +, *JLT March 15, 2020 1550-1556*

Silicon Oxycarbide Platform for Integrated Photonics. *Memon, F.A.*, +, *JLT Feb. 15, 2020 784-791*

Study of Surface Plasmon Resonance Sensor Based on Polymer-Tipped Optical Fiber With Barium Titanate Layer. *Xia, Z.*, +, *JLT Feb. 15, 2020 912-918*

Surface Plasmon Resonance Induced High Sensitivity Temperature and Refractive Index Sensor Based on Evanescent Field Enhanced Photonic Crystal Fiber. *Liu, Y.*, +, *JLT Feb. 15, 2020 919-928*

The Thermal Phase Sensitivity of Both Coated and Uncoated Standard and Hollow Core Fibers Down to Cryogenic Temperatures. *Zhu, W.*, +, *JLT April 15, 2020 2477-2484*

Optical filters

A Reconfigurable Architecture for Continuous Double-Sided Swept-Laser Linearization. *Yao, Z.*, +, *JLT Sept. 15, 2020 5170-5176*

Adaptive Nonlinear Equalization Combining Sparse Bayesian Learning and Kalman Filtering for Visible Light Communications. *Miao, P.*, +, *JLT Dec. 15, 2020 6732-6745*

All-Optical and Polarization-Independent Tunable Guided-Mode Resonance Filter Based on a Dye-Doped Liquid Crystal Incorporated With Photonic Crystal Nanostructure. *Lin, T.*, +, *JLT Feb. 15, 2020 820-826*

Broadband Photonic RF Channelizer With 92 Channels Based on a Soliton Crystal Microcomb. *Xu, X.*, +, *JLT Sept. 15, 2020 5116-5121*

Compensation of Chromatic Dispersion and Nonlinear Phase Noise Using Iterative Soft Decision Feedback Equalizer for Coherent Optical FBMC/OQAM Systems. *Alaghbari, K.A.*, +, *JLT Aug. 1, 2020 3839-3849*

Complexity Reduction With a Simplified MIMO Volterra Filter for PDM-Twin-SSB PAM-4 Transmission. *Zhu, M.*, +, *JLT Feb. 15, 2020 769-776*

Design of Time-Frequency Packed WDM Superchannel Transmission Systems. *Jana, M.*, +, *JLT Dec. 15, 2020 6719-6731*

Efficient Real-Time Digital Subcarrier Cross-Connect (DSXC) Based on Distributed Arithmetic DSP Algorithm. *Xu, T.*, +, *JLT July 1, 2020 3495-3505*

Frequency-Tunable Parity-Time-Symmetric Optoelectronic Oscillator Using a Polarization-Dependent Sagnac Loop. *Dai, Z.*, +, *JLT Oct. 1, 2020 5327-5332*

Group Delay-Based Wideband Photonic Receive-Mode Radio-Frequency Beamforming. *Mondich, M.J.*, +, *JLT Nov. 1, 2020 5893-5907*

High-Linearity Fano Resonance Modulator Using a Microring-Assisted Mach-Zehnder Structure. *Chen, S.*, +, *JLT July 1, 2020 3395-3403*

Ion Implantation of Germanium Into Silicon for Critical Coupling Control of Racetrack Resonators. *Milosevic, M.M.*, +, *JLT April 1, 2020 1865-1873*

Measurement of Instantaneous Microwave Frequency by Optical Power Monitoring Based on Polarization Interference. *Li, J.*, +, *JLT April 15, 2020 2285-2291*

Microwave Filtering Using Forward Brillouin Scattering in Photonic-Phononic Emit-Receive Devices. *Gertler, S.*, +, *JLT Oct. 1, 2020 5248-5261*

Modeling EDFA Gain Ripple and Filter Penalties With Machine Learning for Accurate QoT Estimation. *Mahajan, A.*, +, *JLT May 1, 2020 2616-2629*

Noise-Induced Limits of Detection in Frequency Locked Optical Microcavities. *Hao, S.*, +, *JLT Nov. 15, 2020 6393-6401*

Optical Spectral Slicing Based Reconfigurable and Tunable Microwave Photonic Filter. *Liu, L.*, +, *JLT Oct. 1, 2020 5492-5499*

Passband-Switchable and Frequency-Tunable Dual-Passband Microwave Photonic Filter. *Jiao, Z.*, +, *JLT Oct. 1, 2020 5333-5338*

Performance Implications of Cascaded Wavelength Selective Switches on a Probabilistically Shaped 64-QAM System. *Li, L.*, +, *JLT March 15, 2020 1184-1193*

Photonic Assisted Radio-Frequency Interference Mitigation. *Urick, V.J.*, +, *JLT March 15, 2020 1268-1274*

Photonic-Assisted Filter-Free Microwave Doppler Frequency Shift Measurement Using a Fixed Low-Frequency Reference Signal. *Zuo, P.*, +, *JLT Aug. 15, 2020 4333-4340*

Photonic-Assisted Regenerative Microwave Frequency Divider With a Tunable Division Factor. *Duan, S.*, +, *JLT Oct. 1, 2020 5509-5516*

Photonics Generation of Pulsed Arbitrary-Phase-Coded Microwave Signals Based on the Conversion Between Intensity Modulation and Phase Modulation. *Song, C.*, +, *JLT March 15, 2020 1243-1249*

Photonics-Based CW/Pulsed Microwave Signal AOA Measurement System. *Chen, H.*, +, *JLT April 15, 2020 2292-2298*

Photovoltaic Solar Cells for Outdoor LiFi Communications. *Lorriere, N.*, +, *JLT Aug. 1, 2020 3822-3831*

Polarization Manipulated Fourier Domain Mode-Locked Optoelectronic Oscillator. *Zhu, S.*, +, *JLT Oct. 1, 2020 5270-5277*

Revisiting Efficient Multi-Step Nonlinearity Compensation With Machine Learning: An Experimental Demonstration. *Oliari, V.*, +, *JLT June 15, 2020 3114-3124*

Scattering Metal Waveguide Based Speckle-Enhanced Prism Spectrometry. *Cetindag, S.K.*, +, *JLT April 1, 2020 2022-2027*

Soft Failure Identification for Long-haul Optical Communication Systems Based on One-dimensional Convolutional Neural Network. *Lun, H.*, +, *JLT June 1, 2020 2992-2999*

Switchable, Widely Tunable and Interval-Adjustable Multi-Wavelength Erbium-Doped Fiber Laser Based on Cascaded Filters. *Zhao, Q.*, +, *JLT April 15, 2020 2428-2433*

Tunable THz Signal Generation and Radio-Over-Fiber Link Based on an Optoelectronic Oscillator-Driven Optical Frequency Comb. *Hasanuzzaman, G.K.M.*, +, *JLT Oct. 1, 2020 5240-5247*

Tunable Ultra-Multispectral Metamaterial Perfect Absorbers Based on Out-of-Plane Metal-Insulator-Graphene Heterostructures. *Li, H.*, +, *JLT April 1, 2020 1858-1864*

Wavelength-Division Demultiplexing Enhanced by Silicon-Photonic Tunable Filters in Ultra-Wideband Optical-Path Networks. *Mori, Y.*, +, *JLT March 1, 2020 1002-1009*

Optical focusing

Direct Laser Written Waveguide in Tellurite Glass for Supercontinuum Generation in 2 μm Spectral Range. *Okhrimchuk, A.G.*, +, *JLT March 15, 2020 1492-1500*

Optical frequency combs

Broadband Microwave Frequency Conversion Based on an Integrated Optical Micro-Comb Source. *Xu, X.*, +, *JLT Jan. 15, 2020 332-338*

Demonstration of Tunable Optical Aggregation of QPSK to 16-QAM Over Optically Generated Nyquist Pulse Trains Using Nonlinear Wave Mixing and a Kerr Frequency Comb. *Fallahpour, A.*, +, *JLT Jan. 15, 2020 359-365*

Design of Efficient Resonator-Enhanced Electro-Optic Frequency Comb Generators. *Buscaino, B.*, +, *JLT March 15, 2020 1400-1413*

Microcomb Source Based on InP DFB / Si₃N₄ Microring Butt-Coupling. *Boust, S.*, +, *JLT Oct. 1, 2020 5517-5525*

Multi-Tone Pound-Drever-Hall Technique for High-Resolution Multiplexed Fabry-Perot Resonator Sensors. *Zhao, S.*, +, *JLT Nov. 15, 2020 6379-6384*

Performance Enhancement of Optical Comb Based Microwave Photonic Filter by Machine Learning Technique. *Shiu, R.*, +, *JLT Oct. 1, 2020 5302-5310*

Photonic RF Arbitrary Waveform Generator Based on a Soliton Crystal Micro-Comb Source. *Tan, M.*, +, *JLT Nov. 15, 2020 6221-6226*

Repetition-Frequency-Doubled Transform-Limited Optical Pulse Generation Based on Silicon Modulators. *Liu, S.*, +, *JLT Nov. 15, 2020 6299-6311*

Tunable THz Signal Generation and Radio-Over-Fiber Link Based on an Optoelectronic Oscillator-Driven Optical Frequency Comb. *Hasanuzzaman, G.K.M.*, +, *JLT Oct. 1, 2020 5240-5247*

Ultrasound Measurement Using On-Chip Optical Micro-Resonators and Digital Optical Frequency Comb. *Song, J.*, +, *JLT Oct. 1, 2020 5293-5301*

Optical frequency conversion

Broadband Microwave Frequency Conversion Based on an Integrated Optical Micro-Comb Source. *Xu, X.*, +, *JLT Jan. 15, 2020 332-338*

High-Performance Fully Integrated Silicon Photonic Microwave Mixer Subsystems. *Bottenfield, C.G.*, +, *JLT Oct. 1, 2020 5536-5545*

Photonics-Assisted Frequency Up/Down Conversion With Tunable OEO and Phase Shift. *Yang, F.*, +, *JLT Dec. 1, 2020 6446-6457*

Theory of Coupled Harmonics and Its Application to Resonant and Non-Resonant Electro-Optic Modulators. *Bahadori, M.*, +, *JLT Oct. 15, 2020 5756-5767*

Ultrahigh-Resolution Optoelectronic Vector Analysis Utilizing Photonics-Based Frequency Up- and Down-Conversions. *Xue, M.*, +, *JLT Aug. 1, 2020 3859-3865*

Optical glass

L-Band Wavelength-Tunable Er³⁺-Doped Tellurite Fiber Lasers. *Fu, S.*, +, *JLT March 15, 2020 1435-1438*

An Experimental and Theoretical Investigation of a 2 μm Wavelength Low-Threshold Microsphere Laser. *Yu, J.*, +, *JLT April 1, 2020 1880-1886*

- Color Variation of the Up-Conversion Luminescence in Er³⁺-Yb³⁺ Co-Doped Lead Germanate Glasses and Microsphere Integrated Devices. *Zhang, M.*, +, *JLT Aug. 15, 2020 4397-4401*
- Design of a Multi-Wavelength Fiber Laser Based on Tm:Er:Yb:Ho Co-Doped Germanate Glass. *Falconi, M.C.*, +, *JLT April 15, 2020 2406-2413*
- Direct Laser Written Waveguide in Tellurite Glass for Supercontinuum Generation in 2 μ m Spectral Range. *Okhrimchuk, A.G.*, +, *JLT March 15, 2020 1492-1500*
- Dispersion Management in Hybrid Optical Fibers. *Michalik, D.*, +, *JLT March 15, 2020 1427-1434*
- Effects of Shallow Suspension in Low-Loss Waveguide-Integrated Chalcogenide Microdisk Resonators. *Zhu, Y.*, +, *JLT Sept. 1, 2020 4817-4823*
- Low-Loss Chalcogenide Fiber Prepared by Double Peeled-Off Extrusion. *Zhong, M.*, +, *JLT Aug. 15, 2020 4533-4539*
- Low-Loss Multimode Glass Waveguides With Beam-Expanded Fiber Connectors Enabling On-Board Optical Links. *Brusberg, L.*, +, *JLT March 15, 2020 1350-1357*
- Multicomponent Photonic Glass for Temperature Insensitive Fiber Probe. *Lin, Z.*, +, *JLT Aug. 15, 2020 4470-4477*
- The Influence of the MCVD Process Parameters on the Optical Properties of Bismuth-Doped Phosphosilicate Fibers. *Khegai, A.*, +, *JLT Nov. 1, 2020 6114-6120*
- Tm/Al Co-Doped Silica Glass Prepared by Laser Additive Manufacturing Technology for 2- μ m Photonic Crystal Fiber Laser. *Liu, J.*, +, *JLT March 15, 2020 1486-1491*
- Ultrasound Measurement Using On-Chip Optical Micro-Resonators and Digital Optical Frequency Comb. *Song, J.*, +, *JLT Oct. 1, 2020 5293-5301*
- Waveguide Tapers Fabrication by Femtosecond Laser Induced Element Redistribution in Glass. *Macias-Montero, M.*, +, *JLT Dec. 1, 2020 6578-6583*
- Optical harmonic generation**
- Efficient Third Harmonic Generation by Doubly Enhanced Electric Dipole Resonance in Metal-Based Silicon Nanodisks. *Yao, J.*, +, *JLT Nov. 15, 2020 6312-6320*
- Low-Voltage Electrically-Induced Second Harmonic Generation in a Silicon Waveguide Based on Modal Phase Matching. *Janjan, B.*, +, *JLT Nov. 15, 2020 6272-6279*
- Off-Normal Incidence Coupling for Perfectly Phase-Matched Second Harmonic Generation in a Sub-Micron LiNbO₃ Planar Waveguide. *Carnio, B.N.*, +, *JLT Aug. 1, 2020 3959-3964*
- Quasi-Phase Matched Second Harmonic Generation in Plasmonic–Organic Hybrid Structures. *Janjan, B.*, +, *JLT March 15, 2020 1391-1399*
- Wideband and Dispersion Immune Microwave Photonic Phase Shifter With Tunable Optical Carrier to Sideband Ratio. *Bai, Y.*, +, *JLT Oct. 1, 2020 5262-5269*
- Optical images**
- Compensation of Phase-Uncertainty-Induced Impairments in Dispersion-Tuned Swept Laser OCT using Digital Coherent Detection. *Shirahata, T.*, +, *JLT Dec. 1, 2020 6492-6498*
- Far-Field Imaging Beyond the Diffraction Limit Using Waves Interference. *Salami, P.*, +, *JLT April 15, 2020 2322-2327*
- Optical information processing**
- DSP for High-Speed Short-Reach IM/DD Systems Using PAM. *Wettlin, T.*, +, *JLT Dec. 15, 2020 6771-6778*
- Fast Demodulation of Fiber Bragg Grating Wavelength From Low-Resolution Spectral Measurements Using Buneman Frequency Estimation. *Yang, Y.*, +, *JLT Sept. 15, 2020 5142-5148*
- Full-Spectrum Periodic Nonlinear Fourier Transform Optical Communication Through Solving the Riemann-Hilbert Problem. *Kamalian-Kopae, M.*, +, *JLT July 15, 2020 3602-3615*
- Fully Reconfigurable Waveguide Bragg Gratings for Programmable Photonic Signal Processing. *Yao, J.*, +, *JLT Jan. 15, 2020 202-214*
- Iterative Algorithm for Electronic Dispersion Compensation in IM/DD Systems. *Karar, A.S.*, *JLT Feb. 15, 2020 698-704*
- Microwave Filtering Using Forward Brillouin Scattering in Photonic-Photonic Emit-Receive Devices. *Gertler, S.*, +, *JLT Oct. 1, 2020 5248-5261*
- Miniaturized Silicon Photonics Devices for Integrated Optical Signal Processors. *Teng, M.*, +, *JLT Jan. 1, 2020 6-17*
- Multi-FSR Silicon Photonic Flex-LIONS Module for Bandwidth-Reconfigurable All-to-All Optical Interconnects. *Xiao, X.*, +, *JLT June 15, 2020 3200-3208*
- On Performance Limits for Spectrally Efficient Optical Transmission Techniques in Short-Haul Metro/Access Links. *Foggi, T.*, *JLT Feb. 1, 2020 661-667*
- On the 2D Post-Processing of Brillouin Optical Time-Domain Analysis. *Zaslowski, S.*, +, *JLT July 15, 2020 3723-3736*
- Optical Injection Locking: From Principle to Applications. *Liu, Z.*, +, *JLT Jan. 1, 2020 43-59*
- Optical Signal Phase Reconstruction Based on Temporal Transport-of-Intensity Equation. *Matsumoto, M.*, *JLT Sept. 1, 2020 4722-4729*
- Optical Signal Phase Retrieval With Low Complexity DC-Value Method. *Patel, R.K.*, +, *JLT Aug. 15, 2020 4205-4212*
- Optical Wireless Communications Adopting Delay-Tolerant Repetition-Coding With Orthogonal-Filters and On-Demand Equalization. *Song, T.*, +, *JLT Aug. 15, 2020 4250-4259*
- Optimization of Band-Limited DSP-Aided 25 and 50 Gb/s PON Using 10G-Class DML and APD. *Torres-Ferrera, P.*, +, *JLT Feb. 1, 2020 608-618*
- Period-One Microwave Photonic Sensing by a Laser Diode With Optical Feedback. *Nie, B.*, +, *JLT Oct. 1, 2020 5423-5429*
- Photonics-Based Real-Time Spectrogram Analysis of Broadband Waveforms. *Konatham, S.R.*, +, *JLT Oct. 1, 2020 5356-5367*
- Real-Time Implementation of Coherent Receiver DSP Adopting Stream Split Assignment on GPU for Flexible Optical Access Systems. *Suzuki, T.*, +, *JLT Feb. 1, 2020 668-675*
- Reconfigurable Identical and Complementary Chirp Dual-LFM Signal Generation Subjected to Dual-Beam Injection in a DFB Laser. *Chen, H.*, +, *JLT Oct. 1, 2020 5500-5508*
- Temporal Imaging Using Dispersive Gradient-Index Time Lenses. *Han, T.*, +, *JLT April 15, 2020 2383-2391*
- Time-Stretched Femtosecond Lidar Using Microwave Photonic Signal Processing. *Zhao, L.*, +, *JLT Nov. 15, 2020 6265-6271*
- Transient Nanostrain Detection in Phi-OTDR Using Statistics-Based Signal Processing. *Chen, H.*, +, *JLT Sept. 1, 2020 4883-4892*
- True-Time Delay Line Based on Dispersion-Flattened 19-Core Photonic Crystal Fiber. *Shaheen, S.*, +, *JLT Nov. 15, 2020 6237-6246*
- Tunable THz Signal Generation and Radio-Over-Fiber Link Based on an Optoelectronic Oscillator-Driven Optical Frequency Comb. *Hasanuzzaman, G.K.M.*, +, *JLT Oct. 1, 2020 5240-5247*
- Ultra-Stable and Real-Time Demultiplexing System of Strong Fiber Bragg Grating Sensors Based on Low-Frequency Optoelectronic Oscillator. *Wang, W.*, +, *JLT Feb. 15, 2020 981-988*
- Optical interconnections**
- 100-Gbit/s/ λ EML Transmitter and PIN-PD+TIA Receiver-Based Inter-Data Center Link. *Lin, Y.*, +, *JLT April 15, 2020 2144-2151*
- 200 Gbps/Lane IM/DD Technologies for Short Reach Optical Interconnects. *Pang, X.*, +, *JLT Jan. 15, 2020 492-503*
- 4 \times 112 Gbps/Fiber CWDM VCSEL Arrays for Co-Packaged Interconnects. *Wang, B.*, +, *JLT July 1, 2020 3439-3444*
- 400 Gb/s Silicon Photonic Transmitter and Routing WDM Technologies for Glueless 8-Socket Chip-to-Chip Interconnects. *Pitris, S.*, +, *JLT July 1, 2020 3366-3375*
- A 112 Gb/s PAM4 Silicon Photonics Transmitter With Microring Modulator and CMOS Driver. *Li, H.*, +, *JLT Jan. 1, 2020 131-138*
- A Novel Virtual-Cluster Based Architecture of Double-Layer Optical Networks-on-Chip. *Su, Y.*, +, *JLT July 15, 2020 3553-3562*
- Adjoint Optimization of Efficient CMOS-Compatible Si-SiN Vertical Grating Couplers for DWDM Applications. *Hooten, S.*, +, *JLT July 1, 2020 3422-3430*
- Aerosol Jet Printed Optical Waveguides for Short Range Communication. *Lorenz, L.*, +, *JLT July 1, 2020 3478-3484*
- Airy Beam for Free-Space Photonic Interconnection: Generation Strategy and Trajectory Manipulation. *Zhu, L.*, +, *JLT Dec. 1, 2020 6474-6480*

- All-Analog Adaptive Equalizer for Coherent Data Center Interconnects. *Nambath, N.*, +, *JLT Nov. 1, 2020 5867-5874*
- Ball Lens Embedded Through-Package Via To Enable Backside Coupling Between Silicon Photonics Interposer and Board-Level Interconnects. *Mangal, N.*, +, *JLT April 15, 2020 2360-2369*
- Bend- and Twist-Insensitive Flexible Multimode Polymer Optical Interconnects. *Bamiedakis, N.*, +, *JLT Dec. 1, 2020 6561-6568*
- Broadband Nonvolatile Tunable Mode-Order Converter Based on Silicon and Optical Phase Change Materials Hybrid Meta-Structure. *Chen, H.*, +, *JLT April 1, 2020 1874-1879*
- Compressed Neural Network Equalization Based on Iterative Pruning Algorithm for 112-Gbps VCSEL-Enabled Optical Interconnects. *Ge, L.*, +, *JLT March 15, 2020 1323-1329*
- Design, Fabrication, and Comparison of 3D Multimode Optical Interconnects on Silicon Interposer. *Charania, S.*, +, *JLT July 1, 2020 3454-3460*
- Dual MAC Based Hierarchical Optical Access Network for Hyperscale Data Centers. *Zheng, Y.*, +, *JLT April 1, 2020 1608-1617*
- Dual-Drive Mach-Zehnder Modulator-Based Single Side-Band Modulation Direct Detection System Without Signal-to-Signal Beating Interference. *Wang, W.*, +, *JLT Aug. 15, 2020 4341-4351*
- Experimental Demonstration of a Photonic Frame Based Packet-Switched Optical Network for Data Centers. *Ra, Y.*, +, *JLT March 15, 2020 1113-1124*
- Frequency-Stabilized Links for Coherent WDM Fiber Interconnects in the Datacenter. *Blumenthal, D.J.*, +, *JLT July 1, 2020 3376-3386*
- Fully-Integrated Heterogeneous DML Transmitters for High-Performance Computing. *Liang, D.*, +, *JLT July 1, 2020 3322-3337*
- Guest Editorial: Special Issue on Optical Interconnects. *Gu, T.*, +, *JLT July 1, 2020 3319-3321*
- Intra-Datacenter Interconnects With a Serialized Silicon Optical Frequency Comb Modulator. *Kong, D.*, +, *JLT Sept. 1, 2020 4677-4682*
- Investigation Into the Influence of High-Power Optical Transmission on Fiber Withdrawal From Optical Connector. *Fukai, C.*, +, *JLT Sept. 15, 2020 5128-5135*
- Low-Latency and High-Speed Hollow-Core Fiber Optical Interconnection at 2-Micron Waveband. *Shen, W.*, +, *JLT Aug. 1, 2020 3874-3882*
- Low-Power (1.5 pJ/b) Silicon Integrated 106 Gb/s PAM-4 Optical Transmitter. *Lambrecht, J.*, +, *JLT Jan. 15, 2020 432-438*
- Low-Voltage, Coupled Multiple Quantum Well Electroreflective Modulators Towards Ultralow Power Inter-Chip Optical Interconnects. *Wang, X.*, +, *JLT July 1, 2020 3414-3421*
- Modeling and Optimization of Hybrid FinFET-Silicon Photonic Interconnects. *Pantano, N.*, +, *JLT Aug. 15, 2020 4325-4332*
- Multi-FSR Silicon Photonic Flex-LIONS Module for Bandwidth-Reconfigurable All-to-All Optical Interconnects. *Xiao, X.*, +, *JLT June 15, 2020 3200-3208*
- Optical Free-Form Couplers for High-density Integrated Photonics (OFF-CHIP): A Universal Optical Interface. *Yu, S.*, +, *JLT July 1, 2020 3358-3365*
- Passive Visible-to-Telecom Converter Using Tunable Perovskites and Silicon Photonics. *Cheng, Z.*, +, *JLT July 1, 2020 3533-3539*
- Photonic Switched Optically Connected Memory: An Approach to Address Memory Challenges in Deep Learning. *Zhu, Z.*, +, *JLT May 15, 2020 2815-2825*
- Principle, Design, and Prototyping of Core Selective Switch Using Free-Space Optics for Spatial Channel Network. *Jinno, M.*, +, *JLT Sept. 15, 2020 4895-4905*
- Reduced Cladding Diameter Fibers for High-Density Optical Interconnects. *Bickham, S.R.*, +, *JLT Jan. 15, 2020 297-302*
- Silicon Nitride (Si₃N₄) (De-)Multiplexers for 1- μ m CWDM Optical Interconnects. *Cheung, S.S.*, +, *JLT July 1, 2020 3404-3413*
- Silicon Photonic 2.5D Multi-Chip Module Transceiver for High-Performance Data Centers. *Abrams, N.C.*, +, *JLT July 1, 2020 3346-3357*
- Statistical Evaluation of PAM4 Data Center Interconnect System With Slope-Compensating Fiber Bragg Grating Tunable Dispersion Compensation Module. *Searcy, S.*, +, *JLT June 15, 2020 3173-3179*
- Toward Single Lane 200G Optical Interconnects With Silicon Photonic Modulator. *Zhu, Y.*, +, *JLT Jan. 1, 2020 67-74*
- Universal Method for Constructing the On-Chip Optical Router With Wavelength Routing Technology. *Huang, L.*, +, *JLT Aug. 1, 2020 3815-3821*
- WDM-Based Silicon Photonic Multi-Socket Interconnect Architecture With Automated Wavelength and Thermal Drift Compensation. *Zanetto, F.*, +, *JLT Nov. 1, 2020 6000-6006*
- Optical Kerr effect**
- Broadband Microwave Frequency Conversion Based on an Integrated Optical Micro-Comb Source. *Xu, X.*, +, *JLT Jan. 15, 2020 332-338*
- Chaotic Optical Communication Over 1000 km Transmission by Coherent Detection. *Yang, Z.*, +, *JLT Sept. 1, 2020 4648-4655*
- Demonstration of Tunable Optical Aggregation of QPSK to 16-QAM Over Optically Generated Nyquist Pulse Trains Using Nonlinear Wave Mixing and a Kerr Frequency Comb. *Fallahpour, A.*, +, *JLT Jan. 15, 2020 359-365*
- Direct Laser Written Waveguide in Tellurite Glass for Supercontinuum Generation in 2 μ m Spectral Range. *Okhrimchuk, A.G.*, +, *JLT March 15, 2020 1492-1500*
- Dispersion and Nonlinearity Identification for Single-Mode Fibers Using the Nonlinear Fourier Transform. *de Koster, P.*, +, *JLT June 15, 2020 3252-3260*
- Efficient Third Harmonic Generation by Doubly Enhanced Electric Dipole Resonance in Metal-Based Silicon Nanodisks. *Yao, J.*, +, *JLT Nov. 15, 2020 6312-6320*
- Logic Gates Based on Interaction of Counterpropagating Light in Microresonators. *Moroney, N.*, +, *JLT March 15, 2020 1414-1419*
- Microcomb Source Based on InP DFB / Si₃N₄ Microring Butt-Coupling. *Boust, S.*, +, *JLT Oct. 1, 2020 5517-5525*
- On the Fairness of the Performance Evaluation of Probabilistically Shaped QAM Signals. *Vassilieva, O.*, +, *JLT June 1, 2020 3067-3073*
- On the Performance of Digital Back Propagation in Spatial Multiplexing Systems. *Ferreira, F.M.*, +, *JLT May 15, 2020 2790-2798*
- On-Chip Optical Microresonators With High Electro-Optic Tuning Efficiency. *Wang, T.*, +, *JLT April 1, 2020 1851-1857*
- Polarization-Color Domain Walls in Fiber Ring Lasers. *Nady, A.*, +, *JLT Dec. 15, 2020 6905-6910*
- Predicting Kerr Soliton Combs in Microresonators via Deep Neural Networks. *Tan, T.*, +, *JLT Dec. 1, 2020 6591-6599*
- Soft Failure Identification for Long-haul Optical Communication Systems Based on One-dimensional Convolutional Neural Network. *Lun, H.*, +, *JLT June 1, 2020 2992-2999*
- Supply-Power-Constrained Cable Capacity Maximization Using Multi-Layer Neural Networks. *Cho, J.*, +, *JLT July 15, 2020 3652-3662*
- The Enhanced Gaussian Noise Model Extended to Polarization-Dependent Loss. *Serena, P.*, +, *JLT Oct. 15, 2020 5685-5694*
- Optical links**
- 150-W Power-Over-Fiber Using Double-Clad Fibers. *Matsuura, M.*, +, *JLT Jan. 15, 2020 401-408*
- 200 G Outdoor Free-Space-Optics Link Using a Single-Photodiode Receiver. *Lorences-Riesgo, A.*, +, *JLT Jan. 15, 2020 394-400*
- A Computational Efficient Nyquist Shaping Approach for Short-Reach Optical Communications. *Perez-Pascual, A.*, +, *JLT April 1, 2020 1651-1658*
- A Dynamically-Reconfigurable Burst-Mode Link Using a Nanosecond Photonic Switch. *Forencich, A.*, +, *JLT March 15, 2020 1330-1340*
- A Low-Voltage Si-Ge Avalanche Photodiode for High-Speed and Energy Efficient Silicon Photonic Links. *Wang, B.*, +, *JLT June 15, 2020 3156-3163*
- A Routing and Wavelength Assignment Algorithm Based on Two Types of LEO Constellations in Optical Satellite Networks. *Sun, X.*, +, *JLT April 15, 2020 2106-2113*
- A WDM PAM4 FSO-UWOC Integrated System With a Channel Capacity of 100 Gb/s. *Li, C.*, +, *JLT April 1, 2020 1766-1776*
- AdaNN: Adaptive Neural Network-Based Equalizer via Online Semi-Supervised Learning. *Zhou, Q.*, +, *JLT Aug. 15, 2020 4315-4324*
- Adaptive Channel-Matched Detection for C-Band 64-Gbit/s Optical OOK System Over 100-km Dispersion-Uncompensated Link. *Wang, H.*, +, *JLT Sept. 15, 2020 5048-5055*

- Adaptive Probabilistic Shaped Modulation for High-Capacity Free-Space Optical Links. *Guomar, F.P.*, +, *JLT Dec. 1, 2020 6529-6541*
- Airy Beam for Free-Space Photonic Interconnection: Generation Strategy and Trajectory Manipulation. *Zhu, L.*, +, *JLT Dec. 1, 2020 6474-6480*
- An Analog Photonic Down-Conversion Link With Simultaneous IMD3 Distortion Suppression and Dispersion-Induced Power Fading Compensation. *Li, Y.*, +, *JLT Aug. 1, 2020 3908-3917*
- Analytical Channel Model and Link Design Optimization for Ground-to-HAP Free-Space Optical Communications. *Safi, H.*, +, *JLT Sept. 15, 2020 5036-5047*
- Comprehensive Design and Prototype of VLC Receivers With Large Detection Areas. *Nabavi, P.*, +, *JLT Aug. 15, 2020 4187-4204*
- Design and Characterisation of Terabit/s Capable Compact Localisation and Beam-Steering Terminals for Fiber-Wireless-Fiber Links. *Singh, R.*, +, *JLT Dec. 15, 2020 6817-6826*
- Design of Efficient Resonator-Enhanced Electro-Optic Frequency Comb Generators. *Buscaino, B.*, +, *JLT March 15, 2020 1400-1413*
- DSP for High-Speed Short-Reach IM/DD Systems Using PAM. *Wettlin, T.*, +, *JLT Dec. 15, 2020 6771-6778*
- Dual MAC Based Hierarchical Optical Access Network for Hyperscale Data Centers. *Zheng, Y.*, +, *JLT April 1, 2020 1608-1617*
- Dual-Stage Soft Failure Detection and Identification for Low-Margin Elastic Optical Network by Exploiting Digital Spectrum Information. *Shu, L.*, +, *JLT May 1, 2020 2669-2679*
- Efficient Multi-Stage Deployment of Ultra-Low Loss Fibers in Elastic Optical Networks. *Li, Y.*, +, *JLT July 15, 2020 3542-3552*
- Energy Efficient 850 nm VCSEL Based Optical Transmitter and Receiver Link Capable of 80 Gbit/s NRZ Multi-Mode Fiber Data Transmission. *Chorchos, L.*, +, *JLT April 1, 2020 1747-1752*
- Entropy Allocation Optimization for PS-OFDM With Constellation Partitioning Based Modeling. *Zhang, R.*, +, *JLT Nov. 1, 2020 6024-6030*
- Experimental Mitigation of Atmospheric Turbulence Effect Using Pre-Signal Combining for Uni- and Bi-Directional Free-Space Optical Links With Two 100-Gbit/s OAM-Multiplexed Channels. *Song, H.*, +, *JLT Jan. 1, 2020 82-89*
- Face-to-Face EML Transceiver Tandem for Full-Duplex Analogue Radio-Over-Air. *Schrenk, B.*, +, *JLT June 1, 2020 2976-2983*
- Frequency Dependent ENOB Requirements for 400G/600G/800G Optical Links. *Varughese, S.*, +, *JLT Sept. 15, 2020 5008-5016*
- Frequency-Stabilized Links for Coherent WDM Fiber Interconnects in the Datacenter. *Blumenthal, D.J.*, +, *JLT July 1, 2020 3376-3386*
- Fully-Integrated Heterogeneous DML Transmitters for High-Performance Computing. *Liang, D.*, +, *JLT July 1, 2020 3322-3337*
- High Power and High Speed SOA Assisted Extended Reach EADFB Laser (AXEL) for 53-Gbaud PAM4 Fiber-Amplifier-Less 60-km Optical Link. *Shindo, T.*, +, *JLT June 1, 2020 2984-2991*
- High Power Efficiency and Dynamic Range Analog Photonic Link with Suppressed Dispersion-Induced Power Fading. *Bai, Y.*, +, *JLT Nov. 1, 2020 5973-5980*
- High-Speed Performance Evaluation of Graded-Index Multicore Fiber Compatible With Multimode and Quasi-single Mode Operation. *Liu, Y.*, +, *JLT Dec. 15, 2020 6870-6878*
- Hybrid Fiber-Optic Radio Frequency and Optical Frequency Dissemination With a Single Optical Actuator and Dual-Optical Phase Stabilization. *Tian, X.*, +, *JLT Aug. 15, 2020 4270-4278*
- Investigation of Inverse Solutions for Tilting Orthogonal Double Prisms in Laser Pointing With Submicroradian Precision. *Li, A.*, +, *JLT March 15, 2020 1341-1349*
- Iterative Algorithm for Electronic Dispersion Compensation in IM/DD Systems. *Karar, A.S.*, *JLT Feb. 15, 2020 698-704*
- Low-Complexity Second-Order Volterra Equalizer for DML-Based IM/DD Transmission System. *Yu, Y.*, +, *JLT April 1, 2020 1735-1746*
- Low-Loss Multimode Glass Waveguides With Beam-Expanded Fiber Connectors Enabling On-Board Optical Links. *Brusberg, L.*, +, *JLT March 15, 2020 1350-1357*
- Mode Locked Laser Phase Noise Reduction Under Optical Feedback for Coherent DWDM Communication. *Verolet, T.*, +, *JLT Oct. 15, 2020 5708-5715*
- Modeling and Optimization of Hybrid FinFET-Silicon Photonic Interconnects. *Pantano, N.*, +, *JLT Aug. 15, 2020 4325-4332*
- Multi-Node Optical Frequency Dissemination With Post Automatic Phase Correction. *Hu, L.*, +, *JLT July 15, 2020 3644-3651*
- On Performance Limits for Spectrally Efficient Optical Transmission Techniques in Short-Haul Metro/Access Links. *Foggi, T.*, *JLT Feb. 1, 2020 661-667*
- Optical Wireless Communications Adopting Delay-Tolerant Repetition-Coding With Orthogonal-Filters and On-Demand Equalization. *Song, T.*, +, *JLT Aug. 15, 2020 4250-4259*
- PDL in Optical Links: A Model Analysis and a Demonstration of a PDL-Resilient Modulation. *Dumenil, A.*, +, *JLT Sept. 15, 2020 5017-5025*
- Performance Investigation of OAMSK Modulated Wireless Optical System Over Turbulent Ocean Using Convolutional Neural Networks. *Wang, W.*, +, *JLT April 1, 2020 1753-1765*
- Performance Requirements for Terabit-Class Silicon Photonic Links Based on Cascaded Microring Resonators. *London, Y.*, +, *JLT July 1, 2020 3469-3477*
- Picoseconds-Accurate Fiber-Optic Time Transfer With Relative Stabilization of Lasers Wavelengths. *Sliwczynski, L.*, +, *JLT Sept. 15, 2020 5056-5063*
- Quantum Limits in Optical Communications. *Banaszek, K.*, +, *JLT May 15, 2020 2741-2754*
- Quantum Noise-Assisted Coherent Radio-Over-Fiber Cipher System for Secure Optical Fronthaul and Microwave Wireless Links. *Tanizawa, K.*, +, *JLT Aug. 15, 2020 4244-4249*
- Real-Time 2.2-Gb/s Water-Air OFDM-OWC System With Low-Complexity Transmitter-Side DSP. *Shao, Y.*, +, *JLT Oct. 15, 2020 5668-5675*
- ROTOS: A Reconfigurable and Cost-Effective Architecture for High-Performance Optical Data Center Networks. *Xue, X.*, +, *JLT July 1, 2020 3485-3494*
- Space-Ground Coherent Optical Links: Ground Receiver Performance With Adaptive Optics and Digital Phase-Locked Loop. *Paillier, L.*, +, *JLT Oct. 15, 2020 5716-5727*
- SSB Single Carrier and Multicarrier in C-Band FSO Transmission With KK Receiver. *Wei, Y.*, +, *JLT Sept. 15, 2020 5000-5007*
- SSBI-Free Direct-Detection System Employing Phase Modulation for Analog Optical Links. *Ishimura, S.*, +, *JLT May 1, 2020 2719-2725*
- Supply-Power-Constrained Cable Capacity Maximization Using Multi-Layer Neural Networks. *Cho, J.*, +, *JLT July 15, 2020 3652-3662*
- Temperature and Noise Dependence of Tri-Mode VCSEL Carried 120-Gbit/s QAM-OFDM Data in Back-to-Back and OM5-MMF Links. *Huang, C.*, +, *JLT Dec. 15, 2020 6746-6758*
- The Enhanced Gaussian Noise Model Extended to Polarization-Dependent Loss. *Serena, P.*, +, *JLT Oct. 15, 2020 5685-5694*
- Theoretical and Experimental Analysis of Burst-Mode Wavelength Conversion via a Differentially-Biased SOA-MZI. *Tsakyridis, A.*, +, *JLT Sept. 1, 2020 4607-4617*
- Unified Performance Analysis of Hybrid FSO/RF System With Diversity Combining. *Huang, L.*, +, *JLT Dec. 15, 2020 6788-6800*
- Wide-Coverage Beam-Steered 40-Gbit/s Non-Line-of-Sight Optical Wireless Connectivity for Industry 4.0. *Zhang, X.*, +, *JLT Dec. 15, 2020 6801-6806*
- Optical logic**
- A Dynamically-Reconfigurable Burst-Mode Link Using a Nanosecond Photonic Switch. *Forencich, A.*, +, *JLT March 15, 2020 1330-1340*
- All-Optical 2×2 -Bit Multiplier at 40 Gb/s Based on Canonical Logic Units-based Programmable Logic Array (CLUs-PLA). *Dong, W.*, +, *JLT Oct. 15, 2020 5586-5594*
- All-Optical Switching and Multiple Logic Gates Based on Hybrid Square-Rectangular Laser. *Liu, J.*, +, *JLT March 15, 2020 1382-1390*
- Logic Gates Based on Interaction of Counterpropagating Light in Microresonators. *Moroney, N.*, +, *JLT March 15, 2020 1414-1419*

Switchable All-Optical Flip-Flop and Inverter Operations in Quantum Well Microring Laser. *Aoki, R.*, +, *JLT Aug. 1, 2020 3950-3958*

Optical losses

80-GHz Bandwidth and 1.5-V V_{π} InP-Based IQ Modulator. *Ogiso, Y.*, +, *JLT Jan. 15, 2020 249-255*

A 4×4 Electrooptic Silicon Photonic Switch Fabric With Net Neutral Insertion Loss. *Dupuis, N.*, +, *JLT Jan. 15, 2020 178-184*

Bend- and Twist-Insensitive Flexible Multimode Polymer Optical Interconnects. *Bamiedakis, N.*, +, *JLT Dec. 1, 2020 6561-6568*

Broadband Angled Arbitrary Ratio SOI MMI Couplers With Enhanced Fabrication Tolerance. *Zhang, J.*, +, *JLT Oct. 15, 2020 5748-5755*

Broadband Bias-Magnet-Free On-Chip Optical Isolators With Integrated Thin Film Polarizers. *Karki, D.*, +, *JLT Feb. 15, 2020 827-833*

Broadband Nonvolatile Tunable Mode-Order Converter Based on Silicon and Optical Phase Change Materials Hybrid Meta-Structure. *Chen, H.*, +, *JLT April 1, 2020 1874-1879*

Compact and Fabrication-Tolerant Waveguide Bends Based on Quadratic Reflectors. *Yu, S.*, +, *JLT Aug. 15, 2020 4368-4373*

Comprehensive Modeling and Design of Raman Lasers on SOI for Mid-Infrared Application. *Ahmedi, M.*, +, *JLT Aug. 1, 2020 4114-4123*

Demonstration of Low-Threshold and Directly Modulated Grating-Assisted Microcylinder Surface-Emitting Lasers. *Ma, X.*, +, *JLT Sept. 1, 2020 4772-4779*

Design, Fabrication, and Comparison of 3D Multimode Optical Interconnects on Silicon Interposer. *Charania, S.*, +, *JLT July 1, 2020 3454-3460*

Direct Laser Written Waveguide in Tellurite Glass for Supercontinuum Generation in $2 \mu\text{m}$ Spectral Range. *Okhrimchuk, A.G.*, +, *JLT March 15, 2020 1492-1500*

Effects of Post-Etch Microstructures on the Optical Transmittance of Silica Ridge Waveguides. *Wright, J.G.*, +, *JLT Nov. 15, 2020 6280-6285*

Effects of Shallow Suspension in Low-Loss Waveguide-Integrated Chalcogenide Microdisk Resonators. *Zhu, Y.*, +, *JLT Sept. 1, 2020 4817-4823*

Femtosecond Laser-Inscribed Non-Volatile Integrated Optical Switch in Fused Silica Based on Microfluidics-Controlled Total Internal Reflection. *Radosavljevic, A.*, +, *JLT Aug. 1, 2020 3965-3973*

Femtosecond-Laser-Written S-Curved Waveguide in Nd:YAP Crystal: Fabrication and Multi-Gigahertz Lasing. *Li, L.*, +, *JLT Dec. 15, 2020 6845-6852*

Gain, Loss and the Shot-Noise Rule. *McKinstry, C.J.*, *JLT April 15, 2020 2158-2170*

High Resolution and Ultra-Compact On-Chip Spectrometer Using Bidirectional Edge-Input Arrayed Waveguide Grating. *Zou, J.*, +, *JLT Aug. 15, 2020 4447-4453*

Inverse-Designed Photonic Jumpers With Ultracompact Size and Ultralow Loss. *Yu, Z.*, +, *JLT Dec. 1, 2020 6623-6628*

Investigation Into the Influence of High-Power Optical Transmission on Fiber Withdrawal From Optical Connector. *Fukai, C.*, +, *JLT Sept. 15, 2020 5128-5135*

Ion Implantation of Germanium Into Silicon for Critical Coupling Control of Racetrack Resonators. *Milosevic, M.M.*, +, *JLT April 1, 2020 1865-1873*

Low-Loss Chalcogenide Fiber Prepared by Double Peeled-Off Extrusion. *Zhong, M.*, +, *JLT Aug. 15, 2020 4533-4539*

Low-Loss Waveguide Bends by Advanced Shape for Photonic Integrated Circuits. *Song, J.H.*, +, *JLT June 15, 2020 3273-3279*

Low-Loss Waveguides by Planar Modified Chemical Vapor Deposition. *Yevnin, M.*, +, *JLT Feb. 15, 2020 792-796*

Low-Power Broadband Thermo-Optic Switch With Weak Polarization Dependence Using a Segmented Graphene Heater. *Song, Q.Q.*, +, *JLT March 15, 2020 1358-1364*

Low-Voltage, Coupled Multiple Quantum Well Electroreflective Modulators Towards Ultralow Power Inter-Chip Optical Interconnects. *Wang, X.*, +, *JLT July 1, 2020 3414-3421*

Multi-Stage 8×8 Silicon Photonic Switch Based on Dual-Microring Switching Elements. *Huang, Y.*, +, *JLT Jan. 15, 2020 194-201*

Nonduplicate Polarization-Diversity 32×32 Silicon Photonics Switch Based on a SiN/Si Double-Layer Platform. *Suzuki, K.*, +, *JLT Jan. 15, 2020 226-232*

Optical Free-Form Couplers for High-density Integrated Photonics (OFF-CHIP): A Universal Optical Interface. *Yu, S.*, +, *JLT July 1, 2020 3358-3365*

Polarization Dependence of Optical Properties of Single-Mode Polymer Optical Waveguides Fabricated Under Different Processes at 1310/1550 nm. *Morimoto, Y.*, +, *JLT July 15, 2020 3670-3676*

Polarization Diversified 16λ Demultiplexer Based on Silicon Wire Delayed Interferometers and Arrayed Waveguide Gratings. *Jeong, S.*, +, *JLT May 1, 2020 2680-2687*

Scattering Metal Waveguide Based Speckle-Enhanced Prism Spectrometry. *Cetindag, S.K.*, +, *JLT April 1, 2020 2022-2027*

Silicon Oxycarbide Platform for Integrated Photonics. *Memon, F.A.*, +, *JLT Feb. 15, 2020 784-791*

Spectral-Distortionless, Flat-Top, Drop-Filter Based on Complementarily-Misaligned Multimode-Waveguide Bragg Gratings. *Liang, X.*, +, *JLT Dec. 1, 2020 6600-6604*

Two-Dimensional Apodized Grating Coupler for Polarization-Independent and Surface-Normal Optical Coupling. *Zhang, Z.*, +, *JLT Aug. 1, 2020 4037-4044*

Ultra-Compact Broadband 2×2 3 dB Power Splitter Using a Subwavelength-Grating-Assisted Asymmetric Directional Coupler. *Ye, C.*, +, *JLT April 15, 2020 2370-2375*

Ultra-Sharp Multimode Waveguide Bends With Dual Polarizations. *Wang, Y.*, +, *JLT Aug. 1, 2020 3994-3999*

Ultrafast Laser Inscription and $\square 2 \mu\text{m}$ Laser Operation of Y-Branch Splitters in Monoclinic Crystals. *Kifle, E.*, +, *JLT Aug. 15, 2020 4374-4384*

Optical materials

Effects of Shallow Suspension in Low-Loss Waveguide-Integrated Chalcogenide Microdisk Resonators. *Zhu, Y.*, +, *JLT Sept. 1, 2020 4817-4823*

Efficient Dual-Polarized Electro-Optically Tunable Microresonators by Utilization of Ultra-Thin Transparent Electrode. *Wang, T.*, +, *JLT Dec. 15, 2020 6863-6869*

Low-Voltage Electrically-Induced Second Harmonic Generation in a Silicon Waveguide Based on Modal Phase Matching. *Janjan, B.*, +, *JLT Nov. 15, 2020 6272-6279*

Mode Phase Variation and Sensitivity to Thermal Load in Three-Core Optical Fibers. *Rosa, L.*, +, *JLT April 15, 2020 2400-2405*

Novel Near-infrared Pump Wavelengths for Dysprosium Fiber Lasers. *Amin, M.Z.*, +, *JLT Oct. 15, 2020 5801-5808*

On-Chip Optical Microresonators With High Electro-Optic Tuning Efficiency. *Wang, T.*, +, *JLT April 1, 2020 1851-1857*

Ti_2CT_x (T=O, OH or F) Nanosheets as New Broadband Saturable Absorber for Ultrafast Photonics. *Shi, Y.*, +, *JLT April 1, 2020 1975-1980*

Ultrafast Laser Inscription and $\square 2 \mu\text{m}$ Laser Operation of Y-Branch Splitters in Monoclinic Crystals. *Kifle, E.*, +, *JLT Aug. 15, 2020 4374-4384*

Optical metamaterials

Active Terahertz Anisotropy and Dispersion Engineering Based on Dual-Frequency Liquid Crystal and Dielectric Metasurface. *Ji, Y.*, +, *JLT Aug. 1, 2020 4030-4036*

Efficient Third Harmonic Generation by Doubly Enhanced Electric Dipole Resonance in Metal-Based Silicon Nanodisks. *Yao, J.*, +, *JLT Nov. 15, 2020 6312-6320*

Tunable Ultra-Multispectral Metamaterial Perfect Absorbers Based on Out-of-Plane Metal-Insulator-Graphene Heterostructures. *Li, H.*, +, *JLT April 1, 2020 1858-1864*

Optical microscopy

Manipulating Soliton Polarization in Soliton Self-Frequency Shift and Its Application to 3-Photon Microscopy in Vivo. *Tong, S.*, +, *JLT April 15, 2020 2450-2455*

Optical mixing

Experimental Investigation of Wavelength Conversion Using Highly-Nonlinear Fiber and Two-Stage-Comb-Generated Pump With High Frequency Precision. *Yamazaki, M.*, +, *JLT April 15, 2020 2219-2225*

Optical modulation

100+ Gbps/ λ 50 km C-Band Downstream PON Using CD Digital Pre-Compensation and Direct-Detection ONU Receiver. *Torres-Ferrera, P.*, +, *JLT Dec. 15, 2020 6807-6816*

- 100-Gbit/s/λ EML Transmitter and PIN-PD+TIA Receiver-Based Inter-Data Center Link. *Lin, Y.*, +, *JLT April 15, 2020 2144-2151*
- 100G PAM-6 and PAM-8 Signal Transmission Enabled by Pre-Chirping for 10-km Intra-DCI Utilizing MZM in C-band. *Zou, D.*, +, *JLT July 1, 2020 3445-3453*
- 2 × 300 Gbit/s Line Rate PS-64QAM-OFDM THz Photonic-Wireless Transmission. *Jia, S.*, +, *JLT Sept. 1, 2020 4715-4721*
- 200 G Outdoor Free-Space-Optics Link Using a Single-Photodiode Receiver. *Lorences-Riesgo, A.*, +, *JLT Jan. 15, 2020 394-400*
- 240 Gbit/s Silicon Photonic Mach-Zehnder Modulator Enabled by Two 2.3-Vpp Drivers. *Jacques, M.*, +, *JLT June 1, 2020 2877-2885*
- 36 Gb/s Narrowband Photoreceiver for mmWave Analog Radio-Over-Fiber. *Bogaert, L.*, +, *JLT June 15, 2020 3289-3295*
- 3D QAM-DPSK Optical Transmission Employing a Single Mach-Zehnder Modulator and Optical Direct Detection. *Park, H.J.*, +, *JLT Nov. 15, 2020 6247-6256*
- 4×112 Gbps/Fiber CWDM VCSEL Arrays for Co-Packaged Interconnects. *Wang, B.*, +, *JLT July 1, 2020 3439-3444*
- 402.7-Tb/s MDM-WDM Transmission Over Weakly Coupled 10-Mode Fiber Using Rate-Adaptive PS-16QAM Signals. *Beppu, S.*, +, *JLT May 15, 2020 2835-2841*
- 41-Tbps C-Band WDM Transmission With 10-bps/Hz Spectral Efficiency Using 1-Tbps/λ Signals. *Matsushita, A.*, +, *JLT June 1, 2020 2905-2911*
- 50-GHz Repetition Gain Switching Using a Cavity-Enhanced DFB Laser Assisted by Optical Injection Locking. *Liu, Z.*, +, *JLT April 1, 2020 1844-1850*
- 500-Gb/s/λ Operation of Ultra-Low Power and Low-Temperature-Dependence InP-Based High-Bandwidth Coherent Driver Modulator. *Ozaki, J.*, +, *JLT Sept. 15, 2020 5086-5091*
- 64 Gbps PAM4 Si-Ge Waveguide Avalanche Photodiodes With Excellent Temperature Stability. *Yuan, Y.*, +, *JLT Sept. 1, 2020 4857-4866*
- 74.38 Tb/s Transmission Over 6300 km Single Mode Fibre Enabled by C+L Amplification and Geometrically Shaped PDM-64QAM. *Ionescu, M.*, +, *JLT Jan. 15, 2020 531-537*
- A Bidirectional FSO Communication Employing Phase Modulation Scheme and Remotely Injection-Locked DFB LD. *Huang, X.*, +, *JLT Nov. 1, 2020 5883-5892*
- A Clock-Gating-Based Energy-Efficient Scheme for ONUs in Real-Time IMDD OFDM-PONs. *Zhang, J.*, +, *JLT July 15, 2020 3573-3583*
- A Compact Refractometer With High Sensitivity Based on Multimode Fiber Embedded Single Mode-No Core-Single Mode Fiber Structure. *Zhang, S.*, +, *JLT April 1, 2020 1929-1935*
- A Low-Voltage Si-Ge Avalanche Photodiode for High-Speed and Energy Efficient Silicon Photonic Links. *Wang, B.*, +, *JLT June 15, 2020 3156-3163*
- A Novel Baseband Faster-Than-Nyquist Non-Orthogonal FDM IM/DD System With Block Segmented Soft-Decision Decoder. *Hu, Z.*, +, *JLT Feb. 1, 2020 632-641*
- A Phase-Retrieving Coherent Receiver Based on Two-Dimensional Photodetector Array. *Yoshida, Y.*, +, *JLT Jan. 1, 2020 90-100*
- A Photonic-Based Wideband RF Self-Interference Cancellation Approach With Fiber Dispersion Immunity. *Chen, Y.*, *JLT Sept. 1, 2020 4618-4624*
- A Precisely Frequency-Tunable Parity-Time-Symmetric Optoelectronic Oscillator. *Ding, Q.*, +, *JLT Dec. 1, 2020 6569-6577*
- A SiGe HBT BiCMOS 1-to-4 ADC Frontend Enabling Low Bandwidth Digitization of 100 GBaud PAM4 Data. *Buchali, F.*, +, *JLT Jan. 1, 2020 150-158*
- A Silicon Photonic Switching Platform for Flexible Converged Centralized-Radio Access Networking. *Browning, C.*, +, *JLT Oct. 1, 2020 5386-5392*
- A Study on the Effect of Ultra-Wide Band WDM on Optical Transmission Systems. *Okamoto, S.*, +, *JLT March 1, 2020 1061-1070*
- A WDM PAM4 FSO-UWOC Integrated System With a Channel Capacity of 100 Gb/s. *Li, C.*, +, *JLT April 1, 2020 1766-1776*
- Accurate BER Estimation Scheme Based on K-Means Clustering Assisted Gaussian Approach for Arbitrary Modulation Format. *Zhang, Q.*, +, *JLT April 15, 2020 2152-2157*
- Accurate Field Reconstruction at Low CFSR Condition Based on a Modified KK Receiver With Direct Detection. *An, S.*, +, *JLT Jan. 15, 2020 485-491*
- AdaNN: Adaptive Neural Network-Based Equalizer via Online Semi-Supervised Learning. *Zhou, Q.*, +, *JLT Aug. 15, 2020 4315-4324*
- Adaptive Channel-Matched Detection for C-Band 64-Gbit/s Optical OOK System Over 100-km Dispersion-Uncompensated Link. *Wang, H.*, +, *JLT Sept. 15, 2020 5048-5055*
- Adaptive Coding and Modulation for Robust Optical Access Networks. *Chou, E.S.*, +, *JLT April 15, 2020 2242-2252*
- Adaptive Probabilistic Shaped Modulation for High-Capacity Free-Space Optical Links. *Guimar, F.P.*, +, *JLT Dec. 1, 2020 6529-6541*
- Airy Beam for Free-Space Photonic Interconnection: Generation Strategy and Trajectory Manipulation. *Zhu, L.*, +, *JLT Dec. 1, 2020 6474-6480*
- All-Fiber Saturable Absorber Using Nonlinear Multimode Interference in a Chalcogenide Fiber. *Zhang, K.*, +, *JLT Nov. 15, 2020 6321-6326*
- All-Optical and Broadband Microwave Image-Reject Receiver Based on Phase Modulation and I/Q Balanced Detection. *Kang, B.*, +, *JLT Nov. 1, 2020 5962-5972*
- Amplifier-less transmission of beyond 100-Gbit/s/λ signal for 40-km DCI-Edge with 10G-class O-band DML. *Zou, D.*, +, *JLT Oct. 15, 2020 5649-5655*
- An Analog Photonic Down-Conversion Link With Simultaneous IMD3 Distortion Suppression and Dispersion-Induced Power Fading Compensation. *Li, Y.*, +, *JLT Aug. 1, 2020 3908-3917*
- Analog Coherent TDMA Receiver With Fast Locking to Free-Running Optical Emitters. *Schrenk, B.*, +, *JLT Jan. 15, 2020 379-385*
- Analysis of Nonlinear Fiber Interactions for Finite-Length Constant-Composition Sequences. *Fehenberger, T.*, +, *JLT Jan. 15, 2020 457-465*
- Beyond 1 Tb/s Intra-Data Center Interconnect Technology: IM-DD OR Coherent?. *Zhou, X.*, +, *JLT Jan. 15, 2020 475-484*
- Beyond 400 Gb/s Direct Detection Over 80 km for Data Center Interconnect Applications. *Le, S.T.*, +, *JLT Jan. 15, 2020 538-545*
- Blind Joint Polarization Demultiplexing and IQ Imbalance Compensation for M-QAM Coherent Optical Communications. *Lagha, M.K.*, +, *JLT Aug. 15, 2020 4213-4220*
- Broadband Light Amplitude Tuning Characteristics of SnSe₂ Coated Microfiber. *Guan, H.*, +, *JLT Nov. 1, 2020 6089-6096*
- Carrier-Suppressed Single Sideband Signal for FMCW LiDAR Using a Si Photonic-Crystal Optical Modulators. *Kamata, M.*, +, *JLT April 15, 2020 2315-2321*
- Cascaded IF-Over-Fiber Links With Hybrid Signal Processing for Analog Mobile Fronthaul. *Tanaka, K.*, +, *JLT Oct. 15, 2020 5656-5667*
- Chaotic Optical Communication Over 1000 km Transmission by Coherent Detection. *Yang, Z.*, +, *JLT Sept. 1, 2020 4648-4655*
- Chirp-Filtering for Low-Complexity Chromatic Dispersion Compensation. *Felipe, A.*, +, *JLT June 1, 2020 2954-2960*
- Coded Modulation for 100G Coherent EPON. *Gerard, T.*, +, *JLT Feb. 1, 2020 564-572*
- Combination and Compression of Multiple Pulses With Same or Different Wavelengths. *Huang, J.*, +, *JLT Dec. 15, 2020 6932-6938*
- Compact Hollow Waveguide Mid-Infrared Gas Sensor For Simultaneous Measurements of Ambient CO₂ and Water Vapor. *Wu, T.*, +, *JLT Aug. 15, 2020 4580-4587*
- Comparison of Geometrically Shaped 32-QAM and Probabilistically Shaped 32-QAM in a Bandwidth-Limited IM-DD System. *Ding, J.*, +, *JLT Aug. 15, 2020 4352-4358*
- Comparison on OM5-MMF and OM4-MMF Data Links With 32-GBaud PAM-4 Modulated Few-Mode VCSEL at 850 nm. *Huang, C.*, +, *JLT Feb. 1, 2020 573-582*
- Compensation of Nonlinear Impairments Using Inverse Perturbation Theory With Reduced Complexity. *Redyuk, A.*, +, *JLT March 15, 2020 1250-1257*
- Complexity Reduction With a Simplified MIMO Volterra Filter for PDM-Twin-SSB PAM-4 Transmission. *Zhu, M.*, +, *JLT Feb. 15, 2020 769-776*
- Controlling Rayleigh-Backscattering-Induced Distortion in Radio Over Fiber Systems for Radioastronomic Applications. *Nanni, J.*, +, *JLT Oct. 1, 2020 5393-5405*

- Crosstalk-Aware Resource Allocation in Survivable Space-Division-Multiplexed Elastic Optical Networks Supporting Hybrid Dedicated and Shared Path Protection. *Moghaddam, E.E.*, +, *JLT March 15, 2020 1095-1102*
- Crosstalk-Induced System Outage in Intensity-Modulated Direct-Detection Multi-Core Fiber Transmission. *Rademacher, G.*, +, *JLT Jan. 15, 2020 291-296*
- Data Transmission Based on Exact Inverse Periodic Nonlinear Fourier Transform, Part I: Theory. *Goossens, J.*, +, *JLT Dec. 1, 2020 6499-6519*
- Data-driven Optical Fiber Channel Modeling: A Deep Learning Approach. *Wang, D.*, +, *JLT Sept. 1, 2020 4730-4743*
- Demonstration of a Push-Pull Silicon Dual-Ring Modulator With Enhanced Optical Modulation Amplitude. *Zheng, D.*, +, *JLT July 15, 2020 3694-3700*
- Demonstration of a Sub-GHz Flat-Top Comb-Based RF-Photonic Filter Enabled by Fourth-Order Dispersion Compensation. *Serahati, Z.*, +, *JLT March 15, 2020 1194-1201*
- Demonstration of C-Band Amplifier-Free 100 Gb/s/λ Direct-Detection Links Beyond 40-km SMF Using a High-Power SSB Transmitter. *Li, X.*, +, *JLT Nov. 15, 2020 6170-6177*
- Demonstration of Low-Threshold and Directly Modulated Grating-Assisted Microcylinder Surface-Emitting Lasers. *Ma, X.*, +, *JLT Sept. 1, 2020 4772-4779*
- Demonstration of Tunable Optical Aggregation of QPSK to 16-QAM Over Optimally Generated Nyquist Pulse Trains Using Nonlinear Wave Mixing and a Kerr Frequency Comb. *Fallahpour, A.*, +, *JLT Jan. 15, 2020 359-365*
- Design and Characterisation of Terabit/s Capable Compact Localisation and Beam-Steering Terminals for Fiber-Wireless-Fiber Links. *Singh, R.*, +, *JLT Dec. 15, 2020 6817-6826*
- Design of Time-Frequency Packed WDM Superchannel Transmission Systems. *Jana, M.*, +, *JLT Dec. 15, 2020 6719-6731*
- Detection of Circular-Crested Lamb Waves Using Surface-Bonded Fiber-Optic Ultrasound Sensors: A Theoretical Perspective. *Liu, G.*, +, *JLT April 15, 2020 2555-2563*
- Detection-Localization-Identification of Vibrations Over Long Distance SSMF With Coherent $\Delta\phi$ -OTDR. *Awwad, E.*, +, *JLT June 15, 2020 3089-3095*
- DFT Spread Spectrally Efficient Frequency Division Multiplexing for IM-DD Transmission in C-Band. *Li, Z.*, +, *JLT July 1, 2020 3526-3532*
- DFT-Spread DMT-WDM-PON Employing LDPC-Coded Probabilistic Shaping 16 QAM. *Xiao, Q.*, +, *JLT Feb. 15, 2020 714-722*
- Digital Pre- and Post-Equalization for C-Band 112-Gb/s PAM4 Short-Reach Transport Systems. *Tang, X.*, +, *JLT Sept. 1, 2020 4683-4690*
- Digital Resolution Enhancer Employing Clipping for High-Speed Optical Transmission. *van den Hout, M.*, +, *JLT June 1, 2020 2897-2904*
- DSP for High-Speed Short-Reach IM/DD Systems Using PAM. *Wettlin, T.*, +, *JLT Dec. 15, 2020 6771-6778*
- DSP-Free Real-Time 25 GBPS Quasicoherent Receiver With Electrical SSB Filtering for C-Band Links up to 40 km SSMF. *Atabas, J.A.*, +, *JLT April 1, 2020 1785-1788*
- Dual-Drive Mach-Zehnder Modulator-Based Single Side-Band Modulation Direct Detection System Without Signal-to-Signal Beating Interference. *Wang, W.*, +, *JLT Aug. 15, 2020 4341-4351*
- Efficient Classification of Optical Modulation Formats Based on Singular Value Decomposition and Radon Transformation. *Eltaieb, R.A.*, +, *JLT Feb. 1, 2020 619-631*
- Efficient Mid-Infrared Germanium Variable Optical Attenuator Fabricated by Spin-on-Glass Doping. *Zhao, Z.*, +, *JLT Sept. 1, 2020 4808-4816*
- Electro-Optic Tuning of a Monolithically Integrated Widely Tuneable InP Laser With Free-Running and Stabilized Operation. *Andreou, S.*, +, *JLT April 1, 2020 1887-1894*
- Enhanced Carrier to Noise Ratio by Brillouin Amplification for Optical Communications. *Pelusi, M.*, +, *JLT Jan. 15, 2020 319-331*
- Enhanced Kramers-Kronig Single-Sideband Receivers. *Lowery, A.J.*, +, *JLT June 15, 2020 3229-3237*
- Enhanced Optical Communications Through Joint Time-Frequency Multiplexing Strategies. *Cincotti, G.*, +, *JLT Jan. 15, 2020 346-351*
- Entropy Allocation Optimization for PS-OFDM With Constellation Partitioning Based Modeling. *Zhang, R.*, +, *JLT Nov. 1, 2020 6024-6030*
- Experimental Demonstration of 600 Gb/s Net Rate PAM4 Transmissions Over 2 km and 10 km With a 4-λ CWDM TOSA. *Xing, Z.*, +, *JLT June 1, 2020 2968-2975*
- Experimental Demonstration of a Petabit per Second SDM Network Node. *Luis, R.S.*, +, *JLT June 1, 2020 2886-2896*
- Experimental Demonstration of Dual O+C-Band WDM Transmission Over 50-km SSMF With Direct Detection. *Hong, Y.*, +, *JLT April 15, 2020 2278-2284*
- Experimental Demonstration of Nonlinear Frequency Division Multiplexing Transmission With Neural Network Receiver. *Gaiarin, S.*, +, *JLT Dec. 1, 2020 6465-6473*
- Experimental Demonstration of Single Sideband Modulation Utilizing Monolithic Integrated Injection Locked DFB Laser. *Zhang, Y.*, +, *JLT April 1, 2020 1809-1816*
- Face-to-Face EML Transceiver Tandem for Full-Duplex Analogue Radio-Over-Air. *Schrenk, B.*, +, *JLT June 1, 2020 2976-2983*
- Flexible Coherent Communication System With Adaptable SNR and Laser Phase Noise Tolerance for Probabilistically Shaped QAM. *Yao, S.*, +, *JLT Nov. 15, 2020 6178-6186*
- Frequency Dependent ENoB Requirements for 400G/600G/800G Optical Links. *Varughese, S.*, +, *JLT Sept. 15, 2020 5008-5016*
- Frequency- and Time-Domain Modeling and Characterization of PN Phase Shifters in All-Silicon Carrier-Depletion Modulators. *Wang, J.*, +, *JLT Aug. 15, 2020 4462-4469*
- Fully-Integrated Heterogeneous DML Transmitters for High-Performance Computing. *Liang, D.*, +, *JLT July 1, 2020 3322-3337*
- High Performance InP-Based Polarization Beam Splitter With Reverse Bias and Injection Current. *Dai, X.*, +, *JLT April 15, 2020 2336-2345*
- High-Bandwidth Tracking Method of Resonant Frequency for Sensing Resonators. *Li, H.*, +, *JLT Feb. 15, 2020 898-904*
- High-Capacity Coherent DCIs Using Pol-Muxed Carrier and LO-Less Receiver. *Kamran, R.*, +, *JLT July 1, 2020 3461-3468*
- High-Linearity Fano Resonance Modulator Using a Microring-Assisted Mach-Zehnder Structure. *Chen, S.*, +, *JLT July 1, 2020 3395-3403*
- High-Performance Fully Integrated Silicon Photonic Microwave Mixer Subsystems. *Bottenfield, C.G.*, +, *JLT Oct. 1, 2020 5536-5545*
- High-Power, Narrow-Linewidth, Miniaturized Silicon Photonic Tunable Laser With Accurate Frequency Control. *Gao, Y.*, +, *JLT Jan. 15, 2020 265-271*
- High-Resolution Optical Microresonator-Based Sensor Enabled by Microwave Photonic Sidebands Processing. *Tian, X.*, +, *JLT Oct. 1, 2020 5440-5449*
- High-Speed Performance Evaluation of Graded-Index Multicore Fiber Compatible With Multimode and Quasi-single Mode Operation. *Liu, Y.*, +, *JLT Dec. 15, 2020 6870-6878*
- Hybrid Fiber-Optic Radio Frequency and Optical Frequency Dissemination With a Single Optical Actuator and Dual-Optical Phase Stabilization. *Tian, X.*, +, *JLT Aug. 15, 2020 4270-4278*
- Hybrid SSB OFDM-Digital Filter Multiple Access PONs. *Jin, W.*, +, *JLT April 15, 2020 2095-2105*
- Impact of Dispersion Effects on Temporal-Convolution-Based Real-Time Fourier Transformation Systems. *Zhang, B.*, +, *JLT Sept. 1, 2020 4664-4676*
- Improving Soliton Transmission Systems Through Soliton Interactions. *Zhou, G.*, +, *JLT July 15, 2020 3563-3572*
- In-Depth Studies of the Spectral Bandwidth of a 25 W 2 μm Band PM Hybrid Ho- and Tm-Doped Fiber Amplifier. *Tench, R.E.*, +, *JLT April 15, 2020 2456-2463*
- Interband Short Reach Data Transmission in Ultrawide Bandwidth Hollow Core Fiber. *Sakr, H.*, +, *JLT Jan. 1, 2020 159-165*
- Intra-Datacenter Interconnects With a Serialized Silicon Optical Frequency Comb Modulator. *Kong, D.*, +, *JLT Sept. 1, 2020 4677-4682*
- Investigation of Modulation Schemes for Flexible Line-Rate High-Speed TDM-PON. *Houtsma, V.E.*, +, *JLT June 15, 2020 3261-3267*
- Laser Phase Noise Tolerance of Uniform and Probabilistically Shaped QAM Signals for High Spectral Efficiency Systems. *Sasai, T.*, +, *JLT Jan. 15, 2020 439-446*

- LDPC-Coded Probabilistic Shaping PAM4 Based on Many-to-One Mapping in WDM-PON. *He, H.*, +, *JLT Aug. 1, 2020 3918-3925*
- Low Complexity OSNR Monitoring and Modulation Format Identification Based on Binarized Neural Networks. *Zhao, Y.*, +, *JLT March 15, 2020 1314-1322*
- Low-Complexity Second-Order Volterra Equalizer for DML-Based IM/DD Transmission System. *Yu, Y.*, +, *JLT April 1, 2020 1735-1746*
- Low-Loss Orbital Angular Momentum Ring-Core Fiber: Design, Fabrication and Characterization. *Wang, H.*, +, *JLT Nov. 15, 2020 6327-6333*
- Machine Learning Assisted Modulation-Format Transparent and Nonlinearity Tolerant Carrier Recovery Scheme for Intelligent Receiver. *Xiang, Q.*, +, *JLT Nov. 1, 2020 6007-6014*
- Measurement of Instantaneous Microwave Frequency by Optical Power Monitoring Based on Polarization Interference. *Li, J.*, +, *JLT April 15, 2020 2285-2291*
- Membrane III-V/Si DFB Laser Using Uniform Grating and Width-Modulated Si Waveguide. *Aihara, T.*, +, *JLT June 1, 2020 2961-2967*
- Microwave Photonic Imaging Radar With a Sub-Centimeter-Level Resolution. *Ma, C.*, +, *JLT Sept. 15, 2020 4948-4954*
- Microwave Pulse Generation With a Silicon Dual-Parallel Modulator. *Liu, S.*, +, *JLT April 15, 2020 2134-2143*
- Mid-Infrared Supercontinuum Generation in Chalcogenide Photonic Crystal Fibers with a Weak CW Trigger. *Huang, R.*, +, *JLT March 15, 2020 1522-1528*
- MIMO-Supporting Radio-Over-Fiber System and its Application in mmWave-Based Indoor 5G Mobile Network. *Kim, J.*, +, *JLT Jan. 1, 2020 101-111*
- Mitigation of Pattern-Dependent Effect in SOA at O-Band by Using DSP. *Wang, K.*, +, *JLT Feb. 1, 2020 590-597*
- Modeling and Optimization of Hybrid FinFET-Silicon Photonic Interconnects. *Pantano, N.*, +, *JLT Aug. 15, 2020 4325-4332*
- Modulation and Switching Architecture Performances for Frequency Up-Conversion of Complex-Modulated Data Signals Based on a SOA-MZI Photonic Sampling Mixer. *Kastritsis, D.*, +, *JLT Oct. 1, 2020 5375-5385*
- Modulation of a High Power Semiconductor Optical Amplifier for Free Space Communications. *Pham, C.*, +, *JLT April 1, 2020 1836-1843*
- Multi-Band Direct-Detection Transmission Over an Ultrawide Bandwidth Hollow-Core NANF. *Hong, Y.*, +, *JLT May 15, 2020 2849-2857*
- Multi-Beamforming Provided by Dual-Wavelength True Time Delay PIC and Multicore Fiber. *Morant, M.*, +, *JLT Oct. 1, 2020 5311-5317*
- Multi-FSR Silicon Photonic Flex-LIONS Module for Bandwidth-Reconfigurable All-to-All Optical Interconnects. *Xiao, X.*, +, *JLT June 15, 2020 3200-3208*
- Multichannel 16-QAM Single-Sideband Transmission and Kramers–Kronig Detection Using a Single QD-MLL as the Light Source. *AL-QADI, M.*, +, *JLT Nov. 15, 2020 6163-6169*
- Neuromorphic Photonics With Coherent Linear Neurons Using Dual-IQ Modulation Cells. *Mourgias-Alexandris, G.*, +, *JLT Feb. 15, 2020 811-819*
- Noise-Induced Limits of Detection in Frequency Locked Optical Microcavities. *Hao, S.*, +, *JLT Nov. 15, 2020 6393-6401*
- Non-Orthogonal Uplink Services Through Co-Transport of D-RoF/A-RoF in Mobile Fronthaul. *Yao, S.*, +, *JLT July 15, 2020 3637-3643*
- Numerical Investigation of the Impact of the Saturable Absorber Recovery Time on the Mode-Locking Performance of Fiber Lasers. *Lee, J.*, +, *JLT Aug. 1, 2020 4124-4132*
- Optical Injection Locking: From Principle to Applications. *Liu, Z.*, +, *JLT Jan. 1, 2020 43-59*
- Optical Modulation in Hybrid Waveguide Based on Si-ITO Heterojunction. *Rajput, S.*, +, *JLT March 15, 2020 1365-1371*
- Optical Signal Phase Reconstruction Based on Temporal Transport-of-Intensity Equation. *Matsumoto, M.*, *JLT Sept. 1, 2020 4722-4729*
- Optical Signal Phase Retrieval With Low Complexity DC-Value Method. *Patel, R.K.*, +, *JLT Aug. 15, 2020 4205-4212*
- Optics-Simplified DSP for 50 Gb/s PON Downstream Transmission using 10 Gb/s Optical Devices. *Xue, L.*, +, *JLT Feb. 1, 2020 583-589*
- Oscilloscopic Capture of Greater-Than-100 GHz, Ultra-Low Power Optical Waveforms Enabled by Integrated Electrooptic Devices. *Wang, X.*, +, *JLT Jan. 1, 2020 166-173*
- Parity-Time Symmetry in a Single-Loop Photonic System. *Fan, Z.*, +, *JLT Aug. 1, 2020 3866-3873*
- Passband-Switchable and Frequency-Tunable Dual-Passband Microwave Photonic Filter. *Jiao, Z.*, +, *JLT Oct. 1, 2020 5333-5338*
- Passive Visible-to-Telecom Converter Using Tunable Perovskites and Silicon Photonics. *Cheng, Z.*, +, *JLT July 1, 2020 3533-3539*
- PDL in Optical Links: A Model Analysis and a Demonstration of a PDL-Resilient Modulation. *Dumenil, A.*, +, *JLT Sept. 15, 2020 5017-5025*
- Performance Analysis of Phase Noise Cancellation by Asymmetric CMA for Realizing Affordable Coherent PON Transceivers. *Kim, S.*, +, *JLT April 15, 2020 2231-2241*
- Performance Enhanced 256-QAM BIPCM-DMT System Enabled by CAZAC Precoding. *Ma, J.*, +, *JLT Feb. 1, 2020 557-563*
- Performance Enhancement of Optical Comb Based Microwave Photonic Filter by Machine Learning Technique. *Shiu, R.*, +, *JLT Oct. 1, 2020 5302-5310*
- Performance Implications of Cascaded Wavelength Selective Switches on a Probabilistically Shaped 64-QAM System. *Li, L.*, +, *JLT March 15, 2020 1184-1193*
- Performance Investigation of OAMSK Modulated Wireless Optical System Over Turbulent Ocean Using Convolutional Neural Networks. *Wang, W.*, +, *JLT April 1, 2020 1753-1765*
- Phase Preserving Amplitude Saturation Through Tone Synthesis Assisted Saturated Four-Wave Mixing. *Bottrill, K.R.H.*, +, *JLT April 1, 2020 1817-1826*
- Photonic-Assisted Regenerative Microwave Frequency Divider With a Tunable Division Factor. *Duan, S.*, +, *JLT Oct. 1, 2020 5509-5516*
- Photonic-Assisted RF Self-Interference Cancellation With Improved Spectrum Efficiency and Fiber Transmission Capability. *Chen, Y.*, +, *JLT Feb. 15, 2020 761-768*
- Photonics Generation of Pulsed Arbitrary-Phase-Coded Microwave Signals Based on the Conversion Between Intensity Modulation and Phase Modulation. *Song, C.*, +, *JLT March 15, 2020 1243-1249*
- Photonics-Assisted Frequency Up/Down Conversion With Tunable OEO and Phase Shift. *Yang, F.*, +, *JLT Dec. 1, 2020 6446-6457*
- Photonics-Based CW/Pulsed Microwave Signal AOA Measurement System. *Chen, H.*, +, *JLT April 15, 2020 2292-2298*
- Piecewise Linear Equalizer for DML Based PAM-4 Signal Transmission Over a Dispersion Uncompensated Link. *Fu, Y.*, +, *JLT Feb. 1, 2020 654-660*
- Polarization Manipulated Fourier Domain Mode-Locked Optoelectronic Oscillator. *Zhu, S.*, +, *JLT Oct. 1, 2020 5270-5277*
- Practical Innovations Enabling Scalable Optical Transmission Networks: Real-World Trials and Experiences of Advanced Technologies in Field Deployed Optical Networks. *Zhou, Y.R.*, +, *JLT June 15, 2020 3106-3113*
- Probabilistically Shaped Rate-Adaptive Polar-Coded 256-QAM WDM Optical Transmission System. *Iqbal, S.*, +, *JLT April 1, 2020 1800-1808*
- Programmable Schemes on Temporal Waveform Processing of Optical Pulse Trains. *Xie, Q.*, +, *JLT Jan. 15, 2020 339-345*
- Proposal of a Power Efficient N-Level Multipulse PPM-LQAM Technique. *Shalaby, H.M.H.*, *JLT Dec. 1, 2020 6542-6548*
- Provisioning in Multi-Band Optical Networks. *Sambo, N.*, +, *JLT May 1, 2020 2598-2605*
- Pulse Timing Jitter Estimated From Optical Phase Noise in Mode-Locked Semiconductor Quantum Dash Lasers. *Mao, Y.*, +, *JLT Sept. 1, 2020 4787-4793*
- Quantum Noise-Assisted Coherent Radio-Over-Fiber Cipher System for Secure Optical Fronthaul and Microwave Wireless Links. *Tanizawa, K.*, +, *JLT Aug. 15, 2020 4244-4249*
- Quantum Theory of Noise in Stokes Vector Receivers and Application to Bit Error Rate Analysis. *Kikuchi, K.*, *JLT June 15, 2020 3164-3172*
- Quasi-Phase Matched Second Harmonic Generation in Plasmonic–Organic Hybrid Structures. *Janjan, B.*, +, *JLT March 15, 2020 1391-1399*

- Reconfigurable Identical and Complementary Chirp Dual-LFM Signal Generation Subjected to Dual-Beam Injection in a DFB Laser. *Chen, H.*, +, *JLT Oct. 1, 2020 5500-5508*
- Repetition-Frequency-Doubled Transform-Limited Optical Pulse Generation Based on Silicon Modulators. *Liu, S.*, +, *JLT Nov. 15, 2020 6299-6311*
- Robust Integrated Optical Unitary Converter Using Multiport Directional Couplers. *Tanomura, R.*, +, *JLT Jan. 1, 2020 60-66*
- RoF-Based Radio Access Network for 5G Mobile Communication Systems in 28 GHz Millimeter-Wave. *Sung, M.*, +, *JLT Jan. 15, 2020 409-420*
- Simultaneous Radar Detection and Frequency Measurement by Broadband Microwave Photonic Processing. *Shi, J.*, +, *JLT April 15, 2020 2171-2179*
- SOA Pre-Amplified 100 Gb/s/λ PAM-4 TDM-PON Downstream Transmission Using 10 Gbps O-Band Transmitters. *Zhang, J.*, +, *JLT Jan. 15, 2020 185-193*
- Spectral-Shaping Technique Based on Nonlinear-Coded-Modulation for Short-Reach Optical Transmission. *Yamamoto, S.*, +, *JLT Jan. 15, 2020 466-474*
- SSB Single Carrier and Multicarrier in C-Band FSO Transmission With KK Receiver. *Wei, Y.*, +, *JLT Sept. 15, 2020 5000-5007*
- SSBI-Free Direct-Detection System Employing Phase Modulation for Analog Optical Links. *Ishimura, S.*, +, *JLT May 1, 2020 2719-2725*
- Statistical Evaluation of PAM4 Data Center Interconnect System With Slope-Compensating Fiber Bragg Grating Tunable Dispersion Compensation Module. *Searcy, S.*, +, *JLT June 15, 2020 3173-3179*
- Suppression of Nonlinear Residual Intensity Modulation in Multifunction Integrated Optic Circuit for Fiber-Optic Gyroscopes. *Liu, J.*, +, *JLT March 15, 2020 1572-1579*
- System Optimization of an All-Silicon IQ Modulator: Achieving 100-Gbaud Dual-Polarization 32QAM. *Zhalehpour, S.*, +, *JLT Jan. 15, 2020 256-264*
- Temporal Imaging Using Dispersive Gradient-Index Time Lenses. *Han, T.*, +, *JLT April 15, 2020 2383-2391*
- The Impact of Local Oscillator Frequency Jitter and Laser Linewidth to Ultra High Baud Rate Coherent Systems. *Zhang, R.*, +, *JLT March 15, 2020 1138-1147*
- Theoretical and Experimental Analysis of Burst-Mode Wavelength Conversion via a Differentially-Biased SOA-MZI. *Tsakyridis, A.*, +, *JLT Sept. 1, 2020 4607-4617*
- Theoretical Study on the Effects of Dislocations in Monolithic III-V Lasers on Silicon. *Hantschmann, C.*, +, *JLT Sept. 1, 2020 4801-4807*
- Three-Dimensional Probabilistically Shaped CAP Modulation Based on Constellation Design Using Regular Tetrahedron Cells. *Ren, J.*, +, *JLT April 1, 2020 1728-1734*
- Time-Stretched Femtosecond Lidar Using Microwave Photonic Signal Processing. *Zhao, L.*, +, *JLT Nov. 15, 2020 6265-6271*
- Toward Single Lane 200G Optical Interconnects With Silicon Photonic Modulator. *Zhu, Y.*, +, *JLT Jan. 1, 2020 67-74*
- Towards a Scalable 5G Fronthaul: Analog Radio-over-Fiber and Space Division Multiplexing. *Rommel, S.*, +, *JLT Oct. 1, 2020 5412-5422*
- Transponder Implementation Penalty-Accounted Gaussian-Noise-Based Performance Modeling of Fiber-Optic Transmission Systems. *Kaliteevskiy, N.A.*, +, *JLT April 15, 2020 2253-2261*
- Truly Distributed and Ultra-Fast Microwave Photonic Fiber-Optic Sensor. *Zhou, D.*, +, *JLT Aug. 1, 2020 4150-4159*
- Tunable THz Signal Generation and Radio-Over-Fiber Link Based on an Optoelectronic Oscillator-Driven Optical Frequency Comb. *Hasanuz-zaman, G.K.M.*, +, *JLT Oct. 1, 2020 5240-5247*
- Tunable Ultra-Multispectral Metamaterial Perfect Absorbers Based on Out-of-Plane Metal-Insulator-Graphene Heterostructures. *Li, H.*, +, *JLT April 1, 2020 1858-1864*
- Twist Induced Mode Confinement in Partially Open Ring of Holes. *Napiorkowski, M.*, +, *JLT March 15, 2020 1372-1381*
- Ultra-High-Speed 2:1 Digital Selector and Plasmonic Modulator IM/DD Transmitter Operating at 222 GBaud for Intra-Datacenter Applications. *Heni, W.*, +, *JLT May 1, 2020 2734-2739*
- Unrepeated Transmission Over 670.64 km of 50G BPSK, 653.35 km of 100G PS-QPSK, 601.93 km of 200G 8QAM, and 502.13 km of 400G 64QAM. *Xu, J.*, +, *JLT Jan. 15, 2020 522-530*
- Wavelength-Division Demultiplexing Enhanced by Silicon-Photonic Tunable Filters in Ultra-Wideband Optical-Path Networks. *Mori, Y.*, +, *JLT March 1, 2020 1002-1009*
- Wide-Coverage Beam-Steered 40-Gbit/s Non-Line-of-Sight Optical Wireless Connectivity for Industry 4.0. *Zhang, X.*, +, *JLT Dec. 15, 2020 6801-6806*
- Wideband and Dispersion Immune Microwave Photonic Phase Shifter With Tunable Optical Carrier to Sideband Ratio. *Bai, Y.*, +, *JLT Oct. 1, 2020 5262-5269*
- Wideband Dual-Channel Photonic RF Repeater Based on Polarization Division Multiplexing Modulation and Polarization Control. *Shi, F.*, +, *JLT March 15, 2020 1275-1285*
- Wideband Frequency-Tunable Parity-Time Symmetric Optoelectronic Oscillator Based on Hybrid Phase and Intensity Modulations. *Teng, C.*, +, *JLT Oct. 1, 2020 5406-5411*
- Optical multilayers**
- Back-Side-on-BOX Heterogeneously Integrated III-V-on-Silicon O-Band Distributed Feedback Lasers. *Thiessen, T.*, +, *JLT June 1, 2020 3000-3006*
- Optical neural networks**
- 135-GHz D-Band 60-Gbps PAM-8 Wireless Transmission Employing a Joint DNN Equalizer With BP and CMMMA. *Zhou, W.*, +, *JLT July 15, 2020 3592-3601*
- Introducing Load Aware Neural Networks for Accurate Predictions of Raman Amplifiers. *Rosa Brusin, A.M.*, +, *JLT Dec. 1, 2020 6481-6491*
- Photonic Associative Learning Neural Network Based on VCSELs and STDP. *Wang, S.*, +, *JLT Sept. 1, 2020 4691-4698*
- The Winner-Take-All Mechanism for All-Optical Systems of Pattern Recognition and Max-Pooling Operation. *Zhang, Y.*, +, *JLT Sept. 15, 2020 5071-5077*
- Optical noise**
- Coherent Ultra-Dense WDM-PON Enabled by Complexity-Reduced Digital Transceivers. *Tabares, J.A.*, +, *JLT March 15, 2020 1305-1313*
- Correlated Nonlinear Phase-Noise in Multi-Subcarrier Systems: Modeling and Mitigation. *Golani, O.*, +, *JLT March 15, 2020 1148-1156*
- Design of Efficient Resonator-Enhanced Electro-Optic Frequency Comb Generators. *Buscaino, B.*, +, *JLT March 15, 2020 1400-1413*
- Evaluating Phase Errors in Phase-Sensitive Optical Time-Domain Reflectometry Based on I/Q Demodulation. *Lu, X.*, +, *JLT Aug. 1, 2020 4133-4141*
- Excess Relative-Intensity-Noise Reduction in a Fiber Optic Gyroscope Using a Faraday Rotator Mirror. *Zheng, Y.*, +, *JLT Dec. 15, 2020 6939-6947*
- Mid-Infrared Supercontinuum Generation in Chalcogenide Photonic Crystal Fibers with a Weak CW Trigger. *Huang, R.*, +, *JLT March 15, 2020 1522-1528*
- Noise Characterization for Time Interleaved Photonic Analog to Digital Converters. *Jin, Z.*, +, *JLT March 15, 2020 1230-1242*
- Passive Optical Phase Stabilization on a Ring Fiber Network. *Hu, L.*, +, *JLT Nov. 1, 2020 5916-5924*
- The Generalized Droop Formula for Low Signal to Noise Ratio Optical Links. *Bononi, A.*, +, *JLT April 15, 2020 2201-2213*
- Transponder Implementation Penalty-Accounted Gaussian-Noise-Based Performance Modeling of Fiber-Optic Transmission Systems. *Kaliteevskiy, N.A.*, +, *JLT April 15, 2020 2253-2261*
- Ultrahigh-Resolution Optoelectronic Vector Analysis Utilizing Photonics-Based Frequency Up- and Down-Conversions. *Xue, M.*, +, *JLT Aug. 1, 2020 3859-3865*
- Optical parametric amplifiers**
- Phase Preserving Amplitude Saturation Through Tone Synthesis Assisted Saturated Four-Wave Mixing. *Bottrill, K.R.H.*, +, *JLT April 1, 2020 1817-1826*
- Optical parametric oscillators**
- Microcomb Source Based on InP DFB / Si₃N₄ Microring Butt-Coupling. *Boust, S.*, +, *JLT Oct. 1, 2020 5517-5525*
- Optical phase locked loops**
- High-Performance Optical Frequency-Domain Reflectometry Based on High-Order Optical Phase-Locking-Assisted Chirp Optimization. *Feng, Y.*, +, *JLT Nov. 15, 2020 6227-6236*

Self-Forced Opto-Electronic Oscillators Using Sagnac-Loop PM-IM Converter. *Wei, K., +, JLT Oct. 1, 2020 5278-5285*

Towards a Scalable 5G Fronthaul: Analog Radio-over-Fiber and Space Division Multiplexing. *Rommel, S., +, JLT Oct. 1, 2020 5412-5422*

Optical phase matching

Low-Voltage Electrically-Induced Second Harmonic Generation in a Silicon Waveguide Based on Modal Phase Matching. *Janjan, B., +, JLT Nov. 15, 2020 6272-6279*

Off-Normal Incidence Coupling for Perfectly Phase-Matched Second Harmonic Generation in a Sub-Micron LiNbO₃ Planar Waveguide. *Carnio, B.N., +, JLT Aug. 1, 2020 3959-3964*

Quasi-Phase Matched Second Harmonic Generation in Plasmonic–Organic Hybrid Structures. *Janjan, B., +, JLT March 15, 2020 1391-1399*

Simultaneously Self-Inscribed Antisymmetric Long-Period Grating and Antisymmetric Apodized Fiber Bragg Grating in a Dual-Core As₂Se₃-PMMA Tapered Fiber. *Gao, S., +, JLT Nov. 15, 2020 6345-6351*

Terahertz Bragg Resonator Based on a Mechanical Assembly of Metal Grating and Metal Waveguide. *You, B., +, JLT July 15, 2020 3701-3709*

Optical phase shifters

A 4 × 4 Electrooptic Silicon Photonic Switch Fabric With Net Neutral Insertion Loss. *Dupuis, N., +, JLT Jan. 15, 2020 178-184*

A Lateral MOS-Capacitor-Enabled ITO Mach–Zehnder Modulator for Beam Steering. *Amin, R., +, JLT Jan. 15, 2020 282-290*

Broadband Brillouin Phase Shifter Utilizing RF Interference: Experimental Demonstration and Theoretical Analysis. *McKay, L., +, JLT July 15, 2020 3624-3636*

Design of Four-Channel Wavelength-Selectable In-Series DFB Laser Array With 100-GHz Spacing. *Sun, Z., +, JLT April 15, 2020 2299-2307*

Frequency- and Time-Domain Modeling and Characterization of PN Phase Shifters in All-Silicon Carrier-Depletion Modulators. *Wang, J., +, JLT Aug. 15, 2020 4462-4469*

Membrane InGaAsP Mach–Zehnder Modulator Integrated With Optical Amplifier on Si Platform. *Hiraki, T., +, JLT June 1, 2020 3030-3036*

Multi-Stage 8 × 8 Silicon Photonic Switch Based on Dual-Microring Switching Elements. *Huang, Y., +, JLT Jan. 15, 2020 194-201*

Optical Generation/Detection of Broadband Microwave Orbital Angular Momentum Modes. *Huang, J., +, JLT March 15, 2020 1202-1209*

Photonics-Assisted Frequency Up/Down Conversion With Tunable OEO and Phase Shift. *Yang, F., +, JLT Dec. 1, 2020 6446-6457*

Robust Integrated Optical Unitary Converter Using Multiport Directional Couplers. *Tanomura, R., +, JLT Jan. 1, 2020 60-66*

Self-Forced Opto-Electronic Oscillators Using Sagnac-Loop PM-IM Converter. *Wei, K., +, JLT Oct. 1, 2020 5278-5285*

Theoretical and Experimental Analysis of a 4 × 4 Reconfigurable MZI-Based Linear Optical Processor. *Shokraneh, F., +, JLT March 15, 2020 1258-1267*

Wideband and Dispersion Immune Microwave Photonic Phase Shifter With Tunable Optical Carrier to Sideband Ratio. *Bai, Y., +, JLT Oct. 1, 2020 5262-5269*

Optical planar waveguides

Broadband Nonvolatile Tunable Mode-Order Converter Based on Silicon and Optical Phase Change Materials Hybrid Meta-Structure. *Chen, H., +, JLT April 1, 2020 1874-1879*

Low-Loss Waveguides by Planar Modified Chemical Vapor Deposition. *Yevnin, M., +, JLT Feb. 15, 2020 792-796*

Off-Normal Incidence Coupling for Perfectly Phase-Matched Second Harmonic Generation in a Sub-Micron LiNbO₃ Planar Waveguide. *Carnio, B.N., +, JLT Aug. 1, 2020 3959-3964*

Tilting of Bragg Waveguide Gratings Using Two-Dimensional Sampling Structures. *Hao, L., +, JLT Aug. 15, 2020 4402-4408*

Optical polarizers

Broadband Bias-Magnet-Free On-Chip Optical Isolators With Integrated Thin Film Polarizers. *Karki, D., +, JLT Feb. 15, 2020 827-833*

Ultra-Compact Broadband 2 × 2 3 dB Power Splitter Using a Subwavelength-Grating-Assisted Asymmetric Directional Coupler. *Ye, C., +, JLT April 15, 2020 2370-2375*

Optical polymers

A Laser Written 4D Optical Microcavity for Advanced Biochemical Sensing in Aqueous Environment. *Saetchnikov, A.V., +, JLT April 15, 2020 2530-2538*

Aerosol Jet Printed Optical Waveguides for Short Range Communication. *Lorenz, L., +, JLT July 1, 2020 3478-3484*

Bend- and Twist-Insensitive Flexible Multimode Polymer Optical Interconnects. *Bamiedakis, N., +, JLT Dec. 1, 2020 6561-6568*

Design, Fabrication, and Comparison of 3D Multimode Optical Interconnects on Silicon Interposer. *Charania, S., +, JLT July 1, 2020 3454-3460*

Fabrication of Chirped Fiber Bragg Gratings in a Non-Uniform Single-Core As₂Se₃-PMMA Tapered Fiber. *Gao, S., +, JLT Aug. 1, 2020 4108-4113*

Fine, Reversible and Broadband Tuning of the Group Velocity Dispersion of Tapered Silica Fibers in a Thermo-Optic Polymer Matrix. *Antonopoulos, G., +, JLT Aug. 1, 2020 4086-4092*

Investigation of Mode Coupling in Graded Index Plastic Optical Fibers Using the Langevin Equation. *Savovic, S., +, JLT Dec. 1, 2020 6644-6647*

Low-Power Broadband Thermo-Optic Switch With Weak Polarization Dependence Using a Segmented Graphene Heater. *Song, Q.Q., +, JLT March 15, 2020 1358-1364*

Low-Voltage, Coupled Multiple Quantum Well Electroreflective Modulators Towards Ultralow Power Inter-Chip Optical Interconnects. *Wang, X., +, JLT July 1, 2020 3414-3421*

Multimode Fiber Interferometer Based on Graded-Index Polymer CYTOP Fiber. *Chapalo, I., +, JLT March 15, 2020 1439-1445*

On the Characterization of Novel Step-Index Biocompatible and Biodegradable poly(D,L-lactic acid) Based Optical Fiber. *Gierej, A., +, JLT April 1, 2020 1905-1914*

Packaged Microbubble Resonator for Versatile Optical Sensing. *Yang, D., +, JLT Aug. 15, 2020 4555-4559*

Polarization Dependence of Optical Properties of Single-Mode Polymer Optical Waveguides Fabricated Under Different Processes at 1310/1550 nm. *Morimoto, Y., +, JLT July 15, 2020 3670-3676*

Polymer-Coated Hollow Fiber Optofluidic Laser for Refractive Index Sensing. *Zhao, X., +, JLT March 15, 2020 1550-1556*

Quasi-Phase Matched Second Harmonic Generation in Plasmonic–Organic Hybrid Structures. *Janjan, B., +, JLT March 15, 2020 1391-1399*

Scattering Into Guided Modes Due to Imperfect Graded-Index Structure in Polymer Optical Fibers. *Shibelgut, A.A., +, JLT March 15, 2020 1454-1460*

Simultaneous Measurement of Pressure and Temperature in Seawater with PDMS Sealed Microfiber Mach-Zehnder Interferometer. *Hou, Y., +, JLT Nov. 15, 2020 6412-6421*

Simultaneously Self-Inscribed Antisymmetric Long-Period Grating and Antisymmetric Apodized Fiber Bragg Grating in a Dual-Core As₂Se₃-PMMA Tapered Fiber. *Gao, S., +, JLT Nov. 15, 2020 6345-6351*

Spectral Dependence of Transmission Losses in High-Index Polymer Coated No-Core Fibers. *Lian, X., +, JLT Nov. 15, 2020 6352-6361*

Study of Surface Plasmon Resonance Sensor Based on Polymer-Tipped Optical Fiber With Barium Titanate Layer. *Xia, Z., +, JLT Feb. 15, 2020 912-918*

Temperature-Independent Curvature Sensor Based on In-Fiber Mach–Zehnder Interferometer Using Hollow-Core Fiber. *Marrujo-Garcia, S., +, JLT Aug. 1, 2020 4166-4173*

Optical prisms

Investigation of Inverse Solutions for Tilting Orthogonal Double Prisms in Laser Pointing With Submicroradian Precision. *Li, A., +, JLT March 15, 2020 1341-1349*

Scattering Metal Waveguide Based Speckle-Enhanced Prism Spectrometry. *Cetindag, S.K., +, JLT April 1, 2020 2022-2027*

Optical pulse compression

Combination and Compression of Multiple Pulses With Same or Different Wavelengths. *Huang, J., +, JLT Dec. 15, 2020 6932-6938*

Three-Octave Supercontinuum Generation Using SiO₂ Cladded Si₃N₄ Slot Waveguide With All-Normal Dispersion. *Fang, Y., +, JLT July 1, 2020 3431-3438*

Optical pulse generation

- 50-GHz Repetition Gain Switching Using a Cavity-Enhanced DFB Laser Assisted by Optical Injection Locking. *Liu, Z.*, +, *JLT April 1, 2020 1844-1850*
- All-Fiber Mode-Locked Laser Based on Mamyshev Mechanism With High-Energy Pulse Generation at 1550 nm. *Luo, X.*, +, *JLT March 15, 2020 1468-1473*
- All-Fiber Saturable Absorber Using Nonlinear Multimode Interference in a Chalcogenide Fiber. *Zhang, K.*, +, *JLT Nov. 15, 2020 6321-6326*
- Combination and Compression of Multiple Pulses With Same or Different Wavelengths. *Huang, J.*, +, *JLT Dec. 15, 2020 6932-6938*
- Demonstration of Tunable Optical Aggregation of QPSK to 16-QAM Over Optically Generated Nyquist Pulse Trains Using Nonlinear Wave Mixing and a Kerr Frequency Comb. *Fallahpour, A.*, +, *JLT Jan. 15, 2020 359-365*
- Fast Acquisition Tunable High-Resolution Photon-Counting OTDR. *Cal-liari, F.*, +, *JLT Aug. 15, 2020 4572-4579*
- High-Speed and High-Resolution Microwave Photonic Interrogation of a Fiber-Optic Refractometer With Plasmonic Spectral Comb. *Wang, G.*, +, *JLT April 1, 2020 2073-2080*
- Manipulating Soliton Polarization in Soliton Self-Frequency Shift and Its Application to 3-Photon Microscopy in Vivo. *Tong, S.*, +, *JLT April 15, 2020 2450-2455*
- Microfiber-Knot-Resonator-Induced Partial Elimination of Longitudinal Modes in Fiber Lasers for In-Tune-Switchable Nanosecond Pulse Generation. *Zhou, J.*, +, *JLT Feb. 15, 2020 875-880*
- Microwave Pulse Generation With a Silicon Dual-Parallel Modulator. *Liu, S.*, +, *JLT April 15, 2020 2134-2143*
- Modulation and Switching Architecture Performances for Frequency Up-Conversion of Complex-Modulated Data Signals Based on a SOA-MZI Photonic Sampling Mixer. *Kastritis, D.*, +, *JLT Oct. 1, 2020 5375-5385*
- Numerical Investigation of the Impact of the Saturable Absorber Recovery Time on the Mode-Locking Performance of Fiber Lasers. *Lee, J.*, +, *JLT Aug. 1, 2020 4124-4132*
- Passively Mode-Locked 2.7 and 3.2 μm GaSb-Based Cascade Diode Lasers. *Feng, T.*, +, *JLT April 1, 2020 1895-1899*
- Programmable Schemes on Temporal Waveform Processing of Optical Pulse Trains. *Xie, Q.*, +, *JLT Jan. 15, 2020 339-345*
- Repetition-Frequency-Doubled Transform-Limited Optical Pulse Generation Based on Silicon Modulators. *Liu, S.*, +, *JLT Nov. 15, 2020 6299-6311*
- Three-Octave Supercontinuum Generation Using SiO₂ Cladded Si₃N₄ Slot Waveguide With All-Normal Dispersion. *Fang, Y.*, +, *JLT July 1, 2020 3431-3438*
- Ti₂CT_x (T=O, OH or F) Nanosheets as New Broadband Saturable Absorber for Ultrafast Photonics. *Shi, Y.*, +, *JLT April 1, 2020 1975-1980*
- Time-Stretched Femtosecond Lidar Using Microwave Photonic Signal Processing. *Zhao, L.*, +, *JLT Nov. 15, 2020 6265-6271*
- Ultrafast Pulse Generation for Er- and Tm- Doped Fiber Lasers With Sb Thin Film Saturable Absorber. *Wang, J.*, +, *JLT July 15, 2020 3710-3716*

Optical pulse shaping

- All-Optical Frequency Processor for Networking Applications. *Lukens, J.M.*, +, *JLT April 1, 2020 1678-1687*
- High Fidelity Picosecond Pulse Fiber Amplification With Inter-Stage Notch Filter. *Lu, Q.*, +, *JLT Nov. 1, 2020 6082-6088*
- High-Capacity Coherent DCIs Using Pol-Muxed Carrier and LO-Less Receiver. *Kamran, R.*, +, *JLT July 1, 2020 3461-3468*
- High-Speed and High-Resolution Microwave Photonic Interrogation of a Fiber-Optic Refractometer With Plasmonic Spectral Comb. *Wang, G.*, +, *JLT April 1, 2020 2073-2080*
- Microwave Pulse Generation With a Silicon Dual-Parallel Modulator. *Liu, S.*, +, *JLT April 15, 2020 2134-2143*
- Numerical Investigation of the Impact of the Saturable Absorber Recovery Time on the Mode-Locking Performance of Fiber Lasers. *Lee, J.*, +, *JLT Aug. 1, 2020 4124-4132*
- Photonic RF Arbitrary Waveform Generator Based on a Soliton Crystal Micro-Comb Source. *Tan, M.*, +, *JLT Nov. 15, 2020 6221-6226*

Programmable Schemes on Temporal Waveform Processing of Optical Pulse Trains. *Xie, Q.*, +, *JLT Jan. 15, 2020 339-345*

Spectral Properties of the Signal in Phase-Sensitive Optical Time-Domain Reflectometry With Direct Detection. *Lu, X.*, +, *JLT March 15, 2020 1513-1521*

Three-Octave Supercontinuum Generation Using SiO₂ Cladded Si₃N₄ Slot Waveguide With All-Normal Dispersion. *Fang, Y.*, +, *JLT July 1, 2020 3431-3438*

Optical pulses

Design of a Miniaturized Broadband Silicon Hybrid Plasmonic Temporal Integrator for Ultrafast Optical Signal Processing. *Karimi, A.*, +, *JLT April 15, 2020 2346-2352*

Optical pumping

103 nm Ultra-Wideband Hybrid Raman/SOA Transmission Over 3 \times 100 km SSMF. *Arnould, A.*, +, *JLT Jan. 15, 2020 504-508*

20.6 W Mid-Infrared Supercontinuum Generation in ZBLAN Fiber With Spectrum of 1.9–4.3 μm . *Yang, L.*, +, *JLT Sept. 15, 2020 5122-5127*

50 km-Range Brillouin Optical Correlation Domain Analysis With First-Order Backward Distributed Raman Amplification. *Ryu, G.*, +, *JLT Sept. 15, 2020 5199-5204*

L-Band Wavelength-Tunable Er³⁺-Doped Tellurite Fiber Lasers. *Fu, S.*, +, *JLT March 15, 2020 1435-1438*

A Wide Flat Triple Brillouin Frequency Spacing Multiwavelength Fiber Laser Assisted by Four Wave Mixing. *Al-Alimi, A.W.*, +, *JLT Dec. 1, 2020 6648-6654*

All-Fiber Mode-Locked Laser Based on Mamyshev Mechanism With High-Energy Pulse Generation at 1550 nm. *Luo, X.*, +, *JLT March 15, 2020 1468-1473*

An Experimental and Theoretical Investigation of a 2 μm Wavelength Low-Threshold Microsphere Laser. *Yu, J.*, +, *JLT April 1, 2020 1880-1886*

Broadband Brillouin Phase Shifter Utilizing RF Interference: Experimental Demonstration and Theoretical Analysis. *McKay, L.*, +, *JLT July 15, 2020 3624-3636*

Broadband Light Amplitude Tuning Characteristics of SnSe₂ Coated Microfiber. *Guan, H.*, +, *JLT Nov. 1, 2020 6089-6096*

Coexistence of Quasi-CW and SBS-Boosted Self-Q-Switched Pulsing in Ytterbium-Doped Fiber Laser With Low Q-Factor Cavity. *Barmenkov, Y.O.*, +, *JLT July 15, 2020 3751-3758*

Color Variation of the Up-Conversion Luminescence in Er³⁺-Yb³⁺ Co-Doped Lead Germanate Glasses and Microsphere Integrated Devices. *Zhang, M.*, +, *JLT Aug. 15, 2020 4397-4401*

Configurations of Pump Injection and Reinjection for Improved Amplification Efficiency of Turbo Cladding Pumped MC-EDFA. *Takeshita, H.*, +, *JLT June 1, 2020 2922-2929*

Control of Long Pulse Pumped Supercontinuum Generation Using Weak Trigger Signal. *Huang, C.*, +, *JLT March 15, 2020 1506-1512*

Demonstration of an All-Fiber Ultra-Low Numerical Aperture Ytterbium-Doped Large Mode Area Fiber in a Master Oscillator Power Amplifier Configuration Above 1 kW Power Level. *Midilli, Y.*, +, *JLT April 1, 2020 1915-1920*

Design of a Multi-Wavelength Fiber Laser Based on Tm:Er:Yb:Ho Co-Doped Germanate Glass. *Falconi, M.C.*, +, *JLT April 15, 2020 2406-2413*

Direct Laser Written Waveguide in Tellurite Glass for Supercontinuum Generation in 2 μm Spectral Range. *Okhrimchuk, A.G.*, +, *JLT March 15, 2020 1492-1500*

Effect of P-to-Rare Earth Atomic Ratio on Energy Transfer in Er-Yb-Doped Optical Fiber. *Kobayashi, Y.*, +, *JLT Aug. 15, 2020 4504-4512*

Experimental Investigation of Wavelength Conversion Using Highly-Nonlinear Fiber and Two-Stage-Comb-Generated Pump With High Frequency Precision. *Yamazaki, M.*, +, *JLT April 15, 2020 2219-2225*

Femtosecond-Laser-Written S-Curved Waveguide in Nd:YAP Crystal: Fabrication and Multi-Gigahertz Lasing. *Li, L.*, +, *JLT Dec. 15, 2020 6845-6852*

GIMF-Based SA for Generation of High Pulse Energy Ultrafast Solitons in a Mode-Locked Linear-Cavity Fiber Laser. *Chen, J.*, +, *JLT March 15, 2020 1480-1485*

- High Data-Rate and Long Distance MCF Transmission With 19-Core C+L band Cladding-Pumped EDFA. *Putnam, B.J.*, +, *JLT Jan. 1, 2020 123-130*
- High Spatial Density 6-Mode 7-Core Fiber Amplifier for L-Band Operation. *Jung, Y.*, +, *JLT June 1, 2020 2938-2943*
- In-Depth Studies of the Spectral Bandwidth of a 25 W 2 μm Band PM Hybrid Ho- and Tm-Doped Fiber Amplifier. *Tench, R.E.*, +, *JLT April 15, 2020 2456-2463*
- Inverse System Design Using Machine Learning: The Raman Amplifier Case. *Zibar, D.*, +, *JLT Feb. 15, 2020 736-753*
- Investigations on the Extreme Frequency Shift of Phosphosilicate Random Fiber Laser. *Ye, J.*, +, *JLT July 15, 2020 3737-3744*
- Low-Voltage Electrically-Induced Second Harmonic Generation in a Silicon Waveguide Based on Modal Phase Matching. *Janjan, B.*, +, *JLT Nov. 15, 2020 6272-6279*
- Modeling and Analysis of a Pulsed Yb-Tm Fiber Laser System. *Tao, M.*, +, *JLT Dec. 1, 2020 6635-6643*
- Modeling and Characterization of Cladding-Pumped Erbium-Ytterbium Co-Doped Fibers for Amplification in Communication Systems. *Matte-Breton, C.*, +, *JLT April 1, 2020 1936-1944*
- Modulation of a High Power Semiconductor Optical Amplifier for Free Space Communications. *Pham, C.*, +, *JLT April 1, 2020 1836-1843*
- Multi-Shuttle Behavior Between Dissipative Solitons and Noise-Like Pulses in an All-Fiber Laser. *Cheng, X.*, +, *JLT April 15, 2020 2471-2476*
- Multiwavelength Brillouin Generation in Bismuth-Doped Fiber Laser With Single- and Double-Frequency Spacing. *Ahmad, H.*, +, *JLT Dec. 15, 2020 6886-6896*
- Novel Near-infrared Pump Wavelengths for Dysprosium Fiber Lasers. *Amin, M.Z.*, +, *JLT Oct. 15, 2020 5801-5808*
- Phase Preserving Amplitude Saturation Through Tone Synthesis Assisted Saturated Four-Wave Mixing. *Bottrill, K.R.H.*, +, *JLT April 1, 2020 1817-1826*
- S² Measurements Showing Suppression of Higher Order Modes in Confined Rare Earth Doped Large Core Fibers. *Gausmann, S.*, +, *JLT April 1, 2020 1953-1958*
- Selective Excitation and Amplification of Peak-Power-Scalable Out-of-Phase Supermode in Yb-Doped Multicore Fiber. *Andrianov, A.V.*, +, *JLT April 15, 2020 2464-2470*
- Stabilization of Optical Pulse Transmission by Exploiting Fiber Nonlinearities. *Bandelow, U.*, +, *JLT Oct. 15, 2020 5743-5747*
- Tandem-Pumped High-Power Narrow-Linewidth Fiber Laser Tunable From 1060–1090 nm. *Tian, J.*, +, *JLT March 15, 2020 1461-1467*
- Three-Octave Supercontinuum Generation Using SiO₂ Cladded Si₃N₄ Slot Waveguide With All-Normal Dispersion. *Fang, Y.*, +, *JLT July 1, 2020 3431-3438*
- Truly Distributed and Ultra-Fast Microwave Photonic Fiber-Optic Sensor. *Zhou, D.*, +, *JLT Aug. 1, 2020 4150-4159*
- Tunable and Switchable Multi-Wavelength Erbium-Brillouin Random Fiber Laser Incorporating a Highly Nonlinear Fiber. *Wang, F.*, +, *JLT Aug. 1, 2020 4093-4099*
- Ultrafast Laser Inscription and \square 2 μm Laser Operation of Y-Branch Splitters in Monoclinic Crystals. *Kifle, E.*, +, *JLT Aug. 15, 2020 4374-4384*
- Unrepeated Transmission Over 670.64 km of 50G BPSK, 653.35 km of 100G PS-QPSK, 601.93 km of 200G 8QAM, and 502.13 km of 400G 64QAM. *Xu, J.*, +, *JLT Jan. 15, 2020 522-530*
- Optical radar**
- Time-Stretched Femtosecond Lidar Using Microwave Photonic Signal Processing. *Zhao, L.*, +, *JLT Nov. 15, 2020 6265-6271*
- Optical receivers**
- 100+ Gbps/ λ 50 km C-Band Downstream PON Using CD Digital Pre-Compensation and Direct-Detection ONU Receiver. *Torres-Ferrera, P.*, +, *JLT Dec. 15, 2020 6807-6816*
- 100-Gbit/s/ λ EML Transmitter and PIN-PD+TIA Receiver-Based Inter-Data Center Link. *Lin, Y.*, +, *JLT April 15, 2020 2144-2151*
- 200 G Outdoor Free-Space-Optics Link Using a Single-Photodiode Receiver. *Lorences-Riesgo, A.*, +, *JLT Jan. 15, 2020 394-400*
- 36 Gb/s Narrowband Photoreceiver for mmWave Analog Radio-Over-Fiber. *Bogaert, L.*, +, *JLT June 15, 2020 3289-3295*
- 64 Gbps PAM4 Si-Ge Waveguide Avalanche Photodiodes With Excellent Temperature Stability. *Yuan, Y.*, +, *JLT Sept. 1, 2020 4857-4866*
- 800G DSP ASIC Design Using Probabilistic Shaping and Digital Sub-Carrier Multiplexing. *Sun, H.*, +, *JLT Sept. 1, 2020 4744-4756*
- A Dynamically-Reconfigurable Burst-Mode Link Using a Nanosecond Photonic Switch. *Forencich, A.*, +, *JLT March 15, 2020 1330-1340*
- A Novel Cooperative HARQ Protocol for Free-Space Optical Broadcasting Systems. *Hosseini, S.S.*, +, *JLT April 1, 2020 1789-1799*
- A Phase-Retrieving Coherent Receiver Based on Two-Dimensional Photodetector Array. *Yoshida, Y.*, +, *JLT Jan. 1, 2020 90-100*
- Accurate Field Reconstruction at Low CFSR Condition Based on a Modified KK Receiver With Direct Detection. *An, S.*, +, *JLT Jan. 15, 2020 485-491*
- Adaptive Channel-Matched Detection for C-Band 64-Gbit/s Optical OOK System Over 100-km Dispersion-Uncompensated Link. *Wang, H.*, +, *JLT Sept. 15, 2020 5048-5055*
- All-Analog Adaptive Equalizer for Coherent Data Center Interconnects. *Nambath, N.*, +, *JLT Nov. 1, 2020 5867-5874*
- Amplifier-less transmission of beyond 100-Gbit/s/ λ signal for 40-km DCI-Edge with 10G-class O-band DML. *Zou, D.*, +, *JLT Oct. 15, 2020 5649-5655*
- Analysis of the Single-FFT Receiver for Layered ACO-OFDM in Visible Light Communications. *Liu, X.*, +, *JLT Sept. 1, 2020 4757-4764*
- Beyond 400 Gb/s Direct Detection Over 80 km for Data Center Interconnect Applications. *Le, S.T.*, +, *JLT Jan. 15, 2020 538-545*
- Brillouin Amplifier Noise Characterization by a Coherent Receiver and Digital Signal Processing. *Pelusi, M.*, +, *JLT Aug. 15, 2020 4221-4236*
- Coded Modulation for 100G Coherent EPON. *Gerard, T.*, +, *JLT Feb. 1, 2020 564-572*
- Coherent Dual-Band Radar-Over-Fiber Network With VCSEL-Based Signal Distribution. *Malacarne, A.*, +, *JLT Nov. 15, 2020 6257-6264*
- Compensation of Fiber Nonlinearities in Digital Coherent Systems Leveraging Long Short-Term Memory Neural Networks. *Deligiannidis, S.*, +, *JLT Nov. 1, 2020 5991-5999*
- Comprehensive Design and Prototype of VLC Receivers With Large Detection Areas. *Nabavi, P.*, +, *JLT Aug. 15, 2020 4187-4204*
- Delay-Tolerant Indoor Optical Wireless Communication Systems Based on Attention-Augmented Recurrent Neural Network. *He, J.*, +, *JLT Sept. 1, 2020 4632-4640*
- Design and Demonstration of Robust Visible Light Positioning Based on Received Signal Strength. *Huang, N.*, +, *JLT Oct. 15, 2020 5695-5707*
- Detection-Localization-Identification of Vibrations Over Long Distance SSMF With Coherent $\Delta\phi$ -OTDR. *Awwad, E.*, +, *JLT June 15, 2020 3089-3095*
- DFT-Spread DMT-WDM-PON Employing LDPC-Coded Probabilistic Shaping 16 QAM. *Xiao, Q.*, +, *JLT Feb. 15, 2020 714-722*
- Dispersion and Nonlinearity Identification for Single-Mode Fibers Using the Nonlinear Fourier Transform. *de Koster, P.*, +, *JLT June 15, 2020 3252-3260*
- DSP Enabled Optical Detection Techniques for PON. *Teixeira, A.*, +, *JLT Feb. 1, 2020 684-695*
- DSP-Free Real-Time 25 GBPS Quasicoherent Receiver With Electrical SSB Filtering for C-Band Links up to 40 km SSMF. *Atabas, J.A.*, +, *JLT April 1, 2020 1785-1788*
- Dual-Stage Soft Failure Detection and Identification for Low-Margin Elastic Optical Network by Exploiting Digital Spectrum Information. *Shu, L.*, +, *JLT May 1, 2020 2669-2679*
- Energy Efficient 850 nm VCSEL Based Optical Transmitter and Receiver Link Capable of 80 Gbit/s NRZ Multi-Mode Fiber Data Transmission. *Chorchos, L.*, +, *JLT April 1, 2020 1747-1752*
- Enhanced Carrier to Noise Ratio by Brillouin Amplification for Optical Communications. *Pelusi, M.*, +, *JLT Jan. 15, 2020 319-331*
- Enhanced Kramers-Kronig Single-Sideband Receivers. *Lowery, A.J.*, +, *JLT June 15, 2020 3229-3237*
- Experimental Demonstration of 600 Gb/s Net Rate PAM4 Transmissions Over 2 km and 10 km With a 4- λ CWDM TOSA. *Xing, Z.*, +, *JLT June 1, 2020 2968-2975*

- Experimental Demonstration of a Photonic Frame Based Packet-Switched Optical Network for Data Centers. *Ra, Y.*, +, *JLT March 15, 2020 1113-1124*
- Experimental Demonstration of Nonlinear Frequency Division Multiplexing Transmission With Neural Network Receiver. *Gaiarin, S.*, +, *JLT Dec. 1, 2020 6465-6473*
- Fiber-Longitudinal Anomaly Position Identification Over Multi-Span Transmission Link Out of Receiver-end Signals. *Tanimura, T.*, +, *JLT May 1, 2020 2726-2733*
- High Power and High Speed SOA Assisted Extended Reach EADFB Laser (AXEL) for 53-Gbaud PAM4 Fiber-Amplifier-Less 60-km Optical Link. *Shindo, T.*, +, *JLT June 1, 2020 2984-2991*
- High-Capacity Coherent DCIs Using Pol-Muxed Carrier and LO-Less Receiver. *Kamran, R.*, +, *JLT July 1, 2020 3461-3468*
- Joint Superchannel Digital Signal Processing for Effective Inter-Channel Interference Cancellation. *Mazur, M.*, +, *JLT Oct. 15, 2020 5676-5684*
- LDPC-Coded Probabilistic Shaping PAM4 Based on Many-to-One Mapping in WDM-PON. *He, H.*, +, *JLT Aug. 1, 2020 3918-3925*
- Low Complexity OSNR Monitoring and Modulation Format Identification Based on Binarized Neural Networks. *Zhao, Y.*, +, *JLT March 15, 2020 1314-1322*
- Low-Complexity Second-Order Volterra Equalizer for DML-Based IM/DD Transmission System. *Yu, Y.*, +, *JLT April 1, 2020 1735-1746*
- Low-Power (1.5 pJ/b) Silicon Integrated 106 Gb/s PAM-4 Optical Transmitter. *Lambrecht, J.*, +, *JLT Jan. 15, 2020 432-438*
- Machine Learning Assisted Modulation-Format Transparent and Nonlinearity Tolerant Carrier Recovery Scheme for Intelligent Receiver. *Xiang, Q.*, +, *JLT Nov. 1, 2020 6007-6014*
- Minimum Phase Conditions in Kramers-Kronig Optical Receivers. *Wang, T.*, +, *JLT Nov. 15, 2020 6214-6220*
- Mitigation of Pattern-Dependent Effect in SOA at O-Band by Using DSP. *Wang, K.*, +, *JLT Feb. 1, 2020 590-597*
- Multi-Rate Low-Noise Optical Receiver Front-End. *Li, D.*, +, *JLT Sept. 15, 2020 4978-4986*
- Multichannel 16-QAM Single-Sideband Transmission and Kramers-Kronig Detection Using a Single QD-MLL as the Light Source. *AL-QADI, M.*, +, *JLT Nov. 15, 2020 6163-6169*
- Nonlinearity-Aware Adaptive Bit and Power Loading DMT Transmission Over Low-Crosstalk Ring-Core Fiber With Mode Group Multiplexing. *Zhang, J.*, +, *JLT Nov. 1, 2020 5875-5882*
- On Performance Limits for Spectrally Efficient Optical Transmission Techniques in Short-Haul Metro/Access Links. *Foggi, T.*, *JLT Feb. 1, 2020 661-667*
- Optics-Simplified DSP for 50 Gb/s PON Downstream Transmission using 10 Gb/s Optical Devices. *Xue, L.*, +, *JLT Feb. 1, 2020 583-589*
- Optimal Photon Counting Receiver for Sub-Dead-Time Signal Transmission. *Huang, S.*, +, *JLT Sept. 15, 2020 5225-5235*
- Performance Bounds on Passive Indoor Positioning Using Visible Light. *Majeed, K.*, +, *JLT April 15, 2020 2190-2200*
- Photonic-Assisted RF Self-Interference Cancellation With Improved Spectrum Efficiency and Fiber Transmission Capability. *Chen, Y.*, +, *JLT Feb. 15, 2020 761-768*
- Quantum Noise-Assisted Coherent Radio-Over-Fiber Cipher System for Secure Optical Fronthaul and Microwave Wireless Links. *Tanizawa, K.*, +, *JLT Aug. 15, 2020 4244-4249*
- Quantum Theory of Noise in Stokes Vector Receivers and Application to Bit Error Rate Analysis. *Kikuchi, K.*, *JLT June 15, 2020 3164-3172*
- Real-Time Implementation of Coherent Receiver DSP Adopting Stream Split Assignment on GPU for Flexible Optical Access Systems. *Suzuki, T.*, +, *JLT Feb. 1, 2020 668-675*
- Revisiting Efficient Multi-Step Nonlinearity Compensation With Machine Learning: An Experimental Demonstration. *Oliari, V.*, +, *JLT June 15, 2020 3114-3124*
- Sensitivity Analysis of Photonic Integrated Direct-Detection Stokes-Vector Receiver. *Tanemura, T.*, +, *JLT Jan. 15, 2020 447-456*
- Sensitivity Calculations of High-Speed Optical Receivers Based on Electron-APDs. *Shulyak, V.*, +, *JLT Feb. 15, 2020 989-995*
- Soft Failure Identification for Long-haul Optical Communication Systems Based on One-dimensional Convolutional Neural Network. *Lun, H.*, +, *JLT June 1, 2020 2992-2999*
- Space-Ground Coherent Optical Links: Ground Receiver Performance With Adaptive Optics and Digital Phase-Locked Loop. *Paillier, L.*, +, *JLT Oct. 15, 2020 5716-5727*
- SSBI-Free Direct-Detection System Employing Phase Modulation for Analog Optical Links. *Ishimura, S.*, +, *JLT May 1, 2020 2719-2725*
- The Impact of Local Oscillator Frequency Jitter and Laser Linewidth to Ultra High Baud Rate Coherent Systems. *Zhang, R.*, +, *JLT March 15, 2020 1138-1147*
- The Movement-Rotation (MR) Correlation Function and Coherence Distance of VLC Channels. *Chen, J.*, +, *JLT Dec. 15, 2020 6759-6770*
- Three-Dimensional Probabilistically Shaped CAP Modulation Based on Constellation Design Using Regular Tetrahedron Cells. *Ren, J.*, +, *JLT April 1, 2020 1728-1734*
- Toward Single Lane 200G Optical Interconnects With Silicon Photonic Modulator. *Zhu, Y.*, +, *JLT Jan. 1, 2020 67-74*
- Transponder Implementation Penalty-Accounted Gaussian-Noise-Based Performance Modeling of Fiber-Optic Transmission Systems. *Kaliteevskiy, N.A.*, +, *JLT April 15, 2020 2253-2261*
- Underwater Acoustic Signal Detection and Down-Conversion Using Optomechanical Resonance and Oscillation. *Huang, K.*, +, *JLT July 15, 2020 3789-3797*
- VCSEL Array-Based Gigabit Free-Space Optical Femtocell Communication. *Liverman, S.*, +, *JLT April 1, 2020 1659-1667*
- VLSI Implementations of Carrier Phase Recovery Algorithms for M-QAM Fiber-Optic Systems. *Borjeson, E.*, +, *JLT July 15, 2020 3616-3623*
- Wavelength-Division Demultiplexing Enhanced by Silicon-Photonic Tunable Filters in Ultra-Wideband Optical-Path Networks. *Mori, Y.*, +, *JLT March 1, 2020 1002-1009*
- Wide-Coverage Beam-Steered 40-Gbit/s Non-Line-of-Sight Optical Wireless Connectivity for Industry 4.0. *Zhang, X.*, +, *JLT Dec. 15, 2020 6801-6806*
- Optical repeaters**
- A Study on the Effect of Ultra-Wide Band WDM on Optical Transmission Systems. *Okamoto, S.*, +, *JLT March 1, 2020 1061-1070*
- Assessing Capacity and Cost/Capacity of 4-Core Multicore Fibers Against Single Core Fibers in Submarine Cable Systems. *Downie, J.D.*, +, *JLT June 1, 2020 3015-3022*
- Optical resonators**
- A Laser Written 4D Optical Microcavity for Advanced Biochemical Sensing in Aqueous Environment. *Saetchnikov, A.V.*, +, *JLT April 15, 2020 2530-2538*
- All-Optical Spiking Neuron Based on Passive Microresonator. *Xiang, J.*, +, *JLT Aug. 1, 2020 4019-4029*
- Broadband Microwave Frequency Conversion Based on an Integrated Optical Micro-Comb Source. *Xu, X.*, +, *JLT Jan. 15, 2020 332-338*
- Broadband Photonic RF Channelizer With 92 Channels Based on a Soliton Crystal Microcomb. *Xu, X.*, +, *JLT Sept. 15, 2020 5116-5121*
- Chip-Scale Silicon Ring Resonators for Cryogenic Temperature Sensing. *You, M.*, +, *JLT Oct. 15, 2020 5768-5773*
- Color Variation of the Up-Conversion Luminescence in Er³⁺-Yb³⁺ Co-Doped Lead Germanate Glasses and Microsphere Integrated Devices. *Zhang, M.*, +, *JLT Aug. 15, 2020 4397-4401*
- Controlling Resonance Lineshapes of a Side-Coupled Waveguide-Microring Resonator. *Fang, L.*, +, *JLT Aug. 15, 2020 4429-4434*
- Demonstration of Tunable Optical Aggregation of QPSK to 16-QAM Over Optically Generated Nyquist Pulse Trains Using Nonlinear Wave Mixing and a Kerr Frequency Comb. *Fallahpour, A.*, +, *JLT Jan. 15, 2020 359-365*
- Design of a Miniaturized Broadband Silicon Hybrid Plasmonic Temporal Integrator for Ultrafast Optical Signal Processing. *Karimi, A.*, +, *JLT April 15, 2020 2346-2352*
- Design of Efficient Resonator-Enhanced Electro-Optic Frequency Comb Generators. *Buscaino, B.*, +, *JLT March 15, 2020 1400-1413*

- Efficient Dual-Polarized Electro-Optically Tunable Microresonators by Utilization of Ultra-Thin Transparent Electrode. *Wang, T.*, +, *JLT Dec. 15, 2020 6863-6869*
- Fast Wavelength Seeking in a Silicon Dual-Ring Switch Based on Artificial Neural Networks. *Qin, G.*, +, *JLT Sept. 15, 2020 5078-5085*
- High-Linearity Fano Resonance Modulator Using a Microring-Assisted Mach-Zehnder Structure. *Chen, S.*, +, *JLT July 1, 2020 3395-3403*
- High-Resolution Optical Microresonator-Based Sensor Enabled by Microwave Photonic Sidebands Processing. *Tian, X.*, +, *JLT Oct. 1, 2020 5440-5449*
- Hybrid Frequency-Tunable Parity-Time Symmetric Optoelectronic Oscillator. *Fan, Z.*, +, *JLT April 15, 2020 2127-2133*
- Intra-Datacenter Interconnects With a Serialized Silicon Optical Frequency Comb Modulator. *Kong, D.*, +, *JLT Sept. 1, 2020 4677-4682*
- Ion Implantation of Germanium Into Silicon for Critical Coupling Control of Racetrack Resonators. *Milosevic, M.M.*, +, *JLT April 1, 2020 1865-1873*
- Logic Gates Based on Interaction of Counterpropagating Light in Microresonators. *Moroney, N.*, +, *JLT March 15, 2020 1414-1419*
- Microwave Filtering Using Forward Brillouin Scattering in Photonic-Phononic Emit-Receive Devices. *Gertler, S.*, +, *JLT Oct. 1, 2020 5248-5261*
- Multi-Beamforming Provided by Dual-Wavelength True Time Delay PIC and Multicore Fiber. *Morant, M.*, +, *JLT Oct. 1, 2020 5311-5317*
- Noise-Induced Limits of Detection in Frequency Locked Optical Microcavities. *Hao, S.*, +, *JLT Nov. 15, 2020 6393-6401*
- On-Chip Optical Microresonators With High Electro-Optic Tuning Efficiency. *Wang, T.*, +, *JLT April 1, 2020 1851-1857*
- Packaged Microbubble Resonator for Versatile Optical Sensing. *Yang, D.*, +, *JLT Aug. 15, 2020 4555-4559*
- Performance Requirements for Terabit-Class Silicon Photonic Links Based on Cascaded Microring Resonators. *London, Y.*, +, *JLT July 1, 2020 3469-3477*
- Predicting Kerr Soliton Combs in Microresonators via Deep Neural Networks. *Tan, T.*, +, *JLT Dec. 1, 2020 6591-6599*
- Silicon-Based Flexible-Grid Mode- and Wavelength-Selective Switch Utilizing Microring Resonators and Y-Junctions. *Chen, W.*, +, *JLT Aug. 1, 2020 4000-4008*
- Terahertz Bragg Resonator Based on a Mechanical Assembly of Metal Grating and Metal Waveguide. *You, B.*, +, *JLT July 15, 2020 3701-3709*
- Theory of Coupled Harmonics and Its Application to Resonant and Non-Resonant Electro-Optic Modulators. *Bahadori, M.*, +, *JLT Oct. 15, 2020 5756-5767*
- Thermal Tuning of Plasmofluidic Disk Resonators Filled With a Liquid Crystal: Its Narrow-Trench Filling and Arrangement. *Vuong, Q.V.*, +, *JLT Aug. 15, 2020 4419-4428*
- Three-Octave Supercontinuum Generation Using SiO₂ Cladded Si₃N₄ Slot Waveguide With All-Normal Dispersion. *Fang, Y.*, +, *JLT July 1, 2020 3431-3438*
- Transmission Characteristics and Fano-Like Lineshape in Coupled-Slotted Microresonators. *Ding, M.*, +, *JLT July 15, 2020 3687-3693*
- Ultrasound Measurement Using On-Chip Optical Micro-Resonators and Digital Optical Frequency Comb. *Song, J.*, +, *JLT Oct. 1, 2020 5293-5301*
- Universal Method for Constructing the On-Chip Optical Router With Wavelength Routing Technology. *Huang, L.*, +, *JLT Aug. 1, 2020 3815-3821*
- Optical retarders**
- Active Terahertz Anisotropy and Dispersion Engineering Based on Dual-Frequency Liquid Crystal and Dielectric Metasurface. *Ji, Y.*, +, *JLT Aug. 1, 2020 4030-4036*
- Optical rotation**
- Excess Relative-Intensity-Noise Reduction in a Fiber Optic Gyroscope Using a Faraday Rotator Mirror. *Zheng, Y.*, +, *JLT Dec. 15, 2020 6939-6947*
- Multi-Shuttle Behavior Between Dissipative Solitons and Noise-Like Pulses in an All-Fiber Laser. *Cheng, X.*, +, *JLT April 15, 2020 2471-2476*
- Optical saturable absorption**
- All-Fiber Saturable Absorber Using Nonlinear Multimode Interference in a Chalcogenide Fiber. *Zhang, K.*, +, *JLT Nov. 15, 2020 6321-6326*
- All-Optical Switching and Multiple Logic Gates Based on Hybrid Square-Rectangular Laser. *Liu, J.*, +, *JLT March 15, 2020 1382-1390*
- Femtosecond-Laser-Written S-Curved Waveguide in Nd:YAP Crystal: Fabrication and Multi-Gigahertz Lasing. *Li, L.*, +, *JLT Dec. 15, 2020 6845-6852*
- GIMF-Based SA for Generation of High Pulse Energy Ultrafast Solitons in a Mode-Locked Linear-Cavity Fiber Laser. *Chen, J.*, +, *JLT March 15, 2020 1480-1485*
- Modeling and Analysis of a Pulsed Yb-Tm Fiber Laser System. *Tao, M.*, +, *JLT Dec. 1, 2020 6635-6643*
- Nonlinear Absorbing-Loop Mirror in a Holmium-Doped Fiber Laser. *Zhao, J.*, +, *JLT Nov. 1, 2020 6069-6075*
- Numerical Investigation of the Impact of the Saturable Absorber Recovery Time on the Mode-Locking Performance of Fiber Lasers. *Lee, J.*, +, *JLT Aug. 1, 2020 4124-4132*
- Ti₂CT_x (T=O, OH or F) Nanosheets as New Broadband Saturable Absorber for Ultrafast Photonics. *Shi, Y.*, +, *JLT April 1, 2020 1975-1980*
- Ultrafast Pulse Generation for Er- and Tm-Doped Fiber Lasers With Sb Thin Film Saturable Absorber. *Wang, J.*, +, *JLT July 15, 2020 3710-3716*
- Using Reverse Saturable Absorption to Boost Broadband Noise-Like Pulses. *Li, X.*, +, *JLT July 15, 2020 3769-3774*
- Optical saturation**
- Investigation of Thermal Loads for Transverse Mode Instability in Ytterbium-Doped Large Mode Area Fibers. *Xia, N.*, +, *JLT Aug. 15, 2020 4478-4489*
- Modeling of Active Fiber Loop Ring-Down Spectroscopy Considering Gain Saturation Behavior of EDFA. *Chu, T.*, +, *JLT Feb. 15, 2020 966-973*
- Nonlinear Propagation in Optical Fibers With Gain Saturation and Gain Dispersion. *Dong, L.*, *JLT Dec. 15, 2020 6897-6904*
- Polarization-Color Domain Walls in Fiber Ring Lasers. *Nady, A.*, +, *JLT Dec. 15, 2020 6905-6910*
- Optical scanners**
- High-Speed and Cost-Effective Reflective Terahertz Imaging System Using a Novel 2D Beam Scanner. *Lee, E.S.*, +, *JLT Aug. 15, 2020 4237-4243*
- Optical sensors**
- 2000 Serial FBG Sensors Interrogated With a Hybrid CDM-WDM Scheme. *Gotten, M.*, +, *JLT April 15, 2020 2493-2503*
- A Laser Written 4D Optical Microcavity for Advanced Biochemical Sensing in Aqueous Environment. *Saetchnikov, A.V.*, +, *JLT April 15, 2020 2530-2538*
- Color Variation of the Up-Conversion Luminescence in Er³⁺-Yb³⁺ Co-Doped Lead Germanate Glasses and Microsphere Integrated Devices. *Zhang, M.*, +, *JLT Aug. 15, 2020 4397-4401*
- DC-Biased Optofluidic Biolaser for Uric Acid Detection. *Wang, Y.*, +, *JLT March 15, 2020 1557-1563*
- Experimental Demonstration of DNA Hybridization Using Graphene Based Plasmonic Sensor Chip. *Maurya, J.B.*, +, *JLT Sept. 15, 2020 5191-5198*
- High-Resolution Optical Microresonator-Based Sensor Enabled by Microwave Photonic Sidebands Processing. *Tian, X.*, +, *JLT Oct. 1, 2020 5440-5449*
- High-Resolution Temperature Sensor Based on Intracavity Sensing of Fiber Ring Laser. *Shi, J.*, +, *JLT April 1, 2020 2010-2014*
- Noise-Induced Limits of Detection in Frequency Locked Optical Microcavities. *Hao, S.*, +, *JLT Nov. 15, 2020 6393-6401*
- Non-Equidistant Arrangement in All-Dielectric Quadruplers and Mirror-Symmetric One-Dimensional Photonic Crystals Hybridstructure for Self-Referenced Sensing Scheme. *Sun, P.*, +, *JLT Dec. 1, 2020 6671-6677*
- Ultrasensitive Multiple Guided-Mode Biosensor With Few-Layer Black Phosphorus. *Dai, X.*, +, *JLT March 15, 2020 1564-1571*
- Ultrasound Measurement Using On-Chip Optical Micro-Resonators and Digital Optical Frequency Comb. *Song, J.*, +, *JLT Oct. 1, 2020 5293-5301*
- Optical signal detection**
- A Clock-Gating-Based Energy-Efficient Scheme for ONUs in Real-Time IMDD OFDM-PONs. *Zhang, J.*, +, *JLT July 15, 2020 3573-3583*
- Accurate Field Reconstruction at Low CSPR Condition Based on a Modified KK Receiver With Direct Detection. *An, S.*, +, *JLT Jan. 15, 2020 485-491*
- Analog Coherent TDMA Receiver With Fast Locking to Free-Running Optical Emitters. *Schrenk, B.*, +, *JLT Jan. 15, 2020 379-385*

- Comparison of Geometrically Shaped 32-QAM and Probabilistically Shaped 32-QAM in a Bandwidth-Limited IM-DD System. *Ding, J.*, +, *JLT Aug. 15, 2020 4352-4358*
- Enhanced Carrier to Noise Ratio by Brillouin Amplification for Optical Communications. *Pelusi, M.*, +, *JLT Jan. 15, 2020 319-331*
- Enhanced Kramers-Kronig Single-Sideband Receivers. *Lowery, A.J.*, +, *JLT June 15, 2020 3229-3237*
- On Performance Limits for Spectrally Efficient Optical Transmission Techniques in Short-Haul Metro/Access Links. *Foggi, T.*, *JLT Feb. 1, 2020 661-667*
- Optical Signal Phase Retrieval With Low Complexity DC-Value Method. *Patel, R.K.*, +, *JLT Aug. 15, 2020 4205-4212*
- Power-Efficient Single-Sideband Transmission With Clipped Iterative SSBI Cancellation. *Le, S.T.*, +, *JLT Aug. 15, 2020 4359-4367*
- VCSEL Array-Based Gigabit Free-Space Optical Femtocell Communication. *Liverman, S.*, +, *JLT April 1, 2020 1659-1667*
- Optical signal processing**
- Experimental Investigation of Wavelength Conversion Using Highly-Nonlinear Fiber and Two-Stage-Comb-Generated Pump With High Frequency Precision. *Yamazaki, M.*, +, *JLT April 15, 2020 2219-2225*
- Optical solitons**
- Broadband Microwave Frequency Conversion Based on an Integrated Optical Micro-Comb Source. *Xu, X.*, +, *JLT Jan. 15, 2020 332-338*
- Data Transmission Based on Exact Inverse Periodic Nonlinear Fourier Transform, Part II: Waveform Design and Experiment. *Goossens, J.*, +, *JLT Dec. 1, 2020 6520-6528*
- GIMF-Based SA for Generation of High Pulse Energy Ultrafast Solitons in a Mode-Locked Linear-Cavity Fiber Laser. *Chen, J.*, +, *JLT March 15, 2020 1480-1485*
- Improving Soliton Transmission Systems Through Soliton Interactions. *Zhou, G.*, +, *JLT July 15, 2020 3563-3572*
- Manipulating Soliton Polarization in Soliton Self-Frequency Shift and Its Application to 3-Photon Microscopy in Vivo. *Tong, S.*, +, *JLT April 15, 2020 2450-2455*
- Microfiber-Knot-Resonator-Induced Partial Elimination of Longitudinal Modes in Fiber Lasers for In-Tune-Switchable Nanosecond Pulse Generation. *Zhou, J.*, +, *JLT Feb. 15, 2020 875-880*
- Multi-Shuttle Behavior Between Dissipative Solitons and Noise-Like Pulses in an All-Fiber Laser. *Cheng, X.*, +, *JLT April 15, 2020 2471-2476*
- Nonlinear Absorbing-Loop Mirror in a Holmium-Doped Fiber Laser. *Zhao, J.*, +, *JLT Nov. 1, 2020 6069-6075*
- Nonlinear Spectrum of Conventional OFDM and WDM Return-to-Zero Signals in Nonlinear Channel. *Turitsyn, S.*, +, *JLT Jan. 15, 2020 352-358*
- Numerical Investigation of the Impact of the Saturable Absorber Recovery Time on the Mode-Locking Performance of Fiber Lasers. *Lee, J.*, +, *JLT Aug. 1, 2020 4124-4132*
- Photonic RF Arbitrary Waveform Generator Based on a Soliton Crystal Micro-Comb Source. *Tan, M.*, +, *JLT Nov. 15, 2020 6221-6226*
- Predicting Kerr Soliton Combs in Microresonators via Deep Neural Networks. *Tan, T.*, +, *JLT Dec. 1, 2020 6591-6599*
- Stabilization of Optical Pulse Transmission by Exploiting Fiber Nonlinearities. *Bandelow, U.*, +, *JLT Oct. 15, 2020 5743-5747*
- Successive Eigenvalue Removal for Multi-Soliton Spectral Amplitude Estimation. *Span, A.*, +, *JLT Sept. 1, 2020 4708-4714*
- Optical storage**
- Photonic Switched Optically Connected Memory: An Approach to Address Memory Challenges in Deep Learning. *Zhu, Z.*, +, *JLT May 15, 2020 2815-2825*
- Optical switches**
- A 4×4 Electrooptic Silicon Photonic Switch Fabric With Net Neutral Insertion Loss. *Dupuis, N.*, +, *JLT Jan. 15, 2020 178-184*
- A Silicon Photonic Switching Platform for Flexible Converged Centralized-Radio Access Networking. *Browning, C.*, +, *JLT Oct. 1, 2020 5386-5392*
- A Wavelength-Selective Multiwavelength Ring-Assisted Mach-Zehnder Interferometer Switch. *Hirokawa, T.*, +, *JLT Nov. 15, 2020 6292-6298*
- All-Optical Switching and Multiple Logic Gates Based on Hybrid Square-Rectangular Laser. *Liu, J.*, +, *JLT March 15, 2020 1382-1390*
- Clock and Data Recovery-Free Data Communications Enabled by Multi-Core Fiber With Low Thermal Sensitivity of Skew. *Sohanpal, R.S.*, +, *JLT April 1, 2020 1636-1643*
- Demonstration of a Novel Framework for Proactive Maintenance Using Failure Prediction and Bit Lossless Protection With Autonomous Network Diagnosis System. *Inuzuka, F.*, +, *JLT May 1, 2020 2695-2702*
- Demonstration of SDN-Enabled Hybrid Polling Algorithm for Packet Contention Resolution in Optical Data Center Network. *Wang, F.*, +, *JLT June 15, 2020 3296-3304*
- Design and Assessment of FM-MCFs-Suited SDM-ROADMs With Versatile Spatial Group Configurations and Unified QoT Estimator. *Rumpamba-Zambrano, R.*, +, *JLT Nov. 15, 2020 6137-6152*
- Dynamic In-Line Routing Between Distant Cores of a Multi-Core Fiber. *Youn, J.H.*, +, *JLT Nov. 1, 2020 6076-6081*
- Enabling Technologies for Optical Data Center Networks: Spatial Division Multiplexing. *Zhang, L.*, +, *JLT Jan. 1, 2020 18-30*
- End-to-End Quantum Secured Inter-Domain 5G Service Orchestration Over Dynamically Switched Flex-Grid Optical Networks Enabled by a q-ROADM. *Wang, R.*, +, *JLT Jan. 1, 2020 139-149*
- Enhanced Optical Communications Through Joint Time-Frequency Multiplexing Strategies. *Cincotti, G.*, +, *JLT Jan. 15, 2020 346-351*
- Experimental Demonstration of a Petabit per Second SDM Network Node. *Luis, R.S.*, +, *JLT June 1, 2020 2886-2896*
- Experimental Demonstration of a Photonic Frame Based Packet-Switched Optical Network for Data Centers. *Ra, Y.*, +, *JLT March 15, 2020 1113-1124*
- Fast Wavelength Seeking in a Silicon Dual-Ring Switch Based on Artificial Neural Networks. *Qin, G.*, +, *JLT Sept. 15, 2020 5078-5085*
- Feasibility Demonstration of Spatial Channel Networking Using SDM/WDM Hierarchical Approach for Peta-b/s Optical Transport. *Jinno, M.*, +, *JLT May 1, 2020 2577-2586*
- Femtosecond Laser-Inscribed Non-Volatile Integrated Optical Switch in Fused Silica Based on Microfluidics-Controlled Total Internal Reflection. *Radosavljevic, A.*, +, *JLT Aug. 1, 2020 3965-3973*
- High Performance InP-Based Polarization Beam Splitter With Reverse Bias and Injection Current. *Dai, X.*, +, *JLT April 15, 2020 2336-2345*
- High Single-Mode Stability Tunable In-Series Laser Array With High Wavelength-spacing Uniformity. *Sun, Z.*, +, *JLT Nov. 1, 2020 6038-6046*
- Integrated Wavelength-Tuned Optical mm-Wave Beamformer With Doubled Delay Resolution. *Zhang, X.*, +, *JLT April 15, 2020 2353-2359*
- Low Thermal Sensitivity Hollow Core Fiber for Optically-Switched Data Centers. *Clark, K.A.*, +, *JLT May 1, 2020 2703-2709*
- Low-Latency and High-Speed Hollow-Core Fiber Optical Interconnection at 2-Micron Waveband. *Shen, W.*, +, *JLT Aug. 1, 2020 3874-3882*
- Low-Loss, Low-Crosstalk, and Large-Scale Optical Switch Based on Silicon Photonics. *Suzuki, K.*, +, *JLT Jan. 15, 2020 233-239*
- Low-Power Broadband Thermo-Optic Switch With Weak Polarization Dependence Using a Segmented Graphene Heater. *Song, Q.Q.*, +, *JLT March 15, 2020 1358-1364*
- Manipulating Soliton Polarization in Soliton Self-Frequency Shift and Its Application to 3-Photon Microscopy in Vivo. *Tong, S.*, +, *JLT April 15, 2020 2450-2455*
- Multi-Beamforming Provided by Dual-Wavelength True Time Delay PIC and Multicore Fiber. *Morant, M.*, +, *JLT Oct. 1, 2020 5311-5317*
- Multi-FSR Silicon Photonic Flex-LIONS Module for Bandwidth-Reconfigurable All-to-All Optical Interconnects. *Xiao, X.*, +, *JLT June 15, 2020 3200-3208*
- Nonduplicate Polarization-Diversity 32×32 Silicon Photonics Switch Based on a SiN/Si Double-Layer Platform. *Suzuki, K.*, +, *JLT Jan. 15, 2020 226-232*
- On Virtual Network Reconfiguration in Hybrid Optical/Electrical Datacenter Networks. *Zhao, S.*, +, *JLT Dec. 1, 2020 6424-6436*
- Optimal Control of SOAs With Artificial Intelligence for Sub-Nanosecond Optical Switching. *Parsonson, C.W.F.*, +, *JLT Oct. 15, 2020 5563-5573*
- Parallel Modular Scheduler Design for Clos Switches in Optical Data Center Networks. *Andreades, P.*, +, *JLT July 1, 2020 3506-3518*

- PDL in Optical Links: A Model Analysis and a Demonstration of a PDL-Resilient Modulation. *Dumenil, A.*, +, *JLT Sept. 15, 2020 5017-5025*
- Performance Implications of Cascaded Wavelength Selective Switches on a Probabilistically Shaped 64-QAM System. *Li, L.*, +, *JLT March 15, 2020 1184-1193*
- Photonic Switched Optically Connected Memory: An Approach to Address Memory Challenges in Deep Learning. *Zhu, Z.*, +, *JLT May 15, 2020 2815-2825*
- Principle, Design, and Prototyping of Core Selective Switch Using Free-Space Optics for Spatial Channel Network. *Jinno, M.*, +, *JLT Sept. 15, 2020 4895-4905*
- Privacy-Preserving Multilayer In-Band Network Telemetry and Data Analytics: For Safety, Please do Not Report Plaintext Data. *Pan, X.*, +, *JLT Nov. 1, 2020 5855-5866*
- PULSE: Optical Circuit Switched Data Center Architecture Operating at Nanosecond Timescales. *Benjamin, J.L.*, +, *JLT Sept. 15, 2020 4906-4921*
- Robust Integrated Optical Unitary Converter Using Multiport Directional Couplers. *Tanomura, R.*, +, *JLT Jan. 1, 2020 60-66*
- RTOS: A Reconfigurable and Cost-Effective Architecture for High-Performance Optical Data Center Networks. *Xue, X.*, +, *JLT July 1, 2020 3485-3494*
- SDN-Controlled and Orchestrated OPSquare DCN Enabling Automatic Network Slicing With Differentiated QoS Provisioning. *Xue, X.*, +, *JLT March 15, 2020 1103-1112*
- Silicon Photonics Wavelength Selective Switch With Unlimited Free Spectral Range. *Ikeda, K.*, +, *JLT June 15, 2020 3268-3272*
- Silicon-Based Flexible-Grid Mode- and Wavelength-Selective Switch Utilizing Microring Resonators and Y-Junctions. *Chen, W.*, +, *JLT Aug. 1, 2020 4000-4008*
- Switchable All-Optical Flip-Flop and Inverter Operations in Quantum Well Microring Laser. *Aoki, R.*, +, *JLT Aug. 1, 2020 3950-3958*
- Switchable, Widely Tunable and Interval-Adjustable Multi-Wavelength Erbium-Doped Fiber Laser Based on Cascaded Filters. *Zhao, Q.*, +, *JLT April 15, 2020 2428-2433*
- Transient Crosstalk in Holographic Optical Switching Based on Wavefront Encoding. *Yang, H.*, +, *JLT April 1, 2020 1618-1624*
- Transmission Characteristics and Fano-Like Lineshape in Coupled-Slotted Microresonators. *Ding, M.*, +, *JLT July 15, 2020 3687-3693*
- Tunable THz Signal Generation and Radio-Over-Fiber Link Based on an Optoelectronic Oscillator-Driven Optical Frequency Comb. *Hasanuzzaman, G.K.M.*, +, *JLT Oct. 1, 2020 5240-5247*
- Optical testing**
- All-Optical and Polarization-Independent Tunable Guided-Mode Resonance Filter Based on a Dye-Doped Liquid Crystal Incorporated With Photonic Crystal Nanostructure. *Lin, T.*, +, *JLT Feb. 15, 2020 820-826*
- Effects of Post-Etch Microstructures on the Optical Transmittance of Silica Ridge Waveguides. *Wright, J.G.*, +, *JLT Nov. 15, 2020 6280-6285*
- Modeling Temperature-Dependent Avalanche Characteristics of InP. *Petticrew, J.D.*, +, *JLT Feb. 15, 2020 961-965*
- Optical time-domain reflectometry**
- Adaptability and Anti-Noise Capacity Enhancement for ϕ -OTDR With Deep Learning. *Wang, P.*, +, *JLT Dec. 1, 2020 6699-6706*
- Bipolar-Coding Φ -OTDR with Interference Fading Elimination and Frequency Drift Compensation. *Wu, Y.*, +, *JLT Nov. 1, 2020 6121-6128*
- Characterization of Ultra-Narrow Linewidth Lasers for Phase-Sensitive Coherent Reflectometry Using EOM Facilitated Heterodyning. *Nikitin, S.*, +, *JLT March 15, 2020 1446-1453*
- Detection-Localization-Identification of Vibrations Over Long Distance SSMF With Coherent $\Delta\phi$ -OTDR. *Awad, E.*, +, *JLT June 15, 2020 3089-3095*
- Distributed Optical Fiber Low-Frequency Vibration Detecting Using Cross-Correlation Spectrum Analysis. *Wang, D.*, +, *JLT Dec. 1, 2020 6664-6670*
- Evaluating Phase Errors in Phase-Sensitive Optical Time-Domain Reflectometry Based on I/Q Demodulation. *Lu, X.*, +, *JLT Aug. 1, 2020 4133-4141*
- Fading Noise Suppression in Φ -OTDR Based on Nearest Neighbor Analysis. *Tu, G.*, +, *JLT Dec. 1, 2020 6691-6698*
- Fast Acquisition Tunable High-Resolution Photon-Counting OTDR. *Calliari, F.*, +, *JLT Aug. 15, 2020 4572-4579*
- Fast Brillouin Optical Time-Domain Reflectometry Based on the Frequency-Agile Technique. *Wang, B.*, +, *JLT Feb. 15, 2020 946-952*
- Frequency Response Enhancement of Phase-Sensitive OTDR for Interrogating Weak Reflector Array by Using OFDM and Vernier Effect. *Wu, M.*, +, *JLT Sept. 1, 2020 4874-4882*
- High-Resolution Chirped-Pulse -OTDR by Means of Sub-Bands Processing. *Marcon, L.*, +, *JLT Aug. 1, 2020 4142-4149*
- Impact-Based Feature Extraction Utilizing Differential Signals of Phase-Sensitive OTDR. *Adeel, M.*, +, *JLT April 15, 2020 2539-2546*
- Numerical Modeling of Fcy OTDR Sensing Using a Refractive Index Perturbation Approach. *Lu, X.*, +, *JLT Feb. 15, 2020 974-980*
- Single-Shot COTDR Using Sub-Chirped-Pulse Extraction Algorithm for Distributed Strain Sensing. *Xiong, J.*, +, *JLT April 1, 2020 2028-2036*
- Spectral Properties of the Signal in Phase-Sensitive Optical Time-Domain Reflectometry With Direct Detection. *Lu, X.*, +, *JLT March 15, 2020 1513-1521*
- Transient Nanostrain Detection in Phi-OTDR Using Statistics-Based Signal Processing. *Chen, H.*, +, *JLT Sept. 1, 2020 4883-4892*
- Ultra-High Sensitive Quasi-Distributed Acoustic Sensor Based on Coherent OTDR and Cylindrical Transducer. *Li, H.*, +, *JLT Feb. 15, 2020 929-938*
- Optical tomography**
- Compensation of Phase-Uncertainty-Induced Impairments in Dispersion-Tuned Swept Laser OCT using Digital Coherent Detection. *Shirahata, T.*, +, *JLT Dec. 1, 2020 6492-6498*
- Scattering Metal Waveguide Based Speckle-Enhanced Prism Spectrometry. *Cetindag, S.K.*, +, *JLT April 1, 2020 2022-2027*
- Optical transceivers**
- 500-Gb/s/ λ Operation of Ultra-Low Power and Low-Temperature-Dependence InP-Based High-Bandwidth Coherent Driver Modulator. *Ozaki, J.*, +, *JLT Sept. 15, 2020 5086-5091*
- 74.38 Tb/s Transmission Over 6300 km Single Mode Fibre Enabled by C+L Amplification and Geometrically Shaped PDM-64QAM. *Ionescu, M.*, +, *JLT Jan. 15, 2020 531-537*
- A 112 Gb/s PAM4 Silicon Photonics Transmitter With Microring Modulator and CMOS Driver. *Li, H.*, +, *JLT Jan. 1, 2020 131-138*
- A Bidirectional FSO Communication Employing Phase Modulation Scheme and Remotely Injection-Locked DFB LD. *Huang, X.*, +, *JLT Nov. 1, 2020 5883-5892*
- A Low-Voltage Si-Ge Avalanche Photodiode for High-Speed and Energy Efficient Silicon Photonic Links. *Wang, B.*, +, *JLT June 15, 2020 3156-3163*
- A SiGe HBT BiCMOS 1-to-4 ADC Frontend Enabling Low Bandwidth Digitization of 100 GBaud PAM4 Data. *Buchali, F.*, +, *JLT Jan. 1, 2020 150-158*
- Adaptive Coding and Modulation for Robust Optical Access Networks. *Chou, E.S.*, +, *JLT April 15, 2020 2242-2252*
- Analog Coherent TDMA Receiver With Fast Locking to Free-Running Optical Emitters. *Schrenk, B.*, +, *JLT Jan. 15, 2020 379-385*
- Assessing Capacity and Cost/Capacity of 4-Core Multicore Fibers Against Single Core Fibers in Submarine Cable Systems. *Downie, J.D.*, +, *JLT June 1, 2020 3015-3022*
- Clock and Data Recovery-Free Data Communications Enabled by Multi-Core Fiber With Low Thermal Sensitivity of Skew. *Sohanpal, R.S.*, +, *JLT April 1, 2020 1636-1643*
- Coherent Ultra-Dense WDM-PON Enabled by Complexity-Reduced Digital Transceivers. *Tabares, J.A.*, +, *JLT March 15, 2020 1305-1313*
- Considerations on the Use of Digital Signal Processing in Future Optical Access Networks. *Neto, L.A.*, +, *JLT Feb. 1, 2020 598-607*
- Demonstration of C-Band Amplifier-Free 100 Gb/s/ λ Direct-Detection Links Beyond 40-km SMF Using a High-Power SSB Transmitter. *Li, X.*, +, *JLT Nov. 15, 2020 6170-6177*

- Design and Characterisation of Terabit/s Capable Compact Localisation and Beam-Steering Terminals for Fiber-Wireless-Fiber Links. *Singh, R.*, +, *JLT Dec. 15, 2020 6817-6826*
- Face-to-Face EML Transceiver Tandem for Full-Duplex Analogue Radio-Over-Air. *Schrenk, B.*, +, *JLT June 1, 2020 2976-2983*
- Frequency-Stabilized Links for Coherent WDM Fiber Interconnects in the Datacenter. *Blumenthal, D.J.*, +, *JLT July 1, 2020 3376-3386*
- High-Speed Coherent Optical Communication With Isolator-Free Heterogeneous Si/III-V Lasers. *Zhang, Z.*, +, *JLT Dec. 1, 2020 6584-6590*
- Improving Soliton Transmission Systems Through Soliton Interactions. *Zhou, G.*, +, *JLT July 15, 2020 3563-3572*
- Investigation of Modulation Schemes for Flexible Line-Rate High-Speed TDM-PON. *Houtsma, V.E.*, +, *JLT June 15, 2020 3261-3267*
- Mode Locked Laser Phase Noise Reduction Under Optical Feedback for Coherent DWDM Communication. *Verolet, T.*, +, *JLT Oct. 15, 2020 5708-5715*
- Modeling and Optimization of Hybrid FinFET-Silicon Photonic Interconnects. *Pantano, N.*, +, *JLT Aug. 15, 2020 4325-4332*
- Optimization of Band-Limited DSP-Aided 25 and 50 Gb/s PON Using 10G-Class DML and APD. *Torres-Ferrera, P.*, +, *JLT Feb. 1, 2020 608-618*
- Performance Analysis of Phase Noise Cancellation by Asymmetric CMA for Realizing Affordable Coherent PON Transceivers. *Kim, S.*, +, *JLT April 15, 2020 2231-2241*
- Power-Efficient Single-Sideband Transmission With Clipped Iterative SSBI Cancellation. *Le, S.T.*, +, *JLT Aug. 15, 2020 4359-4367*
- PULSE: Optical Circuit Switched Data Center Architecture Operating at Nanosecond Timescales. *Benjamin, J.L.*, +, *JLT Sept. 15, 2020 4906-4921*
- Reduced Cladding Diameter Fibers for High-Density Optical Interconnects. *Bickham, S.R.*, +, *JLT Jan. 15, 2020 297-302*
- RTOS: A Reconfigurable and Cost-Effective Architecture for High-Performance Optical Data Center Networks. *Xue, X.*, +, *JLT July 1, 2020 3485-3494*
- SDN-Enabled S-BVT for Disaggregated Networks: Design, Implementation and Cost Analysis. *Nadal, L.*, +, *JLT June 1, 2020 3037-3043*
- Silicon Photonic 2.5D Multi-Chip Module Transceiver for High-Performance Data Centers. *Abrams, N.C.*, +, *JLT July 1, 2020 3346-3357*
- Single Sideband Transmission Employing a 1-to-4 ADC Frontend and Parallel Digitization. *Le, S.T.*, +, *JLT June 15, 2020 3125-3134*
- Spectral-Shaping Technique Based on Nonlinear-Coded-Modulation for Short-Reach Optical Transmission. *Yamamoto, S.*, +, *JLT Jan. 15, 2020 466-474*
- Toward Single Lane 200G Optical Interconnects With Silicon Photonic Modulator. *Zhu, Y.*, +, *JLT Jan. 1, 2020 67-74*
- Towards a Scalable 5G Fronthaul: Analog Radio-over-Fiber and Space Division Multiplexing. *Rommel, S.*, +, *JLT Oct. 1, 2020 5412-5422*
- Optical transfer function**
- Transient Crosstalk in Holographic Optical Switching Based on Wavefront Encoding. *Yang, H.*, +, *JLT April 1, 2020 1618-1624*
- Optical transmitters**
- 100-Gbit/s/λ EML Transmitter and PIN-PD+TIA Receiver-Based Inter-Data Center Link. *Lin, Y.*, +, *JLT April 15, 2020 2144-2151*
- 107 Gb/s Ultra-High Speed, Surface-Normal Electroabsorption Modulator Devices. *Grillanda, S.*, +, *JLT Feb. 15, 2020 804-810*
- 240 Gbit/s Silicon Photonic Mach-Zehnder Modulator Enabled by Two 2.3-Vpp Drivers. *Jacques, M.*, +, *JLT June 1, 2020 2877-2885*
- 400 Gb/s Silicon Photonic Transmitter and Routing WDM Technologies for Glueless 8-Socket Chip-to-Chip Interconnects. *Pitris, S.*, +, *JLT July 1, 2020 3366-3375*
- A 112 Gb/s PAM4 Silicon Photonics Transmitter With Microring Modulator and CMOS Driver. *Li, H.*, +, *JLT Jan. 1, 2020 131-138*
- A Compact Integrated LAN-WDM EML TOSA Employing Stripline With an Aperture in the FPC. *Ohata, N.*, +, *JLT June 15, 2020 3246-3251*
- A Direct Learning Approach for Neural Network Based Pre-Distortion for Coherent Nonlinear Optical Transmitter. *Paryanti, G.*, +, *JLT Aug. 1, 2020 3883-3896*
- Adjoint Optimization of Efficient CMOS-Compatible Si-SiN Vertical Grating Couplers for DWDM Applications. *Hooten, S.*, +, *JLT July 1, 2020 3422-3430*
- Coherent Dual-Band Radar-Over-Fiber Network With VCSEL-Based Signal Distribution. *Malacarne, A.*, +, *JLT Nov. 15, 2020 6257-6264*
- Design and Demonstration of Robust Visible Light Positioning Based on Received Signal Strength. *Huang, N.*, +, *JLT Oct. 15, 2020 5695-5707*
- Detection-Localization-Identification of Vibrations Over Long Distance SSMF With Coherent $\Delta\phi$ -OTDR. *Awwad, E.*, +, *JLT June 15, 2020 3089-3095*
- Digital Resolution Enhancer Employing Clipping for High-Speed Optical Transmission. *van den Hout, M.*, +, *JLT June 1, 2020 2897-2904*
- Dispersion and Nonlinearity Identification for Single-Mode Fibers Using the Nonlinear Fourier Transform. *de Koster, P.*, +, *JLT June 15, 2020 3252-3260*
- Energy Efficient 850 nm VCSEL Based Optical Transmitter and Receiver Link Capable of 80 Gbit/s NRZ Multi-Mode Fiber Data Transmission. *Chorchos, L.*, +, *JLT April 1, 2020 1747-1752*
- Enhanced Carrier to Noise Ratio by Brillouin Amplification for Optical Communications. *Pelusi, M.*, +, *JLT Jan. 15, 2020 319-331*
- Experimental Demonstration of a Photonic Frame Based Packet-Switched Optical Network for Data Centers. *Ra, Y.*, +, *JLT March 15, 2020 1113-1124*
- Experimental Investigation of Wavelength Conversion Using Highly-Nonlinear Fiber and Two-Stage-Comb-Generated Pump With High Frequency Precision. *Yamazaki, M.*, +, *JLT April 15, 2020 2219-2225*
- Full-Spectrum Periodic Nonlinear Fourier Transform Optical Communication Through Solving the Riemann-Hilbert Problem. *Kamalian-Kopae, M.*, +, *JLT July 15, 2020 3602-3615*
- Fully-Integrated Heterogeneous DML Transmitters for High-Performance Computing. *Liang, D.*, +, *JLT July 1, 2020 3322-3337*
- High Power and High Speed SOA Assisted Extended Reach EADFB Laser (AXEL) for 53-Gbaud PAM4 Fiber-Amplifier-Less 60-km Optical Link. *Shindo, T.*, +, *JLT June 1, 2020 2984-2991*
- Iterative Algorithm for Electronic Dispersion Compensation in IM/DD Systems. *Karar, A.S.*, *JLT Feb. 15, 2020 698-704*
- Low-Power (1.5 pJ/b) Silicon Integrated 106 Gb/s PAM-4 Optical Transmitter. *Lambrecht, J.*, +, *JLT Jan. 15, 2020 432-438*
- Multuser Visible Light Communication Systems Using OFDMA. *Lian, J.*, +, *JLT Nov. 1, 2020 6015-6023*
- Optical Wireless Communications Adopting Delay-Tolerant Repetition-Coding With Orthogonal-Filters and On-Demand Equalization. *Song, T.*, +, *JLT Aug. 15, 2020 4250-4259*
- Optimization of Transmitter-Side Signal Rotations in the Presence of Laser Phase Noise. *Alfredsson, A.F.*, +, *JLT Aug. 1, 2020 3850-3858*
- Performance Enhanced 256-QAM BIPCM-DMT System Enabled by CAZAC Precoding. *Ma, J.*, +, *JLT Feb. 1, 2020 557-563*
- Real-Time 2.2-Gb/s Water-Air OFDM-OWC System With Low-Complexity Transmitter-Side DSP. *Shao, Y.*, +, *JLT Oct. 15, 2020 5668-5675*
- Silicon Nitride (Si₃N₄) (De-)Multiplexers for 1-μm CWDM Optical Interconnects. *Cheung, S.S.*, +, *JLT July 1, 2020 3404-3413*
- SOA Pre-Amplified 100 Gb/s/λ PAM-4 TDM-PON Downstream Transmission Using 10 Gbps O-Band Transmitters. *Zhang, J.*, +, *JLT Jan. 15, 2020 185-193*
- Space-Ground Coherent Optical Links: Ground Receiver Performance With Adaptive Optics and Digital Phase-Locked Loop. *Paillier, L.*, +, *JLT Oct. 15, 2020 5716-5727*
- SSB Single Carrier and Multicarrier in C-Band FSO Transmission With KK Receiver. *Wei, Y.*, +, *JLT Sept. 15, 2020 5000-5007*
- Superposed 32QAM Constellation Design for 2 × 2 Spatial Multiplexing MIMO VLC Systems. *Guo, X.*, +, *JLT April 1, 2020 1702-1711*
- Suppression of Relative Intensity and Mode Partition Noises in Orthogonally Polarized Dual-Wavelength VCSEL. *Wang, H.*, +, *JLT Dec. 1, 2020 6612-6622*
- The Movement-Rotation (MR) Correlation Function and Coherence Distance of VLC Channels. *Chen, J.*, +, *JLT Dec. 15, 2020 6759-6770*

Transponder Implementation Penalty-Accounted Gaussian-Noise-Based Performance Modeling of Fiber-Optic Transmission Systems. *Kaliuevskiy, N.A.*, +, *JLT April 15, 2020 2253-2261*

Ultra-High-Speed 2:1 Digital Selector and Plasmonic Modulator IM/DD Transmitter Operating at 222 GBaud for Intra-Datacenter Applications. *Heni, W.*, +, *JLT May 1, 2020 2734-2739*

Optical tuning

Adapting Mach-Zehnder Mesh Equalizers in Direct-Detection Mode-Division-Multiplexed Links. *Choutagunta, K.*, +, *JLT Feb. 15, 2020 723-735*

All-Optical and Polarization-Independent Tunable Guided-Mode Resonance Filter Based on a Dye-Doped Liquid Crystal Incorporated With Photonic Crystal Nanostructure. *Lin, T.*, +, *JLT Feb. 15, 2020 820-826*

Broadband Light Amplitude Tuning Characteristics of SnSe₂ Coated Microfiber. *Guan, H.*, +, *JLT Nov. 1, 2020 6089-6096*

Demonstration of Tunable Optical Aggregation of QPSK to 16-QAM Over Optically Generated Nyquist Pulse Trains Using Nonlinear Wave Mixing and a Kerr Frequency Comb. *Fallahpour, A.*, +, *JLT Jan. 15, 2020 359-365*

Efficient Dual-Polarized Electro-Optically Tunable Microresonators by Utilization of Ultra-Thin Transparent Electrode. *Wang, T.*, +, *JLT Dec. 15, 2020 6863-6869*

Fabrication of Chirped Fiber Bragg Gratings in a Non-Uniform Single-Core As₂Se₃-PMMA Tapered Fiber. *Gao, S.*, +, *JLT Aug. 1, 2020 4108-4113*

Fine, Reversible and Broadband Tuning of the Group Velocity Dispersion of Tapered Silica Fibers in a Thermo-Optic Polymer Matrix. *Antonopoulos, G.*, +, *JLT Aug. 1, 2020 4086-4092*

Frequency-Tunable Parity-Time-Symmetric Optoelectronic Oscillator Using a Polarization-Dependent Sagnac Loop. *Dai, Z.*, +, *JLT Oct. 1, 2020 5327-5332*

Integrated Discretely Tunable Optical Delay Line Based on Step-Chirped Subwavelength Grating Waveguide Bragg Gratings. *Sun, H.*, +, *JLT Oct. 1, 2020 5551-5560*

Liquid Crystal Based Rib Waveguide. *Tripathi, U.S.*, +, *JLT Aug. 1, 2020 4045-4051*

Midinfrared Compatible Tunable Bandpass Filter Based on Multimode Interference in Chalcogenide Fiber. *Zhang, K.*, +, *JLT Feb. 15, 2020 857-863*

Multi-FSR Silicon Photonic Flex-LIONS Module for Bandwidth-Reconfigurable All-to-All Optical Interconnects. *Xiao, X.*, +, *JLT June 15, 2020 3200-3208*

On-Chip Optical Microresonators With High Electro-Optic Tuning Efficiency. *Wang, T.*, +, *JLT April 1, 2020 1851-1857*

Optical Spectral Slicing Based Reconfigurable and Tunable Microwave Photonic Filter. *Liu, L.*, +, *JLT Oct. 1, 2020 5492-5499*

Passband-Switchable and Frequency-Tunable Dual-Passband Microwave Photonic Filter. *Jiao, Z.*, +, *JLT Oct. 1, 2020 5333-5338*

Reconfigurable Integrated Optical Interferometer Network-Based Physically Unclonable Function. *Smith, A.M.*, +, *JLT Sept. 1, 2020 4599-4606*

Statistical Evaluation of PAM4 Data Center Interconnect System With Slope-Compensating Fiber Bragg Grating Tunable Dispersion Compensation Module. *Searcy, S.*, +, *JLT June 15, 2020 3173-3179*

Tunable THz Signal Generation and Radio-Over-Fiber Link Based on an Optoelectronic Oscillator-Driven Optical Frequency Comb. *Hasanuzzaman, G.K.M.*, +, *JLT Oct. 1, 2020 5240-5247*

Wideband and Dispersion Immune Microwave Photonic Phase Shifter With Tunable Optical Carrier to Sideband Ratio. *Bai, Y.*, +, *JLT Oct. 1, 2020 5262-5269*

Optical variables measurement

Birefringence Measurement by Expandable Polarization Interference Method. *Tian, Y.*, +, *JLT Feb. 15, 2020 834-839*

Distributed Characterization of Few-Mode Fibers Based on Optical Frequency Domain Reflectometry. *Veronese, R.*, +, *JLT Sept. 1, 2020 4843-4849*

High-Order Electrical Spectrum Method for Measuring the Chirp of a Silicon Mach-Zehnder Modulator. *Chen, H.*, +, *JLT Dec. 15, 2020 6833-6844*

Optical vortices

Convolutional Neural Network Based Atmospheric Turbulence Compensation for Optical Orbital Angular Momentum Multiplexing. *Xiong, W.*, +, *JLT April 1, 2020 1712-1721*

Optical Generation/Detection of Broadband Microwave Orbital Angular Momentum Modes. *Huang, J.*, +, *JLT March 15, 2020 1202-1209*

Optical waveguide filters

Liquid Crystal Based Rib Waveguide. *Tripathi, U.S.*, +, *JLT Aug. 1, 2020 4045-4051*

Polarization Diversified 16λ Demultiplexer Based on Silicon Wire Delayed Interferometers and Arrayed Waveguide Gratings. *Jeong, S.*, +, *JLT May 1, 2020 2680-2687*

Spectral-Distortionless, Flat-Top, Drop-Filter Based on Complementarily-Misaligned Multimode-Waveguide Bragg Gratings. *Liang, X.*, +, *JLT Dec. 1, 2020 6600-6604*

Optical waveguide theory

Efficient Shape and Topology Optimization Based on Sensitivity Analysis for Optical Waveguide Devices Utilizing Full-Vectorial BPM. *Iguchi, A.*, +, *JLT April 15, 2020 2328-2335*

Modal Analysis of 2-D Material-Based Plasmonic Waveguides by Mixed Spectral Element Method With Equivalent Boundary Condition. *Lin, X.*, +, *JLT July 15, 2020 3677-3686*

Ultra-Sharp Multimode Waveguide Bends With Dual Polarizations. *Wang, Y.*, +, *JLT Aug. 1, 2020 3994-3999*

Optical waveguides

27 GHz Silicon-Contacted Waveguide-Coupled Ge/Si Avalanche Photodiode. *Srinivasan, S.A.*, +, *JLT June 1, 2020 3044-3050*

3D Polarization-Dependent Waveguide Arrays in LiNbO₃ Crystal Produced by Femtosecond Laser Writing. *Wu, B.*, +, *JLT Aug. 1, 2020 3988-3993*

A 4 × 4 Electrooptic Silicon Photonic Switch Fabric With Net Neutral Insertion Loss. *Dupuis, N.*, +, *JLT Jan. 15, 2020 178-184*

A Lateral MOS-Capacitor-Enabled ITO Mach-Zehnder Modulator for Beam Steering. *Amin, R.*, +, *JLT Jan. 15, 2020 282-290*

Aerosol Jet Printed Optical Waveguides for Short Range Communication. *Lorenz, L.*, +, *JLT July 1, 2020 3478-3484*

Back-Side-on-BOX Heterogeneously Integrated III-V-on-Silicon O-Band Distributed Feedback Lasers. *Thiessen, T.*, +, *JLT June 1, 2020 3000-3006*

Ball Lens Embedded Through-Package Via To Enable Backside Coupling Between Silicon Photonics Interposer and Board-Level Interconnects. *Mangal, N.*, +, *JLT April 15, 2020 2360-2369*

Bend- and Twist-Insensitive Flexible Multimode Polymer Optical Interconnects. *Bamiedakis, N.*, +, *JLT Dec. 1, 2020 6561-6568*

Broadband Angled Arbitrary Ratio SOI MMI Couplers With Enhanced Fabrication Tolerance. *Zhang, J.*, +, *JLT Oct. 15, 2020 5748-5755*

Broadband Bias-Magnet-Free On-Chip Optical Isolators With Integrated Thin Film Polarizers. *Karki, D.*, +, *JLT Feb. 15, 2020 827-833*

Broadband Brillouin Phase Shifter Utilizing RF Interference: Experimental Demonstration and Theoretical Analysis. *McKay, L.*, +, *JLT July 15, 2020 3624-3636*

Broadband Nonvolatile Tunable Mode-Order Converter Based on Silicon and Optical Phase Change Materials Hybrid Meta-Structure. *Chen, H.*, +, *JLT April 1, 2020 1874-1879*

Compact and Fabrication-Tolerant Waveguide Bends Based on Quadratic Reflectors. *Yu, S.*, +, *JLT Aug. 15, 2020 4368-4373*

Comprehensive Modeling and Design of Raman Lasers on SOI for Mid-Infrared Application. *Ahmadi, M.*, +, *JLT Aug. 1, 2020 4114-4123*

Controlling Resonance Lineshapes of a Side-Coupled Waveguide-Microring Resonator. *Fang, L.*, +, *JLT Aug. 15, 2020 4429-4434*

Demonstration of a Push-Pull Silicon Dual-Ring Modulator With Enhanced Optical Modulation Amplitude. *Zheng, D.*, +, *JLT July 15, 2020 3694-3700*

Demonstration of Tunable Optical Aggregation of QPSK to 16-QAM Over Optically Generated Nyquist Pulse Trains Using Nonlinear Wave Mixing and a Kerr Frequency Comb. *Fallahpour, A.*, +, *JLT Jan. 15, 2020 359-365*

Design of a Miniaturized Broadband Silicon Hybrid Plasmonic Temporal Integrator for Ultrafast Optical Signal Processing. *Karimi, A.*, +, *JLT April 15, 2020 2346-2352*

Design, Fabrication, and Comparison of 3D Multimode Optical Interconnects on Silicon Interposer. *Charania, S.*, +, *JLT July 1, 2020 3454-3460*

Direct Laser Written Waveguide in Tellurite Glass for Supercontinuum Generation in 2 μm Spectral Range. *Okhrimchuk, A.G.*, +, *JLT March 15, 2020 1492-1500*

- Effects of Post-Etch Microstructures on the Optical Transmittance of Silica Ridge Waveguides. *Wright, J.G.*, +, *JLT Nov. 15, 2020 6280-6285*
- Effects of Shallow Suspension in Low-Loss Waveguide-Integrated Chalcogenide Microdisk Resonators. *Zhu, Y.*, +, *JLT Sept. 1, 2020 4817-4823*
- Efficient Shape and Topology Optimization Based on Sensitivity Analysis for Optical Waveguide Devices Utilizing Full-Vectorial BPM. *Iguchi, A.*, +, *JLT April 15, 2020 2328-2335*
- Efficient Sub-Bandgap Photodetection via Two-Dimensional Electron Gas in ZnO Based Heterojunction. *Kaushik, V.*, +, *JLT Nov. 1, 2020 6031-6037*
- Enhancing Wavelength Tunability of Photonic Crystal Nanolasers by Waveguide-Like Strain Shapers. *Lu, T.*, +, *JLT Dec. 1, 2020 6605-6611*
- Extraction of Elastooptic Coefficient of Thin-Film Arsenic Trisulfide Using a Mach-Zehnder Acoustooptic Modulator on Lithium Niobate. *Khan, M.S.I.*, +, *JLT April 1, 2020 2053-2059*
- Femtosecond Laser-Inscribed Non-Volatile Integrated Optical Switch in Fused Silica Based on Microfluidics-Controlled Total Internal Reflection. *Radosavljevic, A.*, +, *JLT Aug. 1, 2020 3965-3973*
- Femtosecond-Laser-Written S-Curved Waveguide in Nd:YAP Crystal: Fabrication and Multi-Gigahertz Lasing. *Li, L.*, +, *JLT Dec. 15, 2020 6845-6852*
- Flip-Chip Integration of InP to SiN Photonic Integrated Circuits. *Theurer, M.*, +, *JLT May 1, 2020 2630-2636*
- Graphene on Silicon Modulators. *Sorianello, V.*, +, *JLT May 15, 2020 2782-2789*
- High Performance InP-Based Polarization Beam Splitter With Reverse Bias and Injection Current. *Dai, X.*, +, *JLT April 15, 2020 2336-2345*
- High-Speed Evanescently-Coupled Waveguide Type-II MUTC Photodiodes for Zero-Bias Operation. *Yu, F.*, +, *JLT Dec. 15, 2020 6827-6832*
- Integrated Discretely Tunable Optical Delay Line Based on Step-Chirped Subwavelength Grating Waveguide Bragg Gratings. *Sun, H.*, +, *JLT Oct. 1, 2020 5551-5560*
- Integrated Wavelength-Tuned Optical mm-Wave Beamformer With Doubled Delay Resolution. *Zhang, X.*, +, *JLT April 15, 2020 2353-2359*
- Inverse-Designed Photonic Jumpers With Ultracompact Size and Ultralow Loss. *Yu, Z.*, +, *JLT Dec. 1, 2020 6623-6628*
- Ion Implantation of Germanium Into Silicon for Critical Coupling Control of Racetrack Resonators. *Milosevic, M.M.*, +, *JLT April 1, 2020 1865-1873*
- Liquid Crystal Based Rib Waveguide. *Tripathi, U.S.*, +, *JLT Aug. 1, 2020 4045-4051*
- Low Voltage, High Optical Power Handling Capable, Bulk Compound Semiconductor Electro-Optic Modulators at 1550 nm. *Bhasker, P.*, +, *JLT April 15, 2020 2308-2314*
- Low-Loss Waveguide Bends by Advanced Shape for Photonic Integrated Circuits. *Song, J.H.*, +, *JLT June 15, 2020 3273-3279*
- Low-Power Broadband Thermo-Optic Switch With Weak Polarization Dependence Using a Segmented Graphene Heater. *Song, Q.Q.*, +, *JLT March 15, 2020 1358-1364*
- Low-Voltage Electrically-Induced Second Harmonic Generation in a Silicon Waveguide Based on Modal Phase Matching. *Janjan, B.*, +, *JLT Nov. 15, 2020 6272-6279*
- Low-Voltage, Coupled Multiple Quantum Well Electroreflective Modulators Towards Ultralow Power Inter-Chip Optical Interconnects. *Wang, X.*, +, *JLT July 1, 2020 3414-3421*
- Miniaturized Silicon Photonics Devices for Integrated Optical Signal Processors. *Teng, M.*, +, *JLT Jan. 1, 2020 6-17*
- Monolithic Integrated InGaAs/InAlAs WDM-APDs With Partially Depleted Absorption Region and Evanescently Coupled Waveguide Structure. *Zhao, Y.*, +, *JLT Aug. 15, 2020 4385-4396*
- Multi-Stage 8×8 Silicon Photonic Switch Based on Dual-Microring Switching Elements. *Huang, Y.*, +, *JLT Jan. 15, 2020 194-201*
- On-Chip Optical Microresonators With High Electro-Optic Tuning Efficiency. *Wang, T.*, +, *JLT April 1, 2020 1851-1857*
- Optical Free-Form Couplers for High-density Integrated Photonics (OFF-CHIP): A Universal Optical Interface. *Yu, S.*, +, *JLT July 1, 2020 3358-3365*
- Optical Modulation in Hybrid Waveguide Based on Si-ITO Heterojunction. *Rajput, S.*, +, *JLT March 15, 2020 1365-1371*
- Performance Requirements for Terabit-Class Silicon Photonic Links Based on Cascaded Microring Resonators. *London, Y.*, +, *JLT July 1, 2020 3469-3477*
- Polarization Dependence of Optical Properties of Single-Mode Polymer Optical Waveguides Fabricated Under Different Processes at 1310/1550 nm. *Morimoto, Y.*, +, *JLT July 15, 2020 3670-3676*
- Quarter-Millimeter Propagating Plasmons in Thin-Gold-Film-Based Waveguides for Visible Spectral Range. *Kornienko, V.V.*, +, *JLT Sept. 1, 2020 4794-4800*
- Quasi-Phase Matched Second Harmonic Generation in Plasmonic–Organic Hybrid Structures. *Janjan, B.*, +, *JLT March 15, 2020 1391-1399*
- Robust Integrated Optical Unitary Converter Using Multiport Directional Couplers. *Tanomura, R.*, +, *JLT Jan. 1, 2020 60-66*
- Silicon Oxycarbide Platform for Integrated Photonics. *Memon, F.A.*, +, *JLT Feb. 15, 2020 784-791*
- Switchable All-Optical Flip-Flop and Inverter Operations in Quantum Well Microring Laser. *Aoki, R.*, +, *JLT Aug. 1, 2020 3950-3958*
- Terahertz Bragg Resonator Based on a Mechanical Assembly of Metal Grating and Metal Waveguide. *You, B.*, +, *JLT July 15, 2020 3701-3709*
- Thermal Tuning of Plasmofluidic Disk Resonators Filled With a Liquid Crystal: Its Narrow-Trench Filling and Arrangement. *Vuong, Q.V.*, +, *JLT Aug. 15, 2020 4419-4428*
- Three-Octave Supercontinuum Generation Using SiO₂ Cladded Si₃N₄ Slot Waveguide With All-Normal Dispersion. *Fang, Y.*, +, *JLT July 1, 2020 3431-3438*
- Two-Dimensional Apodized Grating Coupler for Polarization-Independent and Surface-Normal Optical Coupling. *Zhang, Z.*, +, *JLT Aug. 1, 2020 4037-4044*
- Ultra-Compact Broadband 2×2 3 dB Power Splitter Using a Subwavelength-Grating-Assisted Asymmetric Directional Coupler. *Ye, C.*, +, *JLT April 15, 2020 2370-2375*
- Ultrafast Laser Inscription and \square $2 \mu\text{m}$ Laser Operation of Y-Branch Splitters in Monoclinic Crystals. *Kifle, E.*, +, *JLT Aug. 15, 2020 4374-4384*
- Unclad Microphotonics for Terahertz Waveguides and Systems. *Headland, D.*, +, *JLT Dec. 15, 2020 6853-6862*
- Waveguide Tapers Fabrication by Femtosecond Laser Induced Element Redistribution in Glass. *Macias-Montero, M.*, +, *JLT Dec. 1, 2020 6578-6583*
- Optical wavelength conversion**
- Experimental Investigation of Wavelength Conversion Using Highly-Nonlinear Fiber and Two-Stage-Comb-Generated Pump With High Frequency Precision. *Yamazaki, M.*, +, *JLT April 15, 2020 2219-2225*
- Theoretical and Experimental Analysis of Burst-Mode Wavelength Conversion via a Differentially-Biased SOA-MZI. *Tsakyridis, A.*, +, *JLT Sept. 1, 2020 4607-4617*
- Optical windows**
- High-Performance Optical Frequency-Domain Reflectometry Based on High-Order Optical Phase-Locking-Assisted Chirp Optimization. *Feng, Y.*, +, *JLT Nov. 15, 2020 6227-6236*
- Optimal control**
- Optimal Control of SOAs With Artificial Intelligence for Sub-Nanosecond Optical Switching. *Parsonson, C.W.F.*, +, *JLT Oct. 15, 2020 5563-5573*
- Optimization**
- All-Optical Frequency Processor for Networking Applications. *Lukens, J.M.*, +, *JLT April 1, 2020 1678-1687*
- An Analog Photonic Down-Conversion Link With Simultaneous IMD3 Distortion Suppression and Dispersion-Induced Power Fading Compensation. *Li, Y.*, +, *JLT Aug. 1, 2020 3908-3917*
- Analytical Channel Model and Link Design Optimization for Ground-to-HAP Free-Space Optical Communications. *Safi, H.*, +, *JLT Sept. 15, 2020 5036-5047*
- Capacity and Optimum Signal Constellations for VLC Systems. *Jia, L.*, +, *JLT April 15, 2020 2180-2189*
- Compact Hollow Waveguide Mid-Infrared Gas Sensor For Simultaneous Measurements of Ambient CO₂ and Water Vapor. *Wu, T.*, +, *JLT Aug. 15, 2020 4580-4587*

Comparison of Geometrically Shaped 32-QAM and Probabilistically Shaped 32-QAM in a Bandwidth-Limited IM-DD System. *Ding, J.*, +, *JLT Aug. 15, 2020 4352-4358*

Decentralized Coordination of Converged Tactile Internet and MEC Services in H-CRAN Fiber Wireless Networks. *Perez, G.O.*, +, *JLT Sept. 15, 2020 4935-4947*

Dimming-Aware Deep Learning Approach for OOK-Based Visible Light Communication. *Zou, C.*, +, *JLT Oct. 15, 2020 5733-5742*

Efficient Shape and Topology Optimization Based on Sensitivity Analysis for Optical Waveguide Devices Utilizing Full-Vectorial BPM. *Iguchi, A.*, +, *JLT April 15, 2020 2328-2335*

Entropy Allocation Optimization for PS-OFDM With Constellation Partitioning Based Modeling. *Zhang, R.*, +, *JLT Nov. 1, 2020 6024-6030*

High-Performance Optical Frequency-Domain Reflectometry Based on High-Order Optical Phase-Locking-Assisted Chirp Optimization. *Feng, Y.*, +, *JLT Nov. 15, 2020 6227-6236*

Isolation-Aware 5G RAN Slice Mapping Over WDM Metro-Aggregation Networks. *Yu, H.*, +, *JLT March 15, 2020 1125-1137*

Leveraging Field Data for the Joint Optimization of Capacity and Availability in Low-Margin Optical Networks. *Delezoide, C.*, +, *JLT Dec. 15, 2020 6709-6718*

On the Discrete-Input Continuous-Output Memoryless Channel Capacity of Layered ACO-OFDM. *Zhang, X.*, +, *JLT Sept. 15, 2020 4955-4968*

Optical Nonlinearity Monitoring and Launch Power Optimization by Artificial Neural Networks. *Lonardi, M.*, +, *JLT May 1, 2020 2637-2645*

Optimization of Band-Limited DSP-Aided 25 and 50 Gb/s PON Using 10G-Class DML and APD. *Torres-Ferrera, P.*, +, *JLT Feb. 1, 2020 608-618*

Optimization of Refractive Index Sensitivity in Nanofilm-Coated Long-Period Fiber Gratings Near the Dispersion Turning Point. *Zou, F.*, +, *JLT Feb. 15, 2020 889-897*

Optimization of Transmitter-Side Signal Rotations in the Presence of Laser Phase Noise. *Alfredsson, A.F.*, +, *JLT Aug. 1, 2020 3850-3858*

Optimized Design and Challenges for C&L Band Optical Line Systems. *Lopez, V.*, +, *JLT March 1, 2020 1080-1091*

Phase and Frequency Recovery Algorithms for Probabilistically Shaped Transmission. *Barbosa, F.A.*, +, *JLT April 1, 2020 1827-1835*

Pilot Distributions for Joint-Channel Carrier-Phase Estimation in Multichannel Optical Communications. *Alfredsson, A.F.*, +, *JLT Sept. 1, 2020 4656-4663*

VLCnet: Deep Learning Based End-to-End Visible Light Communication System. *Ulkar, M.G.*, +, *JLT Nov. 1, 2020 5937-5948*

Optoelectronic devices

A Theoretical and Experimental Study of Injection-Locking and Injection-Pulling for Optoelectronic Oscillators Under Radio Frequency Signal Injection. *Banerjee, A.*, +, *JLT March 15, 2020 1210-1220*

Ultra-Stable and Real-Time Demultiplexing System of Strong Fiber Bragg Grating Sensors Based on Low-Frequency Optoelectronic Oscillator. *Wang, W.*, +, *JLT Feb. 15, 2020 981-988*

Organic compounds

DC-Biased Optofluidic Biolaser for Uric Acid Detection. *Wang, Y.*, +, *JLT March 15, 2020 1557-1563*

Orthogonal codes

Performance Enhanced 256-QAM BIPCM-DMT System Enabled by CAZAC Precoding. *Ma, J.*, +, *JLT Feb. 1, 2020 557-563*

Oscillators

Polarization Manipulated Fourier Domain Mode-Locked Optoelectronic Oscillator. *Zhu, S.*, +, *JLT Oct. 1, 2020 5270-5277*

The Impact of Local Oscillator Frequency Jitter and Laser Linewidth to Ultra High Baud Rate Coherent Systems. *Zhang, R.*, +, *JLT March 15, 2020 1138-1147*

Tunable THz Signal Generation and Radio-Over-Fiber Link Based on an Optoelectronic Oscillator-Driven Optical Frequency Comb. *Hasanuz-zaman, G.K.M.*, +, *JLT Oct. 1, 2020 5240-5247*

Oscilloscopes

Oscilloscopic Capture of Greater-Than-100 GHz, Ultra-Low Power Optical Waveforms Enabled by Integrated Electrooptic Devices. *Wang, X.*, +, *JLT Jan. 1, 2020 166-173*

P

P-i-n diodes

Low-Voltage Electrically-Induced Second Harmonic Generation in a Silicon Waveguide Based on Modal Phase Matching. *Janjan, B.*, +, *JLT Nov. 15, 2020 6272-6279*

P-i-n photodiodes

Membrane InGaAsP Mach-Zehnder Modulator Integrated With Optical Amplifier on Si Platform. *Hiraki, T.*, +, *JLT June 1, 2020 3030-3036*

VCSEL and LED Based Visible Light Communication System by Applying Decode-and-Forward Relay Transmission. *Yeh, C.*, +, *JLT Oct. 15, 2020 5728-5732*

P-n heterojunctions

80-GHz Bandwidth and 1.5-V V_{π} InP-Based IQ Modulator. *Ogiso, Y.*, +, *JLT Jan. 15, 2020 249-255*

Optical Modulation in Hybrid Waveguide Based on Si-ITO Heterojunction. *Rajput, S.*, +, *JLT March 15, 2020 1365-1371*

Packet switching

A Dynamically-Reconfigurable Burst-Mode Link Using a Nanosecond Photonic Switch. *Forencich, A.*, +, *JLT March 15, 2020 1330-1340*

Demonstration of SDN-Enabled Hybrid Polling Algorithm for Packet Contention Resolution in Optical Data Center Network. *Wang, F.*, +, *JLT June 15, 2020 3296-3304*

Experimental Demonstration of a Photonic Frame Based Packet-Switched Optical Network for Data Centers. *Ra, Y.*, +, *JLT March 15, 2020 1113-1124*

Parallel Modular Scheduler Design for Clos Switches in Optical Data Center Networks. *Andreades, P.*, +, *JLT July 1, 2020 3506-3518*

Parallel plate waveguides

Terahertz Bragg Resonator Based on a Mechanical Assembly of Metal Grating and Metal Waveguide. *You, B.*, +, *JLT July 15, 2020 3701-3709*

Parallel processing

Fully-Integrated Heterogeneous DML Transmitters for High-Performance Computing. *Liang, D.*, +, *JLT July 1, 2020 3322-3337*

High-Speed Post-Processing in Continuous-Variable Quantum Key Distribution Based on FPGA Implementation. *Yang, S.*, +, *JLT Aug. 1, 2020 3935-3941*

Pareto optimization

Performance-Complexity Tradeoffs of Concatenated FEC for Higher-Order Modulation. *Barakatain, M.*, +, *JLT June 1, 2020 2944-2953*

Parity check codes

Adaptive Coding and Modulation for Robust Optical Access Networks. *Chou, E.S.*, +, *JLT April 15, 2020 2242-2252*

Coded Modulation for 100G Coherent EPON. *Gerard, T.*, +, *JLT Feb. 1, 2020 564-572*

DFT-Spread DMT-WDM-PON Employing LDPC-Coded Probabilistic Shaping 16 QAM. *Xiao, Q.*, +, *JLT Feb. 15, 2020 714-722*

High-Speed Post-Processing in Continuous-Variable Quantum Key Distribution Based on FPGA Implementation. *Yang, S.*, +, *JLT Aug. 1, 2020 3935-3941*

LDPC-Coded Probabilistic Shaping PAM4 Based on Many-to-One Mapping in WDM-PON. *He, H.*, +, *JLT Aug. 1, 2020 3918-3925*

LDPC-Coded Probabilistic Shaping PAM8 Employing a Novel Bit-Weighted Distribution Matching in WDM-PON. *Zhao, X.*, +, *JLT Sept. 1, 2020 4641-4647*

Neural Turbo Equalization: Deep Learning for Fiber-Optic Nonlinearity Compensation. *Koike-Akino, T.*, +, *JLT June 1, 2020 3059-3066*

Performance-Complexity Tradeoffs of Concatenated FEC for Higher-Order Modulation. *Barakatain, M.*, +, *JLT June 1, 2020 2944-2953*

Real-Time Verification of Soft-Decision LDPC Coding for Burst Mode Upstream Reception in 50G-PON. *Yang, M.*, +, *JLT April 1, 2020 1693-1701*

Particle filtering (numerical methods)

Visible Light Positioning Using Bayesian Filters. *Amsters, R.*, +, *JLT Nov. 1, 2020 5925-5936*

Particle swarm optimization

Design Analysis of OAM Fibers Using Particle Swarm Optimization Algorithm. *Chang, J.H.*, +, *JLT Feb. 15, 2020 846-856*

- Design of a Multi-Wavelength Fiber Laser Based on Tm:Er:Yb:Ho Co-Doped Germanate Glass. *Falconi, M.C.*, +, *JLT April 15, 2020 2406-2413*
- Optimal Control of SOAs With Artificial Intelligence for Sub-Nanosecond Optical Switching. *Parsonson, C.W.F.*, +, *JLT Oct. 15, 2020 5563-5573*
- Passive optical networks**
- 100+ Gbps/λ 50 km C-Band Downstream PON Using CD Digital Pre-Compensation and Direct-Detection ONU Receiver. *Torres-Ferrera, P.*, +, *JLT Dec. 15, 2020 6807-6816*
- 3D QAM-DPSK Optical Transmission Employing a Single Mach-Zehnder Modulator and Optical Direct Detection. *Park, H.J.*, +, *JLT Nov. 15, 2020 6247-6256*
- A Clock-Gating-Based Energy-Efficient Scheme for ONUs in Real-Time IMDD OFDM-PONs. *Zhang, J.*, +, *JLT July 15, 2020 3573-3583*
- Adaptive Coding and Modulation for Robust Optical Access Networks. *Chou, E.S.*, +, *JLT April 15, 2020 2242-2252*
- Adaptive Design for 2D Optical Coding PON Link Health Detection System in Complex Environment. *Ge, Z.*, +, *JLT Dec. 1, 2020 6458-6464*
- Burst-Mode Error Distribution and Mitigation in DSP-Assisted High-Speed PONs. *Effenberg, F.J.*, +, *JLT Feb. 15, 2020 754-760*
- Cascaded IF-Over-Fiber Links With Hybrid Signal Processing for Analog Mobile Fronthaul. *Tanaka, K.*, +, *JLT Oct. 15, 2020 5656-5667*
- Coded Modulation for 100G Coherent EPON. *Gerard, T.*, +, *JLT Feb. 1, 2020 564-572*
- Coherent Ultra-Dense WDM-PON Enabled by Complexity-Reduced Digital Transceivers. *Tabares, J.A.*, +, *JLT March 15, 2020 1305-1313*
- Considerations on the Use of Digital Signal Processing in Future Optical Access Networks. *Neto, L.A.*, +, *JLT Feb. 1, 2020 598-607*
- Demonstration of Fully Softwarized 10G-EPON PHY Processing on a General-Purpose Server for Flexible Access Systems. *Suzuki, T.*, +, *JLT Feb. 15, 2020 777-783*
- Design of Four-Channel Wavelength-Selectable In-Series DFB Laser Array With 100-GHz Spacing. *Sun, Z.*, +, *JLT April 15, 2020 2299-2307*
- DFT-Spread DMT-WDM-PON Employing LDPC-Coded Probabilistic Shaping 16 QAM. *Xiao, Q.*, +, *JLT Feb. 15, 2020 714-722*
- DSP Enabled Optical Detection Techniques for PON. *Teixeira, A.*, +, *JLT Feb. 1, 2020 684-695*
- DSP-Based Flexible-Waveform and Multi-Application 5G Fiber-Wireless System. *Borges, R.M.*, +, *JLT Feb. 1, 2020 642-653*
- Dual MAC Based Hierarchical Optical Access Network for Hyperscale Data Centers. *Zheng, Y.*, +, *JLT April 1, 2020 1608-1617*
- Economics of Resilient TWDM PONs. *Mondal, W.U.*, +, *JLT April 15, 2020 2114-2126*
- Enhancing the Physical Layer Security of OFDM-PONs With Hardware Fingerprint Authentication: A Machine Learning Approach. *Li, S.*, +, *JLT June 15, 2020 3238-3245*
- Experimental Demonstration of an SFO-Robustness Scheme With Fast OFDM for IMDD Passive Optical Network Systems. *Zhou, Z.*, +, *JLT Oct. 15, 2020 5608-5616*
- Hybrid SSB OFDM-Digital Filter Multiple Access PONs. *Jin, W.*, +, *JLT April 15, 2020 2095-2105*
- Investigation of Modulation Schemes for Flexible Line-Rate High-Speed TDM-PON. *Houtsma, V.E.*, +, *JLT June 15, 2020 3261-3267*
- LDPC-Coded Probabilistic Shaping PAM4 Based on Many-to-One Mapping in WDM-PON. *He, H.*, +, *JLT Aug. 1, 2020 3918-3925*
- LDPC-Coded Probabilistic Shaping PAM8 Employing a Novel Bit-Weighted Distribution Matching in WDM-PON. *Zhao, X.*, +, *JLT Sept. 1, 2020 4641-4647*
- Optics-Simplified DSP for 50 Gb/s PON Downstream Transmission using 10 Gb/s Optical Devices. *Xue, L.*, +, *JLT Feb. 1, 2020 583-589*
- Optimization of Band-Limited DSP-Aided 25 and 50 Gb/s PON Using 10G-Class DML and APD. *Torres-Ferrera, P.*, +, *JLT Feb. 1, 2020 608-618*
- Passive Optical Phase Stabilization on a Ring Fiber Network. *Hu, L.*, +, *JLT Nov. 1, 2020 5916-5924*
- Performance Analysis of Phase Noise Cancellation by Asymmetric CMA for Realizing Affordable Coherent PON Transceivers. *Kim, S.*, +, *JLT April 15, 2020 2231-2241*
- Real-Time Verification of Soft-Decision LDPC Coding for Burst Mode Upstream Reception in 50G-PON. *Yang, M.*, +, *JLT April 1, 2020 1693-1701*
- SOA Pre-Amplified 100 Gb/s/λ PAM-4 TDM-PON Downstream Transmission Using 10 Gbps O-Band Transmitters. *Zhang, J.*, +, *JLT Jan. 15, 2020 185-193*
- The Outlook for PON Standardization: A Tutorial. *Wey, J.S.*, *JLT Jan. 1, 2020 31-42*
- Wideband Steady-State and Pulse Propagation Modeling of a Reflective Quantum-Dot Semiconductor Optical Amplifier. *Safari Anzabi, K.*, +, *JLT Feb. 15, 2020 797-803*
- Pattern classification**
- An Event Recognition Scheme Aiming to Improve Both Accuracy and Efficiency in Optical Fiber Perimeter Security System. *Huang, X.*, +, *JLT Oct. 15, 2020 5783-5790*
- Quality of Transmission Estimation and Short-Term Performance Forecast of Lightpaths. *Aladin, S.*, +, *JLT May 15, 2020 2807-2814*
- Pattern clustering**
- Accurate BER Estimation Scheme Based on K-Means Clustering Assisted Gaussian Approach for Arbitrary Modulation Format. *Zhang, Q.*, +, *JLT April 15, 2020 2152-2157*
- Peer-to-peer computing**
- Latency-Aware Task Peer Offloading on Overloaded Server in Multi-Access Edge Computing System Interconnected by Metro Optical Networks. *Huang, S.*, +, *JLT Nov. 1, 2020 5949-5961*
- Permittivity**
- Optical Modulation in Hybrid Waveguide Based on Si-ITO Heterojunction. *Rajput, S.*, +, *JLT March 15, 2020 1365-1371*
- Perturbation methods**
- The Generalized Droop Formula for Low Signal to Noise Ratio Optical Links. *Bononi, A.*, +, *JLT April 15, 2020 2201-2213*
- Perturbation theory**
- Compensation of Nonlinear Impairments Using Inverse Perturbation Theory With Reduced Complexity. *Redyuk, A.*, +, *JLT March 15, 2020 1250-1257*
- Investigation of Mode Coupling in Graded Index Plastic Optical Fibers Using the Langevin Equation. *Savovic, S.*, +, *JLT Dec. 1, 2020 6644-6647*
- Phase change materials**
- Broadband Nonvolatile Tunable Mode-Order Converter Based on Silicon and Optical Phase Change Materials Hybrid Meta-Structure. *Chen, H.*, +, *JLT April 1, 2020 1874-1879*
- Phase coding**
- Photonic RF Phase-Encoded Signal Generation With a Microcomb Source. *Xu, X.*, +, *JLT April 1, 2020 1722-1727*
- Photonics Generation of Pulsed Arbitrary-Phase-Coded Microwave Signals Based on the Conversion Between Intensity Modulation and Phase Modulation. *Song, C.*, +, *JLT March 15, 2020 1243-1249*
- Phase estimation**
- Experimental Demonstration of Nonlinear Frequency Division Multiplexing Transmission With Neural Network Receiver. *Gaiarin, S.*, +, *JLT Dec. 1, 2020 6465-6473*
- Flexible Coherent Communication System With Adaptable SNR and Laser Phase Noise Tolerance for Probabilistically Shaped QAM. *Yao, S.*, +, *JLT Nov. 15, 2020 6178-6186*
- Laser Phase Noise Tolerance of Uniform and Probabilistically Shaped QAM Signals for High Spectral Efficiency Systems. *Sasai, T.*, +, *JLT Jan. 15, 2020 439-446*
- Machine Learning Assisted Modulation-Format Transparent and Nonlinearity Tolerant Carrier Recovery Scheme for Intelligent Receiver. *Xiang, Q.*, +, *JLT Nov. 1, 2020 6007-6014*
- Optimization of Transmitter-Side Signal Rotations in the Presence of Laser Phase Noise. *Alfredsson, A.F.*, +, *JLT Aug. 1, 2020 3850-3858*
- Pilot Distributions for Joint-Channel Carrier-Phase Estimation in Multi-channel Optical Communications. *Alfredsson, A.F.*, +, *JLT Sept. 1, 2020 4656-4663*
- Robust and Low-Complexity Principal Component-Based Phase Estimation Algorithm for Probabilistically Shaped Square-QAM Systems. *Wang, X.*, +, *JLT Nov. 15, 2020 6153-6162*

Phase modulation

- A Bidirectional FSO Communication Employing Phase Modulation Scheme and Remotely Injection-Locked DFB LD. *Huang, X.*, +, *JLT Nov. 1, 2020* 5883-5892
- All-Optical and Broadband Microwave Image-Reject Receiver Based on Phase Modulation and I/Q Balanced Detection. *Kang, B.*, +, *JLT Nov. 1, 2020* 5962-5972
- All-Optical Frequency Processor for Networking Applications. *Lukens, J.M.*, +, *JLT April 1, 2020* 1678-1687
- An Analog Photonic Down-Conversion Link With Simultaneous IMD3 Distortion Suppression and Dispersion-Induced Power Fading Compensation. *Li, Y.*, +, *JLT Aug. 1, 2020* 3908-3917
- Carrier-Suppressed Single Sideband Signal for FMCW LiDAR Using a Si Photonic-Crystal Optical Modulators. *Kamata, M.*, +, *JLT April 15, 2020* 2315-2321
- Chaotic Optical Communication Over 1000 km Transmission by Coherent Detection. *Yang, Z.*, +, *JLT Sept. 1, 2020* 4648-4655
- Coherent Ultra-Dense WDM-PON Enabled by Complexity-Reduced Digital Transceivers. *Tabares, J.A.*, +, *JLT March 15, 2020* 1305-1313
- Combination and Compression of Multiple Pulses With Same or Different Wavelengths. *Huang, J.*, +, *JLT Dec. 15, 2020* 6932-6938
- Design of Efficient Resonator-Enhanced Electro-Optic Frequency Comb Generators. *Buscaino, B.*, +, *JLT March 15, 2020* 1400-1413
- Detection of Circular-Crested Lamb Waves Using Surface-Bonded Fiber-Optic Ultrasound Sensors: A Theoretical Perspective. *Liu, G.*, +, *JLT April 15, 2020* 2555-2563
- Differentiator-Based Photonic Instantaneous Frequency Measurement for Radar Warning Receiver. *Lin, T.*, +, *JLT Aug. 1, 2020* 3942-3949
- Electro-Optic Tuning of a Monolithically Integrated Widely Tuneable InP Laser With Free-Running and Stabilized Operation. *Andreou, S.*, +, *JLT April 1, 2020* 1887-1894
- Graphene on Silicon Modulators. *Soriano, V.*, +, *JLT May 15, 2020* 2782-2789
- Hybrid Fiber-Optic Radio Frequency and Optical Frequency Dissemination With a Single Optical Actuator and Dual-Optical Phase Stabilization. *Tian, X.*, +, *JLT Aug. 15, 2020* 4270-4278
- Optical Signal Phase Reconstruction Based on Temporal Transport-of-Intensity Equation. *Matsumoto, M.*, *JLT Sept. 1, 2020* 4722-4729
- Passband-Switchable and Frequency-Tunable Dual-Passband Microwave Photonic Filter. *Jiao, Z.*, +, *JLT Oct. 1, 2020* 5333-5338
- Performance Analysis of Phase Noise Cancellation by Asymmetric CMA for Realizing Affordable Coherent PON Transceivers. *Kim, S.*, +, *JLT April 15, 2020* 2231-2241
- Performance Enhancement of Optical Comb Based Microwave Photonic Filter by Machine Learning Technique. *Shiu, R.*, +, *JLT Oct. 1, 2020* 5302-5310
- Photonics Generation of Pulsed Arbitrary-Phase-Coded Microwave Signals Based on the Conversion Between Intensity Modulation and Phase Modulation. *Song, C.*, +, *JLT March 15, 2020* 1243-1249
- Photonics-Assisted Frequency Up/Down Conversion With Tunable OEO and Phase Shift. *Yang, F.*, +, *JLT Dec. 1, 2020* 6446-6457
- Programmable Schemes on Temporal Waveform Processing of Optical Pulse Trains. *Xie, Q.*, +, *JLT Jan. 15, 2020* 339-345
- SSBI-Free Direct-Detection System Employing Phase Modulation for Analog Optical Links. *Ishimura, S.*, +, *JLT May 1, 2020* 2719-2725
- Temporal Imaging Using Dispersive Gradient-Index Time Lenses. *Han, T.*, +, *JLT April 15, 2020* 2383-2391
- Truly Distributed and Ultra-Fast Microwave Photonic Fiber-Optic Sensor. *Zhou, D.*, +, *JLT Aug. 1, 2020* 4150-4159
- Tunable THz Signal Generation and Radio-Over-Fiber Link Based on an Optoelectronic Oscillator-Driven Optical Frequency Comb. *Hasanuzzaman, G.K.M.*, +, *JLT Oct. 1, 2020* 5240-5247
- Wideband Frequency-Tunable Parity-Time Symmetric Optoelectronic Oscillator Based on Hybrid Phase and Intensity Modulations. *Teng, C.*, +, *JLT Oct. 1, 2020* 5406-5411

Phase noise

- A Computationally Efficient Integrated Coupled Opto-Electronic Oscillator Model. *Nielsen, L.*, +, *JLT Oct. 1, 2020* 5430-5439
- Characterization of Ultra-Narrow Linewidth Lasers for Phase-Sensitive Coherent Reflectometry Using EOM Facilitated Heterodyning. *Nikitin, S.*, +, *JLT March 15, 2020* 1446-1453
- Common-Path Dual-Comb Spectroscopy Using a Single Electro-Optic Modulator. *Soriano-Amat, M.*, +, *JLT Sept. 15, 2020* 5107-5115
- Compensation of Chromatic Dispersion and Nonlinear Phase Noise Using Iterative Soft Decision Feedback Equalizer for Coherent Optical FBMC/OQAM Systems. *Alaghbari, K.A.*, +, *JLT Aug. 1, 2020* 3839-3849
- Correlated Nonlinear Phase-Noise in Multi-Subcarrier Systems: Modeling and Mitigation. *Golani, O.*, +, *JLT March 15, 2020* 1148-1156
- Design of Efficient Resonator-Enhanced Electro-Optic Frequency Comb Generators. *Buscaino, B.*, +, *JLT March 15, 2020* 1400-1413
- Design of Time-Frequency Packed WDM Superchannel Transmission Systems. *Jana, M.*, +, *JLT Dec. 15, 2020* 6719-6731
- Distributed Antenna System Using Sigma-Delta Intermediate-Frequency-Over-Fiber for Frequency Bands Above 24 GHz. *Wu, C.*, +, *JLT May 15, 2020* 2765-2773
- Flexible Coherent Communication System With Adaptable SNR and Laser Phase Noise Tolerance for Probabilistically Shaped QAM. *Yao, S.*, +, *JLT Nov. 15, 2020* 6178-6186
- Frequency-Tunable Parity-Time-Symmetric Optoelectronic Oscillator Using a Polarization-Dependent Sagnac Loop. *Dai, Z.*, +, *JLT Oct. 1, 2020* 5327-5332
- Hybrid Fiber-Optic Radio Frequency and Optical Frequency Dissemination With a Single Optical Actuator and Dual-Optical Phase Stabilization. *Tian, X.*, +, *JLT Aug. 15, 2020* 4270-4278
- Hybrid Frequency-Tunable Parity-Time Symmetric Optoelectronic Oscillator. *Fan, Z.*, +, *JLT April 15, 2020* 2127-2133
- Laser Phase Noise Tolerance of Uniform and Probabilistically Shaped QAM Signals for High Spectral Efficiency Systems. *Sasai, T.*, +, *JLT Jan. 15, 2020* 439-446
- Machine Learning Assisted Modulation-Format Transparent and Nonlinearity Tolerant Carrier Recovery Scheme for Intelligent Receiver. *Xiang, Q.*, +, *JLT Nov. 1, 2020* 6007-6014
- Mismatched Models to Lower Bound the Capacity of Optical Fiber Channels. *Garcia-Gomez, F.J.*, +, *JLT Dec. 15, 2020* 6779-6787
- Mode Locked Laser Phase Noise Reduction Under Optical Feedback for Coherent DWDM Communication. *Verolet, T.*, +, *JLT Oct. 15, 2020* 5708-5715
- Multi-Node Optical Frequency Dissemination With Post Automatic Phase Correction. *Hu, L.*, +, *JLT July 15, 2020* 3644-3651
- Optimization of Transmitter-Side Signal Rotations in the Presence of Laser Phase Noise. *Alfredsson, A.F.*, +, *JLT Aug. 1, 2020* 3850-3858
- Passive Optical Phase Stabilization on a Ring Fiber Network. *Hu, L.*, +, *JLT Nov. 1, 2020* 5916-5924
- Performance Analysis of Phase Noise Cancellation by Asymmetric CMA for Realizing Affordable Coherent PON Transceivers. *Kim, S.*, +, *JLT April 15, 2020* 2231-2241
- Phase and Frequency Recovery Algorithms for Probabilistically Shaped Transmission. *Barbosa, F.A.*, +, *JLT April 1, 2020* 1827-1835
- Phase Noise Measurements and Performance of Lasers With Non-White FM Noise for Use in Digital Coherent Optical Systems. *Al-Qadi, M.*, +, *JLT March 15, 2020* 1157-1167
- Phase Preserving Amplitude Saturation Through Tone Synthesis Assisted Saturated Four-Wave Mixing. *Bottrill, K.R.H.*, +, *JLT April 1, 2020* 1817-1826
- Photonic-Assisted Regenerative Microwave Frequency Divider With a Tunable Division Factor. *Duan, S.*, +, *JLT Oct. 1, 2020* 5509-5516
- Photonics-Assisted Frequency Up/Down Conversion With Tunable OEO and Phase Shift. *Yang, F.*, +, *JLT Dec. 1, 2020* 6446-6457
- Pulse Timing Jitter Estimated From Optical Phase Noise in Mode-Locked Semiconductor Quantum Dash Lasers. *Mao, Y.*, +, *JLT Sept. 1, 2020* 4787-4793

RF Frequency Synthesizer Based on Self-Mode-Locked Multimode Lasers. *Sun, T.*, +, *JLT April 15, 2020 2262-2270*

Self-Forced Opto-Electronic Oscillators Using Sagnac-Loop PM-IM Converter. *Wei, K.*, +, *JLT Oct. 1, 2020 5278-5285*

Space-Ground Coherent Optical Links: Ground Receiver Performance With Adaptive Optics and Digital Phase-Locked Loop. *Paillier, L.*, +, *JLT Oct. 15, 2020 5716-5727*

The Impact of Local Oscillator Frequency Jitter and Laser Linewidth to Ultra High Baud Rate Coherent Systems. *Zhang, R.*, +, *JLT March 15, 2020 1138-1147*

Towards a Scaleable 5G Fronthaul: Analog Radio-over-Fiber and Space Division Multiplexing. *Rommel, S.*, +, *JLT Oct. 1, 2020 5412-5422*

Tunable THz Signal Generation and Radio-Over-Fiber Link Based on an Optoelectronic Oscillator-Driven Optical Frequency Comb. *Hasanuz-zaman, G.K.M.*, +, *JLT Oct. 1, 2020 5240-5247*

Wideband Frequency-Tunable Parity-Time Symmetric Optoelectronic Oscillator Based on Hybrid Phase and Intensity Modulations. *Teng, C.*, +, *JLT Oct. 1, 2020 5406-5411*

Wideband Microwave Frequency Distribution for Multi-Access Along a Single Fiber Link. *Zhang, H.*, +, *JLT April 1, 2020 1688-1692*

Phase shift keying

A Photonic-Based Wideband RF Self-Interference Cancellation Approach With Fiber Dispersion Immunity. *Chen, Y.*, *JLT Sept. 1, 2020 4618-4624*

DFT Spread Spectrally Efficient Frequency Division Multiplexing for IM-DD Transmission in C-Band. *Li, Z.*, +, *JLT July 1, 2020 3526-3532*

Experimental Mitigation of Atmospheric Turbulence Effect Using Pre-Signal Combining for Uni- and Bi-Directional Free-Space Optical Links With Two 100-Gbit/s OAM-Multiplexed Channels. *Song, H.*, +, *JLT Jan. 1, 2020 82-89*

Improving Soliton Transmission Systems Through Soliton Interactions. *Zhou, G.*, +, *JLT July 15, 2020 3563-3572*

Performance Comparison of Probabilistically Shaped QAM Formats and Hybrid Shaped APSK Formats With Coded Modulation. *Cai, J.*, +, *JLT June 15, 2020 3280-3288*

Transponder Implementation Penalty-Accounted Gaussian-Noise-Based Performance Modeling of Fiber-Optic Transmission Systems. *Kaliteevskiy, N.A.*, +, *JLT April 15, 2020 2253-2261*

Phonons

Inter-Mode Forward Brillouin Scattering in Nanofibers. *Cao, M.*, +, *JLT Dec. 15, 2020 6911-6917*

Microwave Filtering Using Forward Brillouin Scattering in Photonic-Phononic Emit-Receive Devices. *Gertler, S.*, +, *JLT Oct. 1, 2020 5248-5261*

Phosphate glasses

Waveguide Tapers Fabrication by Femtosecond Laser Induced Element Redistribution in Glass. *Macias-Montero, M.*, +, *JLT Dec. 1, 2020 6578-6583*

Phosphors

Comprehensive Design and Prototype of VLC Receivers With Large Detection Areas. *Nabavi, P.*, +, *JLT Aug. 15, 2020 4187-4204*

Phosphorus

Behavior of Specialty Optical Fibers in Crude Oil Environment. *Stolov, A.A.*, +, *JLT July 15, 2020 3759-3768*

Effect of P-to-Rare Earth Atomic Ratio on Energy Transfer in Er-Yb-Doped Optical Fiber. *Kobayashi, Y.*, +, *JLT Aug. 15, 2020 4504-4512*

Efficient Mid-Infrared Germanium Variable Optical Attenuator Fabricated by Spin-on-Glass Doping. *Zhao, Z.*, +, *JLT Sept. 1, 2020 4808-4816*

Modal Analysis of 2-D Material-Based Plasmonic Waveguides by Mixed Spectral Element Method With Equivalent Boundary Condition. *Lin, X.*, +, *JLT July 15, 2020 3677-3686*

Ti₂CT_x (T=O, OH or F) Nanosheets as New Broadband Saturable Absorber for Ultrafast Photonics. *Shi, Y.*, +, *JLT April 1, 2020 1975-1980*

Ultrasensitive Multiple Guided-Mode Biosensor With Few-Layer Black Phosphorus. *Dai, X.*, +, *JLT March 15, 2020 1564-1571*

Phosphosilicate glasses

The Influence of the MCVD Process Parameters on the Optical Properties of Bismuth-Doped Phosphosilicate Fibers. *Khegai, A.*, +, *JLT Nov. 1, 2020 6114-6120*

Photoacoustic effect

Ultrasound Measurement Using On-Chip Optical Micro-Resonators and Digital Optical Frequency Comb. *Song, J.*, +, *JLT Oct. 1, 2020 5293-5301*

Photoacoustic spectroscopy

Quartz-Enhanced Photoacoustic Spectroscopy Based on the Four-Off-Beam Acoustic Micro-Resonator. *Wang, Z.*, +, *JLT Sept. 15, 2020 5212-5218*

Photochemistry

All-Optical Directional Control of Emission in a Photonic Liquid Crystal Fiber Laser. *Lin, J.*, +, *JLT Sept. 15, 2020 5149-5156*

Photochromism

Investigation of Thermal Loads for Transverse Mode Instability in Ytterbium-Doped Large Mode Area Fibers. *Xia, N.*, +, *JLT Aug. 15, 2020 4478-4489*

Yb/Ce Codoped Aluminosilicate Fiber With High Laser Stability for Multi-kW Level Laser. *She, S.*, +, *JLT Dec. 15, 2020 6924-6931*

Photoconductivity

High-Power and High-Linearity Photodiodes at 1064 nm. *Peng, Y.*, +, *JLT Sept. 1, 2020 4850-4856*

Modeling and Optimization of Plasmonic Detectors for Beyond-CMOS Plasmonic Majority Logic Gates. *Noor, S.L.*, +, *JLT Sept. 15, 2020 5092-5099*

Ultrahigh-Resolution Optoelectronic Vector Analysis Utilizing Photonics-Based Frequency Up- and Down-Conversions. *Xue, M.*, +, *JLT Aug. 1, 2020 3859-3865*

Photodetectors

36 Gb/s Narrowband Photoreceiver for mmWave Analog Radio-Over-Fiber. *Bogaert, L.*, +, *JLT June 15, 2020 3289-3295*

A Low-Voltage Si-Ge Avalanche Photodiode for High-Speed and Energy Efficient Silicon Photonic Links. *Wang, B.*, +, *JLT June 15, 2020 3156-3163*

A Phase-Retrieving Coherent Receiver Based on Two-Dimensional Photodetector Array. *Yoshida, Y.*, +, *JLT Jan. 1, 2020 90-100*

A Photonic-Based Wideband RF Self-Interference Cancellation Approach With Fiber Dispersion Immunity. *Chen, Y.*, *JLT Sept. 1, 2020 4618-4624*

A Precisely Frequency-Tunable Parity-Time-Symmetric Optoelectronic Oscillator. *Ding, Q.*, +, *JLT Dec. 1, 2020 6569-6577*

Adapting Mach-Zehnder Mesh Equalizers in Direct-Detection Mode-Division-Multiplexed Links. *Choutagunta, K.*, +, *JLT Feb. 15, 2020 723-735*

Beyond 400 Gb/s Direct Detection Over 80 km for Data Center Interconnect Applications. *Le, S.T.*, +, *JLT Jan. 15, 2020 538-545*

Compensation of Phase-Uncertainty-Induced Impairments in Dispersion-Tuned Swept Laser OCT using Digital Coherent Detection. *Shirahata, T.*, +, *JLT Dec. 1, 2020 6492-6498*

Comprehensive Design and Prototype of VLC Receivers With Large Detection Areas. *Nabavi, P.*, +, *JLT Aug. 15, 2020 4187-4204*

Counting Statistics of Actively Quenched SPADs Under Continuous Illumination. *Straka, I.*, +, *JLT Sept. 1, 2020 4765-4771*

Efficient Sub-Bandgap Photodetection via Two-Dimensional Electron Gas in ZnO Based Heterojunction. *Kaushik, V.*, +, *JLT Nov. 1, 2020 6031-6037*

Evaluating Phase Errors in Phase-Sensitive Optical Time-Domain Reflectometry Based on I/Q Demodulation. *Lu, X.*, +, *JLT Aug. 1, 2020 4133-4141*

Fabrication and Characterization of InAs/GaSb type-II Superlattice Long-Wavelength Infrared Detectors Aiming High Temperature Sensitivity. *Wang, L.*, +, *JLT Nov. 1, 2020 6129-6134*

Fast Acquisition Tunable High-Resolution Photon-Counting OTDR. *Calliari, F.*, +, *JLT Aug. 15, 2020 4572-4579*

High Power Efficiency and Dynamic Range Analog Photonic Link with Suppressed Dispersion-Induced Power Fading. *Bai, Y.*, +, *JLT Nov. 1, 2020 5973-5980*

High-Order Electrical Spectrum Method for Measuring the Chirp of a Silicon Mach-Zehnder Modulator. *Chen, H.*, +, *JLT Dec. 15, 2020 6833-6844*

High-Performance Fully Integrated Silicon Photonic Microwave Mixer Subsystems. *Bottenfield, C.G.*, +, *JLT Oct. 1, 2020 5536-5545*

High-Speed and High-Resolution Microwave Photonic Interrogation of a Fiber-Optic Refractometer With Plasmonic Spectral Comb. *Wang, G.*, +, *JLT April 1, 2020 2073-2080*

- High-Speed Mid-Infrared Interband Cascade Photodetector Based on InAs/GaAsSb Type-II Superlattice. *Chen, Y., +, JLT Feb. 15, 2020 939-945*
- Impact of Dispersion Effects on Temporal-Convolution-Based Real-Time Fourier Transformation Systems. *Zhang, B., +, JLT Sept. 1, 2020 4664-4676*
- Modeling and Optimization of Plasmonic Detectors for Beyond-CMOS Plasmonic Majority Logic Gates. *Noor, S.L., +, JLT Sept. 15, 2020 5092-5099*
- Modeling Temperature-Dependent Avalanche Characteristics of InP. *Petticrew, J.D., +, JLT Feb. 15, 2020 961-965*
- Monolithic Integrated InGaAs/InAlAs WDM-APDs With Partially Depleted Absorption Region and Evanescently Coupled Waveguide Structure. *Zhao, Y., +, JLT Aug. 15, 2020 4385-4396*
- Noise-Induced Limits of Detection in Frequency Locked Optical Microcavities. *Hao, S., +, JLT Nov. 15, 2020 6393-6401*
- Nonlinear Characteristics of Uni-Traveling Carrier Photodiode With InGaAs/GaAsSb Type-II Multiple Quantum Wells Absorber. *Chen, Y., +, JLT Sept. 1, 2020 4867-4873*
- Optimal Photon Counting Receiver for Sub-Dead-Time Signal Transmission. *Huang, S., +, JLT Sept. 15, 2020 5225-5235*
- Oscilloscopic Capture of Greater-Than-100 GHz, Ultra-Low Power Optical Waveforms Enabled by Integrated Electrooptic Devices. *Wang, X., +, JLT Jan. 1, 2020 166-173*
- Passband-Switchable and Frequency-Tunable Dual-Passband Microwave Photonic Filter. *Jiao, Z., +, JLT Oct. 1, 2020 5333-5338*
- Performance Requirements for Terabit-Class Silicon Photonic Links Based on Cascaded Microring Resonators. *London, Y., +, JLT July 1, 2020 3469-3477*
- Photonic-Assisted Filter-Free Microwave Doppler Frequency Shift Measurement Using a Fixed Low-Frequency Reference Signal. *Zuo, P., +, JLT Aug. 15, 2020 4333-4340*
- Photonic-Assisted Leakage Cancellation for Wideband Frequency Modulation Continuous-Wave Radar Transceiver. *Li, P., +, JLT March 15, 2020 1178-1183*
- Photonics-Based CW/Pulsed Microwave Signal AOA Measurement System. *Chen, H., +, JLT April 15, 2020 2292-2298*
- Photovoltaic Solar Cells for Outdoor LiFi Communications. *Lorriere, N., +, JLT Aug. 1, 2020 3822-3831*
- Quartz-Enhanced Photoacoustic Spectroscopy Based on the Four-Off-Beam Acoustic Micro-Resonator. *Wang, Z., +, JLT Sept. 15, 2020 5212-5218*
- Sensitivity Analysis of Photonic Integrated Direct-Detection Stokes-Vector Receiver. *Tanemura, T., +, JLT Jan. 15, 2020 447-456*
- Sensitivity Calculations of High-Speed Optical Receivers Based on Electron-APDs. *Shulyak, V., +, JLT Feb. 15, 2020 989-995*
- Spectral Properties of the Signal in Phase-Sensitive Optical Time-Domain Reflectometry With Direct Detection. *Lu, X., +, JLT March 15, 2020 1513-1521*
- Time-Stretched Femtosecond Lidar Using Microwave Photonic Signal Processing. *Zhao, L., +, JLT Nov. 15, 2020 6265-6271*
- Truly Distributed and Ultra-Fast Microwave Photonic Fiber-Optic Sensor. *Zhou, D., +, JLT Aug. 1, 2020 4150-4159*
- Ultra-Sensitive Cholesterol Sensor Using Gold and Zinc-Oxide Nanoparticles Immobilized Core Mismatch MPM/SPS Probe. *Agrawal, N., +, JLT April 15, 2020 2523-2529*
- Ultrahigh-Resolution Optoelectronic Vector Analysis Utilizing Photonics-Based Frequency Up- and Down-Conversions. *Xue, M., +, JLT Aug. 1, 2020 3859-3865*
- Ultrasound Measurement Using On-Chip Optical Micro-Resonators and Digital Optical Frequency Comb. *Song, J., +, JLT Oct. 1, 2020 5293-5301*
- Wideband Dual-Channel Photonic RF Repeater Based on Polarization Division Multiplexing Modulation and Polarization Control. *Shi, F., +, JLT March 15, 2020 1275-1285*
- Photodiodes**
- 200 G Outdoor Free-Space-Optics Link Using a Single-Photodiode Receiver. *Lorenaces-Riesgo, A., +, JLT Jan. 15, 2020 394-400*
- Channel-Aware Adaptive Physical-Layer Network Coding Over Relay-Assisted OFDM-VLC Networks. *Hong, Y., +, JLT March 15, 2020 1168-1177*
- Coded Modulation for 100G Coherent EPON. *Gerard, T., +, JLT Feb. 1, 2020 564-572*
- Demonstration of C-Band Amplifier-Free 100 Gb/s/λ Direct-Detection Links Beyond 40-km SMF Using a High-Power SSB Transmitter. *Li, X., +, JLT Nov. 15, 2020 6170-6177*
- High-Power and High-Linearity Photodiodes at 1064 nm. *Peng, Y., +, JLT Sept. 1, 2020 4850-4856*
- High-Power Microwave Generation Through Distributed Optical Amplification Into a Photodiode Array on an Open Indium Phosphide Platform. *Tonning, P.L., +, JLT Oct. 1, 2020 5526-5535*
- High-Speed and Cost-Effective Reflective Terahertz Imaging System Using a Novel 2D Beam Scanner. *Lee, E.S., +, JLT Aug. 15, 2020 4237-4243*
- High-Speed Evanescently-Coupled Waveguide Type-II MUTC Photodiodes for Zero-Bias Operation. *Yu, F., +, JLT Dec. 15, 2020 6827-6832*
- Highly-Sensitive Indirect-Conversion X-Ray Detector With an Embedded Photodiode Formed by a Three-Dimensional Dual-Gate Thin-Film Transistor. *Xu, Y., +, JLT July 15, 2020 3775-3780*
- Noise Characterization for Time Interleaved Photonic Analog to Digital Converters. *Jin, Z., +, JLT March 15, 2020 1230-1242*
- Nonlinear Characteristics of Uni-Traveling Carrier Photodiode With InGaAs/GaAsSb Type-II Multiple Quantum Wells Absorber. *Chen, Y., +, JLT Sept. 1, 2020 4867-4873*
- Photovoltaic Solar Cells for Outdoor LiFi Communications. *Lorriere, N., +, JLT Aug. 1, 2020 3822-3831*
- SSB Single Carrier and Multicarrier in C-Band FSO Transmission With KK Receiver. *Wei, Y., +, JLT Sept. 15, 2020 5000-5007*
- Tunable THz Signal Generation and Radio-Over-Fiber Link Based on an Optoelectronic Oscillator-Driven Optical Frequency Comb. *Hasanuzzaman, G.K.M., +, JLT Oct. 1, 2020 5240-5247*
- Photodynamic therapy**
- On the Characterization of Novel Step-Index Biocompatible and Biodegradable poly(D,L-lactic acid) Based Optical Fiber. *Gierej, A., +, JLT April 1, 2020 1905-1914*
- Photoelasticity**
- Extraction of Elastooptic Coefficient of Thin-Film Arsenic Trisulfide Using a Mach-Zehnder Acoustooptic Modulator on Lithium Niobate. *Khan, M.S.I., +, JLT April 1, 2020 2053-2059*
- Photoemission**
- Efficient Sub-Bandgap Photodetection via Two-Dimensional Electron Gas in ZnO Based Heterojunction. *Kaushik, V., +, JLT Nov. 1, 2020 6031-6037*
- Photolithography**
- Aerosol Jet Printed Optical Waveguides for Short Range Communication. *Lorenz, L., +, JLT July 1, 2020 3478-3484*
- Opto-Mechanical Lab-on-Fiber Accelerometers. *Bruno, F.A., +, JLT April 1, 2020 1998-2009*
- Vertically Coupled InP/InGaAsP Microring Lasers Using a Single Epitaxial Growth and Single-Side Lithography. *Lopez, O.G., +, JLT Aug. 1, 2020 3983-3987*
- Photoluminescence**
- An Experimental and Theoretical Investigation of a 2 μm Wavelength Low-Threshold Microsphere Laser. *Yu, J., +, JLT April 1, 2020 1880-1886*
- Color Variation of the Up-Conversion Luminescence in Er³⁺-Yb³⁺ Co-Doped Lead Germanate Glasses and Microsphere Integrated Devices. *Zhang, M., +, JLT Aug. 15, 2020 4397-4401*
- Photon counting**
- Counting Statistics of Actively Quenched SPADs Under Continuous Illumination. *Straka, I., +, JLT Sept. 1, 2020 4765-4771*
- Fast Acquisition Tunable High-Resolution Photon-Counting OTDR. *Calliari, F., +, JLT Aug. 15, 2020 4572-4579*
- Optimal Photon Counting Receiver for Sub-Dead-Time Signal Transmission. *Huang, S., +, JLT Sept. 15, 2020 5225-5235*
- Oscilloscopic Capture of Greater-Than-100 GHz, Ultra-Low Power Optical Waveforms Enabled by Integrated Electrooptic Devices. *Wang, X., +, JLT Jan. 1, 2020 166-173*
- Photonic band gap**
- Hole-Assisted Solid Core Bragg Fibers With a High-Index-Contrast Cladding for Broadband Single-Polarization Operation. *Shang, L., +, JLT Nov. 1, 2020 6104-6113*

Photonic crystals

- All-Optical and Polarization-Independent Tunable Guided-Mode Resonance Filter Based on a Dye-Doped Liquid Crystal Incorporated With Photonic Crystal Nanostructure. *Lin, T.*, +, *JLT Feb. 15, 2020 820-826*
- All-Optical Directional Control of Emission in a Photonic Liquid Crystal Fiber Laser. *Lin, J.*, +, *JLT Sept. 15, 2020 5149-5156*
- All-Optical Spiking Neuron Based on Passive Microresonator. *Xiang, J.*, +, *JLT Aug. 1, 2020 4019-4029*
- An Optical Fiber Immunosensor With a Low Detection Limit Based on Plasmon Coupling Enhancement. *Wang, B.*, +, *JLT July 15, 2020 3781-3788*
- Birefringent Anti-Resonant Hollow-Core Fiber. *Yerolatsitis, S.*, +, *JLT Sept. 15, 2020 5157-5162*
- Bragg Reflection and Conversion Between Helical Bloch Modes in Chiral Three-Core Photonic Crystal Fiber. *Loranger, S.*, +, *JLT Aug. 1, 2020 4100-4107*
- Carrier-Suppressed Single Sideband Signal for FMCW LiDAR Using a Si Photonic-Crystal Optical Modulators. *Kamata, M.*, +, *JLT April 15, 2020 2315-2321*
- Combining Harmonic Laser Beams by Fiber Components for Refractivity-Compensating Two-Color Interferometry. *Liu, Y.*, +, *JLT April 1, 2020 1945-1952*
- Controlling Resonance Lineshapes of a Side-Coupled Waveguide-Microring Resonator. *Fang, L.*, +, *JLT Aug. 15, 2020 4429-4434*
- Demonstration of Tunable Optical Aggregation of QPSK to 16-QAM Over Optically Generated Nyquist Pulse Trains Using Nonlinear Wave Mixing and a Kerr Frequency Comb. *Fallahpour, A.*, +, *JLT Jan. 15, 2020 359-365*
- Design of Negative Curvature Hollow Core Fiber Based on Reinforcement Learning. *Hu, X.*, +, *JLT April 1, 2020 1959-1965*
- Design of Wavelength-Adjustable Dual-Narrowband Absorber by Photonic Crystals With Two Defects Containing MoS₂ Monolayer. *Ansari, N.*, +, *JLT Dec. 1, 2020 6678-6684*
- Dispersion Management in Hybrid Optical Fibers. *Michalik, D.*, +, *JLT March 15, 2020 1427-1434*
- Distributed Salinity Sensor With a Polyimide-Coated Photonic Crystal Fiber Based on Brillouin Dynamic Grating. *Zhang, H.*, +, *JLT Sept. 15, 2020 5219-5224*
- Dual-Frequency CARS Excitation Source With Two Independent-Tunable Stokes Wavelengths Using PM-PCF and Vector Adjustment. *Zhang, Y.*, +, *JLT April 15, 2020 2392-2399*
- Enhancing Wavelength Tunability of Photonic Crystal Nanolasers by Waveguide-Like Strain Shapers. *Lu, T.*, +, *JLT Dec. 1, 2020 6605-6611*
- Femtosecond-Laser-Written S-Curved Waveguide in Nd:YAP Crystal: Fabrication and Multi-Gigahertz Lasing. *Li, L.*, +, *JLT Dec. 15, 2020 6845-6852*
- Hollow Silica Photonic Crystal Fiber Guiding 101 Orbital Angular Momentum Modes Without Phase Distortion in C+L Band. *Hong, S.*, +, *JLT March 1, 2020 1010-1018*
- Liquid Level and Refractive Index Double-Parameter Sensor Based on Tapered Photonic Crystal Fiber. *Fan, R.*, +, *JLT July 15, 2020 3717-3722*
- Mid-Infrared Supercontinuum Generation in Chalcogenide Photonic Crystal Fibers with a Weak CW Trigger. *Huang, R.*, +, *JLT March 15, 2020 1522-1528*
- Non-Equidistant Arrangement in All-Dielectric Quadrumers and Mirror-Symmetric One-Dimensional Photonic Crystals Hybridstructure for Self-Referenced Sensing Scheme. *Sun, P.*, +, *JLT Dec. 1, 2020 6671-6677*
- Photonic RF Arbitrary Waveform Generator Based on a Soliton Crystal Micro-Comb Source. *Tan, M.*, +, *JLT Nov. 15, 2020 6221-6226*
- Sagnac Interferometer Based on a Highly-Birefringent Two-Core PCF: Theory, Experiment, and Sensing Characteristics. *Naeem, K.*, +, *JLT Sept. 15, 2020 5177-5190*
- Selective Mode Excitation in a Few-Mode Photonic Crystal Fiber for Strain Sensing With Restrained Temperature Response. *Luo, Z.*, +, *JLT Aug. 15, 2020 4560-4571*
- Single TE₀₁ Mode Cylindrical Vector Beams Transmission Based on Composite Gold Nanowire Embedded Photonic Crystal Fiber. *Zhang, W.*, +, *JLT April 15, 2020 2441-2449*

- Surface Plasmon Resonance Induced High Sensitivity Temperature and Refractive Index Sensor Based on Evanescent Field Enhanced Photonic Crystal Fiber. *Liu, Y.*, +, *JLT Feb. 15, 2020 919-928*
- Tm/Al Co-Doped Silica Glass Prepared by Laser Additive Manufacturing Technology for 2- μ m Photonic Crystal Fiber Laser. *Liu, J.*, +, *JLT March 15, 2020 1486-1491*
- True-Time Delay Line Based on Dispersion-Flattened 19-Core Photonic Crystal Fiber. *Shaheen, S.*, +, *JLT Nov. 15, 2020 6237-6246*
- Ultrasensitive Multiple Guided-Mode Biosensor With Few-Layer Black Phosphorus. *Dai, X.*, +, *JLT March 15, 2020 1564-1571*
- Using Reverse Saturable Absorption to Boost Broadband Noise-Like Pulses. *Li, X.*, +, *JLT July 15, 2020 3769-3774*

Photonic switching systems

- A Dynamically-Reconfigurable Burst-Mode Link Using a Nanosecond Photonic Switch. *Forencich, A.*, +, *JLT March 15, 2020 1330-1340*
- A Silicon Photonic Switching Platform for Flexible Converged Centralized-Radio Access Networking. *Browning, C.*, +, *JLT Oct. 1, 2020 5386-5392*
- Architecture and Devices for Silicon Photonic Switching in Wavelength, Polarization and Mode. *Zhang, Y.*, +, *JLT Jan. 15, 2020 215-225*
- Fast Wavelength Seeking in a Silicon Dual-Ring Switch Based on Artificial Neural Networks. *Qin, G.*, +, *JLT Sept. 15, 2020 5078-5085*
- Frequency-Stabilized Links for Coherent WDM Fiber Interconnects in the Datacenter. *Blumenthal, D.J.*, +, *JLT July 1, 2020 3376-3386*
- Gain-Integrated 8 \times 8 Silicon Photonics Multicast Switch With On-Chip 2 \times 4-ch. SOAs. *Konoike, R.*, +, *JLT June 1, 2020 2930-2937*
- Multi-Stage 8 \times 8 Silicon Photonic Switch Based on Dual-Microring Switching Elements. *Huang, Y.*, +, *JLT Jan. 15, 2020 194-201*

Photonics

- Ball Lens Embedded Through-Package Via To Enable Backside Coupling Between Silicon Photonics Interposer and Board-Level Interconnects. *Mangal, N.*, +, *JLT April 15, 2020 2360-2369*

Photons

- Guest Editorial: Special Issue on Optical Interconnects. *Gu, T.*, +, *JLT July 1, 2020 3319-3321*

Physics computing

- Inverse System Design Using Machine Learning: The Raman Amplifier Case. *Zibar, D.*, +, *JLT Feb. 15, 2020 736-753*
- Soft Failure Identification for Long-haul Optical Communication Systems Based on One-dimensional Convolutional Neural Network. *Lun, H.*, +, *JLT June 1, 2020 2992-2999*

Piezo-optical effects

- Extraction of Elastooptic Coefficient of Thin-Film Arsenic Trisulfide Using a Mach-Zehnder Acoustooptic Modulator on Lithium Niobate. *Khan, M.S.I.*, +, *JLT April 1, 2020 2053-2059*

Plasma CVD

- Effects of Post-Etch Microstructures on the Optical Transmittance of Silica Ridge Waveguides. *Wright, J.G.*, +, *JLT Nov. 15, 2020 6280-6285*

Photonics

- Experimental Demonstration of DNA Hybridization Using Graphene Based Plasmonic Sensor Chip. *Maurya, J.B.*, +, *JLT Sept. 15, 2020 5191-5198*
- High-Speed and High-Resolution Microwave Photonic Interrogation of a Fiber-Optic Refractometer With Plasmonic Spectral Comb. *Wang, G.*, +, *JLT April 1, 2020 2073-2080*
- High-Speed Plasmonic-Silicon Modulator Driven by Epsilon-Near-zero Conductive Oxide. *Zhou, B.*, +, *JLT July 1, 2020 3338-3345*
- Modal Analysis of 2-D Material-Based Plasmonic Waveguides by Mixed Spectral Element Method With Equivalent Boundary Condition. *Lin, X.*, +, *JLT July 15, 2020 3677-3686*
- Modeling and Optimization of Plasmonic Detectors for Beyond-CMOS Plasmonic Majority Logic Gates. *Noor, S.L.*, +, *JLT Sept. 15, 2020 5092-5099*
- Quarter-Millimeter Propagating Plasmons in Thin-Gold-Film-Based Waveguides for Visible Spectral Range. *Kornienko, V.V.*, +, *JLT Sept. 1, 2020 4794-4800*
- Quasi-Phase Matched Second Harmonic Generation in Plasmonic-Organic Hybrid Structures. *Janjan, B.*, +, *JLT March 15, 2020 1391-1399*

Thermal Tuning of Plasmo-fluidic Disk Resonators Filled With a Liquid Crystal: Its Narrow-Trench Filling and Arrangement. *Vuong, Q.V.*, +, *JLT Aug. 15, 2020 4419-4428*

Tunable Ultra-Multispectral Metamaterial Perfect Absorbers Based on Out-of-Plane Metal-Insulator-Graphene Heterostructures. *Li, H.*, +, *JLT April 1, 2020 1858-1864*

Ultra-High-Speed 2:1 Digital Selector and Plasmonic Modulator IM/DD Transmitter Operating at 222 GBaud for Intra-Datacenter Applications. *Heni, W.*, +, *JLT May 1, 2020 2734-2739*

Plasmons

Design of a Miniaturized Broadband Silicon Hybrid Plasmonic Temporal Integrator for Ultrafast Optical Signal Processing. *Karimi, A.*, +, *JLT April 15, 2020 2346-2352*

Plastics

Investigating the Refractive Index Sensitivity of U-Bent Fiber Optic Sensors Using Ray Optics. *Danny, C.G.*, +, *JLT March 15, 2020 1580-1588*

Investigation of Mode Coupling in Graded Index Plastic Optical Fibers Using the Langevin Equation. *Savovic, S.*, +, *JLT Dec. 1, 2020 6644-6647*

Plates (structures)

Detection of Circular-Crested Lamb Waves Using Surface-Bonded Fiber-Optic Ultrasound Sensors: A Theoretical Perspective. *Liu, G.*, +, *JLT April 15, 2020 2555-2563*

Poisson ratio

Sensitivity-Enhanced Distributed Hydrostatic Pressure Sensor Based on BOTDA in Single-Mode Fiber With Double-Layer Polymer Coatings. *Dong, Y.*, +, *JLT April 15, 2020 2564-2571*

Polar codes

Performance Enhanced 256-QAM BIPCM-DMT System Enabled by CAZAC Precoding. *Ma, J.*, +, *JLT Feb. 1, 2020 557-563*

Probabilistically Shaped Rate-Adaptive Polar-Coded 256-QAM WDM Optical Transmission System. *Iqbal, S.*, +, *JLT April 1, 2020 1800-1808*

Polishing

Investigation on the Polarization Dependence of An Angled Polished Multimode Fibre Structure. *Wang, R.*, +, *JLT Aug. 15, 2020 4520-4525*

Side-Polished Single-Mode-Multimode-Single-Mode Fiber Structure for the Vector Magnetic Field Sensing. *Chen, Y.*, +, *JLT Oct. 15, 2020 5837-5843*

Polymer fibers

Multimode Fiber Interferometer Based on Graded-Index Polymer CYTOP Fiber. *Chapalo, I.*, +, *JLT March 15, 2020 1439-1445*

On the Characterization of Novel Step-Index Biocompatible and Biodegradable poly(D,L-lactic acid) Based Optical Fiber. *Gierej, A.*, +, *JLT April 1, 2020 1905-1914*

Polymer films

Polymer-Coated Hollow Fiber Optofluidic Laser for Refractive Index Sensing. *Zhao, X.*, +, *JLT March 15, 2020 1550-1556*

Sensitivity-Enhanced Distributed Hydrostatic Pressure Sensor Based on BOTDA in Single-Mode Fiber With Double-Layer Polymer Coatings. *Dong, Y.*, +, *JLT April 15, 2020 2564-2571*

Polymer solutions

Bio-Inspired Localized Surface Plasmon Resonance Enhanced Sensing of Mercury Through Green Synthesized Silver Nanoparticle. *Boruah, B.S.*, +, *JLT April 1, 2020 2086-2091*

Polymers

Behavior of Specialty Optical Fibers in Crude Oil Environment. *Stolov, A.A.*, +, *JLT July 15, 2020 3759-3768*

Polynomials

Low-Complexity Second-Order Volterra Equalizer for DML-Based IM/DD Transmission System. *Yu, Y.*, +, *JLT April 1, 2020 1735-1746*

Performance Enhanced 256-QAM BIPCM-DMT System Enabled by CAZAC Precoding. *Ma, J.*, +, *JLT Feb. 1, 2020 557-563*

Potassium compounds

Ultrafast Laser Inscription and $\square 2$ μm Laser Operation of Y-Branch Splitters in Monoclinic Crystals. *Kifle, E.*, +, *JLT Aug. 15, 2020 4374-4384*

Power amplifiers

In-Depth Studies of the Spectral Bandwidth of a 25 W 2 μm Band PM Hybrid Ho- and Tm-Doped Fiber Amplifier. *Tench, R.E.*, +, *JLT April 15, 2020 2456-2463*

SNR Model for Generalized Droop With Constant Output Power Amplifier Systems and Experimental Measurements. *Downie, J.D.*, +, *JLT June 15, 2020 3214-3220*

Power consumption

A Clock-Gating-Based Energy-Efficient Scheme for ONUs in Real-Time IMDD OFDM-PONs. *Zhang, J.*, +, *JLT July 15, 2020 3573-3583*

Clock and Data Recovery-Free Data Communications Enabled by Multi-Core Fiber With Low Thermal Sensitivity of Skew. *Sohanpal, R.S.*, +, *JLT April 1, 2020 1636-1643*

Power generation

The Generalized Droop Formula for Low Signal to Noise Ratio Optical Links. *Bononi, A.*, +, *JLT April 15, 2020 2201-2213*

Preamplifiers

Quantum Theory of Noise in Stokes Vector Receivers and Application to Bit Error Rate Analysis. *Kikuchi, K.*, *JLT June 15, 2020 3164-3172*

Precoding

Comparison of Different Precoding Techniques for Unbalanced Impairments Compensation in Short-Reach DMT Transmission Systems. *Chen, M.*, +, *JLT Nov. 15, 2020 6202-6213*

DSP for High-Speed Short-Reach IM/DD Systems Using PAM. *Wettlin, T.*, +, *JLT Dec. 15, 2020 6771-6778*

Experimental Demonstration of 600 Gb/s Net Rate PAM4 Transmissions Over 2 km and 10 km With a 4- λ CWDM TOSA. *Xing, Z.*, +, *JLT June 1, 2020 2968-2975*

Multisuser Precoded MIMO Visible Light Communication Systems Enabling Spatial Dimming. *Zhao, L.*, +, *JLT Oct. 15, 2020 5624-5634*

Performance Enhanced 256-QAM BIPCM-DMT System Enabled by CAZAC Precoding. *Ma, J.*, +, *JLT Feb. 1, 2020 557-563*

Preforms

The Influence of the MCVD Process Parameters on the Optical Properties of Bismuth-Doped Phosphosilicate Fibers. *Khegai, A.*, +, *JLT Nov. 1, 2020 6114-6120*

Pressure measurement

Sensitivity-Enhanced Distributed Hydrostatic Pressure Sensor Based on BOTDA in Single-Mode Fiber With Double-Layer Polymer Coatings. *Dong, Y.*, +, *JLT April 15, 2020 2564-2571*

Simultaneous Measurement of Pressure and Temperature in Seawater with PDMS Sealed Microfiber Mach-Zehnder Interferometer. *Hou, Y.*, +, *JLT Nov. 15, 2020 6412-6421*

Pressure sensors

Sensitivity-Enhanced Distributed Hydrostatic Pressure Sensor Based on BOTDA in Single-Mode Fiber With Double-Layer Polymer Coatings. *Dong, Y.*, +, *JLT April 15, 2020 2564-2571*

Pricing

Economics of Resilient TWDM PONs. *Mondal, W.U.*, +, *JLT April 15, 2020 2114-2126*

Principal component analysis

Robust and Low-Complexity Principal Component-Based Phase Estimation Algorithm for Probabilistically Shaped Square-QAM Systems. *Wang, X.*, +, *JLT Nov. 15, 2020 6153-6162*

Printed circuits

A Compact Integrated LAN-WDM EML TOSA Employing Stripline With an Aperture in the FPC. *Ohata, N.*, +, *JLT June 15, 2020 3246-3251*

Probability

Adaptive Probabilistic Shaped Modulation for High-Capacity Free-Space Optical Links. *Guiomar, F.P.*, +, *JLT Dec. 1, 2020 6529-6541*

Analysis of Nonlinear Fiber Interactions for Finite-Length Constant-Composition Sequences. *Fehenberger, T.*, +, *JLT Jan. 15, 2020 457-465*

Analytical Channel Model and Link Design Optimization for Ground-to-HAP Free-Space Optical Communications. *Safi, H.*, +, *JLT Sept. 15, 2020 5036-5047*

Capacity and Optimum Signal Constellations for VLC Systems. *Jia, L.*, +, *JLT April 15, 2020 2180-2189*

Comparison of Geometrically Shaped 32-QAM and Probabilistically Shaped 32-QAM in a Bandwidth-Limited IM-DD System. *Ding, J.*, +, *JLT Aug. 15, 2020 4352-4358*

DFT-Spread DMT-WDM-PON Employing LDPC-Coded Probabilistic Shaping 16 QAM. *Xiao, Q.*, +, *JLT Feb. 15, 2020 714-722*

- Estimating the Outage Due to Polarization Dependent Loss Based on the Bit-Wise Achievable Information Rate for Probabilistically Shaped 64-QAM. *Cartledge, J.C.*, +, *JLT June 1, 2020 3023-3029*
- Independent Component Analysis for Phase and Residual Frequency Offset Compensation in OQAM Multicarrier Systems. *Zhao, J.*, +, *JLT Aug. 1, 2020 3897-3907*
- LDPC-Coded Probabilistic Shaping PAM8 Employing a Novel Bit-Weighted Distribution Matching in WDM-PON. *Zhao, X.*, +, *JLT Sept. 1, 2020 4641-4647*
- Machine Learning Assisted Optimization of Dynamic Crosstalk-Aware Spectrally-Spatially Flexible Optical Networks. *Klinkowski, M.*, +, *JLT April 1, 2020 1625-1635*
- Mitigation of Pattern-Dependent Effect in SOA at O-Band by Using DSP. *Wang, K.*, +, *JLT Feb. 1, 2020 590-597*
- Phase and Frequency Recovery Algorithms for Probabilistically Shaped Transmission. *Barbosa, F.A.*, +, *JLT April 1, 2020 1827-1835*
- Post-FEC BER Benchmarking for Bit-Interleaved Coded Modulation With Probabilistic Shaping. *Yoshida, T.*, +, *JLT Aug. 15, 2020 4292-4306*
- Probabilistically Shaped Rate-Adaptive Polar-Coded 256-QAM WDM Optical Transmission System. *Iqbal, S.*, +, *JLT April 1, 2020 1800-1808*
- Provisioning in Multi-Band Optical Networks. *Sambo, N.*, +, *JLT May 1, 2020 2598-2605*
- Soft Failure Identification for Long-haul Optical Communication Systems Based on One-dimensional Convolutional Neural Network. *Lun, H.*, +, *JLT June 1, 2020 2992-2999*
- Unified Performance Analysis of Hybrid FSO/RF System With Diversity Combining. *Huang, L.*, +, *JLT Dec. 15, 2020 6788-6800*
- Y-00 Quantum-Noise Randomized Stream Cipher Using Intensity Modulation Signals for Physical Layer Security of Optical Communications. *Futami, F.*, +, *JLT May 15, 2020 2774-2781*
- Probes**
- Ultra-Sensitive Cholesterol Sensor Using Gold and Zinc-Oxide Nanoparticles Immobilized Core Mismatch MPM/SPS Probe. *Agrawal, N.*, +, *JLT April 15, 2020 2523-2529*
- Profitability**
- Economics of Resilient TWDM PONs. *Mondal, W.U.*, +, *JLT April 15, 2020 2114-2126*
- Programmable logic arrays**
- All-Optical 2×2 -Bit Multiplier at 40 Gb/s Based on Canonical Logic Units-based Programmable Logic Array (CLUs-PLA). *Dong, W.*, +, *JLT Oct. 15, 2020 5586-5594*
- Propagation constant**
- Ultra-Broadband Mode Splitter Based on Phase Controlling of Bridged Sub-wavelength Grating. *Jiang, W.*, +, *JLT April 15, 2020 2414-2422*
- Proteins**
- An Optical Fiber Immunosensor With a Low Detection Limit Based on Plasmon Coupling Enhancement. *Wang, B.*, +, *JLT July 15, 2020 3781-3788*
- Protocols**
- A Novel Cooperative HARQ Protocol for Free-Space Optical Broadcasting Systems. *Hosseini, S.S.*, +, *JLT April 1, 2020 1789-1799*
- Abstraction and Control of Multi-Domain Disaggregated Optical Networks With OpenROADM Device Models. *Casellas, R.*, +, *JLT May 1, 2020 2606-2615*
- Reliable Optical Networks With ODTN: Resiliency and Fail-Over in Data and Control Planes. *Campanella, A.*, +, *JLT May 15, 2020 2755-2764*
- Pulse amplitude modulation**
- 100-Gbit/s/ λ EML Transmitter and PIN-PD+TIA Receiver-Based Inter-Data Center Link. *Lin, Y.*, +, *JLT April 15, 2020 2144-2151*
- 100G PAM-6 and PAM-8 Signal Transmission Enabled by Pre-Chirping for 10-km Intra-DCI Utilizing MZM in C-band. *Zou, D.*, +, *JLT July 1, 2020 3445-3453*
- 120 GBaud PAM-4/PAM-6 Generation and Detection by Photonic Aided Digital-to-Analog Converter and Linear Equalization. *Xin, H.*, +, *JLT April 15, 2020 2226-2230*
- 135-GHz D-Band 60-Gbps PAM-8 Wireless Transmission Employing a Joint DNN Equalizer With BP and CMMA. *Zhou, W.*, +, *JLT July 15, 2020 3592-3601*
- 200 Gbps/Lane IM/DD Technologies for Short Reach Optical Interconnects. *Pang, X.*, +, *JLT Jan. 15, 2020 492-503*
- 240 Gbit/s Silicon Photonic Mach-Zehnder Modulator Enabled by Two 2.3-Vpp Drivers. *Jacques, M.*, +, *JLT June 1, 2020 2877-2885*
- 4 \times 112 Gbps/Fiber CWDM VCSEL Arrays for Co-Packaged Interconnects. *Wang, B.*, +, *JLT July 1, 2020 3439-3444*
- 40 Gbps With Electrically Parallel Triple and Septuple 980 nm VCSEL Arrays. *Haghighi, N.*, +, *JLT July 1, 2020 3387-3394*
- 64 Gbps PAM4 Si-Ge Waveguide Avalanche Photodiodes With Excellent Temperature Stability. *Yuan, Y.*, +, *JLT Sept. 1, 2020 4857-4866*
- A 112 Gb/s PAM4 Silicon Photonics Transmitter With Microring Modulator and CMOS Driver. *Li, H.*, +, *JLT Jan. 1, 2020 131-138*
- A Bidirectional FSO Communication Employing Phase Modulation Scheme and Remotely Injection-Locked DFB LD. *Huang, X.*, +, *JLT Nov. 1, 2020 5883-5892*
- A Low-Voltage Si-Ge Avalanche Photodiode for High-Speed and Energy Efficient Silicon Photonic Links. *Wang, B.*, +, *JLT June 15, 2020 3156-3163*
- A SiGe HBT BiCMOS 1-to-4 ADC Frontend Enabling Low Bandwidth Digitization of 100 GBaud PAM4 Data. *Buchali, F.*, +, *JLT Jan. 1, 2020 150-158*
- A WDM PAM4 FSO-UWOC Integrated System With a Channel Capacity of 100 Gb/s. *Li, C.*, +, *JLT April 1, 2020 1766-1776*
- Adaptive Coding and Modulation for Robust Optical Access Networks. *Chou, E.S.*, +, *JLT April 15, 2020 2242-2252*
- Amplifier-less transmission of beyond 100-Gbit/s/ λ signal for 40-km DCI-Edge with 10G-class O-band DML. *Zou, D.*, +, *JLT Oct. 15, 2020 5649-5655*
- Beyond 1 Tb/s Intra-Data Center Interconnect Technology: IM-DD OR Coherent?. *Zhou, X.*, +, *JLT Jan. 15, 2020 475-484*
- Comparison on OM5-MMF and OM4-MMF Data Links With 32-GBaud PAM-4 Modulated Few-Mode VCSEL at 850 nm. *Huang, C.*, +, *JLT Feb. 1, 2020 573-582*
- Complexity Reduction With a Simplified MIMO Volterra Filter for PDM-Twin-SSB PAM-4 Transmission. *Zhu, M.*, +, *JLT Feb. 15, 2020 769-776*
- Compressed Neural Network Equalization Based on Iterative Pruning Algorithm for 112-Gbps VCSEL-Enabled Optical Interconnects. *Ge, L.*, +, *JLT March 15, 2020 1323-1329*
- Data-driven Optical Fiber Channel Modeling: A Deep Learning Approach. *Wang, D.*, +, *JLT Sept. 1, 2020 4730-4743*
- Demonstration of C-Band Amplifier-Free 100 Gb/s/ λ Direct-Detection Links Beyond 40-km SMF Using a High-Power SSB Transmitter. *Li, X.*, +, *JLT Nov. 15, 2020 6170-6177*
- Design and Characterisation of Terabit/s Capable Compact Localisation and Beam-Steering Terminals for Fiber-Wireless-Fiber Links. *Singh, R.*, +, *JLT Dec. 15, 2020 6817-6826*
- Digital Pre- and Post-Equalization for C-Band 112-Gb/s PAM4 Short-Reach Transport Systems. *Tang, X.*, +, *JLT Sept. 1, 2020 4683-4690*
- Direct Detection of Bipolar Pulse Amplitude Modulation. *Secondini, M.*, +, *JLT Nov. 1, 2020 5981-5990*
- DSP for High-Speed Short-Reach IM/DD Systems Using PAM. *Wettlin, T.*, +, *JLT Dec. 15, 2020 6771-6778*
- Experimental Demonstration of 600 Gb/s Net Rate PAM4 Transmissions Over 2 km and 10 km With a 4- λ CWDM TOSA. *Xing, Z.*, +, *JLT June 1, 2020 2968-2975*
- High Power and High Speed SOA Assisted Extended Reach EADFB Laser (AXEL) for 53-GBaud PAM4 Fiber-Amplifier-Less 60-km Optical Link. *Shindo, T.*, +, *JLT June 1, 2020 2984-2991*
- High-Capacity Coherent DCIs Using Pol-Muxed Carrier and LO-Less Receiver. *Kamran, R.*, +, *JLT July 1, 2020 3461-3468*
- Interband Short Reach Data Transmission in Ultrawide Bandwidth Hollow Core Fiber. *Sakr, H.*, +, *JLT Jan. 1, 2020 159-165*
- Intra-Datacenter Interconnects With a Serialized Silicon Optical Frequency Comb Modulator. *Kong, D.*, +, *JLT Sept. 1, 2020 4677-4682*
- Investigation of Modulation Schemes for Flexible Line-Rate High-Speed TDM-PON. *Houtsma, V.E.*, +, *JLT June 15, 2020 3261-3267*

- Iterative Algorithm for Electronic Dispersion Compensation in IM/DD Systems. *Karar, A.S., JLT Feb. 15, 2020 698-704*
- LDPC-Coded Probabilistic Shaping PAM4 Based on Many-to-One Mapping in WDM-PON. *He, H., +, JLT Aug. 1, 2020 3918-3925*
- LDPC-Coded Probabilistic Shaping PAM8 Employing a Novel Bit-Weighted Distribution Matching in WDM-PON. *Zhao, X., +, JLT Sept. 1, 2020 4641-4647*
- Low-Complexity Second-Order Volterra Equalizer for DML-Based IM/DD Transmission System. *Yu, Y., +, JLT April 1, 2020 1735-1746*
- Low-Power (1.5 pJ/b) Silicon Integrated 106 Gb/s PAM-4 Optical Transmitter. *Lambrecht, J., +, JLT Jan. 15, 2020 432-438*
- Mitigation of Pattern-Dependent Effect in SOA at O-Band by Using DSP. *Wang, K., +, JLT Feb. 1, 2020 590-597*
- Multi-Band Direct-Detection Transmission Over an Ultrawide Bandwidth Hollow-Core NANF. *Hong, Y., +, JLT May 15, 2020 2849-2857*
- On Performance Limits for Spectrally Efficient Optical Transmission Techniques in Short-Haul Metro/Access Links. *Foggi, T., JLT Feb. 1, 2020 661-667*
- Optics-Simplified DSP for 50 Gb/s PON Downstream Transmission using 10 Gb/s Optical Devices. *Xue, L., +, JLT Feb. 1, 2020 583-589*
- Optimization of Band-Limited DSP-Aided 25 and 50 Gb/s PON Using 10G-Class DML and APD. *Torres-Ferrera, P., +, JLT Feb. 1, 2020 608-618*
- Piecewise Linear Equalizer for DML Based PAM-4 Signal Transmission Over a Dispersion Uncompensated Link. *Fu, Y., +, JLT Feb. 1, 2020 654-660*
- Proposal of a Power Efficient N -Level Multipulse PPM-LQAM Technique. *Shalaby, H.M.H., JLT Dec. 1, 2020 6542-6548*
- Pulse Timing Jitter Estimated From Optical Phase Noise in Mode-Locked Semiconductor Quantum Dash Lasers. *Mao, Y., +, JLT Sept. 1, 2020 4787-4793*
- SOA Pre-Amplified 100 Gb/s/λ PAM-4 TDM-PON Downstream Transmission Using 10 Gbps O-Band Transmitters. *Zhang, J., +, JLT Jan. 15, 2020 185-193*
- Spectral-Shaping Technique Based on Nonlinear-Coded-Modulation for Short-Reach Optical Transmission. *Yamamoto, S., +, JLT Jan. 15, 2020 466-474*
- Statistical Evaluation of PAM4 Data Center Interconnect System With Slope-Compensating Fiber Bragg Grating Tunable Dispersion Compensation Module. *Searcy, S., +, JLT June 15, 2020 3173-3179*
- Toward Single Lane 200G Optical Interconnects With Silicon Photonic Modulator. *Zhu, Y., +, JLT Jan. 1, 2020 67-74*
- Ultra-Low-Loss Broadband All-Fiber Mode Selective Couplers for MIMO-Less MDM Transmission. *Jiang, S., +, JLT April 15, 2020 2376-2382*
- VCSEL Array-Based Gigabit Free-Space Optical Femtocell Communication. *Liverman, S., +, JLT April 1, 2020 1659-1667*
- Pulse compression**
- Photonic RF Phase-Encoded Signal Generation With a Microcomb Source. *Xu, X., +, JLT April 1, 2020 1722-1727*
- Pulse position modulation**
- Proposal of a Power Efficient N -Level Multipulse PPM-LQAM Technique. *Shalaby, H.M.H., JLT Dec. 1, 2020 6542-6548*
- Q**
- Q factor**
- A Laser Written 4D Optical Microcavity for Advanced Biochemical Sensing in Aqueous Environment. *Saetchnikov, A.V., +, JLT April 15, 2020 2530-2538*
- All-Optical and Broadband Microwave Image-Reject Receiver Based on Phase Modulation and I/Q Balanced Detection. *Kang, B., +, JLT Nov. 1, 2020 5962-5972*
- An Experimental and Theoretical Investigation of a 2 μm Wavelength Low-Threshold Microsphere Laser. *Yu, J., +, JLT April 1, 2020 1880-1886*
- ANN-Based Multi-Channel QoT-Prediction Over a 563.4-km Field-Trial Testbed. *Gao, Z., +, JLT May 1, 2020 2646-2655*
- Coexistence of Quasi-CW and SBS-Boosted Self-Q-Switched Pulsing in Ytterbium-Doped Fiber Laser With Low Q -Factor Cavity. *Barmenkov, Y.O., +, JLT July 15, 2020 3751-3758*
- Design of Wavelength-Adjustable Dual-Narrowband Absorber by Photonic Crystals With Two Defects Containing MoS₂ Monolayer. *Ansari, N., +, JLT Dec. 1, 2020 6678-6684*
- Effects of Shallow Suspension in Low-Loss Waveguide-Integrated Chalcogenide Microdisk Resonators. *Zhu, Y., +, JLT Sept. 1, 2020 4817-4823*
- Efficient Dual-Polarized Electro-Optically Tunable Microresonators by Utilization of Ultra-Thin Transparent Electrode. *Wang, T., +, JLT Dec. 15, 2020 6863-6869*
- Extraction of Elastooptic Coefficient of Thin-Film Arsenic Trisulfide Using a Mach-Zehnder Acoustooptic Modulator on Lithium Niobate. *Khan, M.S.I., +, JLT April 1, 2020 2053-2059*
- Full-Spectrum Periodic Nonlinear Fourier Transform Optical Communication Through Solving the Riemann-Hilbert Problem. *Kamalian-Kopae, M., +, JLT July 15, 2020 3602-3615*
- Logic Gates Based on Interaction of Counterpropagating Light in Microresonators. *Moroney, N., +, JLT March 15, 2020 1414-1419*
- Microcomb Source Based on InP DFB / Si₃N₄ Microring Butt-Coupling. *Boust, S., +, JLT Oct. 1, 2020 5517-5525*
- Noise-Induced Limits of Detection in Frequency Locked Optical Microcavities. *Hao, S., +, JLT Nov. 15, 2020 6393-6401*
- Non-Equidistant Arrangement in All-Dielectric Quadrumers and Mirror-Symmetric One-Dimensional Photonic Crystals Hybridstructure for Self-Referenced Sensing Scheme. *Sun, P., +, JLT Dec. 1, 2020 6671-6677*
- On-Chip Optical Microresonators With High Electro-Optic Tuning Efficiency. *Wang, T., +, JLT April 1, 2020 1851-1857*
- Packaged Microbubble Resonator for Versatile Optical Sensing. *Yang, D., +, JLT Aug. 15, 2020 4555-4559*
- Transmission Characteristics and Fano-Like Lineshape in Coupled-Slotted Microresonators. *Ding, M., +, JLT July 15, 2020 3687-3693*
- Ultrasound Measurement Using On-Chip Optical Micro-Resonators and Digital Optical Frequency Comb. *Song, J., +, JLT Oct. 1, 2020 5293-5301*
- Wideband Frequency-Tunable Parity-Time Symmetric Optoelectronic Oscillator Based on Hybrid Phase and Intensity Modulations. *Teng, C., +, JLT Oct. 1, 2020 5406-5411*
- Q-switching**
- Coexistence of Quasi-CW and SBS-Boosted Self-Q-Switched Pulsing in Ytterbium-Doped Fiber Laser With Low Q -Factor Cavity. *Barmenkov, Y.O., +, JLT July 15, 2020 3751-3758*
- Modeling and Analysis of a Pulsed Yb-Tm Fiber Laser System. *Tao, M., +, JLT Dec. 1, 2020 6635-6643*
- Quadrature amplitude modulation**
- 103 nm Ultra-Wideband Hybrid Raman/SOA Transmission Over 3 × 100 km SSMF. *Arnould, A., +, JLT Jan. 15, 2020 504-508*
- 135-GHz D-Band 60-Gbps PAM-8 Wireless Transmission Employing a Joint DNN Equalizer With BP and CMMA. *Zhou, W., +, JLT July 15, 2020 3592-3601*
- 2 × 300 Gbit/s Line Rate PS-64QAM-OFDM THz Photonic-Wireless Transmission. *Jia, S., +, JLT Sept. 1, 2020 4715-4721*
- 200 G Outdoor Free-Space-Optics Link Using a Single-Photodiode Receiver. *Lorences-Riesgo, A., +, JLT Jan. 15, 2020 394-400*
- 36 Gb/s Narrowband Photoreceiver for mmWave Analog Radio-Over-Fiber. *Bogaert, L., +, JLT June 15, 2020 3289-3295*
- 3D QAM-DPSK Optical Transmission Employing a Single Mach-Zehnder Modulator and Optical Direct Detection. *Park, H.J., +, JLT Nov. 15, 2020 6247-6256*
- 402.7-Tb/s MDM-WDM Transmission Over Weakly Coupled 10-Mode Fiber Using Rate-Adaptive PS-16QAM Signals. *Beppu, S., +, JLT May 15, 2020 2835-2841*
- 41-Tbps C-Band WDM Transmission With 10-bps/Hz Spectral Efficiency Using 1-Tbps/λ Signals. *Matsushita, A., +, JLT June 1, 2020 2905-2911*
- 500-Gb/s/λ Operation of Ultra-Low Power and Low-Temperature-Dependence InP-Based High-Bandwidth Coherent Driver Modulator. *Ozaki, J., +, JLT Sept. 15, 2020 5086-5091*

- 74.38 Tb/s Transmission Over 6300 km Single Mode Fibre Enabled by C+L Amplification and Geometrically Shaped PDM-64QAM. *Ionescu, M., +, JLT Jan. 15, 2020 531-537*
- A Computational Efficient Nyquist Shaping Approach for Short-Reach Optical Communications. *Perez-Pascual, A., +, JLT April 1, 2020 1651-1658*
- A Full Field-of-View Self-Steering Beamformer for 5G mm-Wave Fiber-Wireless Mobile Fronthaul. *Huang, M., +, JLT March 15, 2020 1221-1229*
- A Phase-Retrieving Coherent Receiver Based on Two-Dimensional Photodetector Array. *Yoshida, Y., +, JLT Jan. 1, 2020 90-100*
- A Study on the Effect of Ultra-Wide Band WDM on Optical Transmission Systems. *Okamoto, S., +, JLT March 1, 2020 1061-1070*
- Accurate BER Estimation Scheme Based on K-Means Clustering Assisted Gaussian Approach for Arbitrary Modulation Format. *Zhang, Q., +, JLT April 15, 2020 2152-2157*
- Accurate Field Reconstruction at Low CFSR Condition Based on a Modified KK Receiver With Direct Detection. *An, S., +, JLT Jan. 15, 2020 485-491*
- AdaNN: Adaptive Neural Network-Based Equalizer via Online Semi-Supervised Learning. *Zhou, Q., +, JLT Aug. 15, 2020 4315-4324*
- Amplifier-less transmission of beyond 100-Gbit/s/λ signal for 40-km DCI-Edge with 10G-class O-band DML. *Zou, D., +, JLT Oct. 15, 2020 5649-5655*
- An Analog Photonic Down-Conversion Link With Simultaneous IMD3 Distortion Suppression and Dispersion-Induced Power Fading Compensation. *Li, Y., +, JLT Aug. 1, 2020 3908-3917*
- Analog Coherent TDMA Receiver With Fast Locking to Free-Running Optical Emitters. *Schrenk, B., +, JLT Jan. 15, 2020 379-385*
- Beyond 1 Tb/s Intra-Data Center Interconnect Technology: IM-DD OR Coherent?. *Zhou, X., +, JLT Jan. 15, 2020 475-484*
- Blind Joint Polarization Demultiplexing and IQ Imbalance Compensation for M-QAM Coherent Optical Communications. *Lagha, M.K., +, JLT Aug. 15, 2020 4213-4220*
- Cascaded IF-Over-Fiber Links With Hybrid Signal Processing for Analog Mobile Fronthaul. *Tanaka, K., +, JLT Oct. 15, 2020 5656-5667*
- Chirp-Filtering for Low-Complexity Chromatic Dispersion Compensation. *Felipe, A., +, JLT June 1, 2020 2954-2960*
- Comparison of Different Precoding Techniques for Unbalanced Impairments Compensation in Short-Reach DMT Transmission Systems. *Chen, M., +, JLT Nov. 15, 2020 6202-6213*
- Comparison of Geometrically Shaped 32-QAM and Probabilistically Shaped 32-QAM in a Bandwidth-Limited IM-DD System. *Ding, J., +, JLT Aug. 15, 2020 4352-4358*
- Compensation of Chromatic Dispersion and Nonlinear Phase Noise Using Iterative Soft Decision Feedback Equalizer for Coherent Optical FBMC/OQAM Systems. *Alaghabari, K.A., +, JLT Aug. 1, 2020 3839-3849*
- Compensation of Fiber Nonlinearities in Digital Coherent Systems Leveraging Long Short-Term Memory Neural Networks. *Deligiannidis, S., +, JLT Nov. 1, 2020 5991-5999*
- Compensation of Nonlinear Impairments Using Inverse Perturbation Theory With Reduced Complexity. *Redyuk, A., +, JLT March 15, 2020 1250-1257*
- Demonstration of Tunable Optical Aggregation of QPSK to 16-QAM Over Optically Generated Nyquist Pulse Trains Using Nonlinear Wave Mixing and a Kerr Frequency Comb. *Fallahpour, A., +, JLT Jan. 15, 2020 359-365*
- DFT-Spread DMT-WDM-PON Employing LDPC-Coded Probabilistic Shaping 16 QAM. *Xiao, Q., +, JLT Feb. 15, 2020 714-722*
- Differential Drive I/Q Modulator Based on Silicon Photonic Electro-Absorption Modulators. *Melikyan, A., +, JLT June 1, 2020 2872-2876*
- Digital Resolution Enhancer Employing Clipping for High-Speed Optical Transmission. *van den Hout, M., +, JLT June 1, 2020 2897-2904*
- Dispersion-Managed Fiber Echo State Network Analogue With High (Including THz) Bandwidth. *Sorokina, M., +, JLT June 15, 2020 3209-3213*
- Distributed Antenna System Using Sigma-Delta Intermediate-Frequency-Over-Fiber for Frequency Bands Above 24 GHz. *Wu, C., +, JLT May 15, 2020 2765-2773*
- Distributed Multi-User MIMO Transmission Using Real-Time Sigma-Delta-Over-Fiber for Next Generation Fronthaul Interface. *Wu, C., +, JLT Feb. 15, 2020 705-713*
- Enhanced Carrier to Noise Ratio by Brillouin Amplification for Optical Communications. *Pelusi, M., +, JLT Jan. 15, 2020 319-331*
- Entropy Allocation Optimization for PS-OFDM With Constellation Partitioning Based Modeling. *Zhang, R., +, JLT Nov. 1, 2020 6024-6030*
- Estimating the Outage Due to Polarization Dependent Loss Based on the Bit-Wise Achievable Information Rate for Probabilistically Shaped 64-QAM. *Cartledge, J.C., +, JLT June 1, 2020 3023-3029*
- Experimental Demonstration of a Petabit per Second SDM Network Node. *Luis, R.S., +, JLT June 1, 2020 2886-2896*
- Experimental Demonstration of Single Sideband Modulation Utilizing Monolithic Integrated Injection Locked DFB Laser. *Zhang, Y., +, JLT April 1, 2020 1809-1816*
- Face-to-Face EML Transceiver Tandem for Full-Duplex Analogue Radio-Over-Air. *Schrenk, B., +, JLT June 1, 2020 2976-2983*
- Flexible Coherent Communication System With Adaptable SNR and Laser Phase Noise Tolerance for Probabilistically Shaped QAM. *Yao, S., +, JLT Nov. 15, 2020 6178-6186*
- Frequency Dependent ENoB Requirements for 400G/600G/800G Optical Links. *Varughese, S., +, JLT Sept. 15, 2020 5008-5016*
- Frequency-Stabilized Links for Coherent WDM Fiber Interconnects in the Datacenter. *Blumenthal, D.J., +, JLT July 1, 2020 3376-3386*
- High Baud Rate All-Silicon Photonics Carrier Depletion Modulators. *Zhou, J., +, JLT Jan. 15, 2020 272-281*
- High Data-Rate and Long Distance MCF Transmission With 19-Core C+L band Cladding-Pumped EDFA. *Puttnam, B.J., +, JLT Jan. 1, 2020 123-130*
- High-Capacity Coherent DCIs Using Pol-Muxed Carrier and LO-Less Receiver. *Kamran, R., +, JLT July 1, 2020 3461-3468*
- High-Power, Narrow-Linewidth, Miniaturized Silicon Photonic Tunable Laser With Accurate Frequency Control. *Gao, Y., +, JLT Jan. 15, 2020 265-271*
- Huffman-Coded Sphere Shaping and Distribution Matching Algorithms via Lookup Tables. *Fehenberger, T., +, JLT May 15, 2020 2826-2834*
- Independent Component Analysis for Phase and Residual Frequency Offset Compensation in OQAM Multicarrier Systems. *Zhao, J., +, JLT Aug. 1, 2020 3897-3907*
- Integrated Wavelength-Tuned Optical mm-Wave Beamformer With Doubled Delay Resolution. *Zhang, X., +, JLT April 15, 2020 2353-2359*
- Laser Phase Noise Tolerance of Uniform and Probabilistically Shaped QAM Signals for High Spectral Efficiency Systems. *Sasai, T., +, JLT Jan. 15, 2020 439-446*
- Low Complexity OSNR Monitoring and Modulation Format Identification Based on Binarized Neural Networks. *Zhao, Y., +, JLT March 15, 2020 1314-1322*
- Low-Loss Orbital Angular Momentum Ring-Core Fiber: Design, Fabrication and Characterization. *Wang, H., +, JLT Nov. 15, 2020 6327-6333*
- Machine Learning Assisted Modulation-Format Transparent and Nonlinearity Tolerant Carrier Recovery Scheme for Intelligent Receiver. *Xiang, Q., +, JLT Nov. 1, 2020 6007-6014*
- Modulation and Switching Architecture Performances for Frequency Up-Conversion of Complex-Modulated Data Signals Based on a SOA-MZI Photonic Sampling Mixer. *Kastritsis, D., +, JLT Oct. 1, 2020 5375-5385*
- Multichannel 16-QAM Single-Sideband Transmission and Kramers-Kronig Detection Using a Single QD-MLL as the Light Source. *AL-QADI, M., +, JLT Nov. 15, 2020 6163-6169*
- On the Fairness of the Performance Evaluation of Probabilistically Shaped QAM Signals. *Vassilieva, O., +, JLT June 1, 2020 3067-3073*
- Performance Comparison of Probabilistically Shaped QAM Formats and Hybrid Shaped APSK Formats With Coded Modulation. *Cai, J., +, JLT June 15, 2020 3280-3288*
- Performance Enhanced 256-QAM BIPCM-DMT System Enabled by CAZAC Precoding. *Ma, J., +, JLT Feb. 1, 2020 557-563*
- Performance Implications of Cascaded Wavelength Selective Switches on a Probabilistically Shaped 64-QAM System. *Li, L., +, JLT March 15, 2020 1184-1193*
- Performance Monitoring for Live Systems With Soft FEC and Multilevel Modulation. *Yoshida, T., +, JLT June 1, 2020 2912-2921*

- Performance Optimization of High Speed DACs Using DSP. *Yoffe, Y.*, +, *JLT June 15, 2020 3096-3105*
- Performance-Complexity Tradeoffs of Concatenated FEC for Higher-Order Modulation. *Barakatain, M.*, +, *JLT June 1, 2020 2944-2953*
- Phase and Frequency Recovery Algorithms for Probabilistically Shaped Transmission. *Barbosa, F.A.*, +, *JLT April 1, 2020 1827-1835*
- Photonics-Assisted Frequency Up/Down Conversion With Tunable OEO and Phase Shift. *Yang, F.*, +, *JLT Dec. 1, 2020 6446-6457*
- Pilot Distributions for Joint-Channel Carrier-Phase Estimation in Multi-channel Optical Communications. *Alfredsson, A.F.*, +, *JLT Sept. 1, 2020 4656-4663*
- Power-Efficient Single-Sideband Transmission With Clipped Iterative SSBI Cancellation. *Le, S.T.*, +, *JLT Aug. 15, 2020 4359-4367*
- Practical Innovations Enabling Scalable Optical Transmission Networks: Real-World Trials and Experiences of Advanced Technologies in Field Deployed Optical Networks. *Zhou, Y.R.*, +, *JLT June 15, 2020 3106-3113*
- Probabilistically Shaped Rate-Adaptive Polar-Coded 256-QAM WDM Optical Transmission System. *Iqbal, S.*, +, *JLT April 1, 2020 1800-1808*
- Proposal of a Power Efficient N -Level Multipulse PPM-LQAM Technique. *Shalaby, H.M.H.*, *JLT Dec. 1, 2020 6542-6548*
- Provisioning in Multi-Band Optical Networks. *Sambo, N.*, +, *JLT May 1, 2020 2598-2605*
- Pulse Timing Jitter Estimated From Optical Phase Noise in Mode-Locked Semiconductor Quantum Dash Lasers. *Mao, Y.*, +, *JLT Sept. 1, 2020 4787-4793*
- Rate Redundancy and Entropy Allocation for PAS-OFDM Based Mobile Fronthaul. *Zhang, R.*, +, *JLT Aug. 15, 2020 4260-4269*
- Revisiting Efficient Multi-Step Nonlinearity Compensation With Machine Learning: An Experimental Demonstration. *Oliari, V.*, +, *JLT June 15, 2020 3114-3124*
- Robust and Low-Complexity Principal Component-Based Phase Estimation Algorithm for Probabilistically Shaped Square-QAM Systems. *Wang, X.*, +, *JLT Nov. 15, 2020 6153-6162*
- Spectral-Shaping Technique Based on Nonlinear-Coded-Modulation for Short-Reach Optical Transmission. *Yamamoto, S.*, +, *JLT Jan. 15, 2020 466-474*
- SSBI-Free Direct-Detection System Employing Phase Modulation for Analog Optical Links. *Ishimura, S.*, +, *JLT May 1, 2020 2719-2725*
- Superposed 32QAM Constellation Design for 2×2 Spatial Multiplexing MIMO VLC Systems. *Guo, X.*, +, *JLT April 1, 2020 1702-1711*
- System Optimization of an All-Silicon IQ Modulator: Achieving 100-Gbaud Dual-Polarization 32QAM. *Zhalehpour, S.*, +, *JLT Jan. 15, 2020 256-264*
- Temperature and Noise Dependence of Tri-Mode VCSEL Carried 120-Gbit/s QAM-OFDM Data in Back-to-Back and OM5-MMF Links. *Huang, C.*, +, *JLT Dec. 15, 2020 6746-6758*
- The Impact of Local Oscillator Frequency Jitter and Laser Linewidth to Ultra High Baud Rate Coherent Systems. *Zhang, R.*, +, *JLT March 15, 2020 1138-1147*
- Toward Single Lane 200G Optical Interconnects With Silicon Photonic Modulator. *Zhu, Y.*, +, *JLT Jan. 1, 2020 67-74*
- Transponder Implementation Penalty-Accounted Gaussian-Noise-Based Performance Modeling of Fiber-Optic Transmission Systems. *Kaliteevskiy, N.A.*, +, *JLT April 15, 2020 2253-2261*
- Two-Stage Coded Modulation for Hurwitz Constellations in Fiber-Optical Communications. *Frey, F.*, +, *JLT June 15, 2020 3135-3146*
- Unrepeated Transmission Over 670.64 km of 50G BPSK, 653.35 km of 100G PS-QPSK, 601.93 km of 200G 8QAM, and 502.13 km of 400G 64QAM. *Xu, J.*, +, *JLT Jan. 15, 2020 522-530*
- VLSI Implementations of Carrier Phase Recovery Algorithms for M-QAM Fiber-Optic Systems. *Borjeson, E.*, +, *JLT July 15, 2020 3616-3623*
- Wavelength-Division Demultiplexing Enhanced by Silicon-Photonic Tunable Filters in Ultra-Wideband Optical-Path Networks. *Mori, Y.*, +, *JLT March 1, 2020 1002-1009*
- Wideband Dual-Channel Photonic RF Repeater Based on Polarization Division Multiplexing Modulation and Polarization Control. *Shi, F.*, +, *JLT March 15, 2020 1275-1285*
- Quadrature phase shift keying**
- 41-Tbps C-Band WDM Transmission With 10-bps/Hz Spectral Efficiency Using 1-Tbps/ λ Signals. *Matsushita, A.*, +, *JLT June 1, 2020 2905-2911*
- A Phase-Retrieving Coherent Receiver Based on Two-Dimensional Photodetector Array. *Yoshida, Y.*, +, *JLT Jan. 1, 2020 90-100*
- Accurate BER Estimation Scheme Based on K -Means Clustering Assisted Gaussian Approach for Arbitrary Modulation Format. *Zhang, Q.*, +, *JLT April 15, 2020 2152-2157*
- An Ultra-Broadband Polarization-Insensitive Optical Hybrid Using Multiplane Light Conversion. *Zhang, Y.*, +, *JLT Nov. 15, 2020 6286-6291*
- Beyond 1 Tb/s Intra-Data Center Interconnect Technology: IM-DD OR Coherent?. *Zhou, X.*, +, *JLT Jan. 15, 2020 475-484*
- Brillouin Amplifier Noise Characterization by a Coherent Receiver and Digital Signal Processing. *Pelusi, M.*, +, *JLT Aug. 15, 2020 4221-4236*
- Chirp-Filtering for Low-Complexity Chromatic Dispersion Compensation. *Felipe, A.*, +, *JLT June 1, 2020 2954-2960*
- Comparison of Different Precoding Techniques for Unbalanced Impairments Compensation in Short-Reach DMT Transmission Systems. *Chen, M.*, +, *JLT Nov. 15, 2020 6202-6213*
- Compensation of Chromatic Dispersion and Nonlinear Phase Noise Using Iterative Soft Decision Feedback Equalizer for Coherent Optical FBMC/OQAM Systems. *Alaghbari, K.A.*, +, *JLT Aug. 1, 2020 3839-3849*
- Demonstration of Tunable Optical Aggregation of QPSK to 16-QAM Over Optically Generated Nyquist Pulse Trains Using Nonlinear Wave Mixing and a Kerr Frequency Comb. *Fallahpour, A.*, +, *JLT Jan. 15, 2020 359-365*
- Differential Drive I/Q Modulator Based on Silicon Photonic Electro-Absorption Modulators. *Melikyan, A.*, +, *JLT June 1, 2020 2872-2876*
- DSP-Free Real-Time 25 GBPS Quasicoherent Receiver With Electrical SSB Filtering for C-Band Links up to 40 km SSMF. *Atabas, J.A.*, +, *JLT April 1, 2020 1785-1788*
- Dual Polarization Full-Field Signal Waveform Reconstruction Using Intensity Only Measurements for Coherent Communications. *Chen, H.*, +, *JLT May 1, 2020 2587-2597*
- Experimental Demonstration of a Petabit per Second SDM Network Node. *Luis, R.S.*, +, *JLT June 1, 2020 2886-2896*
- Experimental Mitigation of Atmospheric Turbulence Effect Using Pre-Signal Combining for Uni- and Bi-Directional Free-Space Optical Links With Two 100-Gbit/s OAM-Multiplexed Channels. *Song, H.*, +, *JLT Jan. 1, 2020 82-89*
- High Data-Rate and Long Distance MCF Transmission With 19-Core $C+L$ band Cladding-Pumped EDFA. *Puttnam, B.J.*, +, *JLT Jan. 1, 2020 123-130*
- High-Capacity Coherent DCIs Using Pol-Muxed Carrier and LO-Less Receiver. *Kamran, R.*, +, *JLT July 1, 2020 3461-3468*
- High-Speed Railway Communication System Using Linear-Cell-Based Radio-Over-Fiber Network and Its Field Trial in 90-GHz Bands. *Kanno, A.*, +, *JLT Jan. 1, 2020 112-122*
- Machine Learning Assisted Modulation-Format Transparent and Nonlinearity Tolerant Carrier Recovery Scheme for Intelligent Receiver. *Xiang, Q.*, +, *JLT Nov. 1, 2020 6007-6014*
- Modulation and Switching Architecture Performances for Frequency Up-Conversion of Complex-Modulated Data Signals Based on a SOA-MZI Photonic Sampling Mixer. *Kastritis, D.*, +, *JLT Oct. 1, 2020 5375-5385*
- Multi-User V-Band Uplink Using a Massive MIMO Antenna and a Fiber-Wireless IFoF Fronthaul for 5G mmWave Small-Cells. *Ruggeri, E.*, +, *JLT Oct. 1, 2020 5368-5374*
- Non-Orthogonal Uplink Services Through Co-Transport of D-RoF/A-RoF in Mobile Fronthaul. *Yao, S.*, +, *JLT July 15, 2020 3637-3643*
- Optical Signal Phase Retrieval With Low Complexity DC-Value Method. *Patel, R.K.*, +, *JLT Aug. 15, 2020 4205-4212*
- Performance Analysis of Phase Noise Cancellation by Asymmetric CMA for Realizing Affordable Coherent PON Transceivers. *Kim, S.*, +, *JLT April 15, 2020 2231-2241*
- Phase Preserving Amplitude Saturation Through Tone Synthesis Assisted Saturated Four-Wave Mixing. *Bottrill, K.R.H.*, +, *JLT April 1, 2020 1817-1826*

Photonic-Assisted RF Self-Interference Cancellation With Improved Spectrum Efficiency and Fiber Transmission Capability. *Chen, Y.*, +, *JLT Feb. 15, 2020 761-768*

Provisioning in Multi-Band Optical Networks. *Sambo, N.*, +, *JLT May 1, 2020 2598-2605*

Unrepeated Transmission Over 670.64 km of 50G BPSK, 653.35 km of 100G PS-QPSK, 601.93 km of 200G 8QAM, and 502.13 km of 400G 64QAM. *Xu, J.*, +, *JLT Jan. 15, 2020 522-530*

Wavelength-Division Demultiplexing Enhanced by Silicon-Photonic Tunable Filters in Ultra-Wideband Optical-Path Networks. *Mori, Y.*, +, *JLT March 1, 2020 1002-1009*

Quality of service

Dual MAC Based Hierarchical Optical Access Network for Hyperscale Data Centers. *Zheng, Y.*, +, *JLT April 1, 2020 1608-1617*

Modeling and Assessing Connectivity Services Performance in a Sandbox Domain. *Ruiz, M.*, +, *JLT June 15, 2020 3180-3189*

Quantization (signal)

Coherent Ultra-Dense WDM-PON Enabled by Complexity-Reduced Digital Transceivers. *Tabares, J.A.*, +, *JLT March 15, 2020 1305-1313*

Modeling and Analysis of Crosstalk for Time-Interleaved Photonic ADCs. *Wang, C.*, +, *JLT Aug. 1, 2020 3926-3934*

Performance Model and Design Rules for Optical Systems Employing Low-Resolution DAC/ADC. *Almonacil, S.*, +, *JLT June 1, 2020 3007-3014*

Performance Optimization of High Speed DACs Using DSP. *Yoffe, Y.*, +, *JLT June 15, 2020 3096-3105*

Real-Time 100-GS/s Sigma-Delta Modulator for All-Digital Radio-Over-Fiber Transmission. *Li, H.*, +, *JLT Jan. 15, 2020 386-393*

Spectral Efficiency Comparison Between Analog and Digital RoF for Mobile Fronthaul Transmission Link. *Ji, H.*, +, *JLT Oct. 15, 2020 5617-5623*

Transponder Implementation Penalty-Accounted Gaussian-Noise-Based Performance Modeling of Fiber-Optic Transmission Systems. *Kaliteevskiy, N.A.*, +, *JLT April 15, 2020 2253-2261*

Quantum cascade lasers

Silica Hollow-Core Negative Curvature Fibers Enable Ultrasensitive Mid-Infrared Absorption Spectroscopy. *Yao, C.*, +, *JLT April 1, 2020 2067-2072*

Quantum cryptography

11.2 Tb/s Classical Channel Coexistence With DV-QKD Over a 7-Core Multicore Fiber. *Hugues-Salas, E.*, +, *JLT Sept. 15, 2020 5064-5070*

End-to-End Quantum Secured Inter-Domain 5G Service Orchestration Over Dynamically Switched Flex-Grid Optical Networks Enabled by a q-ROADM. *Wang, R.*, +, *JLT Jan. 1, 2020 139-149*

High-Speed Post-Processing in Continuous-Variable Quantum Key Distribution Based on FPGA Implementation. *Yang, S.*, +, *JLT Aug. 1, 2020 3935-3941*

Wavelength Division Multiplexing of 194 Continuous Variable Quantum Key Distribution Channels. *Eriksson, T.A.*, +, *JLT April 15, 2020 2214-2218*

Y-00 Quantum-Noise Randomized Stream Cipher Using Intensity Modulation Signals for Physical Layer Security of Optical Communications. *Futami, F.*, +, *JLT May 15, 2020 2774-2781*

Quantum dash lasers

Mode Locked Laser Phase Noise Reduction Under Optical Feedback for Coherent DWDM Communication. *Verolet, T.*, +, *JLT Oct. 15, 2020 5708-5715*

Pulse Timing Jitter Estimated From Optical Phase Noise in Mode-Locked Semiconductor Quantum Dash Lasers. *Mao, Y.*, +, *JLT Sept. 1, 2020 4787-4793*

Quantum dot lasers

Multichannel 16-QAM Single-Sideband Transmission and Kramers–Kronig Detection Using a Single QD-MLL as the Light Source. *Al-Qadi, M.*, +, *JLT Nov. 15, 2020 6163-6169*

Origin of Defect Tolerance in InAs/GaAs Quantum Dot Lasers Grown on Silicon. *Liu, Z.*, +, *JLT Jan. 15, 2020 240-248*

Phase Noise Measurements and Performance of Lasers With Non-White FM Noise for Use in Digital Coherent Optical Systems. *Al-Qadi, M.*, +, *JLT March 15, 2020 1157-1167*

Theoretical Study on the Effects of Dislocations in Monolithic III-V Lasers on Silicon. *Hantschmann, C.*, +, *JLT Sept. 1, 2020 4801-4807*

Wideband Steady-State and Pulse Propagation Modeling of a Reflective Quantum-Dot Semiconductor Optical Amplifier. *Safari Anzabi, K.*, +, *JLT Feb. 15, 2020 797-803*

Quantum electrodynamics

On-Chip Optical Microresonators With High Electro-Optic Tuning Efficiency. *Wang, T.*, +, *JLT April 1, 2020 1851-1857*

Quantum noise

Quantum Noise-Assisted Coherent Radio-Over-Fiber Cipher System for Secure Optical Fronthaul and Microwave Wireless Links. *Tanizawa, K.*, +, *JLT Aug. 15, 2020 4244-4249*

Y-00 Quantum-Noise Randomized Stream Cipher Using Intensity Modulation Signals for Physical Layer Security of Optical Communications. *Futami, F.*, +, *JLT May 15, 2020 2774-2781*

Quantum optics

All-Optical Frequency Processor for Networking Applications. *Lukens, J.M.*, +, *JLT April 1, 2020 1678-1687*

Gain, Loss and the Shot-Noise Rule. *McKinstrie, C.J.*, *JLT April 15, 2020 2158-2170*

Non-Classical Semiconductor Photon Sources Enhancing the Performance of Classical Target Detection Systems. *He, H.*, +, *JLT Aug. 15, 2020 4540-4547*

Quantum Limits in Optical Communications. *Banaszek, K.*, +, *JLT May 15, 2020 2741-2754*

Quantum well devices

Low-Voltage, Coupled Multiple Quantum Well Electroreflective Modulators Towards Ultralow Power Inter-Chip Optical Interconnects. *Wang, X.*, +, *JLT July 1, 2020 3414-3421*

Quantum well lasers

All-Optical Switching and Multiple Logic Gates Based on Hybrid Square-Rectangular Laser. *Liu, J.*, +, *JLT March 15, 2020 1382-1390*

Comparison on OM5-MMF and OM4-MMF Data Links With 32-GBaud PAM-4 Modulated Few-Mode VCSEL at 850 nm. *Huang, C.*, +, *JLT Feb. 1, 2020 573-582*

Demonstration of Low-Threshold and Directly Modulated Grating-Assisted Microcylinder Surface-Emitting Lasers. *Ma, X.*, +, *JLT Sept. 1, 2020 4772-4779*

Electro-Optic Tuning of a Monolithically Integrated Widely Tuneable InP Laser With Free-Running and Stabilized Operation. *Andreou, S.*, +, *JLT April 1, 2020 1887-1894*

Experimental Demonstration of Directly Modulated DFB Lasers With Negative Chirp Over Wide Temperature Operation. *Liu, G.*, +, *JLT July 15, 2020 3663-3669*

Origin of Defect Tolerance in InAs/GaAs Quantum Dot Lasers Grown on Silicon. *Liu, Z.*, +, *JLT Jan. 15, 2020 240-248*

Switchable All-Optical Flip-Flop and Inverter Operations in Quantum Well Microring Laser. *Aoki, R.*, +, *JLT Aug. 1, 2020 3950-3958*

Theoretical Study on the Effects of Dislocations in Monolithic III-V Lasers on Silicon. *Hantschmann, C.*, +, *JLT Sept. 1, 2020 4801-4807*

Vertically Coupled InP/InGaAsP Microring Lasers Using a Single Epitaxial Growth and Single-Side Lithography. *Lopez, O.G.*, +, *JLT Aug. 1, 2020 3983-3987*

Quartz

Quartz-Enhanced Photoacoustic Spectroscopy Based on the Four-Off-Beam Acoustic Micro-Resonator. *Wang, Z.*, +, *JLT Sept. 15, 2020 5212-5218*

R

Radar antennas

Photonic-Assisted Leakage Cancellation for Wideband Frequency Modulation Continuous-Wave Radar Transceiver. *Li, P.*, +, *JLT March 15, 2020 1178-1183*

Radar detection

Coherent Dual-Band Radar-Over-Fiber Network With VCSEL-Based Signal Distribution. *Malacarne, A.*, +, *JLT Nov. 15, 2020 6257-6264*

Differentiator-Based Photonic Instantaneous Frequency Measurement for Radar Warning Receiver. *Lin, T.*, +, *JLT Aug. 1, 2020 3942-3949*

Simultaneous Radar Detection and Frequency Measurement by Broadband Microwave Photonic Processing. *Shi, J.*, +, *JLT April 15, 2020 2171-2179*

Radar imaging

Coherent Dual-Band Radar-Over-Fiber Network With VCSEL-Based Signal Distribution. *Malacarne, A.*, +, *JLT Nov. 15, 2020 6257-6264*

Microwave Photonic Imaging Radar With a Sub-Centimeter-Level Resolution. *Ma, C.*, +, *JLT Sept. 15, 2020 4948-4954*

Radar receivers

Coherent Dual-Band Radar-Over-Fiber Network With VCSEL-Based Signal Distribution. *Malacarne, A.*, +, *JLT Nov. 15, 2020 6257-6264*

Differentiator-Based Photonic Instantaneous Frequency Measurement for Radar Warning Receiver. *Lin, T.*, +, *JLT Aug. 1, 2020 3942-3949*

Photonics-Based CW/Pulsed Microwave Signal AOA Measurement System. *Chen, H.*, +, *JLT April 15, 2020 2292-2298*

Radar resolution

Coherent Dual-Band Radar-Over-Fiber Network With VCSEL-Based Signal Distribution. *Malacarne, A.*, +, *JLT Nov. 15, 2020 6257-6264*

Microwave Photonic Imaging Radar With a Sub-Centimeter-Level Resolution. *Ma, C.*, +, *JLT Sept. 15, 2020 4948-4954*

Radar signal processing

Microwave Photonic Radars. *Pan, S.*, +, *JLT Oct. 1, 2020 5450-5484*

Microwave Photonics for Remote Sensing: From Basic Concepts to High-Level Functionalities. *Serafino, G.*, +, *JLT Oct. 1, 2020 5339-5355*

Simultaneous Radar Detection and Frequency Measurement by Broadband Microwave Photonic Processing. *Shi, J.*, +, *JLT April 15, 2020 2171-2179*

Radar transmitters

Coherent Dual-Band Radar-Over-Fiber Network With VCSEL-Based Signal Distribution. *Malacarne, A.*, +, *JLT Nov. 15, 2020 6257-6264*

Radiation pressure

All-Fiber Active Tractor Beam Generator and its Application. *Tang, X.*, +, *JLT March 15, 2020 1420-1426*

Radio access networks

A Full Field-of-View Self-Steering Beamformer for 5G mm-Wave Fiber-Wireless Mobile Fronthaul. *Huang, M.*, +, *JLT March 15, 2020 1221-1229*

A Silicon Photonic Switching Platform for Flexible Converged Centralized-Radio Access Networking. *Browning, C.*, +, *JLT Oct. 1, 2020 5386-5392*

Assessment of a Polarization-Independent DSP-Free Coherent Receiver for Intensity-Modulated Signals. *Ciaramella, E.*, *JLT Feb. 1, 2020 676-683*

Decentralized Coordination of Converged Tactile Internet and MEC Services in H-CRAN Fiber Wireless Networks. *Perez, G.O.*, +, *JLT Sept. 15, 2020 4935-4947*

Demonstration of Pattern Division Multiple Access With Message Passing Algorithm for Multi-Channel mmWave Uplinks via RoF Mobile Fronthaul. *Shen, S.*, +, *JLT Nov. 1, 2020 5908-5915*

Distributed Antenna System Using Sigma-Delta Intermediate-Frequency-Over-Fiber for Frequency Bands Above 24 GHz. *Wu, C.*, +, *JLT May 15, 2020 2765-2773*

Face-to-Face EML Transceiver Tandem for Full-Duplex Analogue Radio-Over-Air. *Schrenk, B.*, +, *JLT June 1, 2020 2976-2983*

Isolation-Aware 5G RAN Slice Mapping Over WDM Metro-Aggregation Networks. *Yu, H.*, +, *JLT March 15, 2020 1125-1137*

Microwave Photonics for Remote Sensing: From Basic Concepts to High-Level Functionalities. *Serafino, G.*, +, *JLT Oct. 1, 2020 5339-5355*

RoF-Based Radio Access Network for 5G Mobile Communication Systems in 28 GHz Millimeter-Wave. *Sung, M.*, +, *JLT Jan. 15, 2020 409-420*

Towards a Scaleable 5G Fronthaul: Analog Radio-over-Fiber and Space Division Multiplexing. *Rommel, S.*, +, *JLT Oct. 1, 2020 5412-5422*

Radio links

Quantum Noise-Assisted Coherent Radio-Over-Fiber Cipher System for Secure Optical Fronthaul and Microwave Wireless Links. *Tanizawa, K.*, +, *JLT Aug. 15, 2020 4244-4249*

Radio receivers

All-Optical and Broadband Microwave Image-Reject Receiver Based on Phase Modulation and I/Q Balanced Detection. *Kang, B.*, +, *JLT Nov. 1, 2020 5962-5972*

Assessment of a Polarization-Independent DSP-Free Coherent Receiver for Intensity-Modulated Signals. *Ciaramella, E.*, *JLT Feb. 1, 2020 676-683*

Broadband Photonic RF Channelizer With 92 Channels Based on a Soliton Crystal Microcomb. *Xu, X.*, +, *JLT Sept. 15, 2020 5116-5121*

Photonic-Assisted RF Self-Interference Cancellation With Improved Spectrum Efficiency and Fiber Transmission Capability. *Chen, Y.*, +, *JLT Feb. 15, 2020 761-768*

Sub-Nyquist Ultra-Wideband Sparse Signal Reception via Variable Frequency Comb. *Hu, H.*, +, *JLT Sept. 1, 2020 4625-4631*

Radio spectrum management

Broadband Cognitive Radio Enabled by Photonics. *Zhu, D.*, +, *JLT June 15, 2020 3076-3088*

Multiuser Visible Light Communication Systems Using OFDMA. *Lian, J.*, +, *JLT Nov. 1, 2020 6015-6023*

Photonic-Assisted RF Self-Interference Cancellation With Improved Spectrum Efficiency and Fiber Transmission Capability. *Chen, Y.*, +, *JLT Feb. 15, 2020 761-768*

Spectral Efficiency Comparison Between Analog and Digital RoF for Mobile Fronthaul Transmission Link. *Ji, H.*, +, *JLT Oct. 15, 2020 5617-5623*

Radio transceivers

Analog Coherent TDMA Receiver With Fast Locking to Free-Running Optical Emitters. *Schrenk, B.*, +, *JLT Jan. 15, 2020 379-385*

Photonic-Assisted Leakage Cancellation for Wideband Frequency Modulation Continuous-Wave Radar Transceiver. *Li, P.*, +, *JLT March 15, 2020 1178-1183*

Radio-over-fiber

100+ Gbps/λ 50 km C-Band Downstream PON Using CD Digital Pre-Compensation and Direct-Detection ONU Receiver. *Torres-Ferrera, P.*, +, *JLT Dec. 15, 2020 6807-6816*

135-GHz D-Band 60-Gbps PAM-8 Wireless Transmission Employing a Joint DNN Equalizer With BP and CMMA. *Zhou, W.*, +, *JLT July 15, 2020 3592-3601*

150-W Power-Over-Fiber Using Double-Clad Fibers. *Matsuura, M.*, +, *JLT Jan. 15, 2020 401-408*

36 Gb/s Narrowband Photoreceiver for mmWave Analog Radio-Over-Fiber. *Bogaert, L.*, +, *JLT June 15, 2020 3289-3295*

A Full Field-of-View Self-Steering Beamformer for 5G mm-Wave Fiber-Wireless Mobile Fronthaul. *Huang, M.*, +, *JLT March 15, 2020 1221-1229*

A Photonic-Based Wideband RF Self-Interference Cancellation Approach With Fiber Dispersion Immunity. *Chen, Y.*, *JLT Sept. 1, 2020 4618-4624*

A Silicon Photonic Switching Platform for Flexible Converged Centralized-Radio Access Networking. *Browning, C.*, +, *JLT Oct. 1, 2020 5386-5392*

Analog Coherent TDMA Receiver With Fast Locking to Free-Running Optical Emitters. *Schrenk, B.*, +, *JLT Jan. 15, 2020 379-385*

Cascaded IF-Over-Fiber Links With Hybrid Signal Processing for Analog Mobile Fronthaul. *Tanaka, K.*, +, *JLT Oct. 15, 2020 5656-5667*

Controlling Rayleigh-Backscattering-Induced Distortion in Radio Over Fiber Systems for Radioastronomic Applications. *Nanni, J.*, +, *JLT Oct. 1, 2020 5393-5405*

Demonstration of C-Band Amplifier-Free 100 Gb/s/λ Direct-Detection Links Beyond 40-km SMF Using a High-Power SSB Transmitter. *Li, X.*, +, *JLT Nov. 15, 2020 6170-6177*

Demonstration of Pattern Division Multiple Access With Message Passing Algorithm for Multi-Channel mmWave Uplinks via RoF Mobile Fronthaul. *Shen, S.*, +, *JLT Nov. 1, 2020 5908-5915*

Distributed Antenna System Using Sigma-Delta Intermediate-Frequency-Over-Fiber for Frequency Bands Above 24 GHz. *Wu, C.*, +, *JLT May 15, 2020 2765-2773*

Distributed Multi-User MIMO Transmission Using Real-Time Sigma-Delta-Over-Fiber for Next Generation Fronthaul Interface. *Wu, C.*, +, *JLT Feb. 15, 2020 705-713*

DSP-Based Flexible-Waveform and Multi-Application 5G Fiber-Wireless System. *Borges, R.M.*, +, *JLT Feb. 1, 2020 642-653*

Entropy Allocation Optimization for PS-OFDM With Constellation Partitioning Based Modeling. *Zhang, R.*, +, *JLT Nov. 1, 2020 6024-6030*

Experimental Demonstration of Single Sideband Modulation Utilizing Monolithic Integrated Injection Locked DFB Laser. *Zhang, Y.*, +, *JLT April 1, 2020 1809-1816*

Face-to-Face EML Transceiver Tandem for Full-Duplex Analogue Radio-Over-Air. *Schrenk, B.*, +, *JLT June 1, 2020 2976-2983*

High Power Efficiency and Dynamic Range Analog Photonic Link with Suppressed Dispersion-Induced Power Fading. *Bai, Y.*, +, *JLT Nov. 1, 2020 5973-5980*

High-Speed Railway Communication System Using Linear-Cell-Based Radio-Over-Fiber Network and Its Field Trial in 90-GHz Bands. *Kanno, A.*, +, *JLT Jan. 1, 2020 112-122*

Hybrid Fiber-Optic Radio Frequency and Optical Frequency Dissemination With a Single Optical Actuator and Dual-Optical Phase Stabilization. *Tian, X.*, +, *JLT Aug. 15, 2020 4270-4278*

MIMO-Supporting Radio-Over-Fiber System and its Application in mmWave-Based Indoor 5G Mobile Network. *Kim, J.*, +, *JLT Jan. 1, 2020 101-111*

Multi-User V-Band Uplink Using a Massive MIMO Antenna and a Fiber-Wireless IFoF Fronthaul for 5G mmWave Small-Cells. *Ruggeri, E.*, +, *JLT Oct. 1, 2020 5368-5374*

Non-Orthogonal Uplink Services Through Co-Transport of D-RoF/A-RoF in Mobile Fronthaul. *Yao, S.*, +, *JLT July 15, 2020 3637-3643*

Performance Enhancement of Optical Comb Based Microwave Photonic Filter by Machine Learning Technique. *Shiu, R.*, +, *JLT Oct. 1, 2020 5302-5310*

Photonic-Assisted Leakage Cancellation for Wideband Frequency Modulation Continuous-Wave Radar Transceiver. *Li, P.*, +, *JLT March 15, 2020 1178-1183*

Photonic-Assisted RF Self-Interference Cancellation With Improved Spectrum Efficiency and Fiber Transmission Capability. *Chen, Y.*, +, *JLT Feb. 15, 2020 761-768*

Photonics-Based CW/Pulsed Microwave Signal AOA Measurement System. *Chen, H.*, +, *JLT April 15, 2020 2292-2298*

Quantum Noise-Assisted Coherent Radio-Over-Fiber Cipher System for Secure Optical Fronthaul and Microwave Wireless Links. *Tanizawa, K.*, +, *JLT Aug. 15, 2020 4244-4249*

Real-Time 100-GS/s Sigma-Delta Modulator for All-Digital Radio-Over-Fiber Transmission. *Li, H.*, +, *JLT Jan. 15, 2020 386-393*

RoF-Based Radio Access Network for 5G Mobile Communication Systems in 28 GHz Millimeter-Wave. *Sung, M.*, +, *JLT Jan. 15, 2020 409-420*

Spectral Efficiency Comparison Between Analog and Digital RoF for Mobile Fronthaul Transmission Link. *Ji, H.*, +, *JLT Oct. 15, 2020 5617-5623*

SSB Single Carrier and Multicarrier in C-Band FSO Transmission With KK Receiver. *Wei, Y.*, +, *JLT Sept. 15, 2020 5000-5007*

SSBI-Free Direct-Detection System Employing Phase Modulation for Analog Optical Links. *Ishimura, S.*, +, *JLT May 1, 2020 2719-2725*

Towards a Scaleable 5G Fronthaul: Analog Radio-over-Fiber and Space Division Multiplexing. *Rommel, S.*, +, *JLT Oct. 1, 2020 5412-5422*

Tunable THz Signal Generation and Radio-Over-Fiber Link Based on an Optoelectronic Oscillator-Driven Optical Frequency Comb. *Hasanuz-zaman, G.K.M.*, +, *JLT Oct. 1, 2020 5240-5247*

Wideband Dual-Channel Photonic RF Repeater Based on Polarization Division Multiplexing Modulation and Polarization Control. *Shi, F.*, +, *JLT March 15, 2020 1275-1285*

Radioastronomical techniques

Controlling Rayleigh-Backscattering-Induced Distortion in Radio Over Fiber Systems for Radioastronomic Applications. *Nanni, J.*, +, *JLT Oct. 1, 2020 5393-5405*

Radiofrequency interference

A Photonic-Based Wideband RF Self-Interference Cancellation Approach With Fiber Dispersion Immunity. *Chen, Y.*, *JLT Sept. 1, 2020 4618-4624*

Long-Haul Mode Multiplexing Transmission Enhanced by Interference Cancellation Techniques Based on Fast MIMO Affine Projection. *Shibahara, K.*, +, *JLT Sept. 15, 2020 4969-4977*

Non-Orthogonal Uplink Services Through Co-Transport of D-RoF/A-RoF in Mobile Fronthaul. *Yao, S.*, +, *JLT July 15, 2020 3637-3643*

Photonic Assisted Radio-Frequency Interference Mitigation. *Urlick, V.J.*, +, *JLT March 15, 2020 1268-1274*

Photonic-Assisted RF Self-Interference Cancellation With Improved Spectrum Efficiency and Fiber Transmission Capability. *Chen, Y.*, +, *JLT Feb. 15, 2020 761-768*

Radiofrequency oscillators

A Theoretical and Experimental Study of Injection-Locking and Injection-Pulling for Optoelectronic Oscillators Under Radio Frequency Signal Injection. *Banerjee, A.*, +, *JLT March 15, 2020 1210-1220*

Photonics-Assisted Frequency Up/Down Conversion With Tunable OEO and Phase Shift. *Yang, F.*, +, *JLT Dec. 1, 2020 6446-6457*

Radon transforms

Efficient Classification of Optical Modulation Formats Based on Singular Value Decomposition and Radon Transformation. *Eltaieb, R.A.*, +, *JLT Feb. 1, 2020 619-631*

Railway communication

High-Speed Railway Communication System Using Linear-Cell-Based Radio-Over-Fiber Network and Its Field Trial in 90-GHz Bands. *Kanno, A.*, +, *JLT Jan. 1, 2020 112-122*

Raman lasers

Comprehensive Modeling and Design of Raman Lasers on SOI for Mid-Infrared Application. *Ahmadi, M.*, +, *JLT Aug. 1, 2020 4114-4123*

Inverse System Design Using Machine Learning: The Raman Amplifier Case. *Zibar, D.*, +, *JLT Feb. 15, 2020 736-753*

Investigations on the Extreme Frequency Shift of Phosphosilicate Random Fiber Laser. *Ye, J.*, +, *JLT July 15, 2020 3737-3744*

Raman scattering

Corrections to "A Modulation Format Correction Formula for the Gaussian Noise Model in the Presence of Inter-Channel Stimulated Raman Scattering". *Semrau, D.*, +, *JLT March 15, 2020 1604*

Raman spectra

Direct Laser Written Waveguide in Tellurite Glass for Supercontinuum Generation in 2 μm Spectral Range. *Okhrimchuk, A.G.*, +, *JLT March 15, 2020 1492-1500*

Dual-Frequency CARS Excitation Source With Two Independent-Tunable Stokes Wavelengths Using PM-PCF and Vector Adjustment. *Zhang, Y.*, +, *JLT April 15, 2020 2392-2399*

Introducing Load Aware Neural Networks for Accurate Predictions of Raman Amplifiers. *Rosa Brusin, A.M.*, +, *JLT Dec. 1, 2020 6481-6491*

Investigations on the Extreme Frequency Shift of Phosphosilicate Random Fiber Laser. *Ye, J.*, +, *JLT July 15, 2020 3737-3744*

Stabilization of Optical Pulse Transmission by Exploiting Fiber Nonlinearities. *Bandelow, U.*, +, *JLT Oct. 15, 2020 5743-5747*

Ultrafast Laser Inscription and $\square 2 \mu\text{m}$ Laser Operation of Y-Branch Splitters in Monoclinic Crystals. *Kifle, E.*, +, *JLT Aug. 15, 2020 4374-4384*

Random noise

Performance Analysis of Phase Noise Cancellation by Asymmetric CMA for Realizing Affordable Coherent PON Transceivers. *Kim, S.*, +, *JLT April 15, 2020 2231-2241*

Random processes

Investigation of Mode Coupling in Graded Index Plastic Optical Fibers Using the Langevin Equation. *Savovic, S.*, +, *JLT Dec. 1, 2020 6644-6647*

Rapid prototyping (industrial)

Tm/Al Co-Doped Silica Glass Prepared by Laser Additive Manufacturing Technology for 2- μm Photonic Crystal Fiber Laser. *Liu, J.*, +, *JLT March 15, 2020 1486-1491*

Ray tracing

Investigating the Refractive Index Sensitivity of U-Bent Fiber Optic Sensors Using Ray Optics. *Danny, C.G.*, +, *JLT March 15, 2020 1580-1588*

Rayleigh scattering

50 km-Range Brillouin Optical Correlation Domain Analysis With First-Order Backward Distributed Raman Amplification. *Ryu, G.*, +, *JLT Sept. 15, 2020 5199-5204*

A Digital Twin Approach to Study Additive Manufacturing Processing Using Embedded Optical Fiber Sensors and Numerical Modeling. *Zou, R.*, +, *JLT Nov. 15, 2020 6402-6411*

- A Novel Wavemeter With 64 Attometer Spectral Resolution Based on Rayleigh Speckle Obtained From Single-Mode Fiber. *Zhang, Z.*, +, *JLT Aug. 15, 2020 4548-4554*
- A Novel Weak-Scattering Michelson Interferometer Based on PBS for Long-Distance Disturbance Localization. *Song, Q.*, +, *JLT March 15, 2020 1543-1549*
- Controlling Rayleigh-Backscattering-Induced Distortion in Radio Over Fiber Systems for Radioastronomic Applications. *Nanni, J.*, +, *JLT Oct. 1, 2020 5393-5405*
- Distributed Characterization of Few-Mode Fibers Based on Optical Frequency Domain Reflectometry. *Veronese, R.*, +, *JLT Sept. 1, 2020 4843-4849*
- Investigations on the Extreme Frequency Shift of Phosphosilicate Random Fiber Laser. *Ye, J.*, +, *JLT July 15, 2020 3737-3744*
- Scattering Into Guided Modes Due to Imperfect Graded-Index Structure in Polymer Optical Fibers. *Shibelgut, A.A.*, +, *JLT March 15, 2020 1454-1460*
- Spectral Properties of the Signal in Phase-Sensitive Optical Time-Domain Reflectometry With Direct Detection. *Lu, X.*, +, *JLT March 15, 2020 1513-1521*
- Transient Nanostrain Detection in Phi-OTDR Using Statistics-Based Signal Processing. *Chen, H.*, +, *JLT Sept. 1, 2020 4883-4892*
- Tunable and Switchable Multi-Wavelength Erbium-Brillouin Random Fiber Laser Incorporating a Highly Nonlinear Fiber. *Wang, F.*, +, *JLT Aug. 1, 2020 4093-4099*
- Receiving antennas**
- Group Delay-Based Wideband Photonic Receive-Mode Radio-Frequency Beamforming. *Mondich, M.J.*, +, *JLT Nov. 1, 2020 5893-5907*
- Reconfigurable architectures**
- A Reconfigurable Architecture for Continuous Double-Sided Swept-Laser Linearization. *Yao, Z.*, +, *JLT Sept. 15, 2020 5170-5176*
- AgileDCN: An Agile Reconfigurable Optical Data Center Network Architecture. *Le, D.D.*, +, *JLT Sept. 15, 2020 4922-4934*
- High-Speed Post-Processing in Continuous-Variable Quantum Key Distribution Based on FPGA Implementation. *Yang, S.*, +, *JLT Aug. 1, 2020 3935-3941*
- Rectangular waveguides**
- Effects of Shallow Suspension in Low-Loss Waveguide-Integrated Chalcogenide Microdisk Resonators. *Zhu, Y.*, +, *JLT Sept. 1, 2020 4817-4823*
- Recurrent neural networks**
- A Direct Learning Approach for Neural Network Based Pre-Distortion for Coherent Nonlinear Optical Transmitter. *Paryanti, G.*, +, *JLT Aug. 1, 2020 3883-3896*
- Delay-Tolerant Indoor Optical Wireless Communication Systems Based on Attention-Augmented Recurrent Neural Network. *He, J.*, +, *JLT Sept. 1, 2020 4632-4640*
- Design of Negative Curvature Hollow Core Fiber Based on Reinforcement Learning. *Hu, X.*, +, *JLT April 1, 2020 1959-1965*
- Quality of Transmission Estimation and Short-Term Performance Forecast of Lightpaths. *Aladin, S.*, +, *JLT May 15, 2020 2807-2814*
- Reflectivity**
- Optimization of SERS Sensing With Micro-Lensed Optical Fibers and Au Nano-Film. *Milenko, K.*, +, *JLT April 1, 2020 2081-2085*
- Simultaneously Self-Inscribed Antisymmetric Long-Period Grating and Antisymmetric Apodized Fiber Bragg Grating in a Dual-Core As₂Se₃-PMMA Tapered Fiber. *Gao, S.*, +, *JLT Nov. 15, 2020 6345-6351*
- Spectral Dependence of Transmission Losses in High-Index Polymer Coated No-Core Fibers. *Lian, X.*, +, *JLT Nov. 15, 2020 6352-6361*
- Reflectometers**
- Characterization of Ultra-Narrow Linewidth Lasers for Phase-Sensitive Coherent Reflectometry Using EOM Facilitated Heterodyning. *Nikitin, S.*, +, *JLT March 15, 2020 1446-1453*
- Distributed Characterization of Few-Mode Fibers Based on Optical Frequency Domain Reflectometry. *Veronese, R.*, +, *JLT Sept. 1, 2020 4843-4849*
- Quasi-Distributed Vibration Sensing Based on Weak Reflectors and STFT Demodulation. *Leandro, D.*, +, *JLT Dec. 15, 2020 6954-6960*
- Spectral Properties of the Signal in Phase-Sensitive Optical Time-Domain Reflectometry With Direct Detection. *Lu, X.*, +, *JLT March 15, 2020 1513-1521*
- Reflectometry**
- A Novel Wavemeter With 64 Attometer Spectral Resolution Based on Rayleigh Speckle Obtained From Single-Mode Fiber. *Zhang, Z.*, +, *JLT Aug. 15, 2020 4548-4554*
- Distributed Characterization of Few-Mode Fibers Based on Optical Frequency Domain Reflectometry. *Veronese, R.*, +, *JLT Sept. 1, 2020 4843-4849*
- High Sensitivity Distributed Static Strain Sensing Based on Differential Relative Phase in Optical Frequency Domain Reflectometry. *Wang, C.*, +, *JLT Oct. 15, 2020 5825-5836*
- High-Performance Optical Frequency-Domain Reflectometry Based on High-Order Optical Phase-Locking-Assisted Chirp Optimization. *Feng, Y.*, +, *JLT Nov. 15, 2020 6227-6236*
- Integrated Auxiliary Interferometer for Self-Correction of Nonlinear Tuning in Optical Frequency Domain Reflectometry. *Badar, M.*, +, *JLT Nov. 1, 2020 6097-6103*
- Quasi-Distributed Vibration Sensing Based on Weak Reflectors and STFT Demodulation. *Leandro, D.*, +, *JLT Dec. 15, 2020 6954-6960*
- Reflow soldering**
- 4×112 Gbps/Fiber CWDM VCSEL Arrays for Co-Packaged Interconnects. *Wang, B.*, +, *JLT July 1, 2020 3439-3444*
- Refractive index**
- A Compact Refractometer With High Sensitivity Based on Multimode Fiber Embedded Single Mode-No Core-Single Mode Fiber Structure. *Zhang, S.*, +, *JLT April 1, 2020 1929-1935*
- A Laser Written 4D Optical Microcavity for Advanced Biochemical Sensing in Aqueous Environment. *Saetchnikov, A.V.*, +, *JLT April 15, 2020 2530-2538*
- All-Optical and Polarization-Independent Tunable Guided-Mode Resonance Filter Based on a Dye-Doped Liquid Crystal Incorporated With Photonic Crystal Nanostructure. *Lin, T.*, +, *JLT Feb. 15, 2020 820-826*
- An Optical Fiber Immunosensor With a Low Detection Limit Based on Plasmon Coupling Enhancement. *Wang, B.*, +, *JLT July 15, 2020 3781-3788*
- Bend-Insensitive Grapefruit-Type Holey Ring-Core Fiber for Weakly-Coupled OAM Mode Division Multiplexing Transmission. *Tu, J.*, +, *JLT Aug. 15, 2020 4497-4503*
- Combining Harmonic Laser Beams by Fiber Components for Refractivity-Compensating Two-Color Interferometry. *Liu, Y.*, +, *JLT April 1, 2020 1945-1952*
- Demonstration of an All-Fiber Ultra-Low Numerical Aperture Ytterbium-Doped Large Mode Area Fiber in a Master Oscillator Power Amplifier Configuration Above 1 kW Power Level. *Midilli, Y.*, +, *JLT April 1, 2020 1915-1920*
- Detection of Circular-Crested Lamb Waves Using Surface-Bonded Fiber-Optic Ultrasound Sensors: A Theoretical Perspective. *Liu, G.*, +, *JLT April 15, 2020 2555-2563*
- Direct Laser Written Waveguide in Tellurite Glass for Supercontinuum Generation in 2 μm Spectral Range. *Okhrimchuk, A.G.*, +, *JLT March 15, 2020 1492-1500*
- Efficient Shape and Topology Optimization Based on Sensitivity Analysis for Optical Waveguide Devices Utilizing Full-Vectorial BPM. *Iguchi, A.*, +, *JLT April 15, 2020 2328-2335*
- Efficient Third Harmonic Generation by Doubly Enhanced Electric Dipole Resonance in Metal-Based Silicon Nanodisks. *Yao, J.*, +, *JLT Nov. 15, 2020 6312-6320*
- Fabrication of Chirped Fiber Bragg Gratings in a Non-Uniform Single-Core As₂Se₃-PMMA Tapered Fiber. *Gao, S.*, +, *JLT Aug. 1, 2020 4108-4113*
- Femtosecond Laser Inscribed Tilted Gratings for Leaky Mode Excitation in Optical Fibers. *Ioannou, A.*, +, *JLT April 1, 2020 1921-1928*
- Femtosecond Laser-Inscribed Non-Volatile Integrated Optical Switch in Fused Silica Based on Microfluidics-Controlled Total Internal Reflection. *Radosavljevic, A.*, +, *JLT Aug. 1, 2020 3965-3973*
- Graphene on Silicon Modulators. *Sorianello, V.*, +, *JLT May 15, 2020 2782-2789*

- High Performance InP-Based Polarization Beam Splitter With Reverse Bias and Injection Current. *Dai, X.*, +, *JLT April 15, 2020 2336-2345*
- High-Speed and High-Resolution Microwave Photonic Interrogation of a Fiber-Optic Refractometer With Plasmonic Spectral Comb. *Wang, G.*, +, *JLT April 1, 2020 2073-2080*
- High-Speed Plasmonic-Silicon Modulator Driven by Epsilon-Near-zero Conductive Oxide. *Zhou, B.*, +, *JLT July 1, 2020 3338-3345*
- Hole-Assisted Solid Core Bragg Fibers With a High-Index-Contrast Cladding for Broadband Single-Polarization Operation. *Shang, L.*, +, *JLT Nov. 1, 2020 6104-6113*
- Inter-Cross De-Modulated Refractive Index and Temperature Sensor by an Etched Multi-Core Fiber of a MZI Structure. *Mumtaz, F.*, +, *JLT Dec. 15, 2020 6948-6953*
- Investigating the Refractive Index Sensitivity of U-Bent Fiber Optic Sensors Using Ray Optics. *Danny, C.G.*, +, *JLT March 15, 2020 1580-1588*
- Ion Implantation of Germanium Into Silicon for Critical Coupling Control of Racetrack Resonators. *Milosevic, M.M.*, +, *JLT April 1, 2020 1865-1873*
- Liquid Crystal Based Rib Waveguide. *Tripathi, U.S.*, +, *JLT Aug. 1, 2020 4045-4051*
- Low-Loss Orbital Angular Momentum Ring-Core Fiber: Design, Fabrication and Characterization. *Wang, H.*, +, *JLT Nov. 15, 2020 6327-6333*
- Membrane InGaAsP Mach-Zehnder Modulator Integrated With Optical Amplifier on Si Platform. *Hiraki, T.*, +, *JLT June 1, 2020 3030-3036*
- Mode Phase Variation and Sensitivity to Thermal Load in Three-Core Optical Fibers. *Rosa, L.*, +, *JLT April 15, 2020 2400-2405*
- Non-Equidistant Arrangement in All-Dielectric Quadrumers and Mirror-Symmetric One-Dimensional Photonic Crystals Hybridstructure for Self-Referenced Sensing Scheme. *Sun, P.*, +, *JLT Dec. 1, 2020 6671-6677*
- Numerical Modeling of Fcy OTDR Sensing Using a Refractive Index Perturbation Approach. *Lu, X.*, +, *JLT Feb. 15, 2020 974-980*
- Optical Modulation in Hybrid Waveguide Based on Si-ITO Heterojunction. *Rajput, S.*, +, *JLT March 15, 2020 1365-1371*
- Optimization of Refractive Index Sensitivity in Nanofilm-Coated Long-Period Fiber Gratings Near the Dispersion Turning Point. *Zou, F.*, +, *JLT Feb. 15, 2020 889-897*
- Packaged Microbubble Resonator for Versatile Optical Sensing. *Yang, D.*, +, *JLT Aug. 15, 2020 4555-4559*
- Parity-Time Symmetry in a Single-Loop Photonic System. *Fan, Z.*, +, *JLT Aug. 1, 2020 3866-3873*
- Polymer-Coated Hollow Fiber Optofluidic Laser for Refractive Index Sensing. *Zhao, X.*, +, *JLT March 15, 2020 1550-1556*
- Resonant Wavelength Thermal Stability of Fiber Bragg Gratings Produced by Femtosecond Laser. *Paixao, T.*, +, *JLT March 15, 2020 1529-1535*
- Side-Polished Single-Mode-Multimode-Single-Mode Fiber Structure for the Vector Magnetic Field Sensing. *Chen, Y.*, +, *JLT Oct. 15, 2020 5837-5843*
- Silicon Oxycarbide Platform for Integrated Photonics. *Memon, F.A.*, +, *JLT Feb. 15, 2020 784-791*
- Slit Beam Shaping Technique for Femtosecond Laser Inscription of Enhanced Plane-by-Plane FBGs. *Roldan-Varona, P.*, +, *JLT Aug. 15, 2020 4526-4532*
- Spectral Dependence of Transmission Losses in High-Index Polymer Coated No-Core Fibers. *Lian, X.*, +, *JLT Nov. 15, 2020 6352-6361*
- Spectral-Distortionless, Flat-Top, Drop-Filter Based on Complementarily-Misaligned Multimode-Waveguide Bragg Gratings. *Liang, X.*, +, *JLT Dec. 1, 2020 6600-6604*
- Study of Surface Plasmon Resonance Sensor Based on Polymer-Tipped Optical Fiber With Barium Titanate Layer. *Xia, Z.*, +, *JLT Feb. 15, 2020 912-918*
- Surface Plasmon Resonance Induced High Sensitivity Temperature and Refractive Index Sensor Based on Evanescent Field Enhanced Photonic Crystal Fiber. *Liu, Y.*, +, *JLT Feb. 15, 2020 919-928*
- Tip Packaged High-Temperature Miniature Sensor Based on Suspended Core Optical Fiber. *Su, H.*, +, *JLT Aug. 1, 2020 4160-4165*
- Torsion, Refractive Index, and Temperature Sensors Based on An Improved Helical Long Period Fiber Grating. *Zhao, Y.*, +, *JLT April 15, 2020 2504-2510*
- Twist Induced Mode Confinement in Partially Open Ring of Holes. *Napiorkowski, M.*, +, *JLT March 15, 2020 1372-1381*
- Ultra-Compact Broadband 2×2 3 dB Power Splitter Using a Subwavelength-Grating-Assisted Asymmetric Directional Coupler. *Ye, C.*, +, *JLT April 15, 2020 2370-2375*
- Vertical-Fluid-Array-Induced Optical Microfiber Long-Period Grating (VIOLIN) Refractometer. *Ran, Y.*, +, *JLT April 15, 2020 2434-2440*
- Waveguide Tapers Fabrication by Femtosecond Laser Induced Element Redistribution in Glass. *Macias-Montero, M.*, +, *JLT Dec. 1, 2020 6578-6583*
- Yb/Ce Codoped Aluminosilicate Fiber With High Laser Stability for Multi-kW Level Laser. *She, S.*, +, *JLT Dec. 15, 2020 6924-6931*
- Refractive index measurement**
- A Compact Refractometer With High Sensitivity Based on Multimode Fiber Embedded Single Mode-No Core-Single Mode Fiber Structure. *Zhang, S.*, +, *JLT April 1, 2020 1929-1935*
- High-Speed and High-Resolution Microwave Photonic Interrogation of a Fiber-Optic Refractometer With Plasmonic Spectral Comb. *Wang, G.*, +, *JLT April 1, 2020 2073-2080*
- Inter-Cross De-Modulated Refractive Index and Temperature Sensor by an Etched Multi-Core Fiber of a MZI Structure. *Mumtaz, F.*, +, *JLT Dec. 15, 2020 6948-6953*
- Investigating the Refractive Index Sensitivity of U-Bent Fiber Optic Sensors Using Ray Optics. *Danny, C.G.*, +, *JLT March 15, 2020 1580-1588*
- Liquid Level and Refractive Index Double-Parameter Sensor Based on Tapered Photonic Crystal Fiber. *Fan, R.*, +, *JLT July 15, 2020 3717-3722*
- Microcapillary-Based Integrated LSPR Device for Refractive Index Detection and Biosensing. *Chen, S.*, +, *JLT April 15, 2020 2485-2492*
- Optimization of Refractive Index Sensitivity in Nanofilm-Coated Long-Period Fiber Gratings Near the Dispersion Turning Point. *Zou, F.*, +, *JLT Feb. 15, 2020 889-897*
- Polymer-Coated Hollow Fiber Optofluidic Laser for Refractive Index Sensing. *Zhao, X.*, +, *JLT March 15, 2020 1550-1556*
- Study of Surface Plasmon Resonance Sensor Based on Polymer-Tipped Optical Fiber With Barium Titanate Layer. *Xia, Z.*, +, *JLT Feb. 15, 2020 912-918*
- Surface Plasmon Resonance Induced High Sensitivity Temperature and Refractive Index Sensor Based on Evanescent Field Enhanced Photonic Crystal Fiber. *Liu, Y.*, +, *JLT Feb. 15, 2020 919-928*
- Torsion, Refractive Index, and Temperature Sensors Based on An Improved Helical Long Period Fiber Grating. *Zhao, Y.*, +, *JLT April 15, 2020 2504-2510*
- Refractometers**
- A Compact Refractometer With High Sensitivity Based on Multimode Fiber Embedded Single Mode-No Core-Single Mode Fiber Structure. *Zhang, S.*, +, *JLT April 1, 2020 1929-1935*
- High-Speed and High-Resolution Microwave Photonic Interrogation of a Fiber-Optic Refractometer With Plasmonic Spectral Comb. *Wang, G.*, +, *JLT April 1, 2020 2073-2080*
- Vertical-Fluid-Array-Induced Optical Microfiber Long-Period Grating (VIOLIN) Refractometer. *Ran, Y.*, +, *JLT April 15, 2020 2434-2440*
- Regression analysis**
- Adaptive Nonlinear Equalization Combining Sparse Bayesian Learning and Kalman Filtering for Visible Light Communications. *Miao, P.*, +, *JLT Dec. 15, 2020 6732-6745*
- ANN-Based Multi-Channel QoT-Prediction Over a 563.4-km Field-Trial Testbed. *Gao, Z.*, +, *JLT May 1, 2020 2646-2655*
- Frequency Dependent ENoB Requirements for 400G/600G/800G Optical Links. *Varughese, S.*, +, *JLT Sept. 15, 2020 5008-5016*
- Joint Estimation of Multiple Time Interleaved ADC Timing Offsets Based on Fourier Series Decomposition. *Paryanti, G.*, +, *JLT Aug. 1, 2020 3832-3838*
- Leveraging Field Data for the Joint Optimization of Capacity and Availability in Low-Margin Optical Networks. *Delezoide, C.*, +, *JLT Dec. 15, 2020 6709-6718*

Modeling EDFA Gain Ripple and Filter Penalties With Machine Learning for Accurate QoT Estimation. *Mahajan, A.*, +, *JLT May 1, 2020 2616-2629*
 Quality of Transmission Estimation and Short-Term Performance Forecast of Lightpaths. *Aladin, S.*, +, *JLT May 15, 2020 2807-2814*

Relay networks (telecommunication)

Channel-Aware Adaptive Physical-Layer Network Coding Over Relay-Assisted OFDM-VLC Networks. *Hong, Y.*, +, *JLT March 15, 2020 1168-1177*

Reliability

Enhancement of the Multiplexing Capacity and Measurement Accuracy of FBG Sensor System Using IWDM Technique and Deep Learning Algorithm. *Manie, Y.C.*, +, *JLT March 15, 2020 1589-1603*

Reconstruction of Distributed Strain Profile Using a Weighted Spectrum Decomposition Algorithm for Brillouin Scattering Based Fiber Optic Sensor. *Mei, Y.*, +, *JLT Nov. 15, 2020 6385-6392*

Remote sensing by radar

Microwave Photonics for Remote Sensing: From Basic Concepts to High-Level Functionalities. *Serafino, G.*, +, *JLT Oct. 1, 2020 5339-5355*

Resonator filters

Ultra-Broadband Mode Splitter Based on Phase Controlling of Bridged Sub-wavelength Grating. *Jiang, W.*, +, *JLT April 15, 2020 2414-2422*

Resonators

High-Bandwidth Tracking Method of Resonant Frequency for Sensing Resonators. *Li, H.*, +, *JLT Feb. 15, 2020 898-904*

Resource allocation

A Silicon Photonic Switching Platform for Flexible Converged Centralized-Radio Access Networking. *Browning, C.*, +, *JLT Oct. 1, 2020 5386-5392*

Abstraction and Control of Multi-Domain Disaggregated Optical Networks With OpenROADM Device Models. *Casellas, R.*, +, *JLT May 1, 2020 2606-2615*

Band-Division vs. Space-Division Multiplexing: A Network Performance Statistical Assessment. *Ferrari, A.*, +, *JLT March 1, 2020 1041-1049*

Broadband Cognitive Radio Enabled by Photonics. *Zhu, D.*, +, *JLT June 15, 2020 3076-3088*

Crosstalk-Aware Resource Allocation in Survivable Space-Division-Multiplexed Elastic Optical Networks Supporting Hybrid Dedicated and Shared Path Protection. *Moghaddam, E.E.*, +, *JLT March 15, 2020 1095-1102*

Decentralized Coordination of Converged Tactile Internet and MEC Services in H-CRAN Fiber Wireless Networks. *Perez, G.O.*, +, *JLT Sept. 15, 2020 4935-4947*

IT and Multi-layer Online Resource Allocation and Offline Planning in Metropolitan Networks. *Garrich, M.*, +, *JLT June 15, 2020 3190-3199*

Latency-Aware Task Peer Offloading on Overloaded Server in Multi-Access Edge Computing System Interconnected by Metro Optical Networks. *Huang, S.*, +, *JLT Nov. 1, 2020 5949-5961*

SDN-Controlled and Orchestrated OPSquare DCN Enabling Automatic Network Slicing With Differentiated QoS Provisioning. *Xue, X.*, +, *JLT March 15, 2020 1103-1112*

Techno-Economic Impact of Filterless Data Plane and Agile Control Plane in the 5G Optical Metro. *Pavon-Marino, P.*, +, *JLT Aug. 1, 2020 3801-3814*

Retroreflectors

Fully Passive User Localization for Beam-Steered High-Capacity Optical Wireless Communication System. *Koonen, T.*, +, *JLT May 15, 2020 2842-2848*

Reviews

A Review: Neural-Inspired Photonic Functional Systems for Dynamic RF Signal Processing. *Fok, M.P.*, *JLT Oct. 1, 2020 5318-5326*

Graphene on Silicon Modulators. *Sorianello, V.*, +, *JLT May 15, 2020 2782-2789*

Optical Injection Locking: From Principle to Applications. *Liu, Z.*, +, *JLT Jan. 1, 2020 43-59*

Photonics-Based Real-Time Spectrogram Analysis of Broadband Waveforms. *Konatham, S.R.*, +, *JLT Oct. 1, 2020 5356-5367*

Quantum Limits in Optical Communications. *Banaszek, K.*, +, *JLT May 15, 2020 2741-2754*

Rib waveguides

Liquid Crystal Based Rib Waveguide. *Tripathi, U.S.*, +, *JLT Aug. 1, 2020 4045-4051*

Ridge waveguides

Effects of Post-Etch Microstructures on the Optical Transmittance of Silica Ridge Waveguides. *Wright, J.G.*, +, *JLT Nov. 15, 2020 6280-6285*

Ring lasers

Electro-Optic Tuning of a Monolithically Integrated Widely Tuneable InP Laser With Free-Running and Stabilized Operation. *Andreou, S.*, +, *JLT April 1, 2020 1887-1894*

High-Resolution Temperature Sensor Based on Intracavity Sensing of Fiber Ring Laser. *Shi, J.*, +, *JLT April 1, 2020 2010-2014*

Polarization-Color Domain Walls in Fiber Ring Lasers. *Nady, A.*, +, *JLT Dec. 15, 2020 6905-6910*

Room-Temperature Power-Stabilized Narrow-Linewidth Tunable Erbium-Doped Fiber Ring Laser Based on Cascaded Mach-Zehnder Interferometers With Different Free Spectral Range for Strain Sensing. *Zhang, L.*, +, *JLT April 1, 2020 1966-1974*

Sensing Enhancement at an Exceptional Point in a Nonreciprocal Fiber Ring Cavity. *Wang, H.*, +, *JLT April 15, 2020 2511-2515*

Switchable All-Optical Flip-Flop and Inverter Operations in Quantum Well Microring Laser. *Aoki, R.*, +, *JLT Aug. 1, 2020 3950-3958*

Switchable, Widely Tunable and Interval-Adjustable Multi-Wavelength Erbium-Doped Fiber Laser Based on Cascaded Filters. *Zhao, Q.*, +, *JLT April 15, 2020 2428-2433*

Tandem-Pumped High-Power Narrow-Linewidth Fiber Laser Tunable From 1060–1090 nm. *Tian, J.*, +, *JLT March 15, 2020 1461-1467*

Tunable, Single-Wavelength Fiber Ring Lasers Based on Rare Earth-Doped, Double-Peanut Fiber Interferometers. *Wan, H.*, +, *JLT March 15, 2020 1501-1505*

Vertically Coupled InP/InGaAsP Microring Lasers Using a Single Epitaxial Growth and Single-Side Lithography. *Lopez, O.G.*, +, *JLT Aug. 1, 2020 3983-3987*

Road traffic

First Field Trial of Distributed Fiber Optical Sensing and High-Speed Communication Over an Operational Telecom Network. *Huang, M.*, +, *JLT Jan. 1, 2020 75-81*

Rocks

Monitoring and Characterization of Mining-Induced Overburden Deformation in Physical Modeling With Distributed Optical Fiber Sensing Technology. *Yuan, Q.*, +, *JLT Feb. 15, 2020 881-888*

Routing protocols

A Novel Virtual-Cluster Based Architecture of Double-Layer Optical Networks-on-Chip. *Su, Y.*, +, *JLT July 15, 2020 3553-3562*

RSSI

Design and Demonstration of Robust Visible Light Positioning Based on Received Signal Strength. *Huang, N.*, +, *JLT Oct. 15, 2020 5695-5707*

S

Sagnac interferometers

High-Resolution Temperature Sensor Based on Intracavity Sensing of Fiber Ring Laser. *Shi, J.*, +, *JLT April 1, 2020 2010-2014*

High-Speed FBG Interrogation With Electro-Optically Tunable Sagnac Loops. *Oton, C.J.*, +, *JLT Aug. 15, 2020 4513-4519*

Multi-Wavelength Fiber Laser Based on Dual-Sagnac Comb Filter for LP₁₁ Modes Output. *Tang, M.*, +, *JLT July 15, 2020 3745-3750*

Nonlinear Absorbing-Loop Mirror in a Holmium-Doped Fiber Laser. *Zhao, J.*, +, *JLT Nov. 1, 2020 6069-6075*

Sagnac Interferometer Based on a Highly-Birefringent Two-Core PCF: Theory, Experiment, and Sensing Characteristics. *Naeem, K.*, +, *JLT Sept. 15, 2020 5177-5190*

Self-Forced Opto-Electronic Oscillators Using Sagnac-Loop PM-IM Converter. *Wei, K.*, +, *JLT Oct. 1, 2020 5278-5285*

Sapphire

All-Sapphire Miniature Optical Fiber Tip Sensor for High Temperature Measurement. *Yang, S.*, +, *JLT April 1, 2020 1988-1997*

Satellite communication

Wideband Dual-Channel Photonic RF Repeater Based on Polarization Division Multiplexing Modulation and Polarization Control. *Shi, F.*, +, *JLT March 15, 2020 1275-1285*

Satellite ground stations

Space-Ground Coherent Optical Links: Ground Receiver Performance With Adaptive Optics and Digital Phase-Locked Loop. *Paillier, L.*, +, *JLT Oct. 15, 2020 5716-5727*

Satellite links

A Routing and Wavelength Assignment Algorithm Based on Two Types of LEO Constellations in Optical Satellite Networks. *Sun, X.*, +, *JLT April 15, 2020 2106-2113*

Space-Ground Coherent Optical Links: Ground Receiver Performance With Adaptive Optics and Digital Phase-Locked Loop. *Paillier, L.*, +, *JLT Oct. 15, 2020 5716-5727*

Scanning electron microscopy

Ultra-Sensitive Cholesterol Sensor Using Gold and Zinc-Oxide Nanoparticles Immobilized Core Mismatch MPM/SPS Probe. *Agrawal, N.*, +, *JLT April 15, 2020 2523-2529*

Schottky diodes

High-Speed and Cost-Effective Reflective Terahertz Imaging System Using a Novel 2D Beam Scanner. *Lee, E.S.*, +, *JLT Aug. 15, 2020 4237-4243*

Schrodinger equation

Direct Laser Written Waveguide in Tellurite Glass for Supercontinuum Generation in 2 μm Spectral Range. *Okhrimchuk, A.G.*, +, *JLT March 15, 2020 1492-1500*

Exact NFDM Transmission in the Presence of Fiber-Loss. *Bajaj, V.*, +, *JLT June 1, 2020 3051-3058*

Mismatched Models to Lower Bound the Capacity of Optical Fiber Channels. *Garcia-Gomez, F.J.*, +, *JLT Dec. 15, 2020 6779-6787*

Nonlinear Spectrum of Conventional OFDM and WDM Return-to-Zero Signals in Nonlinear Channel. *Turitsyn, S.*, +, *JLT Jan. 15, 2020 352-358*

On the Performance of Digital Back Propagation in Spatial Multiplexing Systems. *Ferreira, F.M.*, +, *JLT May 15, 2020 2790-2798*

Seals (stoppers)

Simultaneous Measurement of Pressure and Temperature in Seawater with PDMS Sealed Microfiber Mach-Zehnder Interferometer. *Hou, Y.*, +, *JLT Nov. 15, 2020 6412-6421*

Search problems

Investigation of Inverse Solutions for Tilting Orthogonal Double Prisms in Laser Pointing With Submicroradian Precision. *Li, A.*, +, *JLT March 15, 2020 1341-1349*

Phase and Frequency Recovery Algorithms for Probabilistically Shaped Transmission. *Barbosa, F.A.*, +, *JLT April 1, 2020 1827-1835*

Robust and Low-Complexity Principal Component-Based Phase Estimation Algorithm for Probabilistically Shaped Square-QAM Systems. *Wang, X.*, +, *JLT Nov. 15, 2020 6153-6162*

Security of data

An Event Recognition Scheme Aiming to Improve Both Accuracy and Efficiency in Optical Fiber Perimeter Security System. *Huang, X.*, +, *JLT Oct. 15, 2020 5783-5790*

Machine Learning for Optical Network Security Monitoring: A Practical Perspective. *Furdek, M.*, +, *JLT June 1, 2020 2860-2871*

Seismic waves

Single-Shot COTDR Using Sub-Chirped-Pulse Extraction Algorithm for Distributed Strain Sensing. *Xiong, J.*, +, *JLT April 1, 2020 2028-2036*

Selenium compounds

Fabrication of Chirped Fiber Bragg Gratings in a Non-Uniform Single-Core As_2Se_3 -PMMA Tapered Fiber. *Gao, S.*, +, *JLT Aug. 1, 2020 4108-4113*

Self-induced transparency

Demonstration of a Push-Pull Silicon Dual-Ring Modulator With Enhanced Optical Modulation Amplitude. *Zheng, D.*, +, *JLT July 15, 2020 3694-3700*

Self-phase modulation

All-Fiber Mode-Locked Laser Based on Mamyshev Mechanism With High-Energy Pulse Generation at 1550 nm. *Luo, X.*, +, *JLT March 15, 2020 1468-1473*

High Fidelity Picosecond Pulse Fiber Amplification With Inter-Stage Notch Filter. *Lu, Q.*, +, *JLT Nov. 1, 2020 6082-6088*

Three-Octave Supercontinuum Generation Using SiO_2 Cladded Si_3N_4 Slot Waveguide With All-Normal Dispersion. *Fang, Y.*, +, *JLT July 1, 2020 3431-3438*

Semiconductor doping

Efficient Mid-Infrared Germanium Variable Optical Attenuator Fabricated by Spin-on-Glass Doping. *Zhao, Z.*, +, *JLT Sept. 1, 2020 4808-4816*

Semiconductor epitaxial layers

Membrane InGaAsP Mach-Zehnder Modulator Integrated With Optical Amplifier on Si Platform. *Hiraki, T.*, +, *JLT June 1, 2020 3030-3036*

Semiconductor heterojunctions

Efficient Sub-Bandgap Photodetection via Two-Dimensional Electron Gas in ZnO Based Heterojunction. *Kaushik, V.*, +, *JLT Nov. 1, 2020 6031-6037*

Semiconductor laser arrays

4 \times 112 Gbps/Fiber CWDM VCSEL Arrays for Co-Packaged Interconnects. *Wang, B.*, +, *JLT July 1, 2020 3439-3444*

40 Gbps With Electrically Parallel Triple and Septuple 980 nm VCSEL Arrays. *Haghighi, N.*, +, *JLT July 1, 2020 3387-3394*

Demonstration of Low-Threshold and Directly Modulated Grating-Assisted Microcylinder Surface-Emitting Lasers. *Ma, X.*, +, *JLT Sept. 1, 2020 4772-4779*

Design of Four-Channel Wavelength-Selectable In-Series DFB Laser Array With 100-GHz Spacing. *Sun, Z.*, +, *JLT April 15, 2020 2299-2307*

Flip-Chip Integration of InP to SiN Photonic Integrated Circuits. *Theurer, M.*, +, *JLT May 1, 2020 2630-2636*

Fully-Integrated Heterogeneous DML Transmitters for High-Performance Computing. *Liang, D.*, +, *JLT July 1, 2020 3322-3337*

High Single-Mode Stability Tunable In-Series Laser Array With High Wavelength-spacing Uniformity. *Sun, Z.*, +, *JLT Nov. 1, 2020 6038-6046*

Silicon Nitride (Si_3N_4) (De-)Multiplexers for 1- μm CWDM Optical Interconnects. *Cheung, S.S.*, +, *JLT July 1, 2020 3404-3413*

Semiconductor lasers

100-Gbit/s/ λ EML Transmitter and PIN-PD+TIA Receiver-Based Inter-Data Center Link. *Lin, Y.*, +, *JLT April 15, 2020 2144-2151*

50-GHz Repetition Gain Switching Using a Cavity-Enhanced DFB Laser Assisted by Optical Injection Locking. *Liu, Z.*, +, *JLT April 1, 2020 1844-1850*

A Computationally Efficient Integrated Coupled Opto-Electronic Oscillator Model. *Nielsen, L.*, +, *JLT Oct. 1, 2020 5430-5439*

A WDM PAM4 FSO-UWOC Integrated System With a Channel Capacity of 100 Gb/s. *Li, C.*, +, *JLT April 1, 2020 1766-1776*

Back-Side-on-BOX Heterogeneously Integrated III-V-on-Silicon O-Band Distributed Feedback Lasers. *Thiessen, T.*, +, *JLT June 1, 2020 3000-3006*

Brillouin Amplifier Noise Characterization by a Coherent Receiver and Digital Signal Processing. *Pelusi, M.*, +, *JLT Aug. 15, 2020 4221-4236*

Carrier-Suppressed Single Sideband Signal for FMCW LiDAR Using a Si Photonic-Crystal Optical Modulators. *Kamata, M.*, +, *JLT April 15, 2020 2315-2321*

Design of Four-Channel Wavelength-Selectable In-Series DFB Laser Array With 100-GHz Spacing. *Sun, Z.*, +, *JLT April 15, 2020 2299-2307*

Effect of Optical Feedback on the Wavelength Tuning in DBR Lasers. *Happach, M.*, +, *JLT Sept. 1, 2020 4824-4833*

Enhancing Wavelength Tunability of Photonic Crystal Nanolasers by Waveguide-Like Strain Shapers. *Lu, T.*, +, *JLT Dec. 1, 2020 6605-6611*

Experimental Demonstration of Single Sideband Modulation Utilizing Monolithic Integrated Injection Locked DFB Laser. *Zhang, Y.*, +, *JLT April 1, 2020 1809-1816*

High-Speed Coherent Optical Communication With Isolator-Free Heterogeneous Si/III-V Lasers. *Zhang, Z.*, +, *JLT Dec. 1, 2020 6584-6590*

Membrane III-V/Si DFB Laser Using Uniform Grating and Width-Modulated Si Waveguide. *Aihara, T.*, +, *JLT June 1, 2020 2961-2967*

Microcomb Source Based on InP DFB / Si_3N_4 Microring Butt-Coupling. *Boust, S.*, +, *JLT Oct. 1, 2020 5517-5525*

Optical Injection Locking: From Principle to Applications. *Liu, Z.*, +, *JLT Jan. 1, 2020 43-59*

Passively Mode-Locked 2.7 and 3.2 μm GaSb-Based Cascade Diode Lasers. *Feng, T.*, +, *JLT April 1, 2020 1895-1899*

Period-One Microwave Photonic Sensing by a Laser Diode With Optical Feedback. *Nie, B.*, +, *JLT Oct. 1, 2020 5423-5429*

Reconfigurable Identical and Complementary Chirp Dual-LFM Signal Generation Subjected to Dual-Beam Injection in a DFB Laser. *Chen, H.*, +, *JLT Oct. 1, 2020 5500-5508*

- RF Frequency Synthesizer Based on Self-Mode-Locked Multimode Lasers. *Sun, T.*, +, *JLT April 15, 2020 2262-2270*
- Silica Hollow-Core Negative Curvature Fibers Enable Ultrasensitive Mid-Infrared Absorption Spectroscopy. *Yao, C.*, +, *JLT April 1, 2020 2067-2072*
- Ultra-Compact Coupling Structures for Heterogeneously Integrated Silicon Lasers. *He, A.*, +, *JLT Aug. 1, 2020 3974-3982*
- Semiconductor optical amplifiers**
- 103 nm Ultra-Wideband Hybrid Raman/SOA Transmission Over 3×100 km SSMF. *Arnould, A.*, +, *JLT Jan. 15, 2020 504-508*
- A 4×4 Electrooptic Silicon Photonic Switch Fabric With Net Neutral Insertion Loss. *Dupuis, N.*, +, *JLT Jan. 15, 2020 178-184*
- Demonstration of SDN-Enabled Hybrid Polling Algorithm for Packet Contention Resolution in Optical Data Center Network. *Wang, F.*, +, *JLT June 15, 2020 3296-3304*
- Experimental Characterization of Nonlinear Distortions of Semiconductor Optical Amplifiers in the WDM Regime. *Arnould, A.*, +, *JLT Jan. 15, 2020 509-513*
- Gain-Integrated 8×8 Silicon Photonics Multicast Switch With On-Chip 2×4 -ch. SOAs. *Konoike, R.*, +, *JLT June 1, 2020 2930-2937*
- High Power and High Speed SOA Assisted Extended Reach EADFB Laser (AXEL) for 53-Gbaud PAM4 Fiber-Amplifier-Less 60-km Optical Link. *Shindo, T.*, +, *JLT June 1, 2020 2984-2991*
- High-Power, Narrow-Linewidth, Miniaturized Silicon Photonic Tunable Laser With Accurate Frequency Control. *Gao, Y.*, +, *JLT Jan. 15, 2020 265-271*
- Impact of Polarization- and Mode-Dependent Gain on the Capacity of Ultra-Long-Haul Systems. *Mello, D.A.A.*, +, *JLT Jan. 15, 2020 303-318*
- Membrane InGaAsP Mach-Zehnder Modulator Integrated With Optical Amplifier on Si Platform. *Hiraki, T.*, +, *JLT June 1, 2020 3030-3036*
- Mitigation of Pattern-Dependent Effect in SOA at O-Band by Using DSP. *Wang, K.*, +, *JLT Feb. 1, 2020 590-597*
- Modulation and Switching Architecture Performances for Frequency Up-Conversion of Complex-Modulated Data Signals Based on a SOA-MZI Photonic Sampling Mixer. *Kastritsis, D.*, +, *JLT Oct. 1, 2020 5375-5385*
- Modulation of a High Power Semiconductor Optical Amplifier for Free Space Communications. *Pham, C.*, +, *JLT April 1, 2020 1836-1843*
- Optimal Control of SOAs With Artificial Intelligence for Sub-Nanosecond Optical Switching. *Parsonson, C.W.F.*, +, *JLT Oct. 15, 2020 5563-5573*
- Recent Advances in 100+nm Ultra-Wideband Fiber-Optic Transmission Systems Using Semiconductor Optical Amplifiers. *Renaudier, J.*, +, *JLT March 1, 2020 1071-1079*
- SOA Pre-Amplified 100 Gb/s/ λ PAM-4 TDM-PON Downstream Transmission Using 10 Gbps O-Band Transmitters. *Zhang, J.*, +, *JLT Jan. 15, 2020 185-193*
- Theoretical and Experimental Analysis of Burst-Mode Wavelength Conversion via a Differentially-Biased SOA-MZI. *Tsakyridis, A.*, +, *JLT Sept. 1, 2020 4607-4617*
- Wideband Steady-State and Pulse Propagation Modeling of a Reflective Quantum-Dot Semiconductor Optical Amplifier. *Safari Anzabi, K.*, +, *JLT Feb. 15, 2020 797-803*
- Semiconductor quantum dots**
- Origin of Defect Tolerance in InAs/GaAs Quantum Dot Lasers Grown on Silicon. *Liu, Z.*, +, *JLT Jan. 15, 2020 240-248*
- Wideband Steady-State and Pulse Propagation Modeling of a Reflective Quantum-Dot Semiconductor Optical Amplifier. *Safari Anzabi, K.*, +, *JLT Feb. 15, 2020 797-803*
- Semiconductor quantum wells**
- Low-Voltage, Coupled Multiple Quantum Well Electroreflective Modulators Towards Ultralow Power Inter-Chip Optical Interconnects. *Wang, X.*, +, *JLT July 1, 2020 3414-3421*
- Membrane InGaAsP Mach-Zehnder Modulator Integrated With Optical Amplifier on Si Platform. *Hiraki, T.*, +, *JLT June 1, 2020 3030-3036*
- Nonlinear Characteristics of Uni-Traveling Carrier Photodiode With InGaAs/GaAsSb Type-II Multiple Quantum Wells Absorber. *Chen, Y.*, +, *JLT Sept. 1, 2020 4867-4873*
- Semiconductor superlattices**
- Fabrication and Characterization of InAs/GaSb type-II Superlattice Long-Wavelength Infrared Detectors Aiming High Temperature Sensitivity. *Wang, L.*, +, *JLT Nov. 1, 2020 6129-6134*
- High-Speed Mid-Infrared Interband Cascade Photodetector Based on InAs/GaAsSb Type-II Superlattice. *Chen, Y.*, +, *JLT Feb. 15, 2020 939-945*
- Semiconductor thin films**
- Ultrafast Pulse Generation for Er- and Tm-Doped Fiber Lasers With Sb Thin Film Saturable Absorber. *Wang, J.*, +, *JLT July 15, 2020 3710-3716*
- Sensitivity analysis**
- Efficient Shape and Topology Optimization Based on Sensitivity Analysis for Optical Waveguide Devices Utilizing Full-Vectorial BPM. *Iguchi, A.*, +, *JLT April 15, 2020 2328-2335*
- Sensitivity Analysis of Photonic Integrated Direct-Detection Stokes-Vector Receiver. *Tanemura, T.*, +, *JLT Jan. 15, 2020 447-456*
- Sensitivity Calculations of High-Speed Optical Receivers Based on Electron-APDs. *Shulyak, V.*, +, *JLT Feb. 15, 2020 989-995*
- Sensor arrays**
- Quartz-Enhanced Photoacoustic Spectroscopy Based on the Four-Off-Beam Acoustic Micro-Resonator. *Wang, Z.*, +, *JLT Sept. 15, 2020 5212-5218*
- Sequences**
- Analysis of Nonlinear Fiber Interactions for Finite-Length Constant-Composition Sequences. *Fehenberger, T.*, +, *JLT Jan. 15, 2020 457-465*
- Sequential codes**
- Huffman-Coded Sphere Shaping and Distribution Matching Algorithms via Lookup Tables. *Fehenberger, T.*, +, *JLT May 15, 2020 2826-2834*
- Shear strength**
- Aerosol Jet Printed Optical Waveguides for Short Range Communication. *Lorenz, L.*, +, *JLT July 1, 2020 3478-3484*
- Shot noise**
- Gain, Loss and the Shot-Noise Rule. *McKinstry, C.J.*, *JLT April 15, 2020 2158-2170*
- Noise-Induced Limits of Detection in Frequency Locked Optical Microcavities. *Hao, S.*, +, *JLT Nov. 15, 2020 6393-6401*
- Quantum Theory of Noise in Stokes Vector Receivers and Application to Bit Error Rate Analysis. *Kikuchi, K.*, *JLT June 15, 2020 3164-3172*
- Y-00 Quantum-Noise Randomized Stream Cipher Using Intensity Modulation Signals for Physical Layer Security of Optical Communications. *Futami, F.*, +, *JLT May 15, 2020 2774-2781*
- Sigma-delta modulation**
- Distributed Antenna System Using Sigma-Delta Intermediate-Frequency-Over-Fiber for Frequency Bands Above 24 GHz. *Wu, C.*, +, *JLT May 15, 2020 2765-2773*
- Distributed Multi-User MIMO Transmission Using Real-Time Sigma-Delta-Over-Fiber for Next Generation Fronthaul Interface. *Wu, C.*, +, *JLT Feb. 15, 2020 705-713*
- Real-Time 100-GS/s Sigma-Delta Modulator for All-Digital Radio-Over-Fiber Transmission. *Li, H.*, +, *JLT Jan. 15, 2020 386-393*
- Signal classification**
- Impact-Based Feature Extraction Utilizing Differential Signals of Phase-Sensitive OTDR. *Adeel, M.*, +, *JLT April 15, 2020 2539-2546*
- Signal detection**
- 3D QAM-DPSK Optical Transmission Employing a Single Mach-Zehnder Modulator and Optical Direct Detection. *Park, H.J.*, +, *JLT Nov. 15, 2020 6247-6256*
- Adaptive Channel-Matched Detection for C-Band 64-Gbit/s Optical OOK System Over 100-km Dispersion-Uncompensated Link. *Wang, H.*, +, *JLT Sept. 15, 2020 5048-5055*
- Beyond 1 Tb/s Intra-Data Center Interconnect Technology: IM-DD OR Coherent?. *Zhou, X.*, +, *JLT Jan. 15, 2020 475-484*
- Broadband Cognitive Radio Enabled by Photonics. *Zhu, D.*, +, *JLT June 15, 2020 3076-3088*
- Channel-Aware Adaptive Physical-Layer Network Coding Over Relay-Assisted OFDM-VLC Networks. *Hong, Y.*, +, *JLT March 15, 2020 1168-1177*
- DC Component Recovery in Kramers-Kronig Receiver Utilizing AC-Coupled Photo-Detector. *Bo, T.*, +, *JLT Aug. 15, 2020 4307-4314*
- DFT Spread Spectrally Efficient Frequency Division Multiplexing for IM-DD Transmission in C-Band. *Li, Z.*, +, *JLT July 1, 2020 3526-3532*

- Dual Polarization Full-Field Signal Waveform Reconstruction Using Intensity Only Measurements for Coherent Communications. *Chen, H.*, +, *JLT May 1, 2020 2587-2597*
- High-Bandwidth Tracking Method of Resonant Frequency for Sensing Resonators. *Li, H.*, +, *JLT Feb. 15, 2020 898-904*
- Hybrid SSB OFDM-Digital Filter Multiple Access PONs. *Jin, W.*, +, *JLT April 15, 2020 2095-2105*
- Long-Haul Mode Multiplexing Transmission Enhanced by Interference Cancellation Techniques Based on Fast MIMO Affine Projection. *Shibahara, K.*, +, *JLT Sept. 15, 2020 4969-4977*
- Optics-Simplified DSP for 50 Gb/s PON Downstream Transmission using 10 Gb/s Optical Devices. *Xue, L.*, +, *JLT Feb. 1, 2020 583-589*
- Piecewise Linear Equalizer for DML Based PAM-4 Signal Transmission Over a Dispersion Uncompensated Link. *Fu, Y.*, +, *JLT Feb. 1, 2020 654-660*
- Single Sideband Transmission Employing a 1-to-4 ADC Frontend and Parallel Digitization. *Le, S.T.*, +, *JLT June 15, 2020 3125-3134*
- SSBI-Free Direct-Detection System Employing Phase Modulation for Analog Optical Links. *Ishimura, S.*, +, *JLT May 1, 2020 2719-2725*
- Signal generators**
- Photonic RF Phase-Encoded Signal Generation With a Microcomb Source. *Xu, X.*, +, *JLT April 1, 2020 1722-1727*
- Reconfigurable Identical and Complementary Chirp Dual-LFM Signal Generation Subjected to Dual-Beam Injection in a DFB Laser. *Chen, H.*, +, *JLT Oct. 1, 2020 5500-5508*
- Tunable THz Signal Generation and Radio-Over-Fiber Link Based on an Optoelectronic Oscillator-Driven Optical Frequency Comb. *Hasanuz-zaman, G.K.M.*, +, *JLT Oct. 1, 2020 5240-5247*
- Signal processing**
- 800G DSP ASIC Design Using Probabilistic Shaping and Digital Sub-Carrier Multiplexing. *Sun, H.*, +, *JLT Sept. 1, 2020 4744-4756*
- A Novel Baseband Faster-Than-Nyquist Non-Orthogonal FDM IM/DD System With Block Segmented Soft-Decision Decoder. *Hu, Z.*, +, *JLT Feb. 1, 2020 632-641*
- A Review: Neural-Inspired Photonic Functional Systems for Dynamic RF Signal Processing. *Fok, M.P.*, *JLT Oct. 1, 2020 5318-5326*
- Chirp-Filtering for Low-Complexity Chromatic Dispersion Compensation. *Felipe, A.*, +, *JLT June 1, 2020 2954-2960*
- Compressed Neural Network Equalization Based on Iterative Pruning Algorithm for 112-Gbps VCSEL-Enabled Optical Interconnects. *Ge, L.*, +, *JLT March 15, 2020 1323-1329*
- Considerations on the Use of Digital Signal Processing in Future Optical Access Networks. *Neto, L.A.*, +, *JLT Feb. 1, 2020 598-607*
- Dispersion-Managed Fiber Echo State Network Analogue With High (Including THz) Bandwidth. *Sorokina, M.*, *JLT June 15, 2020 3209-3213*
- DSP for High-Speed Short-Reach IM/DD Systems Using PAM. *Wettlin, T.*, +, *JLT Dec. 15, 2020 6771-6778*
- DSP-Based Flexible-Waveform and Multi-Application 5G Fiber-Wireless System. *Borges, R.M.*, +, *JLT Feb. 1, 2020 642-653*
- Miniaturized Silicon Photonics Devices for Integrated Optical Processors. *Teng, M.*, +, *JLT Jan. 1, 2020 6-17*
- Non-Orthogonal Uplink Services Through Co-Transport of D-RoF/A-RoF in Mobile Fronthaul. *Yao, S.*, +, *JLT July 15, 2020 3637-3643*
- Phase and Frequency Recovery Algorithms for Probabilistically Shaped Transmission. *Barbosa, F.A.*, +, *JLT April 1, 2020 1827-1835*
- Photonics-Aided Millimeter-Wave Technologies for Extreme Mobile Broadband Communications in 5G. *Li, X.*, +, *JLT Jan. 15, 2020 366-378*
- Two-Stage Coded Modulation for Hurwitz Constellations in Fiber-Optical Communications. *Frey, F.*, +, *JLT June 15, 2020 3135-3146*
- Signal reconstruction**
- Channel-Aware Adaptive Physical-Layer Network Coding Over Relay-Assisted OFDM-VLC Networks. *Hong, Y.*, +, *JLT March 15, 2020 1168-1177*
- Dual Polarization Full-Field Signal Waveform Reconstruction Using Intensity Only Measurements for Coherent Communications. *Chen, H.*, +, *JLT May 1, 2020 2587-2597*
- Minimum Phase Conditions in Kramers-Kronig Optical Receivers. *Wang, T.*, +, *JLT Nov. 15, 2020 6214-6220*
- Optical Signal Phase Reconstruction Based on Temporal Transport-of-Intensity Equation. *Matsumoto, M.*, *JLT Sept. 1, 2020 4722-4729*
- Optical Signal Phase Retrieval With Low Complexity DC-Value Method. *Patel, R.K.*, +, *JLT Aug. 15, 2020 4205-4212*
- Signal sampling**
- Brillouin Amplifier Noise Characterization by a Coherent Receiver and Digital Signal Processing. *Pelusi, M.*, +, *JLT Aug. 15, 2020 4221-4236*
- Minimum Phase Conditions in Kramers-Kronig Optical Receivers. *Wang, T.*, +, *JLT Nov. 15, 2020 6214-6220*
- Performance Model and Design Rules for Optical Systems Employing Low-Resolution DAC/ADC. *Almonacil, S.*, +, *JLT June 1, 2020 3007-3014*
- Photonics-Based Real-Time Spectrogram Analysis of Broadband Waveforms. *Konatham, S.R.*, +, *JLT Oct. 1, 2020 5356-5367*
- Sub-Nyquist Ultra-Wideband Sparse Signal Reception via Variable Frequency Comb. *Hu, H.*, +, *JLT Sept. 1, 2020 4625-4631*
- Signal to noise ratio**
- The Generalized Droop Formula for Low Signal to Noise Ratio Optical Links. *Bononi, A.*, +, *JLT April 15, 2020 2201-2213*
- Signaling**
- Analysis of Nonlinear Fiber Interactions for Finite-Length Constant-Composition Sequences. *Fehenberger, T.*, +, *JLT Jan. 15, 2020 457-465*
- Silicon**
- 240 Gbit/s Silicon Photonic Mach-Zehnder Modulator Enabled by Two 2.3-Vpp Drivers. *Jacques, M.*, +, *JLT June 1, 2020 2877-2885*
- 27 GHz Silicon-Contacted Waveguide-Coupled Ge/Si Avalanche Photodiode. *Srinivasan, S.A.*, +, *JLT June 1, 2020 3044-3050*
- 36 Gb/s Narrowband Photoreceiver for mmWave Analog Radio-Over-Fiber. *Bogaert, L.*, +, *JLT June 15, 2020 3289-3295*
- 400 Gb/s Silicon Photonic Transmitter and Routing WDM Technologies for Glueless 8-Socket Chip-to-Chip Interconnects. *Pitris, S.*, +, *JLT July 1, 2020 3366-3375*
- A 112 Gb/s PAM4 Silicon Photonics Transmitter With Microring Modulator and CMOS Driver. *Li, H.*, +, *JLT Jan. 1, 2020 131-138*
- A 4 × 4 Electrooptic Silicon Photonic Switch Fabric With Net Neutral Insertion Loss. *Dupuis, N.*, +, *JLT Jan. 15, 2020 178-184*
- A Dynamically-Reconfigurable Burst-Mode Link Using a Nanosecond Photonic Switch. *Forencich, A.*, +, *JLT March 15, 2020 1330-1340*
- A Lateral MOS-Capacitor-Enabled ITO Mach-Zehnder Modulator for Beam Steering. *Amin, R.*, +, *JLT Jan. 15, 2020 282-290*
- A Low-Voltage Si-Ge Avalanche Photodiode for High-Speed and Energy Efficient Silicon Photonic Links. *Wang, B.*, +, *JLT June 15, 2020 3156-3163*
- A Silicon Photonic Switching Platform for Flexible Converged Centralized-Radio Access Networking. *Browning, C.*, +, *JLT Oct. 1, 2020 5386-5392*
- A Wavelength-Selective Multiwavelength Ring-Assisted Mach-Zehnder Interferometer Switch. *Hirokawa, T.*, +, *JLT Nov. 15, 2020 6292-6298*
- Adjoint Optimization of Efficient CMOS-Compatible Si-SiN Vertical Grating Couplers for DWDM Applications. *Hooten, S.*, +, *JLT July 1, 2020 3422-3430*
- All-Optical Frequency Processor for Networking Applications. *Lukens, J.M.*, +, *JLT April 1, 2020 1678-1687*
- All-Optical Spiking Neuron Based on Passive Microresonator. *Xiang, J.*, +, *JLT Aug. 1, 2020 4019-4029*
- Back-Side-on-BOX Heterogeneously Integrated III-V-on-Silicon O-Band Distributed Feedback Lasers. *Thiessen, T.*, +, *JLT June 1, 2020 3000-3006*
- Ball Lens Embedded Through-Package Via To Enable Backside Coupling Between Silicon Photonics Interposer and Board-Level Interconnects. *Mangal, N.*, +, *JLT April 15, 2020 2360-2369*
- Broadband Brillouin Phase Shifter Utilizing RF Interference: Experimental Demonstration and Theoretical Analysis. *McKay, L.*, +, *JLT July 15, 2020 3624-3636*
- Broadband Nonvolatile Tunable Mode-Order Converter Based on Silicon and Optical Phase Change Materials Hybrid Meta-Structure. *Chen, H.*, +, *JLT April 1, 2020 1874-1879*
- Chip-Scale Silicon Ring Resonators for Cryogenic Temperature Sensing. *You, M.*, +, *JLT Oct. 15, 2020 5768-5773*

- Comprehensive Modeling and Design of Raman Lasers on SOI for Mid-Infrared Application. *Ahmadi, M.*, +, *JLT Aug. 1, 2020 4114-4123*
- Controlling Resonance Lineshapes of a Side-Coupled Waveguide-Microring Resonator. *Fang, L.*, +, *JLT Aug. 15, 2020 4429-4434*
- Demonstration of a Push-Pull Silicon Dual-Ring Modulator With Enhanced Optical Modulation Amplitude. *Zheng, D.*, +, *JLT July 15, 2020 3694-3700*
- Design of a Miniaturized Broadband Silicon Hybrid Plasmonic Temporal Integrator for Ultrafast Optical Signal Processing. *Karimi, A.*, +, *JLT April 15, 2020 2346-2352*
- Design Principles of Apodized Grating Couplers. *Zhao, Z.*, +, *JLT Aug. 15, 2020 4435-4446*
- Design, Fabrication, and Comparison of 3D Multimode Optical Interconnects on Silicon Interposer. *Charania, S.*, +, *JLT July 1, 2020 3454-3460*
- Differential Drive IQ Modulator Based on Silicon Photonic Electro-Absorption Modulators. *Melikyan, A.*, +, *JLT June 1, 2020 2872-2876*
- Efficient Hybrid Integration of Long-Wavelength VCSELs on Silicon Photonic Circuits. *Ruan, Z.*, +, *JLT Sept. 15, 2020 5100-5106*
- Efficient Third Harmonic Generation by Doubly Enhanced Electric Dipole Resonance in Metal-Based Silicon Nanodisks. *Yao, J.*, +, *JLT Nov. 15, 2020 6312-6320*
- Fast Wavelength Seeking in a Silicon Dual-Ring Switch Based on Artificial Neural Networks. *Qin, G.*, +, *JLT Sept. 15, 2020 5078-5085*
- Fiber-Optic Silicon Fabry-Perot Interferometric Bolometer: The Influence of Mechanical Vibration and Magnetic Field. *Sheng, Q.*, +, *JLT April 15, 2020 2547-2554*
- Frequency- and Time-Domain Modeling and Characterization of PN Phase Shifters in All-Silicon Carrier-Depletion Modulators. *Wang, J.*, +, *JLT Aug. 15, 2020 4462-4469*
- Fully Reconfigurable Waveguide Bragg Gratings for Programmable Photonic Signal Processing. *Yao, J.*, +, *JLT Jan. 15, 2020 202-214*
- Fully-Integrated Heterogeneous DML Transmitters for High-Performance Computing. *Liang, D.*, +, *JLT July 1, 2020 3322-3337*
- Gain-Integrated 8×8 Silicon Photonics Multicast Switch With On-Chip 2×4 -ch. SOAs. *Konoike, R.*, +, *JLT June 1, 2020 2930-2937*
- Graphene on Silicon Modulators. *Sorianello, V.*, +, *JLT May 15, 2020 2782-2789*
- High Baud Rate All-Silicon Photonics Carrier Depletion Modulators. *Zhou, J.*, +, *JLT Jan. 15, 2020 272-281*
- High-Order Electrical Spectrum Method for Measuring the Chirp of a Silicon Mach-Zehnder Modulator. *Chen, H.*, +, *JLT Dec. 15, 2020 6833-6844*
- High-Performance Fully Integrated Silicon Photonic Microwave Mixer Subsystems. *Bottenfield, C.G.*, +, *JLT Oct. 1, 2020 5536-5545*
- High-Power, Narrow-Linewidth, Miniaturized Silicon Photonic Tunable Laser With Accurate Frequency Control. *Gao, Y.*, +, *JLT Jan. 15, 2020 265-271*
- High-Speed Coherent Optical Communication With Isolator-Free Heterogeneous Si/III-V Lasers. *Zhang, Z.*, +, *JLT Dec. 1, 2020 6584-6590*
- High-Speed Plasmonic-Silicon Modulator Driven by Epsilon-Near-zero Conductive Oxide. *Zhou, B.*, +, *JLT July 1, 2020 3338-3345*
- Intra-Datacenter Interconnects With a Serialized Silicon Optical Frequency Comb Modulator. *Kong, D.*, +, *JLT Sept. 1, 2020 4677-4682*
- Ion Implantation of Germanium Into Silicon for Critical Coupling Control of Racetrack Resonators. *Milosevic, M.M.*, +, *JLT April 1, 2020 1865-1873*
- Low Loss, Large Bandwidth Fiber-Chip Edge Couplers Based on Silicon-on-Insulator Platform. *He, A.*, +, *JLT Sept. 1, 2020 4780-4786*
- Low-Loss, Low-Crosstalk, and Large-Scale Optical Switch Based on Silicon Photonics. *Suzuki, K.*, +, *JLT Jan. 15, 2020 233-239*
- Low-Power (1.5 pJ/b) Silicon Integrated 106 Gb/s PAM-4 Optical Transmitter. *Lambrecht, J.*, +, *JLT Jan. 15, 2020 432-438*
- Low-Voltage Electrically-Induced Second Harmonic Generation in a Silicon Waveguide Based on Modal Phase Matching. *Janjan, B.*, +, *JLT Nov. 15, 2020 6272-6279*
- Membrane III-V/Si DFB Laser Using Uniform Grating and Width-Modulated Si Waveguide. *Aihara, T.*, +, *JLT June 1, 2020 2961-2967*
- Membrane InGaAsP Mach-Zehnder Modulator Integrated With Optical Amplifier on Si Platform. *Hiraki, T.*, +, *JLT June 1, 2020 3030-3036*
- Miniaturized Silicon Photonics Devices for Integrated Optical Signal Processors. *Teng, M.*, +, *JLT Jan. 1, 2020 6-17*
- Mirror-Based Broadband Silicon-Photonics Vertical I/O With Coupling Efficiency Enhancement for Standard Single-Mode Fiber. *Noriki, A.*, +, *JLT June 15, 2020 3147-3155*
- Mode-field Matching Down-Tapers on Single-Mode Optical Fibers for Edge Coupling Towards Generic Photonic Integrated Circuit Platforms. *Vanmol, K.*, +, *JLT Sept. 1, 2020 4834-4842*
- Modeling and Optimization of Hybrid FinFET-Silicon Photonic Interconnects. *Pantano, N.*, +, *JLT Aug. 15, 2020 4325-4332*
- Multi-FSR Silicon Photonic Flex-LIONS Module for Bandwidth-Reconfigurable All-to-All Optical Interconnects. *Xiao, X.*, +, *JLT June 15, 2020 3200-3208*
- Multi-Rate Low-Noise Optical Receiver Front-End. *Li, D.*, +, *JLT Sept. 15, 2020 4978-4986*
- Multi-Stage 8×8 Silicon Photonic Switch Based on Dual-Microring Switching Elements. *Huang, Y.*, +, *JLT Jan. 15, 2020 194-201*
- Non-Equidistant Arrangement in All-Dielectric Quadrumers and Mirror-Symmetric One-Dimensional Photonic Crystals Hybridstructure for Self-Referenced Sensing Scheme. *Sun, P.*, +, *JLT Dec. 1, 2020 6671-6677*
- Nonduplicate Polarization-Diversity 32×32 Silicon Photonics Switch Based on a SiN/Si Double-Layer Platform. *Suzuki, K.*, +, *JLT Jan. 15, 2020 226-232*
- Optical Modulation in Hybrid Waveguide Based on Si-ITO Heterojunction. *Rajput, S.*, +, *JLT March 15, 2020 1365-1371*
- Origin of Defect Tolerance in InAs/GaAs Quantum Dot Lasers Grown on Silicon. *Liu, Z.*, +, *JLT Jan. 15, 2020 240-248*
- Passive Visible-to-Telecom Converter Using Tunable Perovskites and Silicon Photonics. *Cheng, Z.*, +, *JLT July 1, 2020 3533-3539*
- Performance Requirements for Terabit-Class Silicon Photonic Links Based on Cascaded Microring Resonators. *London, Y.*, +, *JLT July 1, 2020 3469-3477*
- Polarization Diversified 16×16 Demultiplexer Based on Silicon Wire Delayed Interferometers and Arrayed Waveguide Gratings. *Jeong, S.*, +, *JLT May 1, 2020 2680-2687*
- Reduced Cladding Diameter Fibers for High-Density Optical Interconnects. *Bickham, S.R.*, +, *JLT Jan. 15, 2020 297-302*
- Repetition-Frequency-Doubled Transform-Limited Optical Pulse Generation Based on Silicon Modulators. *Liu, S.*, +, *JLT Nov. 15, 2020 6299-6311*
- Robust Integrated Optical Unitary Converter Using Multiport Directional Couplers. *Tanomura, R.*, +, *JLT Jan. 1, 2020 60-66*
- Silicon Oxycarbide Platform for Integrated Photonics. *Memon, F.A.*, +, *JLT Feb. 15, 2020 784-791*
- Silicon Photonic 2.5D Multi-Chip Module Transceiver for High-Performance Data Centers. *Abrams, N.C.*, +, *JLT July 1, 2020 3346-3357*
- Silicon Photonics Wavelength Selective Switch With Unlimited Free Spectral Range. *Ikedo, K.*, +, *JLT June 15, 2020 3268-3272*
- Silicon-Based Flexible-Grid Mode- and Wavelength-Selective Switch Utilizing Microring Resonators and Y-Junctions. *Chen, W.*, +, *JLT Aug. 1, 2020 4000-4008*
- Theoretical Study on the Effects of Dislocations in Monolithic III-V Lasers on Silicon. *Hantschmann, C.*, +, *JLT Sept. 1, 2020 4801-4807*
- Thermal Tuning of Plasmodfluidic Disk Resonators Filled With a Liquid Crystal: Its Narrow-Trench Filling and Arrangement. *Vuong, Q.V.*, +, *JLT Aug. 15, 2020 4419-4428*
- Toward Single Lane 200G Optical Interconnects With Silicon Photonic Modulator. *Zhu, Y.*, +, *JLT Jan. 1, 2020 67-74*
- Ultra-Broadband Mode Splitter Based on Phase Controlling of Bridged Subwavelength Grating. *Jiang, W.*, +, *JLT April 15, 2020 2414-2422*
- Ultra-Compact Coupling Structures for Heterogeneously Integrated Silicon Lasers. *He, A.*, +, *JLT Aug. 1, 2020 3974-3982*
- Ultra-High-Speed 2:1 Digital Selector and Plasmonic Modulator IM/DD Transmitter Operating at 222 GBaud for Intra-Datacenter Applications. *Heni, W.*, +, *JLT May 1, 2020 2734-2739*
- Ultra-Sharp Multimode Waveguide Bends With Dual Polarizations. *Wang, Y.*, +, *JLT Aug. 1, 2020 3994-3999*

Unclad Microphotonics for Terahertz Waveguides and Systems. *Headland, D.*, +, *JLT Dec. 15, 2020 6853-6862*

Wavelength-Division Demultiplexing Enhanced by Silicon-Photonic Tunable Filters in Ultra-Wideband Optical-Path Networks. *Mori, Y.*, +, *JLT March 1, 2020 1002-1009*

WDM-Based Silicon Photonic Multi-Socket Interconnect Architecture With Automated Wavelength and Thermal Drift Compensation. *Zanetto, F.*, +, *JLT Nov. 1, 2020 6000-6006*

Silicon compounds

Adjoint Optimization of Efficient CMOS-Compatible Si-SiN Vertical Grating Couplers for DWDM Applications. *Hooten, S.*, +, *JLT July 1, 2020 3422-3430*

Bend-Insensitive Grapefruit-Type Holey Ring-Core Fiber for Weakly-Coupled OAM Mode Division Multiplexing Transmission. *Tu, J.*, +, *JLT Aug. 15, 2020 4497-4503*

Comparative Study on Transmission Mechanisms in a SMF-Capillary-SMF Structure. *Sun, W.*, +, *JLT Aug. 1, 2020 4075-4085*

Comparison Study of Radiation-Resistant Polarization-Maintaining PANDA Fibers With Undoped- and N-Doped-Silica Core. *Tomashuk, A.L.*, +, *JLT Oct. 15, 2020 5817-5824*

Design of Wavelength-Adjustable Dual-Narrowband Absorber by Photonic Crystals With Two Defects Containing MoS₂ Monolayer. *Ansari, N.*, +, *JLT Dec. 1, 2020 6678-6684*

Dispersion Management in Hybrid Optical Fibers. *Michalik, D.*, +, *JLT March 15, 2020 1427-1434*

Effects of Post-Etch Microstructures on the Optical Transmittance of Silica Ridge Waveguides. *Wright, J.G.*, +, *JLT Nov. 15, 2020 6280-6285*

Femtosecond Laser-Inscribed Non-Volatile Integrated Optical Switch in Fused Silica Based on Microfluidics-Controlled Total Internal Reflection. *Radosavljevic, A.*, +, *JLT Aug. 1, 2020 3965-3973*

Fine, Reversible and Broadband Tuning of the Group Velocity Dispersion of Tapered Silica Fibers in a Thermo-Optic Polymer Matrix. *Antonopoulos, G.*, +, *JLT Aug. 1, 2020 4086-4092*

Flip-Chip Integration of InP to SiN Photonic Integrated Circuits. *Theurer, M.*, +, *JLT May 1, 2020 2630-2636*

Hollow Silica Photonic Crystal Fiber Guiding 101 Orbital Angular Momentum Modes Without Phase Distortion in C+L Band. *Hong, S.*, +, *JLT March 1, 2020 1010-1018*

Integrated Arbitrary Filter With Spiral Gratings: Design and Characterization. *Hu, Y.*, +, *JLT Aug. 15, 2020 4454-4461*

Logic Gates Based on Interaction of Counterpropagating Light in Microresonators. *Moroney, N.*, +, *JLT March 15, 2020 1414-1419*

Low-Loss Waveguide Bends by Advanced Shape for Photonic Integrated Circuits. *Song, J.H.*, +, *JLT June 15, 2020 3273-3279*

Low-Loss Waveguides by Planar Modified Chemical Vapor Deposition. *Yevnin, M.*, +, *JLT Feb. 15, 2020 792-796*

Microcomb Source Based on InP DFB / Si₃N₄ Microring Butt-Coupling. *Boust, S.*, +, *JLT Oct. 1, 2020 5517-5525*

Mode-field Matching Down-Tapers on Single-Mode Optical Fibers for Edge Coupling Towards Generic Photonic Integrated Circuit Platforms. *Vanmol, K.*, +, *JLT Sept. 1, 2020 4834-4842*

Nonduplicate Polarization-Diversity 32 × 32 Silicon Photonics Switch Based on a SiN/Si Double-Layer Platform. *Suzuki, K.*, +, *JLT Jan. 15, 2020 226-232*

Predicting Kerr Soliton Combs in Microresonators via Deep Neural Networks. *Tan, T.*, +, *JLT Dec. 1, 2020 6591-6599*

Silica Hollow-Core Negative Curvature Fibers Enable Ultrasensitive Mid-Infrared Absorption Spectroscopy. *Yao, C.*, +, *JLT April 1, 2020 2067-2072*

Silicon Nitride (Si₃N₄) (De-)Multiplexers for 1- μ m CWDM Optical Interconnects. *Cheung, S.S.*, +, *JLT July 1, 2020 3404-3413*

Silicon Oxycarbide Platform for Integrated Photonics. *Memon, F.A.*, +, *JLT Feb. 15, 2020 784-791*

The Influence of the MCVD Process Parameters on the Optical Properties of Bismuth-Doped Phosphosilicate Fibers. *Khegai, A.*, +, *JLT Nov. 1, 2020 6114-6120*

Three-Octave Supercontinuum Generation Using SiO₂ Cladded Si₃N₄ Slot Waveguide With All-Normal Dispersion. *Fang, Y.*, +, *JLT July 1, 2020 3431-3438*

Tm/Al Co-Doped Silica Glass Prepared by Laser Additive Manufacturing Technology for 2- μ m Photonic Crystal Fiber Laser. *Liu, J.*, +, *JLT March 15, 2020 1486-1491*

Tunable Ultra-Multispectral Metamaterial Perfect Absorbers Based on Out-of-Plane Metal-Insulator-Graphene Heterostructures. *Li, H.*, +, *JLT April 1, 2020 1858-1864*

Ultrasound Measurement Using On-Chip Optical Micro-Resonators and Digital Optical Frequency Comb. *Song, J.*, +, *JLT Oct. 1, 2020 5293-5301*

Yb/Ce Codoped Aluminosilicate Fiber With High Laser Stability for Multi-kW Level Laser. *She, S.*, +, *JLT Dec. 15, 2020 6924-6931*

Silicon-on-insulator

Adjoint Optimization of Efficient CMOS-Compatible Si-SiN Vertical Grating Couplers for DWDM Applications. *Hooten, S.*, +, *JLT July 1, 2020 3422-3430*

Broadband Angled Arbitrary Ratio SOI MMI Couplers With Enhanced Fabrication Tolerance. *Zhang, J.*, +, *JLT Oct. 15, 2020 5748-5755*

Broadband Brillouin Phase Shifter Utilizing RF Interference: Experimental Demonstration and Theoretical Analysis. *McKay, L.*, +, *JLT July 15, 2020 3624-3636*

Comprehensive Modeling and Design of Raman Lasers on SOI for Mid-Infrared Application. *Ahmadi, M.*, +, *JLT Aug. 1, 2020 4114-4123*

Fully Reconfigurable Waveguide Bragg Gratings for Programmable Photonic Signal Processing. *Yao, J.*, +, *JLT Jan. 15, 2020 202-214*

High Resolution and Ultra-Compact On-Chip Spectrometer Using Bidirectional Edge-Input Arrayed Waveguide Grating. *Zou, J.*, +, *JLT Aug. 15, 2020 4447-4453*

High-Resolution Optical Microresonator-Based Sensor Enabled by Microwave Photonic Sidebands Processing. *Tian, X.*, +, *JLT Oct. 1, 2020 5440-5449*

Integrated Discretely Tunable Optical Delay Line Based on Step-Chirped Subwavelength Grating Waveguide Bragg Gratings. *Sun, H.*, +, *JLT Oct. 1, 2020 5551-5560*

Inverse-Designed Photonic Jumpers With Ultracompact Size and Ultralow Loss. *Yu, Z.*, +, *JLT Dec. 1, 2020 6623-6628*

Ion Implantation of Germanium Into Silicon for Critical Coupling Control of Racetrack Resonators. *Milosevic, M.M.*, +, *JLT April 1, 2020 1865-1873*

Low Loss, Large Bandwidth Fiber-Chip Edge Couplers Based on Silicon-on-Insulator Platform. *He, A.*, +, *JLT Sept. 1, 2020 4780-4786*

Low-Loss Waveguide Bends by Advanced Shape for Photonic Integrated Circuits. *Song, J.H.*, +, *JLT June 15, 2020 3273-3279*

Membrane InGaAsP Mach-Zehnder Modulator Integrated With Optical Amplifier on Si Platform. *Hiraki, T.*, +, *JLT June 1, 2020 3030-3036*

Nonduplicate Polarization-Diversity 32 × 32 Silicon Photonics Switch Based on a SiN/Si Double-Layer Platform. *Suzuki, K.*, +, *JLT Jan. 15, 2020 226-232*

Spectral-Distortionless, Flat-Top, Drop-Filter Based on Complementarily-Misaligned Multimode-Waveguide Bragg Gratings. *Liang, X.*, +, *JLT Dec. 1, 2020 6600-6604*

Ultra-Compact Coupling Structures for Heterogeneously Integrated Silicon Lasers. *He, A.*, +, *JLT Aug. 1, 2020 3974-3982*

Silicones

Behavior of Specialty Optical Fibers in Crude Oil Environment. *Stolov, A.A.*, +, *JLT July 15, 2020 3759-3768*

Silver

Bio-Inspired Localized Surface Plasmon Resonance Enhanced Sensing of Mercury Through Green Synthesized Silver Nanoparticle. *Boruah, B.S.*, +, *JLT April 1, 2020 2086-2091*

Surface Plasmon Resonance Induced High Sensitivity Temperature and Refractive Index Sensor Based on Evanescent Field Enhanced Photonic Crystal Fiber. *Liu, Y.*, +, *JLT Feb. 15, 2020 919-928*

Ultrasharp LSPR Temperature Sensor Based on Grapefruit Fiber Filled With a Silver Nanoshell and Liquid. *Yang, X.*, +, *JLT April 1, 2020 2015-2021*

SIMO communication

The Fischer–Snedecor \mathcal{F} -Distribution Model for Turbulence-Induced Fading in Free-Space Optical Systems. Peppas, K.P., +, *JLT March 15, 2020 1286-1295*

Simulated annealing

Robust Integrated Optical Unitary Converter Using Multiport Directional Couplers. Tanomura, R., +, *JLT Jan. 1, 2020 60-66*

Singular value decomposition

A General Orthogonal Transform Aided MIMO Design for Reliable Maritime Visible Light Communications. Huang, G., +, *JLT Dec. 1, 2020 6549-6560*

Efficient Classification of Optical Modulation Formats Based on Singular Value Decomposition and Radon Transformation. Eltaieb, R.A., +, *JLT Feb. 1, 2020 619-631*

Sintering

The Influence of the MCVD Process Parameters on the Optical Properties of Bismuth-Doped Phosphosilicate Fibers. Khegai, A., +, *JLT Nov. 1, 2020 6114-6120*

Smoothing methods

Matrix-Free Time Domain Gradient Smoothing Method With Stretched-Coordinates Perfectly Matched Layer for Analysis of Photonic Devices. Atia, K.S.R., +, *JLT Oct. 15, 2020 5791-5800*

Sodium compounds

20.6 W Mid-Infrared Supercontinuum Generation in ZBLAN Fiber With Spectrum of 1.9–4.3 μm . Yang, L., +, *JLT Sept. 15, 2020 5122-5127*

Software defined networking

Abstraction and Control of Multi-Domain Disaggregated Optical Networks With OpenROADM Device Models. Casellas, R., +, *JLT May 1, 2020 2606-2615*

ANN-Based Multi-Channel QoT-Prediction Over a 563.4-km Field-Trial Testbed. Gao, Z., +, *JLT May 1, 2020 2646-2655*

Demonstration of Fully Softwarized 10G-EPON PHY Processing on a General-Purpose Server for Flexible Access Systems. Suzuki, T., +, *JLT Feb. 15, 2020 777-783*

Demonstration of SDN-Enabled Hybrid Polling Algorithm for Packet Contention Resolution in Optical Data Center Network. Wang, F., +, *JLT June 15, 2020 3296-3304*

Emergency OPM Recreation and Telemetry for Disaster Recovery in Optical Networks. Xu, S., +, *JLT May 1, 2020 2656-2668*

End-to-End Quantum Secured Inter-Domain 5G Service Orchestration Over Dynamically Switched Flex-Grid Optical Networks Enabled by a q-ROADM. Wang, R., +, *JLT Jan. 1, 2020 139-149*

IT and Multi-layer Online Resource Allocation and Offline Planning in Metropolitan Networks. Garrich, M., +, *JLT June 15, 2020 3190-3199*

Multi-Layer Service Provisioning Over Resilient Software-Defined Partially Disaggregated Networks. Mayoral, A., +, *JLT Jan. 15, 2020 546-552*

Reliable Optical Networks With ODTN: Resiliency and Fail-Over in Data and Control Planes. Campanella, A., +, *JLT May 15, 2020 2755-2764*

ROTOS: A Reconfigurable and Cost-Effective Architecture for High-Performance Optical Data Center Networks. Xue, X., +, *JLT July 1, 2020 3485-3494*

SDN-Controlled and Orchestrated OPSquare DCN Enabling Automatic Network Slicing With Differentiated QoS Provisioning. Xue, X., +, *JLT March 15, 2020 1103-1112*

SDN-Enabled S-BVT for Disaggregated Networks: Design, Implementation and Cost Analysis. Nadal, L., +, *JLT June 1, 2020 3037-3043*

Sol-gel processing

Multi-Parameter Optical Fiber Sensing of Gaseous Ammonia and Carbon Dioxide. Liu, L., +, *JLT April 1, 2020 2037-2045*

Solar cells

Passive Visible-to-Telecom Converter Using Tunable Perovskites and Silicon Photonics. Cheng, Z., +, *JLT July 1, 2020 3533-3539*

Photovoltaic Solar Cells for Outdoor LiFi Communications. Lorraine, N., +, *JLT Aug. 1, 2020 3822-3831*

Solid lasers

An Experimental and Theoretical Investigation of a 2 μm Wavelength Low-Threshold Microsphere Laser. Yu, J., +, *JLT April 1, 2020 1880-1886*

Ultrafast Laser Inscription and $0.2 \mu\text{m}$ Laser Operation of Y-Branch Splitters in Monoclinic Crystals. Kifle, E., +, *JLT Aug. 15, 2020 4374-4384*

Solid scintillation detectors

Highly-Sensitive Indirect-Conversion X-Ray Detector With an Embedded Photodiode Formed by a Three-Dimensional Dual-Gate Thin-Film Transistor. Xu, Y., +, *JLT July 15, 2020 3775-3780*

Solitons

Successive Eigenvalue Removal for Multi-Soliton Spectral Amplitude Estimation. Span, A., +, *JLT Sept. 1, 2020 4708-4714*

Space division multiplexing

Band-Division vs. Space-Division Multiplexing: A Network Performance Statistical Assessment. Ferrari, A., +, *JLT March 1, 2020 1041-1049*

Crosstalk-Aware Resource Allocation in Survivable Space-Division-Multiplexed Elastic Optical Networks Supporting Hybrid Dedicated and Shared Path Protection. Moghaddam, E.E., +, *JLT March 15, 2020 1095-1102*

Design and Applicability of Multi-Core Fibers With Standard Cladding Diameter. Matsui, T., +, *JLT Nov. 1, 2020 6065-6070*

Design and Assessment of FM-MCFs-Suited SDM-ROADMs With Versatile Spatial Group Configurations and Unified QoT Estimator. Rumipamba-Zambrano, R., +, *JLT Nov. 15, 2020 6137-6152*

Distributed Multi-User MIMO Transmission Using Real-Time Sigma-Delta-Over-Fiber for Next Generation Fronthaul Interface. Wu, C., +, *JLT Feb. 15, 2020 705-713*

Enabling Technologies for Optical Data Center Networks: Spatial Division Multiplexing. Zhang, L., +, *JLT Jan. 1, 2020 18-30*

Experimental Demonstration of a Petabit per Second SDM Network Node. Luis, R.S., +, *JLT June 1, 2020 2886-2896*

Feasibility Demonstration of Spatial Channel Networking Using SDM/WDM Hierarchical Approach for Peta-b/s Optical Transport. Jinno, M., +, *JLT May 1, 2020 2577-2586*

Full C-Band 3060-km DMD-Unmanaged 3-Mode Transmission With 40.2-Tb/s Capacity Using Cyclic Mode Permutation. Shibahara, K., +, *JLT Jan. 15, 2020 514-521*

High Data-Rate and Long Distance MCF Transmission With 19-Core C+L band Cladding-Pumped EDFA. Puttnam, B.J., +, *JLT Jan. 1, 2020 123-130*

High Spatial Density 6-Mode 7-Core Fiber Amplifier for L-Band Operation. Jung, Y., +, *JLT June 1, 2020 2938-2943*

Long-Haul Mode Multiplexing Transmission Enhanced by Interference Cancellation Techniques Based on Fast MIMO Affine Projection. Shibahara, K., +, *JLT Sept. 15, 2020 4969-4977*

Minimizing Inter-Core Crosstalk Jointly in Spatial, Frequency, and Time Domains for Scheduled Lightpath Demands in Multi-Core Fiber-based Elastic Optical Network. Tang, F., +, *JLT Oct. 15, 2020 5595-5607*

Multi-User V-Band Uplink Using a Massive MIMO Antenna and a Fiber-Wireless IFoF Fronthaul for 5G mmWave Small-Cells. Ruggeri, E., +, *JLT Oct. 1, 2020 5368-5374*

On the Performance of Digital Back Propagation in Spatial Multiplexing Systems. Ferreira, F.M., +, *JLT May 15, 2020 2790-2798*

Principle, Design, and Prototyping of Core Selective Switch Using Free-Space Optics for Spatial Channel Network. Jinno, M., +, *JLT Sept. 15, 2020 4895-4905*

Single-Mode Fiber SDM Submarine Systems. Bolshtyansky, M.A., +, *JLT March 15, 2020 1296-1304*

Spatial Density and Splicing Characteristic Optimized Few-Mode Multi-Core Fiber. Sakamoto, T., +, *JLT Aug. 15, 2020 4490-4496*

Stokes-Space Analysis of Modal Dispersion of SDM Fibers With Mode-Dependent Loss: Theory and Experiments. Antonelli, C., +, *JLT April 1, 2020 1668-1677*

Superposed 32QAM Constellation Design for 2×2 Spatial Multiplexing MIMO VLC Systems. Guo, X., +, *JLT April 1, 2020 1702-1711*

Towards a Scaleable 5G Fronthaul: Analog Radio-over-Fiber and Space Division Multiplexing. Rommel, S., +, *JLT Oct. 1, 2020 5412-5422*

Spatial light modulators

A WDM PAM4 FSO-UWOC Integrated System With a Channel Capacity of 100 Gb/s. Li, C., +, *JLT April 1, 2020 1766-1776*

Principle, Design, and Prototyping of Core Selective Switch Using Free-Space Optics for Spatial Channel Network. Jinno, M., +, *JLT Sept. 15, 2020 4895-4905*

Special issues and sections

- Editorial Selected Papers From OFC 2019. *Bosco, G.*, *JLT Jan. 15, 2020 177*
- Editorial: JLT Special Issue on DSP in Next Generation Optical Access Networks. *van Veen, D.*, +, *JLT Feb. 1, 2020 555-556*
- Foreword to the Special Issue on the 45th European Conference on Optical Communication (ECOC 2019). *Donegan, J.F.*, +, *JLT May 1, 2020 2575-2576*
- Guest Editorial OFC 2019 Special Issue. *Bosco, G.*, +, *JLT Jan. 1, 2020 3-5*
- Guest Editorial Special Issue on Microwave Photonics. *Chen, L.R.*, +, *JLT Oct. 1, 2020 5238-5239*
- Guest Editorial: Special Issue on Optical Interconnects. *Gu, T.*, +, *JLT July 1, 2020 3319-3321*
- Guest Editorial Ultra Wideband WDM Systems. *Napoli, A.*, +, *JLT March 1, 2020 998-1001*

Speckle

- A Novel Wavemeter With 64 Attometer Spectral Resolution Based on Rayleigh Speckle Obtained From Single-Mode Fiber. *Zhang, Z.*, +, *JLT Aug. 15, 2020 4548-4554*
- Scattering Metal Waveguide Based Speckle-Enhanced Prism Spectrometry. *Cetindag, S.K.*, +, *JLT April 1, 2020 2022-2027*

Spectral analysis

- Brillouin Amplifier Noise Characterization by a Coherent Receiver and Digital Signal Processing. *Pelusi, M.*, +, *JLT Aug. 15, 2020 4221-4236*
- Design of Time-Frequency Packed WDM Superchannel Transmission Systems. *Jana, M.*, +, *JLT Dec. 15, 2020 6719-6731*
- High Resolution and Ultra-Compact On-Chip Spectrometer Using Bidirectional Edge-Input Arrayed Waveguide Grating. *Zou, J.*, +, *JLT Aug. 15, 2020 4447-4453*
- High-Speed FBG Interrogation With Electro-Optically Tunable Sagnac Loops. *Oton, C.J.*, +, *JLT Aug. 15, 2020 4513-4519*
- Photonics-Based Real-Time Spectrogram Analysis of Broadband Waveforms. *Konatham, S.R.*, +, *JLT Oct. 1, 2020 5356-5367*

Spectral analyzers

- Dual-Stage Soft Failure Detection and Identification for Low-Margin Elastic Optical Network by Exploiting Digital Spectrum Information. *Shu, L.*, +, *JLT May 1, 2020 2669-2679*

Spectral line breadth

- Broadband Angled Arbitrary Ratio SOI MMI Couplers With Enhanced Fabrication Tolerance. *Zhang, J.*, +, *JLT Oct. 15, 2020 5748-5755*
- Discrete Model of Backscattering Drift in Fiber Optic Gyroscopes. *Morris, T.A.*, +, *JLT April 1, 2020 1981-1987*
- Passively Mode-Locked 2.7 and 3.2 μm GaSb-Based Cascade Diode Lasers. *Feng, T.*, +, *JLT April 1, 2020 1895-1899*
- Phase Noise Measurements and Performance of Lasers With Non-White FM Noise for Use in Digital Coherent Optical Systems. *Al-Qadi, M.*, +, *JLT March 15, 2020 1157-1167*

Spectral line broadening

- Control of Long Pulse Pumped Supercontinuum Generation Using Weak Trigger Signal. *Huang, C.*, +, *JLT March 15, 2020 1506-1512*
- Direct Laser Written Waveguide in Tellurite Glass for Supercontinuum Generation in 2 μm Spectral Range. *Okhrimchuk, A.G.*, +, *JLT March 15, 2020 1492-1500*
- High Fidelity Picosecond Pulse Fiber Amplification With Inter-Stage Notch Filter. *Lu, Q.*, +, *JLT Nov. 1, 2020 6082-6088*
- Room-Temperature Power-Stabilized Narrow-Linewidth Tunable Erbium-Doped Fiber Ring Laser Based on Cascaded Mach-Zehnder Interferometers With Different Free Spectral Range for Strain Sensing. *Zhang, L.*, +, *JLT April 1, 2020 1966-1974*

Spectral line narrowing

- Broadened-Laser-Driven Polarization-Maintaining Hollow-Core Fiber Optic Gyroscopes. *Morris, T.A.*, +, *JLT Feb. 15, 2020 905-911*

Spectral line shift

- Design of Wavelength-Adjustable Dual-Narrowband Absorber by Photonic Crystals With Two Defects Containing MoS₂ Monolayer. *Ansari, N.*, +, *JLT Dec. 1, 2020 6678-6684*

Spectrophotometers

- Ultra-Sensitive Cholesterol Sensor Using Gold and Zinc-Oxide Nanoparticles Immobilized Core Mismatch MPM/SPS Probe. *Agrawal, N.*, +, *JLT April 15, 2020 2523-2529*

Splicing

- 20.6 W Mid-Infrared Supercontinuum Generation in ZBLAN Fiber With Spectrum of 1.9–4.3 μm . *Yang, L.*, +, *JLT Sept. 15, 2020 5122-5127*
- Connecting Technologies for Coaxial Dual Core Optical Fiber. *Yang, S.*, +, *JLT Dec. 1, 2020 6629-6634*
- High-Performance Bending Sensor Based on Femtosecond Laser-Inscribed In-Fiber Mach-Zehnder Interferometer. *Zhao, R.*, +, *JLT Nov. 15, 2020 6371-6378*
- Spatial Density and Splicing Characteristic Optimized Few-Mode Multi-Core Fiber. *Sakamoto, T.*, +, *JLT Aug. 15, 2020 4490-4496*
- Temperature-Independent Curvature Sensor Based on In-Fiber Mach-Zehnder Interferometer Using Hollow-Core Fiber. *Marrujo-Garcia, S.*, +, *JLT Aug. 1, 2020 4166-4173*
- Tip Packaged High-Temperature Miniature Sensor Based on Suspended Core Optical Fiber. *Su, H.*, +, *JLT Aug. 1, 2020 4160-4165*

Sputter deposition

- Silicon Oxycarbide Platform for Integrated Photonics. *Memon, F.A.*, +, *JLT Feb. 15, 2020 784-791*
- Ultrafast Pulse Generation for Er- and Tm-Doped Fiber Lasers With Sb Thin Film Saturable Absorber. *Wang, J.*, +, *JLT July 15, 2020 3710-3716*

Sputter etching

- Effects of Post-Etch Microstructures on the Optical Transmittance of Silica Ridge Waveguides. *Wright, J.G.*, +, *JLT Nov. 15, 2020 6280-6285*

Stacking

- Experimental Demonstration of DNA Hybridization Using Graphene Based Plasmonic Sensor Chip. *Maurya, J.B.*, +, *JLT Sept. 15, 2020 5191-5198*

Stark effect

- Tunable Autler-Townes-Like Resonance Splitting in a Bent Fiber-Optic Fabry-Perot Resonator: 3D Modeling and Experimental Verification. *Dyshlyuk, A.V.*, +, *JLT Dec. 15, 2020 6918-6923*

Statistical analysis

- Compensation of Multicore Fiber Skew Effects for Radio Over Fiber mmWave Antenna Beamforming. *Nikas, T.*, +, *JLT April 1, 2020 1644-1650*
- Fading Noise Suppression in Φ -OTDR Based on Nearest Neighbor Analysis. *Tu, G.*, +, *JLT Dec. 1, 2020 6691-6698*
- Reconstruction of Distributed Strain Profile Using a Weighted Spectrum Decomposition Algorithm for Brillouin Scattering Based Fiber Optic Sensor. *Mei, Y.*, +, *JLT Nov. 15, 2020 6385-6392*
- Statistical Evaluation of PAM4 Data Center Interconnect System With Slope-Compensating Fiber Bragg Grating Tunable Dispersion Compensation Module. *Searcy, S.*, +, *JLT June 15, 2020 3173-3179*

Statistical distributions

- Impact of Polarization- and Mode-Dependent Gain on the Capacity of Ultra-Long-Haul Systems. *Mello, D.A.A.*, +, *JLT Jan. 15, 2020 303-318*

Stimulated Brillouin scattering

- Broadband Brillouin Phase Shifter Utilizing RF Interference: Experimental Demonstration and Theoretical Analysis. *McKay, L.*, +, *JLT July 15, 2020 3624-3636*
- Coexistence of Quasi-CW and SBS-Boosted Self-Q-Switched Pulsing in Ytterbium-Doped Fiber Laser With Low Q -Factor Cavity. *Barmenkov, Y.O.*, +, *JLT July 15, 2020 3751-3758*
- Distributed Salinity Sensor With a Polyimide-Coated Photonic Crystal Fiber Based on Brillouin Dynamic Grating. *Zhang, H.*, +, *JLT Sept. 15, 2020 5219-5224*
- Gain Spectrum Engineering in Slope-Assisted Dynamic Brillouin Optical Time-Domain Analysis. *Feng, C.*, +, *JLT Dec. 15, 2020 6967-6975*
- In-Depth Studies of the Spectral Bandwidth of a 25 W 2 μm Band PM Hybrid Ho- and Tm-Doped Fiber Amplifier. *Tench, R.E.*, +, *JLT April 15, 2020 2456-2463*
- Inter-Mode Forward Brillouin Scattering in Nanofibers. *Cao, M.*, +, *JLT Dec. 15, 2020 6911-6917*

- Multiwavelength Brillouin Generation in Bismuth-Doped Fiber Laser With Single- and Double-Frequency Spacing. *Ahmad, H.*, +, *JLT Dec. 15, 2020 6886-6896*
- Tandem-Pumped High-Power Narrow-Linewidth Fiber Laser Tunable From 1060–1090 nm. *Tian, J.*, +, *JLT March 15, 2020 1461-1467*
- Truly Distributed and Ultra-Fast Microwave Photonic Fiber-Optic Sensor. *Zhou, D.*, +, *JLT Aug. 1, 2020 4150-4159*
- Tunable and Switchable Multi-Wavelength Erbium-Brillouin Random Fiber Laser Incorporating a Highly Nonlinear Fiber. *Wang, F.*, +, *JLT Aug. 1, 2020 4093-4099*
- Stimulated Raman scattering**
- 103 nm Ultra-Wideband Hybrid Raman/SOA Transmission Over 3×100 km SSMF. *Arnould, A.*, +, *JLT Jan. 15, 2020 504-508*
- A Study on the Effect of Ultra-Wide Band WDM on Optical Transmission Systems. *Okamoto, S.*, +, *JLT March 1, 2020 1061-1070*
- Assessment on the Achievable Throughput of Multi-Band ITU-T G.652.D Fiber Transmission Systems. *Ferrari, A.*, +, *JLT Aug. 15, 2020 4279-4291*
- Effect of Channel Launch Power on Fill Margin in C+L Band Elastic Optical Networks. *Mitra, A.*, +, *JLT March 1, 2020 1032-1040*
- In-Depth Studies of the Spectral Bandwidth of a 25 W 2 μ m Band PM Hybrid Ho- and Tm-Doped Fiber Amplifier. *Tench, R.E.*, +, *JLT April 15, 2020 2456-2463*
- Mid-Infrared Supercontinuum Generation in Chalcogenide Photonic Crystal Fibers with a Weak CW Trigger. *Huang, R.*, +, *JLT March 15, 2020 1522-1528*
- Stochastic processes**
- Counting Statistics of Actively Quenched SPADs Under Continuous Illumination. *Straka, I.*, +, *JLT Sept. 1, 2020 4765-4771*
- Investigation of Mode Coupling in Graded Index Plastic Optical Fibers Using the Langevin Equation. *Savovic, S.*, +, *JLT Dec. 1, 2020 6644-6647*
- The Fischer–Snedecor \mathcal{F} -Distribution Model for Turbulence-Induced Fading in Free-Space Optical Systems. *Peppas, K.P.*, +, *JLT March 15, 2020 1286-1295*
- Strain measurement**
- 50 km-Range Brillouin Optical Correlation Domain Analysis With First-Order Backward Distributed Raman Amplification. *Ryu, G.*, +, *JLT Sept. 15, 2020 5199-5204*
- A Digital Twin Approach to Study Additive Manufacturing Processing Using Embedded Optical Fiber Sensors and Numerical Modeling. *Zou, R.*, +, *JLT Nov. 15, 2020 6402-6411*
- Enhancing Wavelength Tunability of Photonic Crystal Nanolasers by Waveguide-Like Strain Shapers. *Lu, T.*, +, *JLT Dec. 1, 2020 6605-6611*
- Fast Brillouin Optical Time-Domain Reflectometry Based on the Frequency-Agile Technique. *Wang, B.*, +, *JLT Feb. 15, 2020 946-952*
- High Sensitivity Distributed Static Strain Sensing Based on Differential Relative Phase in Optical Frequency Domain Reflectometry. *Wang, C.*, +, *JLT Oct. 15, 2020 5825-5836*
- High-Speed FBG Interrogation With Electro-Optically Tunable Sagnac Loops. *Oton, C.J.*, +, *JLT Aug. 15, 2020 4513-4519*
- Mode Selective Conversion Enabled by the Long-Period Gratings Inscribed in Elliptical Core Few-Mode Fiber. *Liu, Z.*, +, *JLT March 15, 2020 1536-1542*
- Reconstruction of Distributed Strain Profile Using a Weighted Spectrum Decomposition Algorithm for Brillouin Scattering Based Fiber Optic Sensor. *Mei, Y.*, +, *JLT Nov. 15, 2020 6385-6392*
- Single-Shot COTDR Using Sub-Chirped-Pulse Extraction Algorithm for Distributed Strain Sensing. *Xiong, J.*, +, *JLT April 1, 2020 2028-2036*
- Ultra-Stable and Real-Time Demultiplexing System of Strong Fiber Bragg Grating Sensors Based on Low-Frequency Optoelectronic Oscillator. *Wang, W.*, +, *JLT Feb. 15, 2020 981-988*
- Strain sensors**
- Detection of Circular-Crested Lamb Waves Using Surface-Bonded Fiber-Optic Ultrasound Sensors: A Theoretical Perspective. *Liu, G.*, +, *JLT April 15, 2020 2555-2563*
- Distributed Salinity Sensor With a Polyimide-Coated Photonic Crystal Fiber Based on Brillouin Dynamic Grating. *Zhang, H.*, +, *JLT Sept. 15, 2020 5219-5224*
- Effects of Shallow Suspension in Low-Loss Waveguide-Integrated Chalcogenide Microdisk Resonators. *Zhu, Y.*, +, *JLT Sept. 1, 2020 4817-4823*
- Enhancement of the Multiplexing Capacity and Measurement Accuracy of FBG Sensor System Using IWDM Technique and Deep Learning Algorithm. *Manie, Y.C.*, +, *JLT March 15, 2020 1589-1603*
- Enhancing Wavelength Tunability of Photonic Crystal Nanolasers by Waveguide-Like Strain Shapers. *Lu, T.*, +, *JLT Dec. 1, 2020 6605-6611*
- Fast Brillouin Optical Time-Domain Reflectometry Based on the Frequency-Agile Technique. *Wang, B.*, +, *JLT Feb. 15, 2020 946-952*
- Femtosecond Laser Inscribed Tilted Gratings for Leaky Mode Excitation in Optical Fibers. *Ioannou, A.*, +, *JLT April 1, 2020 1921-1928*
- High Sensitivity Distributed Static Strain Sensing Based on Differential Relative Phase in Optical Frequency Domain Reflectometry. *Wang, C.*, +, *JLT Oct. 15, 2020 5825-5836*
- Integrated Auxiliary Interferometer for Self-Correction of Nonlinear Tuning in Optical Frequency Domain Reflectometry. *Badar, M.*, +, *JLT Nov. 1, 2020 6097-6103*
- Mode Selective Conversion Enabled by the Long-Period Gratings Inscribed in Elliptical Core Few-Mode Fiber. *Liu, Z.*, +, *JLT March 15, 2020 1536-1542*
- Multi-Tone Pound-Drever-Hall Technique for High-Resolution Multiplexed Fabry-Perot Resonator Sensors. *Zhao, S.*, +, *JLT Nov. 15, 2020 6379-6384*
- Reconstruction of Distributed Strain Profile Using a Weighted Spectrum Decomposition Algorithm for Brillouin Scattering Based Fiber Optic Sensor. *Mei, Y.*, +, *JLT Nov. 15, 2020 6385-6392*
- Room-Temperature Power-Stabilized Narrow-Linewidth Tunable Erbium-Doped Fiber Ring Laser Based on Cascaded Mach-Zehnder Interferometers With Different Free Spectral Range for Strain Sensing. *Zhang, L.*, +, *JLT April 1, 2020 1966-1974*
- Sagnac Interferometer Based on a Highly-Birefringent Two-Core PCF: Theory, Experiment, and Sensing Characteristics. *Naeem, K.*, +, *JLT Sept. 15, 2020 5177-5190*
- Selective Mode Excitation in a Few-Mode Photonic Crystal Fiber for Strain Sensing With Restrained Temperature Response. *Luo, Z.*, +, *JLT Aug. 15, 2020 4560-4571*
- Simultaneous Measurement of Strain and Temperature by a Sawtooth Stressor-Assisted Highly Birefringent Fiber Bragg Grating. *Guo, K.*, +, *JLT April 1, 2020 2060-2066*
- Single-Shot COTDR Using Sub-Chirped-Pulse Extraction Algorithm for Distributed Strain Sensing. *Xiong, J.*, +, *JLT April 1, 2020 2028-2036*
- Truly Distributed and Ultra-Fast Microwave Photonic Fiber-Optic Sensor. *Zhou, D.*, +, *JLT Aug. 1, 2020 4150-4159*
- Structural engineering**
- Reconstruction of Distributed Strain Profile Using a Weighted Spectrum Decomposition Algorithm for Brillouin Scattering Based Fiber Optic Sensor. *Mei, Y.*, +, *JLT Nov. 15, 2020 6385-6392*
- Subcarrier multiplexing**
- Cascaded IF-Over-Fiber Links With Hybrid Signal Processing for Analog Mobile Fronthaul. *Tanaka, K.*, +, *JLT Oct. 15, 2020 5656-5667*
- Efficient Real-Time Digital Subcarrier Cross-Connect (DSXC) Based on Distributed Arithmetic DSP Algorithm. *Xu, T.*, +, *JLT July 1, 2020 3495-3505*
- Experimental Demonstration of Dual O+C-Band WDM Transmission Over 50-km SSMF With Direct Detection. *Hong, Y.*, +, *JLT April 15, 2020 2278-2284*
- Performance Enhancement of Optical Comb Based Microwave Photonic Filter by Machine Learning Technique. *Shiu, R.*, +, *JLT Oct. 1, 2020 5302-5310*
- Submarine cables**
- Assessing Capacity and Cost/Capacity of 4-Core Multicore Fibers Against Single Core Fibers in Submarine Cable Systems. *Downie, J.D.*, +, *JLT June 1, 2020 3015-3022*
- Single-Mode Fiber SDM Submarine Systems. *Bolshtyansky, M.A.*, +, *JLT March 15, 2020 1296-1304*
- SNR Model for Generalized Droop With Constant Output Power Amplifier Systems and Experimental Measurements. *Downie, J.D.*, +, *JLT June 15, 2020 3214-3220*

- Supply-Power-Constrained Cable Capacity Maximization Using Multi-Layer Neural Networks. *Cho, J.*, +, *JLT July 15, 2020 3652-3662*
- Submillimeter wave imaging**
- High-Speed and Cost-Effective Reflective Terahertz Imaging System Using a Novel 2D Beam Scanner. *Lee, E.S.*, +, *JLT Aug. 15, 2020 4237-4243*
- Sunlight**
- Photovoltaic Solar Cells for Outdoor LiFi Communications. *Lorriere, N.*, +, *JLT Aug. 1, 2020 3822-3831*
- Supercontinuum generation**
- 20.6 W Mid-Infrared Supercontinuum Generation in ZBLAN Fiber With Spectrum of 1.9–4.3 μm . *Yang, L.*, +, *JLT Sept. 15, 2020 5122-5127*
- Control of Long Pulse Pumped Supercontinuum Generation Using Weak Trigger Signal. *Huang, C.*, +, *JLT March 15, 2020 1506-1512*
- Direct Laser Written Waveguide in Tellurite Glass for Supercontinuum Generation in 2 μm Spectral Range. *Okhrimchuk, A.G.*, +, *JLT March 15, 2020 1492-1500*
- Mid-Infrared Supercontinuum Generation in Chalcogenide Photonic Crystal Fibers with a Weak CW Trigger. *Huang, R.*, +, *JLT March 15, 2020 1522-1528*
- Three-Octave Supercontinuum Generation Using SiO₂ Cladded Si₃N₄ Slot Waveguide With All-Normal Dispersion. *Fang, Y.*, +, *JLT July 1, 2020 3431-3438*
- Superradiance**
- Effect of P-to-Rare Earth Atomic Ratio on Energy Transfer in Er-Yb-Doped Optical Fiber. *Kobayashi, Y.*, +, *JLT Aug. 15, 2020 4504-4512*
- High-Order Harmonic-Frequency Cross-Correlation Algorithm for Absolute Cavity Length Interrogation of White-Light Fiber-Optic Fabry-Perot Sensors. *Chen, H.*, +, *JLT Feb. 15, 2020 953-960*
- Introducing Load Aware Neural Networks for Accurate Predictions of Raman Amplifiers. *Rosa Brusin, A.M.*, +, *JLT Dec. 1, 2020 6481-6491*
- Nonlinear Propagation in Optical Fibers With Gain Saturation and Gain Dispersion. *Dong, L.*, *JLT Dec. 15, 2020 6897-6904*
- SNR Model for Generalized Droop With Constant Output Power Amplifier Systems and Experimental Measurements. *Downie, J.D.*, +, *JLT June 15, 2020 3214-3220*
- Soft Failure Identification for Long-haul Optical Communication Systems Based on One-dimensional Convolutional Neural Network. *Lun, H.*, +, *JLT June 1, 2020 2992-2999*
- Tandem-Pumped High-Power Narrow-Linewidth Fiber Laser Tunable From 1060–1090 nm. *Tian, J.*, +, *JLT March 15, 2020 1461-1467*
- The Enhanced Gaussian Noise Model Extended to Polarization-Dependent Loss. *Serena, P.*, +, *JLT Oct. 15, 2020 5685-5694*
- Y-00 Quantum-Noise Randomized Stream Cipher Using Intensity Modulation Signals for Physical Layer Security of Optical Communications. *Futami, F.*, +, *JLT May 15, 2020 2774-2781*
- Support vector machines**
- An Event Recognition Scheme Aiming to Improve Both Accuracy and Efficiency in Optical Fiber Perimeter Security System. *Huang, X.*, +, *JLT Oct. 15, 2020 5783-5790*
- Modeling EDFA Gain Ripple and Filter Penalties With Machine Learning for Accurate QoT Estimation. *Mahajan, A.*, +, *JLT May 1, 2020 2616-2629*
- Quality of Transmission Estimation and Short-Term Performance Forecast of Lightpaths. *Aladin, S.*, +, *JLT May 15, 2020 2807-2814*
- Surface acoustic wave resonators**
- Extraction of Elastooptic Coefficient of Thin-Film Arsenic Trisulfide Using a Mach-Zehnder Acoustooptic Modulator on Lithium Niobate. *Khan, M.S.I.*, +, *JLT April 1, 2020 2053-2059*
- Surface acoustic waves**
- Detection of Circular-Crested Lamb Waves Using Surface-Bonded Fiber-Optic Ultrasound Sensors: A Theoretical Perspective. *Liu, G.*, +, *JLT April 15, 2020 2555-2563*
- Extraction of Elastooptic Coefficient of Thin-Film Arsenic Trisulfide Using a Mach-Zehnder Acoustooptic Modulator on Lithium Niobate. *Khan, M.S.I.*, +, *JLT April 1, 2020 2053-2059*
- Surface emitting lasers**
- 4 \times 112 Gbps/Fiber CWDM VCSEL Arrays for Co-Packaged Interconnects. *Wang, B.*, +, *JLT July 1, 2020 3439-3444*
- 40 Gbps With Electrically Parallel Triple and Septuple 980 nm VCSEL Arrays. *Haghighi, N.*, +, *JLT July 1, 2020 3387-3394*
- AdaNN: Adaptive Neural Network-Based Equalizer via Online Semi-Supervised Learning. *Zhou, Q.*, +, *JLT Aug. 15, 2020 4315-4324*
- Coherent Dual-Band Radar-Over-Fiber Network With VCSEL-Based Signal Distribution. *Malacarne, A.*, +, *JLT Nov. 15, 2020 6257-6264*
- Comparison on OM5-MMF and OM4-MMF Data Links With 32-GBaud PAM-4 Modulated Few-Mode VCSEL at 850 nm. *Huang, C.*, +, *JLT Feb. 1, 2020 573-582*
- Demonstration of Low-Threshold and Directly Modulated Grating-Assisted Microcylinder Surface-Emitting Lasers. *Ma, X.*, +, *JLT Sept. 1, 2020 4772-4779*
- Efficient Hybrid Integration of Long-Wavelength VCSELs on Silicon Photonic Circuits. *Ruan, Z.*, +, *JLT Sept. 15, 2020 5100-5106*
- Energy Efficient 850 nm VCSEL Based Optical Transmitter and Receiver Link Capable of 80 Gbit/s NRZ Multi-Mode Fiber Data Transmission. *Chorchos, L.*, +, *JLT April 1, 2020 1747-1752*
- Multi-Objective Laser Rate Equation Based Parameter Extraction Using VCSEL Small Signal Response and RIN Spectra. *Melgar, A.*, +, *JLT Dec. 1, 2020 6437-6445*
- Nonlinear System Identification Scheme for Efficient Compensators Design. *Faig, H.*, +, *JLT July 1, 2020 3519-3525*
- Photonic Associative Learning Neural Network Based on VCSELs and STDP. *Wang, S.*, +, *JLT Sept. 1, 2020 4691-4698*
- Reduced Cladding Diameter Fibers for High-Density Optical Interconnects. *Bickham, S.R.*, +, *JLT Jan. 15, 2020 297-302*
- Silicon Nitride (Si₃N₄) (De-)Multiplexers for 1- μm CWDM Optical Interconnects. *Cheung, S.S.*, +, *JLT July 1, 2020 3404-3413*
- Suppression of Relative Intensity and Mode Partition Noises in Orthogonally Polarized Dual-Wavelength VCSEL. *Wang, H.*, +, *JLT Dec. 1, 2020 6612-6622*
- Temperature and Noise Dependence of Tri-Mode VCSEL Carried 120-Gbit/s QAM-OFDM Data in Back-to-Back and OM5-MMF Links. *Huang, C.*, +, *JLT Dec. 15, 2020 6746-6758*
- The Winner-Take-All Mechanism for All-Optical Systems of Pattern Recognition and Max-Pooling Operation. *Zhang, Y.*, +, *JLT Sept. 15, 2020 5071-5077*
- Transverse Mode Mixing in a Coupled-Cavity VCSEL. *Frasunkiewicz, L.*, +, *JLT Oct. 15, 2020 5774-5782*
- VCSEL and LED Based Visible Light Communication System by Applying Decode-and-Forward Relay Transmission. *Yeh, C.*, +, *JLT Oct. 15, 2020 5728-5732*
- VCSEL Array-Based Gigabit Free-Space Optical Femtocell Communication. *Liverman, S.*, +, *JLT April 1, 2020 1659-1667*
- Surface enhanced Raman scattering**
- Optimization of SERS Sensing With Micro-Lensed Optical Fibers and Au Nano-Film. *Milenko, K.*, +, *JLT April 1, 2020 2081-2085*
- Surface plasmon polaritons**
- Quasi-Phase Matched Second Harmonic Generation in Plasmonic–Organic Hybrid Structures. *Janjan, B.*, +, *JLT March 15, 2020 1391-1399*
- Surface plasmon resonance**
- Bio-Inspired Localized Surface Plasmon Resonance Enhanced Sensing of Mercury Through Green Synthesized Silver Nanoparticle. *Boruah, B.S.*, +, *JLT April 1, 2020 2086-2091*
- Experimental Demonstration of DNA Hybridization Using Graphene Based Plasmonic Sensor Chip. *Maurya, J.B.*, +, *JLT Sept. 15, 2020 5191-5198*
- High-Speed and High-Resolution Microwave Photonic Interrogation of a Fiber-Optic Refractometer With Plasmonic Spectral Comb. *Wang, G.*, +, *JLT April 1, 2020 2073-2080*
- Microcapillary-Based Integrated LSPR Device for Refractive Index Detection and Biosensing. *Chen, S.*, +, *JLT April 15, 2020 2485-2492*
- Single TE₀₁ Mode Cylindrical Vector Beams Transmission Based on Composite Gold Nanowire Embedded Photonic Crystal Fiber. *Zhang, W.*, +, *JLT April 15, 2020 2441-2449*
- Study of Surface Plasmon Resonance Sensor Based on Polymer-Tipped Optical Fiber With Barium Titanate Layer. *Xia, Z.*, +, *JLT Feb. 15, 2020 912-918*

Surface Plasmon Resonance Induced High Sensitivity Temperature and Refractive Index Sensor Based on Evanescent Field Enhanced Photonic Crystal Fiber. *Liu, Y.*, +, *JLT Feb. 15, 2020 919-928*

Ultra-Sensitive Cholesterol Sensor Using Gold and Zinc-Oxide Nanoparticles Immobilized Core Mismatch MPM/SPS Probe. *Agrawal, N.*, +, *JLT April 15, 2020 2523-2529*

Ultrasensitive Multiple Guided-Mode Biosensor With Few-Layer Black Phosphorus. *Dai, X.*, +, *JLT March 15, 2020 1564-1571*

Ultrasharp LSPR Temperature Sensor Based on Grapefruit Fiber Filled With a Silver Nanoshell and Liquid. *Yang, X.*, +, *JLT April 1, 2020 2015-2021*

Swelling

Behavior of Specialty Optical Fibers in Crude Oil Environment. *Stolov, A.A.*, +, *JLT July 15, 2020 3759-3768*

Distributed Salinity Sensor With a Polyimide-Coated Photonic Crystal Fiber Based on Brillouin Dynamic Grating. *Zhang, H.*, +, *JLT Sept. 15, 2020 5219-5224*

Synchronization

A Novel Virtual-Cluster Based Architecture of Double-Layer Optical Networks-on-Chip. *Su, Y.*, +, *JLT July 15, 2020 3553-3562*

Channel-Aware Adaptive Physical-Layer Network Coding Over Relay-Assisted OFDM-VLC Networks. *Hong, Y.*, +, *JLT March 15, 2020 1168-1177*

Chaotic Optical Communication Over 1000 km Transmission by Coherent Detection. *Yang, Z.*, +, *JLT Sept. 1, 2020 4648-4655*

Clock and Data Recovery-Free Data Communications Enabled by Multi-Core Fiber With Low Thermal Sensitivity of Skew. *Sohanpal, R.S.*, +, *JLT April 1, 2020 1636-1643*

Full C-Band 3060-km DMD-Unmanaged 3-Mode Transmission With 40.2-Tb/s Capacity Using Cyclic Mode Permutation. *Shibahara, K.*, +, *JLT Jan. 15, 2020 514-521*

IT and Multi-layer Online Resource Allocation and Offline Planning in Metropolitan Networks. *Garrich, M.*, +, *JLT June 15, 2020 3190-3199*

Low Thermal Sensitivity Hollow Core Fiber for Optically-Switched Data Centers. *Clark, K.A.*, +, *JLT May 1, 2020 2703-2709*

Low-Latency and High-Speed Hollow-Core Fiber Optical Interconnection at 2-Micron Waveband. *Shen, W.*, +, *JLT Aug. 1, 2020 3874-3882*

Optical Wireless Communications Adopting Delay-Tolerant Repetition-Coding With Orthogonal-Filters and On-Demand Equalization. *Song, T.*, +, *JLT Aug. 15, 2020 4250-4259*

Parallel Modular Scheduler Design for Clos Switches in Optical Data Center Networks. *Andreades, P.*, +, *JLT July 1, 2020 3506-3518*

Picoseconds-Accurate Fiber-Optic Time Transfer With Relative Stabilization of Lasers Wavelengths. *Sliwczynski, L.*, +, *JLT Sept. 15, 2020 5056-5063*

System-in-package

System Optimization of an All-Silicon IQ Modulator: Achieving 100-Gbaud Dual-Polarization 32QAM. *Zhalehpour, S.*, +, *JLT Jan. 15, 2020 256-264*

T

Table lookup

Huffman-Coded Sphere Shaping and Distribution Matching Algorithms via Lookup Tables. *Fehenberger, T.*, +, *JLT May 15, 2020 2826-2834*

Investigation of Inverse Solutions for Tilting Orthogonal Double Prisms in Laser Pointing With Submicroradian Precision. *Li, A.*, +, *JLT March 15, 2020 1341-1349*

Nonlinear System Identification Scheme for Efficient Compensators Design. *Faig, H.*, +, *JLT July 1, 2020 3519-3525*

Talbot effect

Photonics-Based Real-Time Spectrogram Analysis of Broadband Waveforms. *Konatham, S.R.*, +, *JLT Oct. 1, 2020 5356-5367*

Temporal Imaging Using Dispersive Gradient-Index Time Lenses. *Han, T.*, +, *JLT April 15, 2020 2383-2391*

Telecommunication channels

11.2 Tb/s Classical Channel Coexistence With DV-QKD Over a 7-Core Multicore Fiber. *Hugues-Salas, E.*, +, *JLT Sept. 15, 2020 5064-5070*

Chaotic Optical Communication Over 1000 km Transmission by Coherent Detection. *Yang, Z.*, +, *JLT Sept. 1, 2020 4648-4655*

Enhanced Optical Communications Through Joint Time-Frequency Multiplexing Strategies. *Cincotti, G.*, +, *JLT Jan. 15, 2020 346-351*

On Numerical Simulations of Ultra-Wideband Long-Haul Optical Communication Systems. *Serena, P.*, +, *JLT March 1, 2020 1019-1031*

PDL in Optical Links: A Model Analysis and a Demonstration of a PDL-Resilient Modulation. *Dumenil, A.*, +, *JLT Sept. 15, 2020 5017-5025*

Telecommunication computing

A Direct Learning Approach for Neural Network Based Pre-Distortion for Coherent Nonlinear Optical Transmitter. *Paryanti, G.*, +, *JLT Aug. 1, 2020 3883-3896*

Accurate Closed-Form Real-Time EGN Model Formula Leveraging Machine-Learning Over 8500 Thoroughly Randomized Full C-Band Systems. *Ranjbar Zefreh, M.*, +, *JLT Sept. 15, 2020 4987-4999*

AdaNN: Adaptive Neural Network-Based Equalizer via Online Semi-Supervised Learning. *Zhou, Q.*, +, *JLT Aug. 15, 2020 4315-4324*

ANN-Based Multi-Channel QoT-Prediction Over a 563.4-km Field-Trial Testbed. *Gao, Z.*, +, *JLT May 1, 2020 2646-2655*

Compensation of Fiber Nonlinearities in Digital Coherent Systems Leveraging Long Short-Term Memory Neural Networks. *Deligiannidis, S.*, +, *JLT Nov. 1, 2020 5991-5999*

Compressed Neural Network Equalization Based on Iterative Pruning Algorithm for 112-Gbps VCSEL-Enabled Optical Interconnects. *Ge, L.*, +, *JLT March 15, 2020 1323-1329*

Data-driven Optical Fiber Channel Modeling: A Deep Learning Approach. *Wang, D.*, +, *JLT Sept. 1, 2020 4730-4743*

Decentralized Coordination of Converged Tactile Internet and MEC Services in H-CRAN Fiber Wireless Networks. *Perez, G.O.*, +, *JLT Sept. 15, 2020 4935-4947*

Delay-Tolerant Indoor Optical Wireless Communication Systems Based on Attention-Augmented Recurrent Neural Network. *He, J.*, +, *JLT Sept. 1, 2020 4632-4640*

Dimming-Aware Deep Learning Approach for OOK-Based Visible Light Communication. *Zou, C.*, +, *JLT Oct. 15, 2020 5733-5742*

Frequency Dependent ENoB Requirements for 400G/600G/800G Optical Links. *Varughese, S.*, +, *JLT Sept. 15, 2020 5008-5016*

Leveraging Field Data for the Joint Optimization of Capacity and Availability in Low-Margin Optical Networks. *Delezoide, C.*, +, *JLT Dec. 15, 2020 6709-6718*

Low Complexity OSNR Monitoring and Modulation Format Identification Based on Binarized Neural Networks. *Zhao, Y.*, +, *JLT March 15, 2020 1314-1322*

Modeling and Assessing Connectivity Services Performance in a Sandbox Domain. *Ruiz, M.*, +, *JLT June 15, 2020 3180-3189*

Modeling EDFA Gain Ripple and Filter Penalties With Machine Learning for Accurate QoT Estimation. *Mahajan, A.*, +, *JLT May 1, 2020 2616-2629*

Performance Investigation of OAMSK Modulated Wireless Optical System Over Turbulent Ocean Using Convolutional Neural Networks. *Wang, W.*, +, *JLT April 1, 2020 1753-1765*

VLCnet: Deep Learning Based End-to-End Visible Light Communication System. *Utkar, M.G.*, +, *JLT Nov. 1, 2020 5937-5948*

Telecommunication congestion control

Demonstration of SDN-Enabled Hybrid Polling Algorithm for Packet Contention Resolution in Optical Data Center Network. *Wang, F.*, +, *JLT June 15, 2020 3296-3304*

SDN-Controlled and Orchestrated OPSquare DCN Enabling Automatic Network Slicing With Differentiated QoS Provisioning. *Xue, X.*, +, *JLT March 15, 2020 1103-1112*

Telecommunication control

Abstraction and Control of Multi-Domain Disaggregated Optical Networks With OpenROADM Device Models. *Casellas, R.*, +, *JLT May 1, 2020 2606-2615*

Emergency OPM Recreation and Telemetry for Disaster Recovery in Optical Networks. *Xu, S.*, +, *JLT May 1, 2020 2656-2668*

IT and Multi-layer Online Resource Allocation and Offline Planning in Metropolitan Networks. *Garrich, M.*, +, *JLT June 15, 2020 3190-3199*

Reliable Optical Networks With ODTN: Resiliency and Fail-Over in Data and Control Planes. *Campanella, A.*, +, *JLT May 15, 2020 2755-2764*

Telecommunication network management

Emergency OPM Recreation and Telemetry for Disaster Recovery in Optical Networks. *Xu, S.*, +, *JLT May 1, 2020 2656-2668*

Machine Learning for Optical Network Security Monitoring: A Practical Perspective. *Furdek, M.*, +, *JLT June 1, 2020 2860-2871*

Multi-Layer Service Provisioning Over Resilient Software-Defined Partially Disaggregated Networks. *Mayoral, A.*, +, *JLT Jan. 15, 2020 546-552*

Telecommunication network planning

Accurate Closed-Form Real-Time EGN Model Formula Leveraging Machine-Learning Over 8500 Thoroughly Randomized Full C-Band Systems. *Ranjbar Zefreh, M.*, +, *JLT Sept. 15, 2020 4987-4999*

IT and Multi-layer Online Resource Allocation and Offline Planning in Metropolitan Networks. *Garrich, M.*, +, *JLT June 15, 2020 3190-3199*

Modeling EDFA Gain Ripple and Filter Penalties With Machine Learning for Accurate QoT Estimation. *Mahajan, A.*, +, *JLT May 1, 2020 2616-2629*

Optimized Design and Challenges for C&L Band Optical Line Systems. *Lopez, V.*, +, *JLT March 1, 2020 1080-1091*

Techno-Economic Impact of Filterless Data Plane and Agile Control Plane in the 5G Optical Metro. *Pavon-Marino, P.*, +, *JLT Aug. 1, 2020 3801-3814*

Telecommunication network reliability

5G Xhaul and Service Convergence: Transmission, Switching and Automation Enabling Technologies. *Iovanna, P.*, +, *JLT May 15, 2020 2799-2806*

A General Orthogonal Transform Aided MIMO Design for Reliable Maritime Visible Light Communications. *Huang, G.*, +, *JLT Dec. 1, 2020 6549-6560*

Demonstration of a Novel Framework for Proactive Maintenance Using Failure Prediction and Bit Lossless Protection With Autonomous Network Diagnosis System. *Inuzuka, F.*, +, *JLT May 1, 2020 2695-2702*

Emergency OPM Recreation and Telemetry for Disaster Recovery in Optical Networks. *Xu, S.*, +, *JLT May 1, 2020 2656-2668*

Modeling EDFA Gain Ripple and Filter Penalties With Machine Learning for Accurate QoT Estimation. *Mahajan, A.*, +, *JLT May 1, 2020 2616-2629*

On Numerical Simulations of Ultra-Wideband Long-Haul Optical Communication Systems. *Serena, P.*, +, *JLT March 1, 2020 1019-1031*

Passive Optical Phase Stabilization on a Ring Fiber Network. *Hu, L.*, +, *JLT Nov. 1, 2020 5916-5924*

Unified Performance Analysis of Hybrid FSO/RF System With Diversity Combining. *Huang, L.*, +, *JLT Dec. 15, 2020 6788-6800*

Visible Light Positioning Using Bayesian Filters. *Amsters, R.*, +, *JLT Nov. 1, 2020 5925-5936*

Telecommunication network routing

A Routing and Wavelength Assignment Algorithm Based on Two Types of LEO Constellations in Optical Satellite Networks. *Sun, X.*, +, *JLT April 15, 2020 2106-2113*

A Silicon Photonic Switching Platform for Flexible Converged Centralized-Radio Access Networking. *Browning, C.*, +, *JLT Oct. 1, 2020 5386-5392*

Crosstalk-Aware Resource Allocation in Survivable Space-Division-Multiplexed Elastic Optical Networks Supporting Hybrid Dedicated and Shared Path Protection. *Moghaddam, E.E.*, +, *JLT March 15, 2020 1095-1102*

Demonstration of a Novel Framework for Proactive Maintenance Using Failure Prediction and Bit Lossless Protection With Autonomous Network Diagnosis System. *Inuzuka, F.*, +, *JLT May 1, 2020 2695-2702*

Design and Assessment of FM-MCFs-Suited SDM-ROADMs With Versatile Spatial Group Configurations and Unified QoT Estimator. *Rumipamba-Zambrano, R.*, +, *JLT Nov. 15, 2020 6137-6152*

Experimental Demonstration of a Photonic Frame Based Packet-Switched Optical Network for Data Centers. *Ra, Y.*, +, *JLT March 15, 2020 1113-1124*

Frequency-Stabilized Links for Coherent WDM Fiber Interconnects in the Datacenter. *Blumenthal, D.J.*, +, *JLT July 1, 2020 3376-3386*

Latency-Aware Task Peer Offloading on Overloaded Server in Multi-Access Edge Computing System Interconnected by Metro Optical Networks. *Huang, S.*, +, *JLT Nov. 1, 2020 5949-5961*

Machine Learning Assisted Optimization of Dynamic Crosstalk-Aware Spectrally-Spatially Flexible Optical Networks. *Klinkowski, M.*, +, *JLT April 1, 2020 1625-1635*

Minimizing Inter-Core Crosstalk Jointly in Spatial, Frequency, and Time Domains for Scheduled Lightpath Demands in Multi-Core Fiber-based Elastic Optical Network. *Tang, F.*, +, *JLT Oct. 15, 2020 5595-5607*

Minimum-Cost Optical Amplifier Placement in Metro Networks. *Ibrahimi, M.*, +, *JLT June 15, 2020 3221-3228*

Parallel Modular Scheduler Design for Clos Switches in Optical Data Center Networks. *Andreades, P.*, +, *JLT July 1, 2020 3506-3518*

Telecommunication network topology

A Routing and Wavelength Assignment Algorithm Based on Two Types of LEO Constellations in Optical Satellite Networks. *Sun, X.*, +, *JLT April 15, 2020 2106-2113*

Band-Division vs. Space-Division Multiplexing: A Network Performance Statistical Assessment. *Ferrari, A.*, +, *JLT March 1, 2020 1041-1049*

Enabling Technologies for Optical Data Center Networks: Spatial Division Multiplexing. *Zhang, L.*, +, *JLT Jan. 1, 2020 18-30*

Minimum-Cost Optical Amplifier Placement in Metro Networks. *Ibrahimi, M.*, +, *JLT June 15, 2020 3221-3228*

On Virtual Network Reconfiguration in Hybrid Optical/Electrical Datacenter Networks. *Zhao, S.*, +, *JLT Dec. 1, 2020 6424-6436*

Parallel Modular Scheduler Design for Clos Switches in Optical Data Center Networks. *Andreades, P.*, +, *JLT July 1, 2020 3506-3518*

Passive Optical Phase Stabilization on a Ring Fiber Network. *Hu, L.*, +, *JLT Nov. 1, 2020 5916-5924*

SDN-Controlled and Orchestrated OPSquare DCN Enabling Automatic Network Slicing With Differentiated QoS Provisioning. *Xue, X.*, +, *JLT March 15, 2020 1103-1112*

Techno-Economic Impact of Filterless Data Plane and Agile Control Plane in the 5G Optical Metro. *Pavon-Marino, P.*, +, *JLT Aug. 1, 2020 3801-3814*

Telecommunication power management

A Clock-Gating-Based Energy-Efficient Scheme for ONUs in Real-Time IMDD OFDM-PONs. *Zhang, J.*, +, *JLT July 15, 2020 3573-3583*

Fully Passive User Localization for Beam-Steered High-Capacity Optical Wireless Communication System. *Koonen, T.*, +, *JLT May 15, 2020 2842-2848*

Power-Efficient Single-Sideband Transmission With Clipped Iterative SSBI Cancellation. *Le, S.T.*, +, *JLT Aug. 15, 2020 4359-4367*

Proposal of a Power Efficient N -Level Multipulse PPM-LQAM Technique. *Shalaby, H.M.H.*, *JLT Dec. 1, 2020 6542-6548*

SDN-Enabled S-BVT for Disaggregated Networks: Design, Implementation and Cost Analysis. *Nadal, L.*, +, *JLT June 1, 2020 3037-3043*

Single-Mode Fiber SDM Submarine Systems. *Bolshtyansky, M.A.*, +, *JLT March 15, 2020 1296-1304*

Telecommunication scheduling

Channel-Aware Adaptive Physical-Layer Network Coding Over Relay-Assisted OFDM-VLC Networks. *Hong, Y.*, +, *JLT March 15, 2020 1168-1177*

Efficient Multi-Stage Deployment of Ultra-Low Loss Fibers in Elastic Optical Networks. *Li, Y.*, +, *JLT July 15, 2020 3542-3552*

Experimental Demonstration of a Photonic Frame Based Packet-Switched Optical Network for Data Centers. *Ra, Y.*, +, *JLT March 15, 2020 1113-1124*

Minimizing Inter-Core Crosstalk Jointly in Spatial, Frequency, and Time Domains for Scheduled Lightpath Demands in Multi-Core Fiber-based Elastic Optical Network. *Tang, F.*, +, *JLT Oct. 15, 2020 5595-5607*

Parallel Modular Scheduler Design for Clos Switches in Optical Data Center Networks. *Andreades, P.*, +, *JLT July 1, 2020 3506-3518*

PULSE: Optical Circuit Switched Data Center Architecture Operating at Nanosecond Timescales. *Benjamin, J.L.*, +, *JLT Sept. 15, 2020 4906-4921*

Telecommunication security

End-to-End Quantum Secured Inter-Domain 5G Service Orchestration Over Dynamically Switched Flex-Grid Optical Networks Enabled by a q-ROADM. *Wang, R.*, +, *JLT Jan. 1, 2020 139-149*

Quantum Noise-Assisted Coherent Radio-Over-Fiber Cipher System for Secure Optical Fronthaul and Microwave Wireless Links. *Tanizawa, K.*, +, *JLT Aug. 15, 2020 4244-4249*

Telecommunication standards

The Outlook for PON Standardization: A Tutorial. *Wey, J.S.*, *JLT Jan. 1, 2020 31-42*

Telecommunication switching

5G Xhaul and Service Convergence: Transmission, Switching and Automation Enabling Technologies. *Iovanna, P.*, +, *JLT May 15, 2020 2799-2806*

Telecommunication traffic

5G Xhaul and Service Convergence: Transmission, Switching and Automation Enabling Technologies. *Iovanna, P.*, +, *JLT May 15, 2020 2799-2806*

A Routing and Wavelength Assignment Algorithm Based on Two Types of LEO Constellations in Optical Satellite Networks. *Sun, X.*, +, *JLT April 15, 2020 2106-2113*

A Silicon Photonic Switching Platform for Flexible Converged Centralized-Radio Access Networking. *Browning, C.*, +, *JLT Oct. 1, 2020 5386-5392*

Abstraction and Control of Multi-Domain Disaggregated Optical Networks With OpenROADM Device Models. *Casellas, R.*, +, *JLT May 1, 2020 2606-2615*

Band-Division vs. Space-Division Multiplexing: A Network Performance Statistical Assessment. *Ferrari, A.*, +, *JLT March 1, 2020 1041-1049*

Clock and Data Recovery-Free Data Communications Enabled by Multi-Core Fiber With Low Thermal Sensitivity of Skew. *Sohanpal, R.S.*, +, *JLT April 1, 2020 1636-1643*

Design and Assessment of FM-MCFs-Suited SDM-ROADMs With Versatile Spatial Group Configurations and Unified QoT Estimator. *Rumipamba-Zambrano, R.*, +, *JLT Nov. 15, 2020 6137-6152*

Dual MAC Based Hierarchical Optical Access Network for Hyperscale Data Centers. *Zheng, Y.*, +, *JLT April 1, 2020 1608-1617*

Effect of Channel Launch Power on Fill Margin in C+L Band Elastic Optical Networks. *Mitra, A.*, +, *JLT March 1, 2020 1032-1040*

Frequency-Stabilized Links for Coherent WDM Fiber Interconnects in the Datacenter. *Blumenthal, D.J.*, +, *JLT July 1, 2020 3376-3386*

How to Mislead AI-Assisted Network Automation in SD-IPoEONs: A Comparison Study of DRL- and GAN-Based Approaches. *Wang, M.*, +, *JLT Oct. 15, 2020 5574-5585*

Minimizing Inter-Core Crosstalk Jointly in Spatial, Frequency, and Time Domains for Scheduled Lightpath Demands in Multi-Core Fiber-based Elastic Optical Network. *Tang, F.*, +, *JLT Oct. 15, 2020 5595-5607*

Modeling and Assessing Connectivity Services Performance in a Sandbox Domain. *Ruiz, M.*, +, *JLT June 15, 2020 3180-3189*

Optimized Design and Challenges for C&L Band Optical Line Systems. *Lopez, V.*, +, *JLT March 1, 2020 1080-1091*

Parallel Modular Scheduler Design for Clos Switches in Optical Data Center Networks. *Andreades, P.*, +, *JLT July 1, 2020 3506-3518*

PULSE: Optical Circuit Switched Data Center Architecture Operating at Nanosecond Timescales. *Benjamin, J.L.*, +, *JLT Sept. 15, 2020 4906-4921*

ROTOS: A Reconfigurable and Cost-Effective Architecture for High-Performance Optical Data Center Networks. *Xue, X.*, +, *JLT July 1, 2020 3485-3494*

SDN-Controlled and Orchestrated OPSquare DCN Enabling Automatic Network Slicing With Differentiated QoS Provisioning. *Xue, X.*, +, *JLT March 15, 2020 1103-1112*

SDN-Enabled S-BVT for Disaggregated Networks: Design, Implementation and Cost Analysis. *Nadal, L.*, +, *JLT June 1, 2020 3037-3043*

Techno-Economic Impact of Filterless Data Plane and Agile Control Plane in the 5G Optical Metro. *Pavon-Marino, P.*, +, *JLT Aug. 1, 2020 3801-3814*

Telemetry

Privacy-Preserving Multilayer In-Band Network Telemetry and Data Analytics: For Safety, Please do Not Report Plaintext Data. *Pan, X.*, +, *JLT Nov. 1, 2020 5855-5866*

Tellurium compounds

L-Band Wavelength-Tunable Er³⁺-Doped Tellurite Fiber Lasers. *Fu, S.*, +, *JLT March 15, 2020 1435-1438*

An Experimental and Theoretical Investigation of a 2 μm Wavelength Low-Threshold Microsphere Laser. *Yu, J.*, +, *JLT April 1, 2020 1880-1886*

Direct Laser Written Waveguide in Tellurite Glass for Supercontinuum Generation in 2 μm Spectral Range. *Okhrimchuk, A.G.*, +, *JLT March 15, 2020 1492-1500*

Temperature dependence

Corrections to "Modeling Temperature Dependent Avalanche Characteristics of InP". *Petticrew, J.D.*, +, *JLT Aug. 1, 2020 4183*

Temperature measurement

All-Sapphire Miniature Optical Fiber Tip Sensor for High Temperature Measurement. *Yang, S.*, +, *JLT April 1, 2020 1988-1997*

Fabrication and Characterization of InAs/GaSb type-II Superlattice Long-Wavelength Infrared Detectors Aiming High Temperature Sensitivity. *Wang, L.*, +, *JLT Nov. 1, 2020 6129-6134*

Fiber-Optic Silicon Fabry-Perot Interferometric Bolometer: The Influence of Mechanical Vibration and Magnetic Field. *Sheng, Q.*, +, *JLT April 15, 2020 2547-2554*

High-Resolution Temperature Sensor Based on Intracavity Sensing of Fiber Ring Laser. *Shi, J.*, +, *JLT April 1, 2020 2010-2014*

Inter-Cross De-Modulated Refractive Index and Temperature Sensor by an Etched Multi-Core Fiber of a MZI Structure. *Mumtaz, F.*, +, *JLT Dec. 15, 2020 6948-6953*

Simultaneous Measurement of Pressure and Temperature in Seawater with PDMS Sealed Microfiber Mach-Zehnder Interferometer. *Hou, Y.*, +, *JLT Nov. 15, 2020 6412-6421*

Simultaneous Measurement of Temperature and Relative Humidity Based on a Microfiber Sagnac Loop and MoS₂. *Bai, Y.*, +, *JLT Feb. 15, 2020 840-845*

Surface Plasmon Resonance Induced High Sensitivity Temperature and Refractive Index Sensor Based on Evanescent Field Enhanced Photonic Crystal Fiber. *Liu, Y.*, +, *JLT Feb. 15, 2020 919-928*

Tip Packaged High-Temperature Miniature Sensor Based on Suspended Core Optical Fiber. *Su, H.*, +, *JLT Aug. 1, 2020 4160-4165*

Torsion, Refractive Index, and Temperature Sensors Based on An Improved Helical Long Period Fiber Grating. *Zhao, Y.*, +, *JLT April 15, 2020 2504-2510*

Ultra-Stable and Real-Time Demultiplexing System of Strong Fiber Bragg Grating Sensors Based on Low-Frequency Optoelectronic Oscillator. *Wang, W.*, +, *JLT Feb. 15, 2020 981-988*

Temperature sensors

A Compact Refractometer With High Sensitivity Based on Multimode Fiber Embedded Single Mode-No Core-Single Mode Fiber Structure. *Zhang, S.*, +, *JLT April 1, 2020 1929-1935*

All-Sapphire Miniature Optical Fiber Tip Sensor for High Temperature Measurement. *Yang, S.*, +, *JLT April 1, 2020 1988-1997*

Chip-Scale Silicon Ring Resonators for Cryogenic Temperature Sensing. *You, M.*, +, *JLT Oct. 15, 2020 5768-5773*

Fabrication and Characterization of InAs/GaSb type-II Superlattice Long-Wavelength Infrared Detectors Aiming High Temperature Sensitivity. *Wang, L.*, +, *JLT Nov. 1, 2020 6129-6134*

Femtosecond Laser Inscribed Tilted Gratings for Leaky Mode Excitation in Optical Fibers. *Ioannou, A.*, +, *JLT April 1, 2020 1921-1928*

Fiber-Optic Silicon Fabry-Perot Interferometric Bolometer: The Influence of Mechanical Vibration and Magnetic Field. *Sheng, Q.*, +, *JLT April 15, 2020 2547-2554*

High-Resolution Optical Microresonator-Based Sensor Enabled by Microwave Photonic Sidebands Processing. *Tian, X.*, +, *JLT Oct. 1, 2020 5440-5449*

High-Resolution Temperature Sensor Based on Intracavity Sensing of Fiber Ring Laser. *Shi, J.*, +, *JLT April 1, 2020 2010-2014*

Integrated Auxiliary Interferometer for Self-Correction of Nonlinear Tuning in Optical Frequency Domain Reflectometry. *Badar, M.*, +, *JLT Nov. 1, 2020 6097-6103*

Inter-Cross De-Modulated Refractive Index and Temperature Sensor by an Etched Multi-Core Fiber of a MZI Structure. *Mumtaz, F.*, +, *JLT Dec. 15, 2020 6948-6953*

Mode Selective Conversion Enabled by the Long-Period Gratings Inscribed in Elliptical Core Few-Mode Fiber. *Liu, Z.*, +, *JLT March 15, 2020 1536-1542*

Multicomponent Photonic Glass for Temperature Insensitive Fiber Probe. *Lin, Z.*, +, *JLT Aug. 15, 2020 4470-4477*

Sagnac Interferometer Based on a Highly-Birefringent Two-Core PCF: Theory, Experiment, and Sensing Characteristics. *Naeem, K.*, +, *JLT Sept. 15, 2020 5177-5190*

- Simultaneous Measurement of Pressure and Temperature in Seawater with PDMS Sealed Microfiber Mach-Zehnder Interferometer. *Hou, Y., +, JLT Nov. 15, 2020 6412-6421*
- Tip Packaged High-Temperature Miniature Sensor Based on Suspended Core Optical Fiber. *Su, H., +, JLT Aug. 1, 2020 4160-4165*
- Torsion, Refractive Index, and Temperature Sensors Based on An Improved Helical Long Period Fiber Grating. *Zhao, Y., +, JLT April 15, 2020 2504-2510*
- Truly Distributed and Ultra-Fast Microwave Photonic Fiber-Optic Sensor. *Zhou, D., +, JLT Aug. 1, 2020 4150-4159*
- Ultrasharp LSPR Temperature Sensor Based on Grapefruit Fiber Filled With a Silver Nanoshell and Liquid. *Yang, X., +, JLT April 1, 2020 2015-2021*
- Terahertz metamaterials**
- Active Terahertz Anisotropy and Dispersion Engineering Based on Dual-Frequency Liquid Crystal and Dielectric Metasurface. *Ji, Y., +, JLT Aug. 1, 2020 4030-4036*
- Terahertz wave devices**
- Active Terahertz Anisotropy and Dispersion Engineering Based on Dual-Frequency Liquid Crystal and Dielectric Metasurface. *Ji, Y., +, JLT Aug. 1, 2020 4030-4036*
- Terahertz Bragg Resonator Based on a Mechanical Assembly of Metal Grating and Metal Waveguide. *You, B., +, JLT July 15, 2020 3701-3709*
- Unclad Microphonics for Terahertz Waveguides and Systems. *Headland, D., +, JLT Dec. 15, 2020 6853-6862*
- Terahertz wave generation**
- Tunable THz Signal Generation and Radio-Over-Fiber Link Based on an Optoelectronic Oscillator-Driven Optical Frequency Comb. *Hasanuz-zaman, G.K.M., +, JLT Oct. 1, 2020 5240-5247*
- Terahertz wave imaging**
- High-Speed and Cost-Effective Reflective Terahertz Imaging System Using a Novel 2D Beam Scanner. *Lee, E.S., +, JLT Aug. 15, 2020 4237-4243*
- Thermal analysis**
- Chip-Scale Silicon Ring Resonators for Cryogenic Temperature Sensing. *You, M., +, JLT Oct. 15, 2020 5768-5773*
- Thermal diffusivity**
- All-Sapphire Miniature Optical Fiber Tip Sensor for High Temperature Measurement. *Yang, S., +, JLT April 1, 2020 1988-1997*
- Thermal expansion**
- Multicomponent Photonic Glass for Temperature Insensitive Fiber Probe. *Lin, Z., +, JLT Aug. 15, 2020 4470-4477*
- Thermal management (packaging)**
- Fully-Integrated Heterogeneous DML Transmitters for High-Performance Computing. *Liang, D., +, JLT July 1, 2020 3322-3337*
- Thermal noise**
- On-Chip Optical Microresonators With High Electro-Optic Tuning Efficiency. *Wang, T., +, JLT April 1, 2020 1851-1857*
- Sensitivity Analysis of Photonic Integrated Direct-Detection Stokes-Vector Receiver. *Tanemura, T., +, JLT Jan. 15, 2020 447-456*
- Thermal stability**
- Resonant Wavelength Thermal Stability of Fiber Bragg Gratings Produced by Femtosecond Laser. *Paixao, T., +, JLT March 15, 2020 1529-1535*
- Thermo-optical devices**
- A 4 × 4 Electrooptic Silicon Photonic Switch Fabric With Net Neutral Insertion Loss. *Dupuis, N., +, JLT Jan. 15, 2020 178-184*
- Low-Power Broadband Thermo-Optic Switch With Weak Polarization Dependence Using a Segmented Graphene Heater. *Song, Q.Q., +, JLT March 15, 2020 1358-1364*
- Multi-Stage 8 × 8 Silicon Photonic Switch Based on Dual-Microring Switching Elements. *Huang, Y., +, JLT Jan. 15, 2020 194-201*
- Ultrasharp LSPR Temperature Sensor Based on Grapefruit Fiber Filled With a Silver Nanoshell and Liquid. *Yang, X., +, JLT April 1, 2020 2015-2021*
- Thermo-optical effects**
- Fine, Reversible and Broadband Tuning of the Group Velocity Dispersion of Tapered Silica Fibers in a Thermo-Optic Polymer Matrix. *Antonopoulos, G., +, JLT Aug. 1, 2020 4086-4092*
- Mode Phase Variation and Sensitivity to Thermal Load in Three-Core Optical Fibers. *Rosa, L., +, JLT April 15, 2020 2400-2405*
- Ultrasharp LSPR Temperature Sensor Based on Grapefruit Fiber Filled With a Silver Nanoshell and Liquid. *Yang, X., +, JLT April 1, 2020 2015-2021*
- Thin film sensors**
- Optimization of SERS Sensing With Micro-Lensed Optical Fibers and Au Nano-Film. *Milenko, K., +, JLT April 1, 2020 2081-2085*
- Thin film transistors**
- Highly-Sensitive Indirect-Conversion X-Ray Detector With an Embedded Photodiode Formed by a Three-Dimensional Dual-Gate Thin-Film Transistor. *Xu, Y., +, JLT July 15, 2020 3775-3780*
- Thin films**
- Extraction of Elastooptic Coefficient of Thin-Film Arsenic Trisulfide Using a Mach-Zehnder Acoustooptic Modulator on Lithium Niobate. *Khan, M.S.I., +, JLT April 1, 2020 2053-2059*
- Optimization of Refractive Index Sensitivity in Nanofilm-Coated Long-Period Fiber Gratings Near the Dispersion Turning Point. *Zou, F., +, JLT Feb. 15, 2020 889-897*
- Three-dimensional integrated circuits**
- Design, Fabrication, and Comparison of 3D Multimode Optical Interconnects on Silicon Interposer. *Charania, S., +, JLT July 1, 2020 3454-3460*
- Three-dimensional printing**
- A Digital Twin Approach to Study Additive Manufacturing Processing Using Embedded Optical Fiber Sensors and Numerical Modeling. *Zou, R., +, JLT Nov. 15, 2020 6402-6411*
- A Laser Written 4D Optical Microcavity for Advanced Biochemical Sensing in Aqueous Environment. *Saetchnikov, A.V., +, JLT April 15, 2020 2530-2538*
- Tm/Al Co-Doped Silica Glass Prepared by Laser Additive Manufacturing Technology for 2- μ m Photonic Crystal Fiber Laser. *Liu, J., +, JLT March 15, 2020 1486-1491*
- Thulium**
- Design of a Multi-Wavelength Fiber Laser Based on Tm:Er:Yb:Ho Co-Doped Germanate Glass. *Falconi, M.C., +, JLT April 15, 2020 2406-2413*
- In-Depth Studies of the Spectral Bandwidth of a 25 W 2 μ m Band PM Hybrid Ho- and Tm-Doped Fiber Amplifier. *Tench, R.E., +, JLT April 15, 2020 2456-2463*
- Modeling and Analysis of a Pulsed Yb-Tm Fiber Laser System. *Tao, M., +, JLT Dec. 1, 2020 6635-6643*
- Tm/Al Co-Doped Silica Glass Prepared by Laser Additive Manufacturing Technology for 2- μ m Photonic Crystal Fiber Laser. *Liu, J., +, JLT March 15, 2020 1486-1491*
- Ultrafast Laser Inscription and \square 2 μ m Laser Operation of Y-Branch Splitters in Monoclinic Crystals. *Kifle, E., +, JLT Aug. 15, 2020 4374-4384*
- Ultrafast Pulse Generation for Er- and Tm-Doped Fiber Lasers With Sb Thin Film Saturable Absorber. *Wang, J., +, JLT July 15, 2020 3710-3716*
- Time division multiple access**
- Analog Coherent TDMA Receiver With Fast Locking to Free-Running Optical Emitters. *Schrenk, B., +, JLT Jan. 15, 2020 379-385*
- Time division multiplexing**
- Analog Coherent TDMA Receiver With Fast Locking to Free-Running Optical Emitters. *Schrenk, B., +, JLT Jan. 15, 2020 379-385*
- Dual MAC Based Hierarchical Optical Access Network for Hyperscale Data Centers. *Zheng, Y., +, JLT April 1, 2020 1608-1617*
- Economics of Resilient TWDM PONs. *Mondal, W.U., +, JLT April 15, 2020 2114-2126*
- Enhanced Optical Communications Through Joint Time-Frequency Multiplexing Strategies. *Cincotti, G., +, JLT Jan. 15, 2020 346-351*
- Investigation of Modulation Schemes for Flexible Line-Rate High-Speed TDM-PON. *Houtsma, V.E., +, JLT June 15, 2020 3261-3267*
- Real-Time 2.2-Gb/s Water-Air OFDM-OWC System With Low-Complexity Transmitter-Side DSP. *Shao, Y., +, JLT Oct. 15, 2020 5668-5675*
- SOA Pre-Amplified 100 Gb/s/ λ PAM-4 TDM-PON Downstream Transmission Using 10 Gbps O-Band Transmitters. *Zhang, J., +, JLT Jan. 15, 2020 185-193*
- Time-domain analysis**
- 50 km-Range Brillouin Optical Correlation Domain Analysis With First-Order Backward Distributed Raman Amplification. *Ryu, G., +, JLT Sept. 15, 2020 5199-5204*

- Distributed Salinity Sensor With a Polyimide-Coated Photonic Crystal Fiber Based on Brillouin Dynamic Grating. *Zhang, H.*, +, *JLT Sept. 15, 2020 5219-5224*
- Enhancing SNR by Anisotropic Diffusion for Brillouin Distributed Optical Fiber Sensors. *Luo, K.*, +, *JLT Oct. 15, 2020 5844-5852*
- Fast Brillouin Optical Time-Domain Reflectometry Based on the Frequency-Agile Technique. *Wang, B.*, +, *JLT Feb. 15, 2020 946-952*
- Frequency- and Time-Domain Modeling and Characterization of PN Phase Shifters in All-Silicon Carrier-Depletion Modulators. *Wang, J.*, +, *JLT Aug. 15, 2020 4462-4469*
- Full-Spectrum Periodic Nonlinear Fourier Transform Optical Communication Through Solving the Riemann-Hilbert Problem. *Kamalian-Kopae, M.*, +, *JLT July 15, 2020 3602-3615*
- Gain Spectrum Engineering in Slope-Assisted Dynamic Brillouin Optical Time-Domain Analysis. *Feng, C.*, +, *JLT Dec. 15, 2020 6967-6975*
- Matrix-Free Time Domain Gradient Smoothing Method With Stretched-Coordinates Perfectly Matched Layer for Analysis of Photonic Devices. *Atia, K.s.R.*, +, *JLT Oct. 15, 2020 5791-5800*
- On the 2D Post-Processing of Brillouin Optical Time-Domain Analysis. *Zaslowski, S.*, +, *JLT July 15, 2020 3723-3736*
- Oscilloscopic Capture of Greater-Than-100 GHz, Ultra-Low Power Optical Waveforms Enabled by Integrated Electrooptic Devices. *Wang, X.*, +, *JLT Jan. 1, 2020 166-173*
- Sensitivity-Enhanced Distributed Hydrostatic Pressure Sensor Based on BOTDA in Single-Mode Fiber With Double-Layer Polymer Coatings. *Dong, Y.*, +, *JLT April 15, 2020 2564-2571*
- Time-frequency analysis**
- Enhanced Optical Communications Through Joint Time-Frequency Multiplexing Strategies. *Cincotti, G.*, +, *JLT Jan. 15, 2020 346-351*
- Photonics-Based Real-Time Spectrogram Analysis of Broadband Waveforms. *Konatham, S.R.*, +, *JLT Oct. 1, 2020 5356-5367*
- Transient Nanostrain Detection in Phi-OTDR Using Statistics-Based Signal Processing. *Chen, H.*, +, *JLT Sept. 1, 2020 4883-4892*
- Time-varying channels**
- Non-Coherent Detection for Ultraviolet Communications With Inter-Symbol Interference. *Hu, W.*, +, *JLT Sept. 1, 2020 4699-4707*
- Timing jitter**
- A Computationally Efficient Integrated Coupled Opto-Electronic Oscillator Model. *Nielsen, L.*, +, *JLT Oct. 1, 2020 5430-5439*
- Noise Characterization for Time Interleaved Photonic Analog to Digital Converters. *Jin, Z.*, +, *JLT March 15, 2020 1230-1242*
- Pulse Timing Jitter Estimated From Optical Phase Noise in Mode-Locked Semiconductor Quantum Dash Lasers. *Mao, Y.*, +, *JLT Sept. 1, 2020 4787-4793*
- Self-Forced Opto-Electronic Oscillators Using Sagnac-Loop PM-IM Converter. *Wei, K.*, +, *JLT Oct. 1, 2020 5278-5285*
- Tin compounds**
- Broadband Light Amplitude Tuning Characteristics of SnSe₂ Coated Microfiber. *Guan, H.*, +, *JLT Nov. 1, 2020 6089-6096*
- Optical Modulation in Hybrid Waveguide Based on Si-ITO Heterojunction. *Rajput, S.*, +, *JLT March 15, 2020 1365-1371*
- Titanium compounds**
- Optimization of Refractive Index Sensitivity in Nanofilm-Coated Long-Period Fiber Gratings Near the Dispersion Turning Point. *Zou, F.*, +, *JLT Feb. 15, 2020 889-897*
- Topological insulators**
- Ti₂CT_x (T=O, OH or F) Nanosheets as New Broadband Saturable Absorber for Ultrafast Photonics. *Shi, Y.*, +, *JLT April 1, 2020 1975-1980*
- Torsion**
- Mode Selective Conversion Enabled by the Long-Period Gratings Inscribed in Elliptical Core Few-Mode Fiber. *Liu, Z.*, +, *JLT March 15, 2020 1536-1542*
- Sagnac Interferometer Based on a Highly-Birefringent Two-Core PCF: Theory, Experiment, and Sensing Characteristics. *Naeem, K.*, +, *JLT Sept. 15, 2020 5177-5190*
- Torsion, Refractive Index, and Temperature Sensors Based on An Improved Helical Long Period Fiber Grating. *Zhao, Y.*, +, *JLT April 15, 2020 2504-2510*
- Tracking**
- High-Bandwidth Tracking Method of Resonant Frequency for Sensing Resonators. *Li, H.*, +, *JLT Feb. 15, 2020 898-904*
- Traffic engineering computing**
- First Field Trial of Distributed Fiber Optical Sensing and High-Speed Communication Over an Operational Telecom Network. *Huang, M.*, +, *JLT Jan. 1, 2020 75-81*
- Training**
- Corrections to "A Modulation Format Correction Formula for the Gaussian Noise Model in the Presence of Inter-Channel Stimulated Raman Scattering". *Semrau, D.*, +, *JLT March 15, 2020 1604*
- Transceivers**
- Reduced Cladding Diameter Fibers for High-Density Optical Interconnects. *Bickham, S.R.*, +, *JLT Jan. 15, 2020 297-302*
- Silicon Nitride (Si₃N₄) (De-)Multiplexers for 1- μ m CWDM Optical Interconnects. *Cheung, S.S.*, +, *JLT July 1, 2020 3404-3413*
- Transfer functions**
- Data-driven Optical Fiber Channel Modeling: A Deep Learning Approach. *Wang, D.*, +, *JLT Sept. 1, 2020 4730-4743*
- Transform coding**
- Performance Enhanced 256-QAM BIPCM-DMT System Enabled by CAZAC Precoding. *Ma, J.*, +, *JLT Feb. 1, 2020 557-563*
- Transient response**
- Full C-Band 3060-km DMD-Unmanaged 3-Mode Transmission With 40.2-Tb/s Capacity Using Cyclic Mode Permutation. *Shibahara, K.*, +, *JLT Jan. 15, 2020 514-521*
- Performance Bounds on Passive Indoor Positioning Using Visible Light. *Majeed, K.*, +, *JLT April 15, 2020 2190-2200*
- Stokes-Space Analysis of Modal Dispersion of SDM Fibers With Mode-Dependent Loss: Theory and Experiments. *Antonelli, C.*, +, *JLT April 1, 2020 1668-1677*
- VLCnet: Deep Learning Based End-to-End Visible Light Communication System. *Utkar, M.G.*, +, *JLT Nov. 1, 2020 5937-5948*
- Transmission electron microscopy**
- Ultra-Sensitive Cholesterol Sensor Using Gold and Zinc-Oxide Nanoparticles Immobilized Core Mismatch MPM/SPS Probe. *Agrawal, N.*, +, *JLT April 15, 2020 2523-2529*
- Transmission lines**
- Frequency- and Time-Domain Modeling and Characterization of PN Phase Shifters in All-Silicon Carrier-Depletion Modulators. *Wang, J.*, +, *JLT Aug. 15, 2020 4462-4469*
- Transparency**
- All-Optical Directional Control of Emission in a Photonic Liquid Crystal Fiber Laser. *Lin, J.*, +, *JLT Sept. 15, 2020 5149-5156*
- Efficient Dual-Polarized Electro-Optically Tunable Microresonators by Utilization of Ultra-Thin Transparent Electrode. *Wang, T.*, +, *JLT Dec. 15, 2020 6863-6869*
- High-Speed Plasmonic-Silicon Modulator Driven by Epsilon-Near-zero Conductive Oxide. *Zhou, B.*, +, *JLT July 1, 2020 3338-3345*
- Silicon Oxycarbide Platform for Integrated Photonics. *Memon, F.A.*, +, *JLT Feb. 15, 2020 784-791*
- Transponders**
- 800G DSP ASIC Design Using Probabilistic Shaping and Digital Sub-Carrier Multiplexing. *Sun, H.*, +, *JLT Sept. 1, 2020 4744-4756*
- DFT-Spread DMT-WDM-PON Employing LDPC-Coded Probabilistic Shaping 16 QAM. *Xiao, Q.*, +, *JLT Feb. 15, 2020 714-722*
- LDPC-Coded Probabilistic Shaping PAM4 Based on Many-to-One Mapping in WDM-PON. *He, H.*, +, *JLT Aug. 1, 2020 3918-3925*
- P4-enabled Smart NIC: Enabling Sliceable and Service-Driven Optical Data Centres. *Yan, Y.*, +, *JLT May 1, 2020 2688-2694*
- Provisioning in Multi-Band Optical Networks. *Sambo, N.*, +, *JLT May 1, 2020 2598-2605*
- Single-Mode Fiber SDM Submarine Systems. *Bolshtyansky, M.A.*, +, *JLT March 15, 2020 1296-1304*
- Transponder Implementation Penalty-Accounted Gaussian-Noise-Based Performance Modeling of Fiber-Optic Transmission Systems. *Kaliteevskiy, N.A.*, +, *JLT April 15, 2020 2253-2261*

Transport protocols

AgileDCN: An Agile Reconfigurable Optical Data Center Network Architecture. *Le, D.D.*, +, *JLT Sept. 15, 2020 4922-4934*

Transversal filters

Photonic RF Phase-Encoded Signal Generation With a Microcomb Source. *Xu, X.*, +, *JLT April 1, 2020 1722-1727*

Traveling wave amplifiers

Wideband Steady-State and Pulse Propagation Modeling of a Reflective Quantum-Dot Semiconductor Optical Amplifier. *Safari Anzabi, K.*, +, *JLT Feb. 15, 2020 797-803*

Trellis codes

Huffman-Coded Sphere Shaping and Distribution Matching Algorithms via Lookup Tables. *Fehenberger, T.*, +, *JLT May 15, 2020 2826-2834*

Tungsten compounds

Direct Laser Written Waveguide in Tellurite Glass for Supercontinuum Generation in 2 μm Spectral Range. *Okhrimchuk, A.G.*, +, *JLT March 15, 2020 1492-1500*

Turbo codes

Neural Turbo Equalization: Deep Learning for Fiber-Optic Nonlinearity Compensation. *Koike-Akino, T.*, +, *JLT June 1, 2020 3059-3066*

Two-dimensional electron gas

Efficient Sub-Bandgap Photodetection via Two-Dimensional Electron Gas in ZnO Based Heterojunction. *Kaushik, V.*, +, *JLT Nov. 1, 2020 6031-6037*

Two-photon processes

Low Voltage, High Optical Power Handling Capable, Bulk Compound Semiconductor Electro-Optic Modulators at 1550 nm. *Bhasker, P.*, +, *JLT April 15, 2020 2308-2314*

U**Ultra wideband communication**

103 nm Ultra-Wideband Hybrid Raman/SOA Transmission Over 3 \times 100 km SSMF. *Arnould, A.*, +, *JLT Jan. 15, 2020 504-508*

A Study on the Effect of Ultra-Wide Band WDM on Optical Transmission Systems. *Okamoto, S.*, +, *JLT March 1, 2020 1061-1070*

Experimental Characterization of Nonlinear Distortions of Semiconductor Optical Amplifiers in the WDM Regime. *Arnould, A.*, +, *JLT Jan. 15, 2020 509-513*

On Numerical Simulations of Ultra-Wideband Long-Haul Optical Communication Systems. *Serena, P.*, +, *JLT March 1, 2020 1019-1031*

Recent Advances in 100+nm Ultra-Wideband Fiber-Optic Transmission Systems Using Semiconductor Optical Amplifiers. *Renaudier, J.*, +, *JLT March 1, 2020 1071-1079*

Sub-Nyquist Ultra-Wideband Sparse Signal Reception via Variable Frequency Comb. *Hu, H.*, +, *JLT Sept. 1, 2020 4625-4631*

Ultra wideband technology

Guest Editorial Ultra Wideband WDM Systems. *Napoli, A.*, +, *JLT March 1, 2020 998-1001*

Ultrasonic transducers

Frequency Response Enhancement of Phase-Sensitive OTDR for Interrogating Weak Reflector Array by Using OFDM and Vernier Effect. *Wu, M.*, +, *JLT Sept. 1, 2020 4874-4882*

Ultrasound Measurement Using On-Chip Optical Micro-Resonators and Digital Optical Frequency Comb. *Song, J.*, +, *JLT Oct. 1, 2020 5293-5301*

Underwater Acoustic Signal Detection and Down-Conversion Using Optomechanical Resonance and Oscillation. *Huang, K.*, +, *JLT July 15, 2020 3789-3797*

Ultraviolet lithography

Compact and Fabrication-Tolerant Waveguide Bends Based on Quadratic Reflectors. *Yu, S.*, +, *JLT Aug. 15, 2020 4368-4373*

Ultraviolet spectra

Bio-Inspired Localized Surface Plasmon Resonance Enhanced Sensing of Mercury Through Green Synthesized Silver Nanoparticle. *Boruah, B.S.*, +, *JLT April 1, 2020 2086-2091*

Ultra-Sensitive Cholesterol Sensor Using Gold and Zinc-Oxide Nanoparticles Immobilized Core Mismatch MPM/SPS Probe. *Agrawal, N.*, +, *JLT April 15, 2020 2523-2529*

Underwater acoustic communication

Performance of Spatial Diversity DCO-OFDM in a Weak Turbulence Underwater Visible Light Communication Channel. *Jiang, H.*, +, *JLT April 15, 2020 2271-2277*

Underwater Acoustic Signal Detection and Down-Conversion Using Optomechanical Resonance and Oscillation. *Huang, K.*, +, *JLT July 15, 2020 3789-3797*

Underwater optical wireless communication

A Novel Algorithm for Improving the Spectrum Efficiency of Non-Orthogonal Multiband CAP UVLC Systems. *Wang, Z.*, +, *JLT Nov. 15, 2020 6187-6201*

A Review on Practical Considerations and Solutions in Underwater Wireless Optical Communication. *Sun, X.*, +, *JLT Jan. 15, 2020 421-431*

A WDM PAM4 FSO-UWOC Integrated System With a Channel Capacity of 100 Gb/s. *Li, C.*, +, *JLT April 1, 2020 1766-1776*

Performance Investigation of OAMSK Modulated Wireless Optical System Over Turbulent Ocean Using Convolutional Neural Networks. *Wang, W.*, +, *JLT April 1, 2020 1753-1765*

Real-Time 2.2-Gb/s Water-Air OFDM-OWC System With Low-Complexity Transmitter-Side DSP. *Shao, Y.*, +, *JLT Oct. 15, 2020 5668-5675*

Underwater vehicles

The Generalized Droop Formula for Low Signal to Noise Ratio Optical Links. *Bononi, A.*, +, *JLT April 15, 2020 2201-2213*

Unsupervised learning

Machine Learning for Optical Network Security Monitoring: A Practical Perspective. *Furdek, M.*, +, *JLT June 1, 2020 2860-2871*

V**Variational techniques**

Modal Analysis of 2-D Material-Based Plasmonic Waveguides by Mixed Spectral Element Method With Equivalent Boundary Condition. *Lin, X.*, +, *JLT July 15, 2020 3677-3686*

Velocity measurement

Quasi-Distributed Vibration Sensing Based on Weak Reflectors and STFT Demodulation. *Leandro, D.*, +, *JLT Dec. 15, 2020 6954-6960*

Vibration measurement

A Lower Frequency Shift Based on Mode Conversion for Optical Heterodyne Micro-Vibration Measurement. *Zhang, L.*, +, *JLT Nov. 1, 2020 6057-6062*

Distributed Optical Fiber Low-Frequency Vibration Detecting Using Cross-Correlation Spectrum Analysis. *Wang, D.*, +, *JLT Dec. 1, 2020 6664-6670*

Evaluating Phase Errors in Phase-Sensitive Optical Time-Domain Reflectometry Based on I/Q Demodulation. *Lu, X.*, +, *JLT Aug. 1, 2020 4133-4141*

Fading Noise Suppression in Φ -OTDR Based on Nearest Neighbor Analysis. *Tu, G.*, +, *JLT Dec. 1, 2020 6691-6698*

Fast Brillouin Optical Time-Domain Reflectometry Based on the Frequency-Agile Technique. *Wang, B.*, +, *JLT Feb. 15, 2020 946-952*

Highly Sensitive FBG Seismometer With a 3D-Printed Hexagonal Configuration. *Guo, T.*, +, *JLT Aug. 15, 2020 4588-4595*

Quasi-Distributed Vibration Sensing Based on Weak Reflectors and STFT Demodulation. *Leandro, D.*, +, *JLT Dec. 15, 2020 6954-6960*

Truly Distributed and Ultra-Fast Microwave Photonic Fiber-Optic Sensor. *Zhou, D.*, +, *JLT Aug. 1, 2020 4150-4159*

Vibrational signal processing

Impact-Based Feature Extraction Utilizing Differential Signals of Phase-Sensitive OTDR. *Adeel, M.*, +, *JLT April 15, 2020 2539-2546*

Vibrations

Detection-Localization-Identification of Vibrations Over Long Distance SSMF With Coherent $\Delta\phi$ -OTDR. *Awwad, E.*, +, *JLT June 15, 2020 3089-3095*

Distributed Optical Fiber Low-Frequency Vibration Detecting Using Cross-Correlation Spectrum Analysis. *Wang, D.*, +, *JLT Dec. 1, 2020 6664-6670*

Fiber-Optic Silicon Fabry-Perot Interferometric Bolometer: The Influence of Mechanical Vibration and Magnetic Field. *Sheng, Q.*, +, *JLT April 15, 2020 2547-2554*

Quasi-Distributed Vibration Sensing Based on Weak Reflectors and STFT Demodulation. *Leandro, D.*, +, *JLT Dec. 15, 2020 6954-6960*

Weak Coupling Point Detection in Distributed Polarization Coupling Measurement Based on Variational Mode Decomposition. *Wen, G.*, +, *JLT Aug. 1, 2020 4061-4074*

Video signal processing

Real-Time 2.2-Gb/s Water-Air OFDM-OWC System With Low-Complexity Transmitter-Side DSP. *Shao, Y.*, +, *JLT Oct. 15, 2020 5668-5675*

Video streaming

Fully Passive User Localization for Beam-Steered High-Capacity Optical Wireless Communication System. *Koonen, T.*, +, *JLT May 15, 2020 2842-2848*

Virtual machines

On Virtual Network Reconfiguration in Hybrid Optical/Electrical Datacenter Networks. *Zhao, S.*, +, *JLT Dec. 1, 2020 6424-6436*

Virtual reality

Design and Characterisation of Terabit/s Capable Compact Localisation and Beam-Steering Terminals for Fiber-Wireless-Fiber Links. *Singh, R.*, +, *JLT Dec. 15, 2020 6817-6826*

Virtualization

Demonstration of Fully Softwarized 10G-EPON PHY Processing on a General-Purpose Server for Flexible Access Systems. *Suzuki, T.*, +, *JLT Feb. 15, 2020 777-783*

End-to-End Quantum Secured Inter-Domain 5G Service Orchestration Over Dynamically Switched Flex-Grid Optical Networks Enabled by a q-ROADM. *Wang, R.*, +, *JLT Jan. 1, 2020 139-149*

IT and Multi-layer Online Resource Allocation and Offline Planning in Metropolitan Networks. *Garrich, M.*, +, *JLT June 15, 2020 3190-3199*

On Numerical Simulations of Ultra-Wideband Long-Haul Optical Communication Systems. *Serena, P.*, +, *JLT March 1, 2020 1019-1031*

Real-Time 100-GS/s Sigma-Delta Modulator for All-Digital Radio-Over-Fiber Transmission. *Li, H.*, +, *JLT Jan. 15, 2020 386-393*

Real-Time Implementation of Coherent Receiver DSP Adopting Stream Split Assignment on GPU for Flexible Optical Access Systems. *Suzuki, T.*, +, *JLT Feb. 1, 2020 668-675*

Techno-Economic Impact of Filterless Data Plane and Agile Control Plane in the 5G Optical Metro. *Pavon-Marino, P.*, +, *JLT Aug. 1, 2020 3801-3814*

Visible spectra

Bio-Inspired Localized Surface Plasmon Resonance Enhanced Sensing of Mercury Through Green Synthesized Silver Nanoparticle. *Boruah, B.S.*, +, *JLT April 1, 2020 2086-2091*

Multi-Parameter Optical Fiber Sensing of Gaseous Ammonia and Carbon Dioxide. *Liu, L.*, +, *JLT April 1, 2020 2037-2045*

Ultra-Sensitive Cholesterol Sensor Using Gold and Zinc-Oxide Nanoparticles Immobilized Core Mismatch MPM/SPS Probe. *Agrawal, N.*, +, *JLT April 15, 2020 2523-2529*

Vitrification

The Influence of the MCVD Process Parameters on the Optical Properties of Bismuth-Doped Phosphosilicate Fibers. *Khegai, A.*, +, *JLT Nov. 1, 2020 6114-6120*

VLSI

VLSI Implementations of Carrier Phase Recovery Algorithms for M-QAM Fiber-Optic Systems. *Borjesson, E.*, +, *JLT July 15, 2020 3616-3623*

Voltage-controlled oscillators

Hybrid Frequency-Tunable Parity-Time Symmetric Optoelectronic Oscillator. *Fan, Z.*, +, *JLT April 15, 2020 2127-2133*

RF Frequency Synthesizer Based on Self-Mode-Locked Multimode Lasers. *Sun, T.*, +, *JLT April 15, 2020 2262-2270*

Volterra series

A Direct Learning Approach for Neural Network Based Pre-Distortion for Coherent Nonlinear Optical Transmitter. *Paryanti, G.*, +, *JLT Aug. 1, 2020 3883-3896*

Adaptive Nonlinear Equalization Combining Sparse Bayesian Learning and Kalman Filtering for Visible Light Communications. *Miao, P.*, +, *JLT Dec. 15, 2020 6732-6745*

Low-Complexity Second-Order Volterra Equalizer for DML-Based IM/DD Transmission System. *Yu, Y.*, +, *JLT April 1, 2020 1735-1746*

Nonlinear System Identification Scheme for Efficient Compensators Design. *Faig, H.*, +, *JLT July 1, 2020 3519-3525*

W

Wafer-scale integration

Membrane InGaAsP Mach-Zehnder Modulator Integrated With Optical Amplifier on Si Platform. *Hiraki, T.*, +, *JLT June 1, 2020 3030-3036*

Wave propagation

Computing Group Velocities and Group-Velocity Dispersions of Optical Fibers Through Automatic Differentiation of Explicit Forms of Propagation Constants. *Tsushima, Y.*, +, *JLT Nov. 1, 2020 6047-6056*

Waveform generators

Broadband Cognitive Radio Enabled by Photonics. *Zhu, D.*, +, *JLT June 15, 2020 3076-3088*

Photonic RF Arbitrary Waveform Generator Based on a Soliton Crystal Micro-Comb Source. *Tan, M.*, +, *JLT Nov. 15, 2020 6221-6226*

Waveguide couplers

Assessment of a Polarization-Independent DSP-Free Coherent Receiver for Intensity-Modulated Signals. *Ciamarella, E.*, *JLT Feb. 1, 2020 676-683*

Graph Representations for Programmable Photonic Circuits. *Chen, X.*, +, *JLT Aug. 1, 2020 4009-4018*

Waveguide discontinuities

Compact and Fabrication-Tolerant Waveguide Bends Based on Quadratic Reflectors. *Yu, S.*, +, *JLT Aug. 15, 2020 4368-4373*

Waveguide lasers

Experimental Demonstration of Directly Modulated DFB Lasers With Negative Chirp Over Wide Temperature Operation. *Liu, G.*, +, *JLT July 15, 2020 3663-3669*

Femtosecond-Laser-Written S-Curved Waveguide in Nd:YAP Crystal: Fabrication and Multi-Gigahertz Lasing. *Li, L.*, +, *JLT Dec. 15, 2020 6845-6852*

Wavelength assignment

A Routing and Wavelength Assignment Algorithm Based on Two Types of LEO Constellations in Optical Satellite Networks. *Sun, X.*, +, *JLT April 15, 2020 2106-2113*

A Study on the Effect of Ultra-Wide Band WDM on Optical Transmission Systems. *Okamoto, S.*, +, *JLT March 1, 2020 1061-1070*

Enhanced Optical Communications Through Joint Time-Frequency Multiplexing Strategies. *Cincotti, G.*, +, *JLT Jan. 15, 2020 346-351*

Wavelength division multiplexing

107 Gb/s Ultra-High Speed, Surface-Normal Electroabsorption Modulator Devices. *Grillanda, S.*, +, *JLT Feb. 15, 2020 804-810*

2000 Serial FBG Sensors Interrogated With a Hybrid CDM-WDM Scheme. *Gotten, M.*, +, *JLT April 15, 2020 2493-2503*

4×112 Gbps/Fiber CWDM VCSEL Arrays for Co-Packaged Interconnects. *Wang, B.*, +, *JLT July 1, 2020 3439-3444*

400 Gb/s Silicon Photonic Transmitter and Routing WDM Technologies for Glueless 8-Socket Chip-to-Chip Interconnects. *Pitris, S.*, +, *JLT July 1, 2020 3366-3375*

41-Tbps C-Band WDM Transmission With 10-bps/Hz Spectral Efficiency Using 1-Tbps/λ Signals. *Matsushita, A.*, +, *JLT June 1, 2020 2905-2911*

A Compact Integrated LAN-WDM EML TOSA Employing Stripline With an Aperture in the FPC. *Ohata, N.*, +, *JLT June 15, 2020 3246-3251*

A Low-Voltage Si-Ge Avalanche Photodiode for High-Speed and Energy Efficient Silicon Photonic Links. *Wang, B.*, +, *JLT June 15, 2020 3156-3163*

A Routing and Wavelength Assignment Algorithm Based on Two Types of LEO Constellations in Optical Satellite Networks. *Sun, X.*, +, *JLT April 15, 2020 2106-2113*

A Silicon Photonic Switching Platform for Flexible Converged Centralized-Radio Access Networking. *Browning, C.*, +, *JLT Oct. 1, 2020 5386-5392*

A Study on the Effect of Ultra-Wide Band WDM on Optical Transmission Systems. *Okamoto, S.*, +, *JLT March 1, 2020 1061-1070*

- A WDM PAM4 FSO-UWOC Integrated System With a Channel Capacity of 100 Gb/s. *Li, C.*, +, *JLT April 1, 2020 1766-1776*
- Accurate Closed-Form Real-Time EGN Model Formula Leveraging Machine-Learning Over 8500 Thoroughly Randomized Full C-Band Systems. *Ranjbar Zefreh, M.*, +, *JLT Sept. 15, 2020 4987-4999*
- AdaNN: Adaptive Neural Network-Based Equalizer via Online Semi-Supervised Learning. *Zhou, Q.*, +, *JLT Aug. 15, 2020 4315-4324*
- Adjoint Optimization of Efficient CMOS-Compatible Si-SiN Vertical Grating Couplers for DWDM Applications. *Hooten, S.*, +, *JLT July 1, 2020 3422-3430*
- All-Optical Frequency Processor for Networking Applications. *Lukens, J.M.*, +, *JLT April 1, 2020 1678-1687*
- Assessment on the Achievable Throughput of Multi-Band ITU-T G.652.D Fiber Transmission Systems. *Ferrari, A.*, +, *JLT Aug. 15, 2020 4279-4291*
- Band-Division vs. Space-Division Multiplexing: A Network Performance Statistical Assessment. *Ferrari, A.*, +, *JLT March 1, 2020 1041-1049*
- Beyond 400 Gb/s Direct Detection Over 80 km for Data Center Interconnect Applications. *Le, S.T.*, +, *JLT Jan. 15, 2020 538-545*
- Coherent Ultra-Dense WDM-PON Enabled by Complexity-Reduced Digital Transceivers. *Tabares, J.A.*, +, *JLT March 15, 2020 1305-1313*
- Combining Harmonic Laser Beams by Fiber Components for Refractivity-Compensating Two-Color Interferometry. *Liu, Y.*, +, *JLT April 1, 2020 1945-1952*
- Correlated Nonlinear Phase-Noise in Multi-Subcarrier Systems: Modeling and Mitigation. *Golani, O.*, +, *JLT March 15, 2020 1148-1156*
- DCI Field Trial Demonstrating 1.3-Tb/s Single-Channel and 50.8-Tb/s WDM Transmission Capacity. *Buchali, F.*, +, *JLT May 1, 2020 2710-2718*
- Design and Characterisation of Terabit/s Capable Compact Localisation and Beam-Steering Terminals for Fiber-Wireless-Fiber Links. *Singh, R.*, +, *JLT Dec. 15, 2020 6817-6826*
- Design of Four-Channel Wavelength-Selectable In-Series DFB Laser Array With 100-GHz Spacing. *Sun, Z.*, +, *JLT April 15, 2020 2299-2307*
- Design of Time-Frequency Packed WDM Superchannel Transmission Systems. *Jana, M.*, +, *JLT Dec. 15, 2020 6719-6731*
- DFT-Spread DMT-WDM-PON Employing LDPC-Coded Probabilistic Shaping 16 QAM. *Xiao, Q.*, +, *JLT Feb. 15, 2020 714-722*
- DSP Enabled Optical Detection Techniques for PON. *Teixeira, A.*, +, *JLT Feb. 1, 2020 684-695*
- DSP-Based Flexible-Waveform and Multi-Application 5G Fiber-Wireless System. *Borges, R.M.*, +, *JLT Feb. 1, 2020 642-653*
- Dual MAC Based Hierarchical Optical Access Network for Hyperscale Data Centers. *Zheng, Y.*, +, *JLT April 1, 2020 1608-1617*
- Economics of Resilient TWDM PONs. *Mondal, W.U.*, +, *JLT April 15, 2020 2114-2126*
- Enabling Technologies for Optical Data Center Networks: Spatial Division Multiplexing. *Zhang, L.*, +, *JLT Jan. 1, 2020 18-30*
- End-to-End Quantum Secured Inter-Domain 5G Service Orchestration Over Dynamically Switched Flex-Grid Optical Networks Enabled by a q-ROADM. *Wang, R.*, +, *JLT Jan. 1, 2020 139-149*
- Enhanced Carrier to Noise Ratio by Brillouin Amplification for Optical Communications. *Pelusi, M.*, +, *JLT Jan. 15, 2020 319-331*
- Enhancement of the Multiplexing Capacity and Measurement Accuracy of FBG Sensor System Using IWDM Technique and Deep Learning Algorithm. *Manie, Y.C.*, +, *JLT March 15, 2020 1589-1603*
- Enhancing the Physical Layer Security of OFDM-PONs With Hardware Fingerprint Authentication: A Machine Learning Approach. *Li, S.*, +, *JLT June 15, 2020 3238-3245*
- Experimental Characterization of Nonlinear Distortions of Semiconductor Optical Amplifiers in the WDM Regime. *Arnould, A.*, +, *JLT Jan. 15, 2020 509-513*
- Experimental Demonstration of 600 Gb/s Net Rate PAM4 Transmissions Over 2 km and 10 km With a 4- λ CWDM TOSA. *Xing, Z.*, +, *JLT June 1, 2020 2968-2975*
- Experimental Demonstration of a Petabit per Second SDM Network Node. *Luis, R.S.*, +, *JLT June 1, 2020 2886-2896*
- Experimental Demonstration of a Photonic Frame Based Packet-Switched Optical Network for Data Centers. *Ra, Y.*, +, *JLT March 15, 2020 1113-1124*
- Experimental Demonstration of Dual O+C-Band WDM Transmission Over 50-km SSMF With Direct Detection. *Hong, Y.*, +, *JLT April 15, 2020 2278-2284*
- Fast Acquisition Tunable High-Resolution Photon-Counting OTDR. *Calliari, F.*, +, *JLT Aug. 15, 2020 4572-4579*
- Feasibility Demonstration of Spatial Channel Networking Using SDM/WDM Hierarchical Approach for Peta-b/s Optical Transport. *Jinno, M.*, +, *JLT May 1, 2020 2577-2586*
- First Field Trial of Distributed Fiber Optical Sensing and High-Speed Communication Over an Operational Telecom Network. *Huang, M.*, +, *JLT Jan. 1, 2020 75-81*
- Frequency-Stabilized Links for Coherent WDM Fiber Interconnects in the Datacenter. *Blumenthal, D.J.*, +, *JLT July 1, 2020 3376-3386*
- Fully-Integrated Heterogeneous DML Transmitters for High-Performance Computing. *Liang, D.*, +, *JLT July 1, 2020 3322-3337*
- Guest Editorial Ultra Wideband WDM Systems. *Napoli, A.*, +, *JLT March 1, 2020 998-1001*
- High Data-Rate and Long Distance MCF Transmission With 19-Core C+L band Cladding-Pumped EDFA. *Puttnam, B.J.*, +, *JLT Jan. 1, 2020 123-130*
- High-Speed FBG Interrogation With Electro-Optically Tunable Sagnac Loops. *Oton, C.J.*, +, *JLT Aug. 15, 2020 4513-4519*
- Integrated Wavelength-Tuned Optical mm-Wave Beamformer With Doubled Delay Resolution. *Zhang, X.*, +, *JLT April 15, 2020 2353-2359*
- Intra-Datacenter Interconnects With a Serialized Silicon Optical Frequency Comb Modulator. *Kong, D.*, +, *JLT Sept. 1, 2020 4677-4682*
- Isolation-Aware 5G RAN Slice Mapping Over WDM Metro-Aggregation Networks. *Yu, H.*, +, *JLT March 15, 2020 1125-1137*
- Joint Superchannel Digital Signal Processing for Effective Inter-Channel Interference Cancellation. *Mazur, M.*, +, *JLT Oct. 15, 2020 5676-5684*
- LDPC-Coded Probabilistic Shaping PAM4 Based on Many-to-One Mapping in WDM-PON. *He, H.*, +, *JLT Aug. 1, 2020 3918-3925*
- LDPC-Coded Probabilistic Shaping PAM8 Employing a Novel Bit-Weighted Distribution Matching in WDM-PON. *Zhao, X.*, +, *JLT Sept. 1, 2020 4641-4647*
- Mirror-Based Broadband Silicon-Photonics Vertical I/O With Coupling Efficiency Enhancement for Standard Single-Mode Fiber. *Noriki, A.*, +, *JLT June 15, 2020 3147-3155*
- Mismatched Models to Lower Bound the Capacity of Optical Fiber Channels. *Garcia-Gomez, F.J.*, +, *JLT Dec. 15, 2020 6779-6787*
- Mode Locked Laser Phase Noise Reduction Under Optical Feedback for Coherent DWDM Communication. *Verolet, T.*, +, *JLT Oct. 15, 2020 5708-5715*
- Monolithic Integrated InGaAs/InAlAs WDM-APDs With Partially Depleted Absorption Region and Evanescently Coupled Waveguide Structure. *Zhao, Y.*, +, *JLT Aug. 15, 2020 4385-4396*
- Multi-Band Direct-Detection Transmission Over an Ultrawide Bandwidth Hollow-Core NANF. *Hong, Y.*, +, *JLT May 15, 2020 2849-2857*
- Neuromorphic Photonics With Coherent Linear Neurons Using Dual-IQ Modulation Cells. *Mourgias-Alexandris, G.*, +, *JLT Feb. 15, 2020 811-819*
- Nonlinear Spectrum of Conventional OFDM and WDM Return-to-Zero Signals in Nonlinear Channel. *Turitsyn, S.*, +, *JLT Jan. 15, 2020 352-358*
- Opportunities and Challenges of C+L Transmission Systems. *Cantono, M.*, +, *JLT March 1, 2020 1050-1060*
- Passive Visible-to-Telecom Converter Using Tunable Perovskites and Silicon Photonics. *Cheng, Z.*, +, *JLT July 1, 2020 3533-3539*
- Power-Efficient Single-Sideband Transmission With Clipped Iterative SSB Cancellation. *Le, S.T.*, +, *JLT Aug. 15, 2020 4359-4367*
- Principle, Design, and Prototyping of Core Selective Switch Using Free-Space Optics for Spatial Channel Network. *Jinno, M.*, +, *JLT Sept. 15, 2020 4895-4905*
- Probabilistically Shaped Rate-Adaptive Polar-Coded 256-QAM WDM Optical Transmission System. *Iqbal, S.*, +, *JLT April 1, 2020 1800-1808*
- Provisioning in Multi-Band Optical Networks. *Sambo, N.*, +, *JLT May 1, 2020 2598-2605*

Silicon Nitride (Si_3N_4) (De-)Multiplexers for 1- μm CWDM Optical Interconnects. *Cheung, S.S.*, +, *JLT July 1, 2020 3404-3413*

Silicon Photonic 2.5D Multi-Chip Module Transceiver for High-Performance Data Centers. *Abrams, N.C.*, +, *JLT July 1, 2020 3346-3357*

Single Sideband Transmission Employing a 1-to-4 ADC Frontend and Parallel Digitization. *Le, S.T.*, +, *JLT June 15, 2020 3125-3134*

SNR Model for Generalized Droop With Constant Output Power Amplifier Systems and Experimental Measurements. *Downie, J.D.*, +, *JLT June 15, 2020 3214-3220*

Statistical Evaluation of PAM4 Data Center Interconnect System With Slope-Compensating Fiber Bragg Grating Tunable Dispersion Compensation Module. *Searcy, S.*, +, *JLT June 15, 2020 3173-3179*

Techno-Economic Impact of Filterless Data Plane and Agile Control Plane in the 5G Optical Metro. *Pavon-Marino, P.*, +, *JLT Aug. 1, 2020 3801-3814*

Wavelength Division Multiplexing of 194 Continuous Variable Quantum Key Distribution Channels. *Eriksson, T.A.*, +, *JLT April 15, 2020 2214-2218*

Wavelength-Division Demultiplexing Enhanced by Silicon-Photonic Tunable Filters in Ultra-Wideband Optical-Path Networks. *Mori, Y.*, +, *JLT March 1, 2020 1002-1009*

WDM-Based Silicon Photonic Multi-Socket Interconnect Architecture With Automated Wavelength and Thermal Drift Compensation. *Zanetto, F.*, +, *JLT Nov. 1, 2020 6000-6006*

Weakly-Coupled MDM-WDM Amplification and Transmission Based on Compact FM-EDFA. *Zhu, J.*, +, *JLT Sept. 15, 2020 5163-5169*

Wideband Steady-State and Pulse Propagation Modeling of a Reflective Quantum-Dot Semiconductor Optical Amplifier. *Safari Anzabi, K.*, +, *JLT Feb. 15, 2020 797-803*

Wavelet transforms

Enhancing the Physical Layer Security of OFDM-PONs With Hardware Fingerprint Authentication: A Machine Learning Approach. *Li, S.*, +, *JLT June 15, 2020 3238-3245*

On the 2D Post-Processing of Brillouin Optical Time-Domain Analysis. *Zaslowski, S.*, +, *JLT July 15, 2020 3723-3736*

Wavemeters

A Novel Wavemeter With 64 Attometer Spectral Resolution Based on Rayleigh Speckle Obtained From Single-Mode Fiber. *Zhang, Z.*, +, *JLT Aug. 15, 2020 4548-4554*

Weapons

Differentiator-Based Photonic Instantaneous Frequency Measurement for Radar Warning Receiver. *Lin, T.*, +, *JLT Aug. 1, 2020 3942-3949*

Whispering gallery modes

Logic Gates Based on Interaction of Counterpropagating Light in Microresonators. *Moroney, N.*, +, *JLT March 15, 2020 1414-1419*

Noise-Induced Limits of Detection in Frequency Locked Optical Microcavities. *Hao, S.*, +, *JLT Nov. 15, 2020 6393-6401*

Packaged Microbubble Resonator for Versatile Optical Sensing. *Yang, D.*, +, *JLT Aug. 15, 2020 4555-4559*

Polymer-Coated Hollow Fiber Optofluidic Laser for Refractive Index Sensing. *Zhao, X.*, +, *JLT March 15, 2020 1550-1556*

Tunable Autler-Townes-Like Resonance Splitting in a Bent Fiber-Optic Fabry-Perot Resonator: 3D Modeling and Experimental Verification. *Dyshlyuk, A.V.*, +, *JLT Dec. 15, 2020 6918-6923*

Wide area networks

IT and Multi-layer Online Resource Allocation and Offline Planning in Metropolitan Networks. *Garrich, M.*, +, *JLT June 15, 2020 3190-3199*

Wide band gap semiconductors

Efficient Sub-Bandgap Photodetection via Two-Dimensional Electron Gas in ZnO Based Heterojunction. *Kaushik, V.*, +, *JLT Nov. 1, 2020 6031-6037*

Ultra-Sensitive Cholesterol Sensor Using Gold and Zinc-Oxide Nanoparticles Immobilized Core Mismatch MPM/SPS Probe. *Agrawal, N.*, +, *JLT April 15, 2020 2523-2529*

Wideband

Guest Editorial Ultra Wideband WDM Systems. *Napoli, A.*, +, *JLT March 1, 2020 998-1001*

Wiener filters

Weak Coupling Point Detection in Distributed Polarization Coupling Measurement Based on Variational Mode Decomposition. *Wen, G.*, +, *JLT Aug. 1, 2020 4061-4074*

WiMax

Multi-Beamforming Provided by Dual-Wavelength True Time Delay PIC and Multicore Fiber. *Morant, M.*, +, *JLT Oct. 1, 2020 5311-5317*

Wireless channels

A General Orthogonal Transform Aided MIMO Design for Reliable Maritime Visible Light Communications. *Huang, G.*, +, *JLT Dec. 1, 2020 6549-6560*

A Novel Cooperative HARQ Protocol for Free-Space Optical Broadcasting Systems. *Hosseini, S.S.*, +, *JLT April 1, 2020 1789-1799*

Analog Coherent TDMA Receiver With Fast Locking to Free-Running Optical Emitters. *Schrenk, B.*, +, *JLT Jan. 15, 2020 379-385*

Delay-Tolerant Indoor Optical Wireless Communication Systems Based on Attention-Augmented Recurrent Neural Network. *He, J.*, +, *JLT Sept. 1, 2020 4632-4640*

Distributed Multi-User MIMO Transmission Using Real-Time Sigma-Delta-Over-Fiber for Next Generation Fronthaul Interface. *Wu, C.*, +, *JLT Feb. 15, 2020 705-713*

Experimental Characterization of Nonlinear Distortions of Semiconductor Optical Amplifiers in the WDM Regime. *Arnould, A.*, +, *JLT Jan. 15, 2020 509-513*

Group Delay-Based Wideband Photonic Receive-Mode Radio-Frequency Beamforming. *Mondich, M.J.*, +, *JLT Nov. 1, 2020 5893-5907*

Huffman-Coded Sphere Shaping and Distribution Matching Algorithms via Lookup Tables. *Fehenberger, T.*, +, *JLT May 15, 2020 2826-2834*

Optical Wireless Channel Simulation for Communications Inside Aircraft Cockpits. *Combeau, P.*, +, *JLT Oct. 15, 2020 5635-5648*

Optical Wireless Communications Adopting Delay-Tolerant Repetition-Coding With Orthogonal-Filters and On-Demand Equalization. *Song, T.*, +, *JLT Aug. 15, 2020 4250-4259*

Phase and Frequency Recovery Algorithms for Probabilistically Shaped Transmission. *Barbosa, F.A.*, +, *JLT April 1, 2020 1827-1835*

The Movement-Rotation (MR) Correlation Function and Coherence Distance of VLC Channels. *Chen, J.*, +, *JLT Dec. 15, 2020 6759-6770*

X

X-ray detection

Highly-Sensitive Indirect-Conversion X-Ray Detector With an Embedded Photodiode Formed by a Three-Dimensional Dual-Gate Thin-Film Transistor. *Xu, Y.*, +, *JLT July 15, 2020 3775-3780*

X-ray effects

Comparison Study of Radiation-Resistant Polarization-Maintaining PANDA Fibers With Undoped- and N-Doped-Silica Core. *Tomashuk, A.L.*, +, *JLT Oct. 15, 2020 5817-5824*

Y

Young's modulus

Sensitivity-Enhanced Distributed Hydrostatic Pressure Sensor Based on BOTDA in Single-Mode Fiber With Double-Layer Polymer Coatings. *Dong, Y.*, +, *JLT April 15, 2020 2564-2571*

Ytterbium

A Wide Flat Triple Brillouin Frequency Spacing Multiwavelength Fiber Laser Assisted by Four Wave Mixing. *Al-Alimi, A.W.*, +, *JLT Dec. 1, 2020 6648-6654*

Coexistence of Quasi-CW and SBS-Boosted Self-Q-Switched Pulsing in Ytterbium-Doped Fiber Laser With Low Q -Factor Cavity. *Barmenkov, Y.O.*, +, *JLT July 15, 2020 3751-3758*

Color Variation of the Up-Conversion Luminescence in Er^{3+} - Yb^{3+} Co-Doped Lead Germanate Glasses and Microsphere Integrated Devices. *Zhang, M.*, +, *JLT Aug. 15, 2020 4397-4401*

Demonstration of an All-Fiber Ultra-Low Numerical Aperture Ytterbium-Doped Large Mode Area Fiber in a Master Oscillator Power Amplifier

- Configuration Above 1 kW Power Level. *Midilli, Y., +, JLT April 1, 2020 1915-1920*
- Design of a Multi-Wavelength Fiber Laser Based on Tm:Er:Yb:Ho Co-Doped Germanate Glass. *Falconi, M.C., +, JLT April 15, 2020 2406-2413*
- Effect of P-to-Rare Earth Atomic Ratio on Energy Transfer in Er-Yb-Doped Optical Fiber. *Kobayashi, Y., +, JLT Aug. 15, 2020 4504-4512*
- Investigation of Thermal Loads for Transverse Mode Instability in Ytterbium-Doped Large Mode Area Fibers. *Xia, N., +, JLT Aug. 15, 2020 4478-4489*
- Ionizing Radiation Effect upon Er/Yb Co-Doped Fibre Made by In-Situ Nano Solution Doping. *Fan, D., +, JLT Nov. 15, 2020 6334-6344*
- Modeling and Analysis of a Pulsed Yb-Tm Fiber Laser System. *Tao, M., +, JLT Dec. 1, 2020 6635-6643*
- Modeling and Characterization of Cladding-Pumped Erbium-Ytterbium Co-Doped Fibers for Amplification in Communication Systems. *Matte-Breton, C., +, JLT April 1, 2020 1936-1944*
- S² Measurements Showing Suppression of Higher Order Modes in Confined Rare Earth Doped Large Core Fibers. *Gausmann, S., +, JLT April 1, 2020 1953-1958*
- Selective Excitation and Amplification of Peak-Power-Scalable Out-of-Phase Supermode in Yb-Doped Multicore Fiber. *Andrianov, A.V., +, JLT April 15, 2020 2464-2470*
- Tandem-Pumped High-Power Narrow-Linewidth Fiber Laser Tunable From 1060–1090 nm. *Tian, J., +, JLT March 15, 2020 1461-1467*
- Ti₂CT_x (T=O, OH or F) Nanosheets as New Broadband Saturable Absorber for Ultrafast Photonics. *Shi, Y., +, JLT April 1, 2020 1975-1980*
- Tunable, Single-Wavelength Fiber Ring Lasers Based on Rare Earth-Doped, Double-Peanut Fiber Interferometers. *Wan, H., +, JLT March 15, 2020 1501-1505*
- Ytterbium compounds**
- Yb/Ce Codoped Aluminosilicate Fiber With High Laser Stability for Multi-kW Level Laser. *She, S., +, JLT Dec. 15, 2020 6924-6931*
- Yttrium compounds**
- Femtosecond-Laser-Written S-Curved Waveguide in Nd:YAP Crystal: Fabrication and Multi-Gigahertz Lasing. *Li, L., +, JLT Dec. 15, 2020 6845-6852*
- Z**
- Zinc compounds**
- L-Band Wavelength-Tunable Er³⁺-Doped Tellurite Fiber Lasers. *Fu, S., +, JLT March 15, 2020 1435-1438*
- Efficient Sub-Bandgap Photodetection via Two-Dimensional Electron Gas in ZnO Based Heterojunction. *Kaushik, V., +, JLT Nov. 1, 2020 6031-6037*
- Ultra-Sensitive Cholesterol Sensor Using Gold and Zinc-Oxide Nanoparticles Immobilized Core Mismatch MPM/SPS Probe. *Agrawal, N., +, JLT April 15, 2020 2523-2529*
- Zirconium compounds**
- 20.6 W Mid-Infrared Supercontinuum Generation in ZBLAN Fiber With Spectrum of 1.9–4.3 μm. *Yang, L., +, JLT Sept. 15, 2020 5122-5127*
- Zoology**
- A Review: Neural-Inspired Photonic Functional Systems for Dynamic RF Signal Processing. *Fok, M.P., JLT Oct. 1, 2020 5318-5326*