



# IEEE ROBOTICS & AUTOMATION LETTERS

A PUBLICATION OF THE IEEE ROBOTICS & AUTOMATION SOCIETY

APRIL 2022

VOLUME 7

NUMBER 2

IRALC6

(ISSN 2377-3766)

LETTERS

Vertebraic Soft Robotic Joint Design With Twisting and Antagonism . . . . .	<i>J. Liu, X. Wang, S. Liu, J. Yi, X. Wang, and Z. Wang</i>	658
AcousNet: A Deep Learning Based Approach to Dynamic 3D Holographic Acoustic Field Generation From Phased Transducer Array . . . . .	<i>C. Zhong, Y. Jia, D. C. Jeong, Y. Guo, and S. Liu</i>	666
On the Efficiency of the SST Planner to Find Time Optimal Trajectories Among Obstacles With a DDR Under Second Order Dynamics . . . . .	<i>R. Arteaga, E. Antonio, I. Becerra, and R. Murrieta-Cid</i>	674
Model Predictive Control and Transfer Learning of Hybrid Systems Using Lifting Linearization Applied to Cable Suspension Systems . . . . .	<i>J. Ng and H. H. Asada</i>	682
Performance, Precision, and Payloads: Adaptive Nonlinear MPC for Quadrotors . . . . .	<i>D. Hanover, P. Foehn, S. Sun, E. Kaufmann, and D. Scaramuzza</i>	690
CertainNet: Sampling-Free Uncertainty Estimation for Object Detection . . . . .	<i>S. Gasperini, J. Haug, M.-A. N. Mahani, A. Marcos-Ramiro, N. Navab, B. Busam, and F. Tombari</i>	698
Optimization-Based Maneuver Planning for a Tractor-Trailer Vehicle in a Curvy Tunnel: A Weak Reliance on Sampling and Search . . . . .	<i>B. Li, L. Li, T. Acarman, Z. Shao, and M. Yue</i>	706
A Global Max-Flow-Based Multi-Resolution Next-Best-View Method for Reconstruction of 3D Unknown Objects . . . . .	<i>S. Pan and H. Wei</i>	714
EgoNN: Egocentric Neural Network for Point Cloud Based 6DoF Relocalization at the City Scale . . . . .	<i>J. Komorowski, M. Wysoczanska, and T. Trzcinski</i>	722
Goal-Driven Autonomous Exploration Through Deep Reinforcement Learning . . . . .	<i>R. Cimurs, I. H. Suh, and J. H. Lee</i>	730
Multi-Scale Interaction for Real-Time LiDAR Data Segmentation on an Embedded Platform . . . . .	<i>S. Li, X. Chen, Y. Liu, D. Dai, C. Stachniss, and J. Gall</i>	738
Modeling and Control of Flapping-Wing Micro-Aerial Vehicles With Harmonic Sinusoids . . . . .	<i>R. McGill, N.-S. P. Hyun, and R. J. Wood</i>	746
Multi-Agent Active Search: A Reinforcement Learning Approach . . . . .	<i>C. Igoe, R. Ghods, and J. Schneider</i>	754
Forming Real-World Human-Robot Cooperation for Tasks With General Goal . . . . .	<i>L. Tao, M. Bowman, J. Zhang, and X. Zhang</i>	762
Testing Robot System Safety by Creating Hazardous Human Worker Behavior in Simulation . . . . .	<i>T. P. Huck, C. Ledermann, and T. Kröger</i>	770
Fast Direct Stereo Visual SLAM . . . . .	<i>J. Mo, M. J. Islam, and J. Sattar</i>	778
Toward Gait Symmetry Enhancement via a Cable-Driven Exoskeleton Powered by Series Elastic Actuators . . . . .	<i>B. Zhong, K. Guo, H. Yu, and M. Zhang</i>	786
In-Ground-Effect Model Based Adaptive Altitude Control of Rotorcraft Unmanned Aerial Vehicles . . . . .	<i>T. H. Anh, N. T. Binh, and J. W. Song</i>	794
BIT-DMR: A Humanoid Dual-Arm Mobile Robot for Complex Rescue Operations . . . . .	<i>Z. Sun, H. Yang, Y. Ma, X. Wang, Y. Mo, H. Li, and Z. Jiang</i>	802
Information-Driven Fast Marching Autonomous Exploration With Aerial Robots . . . . .	<i>P. Zhong, B. Chen, S. Lu, X. Meng, and Y. Liang</i>	810
Deep Reinforcement Learning Based Game-Theoretic Decision-Making for Autonomous Vehicles . . . . .	<i>M. Yuan, J. Shan, and K. Mi</i>	818
Contact Sequence Planning for Hexapod Robots in Sparse Foothold Environment Based on Monte-Carlo Tree . . . . .	<i>P. Xu, L. Ding, Z. Wang, H. Gao, R. Zhou, Z. Gong, and G. Liu</i>	826

(Contents Continued on Page i)



---

Development and Stiffness Optimization for a Flexible-Tail Robotic Fish . . . . .	834
Unified and Fast Human Trajectory Prediction Via Conditionally Parameterized Normalizing Flow . . . . .	842
A Reinforcement Learning Approach in Assignment of Task Priorities in Kinematic Control of Redundant Robots . . . . .	850
High-Throughput Data Acquisition Platform for Multi-Larvae Touch-Response Behavior Screening of Zebrafish* . . . . .	858
Koopman Linearization for Data-Driven Batch State Estimation of Control-Affine Systems . . . . .	866
Research Challenges and Progress in Robotic Grasping and Manipulation Competitions . . . . .	874
MotionBenchMaker: A Tool to Generate and Benchmark Motion Planning Datasets . . . . .	882
Learning Cooperative Multi-Agent Policies With Partial Reward Decoupling . . . . .	890
Explanation-Aware Experience Replay in Rule-Dense Environments . . . . .	898
ACD-EDMD: Analytical Construction for Dictionaries of Lifting Functions in Koopman Operator-Based Nonlinear Robotic Systems . . . . .	906
Modular Two-Degree-of-Freedom Transformable Wheels Capable of Overcoming Obstacle . . . . .	914
2-Dimensional Dynamic Analysis of Inverted Pendulum Robot With Transformable Wheel for Overcoming Steps . . . . .	921
Flexible and Resource-Efficient Multi-Robot Collaborative Visual-Inertial-Range Localization . . . . .	928
Underactuated Soft Hip Exosuit Based on Adaptive Oscillators to Assist Human Locomotion . . . . .	936
Model-Free Safety-Critical Control for Robotic Systems . . . . .	944
Tightly-Coupled Magneto-Visual-Inertial Fusion for Long Term Localization in Indoor Environment . . . . .	952
Learning Submodular Objectives for Team Environmental Monitoring . . . . .	960
Utilization of Image/Force/Tactile Sensor Data for Object-Shape-Oriented Manipulation: Wiping Objects With Turning Back Motions and Occlusion . . . . .	968
Semi-Supervised Learning: Structure, Reflectance and Lighting Estimation From a Night Image Pair . . . . .	976
Learning an Explainable Trajectory Generator Using the Automaton Generative Network (AGN) . . . . .	984
Diverse Behaviors of a Single-Motor-Driven Soft-Bodied Robot Utilizing the Resonant Vibration of 2D Repetitive Slit Patterns . . . . .	992
Viscoelastic Fluid-Inspired Swarm Behavior to Reduce Susceptibility to Local Minima: The Chain Siphon Algorithm . . . . .	1000
CoMet: Modeling Group Cohesion for Socially Compliant Robot Navigation in Crowded Scenes . . . . .	1008
Keeping an Eye on Things: Deep Learned Features for Long-Term Visual Localization . . . . .	1016
DNN-Based Predictive Model for a Batoid-Inspired Soft Robot . . . . .	1024
Domain Concretization From Examples: Addressing Missing Domain Knowledge Via Robust Planning . . . . .	1032
Burst Imaging for Light-Constrained Structure-From-Motion . . . . .	1040
An Immersed Boundary-Lattice Boltzmann Method for Hydrodynamic Propulsion of Helical Microrobots at Low Reynolds Numbers . . . . .	1048
Generalization of Robot Force-Relevant Skills Through Adapting Compliant Profiles . . . . .	1055

---

Stein ICP for Uncertainty Estimation in Point Cloud Matching . . . . .	<i>F. A. Maken, F. Ramos, and L. Ott</i>	1063
Utilising Incipient Slip for Grasping Automation in Robot Assisted Surgery . . . . .	<i>I. Waters, D. Jones, A. Alazmani, and P. Culmer</i>	1071
MinkLoc3D-SI: 3D LiDAR Place Recognition With Sparse Convolutions, Spherical Coordinates, and Intensity . . . . .	<i>K. Żywanowski, A. Banaszczyk, M. R. Nowicki, and J. Komorowski</i>	1079
GRAB: GRADient-Based Shape-Adaptive Locomotion Control . . . . .	<i>S. Phodapol, T. Chuthong, B. Leung, A. Srisuchinnawong, P. Manoonpong, and N. Dilokthanakul</i>	1087
Where Should I Look? Optimized Gaze Control for Whole-Body Collision Avoidance in Dynamic Environments . . . . .	<i>M. N. Finean, W. Merkt, and I. Havoutis</i>	1095
Self-Supervised Depth and Ego-Motion Estimation for Monocular Thermal Video Using Multi-Spectral Consistency Loss . . . . .	<i>U. Shin, K. Lee, S. Lee, and I. S. Kweon</i>	1103
Adaptively Exploits Local Structure With Generalised Multi-Trees Motion Planning . . . . .	<i>T. Lai and F. Ramos</i>	1111
Bio-Inspired Breastfeeding Simulator Integrated With Software Interface and Feedback Controls . . . . .	<i>L. Jiang, N. S. Varnousfaderani, R. Hallac, A. Kane, Y. Tadesse, and F. Hassanipour</i>	1118
Automated Stability Testing of Elastic Rods With Helical Centerlines Using a Robotic System . . . . .	<i>D. Tong, A. Borum, and M. K. Jawed</i>	1126
Active SLAM With Prior Topo-Metric Graph Starting At Uncertain Position . . . . .	<i>W. Xue, R. Ying, F. Wen, Y. Chen, and P. Liu</i>	1134
Kernel-Based Dynamic Ensemble Technique for Remaining Useful Life Prediction . . . . .	<i>H.-W. Lu and C.-Y. Lee</i>	1142
DiSCo-SLAM: Distributed Scan Context-Enabled Multi-Robot LiDAR SLAM With Two-Stage Global-Local Graph Optimization . . . . .	<i>Y. Huang, T. Shan, F. Chen, and B. Englot</i>	1150
Adaptive Cubature Split Covariance Intersection Filter for Multi-Vehicle Cooperative Localization . . . . .	<i>S. Fang, H. Li, and M. Yang</i>	1158
FIORA : A Flexible Tendon-Driven Continuum Manipulator for Laparoscopic Surgery . . . . .	<i>F. Wang, H. Wang, J. Luo, X. Kang, H. Yu, H. Lu, Y. Dong, and X. Jia</i>	1166
Multifingered Grasping Based on Multimodal Reinforcement Learning . . . . .	<i>H. Liang, L. Cong, N. Hendrich, S. Li, F. Sun, and J. Zhang</i>	1174
Balancing the Budget: Feature Selection and Tracking for Multi-Camera Visual-Inertial Odometry . . . . .	<i>L. Zhang, D. Wisth, M. Camurri, and M. Fallon</i>	1182
Probabilistic Coordination of Heterogeneous Teams From Capability Temporal Logic Specifications . . . . .	<i>M. Cai, K. Leahy, Z. Serlin, and C.-I. Vasile</i>	1190
Learning Sparse Interaction Graphs of Partially Detected Pedestrians for Trajectory Prediction . . . . .	<i>Z. Huang, R. Li, K. Shin, and K. Driggs-Campbell</i>	1198
Deep Weakly Supervised Positioning for Indoor Mobile Robots . . . . .	<i>R. Wang, X. Xu, L. Ding, Y. Huang, and C. Feng</i>	1206
A Fast and Efficient Attitude Control Algorithm of a Tilt-Rotor Aerial Platform Using Inputs Redundancies . . . . .	<i>Y. Su, L. Ruan, P. Yu, C.-H. Pi, M. J. Gerber, and T.-C. Tsao</i>	1214
Target-Mass Grasping of Entangled Food Using Pre-Grasping & Post-Grasping . . . . .	<i>K. Takahashi, N. Fukaya, and A. Ummadisingu</i>	1222
Learning Free Gait Transition for Quadruped Robots Via Phase-Guided Controller . . . . .	<i>Y. Shao, Y. Jin, X. Liu, W. He, H. Wang, and W. Yang</i>	1230
Optimal Target Shape for LiDAR Pose Estimation . . . . .	<i>J.-K. Huang, W. Clark, and J. W. Grizzle</i>	1238
Bilateral vs. Paretic-Limb-Only Ankle Exoskeleton Assistance for Improving Hemiparetic Gait: A Case Series . . . . .	<i>Y. Fang and Z. F. Lerner</i>	1246
The Biasing of Action Selection Produces Emergent Human-Robot Interactions in Autonomous Driving . . . . .	<i>M. Da Lio, R. Donà, G. P. R. Papini, and A. Plebe</i>	1254
Deployable Soft Pneumatic Networks (D-PneuNets) Actuator With Dual-Morphing Origami Chambers for High-Compactness . . . . .	<i>W. Kim, B. Seo, S. Y. Yu, and K.-J. Cho</i>	1262
Parameterized Particle Filtering for Tactile-Based Simultaneous Pose and Shape Estimation . . . . .	<i>B. Liang, W. Liang, and Y. Wu</i>	1270
Control Strategy for Shoulder-SideWINDER With Kinematics, Load Estimation, and Friction Compensation: Preliminary Validation . . . . .	<i>D. Park, C. Di Natali, D. G. Caldwell, and J. Ortiz</i>	1278
Learning Policies by Learning Rules . . . . .	<i>B. Araki, J. Choi, L. Chin, X. Li, and D. Rus</i>	1284
Posetal Games: Efficiency, Existence, and Refinement of Equilibria in Games With Prioritized Metrics . . . . .	<i>A. Zanardi, G. Zardini, S. Srinivasan, S. Bolognani, A. Censi, F. Dörfler, and E. Frazzoli</i>	1292

---

Evoked Tactile Feedback and Control Scheme on Functional Utility of Prosthetic Hand . . . . .	1300
. . . . . <i>L. Vargas, H. Huang, Y. Zhu, and X. Hu</i>	
A Reconfigurable Leg for Walking Robots . . . . .	1308
. . . . . <i>F. Nan, H. Kolvenbach, and M. Hutter</i>	
A Right Invariant Extended Kalman Filter for Object Based SLAM . . . . .	1316
. . . . . <i>Y. Song, Z. Zhang, J. Wu, Y. Wang, L. Zhao, and S. Huang</i>	
Double-Nozzle Capillary Force Gripper for Cubical, Triangular Prismatic, and Helical 1-mm-Sized-Objects . . . . .	1324
. . . . . <i>K. Tanaka, T. Ito, Y. Nishiyama, E. Fukuchi, and O. Fuchiwaki</i>	
A Real-Time Online Learning Framework for Joint 3D Reconstruction and Semantic Segmentation of Indoor Scenes . . . . .	1332
. . . . . <i>D. Menini, S. Kumar, M. R. Oswald, E. Sandström, C. Sminchisescu, and L. Van Gool</i>	
A Force-Controlled Parallel Robot for Large-Range Stiffness Rendering in Three Dimensions . . . . .	1340
. . . . . <i>Y.-H. Lai, S.-Y. Huang, and C.-C. Lan</i>	
A Novel Single-Arm Stapling Robot for Oral and Maxillofacial Surgery—Design and Verification . . . . .	1348
. . . . . <i>J. Zhang, W. Wang, Y. Cai, J. Li, Y. Zeng, L. Chen, F. Yuan, Z. Ji, Y. Wang, and J. Wyrwa</i>	
Passivity and Control Barrier Functions: Optimizing the Use of Energy . . . . .	1356
. . . . . <i>B. Capelli, C. Secchi, and L. Sabattini</i>	
On the Design, Modeling and Experimental Verification of a Floating Satellite Platform . . . . .	1364
. . . . . <i>A. Banerjee, S. G. Satpute, C. Kanellakis, I. Tevetzidis, J. Haluska, P. Bodin, and G. Nikolakopoulos</i>	
Obstacle-Overcoming and Stabilization Mechanism of a Rope-Riding Mobile Robot on a Façade* . . . . .	1372
. . . . . <i>K. U. Lee, K. M. Ko, S. J. Park, H. S. Kim, and T. W. Seo</i>	
Distributionally Robust Policy Learning via Adversarial Environment Generation . . . . .	1379
. . . . . <i>A. Z. Ren and A. Majumdar</i>	
Manipulation Planning From Demonstration Via Goal-Conditioned Prior Action Primitive Decomposition and Alignment . . . . .	1387
. . . . . <i>N. Lin, Y. Li, K. Tang, Y. Zhu, X. Zhang, R. Wang, J. Ji, X. Chen, and X. Zhang</i>	
Visual-Guided Solutions in Automated Zebrafish Larva Heart Micro-Injection . . . . .	1395
. . . . . <i>C. Qian, X. Yu, M. Tong, S. Zhuang, and W. Lin</i>	
Trapping and 3-D Manipulation of Magnetic Microparticles Using Parametric Excitation . . . . .	1403
. . . . . <i>P. Punyabrahma, G. R. Jayanth, and A. K. Mohanty</i>	
DM-VIO: Delayed Marginalization Visual-Inertial Odometry . . . . .	1408
. . . . . <i>L. von Stumberg and D. Cremers</i>	
Can Cars Gesture? A Case for Expressive Behavior Within Autonomous Vehicle and Pedestrian Interactions . . . . .	1416
. . . . . <i>P. Schmitt, N. Britten, J. H. Jeong, A. Coffey,</i> <i>K. Clark, S. S. Kothawade, E. C. Grigore, A. Khaw, C. Konopka, L. Pham, K. Ryan, C. Schmitt, and E. Frazzoli</i>	
A Linking Invariant for Truss Robot Motion Planning . . . . .	1424
. . . . . <i>A. Spinos and M. Yim</i>	
Mobile Robot Localization Considering Uncertainty of Depth Regression From Camera Images . . . . .	1431
. . . . . <i>N. Akai</i>	
Design and Modeling of a Compound Twisted and Coiled Actuator Based on Spandex Fibers and an SMA Skeleton . . . . .	1439
. . . . . <i>H. Zhang, G. Yang, T. Zheng, W. Shen, Y. Wang, G. Zhang, Z. Fang, and C. Zhang</i>	
CoCo: Online Mixed-Integer Control Via Supervised Learning . . . . .	1447
. . . . . <i>A. Cauligi, P. Culbertson, E. Schmerling, M. Schwager, B. Stellato, and M. Pavone</i>	
Learning Selective Communication for Multi-Agent Path Finding . . . . .	1455
. . . . . <i>Z. Ma, Y. Luo, and J. Pan</i>	
SCVP: Learning One-Shot View Planning via Set Covering for Unknown Object Reconstruction . . . . .	1463
. . . . . <i>S. Pan, H. Hu, and H. Wei</i>	
K-Closest Points and Maximum Clique Pruning for Efficient and Effective 3-D Laser Scan Matching . . . . .	1471
. . . . . <i>Y.-K. Lin, W.-C. Lin, and C.-C. Wang</i>	
Unified Method for Task-Space Motion/Force/Impedance Control of Manipulator With Unknown Contact Reaction Strategy . . . . .	1478
. . . . . <i>Y. Lin, Z. Chen, and B. Yao</i>	
A Generalized Index for Fault-Tolerant Control in Operational Space Under Free-Swinging Actuation Failure . . . . .	1486
. . . . . <i>Y. Lee, N. Tsagarakis, C. Ott, and J. Lee</i>	
REVE-CE: Remote Embodied Visual Referring Expression in Continuous Environment . . . . .	1494
. . . . . <i>X. Li, D. Guo, H. Liu, and F. Sun</i>	
Fast and Robust Registration of Partially Overlapping Point Clouds . . . . .	1502
. . . . . <i>E. Arnold, S. Mozaffari, and M. Dianati</i>	
Learning Accurate and Stable Point-to-Point Motions: A Dynamic System Approach . . . . .	1510
. . . . . <i>Y. Zhang, L. Cheng, H. Li, and R. Cao</i>	
UV-SLAM: Unconstrained Line-Based SLAM Using Vanishing Points for Structural Mapping . . . . .	1518
. . . . . <i>H. Lim, J. Jeon, and H. Myung</i>	
Data-Driven Modelling and Control for Robot Needle Insertion in Deep Anterior Lamellar Keratoplasty . . . . .	1526
. . . . . <i>W. Edwards, G. Tang, Y. Tian, M. Draelos, J. Izatt, A. Kuo, and K. Hauser</i>	
Accurate and Robust Object SLAM With 3D Quadric Landmark Reconstruction in Outdoors . . . . .	1534
. . . . . <i>R. Tian, Y. Zhang, Y. Feng, L. Yang, Z. Cao, S. Coleman, and D. Kerr</i>	

---

An Adaptive Finite-Time Force-Sensorless Tracking Control Scheme for Pneumatic Muscle Actuators by an Optimal Force Estimation . . . . .	<i>C. P. Vo and K. K. Ahn</i>	1542
Contrastive Instance Association for 4D Panoptic Segmentation Using Sequences of 3D LiDAR Scans . . . . .	<i>R. Marcuzzi, L. Nunes, L. Wiesmann, I. Vizzo, J. Behley, and C. Stachniss</i>	1550
Cooperative Continuum Robots: Enhancing Individual Continuum Arms by Reconfiguring Into a Parallel Manipulator . . . . .	<i>M. Russo, N. Sriratanasak, W. Ba, X. Dong, A. Mohammad, and D. Axinte</i>	1558
EMG-Driven Machine Learning Control of a Soft Glove for Grasping Assistance and Rehabilitation . . . . .	<i>M. Sierotowicz, N. Lotti, L. Nell, F. Missiroli, R. Alicea, X. Zhang, M. Xiloyannis, R. Rupp, E. Papp, J. Krzywinski, C. Castellini, and L. Masia</i>	1566
Realtime Global Attention Network for Semantic Segmentation . . . . .	<i>X. Mo and X. Chen</i>	1574
Passive Wall Tracking for a Rotorcraft With Tilted and Ducted Propellers Using Proximity Effects . . . . .	<i>R. Ding, Y.-H. Hsiao, H. Jia, S. Bai, and P. Chirarattananon</i>	1581
Scalable Scene Flow From Point Clouds in the Real World . . . . .	<i>P. Jund, C. Sweeney, N. Abdo, Z. Chen, and J. Shlens</i>	1589
Behavioral Diversity Generated From Body–Environment Interactions in a Simulated Tensegrity Robot . . . . .	<i>R. Terajima, K. Inoue, S. Yonekura, K. Nakajima, and Y. Kuniyoshi</i>	1597
Non-Contact Cooperative Manipulation of Magnetic Microparticles Using Two Robotic Electromagnetic Needles . . . . .	<i>O. Işitman, H. Bettahar, and Q. Zhou</i>	1605
Q-Attention: Enabling Efficient Learning for Vision-Based Robotic Manipulation . . . . .	<i>S. James and A. J. Davison</i>	1612
A Compact and Agile Angled-Spoke Wheel-Based Mobile Robot for Uneven and Granular Terrains . . . . .	<i>K. Lee, S. Ryu, C. Kim, and T. W. Seo</i>	1620
Decoupled Right Invariant Error States for Consistent Visual-Inertial Navigation . . . . .	<i>Y. Yang, C. Chen, W. Lee, and G. Huang</i>	1627
LanCon-Learn: Learning With Language to Enable Generalization in Multi-Task Manipulation . . . . .	<i>A. Silva, N. Moorman, W. Silva, Z. Zaidi, N. Gopalan, and M. Gombolay</i>	1635
Dynamic Modeling of Tendon-Driven Co-Manipulative Continuum Robots . . . . .	<i>A. Jalali and F. Janabi-Sharifi</i>	1643
Robust Self-Supervised LiDAR Odometry Via Representative Structure Discovery and 3D Inherent Error Modeling . . . . .	<i>Y. Xu, J. Lin, J. Shi, G. Zhang, X. Wang, and H. Li</i>	1651
DVGG: Deep Variational Grasp Generation for Dextrous Manipulation . . . . .	<i>W. Wei, D. Li, P. Wang, Y. Li, W. Li, Y. Luo, and J. Zhong</i>	1659
Snake Robot Gripper Module for Search and Rescue in Narrow Spaces . . . . .	<i>S. Han, S. Chon, J. Y. Kim, J. Seo, D. G. Shin, S. Park, J. T. Kim, J. Kim, M. Jin, and J. Cho</i>	1667
Fusing Convolutional Neural Network and Geometric Constraint for Image-Based Indoor Localization . . . . .	<i>J. Song, M. Patel, and M. Ghaffari</i>	1674
Dynamic Modeling of Magnetic Helical Microrobots . . . . .	<i>X. Wang, C. Hu, S. Pané, and B. J. Nelson</i>	1682
Experimental Closed-Loop Excitation of Nonlinear Normal Modes on an Elastic Industrial Robot . . . . .	<i>F. Bjelonic, A. Sachtler, A. Albu-Schäffer, and C. D. Santina</i>	1689
Reconstructing Occluded Elevation Information in Terrain Maps With Self-Supervised Learning . . . . .	<i>M. Stölzle, T. Miki, L. Gerdes, M. Azkarate, and M. Hutter</i>	1697
Pneumatic Quasi-Passive Variable Stiffness Mechanism for Energy Storage Applications . . . . .	<i>L. Mišković, M. Dežman, and T. Petrič</i>	1705
Formation Tracking and Obstacle Avoidance for Multiple Quadrotors With Static and Dynamic Obstacles . . . . .	<i>J. Qi, J. Guo, M. Wang, C. Wu, and Z. Ma</i>	1713
Fusing Topology Optimization and Pseudo-Rigid-Body Method For the Development of a Finger Exoskeleton . . . . .	<i>R. Liang, G. Xu, M. Li, B. He, and U. Khalique</i>	1721
Autonomous Magnetic Navigation Framework for Active Wireless Capsule Endoscopy Inspired by Conventional Colonoscopy Procedures . . . . .	<i>Y. Xu, K. Li, Z. Zhao, and M. Q.-H. Meng</i>	1729
An Optimal Variable Impedance Control With Consideration of the Stability . . . . .	<i>Z. Jin, A. Liu, W.-an Zhang, and L. Yu</i>	1737
Detecting Scalable Obstacles Using Soft Sensors in the Body of a Compliant Quadruped . . . . .	<i>D. Özbek, T. B. Yılmaz, M. A. İ. Kalın, K. Şentürk, and O. Özcan</i>	1745
A Self-Supervised Sampler for Efficient Action Recognition: Real-World Applications in Surveillance Systems . . . . .	<i>M. Seo, D. Cho, S. Lee, J. Park, D. Kim, J. Lee, J. Ju, H. Noh, and D.-G. Choi</i>	1752
Differential Dynamic Programming With Nonlinear Safety Constraints Under System Uncertainties . . . . .	<i>G. Alcan and V. Kyriki</i>	1760
Nonmyopic Informative Path Planning Based on Global Kriging Variance Minimization . . . . .	<i>C. Xiao and J. Wachs</i>	1768

---

Efficient Analytical Derivatives of Rigid-Body Dynamics Using Spatial Vector Algebra . . . . .	<i>S. Singh, R. P. Russell, and P. M. Wensing</i>	1776
iCaps: Iterative Category-Level Object Pose and Shape Estimation . . . . .	<i>X. Deng, J. Geng, T. Bretl, Y. Xiang, and D. Fox</i>	1784
A Simulation-Based Metaheuristic Approach to Integrated Scheduling of Seedling Production . . . . .	<i>J. Feng, X. Hu, and N. Kong</i>	1792
Enabling Low-Cost Full Surface Tactile Skin for Human Robot Interaction . . . . .	<i>X. Fan, D. Lee, L. Jackel, R. Howard, D. Lee, and V. Isler</i>	1800
Acoustic Shadowing Aware Robotic Ultrasound: Lighting up the Dark . . . . .	<i>V. Sutedjo, M. Tirindelli, C. Eilers, W. Simson, B. Busam, and N. Navab</i>	1808
AirCode: A Robust Object Encoding Method . . . . .	<i>K. Xu, C. Wang, C. Chen, W. Wu, and S. Scherer</i>	1816
Why-So-Deep: Towards Boosting Previously Trained Models for Visual Place Recognition . . . . .	<i>M. U. M. Bhutta, Y. Sun, D. Lau, and M. Liu</i>	1824
A Static Modeling Approach for Thin-Walled Soft Robotic Arms Considering Geometric and Material Nonlinearity . . . . .	<i>T. Wang and X. Zhang</i>	1832
PANet: A Pixel-Level Attention Network for 6D Pose Estimation With Embedding Vector Features . . . . .	<i>T. Xie, K. Wang, R. Li, X. Tang, and L. Zhao</i>	1840
Design and Implementation of an Automatic Batch Microinjection System for Zebrafish Larvae . . . . .	<i>Z. Chi, Q. Xu, N. Ai, and W. Ge</i>	1848
Design and Control of a Highly Redundant Rigid-flexible Coupling Robot to Assist the COVID-19 Oropharyngeal-Swab Sampling . . . . .	<i>Y. Hu, J. Li, Y. Chen, Q. Wang, C. Chi, H. Zhang, Q. Gao, Y. Lan, Z. Li, Z. Mu, Z. Sun, and A. Knoll</i>	1856
Design and Kinematic Modeling of In-Situ Torsionally-Steerable Flexible Surgical Robots . . . . .	<i>Y. Kong, S. Song, N. Zhang, J. Wang, and B. Li</i>	1864
Dynamic Locomotion Teleoperation of a Reduced Model of a Wheeled Humanoid Robot Using a Whole-Body Human-Machine Interface . . . . .	<i>S. Wang and J. Ramos</i>	1872
CLEVERarm: A Lightweight and Compact Exoskeleton for Upper-Limb Rehabilitation . . . . .	<i>A. Zeiaee, R. S. Zarrin, A. Eib, R. Langari, and R. Tafreshi</i>	1880
Real-Time Collision-Free Grasp Pose Detection With Geometry-Aware Refinement Using High-Resolution Volume . . . . .	<i>J. Cai, J. Cen, H. Wang, and M. Y. Wang</i>	1888
DiNNO: Distributed Neural Network Optimization for Multi-Robot Collaborative Learning . . . . .	<i>J. Yu, J. A. Vincent, and M. Schwager</i>	1896
Learning Safe, Generalizable Perception-Based Hybrid Control With Certificates . . . . .	<i>C. Dawson, B. Lowenkamp, D. Goff, and C. Fan</i>	1904
Precision Motion Control of Robotized Industrial Hydraulic Excavators via Data-Driven Model Inversion . . . . .	<i>M. Lee, H. Choi, C. U Kim, J. Moon, D. Kim, and D. Lee</i>	1912
RRT* and Goal-Driven Variable Admittance Control for Obstacle Avoidance in Manual Guidance Applications . . . . .	<i>D. Bazzi, G. Priora, A. M. Zanchettin, and P. Rocco</i>	1920
Sablas: Learning Safe Control for Black-Box Dynamical Systems . . . . .	<i>Z. Qin, D. Sun, and C. Fan</i>	1928
Performance Improvement of a High-Speed Swimming Robot for Fish-Like Leaping . . . . .	<i>D. Chen, Z. Wu, P. Zhang, M. Tan, and J. Yu</i>	1936
Safety-Critical Control With Nonaffine Control Inputs Via a Relaxed Control Barrier Function for an Autonomous Vehicle . . . . .	<i>J. Seo, J. Lee, E. Baek, R. Horowitz, and J. Choi</i>	1944
Convex Iteration for Distance-Geometric Inverse Kinematics . . . . .	<i>M. Giamou, F. Marić, D. M. Rosen, V. Peretroukhin, N. Roy, I. Petrović, and J. Kelly</i>	1952
Model for Multi-View Residual Covariances Based on Perspective Deformation . . . . .	<i>A. Fontan, L. Oliva, J. Civera, and R. Triebel</i>	1960
Bird's-Eye-View Panoptic Segmentation Using Monocular Frontal View Images . . . . .	<i>N. Gosala and A. Valada</i>	1968
VMV-GCN: Volumetric Multi-View Based Graph CNN for Event Stream Classification . . . . .	<i>B. Xie, Y. Deng, Z. Shao, H. Liu, and Y. Li</i>	1976
Bodies Uncovered: Learning to Manipulate Real Blankets Around People via Physics Simulations . . . . .	<i>K. Puthuveetil, C. C. Kemp, and Z. Erickson</i>	1984
Trajectory Planning in Unknown 2D Workspaces: A Smooth, Reactive, Harmonics-Based Approach . . . . .	<i>P. Rousseas, C. P. Bechlioulis, and K. J. Kyriakopoulos</i>	1992
Direct LiDAR Odometry: Fast Localization With Dense Point Clouds . . . . .	<i>K. Chen, B. T. Lopez, A.-akbar Agha-mohammadi, and A. Mehta</i>	2000
Binary Graph Descriptor for Robust Relocalization on Heterogeneous Data . . . . .	<i>X. Wang, M. Christie, and E. Marchand</i>	2008

---

Radar-Based Materials Classification Using Deep Wavelet Scattering Transform: A Comparison of Centimeter vs. Millimeter Wave Units . . . . .	<i>R. N. Khushaba and A. J. Hill</i>	2016
A Modular Lockable Mechanism for Tendon-Driven Robots: Design, Modeling and Characterization . . . . .	<i>B. Lin, J. Wang, S. Song, B. Li, and M. Q.-H. Meng</i>	2023
LoopNet: Where to Focus? Detecting Loop Closures in Dynamic Scenes . . . . .	<i>H. Osman, N. Darwish, and A. E. M. Bayoumi</i>	2031
A Novel Neural Multi-Store Memory Network for Autonomous Visual Navigation in Unknown Environment . . . . .	<i>H. Sang, R. Jiang, Z. Wang, Y. Zhou, and B. He</i>	2039
Linear Policies are Sufficient to Realize Robust Bipedal Walking on Challenging Terrains . . . . .	<i>L. Krishna, G. A. Castillo, U. A. Mishra, A. Hereid, and S. Kolathaya</i>	2047
Extrinsic Calibration of Multiple Inertial Sensors From Arbitrary Trajectories . . . . .	<i>J. Lee, D. Hanley, and T. Bretl</i>	2055
Motor-Level N-MPC for Cooperative Active Perception With Multiple Heterogeneous UAVs . . . . .	<i>M. Jacquet, M. Kivits, H. Das, and A. Franchi</i>	2063
Learning and Leveraging Features in Flow-Like Environments to Improve Situational Awareness . . . . .	<i>T. Salam, V. Edwards, and M. A. Hsieh</i>	2071
Design and Experimental Validation of a Shock-Absorption Mechanism Inspired From the Frog's Forelimbs . . . . .	<i>J. Xiao, S. Ma, J. Mo, Y. Li, and B. Li</i>	2079
Topology Optimization Design and Experiment of a Soft Pneumatic Bending Actuator for Grasping Applications . . . . .	<i>C.-H. Liu, L.-J. Chen, J.-C. Chi, and J.-Y. Wu</i>	2086
Towards the Development of Variable Elasticity Devices . . . . .	<i>V. Arshad and H. Rodrigue</i>	2094
Multi-Fingered In-Hand Manipulation With Various Object Properties Using Graph Convolutional Networks and Distributed Tactile Sensors . . . . .	<i>S. Funabashi, T. Isobe, F. Hongyi, A. Hiramoto, A. Schmitz, S. Sugano, and T. Ogata</i>	2102
Six-Degree-of-Freedom Localization With a 3-Axis Accelerometer and a 2-Axis Magnetometer for Magnetic Capsule Endoscopy . . . . .	<i>A. J. Sperry, J. J. Christensen, and J. J. Abbott</i>	2110
SegContrast: 3D Point Cloud Feature Representation Learning Through Self-Supervised Segment Discrimination . . . . .	<i>L. Nunes, R. Marcuzzi, X. Chen, J. Behley, and C. Stachniss</i>	2116
Vision-Based Self-Adaptive Gripping in a Trimodal Robotic Sorting End-Effector . . . . .	<i>R. Sadeghian, S. Shahin, and S. Sareh</i>	2124
Object Gathering With a Tethered Robot Duo . . . . .	<i>Y. Su, Y. Jiang, Y. Zhu, and H. Liu</i>	2132
Aerobatic Tic-Toc Control of Planar Quadcopters via Reinforcement Learning . . . . .	<i>Z. Wang, R. Groß, and S. Zhao</i>	2140
VisuoTactile 6D Pose Estimation of an In-Hand Object Using Vision and Tactile Sensor Data . . . . .	<i>S. Dikhale, K. Patel, D. Dhingra, I. Naramura, A. Hayashi, S. Iba, and N. Jamali</i>	2148
Control and Transport of Passive Particles Using Self-Organized Spinning Micro-Disks . . . . .	<i>F. N. P. Basualdo, G. Gardi, W. Wang, S. O. Demir, A. Bolopion, M. Gauthier, P. Lambert, and M. Sitti</i>	2156
Anytime 3D Object Reconstruction Using Multi-Modal Variational Autoencoder . . . . .	<i>H. Yu and J. Oh</i>	2162
Maximized Hydrodynamic Stimulation Strategy for Placement of Differential Pressure and Velocity Sensors in Artificial Lateral Line Systems . . . . .	<i>Z. Yang, Z. Gong, Y. Jiang, Y. Cai, Z. Ma, X. Na, Z. Dong, and D. Zhang</i>	2170
A Dynamic Task Allocation Strategy to Mitigate the Human Physical Fatigue in Collaborative Robotics . . . . .	<i>C. Messeri, A. Bicchi, A. M. Zanchettin, and P. Rocco</i>	2178
A Bidirectional Soft Biomimetic Hand Driven by Water Hydraulic for Dexterous Underwater Grasping . . . . .	<i>H. Wang, H. Xu, F. J. Abu-Dakka, V. Kyrki, C. Yang, X. Li, and S. Chen</i>	2186
Passivity-Based Adaptive Force-Impedance Control for Modular Multi-Manual Object Manipulation . . . . .	<i>E. Shahriari, S. A. B. Birjandi, and S. Haddadin</i>	2194
Weakly Supervised Disentangled Representation for Goal-Conditioned Reinforcement Learning . . . . .	<i>Z. Qian, M. You, H. Zhou, and B. He</i>	2202
Robust Control of a Multi-Axis Shape Memory Alloy-Driven Soft Manipulator . . . . .	<i>Z. J. Patterson, A. P. Sabelhaus, and C. Majidi</i>	2210
Learning Visual Localization of a Quadrotor Using Its Noise as Self-Supervision . . . . .	<i>M. Nava, A. Paolillo, J. Guzzi, L. M. Gambardella, and A. Giusti</i>	2218
Time-Optimized Online Planning For Parallel Parking With Nonlinear Optimization and Improved Monte Carlo Tree Search . . . . .	<i>S. Song, H. Chen, H. Sun, M. Liu, and T. Xia</i>	2226
Planning for Dexterous Ungrasping: Secure Ungrasping Through Dexterous Manipulation . . . . .	<i>C. H. Kim, K. H. Mak, and J. Seo</i>	2234
End-to-End Optimization of LiDAR Beam Configuration for 3D Object Detection and Localization . . . . .	<i>N. Vödisch, O. Unal, K. Li, L. Van Gool, and D. Dai</i>	2242

---

A Surgeon Preference-Guided Autonomous Instrument Tracking Method With a Robotic Flexible Endoscope Based on dVRK Platform . . . . .	<i>Y. Huang, J. Li, X. Zhang, K. Xie, J. Li, Y. Liu, C. S. H. Ng, P. W. Y. Chiu, and Z. Li</i>	2250
Controlling Palm-Object Interactions Via Friction for Enhanced In-Hand Manipulation . . . . .	<i>C. B. Teeple, B. Aktaş, M. C. Yuen, G. R. Kim, R. D. Howe, and R. J. Wood</i>	2258
M2DGR: A Multi-Sensor and Multi-Scenario SLAM Dataset for Ground Robots . . . . .	<i>J. Yin, A. Li, T. Li, W. Yu, and D. Zou</i>	2266
Autonomous Source Term Estimation in Unknown Environments: From a Dual Control Concept to UAV Deployment . . . . .	<i>C. Rhodes, C. Liu, and W.-H. Chen</i>	2274
Improving Object Pose Estimation by Fusion With a Multimodal Prior – Utilizing Uncertainty-Based CNN Pipelines for Robotics . . . . .	<i>J. Richter-Klug, P. Mania, G. Kazhoyan, M. Beetz, and U. Frese</i>	2282
Multi-Robot Collaborative Perception With Graph Neural Networks . . . . .	<i>Y. Zhou, J. Xiao, Y. Zhou, and G. Loianno</i>	2289
Fast Decomposition of Temporal Logic Specifications for Heterogeneous Teams . . . . .	<i>K. Leahy, A. Jones, and C.-I. Vasile</i>	2297
A Learned Stereo Depth System for Robotic Manipulation in Homes . . . . .	<i>K. Shankar, M. Tjersland, J. Ma, K. Stone, and M. Bajracharya</i>	2305
A Lightweight Beak-Like Sensing System for Grasping Tasks of Flapping Aerial Robots . . . . .	<i>D. Feliu-Talegón, J. Á. Acosta, V. Feliu-Battle, and A. Ollero</i>	2313
Hypotheses Disambiguation in Retrospective . . . . .	<i>O. Shelly and V. Indelman</i>	2321
Multi-Trajectory Approach for a Generic Coordination Paradigm of Wheeled Mobile Manipulators . . . . .	<i>G. Picard, R. Lenain, Y. Mezouar, B. Thuilot, and J. Lanerit</i>	2329
Strict Modes Everywhere – Bringing Order Into Dynamics of Mechanical Systems by a Potential Compatible With the Geodesic Flow . . . . .	<i>A. Sachtler and A. Albu-Schäffer</i>	2337
Recognizing User Proficiency in Piloting Small Unmanned Aerial Vehicles (sUAV) . . . . .	<i>S. Kunde, E. Palmer, and B. Duncan</i>	2345
An Efficient Locally Reactive Controller for Safe Navigation in Visual Teach and Repeat Missions . . . . .	<i>M. Mattamala, N. Chebrolu, and M. Fallon</i>	2353
Taxim: An Example-Based Simulation Model for GelSight Tactile Sensors . . . . .	<i>Z. Si and W. Yuan</i>	2361
Chip-Less Real-Time Wireless Sensing of Endotracheal Intubation Tubes by Printing and Mounting Conformable Antenna Tag . . . . .	<i>G. Ponraj, C. J. Cai, and H. Ren</i>	2369
Combining Learning-Based Locomotion Policy With Model-Based Manipulation for Legged Mobile Manipulators . . . . .	<i>Y. Ma, F. Farshidian, T. Miki, J. Lee, and M. Hutter</i>	2377
Automated Microhand System for Measuring Cell Stiffness By Using Two Plate End-Effectors . . . . .	<i>M. Kawakami, M. Kojima, Y. Masuda, Y. Mae, T. Horii, T. Nagai, M. Nakahata, S. Sakai, and T. Arai</i>	2385
Dynamic Primitives Limit Human Force Regulation During Motion . . . . .	<i>A. M. West, J. Hermus, M. E. Huber, P. Maurice, D. Sternad, and N. Hogan</i>	2391
Continuous-Time Vs. Discrete-Time Vision-Based SLAM: A Comparative Study . . . . .	<i>G. Cioffi, T. Cieslewski, and D. Scaramuzza</i>	2399
Transverse Anisotropy Stabilizes Concentric Tube Robots . . . . .	<i>C. Rucker, J. Childs, P. Molaei, and H. B. Gilbert</i>	2407
Offline Reference Trajectory Shaping for a Cable-Driven Earthquake Simulator Based on a Viscoelastic Cable Model . . . . .	<i>Y. Sugahara, T. Ueki, D. Matsuura, Y. Takeda, and M. Yoshida</i>	2415
Monocular Visual-Inertial Sensing of Unknown Rotating Objects: Observability Analyses and Case Study for Metric 3D Reconstructing of Space Debris . . . . .	<i>Y. Zhang, J. Xu, P. Zhang, W. Li, K. Yu, and P. Huang</i>	2423
Clock and Power-Induced Bias Correction for UWB Time-of-Flight Measurements . . . . .	<i>J. Cano, G. Pagès, É. Chaumette, and J. LeNy</i>	2431
DIRECT: A Differential Dynamic Programming Based Framework for Trajectory Generation . . . . .	<i>K. Cao, M. Cao, S. Yuan, and L. Xie</i>	2439
Universal Manipulation Policy Network for Articulated Objects . . . . .	<i>Z. Xu, Z. He, and S. Song</i>	2447
Towards Accurate Loop Closure Detection in Semantic SLAM With 3D Semantic Covisibility Graphs . . . . .	<i>Z. Qian, J. Fu, and J. Xiao</i>	2455
A Rapid Water Sliding Robot Optimized by Bionic Motion Trajectory . . . . .	<i>X. Zhang, J. Yan, K. Yang, J. Zhao, and S. Tang</i>	2463
Soft Pneumatic Actuator Model Based on a Pressure-Dependent Spatial Nonlinear Rod Theory . . . . .	<i>S. R. Eugster, J. Harsch, M. Bartholdt, M. Herrmann, M. Wiese, and G. Capobianco</i>	2471
TelePhysicalOperation: Remote Robot Control Based on a Virtual “Marionette” Type Interaction Interface . . . . .	<i>D. Torielli, L. Muratore, A. Laurenzi, and N. Tsagarakis</i>	2479



---

UFOExplorer: Fast and Scalable Sampling-Based Exploration With a Graph-Based Planning Structure . . . . .	<i>D. Duberg and P. Jensfelt</i>	2487
MORI-A: Soft Vacuum-Actuated Module With 3D-Printable Deformation Structure . . . . .	<i>J. Ogawa, T. Mori, Y. Watanabe, M. Kawakami, MD N. I. Shiblee, and H. Furukawa</i>	2495
Robust Path Planner for Autonomous Vehicles on Roads With Large Curvature . . . . .	<i>Y. Sun, D. Ren, S. Lian, S. Fu, X. Teng, and M. Fan</i>	2503
Development of a Novel 2-Dimensional Neck Haptic Device for Gait Balance Training . . . . .	<i>H. Lee, A. Eizad, J. Park, Y. Kim, S. Hwang, M.-K. Oh, and J. Yoon</i>	2511
PQ-Transformer: Jointly Parsing 3D Objects and Layouts From Point Clouds . . . . .	<i>X. Chen, H. Zhao, G. Zhou, and Y.-Q. Zhang</i>	2519
An Efficient and Scalable Collection of Fly-Inspired Voting Units for Visual Place Recognition in Changing Environments . . . . .	<i>B. Arcanjo, B. Ferrarini, M. Milford, K. D. McDonald-Maier, and S. Ehsan</i>	2527
Stiffness Measurement of Organoids Using a Wide-Range Force Sensor Probe Fabricated Using a Quartz Crystal Resonator . . . . .	<i>S. Watanabe, H. Sugiura, and F. Arai</i>	2535
G3DOA: Generalizable 3D Descriptor With Overlap Attention for Point Cloud Registration . . . . .	<i>H. Zhao, H. Zhuang, C. Wang, and M. Yang</i>	2541
Inferring Human-Robot Performance Objectives During Locomotion Using Inverse Reinforcement Learning and Inverse Optimal Control . . . . .	<i>W. Liu, J. Zhong, R. Wu, B. L Fylstra, J. Si, and H. ( H. ) Huang</i>	2549
Rigid, Soft, Passive, and Active: A Hybrid Occupational Exoskeleton for Bimanual Multijoint Assistance . . . . .	<i>F. Missiroli, N. Lotti, E. Tricoli, C. Bokranz, R. Alicea, M. Xiloyannis, J. Krzywinski, S. Crea, N. Vitiello, and L. Masia</i>	2557
Bayesian Deep Neural Networks for Supervised Learning of Single-View Depth . . . . .	<i>J. Rodríguez-Puigvert, R. Martínez-Cantín, and J. Civera</i>	2565
Learning With Few Examples the Semantic Description of Novel Human-Inspired Grasp Strategies From RGB Data . . . . .	<i>L. Collodi, D. Bacciu, M. Bianchi, and G. Averta</i>	2573
3-D Electromagnetic Position Estimation System Using High-Magnetic-Permeability Metal for Continuum Medical Robots . . . . .	<i>H. Wang, S. Wang, H. Liu, K. Rhode, Z.-G. Hou, and R. Rajamani</i>	2581
Tactile Super-Resolution Model for Soft Magnetic Skin . . . . .	<i>Y. Yan, Y. Shen, C. Song, and J. Pan</i>	2589
Efficient Industrial Solution for Robotic Task Sequencing Problem With Mutual Collision Avoidance & Cycle Time Optimization . . . . .	<i>H. Touzani, N. Séguy, H. Hadj-Abdelkader, R. Suárez, J. Rosell, L. Palomo-Avellaneda, and S. Bouchafa</i>	2597
Active-Type Continuously Variable Transmission System Based on a Twisted String Actuator . . . . .	<i>J. H. Jang, Y.-U. Song, and J.-H. Ryu</i>	2605
Quasi-Globally Optimal and Real-Time Visual Compass in Manhattan Structured Environments . . . . .	<i>P. Kim, H. Li, and K. Joo</i>	2613
TRC: Trust Region Conditional Value at Risk for Safe Reinforcement Learning . . . . .	<i>D. Kim and S. Oh</i>	2621
A “Look-Backward-and-Forward” Adaptation Strategy for Assessing Parameter Estimation Error of Human Motion Prediction Model . . . . .	<i>S. Chen, Y. Zhu, Y. Liu, C. Zhang, Z. Piao, and G. Yang</i>	2629
Radar Occupancy Prediction With Lidar Supervision While Preserving Long-Range Sensing and Penetrating Capabilities . . . . .	<i>P.-C. Kung, C.-C. Wang, and W.-C. Lin</i>	2637
Show Me What You Can Do: Capability Calibration on Reachable Workspace for Human-Robot Collaboration . . . . .	<i>X. Gao, L. Yuan, T. Shu, H. Lu, and S.-C. Zhu</i>	2644
Tendon-Driven Soft Robotic Gripper for Blackberry Harvesting . . . . .	<i>A. L. Gunderman, J. A. Collins, A. L. Myers, R. T. Threlfall, and Y. Chen</i>	2652
Incorporating Compositions in Qualitative Approaches . . . . .	<i>J. Zilberman, E. Rivlin, and V. Indelman</i>	2660
Triply Periodic Channels Enable Soft Pneumatic Linear Actuator With Single Material and Scalability . . . . .	<i>F. Chen, Y. Miao, L. Zhang, S. Chen, and X. Zhu</i>	2668
GamePlan: Game-Theoretic Multi-Agent Planning With Human Drivers at Intersections, Roundabouts, and Merging . . . . .	<i>R. Chandra and D. Manocha</i>	2676
TCL: Tightly Coupled Learning Strategy for Weakly Supervised Hierarchical Place Recognition . . . . .	<i>Y. Shen, R. Wang, W. Zuo, and N. Zheng</i>	2684
ART-SLAM: Accurate Real-Time 6DoF LiDAR SLAM . . . . .	<i>M. Frosi and M. Matteucci</i>	2692
Workspace Computation of Planar Continuum Parallel Robots . . . . .	<i>F. Zaccaria, E. Idá, S. Briot, and M. Carricato</i>	2700
Virtual Inertia as an Energy Dissipation Element for Haptic Interfaces . . . . .	<i>H. Choi, N. G. Kim, A. Jafari, H. Singh, and J.-H. Ryu</i>	2708

Stepwise Goal-Driven Networks for Trajectory Prediction . . . . .	<i>C. Wang, Y. Wang, M. Xu, and D. J. Crandall</i>	2716
User-Adaptive Variable Damping Control Using Bayesian Optimization to Enhance Physical Human-Robot Interaction . . . . .	<i>F. Zahedi, D. Chang, and H. Lee</i>	2724
Multi-Terrain Velocity Control of the Spherical Robot by Online Obtaining the Uncertainties in the Dynamics . . . . .	<i>Y. Liu, Y. Wang, X. Guan, Y. Wang, S. Jin, T. Hu, W. Ren, J. Hao, J. Zhang, and G. Li</i>	2732
Efficient and Interpretable Robot Manipulation With Graph Neural Networks . . . . .	<i>Y. Lin, A. S. Wang, E. Undersander, and A. Rai</i>	2740
A Novel Passive Shoulder Exoskeleton Designed With Variable Stiffness Mechanism . . . . .	<i>F. Balseer, R. Desai, A. Ekizoglou, and S. Bai</i>	2748
Safety Embedded Differential Dynamic Programming Using Discrete Barrier States . . . . .	<i>H. Almubarak, K. Stachowicz, N. Sadegh, and E. A. Theodorou</i>	2755
Recurrent Neural Network With Preisach Model for Configuration-Specific Hysteresis Modeling of Tendon-Sheath Mechanism . . . . .	<i>D. Kim, H. Kim, and S. Jin</i>	2763
Smooth Parameterization of Rigid-Body Inertia . . . . .	<i>C. Rucker and P. M. Wensing</i>	2771
ADHERENT: Learning Human-like Trajectory Generators for Whole-body Control of Humanoid Robots . . . . .	<i>P. M. Viceconte, R. Camoriano, G. Romualdi, D. Ferigo, S. Dafarra, S. Traversaro, G. Oriolo, L. Rosasco, and D. Pucci</i>	2779
Passive Inverse Dynamics Control Using a Global Energy Tank for Torque-Controlled Humanoid Robots in Multi-Contact . . . . .	<i>N. Ramuzat, S. Boria, and O. Stasse</i>	2787
Direct Trajectory Optimization of Free-Floating Space Manipulator for Reducing Spacecraft Variation . . . . .	<i>X. Shao, W. Yao, X. Li, G. Sun, and L. Wu</i>	2795
MSC-VO: Exploiting Manhattan and Structural Constraints for Visual Odometry . . . . .	<i>J. P. Company-Corcoles, E. Garcia-Fidalgo, and A. Ortiz</i>	2803
Design and Stiffness Analysis of a Novel 7-DOF Cable-Driven Manipulator . . . . .	<i>S. Pang, W. Shang, F. Zhang, B. Zhang, and S. Cong</i>	2811
KNODE-MPC: A Knowledge-Based Data-Driven Predictive Control Framework for Aerial Robots . . . . .	<i>K. Y. Chee, T. Z. Jiahao, and M. A. Hsieh</i>	2819
Human-State-Aware Controller for a Tethered Aerial Robot Guiding a Human by Physical Interaction . . . . .	<i>M. Allenspach, Y. Vyas, M. Rubio, R. Siegwart, and M. Tognon</i>	2827
Electric Sense Based Pose Estimation and Localization for Small Underwater Robots . . . . .	<i>J. Zheng, C. Huntrakul, X. Guo, C. Wang, and G. Xie</i>	2835
Robust Ungrasping of High Aspect Ratio Objects Through Dexterous Manipulation . . . . .	<i>K. H. Mak, C. H. Kim, and J. Seo</i>	2843
Deep Heterogeneous Dilation of LSTM for Transient-Phase Gesture Prediction Through High-Density Electromyography: Towards Application in Neurorobotics . . . . .	<i>T. Sun, Q. Hu, J. Libby, and S. F. Atashzar</i>	2851
Elastic Vibration Suppression Control for Multilinked Aerial Robot Using Redundant Degrees-of-Freedom of Thrust Force . . . . .	<i>T. Maki, M. Zhao, K. Okada, and M. Inaba</i>	2859
Position and Orientation Tunnel-Following NMPC of Robot Manipulators Based on Symbolic Linearization in Sequential Convex Quadratic Programming . . . . .	<i>A. Astudillo, J. Gillis, M. Diehl, W. Decré, G. Pipeleers, and J. Swevers</i>	2867
Automatic Radar-Camera Dataset Generation for Sensor-Fusion Applications . . . . .	<i>A. Sengupta, A. Yoshizawa, and S. Cao</i>	2875
Hierarchical Policies for Cluttered-Scene Grasping With Latent Plans . . . . .	<i>L. Wang, X. Meng, Y. Xiang, and D. Fox</i>	2883
Programmable Digital Weaves . . . . .	<i>Y. Li, J. Montes, B. Thomaszewski, and S. Coros</i>	2891
Onboard Safety Guarantees for Racing Drones: High-Speed Geofencing With Control Barrier Functions . . . . .	<i>A. Singletary, A. Swann, Y. Chen, and A. D. Ames</i>	2897
Learning Contraction Policies From Offline Data . . . . .	<i>N. Reza zadeh, M. Kolarich, S. S. Kia, and N. Mehr</i>	2905
Navigation-Oriented Scene Understanding for Robotic Autonomy: Learning to Segment Driveability in Egocentric Images . . . . .	<i>G. Humblot-Renaux, L. Marchegiani, T. B. Moeslund, and R. Gade</i>	2913
Robust Localization of Occluded Targets in Aerial Manipulation Via Range-Only Mapping . . . . .	<i>X. Zhang, Y. Zhang, P. Liu, and S. Zhao</i>	2921
REGRAD: A Large-Scale Relational Grasp Dataset for Safe and Object-Specific Robotic Grasping in Clutter . . . . .	<i>H. Zhang, D. Yang, H. Wang, B. Zhao, X. Lan, J. Ding, and N. Zheng</i>	2929
TraEDITs: Diversity and Irregularity-Aware Traffic Trajectory Editing . . . . .	<i>Y. Han, J. Ren, S. Wang, W. Sun, R. Yang, and X. Jin</i>	2937

---

Macro-Mini Linear Actuator Using Electrorheological-Fluid Brake for Impedance Modulation in Physical Human–Robot Interaction . . . . .	<i>R. Chaichaowarat, S. Nishimura, and H. I. Krebs</i>	2945
Range, Endurance, and Optimal Speed Estimates for Multicopters . . . . .	<i>L. Bauersfeld and D. Scaramuzza</i>	2953
Category-Association Based Similarity Matching for Novel Object Pick-and-Place Task . . . . .	<i>H. Chen, T. Kiyokawa, W. Wan, and K. Harada</i>	2961
A Shadowcasting-Based Next-Best-View Planner for Autonomous 3D Exploration . . . . .	<i>A. Batinovic, A. Ivanovic, T. Petrovic, and S. Bogdan</i>	2969
Assimilation Control of a Robotic Exoskeleton for Physical Human-Robot Interaction . . . . .	<i>G. Li, Z. Li, and Z. Kan</i>	2977
Focus on Impact: Indoor Exploration With Intrinsic Motivation . . . . .	<i>R. Bigazzi, F. Landi, S. Cascianelli, L. Baraldi, M. Cornia, and R. Cucchiara</i>	2985
Expectable Motion Unit: Avoiding Hazards From Human Involuntary Motions in Human-Robot Interaction . . . . .	<i>R. J. Kirschner, H. Mayer, L. Burr, N. Mansfeld, S. Abdolshah, and S. Haddadin</i>	2993
Coverage Control of Mobile Robots With Different Maximum Speeds for Time-Sensitive Applications . . . . .	<i>S. Kim, M. Santos, L. Guerrero-Bonilla, A. Yezzi, and M. Egerstedt</i>	3001
Autonomous and Adaptive Navigation for Terrestrial-Aerial Bimodal Vehicles . . . . .	<i>R. Zhang, Y. Wu, L. Zhang, C. Xu, and F. Gao</i>	3008
Posture Control of the Passenger Based on Caregiver’s Wrist Motion for a Step-Climbing Stroller . . . . .	<i>R. Masuda, K. Sasaki, M. Hirokawa, T. Hachisu, and K. Suzuki</i>	3016
OSSID: Online Self-Supervised Instance Detection by (And For) Pose Estimation . . . . .	<i>Q. Gu, B. Okorn, and D. Held</i>	3022
FSNet: A Failure Detection Framework for Semantic Segmentation . . . . .	<i>Q. M. Rahman, N. Sünderhauf, P. Corke, and F. Dayoub</i>	3030
Deformation-Aware Data-Driven Grasp Synthesis . . . . .	<i>T. N. Le, J. Lundell, F. J. Abu-Dakka, and V. Kyriki</i>	3038
Look Closer: Bridging Egocentric and Third-Person Views With Transformers for Robotic Manipulation . . . . .	<i>R. Jangir, N. Hansen, S. Ghosal, M. Jain, and X. Wang</i>	3046
Keypoints-Based Deep Feature Fusion for Cooperative Vehicle Detection of Autonomous Driving . . . . .	<i>Y. Yuan, H. Cheng, and M. Sester</i>	3054
Drone Detection Using Sparse Lidar Measurements . . . . .	<i>S. Dogru and L. Marques</i>	3062
A Gradiometric Magnetic Force Sensor Immune to Stray Magnetic Fields for Robotic Hands and Grippers . . . . .	<i>T. Le Signor, N. Dupré, and G. F. Close</i>	3070
Perception-Aware Perching on Powerlines With Multirotors . . . . .	<i>J. L. Paneque, J. R. Martínez-de Dios, A. Ollero, D. Hanover, S. Sun, A. Romero, and D. Scaramuzza</i>	3077
Reinforcement Learning With Evolutionary Trajectory Generator: A General Approach for Quadrupedal Locomotion . . . . .	<i>H. Shi, B. Zhou, H. Zeng, F. Wang, Y. Dong, J. Li, K. Wang, H. Tian, and M. Q.-H. Meng</i>	3085
Trajectory Optimization and Model Predictive Control for Functional Electrical Stimulation–Controlled Reaching . . . . .	<i>D. N. Wolf and E. M. Scheerer</i>	3093
Structured Action Prediction for Teleoperation in Open Worlds . . . . .	<i>P. Naughton and K. Hauser</i>	3099
Transition Analysis and Practical Flight Control for Ducted Fan Fixed-Wing Aerial Robot: Level Path Flight Mode Transition . . . . .	<i>Z.-H. Cheng and H.-L. Pei</i>	3106
Remote Rotary Mixing and Spraying of Plural Component Protective Coating for Underground Pipe Internal Rehabilitation Lining . . . . .	<i>K. H. Shiu, C. P. Y. Chan, K. H. Koh, C. H. So, M. Farhan, C. Y. Ho, T. H. Wong, and K. W. C. Lai</i>	3114
A Holistic Approach to Reactive Mobile Manipulation . . . . .	<i>J. Haviland, N. Sünderhauf, and P. Corke</i>	3122
Shape Sensing for Continuum Robots by Capturing Passive Tendon Displacements With Image Sensors . . . . .	<i>J. Li, F. Zhang, Z. Yang, Z. Jiang, Z. Wang, and H. Liu</i>	3130
High-Level Planning for Object Manipulation With Multi Heterogeneous Robots in Shared Environments . . . . .	<i>A. Palleschi, G. J. Pollayil, M. J. Pollayil, M. Garabini, and L. Pallottino</i>	3138
Computational Model of Robot Trust in Human Co-Worker for Physical Human–Robot Collaboration . . . . .	<i>Q. Wang, D. Liu, M. G. Carmichael, S. Aldini, and C.-T. Lin</i>	3146
Multi-Agent Embodied Visual Semantic Navigation With Scene Prior Knowledge . . . . .	<i>X. Liu, D. Guo, H. Liu, and F. Sun</i>	3154
Steering Rotating Magnetic Swimmers in 2.5 Dimensions Using Only 2D Ultrasonography for Position Sensing . . . . .	<i>Y. Lu, H. Zhao, A. T. Becker, and J. Leclerc</i>	3162
The MSC Prosthetic Hand: Rapid, Powerful, and Intuitive . . . . .	<i>Y. Cho, Y. Lee, P. Kim, S. Jeong, and K.-S. Kim</i>	3170
Variable Stiffness Robotic Hand Driven by Twisted-Coiled Polymer Actuators . . . . .	<i>T. Luong, S. Seo, J. Hudoklin, J. C. Koo, H. R. Choi, and H. Moon</i>	3178

---

Swing-Up of Underactuated Compliant Arms Via Iterative Learning Control . . . . .	3186
. . . . . <i>M. Pierallini, F. Angelini, A. Bicchi, and M. Garabini</i>	
Spatiotemporal Costmap Inference for MPC Via Deep Inverse Reinforcement Learning . . . . .	3194
. . . . . <i>K. Lee, D. Isele, E. A. Theodorou, and S. Bae</i>	
Geometric Fabrics: Generalizing Classical Mechanics to Capture the Physics of Behavior . . . . .	3202
. . . . . <i>K. Van Wyk, M. Xie, A. Li, M. A. Rana, B. Babich, B. Peele, Q. Wan, I. Akinola, B. Sundaralingam, D. Fox, B. Boots, and N. D. Ratliff</i>	
High Dynamic Range Force Sensing of a Robot Hand Combining Signals on Tip and Wrist . . . . .	3210
. . . . . <i>T. Horikoshi, S. Sakaino, and T. Tsuji</i>	
Competence-Aware Path Planning Via Introspective Perception . . . . .	3218
. . . . . <i>S. Rabiee, C. Basich, K. H. Wray, S. Zilberstein, and J. Biswas</i>	
Probabilistic Spatio-Temporal Fusion of Affordances for Grasping and Manipulation . . . . .	3226
. . . . . <i>C. Pohl and T. Asfour</i>	
Visual Servoing in Autoencoder Latent Space . . . . .	3234
. . . . . <i>S. Felton, P. Brault, E. Fromont, and E. Marchand</i>	
From Key Positions to Optimal Basis Functions for Probabilistic Adaptive Control . . . . .	3242
. . . . . <i>J. Jankowski, M. Racca, and S. Calinon</i>	
Force Control of Grinding Process Based on Frequency Analysis . . . . .	3250
. . . . . <i>Y. Nogi, S. Sakaino, and T. Tsuji</i>	
DNN Patching: Progressive Fixing and Augmenting the Functionalities of DNNs for Autonomous Vehicles . . . . .	3257
. . . . . <i>A. N. Saridena and A. Choromanska</i>	
Interpretable Autonomous Flight Via Compact Visualizable Neural Circuit Policies . . . . .	3265
. . . . . <i>P. Tylkin, T.-H. Wang, K. Palko, R. Allen, H. C. Siu, D. Wrafter, T. Seyde, A. Amini, and D. Rus</i>	
Human-in-the-Loop Weight Compensation in Upper Limb Wearable Robots Towards Total Muscles' Effort Minimization . . . . .	3273
. . . . . <i>R. Nasiri, H. Aftabi, and M. N. Ahmadabadi</i>	
Task Autonomous Medical Robot for Both Incision Stapling and Staples Removal . . . . .	3279
. . . . . <i>J. Wang, C. Yue, G. Wang, Y. Gong, H. Li, W. Yao, S. Kuang, W. Liu, J. Wang, and B. Su</i>	
Safe Learning-Based Feedback Linearization Tracking Control for Nonlinear System With Event-Triggered Model Update . . . . .	3286
. . . . . <i>Z. Wu, R. Yang, L. Zheng, and H. Cheng</i>	
MR-GMMapping: Communication Efficient Multi-Robot Mapping System via Gaussian Mixture Model . . . . .	3294
. . . . . <i>H. Dong, J. Yu, Y. Xu, Z. Xu, Z. Shen, J. Tang, Y. Shen, and Y. Wang</i>	
Understanding Bird's-Eye View of Road Semantics Using an Onboard Camera . . . . .	3302
. . . . . <i>Y. B. Can, A. Liniger, O. Unal, D. Paudel, and L. Van Gool</i>	
A 4-Degree-of-Freedom Parallel Origami Haptic Device for Normal, Shear, and Torsion Feedback . . . . .	3310
. . . . . <i>S. R. Williams, J. M. Suchoski, Z. Chua, and A. M. Okamura</i>	
Multi-Objective Path-Based D* Lite . . . . .	3318
. . . . . <i>Z. Ren, S. Rathinam, M. Likhachev, and H. Choset</i>	
P2SLAM: Bearing Based WiFi SLAM for Indoor Robots . . . . .	3326
. . . . . <i>A. Arun, R. Ayyalasomayajula, W. Hunter, and D. Bharadia</i>	
A Woodpecker's Tongue-Inspired, Bendable and Extendable Robot Manipulator With Structural Stiffness . . . . .	3334
. . . . . <i>R. Matsuda, U. K. Mavinkurve, A. Kanada, K. Honda, Y. Nakashima, and M. Yamamoto</i>	
RSV: Robotic Sonography for Thyroid Volumetry . . . . .	3342
. . . . . <i>J. Zielke, C. Eilers, B. Busam, W. Weber, N. Navab, and T. Wendler</i>	
Contact State Estimation for Peg-in-Hole Assembly Using Gaussian Mixture Model . . . . .	3349
. . . . . <i>H. Lee, S. Park, K. Jang, S. Kim, and J. Park</i>	
Mechanical Variable Magnetic Gear Transmission: Concept and Preliminary Research . . . . .	3357
. . . . . <i>E. Lee, H. Song, J. Jeong, and S. Jeong</i>	
Trajectory Optimization Using Learned Robot-Terrain Interaction Model in Exploration of Large Subterranean Environments . . . . .	3365
. . . . . <i>R. Agishev, T. Petříček, and K. Zimmermann</i>	
Kinverse: A Symbolic Articulation Model Framework for Model-Agnostic Mobile Manipulation . . . . .	3372
. . . . . <i>A. Röfer, G. Bartels, W. Burgard, A. Valada, and M. Beetz</i>	
Optimization of Stress Distribution in Tendon-Driven Continuum Robots Using Fish-Tail-Inspired Method . . . . .	3380
. . . . . <i>Y. Sun, Y. Liu, and T. C. Lueth</i>	
Dynamics-Aware Metric Embedding: Metric Learning in a Latent Space for Visual Planning . . . . .	3388
. . . . . <i>M. Hong, K. Lee, M. Kang, W. Jung, and S. Oh</i>	
SIMJig - Smart Independent Minimalist Jig . . . . .	3396
. . . . . <i>G. Levi, Y. Golan, and A. Shapiro</i>	
Unsupervised Domain Adaptation for LiDAR Panoptic Segmentation . . . . .	3404
. . . . . <i>B. Bešić, N. Gosala, D. Cattaneo, and A. Valada</i>	
A Modular Approach to Design Multi-Channel Bistable Valves for Integrated Pneumatically-Driven Soft Robots via 3D-Printing . . . . .	3412
. . . . . <i>S. Wang, L. He, and P. Maiolino</i>	

---

Optimum Design of a Novel Bio-Inspired Bat Robot . . . . .	<i>T. Sui, T. Zou, and D. Riskin</i>	3419
Using Collocated Vision and Tactile Sensors for Visual Servoing and Localization . . . . .	<i>A. N. Chaudhury, T. Man, W. Yuan, and C. G. Atkeson</i>	3427
H2GNN: Hierarchical-Hops Graph Neural Networks for Multi-Robot Exploration in Unknown Environments . . . . .	<i>H. Zhang, J. Cheng, L. Zhang, Y. Li, and W. Zhang</i>	3435
Polymer-Based Optical Waveguide Triaxial Tactile Sensing for 3-Dimensional Curved Shell . . . . .	<i>D. Cao, J. Hu, Y. Li, S. Wang, and H. Liu</i>	3443
Multi-Agent Motion Planning From Signal Temporal Logic Specifications . . . . .	<i>D. Sun, J. Chen, S. Mitra, and C. Fan</i>	3451
Adaptive Body Schema Learning System Considering Additional Muscles for Musculoskeletal Humanoids . . . . .	<i>K. Kawaharazuka, A. Miki, Y. Toshimitsu, K. Okada, and M. Inaba</i>	3459
A Data Driven Approach for Predicting Preferred Ankle Stiffness of a Quasi-Passive Prosthesis . . . . .	<i>V. S. Shetty, U. H. Lee, K. A. Ingraham, and E. J. Rouse</i>	3467
Self-Supervised Depth Completion for Active Stereo . . . . .	<i>F. Warburg, D. Hernandez-Juarez, J. Tarrío, A. Vakhitov, U. Bonde, and P. F. Alcantarilla</i>	3475
Leveraging Structural Information to Improve Point Line Visual-Inertial Odometry . . . . .	<i>B. Xu, P. Wang, Y. He, Y. Chen, Y. Chen, and M. Zhou</i>	3483
Learning Optical Flow, Depth, and Scene Flow Without Real-World Labels . . . . .	<i>V. Guizilini, K.-H. Lee, R. Ambruş, and A. Gaidon</i>	3491
GAMMA: A General Agent Motion Model for Autonomous Driving . . . . .	<i>Y. Luo, P. Cai, Y. Lee, and D. Hsu</i>	3499
Soft Tracking Using Contacts for Cluttered Objects to Perform Blind Object Retrieval . . . . .	<i>S. Zhong, N. Fazeli, and D. Berenson</i>	3507
Bridging the Gap Between Events and Frames Through Unsupervised Domain Adaptation . . . . .	<i>N. Messikommer, D. Gehrig, M. Gehrig, and D. Scaramuzza</i>	3515
Learning With Dual Demonstration Domains: Random Domain-Adaptive Meta-Learning . . . . .	<i>Z. Hu, W. Li, Z. Gan, W. Guo, J. Zhu, X. Gao, X. Yang, Y. Peng, Z. Zuo, J. Z. Wen, and D. Zhou</i>	3523
Volumetric Instance-Level Semantic Mapping Via Multi-View 2D-to-3D Label Diffusion . . . . .	<i>R. Mascaro, L. Teixeira, and M. Chli</i>	3531
Giraffe Neck Robot: First Step Toward a Powerful and Flexible Robot Prototyping Based on Giraffe Anatomy . . . . .	<i>A. Niikura, H. Nabee, G. Endo, M. Gunji, K. Mori, R. Niiyama, and K. Suzumori</i>	3539
A Biomimetic Suction Cup With a V-Notch Structure Inspired by the Net-Winged Midge Larvae . . . . .	<i>H. Xu, F. Yang, Y. Zhang, X. Jiang, and L. Wen</i>	3547
Improving Road Segmentation in Challenging Domains Using Similar Place Priors . . . . .	<i>C. Malone, S. Garg, M. Xu, T. Peynot, and M. Milford</i>	3555
Kinematic Modeling of a Spatial Screw-Driven Continuum Robot . . . . .	<i>S. Ahmed and H. B. Gilbert</i>	3563
Deep Learning Enables Exobot Control to Augment Variable-Speed Walking . . . . .	<i>M. K. Shepherd, D. D. Molinaro, G. S. Sawicki, and A. J. Young</i>	3571
Multi-Mode Motion Control of Reconfigurable Vortex-Shaped Microrobot Swarms for Targeted Tumor Therapy . . . . .	<i>L. Wang, L. Song, H. Sun, Y. Ji, Y. Dai, and L. Feng</i>	3578
Dynamic Control of Soft Robotic Arm: A Simulation Study . . . . .	<i>M. Azizkhani, I. S. Godage, and Y. Chen</i>	3584
Y-Net: A Deep Convolutional Architecture for 3D Estimation of Contact Forces in Intracardiac Catheters . . . . .	<i>P. Fekri, H. Khodashenas, K. Lachapelle, R. Cecere, M. Zadeh, and J. Dargahi</i>	3592
A Contact-Triggered Adaptive Soft Suction Cup . . . . .	<i>T. Yue, W. Si, A. J. Partridge, C. Yang, A. T. Conn, H. Bloomfield-Gadêlha, and J. Rossiter</i>	3600
A Tapered Whisker-Based Physical Reservoir Computing System for Mobile Robot Terrain Identification in Unstructured Environments . . . . .	<i>Z. Yu, S. Perera, H. Hauser, P. R.N. Childs, and T. Nanayakkara</i>	3608
Vacuum Suction Cup Modeling for Evaluation of Sealing and Real-Time Simulation . . . . .	<i>J. Hudoklin, S. Seo, M. Kang, H. Seong, A. T. Luong, and H. Moon</i>	3616
Impact of Generic Tendon Routing on Tension Loss of Tendon-Driven Continuum Manipulators With Planar Deformation . . . . .	<i>Y. Liu and F. Alameigi</i>	3624
MRI-Compatible Soft Robotic Sensing Pad for Head Motion Detection . . . . .	<i>M. Musa, S. Sengupta, and Y. Chen</i>	3632
Improving Depth Estimation Using Map-Based Depth Priors . . . . .	<i>V. Patil, A. Liniger, D. Dai, and L. Van Gool</i>	3640
On Inverse Inertia Matrix and Contact-Force Model for Robotic Manipulators at Normal Impacts . . . . .	<i>Y. Wang, N. Dehio, and A. Kheddar</i>	3648
Meta-Residual Policy Learning: Zero-Trial Robot Skill Adaptation via Knowledge Fusion . . . . .	<i>P. Hao, T. Lu, S. Cui, J. Wei, Y. Cai, and S. Wang</i>	3656

---

---

Highly Articulated Tube Mechanism With Variable Stiffness and Shape Restoration Using a Pneumatic Actuator . . . . .	3664
..... <i>I. Onda, K. Tadokuma, M. Watanabe, K. Abe, T. Watanabe, M. Konyo, and S. Tadokoro</i>	
FEM-Based Exterior Workspace Boundary Estimation for Soft Robots via Optimization . . . . .	3672
..... <i>W. Amehri, G. Zheng, and A. Kruszewski</i>	
Hand-Eye Calibration Made Easy Through a Closed-Form Two-Stage Method . . . . .	3679
..... <i>S. Sarabandi, J. M. Porta, and F. Thomas</i>	
A Deep Feature Aggregation Network for Accurate Indoor Camera Localization . . . . .	3687
..... <i>T. Xie, K. Dai, K. Wang, R. Li, J. Wang, X. Tang, and L. Zhao</i>	
Correct Me If I am Wrong: Interactive Learning for Robotic Manipulation . . . . .	3695
..... <i>E. Chisari, T. Welschehold, J. Boedecker, W. Burgard, and A. Valada</i>	
WS-OPE: Weakly Supervised 6-D Object Pose Regression Using Relative Multi-Camera Pose Constraints . . . . .	3703
..... <i>F. Li, I. Shugurov, B. Busam, S. Yang, and S. Ilic</i>	
Robotic Embodiment of Human-Like Motor Skills via Reinforcement Learning . . . . .	3711
..... <i>L. Guzman, V. Morellas, and N. Papanikolopoulos</i>	
3CROSSNet: Cross-Level Cross-Scale Cross-Attention Network for Point Cloud Representation . . . . .	3718
..... <i>X.-F. Han, Z.-Y. He, J. Chen, and G.-Q. Xiao</i>	
Image-to-Image Translation-Based Data Augmentation for Robust EV Charging Inlet Detection . . . . .	3726
..... <i>Y. Bang, Y. Lee, and B. Kang</i>	
Area Coverage With Multiple Capacity-Constrained Robots . . . . .	3734
..... <i>S. Agarwal and S. Akella</i>	
Construction and Excavation by Collaborative Double-Tailed SAW Robots . . . . .	3742
..... <i>L. R. Huang, A. Zhu, K. Wang, D. I. Goldman, A. Ruina, and K. H. Petersen</i>	
Prismatic Gravity Compensator for Variable Payloads . . . . .	3749
..... <i>R. Furnémont, T. Verstraten, D. Lefeber, and B. Vanderborgh</i>	
Sim2Air - Synthetic Aerial Dataset for UAV Monitoring . . . . .	3757
..... <i>A. Barisic, F. Petric, and S. Bogdan</i>	
Reconstruction and Synthesis of Lidar Point Clouds of Spray . . . . .	3765
..... <i>Y.-C. Shih, W.-H. Liao, W.-C. Lin, S.-K. Wong, and C.-C. Wang</i>	
A Test Platform for UWB-Based Localization of Dynamic Multi-Agent Systems . . . . .	3773
..... <i>D. Stier, A. Wu, A. Mohanty, and G. Gao</i>	
Online Next-Best-View Planner for 3D-Exploration and Inspection With a Mobile Manipulator Robot . . . . .	3779
..... <i>M. Naazare, F. G. Rosas, and D. Schulz</i>	
Joint Plant and Leaf Instance Segmentation on Field-Scale UAV Imagery . . . . .	3787
..... <i>J. Weyler, J. Quakernack, P. Lottes, J. Behley, and C. Stachniss</i>	
Panoptic Nuscenes: A Large-Scale Benchmark for LiDAR Panoptic Segmentation and Tracking . . . . .	3795
..... <i>W. K. Fong, R. Mohan, J. V. Hurtado, L. Zhou, H. Caesar, O. Beijbom, and A. Valada</i>	
Mobile Robot Navigation Functions Tuned by Sensor Readings in Partially Known Environments . . . . .	3803
..... <i>S. G. Loizou and E. D. Rimon</i>	
Configuration Space Decomposition for Scalable Proxy Collision Checking in Robot Planning and Control . . . . .	3811
..... <i>M. Verghese, N. Das, Y. Zhi, and M. Yip</i>	
Towards Terrain Adaptability: In Situ Transformation of Wheel-Biped Robots . . . . .	3819
..... <i>T. Liu, C. Zhang, J. Wang, S. Song, and M. Q.-H. Meng</i>	
Gaussian Process Constraint Learning for Scalable Chance-Constrained Motion Planning From Demonstrations . . . . .	3827
..... <i>G. Chou, H. Wang, and D. Berenson</i>	
A Variable Length, Variable Stiffness Flexible Instrument for Transoral Robotic Surgery . . . . .	3835
..... <i>J. Chen, Q. Ding, W. Yan, K. Yan, J. Chen, J. Y.-K. Chan, and S. S. Cheng</i>	
Open Simulation Environment for Learning and Practice of Robot-Assisted Surgical Suturing . . . . .	3843
..... <i>A. Munawar, J. Y. Wu, G. S. Fischer, R. H. Taylor, and P. Kazanzides</i>	
Predicting Hand-Object Interaction for Improved Haptic Feedback in Mixed Reality . . . . .	3851
..... <i>M. Salvato, N. Heravi, A. M. Okamura, and J. Bohg</i>	
Global-Reasoned Multi-Task Learning Model for Surgical Scene Understanding . . . . .	3858
..... <i>L. Seenivasan, S. Mitheran, M. Islam, and H. Ren</i>	
Tracker Meets Night: A Transformer Enhancer for UAV Tracking . . . . .	3866
..... <i>J. Ye, C. Fu, Z. Cao, S. An, G. Zheng, and B. Li</i>	
2D Magnetic Actuation and Localization of a Surface Milli-Roller in Low Reynolds Numbers . . . . .	3874
..... <i>M. M. Micheal, A. Adel, C.-S. Kim, J.-O. Park, S. Misra, and I. S. M. Khalil</i>	
MultiRes-NetVLAD: Augmenting Place Recognition Training With Low-Resolution Imagery . . . . .	3882
..... <i>A. Khaliq, M. Milford, and S. Garg</i>	

---

Selective Assist Strategy by Using Lightweight Carbon Frame Exoskeleton Robot .....	3890
..... <i>J.-i. Furukawa, S. Okajima, Q. An, Y. Nakamura, and J. Morimoto</i>	
As-Rigid-as-Possible Shape Servoing .....	3898
..... <i>M. Shetab-Bushehri, M. Aranda, Y. Mezouar, and E. Özgür</i>	
Learning to Navigate Sidewalks in Outdoor Environments .....	3906
..... <i>M. Sorokin, J. Tan, C. K. Liu, and S. Ha</i>	
Modulation of Magnetorheological Fluid Flow in Soft Robots Using Electropermanent Magnets .....	3914
..... <i>K. J. McDonald, L. Kinnicutt, A. M. Moran, and T. Ranzani</i>	
Reactive, Proactive, and Inducible Proximal Crowd Robot Navigation Method Based on Inducible Social Force Model .....	3922
..... <i>M. Kamezaki, Y. Tsuburaya, T. Kanada, M. Hirayama, and S. Sugano</i>	
TACTO: A Fast, Flexible, and Open-Source Simulator for High-Resolution Vision-Based Tactile Sensors .....	3930
..... <i>S. Wang, M. Lambeta, P.-W. Chou, and R. Calandra</i>	
Design and Characterisation of a Muscle-Mimetic Dielectrophoretic Ratcheting Actuator .....	3938
..... <i>M. Garrad, M. N. Zadeh, C. Romero, F. Scarpa, A. T. Conn, and J. Rossiter</i>	
Design of a 3D-Printed Soft Robotic Hand With Integrated Distributed Tactile Sensing .....	3945
..... <i>O. Shorthose, A. Albin, L. He, and P. Maiolino</i>	
A Wearable Hands-Free Human-Robot Interface for Robotized Flexible Endoscope .....	3953
..... <i>S. Zuo, T. Chen, X. Chen, and B. Chen</i>	
A Sim-to-Real Object Recognition and Localization Framework for Industrial Robotic Bin Picking .....	3961
..... <i>X. Li, R. Cao, Y. Feng, K. Chen, B. Yang, C.-W. Fu, Y. Li, Q. Dou, Y.-H. Liu, and P.-A. Heng</i>	
MOVIE: A Velocity-Aided IMU Attitude Estimator for Observing and Controlling Multiple Deformations on Legged Robots .....	3969
..... <i>M. Vigne, A. El Khoury, M. Pétriaux, F. Di Meglio, and N. Petit</i>	
Offline Programming Guidance for Swarm Steering of Micro-/Nano Magnetic Particles in a Dynamic Multichannel Vascular Model .....	3977
..... <i>M. Park, T.-A. Le, and J. Yoon</i>	
Design, Modeling and Validation of a Tendon-Driven Soft Continuum Robot for Planar Motion Based on Variable Stiffness Structures .....	3985
..... <i>W. R. Wockenfuß, V. Brandt, L. Weisheit, and W.-G. Drossel</i>	
Extended Sliding Mode Observer-Based Admittance Control for Hydraulic Robots .....	3992
..... <i>H. V. Dao and K. K. Ahn</i>	
Bundled Gradients Through Contact Via Randomized Smoothing .....	4000
..... <i>H. J. T. Suh, T. Pang, and R. Tedrake</i>	
SO-SLAM: Semantic Object SLAM With Scale Proportional and Symmetrical Texture Constraints .....	4008
..... <i>Z. Liao, Y. Hu, J. Zhang, X. Qi, X. Zhang, and W. Wang</i>	
A Micro Aircraft With Passive Variable-Sweep Wings .....	4016
..... <i>S. Bai, R. Ding, and P. Chirarattananon</i>	
Dual CC-Closure Region for Checking Two-Finger Object Caging in a Plane .....	4024
..... <i>K. Shirota and Z. Wang</i>	
Combined Magnetic Field Decoupling and Disturbance Rejection Control of Microrobots Based on Extended State Observer .....	4032
..... <i>Q. Fan, W. Chen, W. Huang, L. Xie, K. Bi, and Y. Zhu</i>	
Design and Characteristics of 3D Magnetically Steerable Guidewire System for Minimally Invasive Surgery .....	4040
..... <i>S. Zhang, M. Yin, Z. Lai, C. Huang, C. Wang, W. Shang, X. Wu, Y. Zhang, and T. Xu</i>	
Electrocardiogram Measurement and Emotion Estimation of Working Dogs .....	4047
..... <i>K. Ohno, K. Sato, R. Hamada, T. Kubo, K. Ikeda, M. Nagasawa, T. Kikusui, S. K. Nayak, S. Kojima, and S. Tadokoro</i>	
3D Vision Based Robot Assisted Electrical Impedance Scanning for Soft Tissue Conductivity Sensing .....	4055
..... <i>M. Piccinelli, Z. Cheng, D. Dall'Alba, M. K. Schmidt, T. R. Savarimuthu, and P. Fiorini</i>	
Learning Task-Parameterized Skills From Few Demonstrations .....	4063
..... <i>J. Zhu, M. Gienger, and J. Kober</i>	
SoMoGym: A Toolkit for Developing and Evaluating Controllers and Reinforcement Learning Algorithms for Soft Robots .....	4071
..... <i>M. A. Graule, T. P. McCarthy, C. B. Teeple, J. Werfel, and R. J. Wood</i>	
Adaptive Strategies for Team Formation in Minimalist Robot Swarms .....	4079
..... <i>L. Feola and V. Trianni</i>	
Omnidirectional Panoramic Video System With Frame-by-Frame Ultrafast Viewpoint Control .....	4086
..... <i>S. Hu, H. Dong, K. Shimasaki, M. Jiang, T. Senoo, and I. Ishii</i>	
Spiking Neural Networks for Visual Place Recognition Via Weighted Neuronal Assignments .....	4094
..... <i>S. Hussaini, M. Milford, and T. Fischer</i>	
T* $\epsilon$ -Bounded-Suboptimal Efficient Motion Planning for Minimum-Time Planar Curvature-Constrained Systems .....	4102
..... <i>D. Pinsky, P. Váňa, J. Faigl, and O. Salzman</i>	
Topological Semantic Mapping by Consolidation of Deep Visual Features .....	4110
..... <i>Y. C. N. Sousa and H. F. Bassani</i>	
Development of a Three-Axis Monolithic Flexure-Based Ground Reaction Force Sensor for Various Gait Analysis .....	4118
..... <i>S.-Y. Jang, J.-H. Youn, S. H. Lim, S. S. Kim, U. Kim, and K.-U. Kyung</i>	
Bottom-Up Skill Discovery From Unsegmented Demonstrations for Long-Horizon Robot Manipulation .....	4126
..... <i>Y. Zhu, P. Stone, and Y. Zhu</i>	
Combining Suction and Friction to Stabilize a Soft Gripper to Shear and Normal Forces, for Manipulation of Soft Objects in Wet Environments .....	4134
..... <i>J. A. Sandoval, T. Xu, I. Adibnazari, D. D. Deheyn, and M. T. Tolley</i>	

---

Resident Rotation Scheduling for Categorical Internal Medicine Residency Program . . . . .	4142
. . . . . <i>F. Wang, Y.-L. Huang, F. Ju, and J. C. Grega</i>	
Interactive Dynamic Walking: Learning Gait Switching Policies With Generalization Guarantees . . . . .	4149
. . . . . <i>P. Chand, S. Veer, and I. Poulakakis</i>	
Robust Planning for Persistent Surveillance With Energy-Constrained UAVs and Mobile Charging Stations . . . . .	4157
. . . . . <i>X. Lin, Y. Yazicioğlu, and D. Aksaray</i>	
Temporal Point Cloud Completion With Pose Disturbance . . . . .	4165
. . . . . <i>J. Shi, L. Xu, P. Li, X. Chen, and S. Shen</i>	
Safe, Fast, and Efficient Distributed Receding Horizon Constrained Control of Aerial Robot Swarms . . . . .	4173
. . . . . <i>B. Convens, K. Merckaert, M. M. Nicotra, and B. Vanderborght</i>	
Layer Jamming for Variable Stiffness Shoes . . . . .	4181
. . . . . <i>L. Arleo, M. Dalvit, M. Sacchi, and M. Cianchetti</i>	
Language-Driven Robot Manipulation With Perspective Disambiguation and Placement Optimization . . . . .	4188
. . . . . <i>K. Huang, Y. Han, J. Wu, F. Qiu, and Q. Tang</i>	
Visual Localization and Mapping Leveraging the Constraints of Local Ground Manifolds . . . . .	4196
. . . . . <i>P. Zhou, Y. Liu, P. Gu, J. Liu, and Z. Meng</i>	
Automated Heart and Lung Auscultation in Robotic Physical Examinations . . . . .	4204
. . . . . <i>Y. Zhu, A. Smith, and K. Hauser</i>	
SIRNet: Fine-Grained Surgical Interaction Recognition . . . . .	4212
. . . . . <i>L. Li, X. Li, S. Ding, Z. Fang, M. Xu, H. Ren, and S. Yang</i>	
Multi-Modal Model Predictive Control Through Batch Non-Holonomic Trajectory Optimization: Application to Highway Driving . . . . .	4220
. . . . . <i>V. K. Adajania, A. Sharma, A. Gupta, H. Masnavi, K. M. Krishna, and A. K. Singh</i>	
Adaptive Flow Planning of Modular Spherical Robot Considering Static Gravity Stability . . . . .	4228
. . . . . <i>H. Luo and T. L. Lam</i>	
Uncertainty-Assisted Image-Processing for Human-Robot Close Collaboration . . . . .	4236
. . . . . <i>S. Sajedi, W. Liu, K. Eltouny, S. Behdad, M. Zheng, and X. Liang</i>	
SimVODIS++: Neural Semantic Visual Odometry in Dynamic Environments . . . . .	4244
. . . . . <i>U.-H. Kim, S.-H. Kim, and J.-H. Kim</i>	
Comparing Single Touch to Dynamic Exploratory Procedures for Robotic Tactile Object Recognition . . . . .	4252
. . . . . <i>E. Kirby, R. Zenha, and L. Jamone</i>	
E-VAT: An Asymmetric End-to-End Approach to Visual Active Exploration and Tracking . . . . .	4259
. . . . . <i>A. Dionigi, A. Devo, L. Guiducci, and G. Costante</i>	
Adversarial Sampling-Based Motion Planning . . . . .	4267
. . . . . <i>H. Nichols, M. Jimenez, Z. Goddard, M. Sparapany, B. Boots, and A. Mazumdar</i>	
Towards High-Payload Admittance Control for Manual Guidance With Environmental Contact . . . . .	4275
. . . . . <i>K. Haninger, M. Radke, A. Vick, and J. Krüger</i>	
Natural Multicontact Walking for Robotic Assistive Devices via Musculoskeletal Models and Hybrid Zero Dynamics . . . . .	4283
. . . . . <i>K. Li, M. Tucker, R. Gehlhar, Y. Yue, and A. D. Ames</i>	
Extracting Statistical Signatures of Geometry and Structure in 2D Occupancy Grid Maps for Global Localization . . . . .	4291
. . . . . <i>S.-Y. An and J. Kim</i>	
From Scene Flow to Visual Odometry Through Local and Global Regularisation in Markov Random Fields . . . . .	4299
. . . . . <i>R. Scona, H. Matsuki, and A. Davison</i>	
EMG-Based Variable Impedance Control With Passivity Guarantees for Collaborative Robotics . . . . .	4307
. . . . . <i>M. Bednarczyk, H. Omran, and B. Bayle</i>	
Characterization of Open-loop Impedance Control and Efficiency in Wearable Robots . . . . .	4313
. . . . . <i>A. F. Azocar and E. J. Rouse</i>	
RINet: Efficient 3D Lidar-Based Place Recognition Using Rotation Invariant Neural Network . . . . .	4321
. . . . . <i>L. Li, X. Kong, X. Zhao, T. Huang, W. Li, F. Wen, H. Zhang, and Y. Liu</i>	
Deformable One-Dimensional Object Detection for Routing and Manipulation . . . . .	4329
. . . . . <i>A. Keipour, M. Bandari, and S. Schaal</i>	
Velocity Following Control of a Pseudo-Driven Wheel for Reducing Internal Forces Between Wheels . . . . .	4337
. . . . . <i>H. Qi, L. Ding, B. You, L. Huang, X. An, S. Li, and G. Liu</i>	
Stereo Plane R-CNN: Accurate Scene Geometry Reconstruction Using Planar Segments and Camera-Agnostic Representation . . . . .	4345
. . . . . <i>J. Wietrzykowski and D. Belter</i>	
3D Image-Guided Robotic System for Bone Fracture Reduction . . . . .	4353
. . . . . <i>S. Lee, S. Joung, H.-G. Ha, J.-H. Lee, K.-H. Park, S. Kim, K. Nam, J. Lee, H.-J. Lee, C.-W. Oh, I. Park, and J. Hong</i>	
Control-Oriented Modeling and Analysis of Tubular Dielectric Elastomer Actuators Dedicated to Cardiac Assist Devices . . . . .	4361
. . . . . <i>N. Liu, T. Martinez, A. Walter, Y. Civet, and Y. Perriard</i>	
Vision-Based Contact Point Selection for the Fully Non-Fixed Contact Manipulation of Deformable Objects . . . . .	4368
. . . . . <i>L. Han, Y. Zhang, and H. Wang</i>	
The Switchable Cable-Driven Mechanism to Control Multiple Cables Individually Using a Single Motor . . . . .	4376
. . . . . <i>Y. Kim and H.-S. Park</i>	



---

Aggregation Functions for Simultaneous Attitude and Image Estimation With Event Cameras at High Angular Rates . . .	4384
Dynamic Evaluation of Deformable Object Grasping . . . . .	4392
A Distributed Service-Matching Coverage Via Heterogeneous Agents . . . . .	4400
LaneMatch: A Practical Real-Time Localization Method Via Lane-Matching . . . . .	4408
PolarMesh: A Star-Convex 3D Shape Approximation for Object Pose Estimation . . . . .	4416
Few-Shot Quality-Diversity Optimization . . . . .	4424
AutoTune: Controller Tuning for High-Speed Flight . . . . .	4432
Deflection-Domain Passivity Control of Variable Stiffnesses Based on Potential Energy Reference . . . . .	4440
First Order Approximation of Model Predictive Control Solutions for High Frequency Feedback . . . . .	4448
STEP: State Estimator for Legged Robots Using a Preintegrated Foot Velocity Factor . . . . .	4456
Hierarchical Planning for Heterogeneous Multi-Robot Routing Problems via Learned Subteam Performance . . . . .	4464
Excavation Reinforcement Learning Using Geometric Representation . . . . .	4472
PokeRRT: Poking as a Skill and Failure Recovery Tactic for Planar Non-Prehensile Manipulation . . . . .	4480
Residual Learning From Demonstration: Adapting DMPs for Contact-Rich Manipulation . . . . .	4488
Hybrid Antagonistic System With Coiled Shape Memory Alloy and Twisted and Coiled Polymer Actuator for Lightweight Robotic Arm . . . . .	4496
Computation of Regions of Attraction for Hybrid Limit Cycles Using Reachability: An Application to Walking Robots . . . . .	4504
Feedback Regulation of Elastically Decoupled Underactuated Soft Robots . . . . .	4512
EchoVPR: Echo State Networks for Visual Place Recognition . . . . .	4520
Time-Optimization of Trajectories Using Zero-Clamped Cubic Splines and Their Analytical Gradients . . . . .	4528
Liquid-Metal Magnetic Soft Robot With Reprogrammable Magnetization and Stiffness . . . . .	4535
Hierarchical Point Cloud Encoding and Decoding With Lightweight Self-Attention Based Model . . . . .	4542
Virtual Reality Pre-Prosthetic Hand Training With Physics Simulation and Robotic Force Interaction . . . . .	4550
S-Sacrr: A Staircase and Slope Accessing Reconfigurable Cleaning Robot and its Validation . . . . .	4558
Power-Shaping Model-Based Control With Feedback Deactivation for Flexible-Joint Robot Interaction . . . . .	4566
A Healable Resistive Heater as a Stimuli-Providing System in Self-Healing Soft Robots . . . . .	4574
Kinematic Motion Retargeting via Neural Latent Optimization for Learning Sign Language . . . . .	4582
Jet-HR2: A Flying Bipedal Robot Based on Thrust Vector Control . . . . .	4590
Optimization-Based Trajectory Tracking Approach for Multi-Rotor Aerial Vehicles in Unknown Environments . . . . .	4598
Vision-Only Robot Navigation in a Neural Radiance World . . . . .	4606
Camera-IMU Extrinsic Calibration Quality Monitoring for Autonomous Ground Vehicles . . . . .	4614
Pose Estimation for Robot Manipulators via Keypoint Optimization and Sim-to-Real Transfer . . . . .	4622

---

Concurrent Training of a Control Policy and a State Estimator for Dynamic and Robust Legged Locomotion . . . . .	4630
Hybrid Mechanism of Electromagnetic and Piezoresistive Sensing Using a Soft Microfluidic Coil . . . . .	4638
Performance Models in Robotics With a Use Case on SLAM . . . . .	4646
TriVoC: Efficient Voting-Based Consensus Maximization for Robust Point Cloud Registration With Extreme Outlier Ratios . . . . .	4654
Model Predictive Path-Planning Controller With Potential Function for Emergency Collision Avoidance on Highway Driving . . . . .	4662
Perceptual Aliasing++: Adversarial Attack for Visual SLAM Front-End and Back-End . . . . .	4670
Event-LSTM: An Unsupervised and Asynchronous Learning-Based Representation for Event-Based Data . . . . .	4678
Active Visuo-Tactile Interactive Robotic Perception for Accurate Object Pose Estimation in Dense Clutter . . . . .	4686
The Kinematic Calibration of an Industrial Robot With an Improved Beetle Swarm Optimization Algorithm . . . . .	4694
Learn to Predict How Humans Manipulate Large-Sized Objects From Interactive Motions . . . . .	4702
Wolf: A Modular Estimation Framework for Robotics Based on Factor Graphs . . . . .	4710
B-GAP: Behavior-Rich Simulation and Navigation for Autonomous Driving . . . . .	4718
Harnessing Cascading Dominoes for Peristaltic Wave Motion . . . . .	4726
The Role of Stiffness in Versatile Robotic Grasping . . . . .	4733
Closed-Loop Dynamic Control of a Soft Manipulator Using Deep Reinforcement Learning . . . . .	4741
Force-Based Simultaneous Mapping and Object Reconstruction for Robotic Manipulation . . . . .	4749
Information-Theoretic Online Multi-Camera Extrinsic Calibration . . . . .	4757
Information-Aware Lyapunov-Based MPC in a Feedback-Feedforward Control Strategy for Autonomous Robots . . . . .	4765
Ensuring Safety of Learning-Based Motion Planners Using Control Barrier Functions . . . . .	4773
Improving Pedestrian Prediction Models With Self-Supervised Continual Learning . . . . .	4781
Autonomous Environment Disinfection Based on Dynamic UV-C Irradiation Map . . . . .	4789
Soft Artificial Muscle With Proprioceptive Feedback: Design, Modeling and Control . . . . .	4797
AirPose: Multi-View Fusion Network for Aerial 3D Human Pose and Shape Estimation . . . . .	4805
Constrained Motion Planning of a Cable-Driven Soft Robot With Compressible Curvature Modeling . . . . .	4813
Complex In-Hand Manipulation Via Compliance-Enabled Finger Gaiting and Multi-Modal Planning . . . . .	4821
Multi-Robot Path Planning With Due Times . . . . .	4829
A Robust Reference Path Selection Method for Path Planning Algorithm . . . . .	4837
DCL: Differential Contrastive Learning for Geometry-Aware Depth Synthesis . . . . .	4845
Planning of Soft-Rigid Hybrid Arms in Contact With Compliant Environment: Application to the Transrectal Biopsy of the Prostate . . . . .	4853
Faster-LIO: Lightweight Tightly Coupled Lidar-Inertial Odometry Using Parallel Sparse Incremental Voxels . . . . .	4861

---

Online Distributed Trajectory Planning for Quadrotor Swarm With Feasibility Guarantee Using Linear Safe Corridor . . . . .	4869
ForMIC: Foraging via Multiagent RL With Implicit Communication . . . . .	4877
Robustifying Payload Carrying Operations for Quadrotors Under Time-Varying State Constraints and Uncertainty . . . . .	4885
Forceful Valve Manipulation With Arbitrary Direction by Articulated Aerial Robot Equipped With Thrust Vectoring Apparatus . . . . .	4893
Overhead Image Factors for Underwater Sonar-Based SLAM . . . . .	4901
Whole-Body Fuzzy Based Impedance Control of a Humanoid Wheeled Robot . . . . .	4909
Passive Bimanual Skills Learning From Demonstration With Motion Graph Attention Networks . . . . .	4917
PlaTe: Visually-Grounded Planning With Transformers in Procedural Tasks . . . . .	4924
Uniform Coverage Tool Path Generation for Robotic Surface Finishing of Curved Surfaces . . . . .	4931
The Impact of Dorsal Fin Design on the Swimming Performance of a Snake-Like Robot . . . . .	4939
An MPC Formulation on $SO(3)$ for a Quadrotor With Bidirectional Thrust and Nonlinear Thrust Constraints . . . . .	4945
Collision-Free Trajectory Planning for a 6-DoF Free-Floating Space Robot via Hierarchical Decoupling Optimization . . . . .	4953
Multi-Class Road User Detection With 3+1 D Radar in the View-of-Delft Dataset . . . . .	4961
Cross-View and Cross-Domain Underwater Localization Based on Optical Aerial and Acoustic Underwater Images . . . . .	4969
Proactive Anomaly Detection for Robot Navigation With Multi-Sensor Fusion . . . . .	4975
Selective Patterning of Conductive Elastomers Embedded With Silver Powders and Carbon Nanotubes for Stretchable Electronics . . . . .	4983
A Graph-Based Approach to Boundary Estimation With Mobile Sensors . . . . .	4991
OpenStreetMap-Based LiDAR Global Localization in Urban Environment Without a Prior LiDAR Map . . . . .	4999
Tactile-Based Task Definition Through Edge Contact Formation Setpoints for Object Exploration and Manipulation . . . . .	5007
Sim-to-Real for Soft Robots Using Differentiable FEM: Recipes for Meshing, Damping, and Actuation . . . . .	5015
Fly Out the Window: Exploiting Discrete-Time Flatness for Fast Vision-Based Multirotor Flight . . . . .	5023
Autonomous Single-Image Drone Exploration With Deep Reinforcement Learning and Mixed Reality . . . . .	5031
Globally Stable Attitude Control and Quasi-Static Disturbance Estimation in the Presence of Aerodynamic Dissipation . . . . .	5039
Nonlinear MPC for Quadrotor Fault-Tolerant Control . . . . .	5047
Kinematic Analysis of Soft Continuum Manipulators Based on Sparse Workspace Mapping . . . . .	5055
csBoundary: City-Scale Road-Boundary Detection in Aerial Images for High-Definition Maps . . . . .	5063
Pitch-Up Motion Mechanism With Heat Welding by Soft Inflatable Growing Robot . . . . .	5071
Optimal Task-Space Tracking With Minimum Manipulator Reconfiguration . . . . .	5079
Learning Cross-Scale Visual Representations for Real-Time Image Geo-Localization . . . . .	5087

---

Adaptive Cost Volume Fusion Network for Multi-Modal Depth Estimation in Changing Environments . . . . .	5095
Learnable Online Graph Representations for 3D Multi-Object Tracking . . . . .	5103
TIDE: Temporally Incremental Disparity Estimation via Pattern Flow in Structured Light System . . . . .	5111
A Minimalistic Stochastic Dynamics Model of Cluttered Obstacle Traversal . . . . .	5119
Soft Robot Skin With Conformal Adaptability for On-Body Tactile Perception of Collaborative Robots . . . . .	5127
A Bimodal Rolling-Flying Robot for Micro Level Inspection of Flat and Inclined Surfaces . . . . .	5135
A Unified Framework for Large-Scale Occupancy Mapping and Terrain Modeling Using RMM . . . . .	5143
Powered Prosthesis Locomotion on Varying Terrains: Model-Dependent Control With Real-Time Force Sensing . . . . .	5151
Robot Cooking With Stir-Fry: Bimanual Non-Prehensile Manipulation of Semi-Fluid Objects . . . . .	5159
A Planted Clique Perspective on Hypothesis Pruning . . . . .	5167
FNUG: Imperfect Mazes Traversal Based on Detecting and Following the Nearest-to-Final-Goal and Unvisited Gaps . . . . .	5175
Forward Statics of Tensegrity Robots With Rigid Bodies Using Homotopy Continuation . . . . .	5183
A Plant Tendril-Like Soft Robot That Grasps and Anchors by Exploiting its Material Arrangement . . . . .	5191
Broadband Acoustic Communication Aided Underwater Inertial Navigation System . . . . .	5198
On-Line Feasible Wrench Polytope Evaluation Based on Human Musculoskeletal Models: An Iterative Convex Hull Method . . . . .	5206
Hovering Locomotion for UAVs With Thrust-Vectoring Control Surfaces . . . . .	5214
Keypoint-Based Planar Bimanual Shaping of Deformable Linear Objects Under Environmental Constraints With Hierarchical Action Framework . . . . .	5222
Probabilistic Gas Leak Rate Estimation Using Submodular Function Maximization With Routing Constraints . . . . .	5230
SE-ResUNet: A Novel Robotic Grasp Detection Method . . . . .	5238
STL2vec: Signal Temporal Logic Embeddings for Control Synthesis With Recurrent Neural Networks . . . . .	5246
Active Visuo-Haptic Object Shape Completion . . . . .	5254
An Interpretable Monitoring Framework for Virtual Physics-Based Non-Interfering Robot Social Planning . . . . .	5262
Inertial Navigation System Based Vehicle Temporal Relative Localization With Split Covariance Intersection Filter . . . . .	5270
Meshing and Insulation Strategies for Shelled UAVs in Proximal Inspection of Distribution Utility Lines . . . . .	5278
Automatically Deployable Robust Control of Modular Reconfigurable Robot Manipulators . . . . .	5286
Intelligent Push-Pull Devices for Manipulation of Slung Loads . . . . .	5294
A Benchmarking Platform and a Control Allocation Method for Improving the Efficiency of Coaxial Rotor Systems . . . . .	5302
Clustering and Informative Path Planning for 3D Gas Distribution Mapping: Algorithms and Performance Evaluation . . . . .	5310
Distributed Adaptive and Resilient Control of Multi-Robot Systems With Limited Field of View Interactions . . . . .	5318
Adaptive Learning Attention Network for Underwater Image Enhancement . . . . .	5326

---

Reaching Through Latent Space: From Joint Statistics to Path Planning in Manipulation . . . . .	
. . . . . <i>C.-M. Hung, S. Zhong, W. Goodwin, O. P. Jones, M. Engelcke, I. Havoutis, and I. Posner</i>	5334
Characterization of Soft 3D Printed Actuators for Parallel Networks . . . . .	5342
. . . . . <i>S. Khetan and L. H. Blumenschein</i>	
Soft Tensegrity Robot Driven by Thin Artificial Muscles for the Exploration of Unknown Spatial Configurations . . . . .	
. . . . . <i>R. Kobayashi, H. Nabaee, G. Endo, and K. Suzumori</i>	5349
A Dynamic Resistive Force Model for Designing Mobile Robot in Granular Media . . . . .	
. . . . . <i>L. Huang, J. Zhu, Y. Yuan, and Y. Yin</i>	5357
Interactive Multi-Modal Motion Planning With Branch Model Predictive Control . . . . .	
. . . . . <i>Y. Chen, U. Rosolia, W. Ubellacker, N. Csomay-Shanklin, and A. D. Ames</i>	5365
Deep Cross Spectral Stereo Matching Using Multi-Spectral Image Fusion . . . . .	5373
. . . . . <i>X. Liang and C. Jung</i>	
Coupled Multiple Dynamic Movement Primitives Generalization for Deformable Object Manipulation . . . . .	
. . . . . <i>Z. Cui, W. Ma, J. Lai, H. K. Chu, and Y. Guo</i>	5381
Object-Aware Monocular Depth Prediction With Instance Convolutions . . . . .	
. . . . . <i>E. Simsar, E. P. Örneek, F. Manhardt, H. Dharmo, N. Navab, and F. Tombari</i>	5389
Full Surround Monodepth From Multiple Cameras . . . . .	
. . . . . <i>V. Guizilini, I. Vasiljevic, R. Ambrus, G. Shakhnarovich, and A. Gaidon</i>	5397
Living With a Telepresence Robot: Results From a Field-Trial . . . . .	
. . . . . <i>L. Fiorini, A. Sorrentino, M. Pistolesi, C. Becchimanzi, F. Tosi, and F. Cavallo</i>	5405
Free as a Bird: Event-Based Dynamic Sense-and-Avoid for Ornithopter Robot Flight . . . . .	
. . . . . <i>J. P. Rodríguez-Gómez, R. Tapia, M. del Mar Guzmán García, J. R. Martínez-de Dios, and A. Ollero</i>	5413
Stein Particle Filter for Nonlinear, Non-Gaussian State Estimation . . . . .	5421
. . . . . <i>F. A. Maken, F. Ramos, and L. Ott</i>	
Origami Inspired Design for Capsule Endoscope to Retrograde Using Intestinal Peristalsis . . . . .	
. . . . . <i>Y. Ge, T. D. Lalitharatne, and T. Nanayakkara</i>	5429
Corrections to “Mechanical Variable Magnetic Gear Transmission: Concept and Preliminary Research” . . . . .	
. . . . . <i>E. Lee, H. Song, J. Jeong, and S. Jeong</i>	5436
SKP: Semantic 3D Keypoint Detection for Category-Level Robotic Manipulation . . . . .	
. . . . . <i>Z. Luo, W. Xue, J. Chae, and G. Fu</i>	5437
Online Coverage Planning for an Autonomous Weed Mowing Robot With Curvature Constraints . . . . .	
. . . . . <i>P. Maini, B. M. Gonultas, and V. Isler</i>	5445
Learning Open-World Object Proposals Without Learning to Classify . . . . .	
. . . . . <i>D. Kim, T.-Y. Lin, A. Angelova, I. S. Kweon, and W. Kuo</i>	5453
MLNav: Learning to Safely Navigate on Martian Terrains . . . . .	
. . . . . <i>S. Daftry, N. Abcouwer, T. Del Sesto, S. Venkatraman, J. Song, L. Igel, A. Byon, U. Rosolia, Y. Yue, and M. Ono</i>	5461
Controlling Soft Robotic Arms Using Continual Learning . . . . .	
. . . . . <i>F. Piqué, H. T. Kalidindi, L. Fruzzetti, C. Laschi, A. Menciassi, and E. Falotico</i>	5469
A 3D Printed Soft Robotic Gripper With a Variable Stiffness Enabled by a Novel Positive Pressure Layer Jamming Technology . . . . .	5477
. . . . . <i>G. B. Crowley, X. Zeng, and H.-J. Su</i>	
Tube-Balloon Logic for the Exploration of Fluidic Control Elements . . . . .	
. . . . . <i>J. A. Tracz, L. Wille, D. Pathiraja, S. V. Kendre, R. Pfisterer, E. Turett, C. K. Abrahamsson, S. E. Root, W.-K. Lee, D. J. Preston, H. J. Jiang, G. M. Whitesides, and M. P. Nemitz</i>	5483
Neither Fast nor Slow: How to Fly Through Narrow Tunnels . . . . .	5489
. . . . . <i>L. Wang, H. Xu, Y. Zhang, and S. Shen</i>	
Bimanual Handling of Deformable Objects With Hybrid Adhesion . . . . .	5497
. . . . . <i>A. K. Han, A. Hajj-Ahmad, and M. R. Cutkosky</i>	
Visual Servoing for Pose Control of Soft Continuum Arm in a Structured Environment . . . . .	
. . . . . <i>S. Kamtikar, S. Marri, B. Walt, N. K. Uppalapati, G. Krishnan, and G. Chowdhary</i>	5504
Large-Scale Autonomous Flight With Real-Time Semantic SLAM Under Dense Forest Canopy . . . . .	
. . . . . <i>X. Liu, G. V. Nardari, F. C. Ojeda, Y. Tao, A. Zhou, T. Donnelly, C. Qu, S. W. Chen, R. A. F. Romero, C. J. Taylor, and V. Kumar</i>	5512
Hybrid Hierarchical Learning for Adaptive Persuasion in Human-Robot Interaction . . . . .	5520
. . . . . <i>S. Saunderson and G. Nejat</i>	
Tube-Certified Trajectory Tracking for Nonlinear Systems With Robust Control Contraction Metrics . . . . .	
. . . . . <i>P. Zhao, A. Lakshmanan, K. Ackerman, A. Gahlawat, M. Pavone, and N. Hovakimyan</i>	5528
Learning to Ground Objects for Robot Task and Motion Planning . . . . .	5536
. . . . . <i>Y. Ding, X. Zhang, X. Zhan, and S. Zhang</i>	
Offline-Online Learning of Deformation Model for Cable Manipulation With Graph Neural Networks . . . . .	
. . . . . <i>C. Wang, Y. Zhang, X. Zhang, Z. Wu, X. Zhu, S. Jin, T. Tang, and M. Tomizuka</i>	5544
Learning Connectivity-Maximizing Network Configurations . . . . .	5552
. . . . . <i>D. Mox, V. Kumar, and A. Ribeiro</i>	
Reasoning With Scene Graphs for Robot Planning Under Partial Observability . . . . .	5560
. . . . . <i>S. Amiri, K. Chandan, and S. Zhang</i>	

---

Effect of Feet Failure and Control Uncertainties on the Locomotion of Multi-Legged Miniature Robots . . . . .	5568
. . . . . <i>N. Mahkam, M. Uğur, and O. Ozcan</i>	
AUV Motion Planning in Uncertain Flow Fields Using Bayes Adaptive MDPs . . . . .	5575
. . . . . <i>H. Xu and J. Pan</i>	
Adaptive Center-of-Mass Relocation for Aerial Manipulator Fault Tolerance . . . . .	5583
. . . . . <i>C. Pose, J. Giribet, and I. Mas</i>	
SHARP: Shielding-Aware Robust Planning for Safe and Efficient Human-Robot Interaction . . . . .	5591
. . . . . <i>H. Hu, K. Nakamura, and J. F. Fisac</i>	
An Adaptive Fuzzy Control for Human-in-the-Loop Operations With Varying Communication Time Delays . . . . .	5599
. . . . . <i>Z. Lu, Y. Guan, and N. Wang</i>	
Design of a Soft Gripper With Improved Microfluidic Tactile Sensors for Classification of Deformable Objects . . . . .	5607
. . . . . <i>L. Deng, Y. Shen, G. Fan, X. He, Z. Li, and Y. Yuan</i>	
Adaptive and Risk-Aware Target Tracking for Robot Teams With Heterogeneous Sensors . . . . .	5615
. . . . . <i>S. Mayya, R. K. Ramachandran, L. Zhou, V. Senthil, D. Thakur, G. S. Sukhatme, and V. Kumar</i>	
Adaptive Cooperative Control for Human-Robot Load Manipulation . . . . .	5623
. . . . . <i>C. Rodriguez de Cos and D. V. Dimarogonas</i>	
GPA-Teleoperation: Gaze Enhanced Perception-Aware Safe Assistive Aerial Teleoperation . . . . .	5631
. . . . . <i>Q. Wang, B. He, Z. Xun, C. Xu, and F. Gao</i>	
Occupancy Flow Fields for Motion Forecasting in Autonomous Driving . . . . .	5639
. . . . . <i>R. Mahjourian, J. Kim, Y. Chai, M. Tan, B. Sapp, and D. Anguelov</i>	
Dual-Arm Box Grabbing With Impact-Aware MPC Utilizing Soft Deformable End-Effector Pads . . . . .	5647
. . . . . <i>N. Dehio, Y. Wang, and A. Kheddar</i>	
A Semi-Supervised Reservoir Computing System Based on Tapered Whisker for Mobile Robot Terrain Identification and Roughness Estimation . . . . .	5655
. . . . . <i>Z. Yu, S. M. H. Sadati, H. Hauser, P. R.N. Childs, and T. Nanayakkara</i>	
Manipulation of Granular Materials by Learning Particle Interactions . . . . .	5663
. . . . . <i>N. Tuomainen, D. Blanco-Mulero, and V. Kyrki</i>	
Real-Time Dynamics of Concentric Tube Robots With Reduced-Order Kinematics Based on Shape Interpolation . . . . .	5671
. . . . . <i>S. M. H. Sadati, Z. Mitros, R. Henry, L. Zeng, L. da Cruz, and C. Bergeles</i>	
A General Approach for the Automation of Hydraulic Excavator Arms Using Reinforcement Learning . . . . .	5679
. . . . . <i>P. Egli and M. Hutter</i>	
Robotic Cable Routing with Spatial Representation . . . . .	5687
. . . . . <i>S. Jin, W. Lian, C. Wang, M. Tomizuka, and S. Schaal</i>	
Soft Robotic Hand With Finger-Bending/Friction-Reduction Switching Mechanism Through 1-Degree-of-Freedom Flow Control . . . . .	5695
. . . . . <i>T. Nishimura, K. Shimizu, S. Nojiri, K. Tadakuma, Y. Suzuki, T. Tsuji, and T. Watanabe</i>	
Learning-Based Fabric Folding and Box Wrapping . . . . .	5703
. . . . . <i>X. Wang, J. Zhao, X. Jiang, and Y.-H. Liu</i>	
Flexible Fiber Inductive Coils for Soft Robots and Wearable Devices . . . . .	5711
. . . . . <i>A. R. P.M., T. Stalin, and P. Valdivia y Alvarado</i>	
Minimum-Time Quadrotor Waypoint Flight in Cluttered Environments . . . . .	5719
. . . . . <i>R. Penicka and D. Scaramuzza</i>	
Highly Dynamic 2-DOF Cable-Driven Robotic Wrist Based on a Novel Topology . . . . .	5727
. . . . . <i>T. Nemoto, J. Walter, C. Bachmann, M. Gerlich, S. Reitelshöfer, and J. Franke</i>	
FEM-Based Nonlinear Controller for a Soft Trunk Robot . . . . .	5735
. . . . . <i>K. Wu and G. Zheng</i>	
SUPR-GAN: SURgical PRediction GAN for Event Anticipation in Laparoscopic and Robotic Surgery . . . . .	5741
. . . . . <i>Y. Ban, G. Rosman, J. A. Eckhoff, T. M. Ward, D. A. Hashimoto, T. Kondo, H. Iwaki, O. R. Meireles, and D. Rus</i>	
Learning Robotic Manipulation of Natural Materials With Variable Properties for Construction Tasks . . . . .	5749
. . . . . <i>N. K. Kalousdian, G. Łochnicki, V. N. Hartmann, S. Leder, O. S. Oguz, A. Menges, and M. Toussaint</i>	
Precise Relative Positioning via Tight-Coupling of GPS Carrier Phase and Multiple UWBs . . . . .	5757
. . . . . <i>A. Mohanty, A. Wu, S. Bhamidipati, and G. Gao</i>	
Simultaneous Positive and Negative Pressure Control Using Disturbance Observer Compensating Coupled Disturbance Dynamics . . . . .	5763
. . . . . <i>C. Park, M. Doh, Y. Ha, A. Coutinho, A. T. Luong, I. Choi, H. R. Choi, J. C. Koo, H. Rodrigue, and H. Moon</i>	
From Demonstration to Flight: Realization of Autonomous Aerobatic Maneuvers for Fast, Miniature Fixed-Wing UAVs . . . . .	5771
. . . . . <i>S. Cao, X. Wang, R. Zhang, H. Yu, and L. Shen</i>	
Contact-Implicit Direct Collocation With a Discontinuous Velocity State . . . . .	5779
. . . . . <i>S. Shield, A. M. Johnson, and A. Patel</i>	
Design and Voluntary Control of Variable Stiffness Exoskeleton Based on sEMG Driven Model . . . . .	5787
. . . . . <i>Y. Zhu, Q. Wu, B. Chen, and Z. Zhao</i>	
A Snake-Inspired Multi-Segmented Magnetic Soft Robot Towards Medical Applications . . . . .	5795
. . . . . <i>C. Wang, V. R. Puranam, S. Misra, and V. K. Venkiteswaran</i>	
Simulation Data Driven Design Optimization for Reconfigurable Soft Gripper System . . . . .	5803
. . . . . <i>J. Liu, J. H. Low, Q. Q. Han, M. Lim, D. Lu, C.-H. Yeow, and Z. Liu</i>	

---