

2013 Index

IEEE Transactions on Industrial Electronics

Vol. 60

This index covers all technical items — papers, correspondence, reviews, etc. — that appeared in this periodical during 2013, and items from previous years that were commented upon or corrected in 2013. Departments and other items may also be covered if they have been judged to have archival value.

The Author Index contains the primary entry for each item, listed under the first author's name. The primary entry includes the coauthors' names, the title of the paper or other item, and its location, specified by the publication abbreviation, year, month, and inclusive pagination. The Subject Index contains entries describing the item under all appropriate subject headings, plus the first author's name, the publication abbreviation, month, and year, and inclusive pages. Note that the item title is found only under the primary entry in the Author Index.

AUTHOR INDEX

A

Abad, G., see Solas, E., *TIE Oct. 2013 4525-4535*
Abad, G., see Solas, E., *TIE Oct. 2013 4536-4545*
AbdelGhany, M., see Emira, A., *TIE Oct. 2013 4683-4693*
Abdi, E., see Shao, S., *TIE June 2013 2465-2476*
Abdi, E., see Long, T., *TIE July 2013 2833-2841*
Abdi, E., see Barati, F., *TIE June 2013 2477-2485*
Abdullah, A., and Zribi, M., Sensor-Fault-Tolerant Control for a Class of Linear Parameter Varying Systems With Practical Examples; *TIE Nov. 2013 5239-5251*
Abolhassan, M. O. E., Raminosa, T., Goodman, A., De Lillo, L., and Gerada, C., Performance Evaluation of a Vector-Control Fault-Tolerant Flux-Switching Motor Drive; *TIE Aug. 2013 2997-3006*
Abu Qahouq, J. A., and Arikatla, V., Online Closed-Loop Autotuning Digital Controller for Switching Power Converters; *TIE May 2013 1747-1758*
Abu-Rub, H., see Guzinski, J., *TIE Feb. 2013 699-709*
Abu-Rub, H., see Ge, B., *TIE Oct. 2013 4468-4481*
Abu-Rub, H., see Rajeevan, P. P., *TIE Sept. 2013 3627-3636*
Acciton, R., see Lezana, P., *TIE May 2013 1936-1942*
Acero, J., Carretero, C., Lope, I., Alonso, R., Lucia, O., and Burdío, J. M., Analysis of the Mutual Inductance of Planar-Lumped Inductive Power Transfer Systems; *TIE Jan. 2013 410-420*
Acero, J., see Carretero, C., *TIE Aug. 2013 3092-3105*
Agamloh, E. B., and Nagorny, A. S., An Overview of Efficiency and Loss Characterization of Fractional Horsepower Motors; *TIE Aug. 2013 3072-3080*
Agelidis, V. G., see Sadinezhad, I., *TIE June 2013 2295-2308*
Agelidis, V. G., see Pulikanti, S. R., *TIE Nov. 2013 4794-4804*
Aguirre, M. A., see Napoles, J., *TIE May 2013 1963-1971*
Aguirre, M. P., Calvino, L., and Valla, M. I., Multilevel Current-Source Inverter With FPGA Control; *TIE Jan. 2013 3-10*
Ahmed, K. H., see Xia, Y., *TIE March 2013 1122-1132*
Ahmed, K. H., see Alajmi, B. N., *TIE April 2013 1596-1606*
Ahn, D., and Hong, S., Effect of Coupling Between Multiple Transmitters or Multiple Receivers on Wireless Power Transfer; *TIE July 2013 2602-2613*
Ahn, D., and Hong, S., A Study on Magnetic Field Repeater in Wireless Power Transfer; *TIE Jan. 2013 360-371*
Ahn, J.-W., see Lee, D.-H., *TIE Sept. 2013 3637-3643*
Ahn, K. K., see Truong, D. Q., *TIE Oct. 2013 4574-4589*
Ahola, J., see Tamminen, J., *TIE Sept. 2013 3968-3975*
Ahonen, T., see Tamminen, J., *TIE Sept. 2013 3968-3975*
Al-nabi, E., Wu, B., Zargari, N. R., and Sood, V., Sensorless Control of CSC-Fed IPM Machine for Zero- and Low-Speed Operations Using Pulsating HFI Method; *TIE May 2013 1711-1723*
Alajmi, B. N., Ahmed, K. H., Finney, S. J., and Williams, B. W., A Maximum Power Point Tracking Technique for Partially Shaded Photovoltaic Systems in Microgrids; *TIE April 2013 1596-1606*
Alakula, M., see Haghbin, S., *TIE Feb. 2013 459-473*
Alarcon-Gallo, E., see Camacho, A., *TIE April 2013 1429-1441*

Alcazar, Y. J. A., de Souza Oliveira, D., Tofoli, F. L., and Torrico-Bascope, R. P., DC-DC Nonisolated Boost Converter Based on the Three-State Switching Cell and Voltage Multiplier Cells; *TIE Oct. 2013 4438-4449*
Alepuz, S., Calle, A., Busquets-Monge, S., Kouro, S., and Wu, B., Use of Stored Energy in PMSG Rotor Inertia for Low-Voltage Ride-Through in Back-to-Back NPC Converter-Based Wind Power Systems; *TIE May 2013 1787-1796*
Alepuz, S., see Nicolas-Apruzzese, J., *TIE Nov. 2013 4773-4783*
Alepuz, S., see Cardenas, R., *TIE July 2013 2776-2798*
Alonso, J., see da Silva, M. F., *TIE Aug. 2013 3081-3091*
Alonso, R., see Acero, J., *TIE Jan. 2013 410-420*
Alonso-Martinez, J., Eloy-Garcia, J., Santos-Martin, D., and Arnaltes, S., A New Variable-Frequency Optimal Direct Power Control Algorithm; *TIE April 2013 1442-1451*
Alvarez, R., see Filsecker, F., *TIE Feb. 2013 440-449*
Alvarez, R., see Andler, D., *TIE Nov. 2013 4820-4830*
An, H., see Shi, T., *TIE Aug. 2013 3034-3046*
Anand, S., and Fernandes, B. G., Reduced-Order Model and Stability Analysis of Low-Voltage DC Microgrid; *TIE Nov. 2013 5040-5049*
Anand, S., Fernandes, B. G., and Chatterjee, K., DC Voltage Controller for Asymmetric-Twin-Converter-Topology-Based High-Power STATCOM; *TIE Jan. 2013 11-19*
Anaya-Lara, O., see Campos-Gaona, D., *TIE March 2013 1133-1145*
Andersen, M. A. E., see Zhang, Z., *TIE May 2013 1897-1906*
Andersen, M. A. E., see Ouyang, Z., *TIE Feb. 2013 494-508*
Andersen, R. L., and Barbi, I., A ZVS-PWM Three-Phase Current-Fed Push-Pull DC-DC Converter; *TIE March 2013 838-847*
Anderson, B. D. O., see Huang, B., *TIE Dec. 2013 5811-5819*
Andler, D., Alvarez, R., Bernet, S., and Rodriguez, J., Experimental Investigation of the Commutations of a 3L-ANPC Phase Leg Using 4.5-kV-5.5-kA IGBTs; *TIE Nov. 2013 4820-4830*
Andoulsi, R., see Chaouachi, A., *TIE April 2013 1688-1699*
Andriollo, M., see Kallio, S., *TIE June 2013 2486-2494*
Angquist, L., see Harnefors, L., *TIE July 2013 2526-2537*
Angulo, M., Ruiz-Caballero, D. A., Lago, J., Heldwein, M. L., and Mussa, S. A., Active Power Filter Control Strategy With Implicit Closed-Loop Current Control and Resonant Controller; *TIE July 2013 2721-2730*
Ano-Villalba, S., see Blasco-Gimenez, R., *TIE June 2013 2372-2380*
Ano-Villalba, S., see Bernal-Perez, S., *TIE June 2013 2401-2409*
Antonopoulos, A., see Harnefors, L., *TIE July 2013 2526-2537*
Aparicio, N., see Blasco-Gimenez, R., *TIE June 2013 2372-2380*
Araujo, R. E., see de Castro, R., *TIE Aug. 2013 3256-3271*
Arias, M., see Lamar, D. G., *TIE July 2013 2614-2626*
Arikatla, V., see Abu Qahouq, J. A., *TIE May 2013 1747-1758*
Arjona, M. A., see Morales-Caporal, R., *TIE Aug. 2013 3016-3024*
Arnaltes, S., see Alonso-Martinez, J., *TIE April 2013 1442-1451*
Arzande, A., see Bergna, G., *TIE June 2013 2360-2371*
Asama, J., Hamasaki, Y., Oiwa, T., and Chiba, A., Proposal and Analysis of a Novel Single-Drive Bearingless Motor; *TIE Jan. 2013 129-138*
Asher, G., see Cardenas, R., *TIE July 2013 2776-2798*
Atashkhouei, R., see Urresty, J.-C., *TIE Aug. 2013 3454-3461*
Auger, F., Hilaret, M., Guerrero, J. M., Monmasson, E., Orłowska-Kowalska, T., and Katsura, S., Industrial Applications of the Kalman Filter: A Review; *TIE Dec. 2013 5458-5471*
Aurtenetxea, S., see Solas, E., *TIE Oct. 2013 4525-4535*
Aurtenetxea, S., see Solas, E., *TIE Oct. 2013 4536-4545*
Aviyente, S., see Strangas, E. G., *TIE Aug. 2013 3519-3528*
Awam, I., see Younas, M., *TIE March 2013 1108-1115*
Azarderakhsh, R., see Mozaffari-Kermani, M., *TIE Dec. 2013 5925-5932*
Azizi, M., see Fatemi, A., *TIE May 2013 1769-1779*
Azuma, Y., see Yoshida, K., *TIE Nov. 2013 5306-5314*
Azzouz, Y., see Kahoul, R., *TIE Dec. 2013 5482-5496*

B

Bacha, S., see Metidji, B., *TIE Dec. 2013 5497-5505*

- Back, J.-B.**, Choi, W.-I., and Cho, B.-H., Digital Adaptive Frequency Modulation for Bidirectional DC–DC Converter; *TIE Nov. 2013* 5167-5176
- Back, J.-W.**, see Kim, H.-S., *TIE Aug. 2013* 3115-3125
- Baghli, L.**, see Metidji, B., *TIE Dec. 2013* 5497-5505
- Bahirat, H. J.**, see Holtsmark, N., *TIE June 2013* 2420-2428
- Bahrani, B.**, Karimi, A., Rey, B., and Rufer, A., Decoupled dq -Current Control of Grid-Tied Voltage Source Converters Using Nonparametric Models; *TIE April 2013* 1356-1366
- Bai, S.**, and Lukic, S. M., New Method to Achieve AC Harmonic Elimination and Energy Storage Integration for 12-Pulse Diode Rectifiers; *TIE July 2013* 2547-2554
- Baiju, M. R.**, see Jacob, B., *TIE Aug. 2013* 2969-2977
- Bakhoun, E. G.**, and Cheng, M. H. M., Tunable Ultracapacitor; *TIE Dec. 2013* 5613-5619
- Bakhshai, A.**, see Eren, S., *TIE Nov. 2013* 5059-5074
- Balcells, J.**, see Bialasiewicz, J. T., *TIE Oct. 2013* 4590-4598
- Bandyopadhyay, S.**, see S., S. E., *TIE March 2013* 1216-1224
- Bao, B.**, see Wang, J., *TIE May 2013* 1759-1768
- Bao, B.**, see Wang, J., *TIE Dec. 2013* 5875-5881
- Barati, F.**, McMahon, R., Shao, S., Abdi, E., and Oraee, H., Generalized Vector Control for Brushless Doubly Fed Machines With Nested-Loop Rotor; *TIE June 2013* 2477-2485
- Barbi, I.**, see Andersen, R. L., *TIE March 2013* 838-847
- Barbi, I.**, see Lazzarin, T. B., *TIE June 2013* 2194-2204
- Barnklau, H.**, Gensior, A., and Rudolph, J., A Model-Based Control Scheme for Modular Multilevel Converters; *TIE Dec. 2013* 5359-5375
- Barote, L.**, Marinescu, C., and Cristea, M. N., Control Structure for Single-Phase Stand-Alone Wind-Based Energy Sources; *TIE Feb. 2013* 764-772
- Barrado, A.**, see Izquierdo, D., *TIE Nov. 2013* 5195-5205
- Barrena, J. A.**, see Solas, E., *TIE Oct. 2013* 4525-4535
- Barrena, J. A.**, see Solas, E., *TIE Oct. 2013* 4536-4545
- Barrero, F.**, see Riveros, J. A., *TIE Aug. 2013* 2957-2968
- Barrero, F.**, see Duran, M. J., *TIE Oct. 2013* 4159-4168
- Barros, J. D.**, Silva, J. F. A., and Jesus, E. G. A., Fast-Predictive Optimal Control of NPC Multilevel Converters; *TIE Feb. 2013* 619-627
- Bassi, C.**, see Tessarolo, A., *TIE June 2013* 2147-2157
- Bauer, G. A. T.**, see Lazzarin, T. B., *TIE June 2013* 2194-2204
- Bauer, P.**, see van der Pijl, F., *TIE Jan. 2013* 382-390
- Bauer, P.**, see Teixeira Pinto, R., *TIE June 2013* 2429-2441
- Bauer, P.**, see van der Pijl, F. F. A., *TIE Jan. 2013* 271-279
- Bauer, P.**, see Chopra, S., *TIE Jan. 2013* 329-338
- Bauer, R.**, see Westermayer, C., *TIE Sept. 2013* 3877-3888
- Bayezit, I.**, and Fidan, B., Distributed Cohesive Motion Control of Flight Vehicle Formations; *TIE Dec. 2013* 5763-5772
- Beh, T. C.**, Kato, M., Imura, T., Oh, S., and Hori, Y., Automated Impedance Matching System for Robust Wireless Power Transfer via Magnetic Resonance Coupling; *TIE Sept. 2013* 3689-3698
- Behjati, H.**, and Davoudi, A., Reliability Analysis Framework for Structural Redundancy in Power Semiconductors; *TIE Oct. 2013* 4376-4386
- Belenguer, E.**, see Beltran, H., *TIE March 2013* 1225-1234
- Bellini, A.**, see Immovilli, F., *TIE Aug. 2013* 3408-3418
- Beltran, H.**, Bilbao, E., Belenguer, E., Etxeberria-Otadui, I., and Rodriguez, P., Evaluation of Storage Energy Requirements for Constant Production in PV Power Plants; *TIE March 2013* 1225-1234
- Bendtsen, J.**, see Juelsgaard, M., *TIE July 2013* 2851-2863
- Benedek, C.**, Krammer, O., Janoczki, M., and Jakab, L., Solder Paste Scooping Detection by Multilevel Visual Inspection of Printed Circuit Boards; *TIE June 2013* 2318-2331
- Benigni, A.**, see Molitor, C., *TIE March 2013* 1235-1248
- Benysek, G.**, see Smolenski, R., *TIE March 2013* 930-935
- Bergna, G.**, Berne, E., Egrot, P., Lefranc, P., Arzande, A., Vannier, J.-C., and Molinas, M., An Energy-Based Controller for HVDC Modular Multilevel Converter in Decoupled Double Synchronous Reference Frame for Voltage Oscillation Reduction; *TIE June 2013* 2360-2371
- Bernal-Perez, S.**, see Blasco-Gimenez, R., *TIE June 2013* 2372-2380
- Bernal-Perez, S.**, Ano-Villalba, S., Blasco-Gimenez, R., and Rodriguez-D'Erlee, J., Efficiency and Fault Ride-Through Performance of a Diode-Rectifier- and VSC-Inverter-Based HVDC Link for Offshore Wind Farms; *TIE June 2013* 2401-2409
- Berne, E.**, see Bergna, G., *TIE June 2013* 2360-2371
- Bernet, S.**, see Filsecker, F., *TIE Feb. 2013* 440-449
- Bernet, S.**, see Andler, D., *TIE Nov. 2013* 4820-4830
- Bhattacharjee, T.**, see Cho, J. H., *TIE March 2013* 946-957
- Bhatti, T. S.**, see Sharma, P., *TIE April 2013* 1630-1637
- Bhuvanewari, G.**, see Kalpana, R., *TIE Oct. 2013* 4178-4190
- Bialasiewicz, J. T.**, see Cardenas, R., *TIE July 2013* 2774-2775
- Bialasiewicz, J. T.**, see Cardenas, R., *TIE June 2013* 2358-2359
- Bialasiewicz, J. T.**, Gonzalez, D., Balcells, J., and Gago, J., Wavelet-Based Approach to Evaluation of Signal Integrity; *TIE Oct. 2013* 4590-4598
- Bianchi, F.**, see Egea-Alvarez, A., *TIE June 2013* 2381-2391
- Bianchini, C.**, see Immovilli, F., *TIE Aug. 2013* 3408-3418
- Bianconi, E.**, Calvente, J., Giral, R., Mamarelis, E., Petrone, G., Ramos-Paja, C. A., Spagnuolo, G., and Vitelli, M., A Fast Current-Based MPPT Technique Employing Sliding Mode Control; *TIE March 2013* 1168-1178
- Biel, D.**, see Chavarria, J., *TIE Jan. 2013* 98-111
- Biet, M.**, Rotor Faults Diagnosis Using Feature Selection and Nearest Neighbors Rule: Application to a Turbogenerator; *TIE Sept. 2013* 4063-4073
- Bilbao, E.**, see Beltran, H., *TIE March 2013* 1225-1234
- Bilgin, B.**, Emadi, A., and Krishnamurthy, M., Comprehensive Evaluation of the Dynamic Performance of a 6/10 SRM for Traction Application in PHEVs; *TIE July 2013* 2564-2575
- Binoj Kumar, A. C.**, Prasad, J. S. S., and Narayanan, G., Experimental Investigation on the Effect of Advanced Bus-Clamping Pulsewidth Modulation on Motor Acoustic Noise; *TIE Feb. 2013* 433-439
- Blaabjerg, F.**, see Liu, X., *TIE Jan. 2013* 20-30
- Blaabjerg, F.**, see Guerrero, J. M., *TIE April 2013* 1251-1253
- Blaabjerg, F.**, see Li, D., *TIE Sept. 2013* 3567-3578
- Blaabjerg, F.**, see Liu, X., *TIE Dec. 2013* 5696-5707
- Blaabjerg, F.**, see Wu, W., *TIE Oct. 2013* 4339-4350
- Blaha, P.**, see Vaclavek, P., *TIE Aug. 2013* 3047-3059
- Blasco-Gimenez, R.**, see Bernal-Perez, S., *TIE June 2013* 2401-2409
- Blasco-Gimenez, R.**, Aparicio, N., Ano-Villalba, S., and Bernal-Perez, S., LCC-HVDC Connection of Offshore Wind Farms With Reduced Filter Banks; *TIE June 2013* 2372-2380
- Bocker, J.**, see Mathapati, S., *TIE March 2013* 885-895
- Bodo, N.**, Levi, E., and Jones, M., Investigation of Carrier-Based PWM Techniques for a Five-Phase Open-End Winding Drive Topology; *TIE May 2013* 2054-2065
- Bogiatzidis, I. X.**, Safacas, A. N., and Mitronikas, E. D., Detection of Backlash Phenomena Appearing in a Single Cement Kiln Drive Using the Current and the Electromagnetic Torque Signature; *TIE Aug. 2013* 3441-3453
- Boisliveau, R.**, see Hamida, M. A., *TIE Feb. 2013* 739-748
- Boller, see Rathore, TIE Oct. 2013 4215-4224**
- Bonilla-Huerta, E.**, see Morales-Caporal, R., *TIE Aug. 2013* 3016-3024
- Bonnin, J.-M.**, see Lee, J.-H., *TIE March 2013* 1077-1088
- Borca-Tasciuc, D.-A.**, see Kempitaya, A., *TIE Dec. 2013* 5639-5647
- Bordonau, J.**, see Nicolas-Apruzzese, J., *TIE Nov. 2013* 4773-4783
- Borges, B. V.**, see Ferreira, C. A. F., *TIE May 2013* 2074-2083
- Bornschlegel, A. S.**, Pelle, J., Harmand, S., Fasquelle, A., and Corriou, J.-P., Thermal Optimization of a High-Power Salient-Pole Electrical Machine; *TIE May 2013* 1734-1746
- Borrell, A.**, Castilla, M., Miret, J., Matas, J., and Garcia de Vicuna, L., Control Design for Multiphase Synchronous Buck Converters Based on Exact Constant Resistive Output Impedance; *TIE Nov. 2013* 4920-4929
- Bose, B. K.**, Global Energy Scenario and Impact of Power Electronics in 21st Century; *TIE July 2013* 2638-2651
- Bosque, J. M.**, see Valderrama-Blavi, H., *TIE March 2013* 1191-1203
- Boukra, T.**, Lebaroud, A., and Clerc, G., Statistical and Neural-Network Approaches for the Classification of Induction Machine Faults Using the Ambiguity Plane Representation; *TIE Sept. 2013* 4034-4042
- Bouzid, M. B. K.**, and Champenois, G., New Expressions of Symmetrical Components of the Induction Motor Under Stator Faults; *TIE Sept. 2013* 4093-4102
- Bouzidi, B.**, see El Badi, B., *TIE March 2013* 873-884
- Boys, J. T.**, Kazmierkowski, M. P., Lomonova, E. A., Madawala, U. K., and Covic, G. A., Introduction to the Special Section on Contactless Energy Transfer Systems; *TIE Jan. 2013* 239-241
- Boys, J. T.**, see Budhia, M., *TIE Jan. 2013* 318-328
- Branco, C. G. C.**, Torrico-Bascope, R. P., Cruz, C. M. T., and de A. Lima, F. K., Proposal of Three-Phase High-Frequency Transformer Isolation UPS Topologies for Distributed Generation Applications; *TIE April 2013* 1520-1531
- Bravo, I.**, see Garcia, J., *TIE Sept. 2013* 3991-4000
- Bu, J.**, see He, D., *TIE Nov. 2013* 5348-5354
- Budhia, M.**, Boys, J. T., Covic, G. A., and Huang, C.-Y., Development of a Single-Sided Flux Magnetic Coupler for Electric Vehicle IPT Charging Systems; *TIE Jan. 2013* 318-328
- Buffa, C.**, see Langfelder, G., *TIE Sept. 2013* 3983-3990

- Burdio, J. M.**, see Sarnago, H., *TIE May 2013 2066-2073*
- Burdio, J. M.**, see Acero, J., *TIE Jan. 2013 410-420*
- Burdio, J. M.**, see Carretero, C., *TIE Aug. 2013 3092-3105*
- Burgos, R.**, see She, X., *TIE Oct. 2013 4512-4524*
- Busada, C. A.**, see Gomez Jorge, S., *TIE Oct. 2013 4169-4177*
- Busquets-Monge, S.**, Maheshwari, R., and Munk-Nielsen, S., Overmodulation of n -Level Three-Leg DC-AC Diode-Clamped Converters With Comprehensive Capacitor Voltage Balance; *TIE May 2013 1872-1883*
- Busquets-Monge, S.**, see Alepuz, S., *TIE May 2013 1787-1796*
- Busquets-Monge, S.**, see Nicolas-Apruzzese, J., *TIE Nov. 2013 4773-4783*
- Busquets-Monge, S.**, see Maheshwari, R., *TIE May 2013 1861-1871*
- Busquets-Monge, S.**, see Ruderman, A., *TIE May 2013 1999-2009*
- Buticchi, G.**, Consolini, L., and Lorenzani, E., Active Filter for the Removal of the DC Current Component for Single-Phase Power Lines; *TIE Oct. 2013 4403-4414*
- Buticchi, G.**, and Lorenzani, E., Detection Method of the DC Bias in Distribution Power Transformers; *TIE Aug. 2013 3539-3549*
- Buticchi, G.**, Lorenzani, E., and Franceschini, G., A Five-Level Single-Phase Grid-Connected Converter for Renewable Distributed Systems; *TIE March 2013 906-918*
- C**
- Cacciato, M.**, see Consoli, A., *TIE Sept. 2013 3658-3669*
- Cai, C.**, see Yuan, J., *TIE May 2013 2084-2093*
- Cali, D.**, see Molitor, C., *TIE March 2013 1235-1248*
- Calle, A.**, see Alepuz, S., *TIE May 2013 1787-1796*
- Calle-Prado, A.**, see Nicolas-Apruzzese, J., *TIE Nov. 2013 4773-4783*
- Calvente, J.**, see Bianconi, E., *TIE March 2013 1168-1178*
- Calvino, L.**, see Aguirre, M. P., *TIE Jan. 2013 3-10*
- Calvo, G.**, see Chivite-Zabalza, J., *TIE Nov. 2013 4759-4772*
- Camacho, A.**, Castilla, M., Miret, J., Vasquez, J. C., and Alarcon-Gallo, E., Flexible Voltage Support Control for Three-Phase Distributed Generation Inverters Under Grid Fault; *TIE April 2013 1429-1441*
- Camacho, A.**, see Castilla, M., *TIE April 2013 1464-1472*
- Campbell, D. A.**, see Ingram, D. M. E., *TIE Dec. 2013 5933-5942*
- Campos-Gaona, D.**, Moreno-Goytia, E. L., and Anaya-Lara, O., Fault Ride-Through Improvement of DFIG-WT by Integrating a Two-Degrees-of-Freedom Internal Model Control; *TIE March 2013 1133-1145*
- Canesin, C. A.**, see de Brito, M. A. G., *TIE March 2013 1156-1167*
- Cao, J.**, see Li, W., *TIE Feb. 2013 474-482*
- Cao, J.**, see Ma, C., *TIE March 2013 969-978*
- Cao, R.**, Cheng, M., and Hua, W., Investigation and General Design Principle of a New Series of Complementary and Modular Linear FSPM Motors; *TIE Dec. 2013 5436-5446*
- Cao, R.**, see Zhao, W., *TIE Jan. 2013 151-159*
- Cao, Z.-G.**, see You, C.-J., *TIE June 2013 2346-2357*
- Capocchi, L.**, see Toma, S., *TIE Sept. 2013 4043-4052*
- Capolino, G.-A.**, see Toma, S., *TIE Sept. 2013 4043-4052*
- Capolino, G.-A.**, and Filippetti, F., Introduction to the Special Section on Advances in Diagnosis for Electrical Machines, Power Electronics, and Drives—Part II; *TIE Sept. 2013 4009-4011*
- Capolino, G.-A.**, and Filippetti, F., Introduction to the special section on advances in diagnosis for electrical machines, power electronics, and drives—Part I; *TIE Aug. 2013 3396-3397*
- Capolino, G.-A.**, see Gritli, Y., *TIE Sept. 2013 4012-4024*
- Carcar, A.**, see Solas, E., *TIE Oct. 2013 4525-4535*
- Carcar, A.**, see Solas, E., *TIE Oct. 2013 4536-4545*
- Cardenas, R.**, Pena, R., Alepuz, S., and Asher, G., Overview of Control Systems for the Operation of DFIGs in Wind Energy Applications; *TIE July 2013 2776-2798*
- Cardenas, R.**, Molinas, M., and Bialasiewicz, J. T., Introduction to the Special Section on Control and Grid Integration of Wind Energy Systems - Part II; *TIE July 2013 2774-2775*
- Cardenas, R.**, Molinas, M., and Bialasiewicz, J. T., Introduction to the Special Section on Control and Grid Integration of Wind Energy Systems—Part I; *TIE June 2013 2358-2359*
- Cardenas, R.**, see Soto-Sanchez, D. E., *TIE June 2013 2118-2130*
- Cardoso, R.**, see Kanieski, J. M., *TIE Nov. 2013 5214-5227*
- Caricchi, F.**, see De Donato, G., *TIE Nov. 2013 4831-4840*
- Carlson, O.**, see Haghbin, S., *TIE Feb. 2013 459-473*
- Carpio, J.**, see Munoz-Condes, P., *TIE July 2013 2750-2759*
- Carrasco, G.**, and Silva, C., Space Vector PWM Method for Five-Phase Two-Level VSI With Minimum Harmonic Injection in the Overmodulation Region; *TIE May 2013 2042-2053*
- Carretero, C.**, Lucia, O., Acero, J., and Burdio, J. M., Computational Modeling of Two Partly Coupled Coils Supplied by a Double Half-Bridge Resonant Inverter for Induction Heating Appliances; *TIE Aug. 2013 3092-3105*
- Carretero, C.**, see Acero, J., *TIE Jan. 2013 410-420*
- Casadei, D.**, see Gritli, Y., *TIE Sept. 2013 4012-4024*
- Casadei, D.**, see Zarri, L., *TIE Aug. 2013 3506-3518*
- Castelli-Dezza, F.**, Iacchetti, M. F., and Perini, R., An Observer for Sensorless DFIM Drives Based on the Natural Fifth Harmonic of the Line Voltage, Without Stator Current Measurement; *TIE Oct. 2013 4301-4309*
- Castello, J.**, see Espi, J. M., *TIE March 2013 919-929*
- Castilla, M.**, see van der Pijl, F. F. A., *TIE Jan. 2013 271-279*
- Castilla, M.**, Miret, J., Camacho, A., Matas, J., and de Vicuna, L. G., Reduction of Current Harmonic Distortion in Three-Phase Grid-Connected Photovoltaic Inverters via Resonant Current Control; *TIE April 2013 1464-1472*
- Castilla, M.**, see Camacho, A., *TIE April 2013 1429-1441*
- Castilla, M.**, see Borrell, A., *TIE Nov. 2013 4920-4929*
- Castilla, M.**, see van der Pijl, F., *TIE Jan. 2013 382-390*
- Cecati, C.**, Guinjoan, F., Siano, P., and Spagnuolo, G., Introduction to the Special Section on Smart Devices for Renewable Energy Systems; *TIE March 2013 1119-1121*
- Cen, N.**, see Fidan, B., *TIE Dec. 2013 5781-5791*
- Chai, S.**, Wang, L., and Rogers, E., A Cascade MPC Control Structure for a PMSM With Speed Ripple Minimization; *TIE Aug. 2013 2978-2987*
- Champenois, G.**, see Bouzid, M. B. K., *TIE Sept. 2013 4093-4102*
- Chan, K. Y.**, Dillon, T. S., and Chang, E., An Intelligent Particle Swarm Optimization for Short-Term Traffic Flow Forecasting Using on-Road Sensor Systems; *TIE Oct. 2013 4714-4725*
- Chan, S.**, see He, D., *TIE Nov. 2013 5348-5354*
- Chan, W. S.**, see Zheng, S. Y., *TIE Aug. 2013 3349-3359*
- Chan, W.-S.**, see Chang, Y.-H., *TIE June 2013 2251-2263*
- Chan, Y.-H.**, see Lee, T.-L., *TIE April 2013 1417-1428*
- Chandorkar, M.**, see Guerrero, J. M., *TIE April 2013 1263-1270*
- Chandorkar, M.**, see Guerrero, J. M., *TIE April 2013 1254-1262*
- Chandra, A.**, see Singh, M., *TIE Jan. 2013 121-128*
- Chang, C.-W.**, see Chang, Y.-H., *TIE June 2013 2251-2263*
- Chang, E.**, see Chan, K. Y., *TIE Oct. 2013 4714-4725*
- Chang, G. W.**, see Chen, C.-I., *TIE July 2013 2681-2688*
- Chang, P. H.**, see Jin, Y., *TIE Aug. 2013 3304-3317*
- Chang, R.-S.**, see Li, T.-Y., *TIE Sept. 2013 3976-3982*
- Chang, T.-A.**, see Young, C.-M., *TIE Feb. 2013 523-537*
- Chang, Y.-H.**, Chan, W.-S., and Chang, C.-W., T-S Fuzzy Model-Based Adaptive Dynamic Surface Control for Ball and Beam System; *TIE June 2013 2251-2263*
- Chang, Y.-R.**, see Wai, R.-J., *TIE April 2013 1542-1555*
- Chang, Y.-T.**, see Lai, Y.-S., *TIE Aug. 2013 3126-3135*
- Chao, C.-H.**, see Lin, B.-R., *TIE Oct. 2013 4351-4358*
- Chao, C.-H.**, see Lin, B.-R., *TIE June 2013 2214-2224*
- Chaouachi, A.**, see Kamel, R. M., *TIE April 2013 1314-1322*
- Chaouachi, A.**, Kamel, R. M., Andoulsi, R., and Nagasaka, K., Multiobjective Intelligent Energy Management for a Microgrid; *TIE April 2013 1688-1699*
- Chatterjee, K.**, see S., S. E., *TIE March 2013 1216-1224*
- Chatterjee, K.**, see Anand, S., *TIE Jan. 2013 11-19*
- Chau, K. T.**, see Zhao, W., *TIE Jan. 2013 151-159*
- Chaudhary, P.**, and Sensarma, P., Front-End Buck Rectifier With Reduced Filter Size and Single-Loop Control; *TIE Oct. 2013 4359-4368*
- Chavarria, J.**, Biel, D., Guinjoan, F., Meza, C., and Negroni, J. J., Energy-Balance Control of PV Cascaded Multilevel Grid-Connected Inverters Under Level-Shifted and Phase-Shifted PWMs; *TIE Jan. 2013 98-111*
- Chen, B.**, see Yuan, J., *TIE May 2013 2084-2093*
- Chen, B.-Y.**, see Lai, Y.-S., *TIE Aug. 2013 3126-3135*
- Chen, C.**, see He, D., *TIE Nov. 2013 5348-5354*
- Chen, C.**, A Calibration Test Platform of Power Quality Instruments for Grid Integration of Wind Energy System; *TIE July 2013 2874-2880*
- Chen, C.-C.**, see Wu, H., *TIE Feb. 2013 554-566*
- Chen, C.-I.**, and Chang, G. W., An Efficient Prony-Based Solution Procedure for Tracking of Power System Voltage Variations; *TIE July 2013 2681-2688*
- Chen, C.-I.**, A Phasor Estimator for Synchronization Between Power Grid and Distributed Generation System; *TIE Aug. 2013 3248-3255*
- Chen, C.-I.**, A Two-Stage Solution Procedure for Digital Power Metering According to IEEE Standard 1459-2010 in Single-Phase System; *TIE Dec. 2013 5550-5557*

- Chen, C.-L.**, see Lin, M.-S., *TIE Oct. 2013 4694-4701*
- Chen, C.-L.**, see Li, Y.-C., *TIE Nov. 2013 4978-4986*
- Chen, D.**, Zhang, J., and Qian, Z., An Improved Repetitive Control Scheme for Grid-Connected Inverter With Frequency-Adaptive Capability; *TIE Feb. 2013 814-823*
- Chen, H.**, and Lu, S., Fault Diagnosis Digital Method for Power Transistors in Power Converters of Switched Reluctance Motors; *TIE Feb. 2013 749-763*
- Chen, H.**, see Guo, H., *TIE Sept. 2013 3823-3835*
- Chen, J.**, see Shu, Z., *TIE May 2013 1884-1896*
- Chen, J.**, Chen, J., and Gong, C., New Overall Power Control Strategy for Variable-Speed Fixed-Pitch Wind Turbines Within the Whole Wind Velocity Range; *TIE July 2013 2652-2660*
- Chen, J.**, see Chen, J., *TIE July 2013 2652-2660*
- Chen, J.**, see You, C.-J., *TIE June 2013 2346-2357*
- Chen, J.**, see Cheng, P., *TIE Sept. 2013 3836-3845*
- Chen, J.**, Chen, J., and Gong, C., Constant-Bandwidth Maximum Power Point Tracking Strategy for Variable-Speed Wind Turbines and Its Design Details; *TIE Nov. 2013 5050-5058*
- Chen, J.**, see Chen, J., *TIE Nov. 2013 5050-5058*
- Chen, J.**, see Liu, N., *TIE Oct. 2013 4746-4756*
- Chen, J.-C.**, see Chen, S.-M., *TIE April 2013 1503-1511*
- Chen, J.-F.**, see Liang, T.-J., *TIE April 2013 1483-1491*
- Chen, J.-F.**, see Hsieh, Y.-P., *TIE April 2013 1473-1482*
- Chen, J.-F.**, see Lin, R.-L., *TIE April 2013 1323-1334*
- Chen, J.-J.**, see Hwang, Y.-S., *TIE Jan. 2013 280-290*
- Chen, J.-J.**, see Chen, L.-R., *TIE Dec. 2013 5620-5628*
- Chen, J.-Y.**, see Yang, S.-M., *TIE Nov. 2013 4913-4919*
- Chen, K.**, see Wu, D., *TIE Sept. 2013 3906-3914*
- Chen, K.**, see Molitor, C., *TIE March 2013 1235-1248*
- Chen, K.-H.**, see Yang, Y.-Y., *TIE July 2013 2627-2637*
- Chen, L.**, Liu, S., Zhou, Y. C., and Cui, T. J., An Optimizable Circuit Structure for High-Efficiency Wireless Power Transfer; *TIE Jan. 2013 339-349*
- Chen, L.**, see Sun, X., *TIE Dec. 2013 5528-5538*
- Chen, L.-R.**, Chen, J.-J., Ho, C.-M., Wu, S.-L., and Shieh, D.-T., Improvement of Li-ion Battery Discharging Performance by Pulse and Sinusoidal Current Strategies; *TIE Dec. 2013 5620-5628*
- Chen, L.-R.**, see Young, C.-M., *TIE May 2013 1972-1978*
- Chen, L.-R.**, Wu, S.-L., Shieh, D.-T., and Chen, T.-R., Sinusoidal-Ripple-Current Charging Strategy and Optimal Charging Frequency Study for Li-Ion Batteries; *TIE Jan. 2013 88-97*
- Chen, M.-H.**, see Young, C.-M., *TIE Feb. 2013 523-537*
- Chen, M.-H.**, see Lin, R.-L., *TIE April 2013 1323-1334*
- Chen, Q.**, see Zhang, C., *TIE Sept. 2013 3775-3783*
- Chen, R.**, see Chen, Z., *TIE Aug. 2013 2988-2996*
- Chen, S.-M.**, Liang, T.-J., Yang, L.-S., and Chen, J.-C., A Boost Converter With Capacitor Multiplier and Coupled Inductor for AC Module Applications; *TIE April 2013 1503-1511*
- Chen, S.-M.**, see Liang, T.-J., *TIE April 2013 1483-1491*
- Chen, T.-R.**, see Chen, L.-R., *TIE Jan. 2013 88-97*
- Chen, T.-S.**, see Kuo, C.-H., *TIE Oct. 2013 4599-4612*
- Chen, W.**, see Liu, Y., *TIE Nov. 2013 5160-5166*
- Chen, W.-L.**, and Xie, C.-Z., Active Voltage and Frequency Regulator Design for a Wind-Driven Induction Generator to Alleviate Transient Impacts on Power Grid; *TIE Aug. 2013 3165-3175*
- Chen, Y.**, see Yuan, J., *TIE May 2013 2084-2093*
- Chen, Y.-T.**, Chiu, C.-L., Jhang, Y.-R., Tang, Z.-H., and Liang, R.-H., A Driver for the Single-Phase Brushless DC Fan Motor With Hybrid Winding Structure; *TIE Oct. 2013 4369-4375*
- Chen, Z.**, see Sun, M., *TIE Sept. 2013 3897-3905*
- Chen, Z.**, Chen, R., and Chen, Z., A Fault-Tolerant Parallel Structure of Single-Phase Full-Bridge Rectifiers for a Wound-Field Doubly Salient Generator; *TIE Aug. 2013 2988-2996*
- Chen, Z.**, see Chen, Z., *TIE Aug. 2013 2988-2996*
- Chen, Z.**, see Lu, L., *TIE March 2013 1011-1022*
- Cheng, L.**, see Jing, X., *TIE June 2013 2273-2283*
- Cheng, M.**, see Cao, R., *TIE Dec. 2013 5436-5446*
- Cheng, M.**, see Zhao, W., *TIE Jan. 2013 151-159*
- Cheng, M.**, see Sun, X., *TIE May 2013 1724-1733*
- Cheng, M. H. M.**, see Bakhroum, E. G., *TIE Dec. 2013 5613-5619*
- Cheng, M.-Y.**, see Wen, C.-M., *TIE Nov. 2013 5105-5115*
- Cheng, P.**, see Wang, J., *TIE Dec. 2013 5943-5952*
- Cheng, P.**, Zhang, F., Chen, J., Sun, Y., and Shen, X., A Distributed TDMA Scheduling Algorithm for Target Tracking in Ultrasonic Sensor Networks; *TIE Sept. 2013 3836-3845*
- Cheng, S.**, and Habetler, T. G., Using Only the DC Current Information to Detect Stator Turn Faults in Automotive Claw-Pole Generators; *TIE Aug. 2013 3462-3471*
- Cheng, S.**, see Li, W., *TIE Feb. 2013 474-482*
- Cheng, S.-J.**, Lo, Y.-K., Chiu, H.-J., and Kuo, S.-W., High-Efficiency Digital-Controlled Interleaved Power Converter for High-Power PEM Fuel-Cell Applications; *TIE Feb. 2013 773-780*
- Cheng, S.-J.**, see Chiu, H.-J., *TIE Feb. 2013 781-788*
- Cheng-I Chen**, Design of Measurement System Based on Signal Reconstruction for Analysis and Protection of Distributed Generations; *TIE April 2013 1652-1658*
- Cheung, N. C.**, see Chow, H.-W., *TIE Jan. 2013 139-150*
- Chiang, G. T.**, and Itoh, J., Comparison of Two Overmodulation Strategies in an Indirect Matrix Converter; *TIE Jan. 2013 43-53*
- Chiba, A.**, see Asama, J., *TIE Jan. 2013 129-138*
- Chibelushi, C. C.**, see Yang, P., *TIE Dec. 2013 5914-5924*
- Chin, C. S.**, and Wheeler, C., Sliding-Mode Control of an Electromagnetic Actuated Conveyance System Using Contactless Sensing; *TIE Nov. 2013 5315-5324*
- Chiu, C.-L.**, see Chen, Y.-T., *TIE Oct. 2013 4369-4375*
- Chiu, H.-J.**, see Cheng, S.-J., *TIE Feb. 2013 773-780*
- Chiu, H.-J.**, Lo, Y.-K., Yang, C.-Y., Cheng, S.-J., Huang, C.-M., Chuang, C.-C., Kuo, M.-C., Huang, Y.-M., Jean, Y.-B., and Huang, Y.-C., A Module-Integrated Isolated Solar Microinverter; *TIE Feb. 2013 781-788*
- Chiu, Y.-J.**, see Shyu, K.-K., *TIE July 2013 2731-2739*
- Chivite-Zabalza, J.**, Rodriguez Vidal, M. A., Izurza-Moreno, P., Calvo, G., and Madariaga, D., A Large-Power Voltage Source Converter for FACTS Applications Combining Three-Level Neutral-Point-Clamped Power Electronic Building Blocks; *TIE Nov. 2013 4759-4772*
- Cho, B. H.**, see Kim, J., *TIE Nov. 2013 5086-5094*
- Cho, B.-H.**, see Baek, J.-B., *TIE Nov. 2013 5167-5176*
- Cho, H.**, Lee, J., Kim, D., and Kim, S. W., Observability-Based Selection Criterion for Anchor Nodes in Multiple-Cell Localization; *TIE Oct. 2013 4554-4561*
- Cho, J. H.**, Son, H. I., Lee, D. G., Bhattacharjee, T., and Lee, D. Y., Gain-Scheduling Control of Teleoperation Systems Interacting With Soft Tissues; *TIE March 2013 946-957*
- Cho, J.-H.**, see Kim, H.-S., *TIE Dec. 2013 5558-5574*
- Cho, Y.**, see Zhao, Z., *TIE May 2013 2094-2103*
- Choi, H. H.**, and Jung, J.-W., Discrete-Time Fuzzy Speed Regulator Design for PM Synchronous Motor; *TIE Feb. 2013 600-607*
- Choi, H. H.**, see Do, T. D., *TIE Dec. 2013 5660-5672*
- Choi, H. H.**, see Vu, N. T.-T., *TIE Oct. 2013 4281-4291*
- Choi, W.-I.**, see Baek, J.-B., *TIE Nov. 2013 5167-5176*
- Choi, Y.-S.**, see Do, T. D., *TIE Dec. 2013 5660-5672*
- Chopra, S.**, and Bauer, P., Driving Range Extension of EV With On-Road Contactless Power Transfer—A Case Study; *TIE Jan. 2013 329-338*
- Chou, F.-C.**, see Yao, W.-H., *TIE July 2013 2586-2594*
- Chow, H.-W.**, and Cheung, N. C., Disturbance and Response Time Improvement of Submicrometer Precision Linear Motion System by Using Modified Disturbance Compensator and Internal Model Reference Control; *TIE Jan. 2013 139-150*
- Chu, N.-Y.**, see Young, C.-M., *TIE May 2013 1972-1978*
- Chuang, C. F.**, see Hwu, K. I., *TIE June 2013 2178-2193*
- Chuang, C.-C.**, see Chiu, H.-J., *TIE Feb. 2013 781-788*
- Chung, C. C.**, see Shin, D., *TIE Dec. 2013 5773-5780*
- Chung, C. C.**, see Kim, W., *TIE July 2013 2689-2699*
- Chung, R.**, see Song, Z., *TIE March 2013 1023-1032*
- Chung, T.-M.**, see Lee, J.-H., *TIE March 2013 1077-1088*
- Chunwei, G.**, see Feiyang, H., *TIE July 2013 2595-2601*
- Cintron-Rivera, J. G.**, see Li, Y., *TIE April 2013 1532-1541*
- Cirrincione, G.**, see Prieto, M. D., *TIE Aug. 2013 3398-3407*
- Clare, M. N.**, see Barote, L., *TIE Feb. 2013 764-772*
- Clare, J.**, see Soto-Sanchez, D. E., *TIE June 2013 2118-2130*
- Clare, J. C.**, see Empringham, L., *TIE Oct. 2013 4260-4271*
- Clerc, G.**, see Boukra, T., *TIE Sept. 2013 4034-4042*
- Clerc, G.**, see Soualhi, A., *TIE Sept. 2013 4053-4062*
- Cocconcelli, M.**, see Immovilli, F., *TIE Aug. 2013 3408-3418*
- Concari, C.**, Franceschini, G., Tassoni, C., and Toscani, A., Validation of a Faulted Rotor Induction Machine Model With an Insightful Geometrical Interpretation of Physical Quantities; *TIE Sept. 2013 4074-4083*
- Consoli, A.**, Scelba, G., Scarcella, G., and Cacciato, M., An Effective Energy-Saving Scalar Control for Industrial IPMSM Drives; *TIE Sept. 2013 3658-3669*

- Consolini, L.**, see Buticchi, G., *TIE Oct. 2013 4403-4414*
Corriou, J.-P., see Bornschlegell, A. S., *TIE May 2013 1734-1746*
Cortes-Romero, J. A., see Sira-Ramirez, H., *TIE Aug. 2013 3025-3033*
Corzine, K. A., see Diong, B., *TIE Aug. 2013 3106-3114*
Corzine, K. A., see Sepahvand, H., *TIE Sept. 2013 3619-3626*
Corzine, K. A., see Sepahvand, H., *TIE Sept. 2013 3699-3710*
Costa, F. F., see Fernandes, D. A., *TIE May 2013 2022-2030*
Cove, S. R., Ordonez, M., Luchino, F., and Quaioco, J. E., Applying Response Surface Methodology to Small Planar Transformer Winding Design; *TIE Feb. 2013 483-493*
Covic, G. A., see Boys, J. T., *TIE Jan. 2013 239-241*
Covic, G. A., see Budhia, M., *TIE Jan. 2013 318-328*
Covic, G. A., see Raabe, S., *TIE Jan. 2013 400-409*
Crebier, J.-C., see Lavado Villa, L. F., *TIE March 2013 1179-1190*
Cruz, C. M. T., see Branco, C. G. C., *TIE April 2013 1520-1531*
Cui, T. J., see Chen, L., *TIE Jan. 2013 339-349*
Curkovic, M., Jezernik, K., and Horvat, R., FPGA-Based Predictive Sliding Mode Controller of a Three-Phase Inverter; *TIE Feb. 2013 637-644*

D

- D'Abramo, P.**, see Saponara, S., *TIE June 2013 2309-2317*
da Silva Martins, M. L., see Russi, J. L., *TIE July 2013 2576-2585*
da Silva, M. F., Fraytag, J., Schlittler, M. E., Marchesan, T. B., Dalla Costa, M. A., Alonso, J., and do Prado, R. N., Analysis and Design of a Single-Stage High-Power-Factor Dimmable Electronic Ballast for Electrodeless Fluorescent Lamp; *TIE Aug. 2013 3081-3091*
Dai, X., see Li, Y.-L., *TIE Jan. 2013 291-300*
Dalla Costa, M. A., see da Silva, M. F., *TIE Aug. 2013 3081-3091*
Dalla Costa, M. A., see Kirsten, A. L., *TIE Feb. 2013 608-618*
Das, P., Pahlevaninezhad, M., and Moschopoulos, G., Analysis and Design of a New AC-DC Single-Stage Full-Bridge PWM Converter With Two Controllers; *TIE Nov. 2013 4930-4946*
Dasgupta, S., Mohan, S. N., Sahoo, S. K., and Panda, S. K., Lyapunov Function-Based Current Controller to Control Active and Reactive Power Flow From a Renewable Energy Source to a Generalized Three-Phase Microgrid System; *TIE Feb. 2013 799-813*
Dasgupta, S., Mohan, S. N., Sahoo, S. K., and Panda, S. K., Application of Four-Switch-Based Three-Phase Grid-Connected Inverter to Connect Renewable Energy Source to a Generalized Unbalanced Microgrid System; *TIE March 2013 1204-1215*
Dass, R., see Liu, G., *TIE Jan. 2013 210-216*
Davarpanah, M., see Razzaghi, R., *TIE April 2013 1659-1667*
Davoudi, A., see Behjati, H., *TIE Oct. 2013 4376-4386*
de A. Lima, F. K., see Branco, C. G. C., *TIE April 2013 1520-1531*
de Almeida, A. T., see Ge, B., *TIE Oct. 2013 4468-4481*
de Belie, F., see Gabriel, F., *TIE Dec. 2013 5447-5457*
de Brito, M. A. G., Galotto, L., Sampaio, L. P., e Melo, G., and Canesin, C. A., Evaluation of the Main MPPT Techniques for Photovoltaic Applications; *TIE March 2013 1156-1167*
de Castro, R., Araujo, R. E., and Freitas, D., Wheel Slip Control of EVs Based on Sliding Mode Technique With Conditional Integrators; *TIE Aug. 2013 3256-3271*
De Donato, G., Giulii Capponi, F., and Caricchi, F., On the Use of Magnetic Wedges in Axial Flux Permanent Magnet Machines; *TIE Nov. 2013 4831-4840*
de Jodar, E., Villarejo, J., and Jimenez, J. M., Multiphase ZVS Active Clamp Boost Converter: DC and Dynamic Current Sharing; *TIE Nov. 2013 4947-4959*
De Keyser, R., see Vandoorn, T. L., *TIE Feb. 2013 789-798*
De Koening, J. D. M., see Vandoorn, T. L., *TIE April 2013 1291-1305*
De Koening, J. D. M., see Vandoorn, T. L., *TIE Feb. 2013 789-798*
De Leon, J., see Hamida, M. A., *TIE Feb. 2013 739-748*
De Lillo, L., see Aboelhassan, M. O. E., *TIE Aug. 2013 2997-3006*
De Nardo, A., Di Capua, G., and Femia, N., Transformer Design for Isolated Switching Converters Based on Geometric Form Factors of Magnetic Cores; *TIE June 2013 2158-2166*
de Palma, J.-F., see Zhao, Y., *TIE Sept. 2013 3784-3795*
de Souza Oliveira, D., see Alcazar, Y. J. A., *TIE Oct. 2013 4438-4449*
de Souza, H. E. P., see Nascimento, P. S. B., *TIE Feb. 2013 645-658*
de Vicuna, L. G., see Castilla, M., *TIE April 2013 1464-1472*
Demian, C., see Romary, R., *TIE Sept. 2013 4084-4092*

- Deng, H.**, see Duan, X.-G., *TIE Nov. 2013 5177-5185*
Deschamps, J.-P., see Sutter, G. D., *TIE Jan. 2013 217-225*
Dey, A., Rajeevan, P. P., Ramchand, R., Mathew, K., and Gopakumar, K., A Space-Vector-Based Hysteresis Current Controller for a General n -Level Inverter-Fed Drive With Nearly Constant Switching Frequency Control; *TIE May 2013 1989-1998*
Di Capua, G., see De Nardo, A., *TIE June 2013 2158-2166*
Dillon, T. S., see Chan, K. Y., *TIE Oct. 2013 4714-4725*
Ding, G., see Liu, C., *TIE Aug. 2013 3240-3247*
Ding, N., see Shu, Z., *TIE May 2013 1884-1896*
Diong, B., Sepahvand, H., and Corzine, K. A., Harmonic Distortion Optimization of Cascaded H-Bridge Inverters Considering Device Voltage Drops and Noninteger DC Voltage Ratios; *TIE Aug. 2013 3106-3114*
Dixon, J., see Pereda, J., *TIE Nov. 2013 4784-4793*
Dixon, J., see Guerrero, V., *TIE Feb. 2013 450-458*
do Prado, R. N., see Kirsten, A. L., *TIE Feb. 2013 608-618*
do Prado, R. N., see da Silva, M. F., *TIE Aug. 2013 3081-3091*
Do, T. D., Leu, V. Q., Choi, Y.-S., Choi, H. H., and Jung, J.-W., An Adaptive Voltage Control Strategy of Three-Phase Inverter for Stand-Alone Distributed Generation Systems; *TIE Dec. 2013 5660-5672*
Doh, N. L., see Jin, J., *TIE Sept. 2013 3796-3805*
Dong, H., Wang, Z., and Gao, H., Distributed \mathcal{H}_∞ Filtering for a Class of Markovian Jump Nonlinear Time-Delay Systems Over Lossy Sensor Networks; *TIE Oct. 2013 4665-4672*
Doolla, S., see Kumar Nunna, H. S. V. S., *TIE April 2013 1678-1687*
Dopico, N. I., see Gutierrez, A., *TIE Aug. 2013 3176-3184*
dos Santos, E. C., see Fernandes, D. A., *TIE May 2013 2022-2030*
Doval-Gandoy, J., see Vidal, A., *TIE April 2013 1367-1383*
Du, S., see Zhang, C., *TIE Sept. 2013 3775-3783*
Duan, X.-G., Deng, H., and Li, H.-X., A Saturation-Based Tuning Method for Fuzzy PID Controller; *TIE Nov. 2013 5177-5185*
Duan, Y., see Tian, B., *TIE Dec. 2013 5422-5435*
Duarte, J. L., see Roes, M. G. L., *TIE Jan. 2013 242-248*
Duke, R., see Turner, R., *TIE July 2013 2740-2749*
Duran, M. J., see Riveros, J. A., *TIE Aug. 2013 2957-2968*
Duran, M. J., Prieto, J., Barrero, F., Riveros, J. A., and Guzman, H., Space-Vector PWM With Reduced Common-Mode Voltage for Five-Phase Induction Motor Drives; *TIE Oct. 2013 4159-4168*
Dzhankhotov, V., and Pyrhonen, J., Passive LC Filter Design Considerations for Motor Applications; *TIE Oct. 2013 4253-4259*

E

- e Melo, G.**, see de Brito, M. A. G., *TIE March 2013 1156-1167*
Egea-Alvarez, A., Bianchi, F., Junyent-Ferre, A., Gross, G., and Gomis-Bellmunt, O., Voltage Control of Multiterminal VSC-HVDC Transmission Systems for Offshore Wind Power Plants: Design and Implementation in a Scaled Platform; *TIE June 2013 2381-2391*
Egrot, P., see Bergna, G., *TIE June 2013 2360-2371*
El Badi, B., Bouzidi, B., and Masmoudi, A., Bus-Clamping-Based DTC: An Attempt to Reduce Harmonic Distortion and Switching Losses; *TIE March 2013 873-884*
Elias, M. F. M., see Rahim, N. A., *TIE Aug. 2013 2943-2956*
Eloy-Garcia, J., see Alonso-Martinez, J., *TIE April 2013 1442-1451*
Eloy-Garcia, J., see Vasquez, J. C., *TIE April 2013 1271-1280*
Elsayed, M., see Emira, A., *TIE Oct. 2013 4683-4693*
Elshurafa, A. M., see Emira, A., *TIE Oct. 2013 4683-4693*
Emadi, A., see Bilgin, B., *TIE July 2013 2564-2575*
Emira, A., AbdelGhany, M., Elsayed, M., Elshurafa, A. M., Sedky, S., and Salama, K. N., All-pMOS 50-V Charge Pumps Using Low-Voltage Capacitors; *TIE Oct. 2013 4683-4693*
Empringham, L., see Rivera, M., *TIE Feb. 2013 578-588*
Empringham, L., Kolar, J. W., Rodriguez, J., Wheeler, P. W., and Clare, J. C., Technological Issues and Industrial Application of Matrix Converters: A Review; *TIE Oct. 2013 4260-4271*
Enokido, T., and Takizawa, M., An Integrated Power Consumption Model for Distributed Systems; *TIE Feb. 2013 824-836*
Eren, S., Pahlevaninezhad, M., Bakhshai, A., and Jain, P. K., Composite Nonlinear Feedback Control and Stability Analysis of a Grid-Connected Voltage Source Inverter With LCL Filter; *TIE Nov. 2013 5059-5074*
Erenturk, K., Fractional-Order PI ^{λ} D ^{μ} and Active Disturbance Rejection Control of Nonlinear Two-Mass Drive System; *TIE Sept. 2013 3806-3813*

- Erwinski, K.**, Paprocki, M., Grzesiak, L. M., Karwowski, K., and Wawrzak, A., Application of Ethernet Powerlink for Communication in a Linux RTAI Open CNC system; *TIE Feb. 2013* 628-636
- Escobar, G.**, see Valdez-Fernandez, A. A., *TIE Nov. 2013* 5019-5028
- Esfandiari, E.**, and Mariun, N. B., Experimental Results of 47-Level Switch-Ladder Multilevel Inverter; *TIE Nov. 2013* 4960-4967
- Espi, J. M.**, and Castello, J., Wind Turbine Generation System With Optimized DC-Link Design and Control; *TIE March 2013* 919-929
- Espinosa, A. G.**, see Prieto, M. D., *TIE Aug. 2013* 3398-3407
- Espinoza, J.**, see Rodriguez, J., *TIE Feb. 2013* 575-577
- Espinoza, J. R.**, see Rojas, C. A., *TIE Feb. 2013* 681-690
- Espinoza, J. R.**, see Villarroel, F., *TIE Feb. 2013* 589-599
- Espinoza, J. R.**, see Sepulveda, C. A., *TIE Feb. 2013* 659-669
- Espinoza, J. R.**, see Rivera, M., *TIE Feb. 2013* 578-588
- Estibals, B.**, see Martinez-Salamero, L., *TIE Oct. 2013* 4637-4649
- Estima, J. O.**, and Marques Cardoso, A. J., A New Algorithm for Real-Time Multiple Open-Circuit Fault Diagnosis in Voltage-Fed PWM Motor Drives by the Reference Current Errors; *TIE Aug. 2013* 3496-3505
- Estima, J. O.**, see Freire, N. M. A., *TIE Sept. 2013* 3957-3967
- Etemadi, A. H.**, and Irvani, R., Overcurrent and Overload Protection of Directly Voltage-Controlled Distributed Resources in a Microgrid; *TIE Dec. 2013* 5629-5638
- Exteberria-Otadui, I.**, see Beltran, H., *TIE March 2013* 1225-1234
- Evangelista, C.**, Puleston, P., Valenciaga, F., and Fridman, L. M., Lyapunov-Designed Super-Twisting Sliding Mode Control for Wind Energy Conversion Optimization; *TIE Feb. 2013* 538-545
- Ewanchuk, J.**, and Salmon, J., Three-limb Coupled Inductor Operation for Parallel Multi-level Three-Phase Voltage Sourced Inverters; *TIE May 2013* 1979-1988

F

- Fachrunnisa, O.**, and Hussain, F. K., A Methodology for Maintaining Trust in Industrial Digital Ecosystems; *TIE March 2013* 1042-1058
- Fadel, M.**, see Rivera, M., *TIE Nov. 2013* 4903-4912
- Fahimi, B.**, see Shamsi, P., *TIE Oct. 2013* 4500-4511
- Fang, S.**, see Lin, H., *TIE Nov. 2013* 5148-5159
- Fanucci, L.**, see Saponara, S., *TIE June 2013* 2309-2317
- Farrokhi, M.**, see Shahriari, M., *TIE Jan. 2013* 191-202
- Fasquelle, A.**, see Borschlegell, A. S., *TIE May 2013* 1734-1746
- Fatemi, A.**, Azizi, M., Mohamadian, M., Yazdian Varjani, A., and Shahparasti, M., Single-Phase Dual-Output Inverters With Three-Switch Legs; *TIE May 2013* 1769-1779
- Faucher, J.**, see Lahoud, N., *TIE Sept. 2013* 4147-4155
- Fei, W.**, see Yuan, J., *TIE May 2013* 2084-2093
- Feiyang, H.**, Weili, L., Likun, W., Chunwei, G., Yihuang, Z., and Yong, L., Influence of Copper Screen Thickness on Three-Dimensional Electromagnetic Field and Eddy Current Losses of Metal Parts in End Region of Large Water-Hydrogen-Hydrogen-Cooled Turbogenerator; *TIE July 2013* 2595-2601
- Femia, N.**, see De Nardo, A., *TIE June 2013* 2158-2166
- Feng, G.**, see Zhang, C., *TIE Aug. 2013* 3339-3348
- Feng, Y.**, Yu, X., and Han, F., High-Order Terminal Sliding-Mode Observer for Parameter Estimation of a Permanent-Magnet Synchronous Motor; *TIE Oct. 2013* 4272-4280
- Ferdowsi, M.**, see Sepahvand, H., *TIE Sept. 2013* 3619-3626
- Ferdowsi, M.**, see Sepahvand, H., *TIE Sept. 2013* 3699-3710
- Ferdowsi, M.**, see Khazraei, M., *TIE Aug. 2013* 3272-3282
- Fernandes, B. G.**, see Anand, S., *TIE Jan. 2013* 11-19
- Fernandes, B. G.**, see Anand, S., *TIE Nov. 2013* 5040-5049
- Fernandes, D. A.**, Costa, F. F., and dos Santos, E. C., Digital-Scalar PWM Approaches Applied to Four-Leg Voltage-Source Inverters; *TIE May 2013* 2022-2030
- Fernandez, A.**, see Lamar, D. G., *TIE July 2013* 2614-2626
- Fernandez, C.**, see Izquierdo, D., *TIE Nov. 2013* 5195-5205
- Fernandez-Comesana, P.**, see Vidal, A., *TIE April 2013* 1367-1383
- Ferrari, G.**, see Tassarolo, A., *TIE June 2013* 2147-2157
- Ferreira, B.**, see Teixeira Pinto, R., *TIE June 2013* 2429-2441
- Ferreira, C. A. F.**, and Borges, B. V., Sine-Wave Amplitude-Modulation Concept for Linear Behavior of Phase-Modulated Resonant Converters; *TIE May 2013* 2074-2083
- Ferreira, F. J. T. E.**, see Ge, B., *TIE Oct. 2013* 4468-4481

- Fidan, B.**, see Bayezit, I., *TIE Dec. 2013* 5763-5772
- Fidan, B.**, Gazi, V., Zhai, S., Cen, N., and Karatas, E., Single-View Distance-Estimation-Based Formation Control of Robotic Swarms; *TIE Dec. 2013* 5781-5791
- Figueres, E.**, see Trujillo Rodriguez, C., *TIE April 2013* 1582-1595
- Figueres, E.**, see Velasco de la Fuente, D., *TIE April 2013* 1571-1581
- Figueroa, M. E.**, see Sepulveda, C. A., *TIE Feb. 2013* 659-669
- Filho, F.**, Maia, H. Z., Mateus, T. H. A., Ozpineci, B., Tolbert, L. M., and Pinto, J. O. P., Adaptive Selective Harmonic Minimization Based on ANNs for Cascade Multilevel Inverters With Varying DC Sources; *TIE May 2013* 1955-1962
- Filippetti, F.**, see Gritli, Y., *TIE Sept. 2013* 4012-4024
- Filippetti, F.**, see Zarri, L., *TIE Aug. 2013* 3506-3518
- Filippetti, F.**, see Capolino, G.-A., *TIE Aug. 2013* 3396-3397
- Filippetti, F.**, see Capolino, G.-A., *TIE Sept. 2013* 4009-4011
- Filsecker, F.**, Alvarez, R., and Bernet, S., Comparison of 4.5-kV Press-Pack IGBTs and IGCTs for Medium-Voltage Converters; *TIE Feb. 2013* 440-449
- Finney, S. J.**, see Parker, M. A., *TIE Feb. 2013* 509-522
- Finney, S. J.**, see Alajmi, B. N., *TIE April 2013* 1596-1606
- Foo, G. H. B.**, Zhang, X., and Vilathgamuwa, D. M., A Sensor Fault Detection and Isolation Method in Interior Permanent-Magnet Synchronous Motor Drives Based on an Extended Kalman Filter; *TIE Aug. 2013* 3485-3495
- Forest, F.**, see Smet, V., *TIE July 2013* 2760-2770
- Franceschini, G.**, see Buticchi, G., *TIE March 2013* 906-918
- Franceschini, G.**, see Concari, C., *TIE Sept. 2013* 4074-4083
- Franzi, A.**, see Langfelder, G., *TIE Sept. 2013* 3983-3990
- Franquelo, L. G.**, see Leon, J. I., *TIE May 2013* 1859-1860
- Franquelo, L. G.**, see Napoles, J., *TIE May 2013* 1963-1971
- Fraytag, J.**, see da Silva, M. F., *TIE Aug. 2013* 3081-3091
- Freijedo, F. D.**, see Vidal, A., *TIE April 2013* 1367-1383
- Freijedo, F. D.**, see Golestan, S., *TIE June 2013* 2167-2177
- Freire, N. M. A.**, Estima, J. O., and Marques Cardoso, A. J., Open-Circuit Fault Diagnosis in PMSG Drives for Wind Turbine Applications; *TIE Sept. 2013* 3957-3967
- Freitas, D.**, see de Castro, R., *TIE Aug. 2013* 3256-3271
- Fridman, L. M.**, see Evangelista, C., *TIE Feb. 2013* 538-545
- Friedli, T.**, see Schweizer, M., *TIE Dec. 2013* 5515-5527
- Fu, D.**, Wang, S., Kong, P., Lee, F. C., and Huang, D., Novel Techniques to Suppress the Common-Mode EMI Noise Caused by Transformer Parasitic Capacitances in DC-DC Converters; *TIE Nov. 2013* 4968-4977
- Fu, X.**, see Wang, L.-J., *TIE July 2013* 2771
- Fuchs, F. W.**, see Wessels, C., *TIE July 2013* 2864-2873
- Fuh, C.-C.**, see Yao, W.-H., *TIE July 2013* 2586-2594
- Fujimoto, H.**, see Nam, K., *TIE March 2013* 988-1000

G

- Gabriel, F.**, De Belie, F., Neyt, X., and Lataire, P., High-Frequency Issues Using Rotating Voltage Injections Intended For Position Self-Sensing; *TIE Dec. 2013* 5447-5457
- Gago, J.**, see Bialasiewicz, J. T., *TIE Oct. 2013* 4590-4598
- Gairola, S.**, see Kalpana, R., *TIE Oct. 2013* 4178-4190
- Galotto, L.**, see de Brito, M. A. G., *TIE March 2013* 1156-1167
- Gao, C.**, see Jian, L., *TIE Sept. 2013* 3846-3856
- Gao, F.**, see Li, D., *TIE Sept. 2013* 3567-3578
- Gao, F.**, see Loh, P. C., *TIE April 2013* 1492-1502
- Gao, H.**, see Dong, H., *TIE Oct. 2013* 4665-4672
- Gao, H.**, see Sun, W., *TIE Sept. 2013* 3889-3896
- Gao, H.**, Zhan, W., Karimi, H. R., Yang, X., and Yin, S., Allocation of Actuators and Sensors for Coupled-Adjacent-Building Vibration Attenuation; *TIE Dec. 2013* 5792-5801
- Gao, Q.**, see Wang, J., *TIE Dec. 2013* 5943-5952
- Gao, S.**, see Shu, Z., *TIE May 2013* 1831-1839
- Gao, X.**, Shih, W.-H., and Shih, W. Y., Flow Energy Harvesting Using Piezoelectric Cantilevers With Cylindrical Extension; *TIE March 2013* 1116-1118
- Garcera, G.**, see Velasco de la Fuente, D., *TIE April 2013* 1571-1581
- Garcera, G.**, see Trujillo Rodriguez, C., *TIE April 2013* 1582-1595
- Garcia de Vicuna, L.**, see Borrell, A., *TIE Nov. 2013* 4920-4929
- Garcia, F. S.**, Pomilio, J. A., and Spiazzi, G., Modeling and Control Design of the Interleaved Double Dual Boost Converter; *TIE Aug. 2013* 3283-3290
- Garcia, G.**, see Martinez-Salamero, L., *TIE Oct. 2013* 4637-4649

- Garcia, J., Gardel, A., Bravo, I., Lazaro, J. L., Martinez, M., and Rodriguez, D.**, Directional People Counter Based on Head Tracking; *TIE Sept. 2013* 3991-4000
- Garcia-Cerezo, A. J.**, see Morales, J., *TIE Dec. 2013* 5729-5736
- Garcia-Vite, P. M.**, Mancilla-David, F., and Ramirez, J. M., Per-Sequence Vector-Switching Matrix Converter Modules for Voltage Regulation; *TIE Dec. 2013* 5411-5421
- Gardel, A.**, see Garcia, J., *TIE Sept. 2013* 3991-4000
- Gateau, G.**, see Pham, T. T. L., *TIE Sept. 2013* 4128-4135
- Gatto, G.**, Marongiu, I., and Serpi, A., Discrete-Time Parameter Identification of a Surface-Mounted Permanent Magnet Synchronous Machine; *TIE Nov. 2013* 4869-4880
- Gazi, V.**, see Fidan, B., *TIE Dec. 2013* 5781-5791
- Ge, B.**, Abu-Rub, H., Peng, F. Z., Lei, Q., de Almeida, A. T., Ferreira, F. J. T. E., Sun, D., and Liu, Y., An Energy-Stored Quasi-Z-Source Inverter for Application to Photovoltaic Power System; *TIE Oct. 2013* 4468-4481
- Ge, S. S.**, see He, W., *TIE Nov. 2013* 5186-5194
- Ge, S. S.**, see He, W., *TIE Dec. 2013* 5802-5810
- Geddada, see Karanki, TIE Sept. 2013 3555-3566**
- Geng, H.**, see Xiao, S., *TIE July 2013* 2820-2832
- Geng, H.**, Liu, C., and Yang, G., LVRT Capability of DFIG-Based WECS Under Asymmetrical Grid Fault Condition; *TIE June 2013* 2495-2509
- Gensior, A.**, see Barnklau, H., *TIE Dec. 2013* 5359-5375
- Gerada, C.**, see Gilson, G. M., *TIE Nov. 2013* 4841-4851
- Gerada, C.**, see Aboelhassan, M. O. E., *TIE Aug. 2013* 2997-3006
- Ghosh, J.**, see Patra, P., *TIE Nov. 2013* 5095-5104
- Ghovanloo, M.**, see Kiani, M., *TIE Nov. 2013* 5292-5305
- Gilson, G. M.**, Pickering, S. J., Hann, D. B., and Gerada, C., Piezoelectric Fan Cooling: A Novel High Reliability Electric Machine Thermal Management Solution; *TIE Nov. 2013* 4841-4851
- Giral, R.**, see Bianconi, E., *TIE March 2013* 1168-1178
- Giulii Capponi, F.**, see De Donato, G., *TIE Nov. 2013* 4831-4840
- Giulivo, D.**, see Tassarolo, A., *TIE June 2013* 2147-2157
- Glumineau, A.**, see Hamida, M. A., *TIE Feb. 2013* 739-748
- Golestani, S.**, Monfared, M., Frejedo, F. D., and Guerrero, J. M., Dynamics Assessment of Advanced Single-Phase PLL Structures; *TIE June 2013* 2167-2177
- Gomez Jorge, S.**, Busada, C. A., and Solsona, J. A., Frequency-Adaptive Current Controller for Three-Phase Grid-Connected Converters; *TIE Oct. 2013* 4169-4177
- Gomez-Parra, M.**, see Munoz-Condes, P., *TIE July 2013* 2750-2759
- Gomis-Bellmunt, O.**, see Pouresmaeil, E., *TIE July 2013* 2881-2893
- Gomis-Bellmunt, O.**, see Egea-Alvarez, A., *TIE June 2013* 2381-2391
- Goncalves, A. F. Q.**, see Pozzebon, G. G., *TIE May 2013* 1810-1818
- Gong, C.**, see Chen, J., *TIE July 2013* 2652-2660
- Gong, C.**, see Chen, J., *TIE Nov. 2013* 5050-5058
- Gong, C.**, see Zhang, X., *TIE Aug. 2013* 3157-3164
- Gong, X.**, and Qiao, W., Bearing Fault Diagnosis for Direct-Drive Wind Turbines via Current-Demodulated Signals; *TIE Aug. 2013* 3419-3428
- Gonzalez, C.**, see Gutierrez, A., *TIE Aug. 2013* 3176-3184
- Gonzalez, D.**, see Bialasiewicz, J. T., *TIE Oct. 2013* 4590-4598
- Gonzalez-Fernandez, F. J.**, see Munoz-Condes, P., *TIE July 2013* 2750-2759
- Gonzalez-Lopez, J. M.**, see Rosas-Caro, J. C., *TIE Oct. 2013* 4492-4499
- Gonzalez-Montanez, F.**, see Sira-Ramirez, H., *TIE Aug. 2013* 3025-3033
- Goodman, A.**, see Aboelhassan, M. O. E., *TIE Aug. 2013* 2997-3006
- Gopakumar, K.**, see Rajeevan, P. P., *TIE Sept. 2013* 3627-3636
- Gopakumar, K.**, see Dey, A., *TIE May 2013* 1989-1998
- Goren, J.**, see Kuperman, A., *TIE Dec. 2013* 5391-5399
- Gritli, Y.**, Zarrli, L., Rossi, C., Filippetti, F., Capolino, G.-A., and Casadei, D., Advanced Diagnosis of Electrical Faults in Wound-Rotor Induction Machines; *TIE Sept. 2013* 4012-4024
- Gritli, Y.**, see Zarrli, L., *TIE Aug. 2013* 3506-3518
- Gross, G.**, see Egea-Alvarez, A., *TIE June 2013* 2381-2391
- Grundling, H. A.**, see Kanieski, J. M., *TIE Nov. 2013* 5214-5227
- Grzesiak, L. M.**, see Erwinski, K., *TIE Feb. 2013* 628-636
- Gu, M.**, see Jiang, Y., *TIE Nov. 2013* 5325-5336
- Guacaneme Moreno, J. A.**, see Trujillo Rodriguez, C., *TIE April 2013* 1582-1595
- Guerrero, J. M.**, Blaabjerg, F., Li, Y. W., Mohamed, Y. A.-R. I., and Salama, M. M. A., Introduction to the Special Section on Distributed Generation and Microgrids; *TIE April 2013* 1251-1253
- Guerrero, J. M.**, Loh, P. C., Lee, T.-L., and Chandorkar, M., Advanced Control Architectures for Intelligent Microgrids—Part II: Power Quality, Energy Storage, and AC/DC Microgrids; *TIE April 2013* 1263-1270
- Guerrero, J. M.**, see Vasquez, J. C., *TIE April 2013* 1271-1280
- Guerrero, J. M.**, Chandorkar, M., Lee, T.-L., and Loh, P. C., Advanced Control Architectures for Intelligent Microgrids—Part I: Decentralized and Hierarchical Control; *TIE April 2013* 1254-1262
- Guerrero, J. M.**, see Auger, F., *TIE Dec. 2013* 5458-5471
- Guerrero, J. M.**, see Golestan, S., *TIE June 2013* 2167-2177
- Guerrero, J. M.**, see Zhang, X., *TIE Sept. 2013* 3752-3765
- Guerrero, J. M.**, see Savaghebi, M., *TIE April 2013* 1390-1402
- Guerrero, J. M.**, see Vandoorn, T. L., *TIE April 2013* 1291-1305
- Guerrero, V.**, Pontt, J., Dixon, J., and Rebolledo, J., A Novel Noninvasive Failure-Detection System for High-Power Converters Based on SCRs; *TIE Feb. 2013* 450-458
- Guinjoan, F.**, see Chavarria, J., *TIE Jan. 2013* 98-111
- Guinjoan, F.**, see Cecati, C., *TIE March 2013* 1119-1121
- Guinjoan, F.**, see Valderrama-Blavi, H., *TIE March 2013* 1191-1203
- Guirado, R.**, see Munoz-Condes, P., *TIE July 2013* 2750-2759
- Guo, H.**, Chen, H., Xu, F., Wang, F., and Lu, G., Implementation of EKF for Vehicle Velocities Estimation on FPGA; *TIE Sept. 2013* 3823-3835
- Guo, L.**, see Oucheriah, S., *TIE Aug. 2013* 3291-3294
- Guo, Z.-Q.**, see Xu, J.-X., *TIE Dec. 2013* 5717-5728
- Gupta, R. K.**, see Somani, A., *TIE Sept. 2013* 3670-3678
- Gutierrez, A.**, Dopico, N. I., Gonzalez, C., Zazo, S., Jimenez-Leube, J., and Raos, I., Cattle-Powered Node Experience in a Heterogeneous Network for Localization of Herds; *TIE Aug. 2013* 3176-3184
- Guzinski, J.**, and Abu-Rub, H., Speed Sensorless Induction Motor Drive With Predictive Current Controller; *TIE Feb. 2013* 699-709
- Guzman, H.**, see Duran, M. J., *TIE Oct. 2013* 4159-4168
- Gweon, D. G.**, see Jin, Y., *TIE Aug. 2013* 3304-3317

H

- Ha, C.-W.**, Rew, K.-H., and Kim, K.-S., Robust Zero Placement for Motion Control of Lightly Damped Systems; *TIE Sept. 2013* 3857-3864
- Habetler, T. G.**, see Cheng, S., *TIE Aug. 2013* 3462-3471
- Haga, H.**, see Inazuma, K., *TIE Oct. 2013* 4427-4437
- Hagbin, S.**, Lundmark, S., Alakula, M., and Carlson, O., Grid-Connected Integrated Battery Chargers in Vehicle Applications: Review and New Solution; *TIE Feb. 2013* 459-473
- Hamasaki, Y.**, see Asama, J., *TIE Jan. 2013* 129-138
- Hamida, M. A.**, De Leon, J., Glumineau, A., and Boisliveau, R., An Adaptive Interconnected Observer for Sensorless Control of PM Synchronous Motors With Online Parameter Identification; *TIE Feb. 2013* 739-748
- Han, F.**, see Feng, Y., *TIE Oct. 2013* 4272-4280
- Han, S.**, see Lee, J., *TIE Sept. 2013* 3814-3822
- Han, S. I.**, and Lee, J. M., Precise Positioning of Nonsmooth Dynamic Systems Using Fuzzy Wavelet Echo State Networks and Dynamic Surface Sliding Mode Control; *TIE Nov. 2013* 5124-5136
- Hang, L.**, Zhang, M., Tolbert, L. M., and Lu, Z., Digitized Feedforward Compensation Method for High-Power-Density Three-Phase Vienna PFC Converter; *TIE April 2013* 1512-1519
- Hang, L.**, see Zhang, M., *TIE Oct. 2013* 4243-4252
- Hann, D. B.**, see Gilson, G. M., *TIE Nov. 2013* 4841-4851
- Harmand, S.**, see Bornschlegel, A. S., *TIE May 2013* 1734-1746
- Harnefors, L.**, Antonopoulos, A., Norrga, S., Angquist, L., and Nee, H.-P., Dynamic Analysis of Modular Multilevel Converters; *TIE July 2013* 2526-2537
- Hasan, S. M. R.**, see Li, J., *TIE May 2013* 1840-1849
- Hashemi, S.**, see Montazeri-Gh, M., *TIE Oct. 2013* 4546-4553
- He, D.**, Chen, C., Chan, S., Bu, J., and Yang, L. T., Security Analysis and Improvement of a Secure and Distributed Reprogramming Protocol for Wireless Sensor Networks; *TIE Nov. 2013* 5348-5354
- He, D.**, Li, R., and Zhu, J., Plastic Bearing Fault Diagnosis Based on a Two-Step Data Mining Approach; *TIE Aug. 2013* 3429-3440
- He, J.**, and Li, Y. W., Hybrid Voltage and Current Control Approach for DG-Grid Interfacing Converters With *LCL* filters; *TIE May 2013* 1797-1809
- He, W.**, Zhang, S., and Ge, S. S., Boundary Control of a Flexible Riser With the Application to Marine Installation; *TIE Dec. 2013* 5802-5810
- He, W.**, Zhang, S., and Ge, S. S., Boundary Output-Feedback Stabilization of a Timoshenko Beam Using Disturbance Observer; *TIE Nov. 2013* 5186-5194
- He, X.**, see Qiao, Z., *TIE Feb. 2013* 710-719
- He, X.**, see Shu, Z., *TIE May 2013* 1884-1896
- He, X.**, see Xia, C., *TIE Oct. 2013* 4234-4242

- He, X., see Xia, C., *TIE July 2013 2894-2908*
- He, Y., see Tian, B., *TIE Dec. 2013 5422-5435*
- He, Y., see Hu, J., *TIE July 2013 2808-2819*
- He, Y., see Wu, W., *TIE Oct. 2013 4339-4350*
- He, Y., see Liu, N., *TIE Oct. 2013 4746-4756*
- He, Z., see Ma, Y., *TIE Jan. 2013 203-209*
- Heldwein, M. L., see Angulo, M., *TIE July 2013 2721-2730*
- Hella, M. M., see Kempitiya, A., *TIE Dec. 2013 5639-5647*
- Helmedag, A., see Molitor, C., *TIE March 2013 1235-1248*
- Henao, H., see Prieto, M. D., *TIE Aug. 2013 3398-3407*
- Hendrix, M. A. M., see Roes, M. G. L., *TIE Jan. 2013 242-248*
- Heredia-Larrubia, J. R., see Ruiz-Gonzalez, A., *TIE July 2013 2555-2563*
- Herman, I., see Vaclavek, P., *TIE Aug. 2013 3047-3059*
- Hernandez, C., see Morales-Caporal, R., *TIE Aug. 2013 3016-3024*
- Hernando, M. M., see Lamar, D. G., *TIE July 2013 2614-2626*
- Hevia-Koch, P., see Orchard, M. E., *TIE Nov. 2013 5260-5269*
- Hew, W. P., see Rahim, N. A., *TIE Aug. 2013 2943-2956*
- Hew, W. P., see Lim, C. S., *TIE Jan. 2013 54-65*
- Hey, H. L., see Russi, J. L., *TIE July 2013 2576-2585*
- Hilaret, M., see Auger, F., *TIE Dec. 2013 5458-5471*
- Hilton, C., see Li, H., *TIE Aug. 2013 3328-3338*
- Hirai, H., see Maeda, Y., *TIE March 2013 979-987*
- Hirche, S., see Wu, H., *TIE Feb. 2013 554-566*
- Ho, C.-M., see Chen, L.-R., *TIE Dec. 2013 5620-5628*
- Ho, L.-W., see Li, T.-Y., *TIE Sept. 2013 3976-3982*
- Ho, S. L., see Lin, H., *TIE Nov. 2013 5148-5159*
- Ho, T.-P., see Lavado Villa, L. F., *TIE March 2013 1179-1190*
- Hoffmann, N., see Wessels, C., *TIE July 2013 2864-2873*
- Hoidalen, H. Kr., see Holtmark, N., *TIE June 2013 2420-2428*
- Holtmark, N., Bahirat, H. J., Molinas, M., Mork, B. A., and Hoidalen, H. Kr., An All-DC Offshore Wind Farm With Series-Connected Turbines: An Alternative to the Classical Parallel AC Model?; *TIE June 2013 2420-2428*
- Holtz, see Rathore, *TIE Oct. 2013 4215-4224*
- Holtz, J., and Qi, X., Optimal Control of Medium-Voltage Drives—An Overview; *TIE Dec. 2013 5472-5481*
- Hong, S., see Ahn, D., *TIE Jan. 2013 360-371*
- Hong, S., see Ahn, D., *TIE July 2013 2602-2613*
- Hori, Y., see Nam, K., *TIE March 2013 988-1000*
- Hori, Y., see Beh, T. C., *TIE Sept. 2013 3689-3698*
- Hornik, T., and Zhong, Q.-C., Parallel PI Voltage- H^∞ Current Controller for the Neutral Point of a Three-Phase Inverter; *TIE April 2013 1335-1343*
- Hornik, T., see Zhong, Q.-C., *TIE April 2013 1344-1355*
- Horvat, R., see Curkovic, M., *TIE Feb. 2013 637-644*
- Hossain, M. J., Saha, T. K., Mithulananthan, N., and Pota, H. R., Control Strategies for Augmenting LVRT Capability of DFIGs in Interconnected Power Systems; *TIE June 2013 2510-2522*
- Hsiao, Y.-C., see Young, C.-M., *TIE May 2013 1972-1978*
- Hsieh, C.-Y., see Yang, Y.-Y., *TIE July 2013 2627-2637*
- Hsieh, Y.-P., Chen, J.-F., Liang, T.-J., and Yang, L.-S., Novel High Step-Up DC-DC Converter for Distributed Generation System; *TIE April 2013 1473-1482*
- Hu, A. P., see Liu, C., *TIE Jan. 2013 249-260*
- Hu, B., She, J., and Yokoyama, R., Hierarchical Fault Diagnosis for Power Systems Based on Equivalent-Input-Disturbance Approach; *TIE Aug. 2013 3529-3538*
- Hu, C., see Zhu, Y., *TIE June 2013 2264-2272*
- Hu, J., see Zhu, Y., *TIE June 2013 2264-2272*
- Hu, J., Xu, H., and He, Y., Coordinated Control of DFIG's RSC and GSC Under Generalized Unbalanced and Distorted Grid Voltage Conditions; *TIE July 2013 2808-2819*
- Hu, K.-W., and Liaw, C.-M., On an Auxiliary Power Unit With Emergency AC Power Output and Its Robust Controls; *TIE Oct. 2013 4387-4402*
- Hu, L., see Wang, L.-J., *TIE July 2013 2771*
- Hu, S.-H., see Lee, T.-L., *TIE April 2013 1417-1428*
- Hu, W., see Wang, J., *TIE May 2013 1759-1768*
- Hu, W., Liu, G.-P., and Zhou, H., Web-Based 3-D Control Laboratory for Remote Real-Time Experimentation; *TIE Oct. 2013 4673-4682*
- Hu, X., see Wen, H., *TIE March 2013 1001-1010*
- Hua, W., see Cao, R., *TIE Dec. 2013 5436-5446*
- Huang, A. Q., see She, X., *TIE Oct. 2013 4512-4524*
- Huang, B., Yu, C., and Anderson, B. D. O., Understanding Error Propagation in Multihop Sensor Network Localization; *TIE Dec. 2013 5811-5819*
- Huang, C.-M., see Chiu, H.-J., *TIE Feb. 2013 781-788*
- Huang, C.-Y., see Budhia, M., *TIE Jan. 2013 318-328*
- Huang, D., see Fu, D., *TIE Nov. 2013 4968-4977*
- Huang, D.-Y., see Wang, C.-H., *TIE June 2013 2332-2345*
- Huang, J., see Shi, Y., *TIE Dec. 2013 5864-5874*
- Huang, M. H., see Lu, X. J., *TIE July 2013 2711-2720*
- Huang, T.-C., see Yang, Y.-Y., *TIE July 2013 2627-2637*
- Huang, Y., see Liu, C., *TIE Aug. 2013 3240-3247*
- Huang, Y.-C., see Wai, R.-J., *TIE April 2013 1542-1555*
- Huang, Y.-C., see Chiu, H.-J., *TIE Feb. 2013 781-788*
- Huang, Y.-M., see Chiu, H.-J., *TIE Feb. 2013 781-788*
- Hui, S. Y. R., see Zhong, W., *TIE Jan. 2013 261-270*
- Hung, D. Q., and Mithulananthan, N., Multiple Distributed Generator Placement in Primary Distribution Networks for Loss Reduction; *TIE April 2013 1700-1708*
- Hung, W. N. N., see Jiang, Y., *TIE Nov. 2013 5325-5336*
- Hung, Y.-C., see Lin, F.-J., *TIE Dec. 2013 5747-5762*
- Huselstein, J.-J., see Smet, V., *TIE July 2013 2760-2770*
- Hussain, F. K., see Fachrunnisa, O., *TIE March 2013 1042-1058*
- Huusari, J., see Roinila, T., *TIE Nov. 2013 5270-5276*
- Hwang, B.-H., see Hwang, Y.-S., *TIE Jan. 2013 280-290*
- Hwang, D.-H., see Kim, Y.-H., *TIE Sept. 2013 4103-4117*
- Hwang, S.-H., Liu, X., Kim, J.-M., and Li, H., Distributed Digital Control of Modular-Based Solid-State Transformer Using DSP+FPGA; *TIE Feb. 2013 670-680*
- Hwang, Y.-S., Hwang, B.-H., Lin, H.-C., and Chen, J.-J., PLL-Based Contactless Energy Transfer Analog FSK Demodulator Using High-Efficiency Rectifier; *TIE Jan. 2013 280-290*
- Hwu, K. I., Chuang, C. F., and Tu, W. C., High Voltage-Boosting Converters Based on Bootstrap Capacitors and Boost Inductors; *TIE June 2013 2178-2193*

I

- Iacchetti, M. F., see Castelli-Dezza, F., *TIE Oct. 2013 4301-4309*
- Ibrahim, M. Y., see Khataee, H. R., *TIE Nov. 2013 5116-5123*
- Iimori, K., see Maetani, T., *TIE Nov. 2013 4861-4868*
- Imana, J. L., see Sutter, G. D., *TIE Jan. 2013 217-225*
- Immovilli, F., Bianchini, C., Cocconcelli, M., Bellini, A., and Rubini, R., Bearing Fault Model for Induction Motor With Externally Induced Vibration; *TIE Aug. 2013 3408-3418*
- Imura, T., see Beh, T. C., *TIE Sept. 2013 3689-3698*
- Inazuma, K., Utsugi, H., Ohishi, K., and Haga, H., High-Power-Factor Single-Phase Diode Rectifier Driven by Repetitively Controlled IPM Motor; *TIE Oct. 2013 4427-4437*
- Indu Rani, B., Saravana Ilango, G., and Nagamani, C., Control Strategy for Power Flow Management in a PV System Supplying DC Loads; *TIE Aug. 2013 3185-3194*
- Ingram, D. M. E., Schaub, P., Taylor, R. R., and Campbell, D. A., Network Interactions and Performance of a Multifunction IEC 61850 Process Bus; *TIE Dec. 2013 5933-5942*
- Ioinvici, A., see Kiratipongvoot, S., *TIE Dec. 2013 5575-5584*
- Ionescu, C. M., see Vandoorn, T. L., *TIE Feb. 2013 789-798*
- Ip, W.-F., see Vong, C.-M., *TIE Aug. 2013 3372-3385*
- Iravani, R., see Kobravi, K., *TIE March 2013 860-872*
- Iravani, R., see Etemadi, A. H., *TIE Dec. 2013 5629-5638*
- Iravani, R., see Kobravi, K., *TIE March 2013 848-859*
- Ishaque, K., and Salam, Z., A Deterministic Particle Swarm Optimization Maximum Power Point Tracker for Photovoltaic System Under Partial Shading Condition; *TIE Aug. 2013 3195-3206*
- Isobe, T., see Kawaguchi, T., *TIE July 2013 2930-2937*
- Isomura, Y., see Maetani, T., *TIE Nov. 2013 4861-4868*
- Itoh, J., see Chiang, G. T., *TIE Jan. 2013 43-53*
- Iu, H. H.-C., see Xie, F., *TIE Aug. 2013 3145-3156*
- Iwasaki, M., see Maeda, Y., *TIE Sept. 2013 3865-3876*
- Iwasaki, M., see Maeda, Y., *TIE March 2013 979-987*
- Iwasaki, M., see Maeda, Y., *TIE Dec. 2013 5841-5853*
- Iyer, K. L. V., Lu, X., Usama, Y., Ramakrishnan, V., and Kar, N. C., A Twofold Daubechies-Wavelet-Based Module for Fault Detection and Voltage Regulation in SEIGs for Distributed Wind Power Generation; *TIE April 2013 1638-1651*
- Izquierdo, D., Barrado, A., Fernandez, C., Sanz, M., and Lazaro, A., SSPC Active Control Strategy by Optimal Trajectory of the Current for Onboard System Applications; *TIE Nov. 2013 5195-5205*
- Izurza-Moreno, P., see Chivite-Zabalza, J., *TIE Nov. 2013 4759-4772*

J

- Jacob, B.**, and Baiju, M. R., Vector-Quantized Space-Vector-Based Spread Spectrum Modulation Scheme for Multilevel Inverters Using the Principle of Oversampling ADC; *TIE Aug. 2013* 2969-2977
- Jafar, M.**, and Molinas, M., A Transformerless Series Reactive/Harmonic Compensator for Line-Commutated HVDC for Grid Integration of Offshore Wind Power; *TIE June 2013* 2410-2419
- Jafari, M.**, see Naderi, S. B., *TIE July 2013* 2538-2546
- Jahangiri, P.**, see Molitor, C., *TIE March 2013* 1235-1248
- Jahromi, M. J.**, Maswood, A. I., and Tseng, K.-J., Design and Evaluation of a New Converter Control Strategy for Near-Shore Tidal Turbines; *TIE Dec. 2013* 5648-5659
- Jain, N.**, Singh, S. N., and Srivastava, S. C., A Generalized Approach for DG Planning and Viability Analysis Under Market Scenario; *TIE Nov. 2013* 5075-5085
- Jain, P. K.**, see Eren, S., *TIE Nov. 2013* 5059-5074
- Jain, S. K.**, Singh, S. N., and Singh, J. G., An Adaptive Time-Efficient Technique for Harmonic Estimation of Nonstationary Signals; *TIE Aug. 2013* 3295-3303
- Jakab, L.**, see Benedek, C., *TIE June 2013* 2318-2331
- Jalilian, A.**, see Savaghebi, M., *TIE April 2013* 1390-1402
- Jamshidpour, E.**, see Shahbazi, M., *TIE Sept. 2013* 4136-4146
- Jang, I. G.**, see Kim, Y.-K., *TIE Aug. 2013* 3386-3395
- Janoczki, M.**, see Benedek, C., *TIE June 2013* 2318-2331
- Jansen, J. W.**, see Smeets, J. P. C., *TIE Jan. 2013* 391-399
- Jarnut, M.**, see Smolenski, R., *TIE March 2013* 930-935
- Jayasinghe, S. D. G.**, and Vilathgamuwa, D. M., Flying Supercapacitors as Power Smoothing Elements in Wind Generation; *TIE July 2013* 2909-2918
- Jean, Y.-B.**, see Chiu, H.-J., *TIE Feb. 2013* 781-788
- Jen, K.-K.**, see Young, C.-M., *TIE Feb. 2013* 523-537
- Jeong, M.-K.**, see Kang, M., *TIE Sept. 2013* 4001-4008
- Jesus, E. G. A.**, see Barros, J. D., *TIE Feb. 2013* 619-627
- Ježernik, K.**, see Curkovic, M., *TIE Feb. 2013* 637-644
- Jhang, Y.-R.**, see Chen, Y.-T., *TIE Oct. 2013* 4369-4375
- Ji, B.**, Wang, J., and Zhao, J., High-Efficiency Single-Phase Transformerless PV H6 Inverter With Hybrid Modulation Method; *TIE May 2013* 2104-2115
- Ji, J.**, see Zhao, W., *TIE Jan. 2013* 151-159
- Ji, Y.-X.**, see Tan, D.-P., *TIE Oct. 2013* 4702-4713
- Jian, L.**, and Gao, C., Binary Coding SVMs for the Multiclass Problem of Blast Furnace System; *TIE Sept. 2013* 3846-3856
- Jian, L.**, Xue, H., Xu, G., Zhu, X., Zhao, D., and Shao, Z. Y., Regulated Charging of Plug-in Hybrid Electric Vehicles for Minimizing Load Variance in Household Smart Microgrid; *TIE Aug. 2013* 3218-3226
- Jiang, S.**, see Li, Y., *TIE April 2013* 1532-1541
- Jiang, Y.**, Zhang, H., Song, X., Jiao, X., Hung, W. N. N., Gu, M., and Sun, J., Bayesian-Network-Based Reliability Analysis of PLC Systems; *TIE Nov. 2013* 5325-5336
- Jiao, X.**, see Jiang, Y., *TIE Nov. 2013* 5325-5336
- Jichao, H.**, see Weili, L., *TIE Aug. 2013* 3007-3015
- Jimenez, J. M.**, see de Jodar, E., *TIE Nov. 2013* 4947-4959
- Jimenez-Leube, J.**, see Gutierrez, A., *TIE Aug. 2013* 3176-3184
- Jin, J.**, Yuen, S. L., Lee, Y. H., Jun, C., Kim, Y. B., Lee, S., You, B.-J., and Doh, N. L., Minimal Grasper: A Practical Robotic Grasper With Robust Performance for Pick-and-Place Tasks; *TIE Sept. 2013* 3796-3805
- Jin, M.**, see Jin, Y., *TIE Aug. 2013* 3304-3317
- Jin, P.**, see Lin, H., *TIE Nov. 2013* 5148-5159
- Jin, Q.**, see Xi, H., *TIE Sept. 2013* 3915-3926
- Jin, Y.**, Chang, P. H., Jin, M., and Gweon, D. G., Stability Guaranteed Time-Delay Control of Manipulators Using Nonlinear Damping and Terminal Sliding Mode; *TIE Aug. 2013* 3304-3317
- Jindapetch, N.**, see Thongpull, K., *TIE Nov. 2013* 5252-5259
- Jing, X.**, and Cheng, L., An Optimal PID Control Algorithm for Training Feed-forward Neural Networks; *TIE June 2013* 2273-2283
- John, V.**, see Kulkarni, A., *TIE Dec. 2013* 5820-5829
- Joksimovic, G. M.**, Riger, J., Wolbank, T. M., Peric, N., and Vasak, M., Stator-Current Spectrum Signature of Healthy Cage Rotor Induction Machines; *TIE Sept. 2013* 4025-4033
- Jones, M.**, see Bodo, N., *TIE May 2013* 2054-2065
- Jones, M.**, see Riveros, J. A., *TIE Aug. 2013* 2957-2968
- Joshi, A.**, see Ravindranath, A., *TIE Dec. 2013* 5593-5602
- Juelsgaard, M.**, Bendtsen, J., and Wisniewski, R., Utilization of Wind Turbines for Upregulation of Power Grids; *TIE July 2013* 2851-2863
- Jumar, U.**, see Kurschner, D., *TIE Jan. 2013* 372-381
- Jun, C.**, see Jin, J., *TIE Sept. 2013* 3796-3805
- Jung, J.-H.**, see Kim, H.-S., *TIE Aug. 2013* 3115-3125
- Jung, J.-W.**, see Do, T. D., *TIE Dec. 2013* 5660-5672
- Jung, J.-W.**, see Vu, N. T.-T., *TIE Oct. 2013* 4281-4291
- Jung, J.-W.**, see Choi, H. H., *TIE Feb. 2013* 600-607
- Jung, Y. S.**, see Kim, Y.-K., *TIE Aug. 2013* 3386-3395
- Junyent-Ferre, A.**, see Egea-Alvarez, A., *TIE June 2013* 2381-2391
- Jussila, H. K.**, Mityakov, A. V., Sapozhnikov, S. Z., Mityakov, V. Y., and Pyrhonen, J., Local Heat Flux Measurement in a Permanent Magnet Motor at No Load; *TIE Nov. 2013* 4852-4860

K

- Kahoul, R.**, Azzouz, Y., Ravelo, B., and Mazari, B., New Behavioral Modeling of EMI for DC Motors Applied to EMC Characterization; *TIE Dec. 2013* 5482-5496
- Kakosimos, P. E.**, Kladas, A. G., and Manias, S. N., Fast Photovoltaic-System Voltage- or Current-Oriented MPPT Employing a Predictive Digital Current-Controlled Converter; *TIE Dec. 2013* 5673-5685
- Kallio, S.**, Andriollo, M., Tortella, A., and Karttunen, J., Decoupled $d-q$ Model of Double-Star Interior-Permanent-Magnet Synchronous Machines; *TIE June 2013* 2486-2494
- Kalpana, R.**, Bhuvanawari, G., Singh, B., Singh, S., and Gairola, S., Autoconnected-Transformer-Based 20-Pulse AC-DC Converter for Telecommunication Power Supply; *TIE Oct. 2013* 4178-4190
- Kamel, R. M.**, see Chaouachi, A., *TIE April 2013* 1688-1699
- Kamel, R. M.**, Chaouachi, A., and Nagasaka, K., Three Control Strategies to Improve the Microgrid Transient Dynamic Response During Isolated Mode: A Comparative Study; *TIE April 2013* 1314-1322
- Kamiev, K.**, Montonen, J., Ragavendra, M. P., Pyrhonen, J., Tapia, J. A., and Niemela, M., Design Principles of Permanent Magnet Synchronous Machines for Parallel Hybrid or Traction Applications; *TIE Nov. 2013* 4881-4890
- Kang, D.-S.**, see Kim, Y.-H., *TIE Sept. 2013* 4103-4117
- Kang, M.**, Park, K., and Jeong, M.-K., Frame Packing for Minimizing the Bandwidth Consumption of the FlexRay Static Segment; *TIE Sept. 2013* 4001-4008
- Kang, N.**, see Shakshuki, E. M., *TIE March 2013* 1089-1098
- Kanieski, J. M.**, Cardoso, R., Pinheiro, H., and Grundling, H. A., Kalman Filter-Based Control System for Power Quality Conditioning Devices; *TIE Nov. 2013* 5214-5227
- Kanjija, P.**, Khadkikar, V., and Zeineldin, H. H., A Noniterative Optimized Algorithm for Shunt Active Power Filter Under Distorted and Unbalanced Supply Voltages; *TIE Dec. 2013* 5376-5390
- Kanmachi, T.**, see Takahashi, K., *TIE Jan. 2013* 66-77
- Kar, N. C.**, see Iyer, K. L. V., *TIE April 2013* 1638-1651
- Karaarslan, A.**, The Implementation of Bee Colony Optimization Algorithm to Sheppard-Taylor PFC Converter; *TIE Sept. 2013* 3711-3719
- Karanki, G.**, Geddada, Mishra, M. K., and Kumar, B. K., A Modified Three-Phase Four-Wire UPQC Topology With Reduced DC-Link Voltage Rating; *TIE Sept. 2013* 3555-3566
- Karatas, E.**, see Fidan, B., *TIE Dec. 2013* 5781-5791
- Karimi, A.**, see Bahrani, B., *TIE April 2013* 1356-1366
- Karimi, H. R.**, see Gao, H., *TIE Dec. 2013* 5792-5801
- Karttunen, J.**, see Kallio, S., *TIE June 2013* 2486-2494
- Karwowski, K.**, see Erwinski, K., *TIE Feb. 2013* 628-636
- Kastha, D.**, see Pattnaik, M., *TIE Dec. 2013* 5506-5514
- Kato, M.**, see Beh, T. C., *TIE Sept. 2013* 3689-3698
- Katsura, S.**, see Auger, F., *TIE Dec. 2013* 5458-5471
- Kawaguchi, T.**, Sakazaki, T., Isobe, T., and Shimada, R., Offshore-Wind-Farm Configuration Using Diode Rectifier With MERS in Current Link Topology; *TIE July 2013* 2930-2937
- Kazmierczuk, M. K.**, see Wojda, R. P., *TIE March 2013* 1033-1041
- Kazmierkowski, M. P.**, see Rodriguez, J., *TIE Feb. 2013* 575-577
- Kazmierkowski, M. P.**, see Boys, J. T., *TIE Jan. 2013* 239-241
- Kempitaya, A.**, Borca-Tasciuc, D.-A., and Hella, M. M., Low-Power ASIC for Microwatt Electrostatic Energy Harvesters; *TIE Dec. 2013* 5639-5647
- Kempski, A.**, see Smolenski, R., *TIE March 2013* 930-935
- Khadkikar, V.**, see Kanjija, P., *TIE Dec. 2013* 5376-5390
- Khaligh, A.**, see Zeng, P., *TIE Dec. 2013* 5737-5746
- Khataee, H. R.**, Ibrahim, M. Y., and Liew, A. W.-C., Flexible Autonomous Behaviors of Kinesin and Muscle Myosin Bio-Nanorobots; *TIE Nov. 2013* 5116-5123

- Khazraei, M.**, see Sepahvand, H., *TIE Sept. 2013 3699-3710*
- Khazraei, M.**, and Ferdowsi, M., Modeling and Analysis of Projected Cross Point Control—A New Current-Mode-Control Approach; *TIE Aug. 2013 3272-3282*
- Kiani, M.**, and Ghovanloo, M., A Figure-of-Merit for Designing High-Performance Inductive Power Transmission Links; *TIE Nov. 2013 5292-5305*
- Kim, B. K.**, see Kim, S. J., *TIE Oct. 2013 4562-4573*
- Kim, D.**, see Cho, H., *TIE Oct. 2013 4554-4561*
- Kim, E.-H.**, see Kim, K.-H., *TIE Aug. 2013 3207-3217*
- Kim, H.-C.**, see Yang, H.-Y., *TIE Oct. 2013 4292-4300*
- Kim, H.-J.**, see Kim, H.-S., *TIE Aug. 2013 3115-3125*
- Kim, H.-S.**, Jung, J.-H., Baek, J.-W., and Kim, H.-J., Analysis and Design of a Multioutput Converter Using Asymmetrical PWM Half-Bridge Flyback Converter Employing a Parallel-Series Transformer; *TIE Aug. 2013 3115-3125*
- Kim, H.-S.**, Seong, H.-W., Cho, J.-H., Lee, J.-B., Park, K.-B., Moon, G.-W., and Youn, M.-J., Start-Up Control to Prevent Overcurrent During Hot Swap in Paralleled DC-DC Converters; *TIE Dec. 2013 5558-5574*
- Kim, J.**, Lee, J., and Cho, B. H., Equivalent Circuit Modeling of PEM Fuel Cell Degradation Combined With a LFRC; *TIE Nov. 2013 5086-5094*
- Kim, J.-M.**, see Hwang, S.-H., *TIE Feb. 2013 670-680*
- Kim, J.-M.**, see Pu, X.-S., *TIE Sept. 2013 4118-4127*
- Kim, K.-D.**, see Yoo, K.-M., *TIE Aug. 2013 3136-3144*
- Kim, K.-H.**, Van, T. L., Lee, D.-C., Song, S.-H., and Kim, E.-H., Maximum Output Power Tracking Control in Variable-Speed Wind Turbine Systems Considering Rotor Inertial Power; *TIE Aug. 2013 3207-3217*
- Kim, K.-S.**, see Ha, C.-W., *TIE Sept. 2013 3857-3864*
- Kim, K.-S.**, see Kim, Y.-K., *TIE Aug. 2013 3386-3395*
- Kim, S.**, see Kim, Y.-K., *TIE Aug. 2013 3386-3395*
- Kim, S. J.**, and Kim, B. K., Dynamic Ultrasonic Hybrid Localization System for Indoor Mobile Robots; *TIE Oct. 2013 4562-4573*
- Kim, S. W.**, see Cho, H., *TIE Oct. 2013 4554-4561*
- Kim, W.**, see Shin, D., *TIE Dec. 2013 5773-5780*
- Kim, W.**, Shin, D., and Chung, C. C., Microstepping Using a Disturbance Observer and a Variable Structure Controller for Permanent-Magnet Stepper Motors; *TIE July 2013 2689-2699*
- Kim, Y.**, see Kim, Y.-K., *TIE Aug. 2013 3386-3395*
- Kim, Y. B.**, see Jin, J., *TIE Sept. 2013 3796-3805*
- Kim, Y. C.**, see Yun, J. N., *TIE July 2013 2700-2710*
- Kim, Y. I.**, see Yun, J. N., *TIE July 2013 2700-2710*
- Kim, Y.-G.**, see Nguyen, M.-K., *TIE Dec. 2013 5686-5695*
- Kim, Y.-H.**, Youn, Y.-W., Hwang, D.-H., Sun, J.-H., and Kang, D.-S., High-Resolution Parameter Estimation Method to Identify Broken Rotor Bar Faults in Induction Motors; *TIE Sept. 2013 4103-4117*
- Kim, Y.-K.**, Kim, Y., Jung, Y. S., Jang, I. G., Kim, K.-S., Kim, S., and Kwak, B. M., Developing Accurate Long-Distance 6-DOF Motion Detection With One-Dimensional Laser Sensors: Three-Beam Detection System; *TIE Aug. 2013 3386-3395*
- Kimball, J. W.**, see Qin, H., *TIE Sept. 2013 3720-3730*
- Kinnares, V.**, see Kumsuwan, Y., *TIE May 2013 2031-2041*
- Kiratipongvoot, S.**, Tan, S.-C., and Ioinovici, A., Phase-Shift Interleaving Control of Variable-Phase Switched-Capacitor Converters; *TIE Dec. 2013 5575-5584*
- Kirsten, A. L.**, Dalla Costa, M. A., Rech, C., do Prado, R. N., and Marchesan, T. B., Digital Control Strategy for HID Lamp Electronic Ballasts; *TIE Feb. 2013 608-618*
- Kladas, A. G.**, see Kakosimos, P. E., *TIE Dec. 2013 5673-5685*
- Ko, C.-C.**, see Young, C.-M., *TIE Feb. 2013 523-537*
- Kobravi, K.**, Iravani, R., and Kojori, H. A., Three-Leg/Four-Leg Matrix Converter Generalized Modulation Strategy—Part II: Implementation and Verification; *TIE March 2013 860-872*
- Kobravi, K.**, Iravani, R., and Kojori, H. A., Three-Leg/Four-Leg Matrix Converter Generalized Modulation Strategy—Part I: A New Formulation; *TIE March 2013 848-859*
- Kojori, H. A.**, see Kobravi, K., *TIE March 2013 848-859*
- Kojori, H. A.**, see Kobravi, K., *TIE March 2013 860-872*
- Kolar, J. W.**, see Empringham, L., *TIE Oct. 2013 4260-4271*
- Kolar, J. W.**, see Soeiro, T. B., *TIE Sept. 2013 3589-3601*
- Kolar, J. W.**, see Soeiro, T. B., *TIE May 2013 1919-1935*
- Kolar, J. W.**, see Schweizer, M., *TIE Dec. 2013 5515-5527*
- Kolar, J. W.**, see Soeiro, T. B., *TIE Nov. 2013 4805-4819*
- Kong, P.**, see Fu, D., *TIE Nov. 2013 4968-4977*
- Konstantinou, G.**, see Pulikanti, S. R., *TIE Nov. 2013 4794-4804*
- Kouro, S.**, see Alepuz, S., *TIE May 2013 1787-1796*
- Kouro, S.**, see Leon, J. I., *TIE May 2013 1859-1860*
- Kowalski, M.**, see Kozlowski, K., *TIE Feb. 2013 691-698*
- Kozek, M.**, see Westermayer, C., *TIE Sept. 2013 3877-3888*
- Kozlowski, K.**, Kowalski, M., Michalski, M., and Parulski, P., Universal Multiaxis Control System for Electric Drives; *TIE Feb. 2013 691-698*
- Krammer, O.**, see Benedek, C., *TIE June 2013 2318-2331*
- Krishnamurthy, M.**, see Bilgin, B., *TIE July 2013 2564-2575*
- Kuhnlenz, K.**, see Wu, H., *TIE Feb. 2013 554-566*
- Kulkarni, A.**, and John, V., Analysis of Bandwidth-Unit-Vector-Distortion Tradeoff in PLL During Abnormal Grid Conditions; *TIE Dec. 2013 5820-5829*
- Kumar Nunna, H. S. V. S.**, and Doolla, S., Multiagent-Based Distributed-Energy-Resource Management for Intelligent Microgrids; *TIE April 2013 1678-1687*
- Kumar, B. K.**, see Karanki, *TIE Sept. 2013 3555-3566*
- Kumsuwan, Y.**, Premrudeepreechacharn, S., and Kinnares, V., A Carrier-Based Unbalanced PWM Method for Four-Leg Voltage Source Inverter Fed Unsymmetrical Two-Phase Induction Motor; *TIE May 2013 2031-2041*
- Kuo, C.-H.**, and Chen, T.-S., Controllable Petri Net-Based Implementation Approach for Motor Control Systems; *TIE Oct. 2013 4599-4612*
- Kuo, M.-C.**, see Chiu, H.-J., *TIE Feb. 2013 781-788*
- Kuo, S.-W.**, see Cheng, S.-J., *TIE Feb. 2013 773-780*
- Kuperman, A.**, Levy, U., Goren, J., Zafransky, A., and Savernin, A., Battery Charger for Electric Vehicle Traction Battery Switch Station; *TIE Dec. 2013 5391-5399*
- Kurschner, D.**, Rathge, C., and Jumar, U., Design Methodology for High Efficient Inductive Power Transfer Systems With High Coil Positioning Flexibility; *TIE Jan. 2013 372-381*
- Kwak, B. M.**, see Kim, Y.-K., *TIE Aug. 2013 3386-3395*
- Kwong, S.**, see Xu, L., *TIE May 2013 1850-1858*

L

- Lee, D.-C., see Nguyen, T. H., *TIE July 2013 2842-2850*
- Lee, D.-C., see Kim, K.-H., *TIE Aug. 2013 3207-3217*
- Lee, D.-H., Pham, T. H., and Ahn, J.-W., Design and Operation Characteristics of Four-Two Pole High-Speed SRM for Torque Ripple Reduction; *TIE Sept. 2013 3637-3643*
- Lee, F. C., see Fu, D., *TIE Nov. 2013 4968-4977*
- Lee, H., see Park, S., *TIE Jan. 2013 226-234*
- Lee, H.-H., see Trinh, Q.-N., *TIE Dec. 2013 5400-5410*
- Lee, I.-O., and Moon, G.-W., Analysis and Design of Phase-Shifted Dual H-Bridge Converter With a Wide ZVS Range and Reduced Output Filter; *TIE Oct. 2013 4415-4426*
- Lee, J., see Kim, J., *TIE Nov. 2013 5086-5094*
- Lee, J., Han, S., and Lee, J., Decoupled Dynamic Control for Pitch and Roll Axes of the Unicycle Robot; *TIE Sept. 2013 3814-3822*
- Lee, J., see Lee, J., *TIE Sept. 2013 3814-3822*
- Lee, J., see Cho, H., *TIE Oct. 2013 4554-4561*
- Lee, J. M., see Han, S. I., *TIE Nov. 2013 5124-5136*
- Lee, J.-B., see Kim, H.-S., *TIE Dec. 2013 5558-5574*
- Lee, J.-H., Bonnin, J.-M., You, L., and Chung, T.-M., Comparative Handover Performance Analysis of IPv6 Mobility Management Protocols; *TIE March 2013 1077-1088*
- Lee, J.-H., see Liang, T.-J., *TIE April 2013 1483-1491*
- Lee, J.-Y., see Yoo, K.-M., *TIE Aug. 2013 3136-3144*
- Lee, J.-Y., see Yoo, K.-M., *TIE June 2013 2205-2213*
- Lee, K.-B., see Pu, X.-S., *TIE Sept. 2013 4118-4127*
- Lee, K.-M., see Wang, L.-J., *TIE July 2013 2771*
- Lee, M.-H., see Shyu, K.-K., *TIE July 2013 2731-2739*
- Lee, P.-L., see Shyu, K.-K., *TIE July 2013 2731-2739*
- Lee, S., see Jin, J., *TIE Sept. 2013 3796-3805*
- Lee, T. H., see Xu, J.-X., *TIE Dec. 2013 5717-5728*
- Lee, T.-L., see Guerrero, J. M., *TIE April 2013 1254-1262*
- Lee, T.-L., see Guerrero, J. M., *TIE April 2013 1263-1270*
- Lee, T.-L., Hu, S.-H., and Chan, Y.-H., D-STATCOM With Positive-Sequence Admittance and Negative-Sequence Conductance to Mitigate Voltage Fluctuations in High-Level Penetration of Distributed-Generation Systems; *TIE April 2013 1417-1428*
- Lee, W.-S., Son, W.-I., Oh, K.-S., and Yu, J.-W., Contactless Energy Transfer Systems Using Antiparallel Resonant Loops; *TIE Jan. 2013 350-359*
- Lee, Y., see Shin, D., *TIE Dec. 2013 5773-5780*
- Lee, Y. H., see Jin, J., *TIE Sept. 2013 3796-3805*
- Lee, Y.-H., see Yang, Y.-Y., *TIE July 2013 2627-2637*
- Lefranc, P., see Bergna, G., *TIE June 2013 2360-2371*
- Lehman, B., see Zhao, Y., *TIE Sept. 2013 3784-3795*
- Lei, Q., see Ge, B., *TIE Oct. 2013 4468-4481*
- Leon, J. I., Franquelo, L. G., Wu, B., and Kouro, S., Introduction to the Special Section on Modulation Techniques for DC-to-AC Power Converters; *TIE May 2013 1859-1860*
- Leon, J. I., see Napoles, J., *TIE May 2013 1963-1971*
- Leu, V. Q., see Do, T. D., *TIE Dec. 2013 5660-5672*
- Levi, E., see Lim, C. S., *TIE Jan. 2013 54-65*
- Levi, E., see Bodo, N., *TIE May 2013 2054-2065*
- Levi, E., see Riveros, J. A., *TIE Aug. 2013 2957-2968*
- Levy, U., see Kuperman, A., *TIE Dec. 2013 5391-5399*
- Lezana, P., Aceiton, R., and Silva, C., Phase-Disposition PWM Implementation for a Hybrid Multicell Converter; *TIE May 2013 1936-1942*
- Li, C., see Tan, D.-P., *TIE Oct. 2013 4702-4713*
- Li, C.-Z., see Young, C.-M., *TIE May 2013 1972-1978*
- Li, D., Loh, P. C., Zhu, M., Gao, F., and Blaabjerg, F., Enhanced-Boost Z-Source Inverters With Alternate-Cascaded Switched- and Tapped-Inductor Cells; *TIE Sept. 2013 3567-3578*
- Li, H., see Lam, H. K., *TIE Dec. 2013 5830-5840*
- Li, H., Yu, J., Hilton, C., and Liu, H., Adaptive Sliding-Mode Control for Non-linear Active Suspension Vehicle Systems Using T-S Fuzzy Approach; *TIE Aug. 2013 3328-3338*
- Li, H., see Hwang, S.-H., *TIE Feb. 2013 670-680*
- Li, H.-X., see Duan, X.-G., *TIE Nov. 2013 5177-5185*
- Li, J., and Hasan, S. M. R., Design and Performance Analysis of a 866-MHz Low-Power Optimized CMOS LNA for UHF RFID; *TIE May 2013 1840-1849*
- Li, J., see Liu, Z., *TIE May 2013 2010-2021*
- Li, J., see Wang, X., *TIE April 2013 1556-1570*
- Li, M., see Shi, T., *TIE Aug. 2013 3034-3046*
- Li, N., see Xue, B., *TIE Aug. 2013 3318-3327*
- Li, P., and Lam, J., Decentralized Control of Compartmental Networks With H_{∞} Tracking Performance; *TIE Feb. 2013 546-553*
- Li, P.-Y., see Tan, D.-P., *TIE Oct. 2013 4702-4713*
- Li, Q., see Shu, Z., *TIE May 2013 1831-1839*
- Li, R., see Wang, Y., *TIE Sept. 2013 3766-3774*
- Li, R., see He, D., *TIE Aug. 2013 3429-3440*
- Li, R., and Xu, D., Parallel Operation of Full Power Converters in Permanent-Magnet Direct-Drive Wind Power Generation System; *TIE April 2013 1619-1629*
- Li, S., see Yang, J., *TIE Jan. 2013 160-169*
- Li, S., see Xue, B., *TIE Aug. 2013 3318-3327*
- Li, T.-C., see Shi, J., *TIE June 2013 2139-2146*
- Li, T.-Y., Tsai, J.-Z., Chang, R.-S., Ho, L.-W., and Yang, C.-F., Pretest Gap Mura on TFT LCDs Using the Optical Interference Pattern Sensing Method and Neural Network Classification; *TIE Sept. 2013 3976-3982*
- Li, W., Zhang, X., Cheng, S., and Cao, J., Thermal Optimization for a HSPMG Used for Distributed Generation Systems; *TIE Feb. 2013 474-482*
- Li, W., Ruan, X., Pan, D., and Wang, X., Full-Feedforward Schemes of Grid Voltages for a Three-Phase LC/L -Type Grid-Connected Inverter; *TIE June 2013 2237-2250*
- Li, Y., Jiang, S., Cintron-Rivera, J. G., and Peng, F. Z., Modeling and Control of Quasi-Z-Source Inverter for Distributed Generation Applications; *TIE April 2013 1532-1541*
- Li, Y., see Wang, K., *TIE May 2013 1907-1918*
- Li, Y., see Wang, K., *TIE May 2013 1943-1954*
- Li, Y., see Xiao, S., *TIE Oct. 2013 4613-4626*
- Li, Y. W., see Guerrero, J. M., *TIE April 2013 1251-1253*
- Li, Y. W., see Wang, Y. F., *TIE April 2013 1452-1463*
- Li, Y. W., see He, J., *TIE May 2013 1797-1809*
- Li, Y.-C., and Chen, C.-L., A Novel Primary-Side Regulation Scheme for Single-Stage High-Power-Factor AC-DC LED Driving Circuit; *TIE Nov. 2013 4978-4986*
- Li, Y.-L., Sun, Y., and Dai, X., μ -Synthesis for Frequency Uncertainty of the ICPT System; *TIE Jan. 2013 291-300*
- Lian, R.-J., Enhanced Adaptive Self-Organizing Fuzzy Sliding-Mode Controller for Active Suspension Systems; *TIE March 2013 958-968*
- Liang, R.-H., see Chen, Y.-T., *TIE Oct. 2013 4369-4375*
- Liang, T.-J., Lee, J.-H., Chen, S.-M., Chen, J.-F., and Yang, L.-S., Novel Isolated High-Step-Up DC-DC Converter With Voltage Lift; *TIE April 2013 1483-1491*
- Liang, T.-J., see Chen, S.-M., *TIE April 2013 1503-1511*
- Liang, T.-J., see Hsieh, Y.-P., *TIE April 2013 1473-1482*
- Liao, J., see Sepahvand, H., *TIE Sept. 2013 3619-3626*
- Liaw, C.-M., see Hu, K.-W., *TIE Oct. 2013 4387-4402*
- Liew, A. W.-C., see Khataee, H. R., *TIE Nov. 2013 5116-5123*
- Likun, W., see Feiyang, H., *TIE July 2013 2595-2601*
- Lim, C. S., Rahim, N. A., Hew, W. P., and Levi, E., Model Predictive Control of a Two-Motor Drive With Five-Leg-Inverter Supply; *TIE Jan. 2013 54-65*
- Lim, Y.-C., see Yang, H.-Y., *TIE Oct. 2013 4292-4300*
- Lim, Y.-C., see Nguyen, M.-K., *TIE Dec. 2013 5686-5695*
- Limones-Pozos, C. A., see Valdez-Fernandez, A. A., *TIE Nov. 2013 5019-5028*
- Limongi, L. R., see Nascimento, P. S. B., *TIE Feb. 2013 645-658*
- Lin, B.-R., and Liu, C.-H., ZVS DC/DC Converter Based on Two Three-Level PWM Circuits Sharing the Same Power Switches; *TIE Oct. 2013 4191-4200*
- Lin, B.-R., and Chao, C.-H., Soft-Switching Converter With Two Series Half-Bridge Legs to Reduce Voltage Stress of Active Switches; *TIE June 2013 2214-2224*
- Lin, B.-R., and Chao, C.-H., A New ZVS DC/DC Converter With Three APWM Circuits; *TIE Oct. 2013 4351-4358*
- Lin, C.-Y., see Wai, R.-J., *TIE April 2013 1542-1555*
- Lin, F.-J., Hung, Y.-C., and Tsai, M.-T., Fault-Tolerant Control for Six-Phase PMSM Drive System via Intelligent Complementary Sliding-Mode Control Using TSKFNN-AMF; *TIE Dec. 2013 5747-5762*
- Lin, H., Wang, X., Fang, S., Jin, P., and Ho, S. L., Design, Optimization, and Intelligent Control of Permanent-Magnet Contactor; *TIE Nov. 2013 5148-5159*
- Lin, H.-C., see Hwang, Y.-S., *TIE Jan. 2013 280-290*
- Lin, M.-S., and Chen, C.-L., An Integrated Lighting Unit With Regulated Pulse Current Driving Technique; *TIE Oct. 2013 4694-4701*
- Lin, R.-L., Liu, W.-S., Chen, J.-F., Chen, M.-H., and Liu, C.-H., Positive Feedforward Control for Multimodule Output-Series Power-Conversion Systems With Individual Nonideal Sources; *TIE April 2013 1323-1334*
- Lindh, P., see Ponomarev, P., *TIE Oct. 2013 4310-4317*

- Ling, S. H.**, see San, P. P., *TIE Dec. 2013 5892-5901*
- Linner, J.**, see Sociero, T. B., *TIE Nov. 2013 4805-4819*
- Liu, C.**, Hu, A. P., Wang, B., and Nair, N.-K. C., A Capacitively Coupled Contactless Matrix Charging Platform With Soft Switched Transformer Control; *TIE Jan. 2013 249-260*
- Liu, C.**, Yang, Z., Ding, G., Zhou, Z., Liu, Q., Huang, Y., and Zheng, Y., Design, Simulation, and Characterization of a Low-Cost In-Plane Spark Gap Microswitch With Dual-Trigger Electrode for Pulsed Power Applications; *TIE Aug. 2013 3240-3247*
- Liu, C.**, see Geng, H., *TIE June 2013 2495-2509*
- Liu, C.-H.**, see Lin, R.-L., *TIE April 2013 1323-1334*
- Liu, C.-H.**, see Lin, B.-R., *TIE Oct. 2013 4191-4200*
- Liu, G.**, Dass, R., Nguang, S.-K., and Partridge, A., Principles, Design, and Calibration for a Genre of Irradiation Angle Sensors; *TIE Jan. 2013 210-216*
- Liu, G.-P.**, see Hu, W., *TIE Oct. 2013 4673-4682*
- Liu, G.-P.**, see Song, H., *TIE Nov. 2013 5228-5238*
- Liu, H.**, see Li, H., *TIE Aug. 2013 3328-3338*
- Liu, H.**, Lu, G., and Zhong, Y., Robust LQR Attitude Control of a 3-DOF Laboratory Helicopter for Aggressive Maneuvers; *TIE Oct. 2013 4627-4636*
- Liu, J.**, see Liu, Z., *TIE May 2013 2010-2021*
- Liu, J.**, see Liu, Y., *TIE Nov. 2013 5160-5166*
- Liu, J.**, see You, C.-J., *TIE June 2013 2346-2357*
- Liu, J.**, see Zhu, Z., *TIE Dec. 2013 5882-5891*
- Liu, K.**, Zhu, Z. Q., and Stone, D. A., Parameter Estimation for Condition Monitoring of PMSM Stator Winding and Rotor Permanent Magnets; *TIE Dec. 2013 5902-5913*
- Liu, K.**, see Wang, K., *TIE May 2013 1907-1918*
- Liu, N.**, Chen, J., Zhu, L., Zhang, J., and He, Y., A Key Management Scheme for Secure Communications of Advanced Metering Infrastructure in Smart Grid; *TIE Oct. 2013 4746-4756*
- Liu, Q.**, see Liu, C., *TIE Aug. 2013 3240-3247*
- Liu, S.**, see Chen, L., *TIE Jan. 2013 339-349*
- Liu, S.**, see Xie, X., *TIE Dec. 2013 5603-5612*
- Liu, T.**, see Song, Z., *TIE June 2013 2451-2464*
- Liu, T.-H.**, see Wei, M.-Y., *TIE Sept. 2013 3644-3657*
- Liu, W.**, see Wu, H., *TIE Nov. 2013 5029-5039*
- Liu, W.**, see Zhao, B., *TIE Oct. 2013 4458-4467*
- Liu, W.**, see Zhao, B., *TIE Sept. 2013 3602-3618*
- Liu, W.-S.**, see Lin, R.-L., *TIE April 2013 1323-1334*
- Liu, X.**, Wang, P., Loh, P. C., and Blaabjerg, F., A Three-Phase Dual-Input Matrix Converter for Grid Integration of Two AC Type Energy Resources; *TIE Jan. 2013 20-30*
- Liu, X.**, Loh, P. C., Wang, P., and Blaabjerg, F., A Direct Power Conversion Topology for Grid Integration of Hybrid AC/DC Energy Resources; *TIE Dec. 2013 5696-5707*
- Liu, X.**, see Hwang, S.-H., *TIE Feb. 2013 670-680*
- Liu, Y.**, see Ge, B., *TIE Oct. 2013 4468-4481*
- Liu, Y.**, Chen, W., Liu, J., and Yang, X., A High-Power Linear Ultrasonic Motor Using Bending Vibration Transducer; *TIE Nov. 2013 5160-5166*
- Liu, Z.**, Liu, J., and Li, J., Modeling, Analysis, and Mitigation of Load Neutral Point Voltage for Three-Phase Four-Leg Inverter; *TIE May 2013 2010-2021*
- Llor, A.**, see Rivera, M., *TIE Nov. 2013 4903-4912*
- Lo, Y.-K.**, see Cheng, S.-J., *TIE Feb. 2013 773-780*
- Lo, Y.-K.**, see Chiu, H.-J., *TIE Feb. 2013 781-788*
- Locment, F.**, see Sechilariu, M., *TIE April 2013 1607-1618*
- Loh, P. C.**, see Li, D., *TIE Sept. 2013 3567-3578*
- Loh, P. C.**, see Liu, X., *TIE Dec. 2013 5696-5707*
- Loh, P. C.**, see Liu, X., *TIE Jan. 2013 20-30*
- Loh, P. C.**, Zhang, L., and Gao, F., Compact Integrated Energy Systems for Distributed Generation; *TIE April 2013 1492-1502*
- Loh, P. C.**, see Guerrero, J. M., *TIE April 2013 1263-1270*
- Loh, P. C.**, see Guerrero, J. M., *TIE April 2013 1254-1262*
- Lomonova, E. A.**, see Smeets, J. P. C., *TIE Jan. 2013 391-399*
- Lomonova, E. A.**, see Boys, J. T., *TIE Jan. 2013 239-241*
- Lomonova, E. A.**, see Roes, M. G. L., *TIE Jan. 2013 242-248*
- Long, B.**, see Sai Sarathi Vasan, A., *TIE Nov. 2013 5277-5291*
- Long, T.**, see Shao, S., *TIE June 2013 2465-2476*
- Long, T.**, Shao, S., Malliband, P., Abdi, E., and McMahon, R. A., Crowbarless Fault Ride-Through of the Brushless Doubly Fed Induction Generator in a Wind Turbine Under Symmetrical Voltage Dips; *TIE July 2013 2833-2841*
- Longoni, A.**, see Langfelder, G., *TIE Sept. 2013 3983-3990*
- Lope, I.**, see Acero, J., *TIE Jan. 2013 410-420*
- Lopez, O.**, see Vidal, A., *TIE April 2013 1367-1383*
- Lorenzani, E.**, see Buticchi, G., *TIE Aug. 2013 3539-3549*
- Lorenzani, E.**, see Buticchi, G., *TIE Oct. 2013 4403-4414*
- Lorenzani, E.**, see Buticchi, G., *TIE March 2013 906-918*
- Lou, L.**, see Wu, H., *TIE Feb. 2013 554-566*
- Lu, G.**, see Liu, H., *TIE Oct. 2013 4627-4636*
- Lu, G.**, see Guo, H., *TIE Sept. 2013 3823-3835*
- Lu, J.**, see Tian, B., *TIE Dec. 2013 5422-5435*
- Lu, J.**, Niu, L., and Zhang, G., A Situation Retrieval Model for Cognitive Decision Support in Digital Business Ecosystems; *TIE March 2013 1059-1069*
- Lu, K.**, see Shu, Z., *TIE May 2013 1831-1839*
- Lu, L.**, Chen, Z., Yao, B., and Wang, Q., A Two-Loop Performance-Oriented Tip-Tracking Control of a Linear-Motor-Driven Flexible Beam System With Experiments; *TIE March 2013 1011-1022*
- Lu, Q.**, see Xie, X., *TIE Dec. 2013 5603-5612*
- Lu, R.**, Xu, Y., Xue, A., and Zheng, J., Networked Control With State Reset and Quantized Measurements: Observer-Based Case; *TIE Nov. 2013 5206-5213*
- Lu, S.**, see Chen, H., *TIE Feb. 2013 749-763*
- Lu, X.**, see Iyer, K. L. V., *TIE April 2013 1638-1651*
- Lu, X. J.**, and Huang, M. H., Nonlinear-Measurement-Based Integrated Robust Design and Control for Manufacturing System; *TIE July 2013 2711-2720*
- Lu, Z.**, see Hang, L., *TIE April 2013 1512-1519*
- Lu, Z.**, see Wen, H., *TIE Sept. 2013 3736-3751*
- Lu, Z.**, see Zhang, M., *TIE Oct. 2013 4243-4252*
- Luchino, F.**, see Cove, S. R., *TIE Feb. 2013 483-493*
- Lucia, O.**, see Carretero, C., *TIE Aug. 2013 3092-3105*
- Lucia, O.**, see Acero, J., *TIE Jan. 2013 410-420*
- Lucia, O.**, see Sarnago, H., *TIE May 2013 2066-2073*
- Lukic, S. M.**, see Bai, S., *TIE July 2013 2547-2554*
- Lundmark, S.**, see Haghbin, S., *TIE Feb. 2013 459-473*
- Luo, A.**, see Ma, F., *TIE Feb. 2013 728-738*
- Luviano-Juarez, A.**, see Sira-Ramirez, H., *TIE Aug. 2013 3025-3033*
- Lyons, R.**, see Zhao, Y., *TIE Sept. 2013 3784-3795*

M

- Ma, C.**, Cao, J., and Qiao, Y., Polynomial-Method-Based Design of Low-Order Controllers for Two-Mass Systems; *TIE March 2013 969-978*
- Ma, F.**, Luo, A., Xu, X., Xiao, H., Wu, C., and Wang, W., A Simplified Power Conditioner Based on Half-Bridge Converter for High-Speed Railway System; *TIE Feb. 2013 728-738*
- Ma, K.**, Comments on "Quasi-Continuous Higher Order Sliding-Mode Controllers for Spacecraft-Attitude-Tracking Maneuvers"; *TIE July 2013 2771-2773*
- Ma, Y.**, Yang, Y., He, Z., Yang, K., Sun, C., and Wang, Y., Theoretical and Practical Solutions for High-Order Superdirectivity of Circular Sensor Arrays; *TIE Jan. 2013 203-209*
- Machado, R. Q.**, see Pozzebon, G. G., *TIE May 2013 1810-1818*
- Macuglia, R.**, see Tassarolo, A., *TIE June 2013 2147-2157*
- Madariaga, D.**, see Chivite-Zabalza, J., *TIE Nov. 2013 4759-4772*
- Madawala, U. K.**, see Boys, J. T., *TIE Jan. 2013 239-241*
- Madawala, U. K.**, Neath, M., and Thrimawithana, D. J., A Power-Frequency Controller for Bidirectional Inductive Power Transfer Systems; *TIE Jan. 2013 310-317*
- Madawala, U. K.**, see Thrimawithana, D. J., *TIE Jan. 2013 301-309*
- Maeda, Y.**, and Iwasaki, M., Rolling Friction Model-Based Analyses and Compensation for Slow Settling Response in Precise Positioning; *TIE Dec. 2013 5841-5853*
- Maeda, Y.**, Wada, M., Iwasaki, M., and Hirai, H., Improvement of Settling Performance by Mode-Switching Control With Split Initial-Value Compensation Based on Input Shaper; *TIE March 2013 979-987*
- Maeda, Y.**, and Iwasaki, M., Initial Friction Compensation Using Rheology-Based Rolling Friction Model in Fast and Precise Positioning; *TIE Sept. 2013 3865-3876*
- Maetani, T.**, Isomura, Y., Watanabe, A., Iimori, K., and Morimoto, S., Suppressing Bearing Voltage in an Inverter-Fed Ungrounded Brushless DC Motor; *TIE Nov. 2013 4861-4868*
- Maheshwari, R.**, Munk-Nielsen, S., and Busquets-Monge, S., Design of Neutral-Point Voltage Controller of a Three-Level NPC Inverter With Small DC-Link Capacitors; *TIE May 2013 1861-1871*
- Maheshwari, R.**, see Busquets-Monge, S., *TIE May 2013 1872-1883*
- Mahmoud, Y. A.**, Xiao, W., and Zeineldin, H. H., A Parameterization Approach for Enhancing PV Model Accuracy; *TIE Dec. 2013 5708-5716*
- Maia, H. Z.**, see Filho, F., *TIE May 2013 1955-1962*

- Majumder, R.**, Reactive Power Compensation in Single-Phase Operation of Microgrid; *TIE April 2013 1403-1416*
- Malec, D.**, see Lahoud, N., *TIE Sept. 2013 4147-4155*
- Malliband, P.**, see Long, T., *TIE July 2013 2833-2841*
- Malvar, J.**, see Vidal, A., *TIE April 2013 1367-1383*
- Mamarelis, E.**, see Bianconi, E., *TIE March 2013 1168-1178*
- Mancilla-David, F.**, see Garcia-Vite, P. M., *TIE Dec. 2013 5411-5421*
- Mancilla-David, F.**, see Rosas-Caro, J. C., *TIE Oct. 2013 4492-4499*
- Mandow, A.**, see Morales, J., *TIE Dec. 2013 5729-5736*
- Manias, S. N.**, see Kakosimos, P. E., *TIE Dec. 2013 5673-5685*
- Mao, C.**, see Tian, B., *TIE Dec. 2013 5422-5435*
- Marchesan, T. B.**, see da Silva, M. F., *TIE Aug. 2013 3081-3091*
- Marchesan, T. B.**, see Kirsten, A. L., *TIE Feb. 2013 608-618*
- Margaris, N. I.**, see Papadopoulos, K. G., *TIE Oct. 2013 4650-4664*
- Marinescu, C.**, see Barote, L., *TIE Feb. 2013 764-772*
- Mariun, N. B.**, see Esfandiari, E., *TIE Nov. 2013 4960-4967*
- Marongiu, I.**, see Gatto, G., *TIE Nov. 2013 4869-4880*
- Marques Cardoso, A. J.**, see Freire, N. M. A., *TIE Sept. 2013 3957-3967*
- Marques Cardoso, A. J.**, see Estima, J. O., *TIE Aug. 2013 3496-3505*
- Marques, G. D.**, and Sousa, D. M., Sensorless Direct Slip Position Estimator of a DFIM Based on the Air Gap pq Vector—Sensitivity Study; *TIE June 2013 2442-2450*
- Marroyo, L.**, see Valderrama-Blavi, H., *TIE March 2013 1191-1203*
- Martinez, J. L.**, see Morales, J., *TIE Dec. 2013 5729-5736*
- Martinez, M.**, see Garcia, J., *TIE Sept. 2013 3991-4000*
- Martinez-Rodriguez, P. R.**, see Valdez-Fernandez, A. A., *TIE Nov. 2013 5019-5028*
- Martinez-Salamero, L.**, Garcia, G., Orellana, M., Lahore, C., and Estibals, B., Start-Up Control and Voltage Regulation in a Boost Converter Under Sliding-Mode Operation; *TIE Oct. 2013 4637-4649*
- Martinez-Salamero, L.**, see Valderrama-Blavi, H., *TIE March 2013 1191-1203*
- Masmoudi, A.**, see El Badi, B., *TIE March 2013 873-884*
- Massot-Campos, M.**, see Poursmaeil, E., *TIE July 2013 2881-2893*
- Maswood, A. I.**, see Jahromi, M. J., *TIE Dec. 2013 5648-5659*
- Matas, J.**, see Castilla, M., *TIE April 2013 1464-1472*
- Matas, J.**, see Borrell, A., *TIE Nov. 2013 4920-4929*
- Mateus, T. H. A.**, see Filho, F., *TIE May 2013 1955-1962*
- Mathapati, S.**, and Bocker, J., Analytical and Offline Approach to Select Optimal Hysteresis Bands of DTC for PMSM; *TIE March 2013 885-895*
- Mathew, K.**, see Dey, A., *TIE May 2013 1989-1998*
- Matsuo, H.**, see Sato, T., *TIE Nov. 2013 4987-4995*
- Maussion, P.**, see Lahoud, N., *TIE Sept. 2013 4147-4155*
- Mayo-Maldonado, J. C.**, see Rosas-Caro, J. C., *TIE Oct. 2013 4492-4499*
- Mazari, B.**, see Kahoul, R., *TIE Dec. 2013 5482-5496*
- McMahon, R.**, see Barati, F., *TIE June 2013 2477-2485*
- McMahon, R. A.**, see Long, T., *TIE July 2013 2833-2841*
- McMahon, R. A.**, see Shao, S., *TIE June 2013 2465-2476*
- Meco-Gutierrez, M. J.**, see Ruiz-Gonzalez, A., *TIE July 2013 2555-2563*
- Mediano, A.**, see Sarnago, H., *TIE May 2013 2066-2073*
- Meersman, B.**, see Vandoorn, T. L., *TIE April 2013 1291-1305*
- Melin, P. E.**, see Sepulveda, C. A., *TIE Feb. 2013 659-669*
- Meng, F.**, Yang, W., and Yang, S., Effect of Voltage Transformation Ratio on the Kilovoltampere Rating of Delta-Connected Autotransformer for 12-Pulse Rectifier System; *TIE Sept. 2013 3579-3588*
- Meng, G.**, see Yang, Y., *TIE Sept. 2013 3948-3956*
- Mengoni, M.**, see Zarrì, L., *TIE Aug. 2013 3506-3518*
- Menis, R.**, see Tessarolo, A., *TIE June 2013 2147-2157*
- Metidji, B.**, Taib, N., Baghli, L., Rekioua, T., and Bacha, S., Phase Current Reconstruction Using a Single Current Sensor of Three-Phase AC Motors Fed by SVM-Controlled Direct Matrix Converters; *TIE Dec. 2013 5497-5505*
- Meza, C.**, see Chavarria, J., *TIE Jan. 2013 98-111*
- Michalski, M.**, see Kozłowski, K., *TIE Feb. 2013 691-698*
- Miguel-Espinar, C.**, see Poursmaeil, E., *TIE July 2013 2881-2893*
- Miret, J.**, see Camacho, A., *TIE April 2013 1429-1441*
- Miret, J.**, see Castilla, M., *TIE April 2013 1464-1472*
- Miret, J.**, see Borrell, A., *TIE Nov. 2013 4920-4929*
- Mishima, T.**, and Nakaoka, M., A Practical ZCS-PWM Boost DC-DC Converter With Clamping Diode-Assisted Active Edge-Resonant Cell and Its Extended Topologies; *TIE June 2013 2225-2236*
- Mishra, M. K.**, see Karanki, *TIE Sept. 2013 3555-3566*
- Mishra, S.**, see Singh, R. K., *TIE Nov. 2013 4996-5007*
- Mishra, S.**, see Singh, R. K., *TIE Feb. 2013 422-432*
- Mishra, S. K.**, see Ravindranath, A., *TIE Dec. 2013 5593-5602*
- Mithulananthan, N.**, see Hossain, M. J., *TIE June 2013 2510-2522*
- Mithulananthan, N.**, see Hung, D. Q., *TIE April 2013 1700-1708*
- Mitronikas, E. D.**, see Bogiatzidis, I. X., *TIE Aug. 2013 3441-3453*
- Mityakov, A. V.**, see Jussila, H. K., *TIE Nov. 2013 4852-4860*
- Mityakov, V. Y.**, see Jussila, H. K., *TIE Nov. 2013 4852-4860*
- Moallem, M.**, see Sabzehgar, R., *TIE Dec. 2013 5854-5863*
- Mocambique, N. E. M.**, see Pozzebon, G. G., *TIE May 2013 1810-1818*
- Mohamadian, M.**, see Rajaei, A., *TIE July 2013 2919-2929*
- Mohamadian, M.**, see Fatemi, A., *TIE May 2013 1769-1779*
- Mohamed, Y. A.-R. I.**, see Guerrero, J. M., *TIE April 2013 1251-1253*
- Mohammed, O. A.**, see Sarikhani, A., *TIE Aug. 2013 3472-3484*
- Mohan, N.**, see Somani, A., *TIE Sept. 2013 3670-3678*
- Mohan, S. N.**, see Dasgupta, S., *TIE Feb. 2013 799-813*
- Mohan, S. N.**, see Dasgupta, S., *TIE March 2013 1204-1215*
- Mohapatra, K. K.**, see Somani, A., *TIE Sept. 2013 3670-3678*
- Molinas, M.**, see Bergna, G., *TIE June 2013 2360-2371*
- Molinas, M.**, see Cardenas, R., *TIE July 2013 2774-2775*
- Molinas, M.**, see Jafar, M., *TIE June 2013 2410-2419*
- Molinas, M.**, see Wessels, C., *TIE July 2013 2864-2873*
- Molinas, M.**, see Cardenas, R., *TIE June 2013 2358-2359*
- Molinas, M.**, see Holtzmark, N., *TIE June 2013 2420-2428*
- Molitor, C.**, Benigni, A., Helmedag, A., Chen, K., Cali, D., Jahangiri, P., Muller, D., and Monti, A., Multiphysics Test Bed for Renewable Energy Systems in Smart Homes; *TIE March 2013 1235-1248*
- Monfared, M.**, see Golestan, S., *TIE June 2013 2167-2177*
- Moniri, M.**, see Yang, P., *TIE Dec. 2013 5914-5924*
- Monmasson, E.**, see Auger, F., *TIE Dec. 2013 5458-5471*
- Montagner, V. F.**, see Russi, J. L., *TIE July 2013 2576-2585*
- Montazeri-Gh, M.**, Soleymani, M., and Hashemi, S., Impact of Traffic Conditions on the Active Suspension Energy Regeneration in Hybrid Electric Vehicles; *TIE Oct. 2013 4546-4553*
- Montesinos-Miracle, D.**, see Poursmaeil, E., *TIE July 2013 2881-2893*
- Monti, A.**, see Molitor, C., *TIE March 2013 1235-1248*
- Montonen, J.**, see Kamiev, K., *TIE Nov. 2013 4881-4890*
- Moon, G.-W.**, see Kim, H.-S., *TIE Dec. 2013 5558-5574*
- Moon, G.-W.**, see Lee, I.-O., *TIE Oct. 2013 4415-4426*
- Morales, J.**, Martinez, J. L., Mandow, A., and Garcia-Cerezo, A. J., Steering the Last Trailer as a Virtual Tractor for Reversing Vehicles With Passive On- and Off-Axle Hitches; *TIE Dec. 2013 5729-5736*
- Morales-Caporal, R.**, Bonilla-Huerta, E., Arjona, M. A., and Hernandez, C., Sensorless Predictive DTC of a Surface-Mounted Permanent-Magnet Synchronous Machine Based on Its Magnetic Anisotropy; *TIE Aug. 2013 3016-3024*
- Moreno-Goytia, E. L.**, see Campos-Gaona, D., *TIE March 2013 1133-1145*
- Morimoto, S.**, see Maetani, T., *TIE Nov. 2013 4861-4868*
- Mork, B. A.**, see Holtzmark, N., *TIE June 2013 2420-2428*
- Moschopoulos, G.**, see Narimani, M., *TIE Jan. 2013 31-42*
- Moschopoulos, G.**, see Narimani, M., *TIE Sept. 2013 3731-3735*
- Moschopoulos, G.**, see Wijeratne, D. S., *TIE Oct. 2013 4201-4214*
- Moschopoulos, G.**, see Das, P., *TIE Nov. 2013 4930-4946*
- Mosesian, J.**, see Zhao, Y., *TIE Sept. 2013 3784-3795*
- Mozaffari-Kermani, M.**, and Azarderakhsh, R., Efficient Fault Diagnosis Schemes for Reliable Lightweight Cryptographic ISO/IEC Standard CLEFIA Benchmarked on ASIC and FPGA; *TIE Dec. 2013 5925-5932*
- Muhlethaler, J.**, see Soeiro, T. B., *TIE Nov. 2013 4805-4819*
- Muller, D.**, see Molitor, C., *TIE March 2013 1235-1248*
- Munk-Nielsen, S.**, see Maheshwari, R., *TIE May 2013 1861-1871*
- Munk-Nielsen, S.**, see Busquets-Monge, S., *TIE May 2013 1872-1883*
- Munoz, J. A.**, see Sepulveda, C. A., *TIE Feb. 2013 659-669*
- Munoz-Condes, P.**, Gomez-Parra, M., Sancho, C., San Andres, M. A. G., Gonzalez-Fernandez, F. J., Carpio, J., and Guirado, R., On Condition Maintenance Based on the Impedance Measurement for Traction Batteries: Development and Industrial Implementation; *TIE July 2013 2750-2759*
- Murali, N.**, see Raj, A. S., *TIE Feb. 2013 567-574*
- Musolino, V.**, Piegari, L., and Tironi, E., New Full-Frequency-Range Supercapacitor Model With Easy Identification Procedure; *TIE Jan. 2013 112-120*
- Mussa, S. A.**, see Angulo, M., *TIE July 2013 2721-2730*

N

- Naderi, S. B.**, Jafari, M., and Tarafdar Hagh, M., Parallel-Resonance-Type Fault Current Limiter; *TIE July 2013 2538-2546*
- Nagamani, C.**, see Indu Rani, B., *TIE Aug. 2013 3185-3194*

- Nagasaka, K.**, see Chaouachi, A., *TIE April 2013 1688-1699*
- Nagasaka, K.**, see Kamel, R. M., *TIE April 2013 1314-1322*
- Nagorny, A. S.**, see Agamloh, E. B., *TIE Aug. 2013 3072-3080*
- Nair, N.-K. C.**, see Liu, C., *TIE Jan. 2013 249-260*
- Najj, W. K. A.**, Zeineldin, H. H., and Woon, W. L., Optimal Protection Coordination for Microgrids With Grid-Connected and Islanded Capability; *TIE April 2013 1668-1677*
- Nakaoka, M.**, see Mishima, T., *TIE June 2013 2225-2236*
- Nam, K.**, Oh, S., Fujimoto, H., and Hori, Y., Estimation of Sideslip and Roll Angles of Electric Vehicles Using Lateral Tire Force Sensors Through RLS and Kalman Filter Approaches; *TIE March 2013 988-1000*
- Nan, X.**, see Shu, Z., *TIE May 2013 1831-1839*
- Napoles, J.**, Watson, A. J., Padilla, J. J., Leon, J. L., Franquelo, L. G., Wheeler, P. W., and Aguirre, M. A., Selective Harmonic Mitigation Technique for Cascaded H-Bridge Converters With Nonequal DC Link Voltages; *TIE May 2013 1963-1971*
- Narayanan, G.**, see Binoj Kumar, A. C., *TIE Feb. 2013 433-439*
- Narimani, M.**, and Moschopoulos, G., A New Single-Phase Single-Stage Three-Level Power-Factor-Correction AC-DC Converter With Phase-Shift Modulation; *TIE Sept. 2013 3731-3735*
- Narimani, M.**, and Moschopoulos, G., A Novel Single-Stage Multilevel Type Full-Bridge Converter; *TIE Jan. 2013 31-42*
- Nascimento, P. S. B.**, de Souza, H. E. P., Neves, F. A. S., and Limongi, L. R., FPGA Implementation of the Generalized Delayed Signal Cancellation—Phase Locked Loop Method for Detecting Harmonic Sequence Components in Three-Phase Signals; *TIE Feb. 2013 645-658*
- Neath, M.**, see Madawala, U. K., *TIE Jan. 2013 310-317*
- Neath, M.**, see Thrimawithana, D. J., *TIE Jan. 2013 301-309*
- Nee, H.-P.**, see Harnefors, L., *TIE July 2013 2526-2537*
- Neely, J. D.**, see Strangas, E. G., *TIE Aug. 2013 3519-3528*
- Negroni, J. J.**, see Chavarria, J., *TIE Jan. 2013 98-111*
- Neves, F. A. S.**, see Nascimento, P. S. B., *TIE Feb. 2013 645-658*
- Neyt, X.**, see Gabriel, F., *TIE Dec. 2013 5447-5457*
- Nguang, S.-K.**, see Liu, G., *TIE Jan. 2013 210-216*
- Nguyen, H. T.**, see San, P. P., *TIE Dec. 2013 5892-5901*
- Nguyen, M.-K.**, Lim, Y.-C., and Kim, Y.-G., TZ-Source Inverters; *TIE Dec. 2013 5686-5695*
- Nguyen, T. H.**, see Pu, X.-S., *TIE Sept. 2013 4118-4127*
- Nguyen, T. H.**, and Lee, D.-C., Advanced Fault Ride-Through Technique for PMSG Wind Turbine Systems Using Line-Side Converter as STATCOM; *TIE July 2013 2842-2850*
- Ni, S.**, see Wang, X., *TIE April 2013 1556-1570*
- Nicolas-Apruzzese, J.**, Busquets-Monge, S., Bordonau, J., Alepuz, S., and Calle-Prado, A., Analysis of the Fault-Tolerance Capacity of the Multilevel Active-Clamped Converter; *TIE Nov. 2013 4773-4783*
- Niemela, M.**, see Kamiev, K., *TIE Nov. 2013 4881-4890*
- Niemela, M.**, see Tamminen, J., *TIE Sept. 2013 3968-3975*
- Niu, L.**, see Lu, J., *TIE March 2013 1059-1069*
- Norrgra, S.**, see Harnefors, L., *TIE July 2013 2526-2537*

O

- Oh, K.-S.**, see Lee, W.-S., *TIE Jan. 2013 350-359*
- Oh, S.**, see Beh, T. C., *TIE Sept. 2013 3689-3698*
- Oh, S.**, see Nam, K., *TIE March 2013 988-1000*
- Ohishi, K.**, see Takahashi, K., *TIE Jan. 2013 66-77*
- Ohishi, K.**, see Inazuma, K., *TIE Oct. 2013 4427-4437*
- Ohnishi, K.**, see Shimmyo, S., *TIE Nov. 2013 5137-5147*
- Ohnishi, K.**, see Sakaino, S., *TIE July 2013 2673-2680*
- Ohnishi, K.**, see Suzuki, A., *TIE Jan. 2013 177-190*
- Oiwa, T.**, see Asama, J., *TIE Jan. 2013 129-138*
- Orace, H.**, see Tohidi, S., *TIE March 2013 1146-1155*
- Orace, H.**, see Barati, F., *TIE June 2013 2477-2485*
- Orchard, M. E.**, Hevia-Koch, P., Zhang, B., and Tang, L., Risk Measures for Particle-Filtering-Based State-of-Charge Prognosis in Lithium-Ion Batteries; *TIE Nov. 2013 5260-5269*
- Ordonez, M.**, see Cove, S. R., *TIE Feb. 2013 483-493*
- Orrellana, M.**, see Martinez-Salamero, L., *TIE Oct. 2013 4637-4649*
- Orlowska-Kowalska, T.**, see Auger, F., *TIE Dec. 2013 5458-5471*
- Ortega Gonzalez, R.**, see Velasco de la Fuente, D., *TIE April 2013 1571-1581*
- Ortega, J. A.**, see Prieto, M. D., *TIE Aug. 2013 3398-3407*
- Oucheriah, S.**, and Guo, L., PWM-Based Adaptive Sliding-Mode Control for Boost DC-DC Converters; *TIE Aug. 2013 3291-3294*

- Ouyang, Z.**, Sen, G., Thomsen, O. C., and Andersen, M. A. E., Analysis and Design of Fully Integrated Planar Magnetics for Primary-Parallel Isolated Boost Converter; *TIE Feb. 2013 494-508*
- Overboom, T. T.**, see Smeets, J. P. C., *TIE Jan. 2013 391-399*
- Ozpineci, B.**, see Filho, F., *TIE May 2013 1955-1962*

P

- Padilla, J. J.**, see Napoles, J., *TIE May 2013 1963-1971*
- Pahlevaninezhad, M.**, see Eren, S., *TIE Nov. 2013 5059-5074*
- Pahlevaninezhad, M.**, see Das, P., *TIE Nov. 2013 4930-4946*
- Pan, D.**, see Li, W., *TIE June 2013 2237-2250*
- Pan, J.**, see Yuan, J., *TIE May 2013 2084-2093*
- Pan, Y.**, see Ren, Z., *TIE Nov. 2013 4891-4902*
- Panda, S. K.**, see Dasgupta, S., *TIE Feb. 2013 799-813*
- Panda, S. K.**, see Dasgupta, S., *TIE March 2013 1204-1215*
- Papadopoulos, K. G.**, Papastefanaki, E. N., and Margaritis, N. I., Explicit Analytical PID Tuning Rules for the Design of Type-III Control Loops; *TIE Oct. 2013 4650-4664*
- Papastefanaki, E. N.**, see Papadopoulos, K. G., *TIE Oct. 2013 4650-4664*
- Paprocki, M.**, see Erwinski, K., *TIE Feb. 2013 628-636*
- Park, K.**, see Kang, M., *TIE Sept. 2013 4001-4008*
- Park, K.-B.**, see Kim, H.-S., *TIE Dec. 2013 5558-5574*
- Park, S.**, and Lee, H., Self-Recognition of Vehicle Position Using UHF Passive RFID Tags; *TIE Jan. 2013 226-234*
- Parker, M. A.**, Ran, L., and Finney, S. J., Distributed Control of a Fault-Tolerant Modular Multilevel Inverter for Direct-Drive Wind Turbine Grid Interfacing; *TIE Feb. 2013 509-522*
- Partridge, A.**, see Liu, G., *TIE Jan. 2013 210-216*
- Parulski, P.**, see Kozłowski, K., *TIE Feb. 2013 691-698*
- Pasetti, G.**, see Saponara, S., *TIE June 2013 2309-2317*
- Patel, C.**, see Rajeevan, P. P., *TIE Sept. 2013 3627-3636*
- Patra, A.**, see Patra, P., *TIE Nov. 2013 5095-5104*
- Patra, P.**, Ghosh, J., and Patra, A., Control Scheme for Reduced Cross-Regulation in Single-Inductor Multiple-Output DC-DC Converters; *TIE Nov. 2013 5095-5104*
- Pattnaik, M.**, and Kastha, D., Harmonic Compensation With Zero-Sequence Load Voltage Control in a Speed-Sensorless DFIG-Based Stand-Alone VSCF Generating System; *TIE Dec. 2013 5506-5514*
- Pecht, M.**, see Sai Sarathi Vasan, A., *TIE Nov. 2013 5277-5291*
- Pelle, J.**, see Bornschlegell, A. S., *TIE May 2013 1734-1746*
- Pena, G. G.**, see Pozzebon, G. G., *TIE May 2013 1810-1818*
- Pena, R.**, see Cardenas, R., *TIE July 2013 2776-2798*
- Pena, R.**, see Soto-Sanchez, D. E., *TIE June 2013 2118-2130*
- Peng, F. Z.**, see Li, Y., *TIE April 2013 1532-1541*
- Peng, F. Z.**, see Ge, B., *TIE Oct. 2013 4468-4481*
- Peng, Z.**, see Yang, Y., *TIE Sept. 2013 3948-3956*
- Pereda, J.**, and Dixon, J., Cascaded Multilevel Converters: Optimal Asymmetries and Floating Capacitor Control; *TIE Nov. 2013 4784-4793*
- Perez-Hidalgo, F.**, see Ruiz-Gonzalez, A., *TIE July 2013 2555-2563*
- Peric, N.**, see Joksimovic, G. M., *TIE Sept. 2013 4025-4033*
- Perini, R.**, see Castelli-Dezza, F., *TIE Oct. 2013 4301-4309*
- Petrone, G.**, see Bianconi, E., *TIE March 2013 1168-1178*
- Petrov, I.**, and Pyrhonen, J., Performance of Low-Cost Permanent Magnet Material in PM Synchronous Machines; *TIE June 2013 2131-2138*
- Pham, T. H.**, see Lee, D.-H., *TIE Sept. 2013 3637-3643*
- Pham, T. T. L.**, Richardeau, F., and Gateau, G., Real-Time Monitoring for a Five-Level Double-Boost Power Factor Controller Including Postfault Reconfiguration; *TIE Sept. 2013 4128-4135*
- Pham, T. T. L.**, see Richardeau, F., *TIE Oct. 2013 4225-4233*
- Phanomchoeng, G.**, and Rajamani, R., New Rollover Index for the Detection of Tripped and Untripped Rollovers; *TIE Oct. 2013 4726-4736*
- Pickering, S. J.**, see Gilson, G. M., *TIE Nov. 2013 4841-4851*
- Piegari, L.**, see Musolino, V., *TIE Jan. 2013 112-120*
- Pierik, J.**, see Teixeira Pinto, R., *TIE June 2013 2429-2441*
- Pinheiro, H.**, see Kaniecki, J. M., *TIE Nov. 2013 5214-5227*
- Pinto, J. O. P.**, see Filho, F., *TIE May 2013 1955-1962*
- Pomilio, J. A.**, see Garcia, F. S., *TIE Aug. 2013 3283-3290*
- Ponomarev, P.**, Lindh, P., and Pyrhonen, J., Effect of Slot-and-Pole Combination on the Leakage Inductance and the Performance of Tooth-Coil Permanent-Magnet Synchronous Machines; *TIE Oct. 2013 4310-4317*
- Pontt, J.**, see Guerrero, V., *TIE Feb. 2013 450-458*
- Pota, H. R.**, see Hossain, M. J., *TIE June 2013 2510-2522*

- Potinkara, A.**, see Tamminen, J., *TIE Sept. 2013 3968-3975*
- Poure, P.**, see Shahbazi, M., *TIE Aug. 2013 3360-3371*
- Poure, P.**, see Shahbazi, M., *TIE June 2013 2284-2294*
- Poure, P.**, see Shahbazi, M., *TIE Sept. 2013 4136-4146*
- Pouresmaeil, E.**, Miguel-Espinar, C., Massot-Campos, M., Montesinos-Miracle, D., and Gomis-Bellmunt, O., A Control Technique for Integration of DG Units to the Electrical Networks; *TIE July 2013 2881-2893*
- Pozzebon, G. G.**, Goncalves, A. F. Q., Pena, G. G., Mocambique, N. E. M., and Machado, R. Q., Operation of a Three-Phase Power Converter Connected to a Distribution System; *TIE May 2013 1810-1818*
- Prasad, J. S. S.**, see Binoj Kumar, A. C., *TIE Feb. 2013 433-439*
- Premrudeepreechacharn, S.**, see Kumsuwan, Y., *TIE May 2013 2031-2041*
- Priesner, R.**, see Westermayer, C., *TIE Sept. 2013 3877-3888*
- Prieto, J.**, see Duran, M. J., *TIE Oct. 2013 4159-4168*
- Prieto, M. D.**, Cirrioncione, G., Espinosa, A. G., Ortega, J. A., and Henao, H., Bearing Fault Detection by a Novel Condition-Monitoring Scheme Based on Statistical-Time Features and Neural Networks; *TIE Aug. 2013 3398-3407*
- Pu, X.-S.**, Nguyen, T. H., Lee, D.-C., Lee, K.-B., and Kim, J.-M., Fault Diagnosis of DC-Link Capacitors in Three-Phase AC/DC PWM Converters by Online Estimation of Equivalent Series Resistance; *TIE Sept. 2013 4118-4127*
- Puleston, P.**, see Evangelista, C., *TIE Feb. 2013 538-545*
- Pulikanti, S. R.**, Konstantinou, G., and Agelidis, V. G., Hybrid Seven-Level Cascaded Active Neutral-Point-Clamped-Based Multilevel Converter Under SHE-PWM; *TIE Nov. 2013 4794-4804*
- Pyrhonen, J.**, see Ponomarev, P., *TIE Oct. 2013 4310-4317*
- Pyrhonen, J.**, see Jussila, H. K., *TIE Nov. 2013 4852-4860*
- Pyrhonen, J.**, see Petrov, I., *TIE June 2013 2131-2138*
- Pyrhonen, J.**, see Kamiev, K., *TIE Nov. 2013 4881-4890*
- Pyrhonen, J.**, see Dzhankhotov, V., *TIE Oct. 2013 4253-4259*

Q

- Qi, X.**, see Holtz, J., *TIE Dec. 2013 5472-5481*
- Qian, T.**, Wu, W., and Zhu, W., Effect of Combined Output Capacitors for Stability of Buck Converters With Constant On-Time Control; *TIE Dec. 2013 5585-5592*
- Qian, T.**, Subharmonic Analysis for Buck Converters With Constant On-Time Control and Ramp Compensation; *TIE May 2013 1780-1786*
- Qian, Z.**, see Chen, D., *TIE Feb. 2013 814-823*
- Qiao, W.**, see Gong, X., *TIE Aug. 2013 3419-3428*
- Qiao, Y.**, see Ma, C., *TIE March 2013 969-978*
- Qiao, Z.**, Shi, T., Wang, Y., Yan, Y., Xia, C., and He, X., New Sliding-Mode Observer for Position Sensorless Control of Permanent-Magnet Synchronous Motor; *TIE Feb. 2013 710-719*
- Qin, H.**, and Kimball, J. W., Solid-State Transformer Architecture Using AC-AC Dual-Active-Bridge Converter; *TIE Sept. 2013 3720-3730*
- Qin, M.**, and Xu, J., Improved Pulse Regulation Control Technique for Switching DC-DC Converters Operating in DCM; *TIE May 2013 1819-1830*
- Qiu, D.**, see Shu, Z., *TIE May 2013 1831-1839*
- Qiu, J.**, see Zhang, C., *TIE Aug. 2013 3339-3348*
- Qiu, J.**, see Tian, B., *TIE Dec. 2013 5422-5435*
- Quaicoe, J. E.**, see Cove, S. R., *TIE Feb. 2013 483-493*
- Quyen, L. N.**, see You, C.-J., *TIE June 2013 2346-2357*

R

- Raabe, S.**, and Covic, G. A., Practical Design Considerations for Contactless Power Transfer Quadrature Pick-Ups; *TIE Jan. 2013 400-409*
- Ragavendra, M. P.**, see Kamiev, K., *TIE Nov. 2013 4881-4890*
- Rahim, N. A.**, see Lim, C. S., *TIE Jan. 2013 54-65*
- Rahim, N. A.**, Elias, M. F. M., and Hew, W. P., Transistor-Clamped H-Bridge Based Cascaded Multilevel Inverter With New Method of Capacitor Voltage Balancing; *TIE Aug. 2013 2943-2956*
- Raison, B.**, see Lavado Villa, L. F., *TIE March 2013 1179-1190*
- Raj, A. S.**, and Murali, N., Early Classification of Bearing Faults Using Morphological Operators and Fuzzy Inference; *TIE Feb. 2013 567-574*
- Rajaei, A.**, Mohamadian, M., and Yazdian Varjani, A., Vienna-Rectifier-Based Direct Torque Control of PMSG for Wind Energy Application; *TIE July 2013 2919-2929*

- Rajamani, R.**, see Phanomchoeng, G., *TIE Oct. 2013 4726-4736*
- Rajevean, P. P.**, Sivakumar, K., Gopakumar, K., Patel, C., and Abu-Rub, H., A Nine-Level Inverter Topology for Medium-Voltage Induction Motor Drive With Open-End Stator Winding; *TIE Sept. 2013 3627-3636*
- Rajevean, P. P.**, see Dey, A., *TIE May 2013 1989-1998*
- Ramachandra Sekhar, K.**, see Srinivas, S., *TIE Oct. 2013 4318-4328*
- Ramakrishnan, V.**, see Iyer, K. L. V., *TIE April 2013 1638-1651*
- Ramchand, R.**, see Dey, A., *TIE May 2013 1989-1998*
- Raminosa, T.**, see Aboelhassan, M. O. E., *TIE Aug. 2013 2997-3006*
- Ramirez, J. M.**, see Garcia-Vite, P. M., *TIE Dec. 2013 5411-5421*
- Ramos-Paja, C. A.**, see Bianconi, E., *TIE March 2013 1168-1178*
- Ran, L.**, see Parker, M. A., *TIE Feb. 2013 509-522*
- Ranstad, P.**, see Soeiro, T. B., *TIE Nov. 2013 4805-4819*
- Raos, I.**, see Gutierrez, A., *TIE Aug. 2013 3176-3184*
- Rashed, A.**, see Smet, V., *TIE July 2013 2760-2770*
- Rathge, C.**, see Kurschner, D., *TIE Jan. 2013 372-381*
- Rathore, Holtz, and Boller**, Generalized Optimal Pulsewidth Modulation of Multilevel Inverters for Low-Switching-Frequency Control of Medium-Voltage High-Power Industrial AC Drives; *TIE Oct. 2013 4215-4224*
- Rathore, A. K.**, see U R, P., *TIE July 2013 2661-2672*
- Rathore, A. K.**, and U R, P., Analysis, Design, and Experimental Results of Novel Snubberless Bidirectional Naturally Clamped ZCS/ZVS Current-Fed Half-Bridge DC/DC Converter for Fuel Cell Vehicles; *TIE Oct. 2013 4482-4491*
- Ravelo, B.**, see Kahoul, R., *TIE Dec. 2013 5482-5496*
- Ravindranath, A.**, Mishra, S. K., and Joshi, A., Analysis and PWM Control of Switched Boost Inverter; *TIE Dec. 2013 5593-5602*
- Razik, H.**, see Soualhi, A., *TIE Sept. 2013 4053-4062*
- Razzaghi, R.**, Davarpanah, M., and Sanaye-Pasand, M., A Novel Protective Scheme to Protect Small-Scale Synchronous Generators Against Transient Instability; *TIE April 2013 1659-1667*
- Rebolledo, J.**, see Guerrero, V., *TIE Feb. 2013 450-458*
- Rech, C.**, see Kirsten, A. L., *TIE Feb. 2013 608-618*
- Rekioua, T.**, see Metidji, B., *TIE Dec. 2013 5497-5505*
- Ren, Z.**, Yu, K., Xin, Q., and Pan, Y., Performance of Homopolar Inductor Alternator With Diode-Bridge Rectifier and Capacitive Load; *TIE Nov. 2013 4891-4902*
- Rew, K.-H.**, see Ha, C.-W., *TIE Sept. 2013 3857-3864*
- Rey, B.**, see Bahrani, B., *TIE April 2013 1356-1366*
- Reznikov, B.**, see Ruderman, A., *TIE May 2013 1999-2009*
- Riba, J.-R.**, see Urresty, J.-C., *TIE Aug. 2013 3454-3461*
- Richardeau, F.**, see Smet, V., *TIE July 2013 2760-2770*
- Richardeau, F.**, see Pham, T. T. L., *TIE Sept. 2013 4128-4135*
- Richardeau, F.**, and Pham, T. T. L., Reliability Calculation of Multilevel Converters: Theory and Applications; *TIE Oct. 2013 4225-4233*
- Riger, J.**, see Joksimovic, G. M., *TIE Sept. 2013 4025-4033*
- Rivera, M.**, see Villarroel, F., *TIE Feb. 2013 589-599*
- Rivera, M.**, Yaramasu, V., Llor, A., Rodriguez, J., Wu, B., and Fadel, M., Digital Predictive Current Control of a Three-Phase Four-Leg Inverter; *TIE Nov. 2013 4903-4912*
- Rivera, M.**, Wilson, A., Rojas, C. A., Rodriguez, J., Espinoza, J. R., Wheeler, P. W., and Empringham, L., A Comparative Assessment of Model Predictive Current Control and Space Vector Modulation in a Direct Matrix Converter; *TIE Feb. 2013 578-588*
- Rivera, M.**, see Rodriguez, J., *TIE Feb. 2013 575-577*
- Riveros, J. A.**, see Duran, M. J., *TIE Oct. 2013 4159-4168*
- Riveros, J. A.**, Barrero, F., Levi, E., Duran, M. J., Toral, S., and Jones, M., Variable-Speed Five-Phase Induction Motor Drive Based on Predictive Torque Control; *TIE Aug. 2013 2957-2968*
- Rodrigues, S. F.**, see Teixeira Pinto, R., *TIE June 2013 2429-2441*
- Rodriguez Vidal, M. A.**, see Chivite-Zabalza, J., *TIE Nov. 2013 4759-4772*
- Rodriguez, A.**, see Lamar, D. G., *TIE July 2013 2614-2626*
- Rodriguez, D.**, see Garcia, J., *TIE Sept. 2013 3991-4000*
- Rodriguez, J.**, see Rivera, M., *TIE Feb. 2013 578-588*
- Rodriguez, J.**, see Rivera, M., *TIE Nov. 2013 4903-4912*
- Rodriguez, J.**, see Rojas, C. A., *TIE Feb. 2013 681-690*
- Rodriguez, J.**, see Empringham, L., *TIE Oct. 2013 4260-4271*
- Rodriguez, J.**, Kazmierkowski, M. P., Espinoza, J., Zanchetta, P., and Rivera, M., Introduction to the Special Section on Digital Control Systems in Power Electronics and Electrical Drives—Part II; *TIE Feb. 2013 575-577*
- Rodriguez, J.**, see Andler, D., *TIE Nov. 2013 4820-4830*
- Rodriguez, J.**, see Villarroel, F., *TIE Feb. 2013 589-599*
- Rodriguez, P.**, see Beltran, H., *TIE March 2013 1225-1234*
- Rodriguez-D'Erlee, J.**, see Bernal-Perez, S., *TIE June 2013 2401-2409*

- Roes, M. G. L.**, Duarte, J. L., Hendrix, M. A. M., and Lomonova, E. A., Acoustic Energy Transfer: A Review; *TIE Jan. 2013* 242-248
- Roger, J.-Y.**, see Romary, R., *TIE Sept. 2013* 4084-4092
- Rogers, E.**, see Chai, S., *TIE Aug. 2013* 2978-2987
- Roinila, T.**, Huusari, J., and Vilkkio, M., On Frequency-Response Measurements of Power-Electronic Systems Applying MIMO Identification Techniques; *TIE Nov. 2013* 5270-5276
- Rojas, C. A.**, see Rivera, M., *TIE Feb. 2013* 578-588
- Rojas, C. A.**, Rodriguez, J., Villarroel, F., Espinoza, J. R., Silva, C. A., and Trincado, M., Predictive Torque and Flux Control Without Weighting Factors; *TIE Feb. 2013* 681-690
- Rojas, C. A.**, see Villarroel, F., *TIE Feb. 2013* 589-599
- Romary, R.**, Demian, C., Schlupp, P., and Roger, J.-Y., Offline and Online Methods for Stator Core Fault Detection in Large Generators; *TIE Sept. 2013* 4084-4092
- Romeral, L.**, see Urresty, J.-C., *TIE Aug. 2013* 3454-3461
- Rosas-Caro, J. C.**, Mancilla-David, F., Mayo-Maldonado, J. C., Gonzalez-Lopez, J. M., Torres-Espinosa, H. L., and Valdez-Resendiz, J. E., A Transformer-less High-Gain Boost Converter With Input Current Ripple Cancellation at a Selectable Duty Cycle; *TIE Oct. 2013* 4492-4499
- Rossi, C.**, see Gritli, Y., *TIE Sept. 2013* 4012-4024
- Royo, S.**, see Urresty, J.-C., *TIE Aug. 2013* 3454-3461
- Ruan, X.**, see Li, W., *TIE June 2013* 2237-2250
- Ruan, X.**, see Xi, H., *TIE Sept. 2013* 3915-3926
- Ruan, X.-D.**, see Wang, L.-J., *TIE July 2013* 2771
- Rubini, R.**, see Immovilli, F., *TIE Aug. 2013* 3408-3418
- Ruderman, A.**, Reznikov, B., and Busquets-Monge, S., Asymptotic Time Domain Evaluation of a Multilevel Multiphase PWM Converter Voltage Quality; *TIE May 2013* 1999-2009
- Rudolph, J.**, see Barnklau, H., *TIE Dec. 2013* 5359-5375
- Rufer, A.**, see Bahrani, B., *TIE April 2013* 1356-1366
- Ruiz-Caballero, D. A.**, see Angulo, M., *TIE July 2013* 2721-2730
- Ruiz-Gonzalez, A.**, Vargas-Merino, F., Heredia-Larrubia, J. R., Mecogutierrez, M. J., and Perez-Hidalgo, F., Application of Slope PWM Strategies to Reduce Acoustic Noise Radiated by Inverter-Fed Induction Motors; *TIE July 2013* 2555-2563
- Russi, J. L.**, Montagner, V. F., da Silva Martins, M. L., and Hey, H. L., A Simple Approach to Detect ZVT and Determine Its Time of Occurrence for PWM Converters; *TIE July 2013* 2576-2585
- S**
- S., S. E.**, Chatterjee, K., and Bandyopadhyay, S., One-Cycle-Controlled Single-Stage Single-Phase Voltage-Sensorless Grid-Connected PV System; *TIE March 2013* 1216-1224
- Saadate, S.**, see Shahbazi, M., *TIE Sept. 2013* 4136-4146
- Saadate, S.**, see Shahbazi, M., *TIE Aug. 2013* 3360-3371
- Saadate, S.**, see Shahbazi, M., *TIE June 2013* 2284-2294
- Sabzehgar, R.**, and Moallem, M., Modeling and Control of a Three-Phase Boost Converter for Resistive Input Behavior; *TIE Dec. 2013* 5854-5863
- Sadinezhad, I.**, and Agelidis, V. G., Real-Time Power System Phasors and Harmonics Estimation Using a New Decoupled Recursive-Least-Squares Technique for DSP Implementation; *TIE June 2013* 2295-2308
- Safacas, A. N.**, see Bogiatzidis, I. X., *TIE Aug. 2013* 3441-3453
- Saha, T. K.**, see Hossain, M. J., *TIE June 2013* 2510-2522
- Sahoo, S. K.**, see Dasgupta, S., *TIE Feb. 2013* 799-813
- Sahoo, S. K.**, see Dasgupta, S., *TIE March 2013* 1204-1215
- Sai Sarathi Vasan, A.**, Long, B., and Pecht, M., Diagnostics and Prognostics Method for Analog Electronic Circuits; *TIE Nov. 2013* 5277-5291
- Sakaino, S.**, Sato, T., and Ohnishi, K., A Novel Motion Equation for General Task Description and Analysis of Mobile-Hapto; *TIE July 2013* 2673-2680
- Sakazaki, T.**, see Kawaguchi, T., *TIE July 2013* 2930-2937
- Salam, Z.**, see Ishaque, K., *TIE Aug. 2013* 3195-3206
- Salama, K. N.**, see Emira, A., *TIE Oct. 2013* 4683-4693
- Salama, M. M. A.**, see Guerrero, J. M., *TIE April 2013* 1251-1253
- Salmon, J.**, see Ewanchuk, J., *TIE May 2013* 1979-1988
- Sampaio, L. P.**, see de Brito, M. A. G., *TIE March 2013* 1156-1167
- San Andres, M. A. G.**, see Munoz-Condes, P., *TIE July 2013* 2750-2759
- San, P. P.**, Ling, S. H., and Nguyen, H. T., Industrial Application of Evolvable Block-Based Neural Network to Hypoglycemia Monitoring System; *TIE Dec. 2013* 5892-5901
- Sanaye-Pasand, M.**, see Razzaghi, R., *TIE April 2013* 1659-1667
- Sancho, C.**, see Munoz-Condes, P., *TIE July 2013* 2750-2759
- Santos-Martin, D.**, see Alonso-Martinez, J., *TIE April 2013* 1442-1451
- Sanz, M.**, see Izquierdo, D., *TIE Nov. 2013* 5195-5205
- Saponara, S.**, Pasetti, G., Tinfena, F., Fanucci, L., and D'Abramo, P., HV-CMOS Design and Characterization of a Smart Rotor Coil Driver for Automotive Alternators; *TIE June 2013* 2309-2317
- Sapozhnikov, S. Z.**, see Jussila, H. K., *TIE Nov. 2013* 4852-4860
- Saravana Ilango, G.**, see Indu Rani, B., *TIE Aug. 2013* 3185-3194
- Sarikhani, A.**, and Mohammed, O. A., Inter-Turn Fault Detection in PM Synchronous Machines by Physics-Based Back Electromotive Force Estimation; *TIE Aug. 2013* 3472-3484
- Sarnago, H.**, Lucia, O., Mediano, A., and Burdío, J. M., Modulation Scheme for Improved Operation of an RB-IGBT-Based Resonant Inverter Applied to Domestic Induction Heating; *TIE May 2013* 2066-2073
- Sato, T.**, see Sakaino, S., *TIE July 2013* 2673-2680
- Sato, T.**, and Matsuo, H., Analysis of a Novel Current Resonant DC-DC Converter; *TIE Nov. 2013* 4987-4995
- Sato, T.**, see Shimmyo, S., *TIE Nov. 2013* 5137-5147
- Savaghebi, M.**, see Vasquez, J. C., *TIE April 2013* 1271-1280
- Savaghebi, M.**, Jalilian, A., Vasquez, J. C., and Guerrero, J. M., Autonomous Voltage Unbalance Compensation in an Islanded Droop-Controlled Microgrid; *TIE April 2013* 1390-1402
- Savernin, A.**, see Kuperman, A., *TIE Dec. 2013* 5391-5399
- Sbarbaro, D.**, see Villarroel, F., *TIE Feb. 2013* 589-599
- Scarcella, G.**, see Consoli, A., *TIE Sept. 2013* 3658-3669
- Scelba, G.**, see Consoli, A., *TIE Sept. 2013* 3658-3669
- Schaub, P.**, see Ingram, D. M. E., *TIE Dec. 2013* 5933-5942
- Schlittler, M. E.**, see da Silva, M. F., *TIE Aug. 2013* 3081-3091
- Schlupp, P.**, see Romary, R., *TIE Sept. 2013* 4084-4092
- Schweizer, M.**, Friedli, T., and Kolar, J. W., Comparative Evaluation of Advanced Three-Phase Three-Level Inverter/Converter Topologies Against Two-Level Systems; *TIE Dec. 2013* 5515-5527
- Sebastian, J.**, see Lamar, D. G., *TIE July 2013* 2614-2626
- Sechilariu, M.**, Wang, B., and Locment, F., Building Integrated Photovoltaic System With Energy Storage and Smart Grid Communication; *TIE April 2013* 1607-1618
- Sedky, S.**, see Emira, A., *TIE Oct. 2013* 4683-4693
- Selviah, D. R.**, see Shawash, J., *TIE Jan. 2013* 170-176
- Sen, G.**, see Ouyang, Z., *TIE Feb. 2013* 494-508
- Sensarma, P.**, see Chaudhary, P., *TIE Oct. 2013* 4359-4368
- Seong, H.-W.**, see Kim, H.-S., *TIE Dec. 2013* 5558-5574
- Sepahvand, H.**, Khazraei, M., Corzine, K. A., and Ferdowsi, M., Start-up Procedure and Switching Loss Reduction for a Single-Phase Flying Capacitor Active Rectifier; *TIE Sept. 2013* 3699-3710
- Sepahvand, H.**, see Diong, B., *TIE Aug. 2013* 3106-3114
- Sepahvand, H.**, Liao, J., Ferdowsi, M., and Corzine, K. A., Capacitor Voltage Regulation in Single-DC-Source Cascaded H-Bridge Multilevel Converters Using Phase-Shift Modulation; *TIE Sept. 2013* 3619-3626
- Sepulveda, C. A.**, Munoz, J. A., Espinoza, J. R., Figueroa, M. E., and Melin, P. E., All-on-Chip dq -Frame Based D-STATCOM Control Implementation in a Low-Cost FPGA; *TIE Feb. 2013* 659-669
- Serkies, P. J.**, and Szabat, K., Application of the MPC to the Position Control of the Two-Mass Drive System; *TIE Sept. 2013* 3679-3688
- Serpi, A.**, see Gatto, G., *TIE Nov. 2013* 4869-4880
- Serra, G.**, see Zarri, L., *TIE Aug. 2013* 3506-3518
- Shahbazi, M.**, Jamshidpour, E., Poure, P., Saadate, S., and Zolghadri, M. R., Open- and Short-Circuit Switch Fault Diagnosis for Nonisolated DC-DC Converters Using Field Programmable Gate Array; *TIE Sept. 2013* 4136-4146
- Shahbazi, M.**, Poure, P., Saadate, S., and Zolghadri, M. R., FPGA-Based Reconfigurable Control for Fault-Tolerant Back-to-Back Converter Without Redundancy; *TIE Aug. 2013* 3360-3371
- Shahbazi, M.**, Poure, P., Saadate, S., and Zolghadri, M. R., Fault-Tolerant Five-Leg Converter Topology With FPGA-Based Reconfigurable Control; *TIE June 2013* 2284-2294
- Shahparasti, M.**, see Fatemi, A., *TIE May 2013* 1769-1779
- Shahriari, M.**, and Farrokhi, M., Online State-of-Health Estimation of VRLA Batteries Using State of Charge; *TIE Jan. 2013* 191-202
- Shakshuki, E. M.**, Kang, N., and Sheltami, T. R., EAACK—A Secure Intrusion-Detection System for MANETs; *TIE March 2013* 1089-1098
- Shamsi, P.**, and Fahimi, B., Dynamic Behavior of Multiport Power Electronic Interface Under Source/Load Disturbances; *TIE Oct. 2013* 4500-4511
- Shang, J.**, see Wang, K., *TIE May 2013* 1907-1918
- Shao, H.**, see Xia, C., *TIE Oct. 2013* 4234-4242
- Shao, S.**, see Long, T., *TIE July 2013* 2833-2841

- Shao, S., see Barati, F., *TIE June 2013 2477-2485*
- Shao, S., Long, T., Abdi, E., and McMahon, R. A., Dynamic Control of the Brushless Doubly Fed Induction Generator Under Unbalanced Operation; *TIE June 2013 2465-2476*
- Shao, S., see Tohidi, S., *TIE March 2013 1146-1155*
- Shao, Z. Y., see Jian, L., *TIE Aug. 2013 3218-3226*
- Sharma, P., and Bhatti, T. S., Performance Investigation of Isolated Wind-Diesel Hybrid Power Systems With WECS Having PMIG; *TIE April 2013 1630-1637*
- Shawash, J., and Selviah, D. R., Real-Time Nonlinear Parameter Estimation Using the Levenberg-Marquardt Algorithm on Field Programmable Gate Arrays; *TIE Jan. 2013 170-176*
- She, J., see Hu, B., *TIE Aug. 2013 3529-3538*
- She, X., Huang, A. Q., Wang, F., and Burgos, R., Wind Energy System With Integrated Functions of Active Power Transfer, Reactive Power Compensation, and Voltage Conversion; *TIE Oct. 2013 4512-4524*
- Sheltami, T. R., see Shakshuki, E. M., *TIE March 2013 1089-1098*
- Shen, J. X., see Zhou, Y., *TIE Dec. 2013 5539-5549*
- Shen, X., see Cheng, P., *TIE Sept. 2013 3836-3845*
- Shen, Y., see Zhang, C., *TIE Aug. 2013 3339-3348*
- Shi, J., and Li, T.-C., New Method to Eliminate Commutation Torque Ripple of Brushless DC Motor With Minimum Commutation Time; *TIE June 2013 2139-2146*
- Shi, T., see Xia, C., *TIE March 2013 896-905*
- Shi, T., Yan, Y., An, H., Li, M., and Xia, C., Improved Double Line Voltage Synthesis Strategies of Matrix Converter for Input/Output Quality Enhancement; *TIE Aug. 2013 3034-3046*
- Shi, T., see Xia, C., *TIE July 2013 2894-2908*
- Shi, T., see Qiao, Z., *TIE Feb. 2013 710-719*
- Shi, T., see Xia, C., *TIE Jan. 2013 78-87*
- Shi, Y., Huang, J., and Yu, B., Robust Tracking Control of Networked Control Systems: Application to a Networked DC Motor; *TIE Dec. 2013 5864-5874*
- Shieh, D.-T., see Chen, L.-R., *TIE Dec. 2013 5620-5628*
- Shieh, D.-T., see Chen, L.-R., *TIE Jan. 2013 88-97*
- Shih, W. Y., see Gao, X., *TIE March 2013 1116-1118*
- Shih, W.-H., see Gao, X., *TIE March 2013 1116-1118*
- Shimada, R., see Kawaguchi, T., *TIE July 2013 2930-2937*
- Shimmyo, S., Sato, T., and Ohnishi, K., Biped Walking Pattern Generation by Using Preview Control Based on Three-Mass Model; *TIE Nov. 2013 5137-5147*
- Shin, D., Kim, W., Lee, Y., and Chung, C. C., Phase-Compensated Microstepping for Permanent-Magnet Stepper Motors; *TIE Dec. 2013 5773-5780*
- Shin, D., see Kim, W., *TIE July 2013 2689-2699*
- Shu, Z., Ding, N., Chen, J., Zhu, H., and He, X., Multilevel SVPWM With DC-Link Capacitor Voltage Balancing Control for Diode-Clamped Multilevel Converter Based STATCOM; *TIE May 2013 1884-1896*
- Shu, Z., Xie, S., Lu, K., Zhao, Y., Nan, X., Qiu, D., Zhou, F., Gao, S., and Li, Q., Digital Detection, Control, and Distribution System for Co-Phase Traction Power Supply Application; *TIE May 2013 1831-1839*
- Shyu, K.-K., Chiu, Y.-J., Lee, P.-L., Lee, M.-H., Sie, J.-J., Wu, C.-H., Wu, Y.-T., and Tung, P.-C., Total-Design of an FPGA-Based Brain-Computer Interface Control Hospital Bed Nursing System; *TIE July 2013 2731-2739*
- Siano, P., see Cecati, C., *TIE March 2013 1119-1121*
- Sie, J.-J., see Shyu, K.-K., *TIE July 2013 2731-2739*
- Silva, C., see Carrasco, G., *TIE May 2013 2042-2053*
- Silva, C., see Lezana, P., *TIE May 2013 1936-1942*
- Silva, C. A., see Rojas, C. A., *TIE Feb. 2013 681-690*
- Silva, J. F. A., see Barros, J. D., *TIE Feb. 2013 619-627*
- Singh, B., see Kalpana, R., *TIE Oct. 2013 4178-4190*
- Singh, J. G., see Jain, S. K., *TIE Aug. 2013 3295-3303*
- Singh, M., and Chandra, A., Real-Time Implementation of ANFIS Control for Renewable Interfacing Inverter in 3P4W Distribution Network; *TIE Jan. 2013 121-128*
- Singh, R. K., and Mishra, S., A Magnetically Coupled Feedback-Clamped Optimal Bidirectional Battery Charger; *TIE Feb. 2013 422-432*
- Singh, R. K., and Mishra, S., Synthetic-Ripple-Based Digital Hysteretic Modulator for Point-of-Load Converters; *TIE Nov. 2013 4996-5007*
- Singh, S., see Kalpana, R., *TIE Oct. 2013 4178-4190*
- Singh, S. N., see Jain, S. K., *TIE Aug. 2013 3295-3303*
- Singh, S. N., see Jain, S. K., *TIE Nov. 2013 5075-5085*
- Sira-Ramirez, H., Gonzalez-Montanez, F., Cortes-Romero, J. A., and Luviano-Juarez, A., A Robust Linear Field-Oriented Voltage Control for the Induction Motor: Experimental Results; *TIE Aug. 2013 3025-3033*
- Sivakumar, K., see Rajeevan, P. P., *TIE Sept. 2013 3627-3636*
- Smeets, J. P. C., Overboom, T. T., Jansen, J. W., and Lomonova, E. A., Modeling Framework for Contactless Energy Transfer Systems for Linear Actuators; *TIE Jan. 2013 391-399*
- Smet, V., Forest, F., Huselstein, J.-J., Rashed, A., and Richardeau, F., Evaluation of V_{ce} Monitoring as a Real-Time Method to Estimate Aging of Bond Wire-IGBT Modules Stressed by Power Cycling; *TIE July 2013 2760-2770*
- Smolenski, R., Jarnut, M., Benysek, G., and Kempki, A., AC/DC/DC Interfaces for V2G Applications—EMC Issues; *TIE March 2013 930-935*
- Socero, T. B., and Kolar, J. W., The New High-Efficiency Hybrid Neutral-Point-Clamped Converter; *TIE May 2013 1919-1935*
- Socero, T. B., and Kolar, J. W., Analysis of High-Efficiency Three-Phase Two- and Three-Level Unidirectional Hybrid Rectifiers; *TIE Sept. 2013 3589-3601*
- Socero, T. B., Muhlethaler, J., Linner, J., Ranstad, P., and Kolar, J. W., Automated Design of a High-Power High-Frequency LCC Resonant Converter for Electrostatic Precipitators; *TIE Nov. 2013 4805-4819*
- Soh, Y. C., see Zhou, Y., *TIE Dec. 2013 5539-5549*
- Solas, E., Abad, G., Barrena, J. A., Aurtentxea, S., Carcar, A., and Zajac, L., Modular Multilevel Converter With Different Submodule Concepts—Part I: Capacitor Voltage Balancing Method; *TIE Oct. 2013 4525-4535*
- Solas, E., Abad, G., Barrena, J. A., Aurtentxea, S., Carcar, A., and Zajac, L., Modular Multilevel Converter With Different Submodule Concepts—Part II: Experimental Validation and Comparison for HVDC Application; *TIE Oct. 2013 4536-4545*
- Soleymani, M., see Montazeri-Gh, M., *TIE Oct. 2013 4546-4553*
- Solsona, J. A., see Gomez Jorge, S., *TIE Oct. 2013 4169-4177*
- Somani, A., Gupta, R. K., Mohapatra, K. K., and Mohan, N., On the Causes of Circulating Currents in PWM Drives With Open-End Winding AC Machines; *TIE Sept. 2013 3670-3678*
- Son, H. I., see Cho, J. H., *TIE March 2013 946-957*
- Son, W.-L., see Lee, W.-S., *TIE Jan. 2013 350-359*
- Song, H., Liu, G.-P., and Yu, L., Networked Predictive Control of Uncertain Systems With Multiple Feedback Channels; *TIE Nov. 2013 5228-5238*
- Song, K., and Xue, Q., Ultra-Wideband Ring-Cavity Multiple-Way Parallel Power Divider; *TIE Oct. 2013 4737-4745*
- Song, P., see Xia, C., *TIE Jan. 2013 78-87*
- Song, Q., see Zhao, B., *TIE Sept. 2013 3602-3618*
- Song, Q., see Zhao, B., *TIE Oct. 2013 4458-4467*
- Song, S.-H., see Kim, K.-H., *TIE Aug. 2013 3207-3217*
- Song, X., see Jiang, Y., *TIE Nov. 2013 5325-5336*
- Song, Z., Xia, C., and Liu, T., Predictive Current Control of Three-Phase Grid-Connected Converters With Constant Switching Frequency for Wind Energy Systems; *TIE June 2013 2451-2464*
- Song, Z., Chung, R., and Zhang, X.-T., An Accurate and Robust Strip-Edge-Based Structured Light Means for Shiny Surface Micromasurement in 3-D; *TIE March 2013 1023-1032*
- Sood, V., see Al-nabi, E., *TIE May 2013 1711-1723*
- Sosa, J. M., see Valdez-Fernandez, A. A., *TIE Nov. 2013 5019-5028*
- Soto-Sanchez, D. E., Pena, R., Cardenas, R., Clare, J., and Wheeler, P., A Cascade Multilevel Frequency Changing Converter for High-Power Applications; *TIE June 2013 2118-2130*
- Soualhi, A., Clerc, G., and Razik, H., Detection and Diagnosis of Faults in Induction Motor Using an Improved Artificial Ant Clustering Technique; *TIE Sept. 2013 4053-4062*
- Sousa, D. M., see Marques, G. D., *TIE June 2013 2442-2450*
- Spagnuolo, G., see Cecati, C., *TIE March 2013 1119-1121*
- Spagnuolo, G., see Bianconi, E., *TIE March 2013 1168-1178*
- Spencer, J. W., see Zhang, X., *TIE Sept. 2013 3752-3765*
- Spiazzi, G., see Garcia, F. S., *TIE Aug. 2013 3283-3290*
- Srinivas, S., and Ramachandra Sekhar, K., Theoretical and Experimental Analysis for Current in a Dual-Inverter-Fed Open-End Winding Induction Motor Drive With Reduced Switching PWM; *TIE Oct. 2013 4318-4328*
- Srivastava, S. C., see Jain, N., *TIE Nov. 2013 5075-5085*
- Stala, R., A Natural DC-Link Voltage Balancing of Diode-Clamped Inverters in Parallel Systems; *TIE Nov. 2013 5008-5018*
- Stone, D. A., see Liu, K., *TIE Dec. 2013 5902-5913*
- Strangas, E. G., Aviyente, S., Neely, J. D., and Zaidi, S. S. H., The Effect of Failure Prognosis and Mitigation on the Reliability of Permanent-Magnet AC Motor Drives; *TIE Aug. 2013 3519-3528*
- Su, J., see Yun, J. N., *TIE July 2013 2700-2710*
- Sun, B., see Wu, F., *TIE Oct. 2013 4450-4457*
- Sun, C., see Ma, Y., *TIE Jan. 2013 203-209*
- Sun, D., see Ge, B., *TIE Oct. 2013 4468-4481*
- Sun, J., see Jiang, Y., *TIE Nov. 2013 5325-5336*

- Sun, J.-H.**, see Kim, Y.-H., *TIE Sept. 2013 4103-4117*
Sun, L., see Wu, F., *TIE Oct. 2013 4450-4457*
Sun, M., Wang, Z., Wang, Y., and Chen, Z., On Low-Velocity Compensation of Brushless DC Servo in the Absence of Friction Model; *TIE Sept. 2013 3897-3905*
Sun, W., Zhao, Z., and Gao, H., Saturated Adaptive Robust Control for Active Suspension Systems; *TIE Sept. 2013 3889-3896*
Sun, W., see Zhao, B., *TIE Oct. 2013 4458-4467*
Sun, X., Chen, L., and Yang, Z., Overview of Bearingless Permanent-Magnet Synchronous Motors; *TIE Dec. 2013 5528-5538*
Sun, X., and Cheng, M., Thermal Analysis and Cooling System Design of Dual Mechanical Port Machine for Wind Power Application; *TIE May 2013 1724-1733*
Sun, Y., see Cheng, P., *TIE Sept. 2013 3836-3845*
Sun, Y., see Li, Y.-L., *TIE Jan. 2013 291-300*
Sutter, G. D., Deschamps, J.-P., and Imana, J. L., Efficient Elliptic Curve Point Multiplication Using Digit-Serial Binary Field Operations; *TIE Jan. 2013 217-225*
Suzuki, A., and Ohnishi, K., Frequency-Domain Damping Design for Time-Delayed Bilateral Teleoperation System Based on Modal Space Analysis; *TIE Jan. 2013 177-190*
Szabat, K., see Serkies, P. J., *TIE Sept. 2013 3679-3688*

T

- Tahvanainen, A.**, see Tamminen, J., *TIE Sept. 2013 3968-3975*
Taib, N., see Metidji, B., *TIE Dec. 2013 5497-5505*
Takahashi, K., Ohishi, K., and Kamachi, T., High-Performance Inverter Based on Shaft Acceleration Torque for AC Drives; *TIE Jan. 2013 66-77*
Takizawa, M., see Enokido, T., *TIE Feb. 2013 824-836*
Takizawa, M., see Le, H., *TIE March 2013 1070-1076*
Tamminen, J., Ahonen, T., Ahola, J., Niemela, M., Tahvanainen, A., and Potinkara, A., Detection of Mass Increase in a Fan Impeller With a Frequency Converter; *TIE Sept. 2013 3968-3975*
Tan, D.-P., Li, P.-Y., Ji, Y.-X., Wen, D.-H., and Li, C., SA-ANN-Based Slag Carry-Over Detection Method and the Embedded WME Platform; *TIE Oct. 2013 4702-4713*
Tan, S.-C., see Kiratipongvoot, S., *TIE Dec. 2013 5575-5584*
Tanaka, K., see Yoshida, K., *TIE Nov. 2013 5306-5314*
Tanaka, K., see Uno, M., *TIE Aug. 2013 3227-3239*
Tang, C., and Xue, Q., An Array of Coherent Sources Based on Novel Dual-Loop PLL Infrastructure; *TIE Nov. 2013 5337-5347*
Tang, L., see Orchard, M. E., *TIE Nov. 2013 5260-5269*
Tang, T., see Wu, W., *TIE Oct. 2013 4339-4350*
Tang, Z.-H., see Chen, Y.-T., *TIE Oct. 2013 4369-4375*
Tani, A., see Zarri, L., *TIE Aug. 2013 3506-3518*
Taniar, D., see Zhao, G., *TIE March 2013 1099-1107*
Tapia, J. A., see Kamiev, K., *TIE Nov. 2013 4881-4890*
Tarafdar Hagh, M., see Naderi, S. B., *TIE July 2013 2538-2546*
Tassoni, C., see Concarì, C., *TIE Sept. 2013 4074-4083*
Tavner, P., see Tohidì, S., *TIE March 2013 1146-1155*
Taylor, R. R., see Ingram, D. M. E., *TIE Dec. 2013 5933-5942*
Teerapabkajorndet, W., see Thongpull, K., *TIE Nov. 2013 5252-5259*
Teixeira Pinto, R., Bauer, P., Rodrigues, S. F., Wiggelinkhuizen, E. J., Pierik, J., and Ferreira, B., A Novel Distributed Direct-Voltage Control Strategy for Grid Integration of Offshore Wind Energy Systems Through MTDC Network; *TIE June 2013 2429-2441*
Teng, Z., see Wen, H., *TIE March 2013 1001-1010*
Teodoroescu, R., see Vasquez, J. C., *TIE April 2013 1271-1280*
Tessarolo, A., Bassi, C., Ferrari, G., Giulivo, D., Macuglia, R., and Menis, R., Investigation Into the High-Frequency Limits and Performance of Load Commutated Inverters for High-Speed Synchronous Motor Drives; *TIE June 2013 2147-2157*
Thi, M. S.-N., see Wang, L., *TIE June 2013 2392-2400*
Thomsen, O. C., see Zhang, Z., *TIE May 2013 1897-1906*
Thomsen, O. C., see Ouyang, Z., *TIE Feb. 2013 494-508*
Thongpull, K., Jindapetch, N., and Teerapabkajorndet, W., Wireless ESD Event Locator Systems in Hard Disk Drive Manufacturing Environments; *TIE Nov. 2013 5252-5259*
Thrimawithana, D. J., see Madawala, U. K., *TIE Jan. 2013 310-317*
Thrimawithana, D. J., Madawala, U. K., and Neath, M., A Synchronization Technique for Bidirectional IPT Systems; *TIE Jan. 2013 301-309*

+ Check author entry for coauthors

- Tian, B.**, Mao, C., Lu, J., Wang, D., He, Y., Duan, Y., and Qiu, J., 400 V/1000 kVA Hybrid Automatic Transfer Switch; *TIE Dec. 2013 5422-5435*
Tinfena, F., see Saponara, S., *TIE June 2013 2309-2317*
Tironi, E., see Musolino, V., *TIE Jan. 2013 112-120*
Tocchio, A., see Langfelder, G., *TIE Sept. 2013 3983-3990*
Tofoli, F. L., see Alcazar, Y. J. A., *TIE Oct. 2013 4438-4449*
Tohidì, S., Oraee, H., Zolghadri, M. R., Shao, S., and Tavner, P., Analysis and Enhancement of Low-Voltage Ride-Through Capability of Brushless Doubly Fed Induction Generator; *TIE March 2013 1146-1155*
Tolbert, L. M., see Zhang, M., *TIE Oct. 2013 4243-4252*
Tolbert, L. M., see Hang, L., *TIE April 2013 1512-1519*
Tolbert, L. M., see Filho, F., *TIE May 2013 1955-1962*
Toma, S., Capocchi, L., and Capolino, G.-A., Wound-Rotor Induction Generator Inter-Turn Short-Circuits Diagnosis Using a New Digital Neural Network; *TIE Sept. 2013 4043-4052*
Toral, S., see Riveros, J. A., *TIE Aug. 2013 2957-2968*
Torres-Espinosa, H. L., see Rosas-Caro, J. C., *TIE Oct. 2013 4492-4499*
Torricco-Bascope, R. P., see Alcazar, Y. J. A., *TIE Oct. 2013 4438-4449*
Torricco-Bascope, R. P., see Branco, C. G. C., *TIE April 2013 1520-1531*
Tortella, A., see Kallio, S., *TIE June 2013 2486-2494*
Toscani, A., see Concarì, C., *TIE Sept. 2013 4074-4083*
Trincado, M., see Rojas, C. A., *TIE Feb. 2013 681-690*
Trinh, Q.-N., and Lee, H.-H., An Advanced Current Control Strategy for Three-Phase Shunt Active Power Filters; *TIE Dec. 2013 5400-5410*
Trujillo Rodriguez, C., Velasco de la Fuente, D., Garcera, G., Figueres, E., and Guacaneme Moreno, J. A., Reconfigurable Control Scheme for a PV Microinverter Working in Both Grid-Connected and Island Modes; *TIE April 2013 1582-1595*
Trujillo Rodriguez, C. L., see Velasco de la Fuente, D., *TIE April 2013 1571-1581*
Trung, N. T., see Truong, D. Q., *TIE Oct. 2013 4574-4589*
Truong, D. Q., Ahn, K. K., and Trung, N. T., Design of An Advanced Time Delay Measurement and A Smart Adaptive Unequal Interval Grey Predictor for Real-Time Nonlinear Control Systems; *TIE Oct. 2013 4574-4589*
Truong, D.-T., see Wang, L., *TIE July 2013 2799-2807*
Tsai, C.-H., Yang, C.-H., and Wu, J.-C., A Digitally Controlled Switching Regulator With Reduced Conductive EMI Spectra; *TIE Sept. 2013 3938-3947*
Tsai, J.-Z., see Li, T.-Y., *TIE Sept. 2013 3976-3982*
Tsai, M.-T., see Lin, F.-J., *TIE Dec. 2013 5747-5762*
Tseng, K.-J., see Jahromi, M. J., *TIE Dec. 2013 5648-5659*
Tsujimura, T., see Yoshida, K., *TIE Nov. 2013 5306-5314*
Tu, W. C., see Hwu, K. I., *TIE June 2013 2178-2193*
Tung, P.-C., see Yao, W.-H., *TIE July 2013 2586-2594*
Tung, P.-C., see Shyu, K.-K., *TIE July 2013 2731-2739*
Turner, R., Walton, S., and Duke, R., A Case Study on the Application of the Nyquist Stability Criterion as Applied to Interconnected Loads and Sources on Grids; *TIE July 2013 2740-2749*

U

- U R, P.**, see Rathore, A. K., *TIE Oct. 2013 4482-4491*
U R, P., and Rathore, A. K., Extended Range ZVS Active-Clamped Current-Fed Full-Bridge Isolated DC/DC Converter for Fuel Cell Applications: Analysis, Design, and Experimental Results; *TIE July 2013 2661-2672*
Uno, M., and Tanaka, K., Single-Switch Multioutput Charger Using Voltage Multiplier for Series-Connected Lithium-Ion Battery/Supercapacitor Equalization; *TIE Aug. 2013 3227-3239*
Urresty, J.-C., Atashkhouei, R., Riba, J.-R., Romeral, L., and Royo, S., Shaft Trajectory Analysis in a Partially Demagnetized Permanent-Magnet Synchronous Motor; *TIE Aug. 2013 3454-3461*
Usama, Y., see Iyer, K. L. V., *TIE April 2013 1638-1651*
Utsugi, H., see Inazuma, K., *TIE Oct. 2013 4427-4437*

V

- Vaclavek, P.**, Blaha, P., and Herman, I., AC Drive Observability Analysis; *TIE Aug. 2013 3047-3059*
Valderrama-Blavi, H., Bosque, J. M., Guinjoan, F., Marroyo, L., and Martinez-Salamero, L., Power Adaptor Device for Domestic DC Microgrids Based on Commercial MPPT Inverters; *TIE March 2013 1191-1203*
Valdez-Fernandez, A. A., Martinez-Rodriguez, P. R., Escobar, G., Limones-Pozos, C. A., and Sosa, J. M., A Model-Based Controller for the Cascade

- H-Bridge Multilevel Converter Used as a Shunt Active Filter; *TIE Nov. 2013 5019-5028*
- Váldez-Resendiz, J. E.**, see Rosas-Caro, J. C., *TIE Oct. 2013 4492-4499*
- Valenciaga, F.**, see Evangelista, C., *TIE Feb. 2013 538-545*
- Valla, M. I.**, see Aguirre, M. P., *TIE Jan. 2013 3-10*
- van der Pijl, F.**, Bauer, P., and Castilla, M., Control Method for Wireless Inductive Energy Transfer Systems With Relatively Large Air Gap; *TIE Jan. 2013 382-390*
- van der Pijl, F. F. A.**, Castilla, M., and Bauer, P., Adaptive Sliding-Mode Control for a Multiple-User Inductive Power Transfer System Without Need for Communication; *TIE Jan. 2013 271-279*
- van Eck, J.**, see Le, H., *TIE March 2013 1070-1076*
- Van, T. L.**, see Kim, K.-H., *TIE Aug. 2013 3207-3217*
- Vandevelde, L.**, see Vandoorn, T. L., *TIE Feb. 2013 789-798*
- Vandevelde, L.**, see Vandoorn, T. L., *TIE April 2013 1291-1305*
- Vandoorn, T. L.**, De Kooning, J. D. M., Meersman, B., Guerrero, J. M., and Vandevelde, L., Voltage-Based Control of a Smart Transformer in a Microgrid; *TIE April 2013 1291-1305*
- Vandoorn, T. L.**, Ionescu, C. M., De Kooning, J. D. M., De Keyser, R., and Vandevelde, L., Theoretical Analysis and Experimental Validation of Single-Phase Direct Versus Cascade Voltage Control in Islanded Microgrids; *TIE Feb. 2013 789-798*
- Vannier, J.-C.**, see Bergna, G., *TIE June 2013 2360-2371*
- Vargas-Merino, F.**, see Ruiz-Gonzalez, A., *TIE July 2013 2555-2563*
- Vasak, M.**, see Joksimovic, G. M., *TIE Sept. 2013 4025-4033*
- Vasquez, J. C.**, Guerrero, J. M., Savaghebi, M., Eloy-Garcia, J., and Teodorescu, R., Modeling, Analysis, and Design of Stationary-Reference-Frame Droop-Controlled Parallel Three-Phase Voltage Source Inverters; *TIE April 2013 1271-1280*
- Vasquez, J. C.**, see Camacho, A., *TIE April 2013 1429-1441*
- Vasquez, J. C.**, see Savaghebi, M., *TIE April 2013 1390-1402*
- Velasco de la Fuente, D.**, Trujillo Rodriguez, C. L., Garcera, G., Figueres, E., and Ortega Gonzalez, R., Photovoltaic Power System With Battery Backup With Grid-Connection and Islanded Operation Capabilities; *TIE April 2013 1571-1581*
- Velasco de la Fuente, D.**, see Trujillo Rodriguez, C., *TIE April 2013 1582-1595*
- Vidal, A.**, Freijedo, F. D., Yepes, A. G., Fernandez-Comesana, P., Malvar, J., Lopez, O., and Doval-Gandoy, J., Assessment and Optimization of the Transient Response of Proportional-Resonant Current Controllers for Distributed Power Generation Systems; *TIE April 2013 1367-1383*
- Vilathgamuwa, D. M.**, see Foo, G. H. B., *TIE Aug. 2013 3485-3495*
- Vilathgamuwa, D. M.**, see Jayasinghe, S. D. G., *TIE July 2013 2909-2918*
- Vilkko, M.**, see Roinila, T., *TIE Nov. 2013 5270-5276*
- Villarejo, J.**, see de Jodar, E., *TIE Nov. 2013 4947-4959*
- Villarroel, F.**, Espinoza, J. R., Rojas, C. A., Rodriguez, J., Rivera, M., and Sbarbaro, D., Multiobjective Switching State Selector for Finite-States Model Predictive Control Based on Fuzzy Decision Making in a Matrix Converter; *TIE Feb. 2013 589-599*
- Villarroel, F.**, see Rojas, C. A., *TIE Feb. 2013 681-690*
- Vitelli, M.**, see Bianconi, E., *TIE March 2013 1168-1178*
- Vong, C.-M.**, Wong, P.-K., and Ip, W.-F., A New Framework of Simultaneous-Fault Diagnosis Using Pairwise Probabilistic Multi-Label Classification for Time-Dependent Patterns; *TIE Aug. 2013 3372-3385*
- Vu, N. T.-T.**, Yu, D.-Y., Choi, H. H., and Jung, J.-W., T-S Fuzzy-Model-Based Sliding-Mode Control for Surface-Mounted Permanent-Magnet Synchronous Motors Considering Uncertainties; *TIE Oct. 2013 4281-4291*
- W**
- Wada, M.**, see Maeda, Y., *TIE March 2013 979-987*
- Wai, R.-J.**, Lin, C.-Y., Huang, Y.-C., and Chang, Y.-R., Design of High-Performance Stand-Alone and Grid-Connected Inverter for Distributed Generation Applications; *TIE April 2013 1542-1555*
- Walton, S.**, see Turner, R., *TIE July 2013 2740-2749*
- Wang, B.**, see Liu, C., *TIE Jan. 2013 249-260*
- Wang, B.**, see Sechilariu, M., *TIE April 2013 1607-1618*
- Wang, C.-H.**, and Huang, D.-Y., A New Intelligent Fuzzy Controller for Non-linear Hysteretic Electronic Throttle in Modern Intelligent Automobiles; *TIE June 2013 2332-2345*
- Wang, D.**, see Tian, B., *TIE Dec. 2013 5422-5435*
- Wang, F.**, see Guo, H., *TIE Sept. 2013 3823-3835*
- Wang, F.**, see She, X., *TIE Oct. 2013 4512-4524*
- Wang, G.**, Yang, R., and Xu, D., DSP-Based Control of Sensorless IPMSM Drives for Wide-Speed-Range Operation; *TIE Feb. 2013 720-727*
- Wang, H.**, see Wang, J., *TIE Dec. 2013 5943-5952*
- Wang, J.**, see Ji, B., *TIE May 2013 2104-2115*
- Wang, J.**, Gao, Q., Yu, Y., Cheng, P., Wu, L., and Wang, H., Robust Device-Free Wireless Localization Based on Differential RSS Measurements; *TIE Dec. 2013 5943-5952*
- Wang, J.**, Wu, B., Xu, D., and Zargari, N. R., Phase-Shifting-Transformer-Fed Multimodular Matrix Converter Operated by a New Modulation Strategy; *TIE Oct. 2013 4329-4338*
- Wang, J.**, Wu, B., Xu, D., and Zargari, N. R., Indirect Space-Vector-Based Modulation Techniques for High-Power Multimodular Matrix Converters; *TIE Aug. 2013 3060-3071*
- Wang, J.**, Xu, J., Zhou, G., and Bao, B., Pulse-Train-Controlled CCM Buck Converter With Small ESR Output-Capacitor; *TIE Dec. 2013 5875-5881*
- Wang, J.**, Bao, B., Xu, J., Zhou, G., and Hu, W., Dynamical Effects of Equivalent Series Resistance of Output Capacitor in Constant On-Time Controlled Buck Converter; *TIE May 2013 1759-1768*
- Wang, J.**, see Xu, S., *TIE April 2013 1306-1313*
- Wang, K.**, Li, Y., Zheng, Z., and Xu, L., Voltage Balancing and Fluctuation-Suppression Methods of Floating Capacitors in a New Modular Multilevel Converter; *TIE May 2013 1943-1954*
- Wang, K.**, Zheng, Z., Li, Y., Liu, K., and Shang, J., Neutral-Point Potential Balancing of a Five-Level Active Neutral-Point-Clamped Inverter; *TIE May 2013 1907-1918*
- Wang, L.**, see Wang, X., *TIE April 2013 1556-1570*
- Wang, L.**, and Thi, M. S.-N., Stability Analysis of Four PMSG-Based Offshore Wind Farms Fed to an SG-Based Power System Through an LCC-HVDC Link; *TIE June 2013 2392-2400*
- Wang, L.**, see Chai, S., *TIE Aug. 2013 2978-2987*
- Wang, L.**, and Truong, D.-T., Stability Enhancement of a Power System With a PMSG-Based and a DFIG-Based Offshore Wind Farm Using a SVC With an Adaptive-Network-Based Fuzzy Inference System; *TIE July 2013 2799-2807*
- Wang, L.-J.**, Hu, L., Lee, K.-M., Ruan, X.-D., and Fu, X., Erratum to "Analytical Magnetic Field and Driving Force Models Based on Measured Boundary Conditions for Industrial Coriolis Mass Flowmeters" [Dec12 4753-4760]; *TIE July 2013 2771*
- Wang, P.**, see Liu, X., *TIE Dec. 2013 5696-5707*
- Wang, P.**, see Liu, X., *TIE Jan. 2013 20-30*
- Wang, Q.**, see Lu, L., *TIE March 2013 1011-1022*
- Wang, S.**, see Fu, D., *TIE Nov. 2013 4968-4977*
- Wang, S.-W.**, see Yang, Y.-Y., *TIE July 2013 2627-2637*
- Wang, W.**, see Ma, F., *TIE Feb. 2013 728-738*
- Wang, X.**, see Li, W., *TIE June 2013 2237-2250*
- Wang, X.**, Zhuo, F., Li, J., Wang, L., and Ni, S., Modeling and Control of Dual-Stage High-Power Multifunctional PV System in $d-q$ Coordinate; *TIE April 2013 1556-1570*
- Wang, X.**, see Lin, H., *TIE Nov. 2013 5148-5159*
- Wang, Y.**, see Qiao, Z., *TIE Feb. 2013 710-719*
- Wang, Y.**, see Ma, Y., *TIE Jan. 2013 203-209*
- Wang, Y.**, see Xia, C., *TIE March 2013 896-905*
- Wang, Y.**, and Li, R., Novel High-Efficiency Three-Level Stacked-Neutral-Point-Clamped Grid-Tied Inverter; *TIE Sept. 2013 3766-3774*
- Wang, Y.**, see Sun, M., *TIE Sept. 2013 3897-3905*
- Wang, Y.**, see Wen, H., *TIE March 2013 1001-1010*
- Wang, Y. F.**, and Li, Y. W., Three-Phase Cascaded Delayed Signal Cancellation PLL for Fast Selective Harmonic Detection; *TIE April 2013 1452-1463*
- Wang, Z.**, see Dong, H., *TIE Oct. 2013 4665-4672*
- Wang, Z.**, see Xia, C., *TIE July 2013 2894-2908*
- Wang, Z.**, see Sun, M., *TIE Sept. 2013 3897-3905*
- Watanabe, A.**, see Maetani, T., *TIE Nov. 2013 4861-4868*
- Watson, A. J.**, see Napoles, J., *TIE May 2013 1963-1971*
- Wawrzak, A.**, see Erwinski, K., *TIE Feb. 2013 628-636*
- Wei, M.-Y.**, and Liu, T.-H., Design and Implementation of an Online Tuning Adaptive Controller for Synchronous Reluctance Motor Drives; *TIE Sept. 2013 3644-3657*
- Weili, L.**, see Feiyang, H., *TIE July 2013 2595-2601*
- Weili, L.**, Jichao, H., Xingfu, Z., and Yong, L., Calculation of Ventilation Cooling, Three-Dimensional Electromagnetic Fields, and Temperature Fields of the End Region in a Large Water-Hydrogen-Hydrogen-Cooled Turbogenerator; *TIE Aug. 2013 3007-3015*
- Wen, C.-M.**, and Cheng, M.-Y., Development of a Recurrent Fuzzy CMAC With Adjustable Input Space Quantization and Self-Tuning Learning Rate

- for Control of a Dual-Axis Piezoelectric Actuated Micromotion Stage; *TIE Nov. 2013* 5105-5115
- Wen, D.-H.**, see Tan, D.-P., *TIE Oct. 2013* 4702-4713
- Wen, H.**, Xiao, W., and Lu, Z., Current-Fed High-Frequency AC Distributed Power System for Medium-High-Voltage Gate Driving Applications; *TIE Sept. 2013* 3736-3751
- Wen, H.**, Teng, Z., Wang, Y., and Hu, X., Spectral Correction Approach Based on Desirable Sidelobe Window for Harmonic Analysis of Industrial Power System; *TIE March 2013* 1001-1010
- Wessels, C.**, Hoffmann, N., Molinas, M., and Fuchs, F. W., StatCom control at wind farms with fixed-speed induction generators under asymmetrical grid faults; *TIE July 2013* 2864-2873
- Westermayer, C.**, Priesner, R., Kozek, M., and Bauer, R., High Dynamic Torque Control for Industrial Engine Test Beds; *TIE Sept. 2013* 3877-3888
- Wheeler, C.**, see Chin, C. S., *TIE Nov. 2013* 5315-5324
- Wheeler, P.**, see Soto-Sanchez, D. E., *TIE June 2013* 2118-2130
- Wheeler, P. W.**, see Empringham, L., *TIE Oct. 2013* 4260-4271
- Wheeler, P. W.**, see Napoles, J., *TIE May 2013* 1963-1971
- Wheeler, P. W.**, see Rivera, M., *TIE Feb. 2013* 578-588
- Wiggelinkhuizen, E. J.**, see Teixeira Pinto, R., *TIE June 2013* 2429-2441
- Wijeratne, D. S.**, and Moschopoulos, G., A Three-Phase Single-Stage AC-DC PWM Buck-Type Full-Bridge Converter: Analysis, Design, and Characteristics; *TIE Oct. 2013* 4201-4214
- Williams, B. W.**, see Alajmi, B. N., *TIE April 2013* 1596-1606
- Williams, B. W.**, see Xia, Y., *TIE March 2013* 1122-1132
- Wilson, A.**, see Rivera, M., *TIE Feb. 2013* 578-588
- Wisniewski, R.**, see Juelsgaard, M., *TIE July 2013* 2851-2863
- Wojda, R. P.**, and Kazmierczuk, M. K., Analytical Optimization of Solid-Round-Wire Windings; *TIE March 2013* 1033-1041
- Wolbank, T. M.**, see Joksimovic, G. M., *TIE Sept. 2013* 4025-4033
- Wong, P.-K.**, see Vong, C.-M., *TIE Aug. 2013* 3372-3385
- Wong, Y. S.**, see Zheng, S. Y., *TIE Aug. 2013* 3349-3359
- Woon, W. L.**, see Najj, W. K. A., *TIE April 2013* 1668-1677
- Wu, B.**, see Leon, J. I., *TIE May 2013* 1859-1860
- Wu, B.**, see Rivera, M., *TIE Nov. 2013* 4903-4912
- Wu, B.**, see Wang, J., *TIE Aug. 2013* 3060-3071
- Wu, B.**, see Wang, J., *TIE Oct. 2013* 4329-4338
- Wu, B.**, see Al-nabi, E., *TIE May 2013* 1711-1723
- Wu, B.**, see Alepuz, S., *TIE May 2013* 1787-1796
- Wu, C.**, see Ma, F., *TIE Feb. 2013* 728-738
- Wu, C.-H.**, see Shyu, K.-K., *TIE July 2013* 2731-2739
- Wu, D.**, and Chen, K., Frequency-Domain Analysis of Nonlinear Active Disturbance Rejection Control via the Describing Function Method; *TIE Sept. 2013* 3906-3914
- Wu, F.**, Sun, B., Zhao, K., and Sun, L., Analysis and Solution of Current Zero-Crossing Distortion With Unipolar Hysteresis Current Control in Grid-Connected Inverter; *TIE Oct. 2013* 4450-4457
- Wu, H.**, Xu, P., Liu, W., and Xing, Y., Series-Input Interleaved Forward Converter With a Shared Switching Leg for Wide Input Voltage Range Applications; *TIE Nov. 2013* 5029-5039
- Wu, H.**, Lou, L., Chen, C.-C., Hirche, S., and Kuhnlenz, K., Cloud-Based Networked Visual Servo Control; *TIE Feb. 2013* 554-566
- Wu, J.-C.**, see Tsai, C.-H., *TIE Sept. 2013* 3938-3947
- Wu, L.**, see Wang, J., *TIE Dec. 2013* 5943-5952
- Wu, S.-L.**, see Chen, L.-R., *TIE Dec. 2013* 5620-5628
- Wu, S.-L.**, see Chen, L.-R., *TIE Jan. 2013* 88-97
- Wu, W.**, see Qian, T., *TIE Dec. 2013* 5585-5592
- Wu, W.**, He, Y., Tang, T., and Blaabjerg, F., A New Design Method for the Passive Damped LCL and LLCL Filter-Based Single-Phase Grid-Tied Inverter; *TIE Oct. 2013* 4339-4350
- Wu, W.**, see Yang, P., *TIE Dec. 2013* 5914-5924
- Wu, Y.-T.**, see Shyu, K.-K., *TIE July 2013* 2731-2739
- X**
- Xi, H.**, Jin, Q., and Ruan, X., Feed-Forward Scheme Considering Bandwidth Limitation of Operational Amplifiers for Envelope Tracking Power Supply Using Series-Connected Composite Configuration; *TIE Sept. 2013* 3915-3926
- Xia, C.**, Song, P., Shi, T., and Yan, Y., Chaotic Dynamics Characteristic Analysis for Matrix Converter; *TIE Jan. 2013* 78-87
- Xia, C.**, see Song, Z., *TIE June 2013* 2451-2464
- Xia, C.**, Shao, H., Zhang, Y., and He, X., Adjustable Proportional Hybrid SVPWM Strategy for Neutral-Point-Clamped Three-Level Inverters; *TIE Oct. 2013* 4234-4242
- Xia, C.**, Wang, Z., Shi, T., and He, X., An Improved Control Strategy of Triple Line-Voltage Cascaded Voltage Source Converter Based on Proportional-Resonant Controller; *TIE July 2013* 2894-2908
- Xia, C.**, see Shi, T., *TIE Aug. 2013* 3034-3046
- Xia, Y.**, Wang, Y., and Shi, T., Implementation of Finite-State Model Predictive Control for Commutation Torque Ripple Minimization of Permanent-Magnet Brushless DC Motor; *TIE March 2013* 896-905
- Xia, C.**, see Qiao, Z., *TIE Feb. 2013* 710-719
- Xia, Y.**, Ahmed, K. H., and Williams, B. W., Wind Turbine Power Coefficient Analysis of a New Maximum Power Point Tracking Technique; *TIE March 2013* 1122-1132
- Xia, Y.**, see Zhu, Z., *TIE Dec. 2013* 5882-5891
- Xiao, H.**, see Ma, F., *TIE Feb. 2013* 728-738
- Xiao, L.**, see Yao, Z., *TIE April 2013* 1384-1389
- Xiao, S.**, Yang, G., Zhou, H., and Geng, H., An LVRT Control Strategy Based on Flux Linkage Tracking for DFIG-Based WECS; *TIE July 2013* 2820-2832
- Xiao, S.**, and Li, Y., Optimal Design, Fabrication, and Control of an XY Micropositioning Stage Driven by Electromagnetic Actuators; *TIE Oct. 2013* 4613-4626
- Xiao, W.**, see Wen, H., *TIE Sept. 2013* 3736-3751
- Xiao, W.**, see Mahmoud, Y. A., *TIE Dec. 2013* 5708-5716
- Xiao, Y.**, see Zhao, B., *TIE Sept. 2013* 3602-3618
- Xie, C.-Z.**, see Chen, W.-L., *TIE Aug. 2013* 3165-3175
- Xie, F.**, Zhang, B., Yang, R., and Lu, H. H.-C., Detecting Bifurcation Types and Characterizing Stability in DC-DC Switching Converters by Duplicate Symbolic Sequence and Weight Complexity; *TIE Aug. 2013* 3145-3156
- Xie, S.**, see Shu, Z., *TIE May 2013* 1831-1839
- Xie, X.**, Zhao, C., Lu, Q., and Liu, S., A Novel Integrated Buck-Flyback Non-isolated PFC Converter With High Power Factor; *TIE Dec. 2013* 5603-5612
- Xin, Q.**, see Ren, Z., *TIE Nov. 2013* 4891-4902
- Xing, Y.**, see Wu, H., *TIE Nov. 2013* 5029-5039
- Xingfu, Z.**, see Weili, L., *TIE Aug. 2013* 3007-3015
- Xu, D.**, see Wang, J., *TIE Aug. 2013* 3060-3071
- Xu, D.**, see Wang, J., *TIE Oct. 2013* 4329-4338
- Xu, D.**, see Wang, G., *TIE Feb. 2013* 720-727
- Xu, D.**, see Li, R., *TIE April 2013* 1619-1629
- Xu, D.**, see Zhu, Z., *TIE Dec. 2013* 5882-5891
- Xu, F.**, see Guo, H., *TIE Sept. 2013* 3823-3835
- Xu, G.**, see Jian, L., *TIE Aug. 2013* 3218-3226
- Xu, H.**, see Hu, J., *TIE July 2013* 2808-2819
- Xu, J.**, see Qin, M., *TIE May 2013* 1819-1830
- Xu, J.**, see Wang, J., *TIE May 2013* 1759-1768
- Xu, J.**, see Wang, J., *TIE Dec. 2013* 5875-5881
- Xu, J.**, see Xu, S., *TIE April 2013* 1306-1313
- Xu, J.-X.**, Guo, Z.-Q., and Lee, T. H., Design and Implementation of a Takagi-Sugeno-Type Fuzzy Logic Controller on a Two-Wheeled Mobile Robot; *TIE Dec. 2013* 5717-5728
- Xu, L.**, Kwong, S., Zhang, Y., and Zhao, D., Low-Complexity Encoder Framework for Window-Level Rate Control Optimization; *TIE May 2013* 1850-1858
- Xu, L.**, see Wang, K., *TIE May 2013* 1943-1954
- Xu, P.**, see Wu, H., *TIE Nov. 2013* 5029-5039
- Xu, Q.**, Identification and Compensation of Piezoelectric Hysteresis Without Modeling Hysteresis Inverse; *TIE Sept. 2013* 3927-3937
- Xu, S.**, Wang, J., and Xu, J., A Current Decoupling Parallel Control Strategy of Single-Phase Inverter With Voltage and Current Dual Closed-Loop Feedback; *TIE April 2013* 1306-1313
- Xu, X.**, see Ma, F., *TIE Feb. 2013* 728-738
- Xu, Y.**, see Lu, R., *TIE Nov. 2013* 5206-5213
- Xuan, K.**, see Zhao, G., *TIE March 2013* 1099-1107
- Xue, A.**, see Lu, R., *TIE Nov. 2013* 5206-5213
- Xue, B.**, Li, N., Li, S., and Zhu, Q., Moving Horizon Scheduling for Networked Control Systems With Communication Constraints; *TIE Aug. 2013* 3318-3327
- Xue, H.**, see Jian, L., *TIE Aug. 2013* 3218-3226

Xue, Q., see Song, K., *TIE Oct. 2013 4737-4745*
Xue, Q., see Tang, C., *TIE Nov. 2013 5337-5347*

Y

Yan, Y., see Shi, T., *TIE Aug. 2013 3034-3046*
Yan, Y., see Qiao, Z., *TIE Feb. 2013 710-719*
Yan, Y., see Xia, C., *TIE Jan. 2013 78-87*
Yang, C.-F., see Li, T.-Y., *TIE Sept. 2013 3976-3982*
Yang, C.-H., see Tsai, C.-H., *TIE Sept. 2013 3938-3947*
Yang, C.-Y., see Chiu, H.-J., *TIE Feb. 2013 781-788*
Yang, G., see Geng, H., *TIE June 2013 2495-2509*
Yang, G., see Xiao, S., *TIE July 2013 2820-2832*
Yang, H.-Y., Lim, Y.-C., and Kim, H.-C., Acoustic Noise/Vibration Reduction of a Single-Phase SRM Using Skewed Stator and Rotor; *TIE Oct. 2013 4292-4300*
Yang, J., Li, S., and Yu, X., Sliding-Mode Control for Systems With Mismatched Uncertainties via a Disturbance Observer; *TIE Jan. 2013 160-169*
Yang, K., see Ma, Y., *TIE Jan. 2013 203-209*
Yang, K., see Zhu, Y., *TIE June 2013 2264-2272*
Yang, L. T., see He, D., *TIE Nov. 2013 5348-5354*
Yang, L.-S., see Hsieh, Y.-P., *TIE April 2013 1473-1482*
Yang, L.-S., see Liang, T.-J., *TIE April 2013 1483-1491*
Yang, L.-S., see Chen, S.-M., *TIE April 2013 1503-1511*
Yang, P., Wu, W., Moniri, M., and Chibelushi, C. C., Efficient Object Localization Using Sparsely Distributed Passive RFID Tags; *TIE Dec. 2013 5914-5924*
Yang, R., see Xie, F., *TIE Aug. 2013 3145-3156*
Yang, R., see Wang, G., *TIE Feb. 2013 720-727*
Yang, S., see Meng, F., *TIE Sept. 2013 3579-3588*
Yang, S.-M., and Chen, J.-Y., Controlled Dynamic Braking for Switched Reluctance Motor Drives With a Rectifier Front End; *TIE Nov. 2013 4913-4919*
Yang, W., see Meng, F., *TIE Sept. 2013 3579-3588*
Yang, X., see Liu, Y., *TIE Nov. 2013 5160-5166*
Yang, X., see Gao, H., *TIE Dec. 2013 5792-5801*
Yang, Y., Zhang, W., Peng, Z., and Meng, G., Multicomponent Signal Analysis Based on Polynomial Chirplet Transform; *TIE Sept. 2013 3948-3956*
Yang, Y., see Ma, Y., *TIE Jan. 2013 203-209*
Yang, Y.-Y., Wang, S.-W., Hsieh, C.-Y., Huang, T.-C., Lee, Y.-H., and Chen, K.-H., Power Management With a Low-Ripple High-Conversion-Ratio 80-V Output Voltage Boost Converter for Avalanche Photodiode System; *TIE July 2013 2627-2637*
Yang, Z., see Sun, X., *TIE Dec. 2013 5528-5538*
Yang, Z., see Liu, C., *TIE Aug. 2013 3240-3247*
Yao, B., see Lu, L., *TIE March 2013 1011-1022*
Yao, W., see Zhang, M., *TIE Oct. 2013 4243-4252*
Yao, W.-H., Tung, P.-C., Fuh, C.-C., and Chou, F.-C., Suppression of Hunting in an ILPMSM Driver System Using Hunting Compensator; *TIE July 2013 2586-2594*
Yao, Z., and Xiao, L., Control of Single-Phase Grid-Connected Inverters With Nonlinear Loads; *TIE April 2013 1384-1389*
Yaramasu, V., see Rivera, M., *TIE Nov. 2013 4903-4912*
Yazdian Varjani, A., see Fatemi, A., *TIE May 2013 1769-1779*
Yazdian Varjani, A., see Rajaei, A., *TIE July 2013 2919-2929*
Yeh, C.-A., see Lai, Y.-S., *TIE Jan. 2013 235-238*
Yepes, A. G., see Vidal, A., *TIE April 2013 1367-1383*
Yihuang, Z., see Feiyang, H., *TIE July 2013 2595-2601*
Yin, S., see Gao, H., *TIE Dec. 2013 5792-5801*
Yokoyama, R., see Hu, B., *TIE Aug. 2013 3529-3538*
Yong, L., see Feiyang, H., *TIE July 2013 2595-2601*
Yong, L., see Weili, L., *TIE Aug. 2013 3007-3015*
Yoo, K.-M., and Lee, J.-Y., A 10-kW Two-Stage Isolated/Bidirectional DC/DC Converter With Hybrid-Switching Technique; *TIE June 2013 2205-2213*
Yoo, K.-M., Kim, K.-D., and Lee, J.-Y., Single- and Three-Phase PHEV On-board Battery Charger Using Small Link Capacitor; *TIE Aug. 2013 3136-3144*
Yoshida, K., Tanaka, K., Tsujimura, T., and Azuma, Y., Assisted Focus Adjustment for Free Space Optics System Coupling Single-Mode Optical Fibers; *TIE Nov. 2013 5306-5314*
You, B.-J., see Jin, J., *TIE Sept. 2013 3796-3805*
You, C.-J., Zhu, X.-W., Zhang, X.-D., Liu, J., Cao, Z.-G., Chen, J., Quyen, L. N., and Zong, W.-Y., Study of RF Subsystem Used in Dynamic Spectrum Sharing System at TV Band; *TIE June 2013 2346-2357*

You, I., see Lee, J.-H., *TIE March 2013 1077-1088*
Youn, M.-J., see Kim, H.-S., *TIE Dec. 2013 5558-5574*
Youn, Y.-W., see Kim, Y.-H., *TIE Sept. 2013 4103-4117*
Younas, M., and Awan, I., Mobility Management Scheme for Context-Aware Transactions in Pervasive and Mobile Cyberspace; *TIE March 2013 1108-1115*
Young, C.-M., Chen, M.-H., Chang, T.-A., Ko, C.-C., and Jen, K.-K., Cascade Cockcroft-Walton Voltage Multiplier Applied to Transformerless High Step-Up DC-DC Converter; *TIE Feb. 2013 523-537*
Young, C.-M., Chu, N.-Y., Chen, L.-R., Hsiao, Y.-C., and Li, C.-Z., A Single-Phase Multilevel Inverter With Battery Balancing; *TIE May 2013 1972-1978*
Yu, B., see Shi, Y., *TIE Dec. 2013 5864-5874*
Yu, C., see Huang, B., *TIE Dec. 2013 5811-5819*
Yu, D.-Y., see Vu, N. T.-T., *TIE Oct. 2013 4281-4291*
Yu, J., see Li, H., *TIE Aug. 2013 3328-3338*
Yu, J.-W., see Lee, W.-S., *TIE Jan. 2013 350-359*
Yu, K., see Ren, Z., *TIE Nov. 2013 4891-4902*
Yu, L., see Song, H., *TIE Nov. 2013 5228-5238*
Yu, X., see Yang, J., *TIE Jan. 2013 160-169*
Yu, X., see Feng, Y., *TIE Oct. 2013 4272-4280*
Yu, Y., see Wang, J., *TIE Dec. 2013 5943-5952*
Yuan, J., Pan, J., Fei, W., Cai, C., Chen, Y., and Chen, B., An Immune-Algorithm-Based Space-Vector PWM Control Strategy in a Three-Phase Inverter; *TIE May 2013 2084-2093*
Yuen, S. L., see Jin, J., *TIE Sept. 2013 3796-3805*
Yun, J. N., Su, J., Kim, Y. I., and Kim, Y. C., Robust Disturbance Observer for Two-Inertia System; *TIE July 2013 2700-2710*

Z

Zafransky, A., see Kuperman, A., *TIE Dec. 2013 5391-5399*
Zaidi, S. S. H., see Strangas, E. G., *TIE Aug. 2013 3519-3528*
Zajac, L., see Solas, E., *TIE Oct. 2013 4525-4535*
Zajac, L., see Solas, E., *TIE Oct. 2013 4536-4545*
Zanchetta, P., see Rodriguez, J., *TIE Feb. 2013 575-577*
Zargari, N. R., see Al-nabi, E., *TIE May 2013 1711-1723*
Zargari, N. R., see Wang, J., *TIE Oct. 2013 4329-4338*
Zargari, N. R., see Wang, J., *TIE Aug. 2013 3060-3071*
Zarri, L., see Gritli, Y., *TIE Sept. 2013 4012-4024*
Zarri, L., Mengoni, M., Gritli, Y., Tani, A., Filippetti, F., Serra, G., and Casadei, D., Detection and Localization of Stator Resistance Dissymmetry Based on Multiple Reference Frame Controllers in Multiphase Induction Motor Drives; *TIE Aug. 2013 3506-3518*
Zazo, S., see Gutierrez, A., *TIE Aug. 2013 3176-3184*
Zeineldin, H. H., see Najy, W. K. A., *TIE April 2013 1668-1677*
Zeineldin, H. H., see Mahmoud, Y. A., *TIE Dec. 2013 5708-5716*
Zeineldin, H. H., see Kanjiya, P., *TIE Dec. 2013 5376-5390*
Zeng, P., and Khaligh, A., A Permanent-Magnet Linear Motion Driven Kinetic Energy Harvester; *TIE Dec. 2013 5737-5746*
Zhai, S., see Fidan, B., *TIE Dec. 2013 5781-5791*
Zhan, W., see Gao, H., *TIE Dec. 2013 5792-5801*
Zhang, B., see Xie, F., *TIE Aug. 2013 3145-3156*
Zhang, B., see Orchard, M. E., *TIE Nov. 2013 5260-5269*
Zhang, C., Feng, G., Qiu, J., and Shen, Y., Control Synthesis for a Class of Linear Network-Based Systems With Communication Constraints; *TIE Aug. 2013 3339-3348*
Zhang, C., Du, S., and Chen, Q., A Novel Scheme Suitable for High-Voltage and Large-Capacity Photovoltaic Power Stations; *TIE Sept. 2013 3775-3783*
Zhang, F., see Cheng, P., *TIE Sept. 2013 3836-3845*
Zhang, G., see Lu, J., *TIE March 2013 1059-1069*
Zhang, H., see Jiang, Y., *TIE Nov. 2013 5325-5336*
Zhang, J., see Chen, D., *TIE Feb. 2013 814-823*
Zhang, J., see Liu, N., *TIE Oct. 2013 4746-4756*
Zhang, L., see Loh, P. C., *TIE April 2013 1492-1502*
Zhang, M., see Hang, L., *TIE April 2013 1512-1519*
Zhang, M., Hang, L., Yao, W., Lu, Z., and Tolbert, L. M., A Novel Strategy for Three-Phase/Switch/Level (Vienna) Rectifier Under Severe Unbalanced Grids; *TIE Oct. 2013 4243-4252*
Zhang, S., see He, W., *TIE Dec. 2013 5802-5810*
Zhang, S., see He, W., *TIE Nov. 2013 5186-5194*
Zhang, W., see Yang, Y., *TIE Sept. 2013 3948-3956*

- Zhang, X.**, see Foo, G. H. B., *TIE Aug. 2013 3485-3495*
- Zhang, X.**, and Gong, C., Dual-Buck Half-Bridge Voltage Balancer; *TIE Aug. 2013 3157-3164*
- Zhang, X.**, see Li, W., *TIE Feb. 2013 474-482*
- Zhang, X.**, Spencer, J. W., and Guerrero, J. M., Small-Signal Modeling of Digitally Controlled Grid-Connected Inverters With *LC*L Filters; *TIE Sept. 2013 3752-3765*
- Zhang, X.-D.**, see You, C.-J., *TIE June 2013 2346-2357*
- Zhang, X.-T.**, see Song, Z., *TIE March 2013 1023-1032*
- Zhang, Y.**, see Xu, L., *TIE May 2013 1850-1858*
- Zhang, Y.**, see Xia, C., *TIE Oct. 2013 4234-4242*
- Zhang, Z.**, Thomsen, O. C., and Andersen, M. A. E., Discontinuous PWM Modulation Strategy With Circuit-Level Decoupling Concept of Three-Level Neutral-Point-Clamped (NPC) Inverter; *TIE May 2013 1897-1906*
- Zhao, B.**, Song, Q., Liu, W., and Sun, W., Current-Stress-Optimized Switching Strategy of Isolated Bidirectional DC–DC Converter With Dual-Phase-Shift Control; *TIE Oct. 2013 4458-4467*
- Zhao, B.**, Song, Q., Liu, W., and Xiao, Y., Next-Generation Multi-Functional Modular Intelligent UPS System for Smart Grid; *TIE Sept. 2013 3602-3618*
- Zhao, C.**, see Xie, X., *TIE Dec. 2013 5603-5612*
- Zhao, D.**, see Jian, L., *TIE Aug. 2013 3218-3226*
- Zhao, D.**, see Xu, L., *TIE May 2013 1850-1858*
- Zhao, G.**, Xuan, K., and Tanir, D., Path *k*NN Query Processing in Mobile Systems; *TIE March 2013 1099-1107*
- Zhao, J.**, see Ji, B., *TIE May 2013 2104-2115*
- Zhao, K.**, see Wu, F., *TIE Oct. 2013 4450-4457*
- Zhao, W.**, Cheng, M., Chau, K. T., Cao, R., and Ji, J., Remedial Injected-Harmonic-Current Operation of Redundant Flux-Switching Permanent-Magnet Motor Drives; *TIE Jan. 2013 151-159*
- Zhao, Y.**, de Palma, J.-F., Mosesian, J., Lyons, R., and Lehman, B., Line-Line Fault Analysis and Protection Challenges in Solar Photovoltaic Arrays; *TIE Sept. 2013 3784-3795*
- Zhao, Y.**, see Shu, Z., *TIE May 2013 1831-1839*
- Zhao, Z.**, see Sun, W., *TIE Sept. 2013 3889-3896*
- Zhao, Z.**, Lai, J.-S., and Cho, Y., Dual-Mode Double-Carrier-Based Sinusoidal Pulse Width Modulation Inverter With Adaptive Smooth Transition Control Between Modes; *TIE May 2013 2094-2103*
- Zheng, J.**, see Lu, R., *TIE Nov. 2013 5206-5213*
- Zheng, S. Y.**, Chan, W. S., and Wong, Y. S., Reconfigurable RF Quadrature Patch Hybrid Coupler; *TIE Aug. 2013 3349-3359*
- Zheng, Y.**, see Liu, C., *TIE Aug. 2013 3240-3247*
- Zheng, Z.**, see Wang, K., *TIE May 2013 1943-1954*
- Zheng, Z.**, see Wang, K., *TIE May 2013 1907-1918*
- Zhong, Q.-C.**, and Hornik, T., Cascaded Current–Voltage Control to Improve the Power Quality for a Grid-Connected Inverter With a Local Load; *TIE April 2013 1344-1355*
- Zhong, Q.-C.**, Harmonic Droop Controller to Reduce the Voltage Harmonics of Inverters; *TIE March 2013 936-945*
- Zhong, Q.-C.**, Robust Droop Controller for Accurate Proportional Load Sharing Among Inverters Operated in Parallel; *TIE April 2013 1281-1290*
- Zhong, Q.-C.**, see Hornik, T., *TIE April 2013 1335-1343*
- Zhong, W.**, Lee, C. K., and Hui, S. Y. R., General Analysis on the Use of Tesla's Resonators in Domino Forms for Wireless Power Transfer; *TIE Jan. 2013 261-270*
- Zhong, Y.**, see Liu, H., *TIE Oct. 2013 4627-4636*
- Zhou, F.**, see Shu, Z., *TIE May 2013 1831-1839*
- Zhou, G.**, see Wang, J., *TIE Dec. 2013 5875-5881*
- Zhou, G.**, see Wang, J., *TIE May 2013 1759-1768*
- Zhou, H.**, see Hu, W., *TIE Oct. 2013 4673-4682*
- Zhou, H.**, see Xiao, S., *TIE July 2013 2820-2832*
- Zhou, Y.**, Soh, Y. C., and Shen, J. X., Speed Estimation and Nonmatched Time-Varying Parameter Identification for a DC Motor With Hybrid Sliding-Mode Observer; *TIE Dec. 2013 5539-5549*
- Zhou, Y. C.**, see Chen, L., *TIE Jan. 2013 339-349*
- Zhou, Z.**, see Liu, C., *TIE Aug. 2013 3240-3247*
- Zhu, H.**, see Shu, Z., *TIE May 2013 1884-1896*
- Zhu, J.**, see He, D., *TIE Aug. 2013 3429-3440*
- Zhu, L.**, see Liu, N., *TIE Oct. 2013 4746-4756*
- Zhu, M.**, see Li, D., *TIE Sept. 2013 3567-3578*
- Zhu, Q.**, see Xue, B., *TIE Aug. 2013 3318-3327*
- Zhu, W.**, see Qian, T., *TIE Dec. 2013 5585-5592*
- Zhu, X.**, see Jian, L., *TIE Aug. 2013 3218-3226*
- Zhu, X.-W.**, see You, C.-J., *TIE June 2013 2346-2357*
- Zhu, Y.**, Hu, C., Hu, J., and Yang, K., Accuracy- and Simplicity-Oriented Self-Calibration Approach for Two-Dimensional Precision Stages; *TIE June 2013 2264-2272*
- Zhu, Z.**, Xu, D., Liu, J., and Xia, Y., Missile Guidance Law Based on Extended State Observer; *TIE Dec. 2013 5882-5891*
- Zhu, Z. Q.**, see Liu, K., *TIE Dec. 2013 5902-5913*
- Zhuo, F.**, see Wang, X., *TIE April 2013 1556-1570*
- Zolghadri, M. R.**, see Shahbazi, M., *TIE Sept. 2013 4136-4146*
- Zolghadri, M. R.**, see Tohidi, S., *TIE March 2013 1146-1155*
- Zolghadri, M. R.**, see Shahbazi, M., *TIE Aug. 2013 3360-3371*
- Zolghadri, M. R.**, see Shahbazi, M., *TIE June 2013 2284-2294*
- Zong, W.-Y.**, see You, C.-J., *TIE June 2013 2346-2357*
- Zribi, M.**, see Abdullah, A., *TIE Nov. 2013 5239-5251*

SUBJECT INDEX

A

AC generators

Using Only the DC Current Information to Detect Stator Turn Faults in Automotive Claw-Pole Generators. *Cheng, S.*, +, *TIE Aug. 2013 3462-3471*

AC machines

On the Causes of Circulating Currents in PWM Drives With Open-End Winding AC Machines. *Somani, A.*, +, *TIE Sept. 2013 3670-3678*

AC motor drives

Generalized Optimal Pulsewidth Modulation of Multilevel Inverters for Low-Switching-Frequency Control of Medium-Voltage High-Power Industrial AC Drives. *Rathore, +*, *TIE Oct. 2013 4215-4224*

High-Frequency Issues Using Rotating Voltage Injections Intended For Position Self-Sensing. *Gabriel, F.*, +, *TIE Dec. 2013 5447-5457*

Optimal Control of Medium-Voltage Drives—An Overview. *Holtz, J.*, +, *TIE Dec. 2013 5472-5481*

The Effect of Failure Prognosis and Mitigation on the Reliability of Permanent-Magnet AC Motor Drives. *Strangas, E. G.*, +, *TIE Aug. 2013 3519-3528*

AC motors

FPGA-Based Predictive Sliding Mode Controller of a Three-Phase Inverter. *Curkovic, M.*, +, *TIE Feb. 2013 637-644*

AC-AC power converters

An All-DC Offshore Wind Farm With Series-Connected Turbines: An Alternative to the Classical Parallel AC Model?. *Holtmark, N.*, +, *TIE June 2013 2420-2428*

Solid-State Transformer Architecture Using AC–AC Dual-Active-Bridge Converter. *Qin, H.*, +, *TIE Sept. 2013 3720-3730*

AC-DC power converters

A Direct Power Conversion Topology for Grid Integration of Hybrid AC/DC Energy Resources. *Liu, X.*, +, *TIE Dec. 2013 5696-5707*

A New Single-Phase Single-Stage Three-Level Power-Factor-Correction AC–DC Converter With Phase-Shift Modulation. *Narimani, M.*, +, *TIE Sept. 2013 3731-3735*

A Novel Primary-Side Regulation Scheme for Single-Stage High-Power-Factor AC–DC LED Driving Circuit. *Li, Y.-C.*, +, *TIE Nov. 2013 4978-4986*

A Novel Single-Stage Multilevel Type Full-Bridge Converter. *Narimani, M.*, +, *TIE Jan. 2013 31-42*

A Three-Phase Single-Stage AC–DC PWM Buck-Type Full-Bridge Converter: Analysis, Design, and Characteristics. *Wijeratne, D. S.*, +, *TIE Oct. 2013 4201-4214*

AC/DC/DC Interfaces for V2G Applications—EMC Issues. *Smolenski, R.*, +, *TIE March 2013 930-935*

Analysis and Design of a New AC–DC Single-Stage Full-Bridge PWM Converter With Two Controllers. *Das, P.*, +, *TIE Nov. 2013 4930-4946*

Autoconnected-Transformer-Based 20-Pulse AC–DC Converter for Telecommunication Power Supply. *Kalpana, R.*, +, *TIE Oct. 2013 4178-4190*

Battery Charger for Electric Vehicle Traction Battery Switch Station. *Kuperman, A.*, +, *TIE Dec. 2013 5391-5399*

Controlled Dynamic Braking for Switched Reluctance Motor Drives With a Rectifier Front End. *Yang, S.-M.*, +, *TIE Nov. 2013 4913-4919*

Digital Detection, Control, and Distribution System for Co-Phase Traction Power Supply Application. *Shu, Z.*, +, *TIE May 2013 1831-1839*

- Digitized Feedforward Compensation Method for High-Power-Density Three-Phase Vienna PFC Converter. *Hang, L.*, +, *TIE April 2013 1512-1519*
- Fault Diagnosis of DC-Link Capacitors in Three-Phase AC/DC PWM Converters by Online Estimation of Equivalent Series Resistance. *Pu, X.-S.*, +, *TIE Sept. 2013 4118-4127*
- Real-Time Monitoring for a Five-Level Double-Boost Power Factor Controller Including Postfault Reconfiguration. *Pham, T. T. L.*, +, *TIE Sept. 2013 4128-4135*
- Acceleration control**
- Frequency-Domain Damping Design for Time-Delayed Bilateral Teleoperation System Based on Modal Space Analysis. *Suzuki, A.*, +, *TIE Jan. 2013 177-190*
- Acceleration measurement**
- New Rollover Index for the Detection of Tripped and Untripped Rollovers. *Phanomchoeng, G.*, +, *TIE Oct. 2013 4726-4736*
- Accelerometers**
- Z-Axis Magnetometers for MEMS Inertial Measurement Units Using an Industrial Process. *Langfelder, G.*, +, *TIE Sept. 2013 3983-3990*
- New Rollover Index for the Detection of Tripped and Untripped Rollovers. *Phanomchoeng, G.*, +, *TIE Oct. 2013 4726-4736*
- Access protocols**
- An Efficient Hybrid Medium Access Control Technique for Digital Ecosystems. *Le, H.*, +, *TIE March 2013 1070-1076*
- Acoustic noise**
- Acoustic Noise/Vibration Reduction of a Single-Phase SRM Using Skewed Stator and Rotor. *Yang, H.-Y.*, +, *TIE Oct. 2013 4292-4300*
- Application of Slope PWM Strategies to Reduce Acoustic Noise Radiated by Inverter-Fed Induction Motors. *Ruiz-Gonzalez, A.*, +, *TIE July 2013 2555-2563*
- Experimental Investigation on the Effect of Advanced Bus-Clamping Pulsewidth Modulation on Motor Acoustic Noise. *Binojumar, A. C.*, +, *TIE Feb. 2013 433-439*
- Active filters**
- A Model-Based Controller for the Cascade H-Bridge Multilevel Converter Used as a Shunt Active Filter. *Valdez-Fernandez, A. A.*, +, *TIE Nov. 2013 5019-5028*
- A Modified Three-Phase Four-Wire UPQC Topology With Reduced DC-Link Voltage Rating. *Karanki, +*, *TIE Sept. 2013 3555-3566*
- A Noniterative Optimized Algorithm for Shunt Active Power Filter Under Distorted and Unbalanced Supply Voltages. *Kanjiya, P.*, +, *TIE Dec. 2013 5376-5390*
- Active Filter for the Removal of the DC Current Component for Single-Phase Power Lines. *Buticchi, G.*, +, *TIE Oct. 2013 4403-4414*
- Active Power Filter Control Strategy With Implicit Closed-Loop Current Control and Resonant Controller. *Angulo, M.*, +, *TIE July 2013 2721-2730*
- An Advanced Current Control Strategy for Three-Phase Shunt Active Power Filters. *Trinh, Q.-N.*, +, *TIE Dec. 2013 5400-5410*
- Battery Charger for Electric Vehicle Traction Battery Switch Station. *Kuperman, A.*, +, *TIE Dec. 2013 5391-5399*
- FPGA Implementation of the Generalized Delayed Signal Cancellation—Phase Locked Loop Method for Detecting Harmonic Sequence Components in Three-Phase Signals. *Nascimento, P. S. B.*, +, *TIE Feb. 2013 645-658*
- Modeling and Control of Dual-Stage High-Power Multifunctional PV System in $d-q-o$ Coordinate. *Wang, X.*, +, *TIE April 2013 1556-1570*
- Actuators**
- Adaptive Sliding-Mode Control for Nonlinear Active Suspension Vehicle Systems Using T-S Fuzzy Approach. *Li, H.*, +, *TIE Aug. 2013 3328-3338*
- Allocation of Actuators and Sensors for Coupled-Adjacent-Building Vibration Attenuation. *Gao, H.*, +, *TIE Dec. 2013 5792-5801*
- Erratum to “Analytical Magnetic Field and Driving Force Models Based on Measured Boundary Conditions for Industrial Coriolis Mass Flowmeters” [Dec12 4753-4760]. *Wang, L.-J.*, +, *TIE July 2013 2771*
- Flexible Autonomous Behaviors of Kinesin and Muscle Myosin Bio-Nanorobots. *Khataee, H. R.*, +, *TIE Nov. 2013 5116-5123*
- Adaptive control**
- Adaptive Sliding-Mode Control for a Multiple-User Inductive Power Transfer System Without Need for Communication. *van der Pijl, F. F. A.*, +, *TIE Jan. 2013 271-279*
- Adaptive Sliding-Mode Control for Nonlinear Active Suspension Vehicle Systems Using T-S Fuzzy Approach. *Li, H.*, +, *TIE Aug. 2013 3328-3338*
- An Adaptive Interconnected Observer for Sensorless Control of PM Synchronous Motors With Online Parameter Identification. *Hamida, M. A.*, +, *TIE Feb. 2013 739-748*
- An Adaptive Voltage Control Strategy of Three-Phase Inverter for Stand-Alone Distributed Generation Systems. *Do, T. D.*, +, *TIE Dec. 2013 5660-5672*
- An Observer for Sensorless DFIM Drives Based on the Natural Fifth Harmonic of the Line Voltage, Without Stator Current Measurement. *Castelli-Dezza, F.*, +, *TIE Oct. 2013 4301-4309*
- Design and Implementation of an Online Tuning Adaptive Controller for Synchronous Reluctance Motor Drives. *Wei, M.-Y.*, +, *TIE Sept. 2013 3644-3657*
- Design of High-Performance Stand-Alone and Grid-Connected Inverter for Distributed Generation Applications. *Wai, R.-J.*, +, *TIE April 2013 1542-1555*
- Development of a Recurrent Fuzzy CMAC With Adjustable Input Space Quantization and Self-Tuning Learning Rate for Control of a Dual-Axis Piezoelectric Actuated Micromotion Stage. *Wen, C.-M.*, +, *TIE Nov. 2013 5105-5115*
- Digital Adaptive Frequency Modulation for Bidirectional DC–DC Converter. *Baek, J.-B.*, +, *TIE Nov. 2013 5167-5176*
- Dual-Mode Double-Carrier-Based Sinusoidal Pulse Width Modulation Inverter With Adaptive Smooth Transition Control Between Modes. *Zhao, Z.*, +, *TIE May 2013 2094-2103*
- Enhanced Adaptive Self-Organizing Fuzzy Sliding-Mode Controller for Active Suspension Systems. *Lian, R.-J.*, +, *TIE March 2013 958-968*
- Frequency-Adaptive Current Controller for Three-Phase Grid-Connected Converters. *Gomez Jorge, S.*, +, *TIE Oct. 2013 4169-4177*
- Lyapunov-Designed Super-Twisting Sliding Mode Control for Wind Energy Conversion Optimization. *Evangelista, C.*, +, *TIE Feb. 2013 538-545*
- Minimal Grasper: A Practical Robotic Grasper With Robust Performance for Pick-and-Place Tasks. *Jin, J.*, +, *TIE Sept. 2013 3796-3805*
- New Overall Power Control Strategy for Variable-Speed Fixed-Pitch Wind Turbines Within the Whole Wind Velocity Range. *Chen, J.*, +, *TIE July 2013 2652-2660*
- Precise Positioning of Nonsmooth Dynamic Systems Using Fuzzy Wavelet Echo State Networks and Dynamic Surface Sliding Mode Control. *Han, S. I.*, +, *TIE Nov. 2013 5124-5136*
- PWM-Based Adaptive Sliding-Mode Control for Boost DC–DC Converters. *Oucheriah, S.*, +, *TIE Aug. 2013 3291-3294*
- Real-Time Implementation of ANFIS Control for Renewable Interfacing Inverter in 3P4W Distribution Network. *Singh, M.*, +, *TIE Jan. 2013 121-128*
- Saturated Adaptive Robust Control for Active Suspension Systems. *Sun, W.*, +, *TIE Sept. 2013 3889-3896*
- T-S Fuzzy Model-Based Adaptive Dynamic Surface Control for Ball and Beam System. *Chang, Y.-H.*, +, *TIE June 2013 2251-2263*
- Adaptive systems**
- Design of An Advanced Time Delay Measurement and A Smart Adaptive Unequal Interval Grey Predictor for Real-Time Nonlinear Control Systems. *Truong, D. Q.*, +, *TIE Oct. 2013 4574-4589*
- Aging**
- Electrical Aging of the Insulation of Low-Voltage Machines: Model Definition and Test With the Design of Experiments. *Lahoud, N.*, +, *TIE Sept. 2013 4147-4155*
- Evaluation of V_{ce} Monitoring as a Real-Time Method to Estimate Aging of Bond Wire-IGBT Modules Stressed by Power Cycling. *Smet, V.*, +, *TIE July 2013 2760-2770*
- Air gaps**
- Acoustic Noise/Vibration Reduction of a Single-Phase SRM Using Skewed Stator and Rotor. *Yang, H.-Y.*, +, *TIE Oct. 2013 4292-4300*
- Analysis and Design of Fully Integrated Planar Magnetics for Primary–Parallel Isolated Boost Converter. *Ouyang, Z.*, +, *TIE Feb. 2013 494-508*
- Bearing Fault Model for Induction Motor With Externally Induced Vibration. *Immovilli, F.*, +, *TIE Aug. 2013 3408-3418*
- Control Method for Wireless Inductive Energy Transfer Systems With Relatively Large Air Gap. *van der Pijl, F.*, +, *TIE Jan. 2013 382-390*
- Design and Operation Characteristics of Four-Two Pole High-Speed SRM for Torque Ripple Reduction. *Lee, D.-H.*, +, *TIE Sept. 2013 3637-3643*
- Development of a Single-Sided Flux Magnetic Coupler for Electric Vehicle IPT Charging Systems. *Budhia, M.*, +, *TIE Jan. 2013 318-328*
- Local Heat Flux Measurement in a Permanent Magnet Motor at No Load. *Jussila, H. K.*, +, *TIE Nov. 2013 4852-4860*
- Performance of Low-Cost Permanent Magnet Material in PM Synchronous Machines. *Petrov, I.*, +, *TIE June 2013 2131-2138*

- Sensorless Direct Slip Position Estimator of a DFIM Based on the Air Gap pq Vector—Sensitivity Study. *Marques, G. D.*, +, *TIE June 2013 2442-2450*
- Sliding-Mode Control of an Electromagnetic Actuated Conveyance System Using Contactless Sensing. *Chin, C. S.*, +, *TIE Nov. 2013 5315-5324*
- Air traffic control**
- Decentralized Control of Compartmental Networks With H_∞ Tracking Performance. *Li, P.*, +, *TIE Feb. 2013 546-553*
- Aircraft control**
- Comments on “Quasi-Continuous Higher Order Sliding-Mode Controllers for Spacecraft-Attitude-Tracking Maneuvers”. *Ma, K.*, +, *TIE July 2013 2771-2773*
- Aircraft power systems**
- SSPC Active Control Strategy by Optimal Trajectory of the Current for On-board System Applications. *Izquierdo, D.*, +, *TIE Nov. 2013 5195-5205*
- Alternators**
- HV-CMOS Design and Characterization of a Smart Rotor Coil Driver for Automotive Alternators. *Saponara, S.*, +, *TIE June 2013 2309-2317*
- Performance of Homopolar Inductor Alternator With Diode-Bridge Rectifier and Capacitive Load. *Ren, Z.*, +, *TIE Nov. 2013 4891-4902*
- Amplifiers**
- Total Design of an FPGA-Based Brain-Computer Interface Control Hospital Bed Nursing System. *Shyu, K.-K.*, +, *TIE July 2013 2731-2739*
- Amplitude estimation**
- High-Resolution Parameter Estimation Method to Identify Broken Rotor Bar Faults in Induction Motors. *Kim, Y.-H.*, +, *TIE Sept. 2013 4103-4117*
- Amplitude modulation**
- Bearing Fault Diagnosis for Direct-Drive Wind Turbines via Current-Modulated Signals. *Gong, X.*, +, *TIE Aug. 2013 3419-3428*
- Sine-Wave Amplitude-Modulation Concept for Linear Behavior of Phase-Modulated Resonant Converters. *Ferreira, C. A. F.*, +, *TIE May 2013 2074-2083*
- Analog circuits**
- Diagnostics and Prognostics Method for Analog Electronic Circuits. *Sai Sarathi Vasan, A.*, +, *TIE Nov. 2013 5277-5291*
- Analog-digital conversion**
- Distributed Control of a Fault-Tolerant Modular Multilevel Inverter for Direct-Drive Wind Turbine Grid Interfacing. *Parker, M. A.*, +, *TIE Feb. 2013 509-522*
- Vector-Quantized Space-Vector-Based Spread Spectrum Modulation Scheme for Multilevel Inverters Using the Principle of Oversampling ADC. *Jacob, B.*, +, *TIE Aug. 2013 2969-2977*
- Angular measurement**
- Principles, Design, and Calibration for a Genre of Irradiation Angle Sensors. *Liu, G.*, +, *TIE Jan. 2013 210-216*
- Angular velocity control**
- A Cascade MPC Control Structure for a PMSM With Speed Ripple Minimization. *Chai, S.*, +, *TIE Aug. 2013 2978-2987*
- AC Drive Observability Analysis. *Vaclavek, P.*, +, *TIE Aug. 2013 3047-3059*
- Analysis and Enhancement of Low-Voltage Ride-Through Capability of Brushless Doubly Fed Induction Generator. *Tohidi, S.*, +, *TIE March 2013 1146-1155*
- Comprehensive Evaluation of the Dynamic Performance of a 6/10 SRM for Traction Application in PHEVs. *Bilgin, B.*, +, *TIE July 2013 2564-2575*
- Design and Implementation of an Online Tuning Adaptive Controller for Synchronous Reluctance Motor Drives. *Wei, M.-Y.*, +, *TIE Sept. 2013 3644-3657*
- Discrete-Time Fuzzy Speed Regulator Design for PM Synchronous Motor. *Choi, H. H.*, +, *TIE Feb. 2013 600-607*
- FPGA-Based Predictive Sliding Mode Controller of a Three-Phase Inverter. *Curkovic, M.*, +, *TIE Feb. 2013 637-644*
- Generalized Vector Control for Brushless Doubly Fed Machines With Nested-Loop Rotor. *Barati, F.*, +, *TIE June 2013 2477-2485*
- High-Power-Factor Single-Phase Diode Rectifier Driven by Repetitively Controlled IPM Motor. *Inazuma, K.*, +, *TIE Oct. 2013 4427-4437*
- New Overall Power Control Strategy for Variable-Speed Fixed-Pitch Wind Turbines Within the Whole Wind Velocity Range. *Chen, J.*, +, *TIE July 2013 2652-2660*
- Speed Estimation and Nonmatched Time-Varying Parameter Identification for a DC Motor With Hybrid Sliding-Mode Observer. *Zhou, Y.*, +, *TIE Dec. 2013 5539-5549*
- Speed Sensorless Induction Motor Drive With Predictive Current Controller. *Guzinski, J.*, +, *TIE Feb. 2013 699-709*
- Anodes**
- High Voltage-Boosting Converters Based on Bootstrap Capacitors and Boost Inductors. *Hwu, K. L.*, +, *TIE June 2013 2178-2193*
- Application specific integrated circuits**
- Efficient Elliptic Curve Point Multiplication Using Digit-Serial Binary Field Operations. *Sutter, G. D.*, +, *TIE Jan. 2013 217-225*
- Efficient Fault Diagnosis Schemes for Reliable Lightweight Cryptographic ISO/IEC Standard CLEFIA Benchmarked on ASIC and FPGA. *Mozaffari-Kermani, M.*, +, *TIE Dec. 2013 5925-5932*
- Low-Power ASIC for Microwatt Electrostatic Energy Harvesters. *Kemplitiya, A.*, +, *TIE Dec. 2013 5639-5647*
- Approximation theory**
- A Simple Approach to Detect ZVT and Determine Its Time of Occurrence for PWM Converters. *Russi, J. L.*, +, *TIE July 2013 2576-2585*
- Analytical Optimization of Solid-Round-Wire Windings. *Wojda, R. P.*, +, *TIE March 2013 1033-1041*
- Precise Positioning of Nonsmooth Dynamic Systems Using Fuzzy Wavelet Echo State Networks and Dynamic Surface Sliding Mode Control. *Han, S. I.*, +, *TIE Nov. 2013 5124-5136*
- Reduced-Order Model and Stability Analysis of Low-Voltage DC Microgrid. *Anand, S.*, +, *TIE Nov. 2013 5040-5049*
- Robust LQR Attitude Control of a 3-DOF Laboratory Helicopter for Aggressive Maneuvers. *Liu, H.*, +, *TIE Oct. 2013 4627-4636*
- Arc welding**
- An Adaptive Time-Efficient Technique for Harmonic Estimation of Nonstationary Signals. *Jain, S. K.*, +, *TIE Aug. 2013 3295-3303*
- Array signal processing**
- An Array of Coherent Sources Based on Novel Dual-Loop PLL Infrastructure. *Tang, C.*, +, *TIE Nov. 2013 5337-5347*
- Theoretical and Practical Solutions for High-Order Superdirectivity of Circular Sensor Arrays. *Ma, Y.*, +, *TIE Jan. 2013 203-209*
- Artificial intelligence**
- Detection and Diagnosis of Faults in Induction Motor Using an Improved Artificial Ant Clustering Technique. *Soualhi, A.*, +, *TIE Sept. 2013 4053-4062*
- Asymptotic stability**
- Adaptive Sliding-Mode Control for Nonlinear Active Suspension Vehicle Systems Using T-S Fuzzy Approach. *Li, H.*, +, *TIE Aug. 2013 3328-3338*
- An Adaptive Voltage Control Strategy of Three-Phase Inverter for Stand-Alone Distributed Generation Systems. *Do, T. D.*, +, *TIE Dec. 2013 5660-5672*
- Decentralized Control of Compartmental Networks With H_∞ Tracking Performance. *Li, P.*, +, *TIE Feb. 2013 546-553*
- Discrete-Time Fuzzy Speed Regulator Design for PM Synchronous Motor. *Choi, H. H.*, +, *TIE Feb. 2013 600-607*
- Networked Control With State Reset and Quantized Measurements: Observer-Based Case. *Lu, R.*, +, *TIE Nov. 2013 5206-5213*
- Wheel Slip Control of EVs Based on Sliding Mode Technique With Conditional Integrators. *de Castro, R.*, +, *TIE Aug. 2013 3256-3271*
- Asynchronous generators**
- A Twofold Daubechies-Wavelet-Based Module for Fault Detection and Voltage Regulation in SEIGs for Distributed Wind Power Generation. *Iyer, K. L. V.*, +, *TIE April 2013 1638-1651*
- Active Voltage and Frequency Regulator Design for a Wind-Driven Induction Generator to Alleviate Transient Impacts on Power Grid. *Chen, W.-L.*, +, *TIE Aug. 2013 3165-3175*
- An LVRT Control Strategy Based on Flux Linkage Tracking for DFIG-Based WECS. *Xiao, S.*, +, *TIE July 2013 2820-2832*
- Analysis and Enhancement of Low-Voltage Ride-Through Capability of Brushless Doubly Fed Induction Generator. *Tohidi, S.*, +, *TIE March 2013 1146-1155*
- Control Strategies for Augmenting LVRT Capability of DFIGs in Interconnected Power Systems. *Hossain, M. J.*, +, *TIE June 2013 2510-2522*
- Coordinated Control of DFIG's RSC and GSC Under Generalized Unbalanced and Distorted Grid Voltage Conditions. *Hu, J.*, +, *TIE July 2013 2808-2819*
- Crowbarless Fault Ride-Through of the Brushless Doubly Fed Induction Generator in a Wind Turbine Under Symmetrical Voltage Dips. *Long, T.*, +, *TIE July 2013 2833-2841*
- Dynamic Control of the Brushless Doubly Fed Induction Generator Under Unbalanced Operation. *Shao, S.*, +, *TIE June 2013 2465-2476*
- Fault Ride-Through Improvement of DFIG-WT by Integrating a Two-Degrees-of-Freedom Internal Model Control. *Campos-Gaona, D.*, +, *TIE March 2013 1133-1145*

Harmonic Compensation With Zero-Sequence Load Voltage Control in a Speed-Sensorless DFIG-Based Stand-Alone VSCF Generating System. *Pattnaik, M.*, +, *TIE Dec. 2013 5506-5514*

LVRT Capability of DFIG-Based WECS Under Asymmetrical Grid Fault Condition. *Geng, H.*, +, *TIE June 2013 2495-2509*

Maximum Output Power Tracking Control in Variable-Speed Wind Turbine Systems Considering Rotor Inertial Power. *Kim, K.-H.*, +, *TIE Aug. 2013 3207-3217*

Overview of Control Systems for the Operation of DFIGs in Wind Energy Applications. *Cardenas, R.*, +, *TIE July 2013 2776-2798*

Performance Investigation of Isolated Wind-Diesel Hybrid Power Systems With WECS Having PMIG. *Sharma, P.*, +, *TIE April 2013 1630-1637*

Stability Enhancement of a Power System With a PMSG-Based and a DFIG-Based Offshore Wind Farm Using a SVC With an Adaptive-Network-Based Fuzzy Inference System. *Wang, L.*, +, *TIE July 2013 2799-2807*

StatCom control at wind farms with fixed-speed induction generators under asymmetrical grid faults. *Wessels, C.*, +, *TIE July 2013 2864-2873*

Wind Energy System With Integrated Functions of Active Power Transfer, Reactive Power Compensation, and Voltage Conversion. *She, X.*, +, *TIE Oct. 2013 4512-4524*

Wound-Rotor Induction Generator Inter-Turn Short-Circuits Diagnosis Using a New Digital Neural Network. *Toma, S.*, +, *TIE Sept. 2013 4043-4052*

Asynchronous machines

A Case Study on the Application of the Nyquist Stability Criterion as Applied to Interconnected Loads and Sources on Grids. *Turner, R.*, +, *TIE July 2013 2740-2749*

Advanced Diagnosis of Electrical Faults in Wound-Rotor Induction Machines. *Gritli, Y.*, +, *TIE Sept. 2013 4012-4024*

An Observer for Sensorless DFIM Drives Based on the Natural Fifth Harmonic of the Line Voltage, Without Stator Current Measurement. *Castelli-Dezza, F.*, +, *TIE Oct. 2013 4301-4309*

Design of Neutral-Point Voltage Controller of a Three-Level NPC Inverter With Small DC-Link Capacitors. *Maheshwari, R.*, +, *TIE May 2013 1861-1871*

Generalized Vector Control for Brushless Doubly Fed Machines With Nested-Loop Rotor. *Barati, F.*, +, *TIE June 2013 2477-2485*

Predictive Torque and Flux Control Without Weighting Factors. *Rojas, C. A.*, +, *TIE Feb. 2013 681-690*

Sensorless Direct Slip Position Estimator of a DFIM Based on the Air Gap pq Vector—Sensitivity Study. *Marques, G. D.*, +, *TIE June 2013 2442-2450*

Validation of a Faulted Rotor Induction Machine Model With an Insightful Geometrical Interpretation of Physical Quantities. *Concari, C.*, +, *TIE Sept. 2013 4074-4083*

Attitude control

Comments on “Quasi-Continuous Higher Order Sliding-Mode Controllers for Spacecraft-Attitude-Tracking Maneuvers”. *Ma, K.*, +, *TIE July 2013 2771-2773*

Robust LQR Attitude Control of a 3-DOF Laboratory Helicopter for Aggressive Maneuvers. *Liu, H.*, +, *TIE Oct. 2013 4627-4636*

Saturated Adaptive Robust Control for Active Suspension Systems. *Sun, W.*, +, *TIE Sept. 2013 3889-3896*

Total Design of an FPGA-Based Brain-Computer Interface Control Hospital Bed Nursing System. *Shyu, K.-K.*, +, *TIE July 2013 2731-2739*

Authorization

Security Analysis and Improvement of a Secure and Distributed Reprogramming Protocol for Wireless Sensor Networks. *He, D.*, +, *TIE Nov. 2013 5348-5354*

Automobiles

A New Intelligent Fuzzy Controller for Nonlinear Hysteretic Electronic Throttle in Modern Intelligent Automobiles. *Wang, C.-H.*, +, *TIE June 2013 2332-2345*

Frame Packing for Minimizing the Bandwidth Consumption of the FlexRay Static Segment. *Kang, M.*, +, *TIE Sept. 2013 4001-4008*

Automotive components

A New Framework of Simultaneous-Fault Diagnosis Using Pairwise Probabilistic Multi-Label Classification for Time-Dependent Patterns. *Vong, C.-M.*, +, *TIE Aug. 2013 3372-3385*

Using Only the DC Current Information to Detect Stator Turn Faults in Automotive Claw-Pole Generators. *Cheng, S.*, +, *TIE Aug. 2013 3462-3471*

Automotive electronics

HV-CMOS Design and Characterization of a Smart Rotor Coil Driver for Automotive Alternators. *Saponara, S.*, +, *TIE June 2013 2309-2317*

Implementation of EKF for Vehicle Velocities Estimation on FPGA. *Guo, H.*, +, *TIE Sept. 2013 3823-3835*

Autonomous aerial vehicles

Distributed Cohesive Motion Control of Flight Vehicle Formations. *Bayazit, I.*, +, *TIE Dec. 2013 5763-5772*

Robust LQR Attitude Control of a 3-DOF Laboratory Helicopter for Aggressive Maneuvers. *Liu, H.*, +, *TIE Oct. 2013 4627-4636*

Autoregressive processes

A Calibration Test Platform of Power Quality Instruments for Grid Integration of Wind Energy System. *Chen, C.*, +, *TIE July 2013 2874-2880*

Autotransformers

Effect of Voltage Transformation Ratio on the Kilovoltampere Rating of Delta-Connected Autotransformer for 12-Pulse Rectifier System. *Meng, F.*, +, *TIE Sept. 2013 3579-3588*

Avalanche photodiodes

Power Management With a Low-Ripple High-Conversion-Ratio 80-V Output Voltage Boost Converter for Avalanche Photodiode System. *Yang, Y.-Y.*, +, *TIE July 2013 2627-2637*

Axles

Steering the Last Trailer as a Virtual Tractor for Reversing Vehicles With Passive On- and Off-Axle Hitches. *Morales, J.*, +, *TIE Dec. 2013 5729-5736*

B

Backpropagation

A New Intelligent Fuzzy Controller for Nonlinear Hysteretic Electronic Throttle in Modern Intelligent Automobiles. *Wang, C.-H.*, +, *TIE June 2013 2332-2345*

Ball bearings

Bearing Fault Model for Induction Motor With Externally Induced Vibration. *Immovilli, F.*, +, *TIE Aug. 2013 3408-3418*

Ball screws

Initial Friction Compensation Using Rheology-Based Rolling Friction Model in Fast and Precise Positioning. *Maeda, Y.*, +, *TIE Sept. 2013 3865-3876*

Bandwidth allocation

Frame Packing for Minimizing the Bandwidth Consumption of the FlexRay Static Segment. *Kang, M.*, +, *TIE Sept. 2013 4001-4008*

Bars

Optimal Design, Fabrication, and Control of an XY Micropositioning Stage Driven by Electromagnetic Actuators. *Xiao, S.*, +, *TIE Oct. 2013 4613-4626*

Battery chargers

A Magnetically Coupled Feedback-Clamped Optimal Bidirectional Battery Charger. *Singh, R. K.*, +, *TIE Feb. 2013 422-432*

Battery Charger for Electric Vehicle Traction Battery Switch Station. *Kuperman, A.*, +, *TIE Dec. 2013 5391-5399*

Grid-Connected Integrated Battery Chargers in Vehicle Applications: Review and New Solution. *Hagbini, S.*, +, *TIE Feb. 2013 459-473*

Single- and Three-Phase PHEV Onboard Battery Charger Using Small Link Capacitor. *Yoo, K.-M.*, +, *TIE Aug. 2013 3136-3144*

Single-Switch Multioutput Charger Using Voltage Multiplier for Series-Connected Lithium-Ion Battery/Supercapacitor Equalization. *Uno, M.*, +, *TIE Aug. 2013 3227-3239*

Battery management systems

Multiobjective Intelligent Energy Management for a Microgrid. *Chaouachi, A.*, +, *TIE April 2013 1688-1699*

Battery powered vehicles

AC/DC/DC Interfaces for V2G Applications—EMC Issues. *Smolenski, R.*, +, *TIE March 2013 930-935*

Battery Charger for Electric Vehicle Traction Battery Switch Station. *Kuperman, A.*, +, *TIE Dec. 2013 5391-5399*

Grid-Connected Integrated Battery Chargers in Vehicle Applications: Review and New Solution. *Hagbini, S.*, +, *TIE Feb. 2013 459-473*

Impact of Traffic Conditions on the Active Suspension Energy Regeneration in Hybrid Electric Vehicles. *Montazeri-Gh, M.*, +, *TIE Oct. 2013 4546-4553*

Single- and Three-Phase PHEV Onboard Battery Charger Using Small Link Capacitor. *Yoo, K.-M.*, +, *TIE Aug. 2013 3136-3144*

Using Only the DC Current Information to Detect Stator Turn Faults in Automotive Claw-Pole Generators. *Cheng, S.*, +, *TIE Aug. 2013 3462-3471*

Bayes methods

Solder Paste Scooping Detection by Multilevel Visual Inspection of Printed Circuit Boards. *Benedek, C.*, +, *TIE June 2013 2318-2331*

Beams (structures)

A Two-Loop Performance-Oriented Tip-Tracking Control of a Linear-Motor-Driven Flexible Beam System With Experiments. *Lu, L.*, +, *TIE March 2013 1011-1022*

Boundary Output-Feedback Stabilization of a Timoshenko Beam Using Disturbance Observer. *He, W.*, +, *TIE Nov. 2013 5186-5194*

T-S Fuzzy Model-Based Adaptive Dynamic Surface Control for Ball and Beam System. *Chang, Y.-H.*, +, *TIE June 2013 2251-2263*

Belief networks

Bayesian-Network-Based Reliability Analysis of PLC Systems. *Jiang, Y.*, +, *TIE Nov. 2013 5325-5336*

Benchmark testing

Modular Multilevel Converter With Different Submodule Concepts—Part II: Experimental Validation and Comparison for HVDC Application. *Solas, E.*, +, *TIE Oct. 2013 4536-4545*

Bending

A High-Power Linear Ultrasonic Motor Using Bending Vibration Transducer. *Liu, Y.*, +, *TIE Nov. 2013 5160-5166*

Optimal Design, Fabrication, and Control of an *XY* Micropositioning Stage Driven by Electromagnetic Actuators. *Xiao, S.*, +, *TIE Oct. 2013 4613-4626*

Bifurcation

Chaotic Dynamics Characteristic Analysis for Matrix Converter. *Xia, C.*, +, *TIE Jan. 2013 78-87*

Detecting Bifurcation Types and Characterizing Stability in DC–DC Switching Converters by Duplicate Symbolic Sequence and Weight Complexity. *Xie, F.*, +, *TIE Aug. 2013 3145-3156*

Binary codes

Binary Coding SVMs for the Multiclass Problem of Blast Furnace System. *Jian, L.*, +, *TIE Sept. 2013 3846-3856*

Bioacoustics

Multicomponent Signal Analysis Based on Polynomial Chirplet Transform. *Yang, Y.*, +, *TIE Sept. 2013 3948-3956*

Biocontrol

Flexible Autonomous Behaviors of Kinesin and Muscle Myosin Bio-Nanorobots. *Khataee, H. R.*, +, *TIE Nov. 2013 5116-5123*

Biological tissues

Gain-Scheduling Control of Teleoperation Systems Interacting With Soft Tissues. *Cho, J. H.*, +, *TIE March 2013 946-957*

Biology computing

Flexible Autonomous Behaviors of Kinesin and Muscle Myosin Bio-Nanorobots. *Khataee, H. R.*, +, *TIE Nov. 2013 5116-5123*

Biomedical equipment

Industrial Application of Evolvable Block-Based Neural Network to Hypoglycemia Monitoring System. *San, P. P.*, +, *TIE Dec. 2013 5892-5901*

Bipolar transistors

Reliability Analysis Framework for Structural Redundancy in Power Semiconductors. *Behjati, H.*, +, *TIE Oct. 2013 4376-4386*

Blast furnaces

Binary Coding SVMs for the Multiclass Problem of Blast Furnace System. *Jian, L.*, +, *TIE Sept. 2013 3846-3856*

Bootstrap circuits

High Voltage-Boosting Converters Based on Bootstrap Capacitors and Boost Inductors. *Hwu, K. I.*, +, *TIE June 2013 2178-2193*

Boundary conditions

Erratum to “Analytical Magnetic Field and Driving Force Models Based on Measured Boundary Conditions for Industrial Coriolis Mass Flowmeters” [Dec12 4753-4760]. *Wang, L.-J.*, +, *TIE July 2013 2771*

Brain-computer interfaces

Total Design of an FPGA-Based Brain–Computer Interface Control Hospital Bed Nursing System. *Shyu, K.-K.*, +, *TIE July 2013 2731-2739*

Braking

Controlled Dynamic Braking for Switched Reluctance Motor Drives With a Rectifier Front End. *Yang, S.-M.*, +, *TIE Nov. 2013 4913-4919*

Bridge circuits

A Cascade Multilevel Frequency Changing Converter for High-Power Applications. *Soto-Sanchez, D. E.*, +, *TIE June 2013 2118-2130*

A Three-Phase Single-Stage AC–DC PWM Buck-Type Full-Bridge Converter: Analysis, Design, and Characteristics. *Wijeratne, D. S.*, +, *TIE Oct. 2013 4201-4214*

Analysis and Design of Phase-Shifted Dual H-Bridge Converter With a Wide ZVS Range and Reduced Output Filter. *Lee, I.-O.*, +, *TIE Oct. 2013 4415-4426*

Harmonic Distortion Optimization of Cascaded H-Bridge Inverters Considering Device Voltage Drops and Noninteger DC Voltage Ratios. *Diong, B.*, +, *TIE Aug. 2013 3106-3114*

Hybrid Seven-Level Cascaded Active Neutral-Point-Clamped-Based Multilevel Converter Under SHE-PWM. *Pulikanti, S. R.*, +, *TIE Nov. 2013 4794-4804*

Performance of Homopolar Inductor Alternator With Diode-Bridge Rectifier and Capacitive Load. *Ren, Z.*, +, *TIE Nov. 2013 4891-4902*

Phase-Disposition PWM Implementation for a Hybrid Multicell Converter. *Lezana, P.*, +, *TIE May 2013 1936-1942*

Brushless DC motors

A Driver for the Single-Phase Brushless DC Fan Motor With Hybrid Winding Structure. *Chen, Y.-T.*, +, *TIE Oct. 2013 4369-4375*

An Overview of Efficiency and Loss Characterization of Fractional Horsepower Motors. *Agamloh, E. B.*, +, *TIE Aug. 2013 3072-3080*

Implementation of Finite-State Model Predictive Control for Commutation Torque Ripple Minimization of Permanent-Magnet Brushless DC Motor. *Xia, C.*, +, *TIE March 2013 896-905*

New Method to Eliminate Commutation Torque Ripple of Brushless DC Motor With Minimum Commutation Time. *Shi, J.*, +, *TIE June 2013 2139-2146*

On Low-Velocity Compensation of Brushless DC Servo in the Absence of Friction Model. *Sun, M.*, +, *TIE Sept. 2013 3897-3905*

Suppressing Bearing Voltage in an Inverter-Fed Ungrounded Brushless DC Motor. *Maetani, T.*, +, *TIE Nov. 2013 4861-4868*

Brushless machines

Analysis and Enhancement of Low-Voltage Ride-Through Capability of Brushless Doubly Fed Induction Generator. *Tohidi, S.*, +, *TIE March 2013 1146-1155*

Crowbarless Fault Ride-Through of the Brushless Doubly Fed Induction Generator in a Wind Turbine Under Symmetrical Voltage Dips. *Long, T.*, +, *TIE July 2013 2833-2841*

Dynamic Control of the Brushless Doubly Fed Induction Generator Under Unbalanced Operation. *Shao, S.*, +, *TIE June 2013 2465-2476*

FPGA-Based Predictive Sliding Mode Controller of a Three-Phase Inverter. *Curkovic, M.*, +, *TIE Feb. 2013 637-644*

Overview of Control Systems for the Operation of DFIGs in Wind Energy Applications. *Cardenas, R.*, +, *TIE July 2013 2776-2798*

Remedial Injected-Harmonic-Current Operation of Redundant Flux-Switching Permanent-Magnet Motor Drives. *Zhao, W.*, +, *TIE Jan. 2013 151-159*

Building integrated photovoltaics

Building Integrated Photovoltaic System With Energy Storage and Smart Grid Communication. *Sechilariu, M.*, +, *TIE April 2013 1607-1618*

Building management systems

Multiphysics Test Bed for Renewable Energy Systems in Smart Homes. *Molitor, C.*, +, *TIE March 2013 1235-1248*

Buildings (structures)

Allocation of Actuators and Sensors for Coupled-Adjacent-Building Vibration Attenuation. *Gao, H.*, +, *TIE Dec. 2013 5792-5801*

C**Calibration**

A Calibration Test Platform of Power Quality Instruments for Grid Integration of Wind Energy System. *Chen, C.*, +, *TIE July 2013 2874-2880*

Accuracy- and Simplicity-Oriented Self-Calibration Approach for Two-Dimensional Precision Stages. *Zhu, Y.*, +, *TIE June 2013 2264-2272*

An Array of Coherent Sources Based on Novel Dual-Loop PLL Infrastructure. *Tang, C.*, +, *TIE Nov. 2013 5337-5347*

Principles, Design, and Calibration for a Genre of Irradiation Angle Sensors. *Liu, G.*, +, *TIE Jan. 2013 210-216*

Real-Time Nonlinear Parameter Estimation Using the Levenberg–Marquardt Algorithm on Field Programmable Gate Arrays. *Shawash, J.*, +, *TIE Jan. 2013 170-176*

Cameras

An Accurate and Robust Strip-Edge-Based Structured Light Means for Shiny Surface Micromasurement in 3-D. *Song, Z.*, +, *TIE March 2013 1023-1032*

Real-Time Nonlinear Parameter Estimation Using the Levenberg–Marquardt Algorithm on Field Programmable Gate Arrays. *Shawash, J.*, +, *TIE Jan. 2013 170-176*

Cantilevers

Flow Energy Harvesting Using Piezoelectric Cantilevers With Cylindrical Extension. *Gao, X.*, +, *TIE March 2013 1116-1118*

Capacitance

A Simple Approach to Detect ZVT and Determine Its Time of Occurrence for PWM Converters. *Russi, J. L.*, +, *TIE July 2013 2576-2585*

Capacitors

A Simple Approach to Detect ZVT and Determine Its Time of Occurrence for PWM Converters. *Russi, J. L.*, +, *TIE July 2013 2576-2585*

A Simplified Power Conditioner Based on Half-Bridge Converter for High-Speed Railway System. *Ma, F.*, +, *TIE Feb. 2013 728-738*

All-pMOS 50-V Charge Pumps Using Low-Voltage Capacitors. *Emira, A.*, +, *TIE Oct. 2013 4683-4693*

Capacitor Voltage Regulation in Single-DC-Source Cascaded H-Bridge Multilevel Converters Using Phase-Shift Modulation. *Sepahvand, H.*, +, *TIE Sept. 2013 3619-3626*

Design of Neutral-Point Voltage Controller of a Three-Level NPC Inverter With Small DC-Link Capacitors. *Maheshwari, R.*, +, *TIE May 2013 1861-1871*

High Voltage-Boosting Converters Based on Bootstrap Capacitors and Boost Inductors. *Hwu, K. I.*, +, *TIE June 2013 2178-2193*

Modeling and Control of Quasi-Z-Source Inverter for Distributed Generation Applications. *Li, Y.*, +, *TIE April 2013 1532-1541*

Modular Multilevel Converter With Different Submodule Concepts—Part I: Capacitor Voltage Balancing Method. *Solas, E.*, +, *TIE Oct. 2013 4525-4535*

Novel Isolated High-Step-Up DC–DC Converter With Voltage Lift. *Liang, T.-J.*, +, *TIE April 2013 1483-1491*

Phase-Shift Interleaving Control of Variable-Phase Switched-Capacitor Converters. *Kiratipongvoot, S.*, +, *TIE Dec. 2013 5575-5584*

Transistor-Clamped H-Bridge Based Cascaded Multilevel Inverter With New Method of Capacitor Voltage Balancing. *Rahim, N. A.*, +, *TIE Aug. 2013 2943-2956*

Carbon nanotubes

Tunable Ultracapacitor. *Bakhoun, E. G.*, +, *TIE Dec. 2013 5613-5619*

Casting

SA-ANN-Based Slag Carry-Over Detection Method and the Embedded WME Platform. *Tan, D.-P.*, +, *TIE Oct. 2013 4702-4713*

Cathodes

Equivalent Circuit Modeling of PEM Fuel Cell Degradation Combined With a LFRC. *Kim, J.*, +, *TIE Nov. 2013 5086-5094*

Cells (electric)

A Power Electronics Equalizer Application for Partially Shaded Photovoltaic Modules. *Lavado Villa, L. F.*, +, *TIE March 2013 1179-1190*

On an Auxiliary Power Unit With Emergency AC Power Output and Its Robust Controls. *Hu, K.-W.*, +, *TIE Oct. 2013 4387-4402*

Cellular transport

Flexible Autonomous Behaviors of Kinesin and Muscle Myosin Bio-Nanorobots. *Khataee, H. R.*, +, *TIE Nov. 2013 5116-5123*

Cerebellar model arithmetic computers

Development of a Recurrent Fuzzy CMAC With Adjustable Input Space Quantization and Self-Tuning Learning Rate for Control of a Dual-Axis Piezoelectric Actuated Micromotion Stage. *Wen, C.-M.*, +, *TIE Nov. 2013 5105-5115*

Charge pump circuits

All-pMOS 50-V Charge Pumps Using Low-Voltage Capacitors. *Emira, A.*, +, *TIE Oct. 2013 4683-4693*

Chemical reactors

Sensor-Fault-Tolerant Control for a Class of Linear Parameter Varying Systems With Practical Examples. *Abdullah, A.*, +, *TIE Nov. 2013 5239-5251*

Choppers (circuits)

Proposal of Three-Phase High-Frequency Transformer Isolation UPS Topologies for Distributed Generation Applications. *Branco, C. G. C.*, +, *TIE April 2013 1520-1531*

Circuit breakers

Hierarchical Fault Diagnosis for Power Systems Based on Equivalent-Input-Disturbance Approach. *Hu, B.*, +, *TIE Aug. 2013 3529-3538*

Network Interactions and Performance of a Multifunction IEC 61850 Process Bus. *Ingram, D. M. E.*, +, *TIE Dec. 2013 5933-5942*

SSPC Active Control Strategy by Optimal Trajectory of the Current for On-board System Applications. *Izquierdo, D.*, +, *TIE Nov. 2013 5195-5205*

Circuit optimization

An Optimizable Circuit Structure for High-Efficiency Wireless Power Transfer. *Chen, L.*, +, *TIE Jan. 2013 339-349*

Circuit reliability

Diagnostics and Prognostics Method for Analog Electronic Circuits. *Sai Sarathi Vasan, A.*, +, *TIE Nov. 2013 5277-5291*

Distributed Digital Control of Modular-Based Solid-State Transformer Using DSP+FPGA. *Hwang, S.-H.*, +, *TIE Feb. 2013 670-680*

Circulators

Parallel Operation of Full Power Converters in Permanent-Magnet Direct-Drive Wind Power Generation System. *Li, R.*, +, *TIE April 2013 1619-1629*

Clamps

A Magnetically Coupled Feedback-Clamped Optimal Bidirectional Battery Charger. *Singh, R. K.*, +, *TIE Feb. 2013 422-432*

A Saturation-Based Tuning Method for Fuzzy PID Controller. *Duan, X.-G.*, +, *TIE Nov. 2013 5177-5185*

A Two-Loop Performance-Oriented Tip-Tracking Control of a Linear-Motor-Driven Flexible Beam System With Experiments. *Lu, L.*, +, *TIE March 2013 1011-1022*

A ZVS-PWM Three-Phase Current-Fed Push–Pull DC–DC Converter. *Andersen, R. L.*, +, *TIE March 2013 838-847*

Experimental Investigation on the Effect of Advanced Bus-Clamping Pulsewidth Modulation on Motor Acoustic Noise. *Binojumar, A. C.*, +, *TIE Feb. 2013 433-439*

Client-server systems

An Integrated Power Consumption Model for Distributed Systems. *Enokido, T.*, +, *TIE Feb. 2013 824-836*

Climate mitigation

Global Energy Scenario and Impact of Power Electronics in 21st Century. *Bose, B. K.*, +, *TIE July 2013 2638-2651*

Clocks

All-pMOS 50-V Charge Pumps Using Low-Voltage Capacitors. *Emira, A.*, +, *TIE Oct. 2013 4683-4693*

Control loop systems

A Case Study on the Application of the Nyquist Stability Criterion as Applied to Interconnected Loads and Sources on Grids. *Turner, R.*, +, *TIE July 2013 2740-2749*

A New Intelligent Fuzzy Controller for Nonlinear Hysteretic Electronic Throttle in Modern Intelligent Automobiles. *Wang, C.-H.*, +, *TIE June 2013 2332-2345*

Active Power Filter Control Strategy With Implicit Closed-Loop Current Control and Resonant Controller. *Angulo, M.*, +, *TIE July 2013 2721-2730*

Decentralized Control of Compartmental Networks With H_∞ Tracking Performance. *Li, P.*, +, *TIE Feb. 2013 546-553*

Decoupled dq -Current Control of Grid-Tied Voltage Source Converters Using Nonparametric Models. *Bahrani, B.*, +, *TIE April 2013 1356-1366*

Fractional-Order $PI^\lambda D^\mu$ and Active Disturbance Rejection Control of Nonlinear Two-Mass Drive System. *Erenturk, K.*, +, *TIE Sept. 2013 3806-3813*

Frequency-Domain Analysis of Nonlinear Active Disturbance Rejection Control via the Describing Function Method. *Wu, D.*, +, *TIE Sept. 2013 3906-3914*

Generalized Vector Control for Brushless Doubly Fed Machines With Nested-Loop Rotor. *Barati, F.*, +, *TIE June 2013 2477-2485*

Hybrid Voltage and Current Control Approach for DG-Grid Interfacing Converters With LCL filters. *He, J.*, +, *TIE May 2013 1797-1809*

Modeling and Control of Quasi-Z-Source Inverter for Distributed Generation Applications. *Li, Y.*, +, *TIE April 2013 1532-1541*

Networked Control With State Reset and Quantized Measurements: Observer-Based Case. *Lu, R.*, +, *TIE Nov. 2013 5206-5213*

Networked Predictive Control of Uncertain Systems With Multiple Feedback Channels. *Song, H.*, +, *TIE Nov. 2013 5228-5238*

Online Closed-Loop Autotuning Digital Controller for Switching Power Converters. *Abu Qahouq, J. A.*, +, *TIE May 2013 1747-1758*

Open- and Short-Circuit Switch Fault Diagnosis for Nonisolated DC–DC Converters Using Field Programmable Gate Array. *Shahbazi, M.*, +, *TIE Sept. 2013 4136-4146*

Phase Current Reconstruction Using a Single Current Sensor of Three-Phase AC Motors Fed by SVM-Controlled Direct Matrix Converters. *Metidji, B.*, +, *TIE Dec. 2013 5497-5505*

Precise Positioning of Nonsmooth Dynamic Systems Using Fuzzy Wavelet Echo State Networks and Dynamic Surface Sliding Mode Control. *Han, S. I.*, +, *TIE Nov. 2013 5124-5136*

PWM-Based Adaptive Sliding-Mode Control for Boost DC–DC Converters. *Oucheriah, S.*, +, *TIE Aug. 2013 3291-3294*

Robust Disturbance Observer for Two-Inertia System. *Yun, J. N.*, +, *TIE July 2013 2700-2710*

- Robust LQR Attitude Control of a 3-DOF Laboratory Helicopter for Aggressive Maneuvers. *Liu, H.*, +, *TIE Oct. 2013 4627-4636*
- Sensorless Predictive DTC of a Surface-Mounted Permanent-Magnet Synchronous Machine Based on Its Magnetic Anisotropy. *Morales-Caporal, R.*, +, *TIE Aug. 2013 3016-3024*
- Speed Sensorless Induction Motor Drive With Predictive Current Controller. *Guzinski, J.*, +, *TIE Feb. 2013 699-709*
- Stability Guaranteed Time-Delay Control of Manipulators Using Nonlinear Damping and Terminal Sliding Mode. *Jin, Y.*, +, *TIE Aug. 2013 3304-3317*
- T-S Fuzzy Model-Based Adaptive Dynamic Surface Control for Ball and Beam System. *Chang, Y.-H.*, +, *TIE June 2013 2251-2263*
- Cloud computing**
- Cloud-Based Networked Visual Servo Control. *Wu, H.*, +, *TIE Feb. 2013 554-566*
- CMOS integrated circuits**
- All-pMOS 50-V Charge Pumps Using Low-Voltage Capacitors. *Emira, A.*, +, *TIE Oct. 2013 4683-4693*
- An Integrated Lighting Unit With Regulated Pulse Current Driving Technique. *Lin, M.-S.*, +, *TIE Oct. 2013 4694-4701*
- Design and Performance Analysis of a 866-MHz Low-Power Optimized CMOS LNA for UHF RFID. *Li, J.*, +, *TIE May 2013 1840-1849*
- HV-CMOS Design and Characterization of a Smart Rotor Coil Driver for Automotive Alternators. *Saponara, S.*, +, *TIE June 2013 2309-2317*
- PLL-Based Contactless Energy Transfer Analog FSK Demodulator Using High-Efficiency Rectifier. *Hwang, Y.-S.*, +, *TIE Jan. 2013 280-290*
- Cognition**
- A Situation Retrieval Model for Cognitive Decision Support in Digital Business Ecosystems. *Lu, J.*, +, *TIE March 2013 1059-1069*
- Cognitive systems**
- A Situation Retrieval Model for Cognitive Decision Support in Digital Business Ecosystems. *Lu, J.*, +, *TIE March 2013 1059-1069*
- Coils**
- An Optimizable Circuit Structure for High-Efficiency Wireless Power Transfer. *Chen, L.*, +, *TIE Jan. 2013 339-349*
- Computational Modeling of Two Partly Coupled Coils Supplied by a Double Half-Bridge Resonant Inverter for Induction Heating Appliances. *Carretero, C.*, +, *TIE Aug. 2013 3092-3105*
- Design Methodology for High Efficient Inductive Power Transfer Systems With High Coil Positioning Flexibility. *Kurschner, D.*, +, *TIE Jan. 2013 372-381*
- Effect of Slot-and-Pole Combination on the Leakage Inductance and the Performance of Tooth-Coil Permanent-Magnet Synchronous Machines. *Ponomarev, P.*, +, *TIE Oct. 2013 4310-4317*
- Cold rolling**
- Polynomial-Method-Based Design of Low-Order Controllers for Two-Mass Systems. *Ma, C.*, +, *TIE March 2013 969-978*
- Commutation**
- A Transformerless Series Reactive/Harmonic Compensator for Line-Commutated HVDC for Grid Integration of Offshore Wind Power. *Jafar, M.*, +, *TIE June 2013 2410-2419*
- Improved Double Line Voltage Synthesis Strategies of Matrix Converter for Input/Output Quality Enhancement. *Shi, T.*, +, *TIE Aug. 2013 3034-3046*
- LCC-HVDC Connection of Offshore Wind Farms With Reduced Filter Banks. *Blasco-Gimenez, R.*, +, *TIE June 2013 2372-2380*
- Proposal of Three-Phase High-Frequency Transformer Isolation UPS Topologies for Distributed Generation Applications. *Branco, C. G. C.*, +, *TIE April 2013 1520-1531*
- Commutator motors**
- Implementation of Finite-State Model Predictive Control for Commutation Torque Ripple Minimization of Permanent-Magnet Brushless DC Motor. *Xia, C.*, +, *TIE March 2013 896-905*
- New Method to Eliminate Commutation Torque Ripple of Brushless DC Motor With Minimum Commutation Time. *Shi, J.*, +, *TIE June 2013 2139-2146*
- Compensation**
- A Control Technique for Integration of DG Units to the Electrical Networks. *Pouresmaeil, E.*, +, *TIE July 2013 2881-2893*
- A Modified Three-Phase Four-Wire UPQC Topology With Reduced DC-Link Voltage Rating. *Karanki, +*, *TIE Sept. 2013 3555-3566*
- A Saturation-Based Tuning Method for Fuzzy PID Controller. *Duan, X.-G.*, +, *TIE Nov. 2013 5177-5185*
- An Adaptive Voltage Control Strategy of Three-Phase Inverter for Stand-Alone Distributed Generation Systems. *Do, T. D.*, +, *TIE Dec. 2013 5660-5672*
- An Improved Repetitive Control Scheme for Grid-Connected Inverter With Frequency-Adaptive Capability. *Chen, D.*, +, *TIE Feb. 2013 814-823*
- Analysis and Solution of Current Zero-Crossing Distortion With Unipolar Hysteresis Current Control in Grid-Connected Inverter. *Wu, F.*, +, *TIE Oct. 2013 4450-4457*
- Autonomous Voltage Unbalance Compensation in an Islanded Droop-Controlled Microgrid. *Savaghebi, M.*, +, *TIE April 2013 1390-1402*
- Design-Oriented Analysis and Performance Evaluation of a Low-Cost High-Brightness LED Driver Based on Flyback Power Factor Corrector. *Lamar, D. G.*, +, *TIE July 2013 2614-2626*
- Digitized Feedforward Compensation Method for High-Power-Density Three-Phase Vienna PFC Converter. *Hang, L.*, +, *TIE April 2013 1512-1519*
- DSP-Based Control of Sensorless IPMSM Drives for Wide-Speed-Range Operation. *Wang, G.*, +, *TIE Feb. 2013 720-727*
- Feed-Forward Scheme Considering Bandwidth Limitation of Operational Amplifiers for Envelope Tracking Power Supply Using Series-Connected Composite Configuration. *Xi, H.*, +, *TIE Sept. 2013 3915-3926*
- Improvement of Settling Performance by Mode-Switching Control With Split Initial-Value Compensation Based on Input Shaper. *Maeda, Y.*, +, *TIE March 2013 979-987*
- Initial Friction Compensation Using Rheology-Based Rolling Friction Model in Fast and Precise Positioning. *Maeda, Y.*, +, *TIE Sept. 2013 3865-3876*
- On Low-Velocity Compensation of Brushless DC Servo in the Absence of Friction Model. *Sun, M.*, +, *TIE Sept. 2013 3897-3905*
- Precise Positioning of Nonsmooth Dynamic Systems Using Fuzzy Wavelet Echo State Networks and Dynamic Surface Sliding Mode Control. *Han, S. I.*, +, *TIE Nov. 2013 5124-5136*
- Robust Disturbance Observer for Two-Inertia System. *Yun, J. N.*, +, *TIE July 2013 2700-2710*
- Robust LQR Attitude Control of a 3-DOF Laboratory Helicopter for Aggressive Maneuvers. *Liu, H.*, +, *TIE Oct. 2013 4627-4636*
- Rolling Friction Model-Based Analyses and Compensation for Slow Settling Response in Precise Positioning. *Maeda, Y.*, +, *TIE Dec. 2013 5841-5853*
- Competitive intelligence**
- A Situation Retrieval Model for Cognitive Decision Support in Digital Business Ecosystems. *Lu, J.*, +, *TIE March 2013 1059-1069*
- Compliant mechanisms**
- Optimal Design, Fabrication, and Control of an XY Micropositioning Stage Driven by Electromagnetic Actuators. *Xiao, S.*, +, *TIE Oct. 2013 4613-4626*
- Computational complexity**
- Detecting Bifurcation Types and Characterizing Stability in DC-DC Switching Converters by Duplicate Symbolic Sequence and Weight Complexity. *Xie, F.*, +, *TIE Aug. 2013 3145-3156*
- Computational electromagnetics**
- Calculation of Ventilation Cooling, Three-Dimensional Electromagnetic Fields, and Temperature Fields of the End Region in a Large Water-Hydrogen-Hydrogen-Cooled Turbogenerator. *Weili, L.*, +, *TIE Aug. 2013 3007-3015*
- Computer aided instruction**
- Web-Based 3-D Control Laboratory for Remote Real-Time Experimentation. *Hu, W.*, +, *TIE Oct. 2013 4673-4682*
- Computerized instrumentation**
- Plastic Bearing Fault Diagnosis Based on a Two-Step Data Mining Approach. *He, D.*, +, *TIE Aug. 2013 3429-3440*
- Pretest Gap Mura on TFT LCDs Using the Optical Interference Pattern Sensing Method and Neural Network Classification. *Li, T.-Y.*, +, *TIE Sept. 2013 3976-3982*
- Computerized monitoring**
- Bearing Fault Detection by a Novel Condition-Monitoring Scheme Based on Statistical-Time Features and Neural Networks. *Prieto, M. D.*, +, *TIE Aug. 2013 3398-3407*
- Computerized numerical control**
- Application of Ethernet Powerlink for Communication in a Linux RTAI Open CNC system. *Erwinski, K.*, +, *TIE Feb. 2013 628-636*
- High-Order Terminal Sliding-Mode Observer for Parameter Estimation of a Permanent-Magnet Synchronous Motor. *Feng, Y.*, +, *TIE Oct. 2013 4272-4280*
- Concave programming**
- Thermal Optimization of a High-Power Salient-Pole Electrical Machine. *Bornschlegell, A. S.*, +, *TIE May 2013 1734-1746*

Condition monitoring

- Bearing Fault Detection by a Novel Condition-Monitoring Scheme Based on Statistical-Time Features and Neural Networks. *Prieto, M. D.*, +, *TIE Aug. 2013 3398-3407*
- Detection and Diagnosis of Faults in Induction Motor Using an Improved Artificial Ant Clustering Technique. *Soualhi, A.*, +, *TIE Sept. 2013 4053-4062*
- Fault Diagnosis of DC-Link Capacitors in Three-Phase AC/DC PWM Converters by Online Estimation of Equivalent Series Resistance. *Pu, X.-S.*, +, *TIE Sept. 2013 4118-4127*
- On Condition Maintenance Based on the Impedance Measurement for Traction Batteries: Development and Industrial Implementation. *Munoz-Condes, P.*, +, *TIE July 2013 2750-2759*
- Open-Circuit Fault Diagnosis in PMSG Drives for Wind Turbine Applications. *Freire, N. M. A.*, +, *TIE Sept. 2013 3957-3967*
- Parameter Estimation for Condition Monitoring of PMSM Stator Winding and Rotor Permanent Magnets. *Liu, K.*, +, *TIE Dec. 2013 5902-5913*
- Plastic Bearing Fault Diagnosis Based on a Two-Step Data Mining Approach. *He, D.*, +, *TIE Aug. 2013 3429-3440*
- Real-Time Monitoring for a Five-Level Double-Boost Power Factor Controller Including Postfault Reconfiguration. *Pham, T. T. L.*, +, *TIE Sept. 2013 4128-4135*
- Stator-Current Spectrum Signature of Healthy Cage Rotor Induction Machines. *Joksimovic, G. M.*, +, *TIE Sept. 2013 4025-4033*

Constant current sources

- A Magnetically Coupled Feedback-Clamped Optimal Bidirectional Battery Charger. *Singh, R. K.*, +, *TIE Feb. 2013 422-432*
- A Novel Scheme Suitable for High-Voltage and Large-Capacity Photovoltaic Power Stations. *Zhang, C.*, +, *TIE Sept. 2013 3775-3783*
- Multilevel Current-Source Inverter With FPGA Control. *Aguirre, M. P.*, +, *TIE Jan. 2013 3-10*
- New Method to Achieve AC Harmonic Elimination and Energy Storage Integration for 12-Pulse Diode Rectifiers. *Bai, S.*, +, *TIE July 2013 2547-2554*
- Offshore-Wind-Farm Configuration Using Diode Rectifier With MERS in Current Link Topology. *Kawaguchi, T.*, +, *TIE July 2013 2930-2937*
- Reconfigurable Control Scheme for a PV Microinverter Working in Both Grid-Connected and Island Modes. *Trujillo Rodriguez, C.*, +, *TIE April 2013 1582-1595*

Contactors

- Design, Optimization, and Intelligent Control of Permanent-Magnet Contactor. *Lin, H.*, +, *TIE Nov. 2013 5148-5159*

Contamination

- Detection of Mass Increase in a Fan Impeller With a Frequency Converter. *Tamminen, J.*, +, *TIE Sept. 2013 3968-3975*

Continuous time systems

- A Two-Loop Performance-Oriented Tip-Tracking Control of a Linear-Motor-Driven Flexible Beam System With Experiments. *Lu, L.*, +, *TIE March 2013 1011-1022*

Control engineering computing

- All-on-Chip dq -Frame Based D-STATCOM Control Implementation in a Low-Cost FPGA. *Sepulveda, C. A.*, +, *TIE Feb. 2013 659-669*
- Bayesian-Network-Based Reliability Analysis of PLC Systems. *Jiang, Y.*, +, *TIE Nov. 2013 5325-5336*
- Cloud-Based Networked Visual Servo Control. *Wu, H.*, +, *TIE Feb. 2013 554-566*
- Design of An Advanced Time Delay Measurement and A Smart Adaptive Unequal Interval Grey Predictor for Real-Time Nonlinear Control Systems. *Truong, D. Q.*, +, *TIE Oct. 2013 4574-4589*
- Multiaгент-Based Distributed-Energy-Resource Management for Intelligent Microgrids. *Kumar Nunna, H. S. V. S.*, +, *TIE April 2013 1678-1687*

Control engineering education

- Web-Based 3-D Control Laboratory for Remote Real-Time Experimentation. *Hu, W.*, +, *TIE Oct. 2013 4673-4682*

Control nonlinearities

- Polynomial-Method-Based Design of Low-Order Controllers for Two-Mass Systems. *Ma, C.*, +, *TIE March 2013 969-978*
- Robust LQR Attitude Control of a 3-DOF Laboratory Helicopter for Aggressive Maneuvers. *Liu, H.*, +, *TIE Oct. 2013 4627-4636*

Control system analysis

- Frequency-Domain Analysis of Nonlinear Active Disturbance Rejection Control via the Describing Function Method. *Wu, D.*, +, *TIE Sept. 2013 3906-3914*

Control system synthesis

- A New Intelligent Fuzzy Controller for Nonlinear Hysteretic Electronic Throttle in Modern Intelligent Automobiles. *Wang, C.-H.*, +, *TIE June 2013 2332-2345*
- A Saturation-Based Tuning Method for Fuzzy PID Controller. *Duan, X.-G.*, +, *TIE Nov. 2013 5177-5185*
- A Two-Loop Performance-Oriented Tip-Tracking Control of a Linear-Motor-Driven Flexible Beam System With Experiments. *Lu, L.*, +, *TIE March 2013 1011-1022*
- Active Voltage and Frequency Regulator Design for a Wind-Driven Induction Generator to Alleviate Transient Impacts on Power Grid. *Chen, W.-L.*, +, *TIE Aug. 2013 3165-3175*
- Adaptive Sliding-Mode Control for Nonlinear Active Suspension Vehicle Systems Using T-S Fuzzy Approach. *Li, H.*, +, *TIE Aug. 2013 3328-3338*
- Allocation of Actuators and Sensors for Coupled-Adjacent-Building Vibration Attenuation. *Gao, H.*, +, *TIE Dec. 2013 5792-5801*
- An Energy-Stored Quasi-Z-Source Inverter for Application to Photovoltaic Power System. *Ge, B.*, +, *TIE Oct. 2013 4468-4481*
- Application of the MPC to the Position Control of the Two-Mass Drive System. *Serkies, P. J.*, +, *TIE Sept. 2013 3679-3688*
- Authors' Reply to "Comments on Predictive Digital-Controlled Converter With Peak Current-Mode Control and Leading-Edge Modulation". *Lai, Y.-S.*, +, *TIE Jan. 2013 235-238*
- Building Integrated Photovoltaic System With Energy Storage and Smart Grid Communication. *Sechilariu, M.*, +, *TIE April 2013 1607-1618*
- Cascaded Current-Voltage Control to Improve the Power Quality for a Grid-Connected Inverter With a Local Load. *Zhong, Q.-C.*, +, *TIE April 2013 1344-1355*
- Control Synthesis for a Class of Linear Network-Based Systems With Communication Constraints. *Zhang, C.*, +, *TIE Aug. 2013 3339-3348*
- Design and Implementation of an Online Tuning Adaptive Controller for Synchronous Reluctance Motor Drives. *Wei, M.-Y.*, +, *TIE Sept. 2013 3644-3657*
- Discontinuous PWM Modulation Strategy With Circuit-Level Decoupling Concept of Three-Level Neutral-Point-Clamped (NPC) Inverter. *Zhang, Z.*, +, *TIE May 2013 1897-1906*
- Discrete-Time Fuzzy Speed Regulator Design for PM Synchronous Motor. *Choi, H. H.*, +, *TIE Feb. 2013 600-607*
- Fractional-Order $PI^\lambda D^\mu$ and Active Disturbance Rejection Control of Nonlinear Two-Mass Drive System. *Erenturk, K.*, +, *TIE Sept. 2013 3806-3813*
- Frequency-Domain Analysis of Nonlinear Active Disturbance Rejection Control via the Describing Function Method. *Wu, D.*, +, *TIE Sept. 2013 3906-3914*
- Lyapunov-Designed Super-Twisting Sliding Mode Control for Wind Energy Conversion Optimization. *Evangelista, C.*, +, *TIE Feb. 2013 538-545*
- Microstepping Using a Disturbance Observer and a Variable Structure Controller for Permanent-Magnet Stepper Motors. *Kim, W.*, +, *TIE July 2013 2689-2699*
- Missile Guidance Law Based on Extended State Observer. *Zhu, Z.*, +, *TIE Dec. 2013 5882-5891*
- Modeling and Control Design of the Interleaved Double Dual Boost Converter. *Garcia, F. S.*, +, *TIE Aug. 2013 3283-3290*
- Multiobjective Switching State Selector for Finite-States Model Predictive Control Based on Fuzzy Decision Making in a Matrix Converter. *Villarreal, F.*, +, *TIE Feb. 2013 589-599*
- Networked Predictive Control of Uncertain Systems With Multiple Feedback Channels. *Song, H.*, +, *TIE Nov. 2013 5228-5238*
- Nonlinear-Measurement-Based Integrated Robust Design and Control for Manufacturing System. *Lu, X. J.*, +, *TIE July 2013 2711-2720*
- Output-Feedback Tracking Control for Polynomial Fuzzy-Model-Based Control Systems. *Lam, H. K.*, +, *TIE Dec. 2013 5830-5840*
- Per-Sequence Vector-Switching Matrix Converter Modules for Voltage Regulation. *Garcia-Vite, P. M.*, +, *TIE Dec. 2013 5411-5421*
- Polynomial-Method-Based Design of Low-Order Controllers for Two-Mass Systems. *Ma, C.*, +, *TIE March 2013 969-978*
- Robust Disturbance Observer for Two-Inertia System. *Yun, J. N.*, +, *TIE July 2013 2700-2710*
- Robust LQR Attitude Control of a 3-DOF Laboratory Helicopter for Aggressive Maneuvers. *Liu, H.*, +, *TIE Oct. 2013 4627-4636*
- Sliding-Mode Control for Systems With Mismatched Uncertainties via a Disturbance Observer. *Yang, J.*, +, *TIE Jan. 2013 160-169*
- T-S Fuzzy-Model-Based Sliding-Mode Control for Surface-Mounted Permanent-Magnet Synchronous Motors Considering Uncertainties. *Vu, N. T.-T.*, +, *TIE Oct. 2013 4281-4291*

Control systems

Introduction to the Special Section on Control and Grid Integration of Wind Energy Systems—Part I. *Cardenas, R.*, +, *TIE June 2013 2358-2359*

Controllability

Controllable Petri Net-Based Implementation Approach for Motor Control Systems. *Kuo, C.-H.*, +, *TIE Oct. 2013 4599-4612*

Offshore-Wind-Farm Configuration Using Diode Rectifier With MERS in Current Link Topology. *Kawaguchi, T.*, +, *TIE July 2013 2930-2937*

Controllers

Analysis and Design of a New AC–DC Single-Stage Full-Bridge PWM Converter With Two Controllers. *Das, P.*, +, *TIE Nov. 2013 4930-4946*

Detection and Localization of Stator Resistance Dissymmetry Based on Multiple Reference Frame Controllers in Multiphase Induction Motor Drives. *Zarri, L.*, +, *TIE Aug. 2013 3506-3518*

Convergence

Microstepping Using a Disturbance Observer and a Variable Structure Controller for Permanent-Magnet Stepper Motors. *Kim, W.*, +, *TIE July 2013 2689-2699*

Converters

Introduction to the Special Section on Modulation Techniques for DC-to-AC Power Converters. *Leon, J. I.*, +, *TIE May 2013 1859-1860*

Convex programming

Decoupled dq -Current Control of Grid-Tied Voltage Source Converters Using Nonparametric Models. *Bahrani, B.*, +, *TIE April 2013 1356-1366*

Utilization of Wind Turbines for Upregulation of Power Grids. *Juelsgaard, M.*, +, *TIE July 2013 2851-2863*

Voltage Control of Multiterminal VSC-HVDC Transmission Systems for Offshore Wind Power Plants: Design and Implementation in a Scaled Platform. *Egea-Alvarez, A.*, +, *TIE June 2013 2381-2391*

Cooling

Calculation of Ventilation Cooling, Three-Dimensional Electromagnetic Fields, and Temperature Fields of the End Region in a Large Water–Hydrogen–Hydrogen-Cooled Turbogenerator. *Weili, L.*, +, *TIE Aug. 2013 3007-3015*

Piezoelectric Fan Cooling: A Novel High Reliability Electric Machine Thermal Management Solution. *Gilson, G. M.*, +, *TIE Nov. 2013 4841-4851*

Thermal Analysis and Cooling System Design of Dual Mechanical Port Machine for Wind Power Application. *Sun, X.*, +, *TIE May 2013 1724-1733*

Copper

Influence of Copper Screen Thickness on Three-Dimensional Electromagnetic Field and Eddy Current Losses of Metal Parts in End Region of Large Water–Hydrogen–Hydrogen-Cooled Turbogenerator. *Feiyang, H.*, +, *TIE July 2013 2595-2601*

Cores

Offline and Online Methods for Stator Core Fault Detection in Large Generators. *Romary, R.*, +, *TIE Sept. 2013 4084-4092*

One-Cycle-Controlled Single-Stage Single-Phase Voltage-Sensorless Grid-Connected PV System. *S., S. E.*, +, *TIE March 2013 1216-1224*

Correlation methods

Directional People Counter Based on Head Tracking. *Garcia, J.*, +, *TIE Sept. 2013 3991-4000*

Coupled circuits

Analysis and Enhancement of Low-Voltage Ride-Through Capability of Brushless Doubly Fed Induction Generator. *Tohidi, S.*, +, *TIE March 2013 1146-1155*

Covariance matrices

Theoretical and Practical Solutions for High-Order Superdirectivity of Circular Sensor Arrays. *Ma, Y.*, +, *TIE Jan. 2013 203-209*

Cryptography

A Key Management Scheme for Secure Communications of Advanced Metering Infrastructure in Smart Grid. *Liu, N.*, +, *TIE Oct. 2013 4746-4756*

Efficient Fault Diagnosis Schemes for Reliable Lightweight Cryptographic ISO/IEC Standard CLEFIA Benchmarked on ASIC and FPGA. *Mozaffari-Kermani, M.*, +, *TIE Dec. 2013 5925-5932*

Current density

New Behavioral Modeling of EMI for DC Motors Applied to EMC Characterization. *Kahoul, R.*, +, *TIE Dec. 2013 5482-5496*

Performance of Low-Cost Permanent Magnet Material in PM Synchronous Machines. *Petrov, I.*, +, *TIE June 2013 2131-2138*

Current distribution

Multiphase ZVS Active Clamp Boost Converter: DC and Dynamic Current Sharing. *de Jodar, E.*, +, *TIE Nov. 2013 4947-4959*

Current transformers

Current-Fed High-Frequency AC Distributed Power System for Medium–High-Voltage Gate Driving Applications. *Wen, H.*, +, *TIE Sept. 2013 3736-3751*

Cycloconverters

A Novel Noninvasive Failure-Detection System for High-Power Converters Based on SCRs. *Guerrero, V.*, +, *TIE Feb. 2013 450-458*

D**Damping**

A New Design Method for the Passive Damped LCL and LLCL Filter-Based Single-Phase Grid-Tied Inverter. *Wu, W.*, +, *TIE Oct. 2013 4339-4350*

Control Method for Wireless Inductive Energy Transfer Systems With Relatively Large Air Gap. *van der Pijl, F.*, +, *TIE Jan. 2013 382-390*

High Dynamic Torque Control for Industrial Engine Test Beds. *Wester-mayer, C.*, +, *TIE Sept. 2013 3877-3888*

Polynomial-Method-Based Design of Low-Order Controllers for Two-Mass Systems. *Ma, C.*, +, *TIE March 2013 969-978*

Stability Analysis of Four PMSG-Based Offshore Wind Farms Fed to an SG-Based Power System Through an LCC-HVDC Link. *Wang, L.*, +, *TIE June 2013 2392-2400*

Stability Guaranteed Time-Delay Control of Manipulators Using Nonlinear Damping and Terminal Sliding Mode. *Jin, Y.*, +, *TIE Aug. 2013 3304-3317*

Data analysis

Reactive Power Compensation in Single-Phase Operation of Microgrid. *Majumder, R.*, +, *TIE April 2013 1403-1416*

Data mining

Plastic Bearing Fault Diagnosis Based on a Two-Step Data Mining Approach. *He, D.*, +, *TIE Aug. 2013 3429-3440*

DC motor drives

Total Design of an FPGA-Based Brain–Computer Interface Control Hospital Bed Nursing System. *Shyu, K.-K.*, +, *TIE July 2013 2731-2739*

DC motors

Controllable Petri Net-Based Implementation Approach for Motor Control Systems. *Kuo, C.-H.*, +, *TIE Oct. 2013 4599-4612*

New Behavioral Modeling of EMI for DC Motors Applied to EMC Characterization. *Kahoul, R.*, +, *TIE Dec. 2013 5482-5496*

Robust Tracking Control of Networked Control Systems: Application to a Networked DC Motor. *Shi, Y.*, +, *TIE Dec. 2013 5864-5874*

Speed Estimation and Nonmatched Time-Varying Parameter Identification for a DC Motor With Hybrid Sliding-Mode Observer. *Zhou, Y.*, +, *TIE Dec. 2013 5539-5549*

DC-AC power converters

A Novel Scheme Suitable for High-Voltage and Large-Capacity Photovoltaic Power Stations. *Zhang, C.*, +, *TIE Sept. 2013 3775-3783*

Composite Nonlinear Feedback Control and Stability Analysis of a Grid-Connected Voltage Source Inverter With LCL Filter. *Eren, S.*, +, *TIE Nov. 2013 5059-5074*

Digital Detection, Control, and Distribution System for Co-Phase Traction Power Supply Application. *Shu, Z.*, +, *TIE May 2013 1831-1839*

Overmodulation of n -Level Three-Leg DC–AC Diode-Clamped Converters With Comprehensive Capacitor Voltage Balance. *Busquets-Monge, S.*, +, *TIE May 2013 1872-1883*

Three-limb Coupled Inductor Operation for Paralleled Multi-level Three-Phase Voltage Sourced Inverters. *Ewanchuk, J.*, +, *TIE May 2013 1979-1988*

DC-DC power converters

A 10-kW Two-Stage Isolated/Bidirectional DC/DC Converter With Hybrid-Switching Technique. *Yoo, K.-M.*, +, *TIE June 2013 2205-2213*

A New ZVS DC/DC Converter With Three APWM Circuits. *Lin, B.-R.*, +, *TIE Oct. 2013 4351-4358*

A Novel Scheme Suitable for High-Voltage and Large-Capacity Photovoltaic Power Stations. *Zhang, C.*, +, *TIE Sept. 2013 3775-3783*

A Practical ZCS-PWM Boost DC-DC Converter With Clamping Diode-Assisted Active Edge-Resonant Cell and Its Extended Topologies. *Mishima, T.*, +, *TIE June 2013 2225-2236*

A Simple Approach to Detect ZVT and Determine Its Time of Occurrence for PWM Converters. *Russi, J. L.*, +, *TIE July 2013 2576-2585*

A Transformer-less High-Gain Boost Converter With Input Current Ripple Cancellation at a Selectable Duty Cycle. *Rosas-Caro, J. C.*, +, *TIE Oct. 2013 4492-4499*

- A ZVS-PWM Three-Phase Current-Fed Push–Pull DC–DC Converter. *Andersen, R. L.*, +, *TIE March 2013 838-847*
- AC/DC/DC Interfaces for V2G Applications—EMC Issues. *Smolenski, R.*, +, *TIE March 2013 930-935*
- Analysis and Design of a New AC–DC Single-Stage Full-Bridge PWM Converter With Two Controllers. *Das, P.*, +, *TIE Nov. 2013 4930-4946*
- Analysis of a Novel Current Resonant DC–DC Converter. *Sato, T.*, +, *TIE Nov. 2013 4987-4995*
- Analysis of High-Efficiency Three-Phase Two- and Three-Level Unidirectional Hybrid Rectifiers. *Soeiro, T. B.*, +, *TIE Sept. 2013 3589-3601*
- Analysis, Design, and Experimental Results of Novel Snubberless Bidirectional Naturally Clamped ZCS/ZVS Current-Fed Half-Bridge DC/DC Converter for Fuel Cell Vehicles. *Rathore, A. K.*, +, *TIE Oct. 2013 4482-4491*
- Battery Charger for Electric Vehicle Traction Battery Switch Station. *Kuperman, A.*, +, *TIE Dec. 2013 5391-5399*
- Cascade Cockcroft–Walton Voltage Multiplier Applied to Transformerless High Step-Up DC–DC Converter. *Young, C.-M.*, +, *TIE Feb. 2013 523-537*
- Control Scheme for Reduced Cross-Regulation in Single-Inductor Multiple-Output DC–DC Converters. *Patra, P.*, +, *TIE Nov. 2013 5095-5104*
- Current-Stress-Optimized Switching Strategy of Isolated Bidirectional DC–DC Converter With Dual-Phase-Shift Control. *Zhao, B.*, +, *TIE Oct. 2013 4458-4467*
- DC–DC Nonisolated Boost Converter Based on the Three-State Switching Cell and Voltage Multiplier Cells. *Alcazar, Y. J. A.*, +, *TIE Oct. 2013 4438-4449*
- Detecting Bifurcation Types and Characterizing Stability in DC–DC Switching Converters by Duplicate Symbolic Sequence and Weight Complexity. *Xie, F.*, +, *TIE Aug. 2013 3145-3156*
- Digital Adaptive Frequency Modulation for Bidirectional DC–DC Converter. *Baek, J.-B.*, +, *TIE Nov. 2013 5167-5176*
- Evaluation of the Main MPPT Techniques for Photovoltaic Applications. *de Brito, M. A. G.*, +, *TIE March 2013 1156-1167*
- Extended Range ZVS Active-Clamped Current-Fed Full-Bridge Isolated DC/DC Converter for Fuel Cell Applications: Analysis, Design, and Experimental Results. *U R, P.*, +, *TIE July 2013 2661-2672*
- Flying Supercapacitors as Power Smoothing Elements in Wind Generation. *Jayasinghe, S. D. G.*, +, *TIE July 2013 2909-2918*
- High-Efficiency Digital-Controlled Interleaved Power Converter for High-Power PEM Fuel-Cell Applications. *Cheng, S.-J.*, +, *TIE Feb. 2013 773-780*
- Modeling and Control Design of the Interleaved Double Dual Boost Converter. *Garcia, F. S.*, +, *TIE Aug. 2013 3283-3290*
- Novel High Step-Up DC–DC Converter for Distributed Generation System. *Hsieh, Y.-P.*, +, *TIE April 2013 1473-1482*
- Novel Isolated High-Step-Up DC–DC Converter With Voltage Lift. *Liang, T.-J.*, +, *TIE April 2013 1483-1491*
- Novel Techniques to Suppress the Common-Mode EMI Noise Caused by Transformer Parasitic Capacitances in DC–DC Converters. *Fu, D.*, +, *TIE Nov. 2013 4968-4977*
- On an Auxiliary Power Unit With Emergency AC Power Output and Its Robust Controls. *Hu, K.-W.*, +, *TIE Oct. 2013 4387-4402*
- Online Closed-Loop Autotuning Digital Controller for Switching Power Converters. *Abu Qahouq, J. A.*, +, *TIE May 2013 1747-1758*
- Open- and Short-Circuit Switch Fault Diagnosis for Nonisolated DC–DC Converters Using Field Programmable Gate Array. *Shahbazi, M.*, +, *TIE Sept. 2013 4136-4146*
- Operation of a Three-Phase Power Converter Connected to a Distribution System. *Pozzebon, G. G.*, +, *TIE May 2013 1810-1818*
- Photovoltaic Power System With Battery Backup With Grid-Connection and Islanded Operation Capabilities. *Velasco de la Fuente, D.*, +, *TIE April 2013 1571-1581*
- Pulse-Train-Controlled CCM Buck Converter With Small ESR Output-Capacitor. *Wang, J.*, +, *TIE Dec. 2013 5875-5881*
- PWM-Based Adaptive Sliding-Mode Control for Boost DC–DC Converters. *Oucheriah, S.*, +, *TIE Aug. 2013 3291-3294*
- Soft-Switching Converter With Two Series Half-Bridge Legs to Reduce Voltage Stress of Active Switches. *Lin, B.-R.*, +, *TIE June 2013 2214-2224*
- Start-Up Control to Prevent Overcurrent During Hot Swap in Paralleled DC–DC Converters. *Kim, H.-S.*, +, *TIE Dec. 2013 5558-5574*
- ZVS DC/DC Converter Based on Two Three-Level PWM Circuits Sharing the Same Power Switches. *Lin, B.-R.*, +, *TIE Oct. 2013 4191-4200*
- DC-to-AC power converters**
- Introduction to the Special Section on Modulation Techniques for DC-to-AC Power Converters. *Leon, J. I.*, +, *TIE May 2013 1859-1860*
- Decentralized control**
- Advanced Control Architectures for Intelligent Microgrids—Part I: Decentralized and Hierarchical Control. *Guerrero, J. M.*, +, *TIE April 2013 1254-1262*
- Decentralized Control of Compartmental Networks With H_∞ Tracking Performance. *Li, P.*, +, *TIE Feb. 2013 546-553*
- Single-View Distance-Estimation-Based Formation Control of Robotic Swarms. *Fidan, B.*, +, *TIE Dec. 2013 5781-5791*
- Decision making**
- A Situation Retrieval Model for Cognitive Decision Support in Digital Business Ecosystems. *Lu, J.*, +, *TIE March 2013 1059-1069*
- Flexible Autonomous Behaviors of Kinesin and Muscle Myosin Bio-Nanorobots. *Khataee, H. R.*, +, *TIE Nov. 2013 5116-5123*
- Multiobjective Switching State Selector for Finite-States Model Predictive Control Based on Fuzzy Decision Making in a Matrix Converter. *Villarreal, F.*, +, *TIE Feb. 2013 589-599*
- Decision support systems**
- A Situation Retrieval Model for Cognitive Decision Support in Digital Business Ecosystems. *Lu, J.*, +, *TIE March 2013 1059-1069*
- Delays**
- A New Variable-Frequency Optimal Direct Power Control Algorithm. *Alonso-Martinez, J.*, +, *TIE April 2013 1442-1451*
- An Improved Repetitive Control Scheme for Grid-Connected Inverter With Frequency-Adaptive Capability. *Chen, D.*, +, *TIE Feb. 2013 814-823*
- Control Synthesis for a Class of Linear Network-Based Systems With Communication Constraints. *Zhang, C.*, +, *TIE Aug. 2013 3339-3348*
- Design of An Advanced Time Delay Measurement and A Smart Adaptive Unequal Interval Grey Predictor for Real-Time Nonlinear Control Systems. *Truong, D. Q.*, +, *TIE Oct. 2013 4574-4589*
- Distributed \mathcal{H}_∞ Filtering for a Class of Markovian Jump Nonlinear Time-Delay Systems Over Lossy Sensor Networks. *Dong, H.*, +, *TIE Oct. 2013 4665-4672*
- Explicit Analytical PID Tuning Rules for the Design of Type-III Control Loops. *Papadopoulos, K. G.*, +, *TIE Oct. 2013 4650-4664*
- Frequency-Domain Damping Design for Time-Delayed Bilateral Teleoperation System Based on Modal Space Analysis. *Suzuki, A.*, +, *TIE Jan. 2013 177-190*
- Networked Predictive Control of Uncertain Systems With Multiple Feedback Channels. *Song, H.*, +, *TIE Nov. 2013 5228-5238*
- On Low-Velocity Compensation of Brushless DC Servo in the Absence of Friction Model. *Sun, M.*, +, *TIE Sept. 2013 3897-3905*
- Predictive Current Control of Three-Phase Grid-Connected Converters With Constant Switching Frequency for Wind Energy Systems. *Song, Z.*, +, *TIE June 2013 2451-2464*
- Single-View Distance-Estimation-Based Formation Control of Robotic Swarms. *Fidan, B.*, +, *TIE Dec. 2013 5781-5791*
- Stability Guaranteed Time-Delay Control of Manipulators Using Nonlinear Damping and Terminal Sliding Mode. *Jin, Y.*, +, *TIE Aug. 2013 3304-3317*
- Ultra-Wideband Ring-Cavity Multiple-Way Parallel Power Divider. *Song, K.*, +, *TIE Oct. 2013 4737-4745*
- Demagnetization**
- Shaft Trajectory Analysis in a Partially Demagnetized Permanent-Magnet Synchronous Motor. *Urresty, J.-C.*, +, *TIE Aug. 2013 3454-3461*
- Demodulation**
- Bearing Fault Diagnosis for Direct-Drive Wind Turbines via Current-Modulated Signals. *Gong, X.*, +, *TIE Aug. 2013 3419-3428*
- Demodulators**
- PLL-Based Contactless Energy Transfer Analog FSK Demodulator Using High-Efficiency Rectifier. *Hwang, Y.-S.*, +, *TIE Jan. 2013 280-290*
- Design of experiments**
- Applying Response Surface Methodology to Small Planar Transformer Winding Design. *Cove, S. R.*, +, *TIE Feb. 2013 483-493*
- Electrical Aging of the Insulation of Low-Voltage Machines: Model Definition and Test With the Design of Experiments. *Lahoud, N.*, +, *TIE Sept. 2013 4147-4155*
- Dielectric hysteresis**
- Identification and Compensation of Piezoelectric Hysteresis Without Modeling Hysteresis Inverse. *Xu, Q.*, +, *TIE Sept. 2013 3927-3937*
- Diesel-electric power stations**
- Performance Investigation of Isolated Wind–Diesel Hybrid Power Systems With WECS Having PMIG. *Sharma, P.*, +, *TIE April 2013 1630-1637*
- Differential equations**
- A Model-Based Control Scheme for Modular Multilevel Converters. *Barnklau, H.*, +, *TIE Dec. 2013 5359-5375*

Performance of Homopolar Inductor Alternator With Diode-Bridge Rectifier and Capacitive Load. *Ren, Z.*, +, *TIE Nov. 2013 4891-4902*

Digital communication

An Efficient Hybrid Medium Access Control Technique for Digital Ecosystems. *Le, H.*, +, *TIE March 2013 1070-1076*

Digital control

Active Power Filter Control Strategy With Implicit Closed-Loop Current Control and Resonant Controller. *Angulo, M.*, +, *TIE July 2013 2721-2730*

All-on-Chip dq -Frame Based D-STATCOM Control Implementation in a Low-Cost FPGA. *Sepulveda, C. A.*, +, *TIE Feb. 2013 659-669*

Authors' Reply to "Comments on Predictive Digital-Controlled Converter With Peak Current-Mode Control and Leading-Edge Modulation". *Lai, Y.-S.*, +, *TIE Jan. 2013 235-238*

Digital Adaptive Frequency Modulation for Bidirectional DC-DC Converter. *Baek, J.-B.*, +, *TIE Nov. 2013 5167-5176*

Digital Control Strategy for HID Lamp Electronic Ballasts. *Kirsten, A. L.*, +, *TIE Feb. 2013 608-618*

Digital Detection, Control, and Distribution System for Co-Phase Traction Power Supply Application. *Shu, Z.*, +, *TIE May 2013 1831-1839*

Digital Predictive Current Control of a Three-Phase Four-Leg Inverter. *Rivera, M.*, +, *TIE Nov. 2013 4903-4912*

Digitized Feedforward Compensation Method for High-Power-Density Three-Phase Vienna PFC Converter. *Hang, L.*, +, *TIE April 2013 1512-1519*

Discrete-Time Fuzzy Speed Regulator Design for PM Synchronous Motor. *Choi, H. H.*, +, *TIE Feb. 2013 600-607*

Discrete-Time Parameter Identification of a Surface-Mounted Permanent Magnet Synchronous Machine. *Gatto, G.*, +, *TIE Nov. 2013 4869-4880*

Distributed Digital Control of Modular-Based Solid-State Transformer Using DSP+FPGA. *Hwang, S.-H.*, +, *TIE Feb. 2013 670-680*

DSP-Based Control of Sensorless IPMSM Drives for Wide-Speed-Range Operation. *Wang, G.*, +, *TIE Feb. 2013 720-727*

Evaluation of the Main MPPT Techniques for Photovoltaic Applications. *de Brito, M. A. G.*, +, *TIE March 2013 1156-1167*

Fast Photovoltaic-System Voltage- or Current-Oriented MPPT Employing a Predictive Digital Current-Controlled Converter. *Kakosimos, P. E.*, +, *TIE Dec. 2013 5673-5685*

Fast-Predictive Optimal Control of NPC Multilevel Converters. *Barros, J. D.*, +, *TIE Feb. 2013 619-627*

FPGA-Based Reconfigurable Control for Fault-Tolerant Back-to-Back Converter Without Redundancy. *Shahbazi, M.*, +, *TIE Aug. 2013 3360-3371*

High-Efficiency Digital-Controlled Interleaved Power Converter for High-Power PEM Fuel-Cell Applications. *Cheng, S.-J.*, +, *TIE Feb. 2013 773-780*

High-Frequency Issues Using Rotating Voltage Injections Intended For Position Self-Sensing. *Gabriel, F.*, +, *TIE Dec. 2013 5447-5457*

Kalman Filter-Based Control System for Power Quality Conditioning Devices. *Kanieski, J. M.*, +, *TIE Nov. 2013 5214-5227*

Novel Random-Switching PWM Technique With Constant Sampling Frequency and Constant Inductor Average Current for Digitally Controlled Converter. *Lai, Y.-S.*, +, *TIE Aug. 2013 3126-3135*

Online Closed-Loop Autotuning Digital Controller for Switching Power Converters. *Abu Qahouq, J. A.*, +, *TIE May 2013 1747-1758*

Overmodulation of n -Level Three-Leg DC-AC Diode-Clamped Converters With Comprehensive Capacitor Voltage Balance. *Busquets-Monge, S.*, +, *TIE May 2013 1872-1883*

Real-Time Monitoring for a Five-Level Double-Boost Power Factor Controller Including Postfault Reconfiguration. *Pham, T. T. L.*, +, *TIE Sept. 2013 4128-4135*

Small-Signal Modeling of Digitally Controlled Grid-Connected Inverters With LCL Filters. *Zhang, X.*, +, *TIE Sept. 2013 3752-3765*

Digital filters

Fault Diagnosis of DC-Link Capacitors in Three-Phase AC/DC PWM Converters by Online Estimation of Equivalent Series Resistance. *Pu, X.-S.*, +, *TIE Sept. 2013 4118-4127*

Digital signal processing chips

All-on-Chip dq -Frame Based D-STATCOM Control Implementation in a Low-Cost FPGA. *Sepulveda, C. A.*, +, *TIE Feb. 2013 659-669*

An Immune-Algorithm-Based Space-Vector PWM Control Strategy in a Three-Phase Inverter. *Yuan, J.*, +, *TIE May 2013 2084-2093*

Design of Measurement System Based on Signal Reconstruction for Analysis and Protection of Distributed Generations. *Cheng-I Chen*, +, *TIE April 2013 1652-1658*

Distributed Digital Control of Modular-Based Solid-State Transformer Using DSP+FPGA. *Hwang, S.-H.*, +, *TIE Feb. 2013 670-680*

DSP-Based Control of Sensorless IPMSM Drives for Wide-Speed-Range Operation. *Wang, G.*, +, *TIE Feb. 2013 720-727*

Fast-Predictive Optimal Control of NPC Multilevel Converters. *Barros, J. D.*, +, *TIE Feb. 2013 619-627*

Fault-Tolerant Control for Six-Phase PMSM Drive System via Intelligent Complementary Sliding-Mode Control Using TSKFNN-AMF. *Lin, F.-J.*, +, *TIE Dec. 2013 5747-5762*

FPGA Implementation of the Generalized Delayed Signal Cancellation—Phase Locked Loop Method for Detecting Harmonic Sequence Components in Three-Phase Signals. *Nascimento, P. S. B.*, +, *TIE Feb. 2013 645-658*

Frequency-Adaptive Current Controller for Three-Phase Grid-Connected Converters. *Gomez Jorge, S.*, +, *TIE Oct. 2013 4169-4177*

Model Predictive Control of a Two-Motor Drive With Five-Leg-Inverter Supply. *Lim, C. S.*, +, *TIE Jan. 2013 54-65*

Real-Time Implementation of ANFIS Control for Renewable Interfacing Inverter in 3P4W Distribution Network. *Singh, M.*, +, *TIE Jan. 2013 121-128*

Real-Time Power System Phasors and Harmonics Estimation Using a New Decoupled Recursive-Least-Squares Technique for DSP Implementation. *Sadinezhad, I.*, +, *TIE June 2013 2295-2308*

Speed Sensorless Induction Motor Drive With Predictive Current Controller. *Guzinski, J.*, +, *TIE Feb. 2013 699-709*

Digital signatures

Security Analysis and Improvement of a Secure and Distributed Reprogramming Protocol for Wireless Sensor Networks. *He, D.*, +, *TIE Nov. 2013 5348-5354*

Diodes

A Five-Level Single-Phase Grid-Connected Converter for Renewable Distributed Systems. *Buticchi, G.*, +, *TIE March 2013 906-918*

A Parameterization Approach for Enhancing PV Model Accuracy. *Mahmoud, Y. A.*, +, *TIE Dec. 2013 5708-5716*

Cascade Cockcroft-Walton Voltage Multiplier Applied to Transformerless High Step-Up DC-DC Converter. *Young, C.-M.*, +, *TIE Feb. 2013 523-537*

High Voltage-Boosting Converters Based on Bootstrap Capacitors and Boost Inductors. *Hwu, K. L.*, +, *TIE June 2013 2178-2193*

Offshore-Wind-Farm Configuration Using Diode Rectifier With MERS in Current Link Topology. *Kawaguchi, T.*, +, *TIE July 2013 2930-2937*

Soft-Switching Converter With Two Series Half-Bridge Legs to Reduce Voltage Stress of Active Switches. *Lin, B.-R.*, +, *TIE June 2013 2214-2224*

Direct energy conversion

Comparative Evaluation of Advanced Three-Phase Three-Level Inverter/Converter Topologies Against Two-Level Systems. *Schweizer, M.*, +, *TIE Dec. 2013 5515-5527*

Lyapunov-Designed Super-Twisting Sliding Mode Control for Wind Energy Conversion Optimization. *Evangelista, C.*, +, *TIE Feb. 2013 538-545*

Modeling and Control Design of the Interleaved Double Dual Boost Converter. *Garcia, F. S.*, +, *TIE Aug. 2013 3283-3290*

Wind Turbine Power Coefficient Analysis of a New Maximum Power Point Tracking Technique. *Xia, Y.*, +, *TIE March 2013 1122-1132*

Disc drives

Wireless ESD Event Locator Systems in Hard Disk Drive Manufacturing Environments. *Thongpull, K.*, +, *TIE Nov. 2013 5252-5259*

Discharge lamps

Digital Control Strategy for HID Lamp Electronic Ballasts. *Kirsten, A. L.*, +, *TIE Feb. 2013 608-618*

Discrete Fourier transforms

An Adaptive Time-Efficient Technique for Harmonic Estimation of Nonstationary Signals. *Jain, S. K.*, +, *TIE Aug. 2013 3295-3303*

Real-Time Power System Phasors and Harmonics Estimation Using a New Decoupled Recursive-Least-Squares Technique for DSP Implementation. *Sadinezhad, I.*, +, *TIE June 2013 2295-2308*

Discrete systems

An Optimal PID Control Algorithm for Training Feedforward Neural Networks. *Jing, X.*, +, *TIE June 2013 2273-2283*

Energy-Balance Control of PV Cascaded Multilevel Grid-Connected Inverters Under Level-Shifted and Phase-Shifted PWMs. *Chavarria, J.*, +, *TIE Jan. 2013 98-111*

Discrete time systems

A Two-Loop Performance-Oriented Tip-Tracking Control of a Linear-Motor-Driven Flexible Beam System With Experiments. *Lu, L.*, +, *TIE March 2013 1011-1022*

- Discrete-Time Fuzzy Speed Regulator Design for PM Synchronous Motor. *Choi, H. H.*, +, *TIE Feb. 2013 600-607*
- Distributed \mathcal{H}_∞ Filtering for a Class of Markovian Jump Nonlinear Time-Delay Systems Over Lossy Sensor Networks. *Dong, H.*, +, *TIE Oct. 2013 4665-4672*
- Model Predictive Control of a Two-Motor Drive With Five-Leg-Inverter Supply. *Lim, C. S.*, +, *TIE Jan. 2013 54-65*
- Discrete wavelet transforms**
- A Twofold Daubechies-Wavelet-Based Module for Fault Detection and Voltage Regulation in SEIGs for Distributed Wind Power Generation. *Iyer, K. L. V.*, +, *TIE April 2013 1638-1651*
- Diseases**
- Industrial Application of Evolvable Block-Based Neural Network to Hypoglycemia Monitoring System. *San, P. P.*, +, *TIE Dec. 2013 5892-5901*
- Distance measurement**
- Dynamic Ultrasonic Hybrid Localization System for Indoor Mobile Robots. *Kim, S. J.*, +, *TIE Oct. 2013 4562-4573*
- Understanding Error Propagation in Multihop Sensor Network Localization. *Huang, B.*, +, *TIE Dec. 2013 5811-5819*
- Distortion**
- Analysis and Solution of Current Zero-Crossing Distortion With Unipolar Hysteresis Current Control in Grid-Connected Inverter. *Wu, F.*, +, *TIE Oct. 2013 4450-4457*
- D-STATCOM With Positive-Sequence Admittance and Negative-Sequence Conductance to Mitigate Voltage Fluctuations in High-Level Penetration of Distributed-Generation Systems. *Lee, T.-L.*, +, *TIE April 2013 1417-1428*
- Detection Method of the DC Bias in Distribution Power Transformers. *Buticchi, G.*, +, *TIE Aug. 2013 3539-3549*
- Distributed control**
- Distributed Cohesive Motion Control of Flight Vehicle Formations. *Bayazit, I.*, +, *TIE Dec. 2013 5763-5772*
- Distributed Control of a Fault-Tolerant Modular Multilevel Inverter for Direct-Drive Wind Turbine Grid Interfacing. *Parker, M. A.*, +, *TIE Feb. 2013 509-522*
- Distributed Digital Control of Modular-Based Solid-State Transformer Using DSP+FPGA. *Hwang, S.-H.*, +, *TIE Feb. 2013 670-680*
- Efficiency and Fault Ride-Through Performance of a Diode-Rectifier- and VSC-Inverter-Based HVDC Link for Offshore Wind Farms. *Bernal-Perez, S.*, +, *TIE June 2013 2401-2409*
- Distributed parameter systems**
- Boundary Control of a Flexible Riser With the Application to Marine Installation. *He, W.*, +, *TIE Dec. 2013 5802-5810*
- Moving Horizon Scheduling for Networked Control Systems With Communication Constraints. *Xue, B.*, +, *TIE Aug. 2013 3318-3327*
- Distributed power generation**
- A Case Study on the Application of the Nyquist Stability Criterion as Applied to Interconnected Loads and Sources on Grids. *Turner, R.*, +, *TIE July 2013 2740-2749*
- A Control Technique for Integration of DG Units to the Electrical Networks. *Pouresmaeil, E.*, +, *TIE July 2013 2881-2893*
- A Generalized Approach for DG Planning and Viability Analysis Under Market Scenario. *Jain, N.*, +, *TIE Nov. 2013 5075-5085*
- A Maximum Power Point Tracking Technique for Partially Shaded Photovoltaic Systems in Microgrids. *Alajmi, B. N.*, +, *TIE April 2013 1596-1606*
- A New Variable-Frequency Optimal Direct Power Control Algorithm. *Alonso-Martinez, J.*, +, *TIE April 2013 1442-1451*
- A Phasor Estimator for Synchronization Between Power Grid and Distributed Generation System. *Chen, C.-I.*, +, *TIE Aug. 2013 3248-3255*
- A Twofold Daubechies-Wavelet-Based Module for Fault Detection and Voltage Regulation in SEIGs for Distributed Wind Power Generation. *Iyer, K. L. V.*, +, *TIE April 2013 1638-1651*
- Advanced Control Architectures for Intelligent Microgrids—Part I: Decentralized and Hierarchical Control. *Guerrero, J. M.*, +, *TIE April 2013 1254-1262*
- Advanced Control Architectures for Intelligent Microgrids—Part II: Power Quality, Energy Storage, and AC/DC Microgrids. *Guerrero, J. M.*, +, *TIE April 2013 1263-1270*
- An Adaptive Voltage Control Strategy of Three-Phase Inverter for Stand-Alone Distributed Generation Systems. *Do, T. D.*, +, *TIE Dec. 2013 5660-5672*
- An Improved Repetitive Control Scheme for Grid-Connected Inverter With Frequency-Adaptive Capability. *Chen, D.*, +, *TIE Feb. 2013 814-823*
- Application of Four-Switch-Based Three-Phase Grid-Connected Inverter to Connect Renewable Energy Source to a Generalized Unbalanced Microgrid System. *Dasgupta, S.*, +, *TIE March 2013 1204-1215*
- Assessment and Optimization of the Transient Response of Proportional-Resonant Current Controllers for Distributed Power Generation Systems. *Vidal, A.*, +, *TIE April 2013 1367-1383*
- Autonomous Voltage Unbalance Compensation in an Islanded Droop-Controlled Microgrid. *Savaghebi, M.*, +, *TIE April 2013 1390-1402*
- Building Integrated Photovoltaic System With Energy Storage and Smart Grid Communication. *Sechilariu, M.*, +, *TIE April 2013 1607-1618*
- Compact Integrated Energy Systems for Distributed Generation. *Loh, P. C.*, +, *TIE April 2013 1492-1502*
- D-STATCOM With Positive-Sequence Admittance and Negative-Sequence Conductance to Mitigate Voltage Fluctuations in High-Level Penetration of Distributed-Generation Systems. *Lee, T.-L.*, +, *TIE April 2013 1417-1428*
- Design of High-Performance Stand-Alone and Grid-Connected Inverter for Distributed Generation Applications. *Wai, R.-J.*, +, *TIE April 2013 1542-1555*
- Design of Measurement System Based on Signal Reconstruction for Analysis and Protection of Distributed Generations. *Cheng-I Chen*, +, *TIE April 2013 1652-1658*
- Dual-Buck Half-Bridge Voltage Balancer. *Zhang, X.*, +, *TIE Aug. 2013 3157-3164*
- Dynamic Behavior of Multiport Power Electronic Interface Under Source/Load Disturbances. *Shamsi, P.*, +, *TIE Oct. 2013 4500-4511*
- Flexible Voltage Support Control for Three-Phase Distributed Generation Inverters Under Grid Fault. *Camacho, A.*, +, *TIE April 2013 1429-1441*
- Full-Feedforward Schemes of Grid Voltages for a Three-Phase LCL-Type Grid-Connected Inverter. *Li, W.*, +, *TIE June 2013 2237-2250*
- Hybrid Voltage and Current Control Approach for DG-Grid Interfacing Converters With LCL filters. *He, J.*, +, *TIE May 2013 1797-1809*
- Lyapunov Function-Based Current Controller to Control Active and Reactive Power Flow From a Renewable Energy Source to a Generalized Three-Phase Microgrid System. *Dasgupta, S.*, +, *TIE Feb. 2013 799-813*
- Modeling and Control of Quasi-Z-Source Inverter for Distributed Generation Applications. *Li, Y.*, +, *TIE April 2013 1532-1541*
- Modeling, Analysis, and Design of Stationary-Reference-Frame Droop-Controlled Parallel Three-Phase Voltage Source Inverters. *Vasquez, J. C.*, +, *TIE April 2013 1271-1280*
- Multiagent-Based Distributed-Energy-Resource Management for Intelligent Microgrids. *Kumar Nanna, H. S. V. S.*, +, *TIE April 2013 1678-1687*
- Multiobjective Intelligent Energy Management for a Microgrid. *Chaouachi, A.*, +, *TIE April 2013 1688-1699*
- Multiple Distributed Generator Placement in Primary Distribution Networks for Loss Reduction. *Hung, D. Q.*, +, *TIE April 2013 1700-1708*
- Novel High Step-Up DC–DC Converter for Distributed Generation System. *Hsieh, Y.-P.*, +, *TIE April 2013 1473-1482*
- Operation of a Three-Phase Power Converter Connected to a Distribution System. *Pozzebon, G. G.*, +, *TIE May 2013 1810-1818*
- Optimal Protection Coordination for Microgrids With Grid-Connected and Islanded Capability. *Najy, W. K. A.*, +, *TIE April 2013 1668-1677*
- Overcurrent and Overload Protection of Directly Voltage-Controlled Distributed Resources in a Microgrid. *Etemudi, A. H.*, +, *TIE Dec. 2013 5629-5638*
- Parallel PI Voltage– H^∞ Current Controller for the Neutral Point of a Three-Phase Inverter. *Hornik, T.*, +, *TIE April 2013 1335-1343*
- Power Adaptor Device for Domestic DC Microgrids Based on Commercial MPPT Inverters. *Valderrama-Blavi, H.*, +, *TIE March 2013 1191-1203*
- Proposal of Three-Phase High-Frequency Transformer Isolation UPS Topologies for Distributed Generation Applications. *Branco, C. G. C.*, +, *TIE April 2013 1520-1531*
- Reactive Power Compensation in Single-Phase Operation of Microgrid. *Majumder, R.*, +, *TIE April 2013 1403-1416*
- Real-Time Implementation of ANFIS Control for Renewable Interfacing Inverter in 3P4W Distribution Network. *Singh, M.*, +, *TIE Jan. 2013 121-128*
- Reconfigurable Control Scheme for a PV Microinverter Working in Both Grid-Connected and Island Modes. *Trujillo Rodriguez, C.*, +, *TIE April 2013 1582-1595*
- Reduced-Order Model and Stability Analysis of Low-Voltage DC Microgrid. *Anand, S.*, +, *TIE Nov. 2013 5040-5049*
- Reduction of Current Harmonic Distortion in Three-Phase Grid-Connected Photovoltaic Inverters via Resonant Current Control. *Castilla, M.*, +, *TIE April 2013 1464-1472*

Regulated Charging of Plug-in Hybrid Electric Vehicles for Minimizing Load Variance in Household Smart Microgrid. *Jian, L.*, +, *TIE Aug. 2013* 3218-3226

Robust Droop Controller for Accurate Proportional Load Sharing Among Inverters Operated in Parallel. *Zhong, Q.-C.*, +, *TIE April 2013* 1281-1290

Theoretical Analysis and Experimental Validation of Single-Phase Direct Versus Cascade Voltage Control in Islanded Microgrids. *Vandoorn, T. L.*, +, *TIE Feb. 2013* 789-798

Thermal Optimization for a HSPMG Used for Distributed Generation Systems. *Li, W.*, +, *TIE Feb. 2013* 474-482

Three Control Strategies to Improve the Microgrid Transient Dynamic Response During Isolated Mode: A Comparative Study. *Kamel, R. M.*, +, *TIE April 2013* 1314-1322

Voltage-Based Control of a Smart Transformer in a Microgrid. *Vandoorn, T. L.*, +, *TIE April 2013* 1291-1305

Distributed programming

Security Analysis and Improvement of a Secure and Distributed Reprogramming Protocol for Wireless Sensor Networks. *He, D.*, +, *TIE Nov. 2013* 5348-5354

Distribution networks

A Five-Level Single-Phase Grid-Connected Converter for Renewable Distributed Systems. *Buticchi, G.*, +, *TIE March 2013* 906-918

A Novel Protective Scheme to Protect Small-Scale Synchronous Generators Against Transient Instability. *Razzaghi, R.*, +, *TIE April 2013* 1659-1667

Multiple Distributed Generator Placement in Primary Distribution Networks for Loss Reduction. *Hung, D. Q.*, +, *TIE April 2013* 1700-1708

Domestic appliances

Computational Modeling of Two Partly Coupled Coils Supplied by a Double Half-Bridge Resonant Inverter for Induction Heating Appliances. *Carretero, C.*, +, *TIE Aug. 2013* 3092-3105

Design Methodology for High Efficient Inductive Power Transfer Systems With High Coil Positioning Flexibility. *Kurschner, D.*, +, *TIE Jan. 2013* 372-381

Modulation Scheme for Improved Operation of an RB-IGBT-Based Resonant Inverter Applied to Domestic Induction Heating. *Sarnago, H.*, +, *TIE May 2013* 2066-2073

Driver circuits

A Driver for the Single-Phase Brushless DC Fan Motor With Hybrid Winding Structure. *Chen, Y.-T.*, +, *TIE Oct. 2013* 4369-4375

A Novel Primary-Side Regulation Scheme for Single-Stage High-Power-Factor AC-DC LED Driving Circuit. *Li, Y.-C.*, +, *TIE Nov. 2013* 4978-4986

Design-Oriented Analysis and Performance Evaluation of a Low-Cost High-Brightness LED Driver Based on Flyback Power Factor Corrector. *Lamar, D. G.*, +, *TIE July 2013* 2614-2626

High Voltage-Boosting Converters Based on Bootstrap Capacitors and Boost Inductors. *Hwu, K. I.*, +, *TIE June 2013* 2178-2193

Single-Phase Dual-Output Inverters With Three-Switch Legs. *Fatemi, A.*, +, *TIE May 2013* 1769-1779

Total Design of an FPGA-Based Brain-Computer Interface Control Hospital Bed Nursing System. *Shyu, K.-K.*, +, *TIE July 2013* 2731-2739

Drives

An Observer for Sensorless DFIM Drives Based on the Natural Fifth Harmonic of the Line Voltage, Without Stator Current Measurement. *Castelli-Dezza, F.*, +, *TIE Oct. 2013* 4301-4309

Introduction to the special section on advances in diagnosis for electrical machines, power electronics, and drives - Part I. *Capolino, G.-A.*, +, *TIE Aug. 2013* 3396-3397

Introduction to the Special Section on Advances in Diagnosis for Electrical Machines, Power Electronics, and Drives—Part II. *Capolino, G.-A.*, +, *TIE Sept. 2013* 4009-4011

Rolling Friction Model-Based Analyses and Compensation for Slow Settling Response in Precise Positioning. *Maeda, Y.*, +, *TIE Dec. 2013* 5841-5853

Ducts

Thermal Analysis and Cooling System Design of Dual Mechanical Port Machine for Wind Power Application. *Sun, X.*, +, *TIE May 2013* 1724-1733

Dynamic response

Design and Evaluation of a New Converter Control Strategy for Near-Shore Tidal Turbines. *Jahromi, M. J.*, +, *TIE Dec. 2013* 5648-5659

Evaluation of the Main MPPT Techniques for Photovoltaic Applications. *de Brito, M. A. G.*, +, *TIE March 2013* 1156-1167

FPGA-Based Predictive Sliding Mode Controller of a Three-Phase Inverter. *Curkovic, M.*, +, *TIE Feb. 2013* 637-644

Predictive Current Control of Three-Phase Grid-Connected Converters With Constant Switching Frequency for Wind Energy Systems. *Song, Z.*, +, *TIE June 2013* 2451-2464

Sensorless Control of CSC-Fed IPM Machine for Zero- and Low-Speed Operations Using Pulsating HFI Method. *Al-nabi, E.*, +, *TIE May 2013* 1711-1723

T-S Fuzzy-Model-Based Sliding-Mode Control for Surface-Mounted Permanent-Magnet Synchronous Motors Considering Uncertainties. *Vu, N. T.-T.*, +, *TIE Oct. 2013* 4281-4291

E

Earthquake engineering

Allocation of Actuators and Sensors for Coupled-Adjacent-Building Vibration Attenuation. *Gao, H.*, +, *TIE Dec. 2013* 5792-5801

Ecology

Path k NN Query Processing in Mobile Systems. *Zhao, G.*, +, *TIE March 2013* 1099-1107

Eddy current losses

Calculation of Ventilation Cooling, Three-Dimensional Electromagnetic Fields, and Temperature Fields of the End Region in a Large Water-Hydrogen-Hydrogen-Cooled Turbogenerator. *Weili, L.*, +, *TIE Aug. 2013* 3007-3015

Influence of Copper Screen Thickness on Three-Dimensional Electromagnetic Field and Eddy Current Losses of Metal Parts in End Region of Large Water-Hydrogen-Hydrogen-Cooled Turbogenerator. *Feiyang, H.*, +, *TIE July 2013* 2595-2601

Performance of Low-Cost Permanent Magnet Material in PM Synchronous Machines. *Petrov, I.*, +, *TIE June 2013* 2131-2138

Edge detection

An Accurate and Robust Strip-Edge-Based Structured Light Means for Shiny Surface Micromasurement in 3-D. *Song, Z.*, +, *TIE March 2013* 1023-1032

Eigenvalues and eigenfunctions

A Case Study on the Application of the Nyquist Stability Criterion as Applied to Interconnected Loads and Sources on Grids. *Turner, R.*, +, *TIE July 2013* 2740-2749

Reduced-Order Model and Stability Analysis of Low-Voltage DC Microgrid. *Anand, S.*, +, *TIE Nov. 2013* 5040-5049

Stability Analysis of Four PMSG-Based Offshore Wind Farms Fed to an SG-Based Power System Through an LCC-HVDC Link. *Wang, L.*, +, *TIE June 2013* 2392-2400

Theoretical and Practical Solutions for High-Order Superdirectivity of Circular Sensor Arrays. *Ma, Y.*, +, *TIE Jan. 2013* 203-209

Elastic constants

Optimal Design, Fabrication, and Control of an XY Micropositioning Stage Driven by Electromagnetic Actuators. *Xiao, S.*, +, *TIE Oct. 2013* 4613-4626

Elasticity

Rolling Friction Model-Based Analyses and Compensation for Slow Settling Response in Precise Positioning. *Maeda, Y.*, +, *TIE Dec. 2013* 5841-5853

Electric actuators

Modeling Framework for Contactless Energy Transfer Systems for Linear Actuators. *Smeets, J. P. C.*, +, *TIE Jan. 2013* 391-399

Electric conduits

Bearing Fault Detection by a Novel Condition-Monitoring Scheme Based on Statistical-Time Features and Neural Networks. *Prieto, M. D.*, +, *TIE Aug. 2013* 3398-3407

Electric connectors

Development of a Single-Sided Flux Magnetic Coupler for Electric Vehicle IPT Charging Systems. *Budhia, M.*, +, *TIE Jan. 2013* 318-328

Electric current control

A Cascade Multilevel Frequency Changing Converter for High-Power Applications. *Soto-Sanchez, D. E.*, +, *TIE June 2013* 2118-2130

A Comparative Assessment of Model Predictive Current Control and Space Vector Modulation in a Direct Matrix Converter. *Rivera, M.*, +, *TIE Feb. 2013* 578-588

A Current Decoupling Parallel Control Strategy of Single-Phase Inverter With Voltage and Current Dual Closed-Loop Feedback. *Xu, S.*, +, *TIE April 2013* 1306-1313

A Magnetically Coupled Feedback-Clamped Optimal Bidirectional Battery Charger. *Singh, R. K.*, +, *TIE Feb. 2013* 422-432

- A Space-Vector-Based Hysteresis Current Controller for a General n -Level Inverter-Fed Drive With Nearly Constant Switching Frequency Control. *Dey, A.*, +, *TIE May 2013 1989-1998*
- Active Power Filter Control Strategy With Implicit Closed-Loop Current Control and Resonant Controller. *Angulo, M.*, +, *TIE July 2013 2721-2730*
- Active Voltage and Frequency Regulator Design for a Wind-Driven Induction Generator to Alleviate Transient Impacts on Power Grid. *Chen, W.-L.*, +, *TIE Aug. 2013 3165-3175*
- An Advanced Current Control Strategy for Three-Phase Shunt Active Power Filters. *Trinh, Q.-N.*, +, *TIE Dec. 2013 5400-5410*
- An Effective Energy-Saving Scalar Control for Industrial IPMSM Drives. *Consoli, A.*, +, *TIE Sept. 2013 3658-3669*
- An Energy-Based Controller for HVDC Modular Multilevel Converter in Decoupled Double Synchronous Reference Frame for Voltage Oscillation Reduction. *Bergna, G.*, +, *TIE June 2013 2360-2371*
- An Improved Control Strategy of Triple Line-Voltage Cascaded Voltage Source Converter Based on Proportional-Resonant Controller. *Xia, C.*, +, *TIE July 2013 2894-2908*
- An LVRT Control Strategy Based on Flux Linkage Tracking for DFIG-Based WECS. *Xiao, S.*, +, *TIE July 2013 2820-2832*
- Analysis and Solution of Current Zero-Crossing Distortion With Unipolar Hysteresis Current Control in Grid-Connected Inverter. *Wu, F.*, +, *TIE Oct. 2013 4450-4457*
- Assessment and Optimization of the Transient Response of Proportional-Resonant Current Controllers for Distributed Power Generation Systems. *Vidal, A.*, +, *TIE April 2013 1367-1383*
- Authors' Reply to "Comments on Predictive Digital-Controlled Converter With Peak Current-Mode Control and Leading-Edge Modulation". *Lai, Y.-S.*, +, *TIE Jan. 2013 235-238*
- Cascaded Current-Voltage Control to Improve the Power Quality for a Grid-Connected Inverter With a Local Load. *Zhong, Q.-C.*, +, *TIE April 2013 1344-1355*
- Comprehensive Evaluation of the Dynamic Performance of a 6/10 SRM for Traction Application in PHEVs. *Bilgin, B.*, +, *TIE July 2013 2564-2575*
- Control Scheme for Reduced Cross-Regulation in Single-Inductor Multiple-Output DC-DC Converters. *Patra, P.*, +, *TIE Nov. 2013 5095-5104*
- Coordinated Control of DFIG's RSC and GSC Under Generalized Unbalanced and Distorted Grid Voltage Conditions. *Hu, J.*, +, *TIE July 2013 2808-2819*
- Decoupled dq -Current Control of Grid-Tied Voltage Source Converters Using Nonparametric Models. *Bahrani, B.*, +, *TIE April 2013 1356-1366*
- Design and Implementation of an Online Tuning Adaptive Controller for Synchronous Reluctance Motor Drives. *Wei, M.-Y.*, +, *TIE Sept. 2013 3644-3657*
- Digital Control Strategy for HID Lamp Electronic Ballasts. *Kirsten, A. L.*, +, *TIE Feb. 2013 608-618*
- Digital Predictive Current Control of a Three-Phase Four-Leg Inverter. *Rivera, M.*, +, *TIE Nov. 2013 4903-4912*
- Fast Photovoltaic-System Voltage- or Current-Oriented MPPT Employing a Predictive Digital Current-Controlled Converter. *Kakosimos, P. E.*, +, *TIE Dec. 2013 5673-5685*
- Fast-Predictive Optimal Control of NPC Multilevel Converters. *Barros, J. D.*, +, *TIE Feb. 2013 619-627*
- FPGA-Based Predictive Sliding Mode Controller of a Three-Phase Inverter. *Curkovic, M.*, +, *TIE Feb. 2013 637-644*
- Frequency-Adaptive Current Controller for Three-Phase Grid-Connected Converters. *Gomez Jorge, S.*, +, *TIE Oct. 2013 4169-4177*
- High-Frequency Issues Using Rotating Voltage Injections Intended For Position Self-Sensing. *Gabriel, F.*, +, *TIE Dec. 2013 5447-5457*
- High-Power-Factor Single-Phase Diode Rectifier Driven by Repetitively Controlled IPM Motor. *Inazuma, K.*, +, *TIE Oct. 2013 4427-4437*
- Hybrid Voltage and Current Control Approach for DG-Grid Interfacing Converters With LCL filters. *He, J.*, +, *TIE May 2013 1797-1809*
- Implementation of Finite-State Model Predictive Control for Commutation Torque Ripple Minimization of Permanent-Magnet Brushless DC Motor. *Xia, C.*, +, *TIE March 2013 896-905*
- Lyapunov Function-Based Current Controller to Control Active and Reactive Power Flow From a Renewable Energy Source to a Generalized Three-Phase Microgrid System. *Dasgupta, S.*, +, *TIE Feb. 2013 799-813*
- Microstepping Using a Disturbance Observer and a Variable Structure Controller for Permanent-Magnet Stepper Motors. *Kim, W.*, +, *TIE July 2013 2689-2699*
- Model Predictive Control of a Two-Motor Drive With Five-Leg-Inverter Supply. *Lim, C. S.*, +, *TIE Jan. 2013 54-65*
- Modeling and Analysis of Projected Cross Point Control—A New Current-Mode-Control Approach. *Khazraei, M.*, +, *TIE Aug. 2013 3272-3282*
- Modeling and Control of Dual-Stage High-Power Multifunctional PV System in $d-q-o$ Coordinate. *Wang, X.*, +, *TIE April 2013 1556-1570*
- Modeling, Analysis, and Design of Stationary-Reference-Frame Droop-Controlled Parallel Three-Phase Voltage Source Inverters. *Vasquez, J. C.*, +, *TIE April 2013 1271-1280*
- Multilevel Current-Source Inverter With FPGA Control. *Aguirre, M. P.*, +, *TIE Jan. 2013 3-10*
- Parallel PI Voltage- H^∞ Current Controller for the Neutral Point of a Three-Phase Inverter. *Hornik, T.*, +, *TIE April 2013 1335-1343*
- Phase-Compensated Microstepping for Permanent-Magnet Stepper Motors. *Shin, D.*, +, *TIE Dec. 2013 5773-5780*
- Predictive Current Control of Three-Phase Grid-Connected Converters With Constant Switching Frequency for Wind Energy Systems. *Song, Z.*, +, *TIE June 2013 2451-2464*
- Real-Time Implementation of ANFIS Control for Renewable Interfacing Inverter in 3P4W Distribution Network. *Singh, M.*, +, *TIE Jan. 2013 121-128*
- Reduction of Current Harmonic Distortion in Three-Phase Grid-Connected Photovoltaic Inverters via Resonant Current Control. *Castilla, M.*, +, *TIE April 2013 1464-1472*
- Small-Signal Modeling of Digitally Controlled Grid-Connected Inverters With LCL Filters. *Zhang, X.*, +, *TIE Sept. 2013 3752-3765*
- Speed Sensorless Induction Motor Drive With Predictive Current Controller. *Guzinski, J.*, +, *TIE Feb. 2013 699-709*
- Start-Up Control to Prevent Overcurrent During Hot Swap in Paralleled DC-DC Converters. *Kim, H.-S.*, +, *TIE Dec. 2013 5558-5574*
- The Implementation of Bee Colony Optimization Algorithm to Sheppard-Taylor PFC Converter. *Karaarslan, A.*, +, *TIE Sept. 2013 3711-3719*
- Electric drives**
- Application of the MPC to the Position Control of the Two-Mass Drive System. *Serkies, P. J.*, +, *TIE Sept. 2013 3679-3688*
- Chaotic Dynamics Characteristic Analysis for Matrix Converter. *Xia, C.*, +, *TIE Jan. 2013 78-87*
- Fault-Tolerant Five-Leg Converter Topology With FPGA-Based Reconfigurable Control. *Shahbazi, M.*, +, *TIE June 2013 2284-2294*
- Investigation of Carrier-Based PWM Techniques for a Five-Phase Open-End Winding Drive Topology. *Bodo, N.*, +, *TIE May 2013 2054-2065*
- On the Causes of Circulating Currents in PWM Drives With Open-End Winding AC Machines. *Somani, A.*, +, *TIE Sept. 2013 3670-3678*
- Open-Circuit Fault Diagnosis in PMSG Drives for Wind Turbine Applications. *Freire, N. M. A.*, +, *TIE Sept. 2013 3957-3967*
- Parallel Operation of Full Power Converters in Permanent-Magnet Direct-Drive Wind Power Generation System. *Li, R.*, +, *TIE April 2013 1619-1629*
- Predictive Torque and Flux Control Without Weighting Factors. *Rojas, C. A.*, +, *TIE Feb. 2013 681-690*
- Universal Multiaxis Control System for Electric Drives. *Kozlowski, K.*, +, *TIE Feb. 2013 691-698*
- Electric impedance**
- A Study on Magnetic Field Repeater in Wireless Power Transfer. *Ahn, D.*, +, *TIE Jan. 2013 360-371*
- Robust Droop Controller for Accurate Proportional Load Sharing Among Inverters Operated in Parallel. *Zhong, Q.-C.*, +, *TIE April 2013 1281-1290*
- Sinusoidal-Ripple-Current Charging Strategy and Optimal Charging Frequency Study for Li-Ion Batteries. *Chen, L.-R.*, +, *TIE Jan. 2013 88-97*
- Electric impedance measurement**
- On Condition Maintenance Based on the Impedance Measurement for Traction Batteries: Development and Industrial Implementation. *Munoz-Condés, P.*, +, *TIE July 2013 2750-2759*
- Electric locomotives**
- A Simplified Power Conditioner Based on Half-Bridge Converter for High-Speed Railway System. *Ma, F.*, +, *TIE Feb. 2013 728-738*
- Electric machine analysis computing**
- Wound-Rotor Induction Generator Inter-Turn Short-Circuits Diagnosis Using a New Digital Neural Network. *Toma, S.*, +, *TIE Sept. 2013 4043-4052*
- Electric machines**
- Early Classification of Bearing Faults Using Morphological Operators and Fuzzy Inference. *Raj, A. S.*, +, *TIE Feb. 2013 567-574*
- Introduction to the special section on advances in diagnosis for electrical machines, power electronics, and drives - Part I. *Capolino, G.-A.*, +, *TIE Aug. 2013 3396-3397*

Introduction to the Special Section on Advances in Diagnosis for Electrical Machines, Power Electronics, and Drives—Part II. *Capolino, G.-A.*, +, *TIE Sept. 2013 4009-4011*

Thermal Optimization of a High-Power Salient-Pole Electrical Machine. *Bornschiegell, A. S.*, +, *TIE May 2013 1734-1746*

Electric motors

Passive LC Filter Design Considerations for Motor Applications. *Dzhankhotov, V.*, +, *TIE Oct. 2013 4253-4259*

Universal Multiaxis Control System for Electric Drives. *Kozłowski, K.*, +, *TIE Feb. 2013 691-698*

Voltage Balancing and Fluctuation-Suppression Methods of Floating Capacitors in a New Modular Multilevel Converter. *Wang, K.*, +, *TIE May 2013 1943-1954*

Electric potential

An LVRT Control Strategy Based on Flux Linkage Tracking for DFIGN-Based WECS. *Xiao, S.*, +, *TIE July 2013 2820-2832*

Analysis and Enhancement of Low-Voltage Ride-Through Capability of Brushless Doubly Fed Induction Generator. *Tohidi, S.*, +, *TIE March 2013 1146-1155*

DSP-Based Control of Sensorless IPMSM Drives for Wide-Speed-Range Operation. *Wang, G.*, +, *TIE Feb. 2013 720-727*

Inter-Turn Fault Detection in PM Synchronous Machines by Physics-Based Back Electromotive Force Estimation. *Sarikhani, A.*, +, *TIE Aug. 2013 3472-3484*

Microstepping Using a Disturbance Observer and a Variable Structure Controller for Permanent-Magnet Stepper Motors. *Kim, W.*, +, *TIE July 2013 2689-2699*

New Sliding-Mode Observer for Position Sensorless Control of Permanent-Magnet Synchronous Motor. *Qiao, Z.*, +, *TIE Feb. 2013 710-719*

Robust Droop Controller for Accurate Proportional Load Sharing Among Inverters Operated in Parallel. *Zhong, Q.-C.*, +, *TIE April 2013 1281-1290*

Shaft Trajectory Analysis in a Partially Demagnetized Permanent-Magnet Synchronous Motor. *Urresty, J.-C.*, +, *TIE Aug. 2013 3454-3461*

Electric propulsion

Battery Charger for Electric Vehicle Traction Battery Switch Station. *Kuperman, A.*, +, *TIE Dec. 2013 5391-5399*

Sliding-Mode Control of an Electromagnetic Actuated Conveyance System Using Contactless Sensing. *Chin, C. S.*, +, *TIE Nov. 2013 5315-5324*

Electric resistance

Analysis, Design, and Experimental Results of Novel Snubberless Bidirectional Naturally Clamped ZCS/ZVS Current-Fed Half-Bridge DC/DC Converter for Fuel Cell Vehicles. *Rathore, A. K.*, +, *TIE Oct. 2013 4482-4491*

Electric sensing devices

A Cascade MPC Control Structure for a PMSM With Speed Ripple Minimization. *Chai, S.*, +, *TIE Aug. 2013 2978-2987*

Fault Diagnosis Digital Method for Power Transistors in Power Converters of Switched Reluctance Motors. *Chen, H.*, +, *TIE Feb. 2013 749-763*

Phase Current Reconstruction Using a Single Current Sensor of Three-Phase AC Motors Fed by SVM-Controlled Direct Matrix Converters. *Metidji, B.*, +, *TIE Dec. 2013 5497-5505*

Shaft Trajectory Analysis in a Partially Demagnetized Permanent-Magnet Synchronous Motor. *Urresty, J.-C.*, +, *TIE Aug. 2013 3454-3461*

Electric vehicles

Development of a Single-Sided Flux Magnetic Coupler for Electric Vehicle IPT Charging Systems. *Budhia, M.*, +, *TIE Jan. 2013 318-328*

Driving Range Extension of EV With On-Road Contactless Power Transfer—A Case Study. *Chopra, S.*, +, *TIE Jan. 2013 329-338*

Estimation of Sideslip and Roll Angles of Electric Vehicles Using Lateral Tire Force Sensors Through RLS and Kalman Filter Approaches. *Nam, K.*, +, *TIE March 2013 988-1000*

Modeling and Control Design of the Interleaved Double Dual Boost Converter. *Garcia, F. S.*, +, *TIE Aug. 2013 3283-3290*

Wheel Slip Control of EVs Based on Sliding Mode Technique With Conditional Integrators. *de Castro, R.*, +, *TIE Aug. 2013 3256-3271*

Electrical engineering computing

Statistical and Neural-Network Approaches for the Classification of Induction Machine Faults Using the Ambiguity Plane Representation. *Boukra, T.*, +, *TIE Sept. 2013 4034-4042*

Electrical faults

A ZVS-PWM Three-Phase Current-Fed Push–Pull DC–DC Converter. *Andersen, R. L.*, +, *TIE March 2013 838-847*

Early Classification of Bearing Faults Using Morphological Operators and Fuzzy Inference. *Raj, A. S.*, +, *TIE Feb. 2013 567-574*

Effect of Slot-and-Pole Combination on the Leakage Inductance and the Performance of Tooth-Coil Permanent-Magnet Synchronous Machines. *Ponomarev, P.*, +, *TIE Oct. 2013 4310-4317*

Remedial Injected-Harmonic-Current Operation of Redundant Flux-Switching Permanent-Magnet Motor Drives. *Zhao, W.*, +, *TIE Jan. 2013 151-159*

Electrical safety

Investigation Into the High-Frequency Limits and Performance of Load Commutated Inverters for High-Speed Synchronous Motor Drives. *Tes-sarolo, A.*, +, *TIE June 2013 2147-2157*

Electrocardiography

Industrial Application of Evolvable Block-Based Neural Network to Hypoglycemia Monitoring System. *San, P. P.*, +, *TIE Dec. 2013 5892-5901*

Electrochemical electrodes

Tunable Ultracapacitor. *Bakhoun, E. G.*, +, *TIE Dec. 2013 5613-5619*

Electrochemical impedance spectroscopy

Equivalent Circuit Modeling of PEM Fuel Cell Degradation Combined With a LFR. *Kim, J.*, +, *TIE Nov. 2013 5086-5094*

Electrolytic capacitors

Fault Diagnosis of DC-Link Capacitors in Three-Phase AC/DC PWM Converters by Online Estimation of Equivalent Series Resistance. *Pu, X.-S.*, +, *TIE Sept. 2013 4118-4127*

Single- and Three-Phase PHEV Onboard Battery Charger Using Small Link Capacitor. *Yoo, K.-M.*, +, *TIE Aug. 2013 3136-3144*

Electromagnetic actuators

Optimal Design, Fabrication, and Control of an XY Micropositioning Stage Driven by Electromagnetic Actuators. *Xiao, S.*, +, *TIE Oct. 2013 4613-4626*

Sliding-Mode Control of an Electromagnetic Actuated Conveyance System Using Contactless Sensing. *Chin, C. S.*, +, *TIE Nov. 2013 5315-5324*

Electromagnetic compatibility

AC/DC/DC Interfaces for V2G Applications—EMC Issues. *Smolenski, R.*, +, *TIE March 2013 930-935*

New Behavioral Modeling of EMI for DC Motors Applied to EMC Characterization. *Kahoul, R.*, +, *TIE Dec. 2013 5482-5496*

Electromagnetic devices

Automated Impedance Matching System for Robust Wireless Power Transfer via Magnetic Resonance Coupling. *Beh, T. C.*, +, *TIE Sept. 2013 3689-3698*

Erratum to “Analytical Magnetic Field and Driving Force Models Based on Measured Boundary Conditions for Industrial Coriolis Mass Flowmeters” [Dec 12 4753-4760]. *Wang, L.-J.*, +, *TIE July 2013 2771*

Electromagnetic interference

μ -Synthesis for Frequency Uncertainty of the ICPT System. *Li, Y.-L.*, +, *TIE Jan. 2013 291-300*

A Digitally Controlled Switching Regulator With Reduced Conductive EMI Spectra. *Tsai, C.-H.*, +, *TIE Sept. 2013 3938-3947*

Analysis and Design of a Single-Stage High-Power-Factor Dimmable Electronic Ballast for Electrodeless Fluorescent Lamp. *da Silva, M. F.*, +, *TIE Aug. 2013 3081-3091*

Analysis and PWM Control of Switched Boost Inverter. *Ravindranath, A.*, +, *TIE Dec. 2013 5593-5602*

New Behavioral Modeling of EMI for DC Motors Applied to EMC Characterization. *Kahoul, R.*, +, *TIE Dec. 2013 5482-5496*

Novel Techniques to Suppress the Common-Mode EMI Noise Caused by Transformer Parasitic Capacitances in DC–DC Converters. *Fu, D.*, +, *TIE Nov. 2013 4968-4977*

Parallel Operation of Full Power Converters in Permanent-Magnet Direct-Drive Wind Power Generation System. *Li, R.*, +, *TIE April 2013 1619-1629*

Phase-Shift Interleaving Control of Variable-Phase Switched-Capacitor Converters. *Kiratipongvoot, S.*, +, *TIE Dec. 2013 5575-5584*

Wavelet-Based Approach to Evaluation of Signal Integrity. *Bialasiewicz, J. T.*, +, *TIE Oct. 2013 4590-4598*

Wireless ESD Event Locator Systems in Hard Disk Drive Manufacturing Environments. *Thongpull, K.*, +, *TIE Nov. 2013 5252-5259*

Electromagnetic wave interferometry

Shaft Trajectory Analysis in a Partially Demagnetized Permanent-Magnet Synchronous Motor. *Urresty, J.-C.*, +, *TIE Aug. 2013 3454-3461*

Electronic engineering computing

Adaptive Selective Harmonic Minimization Based on ANNs for Cascade Multilevel Inverters With Varying DC Sources. *Filho, F.*, +, *TIE May 2013 1955-1962*

Real-Time Nonlinear Parameter Estimation Using the Levenberg–Marquardt Algorithm on Field Programmable Gate Arrays. *Shawash, J.*, +, *TIE Jan. 2013 170-176*

Electronics industry

Wireless ESD Event Locator Systems in Hard Disk Drive Manufacturing Environments. *Thongpull, K.*, +, *TIE Nov. 2013 5252-5259*

Electronics packaging

Z-Axis Magnetometers for MEMS Inertial Measurement Units Using an Industrial Process. *Langfelder, G.*, +, *TIE Sept. 2013 3983-3990*

Electrostatic discharge

Wireless ESD Event Locator Systems in Hard Disk Drive Manufacturing Environments. *Thongpull, K.*, +, *TIE Nov. 2013 5252-5259*

Electrostatic precipitators

Automated Design of a High-Power High-Frequency LCC Resonant Converter for Electrostatic Precipitators. *Soeiro, T. B.*, +, *TIE Nov. 2013 4805-4819*

Electrostatics

Suppressing Bearing Voltage in an Inverter-Fed Ungrounded Brushless DC Motor. *Maetani, T.*, +, *TIE Nov. 2013 4861-4868*

Elemental semiconductors

Binary Coding SVMs for the Multiclass Problem of Blast Furnace System. *Jian, L.*, +, *TIE Sept. 2013 3846-3856*

Embedded systems

Controllable Petri Net-Based Implementation Approach for Motor Control Systems. *Kuo, C.-H.*, +, *TIE Oct. 2013 4599-4612*

Energy conservation

An Effective Energy-Saving Scalar Control for Industrial IPMSM Drives. *Consoli, A.*, +, *TIE Sept. 2013 3658-3669*

General Analysis on the Use of Tesla's Resonators in Domino Forms for Wireless Power Transfer. *Zhong, W.*, +, *TIE Jan. 2013 261-270*

Global Energy Scenario and Impact of Power Electronics in 21st Century. *Bose, B. K.*, +, *TIE July 2013 2638-2651*

New Full-Frequency-Range Supercapacitor Model With Easy Identification Procedure. *Musolino, V.*, +, *TIE Jan. 2013 112-120*

Energy exchange

Introduction to the Special Section on Contactless Energy Transfer Systems. *Boys, J. T.*, +, *TIE Jan. 2013 239-241*

Energy harvesting

A Permanent-Magnet Linear Motion Driven Kinetic Energy Harvester. *Zeng, P.*, +, *TIE Dec. 2013 5737-5746*

Cattle-Powered Node Experience in a Heterogeneous Network for Localization of Herds. *Gutierrez, A.*, +, *TIE Aug. 2013 3176-3184*

Flow Energy Harvesting Using Piezoelectric Cantilevers With Cylindrical Extension. *Gao, X.*, +, *TIE March 2013 1116-1118*

Low-Power ASIC for Microwatt Electrostatic Energy Harvesters. *Kempitaya, A.*, +, *TIE Dec. 2013 5639-5647*

Energy management systems

Building Integrated Photovoltaic System With Energy Storage and Smart Grid Communication. *Sechilariu, M.*, +, *TIE April 2013 1607-1618*

Evaluation of Storage Energy Requirements for Constant Production in PV Power Plants. *Beltran, H.*, +, *TIE March 2013 1225-1234*

Multiobjective Intelligent Energy Management for a Microgrid. *Chaouachi, A.*, +, *TIE April 2013 1688-1699*

Multiphysics Test Bed for Renewable Energy Systems in Smart Homes. *Molitor, C.*, +, *TIE March 2013 1235-1248*

Energy resources

Multiagent-Based Distributed-Energy-Resource Management for Intelligent Microgrids. *Kumar Nunna, H. S. V. S.*, +, *TIE April 2013 1678-1687*

Energy storage

A Direct Power Conversion Topology for Grid Integration of Hybrid AC/DC Energy Resources. *Liu, X.*, +, *TIE Dec. 2013 5696-5707*

Advanced Control Architectures for Intelligent Microgrids—Part II: Power Quality, Energy Storage, and AC/DC Microgrids. *Guerrero, J. M.*, +, *TIE April 2013 1263-1270*

Advanced Fault Ride-Through Technique for PMSG Wind Turbine Systems Using Line-Side Converter as STATCOM. *Nguyen, T. H.*, +, *TIE July 2013 2842-2850*

An Energy-Stored Quasi-Z-Source Inverter for Application to Photovoltaic Power System. *Ge, B.*, +, *TIE Oct. 2013 4468-4481*

Building Integrated Photovoltaic System With Energy Storage and Smart Grid Communication. *Sechilariu, M.*, +, *TIE April 2013 1607-1618*

Control Structure for Single-Phase Stand-Alone Wind-Based Energy Sources. *Barote, L.*, +, *TIE Feb. 2013 764-772*

Evaluation of Storage Energy Requirements for Constant Production in PV Power Plants. *Beltran, H.*, +, *TIE March 2013 1225-1234*

Extended Range ZVS Active-Clamped Current-Fed Full-Bridge Isolated DC/DC Converter for Fuel Cell Applications: Analysis, Design, and Experimental Results. *U R, P.*, +, *TIE July 2013 2661-2672*

Global Energy Scenario and Impact of Power Electronics in 21st Century. *Bose, B. K.*, +, *TIE July 2013 2638-2651*

New Method to Achieve AC Harmonic Elimination and Energy Storage Integration for 12-Pulse Diode Rectifiers. *Bai, S.*, +, *TIE July 2013 2547-2554*

Proposal of Three-Phase High-Frequency Transformer Isolation UPS Topologies for Distributed Generation Applications. *Branco, C. G. C.*, +, *TIE April 2013 1520-1531*

Engines

A New Framework of Simultaneous-Fault Diagnosis Using Pairwise Probabilistic Multi-Label Classification for Time-Dependent Patterns. *Vong, C.-M.*, +, *TIE Aug. 2013 3372-3385*

Environmental factors

Introduction to the Special Section on Control and Grid Integration of Wind Energy Systems—Part I. *Cardenas, R.*, +, *TIE June 2013 2358-2359*

Equalizers

Single-Switch Multioutput Charger Using Voltage Multiplier for Series-Connected Lithium-Ion Battery/Supercapacitor Equalization. *Uno, M.*, +, *TIE Aug. 2013 3227-3239*

Equivalent circuits

A Current Decoupling Parallel Control Strategy of Single-Phase Inverter With Voltage and Current Dual Closed-Loop Feedback. *Xu, S.*, +, *TIE April 2013 1306-1313*

Per-Sequence Vector-Switching Matrix Converter Modules for Voltage Regulation. *Garcia-Vite, P. M.*, +, *TIE Dec. 2013 5411-5421*

Single-Switch Multioutput Charger Using Voltage Multiplier for Series-Connected Lithium-Ion Battery/Supercapacitor Equalization. *Uno, M.*, +, *TIE Aug. 2013 3227-3239*

Suppressing Bearing Voltage in an Inverter-Fed Ungrounded Brushless DC Motor. *Maetani, T.*, +, *TIE Nov. 2013 4861-4868*

Validation of a Faulted Rotor Induction Machine Model With an Insightful Geometrical Interpretation of Physical Quantities. *Concari, C.*, +, *TIE Sept. 2013 4074-4083*

Error analysis

Parameter Estimation for Condition Monitoring of PMSM Stator Winding and Rotor Permanent Magnets. *Liu, K.*, +, *TIE Dec. 2013 5902-5913*

Error statistics

Statistical and Neural-Network Approaches for the Classification of Induction Machine Faults Using the Ambiguity Plane Representation. *Boukra, T.*, +, *TIE Sept. 2013 4034-4042*

Estimation theory

Control Synthesis for a Class of Linear Network-Based Systems With Communication Constraints. *Zhang, C.*, +, *TIE Aug. 2013 3339-3348*

Exhaust systems

Detection of Mass Increase in a Fan Impeller With a Frequency Converter. *Tamminen, J.*, +, *TIE Sept. 2013 3968-3975*

Expert systems

Multiobjective Intelligent Energy Management for a Microgrid. *Chaouachi, A.*, +, *TIE April 2013 1688-1699*

F**Failure analysis**

A New Algorithm for Real-Time Multiple Open-Circuit Fault Diagnosis in Voltage-Fed PWM Motor Drives by the Reference Current Errors. *Estima, J. O.*, +, *TIE Aug. 2013 3496-3505*

A Novel Noninvasive Failure-Detection System for High-Power Converters Based on SCRs. *Guerrero, V.*, +, *TIE Feb. 2013 450-458*

A Sensor Fault Detection and Isolation Method in Interior Permanent-Magnet Synchronous Motor Drives Based on an Extended Kalman Filter. *Foo, G. H. B.*, +, *TIE Aug. 2013 3485-3495*

Detection and Diagnosis of Faults in Induction Motor Using an Improved Artificial Ant Clustering Technique. *Soualhi, A.*, +, *TIE Sept. 2013 4053-4062*

Open-Circuit Fault Diagnosis in PMSG Drives for Wind Turbine Applications. *Freire, N. M. A.*, +, *TIE Sept. 2013 3957-3967*

Risk Measures for Particle-Filtering-Based State-of-Charge Prognosis in Lithium-Ion Batteries. *Orchard, M. E.*, +, *TIE Nov. 2013 5260-5269*

The Effect of Failure Prognosis and Mitigation on the Reliability of Permanent-Magnet AC Motor Drives. *Strangas, E. G.*, +, *TIE Aug. 2013* 3519-3528

Thermal Analysis and Cooling System Design of Dual Mechanical Port Machine for Wind Power Application. *Sun, X.*, +, *TIE May 2013* 1724-1733

Fast Fourier transforms

An Efficient Prony-Based Solution Procedure for Tracking of Power System Voltage Variations. *Chen, C.-I.*, +, *TIE July 2013* 2681-2688

Investigation of Carrier-Based PWM Techniques for a Five-Phase Open-End Winding Drive Topology. *Bodo, N.*, +, *TIE May 2013* 2054-2065

Spectral Correction Approach Based on Desirable Sidelobe Window for Harmonic Analysis of Industrial Power System. *Wen, H.*, +, *TIE March 2013* 1001-1010

Fault current limiters

Current-Fed High-Frequency AC Distributed Power System for Medium-High-Voltage Gate Driving Applications. *Wen, H.*, +, *TIE Sept. 2013* 3736-3751

Parallel-Resonance-Type Fault Current Limiter. *Naderi, S. B.*, +, *TIE July 2013* 2538-2546

Fault currents

Optimal Protection Coordination for Microgrids With Grid-Connected and Islanded Capability. *Najy, W. K. A.*, +, *TIE April 2013* 1668-1677

Fault detection

Introduction to the special section on advances in diagnosis for electrical machines, power electronics, and drives - Part I. *Capolino, G.-A.*, +, *TIE Aug. 2013* 3396-3397

Introduction to the Special Section on Advances in Diagnosis for Electrical Machines, Power Electronics, and Drives—Part II. *Capolino, G.-A.*, +, *TIE Sept. 2013* 4009-4011

Fault diagnosis

A New Algorithm for Real-Time Multiple Open-Circuit Fault Diagnosis in Voltage-Fed PWM Motor Drives by the Reference Current Errors. *Estima, J. O.*, +, *TIE Aug. 2013* 3496-3505

A New Framework of Simultaneous-Fault Diagnosis Using Pairwise Probabilistic Multi-Label Classification for Time-Dependent Patterns. *Vong, C.-M.*, +, *TIE Aug. 2013* 3372-3385

A Novel Noninvasive Failure-Detection System for High-Power Converters Based on SCRs. *Guerrero, V.*, +, *TIE Feb. 2013* 450-458

A Sensor Fault Detection and Isolation Method in Interior Permanent-Magnet Synchronous Motor Drives Based on an Extended Kalman Filter. *Foo, G. H. B.*, +, *TIE Aug. 2013* 3485-3495

A Twofold Daubechies-Wavelet-Based Module for Fault Detection and Voltage Regulation in SEIGs for Distributed Wind Power Generation. *Iyer, K. L. V.*, +, *TIE April 2013* 1638-1651

Advanced Diagnosis of Electrical Faults in Wound-Rotor Induction Machines. *Gritli, Y.*, +, *TIE Sept. 2013* 4012-4024

Advanced Fault Ride-Through Technique for PMSG Wind Turbine Systems Using Line-Side Converter as STATCOM. *Nguyen, T. H.*, +, *TIE July 2013* 2842-2850

Bearing Fault Detection by a Novel Condition-Monitoring Scheme Based on Statistical-Time Features and Neural Networks. *Prieto, M. D.*, +, *TIE Aug. 2013* 3398-3407

Bearing Fault Diagnosis for Direct-Drive Wind Turbines via Current-Modulated Signals. *Gong, X.*, +, *TIE Aug. 2013* 3419-3428

Detection and Diagnosis of Faults in Induction Motor Using an Improved Artificial Ant Clustering Technique. *Soualhi, A.*, +, *TIE Sept. 2013* 4053-4062

Detection of Backlash Phenomena Appearing in a Single Cement Kiln Drive Using the Current and the Electromagnetic Torque Signature. *Bogiatzidis, I. X.*, +, *TIE Aug. 2013* 3441-3453

Diagnostics and Prognostics Method for Analog Electronic Circuits. *Sai Sarathi Vasan, A.*, +, *TIE Nov. 2013* 5277-5291

Early Classification of Bearing Faults Using Morphological Operators and Fuzzy Inference. *Raj, A. S.*, +, *TIE Feb. 2013* 567-574

Efficient Fault Diagnosis Schemes for Reliable Lightweight Cryptographic ISO/IEC Standard CLEFIA Benchmarked on ASIC and FPGA. *Mozaffari-Kermani, M.*, +, *TIE Dec. 2013* 5925-5932

Fault Diagnosis of DC-Link Capacitors in Three-Phase AC/DC PWM Converters by Online Estimation of Equivalent Series Resistance. *Pu, X.-S.*, +, *TIE Sept. 2013* 4118-4127

Fault Ride-Through Improvement of DFIG-WT by Integrating a Two-Degrees-of-Freedom Internal Model Control. *Campos-Gaona, D.*, +, *TIE March 2013* 1133-1145

Fault-Tolerant Five-Leg Converter Topology With FPGA-Based Reconfigurable Control. *Shahbazi, M.*, +, *TIE June 2013* 2284-2294

FPGA-Based Reconfigurable Control for Fault-Tolerant Back-to-Back Converter Without Redundancy. *Shahbazi, M.*, +, *TIE Aug. 2013* 3360-3371

Hierarchical Fault Diagnosis for Power Systems Based on Equivalent-Input-Disturbance Approach. *Hu, B.*, +, *TIE Aug. 2013* 3529-3538

Introduction to the special section on advances in diagnosis for electrical machines, power electronics, and drives - Part I. *Capolino, G.-A.*, +, *TIE Aug. 2013* 3396-3397

New Expressions of Symmetrical Components of the Induction Motor Under Stator Faults. *Bouzid, M. B. K.*, +, *TIE Sept. 2013* 4093-4102

Offline and Online Methods for Stator Core Fault Detection in Large Generators. *Romary, R.*, +, *TIE Sept. 2013* 4084-4092

Open- and Short-Circuit Switch Fault Diagnosis for Nonisolated DC-DC Converters Using Field Programmable Gate Array. *Shahbazi, M.*, +, *TIE Sept. 2013* 4136-4146

Open-Circuit Fault Diagnosis in PMSG Drives for Wind Turbine Applications. *Freire, N. M. A.*, +, *TIE Sept. 2013* 3957-3967

Plastic Bearing Fault Diagnosis Based on a Two-Step Data Mining Approach. *He, D.*, +, *TIE Aug. 2013* 3429-3440

Real-Time Monitoring for a Five-Level Double-Boost Power Factor Controller Including Postfault Reconfiguration. *Pham, T. T. L.*, +, *TIE Sept. 2013* 4128-4135

Shaft Trajectory Analysis in a Partially Demagnetized Permanent-Magnet Synchronous Motor. *Urresty, J.-C.*, +, *TIE Aug. 2013* 3454-3461

Statistical and Neural-Network Approaches for the Classification of Induction Machine Faults Using the Ambiguity Plane Representation. *Boukra, T.*, +, *TIE Sept. 2013* 4034-4042

Stator-Current Spectrum Signature of Healthy Cage Rotor Induction Machines. *Joksimovic, G. M.*, +, *TIE Sept. 2013* 4025-4033

Using Only the DC Current Information to Detect Stator Turn Faults in Automotive Claw-Pole Generators. *Cheng, S.*, +, *TIE Aug. 2013* 3462-3471

Wound-Rotor Induction Generator Inter-Turn Short-Circuits Diagnosis Using a New Digital Neural Network. *Toma, S.*, +, *TIE Sept. 2013* 4043-4052

Fault location

Diagnostics and Prognostics Method for Analog Electronic Circuits. *Sai Sarathi Vasan, A.*, +, *TIE Nov. 2013* 5277-5291

Fault Diagnosis Digital Method for Power Transistors in Power Converters of Switched Reluctance Motors. *Chen, H.*, +, *TIE Feb. 2013* 749-763

High-Resolution Parameter Estimation Method to Identify Broken Rotor Bar Faults in Induction Motors. *Kim, Y.-H.*, +, *TIE Sept. 2013* 4103-4117

Fault tolerance

A Fault-Tolerant Parallel Structure of Single-Phase Full-Bridge Rectifiers for a Wound-Field Doubly Salient Generator. *Chen, Z.*, +, *TIE Aug. 2013* 2988-2996

Analysis of the Fault-Tolerance Capacity of the Multilevel Active-Clamped Converter. *Nicolas-Apruzzese, J.*, +, *TIE Nov. 2013* 4773-4783

Comprehensive Evaluation of the Dynamic Performance of a 6/10 SRM for Traction Application in PHEVs. *Bilgin, B.*, +, *TIE July 2013* 2564-2575

Distributed Control of a Fault-Tolerant Modular Multilevel Inverter for Direct-Drive Wind Turbine Grid Interfacing. *Parker, M. A.*, +, *TIE Feb. 2013* 509-522

Fault-Tolerant Five-Leg Converter Topology With FPGA-Based Reconfigurable Control. *Shahbazi, M.*, +, *TIE June 2013* 2284-2294

FPGA-Based Reconfigurable Control for Fault-Tolerant Back-to-Back Converter Without Redundancy. *Shahbazi, M.*, +, *TIE Aug. 2013* 3360-3371

Performance Evaluation of a Vector-Control Fault-Tolerant Flux-Switching Motor Drive. *Aboelhassan, M. O. E.*, +, *TIE Aug. 2013* 2997-3006

Piezoelectric Fan Cooling: A Novel High Reliability Electric Machine Thermal Management Solution. *Gilson, G. M.*, +, *TIE Nov. 2013* 4841-4851

Real-Time Monitoring for a Five-Level Double-Boost Power Factor Controller Including Postfault Reconfiguration. *Pham, T. T. L.*, +, *TIE Sept. 2013* 4128-4135

Sensor-Fault-Tolerant Control for a Class of Linear Parameter Varying Systems With Practical Examples. *Abdullah, A.*, +, *TIE Nov. 2013* 5239-5251

Feature extraction

A New Framework of Simultaneous-Fault Diagnosis Using Pairwise Probabilistic Multi-Label Classification for Time-Dependent Patterns. *Vong, C.-M.*, +, *TIE Aug. 2013* 3372-3385

An Accurate and Robust Strip-Edge-Based Structured Light Means for Shiny Surface Micromasurement in 3-D. *Song, Z.*, +, *TIE March 2013* 1023-1032

Bearing Fault Detection by a Novel Condition-Monitoring Scheme Based on Statistical-Time Features and Neural Networks. *Prieto, M. D.*, +, *TIE Aug. 2013 3398-3407*

Diagnostics and Prognostics Method for Analog Electronic Circuits. *Sai Sarathi Vasan, A.*, +, *TIE Nov. 2013 5277-5291*

Plastic Bearing Fault Diagnosis Based on a Two-Step Data Mining Approach. *He, D.*, +, *TIE Aug. 2013 3429-3440*

Statistical and Neural-Network Approaches for the Classification of Induction Machine Faults Using the Ambiguity Plane Representation. *Boukra, T.*, +, *TIE Sept. 2013 4034-4042*

Feedback

A Control Strategy for Parallel Operation of Single-Phase Voltage Source Inverters: Analysis, Design and Experimental Results. *Lazzarin, T. B.*, +, *TIE June 2013 2194-2204*

A Current Decoupling Parallel Control Strategy of Single-Phase Inverter With Voltage and Current Dual Closed-Loop Feedback. *Xu, S.*, +, *TIE April 2013 1306-1313*

A Robust Linear Field-Oriented Voltage Control for the Induction Motor: Experimental Results. *Sira-Ramirez, H.*, +, *TIE Aug. 2013 3025-3033*

A Two-Loop Performance-Oriented Tip-Tracking Control of a Linear-Motor-Driven Flexible Beam System With Experiments. *Lu, L.*, +, *TIE March 2013 1011-1022*

Allocation of Actuators and Sensors for Coupled-Adjacent-Building Vibration Attenuation. *Gao, H.*, +, *TIE Dec. 2013 5792-5801*

An Adaptive Voltage Control Strategy of Three-Phase Inverter for Stand-Alone Distributed Generation Systems. *Do, T. D.*, +, *TIE Dec. 2013 5660-5672*

Boundary Output-Feedback Stabilization of a Timoshenko Beam Using Disturbance Observer. *He, W.*, +, *TIE Nov. 2013 5186-5194*

Composite Nonlinear Feedback Control and Stability Analysis of a Grid-Connected Voltage Source Inverter With *LCL* Filter. *Eren, S.*, +, *TIE Nov. 2013 5059-5074*

Design, Optimization, and Intelligent Control of Permanent-Magnet Converter. *Lin, H.*, +, *TIE Nov. 2013 5148-5159*

Design-Oriented Analysis and Performance Evaluation of a Low-Cost High-Brightness LED Driver Based on Flyback Power Factor Corrector. *Lamar, D. G.*, +, *TIE July 2013 2614-2626*

Initial Friction Compensation Using Rheology-Based Rolling Friction Model in Fast and Precise Positioning. *Maeda, Y.*, +, *TIE Sept. 2013 3865-3876*

Microstepping Using a Disturbance Observer and a Variable Structure Controller for Permanent-Magnet Stepper Motors. *Kim, W.*, +, *TIE July 2013 2689-2699*

Modeling and Control of a Three-Phase Boost Converter for Resistive Input Behavior. *Sabzhegar, R.*, +, *TIE Dec. 2013 5854-5863*

Networked Predictive Control of Uncertain Systems With Multiple Feedback Channels. *Song, H.*, +, *TIE Nov. 2013 5228-5238*

Output-Feedback Tracking Control for Polynomial Fuzzy-Model-Based Control Systems. *Lam, H. K.*, +, *TIE Dec. 2013 5830-5840*

Per-Sequence Vector-Switching Matrix Converter Modules for Voltage Regulation. *Garcia-Vite, P. M.*, +, *TIE Dec. 2013 5411-5421*

Phase-Compensated Microstepping for Permanent-Magnet Stepper Motors. *Shin, D.*, +, *TIE Dec. 2013 5773-5780*

Positive Feedforward Control for Multimodule Output-Series Power-Conversion Systems With Individual Nonideal Sources. *Lin, R.-L.*, +, *TIE April 2013 1323-1334*

Precise Positioning of Nonsmooth Dynamic Systems Using Fuzzy Wavelet Echo State Networks and Dynamic Surface Sliding Mode Control. *Han, S. I.*, +, *TIE Nov. 2013 5124-5136*

Robust Disturbance Observer for Two-Inertia System. *Yun, J. N.*, +, *TIE July 2013 2700-2710*

Sliding-Mode Control of an Electromagnetic Actuated Conveyance System Using Contactless Sensing. *Chin, C. S.*, +, *TIE Nov. 2013 5315-5324*

T-S Fuzzy Model-Based Adaptive Dynamic Surface Control for Ball and Beam System. *Chang, Y.-H.*, +, *TIE June 2013 2251-2263*

Feedforward

Digitized Feedforward Compensation Method for High-Power-Density Three-Phase Vienna PFC Converter. *Hang, L.*, +, *TIE April 2013 1512-1519*

Full-Feedforward Schemes of Grid Voltages for a Three-Phase *LCL*-Type Grid-Connected Inverter. *Li, W.*, +, *TIE June 2013 2237-2250*

Phase-Compensated Microstepping for Permanent-Magnet Stepper Motors. *Shin, D.*, +, *TIE Dec. 2013 5773-5780*

Positive Feedforward Control for Multimodule Output-Series Power-Conversion Systems With Individual Nonideal Sources. *Lin, R.-L.*, +, *TIE April 2013 1323-1334*

Robust LQR Attitude Control of a 3-DOF Laboratory Helicopter for Aggressive Maneuvers. *Liu, H.*, +, *TIE Oct. 2013 4627-4636*

The Implementation of Bee Colony Optimization Algorithm to Shepard-Taylor PFC Converter. *Karaarslan, A.*, +, *TIE Sept. 2013 3711-3719*

Feedforward amplifiers

Feed-Forward Scheme Considering Bandwidth Limitation of Operational Amplifiers for Envelope Tracking Power Supply Using Series-Connected Composite Configuration. *Xi, H.*, +, *TIE Sept. 2013 3915-3926*

Feedforward neural nets

An Optimal PID Control Algorithm for Training Feedforward Neural Networks. *Jing, X.*, +, *TIE June 2013 2273-2283*

Ferrites

Design Methodology for High Efficient Inductive Power Transfer Systems With High Coil Positioning Flexibility. *Kurschner, D.*, +, *TIE Jan. 2013 372-381*

Performance of Low-Cost Permanent Magnet Material in PM Synchronous Machines. *Petrov, I.*, +, *TIE June 2013 2131-2138*

Field buses

Application of Ethernet Powerlink for Communication in a Linux RTAI Open CNC system. *Erwinski, K.*, +, *TIE Feb. 2013 628-636*

Field effect transistor switches

Reliability Analysis Framework for Structural Redundancy in Power Semiconductors. *Behjati, H.*, +, *TIE Oct. 2013 4376-4386*

Field programmable gate arrays

All-on-Chip *dq*-Frame Based D-STATCOM Control Implementation in a Low-Cost FPGA. *Sepulveda, C. A.*, +, *TIE Feb. 2013 659-669*

An Immune-Algorithm-Based Space-Vector PWM Control Strategy in a Three-Phase Inverter. *Yuan, J.*, +, *TIE May 2013 2084-2093*

Analytical and Offline Approach to Select Optimal Hysteresis Bands of DTC for PMSM. *Mathapati, S.*, +, *TIE March 2013 885-895*

Control Strategy for Power Flow Management in a PV System Supplying DC Loads. *Indu Rani, B.*, +, *TIE Aug. 2013 3185-3194*

Digital Detection, Control, and Distribution System for Co-Phase Traction Power Supply Application. *Shu, Z.*, +, *TIE May 2013 1831-1839*

Discrete-Time Parameter Identification of a Surface-Mounted Permanent Magnet Synchronous Machine. *Gatto, G.*, +, *TIE Nov. 2013 4869-4880*

Distributed Digital Control of Modular-Based Solid-State Transformer Using DSP+FPGA. *Hwang, S.-H.*, +, *TIE Feb. 2013 670-680*

Efficient Elliptic Curve Point Multiplication Using Digit-Serial Binary Field Operations. *Sutter, G. D.*, +, *TIE Jan. 2013 217-225*

Efficient Fault Diagnosis Schemes for Reliable Lightweight Cryptographic ISO/IEC Standard CLEFIA Benchmarked on ASIC and FPGA. *Mozaffari-Kermani, M.*, +, *TIE Dec. 2013 5925-5932*

Fault-Tolerant Five-Leg Converter Topology With FPGA-Based Reconfigurable Control. *Shahbazi, M.*, +, *TIE June 2013 2284-2294*

FPGA Implementation of the Generalized Delayed Signal Cancellation—Phase Locked Loop Method for Detecting Harmonic Sequence Components in Three-Phase Signals. *Nascimento, P. S. B.*, +, *TIE Feb. 2013 645-658*

FPGA-Based Predictive Sliding Mode Controller of a Three-Phase Inverter. *Curkovic, M.*, +, *TIE Feb. 2013 637-644*

FPGA-Based Reconfigurable Control for Fault-Tolerant Back-to-Back Converter Without Redundancy. *Shahbazi, M.*, +, *TIE Aug. 2013 3360-3371*

Implementation of EKF for Vehicle Velocities Estimation on FPGA. *Guo, H.*, +, *TIE Sept. 2013 3823-3835*

Multilevel Current-Source Inverter With FPGA Control. *Aguirre, M. P.*, +, *TIE Jan. 2013 3-10*

Multilevel SVPWM With DC-Link Capacitor Voltage Balancing Control for Diode-Clamped Multilevel Converter Based STATCOM. *Shu, Z.*, +, *TIE May 2013 1884-1896*

Novel Random-Switching PWM Technique With Constant Sampling Frequency and Constant Inductor Average Current for Digitally Controlled Converter. *Lai, Y.-S.*, +, *TIE Aug. 2013 3126-3135*

Open- and Short-Circuit Switch Fault Diagnosis for Nonisolated DC-DC Converters Using Field Programmable Gate Array. *Shahbazi, M.*, +, *TIE Sept. 2013 4136-4146*

Real-Time Nonlinear Parameter Estimation Using the Levenberg-Marquardt Algorithm on Field Programmable Gate Arrays. *Shawash, J.*, +, *TIE Jan. 2013 170-176*

Speed Sensorless Induction Motor Drive With Predictive Current Controller. *Guzinski, J.*, +, *TIE Feb. 2013 699-709*

Three-Leg/Four-Leg Matrix Converter Generalized Modulation Strategy—Part II: Implementation and Verification. *Kobravi, K.*, +, *TIE March 2013 860-872*

Total Design of an FPGA-Based Brain-Computer Interface Control Hospital Bed Nursing System. *Shyu, K.-K.*, +, *TIE July 2013 2731-2739*

Wheel Slip Control of EVs Based on Sliding Mode Technique With Conditional Integrators. *de Castro, R.*, +, *TIE Aug. 2013 3256-3271*

Filtering theory

Total Design of an FPGA-Based Brain-Computer Interface Control Hospital Bed Nursing System. *Shyu, K.-K.*, +, *TIE July 2013 2731-2739*

Filters

A ZVS-PWM Three-Phase Current-Fed Push-Pull DC-DC Converter. *Andersen, R. L.*, +, *TIE March 2013 838-847*

Composite Nonlinear Feedback Control and Stability Analysis of a Grid-Connected Voltage Source Inverter With LCL Filter. *Eren, S.*, +, *TIE Nov. 2013 5059-5074*

Diagnostics and Prognostics Method for Analog Electronic Circuits. *Sai Sarathi Vasan, A.*, +, *TIE Nov. 2013 5277-5291*

Modeling, Analysis, and Mitigation of Load Neutral Point Voltage for Three-Phase Four-Leg Inverter. *Liu, Z.*, +, *TIE May 2013 2010-2021*

Finite automata

Flexible Autonomous Behaviors of Kinesin and Muscle Myosin Bio-Nanorobots. *Khataee, H. R.*, +, *TIE Nov. 2013 5116-5123*

Finite element analysis

A Fault-Tolerant Parallel Structure of Single-Phase Full-Bridge Rectifiers for a Wound-Field Doubly Salient Generator. *Chen, Z.*, +, *TIE Aug. 2013 2988-2996*

A High-Power Linear Ultrasonic Motor Using Bending Vibration Transducer. *Liu, Y.*, +, *TIE Nov. 2013 5160-5166*

A Permanent-Magnet Linear Motion Driven Kinetic Energy Harvester. *Zeng, P.*, +, *TIE Dec. 2013 5737-5746*

Acoustic Noise/Vibration Reduction of a Single-Phase SRM Using Skewed Stator and Rotor. *Yang, H.-Y.*, +, *TIE Oct. 2013 4292-4300*

Analytical Optimization of Solid-Round-Wire Windings. *Wojda, R. P.*, +, *TIE March 2013 1033-1041*

Applying Response Surface Methodology to Small Planar Transformer Winding Design. *Cove, S. R.*, +, *TIE Feb. 2013 483-493*

Bearing Fault Model for Induction Motor With Externally Induced Vibration. *Immovilli, F.*, +, *TIE Aug. 2013 3408-3418*

Computational Modeling of Two Partly Coupled Coils Supplied by a Double Half-Bridge Resonant Inverter for Induction Heating Appliances. *Carretero, C.*, +, *TIE Aug. 2013 3092-3105*

Decoupled $d-q$ Model of Double-Star Interior-Permanent-Magnet Synchronous Machines. *Kallio, S.*, +, *TIE June 2013 2486-2494*

Influence of Copper Screen Thickness on Three-Dimensional Electromagnetic Field and Eddy Current Losses of Metal Parts in End Region of Large Water-Hydrogen-Hydrogen-Cooled Turbogenerator. *Feiyang, H.*, +, *TIE July 2013 2595-2601*

Investigation and General Design Principle of a New Series of Complementary and Modular Linear FSPM Motors. *Cao, R.*, +, *TIE Dec. 2013 5436-5446*

On the Use of Magnetic Wedges in Axial Flux Permanent Magnet Machines. *De Donato, G.*, +, *TIE Nov. 2013 4831-4840*

Optimal Design, Fabrication, and Control of an XY Micropositioning Stage Driven by Electromagnetic Actuators. *Xiao, S.*, +, *TIE Oct. 2013 4613-4626*

Proposal and Analysis of a Novel Single-Drive Bearingless Motor. *Asama, J.*, +, *TIE Jan. 2013 129-138*

Shaft Trajectory Analysis in a Partially Demagnetized Permanent-Magnet Synchronous Motor. *Urresty, J.-C.*, +, *TIE Aug. 2013 3454-3461*

Thermal Analysis and Cooling System Design of Dual Mechanical Port Machine for Wind Power Application. *Sun, X.*, +, *TIE May 2013 1724-1733*

Thermal Optimization for a HSPMG Used for Distributed Generation Systems. *Li, W.*, +, *TIE Feb. 2013 474-482*

Finite state machines

Fast Photovoltaic-System Voltage- or Current-Oriented MPPT Employing a Predictive Digital Current-Controlled Converter. *Kakosimos, P. E.*, +, *TIE Dec. 2013 5673-5685*

FPGA-Based Predictive Sliding Mode Controller of a Three-Phase Inverter. *Curkovic, M.*, +, *TIE Feb. 2013 637-644*

Multilevel Current-Source Inverter With FPGA Control. *Aguirre, M. P.*, +, *TIE Jan. 2013 3-10*

Wind Turbine Generation System With Optimized DC-Link Design and Control. *Espi, J. M.*, +, *TIE March 2013 919-929*

Finite volume methods

Calculation of Ventilation Cooling, Three-Dimensional Electromagnetic Fields, and Temperature Fields of the End Region in a Large Water-Hydrogen-Hydrogen-Cooled Turbogenerator. *Weili, L.*, +, *TIE Aug. 2013 3007-3015*

FIR filters

An Improved Repetitive Control Scheme for Grid-Connected Inverter With Frequency-Adaptive Capability. *Chen, D.*, +, *TIE Feb. 2013 814-823*

Flexible electronics

Distributed Digital Control of Modular-Based Solid-State Transformer Using DSP+FPGA. *Hwang, S.-H.*, +, *TIE Feb. 2013 670-680*

Flexible manipulators

Minimal Grasper: A Practical Robotic Grasper With Robust Performance for Pick-and-Place Tasks. *Jin, J.*, +, *TIE Sept. 2013 3796-3805*

Flexible structures

A Two-Loop Performance-Oriented Tip-Tracking Control of a Linear-Motor-Driven Flexible Beam System With Experiments. *Lu, L.*, +, *TIE March 2013 1011-1022*

Boundary Output-Feedback Stabilization of a Timoshenko Beam Using Disturbance Observer. *He, W.*, +, *TIE Nov. 2013 5186-5194*

Fluorescent lamps

Analysis and Design of a Single-Stage High-Power-Factor Dimmable Electronic Ballast for Electrodeless Fluorescent Lamp. *da Silva, M. F.*, +, *TIE Aug. 2013 3081-3091*

Control Strategy for Power Flow Management in a PV System Supplying DC Loads. *Indu Rani, B.*, +, *TIE Aug. 2013 3185-3194*

Force

Rolling Friction Model-Based Analyses and Compensation for Slow Settling Response in Precise Positioning. *Maeda, Y.*, +, *TIE Dec. 2013 5841-5853*

Force control

A Novel Motion Equation for General Task Description and Analysis of Mobile-Hapto. *Sakaino, S.*, +, *TIE July 2013 2673-2680*

Frequency-Domain Damping Design for Time-Delayed Bilateral Teleoperation System Based on Modal Space Analysis. *Suzuki, A.*, +, *TIE Jan. 2013 177-190*

Minimal Grasper: A Practical Robotic Grasper With Robust Performance for Pick-and-Place Tasks. *Jin, J.*, +, *TIE Sept. 2013 3796-3805*

Force measurement

Z-Axis Magnetometers for MEMS Inertial Measurement Units Using an Industrial Process. *Langfelder, G.*, +, *TIE Sept. 2013 3983-3990*

Erratum to "Analytical Magnetic Field and Driving Force Models Based on Measured Boundary Conditions for Industrial Coriolis Mass Flowmeters" [Dec12 4753-4760]. *Wang, L.-J.*, +, *TIE July 2013 2771*

Estimation of Sideslip and Roll Angles of Electric Vehicles Using Lateral Tire Force Sensors Through RLS and Kalman Filter Approaches. *Nam, K.*, +, *TIE March 2013 988-1000*

Force sensors

Estimation of Sideslip and Roll Angles of Electric Vehicles Using Lateral Tire Force Sensors Through RLS and Kalman Filter Approaches. *Nam, K.*, +, *TIE March 2013 988-1000*

Forecasting theory

An Intelligent Particle Swarm Optimization for Short-Term Traffic Flow Forecasting Using on-Road Sensor Systems. *Chan, K. Y.*, +, *TIE Oct. 2013 4714-4725*

Forging

A Saturation-Based Tuning Method for Fuzzy PID Controller. *Duan, X.-G.*, +, *TIE Nov. 2013 5177-5185*

Formal languages

Flexible Autonomous Behaviors of Kinesin and Muscle Myosin Bio-Nanorobots. *Khataee, H. R.*, +, *TIE Nov. 2013 5116-5123*

Fourier series

μ -Synthesis for Frequency Uncertainty of the ICPT System. *Li, Y.-L.*, +, *TIE Jan. 2013 291-300*

Frequency control

A Carrier-Based Unbalanced PWM Method for Four-Leg Voltage Source Inverter Fed Unsymmetrical Two-Phase Induction Motor. *Kumsuwan, Y.*, +, *TIE May 2013 2031-2041*

A New Variable-Frequency Optimal Direct Power Control Algorithm. *Alonso-Martinez, J.*, +, *TIE April 2013 1442-1451*

A Power-Frequency Controller for Bidirectional Inductive Power Transfer Systems. *Madawala, U. K.*, +, *TIE Jan. 2013 310-317*

- A Space-Vector-Based Hysteresis Current Controller for a General n -Level Inverter-Fed Drive With Nearly Constant Switching Frequency Control. *Dey, A.*, +, *TIE May 2013 1989-1998*
- Active Voltage and Frequency Regulator Design for a Wind-Driven Induction Generator to Alleviate Transient Impacts on Power Grid. *Chen, W.-L.*, +, *TIE Aug. 2013 3165-3175*
- Automated Design of a High-Power High-Frequency LCC Resonant Converter for Electrostatic Precipitators. *Soeiro, T. B.*, +, *TIE Nov. 2013 4805-4819*
- Digital Adaptive Frequency Modulation for Bidirectional DC–DC Converter. *Baek, J.-B.*, +, *TIE Nov. 2013 5167-5176*
- Efficiency and Fault Ride-Through Performance of a Diode-Rectifier- and VSC-Inverter-Based HVDC Link for Offshore Wind Farms. *Bernal-Perez, S.*, +, *TIE June 2013 2401-2409*
- Frequency-Adaptive Current Controller for Three-Phase Grid-Connected Converters. *Gomez Jorge, S.*, +, *TIE Oct. 2013 4169-4177*
- Generalized Optimal Pulsewidth Modulation of Multilevel Inverters for Low-Switching-Frequency Control of Medium-Voltage High-Power Industrial AC Drives. *Rathore, +*, *TIE Oct. 2013 4215-4224*
- Frequency converters**
- A Cascade Multilevel Frequency Changing Converter for High-Power Applications. *Soto-Sanchez, D. E.*, +, *TIE June 2013 2118-2130*
- Automated Design of a High-Power High-Frequency LCC Resonant Converter for Electrostatic Precipitators. *Soeiro, T. B.*, +, *TIE Nov. 2013 4805-4819*
- Detection of Mass Increase in a Fan Impeller With a Frequency Converter. *Tamminen, J.*, +, *TIE Sept. 2013 3968-3975*
- Frequency estimation**
- An Efficient Prony-Based Solution Procedure for Tracking of Power System Voltage Variations. *Chen, C.-I.*, +, *TIE July 2013 2681-2688*
- High-Resolution Parameter Estimation Method to Identify Broken Rotor Bar Faults in Induction Motors. *Kim, Y.-H.*, +, *TIE Sept. 2013 4103-4117*
- Frequency measurement**
- On Frequency-Response Measurements of Power-Electronic Systems Applying MIMO Identification Techniques. *Roinila, T.*, +, *TIE Nov. 2013 5270-5276*
- Frequency modulation**
- Digital Adaptive Frequency Modulation for Bidirectional DC–DC Converter. *Baek, J.-B.*, +, *TIE Nov. 2013 5167-5176*
- Frequency response**
- A Case Study on the Application of the Nyquist Stability Criterion as Applied to Interconnected Loads and Sources on Grids. *Turner, R.*, +, *TIE July 2013 2740-2749*
- Online Closed-Loop Autotuning Digital Controller for Switching Power Converters. *Abu Qahouq, J. A.*, +, *TIE May 2013 1747-1758*
- Frequency shift keying**
- PLL-Based Contactless Energy Transfer Analog FSK Demodulator Using High-Efficiency Rectifier. *Hwang, Y.-S.*, +, *TIE Jan. 2013 280-290*
- Frequency-domain analysis**
- Explicit Analytical PID Tuning Rules for the Design of Type-III Control Loops. *Papadopoulos, K. G.*, +, *TIE Oct. 2013 4650-4664*
- Frequency-Domain Analysis of Nonlinear Active Disturbance Rejection Control via the Describing Function Method. *Wu, D.*, +, *TIE Sept. 2013 3906-3914*
- Frequency-Domain Damping Design for Time-Delayed Bilateral Teleoperation System Based on Modal Space Analysis. *Suzuki, A.*, +, *TIE Jan. 2013 177-190*
- Friction**
- Minimal Grasper: A Practical Robotic Grasper With Robust Performance for Pick-and-Place Tasks. *Jin, J.*, +, *TIE Sept. 2013 3796-3805*
- On Low-Velocity Compensation of Brushless DC Servo in the Absence of Friction Model. *Sun, M.*, +, *TIE Sept. 2013 3897-3905*
- Fuel cell vehicles**
- Analysis and Design of Fully Integrated Planar Magnetics for Primary–Parallel Isolated Boost Converter. *Ouyang, Z.*, +, *TIE Feb. 2013 494-508*
- Analysis, Design, and Experimental Results of Novel Snubberless Bidirectional Naturally Clamped ZCS/ZVS Current-Fed Half-Bridge DC/DC Converter for Fuel Cell Vehicles. *Rathore, A. K.*, +, *TIE Oct. 2013 4482-4491*
- Fuel cells**
- Extended Range ZVS Active-Clamped Current-Fed Full-Bridge Isolated DC/DC Converter for Fuel Cell Applications: Analysis, Design, and Experimental Results. *U R, P.*, +, *TIE July 2013 2661-2672*
- Fuzzy control**
- A Maximum Power Point Tracking Technique for Partially Shaded Photovoltaic Systems in Microgrids. *Alajmi, B. N.*, +, *TIE April 2013 1596-1606*
- A New Intelligent Fuzzy Controller for Nonlinear Hysteretic Electronic Throttle in Modern Intelligent Automobiles. *Wang, C.-H.*, +, *TIE June 2013 2332-2345*
- A Saturation-Based Tuning Method for Fuzzy PID Controller. *Duan, X.-G.*, +, *TIE Nov. 2013 5177-5185*
- Adaptive Sliding-Mode Control for Nonlinear Active Suspension Vehicle Systems Using T–S Fuzzy Approach. *Li, H.*, +, *TIE Aug. 2013 3328-3338*
- Decoupled Dynamic Control for Pitch and Roll Axes of the Unicycle Robot. *Lee, J.*, +, *TIE Sept. 2013 3814-3822*
- Design and Implementation of a Takagi–Sugeno-Type Fuzzy Logic Controller on a Two-Wheeled Mobile Robot. *Xu, J.-X.*, +, *TIE Dec. 2013 5717-5728*
- Development of a Recurrent Fuzzy CMAC With Adjustable Input Space Quantization and Self-Tuning Learning Rate for Control of a Dual-Axis Piezoelectric Actuated Micromotion Stage. *Wen, C.-M.*, +, *TIE Nov. 2013 5105-5115*
- Discrete-Time Fuzzy Speed Regulator Design for PM Synchronous Motor. *Choi, H. H.*, +, *TIE Feb. 2013 600-607*
- Enhanced Adaptive Self-Organizing Fuzzy Sliding-Mode Controller for Active Suspension Systems. *Lian, R.-J.*, +, *TIE March 2013 958-968*
- New Overall Power Control Strategy for Variable-Speed Fixed-Pitch Wind Turbines Within the Whole Wind Velocity Range. *Chen, J.*, +, *TIE July 2013 2652-2660*
- Output-Feedback Tracking Control for Polynomial Fuzzy-Model-Based Control Systems. *Lam, H. K.*, +, *TIE Dec. 2013 5830-5840*
- Precise Positioning of Nonsmooth Dynamic Systems Using Fuzzy Wavelet Echo State Networks and Dynamic Surface Sliding Mode Control. *Han, S. I.*, +, *TIE Nov. 2013 5124-5136*
- Real-Time Implementation of ANFIS Control for Renewable Interfacing Inverter in 3P4W Distribution Network. *Singh, M.*, +, *TIE Jan. 2013 121-128*
- T–S Fuzzy-Model-Based Sliding-Mode Control for Surface-Mounted Permanent-Magnet Synchronous Motors Considering Uncertainties. *Vu, N. T.-T.*, +, *TIE Oct. 2013 4281-4291*
- Three Control Strategies to Improve the Microgrid Transient Dynamic Response During Isolated Mode: A Comparative Study. *Kamel, R. M.*, +, *TIE April 2013 1314-1322*
- Fuzzy logic**
- Multiobjective Intelligent Energy Management for a Microgrid. *Chaouachi, A.*, +, *TIE April 2013 1688-1699*
- Fuzzy reasoning**
- An Intelligent Particle Swarm Optimization for Short-Term Traffic Flow Forecasting Using on-Road Sensor Systems. *Chan, K. Y.*, +, *TIE Oct. 2013 4714-4725*
- Early Classification of Bearing Faults Using Morphological Operators and Fuzzy Inference. *Raj, A. S.*, +, *TIE Feb. 2013 567-574*
- Stability Enhancement of a Power System With a PMSG-Based and a DFIG-Based Offshore Wind Farm Using a SVC With an Adaptive-Network-Based Fuzzy Inference System. *Wang, L.*, +, *TIE July 2013 2799-2807*
- Fuzzy set theory**
- A New Intelligent Fuzzy Controller for Nonlinear Hysteretic Electronic Throttle in Modern Intelligent Automobiles. *Wang, C.-H.*, +, *TIE June 2013 2332-2345*
- Design and Implementation of a Takagi–Sugeno-Type Fuzzy Logic Controller on a Two-Wheeled Mobile Robot. *Xu, J.-X.*, +, *TIE Dec. 2013 5717-5728*
- Multiobjective Intelligent Energy Management for a Microgrid. *Chaouachi, A.*, +, *TIE April 2013 1688-1699*
- Multiobjective Switching State Selector for Finite-States Model Predictive Control Based on Fuzzy Decision Making in a Matrix Converter. *Villarreal, F.*, +, *TIE Feb. 2013 589-599*
- T-S Fuzzy Model-Based Adaptive Dynamic Surface Control for Ball and Beam System. *Chang, Y.-H.*, +, *TIE June 2013 2251-2263*
- Fuzzy systems**
- Early Classification of Bearing Faults Using Morphological Operators and Fuzzy Inference. *Raj, A. S.*, +, *TIE Feb. 2013 567-574*
- Impact of Traffic Conditions on the Active Suspension Energy Regeneration in Hybrid Electric Vehicles. *Montazeri-Gh, M.*, +, *TIE Oct. 2013 4546-4553*

G

Galois fields

Efficient Elliptic Curve Point Multiplication Using Digit-Serial Binary Field Operations. *Sutter, G. D.*, +, *TIE Jan. 2013 217-225*

Gears

Detection of Backlash Phenomena Appearing in a Single Cement Kiln Drive Using the Current and the Electromagnetic Torque Signature. *Bogiatzidis, I. X.*, +, *TIE Aug. 2013 3441-3453*

Polynomial-Method-Based Design of Low-Order Controllers for Two-Mass Systems. *Ma, C.*, +, *TIE March 2013 969-978*

Genetic algorithms

A New Framework of Simultaneous-Fault Diagnosis Using Pairwise Probabilistic Multi-Label Classification for Time-Dependent Patterns. *Vong, C.-M.*, +, *TIE Aug. 2013 3372-3385*

Adaptive Selective Harmonic Minimization Based on ANNs for Cascade Multilevel Inverters With Varying DC Sources. *Filho, F.*, +, *TIE May 2013 1955-1962*

Control Strategies for Augmenting LVRT Capability of DFIGs in Interconnected Power Systems. *Hossain, M. J.*, +, *TIE June 2013 2510-2522*

Design, Optimization, and Intelligent Control of Permanent-Magnet Converter. *Lin, H.*, +, *TIE Nov. 2013 5148-5159*

Optimal Design, Fabrication, and Control of an XY Micropositioning Stage Driven by Electromagnetic Actuators. *Xiao, S.*, +, *TIE Oct. 2013 4613-4626*

Thermal Optimization of a High-Power Salient-Pole Electrical Machine. *Bornschlegell, A. S.*, +, *TIE May 2013 1734-1746*

Geometry

Analysis and Design of Fully Integrated Planar Magnetics for Primary-Parallel Isolated Boost Converter. *Ouyang, Z.*, +, *TIE Feb. 2013 494-508*

Globalization

Global Energy Scenario and Impact of Power Electronics in 21st Century. *Bose, B. K.*, +, *TIE July 2013 2638-2651*

Graph theory

A Distributed TDMA Scheduling Algorithm for Target Tracking in Ultrasonic Sensor Networks. *Cheng, P.*, +, *TIE Sept. 2013 3836-3845*

Distributed Cohesive Motion Control of Flight Vehicle Formations. *Bayazit, I.*, +, *TIE Dec. 2013 5763-5772*

Grey systems

Design of An Advanced Time Delay Measurement and A Smart Adaptive Unequal Interval Grey Predictor for Real-Time Nonlinear Control Systems. *Truong, D. Q.*, +, *TIE Oct. 2013 4574-4589*

Grippers

Minimal Grasper: A Practical Robotic Grasper With Robust Performance for Pick-and-Place Tasks. *Jin, J.*, +, *TIE Sept. 2013 3796-3805*

Groupware

A Methodology for Maintaining Trust in Industrial Digital Ecosystems. *Fachrunnisa, O.*, +, *TIE March 2013 1042-1058*

Gyroscopes

Z-Axis Magnetometers for MEMS Inertial Measurement Units Using an Industrial Process. *Langfelder, G.*, +, *TIE Sept. 2013 3983-3990*

H

 H_∞ filters

Distributed \mathcal{H}_∞ Filtering for a Class of Markovian Jump Nonlinear Time-Delay Systems Over Lossy Sensor Networks. *Dong, H.*, +, *TIE Oct. 2013 4665-4672*

 H_∞ control

Allocation of Actuators and Sensors for Coupled-Adjacent-Building Vibration Attenuation. *Gao, H.*, +, *TIE Dec. 2013 5792-5801*

Cascaded Current-Voltage Control to Improve the Power Quality for a Grid-Connected Inverter With a Local Load. *Zhong, Q.-C.*, +, *TIE April 2013 1344-1355*

Decentralized Control of Compartmental Networks With H_∞ Tracking Performance. *Li, P.*, +, *TIE Feb. 2013 546-553*

Gain-Scheduling Control of Teleoperation Systems Interacting With Soft Tissues. *Cho, J. H.*, +, *TIE March 2013 946-957*

Output-Feedback Tracking Control for Polynomial Fuzzy-Model-Based Control Systems. *Lam, H. K.*, +, *TIE Dec. 2013 5830-5840*

Parallel PI Voltage- H^∞ Current Controller for the Neutral Point of a Three-Phase Inverter. *Hornik, T.*, +, *TIE April 2013 1335-1343*

Robust Disturbance Observer for Two-Inertia System. *Yun, J. N.*, +, *TIE July 2013 2700-2710*

Hard discs

Wireless ESD Event Locator Systems in Hard Disk Drive Manufacturing Environments. *Thongpull, K.*, +, *TIE Nov. 2013 5252-5259*

Hardware-software codesign

Bayesian-Network-Based Reliability Analysis of PLC Systems. *Jiang, Y.*, +, *TIE Nov. 2013 5325-5336*

Harmonic analysis

High-Resolution Parameter Estimation Method to Identify Broken Rotor Bar Faults in Induction Motors. *Kim, Y.-H.*, +, *TIE Sept. 2013 4103-4117*

Spectral Correction Approach Based on Desirable Sidelobe Window for Harmonic Analysis of Industrial Power System. *Wen, H.*, +, *TIE March 2013 1001-1010*

Stator-Current Spectrum Signature of Healthy Cage Rotor Induction Machines. *Joksimovic, G. M.*, +, *TIE Sept. 2013 4025-4033*

Subharmonic Analysis for Buck Converters With Constant On-Time Control and Ramp Compensation. *Qian, T.*, +, *TIE May 2013 1780-1786*

Harmonic distortion

A Control Technique for Integration of DG Units to the Electrical Networks. *Pouresmaeil, E.*, +, *TIE July 2013 2881-2893*

A Model-Based Controller for the Cascade H-Bridge Multilevel Converter Used as a Shunt Active Filter. *Valdez-Fernandez, A. A.*, +, *TIE Nov. 2013 5019-5028*

A Noniterative Optimized Algorithm for Shunt Active Power Filter Under Distorted and Unbalanced Supply Voltages. *Kanjiya, P.*, +, *TIE Dec. 2013 5376-5390*

An Adaptive Time-Efficient Technique for Harmonic Estimation of Nonstationary Signals. *Jain, S. K.*, +, *TIE Aug. 2013 3295-3303*

An Adaptive Voltage Control Strategy of Three-Phase Inverter for Stand-Alone Distributed Generation Systems. *Do, T. D.*, +, *TIE Dec. 2013 5660-5672*

An Immune-Algorithm-Based Space-Vector PWM Control Strategy in a Three-Phase Inverter. *Yuan, J.*, +, *TIE May 2013 2084-2093*

An Improved Repetitive Control Scheme for Grid-Connected Inverter With Frequency-Adaptive Capability. *Chen, D.*, +, *TIE Feb. 2013 814-823*

Analysis of Bandwidth-Unit-Vector-Distortion Tradeoff in PLL During Abnormal Grid Conditions. *Kulkarni, A.*, +, *TIE Dec. 2013 5820-5829*

Analytical and Offline Approach to Select Optimal Hysteresis Bands of DTC for PMSM. *Mathapati, S.*, +, *TIE March 2013 885-895*

Application of Four-Switch-Based Three-Phase Grid-Connected Inverter to Connect Renewable Energy Source to a Generalized Unbalanced Microgrid System. *Dasgupta, S.*, +, *TIE March 2013 1204-1215*

Asymptotic Time Domain Evaluation of a Multilevel Multiphase PWM Converter Voltage Quality. *Ruderman, A.*, +, *TIE May 2013 1999-2009*

Autocoupled-Transformer-Based 20-Pulse AC-DC Converter for Telecommunication Power Supply. *Kalpna, R.*, +, *TIE Oct. 2013 4178-4190*

Battery Charger for Electric Vehicle Traction Battery Switch Station. *Kuperman, A.*, +, *TIE Dec. 2013 5391-5399*

Bus-Clamping-Based DTC: An Attempt to Reduce Harmonic Distortion and Switching Losses. *El Badsy, B.*, +, *TIE March 2013 873-884*

Cascaded Current-Voltage Control to Improve the Power Quality for a Grid-Connected Inverter With a Local Load. *Zhong, Q.-C.*, +, *TIE April 2013 1344-1355*

Comparison of Two Overmodulation Strategies in an Indirect Matrix Converter. *Chiang, G. T.*, +, *TIE Jan. 2013 43-53*

Current-Fed High-Frequency AC Distributed Power System for Medium-High-Voltage Gate Driving Applications. *Wen, H.*, +, *TIE Sept. 2013 3736-3751*

Design-Oriented Analysis and Performance Evaluation of a Low-Cost High-Brightness LED Driver Based on Flyback Power Factor Corrector. *Lamar, D. G.*, +, *TIE July 2013 2614-2626*

Digital Predictive Current Control of a Three-Phase Four-Leg Inverter. *Rivera, M.*, +, *TIE Nov. 2013 4903-4912*

Digital-Scalar PWM Approaches Applied to Four-Leg Voltage-Source Inverters. *Fernandes, D. A.*, +, *TIE May 2013 2022-2030*

Experimental Results of 47-Level Switch-Ladder Multilevel Inverter. *Es-fandiari, E.*, +, *TIE Nov. 2013 4960-4967*

Fast-Predictive Optimal Control of NPC Multilevel Converters. *Barros, J. D.*, +, *TIE Feb. 2013 619-627*

Harmonic Distortion Optimization of Cascaded H-Bridge Inverters Considering Device Voltage Drops and Noninteger DC Voltage Ratios. *Diong, B.*, +, *TIE Aug. 2013 3106-3114*

- Harmonic Droop Controller to Reduce the Voltage Harmonics of Inverters. *Zhong, Q.-C.*, +, *TIE March 2013 936-945*
- High-Performance Inverter Based on Shaft Acceleration Torque for AC Drives. *Takahashi, K.*, +, *TIE Jan. 2013 66-77*
- Investigation of Carrier-Based PWM Techniques for a Five-Phase Open-End Winding Drive Topology. *Bodo, N.*, +, *TIE May 2013 2054-2065*
- Overmodulation of n -Level Three-Leg DC-AC Diode-Clamped Converters With Comprehensive Capacitor Voltage Balance. *Busquets-Monge, S.*, +, *TIE May 2013 1872-1883*
- Reduction of Current Harmonic Distortion in Three-Phase Grid-Connected Photovoltaic Inverters via Resonant Current Control. *Castilla, M.*, +, *TIE April 2013 1464-1472*
- Harmonics**
- Remedial Injected-Harmonic-Current Operation of Redundant Flux-Switching Permanent-Magnet Motor Drives. *Zhao, W.*, +, *TIE Jan. 2013 151-159*
- Shaft Trajectory Analysis in a Partially Demagnetized Permanent-Magnet Synchronous Motor. *Urresty, J.-C.*, +, *TIE Aug. 2013 3454-3461*
- Harmonics suppression**
- Application of Slope PWM Strategies to Reduce Acoustic Noise Radiated by Inverter-Fed Induction Motors. *Ruiz-Gonzalez, A.*, +, *TIE July 2013 2555-2563*
- Reduction of Current Harmonic Distortion in Three-Phase Grid-Connected Photovoltaic Inverters via Resonant Current Control. *Castilla, M.*, +, *TIE April 2013 1464-1472*
- Hazards**
- Detection and Localization of Stator Resistance Dissymmetry Based on Multiple Reference Frame Controllers in Multiphase Induction Motor Drives. *Zarri, L.*, +, *TIE Aug. 2013 3506-3518*
- Heat transfer**
- Local Heat Flux Measurement in a Permanent Magnet Motor at No Load. *Jussila, H. K.*, +, *TIE Nov. 2013 4852-4860*
- Thermal Optimization for a HSPMG Used for Distributed Generation Systems. *Li, W.*, +, *TIE Feb. 2013 474-482*
- Helicopters**
- Robust LQR Attitude Control of a 3-DOF Laboratory Helicopter for Aggressive Maneuvers. *Liu, H.*, +, *TIE Oct. 2013 4627-4636*
- Hierarchical systems**
- Advanced Control Architectures for Intelligent Microgrids—Part I: Decentralized and Hierarchical Control. *Guerrero, J. M.*, +, *TIE April 2013 1254-1262*
- High-frequency transformers**
- An All-DC Offshore Wind Farm With Series-Connected Turbines: An Alternative to the Classical Parallel AC Model?. *Holtmark, N.*, +, *TIE June 2013 2420-2428*
- Proposal of Three-Phase High-Frequency Transformer Isolation UPS Topologies for Distributed Generation Applications. *Branco, C. G. C.*, +, *TIE April 2013 1520-1531*
- Transformer Design for Isolated Switching Converters Based on Geometric Form Factors of Magnetic Cores. *De Nardo, A.*, +, *TIE June 2013 2158-2166*
- High-pass filters**
- Microstepping Using a Disturbance Observer and a Variable Structure Controller for Permanent-Magnet Stepper Motors. *Kim, W.*, +, *TIE July 2013 2689-2699*
- Home automation**
- Multiphysics Test Bed for Renewable Energy Systems in Smart Homes. *Molitor, C.*, +, *TIE March 2013 1235-1248*
- Hospitals**
- Total Design of an FPGA-Based Brain-Computer Interface Control Hospital Bed Nursing System. *Shyu, K.-K.*, +, *TIE July 2013 2731-2739*
- HVDC power converters**
- A Novel Distributed Direct-Voltage Control Strategy for Grid Integration of Offshore Wind Energy Systems Through MTDC Network. *Teixeira Pinto, R.*, +, *TIE June 2013 2429-2441*
- A Transformerless Series Reactive/Harmonic Compensator for Line-Commutated HVDC for Grid Integration of Offshore Wind Power. *Jafar, M.*, +, *TIE June 2013 2410-2419*
- An All-DC Offshore Wind Farm With Series-Connected Turbines: An Alternative to the Classical Parallel AC Model?. *Holtmark, N.*, +, *TIE June 2013 2420-2428*
- An Energy-Based Controller for HVDC Modular Multilevel Converter in Decoupled Double Synchronous Reference Frame for Voltage Oscillation Reduction. *Bergna, G.*, +, *TIE June 2013 2360-2371*
- Dynamic Analysis of Modular Multilevel Converters. *Harnefors, L.*, +, *TIE July 2013 2526-2537*
- Efficiency and Fault Ride-Through Performance of a Diode-Rectifier- and VSC-Inverter-Based HVDC Link for Offshore Wind Farms. *Bernal-Perez, S.*, +, *TIE June 2013 2401-2409*
- Modular Multilevel Converter With Different Submodule Concepts—Part II: Experimental Validation and Comparison for HVDC Application. *Solas, E.*, +, *TIE Oct. 2013 4536-4545*
- Stability Analysis of Four PMSG-Based Offshore Wind Farms Fed to an SG-Based Power System Through an LCC-HVDC Link. *Wang, L.*, +, *TIE June 2013 2392-2400*
- Voltage Control of Multiterminal VSC-HVDC Transmission Systems for Offshore Wind Power Plants: Design and Implementation in a Scaled Platform. *Egea-Alvarez, A.*, +, *TIE June 2013 2381-2391*
- HVDC power transmission**
- A Novel Distributed Direct-Voltage Control Strategy for Grid Integration of Offshore Wind Energy Systems Through MTDC Network. *Teixeira Pinto, R.*, +, *TIE June 2013 2429-2441*
- An All-DC Offshore Wind Farm With Series-Connected Turbines: An Alternative to the Classical Parallel AC Model?. *Holtmark, N.*, +, *TIE June 2013 2420-2428*
- Efficiency and Fault Ride-Through Performance of a Diode-Rectifier- and VSC-Inverter-Based HVDC Link for Offshore Wind Farms. *Bernal-Perez, S.*, +, *TIE June 2013 2401-2409*
- LCC-HVDC Connection of Offshore Wind Farms With Reduced Filter Banks. *Blasco-Gimenez, R.*, +, *TIE June 2013 2372-2380*
- Voltage Control of Multiterminal VSC-HVDC Transmission Systems for Offshore Wind Power Plants: Design and Implementation in a Scaled Platform. *Egea-Alvarez, A.*, +, *TIE June 2013 2381-2391*
- HVDC transmission**
- Introduction to the Special Section on Control and Grid Integration of Wind Energy Systems - Part II. *Cardenas, R.*, +, *TIE July 2013 2774-2775*
- Introduction to the Special Section on Control and Grid Integration of Wind Energy Systems—Part I. *Cardenas, R.*, +, *TIE June 2013 2358-2359*
- Hybrid electric vehicles**
- A Sensor Fault Detection and Isolation Method in Interior Permanent-Magnet Synchronous Motor Drives Based on an Extended Kalman Filter. *Foo, G. H. B.*, +, *TIE Aug. 2013 3485-3495*
- Bus-Clamping-Based DTC: An Attempt to Reduce Harmonic Distortion and Switching Losses. *El Badsy, B.*, +, *TIE March 2013 873-884*
- Comprehensive Evaluation of the Dynamic Performance of a 6/10 SRM for Traction Application in PHEVs. *Bilgin, B.*, +, *TIE July 2013 2564-2575*
- Global Energy Scenario and Impact of Power Electronics in 21st Century. *Bose, B. K.*, +, *TIE July 2013 2638-2651*
- Impact of Traffic Conditions on the Active Suspension Energy Regeneration in Hybrid Electric Vehicles. *Montazeri-Gh, M.*, +, *TIE Oct. 2013 4546-4553*
- Regulated Charging of Plug-in Hybrid Electric Vehicles for Minimizing Load Variance in Household Smart Microgrid. *Jian, L.*, +, *TIE Aug. 2013 3218-3226*
- Single- and Three-Phase PHEV Onboard Battery Charger Using Small Link Capacitor. *Yoo, K.-M.*, +, *TIE Aug. 2013 3136-3144*
- Thermal Analysis and Cooling System Design of Dual Mechanical Port Machine for Wind Power Application. *Sun, X.*, +, *TIE May 2013 1724-1733*
- Hybrid power systems**
- Performance Investigation of Isolated Wind-Diesel Hybrid Power Systems With WECS Having PMIG. *Sharma, P.*, +, *TIE April 2013 1630-1637*
- Hydrogen**
- Influence of Copper Screen Thickness on Three-Dimensional Electromagnetic Field and Eddy Current Losses of Metal Parts in End Region of Large Water-Hydrogen-Hydrogen-Cooled Turbogenerator. *Feiyang, H.*, +, *TIE July 2013 2595-2601*
- Hysteresis**
- Optimal Design, Fabrication, and Control of an XY Micropositioning Stage Driven by Electromagnetic Actuators. *Xiao, S.*, +, *TIE Oct. 2013 4613-4626*
- Hysteresis motor drives**
- A Space-Vector-Based Hysteresis Current Controller for a General n -Level Inverter-Fed Drive With Nearly Constant Switching Frequency Control. *Dey, A.*, +, *TIE May 2013 1989-1998*
- Hysteresis motors**
- Analytical and Offline Approach to Select Optimal Hysteresis Bands of DTC for PMSM. *Mathapati, S.*, +, *TIE March 2013 885-895*

I

IEC standards

A Calibration Test Platform of Power Quality Instruments for Grid Integration of Wind Energy System. *Chen, C.*, +, *TIE July 2013 2874-2880*

The Implementation of Bee Colony Optimization Algorithm to Shepard-Taylor PFC Converter. *Karaarslan, A.*, +, *TIE Sept. 2013 3711-3719*

IEEE standards

A Phasor Estimator for Synchronization Between Power Grid and Distributed Generation System. *Chen, C.-I.*, +, *TIE Aug. 2013 3248-3255*

A Two-Stage Solution Procedure for Digital Power Metering According to IEEE Standard 1459-2010 in Single-Phase System. *Chen, C.-I.*, +, *TIE Dec. 2013 5550-5557*

An Overview of Efficiency and Loss Characterization of Fractional Horsepower Motors. *Agamloh, E. B.*, +, *TIE Aug. 2013 3072-3080*

Hierarchical Fault Diagnosis for Power Systems Based on Equivalent-Input-Disturbance Approach. *Hu, B.*, +, *TIE Aug. 2013 3529-3538*

New Method to Achieve AC Harmonic Elimination and Energy Storage Integration for 12-Pulse Diode Rectifiers. *Bai, S.*, +, *TIE July 2013 2547-2554*

Ignition

A New Framework of Simultaneous-Fault Diagnosis Using Pairwise Probabilistic Multi-Label Classification for Time-Dependent Patterns. *Vong, C.-M.*, +, *TIE Aug. 2013 3372-3385*

Image classification

Pretest Gap Mura on TFT LCDs Using the Optical Interference Pattern Sensing Method and Neural Network Classification. *Li, T.-Y.*, +, *TIE Sept. 2013 3976-3982*

Image coding

An Accurate and Robust Strip-Edge-Based Structured Light Means for Shiny Surface Micromasurement in 3-D. *Song, Z.*, +, *TIE March 2013 1023-1032*

Image enhancement

Pretest Gap Mura on TFT LCDs Using the Optical Interference Pattern Sensing Method and Neural Network Classification. *Li, T.-Y.*, +, *TIE Sept. 2013 3976-3982*

Image recognition

Pretest Gap Mura on TFT LCDs Using the Optical Interference Pattern Sensing Method and Neural Network Classification. *Li, T.-Y.*, +, *TIE Sept. 2013 3976-3982*

Image sensors

Pretest Gap Mura on TFT LCDs Using the Optical Interference Pattern Sensing Method and Neural Network Classification. *Li, T.-Y.*, +, *TIE Sept. 2013 3976-3982*

Image sequences

Directional People Counter Based on Head Tracking. *Garcia, J.*, +, *TIE Sept. 2013 3991-4000*

Impedance matching

Automated Impedance Matching System for Robust Wireless Power Transfer via Magnetic Resonance Coupling. *Beh, T. C.*, +, *TIE Sept. 2013 3689-3698*

Digital Detection, Control, and Distribution System for Co-Phase Traction Power Supply Application. *Shu, Z.*, +, *TIE May 2013 1831-1839*

Impedance matrix

Computational Modeling of Two Partly Coupled Coils Supplied by a Double Half-Bridge Resonant Inverter for Induction Heating Appliances. *Carrereiro, C.*, +, *TIE Aug. 2013 3092-3105*

Impellers

Detection of Mass Increase in a Fan Impeller With a Frequency Converter. *Tamminen, J.*, +, *TIE Sept. 2013 3968-3975*

Indoor environment

Dynamic Ultrasonic Hybrid Localization System for Indoor Mobile Robots. *Kim, S. J.*, +, *TIE Oct. 2013 4562-4573*

Inductance

A New Design Method for the Passive Damped LCL and LLCL Filter-Based Single-Phase Grid-Tied Inverter. *Wu, W.*, +, *TIE Oct. 2013 4339-4350*

A Simple Approach to Detect ZVT and Determine Its Time of Occurrence for PWM Converters. *Russi, J. L.*, +, *TIE July 2013 2576-2585*

A ZVS-PWM Three-Phase Current-Fed Push-Pull DC-DC Converter. *Andersen, R. L.*, +, *TIE March 2013 838-847*

Effect of Slot-and-Pole Combination on the Leakage Inductance and the Performance of Tooth-Coil Permanent-Magnet Synchronous Machines. *Ponomarev, P.*, +, *TIE Oct. 2013 4310-4317*

Extended Range ZVS Active-Clamped Current-Fed Full-Bridge Isolated DC/DC Converter for Fuel Cell Applications: Analysis, Design, and Experimental Results. *U R, P.*, +, *TIE July 2013 2661-2672*

Induction heating

Computational Modeling of Two Partly Coupled Coils Supplied by a Double Half-Bridge Resonant Inverter for Induction Heating Appliances. *Carrereiro, C.*, +, *TIE Aug. 2013 3092-3105*

Modulation Scheme for Improved Operation of an RB-IGBT-Based Resonant Inverter Applied to Domestic Induction Heating. *Sarnago, H.*, +, *TIE May 2013 2066-2073*

Induction machines

Introduction to the Special Section on Advances in Diagnosis for Electrical Machines, Power Electronics, and Drives—Part II. *Capolino, G.-A.*, +, *TIE Sept. 2013 4009-4011*

Induction motor drives

A Nine-Level Inverter Topology for Medium-Voltage Induction Motor Drive With Open-End Stator Winding. *Rajeevan, P. P.*, +, *TIE Sept. 2013 3627-3636*

A Novel Noninvasive Failure-Detection System for High-Power Converters Based on SCRs. *Guerrero, V.*, +, *TIE Feb. 2013 450-458*

A Space-Vector-Based Hysteresis Current Controller for a General n -Level Inverter-Fed Drive With Nearly Constant Switching Frequency Control. *Dey, A.*, +, *TIE May 2013 1989-1998*

AC Drive Observability Analysis. *Vaclavek, P.*, +, *TIE Aug. 2013 3047-3059*

Bus-Clamping-Based DTC: An Attempt to Reduce Harmonic Distortion and Switching Losses. *El Badsy, B.*, +, *TIE March 2013 873-884*

Comparison of Two Overmodulation Strategies in an Indirect Matrix Converter. *Chiang, G. T.*, +, *TIE Jan. 2013 43-53*

Detection and Localization of Stator Resistance Dissymmetry Based on Multiple Reference Frame Controllers in Multiphase Induction Motor Drives. *Zarri, L.*, +, *TIE Aug. 2013 3506-3518*

Detection of Backlash Phenomena Appearing in a Single Cement Kiln Drive Using the Current and the Electromagnetic Torque Signature. *Bogiatzidis, I. X.*, +, *TIE Aug. 2013 3441-3453*

Experimental Investigation on the Effect of Advanced Bus-Clamping Pulsewidth Modulation on Motor Acoustic Noise. *Binojumar, A. C.*, +, *TIE Feb. 2013 433-439*

Phase Current Reconstruction Using a Single Current Sensor of Three-Phase AC Motors Fed by SVM-Controlled Direct Matrix Converters. *Metidji, B.*, +, *TIE Dec. 2013 5497-5505*

Space-Vector PWM With Reduced Common-Mode Voltage for Five-Phase Induction Motor Drives. *Duran, M. J.*, +, *TIE Oct. 2013 4159-4168*

Speed Sensorless Induction Motor Drive With Predictive Current Controller. *Guzinski, J.*, +, *TIE Feb. 2013 699-709*

Theoretical and Experimental Analysis for Current in a Dual-Inverter-Fed Open-End Winding Induction Motor Drive With Reduced Switching PWM. *Srinivas, S.*, +, *TIE Oct. 2013 4318-4328*

Variable-Speed Five-Phase Induction Motor Drive Based on Predictive Torque Control. *Riveros, J. A.*, +, *TIE Aug. 2013 2957-2968*

Induction motor protection

High-Resolution Parameter Estimation Method to Identify Broken Rotor Bar Faults in Induction Motors. *Kim, Y.-H.*, +, *TIE Sept. 2013 4103-4117*

Induction motors

A Carrier-Based Unbalanced PWM Method for Four-Leg Voltage Source Inverter Fed Unsymmetrical Two-Phase Induction Motor. *Kumsuwan, Y.*, +, *TIE May 2013 2031-2041*

A Robust Linear Field-Oriented Voltage Control for the Induction Motor: Experimental Results. *Sira-Ramirez, H.*, +, *TIE Aug. 2013 3025-3033*

An Overview of Efficiency and Loss Characterization of Fractional Horsepower Motors. *Agamloh, E. B.*, +, *TIE Aug. 2013 3072-3080*

Application of Slope PWM Strategies to Reduce Acoustic Noise Radiated by Inverter-Fed Induction Motors. *Ruiz-Gonzalez, A.*, +, *TIE July 2013 2555-2563*

Bearing Fault Model for Induction Motor With Externally Induced Vibration. *Immovilli, F.*, +, *TIE Aug. 2013 3408-3418*

New Expressions of Symmetrical Components of the Induction Motor Under Stator Faults. *Bouaid, M. B. K.*, +, *TIE Sept. 2013 4093-4102*

Statistical and Neural-Network Approaches for the Classification of Induction Machine Faults Using the Ambiguity Plane Representation. *Boukra, T.*, +, *TIE Sept. 2013 4034-4042*

Stator-Current Spectrum Signature of Healthy Cage Rotor Induction Machines. *Joksimovic, G. M.*, +, *TIE Sept. 2013 4025-4033*

Transistor-Clamped H-Bridge Based Cascaded Multilevel Inverter With New Method of Capacitor Voltage Balancing. *Rahim, N. A.*, +, *TIE Aug. 2013 2943-2956*

Vector-Quantized Space-Vector-Based Spread Spectrum Modulation Scheme for Multilevel Inverters Using the Principle of Oversampling ADC. *Jacob, B.*, +, *TIE Aug. 2013 2969-2977*

Wheel Slip Control of EVs Based on Sliding Mode Technique With Conditional Integrators. *de Castro, R.*, +, *TIE Aug. 2013 3256-3271*

Inductive power transmission

μ -Synthesis for Frequency Uncertainty of the ICPT System. *Li, Y.-L.*, +, *TIE Jan. 2013 291-300*

A Capacitively Coupled Contactless Matrix Charging Platform With Soft Switched Transformer Control. *Liu, C.*, +, *TIE Jan. 2013 249-260*

A Figure-of-Merit for Designing High-Performance Inductive Power Transmission Links. *Kiani, M.*, +, *TIE Nov. 2013 5292-5305*

A Power-Frequency Controller for Bidirectional Inductive Power Transfer Systems. *Madawala, U. K.*, +, *TIE Jan. 2013 310-317*

A Study on Magnetic Field Repeater in Wireless Power Transfer. *Ahn, D.*, +, *TIE Jan. 2013 360-371*

A Synchronization Technique for Bidirectional IPT Systems. *Thrimawithana, D. J.*, +, *TIE Jan. 2013 301-309*

Acoustic Energy Transfer: A Review. *Roes, M. G. L.*, +, *TIE Jan. 2013 242-248*

Adaptive Sliding-Mode Control for a Multiple-User Inductive Power Transfer System Without Need for Communication. *van der Pijl, F. F. A.*, +, *TIE Jan. 2013 271-279*

Analysis of the Mutual Inductance of Planar-Lumped Inductive Power Transfer Systems. *Acero, J.*, +, *TIE Jan. 2013 410-420*

Automated Impedance Matching System for Robust Wireless Power Transfer via Magnetic Resonance Coupling. *Beh, T. C.*, +, *TIE Sept. 2013 3689-3698*

Contactless Energy Transfer Systems Using Antiparallel Resonant Loops. *Lee, W.-S.*, +, *TIE Jan. 2013 350-359*

Control Method for Wireless Inductive Energy Transfer Systems With Relatively Large Air Gap. *van der Pijl, F.*, +, *TIE Jan. 2013 382-390*

Design Methodology for High Efficient Inductive Power Transfer Systems With High Coil Positioning Flexibility. *Kurschner, D.*, +, *TIE Jan. 2013 372-381*

Development of a Single-Sided Flux Magnetic Coupler for Electric Vehicle IPT Charging Systems. *Budhia, M.*, +, *TIE Jan. 2013 318-328*

Driving Range Extension of EV With On-Road Contactless Power Transfer—A Case Study. *Chopra, S.*, +, *TIE Jan. 2013 329-338*

General Analysis on the Use of Tesla's Resonators in Domino Forms for Wireless Power Transfer. *Zhong, W.*, +, *TIE Jan. 2013 261-270*

Modeling Framework for Contactless Energy Transfer Systems for Linear Actuators. *Smeets, J. P. C.*, +, *TIE Jan. 2013 391-399*

PLL-Based Contactless Energy Transfer Analog FSK Demodulator Using High-Efficiency Rectifier. *Hwang, Y.-S.*, +, *TIE Jan. 2013 280-290*

Practical Design Considerations for Contactless Power Transfer Quadrature Pick-Ups. *Raabe, S.*, +, *TIE Jan. 2013 400-409*

Inductors

A Modified Three-Phase Four-Wire UPQC Topology With Reduced DC-Link Voltage Rating. *Karanki,* +, *TIE Sept. 2013 3555-3566*

Cascade Cockcroft-Walton Voltage Multiplier Applied to Transformerless High Step-Up DC-DC Converter. *Young, C.-M.*, +, *TIE Feb. 2013 523-537*

Control Strategy for Power Flow Management in a PV System Supplying DC Loads. *Indu Rani, B.*, +, *TIE Aug. 2013 3185-3194*

Design and Performance Analysis of a 866-MHz Low-Power Optimized CMOS LNA for UHF RFID. *Li, J.*, +, *TIE May 2013 1840-1849*

Effect of Combined Output Capacitors for Stability of Buck Converters With Constant On-Time Control. *Qian, T.*, +, *TIE Dec. 2013 5585-5592*

Enhanced-Boost Z-Source Inverters With Alternate-Cascaded Switched- and Tapped-Inductor Cells. *Li, D.*, +, *TIE Sept. 2013 3567-3578*

High Voltage-Boosting Converters Based on Bootstrap Capacitors and Boost Inductors. *Hwu, K. I.*, +, *TIE June 2013 2178-2193*

High-Efficiency Single-Phase Transformerless PV H6 Inverter With Hybrid Modulation Method. *Ji, B.*, +, *TIE May 2013 2104-2115*

Multilevel Current-Source Inverter With FPGA Control. *Aguirre, M. P.*, +, *TIE Jan. 2013 3-10*

Novel Random-Switching PWM Technique With Constant Sampling Frequency and Constant Inductor Average Current for Digitally Controlled Converter. *Lai, Y.-S.*, +, *TIE Aug. 2013 3126-3135*

Open- and Short-Circuit Switch Fault Diagnosis for Nonisolated DC-DC Converters Using Field Programmable Gate Array. *Shahbazi, M.*, +, *TIE Sept. 2013 4136-4146*

Performance of Homopolar Inductor Alternator With Diode-Bridge Rectifier and Capacitive Load. *Ren, Z.*, +, *TIE Nov. 2013 4891-4902*

Three-limb Coupled Inductor Operation for Paralleled Multi-level Three-Phase Voltage Sourced Inverters. *Ewanchuk, J.*, +, *TIE May 2013 1979-1988*

Industrial control

High Dynamic Torque Control for Industrial Engine Test Beds. *Wester-mayer, C.*, +, *TIE Sept. 2013 3877-3888*

Industrial Applications of the Kalman Filter: A Review. *Auger, F.*, +, *TIE Dec. 2013 5458-5471*

Introduction to the Special Section on Digital Control Systems in Power Electronics and Electrical Drives—Part II. *Rodriguez, J.*, +, *TIE Feb. 2013 575-577*

Industrial engineering

A Methodology for Maintaining Trust in Industrial Digital Ecosystems. *Fachrunnisa, O.*, +, *TIE March 2013 1042-1058*

Industrial plants

Improvement of Settling Performance by Mode-Switching Control With Split Initial-Value Compensation Based on Input Shaper. *Maeda, Y.*, +, *TIE March 2013 979-987*

Industrial power systems

Spectral Correction Approach Based on Desirable Sidelobe Window for Harmonic Analysis of Industrial Power System. *Wen, H.*, +, *TIE March 2013 1001-1010*

Inference mechanisms

Controllable Petri Net-Based Implementation Approach for Motor Control Systems. *Kuo, C.-H.*, +, *TIE Oct. 2013 4599-4612*

Information management

A Methodology for Maintaining Trust in Industrial Digital Ecosystems. *Fachrunnisa, O.*, +, *TIE March 2013 1042-1058*

Information retrieval

A Situation Retrieval Model for Cognitive Decision Support in Digital Business Ecosystems. *Lu, J.*, +, *TIE March 2013 1059-1069*

Mobility Management Scheme for Context-Aware Transactions in Pervasive and Mobile Cyberspace. *Younas, M.*, +, *TIE March 2013 1108-1115*

Infrared detectors

Sliding-Mode Control of an Electromagnetic Actuated Conveyance System Using Contactless Sensing. *Chin, C. S.*, +, *TIE Nov. 2013 5315-5324*

Initial value problems

Improvement of Settling Performance by Mode-Switching Control With Split Initial-Value Compensation Based on Input Shaper. *Maeda, Y.*, +, *TIE March 2013 979-987*

Inspection

Detection of Mass Increase in a Fan Impeller With a Frequency Converter. *Tamminen, J.*, +, *TIE Sept. 2013 3968-3975*

Pretest Gap Mura on TFT LCDs Using the Optical Interference Pattern Sensing Method and Neural Network Classification. *Li, T.-Y.*, +, *TIE Sept. 2013 3976-3982*

Solder Paste Scooping Detection by Multilevel Visual Inspection of Printed Circuit Boards. *Benedek, C.*, +, *TIE June 2013 2318-2331*

Insulated gate bipolar transistors

A 10-kW Two-Stage Isolated/Bidirectional DC/DC Converter With Hybrid-Switching Technique. *Yoo, K.-M.*, +, *TIE June 2013 2205-2213*

Comparison of 4.5-kV Press-Pack IGBTs and IGBTs for Medium-Voltage Converters. *Filsecker, F.*, +, *TIE Feb. 2013 440-449*

Evaluation of V_{ce} Monitoring as a Real-Time Method to Estimate Aging of Bond Wire-IGBT Modules Stressed by Power Cycling. *Smet, V.*, +, *TIE July 2013 2760-2770*

Modular Multilevel Converter With Different Submodule Concepts—Part II: Experimental Validation and Comparison for HVDC Application. *Solas, E.*, +, *TIE Oct. 2013 4536-4545*

Neutral-Point Potential Balancing of a Five-Level Active Neutral-Point-Clamped Inverter. *Wang, K.*, +, *TIE May 2013 1907-1918*

Novel High-Efficiency Three-Level Stacked-Neutral-Point-Clamped Grid-Tied Inverter. *Wang, Y.*, +, *TIE Sept. 2013 3766-3774*

Insulation testing

Electrical Aging of the Insulation of Low-Voltage Machines: Model Definition and Test With the Design of Experiments. *Lahoud, N.*, +, *TIE Sept. 2013 4147-4155*

Integer programming

- Frame Packing for Minimizing the Bandwidth Consumption of the FlexRay Static Segment. *Kang, M.*, +, *TIE Sept. 2013 4001-4008*
- Moving Horizon Scheduling for Networked Control Systems With Communication Constraints. *Xue, B.*, +, *TIE Aug. 2013 3318-3327*

Integrated circuits

- Proposal of Three-Phase High-Frequency Transformer Isolation UPS Topologies for Distributed Generation Applications. *Branco, C. G. C.*, +, *TIE April 2013 1520-1531*

Integration

- Assessment and Optimization of the Transient Response of Proportional-Resonant Current Controllers for Distributed Power Generation Systems. *Vidal, A.*, +, *TIE April 2013 1367-1383*
- Comments on "Quasi-Continuous Higher Order Sliding-Mode Controllers for Spacecraft-Attitude-Tracking Maneuvers". *Ma, K.*, +, *TIE July 2013 2771-2773*

Intelligent actuators

- Identification and Compensation of Piezoelectric Hysteresis Without Modeling Hysteresis Inverse. *Xu, Q.*, +, *TIE Sept. 2013 3927-3937*

Intelligent control

- A New Intelligent Fuzzy Controller for Nonlinear Hysteretic Electronic Throttle in Modern Intelligent Automobiles. *Wang, C.-H.*, +, *TIE June 2013 2332-2345*
- Advanced Control Architectures for Intelligent Microgrids—Part I: Decentralized and Hierarchical Control. *Guerrero, J. M.*, +, *TIE April 2013 1254-1262*
- Advanced Control Architectures for Intelligent Microgrids—Part II: Power Quality, Energy Storage, and AC/DC Microgrids. *Guerrero, J. M.*, +, *TIE April 2013 1263-1270*
- Design of An Advanced Time Delay Measurement and A Smart Adaptive Unequal Interval Grey Predictor for Real-Time Nonlinear Control Systems. *Truong, D. Q.*, +, *TIE Oct. 2013 4574-4589*
- Design, Optimization, and Intelligent Control of Permanent-Magnet Contactor. *Lin, H.*, +, *TIE Nov. 2013 5148-5159*
- Precise Positioning of Nonsmooth Dynamic Systems Using Fuzzy Wavelet Echo State Networks and Dynamic Surface Sliding Mode Control. *Han, S. L.*, +, *TIE Nov. 2013 5124-5136*

Interconnected systems

- An Adaptive Interconnected Observer for Sensorless Control of PM Synchronous Motors With Online Parameter Identification. *Hamida, M. A.*, +, *TIE Feb. 2013 739-748*

Interference

- Spectral Correction Approach Based on Desirable Sidelobe Window for Harmonic Analysis of Industrial Power System. *Wen, H.*, +, *TIE March 2013 1001-1010*

Interference suppression

- A Distributed TDMA Scheduling Algorithm for Target Tracking in Ultrasonic Sensor Networks. *Cheng, P.*, +, *TIE Sept. 2013 3836-3845*
- AC/DC/DC Interfaces for V2G Applications—EMC Issues. *Smolenski, R.*, +, *TIE March 2013 930-935*
- Acoustic Noise/Vibration Reduction of a Single-Phase SRM Using Skewed Stator and Rotor. *Yang, H.-Y.*, +, *TIE Oct. 2013 4292-4300*

Internal combustion engines

- High Dynamic Torque Control for Industrial Engine Test Beds. *Wester-mayer, C.*, +, *TIE Sept. 2013 3877-3888*

Internet

- Web-Based 3-D Control Laboratory for Remote Real-Time Experimentation. *Hu, W.*, +, *TIE Oct. 2013 4673-4682*

Interpolation

- A Simple Approach to Detect ZVT and Determine Its Time of Occurrence for PWM Converters. *Russi, J. L.*, +, *TIE July 2013 2576-2585*
- Phase-Compensated Microstepping for Permanent-Magnet Stepper Motors. *Shin, D.*, +, *TIE Dec. 2013 5773-5780*
- Selective Harmonic Mitigation Technique for Cascaded H-Bridge Converters With Nonequal DC Link Voltages. *Napoles, J.*, +, *TIE May 2013 1963-1971*

Inverters

- A Case Study on the Application of the Nyquist Stability Criterion as Applied to Interconnected Loads and Sources on Grids. *Turner, R.*, +, *TIE July 2013 2740-2749*
- A Control Strategy for Parallel Operation of Single-Phase Voltage Source Inverters: Analysis, Design and Experimental Results. *Lazzarin, T. B.*, +, *TIE June 2013 2194-2204*

- A Current Decoupling Parallel Control Strategy of Single-Phase Inverter With Voltage and Current Dual Closed-Loop Feedback. *Xu, S.*, +, *TIE April 2013 1306-1313*

- A Driver for the Single-Phase Brushless DC Fan Motor With Hybrid Winding Structure. *Chen, Y.-T.*, +, *TIE Oct. 2013 4369-4375*

- A Module-Integrated Isolated Solar Microinverter. *Chiu, H.-J.*, +, *TIE Feb. 2013 781-788*

- A Natural DC-Link Voltage Balancing of Diode-Clamped Inverters in Parallel Systems. *Stala, R.*, +, *TIE Nov. 2013 5008-5018*

- A New Design Method for the Passive Damped LCL and LLCL Filter-Based Single-Phase Grid-Tied Inverter. *Wu, W.*, +, *TIE Oct. 2013 4339-4350*

- A New Variable-Frequency Optimal Direct Power Control Algorithm. *Alonso-Martinez, J.*, +, *TIE April 2013 1442-1451*

- A Nine-Level Inverter Topology for Medium-Voltage Induction Motor Drive With Open-End Stator Winding. *Rajeevan, P. P.*, +, *TIE Sept. 2013 3627-3636*

- A Single-Phase Multilevel Inverter With Battery Balancing. *Young, C.-M.*, +, *TIE May 2013 1972-1978*

- Active Voltage and Frequency Regulator Design for a Wind-Driven Induction Generator to Alleviate Transient Impacts on Power Grid. *Chen, W.-L.*, +, *TIE Aug. 2013 3165-3175*

- An Adaptive Voltage Control Strategy of Three-Phase Inverter for Stand-Alone Distributed Generation Systems. *Do, T. D.*, +, *TIE Dec. 2013 5660-5672*

- An Energy-Stored Quasi-Z-Source Inverter for Application to Photovoltaic Power System. *Ge, B.*, +, *TIE Oct. 2013 4468-4481*

- An Improved Repetitive Control Scheme for Grid-Connected Inverter With Frequency-Adaptive Capability. *Chen, D.*, +, *TIE Feb. 2013 814-823*

- Analysis and Design of a Single-Stage High-Power-Factor Dimmable Electronic Ballast for Electrodeless Fluorescent Lamp. *da Silva, M. F.*, +, *TIE Aug. 2013 3081-3091*

- Analysis and Solution of Current Zero-Crossing Distortion With Unipolar Hysteresis Current Control in Grid-Connected Inverter. *Wu, F.*, +, *TIE Oct. 2013 4450-4457*

- Analytical and Offline Approach to Select Optimal Hysteresis Bands of DTC for PMSM. *Mathapati, S.*, +, *TIE March 2013 885-895*

- Application of Four-Switch-Based Three-Phase Grid-Connected Inverter to Connect Renewable Energy Source to a Generalized Unbalanced Microgrid System. *Dasgupta, S.*, +, *TIE March 2013 1204-1215*

- Bus-Clamping-Based DTC: An Attempt to Reduce Harmonic Distortion and Switching Losses. *El Badi, B.*, +, *TIE March 2013 873-884*

- Cascade Cockcroft-Walton Voltage Multiplier Applied to Transformerless High Step-Up DC-DC Converter. *Young, C.-M.*, +, *TIE Feb. 2013 523-537*

- Cascaded Current-Voltage Control to Improve the Power Quality for a Grid-Connected Inverter With a Local Load. *Zhong, Q.-C.*, +, *TIE April 2013 1344-1355*

- Cascaded Multilevel Converters: Optimal Asymmetries and Floating Capacitor Control. *Pereda, J.*, +, *TIE Nov. 2013 4784-4793*

- Comparative Evaluation of Advanced Three-Phase Three-Level Inverter/Converter Topologies Against Two-Level Systems. *Schweizer, M.*, +, *TIE Dec. 2013 5515-5527*

- Composite Nonlinear Feedback Control and Stability Analysis of a Grid-Connected Voltage Source Inverter With LCL Filter. *Eren, S.*, +, *TIE Nov. 2013 5059-5074*

- Control of Single-Phase Grid-Connected Inverters With Nonlinear Loads. *Yao, Z.*, +, *TIE April 2013 1384-1389*

- Control Structure for Single-Phase Stand-Alone Wind-Based Energy Sources. *Barote, L.*, +, *TIE Feb. 2013 764-772*

- Design of High-Performance Stand-Alone and Grid-Connected Inverter for Distributed Generation Applications. *Wai, R.-J.*, +, *TIE April 2013 1542-1555*

- Design of Neutral-Point Voltage Controller of a Three-Level NPC Inverter With Small DC-Link Capacitors. *Maheshwari, R.*, +, *TIE May 2013 1861-1871*

- Distributed Control of a Fault-Tolerant Modular Multilevel Inverter for Direct-Drive Wind Turbine Grid Interfacing. *Parker, M. A.*, +, *TIE Feb. 2013 509-522*

- Efficiency and Fault Ride-Through Performance of a Diode-Rectifier- and VSC-Inverter-Based HVDC Link for Offshore Wind Farms. *Bernal-Perez, S.*, +, *TIE June 2013 2401-2409*

- Enhanced-Boost Z-Source Inverters With Alternate-Cascaded Switched- and Tapped-Inductor Cells. *Li, D.*, +, *TIE Sept. 2013 3567-3578*

- Experimental Results of 47-Level Switch-Ladder Multilevel Inverter. *Es-fandiari, E.*, +, *TIE Nov. 2013 4960-4967*

Flexible Voltage Support Control for Three-Phase Distributed Generation Inverters Under Grid Fault. *Camacho, A.*, +, *TIE April 2013 1429-1441*

Flying Supercapacitors as Power Smoothing Elements in Wind Generation. *Jayasinghe, S. D. G.*, +, *TIE July 2013 2909-2918*

FPGA-Based Predictive Sliding Mode Controller of a Three-Phase Inverter. *Curkovic, M.*, +, *TIE Feb. 2013 637-644*

Full-Feedforward Schemes of Grid Voltages for a Three-Phase *LCL*-Type Grid-Connected Inverter. *Li, W.*, +, *TIE June 2013 2237-2250*

Harmonic Distortion Optimization of Cascaded H-Bridge Inverters Considering Device Voltage Drops and Noninteger DC Voltage Ratios. *Diong, B.*, +, *TIE Aug. 2013 3106-3114*

Harmonic Droop Controller to Reduce the Voltage Harmonics of Inverters. *Zhong, Q.-C.*, +, *TIE March 2013 936-945*

High-Efficiency Single-Phase Transformerless PV H6 Inverter With Hybrid Modulation Method. *Ji, B.*, +, *TIE May 2013 2104-2115*

High-Performance Inverter Based on Shaft Acceleration Torque for AC Drives. *Takahashi, K.*, +, *TIE Jan. 2013 66-77*

Investigation Into the High-Frequency Limits and Performance of Load Commutated Inverters for High-Speed Synchronous Motor Drives. *Tessarolo, A.*, +, *TIE June 2013 2147-2157*

Lyapunov Function-Based Current Controller to Control Active and Reactive Power Flow From a Renewable Energy Source to a Generalized Three-Phase Microgrid System. *Dasgupta, S.*, +, *TIE Feb. 2013 799-813*

Model Predictive Control of a Two-Motor Drive With Five-Leg-Inverter Supply. *Lim, C. S.*, +, *TIE Jan. 2013 54-65*

Modeling, Analysis, and Design of Stationary-Reference-Frame Droop-Controlled Parallel Three-Phase Voltage Source Inverters. *Vasquez, J. C.*, +, *TIE April 2013 1271-1280*

Neutral-Point Potential Balancing of a Five-Level Active Neutral-Point-Clamped Inverter. *Wang, K.*, +, *TIE May 2013 1907-1918*

One-Cycle-Controlled Single-Stage Single-Phase Voltage-Sensorless Grid-Connected PV System. *S., S. E.*, +, *TIE March 2013 1216-1224*

Parallel PI Voltage- H^∞ Current Controller for the Neutral Point of a Three-Phase Inverter. *Hornik, T.*, +, *TIE April 2013 1335-1343*

Performance Evaluation of a Vector-Control Fault-Tolerant Flux-Switching Motor Drive. *Aboelhassan, M. O. E.*, +, *TIE Aug. 2013 2997-3006*

Photovoltaic Power System With Battery Backup With Grid-Connection and Islanded Operation Capabilities. *Velasco de la Fuente, D.*, +, *TIE April 2013 1571-1581*

Power Adaptor Device for Domestic DC Microgrids Based on Commercial MPPT Inverters. *Valderrama-Blavi, H.*, +, *TIE March 2013 1191-1203*

Predictive Torque and Flux Control Without Weighting Factors. *Rojas, C. A.*, +, *TIE Feb. 2013 681-690*

Proposal and Analysis of a Novel Single-Drive Bearingless Motor. *Asama, J.*, +, *TIE Jan. 2013 129-138*

Proposal of Three-Phase High-Frequency Transformer Isolation UPS Topologies for Distributed Generation Applications. *Branco, C. G. C.*, +, *TIE April 2013 1520-1531*

Real-Time Implementation of ANFIS Control for Renewable Interfacing Inverter in 3P4W Distribution Network. *Singh, M.*, +, *TIE Jan. 2013 121-128*

Reconfigurable Control Scheme for a PV Microinverter Working in Both Grid-Connected and Island Modes. *Trujillo Rodriguez, C.*, +, *TIE April 2013 1582-1595*

Reduction of Current Harmonic Distortion in Three-Phase Grid-Connected Photovoltaic Inverters via Resonant Current Control. *Castilla, M.*, +, *TIE April 2013 1464-1472*

Robust Droop Controller for Accurate Proportional Load Sharing Among Inverters Operated in Parallel. *Zhong, Q.-C.*, +, *TIE April 2013 1281-1290*

Small-Signal Modeling of Digitally Controlled Grid-Connected Inverters With *LCL* Filters. *Zhang, X.*, +, *TIE Sept. 2013 3752-3765*

Stability Analysis of Four PMSG-Based Offshore Wind Farms Fed to an SG-Based Power System Through an LCC-HVDC Link. *Wang, L.*, +, *TIE June 2013 2392-2400*

Suppressing Bearing Voltage in an Inverter-Fed Ungrounded Brushless DC Motor. *Maetani, T.*, +, *TIE Nov. 2013 4861-4868*

Theoretical Analysis and Experimental Validation of Single-Phase Direct Versus Cascade Voltage Control in Islanded Microgrids. *Vandoorn, T. L.*, +, *TIE Feb. 2013 789-798*

Transistor-Clamped H-Bridge Based Cascaded Multilevel Inverter With New Method of Capacitor Voltage Balancing. *Rahim, N. A.*, +, *TIE Aug. 2013 2943-2956*

TZ-Source Inverters. *Nguyen, M.-K.*, +, *TIE Dec. 2013 5686-5695*

IP networks

Comparative Handover Performance Analysis of IPv6 Mobility Management Protocols. *Lee, J.-H.*, +, *TIE March 2013 1077-1088*

Iterative methods

μ -Synthesis for Frequency Uncertainty of the ICPT System. *Li, Y.-L.*, +, *TIE Jan. 2013 291-300*

A Figure-of-Merit for Designing High-Performance Inductive Power Transmission Links. *Kiani, M.*, +, *TIE Nov. 2013 5292-5305*

A Noniterative Optimized Algorithm for Shunt Active Power Filter Under Distorted and Unbalanced Supply Voltages. *Kanjiya, P.*, +, *TIE Dec. 2013 5376-5390*

Decentralized Control of Compartmental Networks With H_∞ Tracking Performance. *Li, P.*, +, *TIE Feb. 2013 546-553*

Real-Time Nonlinear Parameter Estimation Using the Levenberg-Marquardt Algorithm on Field Programmable Gate Arrays. *Shawash, J.*, +, *TIE Jan. 2013 170-176*

K

Kalman filters

A Sensor Fault Detection and Isolation Method in Interior Permanent-Magnet Synchronous Motor Drives Based on an Extended Kalman Filter. *Foo, G. H. B.*, +, *TIE Aug. 2013 3485-3495*

An Efficient Prony-Based Solution Procedure for Tracking of Power System Voltage Variations. *Chen, C.-I.*, +, *TIE July 2013 2681-2688*

Directional People Counter Based on Head Tracking. *Garcia, J.*, +, *TIE Sept. 2013 3991-4000*

Dynamic Ultrasonic Hybrid Localization System for Indoor Mobile Robots. *Kim, S. J.*, +, *TIE Oct. 2013 4562-4573*

Estimation of Sideslip and Roll Angles of Electric Vehicles Using Lateral Tire Force Sensors Through RLS and Kalman Filter Approaches. *Nam, K.*, +, *TIE March 2013 988-1000*

Implementation of EKF for Vehicle Velocities Estimation on FPGA. *Guo, H.*, +, *TIE Sept. 2013 3823-3835*

Industrial Applications of the Kalman Filter: A Review. *Auger, F.*, +, *TIE Dec. 2013 5458-5471*

Kalman Filter-Based Control System for Power Quality Conditioning Devices. *Kanieski, J. M.*, +, *TIE Nov. 2013 5214-5227*

Observability-Based Selection Criterion for Anchor Nodes in Multiple-Cell Localization. *Cho, H.*, +, *TIE Oct. 2013 4554-4561*

Online State-of-Health Estimation of VRLA Batteries Using State of Charge. *Shahriari, M.*, +, *TIE Jan. 2013 191-202*

Kilns

Detection of Backlash Phenomena Appearing in a Single Cement Kiln Drive Using the Current and the Electromagnetic Torque Signature. *Bogiatzidis, I. X.*, +, *TIE Aug. 2013 3441-3453*

Kinematics

Steering the Last Trailer as a Virtual Tractor for Reversing Vehicles With Passive On- and Off-Axle Hitches. *Morales, J.*, +, *TIE Dec. 2013 5729-5736*

L

Laboratory techniques

Web-Based 3-D Control Laboratory for Remote Real-Time Experimentation. *Hu, W.*, +, *TIE Oct. 2013 4673-4682*

Laminations

Offline and Online Methods for Stator Core Fault Detection in Large Generators. *Romary, R.*, +, *TIE Sept. 2013 4084-4092*

Lamp accessories

Analysis and Design of a Single-Stage High-Power-Factor Dimmable Electronic Ballast for Electroless Fluorescent Lamp. *da Silva, M. F.*, +, *TIE Aug. 2013 3081-3091*

Digital Control Strategy for HID Lamp Electronic Ballasts. *Kirsten, A. L.*, +, *TIE Feb. 2013 608-618*

Laser beam machining

Improvement of Settling Performance by Mode-Switching Control With Split Initial-Value Compensation Based on Input Shaper. *Maeda, Y.*, +, *TIE March 2013 979-987*

LC circuits

Passive *LC* Filter Design Considerations for Motor Applications. *Dzhankhotov, V.*, +, *TIE Oct. 2013 4253-4259*

Lead acid batteries

- A Magnetically Coupled Feedback-Clamped Optimal Bidirectional Battery Charger. *Singh, R. K.*, +, *TIE Feb. 2013 422-432*
- On Condition Maintenance Based on the Impedance Measurement for Traction Batteries: Development and Industrial Implementation. *Munoz-Condes, P.*, +, *TIE July 2013 2750-2759*
- Online State-of-Health Estimation of VRLA Batteries Using State of Charge. *Shahriari, M.*, +, *TIE Jan. 2013 191-202*

Learning (artificial intelligence)

- An Optimal PID Control Algorithm for Training Feedforward Neural Networks. *Jing, X.*, +, *TIE June 2013 2273-2283*
- Bearing Fault Detection by a Novel Condition-Monitoring Scheme Based on Statistical-Time Features and Neural Networks. *Prieto, M. D.*, +, *TIE Aug. 2013 3398-3407*
- Multiobjective Intelligent Energy Management for a Microgrid. *Chaouachi, A.*, +, *TIE April 2013 1688-1699*
- Pretest Gap Mura on TFT LCDs Using the Optical Interference Pattern Sensing Method and Neural Network Classification. *Li, T.-Y.*, +, *TIE Sept. 2013 3976-3982*

Least mean squares methods

- Design and Implementation of an Online Tuning Adaptive Controller for Synchronous Reluctance Motor Drives. *Wei, M.-Y.*, +, *TIE Sept. 2013 3644-3657*

Least squares approximations

- Estimation of Sideslip and Roll Angles of Electric Vehicles Using Lateral Tire Force Sensors Through RLS and Kalman Filter Approaches. *Nam, K.*, +, *TIE March 2013 988-1000*
- Fault Diagnosis of DC-Link Capacitors in Three-Phase AC/DC PWM Converters by Online Estimation of Equivalent Series Resistance. *Pu, X.-S.*, +, *TIE Sept. 2013 4118-4127*
- High-Resolution Parameter Estimation Method to Identify Broken Rotor Bar Faults in Induction Motors. *Kim, Y.-H.*, +, *TIE Sept. 2013 4103-4117*
- Online State-of-Health Estimation of VRLA Batteries Using State of Charge. *Shahriari, M.*, +, *TIE Jan. 2013 191-202*
- Real-Time Power System Phasors and Harmonics Estimation Using a New Decoupled Recursive-Least-Squares Technique for DSP Implementation. *Sadinezhad, I.*, +, *TIE June 2013 2295-2308*

Legged locomotion

- Biped Walking Pattern Generation by Using Preview Control Based on Three-Mass Model. *Shimmyo, S.*, +, *TIE Nov. 2013 5137-5147*
- Universal Multiaxis Control System for Electric Drives. *Kozlowski, K.*, +, *TIE Feb. 2013 691-698*

Level control

- Moving Horizon Scheduling for Networked Control Systems With Communication Constraints. *Xue, B.*, +, *TIE Aug. 2013 3318-3327*

Life testing

- Electrical Aging of the Insulation of Low-Voltage Machines: Model Definition and Test With the Design of Experiments. *Lahoud, N.*, +, *TIE Sept. 2013 4147-4155*

Light emitting diodes

- A Novel Primary-Side Regulation Scheme for Single-Stage High-Power-Factor AC-DC LED Driving Circuit. *Li, Y.-C.*, +, *TIE Nov. 2013 4978-4986*
- An Integrated Lighting Unit With Regulated Pulse Current Driving Technique. *Lin, M.-S.*, +, *TIE Oct. 2013 4694-4701*
- Control Strategy for Power Flow Management in a PV System Supplying DC Loads. *Indu Rani, B.*, +, *TIE Aug. 2013 3185-3194*
- Design-Oriented Analysis and Performance Evaluation of a Low-Cost High-Brightness LED Driver Based on Flyback Power Factor Corrector. *Lamar, D. G.*, +, *TIE July 2013 2614-2626*
- Total Design of an FPGA-Based Brain-Computer Interface Control Hospital Bed Nursing System. *Shyu, K.-K.*, +, *TIE July 2013 2731-2739*

Light interference

- Pretest Gap Mura on TFT LCDs Using the Optical Interference Pattern Sensing Method and Neural Network Classification. *Li, T.-Y.*, +, *TIE Sept. 2013 3976-3982*

Lighting control

- Analysis and Design of a Single-Stage High-Power-Factor Dimmable Electronic Ballast for Electroless Fluorescent Lamp. *da Silva, M. F.*, +, *TIE Aug. 2013 3081-3091*

Limiters

- Comparison of 4.5-kV Press-Pack IGBTs and IGCTs for Medium-Voltage Converters. *Filsecker, F.*, +, *TIE Feb. 2013 440-449*

Linear machines

- A Permanent-Magnet Linear Motion Driven Kinetic Energy Harvester. *Zeng, P.*, +, *TIE Dec. 2013 5737-5746*

Linear matrix inequalities

- An Optimal PID Control Algorithm for Training Feedforward Neural Networks. *Jing, X.*, +, *TIE June 2013 2273-2283*
- Decentralized Control of Compartmental Networks With H_∞ Tracking Performance. *Li, P.*, +, *TIE Feb. 2013 546-553*
- Discrete-Time Fuzzy Speed Regulator Design for PM Synchronous Motor. *Choi, H. H.*, +, *TIE Feb. 2013 600-607*
- Improvement of Settling Performance by Mode-Switching Control With Split Initial-Value Compensation Based on Input Shaper. *Maeda, Y.*, +, *TIE March 2013 979-987*
- Networked Control With State Reset and Quantized Measurements: Observer-Based Case. *Lu, R.*, +, *TIE Nov. 2013 5206-5213*
- Robust Tracking Control of Networked Control Systems: Application to a Networked DC Motor. *Shi, Y.*, +, *TIE Dec. 2013 5864-5874*
- T-S Fuzzy-Model-Based Sliding-Mode Control for Surface-Mounted Permanent-Magnet Synchronous Motors Considering Uncertainties. *Vu, N. T.-T.*, +, *TIE Oct. 2013 4281-4291*
- Voltage Control of Multiterminal VSC-HVDC Transmission Systems for Offshore Wind Power Plants: Design and Implementation in a Scaled Platform. *Gege-Alvarez, A.*, +, *TIE June 2013 2381-2391*

Linear motors

- A High-Power Linear Ultrasonic Motor Using Bending Vibration Transducer. *Liu, Y.*, +, *TIE Nov. 2013 5160-5166*
- A Two-Loop Performance-Oriented Tip-Tracking Control of a Linear-Motor-Driven Flexible Beam System With Experiments. *Lu, L.*, +, *TIE March 2013 1011-1022*
- Disturbance and Response Time Improvement of Submicrometer Precision Linear Motion System by Using Modified Disturbance Compensator and Internal Model Reference Control. *Chow, H.-W.*, +, *TIE Jan. 2013 139-150*
- Investigation and General Design Principle of a New Series of Complementary and Modular Linear FSPM Motors. *Cao, R.*, +, *TIE Dec. 2013 5436-5446*
- Rolling Friction Model-Based Analyses and Compensation for Slow Settling Response in Precise Positioning. *Maeda, Y.*, +, *TIE Dec. 2013 5841-5853*

Linear programming

- Frame Packing for Minimizing the Bandwidth Consumption of the FlexRay Static Segment. *Kang, M.*, +, *TIE Sept. 2013 4001-4008*
- Multiobjective Intelligent Energy Management for a Microgrid. *Chaouachi, A.*, +, *TIE April 2013 1688-1699*

Linear quadratic control

- Decoupled Dynamic Control for Pitch and Roll Axes of the Unicycle Robot. *Lee, J.*, +, *TIE Sept. 2013 3814-3822*
- Robust LQR Attitude Control of a 3-DOF Laboratory Helicopter for Aggressive Maneuvers. *Liu, H.*, +, *TIE Oct. 2013 4627-4636*

Linear synchronous motors

- Sliding-Mode Control of an Electromagnetic Actuated Conveyance System Using Contactless Sensing. *Chin, C. S.*, +, *TIE Nov. 2013 5315-5324*
- Suppression of Hunting in an ILPMSM Driver System Using Hunting Compensator. *Yao, W.-H.*, +, *TIE July 2013 2586-2594*

Linear systems

- A Robust Linear Field-Oriented Voltage Control for the Induction Motor: Experimental Results. *Sira-Ramirez, H.*, +, *TIE Aug. 2013 3025-3033*
- An Optimal PID Control Algorithm for Training Feedforward Neural Networks. *Jing, X.*, +, *TIE June 2013 2273-2283*
- Control Synthesis for a Class of Linear Network-Based Systems With Communication Constraints. *Zhang, C.*, +, *TIE Aug. 2013 3339-3348*
- Design and Implementation of a Takagi-Sugeno-Type Fuzzy Logic Controller on a Two-Wheeled Mobile Robot. *Xu, J.-X.*, +, *TIE Dec. 2013 5717-5728*
- Energy-Balance Control of PV Cascaded Multilevel Grid-Connected Inverters Under Level-Shifted and Phase-Shifted PWMs. *Chavarria, J.*, +, *TIE Jan. 2013 98-111*
- Networked Control With State Reset and Quantized Measurements: Observer-Based Case. *Lu, R.*, +, *TIE Nov. 2013 5206-5213*
- Robust LQR Attitude Control of a 3-DOF Laboratory Helicopter for Aggressive Maneuvers. *Liu, H.*, +, *TIE Oct. 2013 4627-4636*
- Sensor-Fault-Tolerant Control for a Class of Linear Parameter Varying Systems With Practical Examples. *Abdullah, A.*, +, *TIE Nov. 2013 5239-5251*

Linearization techniques

- Dynamics Assessment of Advanced Single-Phase PLL Structures. *Golestan, S.*, +, *TIE June 2013 2167-2177*
- Robust LQR Attitude Control of a 3-DOF Laboratory Helicopter for Aggressive Maneuvers. *Liu, H.*, +, *TIE Oct. 2013 4627-4636*

Linux

- Application of Ethernet Powerlink for Communication in a Linux RTAI Open CNC system. *Erwinski, K.*, +, *TIE Feb. 2013 628-636*

Liquid crystal displays

- Pretest Gap Mura on TFT LCDs Using the Optical Interference Pattern Sensing Method and Neural Network Classification. *Li, T.-Y.*, +, *TIE Sept. 2013 3976-3982*

Lithium

- Battery Charger for Electric Vehicle Traction Battery Switch Station. *Kuperman, A.*, +, *TIE Dec. 2013 5391-5399*
- Risk Measures for Particle-Filtering-Based State-of-Charge Prognosis in Lithium-Ion Batteries. *Orchard, M. E.*, +, *TIE Nov. 2013 5260-5269*
- Single-Switch Multioutput Charger Using Voltage Multiplier for Series-Connected Lithium-Ion Battery/Supercapacitor Equalization. *Uno, M.*, +, *TIE Aug. 2013 3227-3239*

Load (electric)

- A Comparative Assessment of Model Predictive Current Control and Space Vector Modulation in a Direct Matrix Converter. *Rivera, M.*, +, *TIE Feb. 2013 578-588*
- A Novel Single-Stage Multilevel Type Full-Bridge Converter. *Narimani, M.*, +, *TIE Jan. 2013 31-42*
- Regulated Charging of Plug-in Hybrid Electric Vehicles for Minimizing Load Variance in Household Smart Microgrid. *Jian, L.*, +, *TIE Aug. 2013 3218-3226*

Load flow

- A Three-Phase Dual-Input Matrix Converter for Grid Integration of Two AC Type Energy Resources. *Liu, X.*, +, *TIE Jan. 2013 20-30*

Load flow control

- A Capacitively Coupled Contactless Matrix Charging Platform With Soft Switched Transformer Control. *Liu, C.*, +, *TIE Jan. 2013 249-260*
- A Control Strategy for Parallel Operation of Single-Phase Voltage Source Inverters: Analysis, Design and Experimental Results. *Lazzarin, T. B.*, +, *TIE June 2013 2194-2204*
- A Novel Distributed Direct-Voltage Control Strategy for Grid Integration of Offshore Wind Energy Systems Through MTDC Network. *Teixeira Pinto, R.*, +, *TIE June 2013 2429-2441*
- A Power-Frequency Controller for Bidirectional Inductive Power Transfer Systems. *Madawala, U. K.*, +, *TIE Jan. 2013 310-317*
- A Synchronization Technique for Bidirectional IPT Systems. *Thrimawithana, D. J.*, +, *TIE Jan. 2013 301-309*
- Advanced Diagnosis of Electrical Faults in Wound-Rotor Induction Machines. *Gritli, Y.*, +, *TIE Sept. 2013 4012-4024*
- Control Strategy for Power Flow Management in a PV System Supplying DC Loads. *Indu Rani, B.*, +, *TIE Aug. 2013 3185-3194*
- Efficiency and Fault Ride-Through Performance of a Diode-Rectifier- and VSC-Inverter-Based HVDC Link for Offshore Wind Farms. *Bernal-Perez, S.*, +, *TIE June 2013 2401-2409*
- Lyapunov Function-Based Current Controller to Control Active and Reactive Power Flow From a Renewable Energy Source to a Generalized Three-Phase Microgrid System. *Dasgupta, S.*, +, *TIE Feb. 2013 799-813*
- Operation of a Three-Phase Power Converter Connected to a Distribution System. *Pozzebon, G. G.*, +, *TIE May 2013 1810-1818*
- Reactive Power Compensation in Single-Phase Operation of Microgrid. *Majumder, R.*, +, *TIE April 2013 1403-1416*
- Real-Time Implementation of ANFIS Control for Renewable Interfacing Inverter in 3P4W Distribution Network. *Singh, M.*, +, *TIE Jan. 2013 121-128*

Load regulation

- Cascaded Current-Voltage Control to Improve the Power Quality for a Grid-Connected Inverter With a Local Load. *Zhong, Q.-C.*, +, *TIE April 2013 1344-1355*
- Robust Droop Controller for Accurate Proportional Load Sharing Among Inverters Operated in Parallel. *Zhong, Q.-C.*, +, *TIE April 2013 1281-1290*

Local area networks

- Application of Ethernet Powerlink for Communication in a Linux RTAI Open CNC system. *Erwinski, K.*, +, *TIE Feb. 2013 628-636*
- Network Interactions and Performance of a Multifunction IEC 61850 Process Bus. *Ingram, D. M. E.*, +, *TIE Dec. 2013 5933-5942*

Logic design

- Distributed Digital Control of Modular-Based Solid-State Transformer Using DSP+FPGA. *Hwang, S.-H.*, +, *TIE Feb. 2013 670-680*

Lorentz covariance

- Erratum to "Analytical Magnetic Field and Driving Force Models Based on Measured Boundary Conditions for Industrial Coriolis Mass Flowmeters" [Dec12 4753-4760]. *Wang, L.-J.*, +, *TIE July 2013 2771*

Losses

- A Five-Level Single-Phase Grid-Connected Converter for Renewable Distributed Systems. *Buticchi, G.*, +, *TIE March 2013 906-918*
- An Overview of Efficiency and Loss Characterization of Fractional Horsepower Motors. *Agamloh, E. B.*, +, *TIE Aug. 2013 3072-3080*
- Analysis and Design of Fully Integrated Planar Magnetics for Primary-Parallel Isolated Boost Converter. *Ouyang, Z.*, +, *TIE Feb. 2013 494-508*
- Analysis, Design, and Experimental Results of Novel Snubberless Bidirectional Naturally Clamped ZCS/ZVS Current-Fed Half-Bridge DC/DC Converter for Fuel Cell Vehicles. *Rathore, A. K.*, +, *TIE Oct. 2013 4482-4491*
- Dual-Mode Double-Carrier-Based Sinusoidal Pulse Width Modulation Inverter With Adaptive Smooth Transition Control Between Modes. *Zhao, Z.*, +, *TIE May 2013 2094-2103*
- Parallel Operation of Full Power Converters in Permanent-Magnet Direct-Drive Wind Power Generation System. *Li, R.*, +, *TIE April 2013 1619-1629*
- Remedial Injected-Harmonic-Current Operation of Redundant Flux-Switching Permanent-Magnet Motor Drives. *Zhao, W.*, +, *TIE Jan. 2013 151-159*
- The New High-Efficiency Hybrid Neutral-Point-Clamped Converter. *Soeiro, T. B.*, +, *TIE May 2013 1919-1935*

Low noise amplifiers

- Design and Performance Analysis of a 866-MHz Low-Power Optimized CMOS LNA for UHF RFID. *Li, J.*, +, *TIE May 2013 1840-1849*

Low-pass filters

- High-Order Terminal Sliding-Mode Observer for Parameter Estimation of a Permanent-Magnet Synchronous Motor. *Feng, Y.*, +, *TIE Oct. 2013 4272-4280*

Low-power electronics

- Active Power Filter Control Strategy With Implicit Closed-Loop Current Control and Resonant Controller. *Angulo, M.*, +, *TIE July 2013 2721-2730*
- All-on-Chip dq -Frame Based D-STATCOM Control Implementation in a Low-Cost FPGA. *Sepulveda, C. A.*, +, *TIE Feb. 2013 659-669*
- Design and Performance Analysis of a 866-MHz Low-Power Optimized CMOS LNA for UHF RFID. *Li, J.*, +, *TIE May 2013 1840-1849*
- Extended Range ZVS Active-Clamped Current-Fed Full-Bridge Isolated DC/DC Converter for Fuel Cell Applications: Analysis, Design, and Experimental Results. *U R, P.*, +, *TIE July 2013 2661-2672*
- Low-Power ASIC for Microwatt Electrostatic Energy Harvesters. *Kemplitiya, A.*, +, *TIE Dec. 2013 5639-5647*
- Synthetic-Ripple-Based Digital Hysteretic Modulator for Point-of-Load Converters. *Singh, R. K.*, +, *TIE Nov. 2013 4996-5007*

Lumped parameter networks

- Design and Performance Analysis of a 866-MHz Low-Power Optimized CMOS LNA for UHF RFID. *Li, J.*, +, *TIE May 2013 1840-1849*

Lyapunov methods

- An Adaptive Voltage Control Strategy of Three-Phase Inverter for Stand-Alone Distributed Generation Systems. *Do, T. D.*, +, *TIE Dec. 2013 5660-5672*
- Application of Four-Switch-Based Three-Phase Grid-Connected Inverter to Connect Renewable Energy Source to a Generalized Unbalanced Microgrid System. *Dasgupta, S.*, +, *TIE March 2013 1204-1215*
- Boundary Control of a Flexible Riser With the Application to Marine Installation. *He, W.*, +, *TIE Dec. 2013 5802-5810*
- Boundary Output-Feedback Stabilization of a Timoshenko Beam Using Disturbance Observer. *He, W.*, +, *TIE Nov. 2013 5186-5194*
- Control Synthesis for a Class of Linear Network-Based Systems With Communication Constraints. *Zhang, C.*, +, *TIE Aug. 2013 3339-3348*
- Enhanced Adaptive Self-Organizing Fuzzy Sliding-Mode Controller for Active Suspension Systems. *Lian, R.-J.*, +, *TIE March 2013 958-968*
- Fault-Tolerant Control for Six-Phase PMSM Drive System via Intelligent Complementary Sliding-Mode Control Using TSKFNN-AMF. *Lin, F.-J.*, +, *TIE Dec. 2013 5747-5762*
- Lyapunov Function-Based Current Controller to Control Active and Reactive Power Flow From a Renewable Energy Source to a Generalized Three-Phase Microgrid System. *Dasgupta, S.*, +, *TIE Feb. 2013 799-813*
- Lyapunov-Designed Super-Twisting Sliding Mode Control for Wind Energy Conversion Optimization. *Evangelista, C.*, +, *TIE Feb. 2013 538-545*

Networked Control With State Reset and Quantized Measurements: Observer-Based Case. *Lu, R.*, +, *TIE Nov. 2013 5206-5213*
 Output-Feedback Tracking Control for Polynomial Fuzzy-Model-Based Control Systems. *Lam, H. K.*, +, *TIE Dec. 2013 5830-5840*
 Precise Positioning of Nonsmooth Dynamic Systems Using Fuzzy Wavelet Echo State Networks and Dynamic Surface Sliding Mode Control. *Han, S. L.*, +, *TIE Nov. 2013 5124-5136*
 T-S Fuzzy Model-Based Adaptive Dynamic Surface Control for Ball and Beam System. *Chang, Y.-H.*, +, *TIE June 2013 2251-2263*
 Wheel Slip Control of EVs Based on Sliding Mode Technique With Conditional Integrators. *de Castro, R.*, +, *TIE Aug. 2013 3256-3271*

M

Machine bearings

Bearing Fault Detection by a Novel Condition-Monitoring Scheme Based on Statistical-Time Features and Neural Networks. *Prieto, M. D.*, +, *TIE Aug. 2013 3398-3407*
 Bearing Fault Diagnosis for Direct-Drive Wind Turbines via Current-Modulated Signals. *Gong, X.*, +, *TIE Aug. 2013 3419-3428*
 Detection and Diagnosis of Faults in Induction Motor Using an Improved Artificial Ant Clustering Technique. *Soualhi, A.*, +, *TIE Sept. 2013 4053-4062*
 Early Classification of Bearing Faults Using Morphological Operators and Fuzzy Inference. *Raj, A. S.*, +, *TIE Feb. 2013 567-574*
 Plastic Bearing Fault Diagnosis Based on a Two-Step Data Mining Approach. *He, D.*, +, *TIE Aug. 2013 3429-3440*
 Suppressing Bearing Voltage in an Inverter-Fed Ungrounded Brushless DC Motor. *Maetani, T.*, +, *TIE Nov. 2013 4861-4868*

Machine control

A Carrier-Based Unbalanced PWM Method for Four-Leg Voltage Source Inverter Fed Unsymmetrical Two-Phase Induction Motor. *Kumsuwan, Y.*, +, *TIE May 2013 2031-2041*
 A Cascade MPC Control Structure for a PMSM With Speed Ripple Minimization. *Chai, S.*, +, *TIE Aug. 2013 2978-2987*
 A Nine-Level Inverter Topology for Medium-Voltage Induction Motor Drive With Open-End Stator Winding. *Rajeevan, P. P.*, +, *TIE Sept. 2013 3627-3636*
 A Sensor Fault Detection and Isolation Method in Interior Permanent-Magnet Synchronous Motor Drives Based on an Extended Kalman Filter. *Foo, G. H. B.*, +, *TIE Aug. 2013 3485-3495*
 Active Voltage and Frequency Regulator Design for a Wind-Driven Induction Generator to Alleviate Transient Impacts on Power Grid. *Chen, W.-L.*, +, *TIE Aug. 2013 3165-3175*
 Advanced Fault Ride-Through Technique for PMSG Wind Turbine Systems Using Line-Side Converter as STATCOM. *Nguyen, T. H.*, +, *TIE July 2013 2842-2850*
 An Effective Energy-Saving Scalar Control for Industrial IPMSM Drives. *Consoli, A.*, +, *TIE Sept. 2013 3658-3669*
 Analysis and Enhancement of Low-Voltage Ride-Through Capability of Brushless Doubly Fed Induction Generator. *Tohidi, S.*, +, *TIE March 2013 1146-1155*
 Analytical and Offline Approach to Select Optimal Hysteresis Bands of DTC for PMSM. *Mathapati, S.*, +, *TIE March 2013 885-895*
 Bus-Clamping-Based DTC: An Attempt to Reduce Harmonic Distortion and Switching Losses. *El Badi, B.*, +, *TIE March 2013 873-884*
 Comprehensive Evaluation of the Dynamic Performance of a 6/10 SRM for Traction Application in PHEVs. *Bilgin, B.*, +, *TIE July 2013 2564-2575*
 Control Structure for Single-Phase Stand-Alone Wind-Based Energy Sources. *Barote, L.*, +, *TIE Feb. 2013 764-772*
 Controllable Petri Net-Based Implementation Approach for Motor Control Systems. *Kuo, C.-H.*, +, *TIE Oct. 2013 4599-4612*
 Controlled Dynamic Braking for Switched Reluctance Motor Drives With a Rectifier Front End. *Yang, S.-M.*, +, *TIE Nov. 2013 4913-4919*
 Crowbarless Fault Ride-Through of the Brushless Doubly Fed Induction Generator in a Wind Turbine Under Symmetrical Voltage Dips. *Long, T.*, +, *TIE July 2013 2833-2841*
 Design and Implementation of an Online Tuning Adaptive Controller for Synchronous Reluctance Motor Drives. *Wei, M.-Y.*, +, *TIE Sept. 2013 3644-3657*

Detection and Localization of Stator Resistance Dissymmetry Based on Multiple Reference Frame Controllers in Multiphase Induction Motor Drives. *Zarri, L.*, +, *TIE Aug. 2013 3506-3518*
 Discrete-Time Fuzzy Speed Regulator Design for PM Synchronous Motor. *Choi, H. H.*, +, *TIE Feb. 2013 600-607*
 Discrete-Time Parameter Identification of a Surface-Mounted Permanent Magnet Synchronous Machine. *Gatto, G.*, +, *TIE Nov. 2013 4869-4880*
 Disturbance and Response Time Improvement of Submicrometer Precision Linear Motion System by Using Modified Disturbance Compensator and Internal Model Reference Control. *Chow, H.-W.*, +, *TIE Jan. 2013 139-150*
 Explicit Analytical PID Tuning Rules for the Design of Type-III Control Loops. *Papadopoulos, K. G.*, +, *TIE Oct. 2013 4650-4664*
 Fault Ride-Through Improvement of DFIG-WT by Integrating a Two-Degrees-of-Freedom Internal Model Control. *Campos-Gaona, D.*, +, *TIE March 2013 1133-1145*
 Fault-Tolerant Control for Six-Phase PMSM Drive System via Intelligent Complementary Sliding-Mode Control Using TSKFNN-AMF. *Lin, F.-J.*, +, *TIE Dec. 2013 5747-5762*
 FPGA-Based Predictive Sliding Mode Controller of a Three-Phase Inverter. *Curkovic, M.*, +, *TIE Feb. 2013 637-644*
 Generalized Optimal Pulsewidth Modulation of Multilevel Inverters for Low-Switching-Frequency Control of Medium-Voltage High-Power Industrial AC Drives. *Rathore, +*, *TIE Oct. 2013 4215-4224*
 High-Frequency Issues Using Rotating Voltage Injections Intended For Position Self-Sensing. *Gabriel, F.*, +, *TIE Dec. 2013 5447-5457*
 High-Order Terminal Sliding-Mode Observer for Parameter Estimation of a Permanent-Magnet Synchronous Motor. *Feng, Y.*, +, *TIE Oct. 2013 4272-4280*
 High-Power-Factor Single-Phase Diode Rectifier Driven by Repetitively Controlled IPM Motor. *Inazuma, K.*, +, *TIE Oct. 2013 4427-4437*
 Implementation of Finite-State Model Predictive Control for Commutation Torque Ripple Minimization of Permanent-Magnet Brushless DC Motor. *Xia, C.*, +, *TIE March 2013 896-905*
 Microstepping Using a Disturbance Observer and a Variable Structure Controller for Permanent-Magnet Stepper Motors. *Kim, W.*, +, *TIE July 2013 2689-2699*
 On Low-Velocity Compensation of Brushless DC Servo in the Absence of Friction Model. *Sun, M.*, +, *TIE Sept. 2013 3897-3905*
 Optimal Control of Medium-Voltage Drives—An Overview. *Holtz, J.*, +, *TIE Dec. 2013 5472-5481*
 Overview of Bearingless Permanent-Magnet Synchronous Motors. *Sun, X.*, +, *TIE Dec. 2013 5528-5538*
 Phase Current Reconstruction Using a Single Current Sensor of Three-Phase AC Motors Fed by SVM-Controlled Direct Matrix Converters. *Metidji, B.*, +, *TIE Dec. 2013 5497-5505*
 Phase-Compensated Microstepping for Permanent-Magnet Stepper Motors. *Shin, D.*, +, *TIE Dec. 2013 5773-5780*
 Predictive Torque and Flux Control Without Weighting Factors. *Rojas, C. A.*, +, *TIE Feb. 2013 681-690*
 Remedial Injected-Harmonic-Current Operation of Redundant Flux-Switching Permanent-Magnet Motor Drives. *Zhao, W.*, +, *TIE Jan. 2013 151-159*
 Robust Tracking Control of Networked Control Systems: Application to a Networked DC Motor. *Shi, Y.*, +, *TIE Dec. 2013 5864-5874*
 Sliding-Mode Control of an Electromagnetic Actuated Conveyance System Using Contactless Sensing. *Chin, C. S.*, +, *TIE Nov. 2013 5315-5324*
 Stability Enhancement of a Power System With a PMSG-Based and a DFIG-Based Offshore Wind Farm Using a SVC With an Adaptive-Network-Based Fuzzy Inference System. *Wang, L.*, +, *TIE July 2013 2799-2807*
 Suppression of Hunting in an ILPMSM Driver System Using Hunting Compensator. *Yao, W.-H.*, +, *TIE July 2013 2586-2594*
 T-S Fuzzy-Model-Based Sliding-Mode Control for Surface-Mounted Permanent-Magnet Synchronous Motors Considering Uncertainties. *Vu, N. T.-T.*, +, *TIE Oct. 2013 4281-4291*
 Variable-Speed Five-Phase Induction Motor Drive Based on Predictive Torque Control. *Riveros, J. A.*, +, *TIE Aug. 2013 2957-2968*

Machine insulation

Effect of Slot-and-Pole Combination on the Leakage Inductance and the Performance of Tooth-Coil Permanent-Magnet Synchronous Machines. *Ponomarev, P.*, +, *TIE Oct. 2013 4310-4317*
 Electrical Aging of the Insulation of Low-Voltage Machines: Model Definition and Test With the Design of Experiments. *Lahoud, N.*, +, *TIE Sept. 2013 4147-4155*

Stator-Current Spectrum Signature of Healthy Cage Rotor Induction Machines. *Joksimovic, G. M.*, +, *TIE Sept. 2013 4025-4033*
 Thermal Analysis and Cooling System Design of Dual Mechanical Port Machine for Wind Power Application. *Sun, X.*, +, *TIE May 2013 1724-1733*
 Wound-Rotor Induction Generator Inter-Turn Short-Circuits Diagnosis Using a New Digital Neural Network. *Toma, S.*, +, *TIE Sept. 2013 4043-4052*

Machine testing

An Overview of Efficiency and Loss Characterization of Fractional Horsepower Motors. *Agamloh, E. B.*, +, *TIE Aug. 2013 3072-3080*

Machine theory

Thermal Optimization of a High-Power Salient-Pole Electrical Machine. *Bornschlegel, A. S.*, +, *TIE May 2013 1734-1746*

Machine tools

High-Order Terminal Sliding-Mode Observer for Parameter Estimation of a Permanent-Magnet Synchronous Motor. *Feng, Y.*, +, *TIE Oct. 2013 4272-4280*

Machine vector control

A New Algorithm for Real-Time Multiple Open-Circuit Fault Diagnosis in Voltage-Fed PWM Motor Drives by the Reference Current Errors. *Estima, J. O.*, +, *TIE Aug. 2013 3496-3505*

A Robust Linear Field-Oriented Voltage Control for the Induction Motor: Experimental Results. *Sira-Ramirez, H.*, +, *TIE Aug. 2013 3025-3033*

A Space-Vector-Based Hysteresis Current Controller for a General n -Level Inverter-Fed Drive With Nearly Constant Switching Frequency Control. *Dey, A.*, +, *TIE May 2013 1989-1998*

Dynamic Control of the Brushless Doubly Fed Induction Generator Under Unbalanced Operation. *Shao, S.*, +, *TIE June 2013 2465-2476*

Generalized Vector Control for Brushless Doubly Fed Machines With Nested-Loop Rotor. *Barati, F.*, +, *TIE June 2013 2477-2485*

Model Predictive Control of a Two-Motor Drive With Five-Leg-Inverter Supply. *Lim, C. S.*, +, *TIE Jan. 2013 54-65*

Performance Evaluation of a Vector-Control Fault-Tolerant Flux-Switching Motor Drive. *Aboelhassan, M. O. E.*, +, *TIE Aug. 2013 2997-3006*

Sensorless Control of CSC-Fed IPM Machine for Zero- and Low-Speed Operations Using Pulsating HFI Method. *Al-nabi, E.*, +, *TIE May 2013 1711-1723*

Speed Estimation and Nonmatched Time-Varying Parameter Identification for a DC Motor With Hybrid Sliding-Mode Observer. *Zhou, Y.*, +, *TIE Dec. 2013 5539-5549*

Wheel Slip Control of EVs Based on Sliding Mode Technique With Conditional Integrators. *de Castro, R.*, +, *TIE Aug. 2013 3256-3271*

Machine windings

Detection and Localization of Stator Resistance Dissymmetry Based on Multiple Reference Frame Controllers in Multiphase Induction Motor Drives. *Zarri, L.*, +, *TIE Aug. 2013 3506-3518*

Effect of Slot-and-Pole Combination on the Leakage Inductance and the Performance of Tooth-Coil Permanent-Magnet Synchronous Machines. *Ponomarev, P.*, +, *TIE Oct. 2013 4310-4317*

Grid-Connected Integrated Battery Chargers in Vehicle Applications: Review and New Solution. *Haghibin, S.*, +, *TIE Feb. 2013 459-473*

Investigation of Carrier-Based PWM Techniques for a Five-Phase Open-End Winding Drive Topology. *Bodo, N.*, +, *TIE May 2013 2054-2065*

On the Causes of Circulating Currents in PWM Drives With Open-End Winding AC Machines. *Somani, A.*, +, *TIE Sept. 2013 3670-3678*

Proposal and Analysis of a Novel Single-Drive Bearingless Motor. *Asama, J.*, +, *TIE Jan. 2013 129-138*

Vector-Quantized Space-Vector-Based Spread Spectrum Modulation Scheme for Multilevel Inverters Using the Principle of Oversampling ADC. *Jacob, B.*, +, *TIE Aug. 2013 2969-2977*

Magnetic actuators

Design, Optimization, and Intelligent Control of Permanent-Magnet Contactor. *Lin, H.*, +, *TIE Nov. 2013 5148-5159*

Magnetic anisotropy

Sensorless Predictive DTC of a Surface-Mounted Permanent-Magnet Synchronous Machine Based on Its Magnetic Anisotropy. *Morales-Caporal, R.*, +, *TIE Aug. 2013 3016-3024*

Magnetic bearings

Overview of Bearingless Permanent-Magnet Synchronous Motors. *Sun, X.*, +, *TIE Dec. 2013 5528-5538*

Magnetic cores

Applying Response Surface Methodology to Small Planar Transformer Winding Design. *Cove, S. R.*, +, *TIE Feb. 2013 483-493*

Transformer Design for Isolated Switching Converters Based on Geometric Form Factors of Magnetic Cores. *De Nardo, A.*, +, *TIE June 2013 2158-2166*

Magnetic devices

Applying Response Surface Methodology to Small Planar Transformer Winding Design. *Cove, S. R.*, +, *TIE Feb. 2013 483-493*

Offshore-Wind-Farm Configuration Using Diode Rectifier With MERS in Current Link Topology. *Kawaguchi, T.*, +, *TIE July 2013 2930-2937*

Magnetic fields

A Study on Magnetic Field Repeater in Wireless Power Transfer. *Ahn, D.*, +, *TIE Jan. 2013 360-371*

Control Method for Wireless Inductive Energy Transfer Systems With Relatively Large Air Gap. *van der Pijl, F.*, +, *TIE Jan. 2013 382-390*

Erratum to "Analytical Magnetic Field and Driving Force Models Based on Measured Boundary Conditions for Industrial Coriolis Mass Flowmeters" [Dec12 4753-4760]. *Wang, L.-J.*, +, *TIE July 2013 2771*

Magnetic flux

AC Drive Observability Analysis. *Vaclavek, P.*, +, *TIE Aug. 2013 3047-3059*
 Analytical and Offline Approach to Select Optimal Hysteresis Bands of DTC for PMSM. *Mathapati, S.*, +, *TIE March 2013 885-895*

Predictive Torque and Flux Control Without Weighting Factors. *Rojas, C. A.*, +, *TIE Feb. 2013 681-690*

Remedial Injected-Harmonic-Current Operation of Redundant Flux-Switching Permanent-Magnet Motor Drives. *Zhao, W.*, +, *TIE Jan. 2013 151-159*

Stator-Current Spectrum Signature of Healthy Cage Rotor Induction Machines. *Joksimovic, G. M.*, +, *TIE Sept. 2013 4025-4033*

Magnetic forces

Acoustic Noise/Vibration Reduction of a Single-Phase SRM Using Skewed Stator and Rotor. *Yang, H.-Y.*, +, *TIE Oct. 2013 4292-4300*

Application of Slope PWM Strategies to Reduce Acoustic Noise Radiated by Inverter-Fed Induction Motors. *Ruiz-Gonzalez, A.*, +, *TIE July 2013 2555-2563*

Magnetic materials

A New Design Method for the Passive Damped LCL and LLCL Filter-Based Single-Phase Grid-Tied Inverter. *Wu, W.*, +, *TIE Oct. 2013 4339-4350*

Magnetic resonance

Automated Impedance Matching System for Robust Wireless Power Transfer via Magnetic Resonance Coupling. *Beh, T. C.*, +, *TIE Sept. 2013 3689-3698*

Magnetic sensors

Detection Method of the DC Bias in Distribution Power Transformers. *Butticchi, G.*, +, *TIE Aug. 2013 3539-3549*

Magnetization

Extended Range ZVS Active-Clamped Current-Fed Full-Bridge Isolated DC/DC Converter for Fuel Cell Applications: Analysis, Design, and Experimental Results. *U R, P.*, +, *TIE July 2013 2661-2672*

Magnetometers

Z-Axis Magnetometers for MEMS Inertial Measurement Units Using an Industrial Process. *Langfelder, G.*, +, *TIE Sept. 2013 3983-3990*

Maintenance engineering

Detection of Mass Increase in a Fan Impeller With a Frequency Converter. *Tamminen, J.*, +, *TIE Sept. 2013 3968-3975*

Offshore-Wind-Farm Configuration Using Diode Rectifier With MERS in Current Link Topology. *Kawaguchi, T.*, +, *TIE July 2013 2930-2937*

On Condition Maintenance Based on the Impedance Measurement for Traction Batteries: Development and Industrial Implementation. *Munoz-Condes, P.*, +, *TIE July 2013 2750-2759*

Manipulators

A Saturation-Based Tuning Method for Fuzzy PID Controller. *Duan, X.-G.*, +, *TIE Nov. 2013 5177-5185*

Cloud-Based Networked Visual Servo Control. *Wu, H.*, +, *TIE Feb. 2013 554-566*

Precise Positioning of Nonsmooth Dynamic Systems Using Fuzzy Wavelet Echo State Networks and Dynamic Surface Sliding Mode Control. *Han, S. I.*, +, *TIE Nov. 2013 5124-5136*

Stability Guaranteed Time-Delay Control of Manipulators Using Nonlinear Damping and Terminal Sliding Mode. *Jin, Y.*, +, *TIE Aug. 2013 3304-3317*

Manufacturing systems

Nonlinear-Measurement-Based Integrated Robust Design and Control for Manufacturing System. *Lu, X. J.*, +, *TIE July 2013 2711-2720*

Marine systems

Developing Accurate Long-Distance 6-DOF Motion Detection With One-Dimensional Laser Sensors: Three-Beam Detection System. *Kim, Y.-K.*, +, *TIE Aug. 2013 3386-3395*

Markov processes

Distributed \mathcal{H}_∞ Filtering for a Class of Markovian Jump Nonlinear Time-Delay Systems Over Lossy Sensor Networks. *Dong, H.*, +, *TIE Oct. 2013 4665-4672*

Reliability Analysis Framework for Structural Redundancy in Power Semiconductors. *Behjati, H.*, +, *TIE Oct. 2013 4376-4386*

Mathematical analysis

A Maximum Power Point Tracking Technique for Partially Shaded Photovoltaic Systems in Microgrids. *Alajmi, B. N.*, +, *TIE April 2013 1596-1606*

Adaptive Sliding-Mode Control for Nonlinear Active Suspension Vehicle Systems Using T-S Fuzzy Approach. *Li, H.*, +, *TIE Aug. 2013 3328-3338*

Current-Stress-Optimized Switching Strategy of Isolated Bidirectional DC-DC Converter With Dual-Phase-Shift Control. *Zhao, B.*, +, *TIE Oct. 2013 4458-4467*

High Voltage-Boosting Converters Based on Bootstrap Capacitors and Boost Inductors. *Hwu, K. I.*, +, *TIE June 2013 2178-2193*

On Low-Velocity Compensation of Brushless DC Servo in the Absence of Friction Model. *Sun, M.*, +, *TIE Sept. 2013 3897-3905*

Performance Investigation of Isolated Wind-Diesel Hybrid Power Systems With WECS Having PMIG. *Sharma, P.*, +, *TIE April 2013 1630-1637*

Regulated Charging of Plug-in Hybrid Electric Vehicles for Minimizing Load Variance in Household Smart Microgrid. *Jian, L.*, +, *TIE Aug. 2013 3218-3226*

Single-View Distance-Estimation-Based Formation Control of Robotic Swarms. *Fidan, B.*, +, *TIE Dec. 2013 5781-5791*

Mathematics computing

Fault Ride-Through Improvement of DFIG-WT by Integrating a Two-Degrees-of-Freedom Internal Model Control. *Campos-Gaona, D.*, +, *TIE March 2013 1133-1145*

Theoretical and Experimental Analysis for Current in a Dual-Inverter-Fed Open-End Winding Induction Motor Drive With Reduced Switching PWM. *Srinivas, S.*, +, *TIE Oct. 2013 4318-4328*

Matrix algebra

An Adaptive Time-Efficient Technique for Harmonic Estimation of Nonstationary Signals. *Jain, S. K.*, +, *TIE Aug. 2013 3295-3303*

Comments on "Quasi-Continuous Higher Order Sliding-Mode Controllers for Spacecraft-Attitude-Tracking Maneuvers". *Ma, K.*, +, *TIE July 2013 2771-2773*

Optimal Design, Fabrication, and Control of an XY Micropositioning Stage Driven by Electromagnetic Actuators. *Xiao, S.*, +, *TIE Oct. 2013 4613-4626*

Reduced-Order Model and Stability Analysis of Low-Voltage DC Microgrid. *Anand, S.*, +, *TIE Nov. 2013 5040-5049*

Matrix converters

A Comparative Assessment of Model Predictive Current Control and Space Vector Modulation in a Direct Matrix Converter. *Rivera, M.*, +, *TIE Feb. 2013 578-588*

A Direct Power Conversion Topology for Grid Integration of Hybrid AC/DC Energy Resources. *Liu, X.*, +, *TIE Dec. 2013 5696-5707*

A Three-Phase Dual-Input Matrix Converter for Grid Integration of Two AC Type Energy Resources. *Liu, X.*, +, *TIE Jan. 2013 20-30*

An All-DC Offshore Wind Farm With Series-Connected Turbines: An Alternative to the Classical Parallel AC Model?. *Holtmark, N.*, +, *TIE June 2013 2420-2428*

Chaotic Dynamics Characteristic Analysis for Matrix Converter. *Xia, C.*, +, *TIE Jan. 2013 78-87*

Comparison of Two Overmodulation Strategies in an Indirect Matrix Converter. *Chiang, G. T.*, +, *TIE Jan. 2013 43-53*

Improved Double Line Voltage Synthesis Strategies of Matrix Converter for Input/Output Quality Enhancement. *Shi, T.*, +, *TIE Aug. 2013 3034-3046*

Indirect Space-Vector-Based Modulation Techniques for High-Power Multimodular Matrix Converters. *Wang, J.*, +, *TIE Aug. 2013 3060-3071*

Multiojective Switching State Selector for Finite-States Model Predictive Control Based on Fuzzy Decision Making in a Matrix Converter. *Villarreal, F.*, +, *TIE Feb. 2013 589-599*

Per-Sequence Vector-Switching Matrix Converter Modules for Voltage Regulation. *Garcia-Vite, P. M.*, +, *TIE Dec. 2013 5411-5421*

Phase Current Reconstruction Using a Single Current Sensor of Three-Phase AC Motors Fed by SVM-Controlled Direct Matrix Converters. *Metidji, B.*, +, *TIE Dec. 2013 5497-5505*

Phase-Shifting-Transformer-Fed Multimodular Matrix Converter Operated by a New Modulation Strategy. *Wang, J.*, +, *TIE Oct. 2013 4329-4338*

Technological Issues and Industrial Application of Matrix Converters: A Review. *Empringham, L.*, +, *TIE Oct. 2013 4260-4271*

Three-Leg/Four-Leg Matrix Converter Generalized Modulation Strategy—Part I: A New Formulation. *Kobravi, K.*, +, *TIE March 2013 848-859*

Three-Leg/Four-Leg Matrix Converter Generalized Modulation Strategy—Part II: Implementation and Verification. *Kobravi, K.*, +, *TIE March 2013 860-872*

Maximum power point trackers

A Deterministic Particle Swarm Optimization Maximum Power Point Tracker for Photovoltaic System Under Partial Shading Condition. *Ishaque, K.*, +, *TIE Aug. 2013 3195-3206*

A Fast Current-Based MPPT Technique Employing Sliding Mode Control. *Bianconi, E.*, +, *TIE March 2013 1168-1178*

A Maximum Power Point Tracking Technique for Partially Shaded Photovoltaic Systems in Microgrids. *Alajmi, B. N.*, +, *TIE April 2013 1596-1606*

A Module-Integrated Isolated Solar Microinverter. *Chiu, H.-J.*, +, *TIE Feb. 2013 781-788*

A Power Electronics Equalizer Application for Partially Shaded Photovoltaic Modules. *Lavado Villa, L. F.*, +, *TIE March 2013 1179-1190*

Constant-Bandwidth Maximum Power Point Tracking Strategy for Variable-Speed Wind Turbines and Its Design Details. *Chen, J.*, +, *TIE Nov. 2013 5050-5058*

Design and Evaluation of a New Converter Control Strategy for Near-Shore Tidal Turbines. *Jahromi, M. J.*, +, *TIE Dec. 2013 5648-5659*

Evaluation of the Main MPPT Techniques for Photovoltaic Applications. *de Brito, M. A. G.*, +, *TIE March 2013 1156-1167*

Fast Photovoltaic-System Voltage- or Current-Oriented MPPT Employing a Predictive Digital Current-Controlled Converter. *Kakosimos, P. E.*, +, *TIE Dec. 2013 5673-5685*

Line-Line Fault Analysis and Protection Challenges in Solar Photovoltaic Arrays. *Zhao, Y.*, +, *TIE Sept. 2013 3784-3795*

Maximum Output Power Tracking Control in Variable-Speed Wind Turbine Systems Considering Rotor Inertial Power. *Kim, K.-H.*, +, *TIE Aug. 2013 3207-3217*

New Overall Power Control Strategy for Variable-Speed Fixed-Pitch Wind Turbines Within the Whole Wind Velocity Range. *Chen, J.*, +, *TIE July 2013 2652-2660*

Offshore-Wind-Farm Configuration Using Diode Rectifier With MERS in Current Link Topology. *Kawaguchi, T.*, +, *TIE July 2013 2930-2937*

One-Cycle-Controlled Single-Stage Single-Phase Voltage-Sensorless Grid-Connected PV System. *S., S. E.*, +, *TIE March 2013 1216-1224*

Photovoltaic Power System With Battery Backup With Grid-Connection and Islanded Operation Capabilities. *Velasco de la Fuente, D.*, +, *TIE April 2013 1571-1581*

Power Adaptor Device for Domestic DC Microgrids Based on Commercial MPPT Inverters. *Valderrama-Blavi, H.*, +, *TIE March 2013 1191-1203*

Wind Turbine Power Coefficient Analysis of a New Maximum Power Point Tracking Technique. *Xia, Y.*, +, *TIE March 2013 1122-1132*

Mean square error methods

Pretest Gap Mura on TFT LCDs Using the Optical Interference Pattern Sensing Method and Neural Network Classification. *Li, T.-Y.*, +, *TIE Sept. 2013 3976-3982*

Real-Time Nonlinear Parameter Estimation Using the Levenberg-Marquardt Algorithm on Field Programmable Gate Arrays. *Shawash, J.*, +, *TIE Jan. 2013 170-176*

Measurement by laser beam

Developing Accurate Long-Distance 6-DOF Motion Detection With One-Dimensional Laser Sensors: Three-Beam Detection System. *Kim, Y.-K.*, +, *TIE Aug. 2013 3386-3395*

Measurement errors

Accuracy- and Simplicity-Oriented Self-Calibration Approach for Two-Dimensional Precision Stages. *Zhu, Y.*, +, *TIE June 2013 2264-2272*

Measurement systems

Nonlinear-Measurement-Based Integrated Robust Design and Control for Manufacturing System. *Lu, X. J.*, +, *TIE July 2013 2711-2720*

Mechanical contact

Minimal Grasper: A Practical Robotic Grasper With Robust Performance for Pick-and-Place Tasks. *Jin, J.*, +, *TIE Sept. 2013 3796-3805*

Mechanical stability

Initial Friction Compensation Using Rheology-Based Rolling Friction Model in Fast and Precise Positioning. *Maeda, Y.*, +, *TIE Sept. 2013* 3865-3876

Mechanical variables control

Initial Friction Compensation Using Rheology-Based Rolling Friction Model in Fast and Precise Positioning. *Maeda, Y.*, +, *TIE Sept. 2013* 3865-3876

Mechatronics

HV-CMOS Design and Characterization of a Smart Rotor Coil Driver for Automotive Alternators. *Saponara, S.*, +, *TIE June 2013* 2309-2317

Improvement of Settling Performance by Mode-Switching Control With Split Initial-Value Compensation Based on Input Shaper. *Maeda, Y.*, +, *TIE March 2013* 979-987

Principles, Design, and Calibration for a Genre of Irradiation Angle Sensors. *Liu, G.*, +, *TIE Jan. 2013* 210-216

Medical robotics

Gain-Scheduling Control of Teleoperation Systems Interacting With Soft Tissues. *Cho, J. H.*, +, *TIE March 2013* 946-957

Medical signal processing

Industrial Application of Evolvable Block-Based Neural Network to Hypoglycemia Monitoring System. *San, P. P.*, +, *TIE Dec. 2013* 5892-5901

Total Design of an FPGA-Based Brain-Computer Interface Control Hospital Bed Nursing System. *Shyu, K.-K.*, +, *TIE July 2013* 2731-2739

Meta data

Building Integrated Photovoltaic System With Energy Storage and Smart Grid Communication. *Sechilariu, M.*, +, *TIE April 2013* 1607-1618

Metallurgy

Binary Coding SVMs for the Multiclass Problem of Blast Furnace System. *Jian, L.*, +, *TIE Sept. 2013* 3846-3856

Microcontrollers

An Array of Coherent Sources Based on Novel Dual-Loop PLL Infrastructure. *Tang, C.*, +, *TIE Nov. 2013* 5337-5347

Controllable Petri Net-Based Implementation Approach for Motor Control Systems. *Kuo, C.-H.*, +, *TIE Oct. 2013* 4599-4612

Digital Control Strategy for HID Lamp Electronic Ballasts. *Kirsten, A. L.*, +, *TIE Feb. 2013* 608-618

Model Predictive Control of a Two-Motor Drive With Five-Leg-Inverter Supply. *Lim, C. S.*, +, *TIE Jan. 2013* 54-65

Sliding-Mode Control of an Electromagnetic Actuated Conveyance System Using Contactless Sensing. *Chin, C. S.*, +, *TIE Nov. 2013* 5315-5324

Microelectrodes

Design, Simulation, and Characterization of a Low-Cost In-Plane Spark Gap Microswitch With Dual-Trigger Electrode for Pulsed Power Applications. *Liu, C.*, +, *TIE Aug. 2013* 3240-3247

Microgrids

Introduction to the Special Section on Distributed Generation and Microgrids. *Guerrero, J. M.*, +, *TIE April 2013* 1251-1253

Micromachining

Design, Simulation, and Characterization of a Low-Cost In-Plane Spark Gap Microswitch With Dual-Trigger Electrode for Pulsed Power Applications. *Liu, C.*, +, *TIE Aug. 2013* 3240-3247

Micromanipulators

Optimal Design, Fabrication, and Control of an XY Micropositioning Stage Driven by Electromagnetic Actuators. *Xiao, S.*, +, *TIE Oct. 2013* 4613-4626

Micromechanical devices

All-pMOS 50-V Charge Pumps Using Low-Voltage Capacitors. *Emira, A.*, +, *TIE Oct. 2013* 4683-4693

Micromechanics

Rolling Friction Model-Based Analyses and Compensation for Slow Settling Response in Precise Positioning. *Maeda, Y.*, +, *TIE Dec. 2013* 5841-5853

Micropositioning

Optimal Design, Fabrication, and Control of an XY Micropositioning Stage Driven by Electromagnetic Actuators. *Xiao, S.*, +, *TIE Oct. 2013* 4613-4626

Microprocessor chips

All-on-Chip dq-Frame Based D-STATCOM Control Implementation in a Low-Cost FPGA. *Sepulveda, C. A.*, +, *TIE Feb. 2013* 659-669

Wheel Slip Control of EVs Based on Sliding Mode Technique With Conditional Integrators. *de Castro, R.*, +, *TIE Aug. 2013* 3256-3271

Microsensors

Z-Axis Magnetometers for MEMS Inertial Measurement Units Using an Industrial Process. *Langfelder, G.*, +, *TIE Sept. 2013* 3983-3990

An Accurate and Robust Strip-Edge-Based Structured Light Means for Shiny Surface Micromasurement in 3-D. *Song, Z.*, +, *TIE March 2013* 1023-1032

Microstrip lines

Design and Performance Analysis of a 866-MHz Low-Power Optimized CMOS LNA for UHF RFID. *Li, J.*, +, *TIE May 2013* 1840-1849

Microswitches

Design, Simulation, and Characterization of a Low-Cost In-Plane Spark Gap Microswitch With Dual-Trigger Electrode for Pulsed Power Applications. *Liu, C.*, +, *TIE Aug. 2013* 3240-3247

MIMO communication

On Frequency-Response Measurements of Power-Electronic Systems Applying MIMO Identification Techniques. *Roinila, T.*, +, *TIE Nov. 2013* 5270-5276

MIMO systems

An Adaptive Voltage Control Strategy of Three-Phase Inverter for Stand-Alone Distributed Generation Systems. *Do, T. D.*, +, *TIE Dec. 2013* 5660-5672

An Optimal PID Control Algorithm for Training Feedforward Neural Networks. *Jing, X.*, +, *TIE June 2013* 2273-2283

Minimization

A Novel Distributed Direct-Voltage Control Strategy for Grid Integration of Offshore Wind Energy Systems Through MTDC Network. *Teixeira Pinto, R.*, +, *TIE June 2013* 2429-2441

Multilevel Current-Source Inverter With FPGA Control. *Aguirre, M. P.*, +, *TIE Jan. 2013* 3-10

Space Vector PWM Method for Five-Phase Two-Level VSI With Minimum Harmonic Injection in the Overmodulation Region. *Carrasco, G.*, +, *TIE May 2013* 2042-2053

Mining industry

A Novel Noninvasive Failure-Detection System for High-Power Converters Based on SCRs. *Guerrero, V.*, +, *TIE Feb. 2013* 450-458

Missile guidance

Missile Guidance Law Based on Extended State Observer. *Zhu, Z.*, +, *TIE Dec. 2013* 5882-5891

Mobile ad hoc networks

EAACK—A Secure Intrusion-Detection System for MANETs. *Shakshuki, E. M.*, +, *TIE March 2013* 1089-1098

Mobile computing

Mobility Management Scheme for Context-Aware Transactions in Pervasive and Mobile Cyberspace. *Younas, M.*, +, *TIE March 2013* 1108-1115

Mobile radio

Path kNN Query Processing in Mobile Systems. *Zhao, G.*, +, *TIE March 2013* 1099-1107

Self-Recognition of Vehicle Position Using UHF Passive RFID Tags. *Park, S.*, +, *TIE Jan. 2013* 226-234

Mobile robots

A Novel Motion Equation for General Task Description and Analysis of Mobile-Hapto. *Sakaino, S.*, +, *TIE July 2013* 2673-2680

Decoupled Dynamic Control for Pitch and Roll Axes of the Unicycle Robot. *Lee, J.*, +, *TIE Sept. 2013* 3814-3822

Design and Implementation of a Takagi-Sugeno-Type Fuzzy Logic Controller on a Two-Wheeled Mobile Robot. *Xu, J.-X.*, +, *TIE Dec. 2013* 5717-5728

Distributed Cohesive Motion Control of Flight Vehicle Formations. *Bayezit, I.*, +, *TIE Dec. 2013* 5763-5772

Dynamic Ultrasonic Hybrid Localization System for Indoor Mobile Robots. *Kim, S. J.*, +, *TIE Oct. 2013* 4562-4573

Observability-Based Selection Criterion for Anchor Nodes in Multiple-Cell Localization. *Cho, H.*, +, *TIE Oct. 2013* 4554-4561

Steering the Last Trailer as a Virtual Tractor for Reversing Vehicles With Passive On- and Off-Axle Hitches. *Morales, J.*, +, *TIE Dec. 2013* 5729-5736

Mobility management (mobile radio)

Comparative Handover Performance Analysis of IPv6 Mobility Management Protocols. *Lee, J.-H.*, +, *TIE March 2013* 1077-1088

Mobility Management Scheme for Context-Aware Transactions in Pervasive and Mobile Cyberspace. *Younas, M.*, +, *TIE March 2013* 1108-1115

Modal analysis

Allocation of Actuators and Sensors for Coupled-Adjacent-Building Vibration Attenuation. *Gao, H.*, +, *TIE Dec. 2013* 5792-5801

Frequency-Domain Damping Design for Time-Delayed Bilateral Teleoperation System Based on Modal Space Analysis. *Suzuki, A.*, +, *TIE Jan. 2013* 177-190

Modulation

Authors' Reply to "Comments on Predictive Digital-Controlled Converter With Peak Current-Mode Control and Leading-Edge Modulation". *Lai, Y.-S.*, +, *TIE Jan. 2013* 235-238

Capacitor Voltage Regulation in Single-DC-Source Cascaded H-Bridge Multilevel Converters Using Phase-Shift Modulation. *Sepahvand, H.*, +, *TIE Sept. 2013* 3619-3626

Design of Neutral-Point Voltage Controller of a Three-Level NPC Inverter With Small DC-Link Capacitors. *Maheshwari, R.*, +, *TIE May 2013* 1861-1871

High-Efficiency Single-Phase Transformerless PV H6 Inverter With Hybrid Modulation Method. *Ji, B.*, +, *TIE May 2013* 2104-2115

Indirect Space-Vector-Based Modulation Techniques for High-Power Multimodular Matrix Converters. *Wang, J.*, +, *TIE Aug. 2013* 3060-3071

Introduction to the Special Section on Modulation Techniques for DC-to-AC Power Converters. *Leon, J. I.*, +, *TIE May 2013* 1859-1860

Modulators

Synthetic-Ripple-Based Digital Hysteretic Modulator for Point-of-Load Converters. *Singh, R. K.*, +, *TIE Nov. 2013* 4996-5007

Modules

Multilevel Current-Source Inverter With FPGA Control. *Aguirre, M. P.*, +, *TIE Jan. 2013* 3-10

Molecular biophysics

Flexible Autonomous Behaviors of Kinesin and Muscle Myosin Bio-Nanorobots. *Khataee, H. R.*, +, *TIE Nov. 2013* 5116-5123

Monte Carlo methods

A Generalized Approach for DG Planning and Viability Analysis Under Market Scenario. *Jain, N.*, +, *TIE Nov. 2013* 5075-5085

MOSFET

A 10-kW Two-Stage Isolated/Bidirectional DC/DC Converter With Hybrid-Switching Technique. *Yoo, K.-M.*, +, *TIE June 2013* 2205-2213

Analysis and Design of Fully Integrated Planar Magnetics for Primary-Parallel Isolated Boost Converter. *Ouyang, Z.*, +, *TIE Feb. 2013* 494-508

Novel High-Efficiency Three-Level Stacked-Neutral-Point-Clamped Grid-Tied Inverter. *Wang, Y.*, +, *TIE Sept. 2013* 3766-3774

Soft-Switching Converter With Two Series Half-Bridge Legs to Reduce Voltage Stress of Active Switches. *Lin, B.-R.*, +, *TIE June 2013* 2214-2224

Motion control

AC Drive Observability Analysis. *Vaclavek, P.*, +, *TIE Aug. 2013* 3047-3059

Biped Walking Pattern Generation by Using Preview Control Based on Three-Mass Model. *Shimmyo, S.*, +, *TIE Nov. 2013* 5137-5147

Cloud-Based Networked Visual Servo Control. *Wu, H.*, +, *TIE Feb. 2013* 554-566

Distributed Cohesive Motion Control of Flight Vehicle Formations. *Bayezit, I.*, +, *TIE Dec. 2013* 5763-5772

Disturbance and Response Time Improvement of Submicrometer Precision Linear Motion System by Using Modified Disturbance Compensator and Internal Model Reference Control. *Chow, H.-W.*, +, *TIE Jan. 2013* 139-150

Robust Zero Placement for Motion Control of Lightly Damped Systems. *Ha, C.-W.*, +, *TIE Sept. 2013* 3857-3864

Single-View Distance-Estimation-Based Formation Control of Robotic Swarms. *Fidan, B.*, +, *TIE Dec. 2013* 5781-5791

Steering the Last Trailer as a Virtual Tractor for Reversing Vehicles With Passive On- and Off-Axle Hitches. *Morales, J.*, +, *TIE Dec. 2013* 5729-5736

Suppression of Hunting in an ILPMSM Driver System Using Hunting Compensator. *Yao, W.-H.*, +, *TIE July 2013* 2586-2594

Universal Multiaxis Control System for Electric Drives. *Kozłowski, K.*, +, *TIE Feb. 2013* 691-698

Motion estimation

Low-Complexity Encoder Framework for Window-Level Rate Control Optimization. *Xu, L.*, +, *TIE May 2013* 1850-1858

Motion measurement

Developing Accurate Long-Distance 6-DOF Motion Detection With One-Dimensional Laser Sensors: Three-Beam Detection System. *Kim, Y.-K.*, +, *TIE Aug. 2013* 3386-3395

Motor drives

Design of Neutral-Point Voltage Controller of a Three-Level NPC Inverter With Small DC-Link Capacitors. *Maheshwari, R.*, +, *TIE May 2013* 1861-1871

Explicit Analytical PID Tuning Rules for the Design of Type-III Control Loops. *Papadopoulos, K. G.*, +, *TIE Oct. 2013* 4650-4664

Global Energy Scenario and Impact of Power Electronics in 21st Century. *Bose, B. K.*, +, *TIE July 2013* 2638-2651

Introduction to the Special Section on Digital Control Systems in Power Electronics and Electrical Drives—Part II. *Rodriguez, J.*, +, *TIE Feb. 2013* 575-577

Model Predictive Control of a Two-Motor Drive With Five-Leg-Inverter Supply. *Lim, C. S.*, +, *TIE Jan. 2013* 54-65

Proposal and Analysis of a Novel Single-Drive Bearingless Motor. *Asama, J.*, +, *TIE Jan. 2013* 129-138

Remedial Injected-Harmonic-Current Operation of Redundant Flux-Switching Permanent-Magnet Motor Drives. *Zhao, W.*, +, *TIE Jan. 2013* 151-159

Sensorless Control of CSC-Fed IPM Machine for Zero- and Low-Speed Operations Using Pulsating HFI Method. *Al-nabi, E.*, +, *TIE May 2013* 1711-1723

Multi-agent systems

Multiagent-Based Distributed-Energy-Resource Management for Intelligent Microgrids. *Kumar Nunna, H. S. V. S.*, +, *TIE April 2013* 1678-1687

Multi-robot systems

A Novel Motion Equation for General Task Description and Analysis of Mobile-Hapto. *Sakaino, S.*, +, *TIE July 2013* 2673-2680

Single-View Distance-Estimation-Based Formation Control of Robotic Swarms. *Fidan, B.*, +, *TIE Dec. 2013* 5781-5791

Muscle

Flexible Autonomous Behaviors of Kinesin and Muscle Myosin Bio-Nanorobots. *Khataee, H. R.*, +, *TIE Nov. 2013* 5116-5123

N**Nanobiotechnology**

Flexible Autonomous Behaviors of Kinesin and Muscle Myosin Bio-Nanorobots. *Khataee, H. R.*, +, *TIE Nov. 2013* 5116-5123

Navigation

Developing Accurate Long-Distance 6-DOF Motion Detection With One-Dimensional Laser Sensors: Three-Beam Detection System. *Kim, Y.-K.*, +, *TIE Aug. 2013* 3386-3395

Network analysis

Subharmonic Analysis for Buck Converters With Constant On-Time Control and Ramp Compensation. *Qian, T.*, +, *TIE May 2013* 1780-1786

Network synthesis

Detecting Bifurcation Types and Characterizing Stability in DC-DC Switching Converters by Duplicate Symbolic Sequence and Weight Complexity. *Xie, F.*, +, *TIE Aug. 2013* 3145-3156

Network topology

A Modified Three-Phase Four-Wire UPQC Topology With Reduced DC-Link Voltage Rating. *Karanki, +*, *TIE Sept. 2013* 3555-3566

A Simple Approach to Detect ZVT and Determine Its Time of Occurrence for PWM Converters. *Russi, J. L.*, +, *TIE July 2013* 2576-2585

A Transformer-less High-Gain Boost Converter With Input Current Ripple Cancellation at a Selectable Duty Cycle. *Rosas-Caro, J. C.*, +, *TIE Oct. 2013* 4492-4499

Distributed Digital Control of Modular-Based Solid-State Transformer Using DSP+FPGA. *Hwang, S.-H.*, +, *TIE Feb. 2013* 670-680

Multilevel Current-Source Inverter With FPGA Control. *Aguirre, M. P.*, +, *TIE Jan. 2013* 3-10

Networked control systems

Moving Horizon Scheduling for Networked Control Systems With Communication Constraints. *Xue, B.*, +, *TIE Aug. 2013* 3318-3327

Networked Control With State Reset and Quantized Measurements: Observer-Based Case. *Lu, R.*, +, *TIE Nov. 2013* 5206-5213

Networked Predictive Control of Uncertain Systems With Multiple Feedback Channels. *Song, H.*, +, *TIE Nov. 2013* 5228-5238

Neural nets

A Two-Stage Solution Procedure for Digital Power Metering According to IEEE Standard 1459-2010 in Single-Phase System. *Chen, C.-I.*, +, *TIE Dec. 2013* 5550-5557

Adaptive Selective Harmonic Minimization Based on ANNs for Cascade Multilevel Inverters With Varying DC Sources. *Filho, F.*, +, *TIE May 2013* 1955-1962

An Efficient Prony-Based Solution Procedure for Tracking of Power System Voltage Variations. *Chen, C.-I.*, +, *TIE July 2013* 2681-2688

An Intelligent Particle Swarm Optimization for Short-Term Traffic Flow Forecasting Using on-Road Sensor Systems. *Chan, K. Y.*, +, *TIE Oct. 2013* 4714-4725

Bearing Fault Detection by a Novel Condition-Monitoring Scheme Based on Statistical-Time Features and Neural Networks. *Prieto, M. D.*, +, *TIE Aug. 2013 3398-3407*

Industrial Application of Evolvable Block-Based Neural Network to Hypoglycemia Monitoring System. *San, P. P.*, +, *TIE Dec. 2013 5892-5901*

Multiojective Intelligent Energy Management for a Microgrid. *Chaouachi, A.*, +, *TIE April 2013 1688-1699*

Online State-of-Health Estimation of VRLA Batteries Using State of Charge. *Shahriari, M.*, +, *TIE Jan. 2013 191-202*

Pretest Gap Mura on TFT LCDs Using the Optical Interference Pattern Sensing Method and Neural Network Classification. *Li, T.-Y.*, +, *TIE Sept. 2013 3976-3982*

Real-Time Nonlinear Parameter Estimation Using the Levenberg–Marquardt Algorithm on Field Programmable Gate Arrays. *Shawash, J.*, +, *TIE Jan. 2013 170-176*

SA-ANN-Based Slag Carry-Over Detection Method and the Embedded WME Platform. *Tan, D.-P.*, +, *TIE Oct. 2013 4702-4713*

Statistical and Neural-Network Approaches for the Classification of Induction Machine Faults Using the Ambiguity Plane Representation. *Boukra, T.*, +, *TIE Sept. 2013 4034-4042*

Wireless ESD Event Locator Systems in Hard Disk Drive Manufacturing Environments. *Thongpull, K.*, +, *TIE Nov. 2013 5252-5259*

Wound-Rotor Induction Generator Inter-Turn Short-Circuits Diagnosis Using a New Digital Neural Network. *Toma, S.*, +, *TIE Sept. 2013 4043-4052*

Neurocontrollers

An Optimal PID Control Algorithm for Training Feedforward Neural Networks. *Jing, X.*, +, *TIE June 2013 2273-2283*

Development of a Recurrent Fuzzy CMAC With Adjustable Input Space Quantization and Self-Tuning Learning Rate for Control of a Dual-Axis Piezoelectric Actuated Micromotion Stage. *Wen, C.-M.*, +, *TIE Nov. 2013 5105-5115*

Precise Positioning of Nonsmooth Dynamic Systems Using Fuzzy Wavelet Echo State Networks and Dynamic Surface Sliding Mode Control. *Han, S. L.*, +, *TIE Nov. 2013 5124-5136*

Real-Time Implementation of ANFIS Control for Renewable Interfacing Inverter in 3P4W Distribution Network. *Singh, M.*, +, *TIE Jan. 2013 121-128*

Nonlinear control systems

A Model-Based Control Scheme for Modular Multilevel Converters. *Barnklau, H.*, +, *TIE Dec. 2013 5359-5375*

A New Intelligent Fuzzy Controller for Nonlinear Hysteretic Electronic Throttle in Modern Intelligent Automobiles. *Wang, C.-H.*, +, *TIE June 2013 2332-2345*

A Saturation-Based Tuning Method for Fuzzy PID Controller. *Duan, X.-G.*, +, *TIE Nov. 2013 5177-5185*

A Two-Loop Performance-Oriented Tip-Tracking Control of a Linear-Motor-Driven Flexible Beam System With Experiments. *Lu, L.*, +, *TIE March 2013 1011-1022*

Adaptive Sliding-Mode Control for Nonlinear Active Suspension Vehicle Systems Using T–S Fuzzy Approach. *Li, H.*, +, *TIE Aug. 2013 3328-3338*

Composite Nonlinear Feedback Control and Stability Analysis of a Grid-Connected Voltage Source Inverter With *LCL* Filter. *Eren, S.*, +, *TIE Nov. 2013 5059-5074*

Decoupled Dynamic Control for Pitch and Roll Axes of the Unicycle Robot. *Lee, J.*, +, *TIE Sept. 2013 3814-3822*

Design of An Advanced Time Delay Measurement and A Smart Adaptive Unequal Interval Grey Predictor for Real-Time Nonlinear Control Systems. *Truong, D. Q.*, +, *TIE Oct. 2013 4574-4589*

Fractional-Order $PI^\lambda D^\mu$ and Active Disturbance Rejection Control of Nonlinear Two-Mass Drive System. *Erenturk, K.*, +, *TIE Sept. 2013 3806-3813*

Frequency-Domain Analysis of Nonlinear Active Disturbance Rejection Control via the Describing Function Method. *Wu, D.*, +, *TIE Sept. 2013 3906-3914*

Microstepping Using a Disturbance Observer and a Variable Structure Controller for Permanent-Magnet Stepper Motors. *Kim, W.*, +, *TIE July 2013 2689-2699*

Nonlinear-Measurement-Based Integrated Robust Design and Control for Manufacturing System. *Lu, X. J.*, +, *TIE July 2013 2711-2720*

Output-Feedback Tracking Control for Polynomial Fuzzy-Model-Based Control Systems. *Lam, H. K.*, +, *TIE Dec. 2013 5830-5840*

Real-Time Implementation of ANFIS Control for Renewable Interfacing Inverter in 3P4W Distribution Network. *Singh, M.*, +, *TIE Jan. 2013 121-128*

Stability Enhancement of a Power System With a PMSG-Based and a DFIG-Based Offshore Wind Farm Using a SVC With an Adaptive-Net-

work-Based Fuzzy Inference System. *Wang, L.*, +, *TIE July 2013 2799-2807*

Stability Guaranteed Time-Delay Control of Manipulators Using Nonlinear Damping and Terminal Sliding Mode. *Jin, Y.*, +, *TIE Aug. 2013 3304-3317*

Suppression of Hunting in an ILPMSM Driver System Using Hunting Compensator. *Yao, W.-H.*, +, *TIE July 2013 2586-2594*

Nonlinear dynamical systems

AC Drive Observability Analysis. *Vaclavek, P.*, +, *TIE Aug. 2013 3047-3059*

T–S Fuzzy-Model-Based Sliding-Mode Control for Surface-Mounted Permanent-Magnet Synchronous Motors Considering Uncertainties. *Vu, N. T.-T.*, +, *TIE Oct. 2013 4281-4291*

Nonlinear filters

Dynamic Ultrasonic Hybrid Localization System for Indoor Mobile Robots. *Kim, S. J.*, +, *TIE Oct. 2013 4562-4573*

Implementation of EKF for Vehicle Velocities Estimation on FPGA. *Guo, H.*, +, *TIE Sept. 2013 3823-3835*

Observability-Based Selection Criterion for Anchor Nodes in Multiple-Cell Localization. *Cho, H.*, +, *TIE Oct. 2013 4554-4561*

Nonlinear programming

Design and Implementation of an Online Tuning Adaptive Controller for Synchronous Reluctance Motor Drives. *Wei, M.-Y.*, +, *TIE Sept. 2013 3644-3657*

Optimal Protection Coordination for Microgrids With Grid-Connected and Islanded Capability. *Najy, W. K. A.*, +, *TIE April 2013 1668-1677*

Numerical analysis

A Cascade MPC Control Structure for a PMSM With Speed Ripple Minimization. *Chai, S.*, +, *TIE Aug. 2013 2978-2987*

A Twofold Daubechies-Wavelet-Based Module for Fault Detection and Voltage Regulation in SELIGs for Distributed Wind Power Generation. *Iyer, K. L. V.*, +, *TIE April 2013 1638-1651*

Dynamical Effects of Equivalent Series Resistance of Output Capacitor in Constant On-Time Controlled Buck Converter. *Wang, J.*, +, *TIE May 2013 1759-1768*

Inter-Turn Fault Detection in PM Synchronous Machines by Physics-Based Back Electromotive Force Estimation. *Sarikhani, A.*, +, *TIE Aug. 2013 3472-3484*

New Sliding-Mode Observer for Position Sensorless Control of Permanent-Magnet Synchronous Motor. *Qiao, Z.*, +, *TIE Feb. 2013 710-719*

Robust Tracking Control of Networked Control Systems: Application to a Networked DC Motor. *Shi, Y.*, +, *TIE Dec. 2013 5864-5874*

Nyquist criterion

A Case Study on the Application of the Nyquist Stability Criterion as Applied to Interconnected Loads and Sources on Grids. *Turner, R.*, +, *TIE July 2013 2740-2749*

Nyquist stability

A Case Study on the Application of the Nyquist Stability Criterion as Applied to Interconnected Loads and Sources on Grids. *Turner, R.*, +, *TIE July 2013 2740-2749*

O

Object detection

Directional People Counter Based on Head Tracking. *Garcia, J.*, +, *TIE Sept. 2013 3991-4000*

Object tracking

Cloud-Based Networked Visual Servo Control. *Wu, H.*, +, *TIE Feb. 2013 554-566*

Developing Accurate Long-Distance 6-DOF Motion Detection With One-Dimensional Laser Sensors: Three-Beam Detection System. *Kim, Y.-K.*, +, *TIE Aug. 2013 3386-3395*

Directional People Counter Based on Head Tracking. *Garcia, J.*, +, *TIE Sept. 2013 3991-4000*

Robust Device-Free Wireless Localization Based on Differential RSS Measurements. *Wang, J.*, +, *TIE Dec. 2013 5943-5952*

Observability

AC Drive Observability Analysis. *Vaclavek, P.*, +, *TIE Aug. 2013 3047-3059*

Observability-Based Selection Criterion for Anchor Nodes in Multiple-Cell Localization. *Cho, H.*, +, *TIE Oct. 2013 4554-4561*

Observers

A Robust Linear Field-Oriented Voltage Control for the Induction Motor: Experimental Results. *Sira-Ramirez, H.*, +, *TIE Aug. 2013 3025-3033*

- An Adaptive Interconnected Observer for Sensorless Control of PM Synchronous Motors With Online Parameter Identification. *Hamida, M. A., +, TIE Feb. 2013 739-748*
- An Adaptive Voltage Control Strategy of Three-Phase Inverter for Stand-Alone Distributed Generation Systems. *Do, T. D., +, TIE Dec. 2013 5660-5672*
- An Observer for Sensorless DFIM Drives Based on the Natural Fifth Harmonic of the Line Voltage, Without Stator Current Measurement. *Castelli-Dezza, F., +, TIE Oct. 2013 4301-4309*
- Boundary Output-Feedback Stabilization of a Timoshenko Beam Using Disturbance Observer. *He, W., +, TIE Nov. 2013 5186-5194*
- Composite Nonlinear Feedback Control and Stability Analysis of a Grid-Connected Voltage Source Inverter With LCL Filter. *Eren, S., +, TIE Nov. 2013 5059-5074*
- Discrete-Time Fuzzy Speed Regulator Design for PM Synchronous Motor. *Choi, H. H., +, TIE Feb. 2013 600-607*
- Disturbance and Response Time Improvement of Submicrometer Precision Linear Motion System by Using Modified Disturbance Compensator and Internal Model Reference Control. *Chow, H.-W., +, TIE Jan. 2013 139-150*
- DSP-Based Control of Sensorless IPMSM Drives for Wide-Speed-Range Operation. *Wang, G., +, TIE Feb. 2013 720-727*
- Fractional-Order $PI^{\lambda}D^{\mu}$ and Active Disturbance Rejection Control of Non-linear Two-Mass Drive System. *Erenturk, K., +, TIE Sept. 2013 3806-3813*
- Frequency-Domain Damping Design for Time-Delayed Bilateral Teleoperation System Based on Modal Space Analysis. *Suzuki, A., +, TIE Jan. 2013 177-190*
- Initial Friction Compensation Using Rheology-Based Rolling Friction Model in Fast and Precise Positioning. *Maeda, Y., +, TIE Sept. 2013 3865-3876*
- Microstepping Using a Disturbance Observer and a Variable Structure Controller for Permanent-Magnet Stepper Motors. *Kim, W., +, TIE July 2013 2689-2699*
- Missile Guidance Law Based on Extended State Observer. *Zhu, Z., +, TIE Dec. 2013 5882-5891*
- Networked Control With State Reset and Quantized Measurements: Observer-Based Case. *Lu, R., +, TIE Nov. 2013 5206-5213*
- New Overall Power Control Strategy for Variable-Speed Fixed-Pitch Wind Turbines Within the Whole Wind Velocity Range. *Chen, J., +, TIE July 2013 2652-2660*
- New Sliding-Mode Observer for Position Sensorless Control of Permanent-Magnet Synchronous Motor. *Qiao, Z., +, TIE Feb. 2013 710-719*
- On Low-Velocity Compensation of Brushless DC Servo in the Absence of Friction Model. *Sun, M., +, TIE Sept. 2013 3897-3905*
- Predictive Current Control of Three-Phase Grid-Connected Converters With Constant Switching Frequency for Wind Energy Systems. *Song, Z., +, TIE June 2013 2451-2464*
- PWM-Based Adaptive Sliding-Mode Control for Boost DC-DC Converters. *Oucheriah, S., +, TIE Aug. 2013 3291-3294*
- Robust Disturbance Observer for Two-Inertia System. *Yun, J. N., +, TIE July 2013 2700-2710*
- Sensorless Predictive DTC of a Surface-Mounted Permanent-Magnet Synchronous Machine Based on Its Magnetic Anisotropy. *Morales-Caporal, R., +, TIE Aug. 2013 3016-3024*
- Sliding-Mode Control for Systems With Mismatched Uncertainties via a Disturbance Observer. *Yang, J., +, TIE Jan. 2013 160-169*
- Speed Estimation and Nonmatched Time-Varying Parameter Identification for a DC Motor With Hybrid Sliding-Mode Observer. *Zhou, Y., +, TIE Dec. 2013 5539-5549*
- Speed Sensorless Induction Motor Drive With Predictive Current Controller. *Guzinski, J., +, TIE Feb. 2013 699-709*
- T-S Fuzzy-Model-Based Sliding-Mode Control for Surface-Mounted Permanent-Magnet Synchronous Motors Considering Uncertainties. *Vu, N. T.-T., +, TIE Oct. 2013 4281-4291*
- Offshore installations**
- A Novel Distributed Direct-Voltage Control Strategy for Grid Integration of Offshore Wind Energy Systems Through MTDC Network. *Teixeira Pinto, R., +, TIE June 2013 2429-2441*
- A Transformerless Series Reactive/Harmonic Compensator for Line-Commutated HVDC for Grid Integration of Offshore Wind Power. *Jafar, M., +, TIE June 2013 2410-2419*
- Boundary Control of a Flexible Riser With the Application to Marine Installation. *He, W., +, TIE Dec. 2013 5802-5810*
- LCC-HVDC Connection of Offshore Wind Farms With Reduced Filter Banks. *Blasco-Gimenez, R., +, TIE June 2013 2372-2380*
- Offshore-Wind-Farm Configuration Using Diode Rectifier With MERS in Current Link Topology. *Kawaguchi, T., +, TIE July 2013 2930-2937*
- Stability Analysis of Four PMSG-Based Offshore Wind Farms Fed to an SG-Based Power System Through an LCC-HVDC Link. *Wang, L., +, TIE June 2013 2392-2400*
- Stability Enhancement of a Power System With a PMSG-Based and a DFIG-Based Offshore Wind Farm Using a SVC With an Adaptive-Network-Based Fuzzy Inference System. *Wang, L., +, TIE July 2013 2799-2807*
- Voltage Control of Multiterminal VSC-HVDC Transmission Systems for Offshore Wind Power Plants: Design and Implementation in a Scaled Platform. *Egea-Alvarez, A., +, TIE June 2013 2381-2391*
- Open loop systems**
- Explicit Analytical PID Tuning Rules for the Design of Type-III Control Loops. *Papadopoulos, K. G., +, TIE Oct. 2013 4650-4664*
- Fractional-Order $PI^{\lambda}D^{\mu}$ and Active Disturbance Rejection Control of Non-linear Two-Mass Drive System. *Erenturk, K., +, TIE Sept. 2013 3806-3813*
- T-S Fuzzy Model-Based Adaptive Dynamic Surface Control for Ball and Beam System. *Chang, Y.-H., +, TIE June 2013 2251-2263*
- Operational amplifiers**
- Z-Axis Magnetometers for MEMS Inertial Measurement Units Using an Industrial Process. *Langfelder, G., +, TIE Sept. 2013 3983-3990*
- Feed-Forward Scheme Considering Bandwidth Limitation of Operational Amplifiers for Envelope Tracking Power Supply Using Series-Connected Composite Configuration. *Xi, H., +, TIE Sept. 2013 3915-3926*
- Power Management With a Low-Ripple High-Conversion-Ratio 80-V Output Voltage Boost Converter for Avalanche Photodiode System. *Yang, Y.-Y., +, TIE July 2013 2627-2637*
- Optical collimators**
- Assisted Focus Adjustment for Free Space Optics System Coupling Single-Mode Optical Fibers. *Yoshida, K., +, TIE Nov. 2013 5306-5314*
- Optical fibre couplers**
- Assisted Focus Adjustment for Free Space Optics System Coupling Single-Mode Optical Fibers. *Yoshida, K., +, TIE Nov. 2013 5306-5314*
- Optical focusing**
- Assisted Focus Adjustment for Free Space Optics System Coupling Single-Mode Optical Fibers. *Yoshida, K., +, TIE Nov. 2013 5306-5314*
- Optical links**
- Assisted Focus Adjustment for Free Space Optics System Coupling Single-Mode Optical Fibers. *Yoshida, K., +, TIE Nov. 2013 5306-5314*
- Optical sensors**
- Pretest Gap Mura on TFT LCDs Using the Optical Interference Pattern Sensing Method and Neural Network Classification. *Li, T.-Y., +, TIE Sept. 2013 3976-3982*
- Principles, Design, and Calibration for a Genre of Irradiation Angle Sensors. *Liu, G., +, TIE Jan. 2013 210-216*
- Optical variables measurement**
- An Accurate and Robust Strip-Edge-Based Structured Light Means for Shiny Surface Micromasurement in 3-D. *Song, Z., +, TIE March 2013 1023-1032*
- Optimal control**
- A Novel Distributed Direct-Voltage Control Strategy for Grid Integration of Offshore Wind Energy Systems Through MTDC Network. *Teixeira Pinto, R., +, TIE June 2013 2429-2441*
- An Immune-Algorithm-Based Space-Vector PWM Control Strategy in a Three-Phase Inverter. *Yuan, J., +, TIE May 2013 2084-2093*
- An Optimal PID Control Algorithm for Training Feedforward Neural Networks. *Jing, X., +, TIE June 2013 2273-2283*
- Analytical and Offline Approach to Select Optimal Hysteresis Bands of DTC for PMSM. *Mathapati, S., +, TIE March 2013 885-895*
- Control Design for Multiphase Synchronous Buck Converters Based on Exact Constant Resistive Output Impedance. *Borrell, A., +, TIE Nov. 2013 4920-4929*
- Fast-Predictive Optimal Control of NPC Multilevel Converters. *Barros, J. D., +, TIE Feb. 2013 619-627*
- Optimal Control of Medium-Voltage Drives—An Overview. *Holtz, J., +, TIE Dec. 2013 5472-5481*
- Optimization**
- Z-Axis Magnetometers for MEMS Inertial Measurement Units Using an Industrial Process. *Langfelder, G., +, TIE Sept. 2013 3983-3990*
- An Immune-Algorithm-Based Space-Vector PWM Control Strategy in a Three-Phase Inverter. *Yuan, J., +, TIE May 2013 2084-2093*
- An Optimal PID Control Algorithm for Training Feedforward Neural Networks. *Jing, X., +, TIE June 2013 2273-2283*

- Analytical Optimization of Solid-Round-Wire Windings. *Wojda, R. P.*, +, *TIE March 2013 1033-1041*
- Assessment and Optimization of the Transient Response of Proportional-Resonant Current Controllers for Distributed Power Generation Systems. *Vidal, A.*, +, *TIE April 2013 1367-1383*
- Decentralized Control of Compartmental Networks With H_∞ Tracking Performance. *Li, P.*, +, *TIE Feb. 2013 546-553*
- Design and Performance Analysis of a 866-MHz Low-Power Optimized CMOS LNA for UHF RFID. *Li, J.*, +, *TIE May 2013 1840-1849*
- Harmonic Distortion Optimization of Cascaded H-Bridge Inverters Considering Device Voltage Drops and Noninteger DC Voltage Ratios. *Diong, B.*, +, *TIE Aug. 2013 3106-3114*
- High-Efficiency Single-Phase Transformerless PV H6 Inverter With Hybrid Modulation Method. *Ji, B.*, +, *TIE May 2013 2104-2115*
- Optimal Control of Medium-Voltage Drives—An Overview. *Holtz, J.*, +, *TIE Dec. 2013 5472-5481*
- Predictive Torque and Flux Control Without Weighting Factors. *Rojas, C. A.*, +, *TIE Feb. 2013 681-690*
- Solder Paste Scooping Detection by Multilevel Visual Inspection of Printed Circuit Boards. *Benedek, C.*, +, *TIE June 2013 2318-2331*
- The Implementation of Bee Colony Optimization Algorithm to Shepard-Taylor PFC Converter. *Karaarslan, A.*, +, *TIE Sept. 2013 3711-3719*

Oscillations

- Chaotic Dynamics Characteristic Analysis for Matrix Converter. *Xia, C.*, +, *TIE Jan. 2013 78-87*

Oscillators

- An Array of Coherent Sources Based on Novel Dual-Loop PLL Infrastructure. *Tang, C.*, +, *TIE Nov. 2013 5337-5347*

Overcurrent protection

- An LVRT Control Strategy Based on Flux Linkage Tracking for DFIG-Based WECS. *Xiao, S.*, +, *TIE July 2013 2820-2832*
- Line-Line Fault Analysis and Protection Challenges in Solar Photovoltaic Arrays. *Zhao, Y.*, +, *TIE Sept. 2013 3784-3795*
- Overcurrent and Overload Protection of Directly Voltage-Controlled Distributed Resources in a Microgrid. *Etemudi, A. H.*, +, *TIE Dec. 2013 5629-5638*

P

Parameter estimation

- An Adaptive Interconnected Observer for Sensorless Control of PM Synchronous Motors With Online Parameter Identification. *Hamida, M. A.*, +, *TIE Feb. 2013 739-748*
- On Low-Velocity Compensation of Brushless DC Servo in the Absence of Friction Model. *Sun, M.*, +, *TIE Sept. 2013 3897-3905*
- Parameter Estimation for Condition Monitoring of PMSM Stator Winding and Rotor Permanent Magnets. *Liu, K.*, +, *TIE Dec. 2013 5902-5913*
- Real-Time Nonlinear Parameter Estimation Using the Levenberg-Marquardt Algorithm on Field Programmable Gate Arrays. *Shawash, J.*, +, *TIE Jan. 2013 170-176*
- Speed Estimation and Nonmatched Time-Varying Parameter Identification for a DC Motor With Hybrid Sliding-Mode Observer. *Zhou, Y.*, +, *TIE Dec. 2013 5539-5549*

Partial differential equations

- Boundary Control of a Flexible Riser With the Application to Marine Installation. *He, W.*, +, *TIE Dec. 2013 5802-5810*
- Boundary Output-Feedback Stabilization of a Timoshenko Beam Using Disturbance Observer. *He, W.*, +, *TIE Nov. 2013 5186-5194*

Partial discharges

- Electrical Aging of the Insulation of Low-Voltage Machines: Model Definition and Test With the Design of Experiments. *Lahoud, N.*, +, *TIE Sept. 2013 4147-4155*

Particle filtering (numerical methods)

- Diagnostics and Prognostics Method for Analog Electronic Circuits. *Sai Sarathi Vasan, A.*, +, *TIE Nov. 2013 5277-5291*
- Risk Measures for Particle-Filtering-Based State-of-Charge Prognosis in Lithium-Ion Batteries. *Orchard, M. E.*, +, *TIE Nov. 2013 5260-5269*
- Robust Device-Free Wireless Localization Based on Differential RSS Measurements. *Wang, J.*, +, *TIE Dec. 2013 5943-5952*

Particle swarm optimization

- A Deterministic Particle Swarm Optimization Maximum Power Point Tracker for Photovoltaic System Under Partial Shading Condition. *Ishaque, K.*, +, *TIE Aug. 2013 3195-3206*

- A Generalized Approach for DG Planning and Viability Analysis Under Market Scenario. *Jain, N.*, +, *TIE Nov. 2013 5075-5085*

- An Intelligent Particle Swarm Optimization for Short-Term Traffic Flow Forecasting Using on-Road Sensor Systems. *Chan, K. Y.*, +, *TIE Oct. 2013 4714-4725*

- Industrial Application of Evolvable Block-Based Neural Network to Hypoglycemia Monitoring System. *San, P. P.*, +, *TIE Dec. 2013 5892-5901*

Passive filters

- A New Design Method for the Passive Damped LCL and LLCL Filter-Based Single-Phase Grid-Tied Inverter. *Wu, W.*, +, *TIE Oct. 2013 4339-4350*
- A Transformerless Series Reactive/Harmonic Compensator for Line-Commutated HVDC for Grid Integration of Offshore Wind Power. *Jafar, M.*, +, *TIE June 2013 2410-2419*
- Passive LC Filter Design Considerations for Motor Applications. *Dzhankhotov, V.*, +, *TIE Oct. 2013 4253-4259*

Path planning

- Dynamic Ultrasonic Hybrid Localization System for Indoor Mobile Robots. *Kim, S. J.*, +, *TIE Oct. 2013 4562-4573*
- Observability-Based Selection Criterion for Anchor Nodes in Multiple-Cell Localization. *Cho, H.*, +, *TIE Oct. 2013 4554-4561*
- Steering the Last Trailer as a Virtual Tractor for Reversing Vehicles With Passive On- and Off-Axle Hitches. *Morales, J.*, +, *TIE Dec. 2013 5729-5736*

Patient care

- Total Design of an FPGA-Based Brain-Computer Interface Control Hospital Bed Nursing System. *Shyu, K.-K.*, +, *TIE July 2013 2731-2739*

Patient monitoring

- Industrial Application of Evolvable Block-Based Neural Network to Hypoglycemia Monitoring System. *San, P. P.*, +, *TIE Dec. 2013 5892-5901*

Pattern classification

- A New Framework of Simultaneous-Fault Diagnosis Using Pairwise Probabilistic Multi-Label Classification for Time-Dependent Patterns. *Vong, C.-M.*, +, *TIE Aug. 2013 3372-3385*
- Bearing Fault Detection by a Novel Condition-Monitoring Scheme Based on Statistical-Time Features and Neural Networks. *Prieto, M. D.*, +, *TIE Aug. 2013 3398-3407*
- Binary Coding SVMs for the Multiclass Problem of Blast Furnace System. *Jian, L.*, +, *TIE Sept. 2013 3846-3856*
- Statistical and Neural-Network Approaches for the Classification of Induction Machine Faults Using the Ambiguity Plane Representation. *Boukra, T.*, +, *TIE Sept. 2013 4034-4042*

Pattern clustering

- Detection and Diagnosis of Faults in Induction Motor Using an Improved Artificial Ant Clustering Technique. *Soualhi, A.*, +, *TIE Sept. 2013 4053-4062*

Pattern recognition

- Rotor Faults Diagnosis Using Feature Selection and Nearest Neighbors Rule: Application to a Turbogenerator. *Biet, M.*, +, *TIE Sept. 2013 4063-4073*

Pendulums

- Decoupled Dynamic Control for Pitch and Roll Axes of the Unicycle Robot. *Lee, J.*, +, *TIE Sept. 2013 3814-3822*
- Design and Implementation of a Takagi-Sugeno-Type Fuzzy Logic Controller on a Two-Wheeled Mobile Robot. *Xu, J.-X.*, +, *TIE Dec. 2013 5717-5728*

Performance evaluation

- Performance Evaluation of a Vector-Control Fault-Tolerant Flux-Switching Motor Drive. *Abuelhassan, M. O. E.*, +, *TIE Aug. 2013 2997-3006*

Performance index

- A Two-Loop Performance-Oriented Tip-Tracking Control of a Linear-Motor-Driven Flexible Beam System With Experiments. *Lu, L.*, +, *TIE March 2013 1011-1022*
- Minimal Grasper: A Practical Robotic Grasper With Robust Performance for Pick-and-Place Tasks. *Jin, J.*, +, *TIE Sept. 2013 3796-3805*

Permanent magnet generators

- A Fault-Tolerant Parallel Structure of Single-Phase Full-Bridge Rectifiers for a Wound-Field Doubly Salient Generator. *Chen, Z.*, +, *TIE Aug. 2013 2988-2996*
- Advanced Fault Ride-Through Technique for PMSG Wind Turbine Systems Using Line-Side Converter as STATCOM. *Nguyen, T. H.*, +, *TIE July 2013 2842-2850*
- Bearing Fault Diagnosis for Direct-Drive Wind Turbines via Current-Modulated Signals. *Gong, X.*, +, *TIE Aug. 2013 3419-3428*

- Control Structure for Single-Phase Stand-Alone Wind-Based Energy Sources. *Barote, L.*, +, *TIE Feb. 2013 764-772*
- New Overall Power Control Strategy for Variable-Speed Fixed-Pitch Wind Turbines Within the Whole Wind Velocity Range. *Chen, J.*, +, *TIE July 2013 2652-2660*
- Open-Circuit Fault Diagnosis in PMSG Drives for Wind Turbine Applications. *Freire, N. M. A.*, +, *TIE Sept. 2013 3957-3967*
- Parallel Operation of Full Power Converters in Permanent-Magnet Direct-Drive Wind Power Generation System. *Li, R.*, +, *TIE April 2013 1619-1629*
- Performance Investigation of Isolated Wind-Diesel Hybrid Power Systems With WECS Having PMIG. *Sharma, P.*, +, *TIE April 2013 1630-1637*
- Stability Analysis of Four PMSG-Based Offshore Wind Farms Fed to an SG-Based Power System Through an LCC-HVDC Link. *Wang, L.*, +, *TIE June 2013 2392-2400*
- Stability Enhancement of a Power System With a PMSG-Based and a DFIG-Based Offshore Wind Farm Using a SVC With an Adaptive-Network-Based Fuzzy Inference System. *Wang, L.*, +, *TIE July 2013 2799-2807*
- Thermal Optimization for a HSPMG Used for Distributed Generation Systems. *Li, W.*, +, *TIE Feb. 2013 474-482*
- Use of Stored Energy in PMSG Rotor Inertia for Low-Voltage Ride-Through in Back-to-Back NPC Converter-Based Wind Power Systems. *Alepuz, S.*, +, *TIE May 2013 1787-1796*
- Vienna-Rectifier-Based Direct Torque Control of PMSG for Wind Energy Application. *Rajaei, A.*, +, *TIE July 2013 2919-2929*

Permanent magnet machines

- A Permanent-Magnet Linear Motion Driven Kinetic Energy Harvester. *Zeng, P.*, +, *TIE Dec. 2013 5737-5746*
- An All-DC Offshore Wind Farm With Series-Connected Turbines: An Alternative to the Classical Parallel AC Model?. *Holtmark, N.*, +, *TIE June 2013 2420-2428*
- Decoupled $d-q$ Model of Double-Star Interior-Permanent-Magnet Synchronous Machines. *Kallio, S.*, +, *TIE June 2013 2486-2494*
- Design Principles of Permanent Magnet Synchronous Machines for Parallel Hybrid or Traction Applications. *Kamiev, K.*, +, *TIE Nov. 2013 4881-4890*
- Discrete-Time Parameter Identification of a Surface-Mounted Permanent Magnet Synchronous Machine. *Gatto, G.*, +, *TIE Nov. 2013 4869-4880*
- Effect of Slot-and-Pole Combination on the Leakage Inductance and the Performance of Tooth-Coil Permanent-Magnet Synchronous Machines. *Ponomarev, P.*, +, *TIE Oct. 2013 4310-4317*
- Inter-Turn Fault Detection in PM Synchronous Machines by Physics-Based Back Electromotive Force Estimation. *Sarikhani, A.*, +, *TIE Aug. 2013 3472-3484*
- On the Use of Magnetic Wedges in Axial Flux Permanent Magnet Machines. *De Donato, G.*, +, *TIE Nov. 2013 4831-4840*
- Parameter Estimation for Condition Monitoring of PMSM Stator Winding and Rotor Permanent Magnets. *Liu, K.*, +, *TIE Dec. 2013 5902-5913*
- Performance of Low-Cost Permanent Magnet Material in PM Synchronous Machines. *Petrov, I.*, +, *TIE June 2013 2131-2138*
- Sensorless Predictive DTC of a Surface-Mounted Permanent-Magnet Synchronous Machine Based on Its Magnetic Anisotropy. *Morales-Caporal, R.*, +, *TIE Aug. 2013 3016-3024*
- Thermal Analysis and Cooling System Design of Dual Mechanical Port Machine for Wind Power Application. *Sun, X.*, +, *TIE May 2013 1724-1733*

Permanent magnet motors

- A Cascade MPC Control Structure for a PMSM With Speed Ripple Minimization. *Chai, S.*, +, *TIE Aug. 2013 2978-2987*
- A New Algorithm for Real-Time Multiple Open-Circuit Fault Diagnosis in Voltage-Fed PWM Motor Drives by the Reference Current Errors. *Estima, J. O.*, +, *TIE Aug. 2013 3496-3505*
- A Sensor Fault Detection and Isolation Method in Interior Permanent-Magnet Synchronous Motor Drives Based on an Extended Kalman Filter. *Foo, G. H. B.*, +, *TIE Aug. 2013 3485-3495*
- AC Drive Observability Analysis. *Vaclavek, P.*, +, *TIE Aug. 2013 3047-3059*
- An Adaptive Interconnected Observer for Sensorless Control of PM Synchronous Motors With Online Parameter Identification. *Hamida, M. A.*, +, *TIE Feb. 2013 739-748*
- An Effective Energy-Saving Scalar Control for Industrial IPMSM Drives. *Consoli, A.*, +, *TIE Sept. 2013 3658-3669*
- Analytical and Offline Approach to Select Optimal Hysteresis Bands of DTC for PMSM. *Mathapati, S.*, +, *TIE March 2013 885-895*
- Discrete-Time Fuzzy Speed Regulator Design for PM Synchronous Motor. *Choi, H. H.*, +, *TIE Feb. 2013 600-607*

- Disturbance and Response Time Improvement of Submicrometer Precision Linear Motion System by Using Modified Disturbance Compensator and Internal Model Reference Control. *Chow, H.-W.*, +, *TIE Jan. 2013 139-150*
- DSP-Based Control of Sensorless IPMSM Drives for Wide-Speed-Range Operation. *Wang, G.*, +, *TIE Feb. 2013 720-727*
- Fault-Tolerant Control for Six-Phase PMSM Drive System via Intelligent Complementary Sliding-Mode Control Using TSKFNN-AMF. *Lin, F.-J.*, +, *TIE Dec. 2013 5747-5762*
- Grid-Connected Integrated Battery Chargers in Vehicle Applications: Review and New Solution. *Haghdin, S.*, +, *TIE Feb. 2013 459-473*
- High-Order Terminal Sliding-Mode Observer for Parameter Estimation of a Permanent-Magnet Synchronous Motor. *Feng, Y.*, +, *TIE Oct. 2013 4272-4280*
- High-Performance Inverter Based on Shaft Acceleration Torque for AC Drives. *Takahashi, K.*, +, *TIE Jan. 2013 66-77*
- High-Power-Factor Single-Phase Diode Rectifier Driven by Repetitively Controlled IPM Motor. *Inazuma, K.*, +, *TIE Oct. 2013 4427-4437*
- Implementation of Finite-State Model Predictive Control for Commutation Torque Ripple Minimization of Permanent-Magnet Brushless DC Motor. *Xia, C.*, +, *TIE March 2013 896-905*
- Investigation and General Design Principle of a New Series of Complementary and Modular Linear FSPM Motors. *Cao, R.*, +, *TIE Dec. 2013 5436-5446*
- Local Heat Flux Measurement in a Permanent Magnet Motor at No Load. *Jussila, H. K.*, +, *TIE Nov. 2013 4852-4860*
- Microstepping Using a Disturbance Observer and a Variable Structure Controller for Permanent-Magnet Stepper Motors. *Kim, W.*, +, *TIE July 2013 2689-2699*
- Model Predictive Control of a Two-Motor Drive With Five-Leg-Inverter Supply. *Lim, C. S.*, +, *TIE Jan. 2013 54-65*
- New Sliding-Mode Observer for Position Sensorless Control of Permanent-Magnet Synchronous Motor. *Qiao, Z.*, +, *TIE Feb. 2013 710-719*
- Overview of Bearingless Permanent-Magnet Synchronous Motors. *Sun, X.*, +, *TIE Dec. 2013 5528-5538*
- Performance Evaluation of a Vector-Control Fault-Tolerant Flux-Switching Motor Drive. *Aboelhasan, M. O. E.*, +, *TIE Aug. 2013 2997-3006*
- Phase-Compensated Microstepping for Permanent-Magnet Stepper Motors. *Shin, D.*, +, *TIE Dec. 2013 5773-5780*
- Remedial Injected-Harmonic-Current Operation of Redundant Flux-Switching Permanent-Magnet Motor Drives. *Zhao, W.*, +, *TIE Jan. 2013 151-159*
- Sensorless Control of CSC-Fed IPM Machine for Zero- and Low-Speed Operations Using Pulsating HFI Method. *Al-nabi, E.*, +, *TIE May 2013 1711-1723*
- Shaft Trajectory Analysis in a Partially Demagnetized Permanent-Magnet Synchronous Motor. *Urresty, J.-C.*, +, *TIE Aug. 2013 3454-3461*
- Suppression of Hunting in an ILPMSM Driver System Using Hunting Compensator. *Yao, W.-H.*, +, *TIE July 2013 2586-2594*
- T-S Fuzzy-Model-Based Sliding-Mode Control for Surface-Mounted Permanent-Magnet Synchronous Motors Considering Uncertainties. *Vu, N. T.-T.*, +, *TIE Oct. 2013 4281-4291*
- The Effect of Failure Prognosis and Mitigation on the Reliability of Permanent-Magnet AC Motor Drives. *Strangas, E. G.*, +, *TIE Aug. 2013 3519-3528*

Permanent magnets

- Design, Optimization, and Intelligent Control of Permanent-Magnet Contactor. *Lin, H.*, +, *TIE Nov. 2013 5148-5159*

Petri nets

- Controllable Petri Net-Based Implementation Approach for Motor Control Systems. *Kuo, C.-H.*, +, *TIE Oct. 2013 4599-4612*

Phase control

- Current-Stress-Optimized Switching Strategy of Isolated Bidirectional DC-DC Converter With Dual-Phase-Shift Control. *Zhao, B.*, +, *TIE Oct. 2013 4458-4467*
- Implementation of Finite-State Model Predictive Control for Commutation Torque Ripple Minimization of Permanent-Magnet Brushless DC Motor. *Xia, C.*, +, *TIE March 2013 896-905*
- Phase-Shift Interleaving Control of Variable-Phase Switched-Capacitor Converters. *Kiratipongvoot, S.*, +, *TIE Dec. 2013 5575-5584*

Phase detectors

- An Array of Coherent Sources Based on Novel Dual-Loop PLL Infrastructure. *Tang, C.*, +, *TIE Nov. 2013 5337-5347*

Phase estimation

A Phasor Estimator for Synchronization Between Power Grid and Distributed Generation System. *Chen, C.-I.*, +, *TIE Aug. 2013 3248-3255*
 Real-Time Power System Phasors and Harmonics Estimation Using a New Decoupled Recursive-Least-Squares Technique for DSP Implementation. *Sadinezhad, I.*, +, *TIE June 2013 2295-2308*

Phase locked loops

An Array of Coherent Sources Based on Novel Dual-Loop PLL Infrastructure. *Tang, C.*, +, *TIE Nov. 2013 5337-5347*
 An Observer for Sensorless DFIM Drives Based on the Natural Fifth Harmonic of the Line Voltage, Without Stator Current Measurement. *Castelli-Dezza, F.*, +, *TIE Oct. 2013 4301-4309*
 Analysis of Bandwidth–Unit-Vector-Distortion Tradeoff in PLL During Abnormal Grid Conditions. *Kulkarni, A.*, +, *TIE Dec. 2013 5820-5829*
 DSP-Based Control of Sensorless IPMSM Drives for Wide-Speed-Range Operation. *Wang, G.*, +, *TIE Feb. 2013 720-727*
 Dynamics Assessment of Advanced Single-Phase PLL Structures. *Golestan, S.*, +, *TIE June 2013 2167-2177*
 FPGA Implementation of the Generalized Delayed Signal Cancellation—Phase Locked Loop Method for Detecting Harmonic Sequence Components in Three-Phase Signals. *Nascimento, P. S. B.*, +, *TIE Feb. 2013 645-658*
 Lyapunov Function-Based Current Controller to Control Active and Reactive Power Flow From a Renewable Energy Source to a Generalized Three-Phase Microgrid System. *Dasgupta, S.*, +, *TIE Feb. 2013 799-813*
 One-Cycle-Controlled Single-Stage Single-Phase Voltage-Sensorless Grid-Connected PV System. *S. S. E.*, +, *TIE March 2013 1216-1224*
 Operation of a Three-Phase Power Converter Connected to a Distribution System. *Pozzebon, G. G.*, +, *TIE May 2013 1810-1818*
 PLL-Based Contactless Energy Transfer Analog FSK Demodulator Using High-Efficiency Rectifier. *Hwang, Y.-S.*, +, *TIE Jan. 2013 280-290*
 Sensorless Predictive DTC of a Surface-Mounted Permanent-Magnet Synchronous Machine Based on Its Magnetic Anisotropy. *Morales-Caporal, R.*, +, *TIE Aug. 2013 3016-3024*
 Three-Phase Cascaded Delayed Signal Cancellation PLL for Fast Selective Harmonic Detection. *Wang, Y. F.*, +, *TIE April 2013 1452-1463*

Phase modulation

Sine-Wave Amplitude-Modulation Concept for Linear Behavior of Phase-Modulated Resonant Converters. *Ferreira, C. A. F.*, +, *TIE May 2013 2074-2083*

Phase shifters

A New Single-Phase Single-Stage Three-Level Power-Factor-Correction AC–DC Converter With Phase-Shift Modulation. *Narimani, M.*, +, *TIE Sept. 2013 3731-3735*

Phasor measurement

Real-Time Power System Phasors and Harmonics Estimation Using a New Decoupled Recursive-Least-Squares Technique for DSP Implementation. *Sadinezhad, I.*, +, *TIE June 2013 2295-2308*

Photodiodes

Principles, Design, and Calibration for a Genre of Irradiation Angle Sensors. *Liu, G.*, +, *TIE Jan. 2013 210-216*

Photovoltaic power systems

A Boost Converter With Capacitor Multiplier and Coupled Inductor for AC Module Applications. *Chen, S.-M.*, +, *TIE April 2013 1503-1511*
 A Deterministic Particle Swarm Optimization Maximum Power Point Tracker for Photovoltaic System Under Partial Shading Condition. *Ishaque, K.*, +, *TIE Aug. 2013 3195-3206*
 A Fast Current-Based MPPT Technique Employing Sliding Mode Control. *Bianconi, E.*, +, *TIE March 2013 1168-1178*
 A Maximum Power Point Tracking Technique for Partially Shaded Photovoltaic Systems in Microgrids. *Alajmi, B. N.*, +, *TIE April 2013 1596-1606*
 A Novel Scheme Suitable for High-Voltage and Large-Capacity Photovoltaic Power Stations. *Zhang, C.*, +, *TIE Sept. 2013 3775-3783*
 A Power Electronics Equalizer Application for Partially Shaded Photovoltaic Modules. *Lavado Villa, L. F.*, +, *TIE March 2013 1179-1190*
 An Energy-Stored Quasi-Z-Source Inverter for Application to Photovoltaic Power System. *Ge, B.*, +, *TIE Oct. 2013 4468-4481*
 Building Integrated Photovoltaic System With Energy Storage and Smart Grid Communication. *Sechilariu, M.*, +, *TIE April 2013 1607-1618*
 Control Strategy for Power Flow Management in a PV System Supplying DC Loads. *Indu Rani, B.*, +, *TIE Aug. 2013 3185-3194*
 Energy-Balance Control of PV Cascaded Multilevel Grid-Connected Inverters Under Level-Shifted and Phase-Shifted PWMs. *Chavarria, J.*, +, *TIE Jan. 2013 98-111*

Evaluation of Storage Energy Requirements for Constant Production in PV Power Plants. *Beltran, H.*, +, *TIE March 2013 1225-1234*
 Evaluation of the Main MPPT Techniques for Photovoltaic Applications. *de Brito, M. A. G.*, +, *TIE March 2013 1156-1167*
 Fast Photovoltaic-System Voltage- or Current-Oriented MPPT Employing a Predictive Digital Current-Controlled Converter. *Kakosimos, P. E.*, +, *TIE Dec. 2013 5673-5685*
 High-Efficiency Single-Phase Transformerless PV H6 Inverter With Hybrid Modulation Method. *Ji, B.*, +, *TIE May 2013 2104-2115*
 Line–Line Fault Analysis and Protection Challenges in Solar Photovoltaic Arrays. *Zhao, Y.*, +, *TIE Sept. 2013 3784-3795*
 Modeling and Control of Dual-Stage High-Power Multifunctional PV System in $d-q-o$ Coordinate. *Wang, X.*, +, *TIE April 2013 1556-1570*
 Modeling and Control of Quasi-Z-Source Inverter for Distributed Generation Applications. *Li, Y.*, +, *TIE April 2013 1532-1541*
 Multiobjective Intelligent Energy Management for a Microgrid. *Chauachi, A.*, +, *TIE April 2013 1688-1699*
 One-Cycle-Controlled Single-Stage Single-Phase Voltage-Sensorless Grid-Connected PV System. *S. S. E.*, +, *TIE March 2013 1216-1224*
 Photovoltaic Power System With Battery Backup With Grid-Connection and Islanded Operation Capabilities. *Velasco de la Fuente, D.*, +, *TIE April 2013 1571-1581*
 Power Adaptor Device for Domestic DC Microgrids Based on Commercial MPPT Inverters. *Valderrama-Blavi, H.*, +, *TIE March 2013 1191-1203*
 Reconfigurable Control Scheme for a PV Microinverter Working in Both Grid-Connected and Island Modes. *Trujillo Rodriguez, C.*, +, *TIE April 2013 1582-1595*
 Reduction of Current Harmonic Distortion in Three-Phase Grid-Connected Photovoltaic Inverters via Resonant Current Control. *Castilla, M.*, +, *TIE April 2013 1464-1472*

Physiology

Industrial Application of Evolvable Block-Based Neural Network to Hypoglycemia Monitoring System. *San, P. P.*, +, *TIE Dec. 2013 5892-5901*

PI control

A Robust Linear Field-Oriented Voltage Control for the Induction Motor: Experimental Results. *Sira-Ramirez, H.*, +, *TIE Aug. 2013 3025-3033*
 Coordinated Control of DFIG's RSC and GSC Under Generalized Unbalanced and Distorted Grid Voltage Conditions. *Hu, J.*, +, *TIE July 2013 2808-2819*
 Decoupled dq -Current Control of Grid-Tied Voltage Source Converters Using Nonparametric Models. *Bahrani, B.*, +, *TIE April 2013 1356-1366*
 Design of High-Performance Stand-Alone and Grid-Connected Inverter for Distributed Generation Applications. *Wai, R.-J.*, +, *TIE April 2013 1542-1555*
 Design of Neutral-Point Voltage Controller of a Three-Level NPC Inverter With Small DC-Link Capacitors. *Maheshwari, R.*, +, *TIE May 2013 1861-1871*
 Evaluation of the Main MPPT Techniques for Photovoltaic Applications. *de Brito, M. A. G.*, +, *TIE March 2013 1156-1167*
 High-Power-Factor Single-Phase Diode Rectifier Driven by Repetitively Controlled IPM Motor. *Inazuma, K.*, +, *TIE Oct. 2013 4427-4437*
 New Overall Power Control Strategy for Variable-Speed Fixed-Pitch Wind Turbines Within the Whole Wind Velocity Range. *Chen, J.*, +, *TIE July 2013 2652-2660*
 Parallel PI Voltage– H^∞ Current Controller for the Neutral Point of a Three-Phase Inverter. *Hornik, T.*, +, *TIE April 2013 1335-1343*
 Phase-Compensated Microstepping for Permanent-Magnet Stepper Motors. *Shin, D.*, +, *TIE Dec. 2013 5773-5780*
 Polynomial-Method-Based Design of Low-Order Controllers for Two-Mass Systems. *Ma, C.*, +, *TIE March 2013 969-978*
 Real-Time Implementation of ANFIS Control for Renewable Interfacing Inverter in 3P4W Distribution Network. *Singh, M.*, +, *TIE Jan. 2013 121-128*
 Wheel Slip Control of EVs Based on Sliding Mode Technique With Conditional Integrators. *de Castro, R.*, +, *TIE Aug. 2013 3256-3271*
 Wind Turbine Generation System With Optimized DC-Link Design and Control. *Espi, J. M.*, +, *TIE March 2013 919-929*

Piecewise linear techniques

Saturated Adaptive Robust Control for Active Suspension Systems. *Sun, W.*, +, *TIE Sept. 2013 3889-3896*

Piezoelectric actuators

Development of a Recurrent Fuzzy CMAC With Adjustable Input Space Quantization and Self-Tuning Learning Rate for Control of a Dual-Axis Piezoelectric Actuated Micromotion Stage. *Wen, C.-M.*, +, *TIE Nov. 2013 5105-5115*

Identification and Compensation of Piezoelectric Hysteresis Without Modeling Hysteresis Inverse. *Xu, Q.*, +, *TIE Sept. 2013 3927-3937*

Piezoelectric devices

Flow Energy Harvesting Using Piezoelectric Cantilevers With Cylindrical Extension. *Gao, X.*, +, *TIE March 2013 1116-1118*

Piezoelectric transducers

A High-Power Linear Ultrasonic Motor Using Bending Vibration Transducer. *Liu, Y.*, +, *TIE Nov. 2013 5160-5166*

Plasticity

Plastic Bearing Fault Diagnosis Based on a Two-Step Data Mining Approach. *He, D.*, +, *TIE Aug. 2013 3429-3440*

Pole assignment

Nonlinear-Measurement-Based Integrated Robust Design and Control for Manufacturing System. *Lu, X. J.*, +, *TIE July 2013 2711-2720*

Poles and zeros

Robust Zero Placement for Motion Control of Lightly Damped Systems. *Ha, C.-W.*, +, *TIE Sept. 2013 3857-3864*

Polynomials

An Effective Energy-Saving Scalar Control for Industrial IPMSM Drives. *Consoli, A.*, +, *TIE Sept. 2013 3658-3669*

An Efficient Prony-Based Solution Procedure for Tracking of Power System Voltage Variations. *Chen, C.-I.*, +, *TIE July 2013 2681-2688*

Output-Feedback Tracking Control for Polynomial Fuzzy-Model-Based Control Systems. *Lam, H. K.*, +, *TIE Dec. 2013 5830-5840*

Polynomial-Method-Based Design of Low-Order Controllers for Two-Mass Systems. *Ma, C.*, +, *TIE March 2013 969-978*

Position control

A New Intelligent Fuzzy Controller for Nonlinear Hysteretic Electronic Throttle in Modern Intelligent Automobiles. *Wang, C.-H.*, +, *TIE June 2013 2332-2345*

Application of the MPC to the Position Control of the Two-Mass Drive System. *Serkies, P. J.*, +, *TIE Sept. 2013 3679-3688*

Controllable Petri Net-Based Implementation Approach for Motor Control Systems. *Kuo, C.-H.*, +, *TIE Oct. 2013 4599-4612*

Design and Implementation of a Takagi-Sugeno-Type Fuzzy Logic Controller on a Two-Wheeled Mobile Robot. *Xu, J.-X.*, +, *TIE Dec. 2013 5717-5728*

Design and Implementation of an Online Tuning Adaptive Controller for Synchronous Reluctance Motor Drives. *Wei, M.-Y.*, +, *TIE Sept. 2013 3644-3657*

Disturbance and Response Time Improvement of Submicrometer Precision Linear Motion System by Using Modified Disturbance Compensator and Internal Model Reference Control. *Chow, H.-W.*, +, *TIE Jan. 2013 139-150*

DSP-Based Control of Sensorless IPMSM Drives for Wide-Speed-Range Operation. *Wang, G.*, +, *TIE Feb. 2013 720-727*

Frequency-Domain Damping Design for Time-Delayed Bilateral Teleoperation System Based on Modal Space Analysis. *Suzuki, A.*, +, *TIE Jan. 2013 177-190*

Improvement of Settling Performance by Mode-Switching Control With Split Initial-Value Compensation Based on Input Shaper. *Maeda, Y.*, +, *TIE March 2013 979-987*

New Sliding-Mode Observer for Position Sensorless Control of Permanent-Magnet Synchronous Motor. *Qiao, Z.*, +, *TIE Feb. 2013 710-719*

Observability-Based Selection Criterion for Anchor Nodes in Multiple-Cell Localization. *Cho, H.*, +, *TIE Oct. 2013 4554-4561*

Precise Positioning of Nonsmooth Dynamic Systems Using Fuzzy Wavelet Echo State Networks and Dynamic Surface Sliding Mode Control. *Han, S. I.*, +, *TIE Nov. 2013 5124-5136*

Single-View Distance-Estimation-Based Formation Control of Robotic Swarms. *Fidan, B.*, +, *TIE Dec. 2013 5781-5791*

T-S Fuzzy Model-Based Adaptive Dynamic Surface Control for Ball and Beam System. *Chang, Y.-H.*, +, *TIE June 2013 2251-2263*

Position measurement

Dynamic Ultrasonic Hybrid Localization System for Indoor Mobile Robots. *Kim, S. J.*, +, *TIE Oct. 2013 4562-4573*

High-Frequency Issues Using Rotating Voltage Injections Intended For Position Self-Sensing. *Gabriel, F.*, +, *TIE Dec. 2013 5447-5457*

Power bipolar transistors

Evaluation of V_{ce} Monitoring as a Real-Time Method to Estimate Aging of Bond Wire-IGBT Modules Stressed by Power Cycling. *Smet, V.*, +, *TIE July 2013 2760-2770*

Neutral-Point Potential Balancing of a Five-Level Active Neutral-Point-Clamped Inverter. *Wang, K.*, +, *TIE May 2013 1907-1918*

Power capacitors

A Boost Converter With Capacitor Multiplier and Coupled Inductor for AC Module Applications. *Chen, S.-M.*, +, *TIE April 2013 1503-1511*

A Five-Level Single-Phase Grid-Connected Converter for Renewable Distributed Systems. *Buticchi, G.*, +, *TIE March 2013 906-918*

DC Voltage Controller for Asymmetric-Twin-Converter-Topology-Based High-Power STATCOM. *Anand, S.*, +, *TIE Jan. 2013 11-19*

Dual-Buck Half-Bridge Voltage Balancer. *Zhang, X.*, +, *TIE Aug. 2013 3157-3164*

Dual-Mode Double-Carrier-Based Sinusoidal Pulse Width Modulation Inverter With Adaptive Smooth Transition Control Between Modes. *Zhao, Z.*, +, *TIE May 2013 2094-2103*

Dynamic Analysis of Modular Multilevel Converters. *Harnefors, L.*, +, *TIE July 2013 2526-2537*

Fault Diagnosis of DC-Link Capacitors in Three-Phase AC/DC PWM Converters by Online Estimation of Equivalent Series Resistance. *Pu, X.-S.*, +, *TIE Sept. 2013 4118-4127*

Modular Multilevel Converter With Different Submodule Concepts—Part II: Experimental Validation and Comparison for HVDC Application. *Solas, E.*, +, *TIE Oct. 2013 4536-4545*

Multilevel SVPWM With DC-Link Capacitor Voltage Balancing Control for Diode-Clamped Multilevel Converter Based STATCOM. *Shu, Z.*, +, *TIE May 2013 1884-1896*

Neutral-Point Potential Balancing of a Five-Level Active Neutral-Point-Clamped Inverter. *Wang, K.*, +, *TIE May 2013 1907-1918*

Novel High Step-Up DC–DC Converter for Distributed Generation System. *Hsieh, Y.-P.*, +, *TIE April 2013 1473-1482*

Overmodulation of n -Level Three-Leg DC–AC Diode-Clamped Converters With Comprehensive Capacitor Voltage Balance. *Busquets-Monge, S.*, +, *TIE May 2013 1872-1883*

Sensorless Control of CSC-Fed IPM Machine for Zero- and Low-Speed Operations Using Pulsating HFI Method. *Al-nabi, E.*, +, *TIE May 2013 1711-1723*

Voltage Balancing and Fluctuation-Suppression Methods of Floating Capacitors in a New Modular Multilevel Converter. *Wang, K.*, +, *TIE May 2013 1943-1954*

Power consumption

An Integrated Power Consumption Model for Distributed Systems. *Enokido, T.*, +, *TIE Feb. 2013 824-836*

Power control

A New Variable-Frequency Optimal Direct Power Control Algorithm. *Alonso-Martinez, J.*, +, *TIE April 2013 1442-1451*

A Novel Strategy for Three-Phase/Switch/Level (Vienna) Rectifier Under Severe Unbalanced Grids. *Zhang, M.*, +, *TIE Oct. 2013 4243-4252*

A Power-Frequency Controller for Bidirectional Inductive Power Transfer Systems. *Madawala, U. K.*, +, *TIE Jan. 2013 310-317*

An Energy-Based Controller for HVDC Modular Multilevel Converter in Decoupled Double Synchronous Reference Frame for Voltage Oscillation Reduction. *Bergna, G.*, +, *TIE June 2013 2360-2371*

Analysis and Design of a Single-Stage High-Power-Factor Dimmable Electronic Ballast for Electrodeless Fluorescent Lamp. *da Silva, M. F.*, +, *TIE Aug. 2013 3081-3091*

Building Integrated Photovoltaic System With Energy Storage and Smart Grid Communication. *Sechilariu, M.*, +, *TIE April 2013 1607-1618*

Control Method for Wireless Inductive Energy Transfer Systems With Relatively Large Air Gap. *van der Pijl, F.*, +, *TIE Jan. 2013 382-390*

Design-Oriented Analysis and Performance Evaluation of a Low-Cost High-Brightness LED Driver Based on Flyback Power Factor Corrector. *Lamar, D. G.*, +, *TIE July 2013 2614-2626*

Digital Control Strategy for HID Lamp Electronic Ballasts. *Kirsten, A. L.*, +, *TIE Feb. 2013 608-618*

Effect of Combined Output Capacitors for Stability of Buck Converters With Constant On-Time Control. *Qian, T.*, +, *TIE Dec. 2013 5585-5592*

Energy-Balance Control of PV Cascaded Multilevel Grid-Connected Inverters Under Level-Shifted and Phase-Shifted PWMs. *Chavarria, J.*, +, *TIE Jan. 2013 98-111*

High-Power-Factor Single-Phase Diode Rectifier Driven by Repetitively Controlled IPM Motor. *Inazuma, K.*, +, *TIE Oct. 2013 4427-4437*

Maximum Output Power Tracking Control in Variable-Speed Wind Turbine Systems Considering Rotor Inertial Power. *Kim, K.-H.*, +, *TIE Aug. 2013 3207-3217*

Modeling and Control of a Three-Phase Boost Converter for Resistive Input Behavior. *Sabzehgar, R.*, +, *TIE Dec. 2013 5854-5863*

Modulation Scheme for Improved Operation of an RB-IGBT-Based Resonant Inverter Applied to Domestic Induction Heating. *Sarnago, H.*, +, *TIE May 2013 2066-2073*

New Overall Power Control Strategy for Variable-Speed Fixed-Pitch Wind Turbines Within the Whole Wind Velocity Range. *Chen, J.*, +, *TIE July 2013 2652-2660*

Operation of a Three-Phase Power Converter Connected to a Distribution System. *Pozzebon, G. G.*, +, *TIE May 2013 1810-1818*

Theoretical Analysis and Experimental Validation of Single-Phase Direct Versus Cascade Voltage Control in Islanded Microgrids. *Vandoorn, T. L.*, +, *TIE Feb. 2013 789-798*

Voltage-Based Control of a Smart Transformer in a Microgrid. *Vandoorn, T. L.*, +, *TIE April 2013 1291-1305*

Power conversion

A Direct Power Conversion Topology for Grid Integration of Hybrid AC/DC Energy Resources. *Liu, X.*, +, *TIE Dec. 2013 5696-5707*

Modeling and Control of a Three-Phase Boost Converter for Resistive Input Behavior. *Sabzehtar, R.*, +, *TIE Dec. 2013 5854-5863*

Power conversion harmonics

Harmonic Droop Controller to Reduce the Voltage Harmonics of Inverters. *Zhong, Q.-C.*, +, *TIE March 2013 936-945*

Hybrid Seven-Level Cascaded Active Neutral-Point-Clamped-Based Multilevel Converter Under SHE-PWM. *Pulikanti, S. R.*, +, *TIE Nov. 2013 4794-4804*

Selective Harmonic Mitigation Technique for Cascaded H-Bridge Converters With Nonequal DC Link Voltages. *Napoles, J.*, +, *TIE May 2013 1963-1971*

Power converters

A Boost Converter With Capacitor Multiplier and Coupled Inductor for AC Module Applications. *Chen, S.-M.*, +, *TIE April 2013 1503-1511*

A Cascade Multilevel Frequency Changing Converter for High-Power Applications. *Soto-Sanchez, D. E.*, +, *TIE June 2013 2118-2130*

A Control Technique for Integration of DG Units to the Electrical Networks. *Pouresmaeil, E.*, +, *TIE July 2013 2881-2893*

A Deterministic Particle Swarm Optimization Maximum Power Point Tracker for Photovoltaic System Under Partial Shading Condition. *Ishaque, K.*, +, *TIE Aug. 2013 3195-3206*

A Large-Power Voltage Source Converter for FACTS Applications Combining Three-Level Neutral-Point-Clamped Power Electronic Building Blocks. *Chivite-Zabalza, J.*, +, *TIE Nov. 2013 4759-4772*

A Magnetically Coupled Feedback-Clamped Optimal Bidirectional Battery Charger. *Singh, R. K.*, +, *TIE Feb. 2013 422-432*

A Model-Based Control Scheme for Modular Multilevel Converters. *Barnklau, H.*, +, *TIE Dec. 2013 5359-5375*

A Natural DC-Link Voltage Balancing of Diode-Clamped Inverters in Parallel Systems. *Stala, R.*, +, *TIE Nov. 2013 5008-5018*

A Nine-Level Inverter Topology for Medium-Voltage Induction Motor Drive With Open-End Stator Winding. *Rajeevan, P. P.*, +, *TIE Sept. 2013 3627-3636*

A Novel Integrated Buck-Flyback Nonisolated PFC Converter With High Power Factor. *Xie, X.*, +, *TIE Dec. 2013 5603-5612*

A Simplified Power Conditioner Based on Half-Bridge Converter for High-Speed Railway System. *Ma, F.*, +, *TIE Feb. 2013 728-738*

A Synchronization Technique for Bidirectional IPT Systems. *Thrimawithana, D. J.*, +, *TIE Jan. 2013 301-309*

Advanced Diagnosis of Electrical Faults in Wound-Rotor Induction Machines. *Gritli, Y.*, +, *TIE Sept. 2013 4012-4024*

Advanced Fault Ride-Through Technique for PMSG Wind Turbine Systems Using Line-Side Converter as STATCOM. *Nguyen, T. H.*, +, *TIE July 2013 2842-2850*

All-on-Chip dq -Frame Based D-STATCOM Control Implementation in a Low-Cost FPGA. *Sepulveda, C. A.*, +, *TIE Feb. 2013 659-669*

An Improved Control Strategy of Triple Line-Voltage Cascaded Voltage Source Converter Based on Proportional-Resonant Controller. *Xia, C.*, +, *TIE July 2013 2894-2908*

An LVRT Control Strategy Based on Flux Linkage Tracking for DFIG-Based WECS. *Xiao, S.*, +, *TIE July 2013 2820-2832*

Analysis and Design of a Single-Stage High-Power-Factor Dimmable Electronic Ballast for Electrodeless Fluorescent Lamp. *da Silva, M. F.*, +, *TIE Aug. 2013 3081-3091*

Analysis and Design of Fully Integrated Planar Magnetics for Primary-Parallel Isolated Boost Converter. *Ouyang, Z.*, +, *TIE Feb. 2013 494-508*

Analysis of the Fault-Tolerance Capacity of the Multilevel Active-Clamped Converter. *Nicolas-Apruzzese, J.*, +, *TIE Nov. 2013 4773-4783*

Authors' Reply to "Comments on Predictive Digital-Controlled Converter With Peak Current-Mode Control and Leading-Edge Modulation". *Lai, Y.-S.*, +, *TIE Jan. 2013 235-238*

Autonomous Voltage Unbalance Compensation in an Islanded Droop-Controlled Microgrid. *Savaghebi, M.*, +, *TIE April 2013 1390-1402*

Capacitor Voltage Regulation in Single-DC-Source Cascaded H-Bridge Multilevel Converters Using Phase-Shift Modulation. *Sepahvand, H.*, +, *TIE Sept. 2013 3619-3626*

Cascaded Multilevel Converters: Optimal Asymmetries and Floating Capacitor Control. *Pereda, J.*, +, *TIE Nov. 2013 4784-4793*

Compact Integrated Energy Systems for Distributed Generation. *Loh, P. C.*, +, *TIE April 2013 1492-1502*

Comparison of 4.5-kV Press-Pack IGBTs and IGCTs for Medium-Voltage Converters. *Filsecker, F.*, +, *TIE Feb. 2013 440-449*

Control Design for Multiphase Synchronous Buck Converters Based on Exact Constant Resistive Output Impedance. *Borrell, A.*, +, *TIE Nov. 2013 4920-4929*

Control Method for Wireless Inductive Energy Transfer Systems With Relatively Large Air Gap. *van der Pijl, F.*, +, *TIE Jan. 2013 382-390*

Control Structure for Single-Phase Stand-Alone Wind-Based Energy Sources. *Barote, L.*, +, *TIE Feb. 2013 764-772*

Coordinated Control of DFIG's RSC and GSC Under Generalized Unbalanced and Distorted Grid Voltage Conditions. *Hu, J.*, +, *TIE July 2013 2808-2819*

Decoupled dq -Current Control of Grid-Tied Voltage Source Converters Using Nonparametric Models. *Bahrani, B.*, +, *TIE April 2013 1356-1366*

Design and Evaluation of a New Converter Control Strategy for Near-Shore Tidal Turbines. *Jahromi, M. J.*, +, *TIE Dec. 2013 5648-5659*

Digital Control Strategy for HID Lamp Electronic Ballasts. *Kirsten, A. L.*, +, *TIE Feb. 2013 608-618*

Dual-Buck Half-Bridge Voltage Balancer. *Zhang, X.*, +, *TIE Aug. 2013 3157-3164*

Dynamic Behavior of Multiport Power Electronic Interface Under Source/Load Disturbances. *Shamsi, P.*, +, *TIE Oct. 2013 4500-4511*

Effect of Combined Output Capacitors for Stability of Buck Converters With Constant On-Time Control. *Qian, T.*, +, *TIE Dec. 2013 5585-5592*

Evaluation of V_{ce} Monitoring as a Real-Time Method to Estimate Aging of Bond Wire-IGBT Modules Stressed by Power Cycling. *Smet, V.*, +, *TIE July 2013 2760-2770*

Experimental Investigation of the Commutations of a 3L-ANPC Phase Leg Using 4.5-kV–5.5-kA IGCTs. *Anderj, D.*, +, *TIE Nov. 2013 4820-4830*

Explicit Analytical PID Tuning Rules for the Design of Type-III Control Loops. *Papadopoulos, K. G.*, +, *TIE Oct. 2013 4650-4664*

Fast-Predictive Optimal Control of NPC Multilevel Converters. *Barros, J. D.*, +, *TIE Feb. 2013 619-627*

Fault Diagnosis Digital Method for Power Transistors in Power Converters of Switched Reluctance Motors. *Chen, H.*, +, *TIE Feb. 2013 749-763*

Fault Ride-Through Improvement of DFIG-WT by Integrating a Two-Degrees-of-Freedom Internal Model Control. *Campos-Gaona, D.*, +, *TIE March 2013 1133-1145*

Fault-Tolerant Five-Leg Converter Topology With FPGA-Based Reconfigurable Control. *Shahbazi, M.*, +, *TIE June 2013 2284-2294*

Feed-Forward Scheme Considering Bandwidth Limitation of Operational Amplifiers for Envelope Tracking Power Supply Using Series-Connected Composite Configuration. *Xi, H.*, +, *TIE Sept. 2013 3915-3926*

FPGA-Based Reconfigurable Control for Fault-Tolerant Back-to-Back Converter Without Redundancy. *Shahbazi, M.*, +, *TIE Aug. 2013 3360-3371*

Global Energy Scenario and Impact of Power Electronics in 21st Century. *Bose, B. K.*, +, *TIE July 2013 2638-2651*

Harmonic Compensation With Zero-Sequence Load Voltage Control in a Speed-Sensorless DFIG-Based Stand-Alone VSCF Generating System. *Pattnaik, M.*, +, *TIE Dec. 2013 5506-5514*

Introduction to the Special Section on Modulation Techniques for DC-to-AC Power Converters. *Leon, J. I.*, +, *TIE May 2013 1859-1860*

Low-Power ASIC for Microwatt Electrostatic Energy Harvesters. *Kempeitaya, A.*, +, *TIE Dec. 2013 5639-5647*

Modeling and Analysis of Projected Cross Point Control—A New Current-Mode-Control Approach. *Khazraei, M.*, +, *TIE Aug. 2013 3272-3282*

Modeling and Control of Dual-Stage High-Power Multifunctional PV System in $d-q-o$ Coordinate. *Wang, X.*, +, *TIE April 2013 1556-1570*

Modulation Scheme for Improved Operation of an RB-IGBT-Based Resonant Inverter Applied to Domestic Induction Heating. *Sarnago, H.*, +, *TIE May 2013 2066-2073*

- Multiphase ZVS Active Clamp Boost Converter: DC and Dynamic Current Sharing. *de Jodar, E.*, +, *TIE Nov. 2013 4947-4959*
- Next-Generation Multi-Functional Modular Intelligent UPS System for Smart Grid. *Zhao, B.*, +, *TIE Sept. 2013 3602-3618*
- On Frequency-Response Measurements of Power-Electronic Systems Applying MIMO Identification Techniques. *Roinila, T.*, +, *TIE Nov. 2013 5270-5276*
- Open-Circuit Fault Diagnosis in PMSG Drives for Wind Turbine Applications. *Freire, N. M. A.*, +, *TIE Sept. 2013 3957-3967*
- Parallel Operation of Full Power Converters in Permanent-Magnet Direct-Drive Wind Power Generation System. *Li, R.*, +, *TIE April 2013 1619-1629*
- Positive Feedforward Control for Multimodule Output-Series Power-Conversion Systems With Individual Nonideal Sources. *Lin, R.-L.*, +, *TIE April 2013 1323-1334*
- Power Management With a Low-Ripple High-Conversion-Ratio 80-V Output Voltage Boost Converter for Avalanche Photodiode System. *Yang, Y.-Y.*, +, *TIE July 2013 2627-2637*
- Predictive Torque and Flux Control Without Weighting Factors. *Rojas, C. A.*, +, *TIE Feb. 2013 681-690*
- Reliability Calculation of Multilevel Converters: Theory and Applications. *Richardeau, F.*, +, *TIE Oct. 2013 4225-4233*
- Remedial Injected-Harmonic-Current Operation of Redundant Flux-Switching Permanent-Magnet Motor Drives. *Zhao, W.*, +, *TIE Jan. 2013 151-159*
- Series-Input Interleaved Forward Converter With a Shared Switching Leg for Wide Input Voltage Range Applications. *Wu, H.*, +, *TIE Nov. 2013 5029-5039*
- Single- and Three-Phase PHEV Onboard Battery Charger Using Small Link Capacitor. *Yoo, K.-M.*, +, *TIE Aug. 2013 3136-3144*
- Speed Sensorless Induction Motor Drive With Predictive Current Controller. *Guzinski, J.*, +, *TIE Feb. 2013 699-709*
- Start-Up Control and Voltage Regulation in a Boost Converter Under Sliding-Mode Operation. *Martinez-Salameiro, L.*, +, *TIE Oct. 2013 4637-4649*
- Subharmonic Analysis for Buck Converters With Constant On-Time Control and Ramp Compensation. *Qian, T.*, +, *TIE May 2013 1780-1786*
- Synthetic-Ripple-Based Digital Hysteretic Modulator for Point-of-Load Converters. *Singh, R. K.*, +, *TIE Nov. 2013 4996-5007*
- The Implementation of Bee Colony Optimization Algorithm to Shepard-Taylor PFC Converter. *Karaarslan, A.*, +, *TIE Sept. 2013 3711-3719*
- The New High-Efficiency Hybrid Neutral-Point-Clamped Converter. *Soeiro, T. B.*, +, *TIE May 2013 1919-1935*
- Use of Stored Energy in PMSG Rotor Inertia for Low-Voltage Ride-Through in Back-to-Back NPC Converter-Based Wind Power Systems. *Alepuz, S.*, +, *TIE May 2013 1787-1796*
- Voltage Balancing and Fluctuation-Suppression Methods of Floating Capacitors in a New Modular Multilevel Converter. *Wang, K.*, +, *TIE May 2013 1943-1954*
- Wind Turbine Generation System With Optimized DC-Link Design and Control. *Espi, J. M.*, +, *TIE March 2013 919-929*

Power distribution

- A Modified Three-Phase Four-Wire UPQC Topology With Reduced DC-Link Voltage Rating. *Karanki, +*, *TIE Sept. 2013 3555-3566*
- Introduction to the Special Section on Distributed Generation and Microgrids. *Guerrero, J. M.*, +, *TIE April 2013 1251-1253*
- Transistor-Clamped H-Bridge Based Cascaded Multilevel Inverter With New Method of Capacitor Voltage Balancing. *Rahim, N. A.*, +, *TIE Aug. 2013 2943-2956*

Power distribution control

- A Control Technique for Integration of DG Units to the Electrical Networks. *Pouresmaeil, E.*, +, *TIE July 2013 2881-2893*
- A Maximum Power Point Tracking Technique for Partially Shaded Photovoltaic Systems in Microgrids. *Alajmi, B. N.*, +, *TIE April 2013 1596-1606*
- Dual-Buck Half-Bridge Voltage Balancer. *Zhang, X.*, +, *TIE Aug. 2013 3157-3164*
- Operation of a Three-Phase Power Converter Connected to a Distribution System. *Pozzebon, G. G.*, +, *TIE May 2013 1810-1818*
- Overcurrent and Overload Protection of Directly Voltage-Controlled Distributed Resources in a Microgrid. *Ettemadi, A. H.*, +, *TIE Dec. 2013 5629-5638*
- Parallel PI Voltage- H^∞ Current Controller for the Neutral Point of a Three-Phase Inverter. *Hornik, T.*, +, *TIE April 2013 1335-1343*
- Real-Time Implementation of ANFIS Control for Renewable Interfacing Inverter in 3P4W Distribution Network. *Singh, M.*, +, *TIE Jan. 2013 121-128*

- Reduced-Order Model and Stability Analysis of Low-Voltage DC Microgrid. *Anand, S.*, +, *TIE Nov. 2013 5040-5049*
- Voltage-Based Control of a Smart Transformer in a Microgrid. *Vandoorn, T. L.*, +, *TIE April 2013 1291-1305*

Power distribution economics

- Voltage-Based Control of a Smart Transformer in a Microgrid. *Vandoorn, T. L.*, +, *TIE April 2013 1291-1305*

Power distribution faults

- A Novel Protective Scheme to Protect Small-Scale Synchronous Generators Against Transient Instability. *Razzaghi, R.*, +, *TIE April 2013 1659-1667*

Power distribution protection

- Optimal Protection Coordination for Microgrids With Grid-Connected and Islanded Capability. *Najj, W. K. A.*, +, *TIE April 2013 1668-1677*

Power distribution reliability

- Dual-Buck Half-Bridge Voltage Balancer. *Zhang, X.*, +, *TIE Aug. 2013 3157-3164*
- Reduced-Order Model and Stability Analysis of Low-Voltage DC Microgrid. *Anand, S.*, +, *TIE Nov. 2013 5040-5049*

Power dividers

- Ultra-Wideband Ring-Cavity Multiple-Way Parallel Power Divider. *Song, K.*, +, *TIE Oct. 2013 4737-4745*

Power electronics

- A Power Electronics Equalizer Application for Partially Shaded Photovoltaic Modules. *Lavado Villa, L. F.*, +, *TIE March 2013 1179-1190*
- AC/DC/DC Interfaces for V2G Applications—EMC Issues. *Smolenski, R.*, +, *TIE March 2013 930-935*
- Analysis of the Mutual Inductance of Planar-Lumped Inductive Power Transfer Systems. *Acero, J.*, +, *TIE Jan. 2013 410-420*
- Fast-Predictive Optimal Control of NPC Multilevel Converters. *Barros, J. D.*, +, *TIE Feb. 2013 619-627*
- Introduction to the special section on advances in diagnosis for electrical machines, power electronics, and drives - Part I. *Capolino, G.-A.*, +, *TIE Aug. 2013 3396-3397*
- Introduction to the Special Section on Advances in Diagnosis for Electrical Machines, Power Electronics, and Drives—Part II. *Capolino, G.-A.*, +, *TIE Sept. 2013 4009-4011*
- Introduction to the Special Section on Digital Control Systems in Power Electronics and Electrical Drives—Part II. *Rodriguez, J.*, +, *TIE Feb. 2013 575-577*
- Open- and Short-Circuit Switch Fault Diagnosis for Nonisolated DC-DC Converters Using Field Programmable Gate Array. *Shahbazi, M.*, +, *TIE Sept. 2013 4136-4146*
- Solid-State Transformer Architecture Using AC-AC Dual-Active-Bridge Converter. *Qin, H.*, +, *TIE Sept. 2013 3720-3730*

Power engineering computing

- Bearing Fault Detection by a Novel Condition-Monitoring Scheme Based on Statistical-Time Features and Neural Networks. *Prieto, M. D.*, +, *TIE Aug. 2013 3398-3407*
- Detection and Diagnosis of Faults in Induction Motor Using an Improved Artificial Ant Clustering Technique. *Soualhi, A.*, +, *TIE Sept. 2013 4053-4062*
- Evaluation of the Main MPPT Techniques for Photovoltaic Applications. *de Brito, M. A. G.*, +, *TIE March 2013 1156-1167*
- Multiojective Intelligent Energy Management for a Microgrid. *Chaouachi, A.*, +, *TIE April 2013 1688-1699*
- Network Interactions and Performance of a Multifunction IEC 61850 Process Bus. *Ingram, D. M. E.*, +, *TIE Dec. 2013 5933-5942*
- Online State-of-Health Estimation of VRLA Batteries Using State of Charge. *Shahriari, M.*, +, *TIE Jan. 2013 191-202*

Power factor

- A Control Technique for Integration of DG Units to the Electrical Networks. *Pouresmaeil, E.*, +, *TIE July 2013 2881-2893*
- A Novel Integrated Buck-Flyback Nonisolated PFC Converter With High Power Factor. *Xie, X.*, +, *TIE Dec. 2013 5603-5612*
- Active Power Filter Control Strategy With Implicit Closed-Loop Current Control and Resonant Controller. *Angulo, M.*, +, *TIE July 2013 2721-2730*
- Analysis of High-Efficiency Three-Phase Two- and Three-Level Unidirectional Hybrid Rectifiers. *Soeiro, T. B.*, +, *TIE Sept. 2013 3589-3601*
- Grid-Connected Integrated Battery Chargers in Vehicle Applications: Review and New Solution. *Haghdin, S.*, +, *TIE Feb. 2013 459-473*
- Indirect Space-Vector-Based Modulation Techniques for High-Power Multimodular Matrix Converters. *Wang, J.*, +, *TIE Aug. 2013 3060-3071*
- Real-Time Implementation of ANFIS Control for Renewable Interfacing Inverter in 3P4W Distribution Network. *Singh, M.*, +, *TIE Jan. 2013 121-128*

Real-Time Monitoring for a Five-Level Double-Boost Power Factor Controller Including Postfault Reconfiguration. *Pham, T. T. L.*, +, *TIE Sept. 2013 4128-4135*

Power factor correction

A New Single-Phase Single-Stage Three-Level Power-Factor-Correction AC–DC Converter With Phase-Shift Modulation. *Narimani, M.*, +, *TIE Sept. 2013 3731-3735*

A Novel Integrated Buck–Flyback Nonisolated PFC Converter With High Power Factor. *Xie, X.*, +, *TIE Dec. 2013 5603-5612*

A Novel Primary-Side Regulation Scheme for Single-Stage High-Power-Factor AC–DC LED Driving Circuit. *Li, Y.-C.*, +, *TIE Nov. 2013 4978-4986*

A Novel Single-Stage Multilevel Type Full-Bridge Converter. *Narimani, M.*, +, *TIE Jan. 2013 31-42*

Analysis and Design of a New AC–DC Single-Stage Full-Bridge PWM Converter With Two Controllers. *Das, P.*, +, *TIE Nov. 2013 4930-4946*

Design-Oriented Analysis and Performance Evaluation of a Low-Cost High-Brightness LED Driver Based on Flyback Power Factor Corrector. *Lamar, D. G.*, +, *TIE July 2013 2614-2626*

Digital Control Strategy for HID Lamp Electronic Ballasts. *Kirsten, A. L.*, +, *TIE Feb. 2013 608-618*

Digitized Feedforward Compensation Method for High-Power-Density Three-Phase Vienna PFC Converter. *Hang, L.*, +, *TIE April 2013 1512-1519*

High-Power-Factor Single-Phase Diode Rectifier Driven by Repetitively Controlled IPM Motor. *Inazuma, K.*, +, *TIE Oct. 2013 4427-4437*

Proposal of Three-Phase High-Frequency Transformer Isolation UPS Topologies for Distributed Generation Applications. *Branco, C. G. C.*, +, *TIE April 2013 1520-1531*

The Implementation of Bee Colony Optimization Algorithm to Shepard–Taylor PFC Converter. *Karaarslan, A.*, +, *TIE Sept. 2013 3711-3719*

Power filters

A Model-Based Controller for the Cascade H-Bridge Multilevel Converter Used as a Shunt Active Filter. *Valdez-Fernandez, A. A.*, +, *TIE Nov. 2013 5019-5028*

A New Design Method for the Passive Damped LCL and LLCL Filter-Based Single-Phase Grid-Tied Inverter. *Wu, W.*, +, *TIE Oct. 2013 4339-4350*

A Noniterative Optimized Algorithm for Shunt Active Power Filter Under Distorted and Unbalanced Supply Voltages. *Kanjiya, P.*, +, *TIE Dec. 2013 5376-5390*

Active Power Filter Control Strategy With Implicit Closed-Loop Current Control and Resonant Controller. *Angulo, M.*, +, *TIE July 2013 2721-2730*

An Advanced Current Control Strategy for Three-Phase Shunt Active Power Filters. *Trinh, Q.-N.*, +, *TIE Dec. 2013 5400-5410*

Battery Charger for Electric Vehicle Traction Battery Switch Station. *Kuperman, A.*, +, *TIE Dec. 2013 5391-5399*

Control of Single-Phase Grid-Connected Inverters With Nonlinear Loads. *Yao, Z.*, +, *TIE April 2013 1384-1389*

Front-End Buck Rectifier With Reduced Filter Size and Single-Loop Control. *Chaudhary, P.*, +, *TIE Oct. 2013 4359-4368*

Kalman Filter-Based Control System for Power Quality Conditioning Devices. *Kanieski, J. M.*, +, *TIE Nov. 2013 5214-5227*

Modeling and Control of Dual-Stage High-Power Multifunctional PV System in $d-q-o$ Coordinate. *Wang, X.*, +, *TIE April 2013 1556-1570*

Sensorless Control of CSC-Fed IPM Machine for Zero- and Low-Speed Operations Using Pulsating HFI Method. *Al-nabi, E.*, +, *TIE May 2013 1711-1723*

Power generation control

A Maximum Power Point Tracking Technique for Partially Shaded Photovoltaic Systems in Microgrids. *Alajmi, B. N.*, +, *TIE April 2013 1596-1606*

A New Variable-Frequency Optimal Direct Power Control Algorithm. *Alonso-Martinez, J.*, +, *TIE April 2013 1442-1451*

A Novel Distributed Direct-Voltage Control Strategy for Grid Integration of Offshore Wind Energy Systems Through MTDC Network. *Teixeira Pinto, R.*, +, *TIE June 2013 2429-2441*

Advanced Control Architectures for Intelligent Microgrids—Part I: Decentralized and Hierarchical Control. *Guerrero, J. M.*, +, *TIE April 2013 1254-1262*

Advanced Control Architectures for Intelligent Microgrids—Part II: Power Quality, Energy Storage, and AC/DC Microgrids. *Guerrero, J. M.*, +, *TIE April 2013 1263-1270*

Advanced Fault Ride-Through Technique for PMSG Wind Turbine Systems Using Line-Side Converter as STATCOM. *Nguyen, T. H.*, +, *TIE July 2013 2842-2850*

An Energy-Stored Quasi-Z-Source Inverter for Application to Photovoltaic Power System. *Ge, B.*, +, *TIE Oct. 2013 4468-4481*

An Improved Repetitive Control Scheme for Grid-Connected Inverter With Frequency-Adaptive Capability. *Chen, D.*, +, *TIE Feb. 2013 814-823*

An LVRT Control Strategy Based on Flux Linkage Tracking for DFIG-Based WECS. *Xiao, S.*, +, *TIE July 2013 2820-2832*

Assessment and Optimization of the Transient Response of Proportional-Resonant Current Controllers for Distributed Power Generation Systems. *Vidal, A.*, +, *TIE April 2013 1367-1383*

Autonomous Voltage Unbalance Compensation in an Islanded Droop-Controlled Microgrid. *Savaghebi, M.*, +, *TIE April 2013 1390-1402*

Building Integrated Photovoltaic System With Energy Storage and Smart Grid Communication. *Sechilariu, M.*, +, *TIE April 2013 1607-1618*

Control Structure for Single-Phase Stand-Alone Wind-Based Energy Sources. *Barote, L.*, +, *TIE Feb. 2013 764-772*

Coordinated Control of DFIG's RSC and GSC Under Generalized Unbalanced and Distorted Grid Voltage Conditions. *Hu, J.*, +, *TIE July 2013 2808-2819*

Crowbarless Fault Ride-Through of the Brushless Doubly Fed Induction Generator in a Wind Turbine Under Symmetrical Voltage Dips. *Long, T.*, +, *TIE July 2013 2833-2841*

Design and Evaluation of a New Converter Control Strategy for Near-Shore Tidal Turbines. *Jahromi, M. J.*, +, *TIE Dec. 2013 5648-5659*

Distributed Control of a Fault-Tolerant Modular Multilevel Inverter for Direct-Drive Wind Turbine Grid Interfacing. *Parker, M. A.*, +, *TIE Feb. 2013 509-522*

Energy-Balance Control of PV Cascaded Multilevel Grid-Connected Inverters Under Level-Shifted and Phase-Shifted PWMs. *Chavarria, J.*, +, *TIE Jan. 2013 98-111*

Fast Photovoltaic-System Voltage- or Current-Oriented MPPT Employing a Predictive Digital Current-Controlled Converter. *Kakosimos, P. E.*, +, *TIE Dec. 2013 5673-5685*

Fault Ride-Through Improvement of DFIG-WT by Integrating a Two-Degrees-of-Freedom Internal Model Control. *Campos-Gaona, D.*, +, *TIE March 2013 1133-1145*

Flying Supercapacitors as Power Smoothing Elements in Wind Generation. *Jayasinghe, S. D. G.*, +, *TIE July 2013 2909-2918*

LCC-HVDC Connection of Offshore Wind Farms With Reduced Filter Banks. *Blasco-Gimenez, R.*, +, *TIE June 2013 2372-2380*

LVRT Capability of DFIG-Based WECS Under Asymmetrical Grid Fault Condition. *Geng, H.*, +, *TIE June 2013 2495-2509*

Maximum Output Power Tracking Control in Variable-Speed Wind Turbine Systems Considering Rotor Inertial Power. *Kim, K.-H.*, +, *TIE Aug. 2013 3207-3217*

Modeling and Control of Dual-Stage High-Power Multifunctional PV System in $d-q-o$ Coordinate. *Wang, X.*, +, *TIE April 2013 1556-1570*

Multiagent-Based Distributed-Energy-Resource Management for Intelligent Microgrids. *Kumar Nunna, H. S. V. S.*, +, *TIE April 2013 1678-1687*

New Overall Power Control Strategy for Variable-Speed Fixed-Pitch Wind Turbines Within the Whole Wind Velocity Range. *Chen, J.*, +, *TIE July 2013 2652-2660*

Offshore-Wind-Farm Configuration Using Diode Rectifier With MERS in Current Link Topology. *Kawaguchi, T.*, +, *TIE July 2013 2930-2937*

One-Cycle-Controlled Single-Stage Single-Phase Voltage-Sensorless Grid-Connected PV System. *S. S. E.*, +, *TIE March 2013 1216-1224*

Overview of Control Systems for the Operation of DFIGs in Wind Energy Applications. *Cardenas, R.*, +, *TIE July 2013 2776-2798*

Photovoltaic Power System With Battery Backup With Grid-Connection and Islanded Operation Capabilities. *Velasco de la Fuente, D.*, +, *TIE April 2013 1571-1581*

Power Adaptor Device for Domestic DC Microgrids Based on Commercial MPPT Inverters. *Valderrama-Blavi, H.*, +, *TIE March 2013 1191-1203*

Predictive Current Control of Three-Phase Grid-Connected Converters With Constant Switching Frequency for Wind Energy Systems. *Song, Z.*, +, *TIE June 2013 2451-2464*

Proposal of Three-Phase High-Frequency Transformer Isolation UPS Topologies for Distributed Generation Applications. *Branco, C. G. C.*, +, *TIE April 2013 1520-1531*

Reactive Power Compensation in Single-Phase Operation of Microgrid. *Majumder, R.*, +, *TIE April 2013 1403-1416*

Reconfigurable Control Scheme for a PV Microinverter Working in Both Grid-Connected and Island Modes. *Trujillo Rodriguez, C.*, +, *TIE April 2013 1582-1595*

- Reduced-Order Model and Stability Analysis of Low-Voltage DC Microgrid. *Anand, S.*, +, *TIE Nov. 2013 5040-5049*
- Reduction of Current Harmonic Distortion in Three-Phase Grid-Connected Photovoltaic Inverters via Resonant Current Control. *Castilla, M.*, +, *TIE April 2013 1464-1472*
- Stability Enhancement of a Power System With a PMSG-Based and a DFIG-Based Offshore Wind Farm Using a SVC With an Adaptive-Network-Based Fuzzy Inference System. *Wang, L.*, +, *TIE July 2013 2799-2807*
- StatCom control at wind farms with fixed-speed induction generators under asymmetrical grid faults. *Wessels, C.*, +, *TIE July 2013 2864-2873*
- Theoretical Analysis and Experimental Validation of Single-Phase Direct Versus Cascade Voltage Control in Islanded Microgrids. *Vandoorn, T. L.*, +, *TIE Feb. 2013 789-798*
- Use of Stored Energy in PMSG Rotor Inertia for Low-Voltage Ride-Through in Back-to-Back NPC Converter-Based Wind Power Systems. *Alepuz, S.*, +, *TIE May 2013 1787-1796*
- Voltage Control of Multiterminal VSC-HVDC Transmission Systems for Offshore Wind Power Plants: Design and Implementation in a Scaled Platform. *Egea-Alvarez, A.*, +, *TIE June 2013 2381-2391*
- Wind Turbine Generation System With Optimized DC-Link Design and Control. *Espi, J. M.*, +, *TIE March 2013 919-929*
- Power generation economics**
- Evaluation of Storage Energy Requirements for Constant Production in PV Power Plants. *Beltran, H.*, +, *TIE March 2013 1225-1234*
- Power generation faults**
- An LVRT Control Strategy Based on Flux Linkage Tracking for DFIG-Based WECS. *Xiao, S.*, +, *TIE July 2013 2820-2832*
- Analysis and Enhancement of Low-Voltage Ride-Through Capability of Brushless Doubly Fed Induction Generator. *Tohidi, S.*, +, *TIE March 2013 1146-1155*
- Coordinated Control of DFIG's RSC and GSC Under Generalized Unbalanced and Distorted Grid Voltage Conditions. *Hu, J.*, +, *TIE July 2013 2808-2819*
- Crowbarless Fault Ride-Through of the Brushless Doubly Fed Induction Generator in a Wind Turbine Under Symmetrical Voltage Dips. *Long, T.*, +, *TIE July 2013 2833-2841*
- Line-Line Fault Analysis and Protection Challenges in Solar Photovoltaic Arrays. *Zhao, Y.*, +, *TIE Sept. 2013 3784-3795*
- LVRT Capability of DFIG-Based WECS Under Asymmetrical Grid Fault Condition. *Geng, H.*, +, *TIE June 2013 2495-2509*
- Overcurrent and Overload Protection of Directly Voltage-Controlled Distributed Resources in a Microgrid. *Etemadi, A. H.*, +, *TIE Dec. 2013 5629-5638*
- StatCom control at wind farms with fixed-speed induction generators under asymmetrical grid faults. *Wessels, C.*, +, *TIE July 2013 2864-2873*
- Wound-Rotor Induction Generator Inter-Turn Short-Circuits Diagnosis Using a New Digital Neural Network. *Toma, S.*, +, *TIE Sept. 2013 4043-4052*
- Power generation planning**
- A Generalized Approach for DG Planning and Viability Analysis Under Market Scenario. *Jain, N.*, +, *TIE Nov. 2013 5075-5085*
- Power generation protection**
- Design of Measurement System Based on Signal Reconstruction for Analysis and Protection of Distributed Generations. *Cheng-I Chen*, +, *TIE April 2013 1652-1658*
- Line-Line Fault Analysis and Protection Challenges in Solar Photovoltaic Arrays. *Zhao, Y.*, +, *TIE Sept. 2013 3784-3795*
- Power generation reliability**
- A Novel Distributed Direct-Voltage Control Strategy for Grid Integration of Offshore Wind Energy Systems Through MTDC Network. *Teixeira Pinto, R.*, +, *TIE June 2013 2429-2441*
- A Novel Scheme Suitable for High-Voltage and Large-Capacity Photovoltaic Power Stations. *Zhang, C.*, +, *TIE Sept. 2013 3775-3783*
- Building Integrated Photovoltaic System With Energy Storage and Smart Grid Communication. *Sechilariu, M.*, +, *TIE April 2013 1607-1618*
- Crowbarless Fault Ride-Through of the Brushless Doubly Fed Induction Generator in a Wind Turbine Under Symmetrical Voltage Dips. *Long, T.*, +, *TIE July 2013 2833-2841*
- LVRT Capability of DFIG-Based WECS Under Asymmetrical Grid Fault Condition. *Geng, H.*, +, *TIE June 2013 2495-2509*
- New Overall Power Control Strategy for Variable-Speed Fixed-Pitch Wind Turbines Within the Whole Wind Velocity Range. *Chen, J.*, +, *TIE July 2013 2652-2660*
- Reduced-Order Model and Stability Analysis of Low-Voltage DC Microgrid. *Anand, S.*, +, *TIE Nov. 2013 5040-5049*
- Regulated Charging of Plug-in Hybrid Electric Vehicles for Minimizing Load Variance in Household Smart Microgrid. *Jian, L.*, +, *TIE Aug. 2013 3218-3226*
- Power generation scheduling**
- Multiobjective Intelligent Energy Management for a Microgrid. *Chaouachi, A.*, +, *TIE April 2013 1688-1699*
- Power grids**
- A Boost Converter With Capacitor Multiplier and Coupled Inductor for AC Module Applications. *Chen, S.-M.*, +, *TIE April 2013 1503-1511*
- A Calibration Test Platform of Power Quality Instruments for Grid Integration of Wind Energy System. *Chen, C.*, +, *TIE July 2013 2874-2880*
- A Case Study on the Application of the Nyquist Stability Criterion as Applied to Interconnected Loads and Sources on Grids. *Turner, R.*, +, *TIE July 2013 2740-2749*
- A Control Technique for Integration of DG Units to the Electrical Networks. *Pouresmaeil, E.*, +, *TIE July 2013 2881-2893*
- A Direct Power Conversion Topology for Grid Integration of Hybrid AC/DC Energy Resources. *Liu, X.*, +, *TIE Dec. 2013 5696-5707*
- A Five-Level Single-Phase Grid-Connected Converter for Renewable Distributed Systems. *Buticchi, G.*, +, *TIE March 2013 906-918*
- A New Design Method for the Passive Damped LCL and LCL Filter-Based Single-Phase Grid-Tied Inverter. *Wu, W.*, +, *TIE Oct. 2013 4339-4350*
- A Novel Distributed Direct-Voltage Control Strategy for Grid Integration of Offshore Wind Energy Systems Through MTDC Network. *Teixeira Pinto, R.*, +, *TIE June 2013 2429-2441*
- A Novel Strategy for Three-Phase/Switch/Level (Vienna) Rectifier Under Severe Unbalanced Grids. *Zhang, M.*, +, *TIE Oct. 2013 4243-4252*
- A Phasor Estimator for Synchronization Between Power Grid and Distributed Generation System. *Chen, C.-I.*, +, *TIE Aug. 2013 3248-3255*
- A Three-Phase Dual-Input Matrix Converter for Grid Integration of Two AC Type Energy Resources. *Liu, X.*, +, *TIE Jan. 2013 20-30*
- A Transformerless Series Reactive/Harmonic Compensator for Line-Commutated HVDC for Grid Integration of Offshore Wind Power. *Jafar, M.*, +, *TIE June 2013 2410-2419*
- AC/DC/DC Interfaces for V2G Applications—EMC Issues. *Smolenski, R.*, +, *TIE March 2013 930-935*
- Active Voltage and Frequency Regulator Design for a Wind-Driven Induction Generator to Alleviate Transient Impacts on Power Grid. *Chen, W.-L.*, +, *TIE Aug. 2013 3165-3175*
- Advanced Control Architectures for Intelligent Microgrids—Part I: Decentralized and Hierarchical Control. *Guerrero, J. M.*, +, *TIE April 2013 1254-1262*
- Advanced Diagnosis of Electrical Faults in Wound-Rotor Induction Machines. *Gritli, Y.*, +, *TIE Sept. 2013 4012-4024*
- An Improved Repetitive Control Scheme for Grid-Connected Inverter With Frequency-Adaptive Capability. *Chen, D.*, +, *TIE Feb. 2013 814-823*
- An LVRT Control Strategy Based on Flux Linkage Tracking for DFIG-Based WECS. *Xiao, S.*, +, *TIE July 2013 2820-2832*
- Analysis and Enhancement of Low-Voltage Ride-Through Capability of Brushless Doubly Fed Induction Generator. *Tohidi, S.*, +, *TIE March 2013 1146-1155*
- Analysis and Solution of Current Zero-Crossing Distortion With Unipolar Hysteresis Current Control in Grid-Connected Inverter. *Wu, F.*, +, *TIE Oct. 2013 4450-4457*
- Analysis of Bandwidth–Unit-Vector-Distortion Tradeoff in PLL During Abnormal Grid Conditions. *Kulkarni, A.*, +, *TIE Dec. 2013 5820-5829*
- Assessment and Optimization of the Transient Response of Proportional-Resonant Current Controllers for Distributed Power Generation Systems. *Vidal, A.*, +, *TIE April 2013 1367-1383*
- Autonomous Voltage Unbalance Compensation in an Islanded Droop-Controlled Microgrid. *Savaghebi, M.*, +, *TIE April 2013 1390-1402*
- Cascaded Current–Voltage Control to Improve the Power Quality for a Grid-Connected Inverter With a Local Load. *Zhong, Q.-C.*, +, *TIE April 2013 1344-1355*
- Compact Integrated Energy Systems for Distributed Generation. *Loh, P. C.*, +, *TIE April 2013 1492-1502*
- Composite Nonlinear Feedback Control and Stability Analysis of a Grid-Connected Voltage Source Inverter With LCL Filter. *Eren, S.*, +, *TIE Nov. 2013 5059-5074*
- Control of Single-Phase Grid-Connected Inverters With Nonlinear Loads. *Yao, Z.*, +, *TIE April 2013 1384-1389*

- Control Strategy for Power Flow Management in a PV System Supplying DC Loads. *Indu Rani, B., +, TIE Aug. 2013 3185-3194*
- Coordinated Control of DFIG's RSC and GSC Under Generalized Unbalanced and Distorted Grid Voltage Conditions. *Hu, J., +, TIE July 2013 2808-2819*
- Crowbarless Fault Ride-Through of the Brushless Doubly Fed Induction Generator in a Wind Turbine Under Symmetrical Voltage Dips. *Long, T., +, TIE July 2013 2833-2841*
- DC Voltage Controller for Asymmetric-Twin-Converter-Topology-Based High-Power STATCOM. *Anand, S., +, TIE Jan. 2013 11-19*
- Decoupled dq -Current Control of Grid-Tied Voltage Source Converters Using Nonparametric Models. *Bahrani, B., +, TIE April 2013 1356-1366*
- Design of High-Performance Stand-Alone and Grid-Connected Inverter for Distributed Generation Applications. *Wai, R.-J., +, TIE April 2013 1542-1555*
- Detection Method of the DC Bias in Distribution Power Transformers. *Buticchi, G., +, TIE Aug. 2013 3539-3549*
- Distributed Control of a Fault-Tolerant Modular Multilevel Inverter for Direct-Drive Wind Turbine Grid Interfacing. *Parker, M. A., +, TIE Feb. 2013 509-522*
- Dual-Buck Half-Bridge Voltage Balancer. *Zhang, X., +, TIE Aug. 2013 3157-3164*
- Dynamic Control of the Brushless Doubly Fed Induction Generator Under Unbalanced Operation. *Shao, S., +, TIE June 2013 2465-2476*
- Efficiency and Fault Ride-Through Performance of a Diode-Rectifier- and VSC-Inverter-Based HVDC Link for Offshore Wind Farms. *Bernal-Perez, S., +, TIE June 2013 2401-2409*
- Energy-Balance Control of PV Cascaded Multilevel Grid-Connected Inverters Under Level-Shifted and Phase-Shifted PWMs. *Chavarria, J., +, TIE Jan. 2013 98-111*
- Flexible Voltage Support Control for Three-Phase Distributed Generation Inverters Under Grid Fault. *Camacho, A., +, TIE April 2013 1429-1441*
- Frequency-Adaptive Current Controller for Three-Phase Grid-Connected Converters. *Gomez Jorge, S., +, TIE Oct. 2013 4169-4177*
- Full-Feedforward Schemes of Grid Voltages for a Three-Phase LCL -Type Grid-Connected Inverter. *Li, W., +, TIE June 2013 2237-2250*
- Grid-Connected Integrated Battery Chargers in Vehicle Applications: Review and New Solution. *Hagbin, S., +, TIE Feb. 2013 459-473*
- Hybrid Voltage and Current Control Approach for DG-Grid Interfacing Converters With LCL filters. *He, J., +, TIE May 2013 1797-1809*
- Introduction to the Special Section on Control and Grid Integration of Wind Energy Systems—Part I. *Cardenas, R., +, TIE June 2013 2358-2359*
- Introduction to the Special Section on Distributed Generation and Microgrids. *Guerrero, J. M., +, TIE April 2013 1251-1253*
- Kalman Filter-Based Control System for Power Quality Conditioning Devices. *Kanieski, J. M., +, TIE Nov. 2013 5214-5227*
- LVRT Capability of DFIG-Based WECS Under Asymmetrical Grid Fault Condition. *Geng, H., +, TIE June 2013 2495-2509*
- Lyapunov Function-Based Current Controller to Control Active and Reactive Power Flow From a Renewable Energy Source to a Generalized Three-Phase Microgrid System. *Dasgupta, S., +, TIE Feb. 2013 799-813*
- Modeling and Control of Dual-Stage High-Power Multifunctional PV System in $d-q-o$ Coordinate. *Wang, X., +, TIE April 2013 1556-1570*
- Modeling and Control of Quasi-Z-Source Inverter for Distributed Generation Applications. *Li, Y., +, TIE April 2013 1532-1541*
- Multiagent-Based Distributed-Energy-Resource Management for Intelligent Microgrids. *Kumar Nunna, H. S. V. S., +, TIE April 2013 1678-1687*
- One-Cycle-Controlled Single-Stage Single-Phase Voltage-Sensorless Grid-Connected PV System. *S., S. E., +, TIE March 2013 1216-1224*
- Operation of a Three-Phase Power Converter Connected to a Distribution System. *Pozzebon, G. G., +, TIE May 2013 1810-1818*
- Parallel PI Voltage- H^∞ Current Controller for the Neutral Point of a Three-Phase Inverter. *Hornik, T., +, TIE April 2013 1335-1343*
- Photovoltaic Power System With Battery Backup With Grid-Connection and Islanded Operation Capabilities. *Velasco de la Fuente, D., +, TIE April 2013 1571-1581*
- Power Adaptor Device for Domestic DC Microgrids Based on Commercial MPPT Inverters. *Valderrama-Blavi, H., +, TIE March 2013 1191-1203*
- Predictive Current Control of Three-Phase Grid-Connected Converters With Constant Switching Frequency for Wind Energy Systems. *Song, Z., +, TIE June 2013 2451-2464*
- Real-Time Implementation of ANFIS Control for Renewable Interfacing Inverter in 3P4W Distribution Network. *Singh, M., +, TIE Jan. 2013 121-128*
- Reconfigurable Control Scheme for a PV Microinverter Working in Both Grid-Connected and Island Modes. *Trujillo Rodriguez, C., +, TIE April 2013 1582-1595*
- Reduced-Order Model and Stability Analysis of Low-Voltage DC Microgrid. *Anand, S., +, TIE Nov. 2013 5040-5049*
- Reduction of Current Harmonic Distortion in Three-Phase Grid-Connected Photovoltaic Inverters via Resonant Current Control. *Castilla, M., +, TIE April 2013 1464-1472*
- Regulated Charging of Plug-in Hybrid Electric Vehicles for Minimizing Load Variance in Household Smart Microgrid. *Jian, L., +, TIE Aug. 2013 3218-3226*
- StatCom control at wind farms with fixed-speed induction generators under asymmetrical grid faults. *Wessels, C., +, TIE July 2013 2864-2873*
- Use of Stored Energy in PMSG Rotor Inertia for Low-Voltage Ride-Through in Back-to-Back NPC Converter-Based Wind Power Systems. *Alepuz, S., +, TIE May 2013 1787-1796*
- Utilization of Wind Turbines for Upregulation of Power Grids. *Juulsgaard, M., +, TIE July 2013 2851-2863*
- Wind Energy System With Integrated Functions of Active Power Transfer, Reactive Power Compensation, and Voltage Conversion. *She, X., +, TIE Oct. 2013 4512-4524*
- Wind Turbine Generation System With Optimized DC-Link Design and Control. *Espi, J. M., +, TIE March 2013 919-929*
- Power harmonic filters**
- A Transformerless Series Reactive/Harmonic Compensator for Line-Commutated HVDC for Grid Integration of Offshore Wind Power. *Jafar, M., +, TIE June 2013 2410-2419*
- Active Filter for the Removal of the DC Current Component for Single-Phase Power Lines. *Buticchi, G., +, TIE Oct. 2013 4403-4414*
- Digital Predictive Current Control of a Three-Phase Four-Leg Inverter. *Rivera, M., +, TIE Nov. 2013 4903-4912*
- Hybrid Voltage and Current Control Approach for DG-Grid Interfacing Converters With LCL filters. *He, J., +, TIE May 2013 1797-1809*
- LCC-HVDC Connection of Offshore Wind Farms With Reduced Filter Banks. *Blasco-Gimenez, R., +, TIE June 2013 2372-2380*
- New Method to Achieve AC Harmonic Elimination and Energy Storage Integration for 12-Pulse Diode Rectifiers. *Bai, S., +, TIE July 2013 2547-2554*
- Power inductors**
- A Boost Converter With Capacitor Multiplier and Coupled Inductor for AC Module Applications. *Chen, S.-M., +, TIE April 2013 1503-1511*
- Control of Single-Phase Grid-Connected Inverters With Nonlinear Loads. *Yao, Z., +, TIE April 2013 1384-1389*
- Dual-Buck Half-Bridge Voltage Balancer. *Zhang, X., +, TIE Aug. 2013 3157-3164*
- Lyapunov Function-Based Current Controller to Control Active and Reactive Power Flow From a Renewable Energy Source to a Generalized Three-Phase Microgrid System. *Dasgupta, S., +, TIE Feb. 2013 799-813*
- Novel High Step-Up DC-DC Converter for Distributed Generation System. *Hsieh, Y.-P., +, TIE April 2013 1473-1482*
- Sensorless Control of CSC-Fed IPM Machine for Zero- and Low-Speed Operations Using Pulsating HFI Method. *Al-nabi, E., +, TIE May 2013 1711-1723*
- Power integrated circuits**
- HV-CMOS Design and Characterization of a Smart Rotor Coil Driver for Automotive Alternators. *Saponara, S., +, TIE June 2013 2309-2317*
- Power markets**
- A Generalized Approach for DG Planning and Viability Analysis Under Market Scenario. *Jain, N., +, TIE Nov. 2013 5075-5085*
- Evaluation of Storage Energy Requirements for Constant Production in PV Power Plants. *Beltran, H., +, TIE March 2013 1225-1234*
- New Overall Power Control Strategy for Variable-Speed Fixed-Pitch Wind Turbines Within the Whole Wind Velocity Range. *Chen, J., +, TIE July 2013 2652-2660*
- Voltage-Based Control of a Smart Transformer in a Microgrid. *Vandoorn, T. L., +, TIE April 2013 1291-1305*
- Power meters**
- A Two-Stage Solution Procedure for Digital Power Metering According to IEEE Standard 1459-2010 in Single-Phase System. *Chen, C.-I., +, TIE Dec. 2013 5550-5557*
- Power MOSFET**
- A New ZVS DC/DC Converter With Three APWM Circuits. *Lin, B.-R., +, TIE Oct. 2013 4351-4358*
- Analysis of a Novel Current Resonant DC-DC Converter. *Sato, T., +, TIE Nov. 2013 4987-4995*

- ZVS DC/DC Converter Based on Two Three-Level PWM Circuits Sharing the Same Power Switches. *Lin, B.-R.*, +, *TIE Oct. 2013 4191-4200*
- Power overhead lines**
- AC/DC/DC Interfaces for V2G Applications—EMC Issues. *Smolenski, R.*, +, *TIE March 2013 930-935*
- Power semiconductor devices**
- Generalized Optimal Pulsewidth Modulation of Multilevel Inverters for Low-Switching-Frequency Control of Medium-Voltage High-Power Industrial AC Drives. *Rathore*, +, *TIE Oct. 2013 4215-4224*
- Global Energy Scenario and Impact of Power Electronics in 21st Century. *Bose, B. K.*, +, *TIE July 2013 2638-2651*
- Harmonic Distortion Optimization of Cascaded H-Bridge Inverters Considering Device Voltage Drops and Noninteger DC Voltage Ratios. *Dieng, B.*, +, *TIE Aug. 2013 3106-3114*
- On the Causes of Circulating Currents in PWM Drives With Open-End Winding AC Machines. *Somani, A.*, +, *TIE Sept. 2013 3670-3678*
- Reliability Analysis Framework for Structural Redundancy in Power Semiconductors. *Behjati, H.*, +, *TIE Oct. 2013 4376-4386*
- Power semiconductor diodes**
- A New ZVS DC/DC Converter With Three APWM Circuits. *Lin, B.-R.*, +, *TIE Oct. 2013 4351-4358*
- New Method to Achieve AC Harmonic Elimination and Energy Storage Integration for 12-Pulse Diode Rectifiers. *Bai, S.*, +, *TIE July 2013 2547-2554*
- Power semiconductor switches**
- Application of Four-Switch-Based Three-Phase Grid-Connected Inverter to Connect Renewable Energy Source to a Generalized Unbalanced Microgrid System. *Dasgupta, S.*, +, *TIE March 2013 1204-1215*
- Experimental Investigation of the Commutations of a 3L-ANPC Phase Leg Using 4.5-kV–5.5-kA IGBTs. *Andler, D.*, +, *TIE Nov. 2013 4820-4830*
- Experimental Results of 47-Level Switch-Ladder Multilevel Inverter. *Esfandiari, E.*, +, *TIE Nov. 2013 4960-4967*
- Single-Phase Dual-Output Inverters With Three-Switch Legs. *Fatemi, A.*, +, *TIE May 2013 1769-1779*
- ZVS DC/DC Converter Based on Two Three-Level PWM Circuits Sharing the Same Power Switches. *Lin, B.-R.*, +, *TIE Oct. 2013 4191-4200*
- Power supplies to apparatus**
- A Transformerless Series Reactive/Harmonic Compensator for Line-Commutated HVDC for Grid Integration of Offshore Wind Power. *Jafar, M.*, +, *TIE June 2013 2410-2419*
- Autoconnected-Transformer-Based 20-Pulse AC–DC Converter for Telecommunication Power Supply. *Kalpana, R.*, +, *TIE Oct. 2013 4178-4190*
- Control Design for Multiphase Synchronous Buck Converters Based on Exact Constant Resistive Output Impedance. *Borrell, A.*, +, *TIE Nov. 2013 4920-4929*
- Power supply circuits**
- Feed-Forward Scheme Considering Bandwidth Limitation of Operational Amplifiers for Envelope Tracking Power Supply Using Series-Connected Composite Configuration. *Xi, H.*, +, *TIE Sept. 2013 3915-3926*
- Power supply quality**
- 400 V/1000 kVA Hybrid Automatic Transfer Switch. *Tian, B.*, +, *TIE Dec. 2013 5422-5435*
- A Calibration Test Platform of Power Quality Instruments for Grid Integration of Wind Energy System. *Chen, C.*, +, *TIE July 2013 2874-2880*
- A Modified Three-Phase Four-Wire UPQC Topology With Reduced DC-Link Voltage Rating. *Karanki*, +, *TIE Sept. 2013 3555-3566*
- A Novel Scheme Suitable for High-Voltage and Large-Capacity Photovoltaic Power Stations. *Zhang, C.*, +, *TIE Sept. 2013 3775-3783*
- A Novel Strategy for Three-Phase/Switch/Level (Vienna) Rectifier Under Severe Unbalanced Grids. *Zhang, M.*, +, *TIE Oct. 2013 4243-4252*
- A Phasor Estimator for Synchronization Between Power Grid and Distributed Generation System. *Chen, C.-I.*, +, *TIE Aug. 2013 3248-3255*
- Advanced Control Architectures for Intelligent Microgrids—Part II: Power Quality, Energy Storage, and AC/DC Microgrids. *Guerrero, J. M.*, +, *TIE April 2013 1263-1270*
- An Adaptive Time-Efficient Technique for Harmonic Estimation of Nonstationary Signals. *Jain, S. K.*, +, *TIE Aug. 2013 3295-3303*
- An Improved Repetitive Control Scheme for Grid-Connected Inverter With Frequency-Adaptive Capability. *Chen, D.*, +, *TIE Feb. 2013 814-823*
- Autonomous Voltage Unbalance Compensation in an Islanded Droop-Controlled Microgrid. *Savaghebi, M.*, +, *TIE April 2013 1390-1402*
- Cascaded Current–Voltage Control to Improve the Power Quality for a Grid-Connected Inverter With a Local Load. *Zhong, Q.-C.*, +, *TIE April 2013 1344-1355*
- Control Structure for Single-Phase Stand-Alone Wind-Based Energy Sources. *Barote, L.*, +, *TIE Feb. 2013 764-772*
- Design and Evaluation of a New Converter Control Strategy for Near-Shore Tidal Turbines. *Jahromi, M. J.*, +, *TIE Dec. 2013 5648-5659*
- Design of Measurement System Based on Signal Reconstruction for Analysis and Protection of Distributed Generations. *Cheng-I Chen*, +, *TIE April 2013 1652-1658*
- Digital-Scalar PWM Approaches Applied to Four-Leg Voltage-Source Inverters. *Fernandes, D. A.*, +, *TIE May 2013 2022-2030*
- Harmonic Droop Controller to Reduce the Voltage Harmonics of Inverters. *Zhong, Q.-C.*, +, *TIE March 2013 936-945*
- High-Efficiency Single-Phase Transformerless PV H6 Inverter With Hybrid Modulation Method. *Ji, B.*, +, *TIE May 2013 2104-2115*
- Improved Double Line Voltage Synthesis Strategies of Matrix Converter for Input/Output Quality Enhancement. *Shi, T.*, +, *TIE Aug. 2013 3034-3046*
- Kalman Filter-Based Control System for Power Quality Conditioning Devices. *Kanieski, J. M.*, +, *TIE Nov. 2013 5214-5227*
- Per-Sequence Vector-Switching Matrix Converter Modules for Voltage Regulation. *Garcia-Vite, P. M.*, +, *TIE Dec. 2013 5411-5421*
- Reactive Power Compensation in Single-Phase Operation of Microgrid. *Ma-jumder, R.*, +, *TIE April 2013 1403-1416*
- Power system CAD**
- Parallel-Resonance-Type Fault Current Limiter. *Naderi, S. B.*, +, *TIE July 2013 2538-2546*
- Power system control**
- Analysis and Solution of Current Zero-Crossing Distortion With Unipolar Hysteresis Current Control in Grid-Connected Inverter. *Wu, F.*, +, *TIE Oct. 2013 4450-4457*
- Control Strategies for Augmenting LVRT Capability of DFIGs in Interconnected Power Systems. *Hossain, M. J.*, +, *TIE June 2013 2510-2522*
- Control Strategy for Power Flow Management in a PV System Supplying DC Loads. *Indu Rani, B.*, +, *TIE Aug. 2013 3185-3194*
- Harmonic Compensation With Zero-Sequence Load Voltage Control in a Speed-Sensorless DFIG-Based Stand-Alone VSCF Generating System. *Pattnaik, M.*, +, *TIE Dec. 2013 5506-5514*
- Introduction to the Special Section on Control and Grid Integration of Wind Energy Systems - Part II. *Cardenas, R.*, +, *TIE July 2013 2774-2775*
- SSPC Active Control Strategy by Optimal Trajectory of the Current for On-board System Applications. *Izquierdo, D.*, +, *TIE Nov. 2013 5195-5205*
- Power system faults**
- Hierarchical Fault Diagnosis for Power Systems Based on Equivalent-Input-Disturbance Approach. *Hu, B.*, +, *TIE Aug. 2013 3529-3538*
- Rotor Faults Diagnosis Using Feature Selection and Nearest Neighbors Rule: Application to a Turbogenerator. *Biet, M.*, +, *TIE Sept. 2013 4063-4073*
- Power system harmonics**
- Advanced Control Architectures for Intelligent Microgrids—Part II: Power Quality, Energy Storage, and AC/DC Microgrids. *Guerrero, J. M.*, +, *TIE April 2013 1263-1270*
- An Efficient Prony-Based Solution Procedure for Tracking of Power System Voltage Variations. *Chen, C.-I.*, +, *TIE July 2013 2681-2688*
- Analysis of Bandwidth–Unit-Vector-Distortion Tradeoff in PLL During Abnormal Grid Conditions. *Kulkarni, A.*, +, *TIE Dec. 2013 5820-5829*
- Full-Feedforward Schemes of Grid Voltages for a Three-Phase LCL-Type Grid-Connected Inverter. *Li, W.*, +, *TIE June 2013 2237-2250*
- Harmonic Compensation With Zero-Sequence Load Voltage Control in a Speed-Sensorless DFIG-Based Stand-Alone VSCF Generating System. *Pattnaik, M.*, +, *TIE Dec. 2013 5506-5514*
- Real-Time Implementation of ANFIS Control for Renewable Interfacing Inverter in 3P4W Distribution Network. *Singh, M.*, +, *TIE Jan. 2013 121-128*
- Real-Time Power System Phasors and Harmonics Estimation Using a New Decoupled Recursive-Least-Squares Technique for DSP Implementation. *Sadinezhad, I.*, +, *TIE June 2013 2295-2308*
- Three-Phase Cascaded Delayed Signal Cancellation PLL for Fast Selective Harmonic Detection. *Wang, Y. F.*, +, *TIE April 2013 1452-1463*
- Power system interconnection**
- A Case Study on the Application of the Nyquist Stability Criterion as Applied to Interconnected Loads and Sources on Grids. *Turner, R.*, +, *TIE July 2013 2740-2749*
- Control Strategies for Augmenting LVRT Capability of DFIGs in Interconnected Power Systems. *Hossain, M. J.*, +, *TIE June 2013 2510-2522*
- Design of Measurement System Based on Signal Reconstruction for Analysis and Protection of Distributed Generations. *Cheng-I Chen*, +, *TIE April 2013 1652-1658*

Power system management

A Key Management Scheme for Secure Communications of Advanced Metering Infrastructure in Smart Grid. *Liu, N.*, +, *TIE Oct. 2013 4746-4756*

Power system measurement

A Calibration Test Platform of Power Quality Instruments for Grid Integration of Wind Energy System. *Chen, C.*, +, *TIE July 2013 2874-2880*

A Key Management Scheme for Secure Communications of Advanced Metering Infrastructure in Smart Grid. *Liu, N.*, +, *TIE Oct. 2013 4746-4756*

An Efficient Prony-Based Solution Procedure for Tracking of Power System Voltage Variations. *Chen, C.-I.*, +, *TIE July 2013 2681-2688*

Design of Measurement System Based on Signal Reconstruction for Analysis and Protection of Distributed Generations. *Cheng-I Chen*, +, *TIE April 2013 1652-1658*

Detection Method of the DC Bias in Distribution Power Transformers. *Butticchi, G.*, +, *TIE Aug. 2013 3539-3549*

StatCom control at wind farms with fixed-speed induction generators under asymmetrical grid faults. *Wessels, C.*, +, *TIE July 2013 2864-2873*

Power system parameter estimation

An Efficient Prony-Based Solution Procedure for Tracking of Power System Voltage Variations. *Chen, C.-I.*, +, *TIE July 2013 2681-2688*

Power system protection

FPGA Implementation of the Generalized Delayed Signal Cancellation—Phase Locked Loop Method for Detecting Harmonic Sequence Components in Three-Phase Signals. *Nascimento, P. S. B.*, +, *TIE Feb. 2013 645-658*

Hierarchical Fault Diagnosis for Power Systems Based on Equivalent-Input-Disturbance Approach. *Hu, B.*, +, *TIE Aug. 2013 3529-3538*

SSPC Active Control Strategy by Optimal Trajectory of the Current for On-board System Applications. *Izquierdo, D.*, +, *TIE Nov. 2013 5195-5205*

Power system simulation

StatCom control at wind farms with fixed-speed induction generators under asymmetrical grid faults. *Wessels, C.*, +, *TIE July 2013 2864-2873*

Power system stability

A Case Study on the Application of the Nyquist Stability Criterion as Applied to Interconnected Loads and Sources on Grids. *Turner, R.*, +, *TIE July 2013 2740-2749*

An Improved Repetitive Control Scheme for Grid-Connected Inverter With Frequency-Adaptive Capability. *Chen, D.*, +, *TIE Feb. 2013 814-823*

Dynamic Behavior of Multiport Power Electronic Interface Under Source/Load Disturbances. *Shamsi, P.*, +, *TIE Oct. 2013 4500-4511*

Energy-Balance Control of PV Cascaded Multilevel Grid-Connected Inverters Under Level-Shifted and Phase-Shifted PWMs. *Chavarria, J.*, +, *TIE Jan. 2013 98-111*

Operation of a Three-Phase Power Converter Connected to a Distribution System. *Pozzebon, G. G.*, +, *TIE May 2013 1810-1818*

Predictive Current Control of Three-Phase Grid-Connected Converters With Constant Switching Frequency for Wind Energy Systems. *Song, Z.*, +, *TIE June 2013 2451-2464*

Stability Analysis of Four PMSG-Based Offshore Wind Farms Fed to an SG-Based Power System Through an LCC-HVDC Link. *Wang, L.*, +, *TIE June 2013 2392-2400*

Stability Enhancement of a Power System With a PMSG-Based and a DFIG-Based Offshore Wind Farm Using a SVC With an Adaptive-Network-Based Fuzzy Inference System. *Wang, L.*, +, *TIE July 2013 2799-2807*

StatCom control at wind farms with fixed-speed induction generators under asymmetrical grid faults. *Wessels, C.*, +, *TIE July 2013 2864-2873*

Power system transients

Use of Stored Energy in PMSG Rotor Inertia for Low-Voltage Ride-Through in Back-to-Back NPC Converter-Based Wind Power Systems. *Alepuz, S.*, +, *TIE May 2013 1787-1796*

Power systems planning

Introduction to the Special Section on Control and Grid Integration of Wind Energy Systems—Part I. *Cardenas, R.*, +, *TIE June 2013 2358-2359*

Power transformers

A 10-kW Two-Stage Isolated/Bidirectional DC/DC Converter With Hybrid-Switching Technique. *Yoo, K.-M.*, +, *TIE June 2013 2205-2213*

A Capacitively Coupled Contactless Matrix Charging Platform With Soft Switched Transformer Control. *Liu, C.*, +, *TIE Jan. 2013 249-260*

A New ZVS DC/DC Converter With Three APWM Circuits. *Lin, B.-R.*, +, *TIE Oct. 2013 4351-4358*

A Novel Scheme Suitable for High-Voltage and Large-Capacity Photovoltaic Power Stations. *Zhang, C.*, +, *TIE Sept. 2013 3775-3783*

Analysis and Design of a Multioutput Converter Using Asymmetrical PWM Half-Bridge Flyback Converter Employing a Parallel-Series Transformer. *Kim, H.-S.*, +, *TIE Aug. 2013 3115-3125*

Analysis and Design of Fully Integrated Planar Magnetics for Primary-Parallel Isolated Boost Converter. *Ouyang, Z.*, +, *TIE Feb. 2013 494-508*

Autocoupled-Transformer-Based 20-Pulse AC-DC Converter for Telecommunication Power Supply. *Kalpana, R.*, +, *TIE Oct. 2013 4178-4190*

DC Voltage Controller for Asymmetric-Twin-Converter-Topology-Based High-Power STATCOM. *Anand, S.*, +, *TIE Jan. 2013 11-19*

Detection Method of the DC Bias in Distribution Power Transformers. *Butticchi, G.*, +, *TIE Aug. 2013 3539-3549*

Phase-Shifting-Transformer-Fed Multimodular Matrix Converter Operated by a New Modulation Strategy. *Wang, J.*, +, *TIE Oct. 2013 4329-4338*

Solid-State Transformer Architecture Using AC-AC Dual-Active-Bridge Converter. *Qin, H.*, +, *TIE Sept. 2013 3720-3730*

Voltage-Based Control of a Smart Transformer in a Microgrid. *Vandoorn, T. L.*, +, *TIE April 2013 1291-1305*

Wind Energy System With Integrated Functions of Active Power Transfer, Reactive Power Compensation, and Voltage Conversion. *She, X.*, +, *TIE Oct. 2013 4512-4524*

Power transistors

Fault Diagnosis Digital Method for Power Transistors in Power Converters of Switched Reluctance Motors. *Chen, H.*, +, *TIE Feb. 2013 749-763*

Power transmission (mechanical)

Wheel Slip Control of EVs Based on Sliding Mode Technique With Conditional Integrators. *de Castro, R.*, +, *TIE Aug. 2013 3256-3271*

Power transmission control

Adaptive Sliding-Mode Control for a Multiple-User Inductive Power Transfer System Without Need for Communication. *van der Pijl, F. F. A.*, +, *TIE Jan. 2013 271-279*

Efficiency and Fault Ride-Through Performance of a Diode-Rectifier- and VSC-Inverter-Based HVDC Link for Offshore Wind Farms. *Bernal-Perez, S.*, +, *TIE June 2013 2401-2409*

LCC-HVDC Connection of Offshore Wind Farms With Reduced Filter Banks. *Blasco-Gimenez, R.*, +, *TIE June 2013 2372-2380*

Power transmission faults

Efficiency and Fault Ride-Through Performance of a Diode-Rectifier- and VSC-Inverter-Based HVDC Link for Offshore Wind Farms. *Bernal-Perez, S.*, +, *TIE June 2013 2401-2409*

Power transmission lines

A Figure-of-Merit for Designing High-Performance Inductive Power Transmission Links. *Kiani, M.*, +, *TIE Nov. 2013 5292-5305*

Power transmission reliability

Efficiency and Fault Ride-Through Performance of a Diode-Rectifier- and VSC-Inverter-Based HVDC Link for Offshore Wind Farms. *Bernal-Perez, S.*, +, *TIE June 2013 2401-2409*

Power utilization

Building Integrated Photovoltaic System With Energy Storage and Smart Grid Communication. *Sechilariu, M.*, +, *TIE April 2013 1607-1618*

Parallel PI Voltage- H^∞ Current Controller for the Neutral Point of a Three-Phase Inverter. *Hornik, T.*, +, *TIE April 2013 1335-1343*

Voltage-Based Control of a Smart Transformer in a Microgrid. *Vandoorn, T. L.*, +, *TIE April 2013 1291-1305*

Predictive control

A Cascade MPC Control Structure for a PMSM With Speed Ripple Minimization. *Chai, S.*, +, *TIE Aug. 2013 2978-2987*

Application of the MPC to the Position Control of the Two-Mass Drive System. *Serkies, P. J.*, +, *TIE Sept. 2013 3679-3688*

Authors' Reply to "Comments on Predictive Digital-Controlled Converter With Peak Current-Mode Control and Leading-Edge Modulation". *Lai, Y.-S.*, +, *TIE Jan. 2013 235-238*

Digital Predictive Current Control of a Three-Phase Four-Leg Inverter. *Rivera, M.*, +, *TIE Nov. 2013 4903-4912*

Discrete-Time Parameter Identification of a Surface-Mounted Permanent Magnet Synchronous Machine. *Gatto, G.*, +, *TIE Nov. 2013 4869-4880*

Fast Photovoltaic-System Voltage- or Current-Oriented MPPT Employing a Predictive Digital Current-Controlled Converter. *Kakosimos, P. E.*, +, *TIE Dec. 2013 5673-5685*

Fast-Predictive Optimal Control of NPC Multilevel Converters. *Barros, J. D.*, +, *TIE Feb. 2013 619-627*

FPGA-Based Predictive Sliding Mode Controller of a Three-Phase Inverter. *Curkovic, M.*, +, *TIE Feb. 2013 637-644*

- High Dynamic Torque Control for Industrial Engine Test Beds. *Westermayer, C.*, +, *TIE Sept. 2013 3877-3888*
- Implementation of Finite-State Model Predictive Control for Commutation Torque Ripple Minimization of Permanent-Magnet Brushless DC Motor. *Xia, C.*, +, *TIE March 2013 896-905*
- Model Predictive Control of a Two-Motor Drive With Five-Leg-Inverter Supply. *Lim, C. S.*, +, *TIE Jan. 2013 54-65*
- Moving Horizon Scheduling for Networked Control Systems With Communication Constraints. *Xue, B.*, +, *TIE Aug. 2013 3318-3327*
- Multiobjective Switching State Selector for Finite-States Model Predictive Control Based on Fuzzy Decision Making in a Matrix Converter. *Villarreal, F.*, +, *TIE Feb. 2013 589-599*
- Networked Predictive Control of Uncertain Systems With Multiple Feedback Channels. *Song, H.*, +, *TIE Nov. 2013 5228-5238*
- Predictive Current Control of Three-Phase Grid-Connected Converters With Constant Switching Frequency for Wind Energy Systems. *Song, Z.*, +, *TIE June 2013 2451-2464*
- Predictive Torque and Flux Control Without Weighting Factors. *Rojas, C. A.*, +, *TIE Feb. 2013 681-690*
- Speed Sensorless Induction Motor Drive With Predictive Current Controller. *Guzinski, J.*, +, *TIE Feb. 2013 699-709*
- Variable-Speed Five-Phase Induction Motor Drive Based on Predictive Torque Control. *Riveros, J. A.*, +, *TIE Aug. 2013 2957-2968*
- Principal component analysis**
- Bearing Fault Detection by a Novel Condition-Monitoring Scheme Based on Statistical-Time Features and Neural Networks. *Prieto, M. D.*, +, *TIE Aug. 2013 3398-3407*
- Printed circuits**
- Solder Paste Scooping Detection by Multilevel Visual Inspection of Printed Circuit Boards. *Benedek, C.*, +, *TIE June 2013 2318-2331*
- Probability**
- A New Framework of Simultaneous-Fault Diagnosis Using Pairwise Probabilistic Multi-Label Classification for Time-Dependent Patterns. *Vong, C.-M.*, +, *TIE Aug. 2013 3372-3385*
- Bayesian-Network-Based Reliability Analysis of PLC Systems. *Jiang, Y.*, +, *TIE Nov. 2013 5325-5336*
- Comparative Handover Performance Analysis of IPv6 Mobility Management Protocols. *Lee, J.-H.*, +, *TIE March 2013 1077-1088*
- Distributed \mathcal{H}_∞ Filtering for a Class of Markovian Jump Nonlinear Time-Delay Systems Over Lossy Sensor Networks. *Dong, H.*, +, *TIE Oct. 2013 4665-4672*
- High-Resolution Parameter Estimation Method to Identify Broken Rotor Bar Faults in Induction Motors. *Kim, Y.-H.*, +, *TIE Sept. 2013 4103-4117*
- Probes**
- Rotor Faults Diagnosis Using Feature Selection and Nearest Neighbors Rule: Application to a Turbogenerator. *Biet, M.*, +, *TIE Sept. 2013 4063-4073*
- Process design**
- Nonlinear-Measurement-Based Integrated Robust Design and Control for Manufacturing System. *Lu, X. J.*, +, *TIE July 2013 2711-2720*
- Product quality**
- Pretest Gap Mura on TFT LCDs Using the Optical Interference Pattern Sensing Method and Neural Network Classification. *Li, T.-Y.*, +, *TIE Sept. 2013 3976-3982*
- Production engineering computing**
- Binary Coding SVMs for the Multiclass Problem of Blast Furnace System. *Jian, L.*, +, *TIE Sept. 2013 3846-3856*
- Programmable controllers**
- Bayesian-Network-Based Reliability Analysis of PLC Systems. *Jiang, Y.*, +, *TIE Nov. 2013 5325-5336*
- Proportional control**
- Cascaded Current–Voltage Control to Improve the Power Quality for a Grid-Connected Inverter With a Local Load. *Zhong, Q.-C.*, +, *TIE April 2013 1344-1355*
- Lyapunov Function-Based Current Controller to Control Active and Reactive Power Flow From a Renewable Energy Source to a Generalized Three-Phase Microgrid System. *Dasgupta, S.*, +, *TIE Feb. 2013 799-813*
- Maximum Output Power Tracking Control in Variable-Speed Wind Turbine Systems Considering Rotor Inertial Power. *Kim, K.-H.*, +, *TIE Aug. 2013 3207-3217*
- Prosthetic power supplies**
- PLL-Based Contactless Energy Transfer Analog FSK Demodulator Using High-Efficiency Rectifier. *Hwang, Y.-S.*, +, *TIE Jan. 2013 280-290*
- Proteins**
- Flexible Autonomous Behaviors of Kinesin and Muscle Myosin Bio-Nanorobots. *Khataee, H. R.*, +, *TIE Nov. 2013 5116-5123*
- Protocols**
- Application of Ethernet Powerlink for Communication in a Linux RTAI Open CNC system. *Erwinski, K.*, +, *TIE Feb. 2013 628-636*
- Frame Packing for Minimizing the Bandwidth Consumption of the FlexRay Static Segment. *Kang, M.*, +, *TIE Sept. 2013 4001-4008*
- Network Interactions and Performance of a Multifunction IEC 61850 Process Bus. *Ingram, D. M. E.*, +, *TIE Dec. 2013 5933-5942*
- Security Analysis and Improvement of a Secure and Distributed Reprogramming Protocol for Wireless Sensor Networks. *He, D.*, +, *TIE Nov. 2013 5348-5354*
- Proton exchange membrane fuel cells**
- Equivalent Circuit Modeling of PEM Fuel Cell Degradation Combined With a LFRC. *Kim, J.*, +, *TIE Nov. 2013 5086-5094*
- High-Efficiency Digital-Controlled Interleaved Power Converter for High-Power PEM Fuel-Cell Applications. *Cheng, S.-J.*, +, *TIE Feb. 2013 773-780*
- Prototypes**
- Wheel Slip Control of EVs Based on Sliding Mode Technique With Conditional Integrators. *de Castro, R.*, +, *TIE Aug. 2013 3256-3271*
- Public key cryptography**
- Efficient Elliptic Curve Point Multiplication Using Digit-Serial Binary Field Operations. *Sutter, G. D.*, +, *TIE Jan. 2013 217-225*
- Pulse width modulation**
- A Three-Phase Single-Stage AC–DC PWM Buck-Type Full-Bridge Converter: Analysis, Design, and Characteristics. *Wijeratne, D. S.*, +, *TIE Oct. 2013 4201-4214*
- New Method to Eliminate Commutation Torque Ripple of Brushless DC Motor With Minimum Commutation Time. *Shi, J.*, +, *TIE June 2013 2139-2146*
- PWM-Based Adaptive Sliding-Mode Control for Boost DC–DC Converters. *Oucheriah, S.*, +, *TIE Aug. 2013 3291-3294*
- Transistor-Clamped H-Bridge Based Cascaded Multilevel Inverter With New Method of Capacitor Voltage Balancing. *Rahim, N. A.*, +, *TIE Aug. 2013 2943-2956*
- Pulsed power supplies**
- New Method to Achieve AC Harmonic Elimination and Energy Storage Integration for 12-Pulse Diode Rectifiers. *Bai, S.*, +, *TIE July 2013 2547-2554*
- Pulsed power technology**
- Design, Simulation, and Characterization of a Low-Cost In-Plane Spark Gap Microswitch With Dual-Trigger Electrode for Pulsed Power Applications. *Liu, C.*, +, *TIE Aug. 2013 3240-3247*
- PWM inverters**
- A Carrier-Based Unbalanced PWM Method for Four-Leg Voltage Source Inverter Fed Unsymmetrical Two-Phase Induction Motor. *Kumsuwan, Y.*, +, *TIE May 2013 2031-2041*
- A New Algorithm for Real-Time Multiple Open-Circuit Fault Diagnosis in Voltage-Fed PWM Motor Drives by the Reference Current Errors. *Estima, J. O.*, +, *TIE Aug. 2013 3496-3505*
- A Space-Vector-Based Hysteresis Current Controller for a General n -Level Inverter-Fed Drive With Nearly Constant Switching Frequency Control. *Dey, A.*, +, *TIE May 2013 1989-1998*
- Adjustable Proportional Hybrid SVPWM Strategy for Neutral-Point-Clamped Three-Level Inverters. *Xia, C.*, +, *TIE Oct. 2013 4234-4242*
- An Immune-Algorithm-Based Space-Vector PWM Control Strategy in a Three-Phase Inverter. *Yuan, J.*, +, *TIE May 2013 2084-2093*
- Application of Slope PWM Strategies to Reduce Acoustic Noise Radiated by Inverter-Fed Induction Motors. *Ruiz-Gonzalez, A.*, +, *TIE July 2013 2555-2563*
- Digital Predictive Current Control of a Three-Phase Four-Leg Inverter. *Rivera, M.*, +, *TIE Nov. 2013 4903-4912*
- Digital-Scalar PWM Approaches Applied to Four-Leg Voltage-Source Inverters. *Fernandes, D. A.*, +, *TIE May 2013 2022-2030*
- Discontinuous PWM Modulation Strategy With Circuit-Level Decoupling Concept of Three-Level Neutral-Point-Clamped (NPC) Inverter. *Zhang, Z.*, +, *TIE May 2013 1897-1906*
- Dual-Mode Double-Carrier-Based Sinusoidal Pulse Width Modulation Inverter With Adaptive Smooth Transition Control Between Modes. *Zhao, Z.*, +, *TIE May 2013 2094-2103*
- Energy-Balance Control of PV Cascaded Multilevel Grid-Connected Inverters Under Level-Shifted and Phase-Shifted PWMs. *Chavarria, J.*, +, *TIE Jan. 2013 98-111*

- Experimental Investigation on the Effect of Advanced Bus-Clamping Pulsewidth Modulation on Motor Acoustic Noise. *Binojkumar, A. C., +, TIE Feb. 2013 433-439*
- Front-End Buck Rectifier With Reduced Filter Size and Single-Loop Control. *Chaudhary, P., +, TIE Oct. 2013 4359-4368*
- Generalized Optimal Pulsewidth Modulation of Multilevel Inverters for Low-Switching-Frequency Control of Medium-Voltage High-Power Industrial AC Drives. *Rathore, +, TIE Oct. 2013 4215-4224*
- High-Power-Factor Single-Phase Diode Rectifier Driven by Repetitively Controlled IPM Motor. *Inazuma, K., +, TIE Oct. 2013 4427-4437*
- Investigation of Carrier-Based PWM Techniques for a Five-Phase Open-End Winding Drive Topology. *Bodo, N., +, TIE May 2013 2054-2065*
- Modeling and Control of Quasi-Z-Source Inverter for Distributed Generation Applications. *Li, Y., +, TIE April 2013 1532-1541*
- Modeling, Analysis, and Mitigation of Load Neutral Point Voltage for Three-Phase Four-Leg Inverter. *Liu, Z., +, TIE May 2013 2010-2021*
- Multilevel Current-Source Inverter With FPGA Control. *Aguirre, M. P., +, TIE Jan. 2013 3-10*
- Novel High-Efficiency Three-Level Stacked-Neutral-Point-Clamped Grid-Tied Inverter. *Wang, Y., +, TIE Sept. 2013 3766-3774*
- On an Auxiliary Power Unit With Emergency AC Power Output and Its Robust Controls. *Hu, K.-W., +, TIE Oct. 2013 4387-4402*
- Optimal Control of Medium-Voltage Drives—An Overview. *Holtz, J., +, TIE Dec. 2013 5472-5481*
- Sensorless Control of CSC-Fed IPM Machine for Zero- and Low-Speed Operations Using Pulsating HFI Method. *Al-nabi, E., +, TIE May 2013 1711-1723*
- Single-Phase Dual-Output Inverters With Three-Switch Legs. *Fatemi, A., +, TIE May 2013 1769-1779*
- Space Vector PWM Method for Five-Phase Two-Level VSI With Minimum Harmonic Injection in the Overmodulation Region. *Carrasco, G., +, TIE May 2013 2042-2053*
- Space-Vector PWM With Reduced Common-Mode Voltage for Five-Phase Induction Motor Drives. *Duran, M. J., +, TIE Oct. 2013 4159-4168*
- Theoretical and Experimental Analysis for Current in a Dual-Inverter-Fed Open-End Winding Induction Motor Drive With Reduced Switching PWM. *Srinivas, S., +, TIE Oct. 2013 4318-4328*
- Three-limb Coupled Inductor Operation for Paralleled Multi-level Three-Phase Voltage Sourced Inverters. *Ewanchuk, J., +, TIE May 2013 1979-1988*
- Vector-Quantized Space-Vector-Based Spread Spectrum Modulation Scheme for Multilevel Inverters Using the Principle of Oversampling ADC. *Jacob, B., +, TIE Aug. 2013 2969-2977*
- PWM power converters**
- A 10-kW Two-Stage Isolated/Bidirectional DC/DC Converter With Hybrid-Switching Technique. *Yoo, K.-M., +, TIE June 2013 2205-2213*
- A Comparative Assessment of Model Predictive Current Control and Space Vector Modulation in a Direct Matrix Converter. *Rivera, M., +, TIE Feb. 2013 578-588*
- A Digitally Controlled Switching Regulator With Reduced Conductive EMI Spectra. *Tsai, C.-H., +, TIE Sept. 2013 3938-3947*
- A Five-Level Single-Phase Grid-Connected Converter for Renewable Distributed Systems. *Buticchi, G., +, TIE March 2013 906-918*
- A New Single-Phase Single-Stage Three-Level Power-Factor-Correction AC–DC Converter With Phase-Shift Modulation. *Narimani, M., +, TIE Sept. 2013 3731-3735*
- A New ZVS DC/DC Converter With Three APWM Circuits. *Lin, B.-R., +, TIE Oct. 2013 4351-4358*
- A Novel Scheme Suitable for High-Voltage and Large-Capacity Photovoltaic Power Stations. *Zhang, C., +, TIE Sept. 2013 3775-3783*
- A Practical ZCS-PWM Boost DC–DC Converter With Clamping Diode-Assisted Active Edge-Resonant Cell and Its Extended Topologies. *Mishima, T., +, TIE June 2013 2225-2236*
- A Simple Approach to Detect ZVT and Determine Its Time of Occurrence for PWM Converters. *Russi, J. L., +, TIE July 2013 2576-2585*
- A ZVS-PWM Three-Phase Current-Fed Push–Pull DC–DC Converter. *Andersen, R. L., +, TIE March 2013 838-847*
- Adjustable Proportional Hybrid SVPWM Strategy for Neutral-Point-Clamped Three-Level Inverters. *Xia, C., +, TIE Oct. 2013 4234-4242*
- Analysis and Design of a Multioutput Converter Using Asymmetrical PWM Half-Bridge Flyback Converter Employing a Parallel–Series Transformer. *Kim, H.-S., +, TIE Aug. 2013 3115-3125*
- Analysis and Design of a New AC–DC Single-Stage Full-Bridge PWM Converter With Two Controllers. *Das, P., +, TIE Nov. 2013 4930-4946*
- Analysis and PWM Control of Switched Boost Inverter. *Ravindranath, A., +, TIE Dec. 2013 5593-5602*
- Asymptotic Time Domain Evaluation of a Multilevel Multiphase PWM Converter Voltage Quality. *Ruderman, A., +, TIE May 2013 1999-2009*
- Comparison of Two Overmodulation Strategies in an Indirect Matrix Converter. *Chiang, G. T., +, TIE Jan. 2013 43-53*
- DC Voltage Controller for Asymmetric-Twin-Converter-Topology-Based High-Power STATCOM. *Anand, S., +, TIE Jan. 2013 11-19*
- Fault Diagnosis of DC-Link Capacitors in Three-Phase AC/DC PWM Converters by Online Estimation of Equivalent Series Resistance. *Pu, X.-S., +, TIE Sept. 2013 4118-4127*
- High Voltage-Boosting Converters Based on Bootstrap Capacitors and Boost Inductors. *Hwu, K. L., +, TIE June 2013 2178-2193*
- High-Power-Factor Single-Phase Diode Rectifier Driven by Repetitively Controlled IPM Motor. *Inazuma, K., +, TIE Oct. 2013 4427-4437*
- Hybrid Seven-Level Cascaded Active Neutral-Point-Clamped-Based Multilevel Converter Under SHE-PWM. *Pulikanti, S. R., +, TIE Nov. 2013 4794-4804*
- Modeling and Control of a Three-Phase Boost Converter for Resistive Input Behavior. *Sabzehgar, R., +, TIE Dec. 2013 5854-5863*
- Modular Multilevel Converter With Different Submodule Concepts—Part I: Capacitor Voltage Balancing Method. *Solas, E., +, TIE Oct. 2013 4525-4535*
- Multilevel SVPWM With DC-Link Capacitor Voltage Balancing Control for Diode-Clamped Multilevel Converter Based STATCOM. *Shu, Z., +, TIE May 2013 1884-1896*
- Novel Random-Switching PWM Technique With Constant Sampling Frequency and Constant Inductor Average Current for Digitally Controlled Converter. *Lai, Y.-S., +, TIE Aug. 2013 3126-3135*
- Overmodulation of n -Level Three-Leg DC–AC Diode-Clamped Converters With Comprehensive Capacitor Voltage Balance. *Busquets-Monge, S., +, TIE May 2013 1872-1883*
- Per-Sequence Vector-Switching Matrix Converter Modules for Voltage Regulation. *Garcia-Vite, P. M., +, TIE Dec. 2013 5411-5421*
- Phase-Disposition PWM Implementation for a Hybrid Multicell Converter. *Lezana, P., +, TIE May 2013 1936-1942*
- Phase-Shifting-Transformer-Fed Multimodular Matrix Converter Operated by a New Modulation Strategy. *Wang, J., +, TIE Oct. 2013 4329-4338*
- Real-Time Monitoring for a Five-Level Double-Boost Power Factor Controller Including Postfault Reconfiguration. *Pham, T. T. L., +, TIE Sept. 2013 4128-4135*
- Selective Harmonic Mitigation Technique for Cascaded H-Bridge Converters With Nonequal DC Link Voltages. *Napoles, J., +, TIE May 2013 1963-1971*
- Soft-Switching Converter With Two Series Half-Bridge Legs to Reduce Voltage Stress of Active Switches. *Lin, B.-R., +, TIE June 2013 2214-2224*
- Three-Leg/Four-Leg Matrix Converter Generalized Modulation Strategy—Part II: Implementation and Verification. *Kobravi, K., +, TIE March 2013 860-872*
- Vector-Quantized Space-Vector-Based Spread Spectrum Modulation Scheme for Multilevel Inverters Using the Principle of Oversampling ADC. *Jacob, B., +, TIE Aug. 2013 2969-2977*
- ZVS DC/DC Converter Based on Two Three-Level PWM Circuits Sharing the Same Power Switches. *Lin, B.-R., +, TIE Oct. 2013 4191-4200*
- PWM rectifiers**
- Analysis of High-Efficiency Three-Phase Two- and Three-Level Unidirectional Hybrid Rectifiers. *Soeiro, T. B., +, TIE Sept. 2013 3589-3601*
- Front-End Buck Rectifier With Reduced Filter Size and Single-Loop Control. *Chaudhary, P., +, TIE Oct. 2013 4359-4368*
- High-Power-Factor Single-Phase Diode Rectifier Driven by Repetitively Controlled IPM Motor. *Inazuma, K., +, TIE Oct. 2013 4427-4437*
- ZVS DC/DC Converter Based on Two Three-Level PWM Circuits Sharing the Same Power Switches. *Lin, B.-R., +, TIE Oct. 2013 4191-4200*
- Q**
- Q-factor**
- Current-Fed High-Frequency AC Distributed Power System for Medium–High-Voltage Gate Driving Applications. *Wen, H., +, TIE Sept. 2013 3736-3751*

Quadratic programming

A Noniterative Optimized Algorithm for Shunt Active Power Filter Under Distorted and Unbalanced Supply Voltages. *Kanjiya, P., +, TIE Dec. 2013 5376-5390*

Moving Horizon Scheduling for Networked Control Systems With Communication Constraints. *Xue, B., +, TIE Aug. 2013 3318-3327*

Quality control

Pretest Gap Mura on TFT LCDs Using the Optical Interference Pattern Sensing Method and Neural Network Classification. *Li, T.-Y., +, TIE Sept. 2013 3976-3982*

Quantization (signal)

Control Synthesis for a Class of Linear Network-Based Systems With Communication Constraints. *Zhang, C., +, TIE Aug. 2013 3339-3348*

Query processing

Path k -NN Query Processing in Mobile Systems. *Zhao, G., +, TIE March 2013 1099-1107*

Queueing theory

Mobility Management Scheme for Context-Aware Transactions in Pervasive and Mobile Cyberspace. *Younas, M., +, TIE March 2013 1108-1115*

R**Radio networks**

Path k -NN Query Processing in Mobile Systems. *Zhao, G., +, TIE March 2013 1099-1107*

Reconfigurable RF Quadrature Patch Hybrid Coupler. *Zheng, S. Y., +, TIE Aug. 2013 3349-3359*

Robust Device-Free Wireless Localization Based on Differential RSS Measurements. *Wang, J., +, TIE Dec. 2013 5943-5952*

Radio receivers

Control Method for Wireless Inductive Energy Transfer Systems With Relatively Large Air Gap. *van der Pijl, F., +, TIE Jan. 2013 382-390*

EAACK—A Secure Intrusion-Detection System for MANETs. *Shakshuki, E. M., +, TIE March 2013 1089-1098*

Effect of Coupling Between Multiple Transmitters or Multiple Receivers on Wireless Power Transfer. *Ahn, D., +, TIE July 2013 2602-2613*

Radio spectrum management

Study of RF Subsystem Used in Dynamic Spectrum Sharing System at TV Band. *You, C.-J., +, TIE June 2013 2346-2357*

Radio transmitters

Control Method for Wireless Inductive Energy Transfer Systems With Relatively Large Air Gap. *van der Pijl, F., +, TIE Jan. 2013 382-390*

EAACK—A Secure Intrusion-Detection System for MANETs. *Shakshuki, E. M., +, TIE March 2013 1089-1098*

Effect of Coupling Between Multiple Transmitters or Multiple Receivers on Wireless Power Transfer. *Ahn, D., +, TIE July 2013 2602-2613*

Study of RF Subsystem Used in Dynamic Spectrum Sharing System at TV Band. *You, C.-J., +, TIE June 2013 2346-2357*

Radiofrequency identification

Design and Performance Analysis of a 866-MHz Low-Power Optimized CMOS LNA for UHF RFID. *Li, J., +, TIE May 2013 1840-1849*

Efficient Object Localization Using Sparsely Distributed Passive RFID Tags. *Yang, P., +, TIE Dec. 2013 5914-5924*

Self-Recognition of Vehicle Position Using UHF Passive RFID Tags. *Park, S., +, TIE Jan. 2013 226-234*

Radiofrequency power transmission

An Optimizable Circuit Structure for High-Efficiency Wireless Power Transfer. *Chen, L., +, TIE Jan. 2013 339-349*

Control Method for Wireless Inductive Energy Transfer Systems With Relatively Large Air Gap. *van der Pijl, F., +, TIE Jan. 2013 382-390*

Effect of Coupling Between Multiple Transmitters or Multiple Receivers on Wireless Power Transfer. *Ahn, D., +, TIE July 2013 2602-2613*

Radionavigation

Efficient Object Localization Using Sparsely Distributed Passive RFID Tags. *Yang, P., +, TIE Dec. 2013 5914-5924*

Radiotelemetry

Cattle-Powered Node Experience in a Heterogeneous Network for Localization of Herds. *Gutierrez, A., +, TIE Aug. 2013 3176-3184*

Railway electrification

Digital Detection, Control, and Distribution System for Co-Phase Traction Power Supply Application. *Shu, Z., +, TIE May 2013 1831-1839*

Random noise

A Sensor Fault Detection and Isolation Method in Interior Permanent-Magnet Synchronous Motor Drives Based on an Extended Kalman Filter. *Foo, G. H. B., +, TIE Aug. 2013 3485-3495*

Random processes

Design of An Advanced Time Delay Measurement and A Smart Adaptive Unequal Interval Grey Predictor for Real-Time Nonlinear Control Systems. *Truong, D. Q., +, TIE Oct. 2013 4574-4589*

Reachability analysis

Controllable Petri Net-Based Implementation Approach for Motor Control Systems. *Kuo, C.-H., +, TIE Oct. 2013 4599-4612*

Reactive power

A Control Technique for Integration of DG Units to the Electrical Networks. *Pouresmaeil, E., +, TIE July 2013 2881-2893*

A Current Decoupling Parallel Control Strategy of Single-Phase Inverter With Voltage and Current Dual Closed-Loop Feedback. *Xu, S., +, TIE April 2013 1306-1313*

A Transformerless Series Reactive/Harmonic Compensator for Line-Commutated HVDC for Grid Integration of Offshore Wind Power. *Jafar, M., +, TIE June 2013 2410-2419*

DC Voltage Controller for Asymmetric-Twin-Converter-Topology-Based High-Power STATCOM. *Anand, S., +, TIE Jan. 2013 11-19*

Flexible Voltage Support Control for Three-Phase Distributed Generation Inverters Under Grid Fault. *Camacho, A., +, TIE April 2013 1429-1441*

Harmonic Droop Controller to Reduce the Voltage Harmonics of Inverters. *Zhong, Q.-C., +, TIE March 2013 936-945*

Modeling, Analysis, and Design of Stationary-Reference-Frame Droop-Controlled Parallel Three-Phase Voltage Source Inverters. *Vasquez, J. C., +, TIE April 2013 1271-1280*

Reactive power control

Advanced Diagnosis of Electrical Faults in Wound-Rotor Induction Machines. *Gritli, Y., +, TIE Sept. 2013 4012-4024*

Analysis and Enhancement of Low-Voltage Ride-Through Capability of Brushless Doubly Fed Induction Generator. *Tohidi, S., +, TIE March 2013 1146-1155*

Autonomous Voltage Unbalance Compensation in an Islanded Droop-Controlled Microgrid. *Savaghebi, M., +, TIE April 2013 1390-1402*

Digital Detection, Control, and Distribution System for Co-Phase Traction Power Supply Application. *Shu, Z., +, TIE May 2013 1831-1839*

Lyapunov Function-Based Current Controller to Control Active and Reactive Power Flow From a Renewable Energy Source to a Generalized Three-Phase Microgrid System. *Dasgupta, S., +, TIE Feb. 2013 799-813*

Performance Investigation of Isolated Wind-Diesel Hybrid Power Systems With WECS Having PMIG. *Sharma, P., +, TIE April 2013 1630-1637*

Reactive Power Compensation in Single-Phase Operation of Microgrid. *Majumder, R., +, TIE April 2013 1403-1416*

Real-Time Implementation of ANFIS Control for Renewable Interfacing Inverter in 3P4W Distribution Network. *Singh, M., +, TIE Jan. 2013 121-128*

Wind Energy System With Integrated Functions of Active Power Transfer, Reactive Power Compensation, and Voltage Conversion. *She, X., +, TIE Oct. 2013 4512-4524*

Real-time systems

A Saturation-Based Tuning Method for Fuzzy PID Controller. *Duan, X.-G., +, TIE Nov. 2013 5177-5185*

Design of An Advanced Time Delay Measurement and A Smart Adaptive Unequal Interval Grey Predictor for Real-Time Nonlinear Control Systems. *Truong, D. Q., +, TIE Oct. 2013 4574-4589*

Receivers

Acoustic Energy Transfer: A Review. *Roes, M. G. L., +, TIE Jan. 2013 242-248*

Rectifiers

A New ZVS DC/DC Converter With Three APWM Circuits. *Lin, B.-R., +, TIE Oct. 2013 4351-4358*

A Novel Single-Stage Multilevel Type Full-Bridge Converter. *Narimani, M., +, TIE Jan. 2013 31-42*

An All-DC Offshore Wind Farm With Series-Connected Turbines: An Alternative to the Classical Parallel AC Model?. *Holtmark, N., +, TIE June 2013 2420-2428*

Analysis and Design of Phase-Shifted Dual H-Bridge Converter With a Wide ZVS Range and Reduced Output Filter. *Lee, I.-O., +, TIE Oct. 2013 4415-4426*

Efficiency and Fault Ride-Through Performance of a Diode-Rectifier- and VSC-Inverter-Based HVDC Link for Offshore Wind Farms. *Bernal-Perez, S., +, TIE June 2013 2401-2409*

- Fast-Predictive Optimal Control of NPC Multilevel Converters. *Barros, J. D.*, +, *TIE Feb. 2013 619-627*
- LCC-HVDC Connection of Offshore Wind Farms With Reduced Filter Banks. *Blasco-Gimenez, R.*, +, *TIE June 2013 2372-2380*
- New Method to Achieve AC Harmonic Elimination and Energy Storage Integration for 12-Pulse Diode Rectifiers. *Bai, S.*, +, *TIE July 2013 2547-2554*
- Soft-Switching Converter With Two Series Half-Bridge Legs to Reduce Voltage Stress of Active Switches. *Lin, B.-R.*, +, *TIE June 2013 2214-2224*
- Start-up Procedure and Switching Loss Reduction for a Single-Phase Flying Capacitor Active Rectifier. *Sepahvand, H.*, +, *TIE Sept. 2013 3699-3710*
- Vienna-Rectifier-Based Direct Torque Control of PMSG for Wind Energy Application. *Rajaei, A.*, +, *TIE July 2013 2919-2929*
- Rectifying circuits**
- A Fault-Tolerant Parallel Structure of Single-Phase Full-Bridge Rectifiers for a Wound-Field Doubly Salient Generator. *Chen, Z.*, +, *TIE Aug. 2013 2988-2996*
- A New ZVS DC/DC Converter With Three APWM Circuits. *Lin, B.-R.*, +, *TIE Oct. 2013 4351-4358*
- A Novel Strategy for Three-Phase/Switch/Level (Vienna) Rectifier Under Severe Unbalanced Grids. *Zhang, M.*, +, *TIE Oct. 2013 4243-4252*
- A Transformerless Series Reactive/Harmonic Compensator for Line-Commutated HVDC for Grid Integration of Offshore Wind Power. *Jafar, M.*, +, *TIE June 2013 2410-2419*
- Control of Single-Phase Grid-Connected Inverters With Nonlinear Loads. *Yao, Z.*, +, *TIE April 2013 1384-1389*
- Controlled Dynamic Braking for Switched Reluctance Motor Drives With a Rectifier Front End. *Yang, S.-M.*, +, *TIE Nov. 2013 4913-4919*
- Digitized Feedforward Compensation Method for High-Power-Density Three-Phase Vienna PFC Converter. *Hang, L.*, +, *TIE April 2013 1512-1519*
- Offshore-Wind-Farm Configuration Using Diode Rectifier With MERS in Current Link Topology. *Kawaguchi, T.*, +, *TIE July 2013 2930-2937*
- Performance of Homopolar Inductor Alternator With Diode-Bridge Rectifier and Capacitive Load. *Ren, Z.*, +, *TIE Nov. 2013 4891-4902*
- PLL-Based Contactless Energy Transfer Analog FSK Demodulator Using High-Efficiency Rectifier. *Hwang, Y.-S.*, +, *TIE Jan. 2013 280-290*
- Using Only the DC Current Information to Detect Stator Turn Faults in Automotive Claw-Pole Generators. *Cheng, S.*, +, *TIE Aug. 2013 3462-3471*
- Recursive estimation**
- Estimation of Sideslip and Roll Angles of Electric Vehicles Using Lateral Tire Force Sensors Through RLS and Kalman Filter Approaches. *Nam, K.*, +, *TIE March 2013 988-1000*
- Real-Time Power System Phasors and Harmonics Estimation Using a New Decoupled Recursive-Least-Squares Technique for DSP Implementation. *Sadinezhad, I.*, +, *TIE June 2013 2295-2308*
- Reduced order systems**
- Allocation of Actuators and Sensors for Coupled-Adjacent-Building Vibration Attenuation. *Gao, H.*, +, *TIE Dec. 2013 5792-5801*
- Frequency-Adaptive Current Controller for Three-Phase Grid-Connected Converters. *Gomez Jorge, S.*, +, *TIE Oct. 2013 4169-4177*
- On Low-Velocity Compensation of Brushless DC Servo in the Absence of Friction Model. *Sun, M.*, +, *TIE Sept. 2013 3897-3905*
- Reduced-Order Model and Stability Analysis of Low-Voltage DC Microgrid. *Anand, S.*, +, *TIE Nov. 2013 5040-5049*
- Redundant manipulators**
- Minimal Grasper: A Practical Robotic Grasper With Robust Performance for Pick-and-Place Tasks. *Jin, J.*, +, *TIE Sept. 2013 3796-3805*
- Relay protection**
- FPGA Implementation of the Generalized Delayed Signal Cancellation—Phase Locked Loop Method for Detecting Harmonic Sequence Components in Three-Phase Signals. *Nascimento, P. S. B.*, +, *TIE Feb. 2013 645-658*
- Hierarchical Fault Diagnosis for Power Systems Based on Equivalent-Input-Disturbance Approach. *Hu, B.*, +, *TIE Aug. 2013 3529-3538*
- Reliability**
- A Nine-Level Inverter Topology for Medium-Voltage Induction Motor Drive With Open-End Stator Winding. *Rajeevan, P. P.*, +, *TIE Sept. 2013 3627-3636*
- A Novel Noninvasive Failure-Detection System for High-Power Converters Based on SCRs. *Guerrero, V.*, +, *TIE Feb. 2013 450-458*
- A Parameterization Approach for Enhancing PV Model Accuracy. *Mahmoud, Y. A.*, +, *TIE Dec. 2013 5708-5716*
- Fault-Tolerant Five-Leg Converter Topology With FPGA-Based Reconfigurable Control. *Shahbazi, M.*, +, *TIE June 2013 2284-2294*
- High-Efficiency Digital-Controlled Interleaved Power Converter for High-Power PEM Fuel-Cell Applications. *Cheng, S.-J.*, +, *TIE Feb. 2013 773-780*
- High-Frequency Issues Using Rotating Voltage Injections Intended For Position Self-Sensing. *Gabriel, F.*, +, *TIE Dec. 2013 5447-5457*
- On Condition Maintenance Based on the Impedance Measurement for Traction Batteries: Development and Industrial Implementation. *Munoz-Condes, P.*, +, *TIE July 2013 2750-2759*
- Reliability Calculation of Multilevel Converters: Theory and Applications. *Richardeau, F.*, +, *TIE Oct. 2013 4225-4233*
- Variable-Speed Five-Phase Induction Motor Drive Based on Predictive Torque Control. *Riveros, J. A.*, +, *TIE Aug. 2013 2957-2968*
- Reluctance motor drives**
- Acoustic Noise/Vibration Reduction of a Single-Phase SRM Using Skewed Stator and Rotor. *Yang, H.-Y.*, +, *TIE Oct. 2013 4292-4300*
- Comprehensive Evaluation of the Dynamic Performance of a 6/10 SRM for Traction Application in PHEVs. *Bilgin, B.*, +, *TIE July 2013 2564-2575*
- Controlled Dynamic Braking for Switched Reluctance Motor Drives With a Rectifier Front End. *Yang, S.-M.*, +, *TIE Nov. 2013 4913-4919*
- Design and Implementation of an Online Tuning Adaptive Controller for Synchronous Reluctance Motor Drives. *Wei, M.-Y.*, +, *TIE Sept. 2013 3644-3657*
- Reluctance motors**
- Design and Operation Characteristics of Four-Two Pole High-Speed SRM for Torque Ripple Reduction. *Lee, D.-H.*, +, *TIE Sept. 2013 3637-3643*
- Fault Diagnosis Digital Method for Power Transistors in Power Converters of Switched Reluctance Motors. *Chen, H.*, +, *TIE Feb. 2013 749-763*
- Remotely operated vehicles**
- Practical Design Considerations for Contactless Power Transfer Quadrature Pick-Ups. *Raabe, S.*, +, *TIE Jan. 2013 400-409*
- Renewable energy sources**
- Application of Four-Switch-Based Three-Phase Grid-Connected Inverter to Connect Renewable Energy Source to a Generalized Unbalanced Microgrid System. *Dasgupta, S.*, +, *TIE March 2013 1204-1215*
- Assessment and Optimization of the Transient Response of Proportional-Resonant Current Controllers for Distributed Power Generation Systems. *Vidal, A.*, +, *TIE April 2013 1367-1383*
- Evaluation of Storage Energy Requirements for Constant Production in PV Power Plants. *Beltran, H.*, +, *TIE March 2013 1225-1234*
- Global Energy Scenario and Impact of Power Electronics in 21st Century. *Bose, B. K.*, +, *TIE July 2013 2638-2651*
- Introduction to the Special Section on Smart Devices for Renewable Energy Systems. *Cecati, C.*, +, *TIE March 2013 1119-1121*
- Lyapunov Function-Based Current Controller to Control Active and Reactive Power Flow From a Renewable Energy Source to a Generalized Three-Phase Microgrid System. *Dasgupta, S.*, +, *TIE Feb. 2013 799-813*
- Modeling and Control Design of the Interleaved Double Dual Boost Converter. *Garcia, F. S.*, +, *TIE Aug. 2013 3283-3290*
- Multiphysics Test Bed for Renewable Energy Systems in Smart Homes. *Molitor, C.*, +, *TIE March 2013 1235-1248*
- Parallel PI Voltage- H^∞ Current Controller for the Neutral Point of a Three-Phase Inverter. *Hornik, T.*, +, *TIE April 2013 1335-1343*
- Power Adaptor Device for Domestic DC Microgrids Based on Commercial MPPT Inverters. *Valderrama-Blavi, H.*, +, *TIE March 2013 1191-1203*
- Real-Time Implementation of ANFIS Control for Renewable Interfacing Inverter in 3P4W Distribution Network. *Singh, M.*, +, *TIE Jan. 2013 121-128*
- Repeaters**
- A Study on Magnetic Field Repeater in Wireless Power Transfer. *Ahn, D.*, +, *TIE Jan. 2013 360-371*
- Resistors**
- A New Design Method for the Passive Damped LCL and LLCL Filter-Based Single-Phase Grid-Tied Inverter. *Wu, W.*, +, *TIE Oct. 2013 4339-4350*
- Analysis and Enhancement of Low-Voltage Ride-Through Capability of Brushless Doubly Fed Induction Generator. *Tohidi, S.*, +, *TIE March 2013 1146-1155*
- Resonant inverters**
- Computational Modeling of Two Partly Coupled Coils Supplied by a Double Half-Bridge Resonant Inverter for Induction Heating Appliances. *Carretero, C.*, +, *TIE Aug. 2013 3092-3105*
- Current-Fed High-Frequency AC Distributed Power System for Medium-High-Voltage Gate Driving Applications. *Wen, H.*, +, *TIE Sept. 2013 3736-3751*

Modulation Scheme for Improved Operation of an RB-IGBT-Based Resonant Inverter Applied to Domestic Induction Heating. *Sarnago, H.*, +, *TIE May 2013 2066-2073*

Resonant power converters

A 10-kW Two-Stage Isolated/Bidirectional DC/DC Converter With Hybrid-Switching Technique. *Yoo, K.-M.*, +, *TIE June 2013 2205-2213*

A New ZVS DC/DC Converter With Three APWM Circuits. *Lin, B.-R.*, +, *TIE Oct. 2013 4351-4358*

Analysis of a Novel Current Resonant DC–DC Converter. *Sato, T.*, +, *TIE Nov. 2013 4987-4995*

Applying Response Surface Methodology to Small Planar Transformer Winding Design. *Cove, S. R.*, +, *TIE Feb. 2013 483-493*

Automated Design of a High-Power High-Frequency LCC Resonant Converter for Electrostatic Precipitators. *Soeiro, T. B.*, +, *TIE Nov. 2013 4805-4819*

Novel Techniques to Suppress the Common-Mode EMI Noise Caused by Transformer Parasitic Capacitances in DC–DC Converters. *Fu, D.*, +, *TIE Nov. 2013 4968-4977*

Sine-Wave Amplitude-Modulation Concept for Linear Behavior of Phase-Modulated Resonant Converters. *Ferreira, C. A. F.*, +, *TIE May 2013 2074-2083*

Resonators

A Study on Magnetic Field Repeater in Wireless Power Transfer. *Ahn, D.*, +, *TIE Jan. 2013 360-371*

Automated Impedance Matching System for Robust Wireless Power Transfer via Magnetic Resonance Coupling. *Beh, T. C.*, +, *TIE Sept. 2013 3689-3698*

General Analysis on the Use of Tesla's Resonators in Domino Forms for Wireless Power Transfer. *Zhong, W.*, +, *TIE Jan. 2013 261-270*

Response surface methodology

Applying Response Surface Methodology to Small Planar Transformer Winding Design. *Cove, S. R.*, +, *TIE Feb. 2013 483-493*

Reviews

Acoustic Energy Transfer: A Review. *Roes, M. G. L.*, +, *TIE Jan. 2013 242-248*

Rheology

Initial Friction Compensation Using Rheology-Based Rolling Friction Model in Fast and Precise Positioning. *Maeda, Y.*, +, *TIE Sept. 2013 3869-3876*

Risk management

Risk Measures for Particle-Filtering-Based State-of-Charge Prognosis in Lithium-Ion Batteries. *Orchard, M. E.*, +, *TIE Nov. 2013 5260-5269*

Road traffic

An Intelligent Particle Swarm Optimization for Short-Term Traffic Flow Forecasting Using on-Road Sensor Systems. *Chan, K. Y.*, +, *TIE Oct. 2013 4714-4725*

Impact of Traffic Conditions on the Active Suspension Energy Regeneration in Hybrid Electric Vehicles. *Montazeri-Gh, M.*, +, *TIE Oct. 2013 4546-4553*

Road vehicles

An Intelligent Particle Swarm Optimization for Short-Term Traffic Flow Forecasting Using on-Road Sensor Systems. *Chan, K. Y.*, +, *TIE Oct. 2013 4714-4725*

Enhanced Adaptive Self-Organizing Fuzzy Sliding-Mode Controller for Active Suspension Systems. *Lian, R.-J.*, +, *TIE March 2013 958-968*

Estimation of Sideslip and Roll Angles of Electric Vehicles Using Lateral Tire Force Sensors Through RLS and Kalman Filter Approaches. *Nam, K.*, +, *TIE March 2013 988-1000*

Implementation of EKF for Vehicle Velocities Estimation on FPGA. *Guo, H.*, +, *TIE Sept. 2013 3823-3835*

Steering the Last Trailer as a Virtual Tractor for Reversing Vehicles With Passive On- and Off-Axle Hitches. *Morales, J.*, +, *TIE Dec. 2013 5729-5736*

Robot dynamics

A Novel Motion Equation for General Task Description and Analysis of Mobile-Hapto. *Sakaino, S.*, +, *TIE July 2013 2673-2680*

Decoupled Dynamic Control for Pitch and Roll Axes of the Unicycle Robot. *Lee, J.*, +, *TIE Sept. 2013 3814-3822*

Distributed Cohesive Motion Control of Flight Vehicle Formations. *Bayezit, I.*, +, *TIE Dec. 2013 5763-5772*

Stability Guaranteed Time-Delay Control of Manipulators Using Nonlinear Damping and Terminal Sliding Mode. *Jin, Y.*, +, *TIE Aug. 2013 3304-3317*

Robot kinematics

Distributed Cohesive Motion Control of Flight Vehicle Formations. *Bayezit, I.*, +, *TIE Dec. 2013 5763-5772*

Robot vision

Cloud-Based Networked Visual Servo Control. *Wu, H.*, +, *TIE Feb. 2013 554-566*

Single-View Distance-Estimation-Based Formation Control of Robotic Swarms. *Fidan, B.*, +, *TIE Dec. 2013 5781-5791*

Robots

Flexible Autonomous Behaviors of Kinesin and Muscle Myosin Bio-Nanorobots. *Khataee, H. R.*, +, *TIE Nov. 2013 5116-5123*

Robust control

μ -Synthesis for Frequency Uncertainty of the ICPT System. *Li, Y.-L.*, +, *TIE Jan. 2013 291-300*

A Power-Frequency Controller for Bidirectional Inductive Power Transfer Systems. *Madawala, U. K.*, +, *TIE Jan. 2013 310-317*

A Robust Linear Field-Oriented Voltage Control for the Induction Motor: Experimental Results. *Sira-Ramirez, H.*, +, *TIE Aug. 2013 3025-3033*

A Saturation-Based Tuning Method for Fuzzy PID Controller. *Duan, X.-G.*, +, *TIE Nov. 2013 5177-5185*

An Optimal PID Control Algorithm for Training Feedforward Neural Networks. *Jing, X.*, +, *TIE June 2013 2273-2283*

High Dynamic Torque Control for Industrial Engine Test Beds. *Westermayer, C.*, +, *TIE Sept. 2013 3877-3888*

Initial Friction Compensation Using Rheology-Based Rolling Friction Model in Fast and Precise Positioning. *Maeda, Y.*, +, *TIE Sept. 2013 3865-3876*

Minimal Grasper: A Practical Robotic Grasper With Robust Performance for Pick-and-Place Tasks. *Jin, J.*, +, *TIE Sept. 2013 3796-3805*

New Overall Power Control Strategy for Variable-Speed Fixed-Pitch Wind Turbines Within the Whole Wind Velocity Range. *Chen, J.*, +, *TIE July 2013 2652-2660*

Nonlinear-Measurement-Based Integrated Robust Design and Control for Manufacturing System. *Lu, X. J.*, +, *TIE July 2013 2711-2720*

Robust Disturbance Observer for Two-Inertia System. *Yun, J. N.*, +, *TIE July 2013 2700-2710*

Robust LQR Attitude Control of a 3-DOF Laboratory Helicopter for Aggressive Maneuvers. *Liu, H.*, +, *TIE Oct. 2013 4627-4636*

Saturated Adaptive Robust Control for Active Suspension Systems. *Sun, W.*, +, *TIE Sept. 2013 3889-3896*

Sliding-Mode Control of an Electromagnetic Actuated Conveyance System Using Contactless Sensing. *Chin, C. S.*, +, *TIE Nov. 2013 5315-5324*

Stability Guaranteed Time-Delay Control of Manipulators Using Nonlinear Damping and Terminal Sliding Mode. *Jin, Y.*, +, *TIE Aug. 2013 3304-3317*

T-S Fuzzy Model-Based Adaptive Dynamic Surface Control for Ball and Beam System. *Chang, Y.-H.*, +, *TIE June 2013 2251-2263*

Wheel Slip Control of EVs Based on Sliding Mode Technique With Conditional Integrators. *de Castro, R.*, +, *TIE Aug. 2013 3256-3271*

Rolling friction

Initial Friction Compensation Using Rheology-Based Rolling Friction Model in Fast and Precise Positioning. *Maeda, Y.*, +, *TIE Sept. 2013 3865-3876*

Rolling Friction Model-Based Analyses and Compensation for Slow Settling Response in Precise Positioning. *Maeda, Y.*, +, *TIE Dec. 2013 5841-5853*

Rolling mills

Polynomial-Method-Based Design of Low-Order Controllers for Two-Mass Systems. *Ma, C.*, +, *TIE March 2013 969-978*

Root loci

Stability Enhancement of a Power System With a PMSG-Based and a DFIG-Based Offshore Wind Farm Using a SVC With an Adaptive-Network-Based Fuzzy Inference System. *Wang, L.*, +, *TIE July 2013 2799-2807*

Rotors

A Twofold Daubechies-Wavelet-Based Module for Fault Detection and Voltage Regulation in SELGs for Distributed Wind Power Generation. *Iyer, K. L. V.*, +, *TIE April 2013 1638-1651*

AC Drive Observability Analysis. *Vaclavsek, P.*, +, *TIE Aug. 2013 3047-3059*

Acoustic Noise/Vibration Reduction of a Single-Phase SRM Using Skewed Stator and Rotor. *Yang, H.-Y.*, +, *TIE Oct. 2013 4292-4300*

Advanced Diagnosis of Electrical Faults in Wound-Rotor Induction Machines. *Gritli, Y.*, +, *TIE Sept. 2013 4012-4024*

An Adaptive Interconnected Observer for Sensorless Control of PM Synchronous Motors With Online Parameter Identification. *Hamida, M. A.*, +, *TIE Feb. 2013 739-748*

An LVRT Control Strategy Based on Flux Linkage Tracking for DFIG-Based WECS. *Xiao, S.*, +, *TIE July 2013 2820-2832*

An Observer for Sensorless DFIM Drives Based on the Natural Fifth Harmonic of the Line Voltage, Without Stator Current Measurement. *Castelli-Dezza, F.*, +, *TIE Oct. 2013 4301-4309*

Comprehensive Evaluation of the Dynamic Performance of a 6/10 SRM for Traction Application in PHEVs. *Bilgin, B.*, +, *TIE July 2013 2564-2575*

Controlled Dynamic Braking for Switched Reluctance Motor Drives With a Rectifier Front End. *Yang, S.-M.*, +, *TIE Nov. 2013 4913-4919*

Generalized Vector Control for Brushless Doubly Fed Machines With Nested-Loop Rotor. *Barati, F.*, +, *TIE June 2013 2477-2485*

High-Frequency Issues Using Rotating Voltage Injections Intended For Position Self-Sensing. *Gabriel, F.*, +, *TIE Dec. 2013 5447-5457*

High-Resolution Parameter Estimation Method to Identify Broken Rotor Bar Faults in Induction Motors. *Kim, Y.-H.*, +, *TIE Sept. 2013 4103-4117*

Maximum Output Power Tracking Control in Variable-Speed Wind Turbine Systems Considering Rotor Inertial Power. *Kim, K.-H.*, +, *TIE Aug. 2013 3207-3217*

Parameter Estimation for Condition Monitoring of PMSM Stator Winding and Rotor Permanent Magnets. *Liu, K.*, +, *TIE Dec. 2013 5902-5913*

Performance of Low-Cost Permanent Magnet Material in PM Synchronous Machines. *Petrov, I.*, +, *TIE June 2013 2131-2138*

Remedial Injected-Harmonic-Current Operation of Redundant Flux-Switching Permanent-Magnet Motor Drives. *Zhao, W.*, +, *TIE Jan. 2013 151-159*

Rotor Faults Diagnosis Using Feature Selection and Nearest Neighbors Rule: Application to a Turbogenerator. *Biet, M.*, +, *TIE Sept. 2013 4063-4073*

Sensorless Direct Slip Position Estimator of a DFIM Based on the Air Gap pq Vector—Sensitivity Study. *Marques, G. D.*, +, *TIE June 2013 2442-2450*

Sensorless Predictive DTC of a Surface-Mounted Permanent-Magnet Synchronous Machine Based on Its Magnetic Anisotropy. *Morales-Caporal, R.*, +, *TIE Aug. 2013 3016-3024*

Shaft Trajectory Analysis in a Partially Demagnetized Permanent-Magnet Synchronous Motor. *Urresty, J.-C.*, +, *TIE Aug. 2013 3454-3461*

Stator-Current Spectrum Signature of Healthy Cage Rotor Induction Machines. *Joksimovic, G. M.*, +, *TIE Sept. 2013 4025-4033*

Thermal Analysis and Cooling System Design of Dual Mechanical Port Machine for Wind Power Application. *Sun, X.*, +, *TIE May 2013 1724-1733*

Use of Stored Energy in PMSG Rotor Inertia for Low-Voltage Ride-Through in Back-to-Back NPC Converter-Based Wind Power Systems. *Alepuz, S.*, +, *TIE May 2013 1787-1796*

Validation of a Faulted Rotor Induction Machine Model With an Insightful Geometrical Interpretation of Physical Quantities. *Concari, C.*, +, *TIE Sept. 2013 4074-4083*

S

Sampling methods

Design of An Advanced Time Delay Measurement and A Smart Adaptive Unequal Interval Grey Predictor for Real-Time Nonlinear Control Systems. *Truong, D. Q.*, +, *TIE Oct. 2013 4574-4589*

Scheduling

An Efficient Hybrid Medium Access Control Technique for Digital Ecosystems. *Le, H.*, +, *TIE March 2013 1070-1076*

Gain-Scheduling Control of Teleoperation Systems Interacting With Soft Tissues. *Cho, J. H.*, +, *TIE March 2013 946-957*

Schottky diodes

Reliability Analysis Framework for Structural Redundancy in Power Semiconductors. *Behjati, H.*, +, *TIE Oct. 2013 4376-4386*

Secondary cells

A Single-Phase Multilevel Inverter With Battery Balancing. *Young, C.-M.*, +, *TIE May 2013 1972-1978*

Battery Charger for Electric Vehicle Traction Battery Switch Station. *Kuperman, A.*, +, *TIE Dec. 2013 5391-5399*

Improvement of Li-ion Battery Discharging Performance by Pulse and Sinusoidal Current Strategies. *Chen, L.-R.*, +, *TIE Dec. 2013 5620-5628*

Risk Measures for Particle-Filtering-Based State-of-Charge Prognosis in Lithium-Ion Batteries. *Orchard, M. E.*, +, *TIE Nov. 2013 5260-5269*

Single-Switch Multioutput Charger Using Voltage Multiplier for Series-Connected Lithium-Ion Battery/Supercapacitor Equalization. *Uno, M.*, +, *TIE Aug. 2013 3227-3239*

Sinusoidal-Ripple-Current Charging Strategy and Optimal Charging Frequency Study for Li-Ion Batteries. *Chen, L.-R.*, +, *TIE Jan. 2013 88-97*

Security of data

A Methodology for Maintaining Trust in Industrial Digital Ecosystems. *Fachrunnisa, O.*, +, *TIE March 2013 1042-1058*

Seebeck effect

Local Heat Flux Measurement in a Permanent Magnet Motor at No Load. *Jussila, H. K.*, +, *TIE Nov. 2013 4852-4860*

Self-adjusting systems

Development of a Recurrent Fuzzy CMAC With Adjustable Input Space Quantization and Self-Tuning Learning Rate for Control of a Dual-Axis Piezoelectric Actuated Micromotion Stage. *Wen, C.-M.*, +, *TIE Nov. 2013 5105-5115*

Semiconductor device metallization

Evaluation of V_{ce} Monitoring as a Real-Time Method to Estimate Aging of Bond Wire-IGBT Modules Stressed by Power Cycling. *Smet, V.*, +, *TIE July 2013 2760-2770*

Semiconductor device reliability

Reliability Analysis Framework for Structural Redundancy in Power Semiconductors. *Behjati, H.*, +, *TIE Oct. 2013 4376-4386*

Semiconductor devices

Analysis, Design, and Experimental Results of Novel Snubberless Bidirectional Naturally Clamped ZCS/ZVS Current-Fed Half-Bridge DC/DC Converter for Fuel Cell Vehicles. *Rathore, A. K.*, +, *TIE Oct. 2013 4482-4491*

Extended Range ZVS Active-Clamped Current-Fed Full-Bridge Isolated DC/DC Converter for Fuel Cell Applications: Analysis, Design, and Experimental Results. *U R, P.*, +, *TIE July 2013 2661-2672*

Optimal Control of Medium-Voltage Drives—An Overview. *Holtz, J.*, +, *TIE Dec. 2013 5472-5481*

Semiconductor diodes

Performance of Homopolar Inductor Alternator With Diode-Bridge Rectifier and Capacitive Load. *Ren, Z.*, +, *TIE Nov. 2013 4891-4902*

Sensitivity

Industrial Application of Evolvable Block-Based Neural Network to Hypoglycemia Monitoring System. *San, P. P.*, +, *TIE Dec. 2013 5892-5901*

Sensitivity analysis

A Novel Protective Scheme to Protect Small-Scale Synchronous Generators Against Transient Instability. *Razzaghi, R.*, +, *TIE April 2013 1659-1667*

A Saturation-Based Tuning Method for Fuzzy PID Controller. *Duan, X.-G.*, +, *TIE Nov. 2013 5177-5185*

Sensor fusion

Estimation of Sideslip and Roll Angles of Electric Vehicles Using Lateral Tire Force Sensors Through RLS and Kalman Filter Approaches. *Nam, K.*, +, *TIE March 2013 988-1000*

Hierarchical Fault Diagnosis for Power Systems Based on Equivalent-Input-Disturbance Approach. *Hu, B.*, +, *TIE Aug. 2013 3529-3538*

Sensor placement

Cattle-Powered Node Experience in a Heterogeneous Network for Localization of Herds. *Gutierrez, A.*, +, *TIE Aug. 2013 3176-3184*

Sensorless machine control

AC Drive Observability Analysis. *Vaclavek, P.*, +, *TIE Aug. 2013 3047-3059*

An Adaptive Interconnected Observer for Sensorless Control of PM Synchronous Motors With Online Parameter Identification. *Hamida, M. A.*, +, *TIE Feb. 2013 739-748*

An Observer for Sensorless DFIM Drives Based on the Natural Fifth Harmonic of the Line Voltage, Without Stator Current Measurement. *Castelli-Dezza, F.*, +, *TIE Oct. 2013 4301-4309*

DSP-Based Control of Sensorless IPMSM Drives for Wide-Speed-Range Operation. *Wang, G.*, +, *TIE Feb. 2013 720-727*

New Overall Power Control Strategy for Variable-Speed Fixed-Pitch Wind Turbines Within the Whole Wind Velocity Range. *Chen, J.*, +, *TIE July 2013 2652-2660*

New Sliding-Mode Observer for Position Sensorless Control of Permanent-Magnet Synchronous Motor. *Qiao, Z.*, +, *TIE Feb. 2013 710-719*

Overview of Control Systems for the Operation of DFIGs in Wind Energy Applications. *Cardenas, R.*, +, *TIE July 2013 2776-2798*

Sensorless Control of CSC-Fed IPM Machine for Zero- and Low-Speed Operations Using Pulsating HFI Method. *Al-nabi, E.*, +, *TIE May 2013 1711-1723*

Sensorless Predictive DTC of a Surface-Mounted Permanent-Magnet Synchronous Machine Based on Its Magnetic Anisotropy. *Morales-Caporal, R.*, +, *TIE Aug. 2013 3016-3024*

Speed Estimation and Nonmatched Time-Varying Parameter Identification for a DC Motor With Hybrid Sliding-Mode Observer. *Zhou, Y.*, +, *TIE Dec. 2013 5539-5549*

Speed Sensorless Induction Motor Drive With Predictive Current Controller. *Guzinski, J., +, TIE Feb. 2013 699-709*

Sensors

A Sensor Fault Detection and Isolation Method in Interior Permanent-Magnet Synchronous Motor Drives Based on an Extended Kalman Filter. *Foo, G. H. B., +, TIE Aug. 2013 3485-3495*

Allocation of Actuators and Sensors for Coupled-Adjacent-Building Vibration Attenuation. *Gao, H., +, TIE Dec. 2013 5792-5801*

An Intelligent Particle Swarm Optimization for Short-Term Traffic Flow Forecasting Using on-Road Sensor Systems. *Chan, K. Y., +, TIE Oct. 2013 4714-4725*

Controllable Petri Net-Based Implementation Approach for Motor Control Systems. *Kuo, C.-H., +, TIE Oct. 2013 4599-4612*

Developing Accurate Long-Distance 6-DOF Motion Detection With One-Dimensional Laser Sensors: Three-Beam Detection System. *Kim, Y.-K., +, TIE Aug. 2013 3386-3395*

Flexible Autonomous Behaviors of Kinesin and Muscle Myosin Bio-Nanorobots. *Khataee, H. R., +, TIE Nov. 2013 5116-5123*

Introduction to the special section on advances in diagnosis for electrical machines, power electronics, and drives - Part I. *Capolino, G.-A., +, TIE Aug. 2013 3396-3397*

Plastic Bearing Fault Diagnosis Based on a Two-Step Data Mining Approach. *He, D., +, TIE Aug. 2013 3429-3440*

Sequences

Detecting Bifurcation Types and Characterizing Stability in DC-DC Switching Converters by Duplicate Symbolic Sequence and Weight Complexity. *Xie, F., +, TIE Aug. 2013 3145-3156*

Servomechanisms

Controllable Petri Net-Based Implementation Approach for Motor Control Systems. *Kuo, C.-H., +, TIE Oct. 2013 4599-4612*

On Low-Velocity Compensation of Brushless DC Servo in the Absence of Friction Model. *Sun, M., +, TIE Sept. 2013 3897-3905*

Shafts

Bearing Fault Model for Induction Motor With Externally Induced Vibration. *Immovilli, F., +, TIE Aug. 2013 3408-3418*

Shaft Trajectory Analysis in a Partially Demagnetized Permanent-Magnet Synchronous Motor. *Urresty, J.-C., +, TIE Aug. 2013 3454-3461*

Shock absorbers

Saturated Adaptive Robust Control for Active Suspension Systems. *Sun, W., +, TIE Sept. 2013 3889-3896*

Short-circuit currents

An LVRT Control Strategy Based on Flux Linkage Tracking for DFIG-Based WECS. *Xiao, S., +, TIE July 2013 2820-2832*

Analysis of the Fault-Tolerance Capacity of the Multilevel Active-Clamped Converter. *Nicolas-Apruzzese, J., +, TIE Nov. 2013 4773-4783*

Inter-Turn Fault Detection in PM Synchronous Machines by Physics-Based Back Electromotive Force Estimation. *Sarikhani, A., +, TIE Aug. 2013 3472-3484*

Line-Line Fault Analysis and Protection Challenges in Solar Photovoltaic Arrays. *Zhao, Y., +, TIE Sept. 2013 3784-3795*

Open- and Short-Circuit Switch Fault Diagnosis for Nonisolated DC-DC Converters Using Field Programmable Gate Array. *Shahbazi, M., +, TIE Sept. 2013 4136-4146*

Sigma-delta modulation

Vector-Quantized Space-Vector-Based Spread Spectrum Modulation Scheme for Multilevel Inverters Using the Principle of Oversampling ADC. *Jacob, B., +, TIE Aug. 2013 2969-2977*

Signal classification

Early Classification of Bearing Faults Using Morphological Operators and Fuzzy Inference. *Raj, A. S., +, TIE Feb. 2013 567-574*

High-Resolution Parameter Estimation Method to Identify Broken Rotor Bar Faults in Induction Motors. *Kim, Y.-H., +, TIE Sept. 2013 4103-4117*

Plastic Bearing Fault Diagnosis Based on a Two-Step Data Mining Approach. *He, D., +, TIE Aug. 2013 3429-3440*

Signal generators

Multilevel Current-Source Inverter With FPGA Control. *Aguirre, M. P., +, TIE Jan. 2013 3-10*

Signal processing

Multicomponent Signal Analysis Based on Polynomial Chirplet Transform. *Yang, Y., +, TIE Sept. 2013 3948-3956*

Rotor Faults Diagnosis Using Feature Selection and Nearest Neighbors Rule: Application to a Turbogenerator. *Biet, M., +, TIE Sept. 2013 4063-4073*

Wavelet-Based Approach to Evaluation of Signal Integrity. *Bialasiewicz, J. T., +, TIE Oct. 2013 4590-4598*

Signal reconstruction

An Adaptive Time-Efficient Technique for Harmonic Estimation of Nonstationary Signals. *Jain, S. K., +, TIE Aug. 2013 3295-3303*

Design of Measurement System Based on Signal Reconstruction for Analysis and Protection of Distributed Generations. *Cheng-I Chen, +, TIE April 2013 1652-1658*

Signal synthesis

Discontinuous PWM Modulation Strategy With Circuit-Level Decoupling Concept of Three-Level Neutral-Point-Clamped (NPC) Inverter. *Zhang, Z., +, TIE May 2013 1897-1906*

Distributed Digital Control of Modular-Based Solid-State Transformer Using DSP+FPGA. *Hwang, S.-H., +, TIE Feb. 2013 670-680*

Silicon

Binary Coding SVMs for the Multiclass Problem of Blast Furnace System. *Jian, L., +, TIE Sept. 2013 3846-3856*

Simulated annealing

Design, Optimization, and Intelligent Control of Permanent-Magnet Converter. *Lin, H., +, TIE Nov. 2013 5148-5159*

SA-ANN-Based Slag Carry-Over Detection Method and the Embedded WME Platform. *Tan, D.-P., +, TIE Oct. 2013 4702-4713*

Singular value decomposition

Plastic Bearing Fault Diagnosis Based on a Two-Step Data Mining Approach. *He, D., +, TIE Aug. 2013 3429-3440*

Slag

SA-ANN-Based Slag Carry-Over Detection Method and the Embedded WME Platform. *Tan, D.-P., +, TIE Oct. 2013 4702-4713*

Slip

Estimation of Sideslip and Roll Angles of Electric Vehicles Using Lateral Tire Force Sensors Through RLS and Kalman Filter Approaches. *Nam, K., +, TIE March 2013 988-1000*

Wheel Slip Control of EVs Based on Sliding Mode Technique With Conditional Integrators. *de Castro, R., +, TIE Aug. 2013 3256-3271*

Smart grids

Introduction to the Special Section on Control and Grid Integration of Wind Energy Systems—Part I. *Cardenas, R., +, TIE June 2013 2358-2359*

Introduction to the Special Section on Distributed Generation and Microgrids. *Guerrero, J. M., +, TIE April 2013 1251-1253*

Introduction to the Special Section on Smart Devices for Renewable Energy Systems. *Cecati, C., +, TIE March 2013 1119-1121*

Smart meters

A Key Management Scheme for Secure Communications of Advanced Metering Infrastructure in Smart Grid. *Liu, N., +, TIE Oct. 2013 4746-4756*

Smart power grids

A Key Management Scheme for Secure Communications of Advanced Metering Infrastructure in Smart Grid. *Liu, N., +, TIE Oct. 2013 4746-4756*

Building Integrated Photovoltaic System With Energy Storage and Smart Grid Communication. *Sechilariu, M., +, TIE April 2013 1607-1618*

Multiphysics Test Bed for Renewable Energy Systems in Smart Homes. *Molitor, C., +, TIE March 2013 1235-1248*

Next-Generation Multi-Functional Modular Intelligent UPS System for Smart Grid. *Zhao, B., +, TIE Sept. 2013 3602-3618*

Regulated Charging of Plug-in Hybrid Electric Vehicles for Minimizing Load Variance in Household Smart Microgrid. *Jian, L., +, TIE Aug. 2013 3218-3226*

Voltage-Based Control of a Smart Transformer in a Microgrid. *Vandoorn, T. L., +, TIE April 2013 1291-1305*

Snubbers

A Simple Approach to Detect ZVT and Determine Its Time of Occurrence for PWM Converters. *Russi, J. L., +, TIE July 2013 2576-2585*

Software reliability

Bayesian-Network-Based Reliability Analysis of PLC Systems. *Jiang, Y., +, TIE Nov. 2013 5325-5336*

Solar cell arrays

Energy-Balance Control of PV Cascaded Multilevel Grid-Connected Inverters Under Level-Shifted and Phase-Shifted PWMs. *Chavarria, J., +, TIE Jan. 2013 98-111*

Line-Line Fault Analysis and Protection Challenges in Solar Photovoltaic Arrays. *Zhao, Y., +, TIE Sept. 2013 3784-3795*

Solar cells

A Module-Integrated Isolated Solar Microinverter. *Chiu, H.-J., +, TIE Feb. 2013 781-788*

- A Parameterization Approach for Enhancing PV Model Accuracy. *Mahmoud, Y. A.*, +, *TIE Dec. 2013* 5708-5716
- Solar energy conversion**
Building Integrated Photovoltaic System With Energy Storage and Smart Grid Communication. *Sechilariu, M.*, +, *TIE April 2013* 1607-1618
- Solar power stations**
Three Control Strategies to Improve the Microgrid Transient Dynamic Response During Isolated Mode: A Comparative Study. *Kamel, R. M.*, +, *TIE April 2013* 1314-1322
- Solders**
Solder Paste Scooping Detection by Multilevel Visual Inspection of Printed Circuit Boards. *Benedek, C.*, +, *TIE June 2013* 2318-2331
- Space vehicles**
Comments on "Quasi-Continuous Higher Order Sliding-Mode Controllers for Spacecraft-Attitude-Tracking Maneuvers". *Ma, K.*, +, *TIE July 2013* 2771-2773
- Spark gaps**
Design, Simulation, and Characterization of a Low-Cost In-Plane Spark Gap Microswitch With Dual-Trigger Electrode for Pulsed Power Applications. *Liu, C.*, +, *TIE Aug. 2013* 3240-3247
- Spatial variables measurement**
An Accurate and Robust Strip-Edge-Based Structured Light Means for Shiny Surface Micromasurement in 3-D. *Song, Z.*, +, *TIE March 2013* 1023-1032
- Special issues and sections**
Introduction to the special section on advances in diagnosis for electrical machines, power electronics, and drives - Part I. *Capolino, G.-A.*, +, *TIE Aug. 2013* 3396-3397
Introduction to the Special Section on Advances in Diagnosis for Electrical Machines, Power Electronics, and Drives—Part II. *Capolino, G.-A.*, +, *TIE Sept. 2013* 4009-4011
Introduction to the Special Section on Contactless Energy Transfer Systems. *Boys, J. T.*, +, *TIE Jan. 2013* 239-241
Introduction to the Special Section on Control and Grid Integration of Wind Energy Systems - Part II. *Cardenas, R.*, +, *TIE July 2013* 2774-2775
Introduction to the Special Section on Control and Grid Integration of Wind Energy Systems—Part I. *Cardenas, R.*, +, *TIE June 2013* 2358-2359
Introduction to the Special Section on Digital Control Systems in Power Electronics and Electrical Drives—Part II. *Rodriguez, J.*, +, *TIE Feb. 2013* 575-577
Introduction to the Special Section on Distributed Generation and Microgrids. *Guerrero, J. M.*, +, *TIE April 2013* 1251-1253
Introduction to the Special Section on Modulation Techniques for DC-to-AC Power Converters. *Leon, J. I.*, +, *TIE May 2013* 1859-1860
Introduction to the Special Section on Smart Devices for Renewable Energy Systems. *Cecati, C.*, +, *TIE March 2013* 1119-1121
- Spectral analysis**
A Two-Stage Solution Procedure for Digital Power Metering According to IEEE Standard 1459-2010 in Single-Phase System. *Chen, C.-I.*, +, *TIE Dec. 2013* 5550-5557
- Springs (mechanical)**
Saturated Adaptive Robust Control for Active Suspension Systems. *Sun, W.*, +, *TIE Sept. 2013* 3889-3896
- Squirrel cage motors**
Detection and Diagnosis of Faults in Induction Motor Using an Improved Artificial Ant Clustering Technique. *Soualhi, A.*, +, *TIE Sept. 2013* 4053-4062
Wind Energy System With Integrated Functions of Active Power Transfer, Reactive Power Compensation, and Voltage Conversion. *She, X.*, +, *TIE Oct. 2013* 4512-4524
- Stability**
A Novel Motion Equation for General Task Description and Analysis of Mobile-Hapto. *Sakaino, S.*, +, *TIE July 2013* 2673-2680
A Novel Protective Scheme to Protect Small-Scale Synchronous Generators Against Transient Instability. *Razzaghi, R.*, +, *TIE April 2013* 1659-1667
A Two-Loop Performance-Oriented Tip-Tracking Control of a Linear-Motor-Driven Flexible Beam System With Experiments. *Lu, L.*, +, *TIE March 2013* 1011-1022
Advanced Control Architectures for Intelligent Microgrids—Part I: Decentralized and Hierarchical Control. *Guerrero, J. M.*, +, *TIE April 2013* 1254-1262
Cloud-Based Networked Visual Servo Control. *Wu, H.*, +, *TIE Feb. 2013* 554-566
- Composite Nonlinear Feedback Control and Stability Analysis of a Grid-Connected Voltage Source Inverter With LCL Filter. *Eren, S.*, +, *TIE Nov. 2013* 5059-5074
Control Structure for Single-Phase Stand-Alone Wind-Based Energy Sources. *Barote, L.*, +, *TIE Feb. 2013* 764-772
Controllable Petri Net-Based Implementation Approach for Motor Control Systems. *Kuo, C.-H.*, +, *TIE Oct. 2013* 4599-4612
Detecting Bifurcation Types and Characterizing Stability in DC–DC Switching Converters by Duplicate Symbolic Sequence and Weight Complexity. *Xie, F.*, +, *TIE Aug. 2013* 3145-3156
Enhanced Adaptive Self-Organizing Fuzzy Sliding-Mode Controller for Active Suspension Systems. *Lian, R.-J.*, +, *TIE March 2013* 958-968
Estimation of Sideslip and Roll Angles of Electric Vehicles Using Lateral Tire Force Sensors Through RLS and Kalman Filter Approaches. *Nam, K.*, +, *TIE March 2013* 988-1000
Fractional-Order $PI^\lambda D^\mu$ and Active Disturbance Rejection Control of Nonlinear Two-Mass Drive System. *Erenturk, K.*, +, *TIE Sept. 2013* 3806-3813
Frequency-Domain Analysis of Nonlinear Active Disturbance Rejection Control via the Describing Function Method. *Wu, D.*, +, *TIE Sept. 2013* 3906-3914
Frequency-Domain Damping Design for Time-Delayed Bilateral Teleoperation System Based on Modal Space Analysis. *Suzuki, A.*, +, *TIE Jan. 2013* 177-190
Modeling, Analysis, and Design of Stationary-Reference-Frame Droop-Controlled Parallel Three-Phase Voltage Source Inverters. *Vasquez, J. C.*, +, *TIE April 2013* 1271-1280
Multilevel SVPWM With DC-Link Capacitor Voltage Balancing Control for Diode-Clamped Multilevel Converter Based STATCOM. *Shu, Z.*, +, *TIE May 2013* 1884-1896
Networked Predictive Control of Uncertain Systems With Multiple Feedback Channels. *Song, H.*, +, *TIE Nov. 2013* 5228-5238
Nonlinear-Measurement-Based Integrated Robust Design and Control for Manufacturing System. *Lu, X. J.*, +, *TIE July 2013* 2711-2720
Output-Feedback Tracking Control for Polynomial Fuzzy-Model-Based Control Systems. *Lam, H. K.*, +, *TIE Dec. 2013* 5830-5840
Reduced-Order Model and Stability Analysis of Low-Voltage DC Microgrid. *Anand, S.*, +, *TIE Nov. 2013* 5040-5049
Speed Estimation and Nonmatched Time-Varying Parameter Identification for a DC Motor With Hybrid Sliding-Mode Observer. *Zhou, Y.*, +, *TIE Dec. 2013* 5539-5549
Suppression of Hunting in an ILPMSM Driver System Using Hunting Compensator. *Yao, W.-H.*, +, *TIE July 2013* 2586-2594
T-S Fuzzy-Model-Based Sliding-Mode Control for Surface-Mounted Permanent-Magnet Synchronous Motors Considering Uncertainties. *Vu, N. T.-T.*, +, *TIE Oct. 2013* 4281-4291
- State estimation**
Estimation of Sideslip and Roll Angles of Electric Vehicles Using Lateral Tire Force Sensors Through RLS and Kalman Filter Approaches. *Nam, K.*, +, *TIE March 2013* 988-1000
Moving Horizon Scheduling for Networked Control Systems With Communication Constraints. *Xue, B.*, +, *TIE Aug. 2013* 3318-3327
- State feedback**
Control Synthesis for a Class of Linear Network-Based Systems With Communication Constraints. *Zhang, C.*, +, *TIE Aug. 2013* 3339-3348
- State-space methods**
 μ -Synthesis for Frequency Uncertainty of the ICPT System. *Li, Y.-L.*, +, *TIE Jan. 2013* 291-300
Fractional-Order $PI^\lambda D^\mu$ and Active Disturbance Rejection Control of Nonlinear Two-Mass Drive System. *Erenturk, K.*, +, *TIE Sept. 2013* 3806-3813
- Static VAR compensators**
A Large-Power Voltage Source Converter for FACTS Applications Combining Three-Level Neutral-Point-Clamped Power Electronic Building Blocks. *Chivite-Zabalza, J.*, +, *TIE Nov. 2013* 4759-4772
Advanced Control Architectures for Intelligent Microgrids—Part II: Power Quality, Energy Storage, and AC/DC Microgrids. *Guerrero, J. M.*, +, *TIE April 2013* 1263-1270
Advanced Fault Ride-Through Technique for PMSG Wind Turbine Systems Using Line-Side Converter as STATCOM. *Nguyen, T. H.*, +, *TIE July 2013* 2842-2850
All-on-Chip dq -Frame Based D-STATCOM Control Implementation in a Low-Cost FPGA. *Sepulveda, C. A.*, +, *TIE Feb. 2013* 659-669
D-STATCOM With Positive-Sequence Admittance and Negative-Sequence Conductance to Mitigate Voltage Fluctuations in High-Level Penetration of Distributed-Generation Systems. *Lee, T.-L.*, +, *TIE April 2013* 1417-1428

- DC Voltage Controller for Asymmetric-Twin-Converter-Topology-Based High-Power STATCOM. *Anand, S.*, +, *TIE Jan. 2013 11-19*
- Multilevel SVPWM With DC-Link Capacitor Voltage Balancing Control for Diode-Clamped Multilevel Converter Based STATCOM. *Shu, Z.*, +, *TIE May 2013 1884-1896*
- Performance Investigation of Isolated Wind–Diesel Hybrid Power Systems With WECS Having PMIG. *Sharma, P.*, +, *TIE April 2013 1630-1637*
- Reactive Power Compensation in Single-Phase Operation of Microgrid. *Majumder, R.*, +, *TIE April 2013 1403-1416*
- Stability Enhancement of a Power System With a PMSG-Based and a DFIG-Based Offshore Wind Farm Using a SVC With an Adaptive-Network-Based Fuzzy Inference System. *Wang, L.*, +, *TIE July 2013 2799-2807*
- StatCom control at wind farms with fixed-speed induction generators under asymmetrical grid faults. *Wessels, C.*, +, *TIE July 2013 2864-2873*

Statistical analysis

- Bearing Fault Detection by a Novel Condition-Monitoring Scheme Based on Statistical-Time Features and Neural Networks. *Prieto, M. D.*, +, *TIE Aug. 2013 3398-3407*
- Plastic Bearing Fault Diagnosis Based on a Two-Step Data Mining Approach. *He, D.*, +, *TIE Aug. 2013 3429-3440*
- Rotor Faults Diagnosis Using Feature Selection and Nearest Neighbors Rule: Application to a Turbogenerator. *Biet, M.*, +, *TIE Sept. 2013 4063-4073*
- Statistical and Neural-Network Approaches for the Classification of Induction Machine Faults Using the Ambiguity Plane Representation. *Boukra, T.*, +, *TIE Sept. 2013 4034-4042*

Stators

- A Driver for the Single-Phase Brushless DC Fan Motor With Hybrid Winding Structure. *Chen, Y.-T.*, +, *TIE Oct. 2013 4369-4375*
- A Nine-Level Inverter Topology for Medium-Voltage Induction Motor Drive With Open-End Stator Winding. *Rajeevan, P. P.*, +, *TIE Sept. 2013 3627-3636*
- Acoustic Noise/Vibration Reduction of a Single-Phase SRM Using Skewed Stator and Rotor. *Yang, H.-Y.*, +, *TIE Oct. 2013 4292-4300*
- Advanced Diagnosis of Electrical Faults in Wound-Rotor Induction Machines. *Gritli, Y.*, +, *TIE Sept. 2013 4012-4024*
- An Adaptive Interconnected Observer for Sensorless Control of PM Synchronous Motors With Online Parameter Identification. *Hamida, M. A.*, +, *TIE Feb. 2013 739-748*
- An LVRT Control Strategy Based on Flux Linkage Tracking for DFIG-Based WECS. *Xiao, S.*, +, *TIE July 2013 2820-2832*
- An Observer for Sensorless DFIM Drives Based on the Natural Fifth Harmonic of the Line Voltage, Without Stator Current Measurement. *Castelli-Dezza, F.*, +, *TIE Oct. 2013 4301-4309*
- Application of Slope PWM Strategies to Reduce Acoustic Noise Radiated by Inverter-Fed Induction Motors. *Ruiz-Gonzalez, A.*, +, *TIE July 2013 2555-2563*
- Bearing Fault Model for Induction Motor With Externally Induced Vibration. *Immovilli, F.*, +, *TIE Aug. 2013 3408-3418*
- Bus-Clamping-Based DTC: An Attempt to Reduce Harmonic Distortion and Switching Losses. *El Badi, B.*, +, *TIE March 2013 873-884*
- Controlled Dynamic Braking for Switched Reluctance Motor Drives With a Rectifier Front End. *Yang, S.-M.*, +, *TIE Nov. 2013 4913-4919*
- Detection and Localization of Stator Resistance Dissymmetry Based on Multiple Reference Frame Controllers in Multiphase Induction Motor Drives. *Zarri, L.*, +, *TIE Aug. 2013 3506-3518*
- Generalized Vector Control for Brushless Doubly Fed Machines With Nested-Loop Rotor. *Barati, F.*, +, *TIE June 2013 2477-2485*
- High-Resolution Parameter Estimation Method to Identify Broken Rotor Bar Faults in Induction Motors. *Kim, Y.-H.*, +, *TIE Sept. 2013 4103-4117*
- Influence of Copper Screen Thickness on Three-Dimensional Electromagnetic Field and Eddy Current Losses of Metal Parts in End Region of Large Water-Hydrogen–Hydrogen-Cooled Turbogenerator. *Feiyang, H.*, +, *TIE July 2013 2595-2601*
- Local Heat Flux Measurement in a Permanent Magnet Motor at No Load. *Jussila, H. K.*, +, *TIE Nov. 2013 4852-4860*
- New Expressions of Symmetrical Components of the Induction Motor Under Stator Faults. *Bouzid, M. B. K.*, +, *TIE Sept. 2013 4093-4102*
- Offline and Online Methods for Stator Core Fault Detection in Large Generators. *Romary, R.*, +, *TIE Sept. 2013 4084-4092*
- Parameter Estimation for Condition Monitoring of PMSM Stator Winding and Rotor Permanent Magnets. *Liu, K.*, +, *TIE Dec. 2013 5902-5913*

- Remedial Injected-Harmonic-Current Operation of Redundant Flux-Switching Permanent-Magnet Motor Drives. *Zhao, W.*, +, *TIE Jan. 2013 151-159*
- Sensorless Predictive DTC of a Surface-Mounted Permanent-Magnet Synchronous Machine Based on Its Magnetic Anisotropy. *Morales-Caporal, R.*, +, *TIE Aug. 2013 3016-3024*
- Shaft Trajectory Analysis in a Partially Demagnetized Permanent-Magnet Synchronous Motor. *Urresty, J.-C.*, +, *TIE Aug. 2013 3454-3461*
- Stator-Current Spectrum Signature of Healthy Cage Rotor Induction Machines. *Joksimovic, G. M.*, +, *TIE Sept. 2013 4025-4033*
- Thermal Analysis and Cooling System Design of Dual Mechanical Port Machine for Wind Power Application. *Sun, X.*, +, *TIE May 2013 1724-1733*
- Using Only the DC Current Information to Detect Stator Turn Faults in Automotive Claw-Pole Generators. *Cheng, S.*, +, *TIE Aug. 2013 3462-3471*
- Vienna-Rectifier-Based Direct Torque Control of PMSG for Wind Energy Application. *Rajaei, A.*, +, *TIE July 2013 2919-2929*

Steel industry

- SA-ANN-Based Slag Carry-Over Detection Method and the Embedded WME Platform. *Tan, D.-P.*, +, *TIE Oct. 2013 4702-4713*

Steering systems

- Steering the Last Trailer as a Virtual Tractor for Reversing Vehicles With Passive On- and Off-Axle Hitches. *Morales, J.*, +, *TIE Dec. 2013 5729-5736*

Stepping motors

- Microstepping Using a Disturbance Observer and a Variable Structure Controller for Permanent-Magnet Stepper Motors. *Kim, W.*, +, *TIE July 2013 2689-2699*
- Phase-Compensated Microstepping for Permanent-Magnet Stepper Motors. *Shin, D.*, +, *TIE Dec. 2013 5773-5780*

Stochastic processes

- Understanding Error Propagation in Multihop Sensor Network Localization. *Huang, B.*, +, *TIE Dec. 2013 5811-5819*

Structural engineering

- Allocation of Actuators and Sensors for Coupled-Adjacent-Building Vibration Attenuation. *Gao, H.*, +, *TIE Dec. 2013 5792-5801*

Substation automation

- Network Interactions and Performance of a Multifunction IEC 61850 Process Bus. *Ingram, D. M. E.*, +, *TIE Dec. 2013 5933-5942*

Substation protection

- Network Interactions and Performance of a Multifunction IEC 61850 Process Bus. *Ingram, D. M. E.*, +, *TIE Dec. 2013 5933-5942*

Sunlight

- Principles, Design, and Calibration for a Genre of Irradiation Angle Sensors. *Liu, G.*, +, *TIE Jan. 2013 210-216*

Supercapacitors

- Flying Supercapacitors as Power Smoothing Elements in Wind Generation. *Jayasinghe, S. D. G.*, +, *TIE July 2013 2909-2918*
- Impact of Traffic Conditions on the Active Suspension Energy Regeneration in Hybrid Electric Vehicles. *Montazeri-Gh, M.*, +, *TIE Oct. 2013 4546-4553*
- New Full-Frequency-Range Supercapacitor Model With Easy Identification Procedure. *Musolino, V.*, +, *TIE Jan. 2013 112-120*
- Single-Switch Multioutput Charger Using Voltage Multiplier for Series-Connected Lithium-Ion Battery/Supercapacitor Equalization. *Uno, M.*, +, *TIE Aug. 2013 3227-3239*
- Three Control Strategies to Improve the Microgrid Transient Dynamic Response During Isolated Mode: A Comparative Study. *Kamel, R. M.*, +, *TIE April 2013 1314-1322*
- Tunable Ultracapacitor. *Bakhroum, E. G.*, +, *TIE Dec. 2013 5613-5619*

Support vector machines

- Binary Coding SVMs for the Multiclass Problem of Blast Furnace System. *Jian, L.*, +, *TIE Sept. 2013 3846-3856*
- Identification and Compensation of Piezoelectric Hysteresis Without Modeling Hysteresis Inverse. *Xu, Q.*, +, *TIE Sept. 2013 3927-3937*

Surface mount technology

- Sensorless Predictive DTC of a Surface-Mounted Permanent-Magnet Synchronous Machine Based on Its Magnetic Anisotropy. *Morales-Caporal, R.*, +, *TIE Aug. 2013 3016-3024*

Surgery

- Gain-Scheduling Control of Teleoperation Systems Interacting With Soft Tissues. *Cho, J. H.*, +, *TIE March 2013 946-957*

Suspensions (mechanical components)

- Adaptive Sliding-Mode Control for Nonlinear Active Suspension Vehicle Systems Using T–S Fuzzy Approach. *Li, H.*, +, *TIE Aug. 2013 3328-3338*

- Enhanced Adaptive Self-Organizing Fuzzy Sliding-Mode Controller for Active Suspension Systems. *Lian, R.-J.*, +, *TIE March 2013 958-968*
- High Dynamic Torque Control for Industrial Engine Test Beds. *Wester-mayer, C.*, +, *TIE Sept. 2013 3877-3888*
- Impact of Traffic Conditions on the Active Suspension Energy Regeneration in Hybrid Electric Vehicles. *Montazeri-Gh, M.*, +, *TIE Oct. 2013 4546-4553*
- Switched capacitor filters**
- Start-up Procedure and Switching Loss Reduction for a Single-Phase Flying Capacitor Active Rectifier. *Sepahvand, H.*, +, *TIE Sept. 2013 3699-3710*
- Switched capacitor networks**
- Phase-Shift Interleaving Control of Variable-Phase Switched-Capacitor Converters. *Kiratipongvoot, S.*, +, *TIE Dec. 2013 5575-5584*
- Switched mode power supplies**
- Autoconnected-Transformer-Based 20-Pulse AC-DC Converter for Telecommunication Power Supply. *Kalpana, R.*, +, *TIE Oct. 2013 4178-4190*
- On Frequency-Response Measurements of Power-Electronic Systems Applying MIMO Identification Techniques. *Roinila, T.*, +, *TIE Nov. 2013 5270-5276*
- Transformer Design for Isolated Switching Converters Based on Geometric Form Factors of Magnetic Cores. *De Nardo, A.*, +, *TIE June 2013 2158-2166*
- Switches**
- A New Algorithm for Real-Time Multiple Open-Circuit Fault Diagnosis in Voltage-Fed PWM Motor Drives by the Reference Current Errors. *Estima, J. O.*, +, *TIE Aug. 2013 3496-3505*
- A Simplified Power Conditioner Based on Half-Bridge Converter for High-Speed Railway System. *Ma, F.*, +, *TIE Feb. 2013 728-738*
- Cascade Cockcroft-Walton Voltage Multiplier Applied to Transformerless High Step-Up DC-DC Converter. *Young, C.-M.*, +, *TIE Feb. 2013 523-537*
- High Voltage-Boosting Converters Based on Bootstrap Capacitors and Boost Inductors. *Hwu, K. I.*, +, *TIE June 2013 2178-2193*
- Novel Isolated High-Step-Up DC-DC Converter With Voltage Lift. *Liang, T.-J.*, +, *TIE April 2013 1483-1491*
- Proposal of Three-Phase High-Frequency Transformer Isolation UPS Topologies for Distributed Generation Applications. *Branco, C. G. C.*, +, *TIE April 2013 1520-1531*
- Soft-Switching Converter With Two Series Half-Bridge Legs to Reduce Voltage Stress of Active Switches. *Lin, B.-R.*, +, *TIE June 2013 2214-2224*
- Switchgear**
- A Five-Level Single-Phase Grid-Connected Converter for Renewable Distributed Systems. *Buticchi, G.*, +, *TIE March 2013 906-918*
- Experimental Investigation of the Commutations of a 3L-ANPC Phase Leg Using 4.5-kV-5.5-kA IGBTs. *Andler, D.*, +, *TIE Nov. 2013 4820-4830*
- Offshore-Wind-Farm Configuration Using Diode Rectifier With MERS in Current Link Topology. *Kawaguchi, T.*, +, *TIE July 2013 2930-2937*
- Switching**
- Experimental Investigation on the Effect of Advanced Bus-Clamping Pulsewidth Modulation on Motor Acoustic Noise. *Binojumar, A. C.*, +, *TIE Feb. 2013 433-439*
- Remedial Injected-Harmonic-Current Operation of Redundant Flux-Switching Permanent-Magnet Motor Drives. *Zhao, W.*, +, *TIE Jan. 2013 151-159*
- Switching converters**
- A 10-kW Two-Stage Isolated/Bidirectional DC/DC Converter With Hybrid-Switching Technique. *Yoo, K.-M.*, +, *TIE June 2013 2205-2213*
- A Digitally Controlled Switching Regulator With Reduced Conductive EMI Spectra. *Tsai, C.-H.*, +, *TIE Sept. 2013 3938-3947*
- A Direct Power Conversion Topology for Grid Integration of Hybrid AC/DC Energy Resources. *Liu, X.*, +, *TIE Dec. 2013 5696-5707*
- A Modified Three-Phase Four-Wire UPQC Topology With Reduced DC-Link Voltage Rating. *Karanki, +*, *TIE Sept. 2013 3555-3566*
- A New ZVS DC/DC Converter With Three APWM Circuits. *Lin, B.-R.*, +, *TIE Oct. 2013 4351-4358*
- A Practical ZCS-PWM Boost DC-DC Converter With Clamping Diode-Assisted Active Edge-Resonant Cell and Its Extended Topologies. *Mishima, T.*, +, *TIE June 2013 2225-2236*
- A Space-Vector-Based Hysteresis Current Controller for a General n -Level Inverter-Fed Drive With Nearly Constant Switching Frequency Control. *Dey, A.*, +, *TIE May 2013 1989-1998*
- A Three-Phase Dual-Input Matrix Converter for Grid Integration of Two AC Type Energy Resources. *Liu, X.*, +, *TIE Jan. 2013 20-30*
- A ZVS-PWM Three-Phase Current-Fed Push-Pull DC-DC Converter. *Andersen, R. L.*, +, *TIE March 2013 838-847*
- Adaptive Selective Harmonic Minimization Based on ANNs for Cascade Multilevel Inverters With Varying DC Sources. *Filho, F.*, +, *TIE May 2013 1955-1962*
- Adjustable Proportional Hybrid SVPWM Strategy for Neutral-Point-Clamped Three-Level Inverters. *Xia, C.*, +, *TIE Oct. 2013 4234-4242*
- Analysis and Design of Phase-Shifted Dual H-Bridge Converter With a Wide ZVS Range and Reduced Output Filter. *Lee, I.-O.*, +, *TIE Oct. 2013 4415-4426*
- Control Scheme for Reduced Cross-Regulation in Single-Inductor Multiple-Output DC-DC Converters. *Patra, P.*, +, *TIE Nov. 2013 5095-5104*
- Current-Stress-Optimized Switching Strategy of Isolated Bidirectional DC-DC Converter With Dual-Phase-Shift Control. *Zhao, B.*, +, *TIE Oct. 2013 4458-4467*
- Detecting Bifurcation Types and Characterizing Stability in DC-DC Switching Converters by Duplicate Symbolic Sequence and Weight Complexity. *Xie, F.*, +, *TIE Aug. 2013 3145-3156*
- Digitized Feedforward Compensation Method for High-Power-Density Three-Phase Vienna PFC Converter. *Hang, L.*, +, *TIE April 2013 1512-1519*
- Dual-Mode Double-Carrier-Based Sinusoidal Pulse Width Modulation Inverter With Adaptive Smooth Transition Control Between Modes. *Zhao, Z.*, +, *TIE May 2013 2094-2103*
- Dynamical Effects of Equivalent Series Resistance of Output Capacitor in Constant On-Time Controlled Buck Converter. *Wang, J.*, +, *TIE May 2013 1759-1768*
- Extended Range ZVS Active-Clamped Current-Fed Full-Bridge Isolated DC/DC Converter for Fuel Cell Applications: Analysis, Design, and Experimental Results. *U R, P.*, +, *TIE July 2013 2661-2672*
- High Voltage-Boosting Converters Based on Bootstrap Capacitors and Boost Inductors. *Hwu, K. I.*, +, *TIE June 2013 2178-2193*
- Improved Double Line Voltage Synthesis Strategies of Matrix Converter for Input/Output Quality Enhancement. *Shi, T.*, +, *TIE Aug. 2013 3034-3046*
- Improved Pulse Regulation Control Technique for Switching DC-DC Converters Operating in DCM. *Qin, M.*, +, *TIE May 2013 1819-1830*
- Modeling and Control of a Three-Phase Boost Converter for Resistive Input Behavior. *Sabzehgar, R.*, +, *TIE Dec. 2013 5854-5863*
- Offshore-Wind-Farm Configuration Using Diode Rectifier With MERS in Current Link Topology. *Kawaguchi, T.*, +, *TIE July 2013 2930-2937*
- Online Closed-Loop Autotuning Digital Controller for Switching Power Converters. *Abu Qahouq, J. A.*, +, *TIE May 2013 1747-1758*
- Per-Sequence Vector-Switching Matrix Converter Modules for Voltage Regulation. *Garcia-Vite, P. M.*, +, *TIE Dec. 2013 5411-5421*
- Phase-Shift Interleaving Control of Variable-Phase Switched-Capacitor Converters. *Kiratipongvoot, S.*, +, *TIE Dec. 2013 5575-5584*
- Predictive Current Control of Three-Phase Grid-Connected Converters With Constant Switching Frequency for Wind Energy Systems. *Song, Z.*, +, *TIE June 2013 2451-2464*
- Pulse-Train-Controlled CCM Buck Converter With Small ESR Output-Capacitor. *Wang, J.*, +, *TIE Dec. 2013 5875-5881*
- Single-Phase Dual-Output Inverters With Three-Switch Legs. *Fatemi, A.*, +, *TIE May 2013 1769-1779*
- Soft-Switching Converter With Two Series Half-Bridge Legs to Reduce Voltage Stress of Active Switches. *Lin, B.-R.*, +, *TIE June 2013 2214-2224*
- Three-limb Coupled Inductor Operation for Paralleled Multi-level Three-Phase Voltage Sourced Inverters. *Ewanchuk, J.*, +, *TIE May 2013 1979-1988*
- Transformer Design for Isolated Switching Converters Based on Geometric Form Factors of Magnetic Cores. *De Nardo, A.*, +, *TIE June 2013 2158-2166*
- Vector-Quantized Space-Vector-Based Spread Spectrum Modulation Scheme for Multilevel Inverters Using the Principle of Oversampling ADC. *Jacob, B.*, +, *TIE Aug. 2013 2969-2977*
- ZVS DC/DC Converter Based on Two Three-Level PWM Circuits Sharing the Same Power Switches. *Lin, B.-R.*, +, *TIE Oct. 2013 4191-4200*
- Switching transients**
- Comparison of 4.5-kV Press-Pack IGBTs and IGBTs for Medium-Voltage Converters. *Filsecker, F.*, +, *TIE Feb. 2013 440-449*
- Experimental Investigation of the Commutations of a 3L-ANPC Phase Leg Using 4.5-kV-5.5-kA IGBTs. *Andler, D.*, +, *TIE Nov. 2013 4820-4830*
- Synchronization**
- A Phasor Estimator for Synchronization Between Power Grid and Distributed Generation System. *Chen, C.-I.*, +, *TIE Aug. 2013 3248-3255*
- A Synchronization Technique for Bidirectional IPT Systems. *Thrimawithana, D. J.*, +, *TIE Jan. 2013 301-309*

Analysis of Bandwidth–Unit-Vector-Distortion Tradeoff in PLL During Abnormal Grid Conditions. *Kulkarni, A.*, +, *TIE Dec. 2013* 5820-5829

Distributed Control of a Fault-Tolerant Modular Multilevel Inverter for Direct-Drive Wind Turbine Grid Interfacing. *Parker, M. A.*, +, *TIE Feb. 2013* 509-522

Modeling, Analysis, and Design of Stationary-Reference-Frame Droop-Controlled Parallel Three-Phase Voltage Source Inverters. *Vasquez, J. C.*, +, *TIE April 2013* 1271-1280

Synchronous generators

A Novel Protective Scheme to Protect Small-Scale Synchronous Generators Against Transient Instability. *Razzaghi, R.*, +, *TIE April 2013* 1659-1667

Advanced Fault Ride-Through Technique for PMSG Wind Turbine Systems Using Line-Side Converter as STATCOM. *Nguyen, T. H.*, +, *TIE July 2013* 2842-2850

Bearing Fault Diagnosis for Direct-Drive Wind Turbines via Current-Modulated Signals. *Gong, X.*, +, *TIE Aug. 2013* 3419-3428

Control Structure for Single-Phase Stand-Alone Wind-Based Energy Sources. *Barote, L.*, +, *TIE Feb. 2013* 764-772

New Overall Power Control Strategy for Variable-Speed Fixed-Pitch Wind Turbines Within the Whole Wind Velocity Range. *Chen, J.*, +, *TIE July 2013* 2652-2660

Open-Circuit Fault Diagnosis in PMSG Drives for Wind Turbine Applications. *Freire, N. M. A.*, +, *TIE Sept. 2013* 3957-3967

Optimal Protection Coordination for Microgrids With Grid-Connected and Islanded Capability. *Najy, W. K. A.*, +, *TIE April 2013* 1668-1677

Stability Analysis of Four PMSG-Based Offshore Wind Farms Fed to an SG-Based Power System Through an LCC-HVDC Link. *Wang, L.*, +, *TIE June 2013* 2392-2400

Stability Enhancement of a Power System With a PMSG-Based and a DFIG-Based Offshore Wind Farm Using a SVC With an Adaptive-Network-Based Fuzzy Inference System. *Wang, L.*, +, *TIE July 2013* 2799-2807

Use of Stored Energy in PMSG Rotor Inertia for Low-Voltage Ride-Through in Back-to-Back NPC Converter-Based Wind Power Systems. *Alepuz, S.*, +, *TIE May 2013* 1787-1796

Vienna-Rectifier-Based Direct Torque Control of PMSG for Wind Energy Application. *Rajaei, A.*, +, *TIE July 2013* 2919-2929

Synchronous machines

Decoupled $d-q$ Model of Double-Star Interior-Permanent-Magnet Synchronous Machines. *Kallio, S.*, +, *TIE June 2013* 2486-2494

Design Principles of Permanent Magnet Synchronous Machines for Parallel Hybrid or Traction Applications. *Kamiev, K.*, +, *TIE Nov. 2013* 4881-4890

Discrete-Time Parameter Identification of a Surface-Mounted Permanent Magnet Synchronous Machine. *Gatto, G.*, +, *TIE Nov. 2013* 4869-4880

Effect of Slot-and-Pole Combination on the Leakage Inductance and the Performance of Tooth-Coil Permanent-Magnet Synchronous Machines. *Ponomarev, P.*, +, *TIE Oct. 2013* 4310-4317

Parameter Estimation for Condition Monitoring of PMSM Stator Winding and Rotor Permanent Magnets. *Liu, K.*, +, *TIE Dec. 2013* 5902-5913

Performance of Low-Cost Permanent Magnet Material in PM Synchronous Machines. *Petrov, L.*, +, *TIE June 2013* 2131-2138

Rotor Faults Diagnosis Using Feature Selection and Nearest Neighbors Rule: Application to a Turbogenerator. *Biet, M.*, +, *TIE Sept. 2013* 4063-4073

Sensorless Predictive DTC of a Surface-Mounted Permanent-Magnet Synchronous Machine Based on Its Magnetic Anisotropy. *Morales-Caporal, R.*, +, *TIE Aug. 2013* 3016-3024

Synchronous motor drives

A New Algorithm for Real-Time Multiple Open-Circuit Fault Diagnosis in Voltage-Fed PWM Motor Drives by the Reference Current Errors. *Estima, J. O.*, +, *TIE Aug. 2013* 3496-3505

A Sensor Fault Detection and Isolation Method in Interior Permanent-Magnet Synchronous Motor Drives Based on an Extended Kalman Filter. *Foo, G. H. B.*, +, *TIE Aug. 2013* 3485-3495

AC Drive Observability Analysis. *Vaclavek, P.*, +, *TIE Aug. 2013* 3047-3059

An Effective Energy-Saving Scalar Control for Industrial IPMSM Drives. *Consoli, A.*, +, *TIE Sept. 2013* 3658-3669

DSP-Based Control of Sensorless IPMSM Drives for Wide-Speed-Range Operation. *Wang, G.*, +, *TIE Feb. 2013* 720-727

Fault-Tolerant Control for Six-Phase PMSM Drive System via Intelligent Complementary Sliding-Mode Control Using TSKFNN-AMF. *Lin, F.-J.*, +, *TIE Dec. 2013* 5747-5762

High-Performance Inverter Based on Shaft Acceleration Torque for AC Drives. *Takahashi, K.*, +, *TIE Jan. 2013* 66-77

Investigation Into the High-Frequency Limits and Performance of Load Commutated Inverters for High-Speed Synchronous Motor Drives. *Tesarolo, A.*, +, *TIE June 2013* 2147-2157

Performance Evaluation of a Vector-Control Fault-Tolerant Flux-Switching Motor Drive. *Aboelhassan, M. O. E.*, +, *TIE Aug. 2013* 2997-3006

Suppression of Hunting in an ILPMSM Driver System Using Hunting Compensator. *Yao, W.-H.*, +, *TIE July 2013* 2586-2594

T-S Fuzzy-Model-Based Sliding-Mode Control for Surface-Mounted Permanent-Magnet Synchronous Motors Considering Uncertainties. *Vu, N. T.-T.*, +, *TIE Oct. 2013* 4281-4291

Synchronous motors

A Cascade MPC Control Structure for a PMSM With Speed Ripple Minimization. *Chai, S.*, +, *TIE Aug. 2013* 2978-2987

An Adaptive Interconnected Observer for Sensorless Control of PM Synchronous Motors With Online Parameter Identification. *Hamida, M. A.*, +, *TIE Feb. 2013* 739-748

Analytical and Offline Approach to Select Optimal Hysteresis Bands of DTC for PMSM. *Mathapati, S.*, +, *TIE March 2013* 885-895

Discrete-Time Fuzzy Speed Regulator Design for PM Synchronous Motor. *Choi, H. H.*, +, *TIE Feb. 2013* 600-607

High-Order Terminal Sliding-Mode Observer for Parameter Estimation of a Permanent-Magnet Synchronous Motor. *Feng, Y.*, +, *TIE Oct. 2013* 4272-4280

Inter-Turn Fault Detection in PM Synchronous Machines by Physics-Based Back Electromotive Force Estimation. *Sarikhani, A.*, +, *TIE Aug. 2013* 3472-3484

Model Predictive Control of a Two-Motor Drive With Five-Leg-Inverter Supply. *Lim, C. S.*, +, *TIE Jan. 2013* 54-65

New Sliding-Mode Observer for Position Sensorless Control of Permanent-Magnet Synchronous Motor. *Qiao, Z.*, +, *TIE Feb. 2013* 710-719

Overview of Bearingless Permanent-Magnet Synchronous Motors. *Sun, X.*, +, *TIE Dec. 2013* 5528-5538

Shaft Trajectory Analysis in a Partially Demagnetized Permanent-Magnet Synchronous Motor. *Urresty, J.-C.*, +, *TIE Aug. 2013* 3454-3461

Synchros

Suppression of Hunting in an ILPMSM Driver System Using Hunting Compensator. *Yao, W.-H.*, +, *TIE July 2013* 2586-2594

System-on-chip

Implementation of EKF for Vehicle Velocities Estimation on FPGA. *Guo, H.*, +, *TIE Sept. 2013* 3823-3835

T

Table lookup

Efficient Fault Diagnosis Schemes for Reliable Lightweight Cryptographic ISO/IEC Standard CLEFIA Benchmarked on ASIC and FPGA. *Mozaffari-Kermani, M.*, +, *TIE Dec. 2013* 5925-5932

Theoretical and Experimental Analysis for Current in a Dual-Inverter-Fed Open-End Winding Induction Motor Drive With Reduced Switching PWM. *Srinivas, S.*, +, *TIE Oct. 2013* 4318-4328

Wind Turbine Power Coefficient Analysis of a New Maximum Power Point Tracking Technique. *Xia, Y.*, +, *TIE March 2013* 1122-1132

Tanks (containers)

Moving Horizon Scheduling for Networked Control Systems With Communication Constraints. *Xue, B.*, +, *TIE Aug. 2013* 3318-3327

Target tracking

A Distributed TDMA Scheduling Algorithm for Target Tracking in Ultrasonic Sensor Networks. *Cheng, P.*, +, *TIE Sept. 2013* 3836-3845

Telecommunication channels

Control Synthesis for a Class of Linear Network-Based Systems With Communication Constraints. *Zhang, C.*, +, *TIE Aug. 2013* 3339-3348

Telecommunication computing

Path k NN Query Processing in Mobile Systems. *Zhao, G.*, +, *TIE March 2013* 1099-1107

Telecommunication control

Control Synthesis for a Class of Linear Network-Based Systems With Communication Constraints. *Zhang, C.*, +, *TIE Aug. 2013* 3339-3348

Low-Complexity Encoder Framework for Window-Level Rate Control Optimization. *Xu, L.*, +, *TIE May 2013* 1850-1858

Telecommunication links

Control Synthesis for a Class of Linear Network-Based Systems With Communication Constraints. *Zhang, C.*, +, *TIE Aug. 2013* 3339-3348

Telecommunication network planning

Study of RF Subsystem Used in Dynamic Spectrum Sharing System at TV Band. *You, C.-J.*, +, *TIE June 2013 2346-2357*

Telecommunication power supplies

Autocoupled-Transformer-Based 20-Pulse AC–DC Converter for Telecommunication Power Supply. *Kalpana, R.*, +, *TIE Oct. 2013 4178-4190*

Telecommunication security

EAACK—A Secure Intrusion-Detection System for MANETs. *Shakshuki, E. M.*, +, *TIE March 2013 1089-1098*

Security Analysis and Improvement of a Secure and Distributed Reprogramming Protocol for Wireless Sensor Networks. *He, D.*, +, *TIE Nov. 2013 5348-5354*

Telecommunication traffic

Network Interactions and Performance of a Multifunction IEC 61850 Process Bus. *Ingram, D. M. E.*, +, *TIE Dec. 2013 5933-5942*

Telemedicine

Gain-Scheduling Control of Teleoperation Systems Interacting With Soft Tissues. *Cho, J. H.*, +, *TIE March 2013 946-957*

Telerobotics

A Novel Motion Equation for General Task Description and Analysis of Mobile-Hapto. *Sakaino, S.*, +, *TIE July 2013 2673-2680*

Television transmitters

Study of RF Subsystem Used in Dynamic Spectrum Sharing System at TV Band. *You, C.-J.*, +, *TIE June 2013 2346-2357*

Temperature distribution

Calculation of Ventilation Cooling, Three-Dimensional Electromagnetic Fields, and Temperature Fields of the End Region in a Large Water–Hydrogen–Hydrogen-Cooled Turbogenerator. *Weili, L.*, +, *TIE Aug. 2013 3007-3015*

Thermal Analysis and Cooling System Design of Dual Mechanical Port Machine for Wind Power Application. *Sun, X.*, +, *TIE May 2013 1724-1733*

Temperature measurement

Local Heat Flux Measurement in a Permanent Magnet Motor at No Load. *Jussila, H. K.*, +, *TIE Nov. 2013 4852-4860*

Temperature sensors

Local Heat Flux Measurement in a Permanent Magnet Motor at No Load. *Jussila, H. K.*, +, *TIE Nov. 2013 4852-4860*

Testing

High Dynamic Torque Control for Industrial Engine Test Beds. *Wester-mayer, C.*, +, *TIE Sept. 2013 3877-3888*

Thermal analysis

Modular Multilevel Converter With Different Submodule Concepts—Part I: Capacitor Voltage Balancing Method. *Solas, E.*, +, *TIE Oct. 2013 4525-4535*

Modular Multilevel Converter With Different Submodule Concepts—Part II: Experimental Validation and Comparison for HVDC Application. *Solas, E.*, +, *TIE Oct. 2013 4536-4545*

Thermal Analysis and Cooling System Design of Dual Mechanical Port Machine for Wind Power Application. *Sun, X.*, +, *TIE May 2013 1724-1733*

Thermal Optimization for a HSPMG Used for Distributed Generation Systems. *Li, W.*, +, *TIE Feb. 2013 474-482*

Thermal Optimization of a High-Power Salient-Pole Electrical Machine. *Bornschlegell, A. S.*, +, *TIE May 2013 1734-1746*

Thermal management (packaging)

Piezoelectric Fan Cooling: A Novel High Reliability Electric Machine Thermal Management Solution. *Gilson, G. M.*, +, *TIE Nov. 2013 4841-4851*

Thin film transistors

Pretest Gap Mura on TFT LCDs Using the Optical Interference Pattern Sensing Method and Neural Network Classification. *Li, T.-Y.*, +, *TIE Sept. 2013 3976-3982*

Three-term control

A Saturation-Based Tuning Method for Fuzzy PID Controller. *Duan, X.-G.*, +, *TIE Nov. 2013 5177-5185*

An Optimal PID Control Algorithm for Training Feedforward Neural Networks. *Jing, X.*, +, *TIE June 2013 2273-2283*

Explicit Analytical PID Tuning Rules for the Design of Type-III Control Loops. *Papadopoulos, K. G.*, +, *TIE Oct. 2013 4650-4664*

Fractional-Order $PI^{\lambda}D^{\mu}$ and Active Disturbance Rejection Control of Non-linear Two-Mass Drive System. *Erenturk, K.*, +, *TIE Sept. 2013 3806-3813*

Optimal Design, Fabrication, and Control of an XY Micropositioning Stage Driven by Electromagnetic Actuators. *Xiao, S.*, +, *TIE Oct. 2013 4613-4626*

Polynomial-Method-Based Design of Low-Order Controllers for Two-Mass Systems. *Ma, C.*, +, *TIE March 2013 969-978*

Theoretical Analysis and Experimental Validation of Single-Phase Direct Versus Cascade Voltage Control in Islanded Microgrids. *Vandoorn, T. L.*, +, *TIE Feb. 2013 789-798*

Thyristors

400 V/1000 kVA Hybrid Automatic Transfer Switch. *Tian, B.*, +, *TIE Dec. 2013 5422-5435*

A Novel Noninvasive Failure-Detection System for High-Power Converters Based on SCRs. *Guerrero, V.*, +, *TIE Feb. 2013 450-458*

Comparison of 4.5-kV Press-Pack IGBTs and IGBTs for Medium-Voltage Converters. *Filsecker, F.*, +, *TIE Feb. 2013 440-449*

Experimental Investigation of the Commutations of a 3L-ANPC Phase Leg Using 4.5-kV–5.5-kA IGBTs. *Andler, D.*, +, *TIE Nov. 2013 4820-4830*

Reliability Analysis Framework for Structural Redundancy in Power Semiconductors. *Behjati, H.*, +, *TIE Oct. 2013 4376-4386*

Tidal power stations

Design and Evaluation of a New Converter Control Strategy for Near-Shore Tidal Turbines. *Jahromi, M. J.*, +, *TIE Dec. 2013 5648-5659*

Time division multiple access

A Distributed TDMA Scheduling Algorithm for Target Tracking in Ultrasonic Sensor Networks. *Cheng, P.*, +, *TIE Sept. 2013 3836-3845*

An Efficient Hybrid Medium Access Control Technique for Digital Ecosystems. *Le, H.*, +, *TIE March 2013 1070-1076*

Time measurement

Design of An Advanced Time Delay Measurement and A Smart Adaptive Unequal Interval Grey Predictor for Real-Time Nonlinear Control Systems. *Truong, D. Q.*, +, *TIE Oct. 2013 4574-4589*

Time-domain analysis

Asymptotic Time Domain Evaluation of a Multilevel Multiphase PWM Converter Voltage Quality. *Ruderman, A.*, +, *TIE May 2013 1999-2009*

Computational Modeling of Two Partly Coupled Coils Supplied by a Double Half-Bridge Resonant Inverter for Induction Heating Appliances. *Carretero, C.*, +, *TIE Aug. 2013 3092-3105*

Dynamical Effects of Equivalent Series Resistance of Output Capacitor in Constant On-Time Controlled Buck Converter. *Wang, J.*, +, *TIE May 2013 1759-1768*

Effect of Combined Output Capacitors for Stability of Buck Converters With Constant On-Time Control. *Qian, T.*, +, *TIE Dec. 2013 5585-5592*

Online Closed-Loop Autotuning Digital Controller for Switching Power Converters. *Abu Qahouq, J. A.*, +, *TIE May 2013 1747-1758*

Robust Zero Placement for Motion Control of Lightly Damped Systems. *Ha, C.-W.*, +, *TIE Sept. 2013 3857-3864*

Spectral Correction Approach Based on Desirable Sidelobe Window for Harmonic Analysis of Industrial Power System. *Wen, H.*, +, *TIE March 2013 1001-1010*

Stability Analysis of Four PMSG-Based Offshore Wind Farms Fed to an SG-Based Power System Through an LCC-HVDC Link. *Wang, L.*, +, *TIE June 2013 2392-2400*

Stability Enhancement of a Power System With a PMSG-Based and a DFIG-Based Offshore Wind Farm Using a SVC With an Adaptive-Network-Based Fuzzy Inference System. *Wang, L.*, +, *TIE July 2013 2799-2807*

Time-frequency analysis

Multicomponent Signal Analysis Based on Polynomial Chirplet Transform. *Yang, Y.*, +, *TIE Sept. 2013 3948-3956*

Passive LC Filter Design Considerations for Motor Applications. *Dzhankhotov, V.*, +, *TIE Oct. 2013 4253-4259*

Plastic Bearing Fault Diagnosis Based on a Two-Step Data Mining Approach. *He, D.*, +, *TIE Aug. 2013 3429-3440*

Time-varying systems

A Robust Linear Field-Oriented Voltage Control for the Induction Motor: Experimental Results. *Sira-Ramirez, H.*, +, *TIE Aug. 2013 3025-3033*

A Saturation-Based Tuning Method for Fuzzy PID Controller. *Duan, X.-G.*, +, *TIE Nov. 2013 5177-5185*

Improvement of Settling Performance by Mode-Switching Control With Split Initial-Value Compensation Based on Input Shaper. *Maeda, Y.*, +, *TIE March 2013 979-987*

Precise Positioning of Nonsmooth Dynamic Systems Using Fuzzy Wavelet Echo State Networks and Dynamic Surface Sliding Mode Control. *Han, S. I.*, +, *TIE Nov. 2013 5124-5136*

Topology

A ZVS-PWM Three-Phase Current-Fed Push–Pull DC–DC Converter. *Andersen, R. L.*, +, *TIE March 2013 838-847*

Torque

An Adaptive Interconnected Observer for Sensorless Control of PM Synchronous Motors With Online Parameter Identification. *Hamida, M. A.*, +, *TIE Feb. 2013 739-748*

Coordinated Control of DFIG's RSC and GSC Under Generalized Unbalanced and Distorted Grid Voltage Conditions. *Hu, J.*, +, *TIE July 2013 2808-2819*

Experimental Investigation on the Effect of Advanced Bus-Clamping Pulsewidth Modulation on Motor Acoustic Noise. *Binojumar, A. C.*, +, *TIE Feb. 2013 433-439*

High-Performance Inverter Based on Shaft Acceleration Torque for AC Drives. *Takahashi, K.*, +, *TIE Jan. 2013 66-77*

New Method to Eliminate Commutation Torque Ripple of Brushless DC Motor With Minimum Commutation Time. *Shi, J.*, +, *TIE June 2013 2139-2146*

Torque control

Analytical and Offline Approach to Select Optimal Hysteresis Bands of DTC for PMSM. *Mathapati, S.*, +, *TIE March 2013 885-895*

Bus-Clamping-Based DTC: An Attempt to Reduce Harmonic Distortion and Switching Losses. *El Badsy, B.*, +, *TIE March 2013 873-884*

FPGA-Based Predictive Sliding Mode Controller of a Three-Phase Inverter. *Curkovic, M.*, +, *TIE Feb. 2013 637-644*

Fractional-Order $PI^{\lambda}D^{\mu}$ and Active Disturbance Rejection Control of Non-linear Two-Mass Drive System. *Erenturk, K.*, +, *TIE Sept. 2013 3806-3813*

Generalized Vector Control for Brushless Doubly Fed Machines With Nested-Loop Rotor. *Barati, F.*, +, *TIE June 2013 2477-2485*

High Dynamic Torque Control for Industrial Engine Test Beds. *Wester-mayer, C.*, +, *TIE Sept. 2013 3877-3888*

Implementation of Finite-State Model Predictive Control for Commutation Torque Ripple Minimization of Permanent-Magnet Brushless DC Motor. *Xia, C.*, +, *TIE March 2013 896-905*

Predictive Torque and Flux Control Without Weighting Factors. *Rojas, C. A.*, +, *TIE Feb. 2013 681-690*

Vienna-Rectifier-Based Direct Torque Control of PMSG for Wind Energy Application. *Rajaei, A.*, +, *TIE July 2013 2919-2929*

Torque measurement

On the Use of Magnetic Wedges in Axial Flux Permanent Magnet Machines. *De Donato, G.*, +, *TIE Nov. 2013 4831-4840*

Tracking

A Two-Loop Performance-Oriented Tip-Tracking Control of a Linear-Motor-Driven Flexible Beam System With Experiments. *Lu, L.*, +, *TIE March 2013 1011-1022*

Comments on "Quasi-Continuous Higher Order Sliding-Mode Controllers for Spacecraft-Attitude-Tracking Maneuvers". *Ma, K.*, +, *TIE July 2013 2771-2773*

Traction

Analysis and Design of Fully Integrated Planar Magnetics for Primary-Parallel Isolated Boost Converter. *Ouyang, Z.*, +, *TIE Feb. 2013 494-508*

Front-End Buck Rectifier With Reduced Filter Size and Single-Loop Control. *Chaudhary, P.*, +, *TIE Oct. 2013 4359-4368*

Grid-Connected Integrated Battery Chargers in Vehicle Applications: Review and New Solution. *Hagbin, S.*, +, *TIE Feb. 2013 459-473*

Traction motor drives

Comprehensive Evaluation of the Dynamic Performance of a 6/10 SRM for Traction Application in PHEVs. *Bilgin, B.*, +, *TIE July 2013 2564-2575*

Traction motors

Design Principles of Permanent Magnet Synchronous Machines for Parallel Hybrid or Traction Applications. *Kamiev, K.*, +, *TIE Nov. 2013 4881-4890*

Traction power supplies

Digital Detection, Control, and Distribution System for Co-Phase Traction Power Supply Application. *Shu, Z.*, +, *TIE May 2013 1831-1839*

On Condition Maintenance Based on the Impedance Measurement for Traction Batteries: Development and Industrial Implementation. *Munoz-Condes, P.*, +, *TIE July 2013 2750-2759*

Trajectory control

A Two-Loop Performance-Oriented Tip-Tracking Control of a Linear-Motor-Driven Flexible Beam System With Experiments. *Lu, L.*, +, *TIE March 2013 1011-1022*

Biped Walking Pattern Generation by Using Preview Control Based on Three-Mass Model. *Shimmyo, S.*, +, *TIE Nov. 2013 5137-5147*

Transaction processing

Mobility Management Scheme for Context-Aware Transactions in Pervasive and Mobile Cyberspace. *Younas, M.*, +, *TIE March 2013 1108-1115*

Transducers

Sensorless Predictive DTC of a Surface-Mounted Permanent-Magnet Synchronous Machine Based on Its Magnetic Anisotropy. *Morales-Caporal, R.*, +, *TIE Aug. 2013 3016-3024*

Transfer function matrices

Decoupled dq -Current Control of Grid-Tied Voltage Source Converters Using Nonparametric Models. *Bahrani, B.*, +, *TIE April 2013 1356-1366*

Transfer functions

Explicit Analytical PID Tuning Rules for the Design of Type-III Control Loops. *Papadopoulos, K. G.*, +, *TIE Oct. 2013 4650-4664*

Transformer cores

A ZVS-PWM Three-Phase Current-Fed Push-Pull DC-DC Converter. *Andersen, R. L.*, +, *TIE March 2013 838-847*

Analysis and Design of Fully Integrated Planar Magnetics for Primary-Parallel Isolated Boost Converter. *Ouyang, Z.*, +, *TIE Feb. 2013 494-508*

Transformer windings

Analysis and Design of Fully Integrated Planar Magnetics for Primary-Parallel Isolated Boost Converter. *Ouyang, Z.*, +, *TIE Feb. 2013 494-508*

Analysis of a Novel Current Resonant DC-DC Converter. *Sato, T.*, +, *TIE Nov. 2013 4987-4995*

Analytical Optimization of Solid-Round-Wire Windings. *Wojda, R. P.*, +, *TIE March 2013 1033-1041*

Applying Response Surface Methodology to Small Planar Transformer Winding Design. *Cove, S. R.*, +, *TIE Feb. 2013 483-493*

Detection Method of the DC Bias in Distribution Power Transformers. *Buticchi, G.*, +, *TIE Aug. 2013 3539-3549*

Digital Detection, Control, and Distribution System for Co-Phase Traction Power Supply Application. *Shu, Z.*, +, *TIE May 2013 1831-1839*

Effect of Voltage Transformation Ratio on the Kilovoltampere Rating of Delta-Connected Autotransformer for 12-Pulse Rectifier System. *Meng, F.*, +, *TIE Sept. 2013 3579-3588*

Phase-Shifting-Transformer-Fed Multimodular Matrix Converter Operated by a New Modulation Strategy. *Wang, J.*, +, *TIE Oct. 2013 4329-4338*

Single-Switch Multioutput Charger Using Voltage Multiplier for Series-Connected Lithium-Ion Battery/Supercapacitor Equalization. *Uno, M.*, +, *TIE Aug. 2013 3227-3239*

Transformers

A Natural DC-Link Voltage Balancing of Diode-Clamped Inverters in Parallel Systems. *Stala, R.*, +, *TIE Nov. 2013 5008-5018*

Control Method for Wireless Inductive Energy Transfer Systems With Relatively Large Air Gap. *van der Pijl, F.*, +, *TIE Jan. 2013 382-390*

Distributed Digital Control of Modular-Based Solid-State Transformer Using DSP+FPGA. *Hwang, S.-H.*, +, *TIE Feb. 2013 670-680*

High-Efficiency Single-Phase Transformerless PV H6 Inverter With Hybrid Modulation Method. *Ji, B.*, +, *TIE May 2013 2104-2115*

Novel Isolated High-Step-Up DC-DC Converter With Voltage Lift. *Liang, T.-J.*, +, *TIE April 2013 1483-1491*

Soft-Switching Converter With Two Series Half-Bridge Legs to Reduce Voltage Stress of Active Switches. *Lin, B.-R.*, +, *TIE June 2013 2214-2224*

TZ-Source Inverters. *Nguyen, M.-K.*, +, *TIE Dec. 2013 5686-5695*

Transforms

Multicomponent Signal Analysis Based on Polynomial Chirplet Transform. *Yang, Y.*, +, *TIE Sept. 2013 3948-3956*

Transient response

Assessment and Optimization of the Transient Response of Proportional-Resonant Current Controllers for Distributed Power Generation Systems. *Vidal, A.*, +, *TIE April 2013 1367-1383*

Control Design for Multiphase Synchronous Buck Converters Based on Exact Constant Resistive Output Impedance. *Borrell, A.*, +, *TIE Nov. 2013 4920-4929*

Design and Implementation of an Online Tuning Adaptive Controller for Synchronous Reluctance Motor Drives. *Wei, M.-Y.*, +, *TIE Sept. 2013 3644-3657*

Dynamic Behavior of Multiport Power Electronic Interface Under Source/Load Disturbances. *Shamsi, P.*, +, *TIE Oct. 2013 4500-4511*

FPGA-Based Predictive Sliding Mode Controller of a Three-Phase Inverter. *Curkovic, M.*, +, *TIE Feb. 2013 637-644*

Robust Disturbance Observer for Two-Inertia System. *Yun, J. N.*, +, *TIE July 2013 2700-2710*

Transistors

Transistor-Clamped H-Bridge Based Cascaded Multilevel Inverter With New Method of Capacitor Voltage Balancing. *Rahim, N. A.*, +, *TIE Aug. 2013 2943-2956*

Transmitters

- A Study on Magnetic Field Repeater in Wireless Power Transfer. *Ahn, D.*, +, *TIE Jan. 2013 360-371*
 Acoustic Energy Transfer: A Review. *Roes, M. G. L.*, +, *TIE Jan. 2013 242-248*

Transport protocols

- Cloud-Based Networked Visual Servo Control. *Wu, H.*, +, *TIE Feb. 2013 554-566*
 Comparative Handover Performance Analysis of IPv6 Mobility Management Protocols. *Lee, J.-H.*, +, *TIE March 2013 1077-1088*

Turbines

- Design and Evaluation of a New Converter Control Strategy for Near-Shore Tidal Turbines. *Jahromi, M. J.*, +, *TIE Dec. 2013 5648-5659*

Turbogenerators

- Calculation of Ventilation Cooling, Three-Dimensional Electromagnetic Fields, and Temperature Fields of the End Region in a Large Water-Hydrogen-Hydrogen-Cooled Turbogenerator. *Weili, L.*, +, *TIE Aug. 2013 3007-3015*
 Influence of Copper Screen Thickness on Three-Dimensional Electromagnetic Field and Eddy Current Losses of Metal Parts in End Region of Large Water-Hydrogen-Hydrogen-Cooled Turbogenerator. *Feiyang, H.*, +, *TIE July 2013 2595-2601*
 Offline and Online Methods for Stator Core Fault Detection in Large Generators. *Romary, R.*, +, *TIE Sept. 2013 4084-4092*
 Rotor Faults Diagnosis Using Feature Selection and Nearest Neighbors Rule: Application to a Turbogenerator. *Biet, M.*, +, *TIE Sept. 2013 4063-4073*

Tyres

- Estimation of Sideslip and Roll Angles of Electric Vehicles Using Lateral Tire Force Sensors Through RLS and Kalman Filter Approaches. *Nam, K.*, +, *TIE March 2013 988-1000*

U**UHF amplifiers**

- Design and Performance Analysis of a 866-MHz Low-Power Optimized CMOS LNA for UHF RFID. *Li, J.*, +, *TIE May 2013 1840-1849*

Ultra wideband communication

- Ultra-Wideband Ring-Cavity Multiple-Way Parallel Power Divider. *Song, K.*, +, *TIE Oct. 2013 4737-4745*

Ultrasonic measurement

- Dynamic Ultrasonic Hybrid Localization System for Indoor Mobile Robots. *Kim, S. J.*, +, *TIE Oct. 2013 4562-4573*

Ultrasonic motors

- A High-Power Linear Ultrasonic Motor Using Bending Vibration Transducer. *Liu, Y.*, +, *TIE Nov. 2013 5160-5166*

Uncertain systems

- A Saturation-Based Tuning Method for Fuzzy PID Controller. *Duan, X.-G.*, +, *TIE Nov. 2013 5177-5185*
 Networked Predictive Control of Uncertain Systems With Multiple Feedback Channels. *Song, H.*, +, *TIE Nov. 2013 5228-5238*
 Robust LQR Attitude Control of a 3-DOF Laboratory Helicopter for Aggressive Maneuvers. *Liu, H.*, +, *TIE Oct. 2013 4627-4636*
 Saturated Adaptive Robust Control for Active Suspension Systems. *Sun, W.*, +, *TIE Sept. 2013 3889-3896*
 Sliding-Mode Control for Systems With Mismatched Uncertainties via a Disturbance Observer. *Yang, J.*, +, *TIE Jan. 2013 160-169*
 T-S Fuzzy Model-Based Adaptive Dynamic Surface Control for Ball and Beam System. *Chang, Y.-H.*, +, *TIE June 2013 2251-2263*
 Wheel Slip Control of EVs Based on Sliding Mode Technique With Conditional Integrators. *de Castro, R.*, +, *TIE Aug. 2013 3256-3271*

Uninterruptible power supplies

- A Control Strategy for Parallel Operation of Single-Phase Voltage Source Inverters: Analysis, Design and Experimental Results. *Lazzarin, T. B.*, +, *TIE June 2013 2194-2204*
 DC-DC Nonisolated Boost Converter Based on the Three-State Switching Cell and Voltage Multiplier Cells. *Alcazar, Y. J. A.*, +, *TIE Oct. 2013 4438-4449*
 FPGA Implementation of the Generalized Delayed Signal Cancellation—Phase Locked Loop Method for Detecting Harmonic Sequence Components in Three-Phase Signals. *Nascimento, P. S. B.*, +, *TIE Feb. 2013 645-658*

- Modeling, Analysis, and Mitigation of Load Neutral Point Voltage for Three-Phase Four-Leg Inverter. *Liu, Z.*, +, *TIE May 2013 2010-2021*
 Next-Generation Multi-Functional Modular Intelligent UPS System for Smart Grid. *Zhao, B.*, +, *TIE Sept. 2013 3602-3618*
 Proposal of Three-Phase High-Frequency Transformer Isolation UPS Topologies for Distributed Generation Applications. *Branco, C. G. C.*, +, *TIE April 2013 1520-1531*

User interfaces

- Evaluation of the Main MPPT Techniques for Photovoltaic Applications. *de Brito, M. A. G.*, +, *TIE March 2013 1156-1167*

V**Variable speed drives**

- Bearing Fault Diagnosis for Direct-Drive Wind Turbines via Current-Modulated Signals. *Gong, X.*, +, *TIE Aug. 2013 3419-3428*
 Variable-Speed Five-Phase Induction Motor Drive Based on Predictive Torque Control. *Riveros, J. A.*, +, *TIE Aug. 2013 2957-2968*

Variable structure systems

- A Fast Current-Based MPPT Technique Employing Sliding Mode Control. *Bianconi, E.*, +, *TIE March 2013 1168-1178*
 A Saturation-Based Tuning Method for Fuzzy PID Controller. *Duan, X.-G.*, +, *TIE Nov. 2013 5177-5185*
 Adaptive Sliding-Mode Control for a Multiple-User Inductive Power Transfer System Without Need for Communication. *van der Pijl, F. F. A.*, +, *TIE Jan. 2013 271-279*
 Adaptive Sliding-Mode Control for Nonlinear Active Suspension Vehicle Systems Using T-S Fuzzy Approach. *Li, H.*, +, *TIE Aug. 2013 3328-3338*
 Comments on “Quasi-Continuous Higher Order Sliding-Mode Controllers for Spacecraft-Attitude-Tracking Maneuvers”. *Ma, K.*, +, *TIE July 2013 2771-2773*
 Decoupled Dynamic Control for Pitch and Roll Axes of the Unicycle Robot. *Lee, J.*, +, *TIE Sept. 2013 3814-3822*
 Design of High-Performance Stand-Alone and Grid-Connected Inverter for Distributed Generation Applications. *Wai, R.-J.*, +, *TIE April 2013 1542-1555*
 DSP-Based Control of Sensorless IPMSM Drives for Wide-Speed-Range Operation. *Wang, G.*, +, *TIE Feb. 2013 720-727*
 Enhanced Adaptive Self-Organizing Fuzzy Sliding-Mode Controller for Active Suspension Systems. *Lian, R.-J.*, +, *TIE March 2013 958-968*
 Fault-Tolerant Control for Six-Phase PMSM Drive System via Intelligent Complementary Sliding-Mode Control Using TSKFNN-AMF. *Lin, F.-J.*, +, *TIE Dec. 2013 5747-5762*
 FPGA-Based Predictive Sliding Mode Controller of a Three-Phase Inverter. *Curkovic, M.*, +, *TIE Feb. 2013 637-644*
 High-Order Terminal Sliding-Mode Observer for Parameter Estimation of a Permanent-Magnet Synchronous Motor. *Feng, Y.*, +, *TIE Oct. 2013 4272-4280*
 Lyapunov-Designed Super-Twisting Sliding Mode Control for Wind Energy Conversion Optimization. *Evangelista, C.*, +, *TIE Feb. 2013 538-545*
 Microstepping Using a Disturbance Observer and a Variable Structure Controller for Permanent-Magnet Stepper Motors. *Kim, W.*, +, *TIE July 2013 2689-2699*
 Missile Guidance Law Based on Extended State Observer. *Zhu, Z.*, +, *TIE Dec. 2013 5882-5891*
 New Sliding-Mode Observer for Position Sensorless Control of Permanent-Magnet Synchronous Motor. *Qiao, Z.*, +, *TIE Feb. 2013 710-719*
 Optimal Design, Fabrication, and Control of an XY Micropositioning Stage Driven by Electromagnetic Actuators. *Xiao, S.*, +, *TIE Oct. 2013 4613-4626*
 Power Adaptor Device for Domestic DC Microgrids Based on Commercial MPPT Inverters. *Valderrama-Blavi, H.*, +, *TIE March 2013 1191-1203*
 Precise Positioning of Nonsmooth Dynamic Systems Using Fuzzy Wavelet Echo State Networks and Dynamic Surface Sliding Mode Control. *Han, S. I.*, +, *TIE Nov. 2013 5124-5136*
 PWM-Based Adaptive Sliding-Mode Control for Boost DC-DC Converters. *Oucheriah, S.*, +, *TIE Aug. 2013 3291-3294*
 Sensorless Predictive DTC of a Surface-Mounted Permanent-Magnet Synchronous Machine Based on Its Magnetic Anisotropy. *Morales-Caporal, R.*, +, *TIE Aug. 2013 3016-3024*
 Sliding-Mode Control for Systems With Mismatched Uncertainties via a Disturbance Observer. *Yang, J.*, +, *TIE Jan. 2013 160-169*
 Sliding-Mode Control of an Electromagnetic Actuated Conveyance System Using Contactless Sensing. *Chin, C. S.*, +, *TIE Nov. 2013 5315-5324*

Speed Estimation and Nonmatched Time-Varying Parameter Identification for a DC Motor With Hybrid Sliding-Mode Observer. *Zhou, Y.*, +, *TIE Dec. 2013 5539-5549*

Stability Guaranteed Time-Delay Control of Manipulators Using Nonlinear Damping and Terminal Sliding Mode. *Jin, Y.*, +, *TIE Aug. 2013 3304-3317*
Start-Up Control and Voltage Regulation in a Boost Converter Under Sliding-Mode Operation. *Martinez-Salameo, L.*, +, *TIE Oct. 2013 4637-4649*

T-S Fuzzy-Model-Based Sliding-Mode Control for Surface-Mounted Permanent-Magnet Synchronous Motors Considering Uncertainties. *Vu, N. T.-T.*, +, *TIE Oct. 2013 4281-4291*

Wheel Slip Control of EVs Based on Sliding Mode Technique With Conditional Integrators. *de Castro, R.*, +, *TIE Aug. 2013 3256-3271*

Vectors

Comments on "Quasi-Continuous Higher Order Sliding-Mode Controllers for Spacecraft-Attitude-Tracking Maneuvers". *Ma, K.*, +, *TIE July 2013 2771-2773*

Vehicle dynamics

Enhanced Adaptive Self-Organizing Fuzzy Sliding-Mode Controller for Active Suspension Systems. *Lian, R.-J.*, +, *TIE March 2013 958-968*

New Rollover Index for the Detection of Tripped and Untripped Rollovers. *Phanomchoeng, G.*, +, *TIE Oct. 2013 4726-4736*

Saturated Adaptive Robust Control for Active Suspension Systems. *Sun, W.*, +, *TIE Sept. 2013 3889-3896*

Velocimeters

Piezoelectric Fan Cooling: A Novel High Reliability Electric Machine Thermal Management Solution. *Gilson, G. M.*, +, *TIE Nov. 2013 4841-4851*

Velocity control

A Novel Motion Equation for General Task Description and Analysis of Mobile-Hapto. *Sakaino, S.*, +, *TIE July 2013 2673-2680*

Fractional-Order $PI^{\lambda}D^{\mu}$ and Active Disturbance Rejection Control of Nonlinear Two-Mass Drive System. *Erenturk, K.*, +, *TIE Sept. 2013 3806-3813*

Polynomial-Method-Based Design of Low-Order Controllers for Two-Mass Systems. *Ma, C.*, +, *TIE March 2013 969-978*

Variable-Speed Five-Phase Induction Motor Drive Based on Predictive Torque Control. *Riveros, J. A.*, +, *TIE Aug. 2013 2957-2968*

Ventilation

Calculation of Ventilation Cooling, Three-Dimensional Electromagnetic Fields, and Temperature Fields of the End Region in a Large Water-Hydrogen-Hydrogen-Cooled Turbogenerator. *Weili, L.*, +, *TIE Aug. 2013 3007-3015*

Detection of Mass Increase in a Fan Impeller With a Frequency Converter. *Tamminen, J.*, +, *TIE Sept. 2013 3968-3975*

Vibration control

Adaptive Sliding-Mode Control for Nonlinear Active Suspension Vehicle Systems Using T-S Fuzzy Approach. *Li, H.*, +, *TIE Aug. 2013 3328-3338*

Allocation of Actuators and Sensors for Coupled-Adjacent-Building Vibration Attenuation. *Gao, H.*, +, *TIE Dec. 2013 5792-5801*

Boundary Control of a Flexible Riser With the Application to Marine Installation. *He, W.*, +, *TIE Dec. 2013 5802-5810*

Boundary Output-Feedback Stabilization of a Timoshenko Beam Using Disturbance Observer. *He, W.*, +, *TIE Nov. 2013 5186-5194*

Polynomial-Method-Based Design of Low-Order Controllers for Two-Mass Systems. *Ma, C.*, +, *TIE March 2013 969-978*

Robust Disturbance Observer for Two-Inertia System. *Yun, J. N.*, +, *TIE July 2013 2700-2710*

Robust Zero Placement for Motion Control of Lightly Damped Systems. *Ha, C.-W.*, +, *TIE Sept. 2013 3857-3864*

Saturated Adaptive Robust Control for Active Suspension Systems. *Sun, W.*, +, *TIE Sept. 2013 3889-3896*

Vibrations

A High-Power Linear Ultrasonic Motor Using Bending Vibration Transducer. *Liu, Y.*, +, *TIE Nov. 2013 5160-5166*

Acoustic Noise/Vibration Reduction of a Single-Phase SRM Using Skewed Stator and Rotor. *Yang, H.-Y.*, +, *TIE Oct. 2013 4292-4300*

Bearing Fault Detection by a Novel Condition-Monitoring Scheme Based on Statistical-Time Features and Neural Networks. *Prieto, M. D.*, +, *TIE Aug. 2013 3398-3407*

Bearing Fault Model for Induction Motor With Externally Induced Vibration. *Immovilli, F.*, +, *TIE Aug. 2013 3408-3418*

Detection of Backlash Phenomena Appearing in a Single Cement Kiln Drive Using the Current and the Electromagnetic Torque Signature. *Bogiatzidis, I. X.*, +, *TIE Aug. 2013 3441-3453*

Early Classification of Bearing Faults Using Morphological Operators and Fuzzy Inference. *Raj, A. S.*, +, *TIE Feb. 2013 567-574*

Plastic Bearing Fault Diagnosis Based on a Two-Step Data Mining Approach. *He, D.*, +, *TIE Aug. 2013 3429-3440*

Shaft Trajectory Analysis in a Partially Demagnetized Permanent-Magnet Synchronous Motor. *Urresty, J.-C.*, +, *TIE Aug. 2013 3454-3461*

Video cameras

Directional People Counter Based on Head Tracking. *Garcia, J.*, +, *TIE Sept. 2013 3991-4000*

Video coding

Low-Complexity Encoder Framework for Window-Level Rate Control Optimization. *Xu, L.*, +, *TIE May 2013 1850-1858*

Video signal processing

Directional People Counter Based on Head Tracking. *Garcia, J.*, +, *TIE Sept. 2013 3991-4000*

Virtual instrumentation

A Two-Stage Solution Procedure for Digital Power Metering According to IEEE Standard 1459-2010 in Single-Phase System. *Chen, C.-I.*, +, *TIE Dec. 2013 5550-5557*

Multiphysics Test Bed for Renewable Energy Systems in Smart Homes. *Molitor, C.*, +, *TIE March 2013 1235-1248*

Web-Based 3-D Control Laboratory for Remote Real-Time Experimentation. *Hu, W.*, +, *TIE Oct. 2013 4673-4682*

Virtual reality

Web-Based 3-D Control Laboratory for Remote Real-Time Experimentation. *Hu, W.*, +, *TIE Oct. 2013 4673-4682*

Visual evoked potentials

Total Design of an FPGA-Based Brain-Computer Interface Control Hospital Bed Nursing System. *Shyu, K.-K.*, +, *TIE July 2013 2731-2739*

Visual servoing

Cloud-Based Networked Visual Servo Control. *Wu, H.*, +, *TIE Feb. 2013 554-566*

Voltage control

A Capacitively Coupled Contactless Matrix Charging Platform With Soft Switched Transformer Control. *Liu, C.*, +, *TIE Jan. 2013 249-260*

A Carrier-Based Unbalanced PWM Method for Four-Leg Voltage Source Inverter Fed Unsymmetrical Two-Phase Induction Motor. *Kumsuwan, Y.*, +, *TIE May 2013 2031-2041*

A Cascade Multilevel Frequency Changing Converter for High-Power Applications. *Soto-Sanchez, D. E.*, +, *TIE June 2013 2118-2130*

A Control Strategy for Parallel Operation of Single-Phase Voltage Source Inverters: Analysis, Design and Experimental Results. *Lazzarin, T. B.*, +, *TIE June 2013 2194-2204*

A Current Decoupling Parallel Control Strategy of Single-Phase Inverter With Voltage and Current Dual Closed-Loop Feedback. *Xu, S.*, +, *TIE April 2013 1306-1313*

A Magnetically Coupled Feedback-Clamped Optimal Bidirectional Battery Charger. *Singh, R. K.*, +, *TIE Feb. 2013 422-432*

A New Variable-Frequency Optimal Direct Power Control Algorithm. *Alonso-Martinez, J.*, +, *TIE April 2013 1442-1451*

A Novel Distributed Direct-Voltage Control Strategy for Grid Integration of Offshore Wind Energy Systems Through MTDC Network. *Teixeira Pinto, R.*, +, *TIE June 2013 2429-2441*

A Robust Linear Field-Oriented Voltage Control for the Induction Motor: Experimental Results. *Sira-Ramirez, H.*, +, *TIE Aug. 2013 3025-3033*

A Simplified Power Conditioner Based on Half-Bridge Converter for High-Speed Railway System. *Ma, F.*, +, *TIE Feb. 2013 728-738*

A Twofold Daubechies-Wavelet-Based Module for Fault Detection and Voltage Regulation in SEIGs for Distributed Wind Power Generation. *Iyer, K. L. V.*, +, *TIE April 2013 1638-1651*

Active Voltage and Frequency Regulator Design for a Wind-Driven Induction Generator to Alleviate Transient Impacts on Power Grid. *Chen, W.-L.*, +, *TIE Aug. 2013 3165-3175*

Adjustable Proportional Hybrid SVPWM Strategy for Neutral-Point-Clamped Three-Level Inverters. *Xia, C.*, +, *TIE Oct. 2013 4234-4242*

An Adaptive Voltage Control Strategy of Three-Phase Inverter for Stand-Alone Distributed Generation Systems. *Do, T. D.*, +, *TIE Dec. 2013 5660-5672*

An Effective Energy-Saving Scalar Control for Industrial IPMSM Drives. *Consoli, A.*, +, *TIE Sept. 2013 3658-3669*

An Improved Control Strategy of Triple Line-Voltage Cascaded Voltage Source Converter Based on Proportional-Resonant Controller. *Xia, C.*, +, *TIE July 2013 2894-2908*

- Analysis and Design of a Multioutput Converter Using Asymmetrical PWM Half-Bridge Flyback Converter Employing a Parallel-Series Transformer. *Kim, H.-S.*, +, *TIE Aug. 2013 3115-3125*
- Analysis and Design of Phase-Shifted Dual H-Bridge Converter With a Wide ZVS Range and Reduced Output Filter. *Lee, I.-O.*, +, *TIE Oct. 2013 4415-4426*
- Analysis and PWM Control of Switched Boost Inverter. *Ravindranath, A.*, +, *TIE Dec. 2013 5593-5602*
- Autonomous Voltage Unbalance Compensation in an Islanded Droop-Controlled Microgrid. *Savaghebi, M.*, +, *TIE April 2013 1390-1402*
- Capacitor Voltage Regulation in Single-DC-Source Cascaded H-Bridge Multilevel Converters Using Phase-Shift Modulation. *Sepahvand, H.*, +, *TIE Sept. 2013 3619-3626*
- Cascaded Current-Voltage Control to Improve the Power Quality for a Grid-Connected Inverter With a Local Load. *Zhong, Q.-C.*, +, *TIE April 2013 1344-1355*
- D-STATCOM With Positive-Sequence Admittance and Negative-Sequence Conductance to Mitigate Voltage Fluctuations in High-Level Penetration of Distributed-Generation Systems. *Lee, T.-L.*, +, *TIE April 2013 1417-1428*
- DC Voltage Controller for Asymmetric-Twin-Converter-Topology-Based High-Power STATCOM. *Anand, S.*, +, *TIE Jan. 2013 11-19*
- Design and Evaluation of a New Converter Control Strategy for Near-Shore Tidal Turbines. *Jahromi, M. J.*, +, *TIE Dec. 2013 5648-5659*
- Design of Neutral-Point Voltage Controller of a Three-Level NPC Inverter With Small DC-Link Capacitors. *Maheshwari, R.*, +, *TIE May 2013 1861-1871*
- Design, Optimization, and Intelligent Control of Permanent-Magnet Contactor. *Lin, H.*, +, *TIE Nov. 2013 5148-5159*
- Detecting Bifurcation Types and Characterizing Stability in DC-DC Switching Converters by Duplicate Symbolic Sequence and Weight Complexity. *Xie, F.*, +, *TIE Aug. 2013 3145-3156*
- Digital Control Strategy for HID Lamp Electronic Ballasts. *Kirsten, A. L.*, +, *TIE Feb. 2013 608-618*
- Discontinuous PWM Modulation Strategy With Circuit-Level Decoupling Concept of Three-Level Neutral-Point-Clamped (NPC) Inverter. *Zhang, Z.*, +, *TIE May 2013 1897-1906*
- Dual-Mode Double-Carrier-Based Sinusoidal Pulse Width Modulation Inverter With Adaptive Smooth Transition Control Between Modes. *Zhao, Z.*, +, *TIE May 2013 2094-2103*
- Energy-Balance Control of PV Cascaded Multilevel Grid-Connected Inverters Under Level-Shifted and Phase-Shifted PWMs. *Chavarría, J.*, +, *TIE Jan. 2013 98-111*
- Flexible Voltage Support Control for Three-Phase Distributed Generation Inverters Under Grid Fault. *Camacho, A.*, +, *TIE April 2013 1429-1441*
- Front-End Buck Rectifier With Reduced Filter Size and Single-Loop Control. *Chaudhary, P.*, +, *TIE Oct. 2013 4359-4368*
- Harmonic Compensation With Zero-Sequence Load Voltage Control in a Speed-Sensorless DFIG-Based Stand-Alone VSCF Generating System. *Pattnaik, M.*, +, *TIE Dec. 2013 5506-5514*
- High-Efficiency Digital-Controlled Interleaved Power Converter for High-Power PEM Fuel-Cell Applications. *Cheng, S.-J.*, +, *TIE Feb. 2013 773-780*
- Hybrid Voltage and Current Control Approach for DG-Grid Interfacing Converters With *LCL* filters. *He, J.*, +, *TIE May 2013 1797-1809*
- Improved Pulse Regulation Control Technique for Switching DC-DC Converters Operating in DCM. *Qin, M.*, +, *TIE May 2013 1819-1830*
- Modeling and Control of Quasi-Z-Source Inverter for Distributed Generation Applications. *Li, Y.*, +, *TIE April 2013 1532-1541*
- Modeling, Analysis, and Design of Stationary-Reference-Frame Droop-Controlled Parallel Three-Phase Voltage Source Inverters. *Vasquez, J. C.*, +, *TIE April 2013 1271-1280*
- Modular Multilevel Converter With Different Submodule Concepts—Part I: Capacitor Voltage Balancing Method. *Solas, E.*, +, *TIE Oct. 2013 4525-4535*
- Multilevel SVPWM With DC-Link Capacitor Voltage Balancing Control for Diode-Clamped Multilevel Converter Based STATCOM. *Shu, Z.*, +, *TIE May 2013 1884-1896*
- One-Cycle-Controlled Single-Stage Single-Phase Voltage-Sensorless Grid-Connected PV System. *S. S. E.*, +, *TIE March 2013 1216-1224*
- Operation of a Three-Phase Power Converter Connected to a Distribution System. *Pozzebon, G. G.*, +, *TIE May 2013 1810-1818*
- Overcurrent and Overload Protection of Directly Voltage-Controlled Distributed Resources in a Microgrid. *Ettemadi, A. H.*, +, *TIE Dec. 2013 5629-5638*
- Parallel PI Voltage- H^∞ Current Controller for the Neutral Point of a Three-Phase Inverter. *Hornik, T.*, +, *TIE April 2013 1335-1343*
- Per-Sequence Vector-Switching Matrix Converter Modules for Voltage Regulation. *García-Vite, P. M.*, +, *TIE Dec. 2013 5411-5421*
- Photovoltaic Power System With Battery Backup With Grid-Connection and Islanded Operation Capabilities. *Velasco de la Fuente, D.*, +, *TIE April 2013 1571-1581*
- Reconfigurable Control Scheme for a PV Microinverter Working in Both Grid-Connected and Island Modes. *Trujillo Rodríguez, C.*, +, *TIE April 2013 1582-1595*
- Start-Up Control and Voltage Regulation in a Boost Converter Under Sliding-Mode Operation. *Martínez-Salamero, L.*, +, *TIE Oct. 2013 4637-4649*
- StatCom control at wind farms with fixed-speed induction generators under asymmetrical grid faults. *Wessels, C.*, +, *TIE July 2013 2864-2873*
- Subharmonic Analysis for Buck Converters With Constant On-Time Control and Ramp Compensation. *Qian, T.*, +, *TIE May 2013 1780-1786*
- Theoretical Analysis and Experimental Validation of Single-Phase Direct Versus Cascade Voltage Control in Islanded Microgrids. *Vandoorn, T. L.*, +, *TIE Feb. 2013 789-798*
- Voltage Control of Multiterminal VSC-HVDC Transmission Systems for Offshore Wind Power Plants: Design and Implementation in a Scaled Platform. *Egea-Alvarez, A.*, +, *TIE June 2013 2381-2391*
- Voltage-Based Control of a Smart Transformer in a Microgrid. *Vandoorn, T. L.*, +, *TIE April 2013 1291-1305*
- Wind Turbine Generation System With Optimized DC-Link Design and Control. *Espi, J. M.*, +, *TIE March 2013 919-929*
- Voltage measurement**
- Detection Method of the DC Bias in Distribution Power Transformers. *Bu-ticchi, G.*, +, *TIE Aug. 2013 3539-3549*
- Evaluation of $V_{C_{\alpha}}$ Monitoring as a Real-Time Method to Estimate Aging of Bond Wire-IGBT Modules Stressed by Power Cycling. *Smet, V.*, +, *TIE July 2013 2760-2770*
- Voltage multipliers**
- Cascade Cockcroft-Walton Voltage Multiplier Applied to Transformerless High Step-Up DC-DC Converter. *Young, C.-M.*, +, *TIE Feb. 2013 523-537*
- DC-DC Nonisolated Boost Converter Based on the Three-State Switching Cell and Voltage Multiplier Cells. *Alcazar, Y. J. A.*, +, *TIE Oct. 2013 4438-4449*
- Single-Switch Multioutput Charger Using Voltage Multiplier for Series-Connected Lithium-Ion Battery/Supercapacitor Equalization. *Uno, M.*, +, *TIE Aug. 2013 3227-3239*
- Voltage regulators**
- A Digitally Controlled Switching Regulator With Reduced Conductive EMI Spectra. *Tsai, C.-H.*, +, *TIE Sept. 2013 3938-3947*
- Control Design for Multiphase Synchronous Buck Converters Based on Exact Constant Resistive Output Impedance. *Borrell, A.*, +, *TIE Nov. 2013 4920-4929*
- Operation of a Three-Phase Power Converter Connected to a Distribution System. *Pozzebon, G. G.*, +, *TIE May 2013 1810-1818*

W

Wavelet transforms

- Advanced Diagnosis of Electrical Faults in Wound-Rotor Induction Machines. *Gritli, Y.*, +, *TIE Sept. 2013 4012-4024*
- Industrial Application of Evolvable Block-Based Neural Network to Hypoglycemia Monitoring System. *San, P. P.*, +, *TIE Dec. 2013 5892-5901*
- Precise Positioning of Nonsmooth Dynamic Systems Using Fuzzy Wavelet Echo State Networks and Dynamic Surface Sliding Mode Control. *Han, S. I.*, +, *TIE Nov. 2013 5124-5136*
- Wavelet-Based Approach to Evaluation of Signal Integrity. *Bialasiewicz, J. T.*, +, *TIE Oct. 2013 4590-4598*

Wheels

- Design and Implementation of a Takagi-Sugeno-Type Fuzzy Logic Controller on a Two-Wheeled Mobile Robot. *Xu, J.-X.*, +, *TIE Dec. 2013 5717-5728*
- Wheel Slip Control of EVs Based on Sliding Mode Technique With Conditional Integrators. *de Castro, R.*, +, *TIE Aug. 2013 3256-3271*

Wind energy

- Introduction to the Special Section on Control and Grid Integration of Wind Energy Systems - Part II. *Cardenas, R.*, +, *TIE July 2013 2774-2775*

Wind energy generation

Introduction to the Special Section on Control and Grid Integration of Wind Energy Systems—Part I. *Cardenas, R., +, TIE June 2013 2358-2359*

Wind power

Control Structure for Single-Phase Stand-Alone Wind-Based Energy Sources. *Barote, L., +, TIE Feb. 2013 764-772*

Lyapunov-Designed Super-Twisting Sliding Mode Control for Wind Energy Conversion Optimization. *Evangelista, C., +, TIE Feb. 2013 538-545*

Wind power plants

A Calibration Test Platform of Power Quality Instruments for Grid Integration of Wind Energy System. *Chen, C., +, TIE July 2013 2874-2880*

A Novel Distributed Direct-Voltage Control Strategy for Grid Integration of Offshore Wind Energy Systems Through MTDC Network. *Teixeira Pinto, R., +, TIE June 2013 2429-2441*

A Transformerless Series Reactive/Harmonic Compensator for Line-Commutated HVDC for Grid Integration of Offshore Wind Power. *Jafar, M., +, TIE June 2013 2410-2419*

A Twofold Daubechies-Wavelet-Based Module for Fault Detection and Voltage Regulation in SEIGs for Distributed Wind Power Generation. *Iyer, K. L. V., +, TIE April 2013 1638-1651*

An All-DC Offshore Wind Farm With Series-Connected Turbines: An Alternative to the Classical Parallel AC Model?. *Holtmark, N., +, TIE June 2013 2420-2428*

An LVRT Control Strategy Based on Flux Linkage Tracking for DFIG-Based WECS. *Xiao, S., +, TIE July 2013 2820-2832*

Bearing Fault Diagnosis for Direct-Drive Wind Turbines via Current-De-modulated Signals. *Gong, X., +, TIE Aug. 2013 3419-3428*

Coordinated Control of DFIG's RSC and GSC Under Generalized Unbalanced and Distorted Grid Voltage Conditions. *Hu, J., +, TIE July 2013 2808-2819*

Crowbarless Fault Ride-Through of the Brushless Doubly Fed Induction Generator in a Wind Turbine Under Symmetrical Voltage Dips. *Long, T., +, TIE July 2013 2833-2841*

Dynamic Control of the Brushless Doubly Fed Induction Generator Under Unbalanced Operation. *Shao, S., +, TIE June 2013 2465-2476*

Efficiency and Fault Ride-Through Performance of a Diode-Rectifier- and VSC-Inverter-Based HVDC Link for Offshore Wind Farms. *Bernal-Perez, S., +, TIE June 2013 2401-2409*

Flying Supercapacitors as Power Smoothing Elements in Wind Generation. *Jayasinghe, S. D. G., +, TIE July 2013 2909-2918*

Harmonic Compensation With Zero-Sequence Load Voltage Control in a Speed-Sensorless DFIG-Based Stand-Alone VSCF Generating System. *Pattnaik, M., +, TIE Dec. 2013 5506-5514*

LVRT Capability of DFIG-Based WECS Under Asymmetrical Grid Fault Condition. *Geng, H., +, TIE June 2013 2495-2509*

Multiobjective Intelligent Energy Management for a Microgrid. *Chaouachi, A., +, TIE April 2013 1688-1699*

New Overall Power Control Strategy for Variable-Speed Fixed-Pitch Wind Turbines Within the Whole Wind Velocity Range. *Chen, J., +, TIE July 2013 2652-2660*

Offshore-Wind-Farm Configuration Using Diode Rectifier With MERS in Current Link Topology. *Kawaguchi, T., +, TIE July 2013 2930-2937*

Open-Circuit Fault Diagnosis in PMSG Drives for Wind Turbine Applications. *Freire, N. M. A., +, TIE Sept. 2013 3957-3967*

Overview of Control Systems for the Operation of DFIGs in Wind Energy Applications. *Cardenas, R., +, TIE July 2013 2776-2798*

Parallel Operation of Full Power Converters in Permanent-Magnet Direct-Drive Wind Power Generation System. *Li, R., +, TIE April 2013 1619-1629*

Performance Investigation of Isolated Wind-Diesel Hybrid Power Systems With WECS Having PMIG. *Sharma, P., +, TIE April 2013 1630-1637*

Predictive Current Control of Three-Phase Grid-Connected Converters With Constant Switching Frequency for Wind Energy Systems. *Song, Z., +, TIE June 2013 2451-2464*

Stability Analysis of Four PMSG-Based Offshore Wind Farms Fed to an SG-Based Power System Through an LCC-HVDC Link. *Wang, L., +, TIE June 2013 2392-2400*

Stability Enhancement of a Power System With a PMSG-Based and a DFIG-Based Offshore Wind Farm Using a SVC With an Adaptive-Network-Based Fuzzy Inference System. *Wang, L., +, TIE July 2013 2799-2807*

StatCom control at wind farms with fixed-speed induction generators under asymmetrical grid faults. *Wessels, C., +, TIE July 2013 2864-2873*

Thermal Analysis and Cooling System Design of Dual Mechanical Port Machine for Wind Power Application. *Sun, X., +, TIE May 2013 1724-1733*

Three Control Strategies to Improve the Microgrid Transient Dynamic Response During Isolated Mode: A Comparative Study. *Kamel, R. M., +, TIE April 2013 1314-1322*

Use of Stored Energy in PMSG Rotor Inertia for Low-Voltage Ride-Through in Back-to-Back NPC Converter-Based Wind Power Systems. *Alepuz, S., +, TIE May 2013 1787-1796*

Utilization of Wind Turbines for Upregulation of Power Grids. *Juelsgaard, M., +, TIE July 2013 2851-2863*

Vienna-Rectifier-Based Direct Torque Control of PMSG for Wind Energy Application. *Rajaei, A., +, TIE July 2013 2919-2929*

Voltage Control of Multiterminal VSC-HVDC Transmission Systems for Offshore Wind Power Plants: Design and Implementation in a Scaled Platform. *Egea-Alvarez, A., +, TIE June 2013 2381-2391*

Wind Energy System With Integrated Functions of Active Power Transfer, Reactive Power Compensation, and Voltage Conversion. *She, X., +, TIE Oct. 2013 4512-4524*

Wind Turbine Generation System With Optimized DC-Link Design and Control. *Espi, J. M., +, TIE March 2013 919-929*

Wind Turbine Power Coefficient Analysis of a New Maximum Power Point Tracking Technique. *Xia, Y., +, TIE March 2013 1122-1132*

Wind turbines

A Calibration Test Platform of Power Quality Instruments for Grid Integration of Wind Energy System. *Chen, C., +, TIE July 2013 2874-2880*

Advanced Fault Ride-Through Technique for PMSG Wind Turbine Systems Using Line-Side Converter as STATCOM. *Nguyen, T. H., +, TIE July 2013 2842-2850*

An All-DC Offshore Wind Farm With Series-Connected Turbines: An Alternative to the Classical Parallel AC Model?. *Holtmark, N., +, TIE June 2013 2420-2428*

Bearing Fault Diagnosis for Direct-Drive Wind Turbines via Current-De-modulated Signals. *Gong, X., +, TIE Aug. 2013 3419-3428*

Constant-Bandwidth Maximum Power Point Tracking Strategy for Variable-Speed Wind Turbines and Its Design Details. *Chen, J., +, TIE Nov. 2013 5050-5058*

Control Structure for Single-Phase Stand-Alone Wind-Based Energy Sources. *Barote, L., +, TIE Feb. 2013 764-772*

Coordinated Control of DFIG's RSC and GSC Under Generalized Unbalanced and Distorted Grid Voltage Conditions. *Hu, J., +, TIE July 2013 2808-2819*

Crowbarless Fault Ride-Through of the Brushless Doubly Fed Induction Generator in a Wind Turbine Under Symmetrical Voltage Dips. *Long, T., +, TIE July 2013 2833-2841*

Distributed Control of a Fault-Tolerant Modular Multilevel Inverter for Direct-Drive Wind Turbine Grid Interfacing. *Parker, M. A., +, TIE Feb. 2013 509-522*

Dynamic Control of the Brushless Doubly Fed Induction Generator Under Unbalanced Operation. *Shao, S., +, TIE June 2013 2465-2476*

Efficiency and Fault Ride-Through Performance of a Diode-Rectifier- and VSC-Inverter-Based HVDC Link for Offshore Wind Farms. *Bernal-Perez, S., +, TIE June 2013 2401-2409*

Fault Ride-Through Improvement of DFIG-WT by Integrating a Two-Degrees-of-Freedom Internal Model Control. *Campos-Gaona, D., +, TIE March 2013 1133-1145*

LCC-HVDC Connection of Offshore Wind Farms With Reduced Filter Banks. *Blasco-Gimenez, R., +, TIE June 2013 2372-2380*

Maximum Output Power Tracking Control in Variable-Speed Wind Turbine Systems Considering Rotor Inertial Power. *Kim, K.-H., +, TIE Aug. 2013 3207-3217*

New Overall Power Control Strategy for Variable-Speed Fixed-Pitch Wind Turbines Within the Whole Wind Velocity Range. *Chen, J., +, TIE July 2013 2652-2660*

Offshore-Wind-Farm Configuration Using Diode Rectifier With MERS in Current Link Topology. *Kawaguchi, T., +, TIE July 2013 2930-2937*

Open-Circuit Fault Diagnosis in PMSG Drives for Wind Turbine Applications. *Freire, N. M. A., +, TIE Sept. 2013 3957-3967*

Stability Enhancement of a Power System With a PMSG-Based and a DFIG-Based Offshore Wind Farm Using a SVC With an Adaptive-Network-Based Fuzzy Inference System. *Wang, L., +, TIE July 2013 2799-2807*

StatCom control at wind farms with fixed-speed induction generators under asymmetrical grid faults. *Wessels, C., +, TIE July 2013 2864-2873*

Three Control Strategies to Improve the Microgrid Transient Dynamic Response During Isolated Mode: A Comparative Study. *Kamel, R. M., +, TIE April 2013 1314-1322*

Utilization of Wind Turbines for Upregulation of Power Grids. *Juelsgaard, M.*, +, *TIE July 2013 2851-2863*
 Wind Turbine Generation System With Optimized DC-Link Design and Control. *Espi, J. M.*, +, *TIE March 2013 919-929*
 Wind Turbine Power Coefficient Analysis of a New Maximum Power Point Tracking Technique. *Xia, Y.*, +, *TIE March 2013 1122-1132*

Windings

Modeling Framework for Contactless Energy Transfer Systems for Linear Actuators. *Smeets, J. P. C.*, +, *TIE Jan. 2013 391-399*
 Performance Evaluation of a Vector-Control Fault-Tolerant Flux-Switching Motor Drive. *Aboelhassan, M. O. E.*, +, *TIE Aug. 2013 2997-3006*

Wireless sensor networks

A Distributed TDMA Scheduling Algorithm for Target Tracking in Ultrasonic Sensor Networks. *Cheng, P.*, +, *TIE Sept. 2013 3836-3845*
 An Efficient Hybrid Medium Access Control Technique for Digital Ecosystems. *Le, H.*, +, *TIE March 2013 1070-1076*
 Cattle-Powered Node Experience in a Heterogeneous Network for Localization of Herds. *Gutierrez, A.*, +, *TIE Aug. 2013 3176-3184*
 Security Analysis and Improvement of a Secure and Distributed Reprogramming Protocol for Wireless Sensor Networks. *He, D.*, +, *TIE Nov. 2013 5348-5354*
 Understanding Error Propagation in Multihop Sensor Network Localization. *Huang, B.*, +, *TIE Dec. 2013 5811-5819*
 Wireless ESD Event Locator Systems in Hard Disk Drive Manufacturing Environments. *Thongpull, K.*, +, *TIE Nov. 2013 5252-5259*

Z

Zero current switching

A Practical ZCS-PWM Boost DC-DC Converter With Clamping Diode-Assisted Active Edge-Resonant Cell and Its Extended Topologies. *Mishima, T.*, +, *TIE June 2013 2225-2236*
 Analysis, Design, and Experimental Results of Novel Snubberless Bidirectional Naturally Clamped ZCS/ZVS Current-Fed Half-Bridge DC/DC Converter for Fuel Cell Vehicles. *Rathore, A. K.*, +, *TIE Oct. 2013 4482-4491*

Extended Range ZVS Active-Clamped Current-Fed Full-Bridge Isolated DC/DC Converter for Fuel Cell Applications: Analysis, Design, and Experimental Results. *U R, P.*, +, *TIE July 2013 2661-2672*
 Novel Techniques to Suppress the Common-Mode EMI Noise Caused by Transformer Parasitic Capacitances in DC-DC Converters. *Fu, D.*, +, *TIE Nov. 2013 4968-4977*

Soft-Switching Converter With Two Series Half-Bridge Legs to Reduce Voltage Stress of Active Switches. *Lin, B.-R.*, +, *TIE June 2013 2214-2224*

Zero voltage switching

A New ZVS DC/DC Converter With Three APWM Circuits. *Lin, B.-R.*, +, *TIE Oct. 2013 4351-4358*

A Simple Approach to Detect ZVT and Determine Its Time of Occurrence for PWM Converters. *Russi, J. L.*, +, *TIE July 2013 2576-2585*

A ZVS-PWM Three-Phase Current-Fed Push-Pull DC-DC Converter. *Andersen, R. L.*, +, *TIE March 2013 838-847*

Analysis and Design of Phase-Shifted Dual H-Bridge Converter With a Wide ZVS Range and Reduced Output Filter. *Lee, I.-O.*, +, *TIE Oct. 2013 4415-4426*

Analysis, Design, and Experimental Results of Novel Snubberless Bidirectional Naturally Clamped ZCS/ZVS Current-Fed Half-Bridge DC/DC Converter for Fuel Cell Vehicles. *Rathore, A. K.*, +, *TIE Oct. 2013 4482-4491*

Digital Adaptive Frequency Modulation for Bidirectional DC-DC Converter. *Baek, J.-B.*, +, *TIE Nov. 2013 5167-5176*

Extended Range ZVS Active-Clamped Current-Fed Full-Bridge Isolated DC/DC Converter for Fuel Cell Applications: Analysis, Design, and Experimental Results. *U R, P.*, +, *TIE July 2013 2661-2672*

Multiphase ZVS Active Clamp Boost Converter: DC and Dynamic Current Sharing. *de Jodar, E.*, +, *TIE Nov. 2013 4947-4959*

Novel Techniques to Suppress the Common-Mode EMI Noise Caused by Transformer Parasitic Capacitances in DC-DC Converters. *Fu, D.*, +, *TIE Nov. 2013 4968-4977*

Soft-Switching Converter With Two Series Half-Bridge Legs to Reduce Voltage Stress of Active Switches. *Lin, B.-R.*, +, *TIE June 2013 2214-2224*

ZVS DC/DC Converter Based on Two Three-Level PWM Circuits Sharing the Same Power Switches. *Lin, B.-R.*, +, *TIE Oct. 2013 4191-4200*

Zigbee

Observability-Based Selection Criterion for Anchor Nodes in Multiple-Cell Localization. *Cho, H.*, +, *TIE Oct. 2013 4554-4561*